From: Rivers, Tahani
To: Sandra Dunphy
Subject: RE: [EMTS Support #117587] AutoReply: Use of 2014 RINs
Date: Thursday, September 10, 2015 10:55:40 AM

Sandra,

To clarify, Calumet may use 2014 RINs to replace invalid New Energy or Chieftain RINs used for compliance.

Thanks,

Tahani

Tahani Rivers, Attorney-Advisor
U.S. Environmental Protection Agency
Mobile Source Enforcement Branch
1595 Wynkoop Street, Mail code: 8MSU
Denver, CO 80202
Ph: 303.312.7155
Fax: 303.312.6003

Help eliminate environmental violations - report tips and complaints at: www.epa.gov/tips

----
Confidential: This transmission may contain deliberative, attorney-client, attorney work product or otherwise privileged material. Do not release under FOIA without appropriate review. If this message has been received by you in error, you are instructed to delete this message from your machine and all storage media whether electronic or hard copy. Thank you.

-----Original Message-----
From: Sandra Dunphy [mailto:sandra.dunphy@weaver.com]
Sent: Thursday, September 10, 2015 8:53 AM
To: Rivers, Tahani
Subject: RE: [EMTS Support #117587] AutoReply: Use of 2014 RINs

Hi Tahani,

Honestly it was unclear to us whether that meant it would be ok to use 2014s. Because while the letter does not stipulate which year's RINs can/should be used, it does specifically say that we had to notify EPA if we wanted to use 2014s.
Can I now assume EPA is ok with Calumet using 2014s?
Sandra

-----Original Message-----
From: Rivers, Tahani [mailto:Rivers.Tahani@epa.gov]
Sent: Thursday, September 10, 2015 9:51 AM
To: Sandra Dunphy; support@epamts-support.com
Cc: Larson, Ben
Subject: RE: [EMTS Support #117587] AutoReply: Use of 2014 RINs

Sandra,

Ben Larson responded to your inquiry on August 31, 2015. I inserted his response to you again below.

Regards,

Tahani

Tahani Rivers, Attorney-Advisor
U.S. Environmental Protection Agency
Mobile Source Enforcement Branch
1595 Wynkoop Street, Mail code: 8MSU
Denver, CO 80202
Ph: 303.312.7155
Fax: 303.312.6003

Help eliminate environmental violations - report tips and complaints at: www.epa.gov/tips

---
Confidential: This transmission may contain deliberative, attorney-client, attorney work product or otherwise privileged material. Do not release under FOIA without appropriate review. If this message has been received by you in error, you are instructed to delete this message from your machine and all storage media whether electronic or hard copy. Thank you.

From: Larson, Ben
Sent: Monday, August 31, 2015 1:31 PM
To: Sandra Dunphy
Cc: Rivers, Tahani
Subject: Re: Invalid RIN replacement instructions

Sandra,

Thank you for your email, the supplementary instructions sent on July 31st does not mandate the RIN year to be used.

Any resulting deficit carryover would carry through to each subsequent compliance year.

Thanks,
-Ben

-----Original Message-----
From: Sandra Dunphy [mailto:sandra.dunphy@weaver.com]
Sent: Thursday, September 10, 2015 8:44 AM
To: support@epamts-support.com
Cc: Rivers, Tahani
Subject: FW: [EMTS Support #117587] AutoReply: Use of 2014 RINs

Hi Team,
Should I assume, since no one has gotten back to me, that EPA is ok with Calumet using 2014 RINs as replacements for the invalid RINs used for compliance?
Thanks,
Sande

-----Original Message-----
From: EMTS Support via RT [mailto:support@epamts-support.com]
Sent: Monday, August 31, 2015 10:28 PM
To: Sandra Dunphy
Subject: [EMTS Support #117587] AutoReply: Use of 2014 RINs

Greetings,

This message has been automatically generated in response to the creation of a trouble ticket regarding:
"Use of 2014 RINs",
a summary of which appears below.

There is no need to reply to this message right now. Your ticket has been assigned an ID of [EMTS Support #117587] .

Please include the string:

[EMTS Support #117587]

in the subject line of all future correspondence about this issue. To do so, you may reply to this message.

Thank you,
support@epamts-support.com

Hello EMTS,

Per Ben Larson's note of July 31, obligated parties who plan to use 2014 RINs as replacements for invalid New Energy Fuels or Chieftain RINs are to notify EMTS of this fact.
Please consider this a notification on behalf of Calumet Superior LLC (4741) that they will use 2014 RINs as replacements.

Please let me know asap if you need further information or if this will not be acceptable to EPA.

Thank you,
Sandra

[cid:image001.jpg@01D0E43B.E46FA5F0]<http://www.weaver.com/>

Sandra Dunphy
Weaver

Director
Energy Compliance Services

D: 832.320.3218 M: 281.610.4750
Yahoo IM: RINderellatx
sandra.dunphy@weaver.com<mailto:sandra.dunphy@weaver.com>
24 Greenway Plaza, Suite 1800
Houston, TX 77046
P: 713.850.8787 F: 713.850.1673
View Bio and VCard<http://weaver.com/about/people/sandra-dunphy>

Locations Throughout Texas | weaver.com<http://www.weaver.com/>
An Independent Member of Baker Tilly International

DISCLAIMER: This e-mail message is intended only for the personal use of the recipient (s) named above. This message is confidential and may be privileged. If you are not an intended recipient, you may not review, copy, or distribute this message. If you have received this communication in error, please notify Weaver immediately by e-mail and by telephone at (800) 332.7952 and delete the original message from your system. Unauthorized

interception of this e-mail is a violation of Federal criminal law.