Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041174R5

Client: Ecology and Environment, Inc.

Project Name: Site# 0440.01CP, 0440.01CP-0010-FINAL RESULTS

ANALYSIS DETAIL

Lab/Cor Sample No. B4762 S20 A1
Client Sample No. AAMS-D01-092704
Description
Analysis Date 1/2/2005
Analyst KM

Volume (L) 6182.8
No. of Grid Openings 15
Filter Area (mm2) 385
Area Analyzed (mm2) 0.217
Analytical Sens. (struc/cc) 0.000286
Dectection Limit. (struc/cc) 0.000857

Structure Type	Filter Density (s/mm2)	Concen-tration (struc/cc)	95% Confidence Interval (struc/cc)	Struc. Count
Primary Asbestos Structures	27.6	0.00172	0.000631 - 0.00374	6
Total Asbestos Structures	27.6	0.00172	0.000631 - 0.00374	6
Asbestos Structures > 5um	18.4	0.00115	0.000312 - 0.00293	4
Asbestos Fibers and Bundles > 5um	18.4	0.00115	0.000312 - 0.00293	4
PCM Equivalent Fibers-US	18.4	0.00115	0.000312 - 0.00293	4
PCM Equivalent Structures-US	18.4	0.00115	0.000312 - 0.00293	4
PROTOCOL ASB STRUCS 5-10	0.0	<0.000857	0.00 - 0.000857	0
PROTOCOL ASB STRUCS >10	0.0	<0.000857	0.00 - 0.000857	0
PROTOCOL ASB STRUCS TOTAL	0.0	<0.000857	0.00 - 0.000857	0
PROTOCOL CHRYS STRUCS 5-10	0.0	<0.000857	0.00 - 0.000857	0
PROTOCOL CHRYS STRUCS >10	0.0	<0.000857	0.00 - 0.000857	0
PROTOCOL CHRYS STRUCS TOTAL	0.0	<0.000857	0.00 - 0.000857	0
PROTOCOL AMPH STRUCS 5-10	0.0	<0.000857	0.00 - 0.000857	0
PROTOCOL AMPH STRUCS >10	0.0	<0.000857	0.00 - 0.000857	0
PROTOCOL AMPH STRUCS TOTAL	0.0	<0.000857	0.00 - 0.000857	0
AHERA-like Total Structures 3:1	27.6	0.00172	0.000631 - 0.00374	6
AHERA-like Asb Strucs >5 and 3:1	18.4	0.00115	0.000312 - 0.00293	4
AHERA-like Asb Strucs 5 - 10 and 3:1	9.2	0.000573	0.00 - 0.00180	2
AHERA-like Asb Strucs >10 and 3:1	9.2	0.000573	0.00 - 0.00180	2
Total Other Amphibole Strucs 3:1	0.0	<0.000857	0.00 - 0.000857	0
Other Amphibole Strucs >5 and 3:1	0.0	<0.000857	0.00 - 0.000857	0
Other Amphibole Strucs 5 - 10 and 3:1	0.0	<0.000857	0.00 - 0.000857	0
Other Amphibole Strucs >10 and 3:1	0.0	<0.000857	0.00 - 0.000857	0

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041174R5

Client: Ecology and Environment, Inc.

Project Name: Site# 0440.01CP, 0440.01CP-0010-FINAL RESULTS

ANALYSIS DETAIL

Lab/Cor Sample No. B4762 S21 A1
Client Sample No. AAMS-D02-092804
Description
Analysis Date 1/2/2005
Analyst KM

Volume (L) 6087.64
No. of Grid Openings 15
Filter Area (mm2) 385
Area Analyzed (mm2) 0.217
Analytical Sens. (struc/cc) 0.000292
Dectection Limit. (struc/cc) 0.000872

Structure Type	Filter Density (s/mm2)	Concen-tration (struc/cc)	95% Confidence Interval (struc/cc)	Struc. Count
Primary Asbestos Structures	18.4	0.00117	0.000318 - 0.00299	4
Total Asbestos Structures	18.4	0.00117	0.000318 - 0.00299	4
Asbestos Structures > 5um	4.6	0.000292	0.00 - 0.00138	1
Asbestos Fibers and Bundles > 5um	0.0	<0.000872	0.00 - 0.000872	0
PCM Equivalent Fibers-US	0.0	<0.000872	0.00 - 0.000872	0
PCM Equivalent Structures-US	0.0	<0.000872	0.00 - 0.000872	0
PROTOCOL ASB STRUCS 5-10	0.0	<0.000872	0.00 - 0.000872	0
PROTOCOL ASB STRUCS >10	0.0	<0.000872	0.00 - 0.000872	0
PROTOCOL ASB STRUCS TOTAL	0.0	<0.000872	0.00 - 0.000872	0
PROTOCOL CHRYS STRUCS 5-10	0.0	<0.000872	0.00 - 0.000872	0
PROTOCOL CHRYS STRUCS >10	0.0	<0.000872	0.00 - 0.000872	0
PROTOCOL CHRYS STRUCS TOTAL	0.0	<0.000872	0.00 - 0.000872	0
PROTOCOL AMPH STRUCS 5-10	0.0	<0.000872	0.00 - 0.000872	0
PROTOCOL AMPH STRUCS >10	0.0	<0.000872	0.00 - 0.000872	0
PROTOCOL AMPH STRUCS TOTAL	0.0	<0.000872	0.00 - 0.000872	0
AHERA-like Total Structures 3:1	18.4	0.00117	0.000318 - 0.00299	4
AHERA-like Asb Strucs >5 and 3:1	4.6	0.000292	0.00 - 0.00138	1
AHERA-like Asb Strucs 5 - 10 and 3:1	4.6	0.000292	0.00 - 0.00138	1
AHERA-like Asb Strucs >10 and 3:1	0.0	<0.000872	0.00 - 0.000872	0
Total Other Amphibole Strucs 3:1	0.0	<0.000872	0.00 - 0.000872	0
Other Amphibole Strucs >5 and 3:1	0.0	<0.000872	0.00 - 0.000872	0
Other Amphibole Strucs 5 - 10 and 3:1	0.0	<0.000872	0.00 - 0.000872	0
Other Amphibole Strucs >10 and 3:1	0.0	<0.000872	0.00 - 0.000872	0

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041174R5

Client: Ecology and Environment, Inc.

Project Name: Site# 0440.01CP, 0440.01CP-0010-FINAL RESULTS

ANALYSIS DETAIL

Lab/Cor Sample No. B4762 S22 A1
Client Sample No. AAMS-D03-092904
Description
Analysis Date 1/2/2005
Analyst KM

Volume (L) 6216
No. of Grid Openings 15
Filter Area (mm2) 385
Area Analyzed (mm2) 0.217
Analytical Sens. (struc/cc) 0.000285
Dectection Limit. (struc/cc) 0.000852

Structure Type	Filter Density (s/mm2)	Concen-tration (struc/cc)	95% Confidence Interval (struc/cc)	Struc. Count
Primary Asbestos Structures	9.2	0.000570	0.00 - 0.00180	2
Total Asbestos Structures	9.2	0.000570	0.00 - 0.00180	2
Asbestos Structures > 5um	9.2	0.000570	0.00 - 0.00180	2
Asbestos Fibers and Bundles > 5um	9.2	0.000570	0.00 - 0.00180	2
PCM Equivalent Fibers-US	9.2	0.000570	0.00 - 0.00180	2
PCM Equivalent Structures-US	9.2	0.000570	0.00 - 0.00180	2
PROTOCOL ASB STRUCS 5-10	0.0	<0.000852	0.00 - 0.000852	0
PROTOCOL ASB STRUCS >10	0.0	<0.000852	0.00 - 0.000852	0
PROTOCOL ASB STRUCS TOTAL	0.0	<0.000852	0.00 - 0.000852	0
PROTOCOL CHRYS STRUCS 5-10	0.0	<0.000852	0.00 - 0.000852	0
PROTOCOL CHRYS STRUCS >10	0.0	<0.000852	0.00 - 0.000852	0
PROTOCOL CHRYS STRUCS TOTAL	0.0	<0.000852	0.00 - 0.000852	0
PROTOCOL AMPH STRUCS 5-10	0.0	<0.000852	0.00 - 0.000852	0
PROTOCOL AMPH STRUCS >10	0.0	<0.000852	0.00 - 0.000852	0
PROTOCOL AMPH STRUCS TOTAL	0.0	<0.000852	0.00 - 0.000852	0
AHERA-like Total Structures 3:1	9.2	0.000570	0.00 - 0.00180	2
AHERA-like Asb Strucs >5 and 3:1	9.2	0.000570	0.00 - 0.00180	2
AHERA-like Asb Strucs 5 - 10 and 3:1	0.0	<0.000852	0.00 - 0.000852	0
AHERA-like Asb Strucs >10 and 3:1	9.2	0.000570	0.00 - 0.00180	2
Total Other Amphibole Strucs 3:1	0.0	<0.000852	0.00 - 0.000852	0
Other Amphibole Strucs >5 and 3:1	0.0	<0.000852	0.00 - 0.000852	0
Other Amphibole Strucs 5 - 10 and 3:1	0.0	<0.000852	0.00 - 0.000852	0
Other Amphibole Strucs >10 and 3:1	0.0	<0.000852	0.00 - 0.000852	0

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041174R5

Client: Ecology and Environment, Inc.

Project Name: Site# 0440.01CP, 0440.01CP-0010-FINAL RESULTS

ANALYSIS DETAIL

Lab/Cor Sample No. B4762 S23 A1
Client Sample No. AAMS-D04-093005
Description
Analysis Date 1/2/2005
Analyst KM

Volume (L) 6181.68
No. of Grid Openings 15
Filter Area (mm2) 385
Area Analyzed (mm2) 0.217
Analytical Sens. (struc/cc) 0.000287
Dectection Limit. (struc/cc) 0.000857

Structure Type	Filter Density (s/mm2)	Concen-tration (struc/cc)	95% Confidence Interval (struc/cc)	Struc. Count
Primary Asbestos Structures	36.8	0.00229	0.000990 - 0.00452	8
Total Asbestos Structures	36.8	0.00229	0.000990 - 0.00452	8
Asbestos Structures > 5um	27.6	0.00172	0.000631 - 0.00374	6
Asbestos Fibers and Bundles > 5um	18.4	0.00115	0.000312 - 0.00293	4
PCM Equivalent Fibers-US	18.4	0.00115	0.000312 - 0.00293	4
PCM Equivalent Structures-US	13.8	0.000860	0.00 - 0.00222	3
PROTOCOL ASB STRUCS 5-10	0.0	<0.000857	0.00 - 0.000857	0
PROTOCOL ASB STRUCS >10	0.0	<0.000857	0.00 - 0.000857	0
PROTOCOL ASB STRUCS TOTAL	0.0	<0.000857	0.00 - 0.000857	0
PROTOCOL CHRYS STRUCS 5-10	0.0	<0.000857	0.00 - 0.000857	0
PROTOCOL CHRYS STRUCS >10	0.0	<0.000857	0.00 - 0.000857	0
PROTOCOL CHRYS STRUCS TOTAL	0.0	<0.000857	0.00 - 0.000857	0
PROTOCOL AMPH STRUCS 5-10	0.0	<0.000857	0.00 - 0.000857	0
PROTOCOL AMPH STRUCS >10	0.0	<0.000857	0.00 - 0.000857	0
PROTOCOL AMPH STRUCS TOTAL	0.0	<0.000857	0.00 - 0.000857	0
AHERA-like Total Structures 3:1	36.8	0.00229	0.000990 - 0.00452	8
AHERA-like Asb Strucs >5 and 3:1	27.6	0.00172	0.000631 - 0.00374	6
AHERA-like Asb Strucs 5 - 10 and 3:1	23.0	0.00143	0.000465 - 0.00334	5
AHERA-like Asb Strucs >10 and 3:1	4.6	0.000287	0.00 - 0.00136	1
Total Other Amphibole Strucs 3:1	0.0	<0.000857	0.00 - 0.000857	0
Other Amphibole Strucs >5 and 3:1	0.0	<0.000857	0.00 - 0.000857	0
Other Amphibole Strucs 5 - 10 and 3:1	0.0	<0.000857	0.00 - 0.000857	0
Other Amphibole Strucs >10 and 3:1	0.0	<0.000857	0.00 - 0.000857	0

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041174R5

Client: Ecology and Environment, Inc.

Project Name: Site# 0440.01CP, 0440.01CP-0010-FINAL RESULTS

ANALYSIS DETAIL

Lab/Cor Sample No. B4762 S24 A1
Client Sample No. AAMS-D05-100104
Description
Analysis Date 1/2/2005
Analyst KM

Volume (L) 6278.79
No. of Grid Openings 15
Filter Area (mm2) 385
Area Analyzed (mm2) 0.217
Analytical Sens. (struc/cc) 0.000282
Dectection Limit. (struc/cc) 0.000844

Structure Type	Filter Density (s/mm2)	Concen-tration (struc/cc)	95% Confidence Interval (struc/cc)	Struc. Count
Primary Asbestos Structures	46.0	0.00282	0.00135 - 0.00519	10
Total Asbestos Structures	46.0	0.00282	0.00135 - 0.00519	10
Asbestos Structures > 5um	36.8	0.00226	0.000974 - 0.00445	8
Asbestos Fibers and Bundles > 5um	32.2	0.00197	0.000794 - 0.00407	7
PCM Equivalent Fibers-US	32.2	0.00197	0.000794 - 0.00407	7
PCM Equivalent Structures-US	32.2	0.00197	0.000794 - 0.00407	7
PROTOCOL ASB STRUCS 5-10	4.6	0.000282	0.00 - 0.00134	1
PROTOCOL ASB STRUCS >10	0.0	<0.000844	0.00 - 0.000844	0
PROTOCOL ASB STRUCS TOTAL	4.6	0.000282	0.00 - 0.00134	1
PROTOCOL CHRYS STRUCS 5-10	0.0	<0.000844	0.00 - 0.000844	0
PROTOCOL CHRYS STRUCS >10	0.0	<0.000844	0.00 - 0.000844	0
PROTOCOL CHRYS STRUCS TOTAL	0.0	<0.000844	0.00 - 0.000844	0
PROTOCOL AMPH STRUCS 5-10	4.6	0.000282	0.00 - 0.00134	1
PROTOCOL AMPH STRUCS >10	0.0	<0.000844	0.00 - 0.000844	0
PROTOCOL AMPH STRUCS TOTAL	4.6	0.000282	0.00 - 0.00134	1
AHERA-like Total Structures 3:1	46.0	0.00282	0.00135 - 0.00519	10
AHERA-like Asb Strucs >5 and 3:1	36.8	0.00226	0.000974 - 0.00445	8
AHERA-like Asb Strucs 5 - 10 and 3:1	27.6	0.00169	0.000621 - 0.00368	6
AHERA-like Asb Strucs >10 and 3:1	9.2	0.000564	0.00 - 0.00178	2
Total Other Amphibole Strucs 3:1	0.0	<0.000844	0.00 - 0.000844	0
Other Amphibole Strucs >5 and 3:1	0.0	<0.000844	0.00 - 0.000844	0
Other Amphibole Strucs 5 - 10 and 3:1	0.0	<0.000844	0.00 - 0.000844	0
Other Amphibole Strucs >10 and 3:1	0.0	<0.000844	0.00 - 0.000844	0

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041174R5

Client: Ecology and Environment, Inc.

Project Name: Site# 0440.01CP, 0440.01CP-0010-FINAL RESULTS

ANALYSIS DETAIL

Lab/Cor Sample No. B4762 S25 A1
Client Sample No. AAMS-D06-100204
Description
Analysis Date 1/2/2005
Analyst KM

Volume (L) 7604.42
No. of Grid Openings 12
Filter Area (mm2) 385
Area Analyzed (mm2) 0.174
Analytical Sens. (struc/cc) 0.000291
Dectection Limit. (struc/cc) 0.000871

Structure Type	Filter Density (s/mm2)	Concen-tration (struc/cc)	95% Confidence Interval (struc/cc)	Struc. Count
Primary Asbestos Structures	28.8	0.00146	0.000473 - 0.00340	5
Total Asbestos Structures	28.8	0.00146	0.000473 - 0.00340	5
Asbestos Structures > 5um	17.3	0.000874	0.00 - 0.00226	3
Asbestos Fibers and Bundles > 5um	17.3	0.000874	0.00 - 0.00226	3
PCM Equivalent Fibers-US	11.5	0.000582	0.00 - 0.00183	2
PCM Equivalent Structures-US	11.5	0.000582	0.00 - 0.00183	2
PROTOCOL ASB STRUCS 5-10	5.8	0.000291	0.00 - 0.00138	1
PROTOCOL ASB STRUCS >10	0.0	<0.000871	0.00 - 0.000871	0
PROTOCOL ASB STRUCS TOTAL	5.8	0.000291	0.00 - 0.00138	1
PROTOCOL CHRYS STRUCS 5-10	5.8	0.000291	0.00 - 0.00138	1
PROTOCOL CHRYS STRUCS >10	0.0	<0.000871	0.00 - 0.000871	0
PROTOCOL CHRYS STRUCS TOTAL	5.8	0.000291	0.00 - 0.00138	1
PROTOCOL AMPH STRUCS 5-10	0.0	<0.000871	0.00 - 0.000871	0
PROTOCOL AMPH STRUCS >10	0.0	<0.000871	0.00 - 0.000871	0
PROTOCOL AMPH STRUCS TOTAL	0.0	<0.000871	0.00 - 0.000871	0
AHERA-like Total Structures 3:1	28.8	0.00146	0.000473 - 0.00340	5
AHERA-like Asb Strucs >5 and 3:1	17.3	0.000874	0.00 - 0.00226	3
AHERA-like Asb Strucs 5 - 10 and 3:1	11.5	0.000582	0.00 - 0.00183	2
AHERA-like Asb Strucs >10 and 3:1	5.8	0.000291	0.00 - 0.00138	1
Total Other Amphibole Strucs 3:1	0.0	<0.000871	0.00 - 0.000871	0
Other Amphibole Strucs >5 and 3:1	0.0	<0.000871	0.00 - 0.000871	0
Other Amphibole Strucs 5 - 10 and 3:1	0.0	<0.000871	0.00 - 0.000871	0
Other Amphibole Strucs >10 and 3:1	0.0	<0.000871	0.00 - 0.000871	0

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041174R5

Client: Ecology and Environment, Inc.

Project Name: Site# 0440.01CP, 0440.01CP-0010-FINAL RESULTS

ANALYSIS DETAIL

Lab/Cor Sample No. B4762 S26 A1
Client Sample No. AAMS-D07-100304
Description
Analysis Date 1/2/2005
Analyst KM

Volume (L) 7242.84
No. of Grid Openings 12
Filter Area (mm2) 385
Area Analyzed (mm2) 0.174
Analytical Sens. (struc/cc) 0.000306
Dectection Limit. (struc/cc) 0.000914

Structure Type	Filter Density (s/mm2)	Concen-tration (struc/cc)	95% Confidence Interval (struc/cc)	Struc. Count
Primary Asbestos Structures	11.5	0.000611	0.00 - 0.00193	2
Total Asbestos Structures	11.5	0.000611	0.00 - 0.00193	2
Asbestos Structures > 5um	5.8	0.000306	0.00 - 0.00145	1
Asbestos Fibers and Bundles > 5um	5.8	0.000306	0.00 - 0.00145	1
PCM Equivalent Fibers-US	5.8	0.000306	0.00 - 0.00145	1
PCM Equivalent Structures-US	5.8	0.000306	0.00 - 0.00145	1
PROTOCOL ASB STRUCS 5-10	5.8	0.000306	0.00 - 0.00145	1
PROTOCOL ASB STRUCS >10	0.0	<0.000914	0.00 - 0.000914	0
PROTOCOL ASB STRUCS TOTAL	5.8	0.000306	0.00 - 0.00145	1
PROTOCOL CHRYS STRUCS 5-10	0.0	<0.000914	0.00 - 0.000914	0
PROTOCOL CHRYS STRUCS >10	0.0	<0.000914	0.00 - 0.000914	0
PROTOCOL CHRYS STRUCS TOTAL	0.0	<0.000914	0.00 - 0.000914	0
PROTOCOL AMPH STRUCS 5-10	5.8	0.000306	0.00 - 0.00145	1
PROTOCOL AMPH STRUCS >10	0.0	<0.000914	0.00 - 0.000914	0
PROTOCOL AMPH STRUCS TOTAL	5.8	0.000306	0.00 - 0.00145	1
AHERA-like Total Structures 3:1	11.5	0.000611	0.00 - 0.00193	2
AHERA-like Asb Strucs >5 and 3:1	5.8	0.000306	0.00 - 0.00145	1
AHERA-like Asb Strucs 5 - 10 and 3:1	5.8	0.000306	0.00 - 0.00145	1
AHERA-like Asb Strucs >10 and 3:1	0.0	<0.000914	0.00 - 0.000914	0
Total Other Amphibole Strucs 3:1	0.0	<0.000914	0.00 - 0.000914	0
Other Amphibole Strucs >5 and 3:1	0.0	<0.000914	0.00 - 0.000914	0
Other Amphibole Strucs 5 - 10 and 3:1	0.0	<0.000914	0.00 - 0.000914	0
Other Amphibole Strucs >10 and 3:1	0.0	<0.000914	0.00 - 0.000914	0

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041174R5

Client: Ecology and Environment, Inc.

Project Name: Site# 0440.01CP, 0440.01CP-0010-FINAL RESULTS

ANALYSIS DETAIL

Lab/Cor Sample No. B4762 S27 A1
Client Sample No. AAMS-D107-100304
Description
Analysis Date 1/3/2005
Analyst JH

Volume (L) 7221.6
No. of Grid Openings 12
Filter Area (mm2) 385
Area Analyzed (mm2) 0.174
Analytical Sens. (struc/cc) 0.000307
Dectection Limit. (struc/cc) 0.000917

Structure Type	Filter Density (s/mm2)	Concen-tration (struc/cc)	95% Confidence Interval (struc/cc)	Struc. Count
Primary Asbestos Structures	46.0	0.00245	0.00106 - 0.00483	8
Total Asbestos Structures	46.0	0.00245	0.00106 - 0.00483	8
Asbestos Structures > 5um	40.3	0.00215	0.000863 - 0.00442	7
Asbestos Fibers and Bundles > 5um	34.5	0.00184	0.000675 - 0.00400	6
PCM Equivalent Fibers-US	23.0	0.00123	0.000334 - 0.00314	4
PCM Equivalent Structures-US	11.5	0.000613	0.00 - 0.00193	2
PROTOCOL ASB STRUCS 5-10	5.8	0.000307	0.00 - 0.00145	1
PROTOCOL ASB STRUCS >10	5.8	0.000307	0.00 - 0.00145	1
PROTOCOL ASB STRUCS TOTAL	11.5	0.000613	0.00 - 0.00193	2
PROTOCOL CHRYS STRUCS 5-10	0.0	<0.000917	0.00 - 0.000917	0
PROTOCOL CHRYS STRUCS >10	5.8	0.000307	0.00 - 0.00145	1
PROTOCOL CHRYS STRUCS TOTAL	5.8	0.000307	0.00 - 0.00145	1
PROTOCOL AMPH STRUCS 5-10	5.8	0.000307	0.00 - 0.00145	1
PROTOCOL AMPH STRUCS >10	0.0	<0.000917	0.00 - 0.000917	0
PROTOCOL AMPH STRUCS TOTAL	5.8	0.000307	0.00 - 0.00145	1
AHERA-like Total Structures 3:1	46.0	0.00245	0.00106 - 0.00483	8
AHERA-like Asb Strucs >5 and 3:1	40.3	0.00215	0.000863 - 0.00442	7
AHERA-like Asb Strucs 5 - 10 and 3:1	11.5	0.000613	0.00 - 0.00193	2
AHERA-like Asb Strucs >10 and 3:1	28.8	0.00153	0.000498 - 0.00358	5
Total Other Amphibole Strucs 3:1	0.0	<0.000917	0.00 - 0.000917	0
Other Amphibole Strucs >5 and 3:1	0.0	<0.000917	0.00 - 0.000917	0
Other Amphibole Strucs 5 - 10 and 3:1	0.0	<0.000917	0.00 - 0.000917	0
Other Amphibole Strucs >10 and 3:1	0.0	<0.000917	0.00 - 0.000917	0

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041210R5

Client: Ecology and Environment, Inc.

Project Name: Site 0440.01CP Sample Set#4-FINAL REPORT

ANALYSIS DETAIL

Lab/Cor Sample No. B4783 S45 A1
Client Sample No. ~~LC~~-AAMS-D08-100404
Description
Analysis Date 1/26/2005
Analyst KM

Volume (L) 7018.79
No. of Grid Openings 13
Filter Area (mm2) 385
Area Analyzed (mm2) 0.188
Analytical Sens. (struc/cc) 0.000291
Dectection Limit. (struc/cc) 0.000871

Structure Type	Filter Density (s/mm2)	Concen-tration (struc/cc)	95% Confidence Interval (struc/cc)	Struc. Count
Primary Asbestos Structures	0.0	<0.000871	0.00 - 0.000871	0
Total Asbestos Structures	0.0	<0.000871	0.00 - 0.000871	0
Asbestos Structures > 5um	0.0	<0.000871	0.00 - 0.000871	0
Asbestos Fibers and Bundles > 5um	0.0	<0.000871	0.00 - 0.000871	0
PCM Equivalent Fibers-US	0.0	<0.000871	0.00 - 0.000871	0
PCM Equivalent Structures-US	0.0	<0.000871	0.00 - 0.000871	0
PROTOCOL ASB STRUCS 5-10	0.0	<0.000871	0.00 - 0.000871	0
PROTOCOL ASB STRUCS >10	0.0	<0.000871	0.00 - 0.000871	0
PROTOCOL ASB STRUCS TOTAL	0.0	<0.000871	0.00 - 0.000871	0
PROTOCOL CHRYS STRUCS 5-10	0.0	<0.000871	0.00 - 0.000871	0
PROTOCOL CHRYS STRUCS >10	0.0	<0.000871	0.00 - 0.000871	0
PROTOCOL CHRYS STRUCS TOTAL	0.0	<0.000871	0.00 - 0.000871	0
PROTOCOL AMPH STRUCS 5-10	0.0	<0.000871	0.00 - 0.000871	0
PROTOCOL AMPH STRUCS >10	0.0	<0.000871	0.00 - 0.000871	0
PROTOCOL AMPH STRUCS TOTAL	0.0	<0.000871	0.00 - 0.000871	0
AHERA-like Total Structures 3:1	0.0	<0.000871	0.00 - 0.000871	0
AHERA-like Asb Strucs >5 and 3:1	0.0	<0.000871	0.00 - 0.000871	0
AHERA-like Asb Strucs 5 - 10 and 3:1	0.0	<0.000871	0.00 - 0.000871	0
AHERA-like Asb Strucs >10 and 3:1	0.0	<0.000871	0.00 - 0.000871	0
Total Other Amphibole Strucs 3:1	0.0	<0.000871	0.00 - 0.000871	0
Other Amphibole Strucs >5 and 3:1	0.0	<0.000871	0.00 - 0.000871	0
Other Amphibole Strucs 5 - 10 and 3:1	0.0	<0.000871	0.00 - 0.000871	0
Other Amphibole Strucs >10 and 3:1	0.0	<0.000871	0.00 - 0.000871	0

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041210R5

Client: Ecology and Environment, Inc.

Project Name: Site 0440.01CP Sample Set#4-FINAL REPORT

ANALYSIS DETAIL

Lab/Cor Sample No. B4783 S48 A1
Client Sample No. JC-AAMS-D11-100704
Description
Analysis Date 1/27/2005
Analyst KM

Volume (L) 7044.6
No. of Grid Openings 13
Filter Area (mm2) 385
Area Analyzed (mm2) 0.188
Analytical Sens. (struc/cc) 0.000290
Dectection Limit. (struc/cc) 0.000867

Structure Type	Filter Density (s/mm2)	Concen-tration (struc/cc)	95% Confidence Interval (struc/cc)	Struc. Count
Primary Asbestos Structures	37.2	0.00203	0.000816 - 0.00418	7
Total Asbestos Structures	37.2	0.00203	0.000816 - 0.00418	7
Asbestos Structures > 5um	15.9	0.000870	0.00 - 0.00225	3
Asbestos Fibers and Bundles > 5um	10.6	0.000580	0.00 - 0.00183	2
PCM Equivalent Fibers-US	10.6	0.000580	0.00 - 0.00183	2
PCM Equivalent Structures-US	10.6	0.000580	0.00 - 0.00183	2
PROTOCOL ASB STRUCS 5-10	0.0	<0.000867	0.00 - 0.000867	0
PROTOCOL ASB STRUCS >10	0.0	<0.000867	0.00 - 0.000867	0
PROTOCOL ASB STRUCS TOTAL	0.0	<0.000867	0.00 - 0.000867	0
PROTOCOL CHRYS STRUCS 5-10	0.0	<0.000867	0.00 - 0.000867	0
PROTOCOL CHRYS STRUCS >10	0.0	<0.000867	0.00 - 0.000867	0
PROTOCOL CHRYS STRUCS TOTAL	0.0	<0.000867	0.00 - 0.000867	0
PROTOCOL AMPH STRUCS 5-10	0.0	<0.000867	0.00 - 0.000867	0
PROTOCOL AMPH STRUCS >10	0.0	<0.000867	0.00 - 0.000867	0
PROTOCOL AMPH STRUCS TOTAL	0.0	<0.000867	0.00 - 0.000867	0
AHERA-like Total Structures 3:1	31.9	0.00174	0.000639 - 0.00379	6
AHERA-like Asb Strucs >5 and 3:1	10.6	0.000580	0.00 - 0.00183	2
AHERA-like Asb Strucs 5 - 10 and 3:1	10.6	0.000580	0.00 - 0.00183	2
AHERA-like Asb Strucs >10 and 3:1	0.0	<0.000867	0.00 - 0.000867	0
Total Other Amphibole Strucs 3:1	0.0	<0.000867	0.00 - 0.000867	0
Other Amphibole Strucs >5 and 3:1	0.0	<0.000867	0.00 - 0.000867	0
Other Amphibole Strucs 5 - 10 and 3:1	0.0	<0.000867	0.00 - 0.000867	0
Other Amphibole Strucs >10 and 3:1	0.0	<0.000867	0.00 - 0.000867	0

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041210R5

Client: Ecology and Environment, Inc.

Project Name: Site 0440.01CP Sample Set#4-FINAL REPORT

ANALYSIS DETAIL

Lab/Cor Sample No. B4783 S49 A1
Client Sample No. LC-AAMS-D12-100804
Description
Analysis Date 12/1/2004
Analyst KM

Volume (L) 7038.82
No. of Grid Openings 13
Filter Area (mm2) 385
Area Analyzed (mm2) 0.188
Analytical Sens. (struc/cc) 0.000290
Dectection Limit. (struc/cc) 0.000868

Structure Type	Filter Density (s/mm2)	Concen-tration (struc/cc)	95% Confidence Interval (struc/cc)	Struc. Count
Primary Asbestos Structures	42.5	0.00232	0.00100 - 0.00458	8
Total Asbestos Structures	42.5	0.00232	0.00100 - 0.00458	8
Asbestos Structures > 5um	5.3	0.000290	0.00 - 0.00138	1
Asbestos Fibers and Bundles > 5um	0.0	<0.000868	0.00 - 0.000868	0
PCM Equivalent Fibers-US	0.0	<0.000868	0.00 - 0.000868	0
PCM Equivalent Structures-US	5.3	0.000290	0.00 - 0.00138	1
PROTOCOL ASB STRUCS 5-10	0.0	<0.000868	0.00 - 0.000868	0
PROTOCOL ASB STRUCS >10	0.0	<0.000868	0.00 - 0.000868	0
PROTOCOL ASB STRUCS TOTAL	0.0	<0.000868	0.00 - 0.000868	0
PROTOCOL CHRYS STRUCS 5-10	0.0	<0.000868	0.00 - 0.000868	0
PROTOCOL CHRYS STRUCS >10	0.0	<0.000868	0.00 - 0.000868	0
PROTOCOL CHRYS STRUCS TOTAL	0.0	<0.000868	0.00 - 0.000868	0
PROTOCOL AMPH STRUCS 5-10	0.0	<0.000868	0.00 - 0.000868	0
PROTOCOL AMPH STRUCS >10	0.0	<0.000868	0.00 - 0.000868	0
PROTOCOL AMPH STRUCS TOTAL	0.0	<0.000868	0.00 - 0.000868	0
AHERA-like Total Structures 3:1	42.5	0.00232	0.00100 - 0.00458	8
AHERA-like Asb Strucs >5 and 3:1	5.3	0.000290	0.00 - 0.00138	1
AHERA-like Asb Strucs 5 - 10 and 3:1	5.3	0.000290	0.00 - 0.00138	1
AHERA-like Asb Strucs >10 and 3:1	0.0	<0.000868	0.00 - 0.000868	0
Total Other Amphibole Strucs 3:1	0.0	<0.000868	0.00 - 0.000868	0
Other Amphibole Strucs >5 and 3:1	0.0	<0.000868	0.00 - 0.000868	0
Other Amphibole Strucs 5 - 10 and 3:1	0.0	<0.000868	0.00 - 0.000868	0
Other Amphibole Strucs >10 and 3:1	0.0	<0.000868	0.00 - 0.000868	0

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041210R5

Client: Ecology and Environment, Inc.

Project Name: Site 0440.01CP Sample Set#4-FINAL REPORT

ANALYSIS DETAIL

Lab/Cor Sample No. B4783 S53 A1

Client Sample No. LC-AAMS-D13-100904

Description

Analysis Date 1/28/2005

Analyst TM

Volume (L) 7180.02

No. of Grid Openings 13

Filter Area (mm2) 385

Area Analyzed (mm2) 0.188

Analytical Sens. (struc/cc) 0.000285

Dectection Limit. (struc/cc) 0.000851

Structure Type	Filter Density (s/mm2)	Concen-tration (struc/cc)	95% Confidence Interval (struc/cc)	Struc. Count
Primary Asbestos Structures	0.0	<0.000851	0.00 - 0.000851	0
Total Asbestos Structures	0.0	<0.000851	0.00 - 0.000851	0
Asbestos Structures > 5um	0.0	<0.000851	0.00 - 0.000851	0
Asbestos Fibers and Bundles > 5um	0.0	<0.000851	0.00 - 0.000851	0
PCM Equivalent Fibers-US	0.0	<0.000851	0.00 - 0.000851	0
PCM Equivalent Structures-US	0.0	<0.000851	0.00 - 0.000851	0
PROTOCOL ASB STRUCS 5-10	0.0	<0.000851	0.00 - 0.000851	0
PROTOCOL ASB STRUCS >10	0.0	<0.000851	0.00 - 0.000851	0
PROTOCOL ASB STRUCS TOTAL	0.0	<0.000851	0.00 - 0.000851	0
PROTOCOL CHRYS STRUCS 5-10	0.0	<0.000851	0.00 - 0.000851	0
PROTOCOL CHRYS STRUCS >10	0.0	<0.000851	0.00 - 0.000851	0
PROTOCOL CHRYS STRUCS TOTAL	0.0	<0.000851	0.00 - 0.000851	0
PROTOCOL AMPH STRUCS 5-10	0.0	<0.000851	0.00 - 0.000851	0
PROTOCOL AMPH STRUCS >10	0.0	<0.000851	0.00 - 0.000851	0
PROTOCOL AMPH STRUCS TOTAL	0.0	<0.000851	0.00 - 0.000851	0
AHERA-like Total Structures 3:1	0.0	<0.000851	0.00 - 0.000851	0
AHERA-like Asb Strucs >5 and 3:1	0.0	<0.000851	0.00 - 0.000851	0
AHERA-like Asb Strucs 5 - 10 and 3:1	0.0	<0.000851	0.00 - 0.000851	0
AHERA-like Asb Strucs >10 and 3:1	0.0	<0.000851	0.00 - 0.000851	0
Total Other Amphibole Strucs 3:1	0.0	<0.000851	0.00 - 0.000851	0
Other Amphibole Strucs >5 and 3:1	0.0	<0.000851	0.00 - 0.000851	0
Other Amphibole Strucs 5 - 10 and 3:1	0.0	<0.000851	0.00 - 0.000851	0
Other Amphibole Strucs >10 and 3:1	0.0	<0.000851	0.00 - 0.000851	0

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041210R5

Client: Ecology and Environment, Inc.

Project Name: Site 0440.01CP Sample Set#4-FINAL REPORT

ANALYSIS DETAIL

Lab/Cor Sample No. B4783 S55 A1
Client Sample No. ~~LC~~-AAMS-D14-101004
Description
Analysis Date 1/29/2005
Analyst KM

Volume (L) 7010
No. of Grid Openings 13
Filter Area (mm2) 385
Area Analyzed (mm2) 0.188
Analytical Sens. (struc/cc) 0.000292
Dectection Limit. (struc/cc) 0.000872

Structure Type	Filter Density (s/mm2)	Concen-tration (struc/cc)	95% Confidence Interval (struc/cc)	Struc. Count
Primary Asbestos Structures	111.5	0.00612	0.00379 - 0.00936	21
Total Asbestos Structures	111.5	0.00612	0.00379 - 0.00936	21
Asbestos Structures > 5um	21.2	0.00117	0.000318 - 0.00299	4
Asbestos Fibers and Bundles > 5um	15.9	0.000875	0.00 - 0.00226	3
PCM Equivalent Fibers-US	15.9	0.000875	0.00 - 0.00226	3
PCM Equivalent Structures-US	10.6	0.000583	0.00 - 0.00184	2
PROTOCOL ASB STRUCS 5-10	0.0	<0.000872	0.00 - 0.000872	0
PROTOCOL ASB STRUCS >10	0.0	<0.000872	0.00 - 0.000872	0
PROTOCOL ASB STRUCS TOTAL	0.0	<0.000872	0.00 - 0.000872	0
PROTOCOL CHRYS STRUCS 5-10	0.0	<0.000872	0.00 - 0.000872	0
PROTOCOL CHRYS STRUCS >10	0.0	<0.000872	0.00 - 0.000872	0
PROTOCOL CHRYS STRUCS TOTAL	0.0	<0.000872	0.00 - 0.000872	0
PROTOCOL AMPH STRUCS 5-10	0.0	<0.000872	0.00 - 0.000872	0
PROTOCOL AMPH STRUCS >10	0.0	<0.000872	0.00 - 0.000872	0
PROTOCOL AMPH STRUCS TOTAL	0.0	<0.000872	0.00 - 0.000872	0
AHERA-like Total Structures 3:1	111.5	0.00612	0.00379 - 0.00936	21
AHERA-like Asb Strucs >5 and 3:1	21.2	0.00117	0.000318 - 0.00299	4
AHERA-like Asb Strucs 5 - 10 and 3:1	10.6	0.000583	0.00 - 0.00184	2
AHERA-like Asb Strucs >10 and 3:1	10.6	0.000583	0.00 - 0.00184	2
Total Other Amphibole Strucs 3:1	0.0	<0.000872	0.00 - 0.000872	0
Other Amphibole Strucs >5 and 3:1	0.0	<0.000872	0.00 - 0.000872	0
Other Amphibole Strucs 5 - 10 and 3:1	0.0	<0.000872	0.00 - 0.000872	0
Other Amphibole Strucs >10 and 3:1	0.0	<0.000872	0.00 - 0.000872	0

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041210R5

Client: Ecology and Environment, Inc.

Project Name: Site 0440.01CP Sample Set#4-FINAL REPORT

ANALYSIS DETAIL

Lab/Cor Sample No. B4783 S58 A1
Client Sample No. ~~LC~~-AAMS-D15-101104
Description
Analysis Date 1/29/2005
Analyst KM

Volume (L) 6834
No. of Grid Openings 13
Filter Area (mm2) 385
Area Analyzed (mm2) 0.188
Analytical Sens. (struc/cc) 0.000299
Dectection Limit. (struc/cc) 0.000894

Structure Type	Filter Density (s/mm2)	Concen-tration (struc/cc)	95% Confidence Interval (struc/cc)	Struc. Count
Primary Asbestos Structures	47.8	0.00269	0.00123 - 0.00511	9
Total Asbestos Structures	47.8	0.00269	0.00123 - 0.00511	9
Asbestos Structures > 5um	10.6	0.000598	0.00 - 0.00188	2
Asbestos Fibers and Bundles > 5um	5.3	0.000299	0.00 - 0.00142	1
PCM Equivalent Fibers-US	0.0	<0.000894	0.00 - 0.000894	0
PCM Equivalent Structures-US	0.0	<0.000894	0.00 - 0.000894	0
PROTOCOL ASB STRUCS 5-10	0.0	<0.000894	0.00 - 0.000894	0
PROTOCOL ASB STRUCS >10	0.0	<0.000894	0.00 - 0.000894	0
PROTOCOL ASB STRUCS TOTAL	0.0	<0.000894	0.00 - 0.000894	0
PROTOCOL CHRYS STRUCS 5-10	0.0	<0.000894	0.00 - 0.000894	0
PROTOCOL CHRYS STRUCS >10	0.0	<0.000894	0.00 - 0.000894	0
PROTOCOL CHRYS STRUCS TOTAL	0.0	<0.000894	0.00 - 0.000894	0
PROTOCOL AMPH STRUCS 5-10	0.0	<0.000894	0.00 - 0.000894	0
PROTOCOL AMPH STRUCS >10	0.0	<0.000894	0.00 - 0.000894	0
PROTOCOL AMPH STRUCS TOTAL	0.0	<0.000894	0.00 - 0.000894	0
AHERA-like Total Structures 3:1	42.5	0.00239	0.00103 - 0.00471	8
AHERA-like Asb Strucs >5 and 3:1	5.3	0.000299	0.00 - 0.00142	1
AHERA-like Asb Strucs 5 - 10 and 3:1	0.0	<0.000894	0.00 - 0.000894	0
AHERA-like Asb Strucs >10 and 3:1	5.3	0.000299	0.00 - 0.00142	1
Total Other Amphibole Strucs 3:1	0.0	<0.000894	0.00 - 0.000894	0
Other Amphibole Strucs >5 and 3:1	0.0	<0.000894	0.00 - 0.000894	0
Other Amphibole Strucs 5 - 10 and 3:1	0.0	<0.000894	0.00 - 0.000894	0
Other Amphibole Strucs >10 and 3:1	0.0	<0.000894	0.00 - 0.000894	0

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041174R5

Client: Ecology and Environment, Inc.

Project Name: Site# 0440.01CP, 0440.01CP-0010-FINAL RESULTS

ANALYSIS DETAIL

Lab/Cor Sample No. B4762 S17 A1
Client Sample No. AAMS-1ZB-092904
Description
Analysis Date 1/2/2005
Analyst KM

Volume (L) 4800
No. of Grid Openings 19
Filter Area (mm2) 385
Area Analyzed (mm2) 0.275
Analytical Sens. (struc/cc) 0.000291
Dectection Limit. (struc/cc) 0.000871

Structure Type	Filter Density (s/mm2)	Concen-tration (struc/cc)	95% Confidence Interval (struc/cc)	Struc. Count
Primary Asbestos Structures	0.0	<0.000871	0.00 - 0.000871	0
Total Asbestos Structures	0.0	<0.000871	0.00 - 0.000871	0
Asbestos Structures > 5um	0.0	<0.000871	0.00 - 0.000871	0
Asbestos Fibers and Bundles > 5um	0.0	<0.000871	0.00 - 0.000871	0
PCM Equivalent Fibers-US	0.0	<0.000871	0.00 - 0.000871	0
PCM Equivalent Structures-US	0.0	<0.000871	0.00 - 0.000871	0
PROTOCOL ASB STRUCS 5-10	0.0	<0.000871	0.00 - 0.000871	0
PROTOCOL ASB STRUCS >10	0.0	<0.000871	0.00 - 0.000871	0
PROTOCOL ASB STRUCS TOTAL	0.0	<0.000871	0.00 - 0.000871	0
PROTOCOL CHRYS STRUCS 5-10	0.0	<0.000871	0.00 - 0.000871	0
PROTOCOL CHRYS STRUCS >10	0.0	<0.000871	0.00 - 0.000871	0
PROTOCOL CHRYS STRUCS TOTAL	0.0	<0.000871	0.00 - 0.000871	0
PROTOCOL AMPH STRUCS 5-10	0.0	<0.000871	0.00 - 0.000871	0
PROTOCOL AMPH STRUCS >10	0.0	<0.000871	0.00 - 0.000871	0
PROTOCOL AMPH STRUCS TOTAL	0.0	<0.000871	0.00 - 0.000871	0
AHERA-like Total Structures 3:1	0.0	<0.000871	0.00 - 0.000871	0
AHERA-like Asb Strucs >5 and 3:1	0.0	<0.000871	0.00 - 0.000871	0
AHERA-like Asb Strucs 5 - 10 and 3:1	0.0	<0.000871	0.00 - 0.000871	0
AHERA-like Asb Strucs >10 and 3:1	0.0	<0.000871	0.00 - 0.000871	0
Total Other Amphibole Strucs 3:1	0.0	<0.000871	0.00 - 0.000871	0
Other Amphibole Strucs >5 and 3:1	0.0	<0.000871	0.00 - 0.000871	0
Other Amphibole Strucs 5 - 10 and 3:1	0.0	<0.000871	0.00 - 0.000871	0
Other Amphibole Strucs >10 and 3:1	0.0	<0.000871	0.00 - 0.000871	0

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041174R5

Client: Ecology and Environment, Inc.

Project Name: Site# 0440.01CP, 0440.01CP-0010-FINAL RESULTS

ANALYSIS DETAIL

Lab/Cor Sample No. B4762 S18 A1
Client Sample No. AAMS-1ZB-100204
Description
Analysis Date 1/2/2005
Analyst KM

Volume (L) 4800
No. of Grid Openings 19
Filter Area (mm2) 385
Area Analyzed (mm2) 0.275
Analytical Sens. (struc/cc) 0.000291
Dectection Limit. (struc/cc) 0.000871

Structure Type	Filter Density (s/mm2)	Concen-tration (struc/cc)	95% Confidence Interval (struc/cc)	Struc. Count
Primary Asbestos Structures	0.0	<0.000871	0.00 - 0.000871	0
Total Asbestos Structures	0.0	<0.000871	0.00 - 0.000871	0
Asbestos Structures > 5um	0.0	<0.000871	0.00 - 0.000871	0
Asbestos Fibers and Bundles > 5um	0.0	<0.000871	0.00 - 0.000871	0
PCM Equivalent Fibers-US	0.0	<0.000871	0.00 - 0.000871	0
PCM Equivalent Structures-US	0.0	<0.000871	0.00 - 0.000871	0
PROTOCOL ASB STRUCS 5-10	0.0	<0.000871	0.00 - 0.000871	0
PROTOCOL ASB STRUCS >10	0.0	<0.000871	0.00 - 0.000871	0
PROTOCOL ASB STRUCS TOTAL	0.0	<0.000871	0.00 - 0.000871	0
PROTOCOL CHRYS STRUCS 5-10	0.0	<0.000871	0.00 - 0.000871	0
PROTOCOL CHRYS STRUCS >10	0.0	<0.000871	0.00 - 0.000871	0
PROTOCOL CHRYS STRUCS TOTAL	0.0	<0.000871	0.00 - 0.000871	0
PROTOCOL AMPH STRUCS 5-10	0.0	<0.000871	0.00 - 0.000871	0
PROTOCOL AMPH STRUCS >10	0.0	<0.000871	0.00 - 0.000871	0
PROTOCOL AMPH STRUCS TOTAL	0.0	<0.000871	0.00 - 0.000871	0
AHERA-like Total Structures 3:1	0.0	<0.000871	0.00 - 0.000871	0
AHERA-like Asb Strucs >5 and 3:1	0.0	<0.000871	0.00 - 0.000871	0
AHERA-like Asb Strucs 5 - 10 and 3:1	0.0	<0.000871	0.00 - 0.000871	0
AHERA-like Asb Strucs >10 and 3:1	0.0	<0.000871	0.00 - 0.000871	0
Total Other Amphibole Strucs 3:1	0.0	<0.000871	0.00 - 0.000871	0
Other Amphibole Strucs >5 and 3:1	0.0	<0.000871	0.00 - 0.000871	0
Other Amphibole Strucs 5 - 10 and 3:1	0.0	<0.000871	0.00 - 0.000871	0
Other Amphibole Strucs >10 and 3:1	0.0	<0.000871	0.00 - 0.000871	0

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041174R5

Client: Ecology and Environment, Inc.

Project Name: Site# 0440.01CP, 0440.01CP-0010-FINAL RESULTS

ANALYSIS DETAIL

Lab/Cor Sample No. B4762 S19 A1
Client Sample No. AAMS-2ZB-100204
Description
Analysis Date 1/2/2005
Analyst KM

Volume (L) 4810
No. of Grid Openings 19
Filter Area (mm2) 385
Area Analyzed (mm2) 0.275
Analytical Sens. (struc/cc) 0.000291
Dectection Limit. (struc/cc) 0.000869

Structure Type	Filter Density (s/mm2)	Concen-tration (struc/cc)	95% Confidence Interval (struc/cc)	Struc. Count
Primary Asbestos Structures	0.0	<0.000869	0.00 - 0.000869	0
Total Asbestos Structures	0.0	<0.000869	0.00 - 0.000869	0
Asbestos Structures > 5um	0.0	<0.000869	0.00 - 0.000869	0
Asbestos Fibers and Bundles > 5um	0.0	<0.000869	0.00 - 0.000869	0
PCM Equivalent Fibers-US	0.0	<0.000869	0.00 - 0.000869	0
PCM Equivalent Structures-US	0.0	<0.000869	0.00 - 0.000869	0
PROTOCOL ASB STRUCS 5-10	0.0	<0.000869	0.00 - 0.000869	0
PROTOCOL ASB STRUCS >10	0.0	<0.000869	0.00 - 0.000869	0
PROTOCOL ASB STRUCS TOTAL	0.0	<0.000869	0.00 - 0.000869	0
PROTOCOL CHRYS STRUCS 5-10	0.0	<0.000869	0.00 - 0.000869	0
PROTOCOL CHRYS STRUCS >10	0.0	<0.000869	0.00 - 0.000869	0
PROTOCOL CHRYS STRUCS TOTAL	0.0	<0.000869	0.00 - 0.000869	0
PROTOCOL AMPH STRUCS 5-10	0.0	<0.000869	0.00 - 0.000869	0
PROTOCOL AMPH STRUCS >10	0.0	<0.000869	0.00 - 0.000869	0
PROTOCOL AMPH STRUCS TOTAL	0.0	<0.000869	0.00 - 0.000869	0
AHERA-like Total Structures 3:1	0.0	<0.000869	0.00 - 0.000869	0
AHERA-like Asb Strucs >5 and 3:1	0.0	<0.000869	0.00 - 0.000869	0
AHERA-like Asb Strucs 5 - 10 and 3:1	0.0	<0.000869	0.00 - 0.000869	0
AHERA-like Asb Strucs >10 and 3:1	0.0	<0.000869	0.00 - 0.000869	0
Total Other Amphibole Strucs 3:1	0.0	<0.000869	0.00 - 0.000869	0
Other Amphibole Strucs >5 and 3:1	0.0	<0.000869	0.00 - 0.000869	0
Other Amphibole Strucs 5 - 10 and 3:1	0.0	<0.000869	0.00 - 0.000869	0
Other Amphibole Strucs >10 and 3:1	0.0	<0.000869	0.00 - 0.000869	0

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041174R5

Client: Ecology and Environment, Inc.

Project Name: Site# 0440.01CP, 0440.01CP-0010-FINAL RESULTS

ANALYSIS DETAIL

Lab/Cor Sample No. B4762 S28 A1
Client Sample No. AAMS-FB-093004
Description
Analysis Date 1/3/2005
Analyst JH

Volume (L) 4800
No. of Grid Openings 17
Filter Area (mm2) 385
Area Analyzed (mm2) 0.246
Analytical Sens. (struc/cc) 0.000326
Dectection Limit. (struc/cc) 0.000974

Structure Type	Filter Density (s/mm2)	Concen-tration (struc/cc)	95% Confidence Interval (struc/cc)	Struc. Count
Primary Asbestos Structures	0.0	<0.000974	0.00 - 0.000974	0
Total Asbestos Structures	0.0	<0.000974	0.00 - 0.000974	0
Asbestos Structures > 5um	0.0	<0.000974	0.00 - 0.000974	0
Asbestos Fibers and Bundles > 5um	0.0	<0.000974	0.00 - 0.000974	0
PCM Equivalent Fibers-US	0.0	<0.000974	0.00 - 0.000974	0
PCM Equivalent Structures-US	0.0	<0.000974	0.00 - 0.000974	0
PROTOCOL ASB STRUCS 5-10	0.0	<0.000974	0.00 - 0.000974	0
PROTOCOL ASB STRUCS >10	0.0	<0.000974	0.00 - 0.000974	0
PROTOCOL ASB STRUCS TOTAL	0.0	<0.000974	0.00 - 0.000974	0
PROTOCOL CHRYS STRUCS 5-10	0.0	<0.000974	0.00 - 0.000974	0
PROTOCOL CHRYS STRUCS >10	0.0	<0.000974	0.00 - 0.000974	0
PROTOCOL CHRYS STRUCS TOTAL	0.0	<0.000974	0.00 - 0.000974	0
PROTOCOL AMPH STRUCS 5-10	0.0	<0.000974	0.00 - 0.000974	0
PROTOCOL AMPH STRUCS >10	0.0	<0.000974	0.00 - 0.000974	0
PROTOCOL AMPH STRUCS TOTAL	0.0	<0.000974	0.00 - 0.000974	0
AHERA-like Total Structures 3:1	0.0	<0.000974	0.00 - 0.000974	0
AHERA-like Asb Strucs >5 and 3:1	0.0	<0.000974	0.00 - 0.000974	0
AHERA-like Asb Strucs 5 - 10 and 3:1	0.0	<0.000974	0.00 - 0.000974	0
AHERA-like Asb Strucs >10 and 3:1	0.0	<0.000974	0.00 - 0.000974	0
Total Other Amphibole Strucs 3:1	0.0	<0.000974	0.00 - 0.000974	0
Other Amphibole Strucs >5 and 3:1	0.0	<0.000974	0.00 - 0.000974	0
Other Amphibole Strucs 5 - 10 and 3:1	0.0	<0.000974	0.00 - 0.000974	0
Other Amphibole Strucs >10 and 3:1	0.0	<0.000974	0.00 - 0.000974	0

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041174R5

Client: Ecology and Environment, Inc.

Project Name: Site# 0440.01CP, 0440.01CP-0010-FINAL RESULTS

ANALYSIS DETAIL

Lab/Cor Sample No. B4762 S29 A1
Client Sample No. AAMS-FB-100204
Description
Analysis Date 1/3/2005
Analyst JH

Volume (L) 0
No. of Grid Openings 10
Filter Area (mm2) 385
Area Analyzed (mm2) 0.145
Analytical Sens. (struc/cc) NA
Dectection Limit. (struc/cc) NA

Structure Type	Filter Density (s/mm2)	Concen-tration (struc/cc)	95% Confidence Interval (struc/cc)	Struc. Count
Primary Asbestos Structures	0.0	NA	NA	0
Total Asbestos Structures	0.0	NA	NA	0
Asbestos Structures > 5um	0.0	NA	NA	0
Asbestos Fibers and Bundles > 5um	0.0	NA	NA	0
PCM Equivalent Fibers-US	0.0	NA	NA	0
PCM Equivalent Structures-US	0.0	NA	NA	0
PROTOCOL ASB STRUCS 5-10	0.0	NA	NA	0
PROTOCOL ASB STRUCS >10	0.0	NA	NA	0
PROTOCOL ASB STRUCS TOTAL	0.0	NA	NA	0
PROTOCOL CHRYS STRUCS 5-10	0.0	NA	NA	0
PROTOCOL CHRYS STRUCS >10	0.0	NA	NA	0
PROTOCOL CHRYS STRUCS TOTAL	0.0	NA	NA	0
PROTOCOL AMPH STRUCS 5-10	0.0	NA	NA	0
PROTOCOL AMPH STRUCS >10	0.0	NA	NA	0
PROTOCOL AMPH STRUCS TOTAL	0.0	NA	NA	0
AHERA-like Total Structures 3:1	0.0	NA	NA	0
AHERA-like Asb Strucs >5 and 3:1	0.0	NA	NA	0
AHERA-like Asb Strucs 5 - 10 and 3:1	0.0	NA	NA	0
AHERA-like Asb Strucs >10 and 3:1	0.0	NA	NA	0
Total Other Amphibole Strucs 3:1	0.0	NA	NA	0
Other Amphibole Strucs >5 and 3:1	0.0	NA	NA	0
Other Amphibole Strucs 5 - 10 and 3:1	0.0	NA	NA	0
Other Amphibole Strucs >10 and 3:1	0.0	NA	NA	0

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041174R5

Client: Ecology and Environment, Inc.

Project Name: Site# 0440.01CP, 0440.01CP-0010-FINAL RESULTS

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Sample No.: AAMS-D01-092704 *Lab/Cor Sample No.:* B4762 S20 A1

Descripiton:

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
A	1	B21	AQ	1	1	F	3.2	0.7	4.6			Mg, Al, Si, Ca, Fe Actinolite	TAS_AHRA
A	1	B21	AQ	2	2	F	9.5	1.2	7.9			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, PCMES-US, TAS_AHRA, AS>5_AHRA, AS5-10_AHRA
A	2	B41		NSD									
A	3	B1		NSD									
A	4	C11		NSD									
A	5	A31		NSD									
A	6	A11		NSD									
A	7	D1		NSD									
A	8	D21		NSD									
A	9	C20		NSD									
B	10	A31		NSD									
B	11	A11		NSD									
B	12	D1	AQ	3	3	F	5.5	1.5	3.7			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, PCMES-US, TAS_AHRA, AS>5_AHRA, AS5-10_AHRA
B	12	D1	AQ	4	4	F	19.5	1.2	16			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, PCMES-US, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
B	13	D21		NSD									
B	14	D41	AQ	5	5	F	19	3	6.3			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, PCMES-US, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
B	15	A42	AZQ	6	6	F	4.3	0.5	8.6	1267	924	Mg, Al, Si, Ca, Fe Actinolite Zone Axis [1 0 0] - KM	TAS_AHRA

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041174R5

Client: Ecology and Environment, Inc.

Project Name: Site# 0440.01CP, 0440.01CP-0010-FINAL RESULTS

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Sample No.: AAMS-D02-092804 *Lab/Cor Sample No.:* B4762 S21 A1

Descripiton:

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
A	1	B22		NSD									
A	2	B2		NSD									
A	3	C12	AZQ	1		MD1-0	4	1	4.0			Actinolite	TAS_AHRA
A	3	C12	AZQ		1	MF	4	0.2	20	1247	925	Mg, Al, Si, Ca, Fe Actinolite Zone Axis [1 3 0] - KM	
A	4	C32		NSD									
A	5	A11		NSD									
A	6	D1		NSD									
A	7	D21		NSD									
A	8	D41		NSD									
B	9	B11	AQ	2		MD1-0	3.8	1.2	3.2			Actinolite	TAS_AHRA
B	9	B11	AQ		2	MF	2.6	0.7	3.7			Mg, Al, Si, Ca, Fe Actinolite	
B	10	C1		NSD									
B	11	C21		NSD									
B	12	C41		NSD									
B	13	A1		NSD									
B	14	D11	AQ	3		MD1-0	10	9	1.1			Actinolite	AS>5, TAS_AHRA, AS>5_AHRA, AS5-10_AHRA
B	14	D11	AQ		3	MF	4.7	0.6	7.8			Mg, Al, Si, Ca, Fe Actinolite	
B	14	D11	AQ	4	4	F	2	0.5	4.0			Mg, Al, Si, Ca, Fe Actinolite	TAS_AHRA
B	15	D31		NSD									

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041174R5

Client: Ecology and Environment, Inc.

Project Name: Site# 0440.01CP, 0440.01CP-0010-FINAL RESULTS

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Sample No.: AAMS-D03-092904 *Lab/Cor Sample No.:* B4762 S22 A1

Descripiton:

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
A	1	B42		NSD									
A	2	B22		NSD									
A	3	B2		NSD									
A	4	C12		NSD									
A	5	C32		NSD									
A	6	A2	AQ	1	1	F	16.5	1.8	9.2		929	Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, PCMES-US, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
A	7	D12		NSD									
A	8	D32		NSD									
B	9	C31	AZQ	2	2	F	14.8	2	7.4	1271	930	Mg, Al, Si, Ca, Fe Actinolite Zone Axis [1 0 1] - KM	AS>5, AFB>5, PCMEF-US, PCMES-US, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
B	10	B1		NSD									
B	11	C11		NSD									
B	12	D1		NSD									
B	13	D21		NSD									
B	14	D41		NSD									
B	15	D10		NSD									

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041174R5

Client: Ecology and Environment, Inc.

Project Name: Site# 0440.01CP, 0440.01CP-0010-FINAL RESULTS

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Sample No.: AAMS-D04-093005 *Lab/Cor Sample No.:* B4762 S23 A1

Descripiton:

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
A	1	B22		NSD									
A	2	B2	AZQ	1	1	F	6.8	1.5	4.5	1248	926	Mg, Al, Si, Ca, Fe Actinolite Zone Axis [3 1 2] - JH	AS>5, AFB>5, PCMEF-US, PCMES-US, TAS_AHRA, AS>5_AHRA, AS5-10_AHRA
A	2	B2	AQ	2		MD1-0	8	7.5	1.1			Actinolite	AS>5, TAS_AHRA, AS>5_AHRA, AS5-10_AHRA
A	2	B2	AQ		2	MF	1.8	0.2	9.0			Mg, Al, Si, Ca, Fe Actinolite	
A	3	C12		NSD									
A	4	C32		NSD									
A	5	A12		NSD									
A	6	D2	AQ	3		MD1-0	4	1.3	3.1			Actinolite	TAS_AHRA
A	6	D2	AQ		3	MF	4	0.5	8.0			Mg, Al, Si, Ca, Fe Actinolite	
A	7	D42	AQ	4	4	F	5.3	0.7	7.6			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, PCMES-US, TAS_AHRA, AS>5_AHRA, AS5-10_AHRA
A	8	D22		NSD									
B	9	B22	AQ	5	5	F	4.5	1.3	3.5			Mg, Al, Si, Ca, Fe Actinolite	TAS_AHRA
B	9	B22	AQ	6		MD1-0	5.1	2	2.5			Actinolite	AS>5, TAS_AHRA, AS>5_AHRA, AS5-10_AHRA
B	9	B22	AQ		6	MF	3	0.7	4.3			Mg, Al, Si, Ca, Fe Actinolite	
B	10	B2	AQ	7	7	F	10.2	0.6	17			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, PCMES-US, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
B	11	C12		NSD									
B	12	C32		NSD									
B	13	A1	AQ	8		MD1-1	9	6.5	1.4			Actinolite	AS>5, TAS_AHRA, AS>5_AHRA, AS5-10_AHRA
B	13	A1	AQ		8	MF	6.3	0.66	9.5			Mg, Al, Si, Ca, Fe Actinolite	AFB>5, PCMEF-US
B	14	D11		NSD									
B	15	D31		NSD									

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041174R5

Client: Ecology and Environment, Inc.

Project Name: Site# 0440.01CP, 0440.01CP-0010-FINAL RESULTS

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Sample No.: AAMS-D05-100104 *Lab/Cor Sample No.:* B4762 S24 A1

Descripiton:

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
A	1	B22	AQ	1		MD1-0	6	4	1.5			Actinolite	AS>5, TAS_AHRA, AS>5_AHRA, AS5-10_AHRA
A	1	B22	AQ		1	MF	4.5	0.4	11			Mg, Al, Si, Ca, Fe Actinolite	
A	1	B22	AQ	2	2	F	12.5	2.2	5.7			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, PCMES-US, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
A	1	B22	AQ	3	3	F	7	1.8	3.9			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, PCMES-US, TAS_AHRA, AS>5_AHRA, AS5-10_AHRA
A	2	B2		NSD									
A	3	C12		NSD									
A	4	C32	AZQ	4	4	F	4.5	0.8	5.6	1250	928	Mg, Al, Si, Ca, Fe Actinolite Zone Axis [3 1 2] - KM	TAS_AHRA
A	4	C32	AQ	5	5	F	7	0.8	8.8			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, PCMES-US, TAS_AHRA, AS>5_AHRA, AS5-10_AHRA
A	5	A12		NSD									
A	6	D2	AQ	6	6	F	10	1.8	5.6			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, PCMES-US, TAS_AHRA, AS>5_AHRA, AS5-10_AHRA
A	6	D2	AQ	7		MD1-0	4	1.8	2.2			Actinolite	TAS_AHRA
A	6	D2	AQ		7	MF	3.8	0.8	4.8			Mg, Al, Si, Ca, Fe Actinolite	
A	7	D22		NSD									
A	8	D42		NSD									
B	9	B22		NSD									
B	10	B2		NSD									
B	11	C12		NSD									
B	12	C32	AQ	8	8	F	10.6	1	11			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, PCMES-US, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
B	13	A1	AQ	9	9	F	7.5	0.7	11			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, PCMES-US, TAS_AHRA, AS>5_AHRA, AS5-10_AHRA
B	14	D11	AQ	10	10	F	5.8	0.5	12			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, PCMES-US, PSAS 5-10, PSAS TOT, PSAM 5-10, PSAM TOT, TAS_AHRA, AS>5_AHRA, AS5-10_AHRA
B	15	D31		NSD									

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041174R5

Client: Ecology and Environment, Inc.

Project Name: Site# 0440.01CP, 0440.01CP-0010-FINAL RESULTS

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Sample No.: AAMS-D06-100204 *Lab/Cor Sample No.:* B4762 S25 A1

Descripiton:

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
A	1	B11		NSD									
A	2	C1		NSD									
A	3	C20	CDQ	1	1	B	8	0.5	16	1251	931	Mg, Si Chrysotile Verified - KM	AS>5, AFB>5, PCMEF-US, PCMES-US, PSAS 5-10, PSAS TOT, PCAS 5-10, PCAS TOT, TAS_AHRA, AS>5_AHRA, AS5-10_AHRA
A	4	A30		NSD									
A	5	A1	AQ	2	2	F	6	0.65	9.2			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, PCMES-US, TAS_AHRA, AS>5_AHRA, AS5-10_AHRA
A	5	A1	CDQ	3	3	F	1	0.1	10			Mg, Si Chrysotile	TAS_AHRA
A	6	D11		NSD									
B	7	B30		NSD									
B	8	B10		NSD									
B	9	D30	CDQ	4		MD1-0	2.8	1.8	1.6			Chrysotile	TAS_AHRA
B	9	D30	CDQ		4	MF	1.6	0.1	16			Mg, Si Chrysotile	
B	10	D1		NSD									
B	11	D21		NSD									
B	12	D41	AZQ	5	5	F	13	4	3.2	1272	932	Mg, Al, Si, Ca, Fe Actinolite Zone Axis [0 -1 0] - KM	AS>5, AFB>5, TAS_AHRA, AS>5_AHRA, AS>10_AHRA

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041174R5

Client: Ecology and Environment, Inc.

Project Name: Site# 0440.01CP, 0440.01CP-0010-FINAL RESULTS

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Sample No.: AAMS-D07-100304 *Lab/Cor Sample No.:* B4762 S26 A1

Descripiton:

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
A	1	B41	AZQ	1		MD1-1	8	2	4.0			Actinolite	AS>5, PCMES-US, TAS_AHRA, AS>5_AHRA, AS5-10_AHRA
A	1	B41	AZQ		1	MF	8	0.5	16	1274	933	Mg, Al, Si, Ca, Fe Actinolite Zone Axis [5 -1 -2] - KM	AFB>5, PCMEF-US, PSAS 5-10, PSAS TOT, PSAM 5-10, PSAM TOT
A	1	B41	AQ	2	2	F	3.5	0.5	7.0			Mg, Al, Si, Ca, Fe Actinolite	TAS_AHRA
A	2	B11		NSD									
A	3	C11		NSD									
A	4	C31		NSD									
A	5	D40		NSD									
A	6	D10		NSD									
A	7	A20		NSD									
A	8	A40		NSD									
B	9	A32		NSD									
B	10	D12		NSD									
B	11	C21		NSD									
B	12	B11		NSD									

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041174R5

Client: Ecology and Environment, Inc.

Project Name: Site# 0440.01CP, 0440.01CP-0010-FINAL RESULTS

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Sample No.: AAMS-D107-100304 *Lab/Cor Sample No.:* B4762 S27 A1

Descripiton:

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
A	1	A22	AQ	1		MD1-1	10.3	9.6	1.1			Actinolite	AS>5, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
A	1	A22	AQ		1	MF	7.7	0.3	26			Mg, Al, Si, Ca, Fe Actinolite	AFB>5, PCMEF-US, PSAS 5-10, PSAS TOT, PSAM 5-10, PSAM TOT
A	2	A2	AZQ	2		MD1-1	12	6.5	1.8			Actinolite	AS>5, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
A	2	A2	AZQ		2	MF	9.5	2.4	4.0	1254	934	Mg, Al, Si, Ca, Fe Actinolite Zone Axis [5 1 6] - JH	AFB>5, PCMEF-US
A	3	D12	AQ	3	3	B	2	0.7	2.9			Mg, Al, Si, Ca, Fe Actinolite	TAS_AHRA
A	4	D32		NSD									
A	5	C22		NSD									
A	6	B11	CDQ	4		MD1-1	17	10.2	1.7			Chrysotile	AS>5, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
A	6	B11	CDQ		4	MF	10.1	0.05	200	1255	935	Mg, Si Chrysotile Verified - KM	AFB>5, PSAS >10, PSAS TOT, PCAS >10, PCAS TOT
B	7	B41	AQ	5	5	F	11.5	3	3.8			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, PCMES-US, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
B	8	B13	AQ	6	6	F	18	3.5	5.1			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
B	9	C13		NSD									
B	10	C10	CDQ	7		MD1-0	7.5	4	1.9			Chrysotile	AS>5, TAS_AHRA, AS>5_AHRA, AS5-10_AHRA
B	10	C10	CDQ		7	MF	3.5	0.05	70			Mg, Si Chrysotile	
B	11	D31		NSD									
B	12	A2	AQ	8	8	F	6.5	2	3.2			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, PCMES-US, TAS_AHRA, AS>5_AHRA, AS5-10_AHRA

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041210R5

Client: Ecology and Environment, Inc.

Project Name: Site 0440.01CP Sample Set#4-FINAL REPORT

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Sample No.: LC-AAMS-D08-100404 *Lab/Cor Sample No.:* B4783 S45 A1

Descripiton:

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
A	1	A41		NSD									
A	2	A21		NSD									
A	3	A1		NSD									
A	4	D11		NSD									
A	5	B41		NSD									
A	6	B21		NSD									
A	7	B1		NSD									
B	8	A31		NSD									
B	9	A11		NSD									
B	10	D1		NSD									
B	11	B21		NSD									
B	12	B1		NSD									
B	13	C11		NSD									

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041210R5

Client: Ecology and Environment, Inc.

Project Name: Site 0440.01CP Sample Set#4-FINAL REPORT

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Sample No.: ~~LC~~-AAMS-D11-100704 *Lab/Cor Sample No.:* B4783 S48 A1

Descripiton:

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
A	1	D13		NSD									
A	2	D33		NSD									
A	3	D43	AZQ	1	1	F	1.8	0.4	4.5	1341	1002	Mg, Al, Si, Ca, Fe Actinolite Zone Axis [5 1 2] - KM	TAS_AHRA
A	4	D2		NSD									
A	5	D12	AQ	2	2	F	5.1	0.7	7.3			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, PCMES-US, TAS_AHRA, AS>5_AHRA, AS5-10_AHRA
A	5	D12	CDQ	3	3	CC30-0	7.5	3.5	2.1	1343	1003	Mg, Si Chrysotile Verified - KM	AS>5
A	5	D12	CD	4	4	F	1.2	0.1	12			Chrysotile	TAS_AHRA
A	6	D22		NSD									
A	7	B2		NSD									
B	8	A33		NSD									
B	9	A3	AQ	5	5	F	2.5	0.5	5.0			Mg, Si, Ca, Fe Actinolite	TAS_AHRA
B	10	D23	AQ	6		MD1-1	7.5	2.5	3.0			Actinolite	AS>5, PCMES-US, TAS_AHRA, AS>5_AHRA, AS5-10_AHRA
B	10	D23	AQ		6	MF	7.5	0.8	9.4			Mg, Si, Ca, Fe Actinolite	AFB>5, PCMEF-US
B	11	C30		NSD									
B	12	B10		NSD									
B	13	B30	CD	7		MD1-0	1.5	0.7	2.1			Chrysotile	TAS_AHRA
B	13	B30	CD		7	MB	1.5	0.1	15			Chrysotile	

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041210R5

Client: Ecology and Environment, Inc.

Project Name: Site 0440.01CP Sample Set#4-FINAL REPORT

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Sample No.: LC-AAMS-D12-100804 *Lab/Cor Sample No.:* B4783 S49 A1

Descripiton:

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
A	1	B43		NSD									
A	2	B3		NSD									
A	3	C43	CMQ	1	1	F	1.2	0.1	12			Chrysotile Tilts Into Particulate	TAS_AHRA
A	4	B21	CDQ	2	2	F	1	0.05	20	5638	15482	Mg,Si Chrysotile Verified DW	TAS_AHRA
A	4	B21	CDQ	3	3	F	0.6	0.03	20			Chrysotile	TAS_AHRA
A	5	B1	CD	4	4	F	1	0.08	12			Chrysotile	TAS_AHRA
A	6	C11		NSD									
A	7	C31	CD	5		MD1-0	9	2	4.5			Chrysotile	AS>5, PCMES-US, TAS_AHRA, AS>5_AHRA, AS5-10_AHRA
A	7	C31	CD		5	MF	3.3	0.08	41			Chrysotile	
A	7	C31	AZQ	6		MD1-0	5	4	1.2			Tremolite	TAS_AHRA
A	7	C31	AZQ		6	MF	2	0.35	5.7	5639	15483	Mg, Al, Si, Ca, Fe Tremolite [5 1 4] Zone Axis - KM	
B	8	B34		NSD									
B	9	B14	CMQ	7	7	F	1	0.05	20			Mg, Si Chrysotile	TAS_AHRA
B	9	B14	AZQ	8	8	F	3	0.38	7.9	5640	15484	Mg, Al, Si, Ca, Fe Actinolite [5 3 -4] Zone Axis - KM	TAS_AHRA
B	10	C14		NSD									
B	11	B41		NSD									
B	12	B21		NSD									
B	13	B1		NSD									

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041210R5

Client: Ecology and Environment, Inc.

Project Name: Site 0440.01CP Sample Set#4-FINAL REPORT

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Sample No.: ~~LC~~-AAMS-D13-100904

Descripiton:

Lab/Cor Sample No.: B4783 S53 A1

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
A	1	C44		NSD									
A	2	C42		NSD									
A	3	C40		NSD									
A	4	D41		NSD									
A	5	D43		NSD									
A	6	D34		NSD									
A	7	D32		NSD									
B	8	C44		NSD									
B	9	C42		NSD									
B	10	C40		NSD									
B	11	D41		NSD									
B	12	D43		NSD									
B	13	D34		NSD									

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041210R5

Client: Ecology and Environment, Inc.

Project Name: Site 0440.01CP Sample Set#4-FINAL REPORT

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Sample No.: ~~LC~~-AAMS-D14-101004 *Lab/Cor Sample No.:* B4783 S55 A1

Descripiton:

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
A	1	C4	CD	1	1	F	0.8	0.05	16			Mg, Si Chrysotile	TAS_AHRA
A	1	C4	CDQ	2	2	F	0.6	0.05	12	4	15711	Mg, Si Chrysotile Verified - KM	TAS_AHRA
A	1	C4	AZQ	3		MD1-0	4	1.8	2.2			Actinolite	TAS_AHRA
A	1	C4	AZQ		3	MF	2.3	0.45	5.1	5	15712	Mg, Al, Si, Ca, Fe Actinolite Zone Axis [1 0 -1] - KM iTEM Image	
A	1	C4	CD	4	4	F	3.1	0.1	31			Mg, Si Chrysotile	TAS_AHRA
A	2	C24	CD	5		MD1-0	4	2	2.0			Chrysotile	TAS_AHRA
A	2	C24	CD		5	MF	2	0.1	20			Mg, Si Chrysotile	
A	3	C44		NSD									
A	4	C13	AQ	6		MD1-0	2.3	1.1	2.1			Actinolite	TAS_AHRA
A	4	C13	AQ		6	MF	2.3	0.3	7.7			Mg, Al, Si, Ca, Fe Actinolite	
A	5	C43	AQ	7		MD1-1	13	10	1.3			Actinolite	AS>5, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
A	5	C43	AQ		7	MF	5.2	0.8	6.5			Mg, Al, Si, Ca, Fe Actinolite	AFB>5, PCMEF-US
A	5	C43	AQ	8		MD1-1	28	8	3.5			Actinolite	AS>5, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
A	5	C43	AQ		8	MF	25	3	8.3			Mg, Al, Si, Ca, Fe Actinolite	AFB>5, PCMEF-US
A	5	C43	CD	9		MD1-0	8.5	2.5	3.4			Chrysotile	AS>5, PCMES-US, TAS_AHRA, AS>5_AHRA, AS5-10_AHRA
A	5	C43	CD		9	MF	1.5	0.1	15			Chrysotile	
A	5	C43	CD	10	10	F	1	0.08	12			Chrysotile	TAS_AHRA
A	5	C43	CD	11	11	F	1	0.1	10			Chrysotile	TAS_AHRA
A	6	C22	CD	12	12	F	0.6	0.05	12			Chrysotile	TAS_AHRA
A	6	C22	CD	13		MD1-0	3	3	1.0			Chrysotile	TAS_AHRA
A	6	C22	CD		13	MB	1.8	0.15	12			Chrysotile	
A	7	C42		NSD									
B	8	A31	CD	14	14	F	1	0.1	10			Chrysotile	TAS_AHRA
B	8	A31	CD	15		MD1-0	1.8	0.6	3.0			Chrysotile	TAS_AHRA
B	8	A31	CD		15	MF	0.8	0.05	16			Chrysotile	
B	9	D1	CD	16		MD1-0	2.5	2	1.2			Chrysotile	TAS_AHRA
B	9	D1	CD		16	MF	0.8	0.05	16			Chrysotile	
B	10	D21	CD	17	17	F	1.8	0.11	16			Chrysotile	TAS_AHRA
B	10	D21	CD	18	18	F	0.6	0.08	7.5			Chrysotile	TAS_AHRA
B	11	B11		NSD									

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041210R5

Client: Ecology and Environment, Inc.

Project Name: Site 0440.01CP Sample Set#4-FINAL REPORT

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Sample No.: ~~LC~~-AAMS-D14-101004 *Lab/Cor Sample No.:* B4783 S55 A1

Descripiton:

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
B	12	C1	CD	19	19	F	1	0.1	10			Chrysotile	TAS_AHRA
B	12	C1	AQ	20	20	F	6.5	1.8	3.6			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, PCMES-US, TAS_AHRA, AS>5_AHRA, AS5-10_AHRA
B	13	C21	AQ	21		MD1-0	4.8	3.5	1.4			Actinolite	TAS_AHRA
B	13	C21	AQ		21	MF	2	0.6	3.3			Mg, Al, Si, Ca, Fe Actinolite	

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041210R5

Client: Ecology and Environment, Inc.

Project Name: Site 0440.01CP Sample Set#4-FINAL REPORT

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Sample No.: LC-AAMS-D15-101104 *Lab/Cor Sample No.:* B4783 S58 A1

Descripiton:

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
A	1	A13	AZQ	1	1	F	1.5	0.15	10	2	15709	Mg, Al, Si, Ca, Fe Actinolite Zone Axis [5 -1 2] - KM ITEM Image	TAS_AHRA
A	2	D3		NSD									
A	3	D23		NSD									
A	4	D43		NSD									
A	5	D11	AQ	2	2	F	22	3.8	5.8			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
A	5	D11	AQ	3		MD1-0	3.8	3.8	1.0			Actinolite	TAS_AHRA
A	5	D11	AQ		3	MF	2.2	0.38	5.8			Mg, Al, Si, Ca, Fe Actinolite	
A	6	C31		NSD									
A	7	B14	CDQ	4	4	F	1.1	0.1	11	3	15710	Mg, Si Chrysotile Verified - KM	TAS_AHRA
B	8	A42	CD	5	5	F	1.1	0.08	14			Mg, Si Chrysotile	TAS_AHRA
B	9	B41		NSD									
B	10	B44	CD	6	6	F	2.1	0.08	26			Mg, Si Chrysotile	TAS_AHRA
B	11	C23	CD	7	7	MC5-0	7	5	1.4			Mg, Si Chrysotile	AS>5
B	11	C23	CD	8		MD1-0	2.5	0.8	3.1			Chrysotile	TAS_AHRA
B	11	C23	CD		8	MB	1.6	0.15	11			Mg, Si Chrysotile	
B	12	C43	CD	9	9	F	1.8	0.1	18			Mg, Si Chrysotile	TAS_AHRA
B	13	C42		NSD									

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041174R5

Client: Ecology and Environment, Inc.

Project Name: Site# 0440.01CP, 0440.01CP-0010-FINAL RESULTS

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Sample No.: AAMS-1ZB-092904 *Lab/Cor Sample No.:* B4762 S17 A1

Descripiton:

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
A	1	B42		NSD									
A	2	B22		NSD									
A	3	B2		NSD									
A	4	C12		NSD									
A	5	C32		NSD									
A	6	A41		NSD									
A	7	A21		NSD									
A	8	A1		NSD									
A	9	D11		NSD									
A	10	D31		NSD									
B	11	B42		NSD									
B	12	B22		NSD									
B	13	B2		NSD									
B	14	C12		NSD									
B	15	C32		NSD									
B	16	A21		NSD									
B	17	A1		NSD									
B	18	D11		NSD									
B	19	D31		NSD									

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041174R5

Client: Ecology and Environment, Inc.

Project Name: Site# 0440.01CP, 0440.01CP-0010-FINAL RESULTS

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Sample No.: AAMS-1ZB-100204 *Lab/Cor Sample No.:* B4762 S18 A1

Descripiton:

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
A	1	B42		NSD									
A	2	B22		NSD									
A	3	B2		NSD									
A	4	C12		NSD									
A	5	C32		NSD									
A	6	A41		NSD									
A	7	A21		NSD									
A	8	A1		NSD									
A	9	D11		NSD									
A	10	D31		NSD									
B	11	A41		NSD									
B	12	A21		NSD									
B	13	A1		NSD									
B	14	D11		NSD									
B	15	D31		NSD									
B	16	A32		NSD									
B	17	A12		NSD									
B	18	D2		NSD									
B	19	D22		NSD									

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041174R5

Client: Ecology and Environment, Inc.

Project Name: Site# 0440.01CP, 0440.01CP-0010-FINAL RESULTS

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Sample No.: AAMS-2ZB-100204 *Lab/Cor Sample No.:* B4762 S19 A1

Descripiton:

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
A	1	B43		NSD									
A	2	B23		NSD									
A	3	B3		NSD									
A	4	C13		NSD									
A	5	C33		NSD									
A	6	B31		NSD									
A	7	B11		NSD									
A	8	C1		NSD									
A	9	C21		NSD									
A	10	C41		NSD									
B	11	B42		NSD									
B	12	B22		NSD									
B	13	B2		NSD									
B	14	C12		NSD									
B	15	C32		NSD									
B	16	A11		NSD									
B	17	D1		NSD									
B	18	D21		NSD									
B	19	D41		NSD									

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041174R5

Client: Ecology and Environment, Inc.

Project Name: Site# 0440.01CP, 0440.01CP-0010-FINAL RESULTS

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Sample No.: AAMS-FB-093004 *Lab/Cor Sample No.:* B4762 S28 A1

Descripiton:

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
A	1	A33		NSD									
A	2	A3		NSD									
A	3	D13		NSD									
A	4	D31		NSD									
A	5	C40		NSD									
A	6	C12		NSD									
A	7	B2		NSD									
A	8	B31		NSD									
A	9	A10		NSD									
B	10	A32		NSD									
B	11	A3		NSD									
B	12	D22		NSD									
B	13	D40		NSD									
B	14	C32		NSD									
B	15	C2		NSD									
B	16	B11		NSD									
B	17	B30		NSD									

Sample No.: AAMS-FB-100204 *Lab/Cor Sample No.:* B4762 S29 A1

Descripiton:

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
A	1	A13		NSD									
A	2	D31		NSD									
A	3	C22		NSD									
A	4	B3		NSD									
A	5	B11		NSD									
B	6	A31		NSD									
B	7	D11		NSD									
B	8	D41		NSD									
B	9	C41		NSD									
B	10	B22		NSD									

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041174R5

Client: Ecology and Environment, Inc.

Project Name: Site# 0440.01CP, 0440.01CP-0010-FINAL RESULTS

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

NSD = No Structures Detected
PAS = Primary Asbestos Structures
TAS = Total Asbestos Structures
AS>5 = Asbestos Structures > 5um
AFB>5 = Asbestos Fibers and Bundles > 5um
PCMEF-US = PCM Equivalent Fibers-US
PCMES-US = PCM Equivalent Structures-US
PCMEF-ISO = PCM Equivalent Fibers-ISO
PCMES-ISO = PCM Equivalent Structures-ISO

CF = Cleavage Fragments
TS = Transitional Structures

PSAS 5-10 = PROTOCOL ASB STRUCS 5-10
PSAS >10 = PROTOCOL ASB STRUCS >10
PSAS TOT = PROTOCOL ASB STRUCS TOTAL
PSCH 5-10 = PROTOCOL CHRYS STRUCS 5-10
PSCH >10 = PROTOCOL CHRYS STRUCS >10
PSCH TOT = PROTOCOL CHRYS STRUCS TOTAL
PSAM 5-10 = PROTOCOL AMPH STRUCS 5-10
PSAM >10 = PROTOCOL AMPH STRUCS >10
PSAM TOT = PROTOCOL AMPH STRUCS TOTAL

PChS = Primary Chrysotile Structures
PAmS = Primary Amphibole Structures

TAS_AHRA = AHERA-like Total Strucs 3:1
AS>5_AHRA = AHERA-like Asb Strucs >5 and 3:1
AS5-10_AHRA = AHERA-like Asb Strucs 5 - 10 and 3:1
AS>10_AHRA = AHERA-like Asb Strucs >10 and 3:1
TOS_AHRA = Total Other Amphibole Strucs 3:1
OS>5_AHRA = Other Amphibole Struc >5 and 3:1
OS5-10_AHRA = Other Amphibole Struc 5 - 10 and 3:1
OS>10_AHRA = Other Amphibole Strucs >10 and 3:1