| | |
|---|---|
| **From:** | Meyer, Lisa A |
| **To:** | Howell, Tonya |
| **Cc:** | Sperry, Clint; Miller, Barbara J; Giesmann, Craig J; Derek D. Ingram; Karen L. Harris; Elizabeth A Hurley (ehurley@teklabinc.com); Meyer, Lisa A |
| **Subject:** | Ameren Huster QAPP - 1 of 2 |
| **Date:** | Monday, December 12, 2022 9:14:52 PM |
| **Attachments:** | Huster EPA QAPP_12-12-22.pdf<br>A-1 Eco-Rental Solutions Eqmt Test Procedures.pdf<br>A-2 LEA SOPs.pdf<br>A-3 YSI ProDSS User Manual-english.pdf |
| **Importance:** | High |

---

Tonya,

Attached is the Huster QAPP using the USEPA format. To expedite the QAPP approval process before Jan 2023 as discussed, please have your QAPP department review/comment on this version although it hasn't been formally reviewed or approved by Ameren, LEA, or TLI. I have included these applicable parties for simultaneous review/comment.

I will have to send the docs in multiple emails due to file size.

Thanks,


::::::::::::::::::::::::

**LISA A. MEYER**

Consulting Engineer, Environmental Services

C 314.488.0151

E Lmeyer2@ameren.com

.....

**Ameren Missouri**

1901 Chouteau Ave.

P.O. Box 66149, MC 602

St. Louis, MO 63166-6149

Ameren.com



**Please consider the environment before printing this e-mail.**

This communication and any attachments may be privileged and/or confidential and protected from disclosure, and are otherwise the exclusive property of Ameren Corporation and its affiliates (Ameren) or the intended recipient. If you are not the intended recipient, you are hereby notified that any dissemination, distribution or copying of this communication is strictly prohibited. Note that any views or opinions presented in this message do not necessarily represent those of Ameren. All e-mails are subject to Ameren policies. If you have received this in error, please notify the sender immediately by replying to the message and deleting the material from any computer.