POOR LEGIBILITY

ONE OR MORE PAGES IN THIS DOCUMENT ARE DIFFICULT TO READ DUE TO THE QUALITY OF THE ORIGINAL

SFUND RECORDS CTR
2386455

DOCUMENT SOURCE STAMP
DOHS:
RWQCB:
OTHER: Nevada Div. of Env. Prot
DATE: 6/5/87

Appendix B

Randle & Associates

1979

Yard Borings

TEST PIT #1

DEPTH IN FEET	SAMPLE NO.	LOG & LOCATION OF SAMPLE	Penetration Resistance Blows/ft	DESCRIPTION	IN-PLACE DRY DENSITY p.c.f.	IN-PLACE MOISTURE CONTENT % dry wt.
0						
1						
2		ML		TAN SILTY CLAY		
3						
4						
5						
6				BROKEN CALICHE		
7				CALICHE		

TEST PIT #2

DEPTH IN FEET	SAMPLE NO.	LOG & LOCATION OF SAMPLE	Penetration Resistance Blows/ft	DESCRIPTION	IN-PLACE DRY DENSITY pcf	IN-PLACE MOISTURE CONTENT % dry wt
0						
				FILL - SOME BROKEN CALICHE		
1						
2		ML		TAN SILTY CLAY		
3						
4						
5						
6						
7						
8				BROKEN CALICHE		
9				CALICHE		

TEST PIT # 4

DEPTH IN FEET	SAMPLE NO.	LOG & LOCATION OF SAMPLE	Penetration Resistance Blows/ft	DESCRIPTION	IN-PLACE DRY DENSITY P.C.F.	IN-PLACE MOISTURE CONTENT % dry wt.
0						
1						
2		ML		BROWN SILTY CLAY		
3						
4						
5				BROKEN CALICHE		
6				CALICHE		

TEST PIT # 3

DEPTH IN FEET	SAMPLE NO.	LOG & LOCATION OF SAMPLE	Penetration Resistance Blows/ft	DESCRIPTION	IN-PLACE DRY DENSITY pcf.	IN-PLACE MOISTURE CONTENT % dry wt.
0						
1						
2		ML		BROWN SILTY CLAY		
3						
4						
5						
6				BROKEN CALICHE		
7				CALICHE		

TEST PIT # 5

DEPTH IN FEET	SAMPLE NO.	LOG & LOCATION OF SAMPLE	Penetration Resistance Blows/ft	DESCRIPTION	IN-PLACE DRY DENSITY pcf	IN-PLACE MOISTURE CONTENT % dry wt.
0						
1		ML		BROWN SILTY CLAY		
2						
3						
4		ML		WHITE SILTY CLAY		
5						
6				BROKEN CALICHE		
7				CALICHE		

TEST PIT #6

DEPTH IN FEET	SAMPLE NO.	LOG & LOCATION OF SAMPLE	Penetration Resistance Blows/ft	DESCRIPTION	IN-PLACE DRY DENSITY p.c.f.	IN-PLACE MOISTURE CONTENT % dry wt.
0						
1						
2		ML		BROWN SILTY CLAY		
3						
4						
5						
6						
7		ML		WHITE SILTY CLAY		
8				BROKEN CALICHE		
				CALICHE		

TEST PIT #7

DEPTH IN FEET	SAMPLE NO.	LOG & LOCATION OF SAMPLE	Penetration Resistance Blows/ft	DESCRIPTION	IN-PLACE DRY DENSITY p.c.f.	IN-PLACE MOISTURE CONTENT % dry wt.
0						
1						
2		ML		BROWN SILTY CLAY		
3						
4						
5						
6		ML		WHITE SILTY CLAY		
7						
8				BROKEN CALICHE		
9				CALICHE		

TEST PIT # 8

DEPTH IN FEET	SAMPLE NO.	LOG & LOCATION OF SAMPLE	Penetration Resistance Blows/ft	DESCRIPTION	IN-PLACE DRY DENSITY pcf	IN-PLACE MOISTURE CONTENT % dry wt.
0						
1						
2		ML		BROWN SILTY CLAY		
3						
4						
5						
6						
7						
8						
9		ML		WHITE SILTY CLAY		
10				CALICHE		

TEST PIT #9

DEPTH IN FEET	SAMPLE NO.	LOG & LOCATION OF SAMPLE	Penetration Resistance Blows/ft	DESCRIPTION	IN-PLACE DRY DENSITY pcf.	IN-PLACE MOISTURE CONTENT % dry wt.
0						
1						
2		ML		BROWN SILTY CLAY		
3						
4						
5						
6						
7		ML		WHITE SILTY CLAY		
8				CALICHE		

TEST PIT #10

DEPTH IN FEET	SAMPLE NO.	LOG & LOCATION OF SAMPLE	Penetration Resistance Blows/ft	DESCRIPTION	IN-PLACE DRY DENSITY p.c.f.	IN-PLACE MOISTURE CONTENT % dry wt.
0						
1		ML		BROWN SILTY CLAY		
2						
3						
4						
5				BROKEN CALICHE		
6				CALICHE		

TEST PIT #11

DEPTH IN FEET	SAMPLE NO.	LOG & LOCATION OF SAMPLE	Penetration Resistance Blows/ft	DESCRIPTION	IN-PLACE DRY DENSITY p.c.f.	IN-PLACE MOISTURE CONTENT % dry wt.
0						
1						
2		ML		BROWN SILTY CLAY		
3						
4						
5		ML		WHITE SILTY CLAY		
6				BROKEN CALICHE		
7				CALICHE		

TEST PIT #12

DEPTH IN FEET	SAMPLE NO.	LOG & LOCATION OF SAMPLE	Penetration Resistance Blows/ft	DESCRIPTION	IN-PLACE DRY DENSITY p.c.f.	IN-PLACE MOISTURE CONTENT % dry wt.
0						
1						
2		ML		BROWN SILTY CLAY		
3						
4						
5				BROKEN CALICHE		
6				CALICHE		

TEST PIT #13

DEPTH IN FEET	SAMPLE NO.	LOG & LOCATION OF SAMPLE	Penetration Resistance Blows/ft	DESCRIPTION	IN-PLACE DRY DENSITY pcf	IN-PLACE MOISTURE CONTENT % dry wt
0						
1		ML		BROWN SILTY CLAY		
2						
3						
4						
5		ML		WHITE SILTY CLAY		
6						
7				CALICHE		

TEST PIT #14

DEPTH IN FEET	SAMPLE NO.	LOG & LOCATION OF SAMPLE	Penetration Resistance Blows/ft	DESCRIPTION	IN-PLACE DRY DENSITY p.c.f.	IN-PLACE MOISTURE CONTENT % dry wt.
0						
1						
2		ML		BROWN SILTY CLAY		
3						
4						
5		ML		WHITE SILTY CLAY		
6						
7				CALICHE		

TEST PIT #15

DEPTH IN FEET	SAMPLE NO.	LOG & LOCATION OF SAMPLE	Penetration Resistance Blows/ft	DESCRIPTION	IN-PLACE DRY DENSITY pcf	IN-PLACE MOISTURE CONTENT % dry wt.
0						
1						
2						
		ML		BROWN SILTY CLAY		
3						
4						
5						
6		ML		WHITE SILTY CLAY		
7				CALICHE		

TEST PIT #16

DEPTH IN FEET	SAMPLE NO.	LOG & LOCATION OF SAMPLE	Penetration Resistance Blows/ft	DESCRIPTION	IN-PLACE DRY DENSITY p.c.f.	IN-PLACE MOISTURE CONTENT % dry wt.
0						
1		ML		BROWN SILTY CLAY		
2						
3						
4		ML		WHITE SILTY CLAY		
5						
6						
7				CALICHE		

TEST PIT #17

DEPTH IN FEET	SAMPLE NO.	LOG & LOCATION OF SAMPLE	Penetration Resistance Blows/ft	DESCRIPTION	IN-PLACE DRY DENSITY p.c.f.	IN-PLACE MOISTURE CONTENT % dry wt.
0						
1						
2		ML		BROWN SILTY CLAY		
3						
4						
5						
6		ML		WHITE SILTY CLAY		
7						
8				CALICHE		

TEST PIT #18

DEPTH IN FEET	SAMPLE NO.	LOG & LOCATION OF SAMPLE	Penetration Resistance Blows/ft	DESCRIPTION	IN-PLACE DRY DENSITY pcf.	IN-PLACE MOISTURE CONTENT % dry wt
0						
1		ML		BROWN SILTY CLAY		
2						
3						
4		ML		WHITE SILTY CLAY		
5						
6				CALICHE		

TEST PIT #19

DEPTH IN FEET	SAMPLE NO.	LOG & LOCATION OF SAMPLE	Penetration Resistance Blows/ft	DESCRIPTION	IN-PLACE DRY DENSITY pcf.	IN-PLACE MOISTURE CONTENT % dry wt.
0						
1		ML		BROWN SILTY CLAY		
2						
3		ML		WHITE SILTY CLAY		
4						
5				CALICHE		

TEST PIT #20

DEPTH IN FEET	SAMPLE NO.	LOG & LOCATION OF SAMPLE	Penetration Resistance Blows/ft	DESCRIPTION	IN-PLACE DRY DENSITY pcf.	IN-PLACE MOISTURE CONTENT % dry wt.
0						
1		ML		BROWN SILTY CLAY		
2						
3						
4		ML		WHITE SILTY CLAY		
5						
6						
7						
8						
9						
10				CALICHE		

TEST PIT #21

DEPTH IN FEET	SAMPLE NO.	LOG & LOCATION OF SAMPLE	Penetration Resistance Blows/ft	DESCRIPTION	IN-PLACE DRY DENSITY pcf	IN-PLACE MOISTURE CONTENT % dry wt
0						
1		ML		BROWN SILTY CLAY		
2						
3						
4						
5						
6		ML		WHITE SILTY CLAY		
7						
8						
9				CALICHE		

TEST PIT # 22

DEPTH IN FEET	SAMPLE NO.	LOG & LOCATION OF SAMPLE	Penetration Resistance Blows/ft	DESCRIPTION	IN-PLACE DRY DENSITY p.c.f.	IN-PLACE MOISTURE CONTENT % dry wt.
0						
1		ML		BROWN SILTY CLAY		
2						
3						
4				CALICHE LAYER		
5		ML		WHITE SILTY CLAY		
6				CALICHE		

TEST PIT #23

DEPTH IN FEET	SAMPLE NO.	LOG & LOCATION OF SAMPLE	Penetration Resistance Blows/ft	DESCRIPTION	IN-PLACE DRY DENSITY p.c.f.	IN-PLACE MOISTURE CONTENT % dry wt.
0						
1		ML		BROWN SILTY CLAY		
2						
3						
4		ML		WHITE SILTY CLAY		
5				CALICHE		

TEST PIT #24

DEPTH IN FEET	SAMPLE NO.	LOG & LOCATION OF SAMPLE	Penetration Resistance Blows/ft	DESCRIPTION	IN-PLACE DRY DENSITY pcf	IN-PLACE MOISTURE CONTENT % dry wt
0						
1		ML		BROWN SILTY CLAY		
2						
3		ML		WHITE SILTY CLAY		
4						
5				CALICHE		

TEST PIT #25

DEPTH IN FEET	SAMPLE NO.	LOG & LOCATION OF SAMPLE	Penetration Resistance Blows/ft	DESCRIPTION	IN-PLACE DRY DENSITY pcf.	IN-PLACE MOISTURE CONTENT % dry wt.
0						
1				FUEL OIL ODOR IN MATERIAL		
2						
3						
4		ML		BROWN SILTY CLAY		
5						
6						
7						
8						
9		ML		WHITE SILTY CLAY		
10						
11						
12				CALICHE		

TEST PIT #26

DEPTH IN FEET	SAMPLE NO.	LOG & LOCATION OF SAMPLE	Penetration Resistance Blows/ft	DESCRIPTION	IN-PLACE DRY DENSITY p.c.f.	IN-PLACE MOISTURE CONTENT % dry wt.
0						
1						
2						
3		ML		BROWN SILTY CLAY		
4						
5						
6						
7		ML		WHITE SILTY CLAY		
8						
9				BROKEN CALICHE		
				CALICHE		

TEST PIT #27

DEPTH IN FEET	SAMPLE NO.	LOG & LOCATION OF SAMPLE	Penetration Resistance Blows/ft	DESCRIPTION	IN-PLACE DRY DENSITY pcf.	IN-PLACE MOISTURE CONTENT % dry wt
0						
1		ML		BROWN SILTY CLAY		
2						
3						
4						
5						
6		ML		WHITE SILTY CLAY		
7						
8						
9				CALICHE		

TEST PIT # 28

DEPTH IN FEET	SAMPLE NO.	LOG & LOCATION OF SAMPLE	Penetration Resistance Blows/ft	DESCRIPTION	IN-PLACE DRY DENSITY pcf	IN-PLACE MOISTURE CONTENT % dry wt
0						
1		ML		BROWN SILTY CLAY		
2						
3						
4						
5						
6		ML		WHITE SILTY CLAY		
7						
8						
9				CALICHE		

TEST PIT #29

DEPTH IN FEET	SAMPLE NO.	LOG & LOCATION OF SAMPLE	Penetration Resistance Blows/ft	DESCRIPTION	IN-PLACE DRY DENSITY p.c.f.	IN-PLACE MOISTURE CONTENT % dry wt.
0						
1						
2		ML		BROWN SILTY CLAY		
3						
4						
5				CALICHE		

TEST PIT #30

DEPTH IN FEET	SAMPLE NO.	LOG & LOCATION OF SAMPLE	Penetration Resistance Blows/ft	DESCRIPTION	IN-PLACE DRY DENSITY p.c.f.	IN-PLACE MOISTURE CONTENT % dry wt.
0						
1						
2		ML		BROWN SILTY CLAY		
3						
4						
5						
6		ML		WHITE SILTY CLAY		
7						
8				CALICHE		

TEST PIT #31

DEPTH IN FEET	SAMPLE NO.	LOG & LOCATION OF SAMPLE	Penetration Resistance Blows/ft	DESCRIPTION	IN-PLACE DRY DENSITY pcf	IN-PLACE MOISTURE CONTENT % dry wt
0						
1						
2		ML		BROWN SILTY CLAY		
3						
4						
5						
6		ML		WHITE SILTY CLAY		
7						
				CALICHE		

TEST PIT #32

DEPTH IN FEET	SAMPLE NO.	LOG & LOCATION OF SAMPLE	Penetration Resistance Blows/ft	DESCRIPTION	IN-PLACE DRY DENSITY pcf	IN-PLACE MOISTURE CONTENT % dry wt.
0						
1						
2		ML		BROWN SILTY CLAY		
3						
4						
5						
6		ML		WHITE SILTY CLAY		
7						
8				CALICHE		

TEST PIT #33

DEPTH IN FEET	SAMPLE NO.	LOG & LOCATION OF SAMPLE	Penetration Resistance Blows/ft	DESCRIPTION	IN-PLACE DRY DENSITY p.c.f.	IN-PLACE MOISTURE CONTENT % dry wt.
0						
1		ML		BROWN SILTY CLAY		
2						
3						
4		ML		WHITE SILTY CLAY		
5						
6						
7				CALICHE		

TEST PIT # 34

DEPTH IN FEET	SAMPLE NO.	LOG & LOCATION OF SAMPLE	Penetration Resistance Blows/ft	DESCRIPTION	IN-PLACE DRY DENSITY p.c.f.	IN-PLACE MOISTURE CONTENT % dry wt
0						
1		ML		BROWN SILTY CLAY		
2						
3						
4						
5						
6		ML		WHITE SILTY CLAY		
7						
8						
9				CALICHE		

TEST PIT 35

DEPTH IN FEET	SAMPLE NO.	LOG & LOCATION OF SAMPLE	Penetration Resistance Blows/ft	DESCRIPTION	IN-PLACE DRY DENSITY p.c.f.	IN-PLACE MOISTURE CONTENT % dry wt.
0						
1				DUMPED FILL - BROKEN CALICHE		
2						
3						
4						
5						
6		ML		BROWN SILTY CLAY		
7						
8						
9						
10						
11						
12		ML		GREY SILTY CLAY		
13				CALICHE		

TEST PIT #36

DEPTH IN FEET	SAMPLE NO.	LOG & LOCATION OF SAMPLE	Penetration Resistance Blows/ft	DESCRIPTION	IN-PLACE DRY DENSITY p.c.f.	IN-PLACE MOISTURE CONTENT % dry wt.
0						
1						
2		ML		BROWN SILTY CLAY		
3						
4						
5						
6		ML		WHITE SILTY CLAY		
7				CALICHE		

TEST PIT #37

DEPTH IN FEET	SAMPLE NO.	LOG & LOCATION OF SAMPLE	Penetration Resistance Blows/ft	DESCRIPTION	IN-PLACE DRY DENSITY p.c.f.	IN-PLACE MOISTURE CONTENT % dry wt.
0						
1		ML		BROWN SILTY CLAY		
2						
3						
4						
5				BROKEN CALICHE		
6				CALICHE		

TEST PIT # 38

DEPTH IN FEET	SAMPLE NO.	LOG & LOCATION OF SAMPLE	Penetration Resistance Blows/ft	DESCRIPTION	IN-PLACE DRY DENSITY p.c.f.	IN-PLACE MOISTURE CONTENT % dry wt.
0						
1						
2						
		ML		BROWN SILTY CLAY		
3						
4						
5						
6						
7						
8						
9		ML		GREY/WHITE SILTY CLAY		
10						
11						
12						
13				CALICHE		

TEST PIT #39

DEPTH IN FEET	SAMPLE NO.	LOG & LOCATION OF SAMPLE	Penetration Resistance Blows/ft	DESCRIPTION	IN-PLACE DRY DENSITY p.c.f.	IN-PLACE MOISTURE CONTENT % dry wt.
0						
1				FILL - SAND, GRAVEL, BROKEN CALICHE - SOME MINOR TRASH		
2						
3						
4						
5						
6		ML		BROWN SILTY CLAY		
7						
8						
9				CALICHE		

TEST PIT #40

DEPTH IN FEET	SAMPLE NO.	LOG & LOCATION OF SAMPLE	Penetration Resistance Blows/ft	DESCRIPTION	IN-PLACE DRY DENSITY p.c.f.	IN-PLACE MOISTURE CONTENT % dry wt.
0						
1		ML		BROWN SILTY CLAY		
2						
3						
4						
5						
6				CALICHE		

TEST PIT #41

DEPTH IN FEET	SAMPLE NO.	LOG & LOCATION OF SAMPLE	Penetration Resistance Blows/ft	DESCRIPTION	IN-PLACE DRY DENSITY p.c.f	IN-PLACE MOISTURE CONTENT % dry wt
0						
1		ML		BROWN SILTY CLAY		
2						
3		ML		WHITE SILTY CLAY		
4				CALICHE		

TEST PIT #42

DEPTH IN FEET	SAMPLE NO.	LOG & LOCATION OF SAMPLE	Penetration Resistance Blows/ft	DESCRIPTION	IN-PLACE DRY DENSITY p.c.f.	IN-PLACE MOISTURE CONTENT % dry wt.
0						
1				FILL MATERIAL - SAND, LIMESTONE		
2						
3						
4		ML		BROWN SILTY CLAY		
5						
				CALICHE		

TEST PIT #43

DEPTH IN FEET	SAMPLE NO.	LOG & LOCATION OF SAMPLE	Penetration Resistance Blows/ft	DESCRIPTION	IN-PLACE DRY DENSITY p.c.f.	IN-PLACE MOISTURE CONTENT % dry wt.
0						
1						
2						
3						
4						
5						
6		ML		BROWN SILTY CLAY		
7						
8						
9						
10						
11						
12		ML		WHITE SILTY CLAY		
13				CALICHE		

TEST PIT #44

DEPTH IN FEET	SAMPLE NO.	LOG & LOCATION OF SAMPLE	Penetration Resistance Blows/ft	DESCRIPTION	IN-PLACE DRY DENSITY p.c.f.	IN-PLACE MOISTURE CONTENT % dry wt.
0						
1						
2						
3						
4						
5						
6		ML		BROWN SILTY CLAY		
7						
8						
9						
10						
11		ML		WHITE SILTY CLAY- BROKEN CALICHE		
12				CALICHE		

TEST PIT #45

DEPTH IN FEET	SAMPLE NO.	LOG & LOCATION OF SAMPLE	Penetration Resistance Blows/ft	DESCRIPTION	IN-PLACE DRY DENSITY p.c.f.	IN-PLACE MOISTURE CONTENT % dry wt.
0						
1						
2		ML		BROWN SILTY CLAY		
3						
4						
5						
6		ML		WHITE SILTY CLAY		
7						
8						
9				CALICHE		

TEST PIT #46

DEPTH IN FEET	SAMPLE NO.	LOG & LOCATION OF SAMPLE	Penetration Resistance Blows/ft	DESCRIPTION	IN-PLACE DRY DENSITY p.c.f.	IN-PLACE MOISTURE CONTENT % dry wt
0						
1						
2						
3		ML		BROWN SILTY CLAY		
4						
5						
6						
7		ML		WHITE SILTY CLAY- BROKEN CALICHE		
8				CALICHE		

TEST PIT #47

DEPTH IN FEET	SAMPLE NO.	LOG & LOCATION OF SAMPLE	Penetration Resistance Blows/ft	DESCRIPTION	IN-PLACE DRY DENSITY pcf	IN-PLACE MOISTURE CONTENT % dry wt
0						
1				FILL - GREY SAND, LIMESTONE		
2						
3						
4						
5						
6						
7						
8						
9		ML		BROWN SILTY CLAY		
10						
11						
12						
13		SM		TAN SILTY SAND		
				WATER AT 13.0' - NO CALICHE		

TEST PIT #48

DEPTH IN FEET	SAMPLE NO.	LOG & LOCATION OF SAMPLE	Penetration Resistance Blows/ft	DESCRIPTION	IN-PLACE DRY DENSITY p.c.f.	IN-PLACE MOISTURE CONTENT % dry wt
0						
1						
2						
3		ML		BROWN SILTY CLAY		
4						
5						
6						
7						
8		ML		WHITE SILTY CLAY		
9						
10				CALICHE		

TEST PIT #49

DEPTH IN FEET	SAMPLE NO.	LOG & LOCATION OF SAMPLE	Penetration Resistance Blows/ft	DESCRIPTION	IN-PLACE DRY DENSITY pcf	IN-PLACE MOISTURE CONTENT % dry wt.
0						
1						
2		ML		BROWN SILTY CLAY		
3						
4						
5						
6		ML		WHITE SILTY CLAY		
7						
8				CALICHE		

TEST PIT # 50

DEPTH IN FEET	SAMPLE NO.	LOG & LOCATION OF SAMPLE	Penetration Resistance Blows/ft	DESCRIPTION	IN-PLACE DRY DENSITY p.c.f.	IN-PLACE MOISTURE CONTENT % dry wt.
0		GM		BROWN SANDY GRAVEL		
1						
2						
3						
4		SM		BROWN SILTY SAND - SOME MINOR TRASH		
5						
6						
7				CALICHE		

TEST PIT #51

DEPTH IN FEET	SAMPLE NO.	LOG & LOCATION OF SAMPLE	Penetration Resistance Blows/ft	DESCRIPTION	IN-PLACE DRY DENSITY pcf	IN-PLACE MOISTURE CONTENT % dry wt
0						
				FILL - BROKEN CALICHE		
1						
2						
3		ML		BROWN SILTY CLAY		
4						
5						
6				CALICHE		

TEST PIT # 52

DEPTH IN FEET	SAMPLE NO.	LOG & LOCATION OF SAMPLE	Penetration Resistance Blows/ft	DESCRIPTION	IN-PLACE DRY DENSITY p.c.f.	IN-PLACE MOISTURE CONTENT % dry wt.
0						
1						
2		ML		BROWN SILTY CLAY		
3						
4						
5						
6		ML		WHITE SILTY CLAY		
7				CALICHE		

TEST PIT #53

DEPTH IN FEET	SAMPLE NO.	LOG & LOCATION OF SAMPLE	Penetration Resistance Blows/ft	DESCRIPTION	IN-PLACE DRY DENSITY p.c.f.	IN-PLACE MOISTURE CONTENT % dry wt.
0						
1						
2						
3		ML		BROWN SILTY CLAY		
4						
5						
6						
7		ML		WHITE SILTY CLAY		
8				CALICHE		

TEST PIT #54

DEPTH IN FEET	SAMPLE NO.	LOG & LOCATION OF SAMPLE	Penetration Resistance Blows/ft	DESCRIPTION	IN-PLACE DRY DENSITY pcf	IN-PLACE MOISTURE CONTENT % dry wt
0						
1				FUEL OIL ODOR		
2		ML		BROWN SILTY CLAY		
3						
4						
5		ML		WHITE SILTY CLAY		
6						
7				CALICHE		

TEST PIT #55

DEPTH IN FEET	SAMPLE NO.	LOG & LOCATION OF SAMPLE	Penetration Resistance Blows/ft	DESCRIPTION	IN-PLACE DRY DENSITY pcf	IN-PLACE MOISTURE CONTENT % dry wt.
0						
1				FUEL OIL ODOR		
2						
3		ML		BROWN SILTY CLAY		
4						
5						
6						
7		ML		WHITE SILTY CLAY		
8				CALICHE		

TEST PIT #56

DEPTH IN FEET	SAMPLE NO.	LOG & LOCATION OF SAMPLE	Penetration Resistance (Blows/ft)	DESCRIPTION	IN-PLACE DRY DENSITY pcf	IN-PLACE MOISTURE CONTENT % dry wt
0						
1				FUEL OIL ODOR		
2		ML		BROWN SILTY CLAY		
3						
4						
5		GM		SLIGHTLY CEMENTED GRAVEL LAYER		
6						
7						
8						
9		ML		GREY SILTY CLAY		
10						
11						
12				CALICHE		

TEST PIT #57

DEPTH IN FEET	SAMPLE NO.	LOG & LOCATION OF SAMPLE	Penetration Resistance Blows/ft	DESCRIPTION	IN-PLACE DRY DENSITY p.c.f.	IN-PLACE MOISTURE CONTENT % dry wt.
0				FUEL OIL ODOR		
1						
2						
3		ML		BROWN SILTY CLAY		
4						
5						
6						
7						
8		ML		WHITE SILTY CLAY		
9						
10				CALICHE		

DESCRIPTION	DRY DENSITY PCF	CONTENT % DRY WT
FUEL OIL ODOR		
BROWN SILTY CLAY		
WHITE SILTY CLAY		
CALICHE		

ML

TEST PIT # 59

DEPTH IN FEET	SAMPLE NO.	LOG & LOCATION OF SAMPLE	Penetration Resistance Blows/ft	DESCRIPTION	IN-PLACE DRY DENSITY pcf	IN-PLACE MOISTURE CONTENT % dry wt
0				FUEL OIL ODOR		
1						
2		ML		BROWN SILTY CLAY		
3						
4						
5						
6		ML		GREY/WHITE SILTY CLAY		
7						
8				CALICHE		

TEST PIT #60

DEPTH IN FEET	SAMPLE NO.	LOG & LOCATION OF SAMPLE	Penetration Resistance Blows/ft	DESCRIPTION	IN-PLACE DRY DENSITY p.c.f.	IN-PLACE MOISTURE CONTENT % dry wt
0						
				FILL - BROKEN CALICHE		
1						
2						
3		ML		BROWN SILTY CLAY		
4						
5						
6				CALICHE		