APPENDIX U

SOIL VAPOR ANALYTICAL RESULTS

U-1 1999 SOIL VAPOR ANALYTICAL RESULTS
U-2 2004 SOIL VAPOR ANALYTICAL RESULTS

U-1

1999 SOIL VAPOR ANALYTICAL RESULTS

APPENDIX U-1
1999 SOIL VAPOR ANALYTICAL RESULTS

REMEDIAL INVESTIGATION
STRATFORD ARMY ENGINE PLANT
STRATFORD, CONNECTICUT

LOCATION ID	SAMPLE ID	START DEPTH (FT BGS)	END DEPTH (FT BGS)	RESULT TYPE	SAMPLE DATE	CLASS	MATRIX	PARAMETER	RESULT	FINAL QUALIFIER	UNITS
SG-99-01	SG9901003XF	3	3.5	SA	8/4/1999	VOA	VAPOR	1,1-Dichloroethene	0.467		PPMV
SG-99-01	SG9901003XF	3	3.5	SA	8/4/1999	VOA	VAPOR	Tetrachloroethene	0.045		PPMV
SG-99-01	SG9901003XF	3	3.5	SA	8/4/1999	VOA	VAPOR	Trichloroethene	1.583		PPMV
SG-99-01	SG9901003XF	3	3.5	SA	8/4/1999	VOA	VAPOR	Vinyl Chloride	0.046		PPMV
SG-99-02	SG9902003XF	3	3.5	SA	8/4/1999	VOA	VAPOR	1,1-Dichloroethene	0.071		PPMV
SG-99-02	SG9902003XF	3	3.5	SA	8/4/1999	VOA	VAPOR	Tetrachloroethene	0.025	U	PPMV
SG-99-02	SG9902003XF	3	3.5	SA	8/4/1999	VOA	VAPOR	Trichloroethene	0.075		PPMV
SG-99-02	SG9902003XF	3	3.5	SA	8/4/1999	VOA	VAPOR	Vinyl Chloride	0.032		PPMV
SG-99-03	SG9903003XF	3	3.5	SA	8/4/1999	VOA	VAPOR	1,1-Dichloroethene	0.015	U	PPMV
SG-99-03	SG9903003XF	3	3.5	SA	8/4/1999	VOA	VAPOR	Tetrachloroethene	0.025	U	PPMV
SG-99-03	SG9903003XF	3	3.5	SA	8/4/1999	VOA	VAPOR	Trichloroethene	0.134		PPMV
SG-99-03	SG9903003XF	3	3.5	SA	8/4/1999	VOA	VAPOR	Vinyl Chloride	0.03		PPMV
SG-99-04	SG99040032F	3	3.5	SA	8/9/1999	VOA	VAPOR	1,1-Dichloroethene	4.381		PPMV
SG-99-04	SG9904003XF	3	3.5	SA	8/4/1999	VOA	VAPOR	1,1-Dichloroethene	1.413		PPMV
SG-99-04	SG99040032F	3	3.5	SA	8/9/1999	VOA	VAPOR	Tetrachloroethene	0.025	U	PPMV
SG-99-04	SG9904003XF	3	3.5	SA	8/4/1999	VOA	VAPOR	Tetrachloroethene	0.025	U	PPMV
SG-99-04	SG99040032F	3	3.5	SA	8/9/1999	VOA	VAPOR	Trichloroethene	210		PPMV
SG-99-04	SG9904003XF	3	3.5	SA	8/4/1999	VOA	VAPOR	Trichloroethene	100		PPMV
SG-99-04	SG99040032F	3	3.5	SA	8/9/1999	VOA	VAPOR	Vinyl Chloride	0.271		PPMV
SG-99-04	SG9904003XF	3	3.5	SA	8/4/1999	VOA	VAPOR	Vinyl Chloride	0.137		PPMV
SG-99-05	SG9905003XF	3	3.5	SA	8/4/1999	VOA	VAPOR	1,1-Dichloroethene	0.193		PPMV
SG-99-05	SG9905003XF	3	3.5	SA	8/4/1999	VOA	VAPOR	Tetrachloroethene	0.048		PPMV
SG-99-05	SG9905003XF	3	3.5	SA	8/4/1999	VOA	VAPOR	Trichloroethene	0.338		PPMV
SG-99-05	SG9905003XF	3	3.5	SA	8/4/1999	VOA	VAPOR	Vinyl Chloride	0.043		PPMV
SG-99-06	SG9906003XD	3	3.5	DU	8/4/1999	VOA	VAPOR	1,1-Dichloroethene	0.015	U	PPMV
SG-99-06	SG9906003XD	3	3.5	DU	8/4/1999	VOA	VAPOR	Tetrachloroethene	0.044		PPMV
SG-99-06	SG9906003XD	3	3.5	DU	8/4/1999	VOA	VAPOR	Trichloroethene	57.363		PPMV
SG-99-06	SG9906003XD	3	3.5	DU	8/4/1999	VOA	VAPOR	Vinyl Chloride	0.023		PPMV
SG-99-06	SG9906003XF	3	3.5	SA	8/4/1999	VOA	VAPOR	1,1-Dichloroethene	0.041		PPMV
SG-99-06	SG9906003XF	3	3.5	SA	8/4/1999	VOA	VAPOR	Tetrachloroethene	0.078		PPMV
SG-99-06	SG9906003XF	3	3.5	SA	8/4/1999	VOA	VAPOR	Trichloroethene	65.088		PPMV
SG-99-06	SG9906003XF	3	3.5	SA	8/4/1999	VOA	VAPOR	Vinyl Chloride	0.022		PPMV
SG-99-07	SG9907003XF	3	3.5	SA	8/4/1999	VOA	VAPOR	1,1-Dichloroethene	0.015	U	PPMV
SG-99-07	SG9907003XF	3	3.5	SA	8/4/1999	VOA	VAPOR	Tetrachloroethene	0.025	U	PPMV
SG-99-07	SG9907003XF	3	3.5	SA	8/4/1999	VOA	VAPOR	Trichloroethene	0.251		PPMV
SG-99-07	SG9907003XF	3	3.5	SA	8/4/1999	VOA	VAPOR	Vinyl Chloride	0.01	U	PPMV
SG-99-08	SG9908003XF	3	3.5	SA	8/4/1999	VOA	VAPOR	1,1-Dichloroethene	0.015	U	PPMV
SG-99-08	SG9908003XF	3	3.5	SA	8/4/1999	VOA	VAPOR	Tetrachloroethene	0.025	U	PPMV

APPENDIX U-1
1999 SOIL VAPOR ANALYTICAL RESULTS

REMEDIAL INVESTIGATION
STRATFORD ARMY ENGINE PLANT
STRATFORD, CONNECTICUT

LOCATION ID	SAMPLE ID	START DEPTH (FT BGS)	END DEPTH (FT BGS)	RESULT TYPE	SAMPLE DATE	CLASS	MATRIX	PARAMETER	RESULT	FINAL QUALIFIER	UNITS
SG-99-08	SG9908003XF	3	3.5	SA	8/4/1999	VOA	VAPOR	Trichloroethene	0.059		PPMV
SG-99-08	SG9908003XF	3	3.5	SA	8/4/1999	VOA	VAPOR	Vinyl Chloride	0.01	U	PPMV
SG-99-09	SG9909003XF	3	3.5	SA	8/5/1999	VOA	VAPOR	1,1-Dichloroethene	0.015	U	PPMV
SG-99-09	SG9909003XF	3	3.5	SA	8/5/1999	VOA	VAPOR	Tetrachloroethene	0.025	U	PPMV
SG-99-09	SG9909003XF	3	3.5	SA	8/5/1999	VOA	VAPOR	Trichloroethene	0.071		PPMV
SG-99-09	SG9909003XF	3	3.5	SA	8/5/1999	VOA	VAPOR	Vinyl Chloride	0.01		PPMV
SG-99-10	SG99100032F	3	3.5	SA	8/9/1999	VOA	VAPOR	1,1-Dichloroethene	3.9		PPMV
SG-99-10	SG9910003XF	3	3.5	SA	8/5/1999	VOA	VAPOR	1,1-Dichloroethene	0.796		PPMV
SG-99-10	SG99100032F	3	3.5	SA	8/9/1999	VOA	VAPOR	Tetrachloroethene	0.133		PPMV
SG-99-10	SG9910003XF	3	3.5	SA	8/5/1999	VOA	VAPOR	Tetrachloroethene	0.027		PPMV
SG-99-10	SG99100032F	3	3.5	SA	8/9/1999	VOA	VAPOR	Trichloroethene	130		PPMV
SG-99-10	SG9910003XF	3	3.5	SA	8/5/1999	VOA	VAPOR	Trichloroethene	20		PPMV
SG-99-10	SG99100032F	3	3.5	SA	8/9/1999	VOA	VAPOR	Vinyl Chloride	0.775		PPMV
SG-99-10	SG9910003XF	3	3.5	SA	8/5/1999	VOA	VAPOR	Vinyl Chloride	0.138		PPMV
SG-99-11	SG9911003XF	3	3.5	SA	8/5/1999	VOA	VAPOR	1,1-Dichloroethene	0.015	U	PPMV
SG-99-11	SG9911003XF	3	3.5	SA	8/5/1999	VOA	VAPOR	Tetrachloroethene	0.025	U	PPMV
SG-99-11	SG9911003XF	3	3.5	SA	8/5/1999	VOA	VAPOR	Trichloroethene	0.019		PPMV
SG-99-11	SG9911003XF	3	3.5	SA	8/5/1999	VOA	VAPOR	Vinyl Chloride	0.01	U	PPMV
SG-99-12	SG9912003XF	3	3.5	SA	8/5/1999	VOA	VAPOR	1,1-Dichloroethene	0.015	U	PPMV
SG-99-12	SG9912003XF	3	3.5	SA	8/5/1999	VOA	VAPOR	Tetrachloroethene	0.025	U	PPMV
SG-99-12	SG9912003XF	3	3.5	SA	8/5/1999	VOA	VAPOR	Trichloroethene	0.018	U	PPMV
SG-99-12	SG9912003XF	3	3.5	SA	8/5/1999	VOA	VAPOR	Vinyl Chloride	0.01	U	PPMV
SG-99-13	SG9913003XF	3	3.5	SA	8/5/1999	VOA	VAPOR	1,1-Dichloroethene	0.015	U	PPMV
SG-99-13	SG9913003XF	3	3.5	SA	8/5/1999	VOA	VAPOR	Tetrachloroethene	0.025	U	PPMV
SG-99-13	SG9913003XF	3	3.5	SA	8/5/1999	VOA	VAPOR	Trichloroethene	0.161		PPMV
SG-99-13	SG9913003XF	3	3.5	SA	8/5/1999	VOA	VAPOR	Vinyl Chloride	0.013		PPMV
SG-99-14	SG9914003XF	3	3.5	SA	8/5/1999	VOA	VAPOR	1,1-Dichloroethene	0.015	U	PPMV
SG-99-14	SG9914003XF	3	3.5	SA	8/5/1999	VOA	VAPOR	Tetrachloroethene	0.025	U	PPMV
SG-99-14	SG9914003XF	3	3.5	SA	8/5/1999	VOA	VAPOR	Trichloroethene	0.02		PPMV
SG-99-14	SG9914003XF	3	3.5	SA	8/5/1999	VOA	VAPOR	Vinyl Chloride	0.01	U	PPMV
SG-99-15	SG9915003XF	3	3.5	SA	8/5/1999	VOA	VAPOR	1,1-Dichloroethene	0.015	U	PPMV
SG-99-15	SG9915003XF	3	3.5	SA	8/5/1999	VOA	VAPOR	Tetrachloroethene	0.175		PPMV
SG-99-15	SG9915003XF	3	3.5	SA	8/5/1999	VOA	VAPOR	Trichloroethene	0.236		PPMV
SG-99-15	SG9915003XF	3	3.5	SA	8/5/1999	VOA	VAPOR	Vinyl Chloride	1.033		PPMV
SG-99-16	SG9916003XF	3	3.5	SA	8/5/1999	VOA	VAPOR	1,1-Dichloroethene	0.061		PPMV
SG-99-16	SG9916003XF	3	3.5	SA	8/5/1999	VOA	VAPOR	Tetrachloroethene	0.025	U	PPMV
SG-99-16	SG9916003XF	3	3.5	SA	8/5/1999	VOA	VAPOR	Trichloroethene	0.168		PPMV
SG-99-16	SG9916003XF	3	3.5	SA	8/5/1999	VOA	VAPOR	Vinyl Chloride	0.024		PPMV

APPENDIX U-1
1999 SOIL VAPOR ANALYTICAL RESULTS

REMEDIAL INVESTIGATION
STRATFORD ARMY ENGINE PLANT
STRATFORD, CONNECTICUT

LOCATION ID	SAMPLE ID	START DEPTH (FT BGS)	END DEPTH (FT BGS)	RESULT TYPE	SAMPLE DATE	CLASS	MATRIX	PARAMETER	RESULT	FINAL QUALIFIER	UNITS
SG-99-17	SG9917003XF	3	3.5	SA	8/5/1999	VOA	VAPOR	1,1-Dichloroethene	2.114		PPMV
SG-99-17	SG9917003XF	3	3.5	SA	8/5/1999	VOA	VAPOR	Tetrachloroethene	0.035		PPMV
SG-99-17	SG9917003XF	3	3.5	SA	8/5/1999	VOA	VAPOR	Trichloroethene	1.009		PPMV
SG-99-17	SG9917003XF	3	3.5	SA	8/5/1999	VOA	VAPOR	Vinyl Chloride	0.026		PPMV
SG-99-18	SG9918003XF	3	3.5	SA	8/5/1999	VOA	VAPOR	1,1-Dichloroethene	1.414		PPMV
SG-99-18	SG9918003XF	3	3.5	SA	8/5/1999	VOA	VAPOR	Tetrachloroethene	0.026		PPMV
SG-99-18	SG9918003XF	3	3.5	SA	8/5/1999	VOA	VAPOR	Trichloroethene	1.484		PPMV
SG-99-18	SG9918003XF	3	3.5	SA	8/5/1999	VOA	VAPOR	Vinyl Chloride	0.015		PPMV
SG-99-19	SG9919003XF	3	3.5	SA	8/6/1999	VOA	VAPOR	1,1-Dichloroethene	0.015	U	PPMV
SG-99-19	SG9919003XF	3	3.5	SA	8/6/1999	VOA	VAPOR	Tetrachloroethene	0.235		PPMV
SG-99-19	SG9919003XF	3	3.5	SA	8/6/1999	VOA	VAPOR	Trichloroethene	1.439		PPMV
SG-99-19	SG9919003XF	3	3.5	SA	8/6/1999	VOA	VAPOR	Vinyl Chloride	0.012		PPMV
SG-99-20	SG9920003XF	3	3.5	SA	8/6/1999	VOA	VAPOR	1,1-Dichloroethene	0.015	U	PPMV
SG-99-20	SG9920003XF	3	3.5	SA	8/6/1999	VOA	VAPOR	Tetrachloroethene	0.116		PPMV
SG-99-20	SG9920003XF	3	3.5	SA	8/6/1999	VOA	VAPOR	Trichloroethene	3.794		PPMV
SG-99-20	SG9920003XF	3	3.5	SA	8/6/1999	VOA	VAPOR	Vinyl Chloride	0.01	U	PPMV
SG-99-21	SG9921003XF	3	3.5	SA	8/6/1999	VOA	VAPOR	1,1-Dichloroethene	0.015	U	PPMV
SG-99-21	SG9921003XF	3	3.5	SA	8/6/1999	VOA	VAPOR	Tetrachloroethene	0.027		PPMV
SG-99-21	SG9921003XF	3	3.5	SA	8/6/1999	VOA	VAPOR	Trichloroethene	0.04		PPMV
SG-99-21	SG9921003XF	3	3.5	SA	8/6/1999	VOA	VAPOR	Vinyl Chloride	0.01	U	PPMV
SG-99-22	SG9922003XD	3	3.5	DU	8/6/1999	VOA	VAPOR	1,1-Dichloroethene	0.074		PPMV
SG-99-22	SG9922003XD	3	3.5	DU	8/6/1999	VOA	VAPOR	Tetrachloroethene	3.488		PPMV
SG-99-22	SG9922003XD	3	3.5	DU	8/6/1999	VOA	VAPOR	Trichloroethene	1.685		PPMV
SG-99-22	SG9922003XD	3	3.5	DU	8/6/1999	VOA	VAPOR	Vinyl Chloride	0.01		PPMV
SG-99-22	SG9922003XF	3	3.5	SA	8/6/1999	VOA	VAPOR	1,1-Dichloroethene	0.075		PPMV
SG-99-22	SG9922003XF	3	3.5	SA	8/6/1999	VOA	VAPOR	Tetrachloroethene	3.516		PPMV
SG-99-22	SG9922003XF	3	3.5	SA	8/6/1999	VOA	VAPOR	Trichloroethene	1.714		PPMV
SG-99-22	SG9922003XF	3	3.5	SA	8/6/1999	VOA	VAPOR	Vinyl Chloride	0.012		PPMV
SG-99-23	SG9923003XF	3	3.5	SA	8/6/1999	VOA	VAPOR	1,1-Dichloroethene	0.015	U	PPMV
SG-99-23	SG9923003XF	3	3.5	SA	8/6/1999	VOA	VAPOR	Tetrachloroethene	0.333		PPMV
SG-99-23	SG9923003XF	3	3.5	SA	8/6/1999	VOA	VAPOR	Trichloroethene	0.327		PPMV
SG-99-23	SG9923003XF	3	3.5	SA	8/6/1999	VOA	VAPOR	Vinyl Chloride	0.01	U	PPMV
SG-99-24	SG9924003XF	3	3.5	SA	8/6/1999	VOA	VAPOR	1,1-Dichloroethene	0.015	U	PPMV
SG-99-24	SG9924003XF	3	3.5	SA	8/6/1999	VOA	VAPOR	Tetrachloroethene	0.112		PPMV
SG-99-24	SG9924003XF	3	3.5	SA	8/6/1999	VOA	VAPOR	Trichloroethene	0.2		PPMV
SG-99-24	SG9924003XF	3	3.5	SA	8/6/1999	VOA	VAPOR	Vinyl Chloride	0.01		PPMV
SG-99-25	SG9925003XD	3	3.5	DU	8/9/1999	VOA	VAPOR	1,1-Dichloroethene	0.022		PPMV
SG-99-25	SG9925003XD	3	3.5	DU	8/9/1999	VOA	VAPOR	Tetrachloroethene	3.289		PPMV

APPENDIX U-1
1999 SOIL VAPOR ANALYTICAL RESULTS

REMEDIAL INVESTIGATION
STRATFORD ARMY ENGINE PLANT
STRATFORD, CONNECTICUT

LOCATION ID	SAMPLE ID	START DEPTH (FT BGS)	END DEPTH (FT BGS)	RESULT TYPE	SAMPLE DATE	CLASS	MATRIX	PARAMETER	RESULT	FINAL QUALIFIER	UNITS
SG-99-25	SG9925003XD	3	3.5	DU	8/9/1999	VOA	VAPOR	Trichloroethene	2.908		PPMV
SG-99-25	SG9925003XD	3	3.5	DU	8/9/1999	VOA	VAPOR	Vinyl Chloride	0.01	U	PPMV
SG-99-25	SG9925003XF	3	3.5	SA	8/9/1999	VOA	VAPOR	1,1-Dichloroethene	0.015	U	PPMV
SG-99-25	SG9925003XF	3	3.5	SA	8/9/1999	VOA	VAPOR	Tetrachloroethene	3.53		PPMV
SG-99-25	SG9925003XF	3	3.5	SA	8/9/1999	VOA	VAPOR	Trichloroethene	3.024		PPMV
SG-99-25	SG9925003XF	3	3.5	SA	8/9/1999	VOA	VAPOR	Vinyl Chloride	0.01	U	PPMV
SG-99-26	SG9926003XF	3	3.5	SA	8/9/1999	VOA	VAPOR	1,1-Dichloroethene	0.015	U	PPMV
SG-99-26	SG9926003XF	3	3.5	SA	8/9/1999	VOA	VAPOR	Tetrachloroethene	1.934		PPMV
SG-99-26	SG9926003XF	3	3.5	SA	8/9/1999	VOA	VAPOR	Trichloroethene	0.051		PPMV
SG-99-26	SG9926003XF	3	3.5	SA	8/9/1999	VOA	VAPOR	Vinyl Chloride	0.01	U	PPMV
SG-99-27	SG9927003XF	3	3.5	SA	8/9/1999	VOA	VAPOR	1,1-Dichloroethene	0.015	U	PPMV
SG-99-27	SG9927003XF	3	3.5	SA	8/9/1999	VOA	VAPOR	Tetrachloroethene	0.025	U	PPMV
SG-99-27	SG9927003XF	3	3.5	SA	8/9/1999	VOA	VAPOR	Trichloroethene	0.522		PPMV
SG-99-27	SG9927003XF	3	3.5	SA	8/9/1999	VOA	VAPOR	Vinyl Chloride	0.01	U	PPMV
SG-99-28	SG9928003XF	3	3.5	SA	8/9/1999	VOA	VAPOR	1,1-Dichloroethene	0.015	U	PPMV
SG-99-28	SG9928003XF	3	3.5	SA	8/9/1999	VOA	VAPOR	Tetrachloroethene	0.025	U	PPMV
SG-99-28	SG9928003XF	3	3.5	SA	8/9/1999	VOA	VAPOR	Trichloroethene	0.018	U	PPMV
SG-99-28	SG9928003XF	3	3.5	SA	8/9/1999	VOA	VAPOR	Vinyl Chloride	0.01	U	PPMV
SG-99-29	SG9929003XF	3	3.5	SA	8/9/1999	VOA	VAPOR	1,1-Dichloroethene	0.015	U	PPMV
SG-99-29	SG9929003XF	3	3.5	SA	8/9/1999	VOA	VAPOR	Tetrachloroethene	0.055		PPMV
SG-99-29	SG9929003XF	3	3.5	SA	8/9/1999	VOA	VAPOR	Trichloroethene	1.062		PPMV
SG-99-29	SG9929003XF	3	3.5	SA	8/9/1999	VOA	VAPOR	Vinyl Chloride	0.01	U	PPMV
SG-99-30	SG9930003XF	3	3.5	SA	8/9/1999	VOA	VAPOR	1,1-Dichloroethene	0.015	U	PPMV
SG-99-30	SG9930003XF	3	3.5	SA	8/9/1999	VOA	VAPOR	Tetrachloroethene	0.025	U	PPMV
SG-99-30	SG9930003XF	3	3.5	SA	8/9/1999	VOA	VAPOR	Trichloroethene	0.511		PPMV
SG-99-30	SG9930003XF	3	3.5	SA	8/9/1999	VOA	VAPOR	Vinyl Chloride	0.01	U	PPMV
SG-99-31	SG9931003XF	3	3.5	SA	8/9/1999	VOA	VAPOR	1,1-Dichloroethene	0.015	U	PPMV
SG-99-31	SG9931003XF	3	3.5	SA	8/9/1999	VOA	VAPOR	Tetrachloroethene	0.025	U	PPMV
SG-99-31	SG9931003XF	3	3.5	SA	8/9/1999	VOA	VAPOR	Trichloroethene	0.018	U	PPMV
SG-99-31	SG9931003XF	3	3.5	SA	8/9/1999	VOA	VAPOR	Vinyl Chloride	0.01	U	PPMV
SG-99-32	SG9932003XF	3	3.5	SA	8/10/1999	VOA	VAPOR	1,1-Dichloroethene	0.015	U	PPMV
SG-99-32	SG9932003XF	3	3.5	SA	8/10/1999	VOA	VAPOR	Tetrachloroethene	0.206		PPMV
SG-99-32	SG9932003XF	3	3.5	SA	8/10/1999	VOA	VAPOR	Trichloroethene	1.068		PPMV
SG-99-32	SG9932003XF	3	3.5	SA	8/10/1999	VOA	VAPOR	Vinyl Chloride	0.01	U	PPMV
SG-99-33	SG9933003XF	3	3.5	SA	8/10/1999	VOA	VAPOR	1,1-Dichloroethene	0.015	U	PPMV
SG-99-33	SG9933003XF	3	3.5	SA	8/10/1999	VOA	VAPOR	Tetrachloroethene	1.126		PPMV
SG-99-33	SG9933003XF	3	3.5	SA	8/10/1999	VOA	VAPOR	Trichloroethene	2.3		PPMV
SG-99-33	SG9933003XF	3	3.5	SA	8/10/1999	VOA	VAPOR	Vinyl Chloride	0.01	U	PPMV

APPENDIX U-1
1999 SOIL VAPOR ANALYTICAL RESULTS

REMEDIAL INVESTIGATION
STRATFORD ARMY ENGINE PLANT
STRATFORD, CONNECTICUT

LOCATION ID	SAMPLE ID	START DEPTH (FT BGS)	END DEPTH (FT BGS)	RESULT TYPE	SAMPLE DATE	CLASS	MATRIX	PARAMETER	RESULT	FINAL QUALIFIER	UNITS
SG-99-34	SG9934003XF	3	3.5	SA	8/10/1999	VOA	VAPOR	1,1-Dichloroethene	0.015	U	PPMV
SG-99-34	SG9934003XF	3	3.5	SA	8/10/1999	VOA	VAPOR	Tetrachloroethene	0.126		PPMV
SG-99-34	SG9934003XF	3	3.5	SA	8/10/1999	VOA	VAPOR	Trichloroethene	0.106		PPMV
SG-99-34	SG9934003XF	3	3.5	SA	8/10/1999	VOA	VAPOR	Vinyl Chloride	0.01	U	PPMV
SG-99-35	SG9935003XF	3	3.5	SA	8/10/1999	VOA	VAPOR	1,1-Dichloroethene	0.015	U	PPMV
SG-99-35	SG9935003XF	3	3.5	SA	8/10/1999	VOA	VAPOR	Tetrachloroethene	0.025	U	PPMV
SG-99-35	SG9935003XF	3	3.5	SA	8/10/1999	VOA	VAPOR	Trichloroethene	0.018	U	PPMV
SG-99-35	SG9935003XF	3	3.5	SA	8/10/1999	VOA	VAPOR	Vinyl Chloride	0.01	U	PPMV
SG-99-36	SG9936003XF	3	3.5	SA	8/10/1999	VOA	VAPOR	1,1-Dichloroethene	0.015	U	PPMV
SG-99-36	SG9936003XF	3	3.5	SA	8/10/1999	VOA	VAPOR	Tetrachloroethene	0.093		PPMV
SG-99-36	SG9936003XF	3	3.5	SA	8/10/1999	VOA	VAPOR	Trichloroethene	0.026		PPMV
SG-99-36	SG9936003XF	3	3.5	SA	8/10/1999	VOA	VAPOR	Vinyl Chloride	0.01	U	PPMV
SG-99-37	SG9937003XD	3	3.5	DU	8/10/1999	VOA	VAPOR	1,1-Dichloroethene	0.015	U	PPMV
SG-99-37	SG9937003XD	3	3.5	DU	8/10/1999	VOA	VAPOR	Tetrachloroethene	0.025	U	PPMV
SG-99-37	SG9937003XD	3	3.5	DU	8/10/1999	VOA	VAPOR	Trichloroethene	0.018	U	PPMV
SG-99-37	SG9937003XD	3	3.5	DU	8/10/1999	VOA	VAPOR	Vinyl Chloride	0.01	U	PPMV
SG-99-37	SG9937003XF	3	3.5	SA	8/10/1999	VOA	VAPOR	1,1-Dichloroethene	0.015	U	PPMV
SG-99-37	SG9937003XF	3	3.5	SA	8/10/1999	VOA	VAPOR	Tetrachloroethene	0.025	U	PPMV
SG-99-37	SG9937003XF	3	3.5	SA	8/10/1999	VOA	VAPOR	Trichloroethene	0.018	U	PPMV
SG-99-37	SG9937003XF	3	3.5	SA	8/10/1999	VOA	VAPOR	Vinyl Chloride	0.01	U	PPMV
SG-99-38	SG9938003XF	3	3.5	SA	8/10/1999	VOA	VAPOR	1,1-Dichloroethene	0.015	U	PPMV
SG-99-38	SG9938003XF	3	3.5	SA	8/10/1999	VOA	VAPOR	Tetrachloroethene	0.05		PPMV
SG-99-38	SG9938003XF	3	3.5	SA	8/10/1999	VOA	VAPOR	Trichloroethene	0.018	U	PPMV
SG-99-38	SG9938003XF	3	3.5	SA	8/10/1999	VOA	VAPOR	Vinyl Chloride	0.01	U	PPMV
SG-99-39	SG9939003XF	3	3.5	SA	8/10/1999	VOA	VAPOR	1,1-Dichloroethene	0.015	U	PPMV
SG-99-39	SG9939003XF	3	3.5	SA	8/10/1999	VOA	VAPOR	Tetrachloroethene	0.025	U	PPMV
SG-99-39	SG9939003XF	3	3.5	SA	8/10/1999	VOA	VAPOR	Trichloroethene	0.018	U	PPMV
SG-99-39	SG9939003XF	3	3.5	SA	8/10/1999	VOA	VAPOR	Vinyl Chloride	0.01	U	PPMV
SG-99-40	SG9940003XF	3	3.5	SA	8/10/1999	VOA	VAPOR	1,1-Dichloroethene	0.153		PPMV
SG-99-40	SG9940003XF	3	3.5	SA	8/10/1999	VOA	VAPOR	Tetrachloroethene	0.034		PPMV
SG-99-40	SG9940003XF	3	3.5	SA	8/10/1999	VOA	VAPOR	Trichloroethene	1.274		PPMV
SG-99-40	SG9940003XF	3	3.5	SA	8/10/1999	VOA	VAPOR	Vinyl Chloride	0.01	U	PPMV
SG-99-41	SG9941003XF	3	3.5	SA	8/10/1999	VOA	VAPOR	1,1-Dichloroethene	2.051		PPMV
SG-99-41	SG9941003XF	3	3.5	SA	8/10/1999	VOA	VAPOR	Tetrachloroethene	1.058		PPMV
SG-99-41	SG9941003XF	3	3.5	SA	8/10/1999	VOA	VAPOR	Trichloroethene	5.715		PPMV
SG-99-41	SG9941003XF	3	3.5	SA	8/10/1999	VOA	VAPOR	Vinyl Chloride	0.063		PPMV
SG-99-42	SG9942003XF	3	3.5	SA	8/10/1999	VOA	VAPOR	1,1-Dichloroethene	0.015	U	PPMV
SG-99-42	SG9942003XF	3	3.5	SA	8/10/1999	VOA	VAPOR	Tetrachloroethene	0.025	U	PPMV

APPENDIX U-1
1999 SOIL VAPOR ANALYTICAL RESULTS

REMEDIAL INVESTIGATION
STRATFORD ARMY ENGINE PLANT
STRATFORD, CONNECTICUT

LOCATION ID	SAMPLE ID	START DEPTH (FT BGS)	END DEPTH (FT BGS)	RESULT TYPE	SAMPLE DATE	CLASS	MATRIX	PARAMETER	RESULT	FINAL QUALIFIER	UNITS
SG-99-42	SG9942003XF	3	3.5	SA	8/10/1999	VOA	VAPOR	Trichloroethene	0.018	U	PPMV
SG-99-42	SG9942003XF	3	3.5	SA	8/10/1999	VOA	VAPOR	Vinyl Chloride	0.01	U	PPMV
SG-99-43	SG9943003XF	3	3.5	SA	8/10/1999	VOA	VAPOR	1,1-Dichloroethene	0.104		PPMV
SG-99-43	SG9943003XF	3	3.5	SA	8/10/1999	VOA	VAPOR	Tetrachloroethene	0.077		PPMV
SG-99-43	SG9943003XF	3	3.5	SA	8/10/1999	VOA	VAPOR	Trichloroethene	0.545		PPMV
SG-99-43	SG9943003XF	3	3.5	SA	8/10/1999	VOA	VAPOR	Vinyl Chloride	0.01	U	PPMV
SG-99-44	SG9944003XF	3	3.5	SA	8/10/1999	VOA	VAPOR	1,1-Dichloroethene	0.015	U	PPMV
SG-99-44	SG9944003XF	3	3.5	SA	8/10/1999	VOA	VAPOR	Tetrachloroethene	0.025	U	PPMV
SG-99-44	SG9944003XF	3	3.5	SA	8/10/1999	VOA	VAPOR	Trichloroethene	0.269		PPMV
SG-99-44	SG9944003XF	3	3.5	SA	8/10/1999	VOA	VAPOR	Vinyl Chloride	0.01	U	PPMV
SG-99-45	SG9945003XF	3	3.5	SA	8/10/1999	VOA	VAPOR	1,1-Dichloroethene	0.015	U	PPMV
SG-99-45	SG9945003XF	3	3.5	SA	8/10/1999	VOA	VAPOR	Tetrachloroethene	0.025	U	PPMV
SG-99-45	SG9945003XF	3	3.5	SA	8/10/1999	VOA	VAPOR	Trichloroethene	0.221		PPMV
SG-99-45	SG9945003XF	3	3.5	SA	8/10/1999	VOA	VAPOR	Vinyl Chloride	0.01	U	PPMV
SG-99-46	SG9946003XF	3	3.5	SA	8/10/1999	VOA	VAPOR	1,1-Dichloroethene	0.015	U	PPMV
SG-99-46	SG9946003XF	3	3.5	SA	8/10/1999	VOA	VAPOR	Tetrachloroethene	0.025	U	PPMV
SG-99-46	SG9946003XF	3	3.5	SA	8/10/1999	VOA	VAPOR	Trichloroethene	0.089		PPMV
SG-99-46	SG9946003XF	3	3.5	SA	8/10/1999	VOA	VAPOR	Vinyl Chloride	0.01	U	PPMV
SG-99-47	SG9947003XF	3	3.5	SA	8/10/1999	VOA	VAPOR	1,1-Dichloroethene	0.015	U	PPMV
SG-99-47	SG9947003XF	3	3.5	SA	8/10/1999	VOA	VAPOR	Tetrachloroethene	0.159		PPMV
SG-99-47	SG9947003XF	3	3.5	SA	8/10/1999	VOA	VAPOR	Trichloroethene	16		PPMV
SG-99-47	SG9947003XF	3	3.5	SA	8/10/1999	VOA	VAPOR	Vinyl Chloride	0.01	U	PPMV
SG-99-48	SG9948003XD	3	3.5	DU	8/10/1999	VOA	VAPOR	1,1-Dichloroethene	0.015	U	PPMV
SG-99-48	SG9948003XD	3	3.5	DU	8/10/1999	VOA	VAPOR	Tetrachloroethene	0.422		PPMV
SG-99-48	SG9948003XD	3	3.5	DU	8/10/1999	VOA	VAPOR	Trichloroethene	1.121		PPMV
SG-99-48	SG9948003XD	3	3.5	DU	8/10/1999	VOA	VAPOR	Vinyl Chloride	1.605		PPMV
SG-99-48	SG9948003XF	3	3.5	SA	8/10/1999	VOA	VAPOR	1,1-Dichloroethene	0.015	U	PPMV
SG-99-48	SG9948003XF	3	3.5	SA	8/10/1999	VOA	VAPOR	Tetrachloroethene	0.46		PPMV
SG-99-48	SG9948003XF	3	3.5	SA	8/10/1999	VOA	VAPOR	Trichloroethene	1.151		PPMV
SG-99-48	SG9948003XF	3	3.5	SA	8/10/1999	VOA	VAPOR	Vinyl Chloride	1.686		PPMV
SG-99-49	SG9949003XF	3	3.5	SA	8/10/1999	VOA	VAPOR	1,1-Dichloroethene	5.061		PPMV
SG-99-49	SG9949003XF	3	3.5	SA	8/10/1999	VOA	VAPOR	Tetrachloroethene	0.626		PPMV
SG-99-49	SG9949003XF	3	3.5	SA	8/10/1999	VOA	VAPOR	Trichloroethene	14.113		PPMV
SG-99-49	SG9949003XF	3	3.5	SA	8/10/1999	VOA	VAPOR	Vinyl Chloride	0.107		PPMV
SG-99-50	SG9950003XF	3	3.5	SA	8/10/1999	VOA	VAPOR	1,1-Dichloroethene	4.181		PPMV
SG-99-50	SG9950003XF	3	3.5	SA	8/10/1999	VOA	VAPOR	Tetrachloroethene	0.858		PPMV
SG-99-50	SG9950003XF	3	3.5	SA	8/10/1999	VOA	VAPOR	Trichloroethene	8.103		PPMV
SG-99-50	SG9950003XF	3	3.5	SA	8/10/1999	VOA	VAPOR	Vinyl Chloride	0.01	U	PPMV

APPENDIX U-1
1999 SOIL VAPOR ANALYTICAL RESULTS

REMEDIAL INVESTIGATION
STRATFORD ARMY ENGINE PLANT
STRATFORD, CONNECTICUT

LOCATION ID	SAMPLE ID	START DEPTH (FT BGS)	END DEPTH (FT BGS)	RESULT TYPE	SAMPLE DATE	CLASS	MATRIX	PARAMETER	RESULT	FINAL QUALIFIER	UNITS
SG-99-51	SG9951003XD	3	3.5	DU	8/10/1999	VOA	VAPOR	1,1-Dichloroethene	0.015	U	PPMV
SG-99-51	SG9951003XD	3	3.5	DU	8/10/1999	VOA	VAPOR	Tetrachloroethene	0.326		PPMV
SG-99-51	SG9951003XD	3	3.5	DU	8/10/1999	VOA	VAPOR	Trichloroethene	120		PPMV
SG-99-51	SG9951003XD	3	3.5	DU	8/10/1999	VOA	VAPOR	Vinyl Chloride	0.01	U	PPMV
SG-99-51	SG9951003XF	3	3.5	SA	8/10/1999	VOA	VAPOR	1,1-Dichloroethene	0.015	U	PPMV
SG-99-51	SG9951003XF	3	3.5	SA	8/10/1999	VOA	VAPOR	Tetrachloroethene	0.324		PPMV
SG-99-51	SG9951003XF	3	3.5	SA	8/10/1999	VOA	VAPOR	Trichloroethene	110		PPMV
SG-99-51	SG9951003XF	3	3.5	SA	8/10/1999	VOA	VAPOR	Vinyl Chloride	0.01	U	PPMV
SG-99-52	SG9952003XF	3	3.5	SA	8/10/1999	VOA	VAPOR	1,1-Dichloroethene	0.015	U	PPMV
SG-99-52	SG9952003XF	3	3.5	SA	8/10/1999	VOA	VAPOR	Tetrachloroethene	0.025	U	PPMV
SG-99-52	SG9952003XF	3	3.5	SA	8/10/1999	VOA	VAPOR	Trichloroethene	0.018	U	PPMV
SG-99-52	SG9952003XF	3	3.5	SA	8/10/1999	VOA	VAPOR	Vinyl Chloride	0.01	U	PPMV

Notes:
DU - duplicate
FT BGS - feet below ground surface
PPMV - parts per million by volume
SA - sample
VOA - volatile organic analysis
U - not detected

U-2

2004 SOIL VAPOR ANALYTICAL RESULTS

APPENDIX U-2
1999 SOIL VAPOR ANALYTICAL RESULTS

REMEDIAL INVESTIGATION
STRATFORD ARMY ENGINE PLANT
STRATFORD, CONNECTICUT

LOCATION ID	SAMPLE ID	START DEPTH (FT BGS)	END DEPTH (FT BGS)	RESULT TYPE	SAMPLE DATE	CLASS	MATRIX	PARAMETER	RESULT	FINAL QUALIFIER	UNITS
SVM-04-01	SVM-04-01	0.5	2.5	SA	4/6/2004	VOA	VAPOR	1,1,1-Trichloroethane	0.005	U	PPMV
SVM-04-01	SVM-04-01	0.5	2.5	SA	4/6/2004	VOA	VAPOR	1,1-Dichloroethene	0.005	U	PPMV
SVM-04-01	SVM-04-01	0.5	2.5	SA	4/6/2004	VOA	VAPOR	cis-1,2-Dichloroethene	0.005	U	PPMV
SVM-04-01	SVM-04-01	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Tetrachloroethene	0.005	U	PPMV
SVM-04-01	SVM-04-01	0.5	2.5	SA	4/6/2004	VOA	VAPOR	trans-1,2-Dichloroethene	0.005	U	PPMV
SVM-04-01	SVM-04-01	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Trichloroethene	0.033		PPMV
SVM-04-01	SVM-04-01	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Vinyl Chloride	0.005	U	PPMV
SVM-04-02	SVM-04-02	0.5	2.5	SA	4/6/2004	VOA	VAPOR	1,1,1-Trichloroethane	0.099		PPMV
SVM-04-02	SVM-04-02	0.5	2.5	SA	4/6/2004	VOA	VAPOR	1,1-Dichloroethene	0.11		PPMV
SVM-04-02	SVM-04-02	0.5	2.5	SA	4/6/2004	VOA	VAPOR	cis-1,2-Dichloroethene	0.49		PPMV
SVM-04-02	SVM-04-02	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Tetrachloroethene	0.17		PPMV
SVM-04-02	SVM-04-02	0.5	2.5	SA	4/6/2004	VOA	VAPOR	trans-1,2-Dichloroethene	0.046		PPMV
SVM-04-02	SVM-04-02	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Trichloroethene	2.7		PPMV
SVM-04-02	SVM-04-02	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Vinyl Chloride	0.006		PPMV
SVM-04-03	SVM-04-03	0.5	2.5	SA	4/6/2004	VOA	VAPOR	1,1,1-Trichloroethane	0.005	U	PPMV
SVM-04-03	SVM-04-03	0.5	2.5	SA	4/6/2004	VOA	VAPOR	1,1-Dichloroethene	0.007		PPMV
SVM-04-03	SVM-04-03	0.5	2.5	SA	4/6/2004	VOA	VAPOR	cis-1,2-Dichloroethene	0.012		PPMV
SVM-04-03	SVM-04-03	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Tetrachloroethene	0.009		PPMV
SVM-04-03	SVM-04-03	0.5	2.5	SA	4/6/2004	VOA	VAPOR	trans-1,2-Dichloroethene	0.005	U	PPMV
SVM-04-03	SVM-04-03	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Trichloroethene	0.069		PPMV
SVM-04-03	SVM-04-03	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Vinyl Chloride	0.005	U	PPMV
SVM-04-04	SVM-04-04	0.5	2.5	SA	4/6/2004	VOA	VAPOR	1,1,1-Trichloroethane	0.025		PPMV
SVM-04-04	SVM-04-04	0.5	2.5	SA	4/6/2004	VOA	VAPOR	1,1-Dichloroethene	0.018		PPMV
SVM-04-04	SVM-04-04	0.5	2.5	SA	4/6/2004	VOA	VAPOR	cis-1,2-Dichloroethene	0.005	U	PPMV
SVM-04-04	SVM-04-04	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Tetrachloroethene	0.046		PPMV
SVM-04-04	SVM-04-04	0.5	2.5	SA	4/6/2004	VOA	VAPOR	trans-1,2-Dichloroethene	0.005	U	PPMV
SVM-04-04	SVM-04-04	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Trichloroethene	0.3		PPMV
SVM-04-04	SVM-04-04	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Vinyl Chloride	0.005	U	PPMV
SVM-04-05	SVM-04-05	0.5	2.5	SA	4/6/2004	VOA	VAPOR	1,1,1-Trichloroethane	0.009		PPMV
SVM-04-05	SVM-04-05	0.5	2.5	SA	4/6/2004	VOA	VAPOR	1,1-Dichloroethene	0.02		PPMV
SVM-04-05	SVM-04-05	0.5	2.5	SA	4/6/2004	VOA	VAPOR	cis-1,2-Dichloroethene	0.005	U	PPMV
SVM-04-05	SVM-04-05	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Tetrachloroethene	0.028		PPMV
SVM-04-05	SVM-04-05	0.5	2.5	SA	4/6/2004	VOA	VAPOR	trans-1,2-Dichloroethene	0.005	U	PPMV
SVM-04-05	SVM-04-05	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Trichloroethene	0.34		PPMV
SVM-04-05	SVM-04-05	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Vinyl Chloride	0.005	U	PPMV
SVM-04-06	SVM-04-06	0.5	2.5	SA	4/6/2004	VOA	VAPOR	1,1,1-Trichloroethane	0.16		PPMV
SVM-04-06	SVM-04-06	0.5	2.5	SA	4/6/2004	VOA	VAPOR	1,1-Dichloroethene	0.12		PPMV
SVM-04-06	SVM-04-06	0.5	2.5	SA	4/6/2004	VOA	VAPOR	cis-1,2-Dichloroethene	7.7		PPMV
SVM-04-06	SVM-04-06	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Tetrachloroethene	0.14		PPMV

APPENDIX U-2
1999 SOIL VAPOR ANALYTICAL RESULTS

REMEDIAL INVESTIGATION
STRATFORD ARMY ENGINE PLANT
STRATFORD, CONNECTICUT

LOCATION ID	SAMPLE ID	START DEPTH (FT BGS)	END DEPTH (FT BGS)	RESULT TYPE	SAMPLE DATE	CLASS	MATRIX	PARAMETER	RESULT	FINAL QUALIFIER	UNITS
SVM-04-06	SVM-04-06	0.5	2.5	SA	4/6/2004	VOA	VAPOR	trans-1,2-Dichloroethene	0.34		PPMV
SVM-04-06	SVM-04-06	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Trichloroethene	66		PPMV
SVM-04-06	SVM-04-06	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Vinyl Chloride	0.1	U	PPMV
SVM-04-07	SVM-04-07	0.5	2.5	SA	4/6/2004	VOA	VAPOR	1,1,1-Trichloroethane	0.036		PPMV
SVM-04-07	SVM-04-07	0.5	2.5	SA	4/6/2004	VOA	VAPOR	1,1-Dichloroethene	0.011		PPMV
SVM-04-07	SVM-04-07	0.5	2.5	SA	4/6/2004	VOA	VAPOR	cis-1,2-Dichloroethene	0.11		PPMV
SVM-04-07	SVM-04-07	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Tetrachloroethene	0.018		PPMV
SVM-04-07	SVM-04-07	0.5	2.5	SA	4/6/2004	VOA	VAPOR	trans-1,2-Dichloroethene	0.005	U	PPMV
SVM-04-07	SVM-04-07	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Trichloroethene	2.2		PPMV
SVM-04-07	SVM-04-07	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Vinyl Chloride	0.005	U	PPMV
SVM-04-08	SVM-04-08 Duplicate	0.5	2.5	DU	4/6/2004	VOA	VAPOR	1,1,1-Trichloroethane	0.8		PPMV
SVM-04-08	SVM-04-08 Duplicate	0.5	2.5	DU	4/6/2004	VOA	VAPOR	1,1-Dichloroethene	0.32		PPMV
SVM-04-08	SVM-04-08 Duplicate	0.5	2.5	DU	4/6/2004	VOA	VAPOR	cis-1,2-Dichloroethene	0.34		PPMV
SVM-04-08	SVM-04-08 Duplicate	0.5	2.5	DU	4/6/2004	VOA	VAPOR	Tetrachloroethene	0.082		PPMV
SVM-04-08	SVM-04-08 Duplicate	0.5	2.5	DU	4/6/2004	VOA	VAPOR	trans-1,2-Dichloroethene	0.016		PPMV
SVM-04-08	SVM-04-08 Duplicate	0.5	2.5	DU	4/6/2004	VOA	VAPOR	Trichloroethene	6.5		PPMV
SVM-04-08	SVM-04-08 Duplicate	0.5	2.5	DU	4/6/2004	VOA	VAPOR	Vinyl Chloride	0.011	U	PPMV
SVM-04-08	SVM-04-08	0.5	2.5	SA	4/6/2004	VOA	VAPOR	1,1,1-Trichloroethane	0.77		PPMV
SVM-04-08	SVM-04-08	0.5	2.5	SA	4/6/2004	VOA	VAPOR	1,1-Dichloroethene	0.33		PPMV
SVM-04-08	SVM-04-08	0.5	2.5	SA	4/6/2004	VOA	VAPOR	cis-1,2-Dichloroethene	0.33		PPMV
SVM-04-08	SVM-04-08	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Tetrachloroethene	0.083		PPMV
SVM-04-08	SVM-04-08	0.5	2.5	SA	4/6/2004	VOA	VAPOR	trans-1,2-Dichloroethene	0.016		PPMV
SVM-04-08	SVM-04-08	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Trichloroethene	6.5		PPMV
SVM-04-08	SVM-04-08	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Vinyl Chloride	0.011	U	PPMV
SVM-04-09	SVM-04-09	0.5	2.5	SA	4/6/2004	VOA	VAPOR	1,1,1-Trichloroethane	0.013		PPMV
SVM-04-09	SVM-04-09	0.5	2.5	SA	4/6/2004	VOA	VAPOR	1,1-Dichloroethene	0.16		PPMV
SVM-04-09	SVM-04-09	0.5	2.5	SA	4/6/2004	VOA	VAPOR	cis-1,2-Dichloroethene	0.059		PPMV
SVM-04-09	SVM-04-09	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Tetrachloroethene	0.009		PPMV
SVM-04-09	SVM-04-09	0.5	2.5	SA	4/6/2004	VOA	VAPOR	trans-1,2-Dichloroethene	0.005	U	PPMV
SVM-04-09	SVM-04-09	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Trichloroethene	0.67		PPMV
SVM-04-09	SVM-04-09	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Vinyl Chloride	0.005	U	PPMV
SVM-04-10	SVM-04-10	0.5	2.5	SA	4/6/2004	VOA	VAPOR	1,1,1-Trichloroethane	0.150		PPMV
SVM-04-10	SVM-04-10	0.5	2.5	SA	4/6/2004	VOA	VAPOR	1,1-Dichloroethene	1.6		PPMV
SVM-04-10	SVM-04-10	0.5	2.5	SA	4/6/2004	VOA	VAPOR	cis-1,2-Dichloroethene	0.12		PPMV
SVM-04-10	SVM-04-10	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Tetrachloroethene	0.044		PPMV
SVM-04-10	SVM-04-10	0.5	2.5	SA	4/6/2004	VOA	VAPOR	trans-1,2-Dichloroethene	0.005	U	PPMV
SVM-04-10	SVM-04-10	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Trichloroethene	1.1		PPMV
SVM-04-10	SVM-04-10	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Vinyl Chloride	0.009		PPMV
SVM-04-11	SVM-04-11	0.5	2.5	SA	4/6/2004	VOA	VAPOR	1,1,1-Trichloroethane	0.052		PPMV

APPENDIX U-2
1999 SOIL VAPOR ANALYTICAL RESULTS

REMEDIAL INVESTIGATION
STRATFORD ARMY ENGINE PLANT
STRATFORD, CONNECTICUT

LOCATION ID	SAMPLE ID	START DEPTH (FT BGS)	END DEPTH (FT BGS)	RESULT TYPE	SAMPLE DATE	CLASS	MATRIX	PARAMETER	RESULT	FINAL QUALIFIER	UNITS
SVM-04-11	SVM-04-11	0.5	2.5	SA	4/6/2004	VOA	VAPOR	1,1-Dichloroethene	0.51		PPMV
SVM-04-11	SVM-04-11	0.5	2.5	SA	4/6/2004	VOA	VAPOR	cis-1,2-Dichloroethene	0.059		PPMV
SVM-04-11	SVM-04-11	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Tetrachloroethene	0.018		PPMV
SVM-04-11	SVM-04-11	0.5	2.5	SA	4/6/2004	VOA	VAPOR	trans-1,2-Dichloroethene	0.005	U	PPMV
SVM-04-11	SVM-04-11	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Trichloroethene	0.58		PPMV
SVM-04-11	SVM-04-11	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Vinyl Chloride	0.005	U	PPMV
SVM-04-12	SVM-04-12	0.5	2.5	SA	4/6/2004	VOA	VAPOR	1,1,1-Trichloroethane	0.13		PPMV
SVM-04-12	SVM-04-12	0.5	2.5	SA	4/6/2004	VOA	VAPOR	1,1-Dichloroethene	0.49		PPMV
SVM-04-12	SVM-04-12	0.5	2.5	SA	4/6/2004	VOA	VAPOR	cis-1,2-Dichloroethene	0.044		PPMV
SVM-04-12	SVM-04-12	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Tetrachloroethene	0.019		PPMV
SVM-04-12	SVM-04-12	0.5	2.5	SA	4/6/2004	VOA	VAPOR	trans-1,2-Dichloroethene	0.005	U	PPMV
SVM-04-12	SVM-04-12	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Trichloroethene	0.87		PPMV
SVM-04-12	SVM-04-12	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Vinyl Chloride	0.005	U	PPMV
SVM-04-13	SVM-04-13	0.5	2.5	SA	4/6/2004	VOA	VAPOR	1,1,1-Trichloroethane	0.035		PPMV
SVM-04-13	SVM-04-13	0.5	2.5	SA	4/6/2004	VOA	VAPOR	1,1-Dichloroethene	0.02		PPMV
SVM-04-13	SVM-04-13	0.5	2.5	SA	4/6/2004	VOA	VAPOR	cis-1,2-Dichloroethene	0.01		PPMV
SVM-04-13	SVM-04-13	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Tetrachloroethene	0.009		PPMV
SVM-04-13	SVM-04-13	0.5	2.5	SA	4/6/2004	VOA	VAPOR	trans-1,2-Dichloroethene	0.005	U	PPMV
SVM-04-13	SVM-04-13	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Trichloroethene	0.3		PPMV
SVM-04-13	SVM-04-13	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Vinyl Chloride	0.005	U	PPMV
SVM-04-14	SVM-04-14 Duplicate	0.5	2.5	DU	4/6/2004	VOA	VAPOR	1,1,1-Trichloroethane	0.13		PPMV
SVM-04-14	SVM-04-14 Duplicate	0.5	2.5	DU	4/6/2004	VOA	VAPOR	1,1-Dichloroethene	0.64		PPMV
SVM-04-14	SVM-04-14 Duplicate	0.5	2.5	DU	4/6/2004	VOA	VAPOR	cis-1,2-Dichloroethene	0.15		PPMV
SVM-04-14	SVM-04-14 Duplicate	0.5	2.5	DU	4/6/2004	VOA	VAPOR	Tetrachloroethene	0.022		PPMV
SVM-04-14	SVM-04-14 Duplicate	0.5	2.5	DU	4/6/2004	VOA	VAPOR	trans-1,2-Dichloroethene	0.005	U	PPMV
SVM-04-14	SVM-04-14 Duplicate	0.5	2.5	DU	4/6/2004	VOA	VAPOR	Trichloroethene	0.6		PPMV
SVM-04-14	SVM-04-14 Duplicate	0.5	2.5	DU	4/6/2004	VOA	VAPOR	Vinyl Chloride	0.005	U	PPMV
SVM-04-14	SVM-04-14	0.5	2.5	SA	4/6/2004	VOA	VAPOR	1,1,1-Trichloroethane	0.13		PPMV
SVM-04-14	SVM-04-14	0.5	2.5	SA	4/6/2004	VOA	VAPOR	1,1-Dichloroethene	0.64		PPMV
SVM-04-14	SVM-04-14	0.5	2.5	SA	4/6/2004	VOA	VAPOR	cis-1,2-Dichloroethene	0.15		PPMV
SVM-04-14	SVM-04-14	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Tetrachloroethene	0.022		PPMV
SVM-04-14	SVM-04-14	0.5	2.5	SA	4/6/2004	VOA	VAPOR	trans-1,2-Dichloroethene	0.005	U	PPMV
SVM-04-14	SVM-04-14	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Trichloroethene	0.61		PPMV
SVM-04-14	SVM-04-14	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Vinyl Chloride	0.005	U	PPMV
SVM-04-15	SVM-04-15	0.5	2.5	SA	4/7/2004	VOA	VAPOR	1,1,1-Trichloroethane	0.12		PPMV
SVM-04-15	SVM-04-15	0.5	2.5	SA	4/7/2004	VOA	VAPOR	1,1-Dichloroethene	0.2		PPMV
SVM-04-15	SVM-04-15	0.5	2.5	SA	4/7/2004	VOA	VAPOR	cis-1,2-Dichloroethene	0.072		PPMV
SVM-04-15	SVM-04-15	0.5	2.5	SA	4/7/2004	VOA	VAPOR	Tetrachloroethene	0.013		PPMV
SVM-04-15	SVM-04-15	0.5	2.5	SA	4/7/2004	VOA	VAPOR	trans-1,2-Dichloroethene	0.005	U	PPMV

APPENDIX U-2
1999 SOIL VAPOR ANALYTICAL RESULTS

REMEDIAL INVESTIGATION
STRATFORD ARMY ENGINE PLANT
STRATFORD, CONNECTICUT

LOCATION ID	SAMPLE ID	START DEPTH (FT BGS)	END DEPTH (FT BGS)	RESULT TYPE	SAMPLE DATE	CLASS	MATRIX	PARAMETER	RESULT	FINAL QUALIFIER	UNITS
SVM-04-15	SVM-04-15	0.5	2.5	SA	4/7/2004	VOA	VAPOR	Trichloroethene	0.2		PPMV
SVM-04-15	SVM-04-15	0.5	2.5	SA	4/7/2004	VOA	VAPOR	Vinyl Chloride	0.005	U	PPMV
SVM-04-16	SVM-04-16	0.5	2.5	SA	4/7/2004	VOA	VAPOR	1,1,1-Trichloroethane	0.069		PPMV
SVM-04-16	SVM-04-16	0.5	2.5	SA	4/7/2004	VOA	VAPOR	1,1-Dichloroethene	0.15		PPMV
SVM-04-16	SVM-04-16	0.5	2.5	SA	4/7/2004	VOA	VAPOR	cis-1,2-Dichloroethene	0.041		PPMV
SVM-04-16	SVM-04-16	0.5	2.5	SA	4/7/2004	VOA	VAPOR	Tetrachloroethene	0.013		PPMV
SVM-04-16	SVM-04-16	0.5	2.5	SA	4/7/2004	VOA	VAPOR	trans-1,2-Dichloroethene	0.005	U	PPMV
SVM-04-16	SVM-04-16	0.5	2.5	SA	4/7/2004	VOA	VAPOR	Trichloroethene	0.37		PPMV
SVM-04-16	SVM-04-16	0.5	2.5	SA	4/7/2004	VOA	VAPOR	Vinyl Chloride	0.005	U	PPMV
SVM-04-18	SVM-04-18	0.5	2.5	SA	4/6/2004	VOA	VAPOR	1,1,1-Trichloroethane	0.017		PPMV
SVM-04-18	SVM-04-18	0.5	2.5	SA	4/6/2004	VOA	VAPOR	1,1-Dichloroethene	0.13		PPMV
SVM-04-18	SVM-04-18	0.5	2.5	SA	4/6/2004	VOA	VAPOR	cis-1,2-Dichloroethene	0.73		PPMV
SVM-04-18	SVM-04-18	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Tetrachloroethene	0.036		PPMV
SVM-04-18	SVM-04-18	0.5	2.5	SA	4/6/2004	VOA	VAPOR	trans-1,2-Dichloroethene	0.02		PPMV
SVM-04-18	SVM-04-18	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Trichloroethene	0.23		PPMV
SVM-04-18	SVM-04-18	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Vinyl Chloride	0.71		PPMV
SVM-04-19	SVM-04-19D	0.5	2.5	DU	4/6/2004	VOA	VAPOR	1,1,1-Trichloroethane	0.013		PPMV
SVM-04-19	SVM-04-19D	0.5	2.5	DU	4/6/2004	VOA	VAPOR	1,1-Dichloroethene	1		PPMV
SVM-04-19	SVM-04-19D	0.5	2.5	DU	4/6/2004	VOA	VAPOR	cis-1,2-Dichloroethene	0.081		PPMV
SVM-04-19	SVM-04-19D	0.5	2.5	DU	4/6/2004	VOA	VAPOR	Tetrachloroethene	0.006		PPMV
SVM-04-19	SVM-04-19D	0.5	2.5	DU	4/6/2004	VOA	VAPOR	trans-1,2-Dichloroethene	0.005	U	PPMV
SVM-04-19	SVM-04-19D	0.5	2.5	DU	4/6/2004	VOA	VAPOR	Trichloroethene	0.12		PPMV
SVM-04-19	SVM-04-19D	0.5	2.5	DU	4/6/2004	VOA	VAPOR	Vinyl Chloride	0.13		PPMV
SVM-04-19	SVM-04-19	0.5	2.5	SA	4/6/2004	VOA	VAPOR	1,1,1-Trichloroethane	0.012		PPMV
SVM-04-19	SVM-04-19	0.5	2.5	SA	4/6/2004	VOA	VAPOR	1,1-Dichloroethene	0.99		PPMV
SVM-04-19	SVM-04-19	0.5	2.5	SA	4/6/2004	VOA	VAPOR	cis-1,2-Dichloroethene	0.08		PPMV
SVM-04-19	SVM-04-19	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Tetrachloroethene	0.007		PPMV
SVM-04-19	SVM-04-19	0.5	2.5	SA	4/6/2004	VOA	VAPOR	trans-1,2-Dichloroethene	0.005	U	PPMV
SVM-04-19	SVM-04-19	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Trichloroethene	0.13		PPMV
SVM-04-19	SVM-04-19	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Vinyl Chloride	0.12		PPMV
SVM-04-20	SVM-04-20	0.5	2.5	SA	4/6/2004	VOA	VAPOR	1,1,1-Trichloroethane	0.021		PPMV
SVM-04-20	SVM-04-20	0.5	2.5	SA	4/6/2004	VOA	VAPOR	1,1-Dichloroethene	0.011		PPMV
SVM-04-20	SVM-04-20	0.5	2.5	SA	4/6/2004	VOA	VAPOR	cis-1,2-Dichloroethene	0.005		PPMV
SVM-04-20	SVM-04-20	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Tetrachloroethene	0.007		PPMV
SVM-04-20	SVM-04-20	0.5	2.5	SA	4/6/2004	VOA	VAPOR	trans-1,2-Dichloroethene	0.005	U	PPMV
SVM-04-20	SVM-04-20	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Trichloroethene	0.07		PPMV
SVM-04-20	SVM-04-20	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Vinyl Chloride	0.007		PPMV
SVM-04-21	SVM-04-21	0.5	2.5	SA	4/7/2004	VOA	VAPOR	1,1,1-Trichloroethane	6.1		PPMV
SVM-04-21	SVM-04-21	0.5	2.5	SA	4/7/2004	VOA	VAPOR	1,1-Dichloroethene	0.67		PPMV

APPENDIX U-2
1999 SOIL VAPOR ANALYTICAL RESULTS

REMEDIAL INVESTIGATION
STRATFORD ARMY ENGINE PLANT
STRATFORD, CONNECTICUT

LOCATION ID	SAMPLE ID	START DEPTH (FT BGS)	END DEPTH (FT BGS)	RESULT TYPE	SAMPLE DATE	CLASS	MATRIX	PARAMETER	RESULT	FINAL QUALIFIER	UNITS
SVM-04-21	SVM-04-21	0.5	2.5	SA	4/7/2004	VOA	VAPOR	cis-1,2-Dichloroethene	0.29		PPMV
SVM-04-21	SVM-04-21	0.5	2.5	SA	4/7/2004	VOA	VAPOR	Tetrachloroethene	0.37		PPMV
SVM-04-21	SVM-04-21	0.5	2.5	SA	4/7/2004	VOA	VAPOR	trans-1,2-Dichloroethene	0.2	U	PPMV
SVM-04-21	SVM-04-21	0.5	2.5	SA	4/7/2004	VOA	VAPOR	Trichloroethene	130		PPMV
SVM-04-21	SVM-04-21	0.5	2.5	SA	4/7/2004	VOA	VAPOR	Vinyl Chloride	0.2	U	PPMV
SVM-04-22	SVM-04-22 Duplicate	0.5	2.5	DU	4/7/2004	VOA	VAPOR	1,1,1-Trichloroethane	2.6		PPMV
SVM-04-22	SVM-04-22 Duplicate	0.5	2.5	DU	4/7/2004	VOA	VAPOR	1,1-Dichloroethene	0.3		PPMV
SVM-04-22	SVM-04-22 Duplicate	0.5	2.5	DU	4/7/2004	VOA	VAPOR	cis-1,2-Dichloroethene	0.27		PPMV
SVM-04-22	SVM-04-22 Duplicate	0.5	2.5	DU	4/7/2004	VOA	VAPOR	Tetrachloroethene	0.21		PPMV
SVM-04-22	SVM-04-22 Duplicate	0.5	2.5	DU	4/7/2004	VOA	VAPOR	trans-1,2-Dichloroethene	0.05	U	PPMV
SVM-04-22	SVM-04-22 Duplicate	0.5	2.5	DU	4/7/2004	VOA	VAPOR	Trichloroethene	38		PPMV
SVM-04-22	SVM-04-22 Duplicate	0.5	2.5	DU	4/7/2004	VOA	VAPOR	Vinyl Chloride	0.05	U	PPMV
SVM-04-22	SVM-04-22	0.5	2.5	SA	4/7/2004	VOA	VAPOR	1,1,1-Trichloroethane	2.6		PPMV
SVM-04-22	SVM-04-22	0.5	2.5	SA	4/7/2004	VOA	VAPOR	1,1-Dichloroethene	0.31		PPMV
SVM-04-22	SVM-04-22	0.5	2.5	SA	4/7/2004	VOA	VAPOR	cis-1,2-Dichloroethene	0.28		PPMV
SVM-04-22	SVM-04-22	0.5	2.5	SA	4/7/2004	VOA	VAPOR	Tetrachloroethene	0.21		PPMV
SVM-04-22	SVM-04-22	0.5	2.5	SA	4/7/2004	VOA	VAPOR	trans-1,2-Dichloroethene	0.05	U	PPMV
SVM-04-22	SVM-04-22	0.5	2.5	SA	4/7/2004	VOA	VAPOR	Trichloroethene	38		PPMV
SVM-04-22	SVM-04-22	0.5	2.5	SA	4/7/2004	VOA	VAPOR	Vinyl Chloride	0.05	U	PPMV
SVM-04-23	SVM-04-23 Duplicate	0.5	2.5	DU	4/7/2004	VOA	VAPOR	1,1,1-Trichloroethane	0.07		PPMV
SVM-04-23	SVM-04-23 Duplicate	0.5	2.5	DU	4/7/2004	VOA	VAPOR	1,1-Dichloroethene	0.028	U	PPMV
SVM-04-23	SVM-04-23 Duplicate	0.5	2.5	DU	4/7/2004	VOA	VAPOR	cis-1,2-Dichloroethene	18		PPMV
SVM-04-23	SVM-04-23 Duplicate	0.5	2.5	DU	4/7/2004	VOA	VAPOR	Tetrachloroethene	0.052		PPMV
SVM-04-23	SVM-04-23 Duplicate	0.5	2.5	DU	4/7/2004	VOA	VAPOR	trans-1,2-Dichloroethene	0.46		PPMV
SVM-04-23	SVM-04-23 Duplicate	0.5	2.5	DU	4/7/2004	VOA	VAPOR	Trichloroethene	8.5		PPMV
SVM-04-23	SVM-04-23 Duplicate	0.5	2.5	DU	4/7/2004	VOA	VAPOR	Vinyl Chloride	0.028	U	PPMV
SVM-04-23	SVM-04-23	0.5	2.5	SA	4/7/2004	VOA	VAPOR	1,1,1-Trichloroethane	0.068		PPMV
SVM-04-23	SVM-04-23	0.5	2.5	SA	4/7/2004	VOA	VAPOR	1,1-Dichloroethene	0.028	U	PPMV
SVM-04-23	SVM-04-23	0.5	2.5	SA	4/7/2004	VOA	VAPOR	cis-1,2-Dichloroethene	18		PPMV
SVM-04-23	SVM-04-23	0.5	2.5	SA	4/7/2004	VOA	VAPOR	Tetrachloroethene	0.05		PPMV
SVM-04-23	SVM-04-23	0.5	2.5	SA	4/7/2004	VOA	VAPOR	trans-1,2-Dichloroethene	0.47		PPMV
SVM-04-23	SVM-04-23	0.5	2.5	SA	4/7/2004	VOA	VAPOR	Trichloroethene	8.6		PPMV
SVM-04-23	SVM-04-23	0.5	2.5	SA	4/7/2004	VOA	VAPOR	Vinyl Chloride	0.028	U	PPMV
SVM-04-24	SVM-04-24	0.5	2.5	SA	4/7/2004	VOA	VAPOR	1,1,1-Trichloroethane	0.12		PPMV
SVM-04-24	SVM-04-24	0.5	2.5	SA	4/7/2004	VOA	VAPOR	1,1-Dichloroethene	0.019		PPMV
SVM-04-24	SVM-04-24	0.5	2.5	SA	4/7/2004	VOA	VAPOR	cis-1,2-Dichloroethene	0.13		PPMV
SVM-04-24	SVM-04-24	0.5	2.5	SA	4/7/2004	VOA	VAPOR	Tetrachloroethene	0.046		PPMV
SVM-04-24	SVM-04-24	0.5	2.5	SA	4/7/2004	VOA	VAPOR	trans-1,2-Dichloroethene	0.005	U	PPMV
SVM-04-24	SVM-04-24	0.5	2.5	SA	4/7/2004	VOA	VAPOR	Trichloroethene	4.2		PPMV

APPENDIX U-2
1999 SOIL VAPOR ANALYTICAL RESULTS

REMEDIAL INVESTIGATION
STRATFORD ARMY ENGINE PLANT
STRATFORD, CONNECTICUT

LOCATION ID	SAMPLE ID	START DEPTH (FT BGS)	END DEPTH (FT BGS)	RESULT TYPE	SAMPLE DATE	CLASS	MATRIX	PARAMETER	RESULT	FINAL QUALIFIER	UNITS
SVM-04-24	SVM-04-24	0.5	2.5	SA	4/7/2004	VOA	VAPOR	Vinyl Chloride	0.005	U	PPMV
SVM-04-25	SVM-04-25	0.5	2.5	SA	4/7/2004	VOA	VAPOR	1,1,1-Trichloroethane	0.17		PPMV
SVM-04-25	SVM-04-25	0.5	2.5	SA	4/7/2004	VOA	VAPOR	1,1-Dichloroethene	0.03		PPMV
SVM-04-25	SVM-04-25	0.5	2.5	SA	4/7/2004	VOA	VAPOR	cis-1,2-Dichloroethene	0.19		PPMV
SVM-04-25	SVM-04-25	0.5	2.5	SA	4/7/2004	VOA	VAPOR	Tetrachloroethene	0.063		PPMV
SVM-04-25	SVM-04-25	0.5	2.5	SA	4/7/2004	VOA	VAPOR	trans-1,2-Dichloroethene	0.03		PPMV
SVM-04-25	SVM-04-25	0.5	2.5	SA	4/7/2004	VOA	VAPOR	Trichloroethene	5.4		PPMV
SVM-04-25	SVM-04-25	0.5	2.5	SA	4/7/2004	VOA	VAPOR	Vinyl Chloride	0.007	U	PPMV
SVM-04-26	SVM-04-26	0.5	2.5	SA	4/7/2004	VOA	VAPOR	1,1,1-Trichloroethane	0.084		PPMV
SVM-04-26	SVM-04-26	0.5	2.5	SA	4/7/2004	VOA	VAPOR	1,1-Dichloroethene	0.019		PPMV
SVM-04-26	SVM-04-26	0.5	2.5	SA	4/7/2004	VOA	VAPOR	cis-1,2-Dichloroethene	0.063		PPMV
SVM-04-26	SVM-04-26	0.5	2.5	SA	4/7/2004	VOA	VAPOR	Tetrachloroethene	0.03		PPMV
SVM-04-26	SVM-04-26	0.5	2.5	SA	4/7/2004	VOA	VAPOR	trans-1,2-Dichloroethene	0.005	U	PPMV
SVM-04-26	SVM-04-26	0.5	2.5	SA	4/7/2004	VOA	VAPOR	Trichloroethene	0.97		PPMV
SVM-04-26	SVM-04-26	0.5	2.5	SA	4/7/2004	VOA	VAPOR	Vinyl Chloride	0.005	U	PPMV
SVM-04-27	SVM-04-27	0.5	2.5	SA	4/6/2004	VOA	VAPOR	1,1,1-Trichloroethane	0.038		PPMV
SVM-04-27	SVM-04-27	0.5	2.5	SA	4/6/2004	VOA	VAPOR	1,1-Dichloroethene	0.005		PPMV
SVM-04-27	SVM-04-27	0.5	2.5	SA	4/6/2004	VOA	VAPOR	cis-1,2-Dichloroethene	0.005	U	PPMV
SVM-04-27	SVM-04-27	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Tetrachloroethene	0.17		PPMV
SVM-04-27	SVM-04-27	0.5	2.5	SA	4/6/2004	VOA	VAPOR	trans-1,2-Dichloroethene	0.005	U	PPMV
SVM-04-27	SVM-04-27	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Trichloroethene	0.081		PPMV
SVM-04-27	SVM-04-27	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Vinyl Chloride	0.005	U	PPMV
SVM-04-28	SVM-04-28	0.5	2.5	SA	4/6/2004	VOA	VAPOR	1,1,1-Trichloroethane	0.01		PPMV
SVM-04-28	SVM-04-28	0.5	2.5	SA	4/6/2004	VOA	VAPOR	1,1-Dichloroethene	0.005	U	PPMV
SVM-04-28	SVM-04-28	0.5	2.5	SA	4/6/2004	VOA	VAPOR	cis-1,2-Dichloroethene	0.005	U	PPMV
SVM-04-28	SVM-04-28	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Tetrachloroethene	0.035		PPMV
SVM-04-28	SVM-04-28	0.5	2.5	SA	4/6/2004	VOA	VAPOR	trans-1,2-Dichloroethene	0.005	U	PPMV
SVM-04-28	SVM-04-28	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Trichloroethene	0.009		PPMV
SVM-04-28	SVM-04-28	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Vinyl Chloride	0.005	U	PPMV
SVM-04-29	SVM-04-29	0.5	2.5	SA	4/6/2004	VOA	VAPOR	1,1,1-Trichloroethane	0.025		PPMV
SVM-04-29	SVM-04-29	0.5	2.5	SA	4/6/2004	VOA	VAPOR	1,1-Dichloroethene	0.005	U	PPMV
SVM-04-29	SVM-04-29	0.5	2.5	SA	4/6/2004	VOA	VAPOR	cis-1,2-Dichloroethene	0.005	U	PPMV
SVM-04-29	SVM-04-29	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Tetrachloroethene	1.9		PPMV
SVM-04-29	SVM-04-29	0.5	2.5	SA	4/6/2004	VOA	VAPOR	trans-1,2-Dichloroethene	0.005	U	PPMV
SVM-04-29	SVM-04-29	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Trichloroethene	0.17		PPMV
SVM-04-29	SVM-04-29	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Vinyl Chloride	0.005	U	PPMV
SVM-04-30	SVM-04-30	0.5	2.5	SA	4/6/2004	VOA	VAPOR	1,1,1-Trichloroethane	0.013		PPMV
SVM-04-30	SVM-04-30	0.5	2.5	SA	4/6/2004	VOA	VAPOR	1,1-Dichloroethene	0.005	U	PPMV
SVM-04-30	SVM-04-30	0.5	2.5	SA	4/6/2004	VOA	VAPOR	cis-1,2-Dichloroethene	0.005	U	PPMV

APPENDIX U-2
1999 SOIL VAPOR ANALYTICAL RESULTS

REMEDIAL INVESTIGATION
STRATFORD ARMY ENGINE PLANT
STRATFORD, CONNECTICUT

LOCATION ID	SAMPLE ID	START DEPTH (FT BGS)	END DEPTH (FT BGS)	RESULT TYPE	SAMPLE DATE	CLASS	MATRIX	PARAMETER	RESULT	FINAL QUALIFIER	UNITS
SVM-04-30	SVM-04-30	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Tetrachloroethene	0.088		PPMV
SVM-04-30	SVM-04-30	0.5	2.5	SA	4/6/2004	VOA	VAPOR	trans-1,2-Dichloroethene	0.005	U	PPMV
SVM-04-30	SVM-04-30	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Trichloroethene	0.068		PPMV
SVM-04-30	SVM-04-30	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Vinyl Chloride	0.005	U	PPMV
SVM-04-31	SVM-04-31	0.5	2.5	SA	4/6/2004	VOA	VAPOR	1,1,1-Trichloroethane	0.009		PPMV
SVM-04-31	SVM-04-31	0.5	2.5	SA	4/6/2004	VOA	VAPOR	1,1-Dichloroethene	0.005	U	PPMV
SVM-04-31	SVM-04-31	0.5	2.5	SA	4/6/2004	VOA	VAPOR	cis-1,2-Dichloroethene	0.005	U	PPMV
SVM-04-31	SVM-04-31	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Tetrachloroethene	0.88		PPMV
SVM-04-31	SVM-04-31	0.5	2.5	SA	4/6/2004	VOA	VAPOR	trans-1,2-Dichloroethene	0.005	U	PPMV
SVM-04-31	SVM-04-31	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Trichloroethene	0.18		PPMV
SVM-04-31	SVM-04-31	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Vinyl Chloride	0.005	U	PPMV
SVM-04-32	SVM-04-32	0.5	2.5	SA	4/7/2004	VOA	VAPOR	1,1,1-Trichloroethane	0.011		PPMV
SVM-04-32	SVM-04-32	0.5	2.5	SA	4/7/2004	VOA	VAPOR	1,1-Dichloroethene	0.005	U	PPMV
SVM-04-32	SVM-04-32	0.5	2.5	SA	4/7/2004	VOA	VAPOR	cis-1,2-Dichloroethene	0.005	U	PPMV
SVM-04-32	SVM-04-32	0.5	2.5	SA	4/7/2004	VOA	VAPOR	Tetrachloroethene	0.2		PPMV
SVM-04-32	SVM-04-32	0.5	2.5	SA	4/7/2004	VOA	VAPOR	trans-1,2-Dichloroethene	0.005	U	PPMV
SVM-04-32	SVM-04-32	0.5	2.5	SA	4/7/2004	VOA	VAPOR	Trichloroethene	0.18		PPMV
SVM-04-32	SVM-04-32	0.5	2.5	SA	4/7/2004	VOA	VAPOR	Vinyl Chloride	0.005	U	PPMV
SVM-04-33	SVM-04-33	0.5	2.5	SA	4/6/2004	VOA	VAPOR	1,1,1-Trichloroethane	0.035		PPMV
SVM-04-33	SVM-04-33	0.5	2.5	SA	4/6/2004	VOA	VAPOR	1,1-Dichloroethene	0.007		PPMV
SVM-04-33	SVM-04-33	0.5	2.5	SA	4/6/2004	VOA	VAPOR	cis-1,2-Dichloroethene	0.019		PPMV
SVM-04-33	SVM-04-33	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Tetrachloroethene	0.27		PPMV
SVM-04-33	SVM-04-33	0.5	2.5	SA	4/6/2004	VOA	VAPOR	trans-1,2-Dichloroethene	0.005	U	PPMV
SVM-04-33	SVM-04-33	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Trichloroethene	0.12		PPMV
SVM-04-33	SVM-04-33	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Vinyl Chloride	0.005	U	PPMV
SVM-04-34	SVM-04-34	0.5	2.5	SA	4/6/2004	VOA	VAPOR	1,1,1-Trichloroethane	0.21		PPMV
SVM-04-34	SVM-04-34	0.5	2.5	SA	4/6/2004	VOA	VAPOR	1,1-Dichloroethene	0.04		PPMV
SVM-04-34	SVM-04-34	0.5	2.5	SA	4/6/2004	VOA	VAPOR	cis-1,2-Dichloroethene	0.011		PPMV
SVM-04-34	SVM-04-34	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Tetrachloroethene	1.7		PPMV
SVM-04-34	SVM-04-34	0.5	2.5	SA	4/6/2004	VOA	VAPOR	trans-1,2-Dichloroethene	0.007		PPMV
SVM-04-34	SVM-04-34	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Trichloroethene	0.44		PPMV
SVM-04-34	SVM-04-34	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Vinyl Chloride	0.005	U	PPMV
SVM-04-35	SVM-04-35	0.5	2.5	SA	4/7/2004	VOA	VAPOR	1,1,1-Trichloroethane	0.005	U	PPMV
SVM-04-35	SVM-04-35	0.5	2.5	SA	4/7/2004	VOA	VAPOR	1,1-Dichloroethene	0.005	U	PPMV
SVM-04-35	SVM-04-35	0.5	2.5	SA	4/7/2004	VOA	VAPOR	cis-1,2-Dichloroethene	0.005	U	PPMV
SVM-04-35	SVM-04-35	0.5	2.5	SA	4/7/2004	VOA	VAPOR	Tetrachloroethene	0.007		PPMV
SVM-04-35	SVM-04-35	0.5	2.5	SA	4/7/2004	VOA	VAPOR	trans-1,2-Dichloroethene	0.005	U	PPMV
SVM-04-35	SVM-04-35	0.5	2.5	SA	4/7/2004	VOA	VAPOR	Trichloroethene	0.005	U	PPMV
SVM-04-35	SVM-04-35	0.5	2.5	SA	4/7/2004	VOA	VAPOR	Vinyl Chloride	0.007		PPMV

APPENDIX U-2
1999 SOIL VAPOR ANALYTICAL RESULTS

REMEDIAL INVESTIGATION
STRATFORD ARMY ENGINE PLANT
STRATFORD, CONNECTICUT

LOCATION ID	SAMPLE ID	START DEPTH (FT BGS)	END DEPTH (FT BGS)	RESULT TYPE	SAMPLE DATE	CLASS	MATRIX	PARAMETER	RESULT	FINAL QUALIFIER	UNITS
SVM-04-36	SVM-04-36 Duplicate	0.5	2.5	DU	4/6/2004	VOA	VAPOR	1,1,1-Trichloroethane	0.04		PPMV
SVM-04-36	SVM-04-36 Duplicate	0.5	2.5	DU	4/6/2004	VOA	VAPOR	1,1-Dichloroethene	0.007		PPMV
SVM-04-36	SVM-04-36 Duplicate	0.5	2.5	DU	4/6/2004	VOA	VAPOR	cis-1,2-Dichloroethene	0.18		PPMV
SVM-04-36	SVM-04-36 Duplicate	0.5	2.5	DU	4/6/2004	VOA	VAPOR	Tetrachloroethene	1.6		PPMV
SVM-04-36	SVM-04-36 Duplicate	0.5	2.5	DU	4/6/2004	VOA	VAPOR	trans-1,2-Dichloroethene	0.006		PPMV
SVM-04-36	SVM-04-36 Duplicate	0.5	2.5	DU	4/6/2004	VOA	VAPOR	Trichloroethene	0.41		PPMV
SVM-04-36	SVM-04-36 Duplicate	0.5	2.5	DU	4/6/2004	VOA	VAPOR	Vinyl Chloride	0.005	U	PPMV
SVM-04-36	SVM-04-36	0.5	2.5	SA	4/6/2004	VOA	VAPOR	1,1,1-Trichloroethane	0.041		PPMV
SVM-04-36	SVM-04-36	0.5	2.5	SA	4/6/2004	VOA	VAPOR	1,1-Dichloroethene	0.007		PPMV
SVM-04-36	SVM-04-36	0.5	2.5	SA	4/6/2004	VOA	VAPOR	cis-1,2-Dichloroethene	0.18		PPMV
SVM-04-36	SVM-04-36	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Tetrachloroethene	1.6		PPMV
SVM-04-36	SVM-04-36	0.5	2.5	SA	4/6/2004	VOA	VAPOR	trans-1,2-Dichloroethene	0.006		PPMV
SVM-04-36	SVM-04-36	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Trichloroethene	0.41		PPMV
SVM-04-36	SVM-04-36	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Vinyl Chloride	0.005	U	PPMV
SVM-04-37	SVM-04-37	0.5	2.5	SA	4/6/2004	VOA	VAPOR	1,1,1-Trichloroethane	0.029		PPMV
SVM-04-37	SVM-04-37	0.5	2.5	SA	4/6/2004	VOA	VAPOR	1,1-Dichloroethene	0.006		PPMV
SVM-04-37	SVM-04-37	0.5	2.5	SA	4/6/2004	VOA	VAPOR	cis-1,2-Dichloroethene	0.005	U	PPMV
SVM-04-37	SVM-04-37	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Tetrachloroethene	0.34		PPMV
SVM-04-37	SVM-04-37	0.5	2.5	SA	4/6/2004	VOA	VAPOR	trans-1,2-Dichloroethene	0.005	U	PPMV
SVM-04-37	SVM-04-37	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Trichloroethene	0.073		PPMV
SVM-04-37	SVM-04-37	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Vinyl Chloride	0.005	U	PPMV
SVM-04-38	SVM-04-38	0.5	2.5	SA	4/7/2004	VOA	VAPOR	1,1,1-Trichloroethane	0.04		PPMV
SVM-04-38	SVM-04-38	0.5	2.5	SA	4/7/2004	VOA	VAPOR	1,1-Dichloroethene	0.009		PPMV
SVM-04-38	SVM-04-38	0.5	2.5	SA	4/7/2004	VOA	VAPOR	cis-1,2-Dichloroethene	0.034		PPMV
SVM-04-38	SVM-04-38	0.5	2.5	SA	4/7/2004	VOA	VAPOR	Tetrachloroethene	0.38		PPMV
SVM-04-38	SVM-04-38	0.5	2.5	SA	4/7/2004	VOA	VAPOR	trans-1,2-Dichloroethene	0.018		PPMV
SVM-04-38	SVM-04-38	0.5	2.5	SA	4/7/2004	VOA	VAPOR	Trichloroethene	2.5		PPMV
SVM-04-38	SVM-04-38	0.5	2.5	SA	4/7/2004	VOA	VAPOR	Vinyl Chloride	0.005	U	PPMV
SVM-04-39	SVM-04-39	0.5	2.5	SA	4/7/2004	VOA	VAPOR	1,1,1-Trichloroethane	0.005	U	PPMV
SVM-04-39	SVM-04-39	0.5	2.5	SA	4/7/2004	VOA	VAPOR	1,1-Dichloroethene	0.005	U	PPMV
SVM-04-39	SVM-04-39	0.5	2.5	SA	4/7/2004	VOA	VAPOR	cis-1,2-Dichloroethene	0.047		PPMV
SVM-04-39	SVM-04-39	0.5	2.5	SA	4/7/2004	VOA	VAPOR	Tetrachloroethene	0.62		PPMV
SVM-04-39	SVM-04-39	0.5	2.5	SA	4/7/2004	VOA	VAPOR	trans-1,2-Dichloroethene	0.005	U	PPMV
SVM-04-39	SVM-04-39	0.5	2.5	SA	4/7/2004	VOA	VAPOR	Trichloroethene	0.42		PPMV
SVM-04-39	SVM-04-39	0.5	2.5	SA	4/7/2004	VOA	VAPOR	Vinyl Chloride	0.005	U	PPMV
SVM-04-40	SVM-04-40	0.5	2.5	SA	4/7/2004	VOA	VAPOR	1,1,1-Trichloroethane	0.005	U	PPMV
SVM-04-40	SVM-04-40	0.5	2.5	SA	4/7/2004	VOA	VAPOR	1,1-Dichloroethene	0.005	U	PPMV
SVM-04-40	SVM-04-40	0.5	2.5	SA	4/7/2004	VOA	VAPOR	cis-1,2-Dichloroethene	0.036		PPMV
SVM-04-40	SVM-04-40	0.5	2.5	SA	4/7/2004	VOA	VAPOR	Tetrachloroethene	0.6		PPMV

APPENDIX U-2
1999 SOIL VAPOR ANALYTICAL RESULTS

REMEDIAL INVESTIGATION
STRATFORD ARMY ENGINE PLANT
STRATFORD, CONNECTICUT

LOCATION ID	SAMPLE ID	START DEPTH (FT BGS)	END DEPTH (FT BGS)	RESULT TYPE	SAMPLE DATE	CLASS	MATRIX	PARAMETER	RESULT	FINAL QUALIFIER	UNITS
SVM-04-40	SVM-04-40	0.5	2.5	SA	4/7/2004	VOA	VAPOR	trans-1,2-Dichloroethene	0.005	U	PPMV
SVM-04-40	SVM-04-40	0.5	2.5	SA	4/7/2004	VOA	VAPOR	Trichloroethene	0.96		PPMV
SVM-04-40	SVM-04-40	0.5	2.5	SA	4/7/2004	VOA	VAPOR	Vinyl Chloride	0.005	U	PPMV
SVM-04-41	SVM-04-41D	0.5	2.5	DU	4/7/2004	VOA	VAPOR	1,1,1-Trichloroethane	0.005		PPMV
SVM-04-41	SVM-04-41D	0.5	2.5	DU	4/7/2004	VOA	VAPOR	1,1-Dichloroethene	0.005	U	PPMV
SVM-04-41	SVM-04-41D	0.5	2.5	DU	4/7/2004	VOA	VAPOR	cis-1,2-Dichloroethene	0.005	U	PPMV
SVM-04-41	SVM-04-41D	0.5	2.5	DU	4/7/2004	VOA	VAPOR	Tetrachloroethene	0.14		PPMV
SVM-04-41	SVM-04-41D	0.5	2.5	DU	4/7/2004	VOA	VAPOR	trans-1,2-Dichloroethene	0.005	U	PPMV
SVM-04-41	SVM-04-41D	0.5	2.5	DU	4/7/2004	VOA	VAPOR	Trichloroethene	0.19		PPMV
SVM-04-41	SVM-04-41D	0.5	2.5	DU	4/7/2004	VOA	VAPOR	Vinyl Chloride	0.005	U	PPMV
SVM-04-41	SVM-04-41	0.5	2.5	SA	4/7/2004	VOA	VAPOR	1,1,1-Trichloroethane	0.005		PPMV
SVM-04-41	SVM-04-41	0.5	2.5	SA	4/7/2004	VOA	VAPOR	1,1-Dichloroethene	0.005	U	PPMV
SVM-04-41	SVM-04-41	0.5	2.5	SA	4/7/2004	VOA	VAPOR	cis-1,2-Dichloroethene	0.005	U	PPMV
SVM-04-41	SVM-04-41	0.5	2.5	SA	4/7/2004	VOA	VAPOR	Tetrachloroethene	0.14		PPMV
SVM-04-41	SVM-04-41	0.5	2.5	SA	4/7/2004	VOA	VAPOR	trans-1,2-Dichloroethene	0.005	U	PPMV
SVM-04-41	SVM-04-41	0.5	2.5	SA	4/7/2004	VOA	VAPOR	Trichloroethene	0.18		PPMV
SVM-04-41	SVM-04-41	0.5	2.5	SA	4/7/2004	VOA	VAPOR	Vinyl Chloride	0.005	U	PPMV
SVM-04-42	SVM-04-42	0.5	2.5	SA	4/7/2004	VOA	VAPOR	1,1,1-Trichloroethane	0.005	U	PPMV
SVM-04-42	SVM-04-42	0.5	2.5	SA	4/7/2004	VOA	VAPOR	1,1-Dichloroethene	0.005	U	PPMV
SVM-04-42	SVM-04-42	0.5	2.5	SA	4/7/2004	VOA	VAPOR	cis-1,2-Dichloroethene	0.017		PPMV
SVM-04-42	SVM-04-42	0.5	2.5	SA	4/7/2004	VOA	VAPOR	Tetrachloroethene	0.22		PPMV
SVM-04-42	SVM-04-42	0.5	2.5	SA	4/7/2004	VOA	VAPOR	trans-1,2-Dichloroethene	0.005	U	PPMV
SVM-04-42	SVM-04-42	0.5	2.5	SA	4/7/2004	VOA	VAPOR	Trichloroethene	0.19		PPMV
SVM-04-42	SVM-04-42	0.5	2.5	SA	4/7/2004	VOA	VAPOR	Vinyl Chloride	0.005	U	PPMV
SVM-04-43	SVM-04-43	0.5	2.5	SA	4/6/2004	VOA	VAPOR	1,1,1-Trichloroethane	0.009		PPMV
SVM-04-43	SVM-04-43	0.5	2.5	SA	4/6/2004	VOA	VAPOR	1,1-Dichloroethene	0.005	U	PPMV
SVM-04-43	SVM-04-43	0.5	2.5	SA	4/6/2004	VOA	VAPOR	cis-1,2-Dichloroethene	0.005	U	PPMV
SVM-04-43	SVM-04-43	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Tetrachloroethene	0.006		PPMV
SVM-04-43	SVM-04-43	0.5	2.5	SA	4/6/2004	VOA	VAPOR	trans-1,2-Dichloroethene	0.005	U	PPMV
SVM-04-43	SVM-04-43	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Trichloroethene	0.018		PPMV
SVM-04-43	SVM-04-43	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Vinyl Chloride	0.005	U	PPMV
SVM-04-44	SVM-04-44	0.5	2.5	SA	4/7/2004	VOA	VAPOR	1,1,1-Trichloroethane	0.005	U	PPMV
SVM-04-44	SVM-04-44	0.5	2.5	SA	4/7/2004	VOA	VAPOR	1,1-Dichloroethene	0.005	U	PPMV
SVM-04-44	SVM-04-44	0.5	2.5	SA	4/7/2004	VOA	VAPOR	cis-1,2-Dichloroethene	0.005	U	PPMV
SVM-04-44	SVM-04-44	0.5	2.5	SA	4/7/2004	VOA	VAPOR	Tetrachloroethene	0.014		PPMV
SVM-04-44	SVM-04-44	0.5	2.5	SA	4/7/2004	VOA	VAPOR	trans-1,2-Dichloroethene	0.005	U	PPMV
SVM-04-44	SVM-04-44	0.5	2.5	SA	4/7/2004	VOA	VAPOR	Trichloroethene	0.015		PPMV
SVM-04-44	SVM-04-44	0.5	2.5	SA	4/7/2004	VOA	VAPOR	Vinyl Chloride	0.005	U	PPMV
SVM-04-45	SVM-04-45	0.5	2.5	SA	4/6/2004	VOA	VAPOR	1,1,1-Trichloroethane	0.005	U	PPMV

APPENDIX U-2
1999 SOIL VAPOR ANALYTICAL RESULTS

REMEDIAL INVESTIGATION
STRATFORD ARMY ENGINE PLANT
STRATFORD, CONNECTICUT

LOCATION ID	SAMPLE ID	START DEPTH (FT BGS)	END DEPTH (FT BGS)	RESULT TYPE	SAMPLE DATE	CLASS	MATRIX	PARAMETER	RESULT	FINAL QUALIFIER	UNITS
SVM-04-45	SVM-04-45	0.5	2.5	SA	4/6/2004	VOA	VAPOR	1,1-Dichloroethene	0.005	U	PPMV
SVM-04-45	SVM-04-45	0.5	2.5	SA	4/6/2004	VOA	VAPOR	cis-1,2-Dichloroethene	0.005	U	PPMV
SVM-04-45	SVM-04-45	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Tetrachloroethene	0.009		PPMV
SVM-04-45	SVM-04-45	0.5	2.5	SA	4/6/2004	VOA	VAPOR	trans-1,2-Dichloroethene	0.005	U	PPMV
SVM-04-45	SVM-04-45	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Trichloroethene	0.016		PPMV
SVM-04-45	SVM-04-45	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Vinyl Chloride	0.005	U	PPMV
SVM-04-46	SVM-04-46	0.5	2.5	SA	4/6/2004	VOA	VAPOR	1,1,1-Trichloroethane	0.084		PPMV
SVM-04-46	SVM-04-46	0.5	2.5	SA	4/6/2004	VOA	VAPOR	1,1-Dichloroethene	0.012		PPMV
SVM-04-46	SVM-04-46	0.5	2.5	SA	4/6/2004	VOA	VAPOR	cis-1,2-Dichloroethene	0.005	U	PPMV
SVM-04-46	SVM-04-46	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Tetrachloroethene	0.027		PPMV
SVM-04-46	SVM-04-46	0.5	2.5	SA	4/6/2004	VOA	VAPOR	trans-1,2-Dichloroethene	0.005	U	PPMV
SVM-04-46	SVM-04-46	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Trichloroethene	0.022		PPMV
SVM-04-46	SVM-04-46	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Vinyl Chloride	0.005	U	PPMV
SVM-04-47	SVM-04-47 Duplicate	0.5	2.5	DU	4/7/2004	VOA	VAPOR	1,1,1-Trichloroethane	1.6		PPMV
SVM-04-47	SVM-04-47 Duplicate	0.5	2.5	DU	4/7/2004	VOA	VAPOR	1,1-Dichloroethene	0.18		PPMV
SVM-04-47	SVM-04-47 Duplicate	0.5	2.5	DU	4/7/2004	VOA	VAPOR	cis-1,2-Dichloroethene	0.011		PPMV
SVM-04-47	SVM-04-47 Duplicate	0.5	2.5	DU	4/7/2004	VOA	VAPOR	Tetrachloroethene	0.44		PPMV
SVM-04-47	SVM-04-47 Duplicate	0.5	2.5	DU	4/7/2004	VOA	VAPOR	trans-1,2-Dichloroethene	0.005	U	PPMV
SVM-04-47	SVM-04-47 Duplicate	0.5	2.5	DU	4/7/2004	VOA	VAPOR	Trichloroethene	0.2		PPMV
SVM-04-47	SVM-04-47 Duplicate	0.5	2.5	DU	4/7/2004	VOA	VAPOR	Vinyl Chloride	0.005	U	PPMV
SVM-04-47	SVM-04-47	0.5	2.5	SA	4/7/2004	VOA	VAPOR	1,1,1-Trichloroethane	1.5		PPMV
SVM-04-47	SVM-04-47	0.5	2.5	SA	4/7/2004	VOA	VAPOR	1,1-Dichloroethene	0.15		PPMV
SVM-04-47	SVM-04-47	0.5	2.5	SA	4/7/2004	VOA	VAPOR	cis-1,2-Dichloroethene	0.01		PPMV
SVM-04-47	SVM-04-47	0.5	2.5	SA	4/7/2004	VOA	VAPOR	Tetrachloroethene	0.42		PPMV
SVM-04-47	SVM-04-47	0.5	2.5	SA	4/7/2004	VOA	VAPOR	trans-1,2-Dichloroethene	0.005	U	PPMV
SVM-04-47	SVM-04-47	0.5	2.5	SA	4/7/2004	VOA	VAPOR	Trichloroethene	0.19		PPMV
SVM-04-47	SVM-04-47	0.5	2.5	SA	4/7/2004	VOA	VAPOR	Vinyl Chloride	0.005	U	PPMV
SVM-04-48	SVM-04-48	0.5	2.5	SA	4/7/2004	VOA	VAPOR	1,1,1-Trichloroethane	0.64		PPMV
SVM-04-48	SVM-04-48	0.5	2.5	SA	4/7/2004	VOA	VAPOR	1,1-Dichloroethene	0.084		PPMV
SVM-04-48	SVM-04-48	0.5	2.5	SA	4/7/2004	VOA	VAPOR	cis-1,2-Dichloroethene	0.005	U	PPMV
SVM-04-48	SVM-04-48	0.5	2.5	SA	4/7/2004	VOA	VAPOR	Tetrachloroethene	0.72		PPMV
SVM-04-48	SVM-04-48	0.5	2.5	SA	4/7/2004	VOA	VAPOR	trans-1,2-Dichloroethene	0.005	U	PPMV
SVM-04-48	SVM-04-48	0.5	2.5	SA	4/7/2004	VOA	VAPOR	Trichloroethene	3.8		PPMV
SVM-04-48	SVM-04-48	0.5	2.5	SA	4/7/2004	VOA	VAPOR	Vinyl Chloride	0.005	U	PPMV
SVM-04-49	SVM-04-49	0.5	2.5	SA	4/7/2004	VOA	VAPOR	1,1,1-Trichloroethane	0.027		PPMV
SVM-04-49	SVM-04-49	0.5	2.5	SA	4/7/2004	VOA	VAPOR	1,1-Dichloroethene	0.005	U	PPMV
SVM-04-49	SVM-04-49	0.5	2.5	SA	4/7/2004	VOA	VAPOR	cis-1,2-Dichloroethene	0.005	U	PPMV
SVM-04-49	SVM-04-49	0.5	2.5	SA	4/7/2004	VOA	VAPOR	Tetrachloroethene	0.063		PPMV
SVM-04-49	SVM-04-49	0.5	2.5	SA	4/7/2004	VOA	VAPOR	trans-1,2-Dichloroethene	0.005	U	PPMV

APPENDIX U-2
1999 SOIL VAPOR ANALYTICAL RESULTS

REMEDIAL INVESTIGATION
STRATFORD ARMY ENGINE PLANT
STRATFORD, CONNECTICUT

LOCATION ID	SAMPLE ID	START DEPTH (FT BGS)	END DEPTH (FT BGS)	RESULT TYPE	SAMPLE DATE	CLASS	MATRIX	PARAMETER	RESULT	FINAL QUALIFIER	UNITS
SVM-04-49	SVM-04-49	0.5	2.5	SA	4/7/2004	VOA	VAPOR	Trichloroethene	0.7		PPMV
SVM-04-49	SVM-04-49	0.5	2.5	SA	4/7/2004	VOA	VAPOR	Vinyl Chloride	0.005	U	PPMV
SVM-04-50	SVM-04-50	0.5	2.5	SA	4/6/2004	VOA	VAPOR	1,1,1-Trichloroethane	0.007		PPMV
SVM-04-50	SVM-04-50	0.5	2.5	SA	4/6/2004	VOA	VAPOR	1,1-Dichloroethene	0.005	U	PPMV
SVM-04-50	SVM-04-50	0.5	2.5	SA	4/6/2004	VOA	VAPOR	cis-1,2-Dichloroethene	0.005	U	PPMV
SVM-04-50	SVM-04-50	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Tetrachloroethene	0.013		PPMV
SVM-04-50	SVM-04-50	0.5	2.5	SA	4/6/2004	VOA	VAPOR	trans-1,2-Dichloroethene	0.005	U	PPMV
SVM-04-50	SVM-04-50	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Trichloroethene	0.026		PPMV
SVM-04-50	SVM-04-50	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Vinyl Chloride	0.005	U	PPMV
SVM-04-51	SVM-04-51D	0.5	2.5	DU	4/6/2004	VOA	VAPOR	1,1,1-Trichloroethane	0.041		PPMV
SVM-04-51	SVM-04-51D	0.5	2.5	DU	4/6/2004	VOA	VAPOR	1,1-Dichloroethene	0.006		PPMV
SVM-04-51	SVM-04-51D	0.5	2.5	DU	4/6/2004	VOA	VAPOR	cis-1,2-Dichloroethene	0.005	U	PPMV
SVM-04-51	SVM-04-51D	0.5	2.5	DU	4/6/2004	VOA	VAPOR	Tetrachloroethene	0.01		PPMV
SVM-04-51	SVM-04-51D	0.5	2.5	DU	4/6/2004	VOA	VAPOR	trans-1,2-Dichloroethene	0.005	U	PPMV
SVM-04-51	SVM-04-51D	0.5	2.5	DU	4/6/2004	VOA	VAPOR	Trichloroethene	0.014		PPMV
SVM-04-51	SVM-04-51D	0.5	2.5	DU	4/6/2004	VOA	VAPOR	Vinyl Chloride	0.005	U	PPMV
SVM-04-51	SVM-04-51	0.5	2.5	SA	4/6/2004	VOA	VAPOR	1,1,1-Trichloroethane	0.041		PPMV
SVM-04-51	SVM-04-51	0.5	2.5	SA	4/6/2004	VOA	VAPOR	1,1-Dichloroethene	0.006		PPMV
SVM-04-51	SVM-04-51	0.5	2.5	SA	4/6/2004	VOA	VAPOR	cis-1,2-Dichloroethene	0.005	U	PPMV
SVM-04-51	SVM-04-51	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Tetrachloroethene	0.01		PPMV
SVM-04-51	SVM-04-51	0.5	2.5	SA	4/6/2004	VOA	VAPOR	trans-1,2-Dichloroethene	0.005	U	PPMV
SVM-04-51	SVM-04-51	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Trichloroethene	0.014		PPMV
SVM-04-51	SVM-04-51	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Vinyl Chloride	0.005	U	PPMV
SVM-04-52	SVM-04-52	0.5	2.5	SA	4/7/2004	VOA	VAPOR	1,1,1-Trichloroethane	0.005	U	PPMV
SVM-04-52	SVM-04-52	0.5	2.5	SA	4/7/2004	VOA	VAPOR	1,1-Dichloroethene	0.005	U	PPMV
SVM-04-52	SVM-04-52	0.5	2.5	SA	4/7/2004	VOA	VAPOR	cis-1,2-Dichloroethene	0.005	U	PPMV
SVM-04-52	SVM-04-52	0.5	2.5	SA	4/7/2004	VOA	VAPOR	Tetrachloroethene	0.018		PPMV
SVM-04-52	SVM-04-52	0.5	2.5	SA	4/7/2004	VOA	VAPOR	trans-1,2-Dichloroethene	0.005	U	PPMV
SVM-04-52	SVM-04-52	0.5	2.5	SA	4/7/2004	VOA	VAPOR	Trichloroethene	0.029		PPMV
SVM-04-52	SVM-04-52	0.5	2.5	SA	4/7/2004	VOA	VAPOR	Vinyl Chloride	0.005	U	PPMV
SVM-04-53	SVM-04-53	0.5	2.5	SA	4/7/2004	VOA	VAPOR	1,1,1-Trichloroethane	0.005	U	PPMV
SVM-04-53	SVM-04-53	0.5	2.5	SA	4/7/2004	VOA	VAPOR	1,1-Dichloroethene	0.005	U	PPMV
SVM-04-53	SVM-04-53	0.5	2.5	SA	4/7/2004	VOA	VAPOR	cis-1,2-Dichloroethene	0.005	U	PPMV
SVM-04-53	SVM-04-53	0.5	2.5	SA	4/7/2004	VOA	VAPOR	Tetrachloroethene	0.057		PPMV
SVM-04-53	SVM-04-53	0.5	2.5	SA	4/7/2004	VOA	VAPOR	trans-1,2-Dichloroethene	0.005	U	PPMV
SVM-04-53	SVM-04-53	0.5	2.5	SA	4/7/2004	VOA	VAPOR	Trichloroethene	0.018		PPMV
SVM-04-53	SVM-04-53	0.5	2.5	SA	4/7/2004	VOA	VAPOR	Vinyl Chloride	0.005	U	PPMV
SVM-04-54	SVM-04-54	0.5	2.5	SA	4/7/2004	VOA	VAPOR	1,1,1-Trichloroethane	0.032		PPMV
SVM-04-54	SVM-04-54	0.5	2.5	SA	4/7/2004	VOA	VAPOR	1,1-Dichloroethene	0.005		PPMV

APPENDIX U-2
1999 SOIL VAPOR ANALYTICAL RESULTS

REMEDIAL INVESTIGATION
STRATFORD ARMY ENGINE PLANT
STRATFORD, CONNECTICUT

LOCATION ID	SAMPLE ID	START DEPTH (FT BGS)	END DEPTH (FT BGS)	RESULT TYPE	SAMPLE DATE	CLASS	MATRIX	PARAMETER	RESULT	FINAL QUALIFIER	UNITS
SVM-04-54	SVM-04-54	0.5	2.5	SA	4/7/2004	VOA	VAPOR	cis-1,2-Dichloroethene	0.005	U	PPMV
SVM-04-54	SVM-04-54	0.5	2.5	SA	4/7/2004	VOA	VAPOR	Tetrachloroethene	0.078		PPMV
SVM-04-54	SVM-04-54	0.5	2.5	SA	4/7/2004	VOA	VAPOR	trans-1,2-Dichloroethene	0.005	U	PPMV
SVM-04-54	SVM-04-54	0.5	2.5	SA	4/7/2004	VOA	VAPOR	Trichloroethene	0.12		PPMV
SVM-04-54	SVM-04-54	0.5	2.5	SA	4/7/2004	VOA	VAPOR	Vinyl Chloride	0.005	U	PPMV
SVM-04-55	SVM-04-55	0.5	2.5	SA	4/7/2004	VOA	VAPOR	1,1,1-Trichloroethane	0.02		PPMV
SVM-04-55	SVM-04-55	0.5	2.5	SA	4/7/2004	VOA	VAPOR	1,1-Dichloroethene	0.005	U	PPMV
SVM-04-55	SVM-04-55	0.5	2.5	SA	4/7/2004	VOA	VAPOR	cis-1,2-Dichloroethene	0.005	U	PPMV
SVM-04-55	SVM-04-55	0.5	2.5	SA	4/7/2004	VOA	VAPOR	Tetrachloroethene	0.047		PPMV
SVM-04-55	SVM-04-55	0.5	2.5	SA	4/7/2004	VOA	VAPOR	trans-1,2-Dichloroethene	0.005	U	PPMV
SVM-04-55	SVM-04-55	0.5	2.5	SA	4/7/2004	VOA	VAPOR	Trichloroethene	0.025		PPMV
SVM-04-55	SVM-04-55	0.5	2.5	SA	4/7/2004	VOA	VAPOR	Vinyl Chloride	0.005	U	PPMV
SVM-04-56	SVM-04-56	0.5	2.5	SA	4/6/2004	VOA	VAPOR	1,1,1-Trichloroethane	0.026		PPMV
SVM-04-56	SVM-04-56	0.5	2.5	SA	4/6/2004	VOA	VAPOR	1,1-Dichloroethene	0.005	U	PPMV
SVM-04-56	SVM-04-56	0.5	2.5	SA	4/6/2004	VOA	VAPOR	cis-1,2-Dichloroethene	0.005	U	PPMV
SVM-04-56	SVM-04-56	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Tetrachloroethene	0.005	U	PPMV
SVM-04-56	SVM-04-56	0.5	2.5	SA	4/6/2004	VOA	VAPOR	trans-1,2-Dichloroethene	0.005	U	PPMV
SVM-04-56	SVM-04-56	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Trichloroethene	0.012		PPMV
SVM-04-56	SVM-04-56	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Vinyl Chloride	0.005	U	PPMV
SVM-04-58	SVM-04-58	0.5	2.5	SA	4/6/2004	VOA	VAPOR	1,1,1-Trichloroethane	0.005	U	PPMV
SVM-04-58	SVM-04-58	0.5	2.5	SA	4/6/2004	VOA	VAPOR	1,1-Dichloroethene	0.005	U	PPMV
SVM-04-58	SVM-04-58	0.5	2.5	SA	4/6/2004	VOA	VAPOR	cis-1,2-Dichloroethene	0.005	U	PPMV
SVM-04-58	SVM-04-58	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Tetrachloroethene	0.005	U	PPMV
SVM-04-58	SVM-04-58	0.5	2.5	SA	4/6/2004	VOA	VAPOR	trans-1,2-Dichloroethene	0.005	U	PPMV
SVM-04-58	SVM-04-58	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Trichloroethene	0.005	U	PPMV
SVM-04-58	SVM-04-58	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Vinyl Chloride	0.005	U	PPMV
SVM-04-59	SVM-04-59	0.5	2.5	SA	4/6/2004	VOA	VAPOR	1,1,1-Trichloroethane	0.66		PPMV
SVM-04-59	SVM-04-59	0.5	2.5	SA	4/6/2004	VOA	VAPOR	1,1-Dichloroethene	0.1		PPMV
SVM-04-59	SVM-04-59	0.5	2.5	SA	4/6/2004	VOA	VAPOR	cis-1,2-Dichloroethene	0.005	U	PPMV
SVM-04-59	SVM-04-59	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Tetrachloroethene	0.01		PPMV
SVM-04-59	SVM-04-59	0.5	2.5	SA	4/6/2004	VOA	VAPOR	trans-1,2-Dichloroethene	0.005	U	PPMV
SVM-04-59	SVM-04-59	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Trichloroethene	0.015		PPMV
SVM-04-59	SVM-04-59	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Vinyl Chloride	0.007		PPMV
SVM-04-60	SVM-04-60	0.5	2.5	SA	4/6/2004	VOA	VAPOR	1,1,1-Trichloroethane	0.01		PPMV
SVM-04-60	SVM-04-60	0.5	2.5	SA	4/6/2004	VOA	VAPOR	1,1-Dichloroethene	0.005	U	PPMV
SVM-04-60	SVM-04-60	0.5	2.5	SA	4/6/2004	VOA	VAPOR	cis-1,2-Dichloroethene	0.005	U	PPMV
SVM-04-60	SVM-04-60	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Tetrachloroethene	0.005	U	PPMV
SVM-04-60	SVM-04-60	0.5	2.5	SA	4/6/2004	VOA	VAPOR	trans-1,2-Dichloroethene	0.005	U	PPMV
SVM-04-60	SVM-04-60	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Trichloroethene	0.008		PPMV

APPENDIX U-2
1999 SOIL VAPOR ANALYTICAL RESULTS

REMEDIAL INVESTIGATION
STRATFORD ARMY ENGINE PLANT
STRATFORD, CONNECTICUT

LOCATION ID	SAMPLE ID	START DEPTH (FT BGS)	END DEPTH (FT BGS)	RESULT TYPE	SAMPLE DATE	CLASS	MATRIX	PARAMETER	RESULT	FINAL QUALIFIER	UNITS
SVM-04-60	SVM-04-60	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Vinyl Chloride	0.005	U	PPMV
SVM-04-61	SVM-04-61	0.5	2.5	SA	4/6/2004	VOA	VAPOR	1,1,1-Trichloroethane	0.005	U	PPMV
SVM-04-61	SVM-04-61	0.5	2.5	SA	4/6/2004	VOA	VAPOR	1,1-Dichloroethene	0.005	U	PPMV
SVM-04-61	SVM-04-61	0.5	2.5	SA	4/6/2004	VOA	VAPOR	cis-1,2-Dichloroethene	0.005	U	PPMV
SVM-04-61	SVM-04-61	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Tetrachloroethene	0.005	U	PPMV
SVM-04-61	SVM-04-61	0.5	2.5	SA	4/6/2004	VOA	VAPOR	trans-1,2-Dichloroethene	0.005	U	PPMV
SVM-04-61	SVM-04-61	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Trichloroethene	0.007		PPMV
SVM-04-61	SVM-04-61	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Vinyl Chloride	0.005	U	PPMV
SVM-04-62	SVM-04-62	0.5	2.5	SA	4/7/2004	VOA	VAPOR	1,1,1-Trichloroethane	0.006		PPMV
SVM-04-62	SVM-04-62	0.5	2.5	SA	4/7/2004	VOA	VAPOR	1,1-Dichloroethene	0.005	U	PPMV
SVM-04-62	SVM-04-62	0.5	2.5	SA	4/7/2004	VOA	VAPOR	cis-1,2-Dichloroethene	0.015		PPMV
SVM-04-62	SVM-04-62	0.5	2.5	SA	4/7/2004	VOA	VAPOR	Tetrachloroethene	0.007		PPMV
SVM-04-62	SVM-04-62	0.5	2.5	SA	4/7/2004	VOA	VAPOR	trans-1,2-Dichloroethene	0.005	U	PPMV
SVM-04-62	SVM-04-62	0.5	2.5	SA	4/7/2004	VOA	VAPOR	Trichloroethene	0.25		PPMV
SVM-04-62	SVM-04-62	0.5	2.5	SA	4/7/2004	VOA	VAPOR	Vinyl Chloride	0.005	U	PPMV
SVM-04-63	SVM-04-63D	0.5	2.5	DU	4/7/2004	VOA	VAPOR	1,1,1-Trichloroethane	0.38		PPMV
SVM-04-63	SVM-04-63D	0.5	2.5	DU	4/7/2004	VOA	VAPOR	1,1-Dichloroethene	0.074		PPMV
SVM-04-63	SVM-04-63D	0.5	2.5	DU	4/7/2004	VOA	VAPOR	cis-1,2-Dichloroethene	0.03		PPMV
SVM-04-63	SVM-04-63D	0.5	2.5	DU	4/7/2004	VOA	VAPOR	Tetrachloroethene	0.041		PPMV
SVM-04-63	SVM-04-63D	0.5	2.5	DU	4/7/2004	VOA	VAPOR	trans-1,2-Dichloroethene	0.005	U	PPMV
SVM-04-63	SVM-04-63D	0.5	2.5	DU	4/7/2004	VOA	VAPOR	Trichloroethene	0.3		PPMV
SVM-04-63	SVM-04-63D	0.5	2.5	DU	4/7/2004	VOA	VAPOR	Vinyl Chloride	0.005	U	PPMV
SVM-04-63	SVM-04-63	0.5	2.5	SA	4/7/2004	VOA	VAPOR	1,1,1-Trichloroethane	0.38		PPMV
SVM-04-63	SVM-04-63	0.5	2.5	SA	4/7/2004	VOA	VAPOR	1,1-Dichloroethene	0.073		PPMV
SVM-04-63	SVM-04-63	0.5	2.5	SA	4/7/2004	VOA	VAPOR	cis-1,2-Dichloroethene	0.034		PPMV
SVM-04-63	SVM-04-63	0.5	2.5	SA	4/7/2004	VOA	VAPOR	Tetrachloroethene	0.042		PPMV
SVM-04-63	SVM-04-63	0.5	2.5	SA	4/7/2004	VOA	VAPOR	trans-1,2-Dichloroethene	0.005	U	PPMV
SVM-04-63	SVM-04-63	0.5	2.5	SA	4/7/2004	VOA	VAPOR	Trichloroethene	0.32		PPMV
SVM-04-63	SVM-04-63	0.5	2.5	SA	4/7/2004	VOA	VAPOR	Vinyl Chloride	0.005	U	PPMV
SVM-04-64	SVM-04-64	0.5	2.5	SA	4/7/2004	VOA	VAPOR	1,1,1-Trichloroethane	0.017		PPMV
SVM-04-64	SVM-04-64	0.5	2.5	SA	4/7/2004	VOA	VAPOR	1,1-Dichloroethene	0.005	U	PPMV
SVM-04-64	SVM-04-64	0.5	2.5	SA	4/7/2004	VOA	VAPOR	cis-1,2-Dichloroethene	0.008		PPMV
SVM-04-64	SVM-04-64	0.5	2.5	SA	4/7/2004	VOA	VAPOR	Tetrachloroethene	0.007		PPMV
SVM-04-64	SVM-04-64	0.5	2.5	SA	4/7/2004	VOA	VAPOR	trans-1,2-Dichloroethene	0.005	U	PPMV
SVM-04-64	SVM-04-64	0.5	2.5	SA	4/7/2004	VOA	VAPOR	Trichloroethene	0.15		PPMV
SVM-04-64	SVM-04-64	0.5	2.5	SA	4/7/2004	VOA	VAPOR	Vinyl Chloride	0.005	U	PPMV
SVM-04-65	SVM-04-65	0.5	2.5	SA	4/7/2004	VOA	VAPOR	1,1,1-Trichloroethane	0.018		PPMV
SVM-04-65	SVM-04-65	0.5	2.5	SA	4/7/2004	VOA	VAPOR	1,1-Dichloroethene	0.005	U	PPMV
SVM-04-65	SVM-04-65	0.5	2.5	SA	4/7/2004	VOA	VAPOR	cis-1,2-Dichloroethene	0.007		PPMV

APPENDIX U-2
1999 SOIL VAPOR ANALYTICAL RESULTS

REMEDIAL INVESTIGATION
STRATFORD ARMY ENGINE PLANT
STRATFORD, CONNECTICUT

LOCATION ID	SAMPLE ID	START DEPTH (FT BGS)	END DEPTH (FT BGS)	RESULT TYPE	SAMPLE DATE	CLASS	MATRIX	PARAMETER	RESULT	FINAL QUALIFIER	UNITS
SVM-04-65	SVM-04-65	0.5	2.5	SA	4/7/2004	VOA	VAPOR	Tetrachloroethene	0.009		PPMV
SVM-04-65	SVM-04-65	0.5	2.5	SA	4/7/2004	VOA	VAPOR	trans-1,2-Dichloroethene	0.005	U	PPMV
SVM-04-65	SVM-04-65	0.5	2.5	SA	4/7/2004	VOA	VAPOR	Trichloroethene	0.14		PPMV
SVM-04-65	SVM-04-65	0.5	2.5	SA	4/7/2004	VOA	VAPOR	Vinyl Chloride	0.005	U	PPMV
SVM-04-66	SVM-04-66	0.5	2.5	SA	4/6/2004	VOA	VAPOR	1,1,1-Trichloroethane	0.097		PPMV
SVM-04-66	SVM-04-66	0.5	2.5	SA	4/6/2004	VOA	VAPOR	1,1-Dichloroethene	0.015		PPMV
SVM-04-66	SVM-04-66	0.5	2.5	SA	4/6/2004	VOA	VAPOR	cis-1,2-Dichloroethene	0.005	U	PPMV
SVM-04-66	SVM-04-66	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Tetrachloroethene	0.084		PPMV
SVM-04-66	SVM-04-66	0.5	2.5	SA	4/6/2004	VOA	VAPOR	trans-1,2-Dichloroethene	0.005	U	PPMV
SVM-04-66	SVM-04-66	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Trichloroethene	0.088		PPMV
SVM-04-66	SVM-04-66	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Vinyl Chloride	0.005	U	PPMV
SVM-04-68	SVM-04-68	0.5	2.5	SA	4/6/2004	VOA	VAPOR	1,1,1-Trichloroethane	0.008		PPMV
SVM-04-68	SVM-04-68	0.5	2.5	SA	4/6/2004	VOA	VAPOR	1,1-Dichloroethene	0.005	U	PPMV
SVM-04-68	SVM-04-68	0.5	2.5	SA	4/6/2004	VOA	VAPOR	cis-1,2-Dichloroethene	0.005	U	PPMV
SVM-04-68	SVM-04-68	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Tetrachloroethene	0.005	U	PPMV
SVM-04-68	SVM-04-68	0.5	2.5	SA	4/6/2004	VOA	VAPOR	trans-1,2-Dichloroethene	0.005	U	PPMV
SVM-04-68	SVM-04-68	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Trichloroethene	0.047		PPMV
SVM-04-68	SVM-04-68	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Vinyl Chloride	0.005	U	PPMV
SVM-04-69	SVM-04-69	0.5	2.5	SA	4/6/2004	VOA	VAPOR	1,1,1-Trichloroethane	0.019		PPMV
SVM-04-69	SVM-04-69	0.5	2.5	SA	4/6/2004	VOA	VAPOR	1,1-Dichloroethene	0.005	U	PPMV
SVM-04-69	SVM-04-69	0.5	2.5	SA	4/6/2004	VOA	VAPOR	cis-1,2-Dichloroethene	0.005	U	PPMV
SVM-04-69	SVM-04-69	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Tetrachloroethene	0.006		PPMV
SVM-04-69	SVM-04-69	0.5	2.5	SA	4/6/2004	VOA	VAPOR	trans-1,2-Dichloroethene	0.005	U	PPMV
SVM-04-69	SVM-04-69	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Trichloroethene	0.034		PPMV
SVM-04-69	SVM-04-69	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Vinyl Chloride	0.005	U	PPMV
SVM-04-70	SVM-04-70	0.5	2.5	SA	4/6/2004	VOA	VAPOR	1,1,1-Trichloroethane	0.63		PPMV
SVM-04-70	SVM-04-70	0.5	2.5	SA	4/6/2004	VOA	VAPOR	1,1-Dichloroethene	0.057		PPMV
SVM-04-70	SVM-04-70	0.5	2.5	SA	4/6/2004	VOA	VAPOR	cis-1,2-Dichloroethene	0.005	U	PPMV
SVM-04-70	SVM-04-70	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Tetrachloroethene	0.005	U	PPMV
SVM-04-70	SVM-04-70	0.5	2.5	SA	4/6/2004	VOA	VAPOR	trans-1,2-Dichloroethene	0.005	U	PPMV
SVM-04-70	SVM-04-70	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Trichloroethene	0.024		PPMV
SVM-04-70	SVM-04-70	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Vinyl Chloride	0.005	U	PPMV
SVM-04-71	SVM-04-71 Duplicate	0.5	2.5	DU	4/6/2004	VOA	VAPOR	1,1,1-Trichloroethane	0.15		PPMV
SVM-04-71	SVM-04-71 Duplicate	0.5	2.5	DU	4/6/2004	VOA	VAPOR	1,1-Dichloroethene	0.018		PPMV
SVM-04-71	SVM-04-71 Duplicate	0.5	2.5	DU	4/6/2004	VOA	VAPOR	cis-1,2-Dichloroethene	0.025		PPMV
SVM-04-71	SVM-04-71 Duplicate	0.5	2.5	DU	4/6/2004	VOA	VAPOR	Tetrachloroethene	0.12		PPMV
SVM-04-71	SVM-04-71 Duplicate	0.5	2.5	DU	4/6/2004	VOA	VAPOR	trans-1,2-Dichloroethene	0.005	U	PPMV
SVM-04-71	SVM-04-71 Duplicate	0.5	2.5	DU	4/6/2004	VOA	VAPOR	Trichloroethene	0.041		PPMV
SVM-04-71	SVM-04-71 Duplicate	0.5	2.5	DU	4/6/2004	VOA	VAPOR	Vinyl Chloride	0.005	U	PPMV

APPENDIX U-2
1999 SOIL VAPOR ANALYTICAL RESULTS

REMEDIAL INVESTIGATION
STRATFORD ARMY ENGINE PLANT
STRATFORD, CONNECTICUT

LOCATION ID	SAMPLE ID	START DEPTH (FT BGS)	END DEPTH (FT BGS)	RESULT TYPE	SAMPLE DATE	CLASS	MATRIX	PARAMETER	RESULT	FINAL QUALIFIER	UNITS
SVM-04-71	SVM-04-71	0.5	2.5	SA	4/6/2004	VOA	VAPOR	1,1,1-Trichloroethane	0.15		PPMV
SVM-04-71	SVM-04-71	0.5	2.5	SA	4/6/2004	VOA	VAPOR	1,1-Dichloroethene	0.02		PPMV
SVM-04-71	SVM-04-71	0.5	2.5	SA	4/6/2004	VOA	VAPOR	cis-1,2-Dichloroethene	0.028		PPMV
SVM-04-71	SVM-04-71	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Tetrachloroethene	0.13		PPMV
SVM-04-71	SVM-04-71	0.5	2.5	SA	4/6/2004	VOA	VAPOR	trans-1,2-Dichloroethene	0.005	U	PPMV
SVM-04-71	SVM-04-71	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Trichloroethene	0.042		PPMV
SVM-04-71	SVM-04-71	0.5	2.5	SA	4/6/2004	VOA	VAPOR	Vinyl Chloride	0.005	U	PPMV

Notes:
DU - duplicate
FT BGS - feet below ground surface
PPMV - parts per million by volume
SA - sample
VOA - volatile organic analysis
U - not detected