RECEIVED MAR 1 4 2023

Anthony Arriaga
DIN: 06-A-0542
Sullivan C.F.
P.O. Box 116
Fallsburg, New York 12733

March 3, 2023

National FOIA Office
U.S. Environmental Protection Agency
1200 Pennsylvania Avenue, NW (MS: 2310A)
Washington, D.C. 20460

RE: FOIA Request #EPA-2023-002535

I am writing to inform you that my address has changed. Can you please forward any future correspondence to the address above.

Additionally, can you inform me as to who is the agency that is responsible for testing the water supply that comes into Sullivan C.F. at 325 Riverside Drive - Fallsburg, New York 12733? I would like those test results as well.

Thank you in advance for your time and efforts in this matter.

SULLIVAN CORRECTIONAL FACILITY
P.O. BOX 116
FALLSBURG, NEW YORK 12733-0116

NAME: A. ARRIAGA DIN: 06A0542

MAR 13 2023

ALBANY NY 120
6 MAR 2023 PM 4L

SULLIVAN CORRECTIONAL FACILITY

NEOPOST FIRST-CLASS MAIL
03/06/2023
US POSTAGE $000.60[0]
ZIP 12733
041M11467960

Legal Mail

National FOIA Office
U.S. Environmental Protection Agency
1200 Pennsylvania Avenue, NW (MS: 2310A)
Washington, D.C. 20460

FCL-C962-413

20460-