From: Barbara Ritchie <BARBARA.RITCHIE@fmc.com>
Sent: Wednesday, May 21, 2014 10:14 AM
To: Weigel, Greg
Cc: Hastings, Janis; Smith, Andy; 'Kelly Wright'; susanh@ida.net; Rob Hartman; brian.english@deq.idaho.gov; Al Lam; Mark Smith; Marc Bowman; Rochlin, Kevin; vannoyj@dhw.idaho.gov; Paden, Norka E - CO 6th; Brian McGinnis
Subject: RCRA Pond UAO Weekly Reports #197 - May 12 - May 18, 2014
Attachments: RCRA Pond Continuous PH3 Monitoring_5.18.14.xlsx; Pond 15S -Appurtenance Monitoring - May 2014.1.pdf

Greg,

As you had directed, FMC is providing a weekly report, pursuant to the RCRA Pond UAO, describing field activities conducted pursuant to work plans you have approved.

Work Performed this week

- Continued implementation of the IWP and 7 day operation (80 hours per week; 12 hr/day Mon-Sat and 8 hrs on Sunday) of one GES unit at the east perimeter standpipe on Pond 18A, and operation of a second GES unit extracting at that location 4 hrs per day, 7 days per week that began operation on 2/6/14 pursuant to EPA approval. The relatively flat concentration trend continued and alternative GES operating scenarios will be evaluated if the trend changes.
- Continued continuous monitoring at three Pond 18A boundary locations during periods of gas extraction. There were no TWA or maximum values above the thresholds specified in the Air Monitoring Plan. A spreadsheet summarizing the results of this monitoring to date is attached.
- In addition to continuous monitoring at Pond 18A, monitoring performed pursuant to the approved work plans during this week:
  - Pond 18A – Appurtenance monitoring and perimeter surface scan
  - Pond 15S - Perimeter pipe monitoring and appurtenance monitoring
  - Pond 16S - Perimeter pipe monitoring, appurtenance monitoring, and perimeter surface scan
- Following receipt on 5/15/14 of verbal report of monitoring results for Pond 15S, specifically the inside of the LS-01 lift station, EPA was contacted. FMC reported that as the LS-01 inside result exceeded the threshold for triggering gas extraction discussed for inclusion in the draft Section 3 of the RCRA Pond amended post closure plan and gas extraction would recommence at Pond 15S. Extraction at the Pond 15S southwest (SW) standpipe began at 7A on 5/16/14 using two GES units. Following some adjustments to electric power distribution, two additional GES units were deployed at the SW standpipe and began extracting at 7A on 5/17/14 for a total of four GES units at the SW standpipe. All units have been operated on a 12 hr/day schedule. All units are being operated and monitored consistently with the IWP for Pond 18A, including continuous monitoring at the four 15S monitoring stations previously approved by EPA, the results of which are included in the attached spreadsheet.

Problems Encountered:

None.

Unplanned Events Encountered:

Elevated results inside of LS-01 at Pond 15S, as described above, and recommencement of gas extraction at Pond 15S.

Work to be performed the following week:

- Continue implementation of the IWP and 80 hours per week operation of one GES unit and 28 hours per week of operation of a second GES unit, at the east perimeter standpipe on Pond 18A.
- Continue implementation of gas extraction at Pond 15S, consistent with the Pond 18A IWP on a 12/7 schedule using four GES units extracting at the southwest standpipe. On 5/20/14, a fifth unit was deployed and began extracting from the east standpipe at Pond 15S.
- Continue continuous monitoring at three Pond 18A boundary locations and four Pond 15S boundary locations during periods of gas extraction.
- Monitoring scheduled to be performed pursuant to the approved work plans during this week:
  - Re-monitor Pond 15S LS-01 appurtenances. This work was completed on 5/20/14 and is included in the attached updated Pond 15S appurtenance monitoring spreadsheet. Note that the re-monitoring result inside of Pond 15S LS-01 on 5/20/14 was 8.2 ppm.

Attachment 3 - Pond 15S Appurtenances Monitoring

Ambient Air : Ambient (12" around appurtenances), and Breathing Zone (BZ)

Leak Detection : source of potential leak (within 1" to 2" of base, lid, pipe opening [PO], inside, view port [VP], overflow [OF], door, conduit, outlet, extraction flange [EF], and transmitter joint [TJ])

TMP Enclosure																												Comment
	T-01						T-02						T-03						T-04									
	Ambient Air		Leak Detection			Inside	Ambient Air		Leak Detection			Inside	Ambient Air		Leak Detection			Inside	Ambient Air		Leak Detection			Inside				
Date	Ambient	BZ	Base	Lid	PO		Ambient	BZ	Base	Lid	PO		Ambient	BZ	Base	Lid	PO		Ambient	BZ	Base	Lid	PO					
7/28/10	0.00	0.00	0.00	0.00	NA	NA	0.00	0.00	0.00	0.00	NA	NA	0.00	0.00	0.00	0.00	NA	NA	0.00	0.00	0.00	0.00	NA	NA				
10/25/10	0.00	0.00	0.00	0.00	0.00	NA	0.00	0.00	0.00	0.00	0.00	NA	0.00	0.00	0.00	0.00	0.00	NA	0.00	0.00	0.00	0.00	0.00	NA				
11/23/10	0.00	0.00	0.00	0.00	0.00	NA	0.00	0.00	0.00	0.00	0.00	NA	0.00	0.00	0.00	0.00	0.00	NA	0.00	0.00	0.00	0.00	0.00	NA				
12/20/10	0.00	0.00	0.00	0.00	0.00	NA	0.00	0.00	0.00	0.00	0.00	NA	0.00	0.00	0.00	0.00	0.00	NA	0.00	0.00	0.00	0.00	0.00	NA				
1/17/11	0.00	0.00	0.00	0.00	0.00	NA	0.00	0.00	0.00	0.00	0.00	NA	0.00	0.00	0.00	0.00	0.00	NA	0.00	0.00	0.00	0.00	0.00	NA				
2/18/11	0.00	0.00	0.00	0.00	0.00	NA	0.00	0.00	0.00	0.00	0.00	NA	0.00	0.00	0.00	0.00	0.00	NA	0.00	0.00	0.00	0.00	0.00	NA				
3/14/11	0.00	0.00	0.00	0.00	0.00	NA	0.00	0.00	0.00	0.00	0.00	NA	0.00	0.00	0.00	0.00	0.00	NA	0.00	0.00	0.00	0.00	0.00	NA				
4/19/11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00				
5/17/11	0.00	0.00	0.00	0.00	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00				
6/14/11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00				
7/11/11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00				
8/17/11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00				
9/14/11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00				
11/11/11	0.00	0.00	1.25	0.00	0.00	0.03	0.00	0.00	0.00	0.00	0.03	2.76	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.02	Initial reading			
11/11/11	0.00	0.00	0.67	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	NA	NA	NA	NA	NA	NA	0.00	0.00	0.00	0.00	0.00	0.00	Reading after tightening flanges			
11/16/11	0.00	0.00	0.00	0.00	0.00	0.00	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	Reading after re-compact soil around base			
11/17/11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00				
11/21/11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00				
11/23/11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00				
11/28/11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00				
12/2/11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00				
12/5/11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00				
12/8/11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00				
12/13/11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	Addendum A			
12/19/11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	Addendum A			
12/27/11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	Addendum A			
1/5/12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	Addendum A			
2/15/12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00				
3/13/12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	Addendum A			
4/16/12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	Addendum A			
5/8/12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00				
6/12/12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	Addendum A			
7/12/12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	Addendum A			
8/9/12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Addendum A			
8/14/12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	Addendum A			
9/12/12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	Addendum A			
8/14/13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA				
11/11/13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00				
2/14/14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00				
5/15/14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00				

TMP Enclosure																												Comment
	T-05						T-06						T-07						T-08									
	Ambient Air		Leak Detection			Inside	Ambient Air		Leak Detection			Inside	Ambient Air		Leak Detection			Inside	Ambient Air		Leak Detection			Inside				
Date	Ambient	BZ	Base	Lid	PO		Ambient	BZ	Base	Lid	PO		Ambient	BZ	Base	Lid	PO		Ambient	BZ	Base	Lid	PO					
7/28/10	0.00	0.00	0.00	0.00	NA	NA	0.00	0.00	0.00	0.00	NA	NA	0.00	0.00	0.00	0.00	NA	NA	0.00	0.00	0.00	0.00	NA	NA				
10/25/10	0.00	0.00	0.00	0.00	0.00	NA	0.00	0.00	0.00	0.00	0.00	NA	0.00	0.00	0.00	0.00	0.00	NA	0.00	0.00	0.00	0.00	0.00	NA				
11/23/10	0.00	0.00	0.00	0.00	0.00	NA	0.00	0.00	0.00	0.00	0.00	NA	0.00	0.00	0.00	0.00	0.00	NA	0.00	0.00	0.00	0.00	0.00	NA				
12/20/10	0.00	0.00	0.00	0.00	0.00	NA	0.00	0.00	0.00	0.00	0.00	NA	0.00	0.00	0.00	0.00	0.00	NA	0.00	0.00	0.00	0.00	0.00	NA				
1/17/11	0.00	0.00	0.00	0.00	0.00	NA	0.00	0.00	0.00	0.00	0.00	NA	0.00	0.00	0.00	0.00	0.00	NA	0.00	0.00	0.00	0.00	0.00	NA				
2/18/11	0.00	0.00	0.00	0.00	0.00	NA	0.00	0.00	0.00	0.00	0.00	NA	0.00	0.00	0.00	0.00	0.00	NA	0.00	0.00	0.00	0.00	0.00	NA				
3/14/11	0.00	0.00	0.00	0.00	0.00	NA	0.00	0.00	0.00	0.00	0.00	NA	0.00	0.00	0.00	0.00	0.00	NA	0.00	0.00	0.00	0.00	0.00	NA				
4/19/11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00				
5/17/11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00				
6/14/11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00				
7/11/11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00				
8/17/11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00				
9/14/11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00				
11/11/11	0.00	0.00	0.00	0.00	0.02	0.03	0.02	0.00	0.02	0.04	0.88	1.45	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	Initial reading			
11/11/11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.00	0.00	0.34	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	Reading after tightening flanges			
11/16/11	NA	NA	NA	NA	NA	NA	0.00	0.00	0.00	0.00	0.00	0.00	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	Reading after re-compact soil around base			
11/17/11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.24	0.09	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00				
11/21/11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00				
11/23/11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00				
11/23/11	NA	NA	NA	NA	NA	NA	0.00	0.00	0.00	0.00	0.00	0.00	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	Reading after sealing of flange			
11/28/11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00				
12/2/11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00				
12/5/11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00				
12/6/11	NA	NA	NA	NA	NA	NA	0.00	0.00	0.00	0.00	0.00	0.00	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	Reading after replacement of gasket			
12/8/11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00				
2/15/12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00				
5/8/12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00				
8/9/12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00				
8/14/13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00				
11/11/13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00				
2/14/14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00				
5/15/14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00				

Attachment 3 - Pond 15S Appurtenances Monitoring

Ambient Air : Ambient (12" around appurtenances), and Breathing Zone (BZ)

Leak Detection : source of potential leak (within 1" to 2" of base, lid, pipe opening [PO], inside, view port [VP], overflow [OF], door, conduit, outlet, extraction flange [EF], and transmitter joint [TJ])

	TMP Enclosure												
	T-09						T-10						Comment
	Ambient Air		Leak Detection			Inside	Ambient Air		Leak Detection			Inside	
Date	Ambient	BZ	Base	Lid	PO		Ambient	BZ	Base	Lid	PO		
7/28/10	0.00	0.00	0.00	0.00	NA	NA	0.00	0.00	0.00	0.00	NA	NA	
10/25/10	0.00	0.00	0.00	0.00	0.00	NA	0.00	0.00	0.00	0.00	0.00	NA	
11/23/10	0.00	0.00	0.00	0.00	0.00	NA	0.00	0.00	0.00	0.00	0.00	NA	
12/20/10	0.00	0.00	0.00	0.00	0.00	NA	0.00	0.00	0.00	0.00	0.00	NA	
1/17/11	0.00	0.00	0.00	0.00	0.00	NA	0.00	0.00	0.00	0.00	0.00	NA	
2/18/11	0.00	0.00	0.00	0.00	0.00	NA	0.00	0.00	0.00	0.00	0.00	NA	
3/14/11	0.00	0.00	0.00	0.00	0.00	NA	0.00	0.00	0.00	0.00	0.00	NA	
4/19/11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
5/17/11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
6/14/11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
7/11/11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
8/17/11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
9/14/11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
11/11/11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
11/17/11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
11/21/11	0.00	0.00	0.00	0.02	0.00	0.02	0.00	0.00	0.00	0.00	0.00	0.00	
11/22/11	0.00	0.00	0.00	0.00	0.00	0.00	NA	NA	NA	NA	NA	NA	Reading after tightening flanges
11/23/11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
11/28/11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
12/2/11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
12/5/11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
12/8/11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
2/15/12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
5/8/12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
8/9/12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
8/14/13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
11/11/13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
2/14/14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
5/15/14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	

	LCDRS Sump 1					LCDRS Sump 2					LCDRS Sump 3					LCDRS Sump 4				
	Ambient Air		Leak Detection		Inside	Ambient Air		Leak Detection		Inside	Ambient Air		Leak Detection		Inside	Ambient Air		Leak Detection		Inside
Date	Ambient	BZ	Base	Lid		Ambient	BZ	Base	Lid		Ambient	BZ	Base	Lid		Ambient	BZ	Base	Lid	
7/28/10	0.00	0.00	NS	0.00	NA	0.00	0.00	NS	0.00	NA	0.00	0.00	NS	0.00	NA	0.00	0.00	NS	0.00	NA
10/25/10	0.00	0.00	0.00	0.00	NA	0.00	0.00	0.00	0.00	NA	0.00	0.00	0.00	0.00	NA	0.00	0.00	0.00	0.00	NA
11/23/10	0.00	0.00	0.00	0.00	NA	0.00	0.00	0.00	0.00	NA	0.00	0.00	0.00	0.00	NA	0.00	0.00	0.00	0.00	NA
12/20/10	0.00	0.00	0.00	0.00	NA	0.00	0.00	0.00	0.00	NA	0.00	0.00	0.00	0.00	NA	0.00	0.00	0.00	0.00	NA
1/17/11	0.00	0.00	0.00	0.00	NA	0.00	0.00	0.00	0.00	NA	0.00	0.00	0.00	0.00	NA	0.00	0.00	0.00	0.00	NA
2/18/11	0.00	0.00	0.00	0.00	NA	0.00	0.00	0.00	0.00	NA	0.00	0.00	0.00	0.00	NA	0.00	0.00	0.00	0.00	NA
3/14/11	0.00	0.00	0.00	0.00	NA	0.00	0.00	0.00	0.00	NA	0.00	0.00	0.00	0.00	NA	0.00	0.00	0.00	0.00	NA
4/19/11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.03	0.00	0.00	0.00	0.00	0.02	0.00	0.00	0.00	0.00	0.00
5/17/11	0.00	0.00	0.00	0.00	0.04	0.00	0.00	0.00	0.00	0.03	0.00	0.00	0.00	0.00	0.03	0.00	0.00	0.00	0.00	0.04
6/14/11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
7/11/11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8/17/11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
9/14/11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
11/10/11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
11/17/11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
11/22/11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
11/23/11	0.00	0.00	0.00	0.00	0.03	0.00	0.00	0.00	0.00	0.03	0.00	0.00	0.00	0.00	0.02	0.00	0.00	0.00	0.00	0.00
11/28/11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
12/2/11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.03	0.00	0.00	0.00	0.00	0.00
12/5/11	0.00	0.00	0.00	0.00	0.08	0.00	0.00	0.00	0.00	0.07	0.00	0.00	0.00	0.00	0.05	0.00	0.00	0.00	0.00	0.05
12/8/11	0.00	0.00	0.00	0.00	0.04	0.00	0.00	0.00	0.00	0.04	0.00	0.00	0.00	0.00	0.03	0.00	0.00	0.00	0.00	0.04
2/15/12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5/8/12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8/9/12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8/14/13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
11/11/13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2/14/14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5/15/14	0.00	0.00	0.00	0.00	0.03	0.00	0.00	0.00	0.00	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Attachment 3 - Pond 15S Appurtenances Monitoring

Ambient Air : Ambient (12" around appurtenances), and Breathing Zone (BZ)

Leak Detection : source of potential leak (within 1" to 2" of base, lid, pipe opening [PO], inside, view port [VP], overflow [OF], door, conduit, outlet, extraction flange [EF], and transmitter joint [TJ])

	Cap Drainage Lift Station														
	LS-01							LS-02							Comment
	Ambient Air		Leak Detection				Inside	Ambient Air		Leak Detection				Inside	
Date	Ambient	BZ	Base	Lid	VP	OF		Ambient	BZ	Base	Lid	VP	OF		
7/28/10	0.00	0.00	NS	0.00	NS	NS	NA	0.00	0.00	NS	0.00	NS	NS	NA	
10/25/10	0.00	0.00	0.23	0.00	0.00	0.00	NA	0.00	0.00	0.00	0.00	0.00	0.00	NA	
11/23/10	0.00	0.00	0.04	0.00	0.00	0.00	NA	0.00	0.00	0.00	0.00	0.00	0.00	NA	
12/20/10	0.00	0.00	0.00	0.00	0.00	0.00	NA	0.00	0.00	0.00	0.00	0.00	0.00	NA	
1/17/11	0.00	0.00	0.00	0.00	0.00	0.00	NA	0.00	0.00	0.00	0.00	0.00	0.00	NA	
2/18/11	0.00	0.00	0.00	0.00	0.00	0.00	NA	0.00	0.00	0.00	0.00	0.00	0.00	NA	
3/14/11	0.00	0.00	0.00	0.00	0.00	0.00	NA	0.00	0.00	0.00	0.00	0.00	0.00	NA	
4/19/11	0.00	0.00	0.00	0.00	0.00	0.00	0.21	0.00	0.00	0.00	0.00	0.00	0.00	0.03	
5/17/11	0.00	0.00	0.00	0.00	0.00	0.00	0.14	0.00	0.00	0.00	0.00	0.00	0.00	0.03	
6/14/11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
7/11/11	0.00	0.00	0.00	0.00	0.00	0.00	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
8/17/11	0.00	0.00	0.00	0.00	0.00	0.00	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
9/14/11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
11/10/11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.03	
11/17/11	0.00	0.00	0.00	0.00	0.00	0.00	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
11/21/11	0.00	0.00	0.00	0.00	0.00	0.00	0.78	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
11/23/11	0.00	0.00	0.00	0.00	0.00	0.00	0.09	0.00	0.00	0.00	0.00	0.00	0.00	0.03	
11/28/11	0.00	0.00	0.00	0.00	0.00	0.00	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
12/2/11	0.00	0.00	0.00	0.00	0.00	0.00	136	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
12/3/11	0.00	0.00	0.00	0.00	0.00	0.00	40	NA	NA	NA	NA	NA	NA	NA	RE-check LS-01
12/5/11	0.00	0.00	0.00	0.00	0.00	0.00	37	0.00	0.00	0.00	0.00	0.00	0.00	0.06	
12/8/11	0.00	0.00	0.00	0.00	0.00	0.00	100	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
12/13/11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	NA	NA	NA	NA	NA	NA	NA	Addendum A
12/19/11	0.00	0.00	0.00	0.00	0.00	0.00	14	NA	NA	NA	NA	NA	NA	NA	Addendum A
12/27/11	0.00	0.00	0.00	0.00	0.00	0.00	40	NA	NA	NA	NA	NA	NA	NA	Addendum A
1/5/12	0.00	0.00	0.00	0.00	0.00	0.00	5.25	NA	NA	NA	NA	NA	NA	NA	Addendum A
1/10/12	0.00	0.00	0.00	0.00	0.00	0.00	85	NA	NA	NA	NA	NA	NA	NA	Addendum A
1/16/12	0.00	0.00	0.00	0.00	0.00	0.00	0.49	NA	NA	NA	NA	NA	NA	NA	Addendum A
1/23/12	0.00	0.00	0.00	0.00	0.00	2.28	19	NA	NA	NA	NA	NA	NA	NA	Addendum A
1/24/12	0.00	0.00	0.00	0.00	0.00	0.00	48	NA	NA	NA	NA	NA	NA	NA	RE-check after repair of overflow pipe
1/31/12	0.00	0.00	0.00	0.00	0.00	0.00	32	NA	NA	NA	NA	NA	NA	NA	Addendum A
2/6/12	0.00	0.00	0.00	0.00	0.00	0.00	2.34	NA	NA	NA	NA	NA	NA	NA	Addendum A
2/15/12	0.00	0.00	0.00	0.00	0.00	0.00	0.18	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
2/22/12	0.00	0.00	0.00	0.00	0.00	0.00	0.12	NA	NA	NA	NA	NA	NA	NA	Addendum A
2/28/12	0.00	0.00	0.00	0.00	0.00	0.00	0.56	NA	NA	NA	NA	NA	NA	NA	Addendum A
3/6/12	0.00	0.00	0.00	0.00	0.00	0.00	1.63	NA	NA	NA	NA	NA	NA	NA	Addendum A
3/13/12	0.00	0.00	0.00	0.00	0.00	0.00	0.80	NA	NA	NA	NA	NA	NA	NA	Addendum A
3/19/12	0.00	0.00	0.00	0.00	0.00	0.00	0.42	NA	NA	NA	NA	NA	NA	NA	Addendum A
3/26/12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	NA	NA	NA	NA	NA	NA	NA	Addendum A
4/3/12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	NA	NA	NA	NA	NA	NA	NA	Addendum A
4/10/12	0.00	0.00	0.00	0.00	0.00	0.00	1.27	NA	NA	NA	NA	NA	NA	NA	Addendum A
4/16/12	0.00	0.00	0.00	0.00	0.00	0.00	0.17	NA	NA	NA	NA	NA	NA	NA	Addendum A
4/24/12	0.00	0.00	0.00	0.00	0.00	0.00	1.03	NA	NA	NA	NA	NA	NA	NA	Addendum A
5/1/12	0.00	0.00	0.00	0.00	0.00	0.00	0.12	NA	NA	NA	NA	NA	NA	NA	Addendum A
5/8/12	0.00	0.00	0.00	0.00	0.00	0.00	2.52	0.00	0.00	0.00	0.00	0.00	0.00	0.04	
5/15/12	0.00	0.00	0.00	0.00	0.00	0.00	0.06	NA	NA	NA	NA	NA	NA	NA	Addendum A
5/22/12	0.00	0.00	0.00	0.00	0.00	0.00	0.09	NA	NA	NA	NA	NA	NA	NA	Addendum A
5/29/12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	NA	NA	NA	NA	NA	NA	NA	Addendum A
6/5/12	0.00	0.00	0.00	0.00	0.00	0.00	0.05	NA	NA	NA	NA	NA	NA	NA	Addendum A
6/12/12	0.00	0.00	0.00	0.00	0.00	0.00	0.03	NA	NA	NA	NA	NA	NA	NA	Addendum A
6/26/12	0.00	0.00	0.00	0.00	0.00	0.00	0.06	NA	NA	NA	NA	NA	NA	NA	Addendum A
7/3/12	0.00	0.00	0.00	0.00	0.00	0.00	0.06	NA	NA	NA	NA	NA	NA	NA	Addendum A
7/12/12	0.00	0.00	0.00	0.00	0.00	0.00	0.04	NA	NA	NA	NA	NA	NA	NA	Addendum A
7/18/12	0.00	0.00	0.00	0.00	0.00	0.00	0.04	NA	NA	NA	NA	NA	NA	NA	Addendum A
7/24/12	0.00	0.00	0.00	0.00	0.00	0.00	0.10	NA	NA	NA	NA	NA	NA	NA	Addendum A
7/31/12	0.00	0.00	0.00	0.00	0.00	0.00	0.05	NA	NA	NA	NA	NA	NA	NA	Addendum A
8/7/12	0.00	0.00	0.00	0.00	0.00	0.00	0.03	NA	NA	NA	NA	NA	NA	NA	Addendum A
8/9/12	0.00	0.00	0.00	0.00	0.00	0.00	0.10	0.00	0.00	0.00	0.00	0.00	0.00	0.04	
8/14/12	0.00	0.00	0.00	0.00	0.00	0.00	0.04	NA	NA	NA	NA	NA	NA	NA	Addendum A
8/21/12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	NA	NA	NA	NA	NA	NA	NA	Addendum A
9/4/12	0.00	0.00	0.00	0.00	0.00	0.00	0.05	NA	NA	NA	NA	NA	NA	NA	Addendum A
9/12/12	0.00	0.00	0.00	0.00	0.00	0.00	0.05	NA	NA	NA	NA	NA	NA	NA	Addendum A
9/18/12	0.00	0.00	0.00	0.00	0.00	0.00	0.05	NA	NA	NA	NA	NA	NA	NA	Addendum A
9/25/12	0.00	0.00	0.00	0.00	0.00	0.00	0.05	NA	NA	NA	NA	NA	NA	NA	Addendum A
8/14/13	0.00	0.00	0.00	0.00	0.00	0.00	0.90	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
11/11/13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
2/14/14	0.00	0.00	0.00	0.00	0.00	0.00	7.65	0.00	0.00	0.00	0.00	0.00	0.00	0.00	leaking manhole seal
2/21/14	0.00	0.00	0.00	0.00	0.00	0.00	0.57	0.00	0.00	0.00	0.00	0.00	0.00	0.00	recheck after maintenance
5/15/14	0.03	0.00	0.13	0.08	0.00	0.00	358	0.00	0.00	0.00	0.00	0.00	0.00	0.33	
5/20/14	0.00	0.00	0.00	0.00	0.00	0.00	8.20								recheck after starting gas extraction on 5/16

Attachment 3 - Pond 15S Appurtenances Monitoring

Ambient Air : Ambient (12" around appurtenances), and Breathing Zone (BZ)

Leak Detection : source of potential leak (within 1" to 2" of base, lid, pipe opening [PO], inside, view port [VP], overflow [OF], door, conduit, outlet, extraction flange [EF], and transmitter joint [TJ])

	Instrumentation Panel															Comment
	Temperature & Pressure					LS-01					LS-02					
	Ambient Air		Leak Detection		Inside	Ambient Air		Leak Detection		Inside	Ambient Air		Leak Detection		Inside	
Date	Ambinet	BZ	Door	Conduit		Ambinet	BZ	Door	Conduit		Ambinet	BZ	Door	Conduit		
7/28/10	NS	NS	NS	NS	NA	NS	NS	NS	NS	NA	NS	NS	NS	NS	NA	
10/25/10	0.00	0.00	0.00	0.00	NA	0.00	0.00	0.00	0.00	NA	0.00	0.00	0.00	0.00	NA	
11/23/10	0.00	0.00	0.00	0.00	NA	0.00	0.00	0.00	0.00	NA	0.00	0.00	0.00	0.00	NA	
12/20/10	0.00	0.00	0.00	0.00	NA	0.00	0.00	0.00	0.00	NA	0.00	0.00	0.00	0.00	NA	
1/17/11	0.00	0.00	0.00	0.00	NA	0.00	0.00	0.00	0.00	NA	0.00	0.00	0.00	0.00	NA	
2/18/11	0.00	0.00	0.00	0.00	NA	0.00	0.00	0.00	0.00	NA	0.00	0.00	0.00	0.00	NA	
3/14/11	0.00	0.00	0.00	0.00	NA	0.00	0.00	0.00	0.00	NA	0.00	0.00	0.00	0.00	NA	
4/19/11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
5/17/11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
6/14/11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
7/11/11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
8/17/11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
9/14/11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
11/10/11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
11/17/11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
11/21/11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.04	0.00	0.00	0.00	0.00	0.02	
11/23/11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
11/28/11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
12/2/11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.80	0.00	0.00	0.00	0.00	0.00	
12/3/11	NA	NA	NA	NA	NA	0.00	0.00	0.00	0.00	0.42	NA	NA	NA	NA	NA	RE-check LS-01
12/5/11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.05	0.00	0.00	0.00	0.00	0.00	Addendum A
12/8/11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
12/13/11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	NA	NA	NA	NA	NA	Addendum A
12/19/11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	NA	NA	NA	NA	NA	Addendum A
12/27/11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.04	NA	NA	NA	NA	NA	Addendum A
1/5/12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.06	NA	NA	NA	NA	NA	Addendum A
1/10/12	NA	NA	NA	NA	NA	0.00	0.00	0.00	0.00	6.20	NA	NA	NA	NA	NA	Addendum A
1/16/12	NA	NA	NA	NA	NA	0.00	0.00	0.00	0.00	0.04	NA	NA	NA	NA	NA	Addendum A
1/23/12	NA	NA	NA	NA	NA	0.00	0.00	0.00	0.00	0.17	NA	NA	NA	NA	NA	Addendum A
1/31/12	NA	NA	NA	NA	NA	0.00	0.00	0.00	0.00	0.86	NA	NA	NA	NA	NA	Addendum A
2/6/12	NA	NA	NA	NA	NA	0.00	0.00	0.00	0.00	0.17	NA	NA	NA	NA	NA	Addendum A
2/15/12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
2/22/12	NA	NA	NA	NA	NA	0.00	0.00	0.00	0.00	0.00	NA	NA	NA	NA	NA	Addendum A
2/28/12	NA	NA	NA	NA	NA	0.00	0.00	0.00	0.00	0.00	NA	NA	NA	NA	NA	Addendum A
3/6/12	NA	NA	NA	NA	NA	0.00	0.00	0.00	0.00	0.00	NA	NA	NA	NA	NA	Addendum A
3/13/12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	NA	NA	NA	NA	NA	Addendum A
4/16/12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	NA	NA	NA	NA	NA	Addendum A
5/8/12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
6/12/12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	NA	NA	NA	NA	NA	Addendum A
7/12/12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	NA	NA	NA	NA	NA	Addendum A
8/9/12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
8/14/12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	NA	NA	NA	NA	NA	Addendum A
9/12/12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	NA	NA	NA	NA	NA	Addendum A
10/2/12	NA	NA	NA	NA	NA	0.00	0.00	0.00	0.00	0.00	NA	NA	NA	NA	NA	Addendum A
8/14/13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
11/11/13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
2/14/14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
5/15/14	0.00	0.00	0.05	0.00	0.21	0.00	0.00	0.05	0.00	1.87	0.00	0.00	0.00	0.00	0.00	
5/20/14						0.00	0.00	0.00	0.00	0.00						recheck after starting gas extraction on 5/16

Pond 15S -Appurtenance Monitoring - May 2014.1.pdf

Attachment 3 - Pond 15S Appurtenances Monitoring

Ambient Air : Ambient (12" around appurtenances), and Breathing Zone (BZ)

Leak Detection : source of potential leak (within 1" to 2" of base, lid, pipe opening [PO], inside, view port [VP], overflow [OF], door, conduit, outlet, extraction flange [EF], and transmitter joint [TJ])

Perimeter Gas Collection Pipe Riser or Pressure monitor											
	East Side					West / Southwest Side					
	Ambient Air		Leak Detection			Ambient Air		Leak Detection			
Date	Ambient	BZ	Base	Outlet	EF	Ambient	BZ	Base	Outlet	EF	TJ
7/28/10	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
10/25/10	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
11/23/10	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
12/20/10	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1/17/11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2/18/11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3/14/11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4/19/11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5/17/11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
6/14/11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
7/11/11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8/17/11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
9/14/11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
11/10/11	0.00	0.00	0.00	0.00	0.00	West pipe riser was removed in 11/2011 and relocated to southwest in 9/2012					
11/17/11	0.00	0.00	0.00	0.00	0.00						
11/21/11	0.00	0.00	0.00	0.00	0.00						
11/23/11	0.00	0.00	0.00	0.00	0.00						
11/28/11	0.00	0.00	0.00	0.00	0.00						
12/2/11	0.00	0.00	0.00	0.00	0.00						
12/5/11	0.00	0.00	0.00	0.00	0.00						
12/8/11	0.00	0.00	0.00	0.00	0.00						
2/15/12	0.00	0.00	0.00	0.00	0.00						
5/8/12	0.00	0.00	0.00	0.00	0.00						
8/9/12	0.00	0.00	0.00	0.00	0.00						
8/14/13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
11/11/13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2/14/14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5/15/14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.04	0.00	0.00	0.00

Note: NS = Not Surveyed
NA = Not applicable

Pond 15S - Continuous Phosphine Monitoring

		Station 1				Station 2				Station 3				Station 4			
Date	Time	Monitor Number	Current Reading	Max Reading	TWA	Monitor Number	Current Reading	Max Reading	TWA	Monitor Number	Current Reading	Max Reading	TWA	Monitor Number	Current Reading	Max Reading	TWA
9/27/10	500																
	1300	27	0.00	0.00	0.00	112	0.00	0.00	0.00	53	0.00	0.00	0.00	952	0.00	0.00	0.00
	2100	27	0.00	0.02	0.00	112	0.00	0.03	0.00	53	0.04	0.09	0.00	952	0.00	0.00	0.00
9/28/10	500	27	0.00	0.00	0.00	112	0.00	0.00	0.00	53	0.03	0.07	0.03	952	0.00	0.03	0.00
	1300	27	0.00	0.00	0.00	112	0.00	0.03	0.00	53	0.00	0.00	0.00	952	0.00	0.03	0.00
	2100	27	0.00	0.00	0.00	112	0.00	0.02	0.00	53	0.00	0.00	0.00	952	0.00	0.00	0.00
9/29/10	500	22	0.00	0.00	0.00	112	0.00	0.00	0.00	53	0.00	0.00	0.00	952	0.00	0.00	0.00
	1300	27	0.00	0.00	0.00	112	0.00	0.02	0.00	53	0.00	0.00	0.00	952	0.00	0.03	0.00
	2100	27	0.00	0.04	0.00	54	0.00	0.05	0.00	53	0.10	0.18	0.00	110	0.04	0.05	0.00
9/30/10	500	27	0.00	0.03	0.00	54	0.00	0.06	0.00	53	0.00	0.04	0.00	110	0.00	0.06	0.00
	1300	27	0.00	0.00	0.00	54	0.00	0.06	0.00	53	0.00	0.14	0.00	110	0.00	0.06	0.00
	2100	27	0.00	0.00	0.00	54	0.00	0.03	0.00	53	0.00	0.03	0.00	110	0.00	0.00	0.00
10/1/10	500	27	0.00	0.00	0.00	54	0.00	0.09	0.00	53	0.00	0.06	0.00	110	0.00	0.04	0.00
	1300	27	0.00	0.02	0.00	53	0.00	0.03	0.00	110	0.00	0.03	0.00	54	0.00	0.06	0.00
	2100	27	0.00	0.00	0.00	54	0.00	0.00	0.00	53	0.00	0.00	0.00	110	0.00	0.00	0.00
10/2/10	500	27	0.00	0.00	0.00	54	0.00	0.02	0.00	53	0.00	0.00	0.00	110	0.00	0.00	0.00
	1300	27	0.00	0.00	0.00	54	0.00	0.02	0.00	53	0.00	0.00	0.00	110	0.00	0.00	0.00
	2100	27	0.00	0.00	0.00	54	0.00	0.02	0.00	53	0.00	0.00	0.00	110	0.00	0.00	0.00
10/3/10	500	27	0.00	0.00	0.00	54	0.00	0.04	0.00	53	0.00	0.02	0.00	110	0.00	0.03	0.00
	1300	28	0.00	0.00	0.00	54	0.00	0.05	0.00	53	0.00	0.02	0.00	110	0.00	0.03	0.00
	2100	28	0.00	0.00	0.00	54	0.00	0.03	0.00	53	0.00	0.00	0.00	110	0.00	0.03	0.00
10/4/10	500	27	0.00	0.00	0.00	54	0.00	0.00	0.00	53	0.00	0.00	0.00	110	0.00	0.04	0.00
	1300	27	0.00	0.00	0.00	54	0.00	0.03	0.00	53	0.00	0.02	0.00	110	0.00	0.04	0.00
	2100	27	0.00	0.00	0.00	54	0.00	0.03	0.00	53	0.00	0.08	0.00	110	0.00	0.00	0.00
10/5/10	500	27	0.00	0.00	0.00	54	0.00	0.03	0.00	53	0.00	0.02	0.00	110	0.00	0.00	0.00
	1300	27	0.00	0.00	0.00	54	0.00	0.06	0.00	53	0.00	0.02	0.00	110	0.00	0.02	0.00
	2100	27	0.00	0.00	0.00	54	0.00	0.00	0.00	53	0.00	0.00	0.00	952	0.00	0.19	0.00
10/6/10	500	27	0.00	0.00	0.00	54	0.00	0.05	0.00	53	0.00	0.03	0.00	952	0.00	0.02	0.00
	1300	27	0.00	0.00	0.00	54	0.00	0.05	0.00	53	0.00	0.03	0.00	952	0.00	0.00	0.00
	2100	27	0.00	0.00	0.00	54	0.00	0.00	0.00	53	0.00	0.00	0.00	952	0.00	0.00	0.00
10/7/10	27	27	0.00	0.00	0.00	54	0.00	0.00	0.00	53	0.00	0.04	0.00	952	0.00	0.02	0.00
	1300	27	0.00	0.00	0.00	54	0.00	0.00	0.00	53	-0.02	0.00	0.00	952	0.00	0.00	0.00
	2100	27	0.00	0.00	0.00	54	0.00	0.00	0.00	53	0.00	0.00	0.00	952	0.00	0.00	0.00
10/8/10	500	27	0.00	0.00	0.00	54	0.00	0.04	0.00	53	0.00	0.02	0.00	952	0.00	0.00	0.00
	1300	27	0.00	0.00	0.00	54	0.00	0.06	0.00	53	0.00	0.04	0.00	952	0.00	0.00	0.00
	2100	27	0.00	0.00	0.00	54	0.00	0.05	0.00	53	0.00	0.06	0.00	952	0.00	0.00	0.00
10/9/10	500	27	0.00	0.00	0.00	54	0.00	0.04	0.00	53	0.00	0.00	0.00	952	0.00	0.00	0.00
	1300	27	0.00	0.00	0.00	54	0.00	0.00	0.00	53	0.00	0.00	0.00	952	0.00	0.02	0.00
	2100	27	0.00	0.00	0.00	54	0.00	0.00	0.00	53	0.00	0.00	0.00	952	0.00	0.00	0.00
10/10/10	500	27	0.00	0.00	0.00	54	0.00	0.07	0.00	53	0.00	0.00	0.00	952	0.00	0.03	0.00
	1300	27	0.00	0.00	0.00	54	0.00	0.08	0.00	53	0.00	0.11	0.00	952	0.00	0.03	0.00
	2100	27	0.00	0.00	0.00	54	0.00	0.08	0.00	53	0.00	0.00	0.00	952	0.00	0.02	0.00
10/11/10	500	27	0.00	0.00	0.00	54	0.00	0.07	0.00	53	0.00	0.00	0.00	952	0.00	0.03	0.00
	1300	27	0.00	0.00	0.00	54	0.00	0.08	0.00	53	0.00	0.00	0.00	952	0.00	0.03	0.00
	2100	27	0.00	0.00	0.00	54	0.00	0.07	0.00	53	0.00	0.00	0.00	952	0.00	0.05	0.00
10/12/10	500	27	0.00	0.00	0.00	54	0.00	0.05	0.00	53	0.00	0.00	0.00	952	0.00	0.02	0.00
	1300	27	0.00	0.00	0.00	54	0.00	0.06	0.00	53	0.00	0.00	0.00	952	0.00	0.03	0.00
	2100	27	0.00	0.00	0.00	54	0.00	0.08	0.00	53	0.00	0.00	0.00	952	0.00	0.00	0.00
10/13/10	500	27	0.00	0.00	0.00	54	0.00	0.08	0.00	53	0.00	0.00	0.00	952	0.00	0.03	0.00
	1300	27	0.00	0.00	0.00	54	0.00	0.08	0.00	53	0.00	0.00	0.00	952	0.00	0.03	0.00
	2100	27	0.00	0.00	0.00	54	0.00	0.05	0.00	53	0.00	0.00	0.00	952	0.00	0.03	0.00
10/14/10	500	27	0.00	0.00	0.00	54	0.00	0.07	0.00	53	0.00	0.00	0.00	952	0.00	0.03	0.00

Pond 15S - Continuous Phosphine Monitoring

		Station 1				Station 2				Station 3				Station 4			
Date	Time	Monitor Number	Current Reading	Max Reading	TWA	Monitor Number	Current Reading	Max Reading	TWA	Monitor Number	Current Reading	Max Reading	TWA	Monitor Number	Current Reading	Max Reading	TWA
	1300	27	0.00	0.00	0.00	54	0.00	0.00	0.00	53	0.00	0.00	0.00	952	0.00	0.04	0.00
	2100	27	0.00	0.00	0.00	54	0.00	0.00	0.00	53	0.00	0.00	0.00	952	0.00	0.00	0.00
10/15/10	500	27	0.00	0.00	0.00	54	0.00	0.04	0.00	53	0.00	0.00	0.00	952	0.00	0.03	0.00
	1300	27	0.00	0.00	0.00	54	0.00	0.00	0.00	53	0.00	0.00	0.00	952	0.00	0.00	0.00
	2100	27	0.00	0.00	0.00	54	0.00	0.07	0.00	53	0.00	0.06	0.00	952	0.00	0.00	0.00
10/16/10	500	27	0.00	0.00	0.00	54	0.00	0.06	0.00	53	0.00	0.00	0.00	952	0.00	0.05	0.00
	1300	27	0.00	0.00	0.00	54	0.00	0.00	0.00	53	0.00	0.00	0.00	952	0.00	0.00	0.00
	2100	27	0.00	0.00	0.00	54	0.00	0.00	0.00	53	0.00	0.00	0.00	952	0.00	0.00	0.00
10/17/10	500	27	0.00	0.00	0.00	54	0.00	0.10	0.00	53	0.00	0.00	0.00	952	0.00	0.04	0.00
	1300	27	0.00	0.00	0.00	54	0.00	0.09	0.00	53	0.00	0.00	0.00	952	0.00	0.03	0.00
	2100	27	0.00	0.00	0.00	54	0.00	0.06	0.00	53	0.00	0.00	0.00	952	0.00	0.00	0.00
10/18/10	500	27	0.00	0.00	0.00	54	0.00	0.07	0.00	53	0.00	0.00	0.00	952	0.00	0.02	0.00
	1300	27	0.00	0.00	0.00	54	0.00	0.06	0.00	53	0.00	0.00	0.00	952	0.00	0.03	0.00
	2100	27	0.00	0.00	0.00	54	0.00	0.08	0.00	53	0.00	0.00	0.00	952	0.00	0.00	0.00
10/19/10	500	27	0.00	0.00	0.00	54	0.00	0.08	0.00	53	0.00	0.03	0.00	952	0.00	0.00	0.00
	1300	27	0.00	0.00	0.00	54	0.00	0.00	0.00	53	0.00	0.00	0.00	952	0.00	0.02	0.00
	2100	27	0.00	0.00	0.00	54	0.00	0.00	0.00	53	0.00	0.00	0.00	952	0.00	0.00	0.00
10/20/10	500	27	0.00	0.00	0.00	54	0.00	0.10	0.00	53	0.00	0.00	0.00	952	0.00	0.04	0.00
	1300	27	0.00	0.00	0.00	54	0.00	0.09	0.00	53	0.00	0.00	0.00	952	0.00	0.04	0.00
	2100	27	0.00	0.00	0.00	69	0.00	0.00	0.00	53	0.00	0.00	0.00	952	0.00	0.00	0.00
10/21/10	500	27	0.00	0.00	0.00	69	0.00	0.00	0.00	53	0.00	0.09	0.00	952	0.00	0.04	0.00
	1300	27	0.00	0.00	0.00	69	0.00	0.00	0.00	53	0.00	0.04	0.00	952	0.00	0.03	0.00
	2100	27	0.00	0.00	0.00	69	0.00	0.00	0.00	53	0.00	0.00	0.00	952	0.00	0.00	0.00
10/22/10	500	27	0.00	0.00	0.00	69	0.00	0.00	0.00	53	0.00	0.00	0.00	952	0.00	0.08	0.00
	1300	27	0.00	0.00	0.00	69	0.00	0.00	0.00	53	0.00	0.00	0.00	952	0.00	0.03	0.00
	2100	27	0.00	0.00	0.00	69	0.00	0.00	0.00	53	0.00	0.00	0.00	952	0.00	0.00	0.00
10/23/10	500	27	0.00	0.00	0.00	69	0.00	0.00	0.00	53	0.00	0.00	0.00	952	0.03	0.05	0.00
	1300	27	0.00	0.00	0.00	69	0.00	0.00	0.00	53	0.00	0.00	0.00	952	0.00	0.02	0.00
	2100	27	0.00	0.00	0.00	69	0.00	0.00	0.00	53	0.00	0.00	0.00	952	0.00	0.02	0.00
10/24/10	500	27	0.00	0.00	0.00	69	0.00	0.00	0.00	53	N/A	N/A	N/A	952	0.00	0.02	0.00
	1300	27	0.00	0.00	0.00	67	0.00	0.00	0.00	53	0.00	0.00	0.00	952	0.00	0.02	0.00
	2100	27	0.00	0.00	0.00	67	0.00	0.00	0.00	53	0.00	0.00	0.00	952	0.00	0.02	0.00
10/25/10	500	27	0.00	0.00	0.00	69	0.00	0.00	0.00	53	0.00	0.00	0.00	952	0.00	0.02	0.00
	1300	27	0.00	0.00	0.00	69	0.00	0.00	0.00	53	0.00	0.00	0.00	952	0.00	0.03	0.00
	2100	27	0.00	0.00	0.00	69	0.00	0.00	0.00	53	0.00	0.04	0.00	952	0.00	0.02	0.00
10/26/10	500	27	0.00	0.00	0.00	69	0.00	0.00	0.00	53	0.00	0.04	0.00	952	0.00	0.03	0.00
	1300	27	0.00	0.00	0.00	69	0.00	0.00	0.00	53	0.00	0.00	0.00	952	0.00	0.03	0.00
	2100	27	0.00	0.00	0.00	69	0.00	0.00	0.00	53	0.00	0.00	0.00	952	0.00	0.03	0.00
10/27/10	500	27	0.00	0.00	0.00	69	0.00	0.00	0.00	53	0.00	0.00	0.00	952	0.00	0.03	0.00
	1300	27	0.00	0.00	0.00	69	0.00	0.00	0.00	53	0.00	0.00	0.00	952	0.00	0.03	0.00
	2100	27	0.00	0.00	0.00	69	0.00	0.03	0.00	53	0.00	0.02	0.00	952	0.00	0.03	0.00
10/28/10	500	27	0.00	0.03	0.00	69	0.00	0.08	0.00	53	0.00	0.02	0.00	952	0.00	0.06	0.00
	1300	27	0.00	0.00	0.00	69	0.00	0.04	0.00	53	0.00	0.03	0.00	952	0.00	0.03	0.00
	2100	27	0.00	0.00	0.00	69	0.00	0.00	0.00	53	0.00	0.00	0.00	952	0.00	0.00	0.00
10/29/10	500	27	0.00	0.00	0.00	69	0.00	0.03	0.00	53	0.00	0.03	0.00	952	0.00	0.04	0.00
	1300	27	0.00	0.00	0.00	69	0.00	0.02	0.00	53	0.00	0.00	0.00	952	0.00	0.04	0.00
	2100	27	0.00	0.00	0.00	69	0.00	0.02	0.00	53	0.00	0.00	0.00	952	0.00	0.02	0.00
10/30/10	500	27	0.00	0.00	0.00	69	0.00	0.02	0.00	53	0.00	0.00	0.00	952	0.00	0.04	0.00
	1300	27	0.00	0.00	0.00	69	0.00	0.02	0.00	53	0.00	0.00	0.00	952	0.00	0.04	0.00
	2100	27	0.00	0.00	0.00	69	0.00	0.00	0.00	53	0.00	0.00	0.00	952	0.00	0.03	0.00
10/31/10	500	27	0.00	0.00	0.00	69	0.00	0.00	0.00	53	0.00	0.00	0.00	952	0.00	0.03	0.00
	1300	27	0.00	0.00	0.00	69	0.00	0.00	0.00	53	0.00	0.00	0.00	952	0.00	0.00	0.00

Pond 15S - Continuous Phosphine Monitoring

		Station 1				Station 2				Station 3				Station 4			
Date	Time	Monitor Number	Current Reading	Max Reading	TWA	Monitor Number	Current Reading	Max Reading	TWA	Monitor Number	Current Reading	Max Reading	TWA	Monitor Number	Current Reading	Max Reading	TWA
	2100	27	0.00	0.00	0.00	69	0.00	0.00	0.00	53	0.00	0.00	0.00	952	0.00	0.03	0.00
11/1/10	500	27	0.00	0.00	0.00	69	0.00	0.00	0.00	53	0.00	0.00	0.00	952	0.00	0.03	0.00
	1300	27	0.00	0.00	0.00	69	0.00	0.00	0.00	53	0.00	0.00	0.00	952	0.00	0.43	0.00
	2100	27	0.00	0.00	0.00	69	0.00	0.00	0.00	53	0.00	0.00	0.00	952	0.00	0.03	0.00
11/2/10	500	27	0.00	0.00	0.00	69	0.00	0.00	0.00	53	0.00	0.00	0.00	952	0.00	0.04	0.00
	1300	27	0.00	0.00	0.00	69	0.00	0.00	0.00	53	0.00	0.00	0.00	54	0.00	0.00	0.00
	2100	27	0.00	0.00	0.00	69	0.00	0.00	0.00	53	0.00	0.00	0.00	54	0.00	0.00	0.00
11/3/10	500	27	0.00	0.00	0.00	69	0.00	0.00	0.00	53	0.00	0.00	0.00	54	0.00	0.00	0.00
	1300	27	0.00	0.00	0.00	69	0.00	0.00	0.00	53	0.00	0.00	0.00	54	0.00	0.00	0.00
	2100	27	0.00	0.00	0.00	69	0.00	0.00	0.00	53	0.00	0.00	0.00	54	0.00	0.00	0.00
11/4/10	500	27	0.00	0.00	0.00	69	0.00	0.00	0.00	53	0.00	0.00	0.00	54	0.00	0.00	0.00
	1300	27	0.00	0.00	0.00	69	0.00	0.00	0.00	53	0.00	0.00	0.00	54	0.00	0.00	0.00
	2100	27	0.00	0.00	0.00	69	0.00	0.00	0.00	53	0.00	0.00	0.00	54	0.00	0.00	0.00
11/5/10	500	27	0.00	0.00	0.00	69	0.00	0.00	0.00	53	0.00	0.00	0.00	54	0.00	0.00	0.00
	1300	27	0.00	0.00	0.00	69	0.00	0.00	0.00	53	0.00	0.02	0.00	54	0.00	0.00	0.00
	2100	27	0.00	0.00	0.00	69	0.00	0.00	0.00	53	0.00	0.00	0.00	54	0.00	0.00	0.00
11/6/10	500	27	0.00	0.00	0.00	69	0.00	0.00	0.00	53	0.00	0.00	0.00	54	0.00	0.04	0.00
	1300	27	0.00	0.00	0.00	69	0.00	0.00	0.00	53	0.00	0.02	0.00	54	0.00	0.05	0.00
	2100	27	0.00	0.00	0.00	69	0.00	0.00	0.00	53	0.00	0.00	0.00	54	0.00	0.06	0.00
11/7/10	500	27	0.00	0.00	0.00	69	0.00	0.00	0.00	53	0.00	0.00	0.00	54	0.00	0.03	0.00
	1300	27	0.00	0.00	0.00	69	0.00	0.00	0.00	53	0.00	0.00	0.00	54	0.00	0.00	0.00
	2100	27	0.00	0.00	0.00	69	0.00	0.00	0.00	53	0.00	0.00	0.00	54	0.00	0.00	0.00

FMC RCRA Pond Area

RCRA Pond - Continuous Phosphine Monitoring

Revised 10/12/2010

Pond 16S - Continuous Phosphine Monitoring

		Station 1 - North				Station 2 - East				
Date	Time	Monitor Number	Current Reading	Max Reading	TWA	Monitor Number	Current Reading	Max Reading	TWA	
Start up										
4/18/13	500									Monitor on and Zeroed Out (No reading)
	1300	D27	0.00	0.00	0.00	J54	0.00	0.00	0.00	First logged reading
	2100	D27	0.00	0.00	0.00	J54	0.00	0.00	0.00	
4/19/13	500	D27	0.00	0.00	0.00	J54	0.00	0.00	0.00	
	1300	D27	0.00	0.00	0.00	J54	0.00	0.00	0.00	
	2100	D27	0.00	0.00	0.00	J54	0.00	0.00	0.00	
4/20/13	500	D27	0.00	0.00	0.00	J54	0.00	0.00	0.00	
	1300	D27	0.00	0.00	0.00	J54	0.00	0.00	0.00	
	2100	D27	0.00	0.00	0.00	J54	0.00	0.02	0.00	
4/21/13	500	D27	0.00	0.00	0.00	J54	0.00	0.00	0.00	
	1300	D27	0.00	0.00	0.00	J54	0.00	0.00	0.00	
	2100	D27	0.00	0.00	0.00	J54	0.00	0.00	0.00	
4/22/13	500	D27	0.00	0.00	0.00	J54	0.00	0.00	0.00	
	1300	D27	0.00	0.00	0.00	J54	0.00	0.00	0.00	
	2100	D27	0.00	0.00	0.00	J54	0.00	0.00	0.00	
4/23/13	500	D27	0.00	0.00	0.00	J54	0.00	0.00	0.00	
	1300	D27	0.00	0.00	0.00	J54	0.00	0.00	0.00	
	2100	D27	0.00	0.00	0.00	J54	0.00	0.00	0.00	
4/24/13	500	D27	0.00	0.00	0.00	J54	0.00	0.00	0.00	
	1300	D27	0.00	0.00	0.00	J54	0.00	0.02	0.00	
	2100	D27	0.00	0.00	0.00	J54	0.00	0.00	0.00	
4/25/13	500	D27	0.00	0.00	0.00	J54	0.00	0.00	0.00	
	1300	D27	0.00	0.00	0.00	J54	0.00	0.03	0.00	
	2100	D27	0.00	0.00	0.00	J54	0.00	0.00	0.00	
4/26/13	500	D27	0.00	0.00	0.00	J54	0.00	0.00	0.00	
	1300	D27	0.00	0.00	0.00	J54	0.00	0.00	0.00	
	2100	D27	0.00	0.15	0.00	J54	0.00	0.00	0.00	
4/27/13	500	D27	0.00	0.00	0.00	J54	0.00	0.00	0.00	
	1300	D27	0.00	0.02	0.00	J54	0.00	0.00	0.00	
	2100	D27	0.00	0.00	0.00	J54	0.00	0.00	0.00	
4/28/13	500	D27	0.00	0.00	0.00	J54	0.00	0.00	0.00	
	1300	D27	0.00	0.00	0.00	J54	0.00	0.00	0.00	
	2100	D27	0.00	0.00	0.00	J54	0.00	0.00	0.00	
4/29/13	500	D27	0.00	0.00	0.00	J54	0.00	0.00	0.00	
	1300	D27	0.00	0.00	0.00	J54	0.00	0.00	0.00	
	2100	D27	0.00	0.00	0.00	J54	0.00	0.00	0.00	
4/30/13	500	D27	0.00	0.00	0.00	J54	0.00	0.00	0.00	
	1300	D27	0.00	0.00	0.00	J54	0.00	0.00	0.00	
	2100	D27	0.00	0.00	0.00	J54	0.00	0.00	0.00	
5/1/13	500	D27	0.00	0.00	0.00	J54	0.00	0.00	0.00	
	1300	D27	0.00	0.00	0.00	J54	0.00	0.00	0.00	
	2100	D27	0.00	0.00	0.00	J54	0.00	0.00	0.00	
5/2/13	500	D27	0.00	0.00	0.00	J54	0.00	0.00	0.00	
	1300	D27	0.00	0.00	0.00	J54	0.00	0.03	0.00	
	2100	D27	0.00	0.00	0.00	J54	0.00	0.00	0.00	
5/3/13	500	D27	0.00	0.00	0.00	J54	0.00	0.00	0.00	
	1300	D27	0.00	0.00	0.00	J54	0.00	0.00	0.00	
	2100	D27	0.00	0.00	0.00	J54	0.00	0.00	0.00	
5/4/13	500	D27	0.00	0.00	0.00	J54	0.00	0.02	0.00	
	1300	D27	0.00	0.00	0.00	J54	0.00	0.00	0.00	
	2100	D27	0.00	0.00	0.00	J54	0.00	0.00	0.00	
5/5/13	500	D27	0.00	0.00	0.00	J54	0.00	0.00	0.00	
	1300	D27	0.00	0.00	0.00	J54	0.00	0.00	0.00	
	2100	D27	0.00	0.00	0.00	J54	0.00	0.00	0.00	
5/6/13	500	D27	0.00	0.00	0.00	J54	0.00	0.00	0.00	
	1300	D27	0.00	0.00	0.00	J54	0.00	0.10	0.00	
	2100	D27	0.00	0.00	0.00	J54	0.00	0.00	0.00	
5/7/13	500	D27	0.00	0.00	0.00	J54	0.00	0.00	0.00	
	1300	D27	0.00	0.00	0.00	J54	0.00	0.00	0.00	
	2100	D27	0.00	0.00	0.00	J54	0.00	0.00	0.00	

RCRA Pond - Continuous Phosphine Monitoring

Pond 16S - Continuous Phosphine Monitoring

		Station 1 - North				Station 2 - East			
Date	Time	Monitor Number	Current Reading	Max Reading	TWA	Monitor Number	Current Reading	Max Reading	TWA
5/8/13	500	D27	0.00	0.00	0.00	J54	0.00	0.00	0.00
	1300	D27	0.00	0.00	0.00	J54	0.00	0.00	0.00
	2100	D27	0.00	0.00	0.00	J54	0.00	0.00	0.00
5/9/13	500	D27	0.00	0.00	0.00	J54	0.00	0.00	0.00
	1300	D27	0.00	0.00	0.00	J54	0.00	0.02	0.00
	2100	D27	0.00	0.00	0.00	J54	0.00	0.00	0.00
5/10/13	500	D27	0.00	0.00	0.00	J54	0.00	0.02	0.00
	1300	D27	0.00	0.00	0.00	J54	0.00	0.02	0.00
	2100	D27	0.00	0.00	0.00	J54	0.00	0.00	0.00
5/11/13	500	D27	0.00	0.00	0.00	J54	0.00	0.00	0.00
	1300	D27	0.00	0.00	0.00	J54	0.00	0.00	0.00
	2100	D27	0.00	0.00	0.00	J54	0.00	0.00	0.00
5/12/13	500	D27	0.03	0.33	0.00	J54	0.00	0.00	0.00
	1300	D27	0.00	0.00	0.00	J54	0.00	0.00	0.00

Pond 18A - Continuous Phosphine Monitoring

Date	Time	Station 1 - West				Station 2 - East				Station 3 - East			
		Monitor Number	Current Reading	Max Reading	TWA	Monitor Number	Current Reading	Max Reading	TWA	Monitor Number	Current Reading	Max Reading	TWA
2/14/11	500												
	1300	68	0.00	0.00	0.00	110	0.00	0.00	0.00				
	2100	68	0.00	0.00	0.00	110	0.00	0.00	0.00				
2/15/11	500	68	0.00	0.00	0.00	110	0.00	0.00	0.00				
	1300	68	0.00	0.00	0.00	110	0.00	0.00	0.00				
	2100	68	0.00	0.00	0.00	110	0.00	0.00	0.00				
2/16/11	500	68	0.00	0.00	0.00	110	0.00	0.00	0.00				
	1300	68	0.00	0.00	0.00	110	0.00	0.00	0.00				
	2100	68	0.00	0.00	0.00	110	0.00	0.00	0.00				
2/17/11	500	68	0.00	0.00	0.00	110	0.00	0.00	0.00				
	1300	68	0.00	0.00	0.00	110	0.00	0.00	0.00				
	2100	68	0.00	0.00	0.00	110	0.00	0.00	0.00				
2/18/11	500	68	0.00	0.00	0.00	110	0.00	0.00	0.00				
	1300	68	0.00	0.00	0.00	110	0.00	0.00	0.00				
	2100	68	0.00	0.00	0.00	110	0.00	0.05	0.00				
2/19/11	500	68	0.00	0.00	0.00	110	0.00	0.00	0.00				
	1300	68	0.00	0.00	0.00	110	0.00	0.00	0.00				
	2100	68	0.00	0.00	0.00	110	0.00	0.00	0.00				
2/20/11	500	68	0.00	0.00	0.00	110	0.00	0.00	0.00				
	1300	68	0.00	0.00	0.00	110	0.00	0.00	0.00				
	2100	68	0.00	0.00	0.00	110	0.00	0.00	0.00				
2/21/11	500	68	0.00	0.00	0.00	110	0.00	0.00	0.00				
	1300	68	0.00	0.00	0.00	110	0.00	0.00	0.00				
	2100	68	0.00	0.00	0.00	110	0.00	0.00	0.00				
2/22/11	500	68	0.00	0.00	0.00	110	0.00	0.00	0.00				
	1300	68	0.00	0.00	0.00	110	0.00	0.00	0.00				
	2100	68	0.00	0.00	0.00	110	0.00	0.00	0.00				
2/23/11	500	68	0.00	0.00	0.00	110	0.00	0.00	0.00				
	1300	68	0.00	0.00	0.00	110	0.00	0.00	0.00				
	2100	68	0.00	0.00	0.00	110	0.00	0.00	0.00				
2/24/11	500	68	0.00	0.00	0.00	110	0.00	0.00	0.00				
	1300	68	0.00	0.00	0.00	110	0.00	0.00	0.00				
	2100	68	0.00	0.00	0.00	110	0.00	0.00	0.00				
2/25/11	500	68	0.00	0.00	0.00	110	0.00	0.00	0.00				
	1300	68	0.00	0.00	0.00	110	0.00	0.00	0.00				
	2100	68	0.00	0.00	0.00	110	0.00	0.00	0.00				
2/26/11	500	68	0.00	0.00	0.00	110	0.00	0.00	0.00				
	1300	68	0.00	0.03	0.00	110	0.00	0.00	0.00				
	2100	68	0.00	0.00	0.00	110	0.00	0.00	0.00				
2/27/11	500	68	0.00	0.00	0.00	110	0.00	0.00	0.00				
	1300	67	0.00	0.00	0.00	110	0.00	0.12	0.00				
	2100	67	0.00	0.00	0.00	110	0.00	0.00	0.00				
2/28/11	500	67	0.00	0.00	0.00	110	0.00	0.00	0.00				
	1300	67	0.00	0.00	0.00	110	0.00	0.00	0.00				
	2100	67	0.00	0.00	0.00	110	0.00	0.00	0.00				
3/1/11	500	67	0.00	0.00	0.00	110	0.00	0.00	0.00	Station #3 Installed			
	1300	67	0.00	0.00	0.00	110	0.00	0.00	0.00	531	0.00	0.06	0.00
	2100	67	0.00	0.00	0.00	110	0.00	0.00	0.00	531	0.00	0.08	0.00
3/2/11	500	67	0.00	0.00	0.00	110	0.00	0.00	0.00	531	0.00	0.00	0.00
	1300	67	0.00	0.00	0.00	110	0.00	0.00	0.00	531	0.00	0.00	0.00
	2100	67	0.00	0.00	0.00	110	0.00	0.00	0.00	531	0.00	0.00	0.00
3/3/11	500	67	0.00	0.00	0.00	110	0.00	0.00	0.00	531	0.00	0.00	0.00
	1300	67	0.00	0.00	0.00	110	0.00	0.00	0.00	112	0.00	0.00	0.00
	2100	67	0.00	0.00	0.00	110	0.00	0.00	0.00	112	0.00	0.00	0.00
3/4/11	500	67	0.00	0.00	0.00	110	0.00	0.00	0.00	112	0.00	0.00	0.00
	1300	67	0.00	0.00	0.00	110	0.00	0.00	0.00	112	0.00	0.00	0.00
	2100	67	0.00	0.00	0.00	110	0.00	0.00	0.00	112	0.00	0.00	0.00
3/5/11	500	67	0.00	0.00	0.00	110	0.00	0.00	0.00	112	0.00	0.00	0.00
	1300	67	0.00	0.00	0.00	110	0.00	0.00	0.00	112	0.00	0.00	0.00
	2100	67	0.00	0.00	0.00	110	0.00	0.00	0.00	112	0.00	0.00	0.00
3/6/11	500	67	0.00	0.00	0.00	110	0.00	0.00	0.00	112	0.00	0.00	0.00
	1300	67	0.00	0.00	0.00	69	0.00	0.00	0.00	112	0.00	0.00	0.00
	2100	67	0.00	0.00	0.00	69	0.00	0.00	0.00	112	0.00	0.00	0.00
3/7/11	500	67	0.00	0.00	0.00	69	0.00	0.00	0.00	112	0.00	0.00	0.00
	1300	67	0.00	0.00	0.00	69	0.00	0.00	0.00	112	0.00	0.00	0.00
	2100	67	0.00	0.00	0.00	69	0.00	0.00	0.00	112	0.00	0.00	0.00
3/8/11	500	67	0.00	0.00	0.00	69	0.00	0.00	0.00	112	0.00	0.00	0.00
	1300	67	0.00	0.00	0.00	69	0.00	0.00	0.00	112	0.00	0.02	0.00
	2100	67	0.00	0.00	0.00	69	0.00	0.00	0.00	112	0.00	0.00	0.00
3/9/11	500	67	0.00	0.00	0.00	69	0.00	0.00	0.00	112	0.00	0.00	0.00
	1300	67	0.00	0.00	0.00	69	0.00	0.08	0.00	112	0.00	0.00	0.00
	2100	67	0.00	0.00	0.00	69	0.00	0.00	0.00	112	0.00	0.00	0.00
3/10/11	500	67	0.00	0.00	0.00	69	0.00	0.00	0.00	112	0.00	0.00	0.00
	1300	67	0.00	0.00	0.00	69	0.00	0.00	0.00	112	0.00	0.05	0.00
	2100	67	0.00	0.00	0.00	69	0.00	0.00	0.00	112	0.00	0.00	0.00
3/11/11	500	67	0.00	0.00	0.00	69	0.00	0.00	0.00	112	0.00	0.00	0.00
	1300	67	0.00	0.00	0.00	69	0.00	0.00	0.00	H53	0.00	0.00	0.00
	2100	H53	0.00	0.00	0.00	69	0.00	0.00	0.00	67	0.00	0.00	0.00
3/12/11	500	H53	0.00	0.00	0.00	69	0.00	0.00	0.00	67	0.00	0.00	0.00
	1300	H53	0.00	0.00	0.00	69	0.00	0.00	0.00	67	0.00	0.00	0.00
	2100	H53	0.00	0.00	0.00	69	0.00	0.00	0.00	67	0.00	0.00	0.00
3/13/11	500	H53	0.00	0.00	0.00	69	0.00	0.00	0.00	67	0.00	0.00	0.00
	1300	H53	0.00	0.00	0.00	69	0.00	0.00	0.00	67	0.00	0.03	0.00
	2100	H53	0.00	0.00	0.00	69	0.00	0.00	0.00	67	0.00	0.00	0.00
3/14/11	500	H53	0.00	0.00	0.00	69	0.00	0.00	0.00	67	0.00	0.00	0.00
	1300	H53	0.00	0.00	0.00	69	0.00	0.00	0.00	67	0.00	0.00	0.00
	2100	H53	0.00	0.00	0.00	69	0.00	0.00	0.00	67	0.00	0.00	0.00
3/15/11	500	H53	0.00	0.00	0.00	69	0.00	0.00	0.00	67	0.00	0.00	0.00
	1300	H53	0.00	0.00	0.00	69	0.00	0.00	0.00	67	0.00	0.00	0.00
	2100	H53	0.00	0.00	0.00	69	0.00	0.00	0.00	67	0.00	0.00	0.00
3/16/11	500	H53	0.00	0.00	0.00	69	0.00	0.00	0.00	67	0.00	0.00	0.00
	1300	H53	0.00	0.00	0.00	69	0.00	0.00	0.00	67	0.00	0.00	0.00
	2100	H53	0.00	0.00	0.00	69	0.00	0.00	0.00	67	0.00	0.00	0.00
3/17/11	500	H53	0.00	0.00	0.00	69	0.00	0.00	0.00	67	0.00	0.00	0.00
	1300	H53	0.00	0.00	0.00	69	0.00	0.00	0.00	67	0.00	0.00	0.00
	2100	H53	0.00	0.00	0.00	534	0.00	0.00	0.00	110	0.00	0.00	0.00
3/18/11	500	H53	0.00	0.00	0.00	534	0.00	0.00	0.00	110	0.00	0.00	0.00
	1300	H53	0.00	0.00	0.00	534	0.00	0.00	0.00	110	0.00	0.00	0.00
	2100	H53	0.00	0.00	0.00	534	0.00	0.00	0.00	110	0.00	0.00	0.00
3/19/11	500	H53	0.00	0.00	0.00	534	0.00	0.00	0.00	110	0.00	0.03	0.00
	1300	H53	0.00	0.00	0.00	534	0.00	0.00	0.00	110	0.00	0.00	0.00
	2100	H53	0.00	0.00	0.00	534	0.00	0.00	0.00	110	0.00	0.00	0.00
3/20/11	500	H53	0.00	0.00	0.00	534	0.00	0.00	0.00	110	0.00	0.00	0.00
	1300	H53	0.00	0.00	0.00	534	0.00	0.00	0.00	110	0.00	0.00	0.00
	2100	H53	0.00	0.00	0.00	534	0.00	0.00	0.00	110	0.00	0.00	0.00
3/21/11	500	H53	0.00	0.00	0.00	534	0.00	0.00	0.00	110	0.00	0.00	0.00
	1300	H53	0.00	0.00	0.00	534	0.00	0.00	0.00	110	0.00	0.00	0.00
	2100	H53	0.00	0.00	0.00	534	0.00	0.00	0.00	110	0.00	0.00	0.00
3/22/11	500	H53	0.00	0.00	0.00	534	0.00	0.00	0.00	110	0.00	0.00	0.00
	1300	H53	0.00	0.00	0.00	534	0.00	0.00	0.00	110	0.00	0.00	0.00
	2100	H53	0.00	0.00	0.00	534	0.00	0.00	0.00	110	0.00	0.00	0.00
3/23/11	500	H53	0.00	0.00	0.00	534	0.00	0.00	0.00	110	0.00	0.00	0.00
	1300	H53	0.00	0.00	0.00	534	0.00	0.00	0.00	110	0.00	0.00	0.00
	2100	H53	0.00	0.00	0.00	534	0.00	0.00	0.00	110	0.00	0.00	0.00
3/24/11	500	H53	0.00	0.00	0.00	534	0.00	0.00	0.00	110	0.00	0.00	0.00
	1300	H53	0.00	0.02	0.00	534	0.00	0.00	0.00	110	0.00	0.00	0.00
	2100	H53	0.00	0.02	0.00	534	0.00	0.00	0.00	110	0.00	0.00	0.00
3/25/11	500	H53	0.00	0.00	0.00	534	0.00	0.00	0.00	110	0.00	0.00	0.00
	1300	69	0.00	0.00	0.00	534	0.00	0.00	0.00	73	0.00	0.00	0.00
	2100	69	0.00	0.00	0.00	534	0.00	0.00	0.00	73	0.00	0.00	0.00
3/26/11	500	69	0.00	0.02	0.00	534	0.00	0.00	0.00	73	0.00	0.02	0.00
	1300	69	0.00	0.00	0.00	534	0.00	0.17	0.00	73	0.00	0.03	0.00
	2100	69	0.00	0.00	0.00	J53	0.00	0.00	0.00	73	0.00	0.00	0.00
3/27/11	500	69	0.00	0.00	0.00	J53	0.00	0.00	0.00	73	0.00	0.00	0.00
	1300	69	0.00	0.00	0.00	J53	0.00	0.00	0.00	73	0.00	0.00	0.00
	2100	69	0.00	0.00	0.00	J53	0.00	0.00	0.00	73	0.00	0.00	0.00
3/28/11	500	69	0.00	0.00	0.00	J53	0.00	0.00	0.00	73	0.00	0.02	0.00
	1300	69	0.00	0.00	0.00	J53	0.00	0.00	0.00	73	0.00	0.02	0.00
	2100	69	0.00	0.00	0.00	J53	0.00	0.00	0.00	73	0.00	0.00	0.00
3/29/11	500	69	0.00	0.00	0.00	J53	0.00	0.00	0.00	73	0.00	0.00	0.00
	1300	69	0.00	0.00	0.00	J53	0.00	0.00	0.00	73	0.00	0.00	0.00
	2100	69	0.00	0.00	0.00	J53	0.00	0.00	0.00	73	0.00	0.00	0.00
3/30/11	500	69	0.00	0.00	0.00	J53	0.00	0.00	0.00	73	0.00	0.00	0.00
	1300	69	0.00	0.00	0.00	J53	0.00	0.00	0.00	73	0.00	0.02	0.00
	2100	69	0.00	0.00	0.00	J53	0.00	0.00	0.00	H53	0.04	0.04	0.02
3/31/11	500	69	0.00	0.00	0.00	J53	0.00	0.00	0.00	H53	0.03	0.04	0.02
	1300	69	0.00	0.00	0.00	J53	0.00	0.00	0.00	68	0.00	0.00	0.00
	2100	69	0.00	0.09	0.00	J53	0.00	0.07	0.00	68	0.00	0.00	0.00
4/1/11	500	69	0.00	0.00	0.00	J53	0.00	0.00	0.00	68	0.00	0.00	0.00
	1300	69	0.00	0.00	0.00	J53	0.00	0.00	0.00	68	0.00	0.00	0.00
	2100	69	0.00	0.00	0.00	J53	0.00	0.00	0.00	68	0.00	0.03	0.00
4/2/11	500	69	0.00	0.03	0.00	J53	0.00	0.00	0.00	68	0.00	0.00	0.00
	1300	69	0.00	0.00	0.00	J53	0.00	0.00	0.00	68	0.00	0.02	0.00
	2100	69	0.00	0.00	0.00	J53	0.00	0.00	0.00	68	0.00	0.00	0.00
4/3/11	500	69	0.00	0.00	0.00	J53	0.00	0.00	0.00	68	0.00	0.00	0.00
	1300	69	0.00	0.00	0.00	J53	0.00	0.00	0.00	68	0.00	0.00	0.00
	2100	69	0.00	0.00	0.00	J53	0.00	0.00	0.00	68	0.00	0.00	0.00
4/4/11	500	69	0.00	0.00	0.00	J53	0.00	0.00	0.00	68	0.00	0.00	0.00
	1300	69	0.00	0.00	0.00	J53	0.00	0.00	0.00	68	0.00	0.00	0.00
	2100	69	0.00	0.00	0.00	J53	0.00	0.00	0.00	68	0.00	0.00	0.00
4/5/11	500	69	0.00	0.00	0.00	J53	0.00	0.00	0.00	68	0.00	0.00	0.00
	1300	69	0.00	0.00	0.00	J53	0.00	0.00	0.00	68	0.00	0.00	0.00
	2100	H73	0.00	0.00	0.00	J53	0.00	0.00	0.00	H53	0.00	0.00	0.00
4/6/11	500	H73	0.00	0.00	0.00	J53	0.00	0.00	0.00	H53	0.00	0.00	0.00
	1300	73	0.00	0.02	0.00	J53	0.00	0.00	0.00	H53	0.00	0.04	0.00
	2100	H73	0.00	0.00	0.00	J53	0.00	0.00	0.00	H53	0.00	0.04	0.00
4/7/11	500	H73	0.00	0.00	0.00	J53	0.00	0.00	0.00	H53	0.00	0.03	0.00
	1300	H73	0.00	0.04	0.00	J53	0.00	0.03	0.00	68	0.00	0.00	0.00
	2100	H73	0.00	0.03	0.00	J53	0.00	0.00	0.00	68	0.00	0.03	0.00
4/8/11	500	H73	0.00	0.00	0.00	J53	0.00	0.00	0.00	68	0.00	0.08	0.00
	1300	H73	0.00	0.00	0.00	J53	0.00	0.00	0.00	68	0.00	0.00	0.00
	2100	73	0.00	0.00	0.00	J53	0.00	0.00	0.00	68	0.00	0.02	0.00
4/9/11	500	73	0.00	0.00	0.00	J53	0.00	0.00	0.00	68	0.00	0.02	0.00
	1300	73	0.00	0.00	0.00	J53	0.00	0.00	0.00	68	0.00	0.00	0.00
	2100	73	0.00	0.00	0.00	J53	0.00	0.00	0.00	68	0.00	0.00	0.00
4/10/11	500	73	0.00	0.00	0.00	J53	0.00	0.00	0.00	68	0.00	0.00	0.00
	1300	73	0.00	0.00	0.00	67	0.00	0.00	0.00	68	0.00	0.00	0.00
	2100	73	0.00	0.00	0.00	67	0.00	0.00	0.00	68	0.00	0.00	0.00
4/11/11	500	73	0.00	0.00	0.00	67	0.00	0.00	0.00	68	0.00	0.00	0.00
	1300	73	0.00	0.00	0.00	67	0.00	0.00	0.00	68	0.00	0.00	0.00
	2100	73	0.00	0.00	0.00	67	0.00	0.00	0.00	68	0.00	0.00	0.00
4/12/11	500	73	0.00	0.03	0.00	67	0.00	0.00	0.00	68	0.00	0.00	0.00
	1300	73	0.00	0.00	0.00	67	0.00	0.00	0.00	68	0.00	0.03	0.00
	2100	73	0.00	0.00	0.00	67	0.00	0.00	0.00	68	0.00	0.00	0.00
4/13/11	500	73	0.00	0.00	0.00	67	0.00	0.00	0.00	68	0.00	0.03	0.00
	1300	73	0.00	0.00	0.00	67	0.00	0.00	0.00	68	0.00	0.03	0.00
	2100	73	0.00	0.00	0.00	67	0.00	0.00	0.00	68	0.00	0.00	0.00
4/14/11	500	73	0.00	0.03	0.00	67	0.00	0.00	0.00	68	0.00	0.03	0.00
	1300	531	0.00	0.00	0.00	67	0.00	0.00	0.00	J56	0.00	0.00	0.00
	2100	531	0.00	0.00	0.00	67	0.00	0.00	0.00	J56	0.00	0.00	0.00
4/15/11	500	531	0.00	0.00	0.00	67	0.00	0.00	0.00	J56	0.00	0.00	0.00
	1300	531	0.00	0.00	0.00	67	0.00	0.00	0.00	J56	0.00	0.00	0.00
	2100	531	0.00	0.00	0.00	67	0.00	0.00	0.00	J53	0.00	0.00	0.00
4/16/11	500	531	0.00	0.00	0.00	67	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1300	531	0.00	0.00	0.00	67	0.00	0.00	0.00	J53	0.00	0.00	0.00
	2100	531	0.00	0.00	0.00	67	0.00	0.00	0.00	J53	0.00	0.00	0.00
4/17/11	500	531	0.00	0.00	0.00	67	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1300	531	0.00	0.00	0.00	67	0.00	0.00	0.00	J53	0.00	0.00	0.00
	2100	531	0.00	0.00	0.00	67	0.00	0.00	0.00	J53	0.00	0.00	0.00
4/18/11	500	531	0.00	0.00	0.00	67	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1300	531	0.00	0.00	0.00	67	0.00	0.00	0.00	J53	0.00	0.00	0.00
	2100	531	0.00	0.00	0.00	67	0.00	0.00	0.00	J53	0.00	0.00	0.00
4/19/11	500	531	0.00	0.00	0.00	67	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1300	531	0.00	0.00	0.00	67	0.00	0.00	0.00	J53	0.00	0.00	0.00
	2100	531	0.00	0.00	0.00	67	0.00	0.00	0.00	J53	0.00	0.00	0.00
4/20/11	500	531	0.00	0.00	0.00	67	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1300	531	0.00	0.00	0.00	67	0.00	0.00	0.00	J53	0.00	0.00	0.00
	2100	531	0.00	0.00	0.00	67	0.00	0.00	0.00	J53	0.00	0.02	0.00
4/21/11	500	531	0.00	0.00	0.00	67	0.00	0.00	0.00	J53	0.00	0.02	0.00
	1300	531	0.00	0.00	0.00	67	0.00	0.00	0.00	J53	0.00	0.04	0.00
	2100	531	0.00	0.00	0.00	67	0.00	0.00	0.00	J53	0.00	0.00	0.00
4/22/11	500	531	0.00	0.00	0.00	67	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1300	531	0.00	0.00	0.00	67	0.00	0.00	0.00	J53	0.00	0.00	0.00
	2100	531	0.00	0.00	0.00	67	0.00	0.00	0.00	J53	0.00	0.00	0.00
4/23/11	500	531	0.00	0.00	0.00	67	0.00	0.00	0.00	J53	0.00	0.03	0.00
	1300	531	0.00	0.00	0.00	67	0.00	0.00	0.00	J53	0.00	0.02	0.00
	2100	531	0.00	0.00	0.00	67	0.00	0.00	0.00	J53	0.00	0.00	0.00
4/24/11	500	531	0.00	0.00	0.00	67	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1300	531	0.00	0.00	0.00	73	0.00	0.00	0.00	J53	0.00	0.00	0.00
	2100	531	0.00	0.00	0.00	73	0.00	0.00	0.00	J53	0.00	0.02	0.00
4/25/11	500	531	0.00	0.00	0.00	73	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1300	531	0.00	0.00	0.00	73	0.00	0.00	0.00	J53	0.00	0.00	0.00
	2100	531	0.00	0.00	0.00	73	0.00	0.00	0.00	J53	0.00	0.00	0.00
4/26/11	500	531	0.00	0.00	0.00	73	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1300	531	0.00	0.00	0.00	73	0.00	0.00	0.00	J53	0.00	0.00	0.00
	2100	531	0.00	0.00	0.00	73	0.00	0.00	0.00	J53	0.00	0.00	0.00
4/27/11	500	531	0.00	0.00	0.00	73	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1300	531	0.00	0.00	0.00	73	0.00	0.00	0.00	J53	0.00	0.00	0.00
	2100	531	0.00	0.00	0.00	73	0.00	0.00	0.00	J53	0.00	0.00	0.00
4/28/11	500	531	0.00	0.00	0.00	73	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1300	531	0.00	0.00	0.00	73	0.00	0.00	0.00	J53	0.00	0.00	0.00
	2100	68	0.00	0.00	0.00	73	0.00	0.00	0.00	67	0.00	0.00	0.00
4/29/11	500	68	0.00	0.00	0.00	73	0.00	0.00	0.00	67	0.00	0.00	0.00
	1300	68	0.00	0.00	0.00	73	0.00	0.00	0.00	67	0.00	0.00	0.00
	2100	68	0.00	0.00	0.00	73	0.00	0.00	0.00	67	0.00	0.00	0.00
4/30/11	500	68	0.00	0.00	0.00	73	0.00	0.00	0.00	67	0.00	0.00	0.00
	1300	68	0.00	0.00	0.00	73	0.00	0.00	0.00	67	0.00	0.03	0.00
	2100	68	0.00	0.00	0.00	73	0.00	0.00	0.00	67	0.00	0.00	0.00
5/1/11	500	68	0.00	0.00	0.00	73	0.00	0.00	0.00	67	0.00	0.00	0.00
	1300	68	0.00	0.00	0.00	73	0.00	0.00	0.00	67	0.00	0.05	0.00
	2100	68	0.00	0.00	0.00	73	0.00	0.00	0.00	67	0.00	0.00	0.00
5/2/11	500	68	0.00	0.00	0.00	73	0.00	0.00	0.00	67	0.00	0.00	0.00
	1300	68	0.00	0.00	0.00	110	0.00	0.00	0.00	67	0.00	0.00	0.00
	2100	68	0.00	0.00	0.00	110	0.00	0.00	0.00	67	0.00	0.00	0.00
5/3/11	500	68	0.00	0.00	0.00	110	0.00	0.00	0.00	67	0.00	0.00	0.00
	1300	68	0.00	0.00	0.00	110	0.00	0.00	0.00	67	0.00	0.00	0.00
	2100	68	0.00	0.00	0.00	110	0.00	0.00	0.00	67	0.00	0.00	0.00
5/4/11	500	68	0.00	0.00	0.00	110	0.00	0.00	0.00	67	0.00	0.00	0.00
	1300	68	0.00	0.02	0.00	110	0.00	0.00	0.00	67	0.00	0.00	0.00
	2100	68	0.00	0.00	0.00	110	0.00	0.00	0.00	67	0.00	0.00	0.00
5/5/11	500	68	0.00	0.00	0.00	110	0.00	0.00	0.00	67	0.00	0.05	0.00
	1300	68	0.00	0.00	0.00	110	0.00	0.03	0.00	67	0.00	0.00	0.00
	2100	68	0.00	0.00	0.00	110	0.00	0.00	0.00	67	0.00	0.00	0.00
5/6/11	500	68	0.00	0.00	0.00	110	0.00	0.00	0.00	67	0.00	0.04	0.00
	1300	68	0.00	0.00	0.00	110	0.00	0.03	0.00	67	0.00	0.00	0.00
	2100	68	0.00	0.00	0.00	110	0.00	0.00	0.00	67	0.00	0.00	0.00
5/7/11	500	68	0.00	0.00	0.00	110	0.00	0.00	0.00	67	0.00	0.03	0.00
	1300	68	0.00	0.00	0.00	110	0.00	0.00	0.00	67	0.00	0.00	0.00
	2100	68	0.00	0.00	0.00	110	0.00	0.00	0.00	67	0.00	0.00	0.00
5/8/11	500	68	0.00	0.00	0.00	110	0.00	0.00	0.00	67	0.00	0.02	0.00
	1300	68	0.00	0.00	0.00	110	0.00	0.00	0.00	72	0.00	0.00	0.00
	2100	68	0.00	0.00	0.00	110	0.00	0.00	0.00	72	0.00	0.00	0.00
5/9/11	500	68	0.00	0.00	0.00	110	0.00	0.03	0.00	73	0.00	0.00	0.00
	1300	68	0.00	0.00	0.00	110	0.00	0.03	0.00	73	0.00	0.00	0.00
	2100	68	0.00	0.00	0.00	110	0.00	0.02	0.00	533	0.00	0.00	0.00
5/10/11	500	68	0.00	0.02	0.00	110	0.00	0.00	0.00	533	0.00	0.00	0.00
	1300	68	0.00	0.00	0.00	73	0.00	0.00	0.00	533	0.00	0.00	0.00
	2100	68	0.00	0.00	0.00	73	0.00	0.00	0.00	533	0.00	0.04	0.00
5/11/11	500	68	0.00	0.00	0.00	73	0.00	0.00	0.00	533	0.00	0.00	0.00
	1300	68	0.00	0.00	0.00	73	0.00	0.00	0.00	533	0.00	0.00	0.00
	2100	68	0.00	0.00	0.00	73	0.00	0.00	0.00	533	0.00	0.00	0.00
5/12/11	500	68	0.00	0.00	0.00	73	0.00	0.00	0.00	533	0.00	0.00	0.00
	1300	68	0.00	0.00	0.00	73	0.00	0.00	0.00	533	0.00	0.00	0.00
	2100	68	0.00	0.00	0.00	73	0.00	0.00	0.00	533	0.00	0.05	0.00
5/13/11	500	68	0.00	0.00	0.00	73	0.00	0.00	0.00	533	0.00	0.00	0.00
	1300	68	0.00	0.00	0.00	73	0.00	0.00	0.00	533	0.00	0.00	0.00
	2100	67	0.00	0.00	0.00	73	0.00	0.00	0.00	J56	0.00	0.00	0.00
5/14/11	500	67	0.00	0.00	0.00	73	0.00	0.00	0.00	J56	0.00	0.00	0.00
	1300	67	0.00	0.00	0.00	73	0.00	0.02	0.00	J56	0.00	0.00	0.00
	2100	67	0.00	0.00	0.00	73	0.00	0.00	0.00	J56	0.00	0.00	0.00
5/15/11	500	67	0.00	0.00	0.00	73	0.00	0.00	0.00	J56	0.00	0.00	0.00
	1300	67	0.00	0.00	0.00	73	0.00	0.00	0.00	J56	0.00	0.00	0.00
	2100	67	0.00	0.00	0.00	73	0.00	0.00	0.00	J56	0.00	0.10	0.00
5/16/11	500	67	0.00	0.00	0.00	73	0.00	0.00	0.00	J56	0.00	0.14	0.00
	1300	47	0.00	0.00	0.00	73	0.00	0.00	0.00	68	0.00	0.00	0.00
	2100	67	0.00	0.00	0.00	73	0.00	0.00	0.00	68	0.00	0.00	0.00
5/17/11	500	67	0.00	0.00	0.00	73	0.00	0.00	0.00	68	0.00	0.02	0.00
	1300	67	0.00	0.00	0.00	73	0.00	0.00	0.00	68	0.00	0.03	0.00
	2100	67	0.00	0.00	0.00	73	0.00	0.00	0.00	68	0.00	0.03	0.00
5/18/11	500	67	0.00	0.00	0.00	73	0.00	0.00	0.00	68	0.00	0.03	0.00
	1300	67	0.00	0.00	0.00	73	0.00	0.00	0.00	110	0.00	0.00	0.00
	2100	67	0.00	0.00	0.00	73	0.00	0.04	0.00	110	0.00	0.00	0.00
5/19/11	500	67	0.00	0.00	0.00	73	0.00	0.00	0.00	110	0.00	0.00	0.00
	1300	67	0.00	0.00	0.00	73	0.00	0.00	0.00	110	0.00	0.00	0.00
	2100	67	0.00	0.00	0.00	73	0.00	0.00	0.00	110	0.00	0.00	0.00
5/20/11	500	67	0.00	0.00	0.00	73	0.00	0.00	0.00	110	0.00	0.00	0.00
	1300	67	0.00	0.00	0.00	73	0.00	0.00	0.00	110	0.00	0.00	0.00
	2100	67	0.00	0.00	0.00	73	0.00	0.00	0.00	110	0.00	0.00	0.00
5/21/11	500	67	0.00	0.00	0.00	73	0.00	0.00	0.00	110	0.00	0.08	0.00
	1300	67	0.00	0.00	0.00	73	0.00	0.00	0.00	110	0.00	0.02	0.00
	2100	67	0.00	0.00	0.00	73	0.00	0.00	0.00	110	0.00	0.00	0.00
5/22/11	500	67	0.00	0.00	0.00	73	0.00	0.00	0.00	110	0.00	0.00	0.00
	1300	67	0.00	0.00	0.00	73	0.00	0.00	0.00	110	0.00	0.00	0.00
	2100	67	0.00	0.00	0.00	73	0.00	0.00	0.00	110	0.00	0.00	0.00
5/23/11	500	67	0.00	0.00	0.00	73	0.00	0.00	0.00	110	0.00	0.00	0.00
	1300	67	0.00	0.08	0.00	73	0.00	0.00	0.00	110	0.00	0.03	0.00
	2100	67	0.00	0.00	0.00	73	0.00	0.00	0.00	110	0.00	0.00	0.00
5/24/11	500	67	0.00	0.02	0.00	73	0.00	0.00	0.00	110	0.00	0.00	0.00
	1300	67	0.00	0.00	0.00	73	0.00	0.00	0.00	110	0.00	0.00	0.00
	2100	67	0.00	0.00	0.00	73	0.00	0.00	0.00	110	0.00	0.00	0.00
5/25/11	500	67	0.00	0.02	0.00	73	0.00	0.00	0.00	110	0.00	0.00	0.00
	1300	67	0.00	0.00	0.00	73	0.00	0.02	0.00	110	0.00	0.00	0.00
	2100	67	0.00	0.00	0.00	73	0.00	0.00	0.00	110	0.00	0.00	0.00
5/26/11	500	67	0.00	0.00	0.00	73	0.00	0.00	0.00	110	0.00	0.00	0.00
	1300	67	0.00	0.00	0.00	73	0.00	0.00	0.00	110	0.00	0.00	0.00
	2100	67	0.00	0.00	0.00	73	0.00	0.00	0.00	110	0.00	0.00	0.00
5/27/11	500	67	0.00	0.00	0.00	73	0.00	0.02	0.00	110	0.00	0.02	0.00
	1300	67	0.00	0.00	0.00	73	0.00	0.00	0.00	110	0.00	0.06	0.00
	2100	67	0.00	0.00	0.00	73	0.00	0.00	0.00	110	0.00	0.00	0.00
5/28/11	500	67	0.00	0.00	0.00	73	0.00	0.00	0.00	110	0.00	0.00	0.00
	1300	67	0.00	0.00	0.00	73	0.00	0.00	0.00	110	0.00	0.00	0.00
	2100	67	0.00	0.00	0.00	73	0.00	0.00	0.00	110	0.00	0.02	0.00
5/29/11	500	67	0.00	0.00	0.00	73	0.00	0.00	0.00	110	0.00	0.02	0.00
	1300	67	0.00	0.00	0.00	73	0.00	0.00	0.00	110	0.00	0.00	0.00
	2100	67	0.00	0.00	0.00	73	0.00	0.00	0.00	110	0.00	0.00	0.00
5/29/11	500	67	0.00	0.00	0.00	73	0.00	0.00	0.00	110	0.00	0.02	0.00
	1300	67	0.00	0.00	0.00	73	0.00	0.00	0.00	110	0.00	0.00	0.00
	2100	67	0.00	0.00	0.00	73	0.00	0.00	0.00	110	0.00	0.00	0.00
5/30/11	500	67	0.00	0.00	0.00	73	0.00	0.00	0.00	110	0.00	0.00	0.00
	1300	67	0.00	0.00	0.00	73	0.00	0.00	0.00	110	0.00	0.00	0.00
	2100	67	0.00	0.00	0.00	73	0.00	0.00	0.00	110	0.00	0.00	0.00
5/31/11	500	67	0.00	0.00	0.00	73	0.00	0.00	0.00	110	0.00	0.00	0.00
	1300	67	0.00	0.00	0.00	73	0.00	0.00	0.00	110	0.00	0.00	0.00
	2100	67	0.00	0.00	0.00	73	0.00	0.00	0.00	110	0.00	0.00	0.00
6/1/11	500	67	0.00	0.00	0.00	73	0.00	0.00	0.00	110	0.00	0.03	0.00
	1300	67	0.00	0.00	0.00	73	0.00	0.00	0.00	110	0.00	0.00	0.00
	2100	67	0.00	0.00	0.00	73	0.00	0.00	0.00	110	0.00	0.00	0.00
6/2/11	500	67	0.00	0.00	0.00	73	0.00	0.00	0.00	110	0.00	0.00	0.00
	1300	67	0.00	0.00	0.00	73	0.00	0.00	0.00	110	0.00	0.00	0.00
	2100	67	0.00	0.00	0.00	73	0.00	0.00	0.00	110	0.00	0.00	0.00
6/3/11	500	67	0.00	0.00	0.00	73	0.00	0.00	0.00	110	0.00	0.00	0.00
	1300	67	0.00	0.03	0.00	73	0.00	0.02	0.00	110	0.00	0.00	0.00
	2100	67	0.00	0.00	0.00	73	0.00	0.00	0.00	110	0.00	0.00	0.00
6/4/11	500	67	0.00	0.00	0.00	73	0.00	0.00	0.00	110	0.00	0.04	0.00
	1300	67	0.00	0.00	0.00	73	0.00	0.00	0.00	110	0.00	0.00	0.00
	2100	67	0.00	0.00	0.00	73	0.00	0.00	0.00	110	0.00	0.00	0.00
6/5/11	500	67	0.00	0.00	0.00	73	0.00	0.00	0.00	110	0.00	0.00	0.00
	1300	67	0.00	0.00	0.00	73	0.00	0.00	0.00	110	0.00	0.00	0.00
	2100	67	0.00	0.00	0.00	73	0.00	0.00	0.00	110	0.00	0.00	0.00
6/6/11	500	67	0.00	0.00	0.00	73	0.00	0.00	0.00	110	0.00	0.13	0.00
	1300	67	0.00	0.00	0.00	73	0.00	0.00	0.00	110	0.00	0.00	0.00
	2100	67	0.00	0.00	0.00	73	0.00	0.00	0.00	110	0.00	0.00	0.00
6/7/11	500	67	0.00	0.00	0.00	73	0.00	0.00	0.00	110	0.00	0.00	0.00
	1300	67	0.00	0.00	0.00	73	0.00	0.00	0.00	110	0.00	0.00	0.00
	2100	67	0.00	0.00	0.00	73	0.00	0.00	0.00	110	0.00	0.02	0.00
6/8/11	500	67	0.00	0.00	0.00	73	0.00	0.00	0.00	110	0.00	0.00	0.00
	1300	67	0.00	0.00	0.00	73	0.00	0.00	0.00	110	0.00	0.00	0.00
	2100	67	0.00	0.00	0.00	73	0.00	0.00	0.00	110	0.00	0.00	0.00
6/9/11	500	67	0.00	0.00	0.00	73	0.00	0.00	0.00	110	0.00	0.00	0.00
	1300	67	0.00	0.00	0.00	73	0.00	0.00	0.00	110	0.00	0.00	0.00
	2100	67	0.00	0.00	0.00	73	0.00	0.00	0.00	110	0.00	0.00	0.00
6/10/11	500	67	0.00	0.00	0.00	73	0.00	0.00	0.00	110	0.00	0.00	0.00
	1300	67	0.00	0.00	0.00	73	0.00	0.00	0.00	110	0.00	0.00	0.00
	2100	67	0.00	0.00	0.00	73	0.00	0.00	0.00	110	0.00	0.00	0.00
6/11/11	500	67	0.00	0.00	0.00	73	0.00	0.00	0.00	110	0.00	0.00	0.00
	1300	67	0.00	0.00	0.00	73	0.00	0.00	0.00	110	0.00	0.00	0.00
	2100	67	0.00	0.00	0.00	73	0.00	0.00	0.00	110	0.00	0.00	0.00
6/12/11	500	67	0.00	0.00	0.00	73	0.00	0.00	0.00	110	0.00	0.00	0.00
	1300	67	0.00	0.00	0.00	73	0.00	0.00	0.00	110	0.00	0.00	0.00
	2100	67	0.00	0.00	0.00	73	0.00	0.00	0.00	110	0.00	0.00	0.00
6/13/11	500	67	0.00	0.00	0.00	73	0.00	0.00	0.00	110	0.00	0.00	0.00
	1300	67	0.00	0.00	0.00	73	0.00	0.03	0.00	110	0.00	0.00	0.00
	2100	67	0.00	0.00	0.00	73	0.00	0.00	0.00	110	0.00	0.00	0.00
6/14/11	500	67	0.00	0.00	0.00	73	0.00	0.00	0.00	110	0.00	0.00	0.00
	1300	67	0.00	0.00	0.00	73	0.00	0.00	0.00	110	0.00	0.00	0.00
	2100	67	0.00	0.00	0.00	73	0.00	0.00	0.00	110	0.00	0.00	0.00
6/15/11	500	67	0.00	0.00	0.00	73	0.00	0.00	0.00	110	0.00	0.04	0.00
	1300	67	0.00	0.00	0.00	73	0.00	0.02	0.00	110	0.00	0.00	0.00
	2100	67	0.00	0.00	0.00	73	0.00	0.00	0.00	110	0.00	0.00	0.00
6/16/11	500	67	0.00	0.00	0.00	73	0.00	0.00	0.00	110	0.00	0.03	0.00
	1300	67	0.00	0.00	0.00	73	0.00	0.00	0.00	110	0.00	0.00	0.00
	2100	67	0.00	0.00	0.00	73	0.00	0.00	0.00	110	0.00	0.00	0.00
6/17/11	500	67	0.00	0.00	0.00	73	0.00	0.00	0.00	110	0.00	0.02	0.00
	1300	67	0.00	0.00	0.00	73	0.00	0.02	0.00	110	0.00	0.00	0.00
	2100	67	0.00	0.00	0.00	73	0.00	0.00	0.00	110	0.00	0.00	0.00
6/18/11	500	67	0.00	0.00	0.00	73	0.00	0.02	0.00	110	0.00	0.02	0.00
	1300	67	0.00	0.00	0.00	73	0.00	0.03	0.00	110	0.00	0.00	0.00
	2100	67	0.00	0.00	0.00	73	0.00	0.00	0.00	110	0.00	0.00	0.00
6/19/11	500	67	0.00	0.00	0.00	73	0.00	0.02	0.00	110	0.03	0.03	0.00
	1300	67	0.00	0.00	0.00	73	0.00	0.02	0.00	110	0.00	0.02	0.00
	2100	73	0.00	0.00	0.00	67	0.00	0.00	0.00	110	0.00	0.00	0.00
6/20/11	500	73	0.00	0.00	0.00	67	0.00	0.00	0.00	110	0.00	0.00	0.00
	1300	73	0.00	0.11	0.00	67	0.00	0.00	0.00	56	0.00	0.00	0.00
	2100	73	0.00	0.00	0.00	67	0.00	0.00	0.00	56	0.00	0.00	0.00
6/21/11	500	73	0.00	0.00	0.00	67	0.00	0.00	0.00	56	0.00	0.17	0.00
	1300	73	0.00	0.00	0.00	67	0.00	0.00	0.00	56	0.00	0.00	0.00
	2100	73	0.00	0.00	0.00	67	0.00	0.00	0.00	56	0.00	0.00	0.00
6/22/11	500	73	0.00	0.00	0.00	67	0.00	0.00	0.00	56	0.00	0.00	0.00
	1300	73	0.00	0.00	0.00	67	0.00	0.00	0.00	56	0.00	0.00	0.00
	2100	73	0.00	0.03	0.00	67	0.00	0.00	0.00	56	0.00	0.03	0.00
6/23/11	500	73	0.00	0.03	0.00	67	0.00	0.00	0.00	56	0.00	0.02	0.00
	1300	73	0.00	0.00	0.00	67	0.00	0.00	0.00	56	0.00	0.00	0.00
	2100	73	0.00	0.00	0.00	67	0.00	0.00	0.00	56	0.00	0.00	0.00
6/24/11	500	73	0.00	0.00	0.00	67	0.00	0.00	0.00	56	0.00	0.00	0.00
	1300	73	0.00	0.00	0.00	67	0.00	0.00	0.00	56	0.00	0.00	0.00
	2100	73	0.00	0.00	0.00	67	0.00	0.00	0.00	56	0.00	0.02	0.00
6/25/11	500	73	0.00	0.00	0.00	67	0.00	0.00	0.00	56	0.00	0.17	0.00
	1300	73	0.00	0.00	0.00	67	0.00	0.00	0.00	112	0.00	0.00	0.00
	2100	73	0.00	0.00	0.00	67	0.00	0.00	0.00	112	0.00	0.00	0.00
6/26/11	500	73	0.00	0.00	0.00	67	0.00	0.00	0.00	112	0.00	0.00	0.00
	1300	73	0.00	0.00	0.00	67	0.00	0.00	0.00	112	0.00	0.00	0.00
	2100	73	0.00	0.00	0.00	67	0.00	0.00	0.00	112	0.00	0.00	0.00
6/27/11	500	73	0.00	0.03	0.00	67	0.00	0.00	0.00	112	0.00	0.02	0.00
	1300	73	0.00	0.00	0.00	67	0.00	0.00	0.00	112	0.00	0.00	0.00
	2100	73	0.00	0.00	0.00	67	0.00	0.00	0.00	112	0.00	0.00	0.00
6/28/11	500	73	0.00	0.03	0.00	67	0.00	0.02	0.00	112	0.00	0.02	0.00
	1300	73	0.00	0.00	0.00	67	0.00	0.00	0.00	112	0.00	0.02	0.00
	2100	73	0.00	0.00	0.00	67	0.00	0.00	0.00	122	0.00	0.00	0.00
6/29/11	500	73	0.04	0.04	0.00	67	0.02	0.03	0.00	122	0.03	0.05	0.00
	1300	73	0.00	0.00	0.00	67	0.00	0.00	0.00	112	0.00	0.02	0.00
	2100	73	0.00	0.00	0.00	67	0.00	0.00	0.00	531	0.00	0.00	0.00
6/30/11	500	73	0.00	0.00	0.00	67	0.00	0.00	0.00	531	0.00	0.00	0.00
	1300	73	0.00	0.00	0.00	67	0.00	0.00	0.00	531	0.00	0.00	0.00
	2100	73	0.00	0.00	0.00	67	0.00	0.00	0.00	531	0.00	0.00	0.00
7/1/11	500	73	0.00	0.00	0.00	67	0.00	0.00	0.00	531	0.00	0.00	0.00
	1300	73	0.00	0.00	0.00	67	0.00	0.00	0.00	531	0.00	0.00	0.00
	2100	73	0.00	0.07	0.00	67	0.00	0.00	0.00	531	0.00	0.00	0.00
7/2/11	500	73	0.00	0.02	0.00	67	0.00	0.04	0.00	531	0.00	0.00	0.00
	1300	73	0.00	0.02	0.00	67	0.00	0.02	0.00	531	0.00	0.02	0.00
	2100	73	0.00	0.00	0.00	67	0.00	0.00	0.00	531	0.00	0.00	0.00
7/3/11	500	73	0.00	0.00	0.00	67	0.00	0.02	0.00	531	0.00	0.00	0.00
	1300	73	0.00	0.03	0.00	67	0.00	0.02	0.00	531	0.00	0.00	0.00
	2100	73	0.00	0.00	0.00	67	0.00	0.00	0.00	531	0.00	0.00	0.00
7/4/11	500	73	0.00	0.00	0.00	67	0.00	0.13	0.00	531	0.00	0.00	0.00
	1300	73	0.00	0.02	0.00	67	0.00	0.02	0.00	531	0.00	0.00	0.00
	2100	73	0.00	0.02	0.00	67	0.00	0.02	0.00	531	0.00	0.00	0.00
7/5/11	500	73	0.00	0.02	0.00	67	0.00	0.03	0.00	531	0.00	0.00	0.00
	1300	73	0.00	0.00	0.00	67	0.00	0.00	0.00	531	0.00	0.00	0.00
	2100	73	0.00	0.00	0.00	67	0.00	0.00	0.00	531	0.00	0.00	0.00
7/6/11	500	73	0.00	0.03	0.00	67	0.00	0.00	0.00	531	0.00	0.00	0.00
	1300	73	0.00	0.03	0.00	67	0.00	0.00	0.00	531	0.00	0.02	0.00
	2100	73	0.00	0.00	0.00	67	0.00	0.00	0.00	531	0.00	0.00	0.00
7/7/11	500	73	0.00	0.00	0.00	67	0.00	0.00	0.00	531	0.00	0.02	0.00
	1300	73	0.00	0.00	0.00	67	0.00	0.00	0.00	531	0.00	0.00	0.00
	2100	73	0.00	0.00	0.00	67	0.00	0.00	0.00	531	0.00	0.00	0.00
7/8/11	500	73	0.00	0.02	0.00	67	0.00	0.00	0.00	531	0.00	0.00	0.00
	1300	73	0.00	0.00	0.00	67	0.00	0.00	0.00	531	0.00	0.02	0.00
	2100	73	0.00	0.00	0.00	67	0.00	0.00	0.00	531	0.00	0.00	0.00
7/9/11	500	73	0.00	0.00	0.00	67	0.00	0.00	0.00	531	0.00	0.00	0.00
	1300	73	0.00	0.04	0.00	67	0.00	0.00	0.00	531	0.00	0.00	0.00
	2100	73	0.00	0.00	0.00	67	0.00	0.00	0.00	531	0.00	0.00	0.00
7/10/11	500	73	0.00	0.00	0.00	67	0.00	0.00	0.00	531	0.00	0.00	0.00
	1300	73	0.00	0.00	0.00	67	0.00	0.00	0.00	531	0.00	0.00	0.00
	2100	73	0.00	0.00	0.00	67	0.00	0.00	0.00	531	0.00	0.00	0.00
7/11/11	500	73	0.00	0.00	0.00	67	0.00	0.00	0.00	531	0.00	0.00	0.00

Pond 18A - Continuous Phosphine Monitoring

Date	Time	Station 1 - West				Station 2 - East				Station 3 - East			
		Monitor Number	Current Reading	Max Reading	TWA	Monitor Number	Current Reading	Max Reading	TWA	Monitor Number	Current Reading	Max Reading	TWA
	1300	73	0.00	0.00	0.00	67	0.00	0.00	0.00	531	0.00	0.00	0.00
	2100	110	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
7/12/11	500	110	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1300	110	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	2100	110	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
7/13/11	500	110	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.03	0.00
	1300	110	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	2100	110	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
7/14/11	500	110	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1300	110	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	2100	110	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.03	0.00
7/15/11	500	110	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1300	110	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	2100	110	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
7/16/11	500	110	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1300	110	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	2100	110	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
7/17/11	500	110	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1300	110	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	2100	110	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
7/18/11	500	110	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1300	110	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	2100	110	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
7/19/11	500	110	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1300	110	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.15	0.00
	2100	110	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
7/20/11	500	110	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1300	110	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	2100	110	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
7/21/11	500	110	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1300	110	0.00	0.02	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	2100	110	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
7/22/11	500	110	0.03	0.03	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1300	110	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	2100	110	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
7/23/11	500	110	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1300	110	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	2100	110	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
7/24/11	500	110	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.02	0.00
	1300	110	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	2100	110	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
7/25/11	500	110	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.02	0.00
	1300	110	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.02	0.00
	2100	112	0.00	0.00	0.00	73	0.00	0.00	0.00	J53	0.00	0.00	0.00
7/26/11	500	112	0.00	0.00	0.00	73	0.00	0.00	0.00	J54	0.00	0.00	0.00
	1300	112	0.00	0.00	0.00	73	0.00	0.00	0.00	J54	0.00	0.00	0.00
	2100	112	0.00	0.00	0.00	73	0.00	0.00	0.00	J54	0.00	0.00	0.00
7/27/11	500	112	0.00	0.00	0.00	73	0.00	0.00	0.00	J54	0.00	0.00	0.00
	1300	112	0.00	0.00	0.00	73	0.00	0.00	0.00	J54	0.00	0.00	0.00
	2100	112	0.00	0.00	0.00	73	0.00	0.00	0.00	J54	0.00	0.00	0.00
7/28/11	500	112	0.00	0.00	0.00	73	0.02	0.02	0.00	J54	0.00	0.00	0.00
	1300	112	0.00	0.00	0.00	73	0.00	0.00	0.00	J54	0.00	0.00	0.00
	2100	112	0.00	0.00	0.00	73	0.00	0.02	0.00	J54	0.00	0.00	0.00
7/29/11	500	112	0.00	0.00	0.00	73	0.03	0.04	0.00	J54	0.00	0.00	0.00
	1300	112	0.00	0.00	0.00	533	0.00	0.00	0.00	J54	0.00	0.00	0.00
	2100	112	0.00	0.00	0.00	533	0.00	0.00	0.00	J54	0.00	0.00	0.00
7/30/11	500	112	0.00	0.00	0.00	533	0.00	0.00	0.00	J54	0.00	0.00	0.00
	1300	112	0.00	0.00	0.00	533	0.00	0.00	0.00	J54	0.00	0.00	0.00
	2100	112	0.00	0.00	0.00	533	0.00	0.00	0.00	J54	0.00	0.00	0.00
7/31/11	500	112	0.00	0.10	0.00	533	0.00	0.00	0.00	J54	0.00	0.00	0.00
	1300	112	0.00	0.00	0.00	533	0.00	0.00	0.00	68	0.00	0.00	0.00
	2100	112	0.00	0.00	0.00	533	0.00	0.00	0.00	68	0.00	0.00	0.00
8/1/11	500	112	0.00	0.00	0.00	533	0.00	0.00	0.00	68	0.00	0.00	0.00
	1300	112	0.00	0.00	0.00	533	0.00	0.00	0.00	68	0.00	0.00	0.00
	2100	112	0.00	0.00	0.00	533	0.00	0.00	0.00	68	0.00	0.00	0.00
8/2/11	500	112	0.00	0.00	0.00	533	0.00	0.00	0.00	68	0.00	0.00	0.00
	1300	112	0.00	0.00	0.00	533	0.00	0.00	0.00	68	0.00	0.00	0.00
	2100	112	0.00	0.00	0.00	533	0.00	0.00	0.00	68	0.00	0.00	0.00
8/3/11	500	112	0.00	0.00	0.00	533	0.00	0.00	0.00	68	0.00	0.00	0.00
	1300	112	0.00	0.00	0.00	533	0.00	0.00	0.00	68	0.00	0.00	0.00
	2100	112	0.00	0.00	0.00	533	0.00	0.00	0.00	68	0.00	0.00	0.00
8/4/11	500	112	0.00	0.00	0.00	533	0.00	0.00	0.00	68	0.00	0.00	0.00
	1300	112	0.00	0.00	0.00	533	0.00	0.00	0.00	68	0.00	0.00	0.00
	2100	112	0.00	0.00	0.00	533	0.00	0.00	0.00	68	0.00	0.00	0.00
8/5/11	500	112	0.00	0.00	0.00	533	0.00	0.00	0.00	68	0.00	0.00	0.00
	1300	112	0.00	0.00	0.00	533	0.00	0.00	0.00	68	0.00	0.00	0.00
	2100	112	0.00	0.00	0.00	533	0.00	0.00	0.00	68	0.00	0.00	0.00
8/6/11	500	112	0.00	0.00	0.00	533	0.00	0.00	0.00	68	0.00	0.00	0.00
	1300	112	0.00	0.00	0.00	533	0.00	0.00	0.00	68	0.00	0.00	0.00
	2100	112	0.00	0.00	0.00	533	0.00	0.00	0.00	68	0.00	0.00	0.00
8/7/11	500	112	0.00	0.00	0.00	533	0.00	0.00	0.00	68	0.00	0.00	0.00
	1300	112	0.00	0.00	0.00	533	0.00	0.00	0.00	68	0.00	0.00	0.00
	2100	112	0.00	0.00	0.00	533	0.00	0.00	0.00	68	0.00	0.00	0.00
8/8/11	500	112	0.00	0.00	0.00	533	0.00	0.00	0.00	68	0.00	0.00	0.00
	1300	69	0.00	0.00	0.00	110	0.00	0.00	0.00	J56	0.00	0.00	0.00
	2100	69	0.00	0.00	0.00	110	0.00	0.00	0.00	J56	0.00	0.00	0.00
8/9/11	500	69	0.00	0.00	0.00	110	0.00	0.02	0.00	J56	0.00	0.00	0.00
	1300	69	0.00	0.00	0.00	110	0.00	0.00	0.00	J56	0.00	0.00	0.00
	2100	69	0.00	0.00	0.00	110	0.00	0.00	0.00	J56	0.00	0.00	0.00
8/10/11	500	69	0.00	0.00	0.00	110	0.00	0.00	0.00	J56	0.00	0.00	0.00
	1300	69	0.00	0.00	0.00	110	0.00	0.00	0.00	J56	0.00	0.00	0.00
	2100	69	0.00	0.00	0.00	110	0.00	0.00	0.00	J56	0.00	0.00	0.00
8/11/11	500	69	0.00	0.00	0.00	110	0.00	0.00	0.00	J56	0.00	0.00	0.00
	1300	69	0.00	0.00	0.00	110	0.00	0.00	0.00	J56	0.00	0.00	0.00
	2100	69	0.00	0.00	0.00	110	0.00	0.00	0.00	J56	0.00	0.00	0.00
8/12/11	500	69	0.00	0.00	0.00	110	0.00	0.00	0.00	J56	0.00	0.00	0.00
	1300	69	0.00	0.00	0.00	110	0.00	0.00	0.00	J56	0.00	0.00	0.00
	2100	69	0.00	0.00	0.00	110	0.00	0.00	0.00	J56	0.00	0.00	0.00
8/13/11	500	69	0.00	0.00	0.00	110	0.00	0.00	0.00	J56	0.00	0.00	0.00
	1300	69	0.00	0.00	0.00	110	0.00	0.00	0.00	J56	0.00	0.00	0.00
	2100	69	0.00	0.00	0.00	110	0.00	0.00	0.00	J56	0.00	0.00	0.00
8/14/11	500	69	0.00	0.00	0.00	110	0.00	0.00	0.00	J56	0.00	0.00	0.00
	1300	69	0.00	0.00	0.00	110	0.00	0.00	0.00	J56	0.00	0.00	0.00
	2100	69	0.00	0.00	0.00	110	0.00	0.00	0.00	J56	0.00	0.00	0.00
8/15/11	500	69	0.00	0.00	0.00	110	0.00	0.03	0.00	J56	0.00	0.00	0.00
	1300	69	0.00	0.00	0.00	110	0.00	0.02	0.00	J56	0.00	0.00	0.00
	2100	69	0.00	0.00	0.00	110	0.00	0.00	0.00	J56	0.00	0.00	0.00
8/16/11	500	69	0.00	0.00	0.00	110	0.03	0.03	0.00	J56	0.00	0.00	0.00
	1300	69	0.00	0.00	0.00	68	0.00	0.00	0.00	J56	0.00	0.00	0.00
	2100	69	0.00	0.00	0.00	68	0.00	0.00	0.00	J56	0.00	0.00	0.00
8/17/11	500	69	0.00	0.00	0.00	68	0.00	0.04	0.00	J56	0.00	0.00	0.00
	1300	69	0.00	0.00	0.00	68	0.00	0.00	0.00	J56	0.00	0.00	0.00
	2100	69	0.00	0.00	0.00	68	0.00	0.00	0.00	J56	0.00	0.00	0.00
8/18/11	500	69	0.00	0.00	0.00	68	0.00	0.10	0.00	J56	0.00	0.02	0.00
	1300	69	0.00	0.07	0.00	68	0.00	0.00	0.00	J56	0.00	0.00	0.00
	2100	H53	0.00	0.00	0.00	68	0.00	0.00	0.00	J53	0.00	0.00	0.00
8/19/11	500	H53	0.00	0.00	0.00	68	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1300	H53	0.00	0.00	0.00	68	0.00	0.00	0.00	J56	0.00	0.00	0.00
	2100	H53	0.00	0.00	0.00	68	0.00	0.00	0.00	J56	0.00	0.00	0.00
8/20/11	500	H53	0.00	0.00	0.00	68	0.00	0.00	0.00	J56	0.00	0.03	0.00
	1300	H53	0.00	0.00	0.00	68	0.00	0.00	0.00	J56	0.00	0.00	0.00
	2100	H53	0.00	0.00	0.00	68	0.00	0.00	0.00	J56	0.00	0.00	0.00
8/21/11	500	H53	0.00	0.00	0.00	68	0.00	0.00	0.00	J56	0.00	0.00	0.00
	1300	H53	0.00	0.00	0.00	68	0.00	0.00	0.00	J56	0.00	0.00	0.00
	2100	H53	0.00	0.00	0.00	68	0.00	0.00	0.00	J56	0.00	0.00	0.00
8/22/11	500	H53	0.00	0.00	0.00	68	0.00	0.00	0.00	J56	0.00	0.00	0.00
	1300	H53	0.00	0.02	0.00	68	0.00	0.00	0.00	J56	0.00	0.00	0.00
	2100	H53	0.00	0.00	0.00	68	0.00	0.00	0.00	J56	0.00	0.00	0.00
8/23/11	500	H53	0.00	0.00	0.00	68	0.00	0.00	0.00	J56	0.00	0.00	0.00
	1300	H53	0.00	0.00	0.00	68	0.00	0.00	0.00	J56	0.00	0.00	0.00
	2100	27	0.00	0.04	0.00	H69	0.00	0.00	0.00	J54	0.00	0.00	0.00
8/24/11	500	27	0.00	0.03	0.00	H69	0.00	0.00	0.00	J54	0.00	0.00	0.00
	1300	27	0.00	0.02	0.00	69	0.00	0.00	0.00	J54	0.00	0.03	0.00
	2100	27	0.00	0.00	0.00	H69	0.00	0.00	0.00	J54	0.00	0.00	0.00
8/25/11	500	27	0.00	0.00	0.00	H69	0.00	0.00	0.00	J54	0.00	0.00	0.00
	1300	27	0.00	0.00	0.00	69	0.00	0.00	0.00	J54	0.00	0.04	0.00
	2100	27	0.00	0.00	0.00	69	0.00	0.00	0.00	J54	0.00	0.00	0.00
8/26/11	500	27	0.00	0.00	0.00	69	0.00	0.00	0.00	J54	0.00	0.00	0.00
	1300	27	0.00	0.00	0.00	69	0.00	0.00	0.00	J54	0.00	0.00	0.00
	2100	27	0.00	0.00	0.00	69	0.00	0.00	0.00	J54	0.00	0.00	0.00
8/27/11	500	27	0.00	0.00	0.00	69	0.00	0.00	0.00	J54	0.00	0.00	0.00
	1300	27	0.00	0.00	0.00	69	0.00	0.00	0.00	J54	0.00	0.02	0.00
	2100	27	0.00	0.00	0.00	69	0.00	0.00	0.00	J54	0.00	0.00	0.00
8/28/11	500	27	0.00	0.00	0.00	69	0.00	0.00	0.00	J54	0.00	0.00	0.00
	1300	531	0.00	0.00	0.00	67	0.00	0.02	0.00	73	0.00	0.00	0.00
	2100	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
8/29/11	500	531	0.00	0.14	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
	1300	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
	2100	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
8/30/11	500	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.03	0.00
	1300	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.06	0.00
	2100	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
8/31/11	500	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.02	0.00
	1300	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
	2100	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
9/1/11	500	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
	1300	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
	2100	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.03	0.00
9/2/11	500	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
	1300	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
	2100	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
9/3/11	500	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
	1300	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
	2100	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.02	0.00
9/4/11	500	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.03	0.00
	1300	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
	2100	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.03	0.00
9/5/11	500	531	0.00	0.03	0.00	67	0.00	0.00	0.00	73	0.00	0.02	0.00
	1300	531	0.00	0.00	0.00	67	0.00	0.04	0.00	73	0.00	0.00	0.00
	2100	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
9/6/11	500	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
	1300	531	0.00	0.00	0.00	67	0.00	0.04	0.00	73	0.00	0.00	0.00
	2100	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
9/7/11	500	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
	1300	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
	2100	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.02	0.00
9/8/11	500	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
	1300	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
	2100	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
9/9/11	500	531	0.00	0.04	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
	1300	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.06	0.00
	2100	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
9/10/11	500	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
	1300	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
	2100	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
9/11/11	500	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
	1300	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
	2100	531	0.00	0.00	0.00	67	0.00	0.02	0.00	73	0.00	0.00	0.00
9/12/11	500	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
	1300	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
	2100	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
9/13/11	500	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
	1300	531	0.00	0.00	0.00	67	0.00	0.03	0.00	73	0.00	0.03	0.00
	2100	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
9/14/11	500	531	0.00	0.04	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
	1300	531	0.00	0.02	0.00	67	0.00	0.03	0.00	73	0.00	0.03	0.00
	2100	531	0.00	0.02	0.00	67	0.00	0.00	0.00	73	0.00	0.02	0.00
9/15/11	500	531	0.03	0.04	0.01	67	0.00	0.03	0.00	73	0.02	0.04	0.01
	1300	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
	2100	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
9/16/11	500	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
	1300	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
	2100	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
9/17/11	500	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
	1300	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
	2100	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
9/18/11	500	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
	1300	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
	2100	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
9/19/11	500	531	0.00	0.00	0.00	67	0.03	0.06	0.00	73	0.00	0.00	0.00
	1300	531	0.00	0.04	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
	2100	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
9/20/11	500	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
	1300	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
	2100	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.02	0.00
9/21/11	500	531	0.00	0.00	0.00	67	0.00	0.02	0.00	73	0.02	0.04	0.00
	1300	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
	2100	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
9/22/11	500	531	0.00	0.00	0.00	67	0.00	0.02	0.00	H73	0.00	0.02	0.00
	1300	531	0.00	0.00	0.00	67	0.00	0.00	0.00	H73	0.00	0.00	0.00
	2100	531	0.00	0.00	0.00	67	0.00	0.00	0.00	H73	0.00	0.00	0.00
9/23/11	500	531	0.00	0.00	0.00	67	0.00	0.00	0.00	H73	0.00	0.00	0.00
	1300	531	0.00	0.00	0.00	67	0.00	0.00	0.00	H73	0.00	0.00	0.00
	2100	531	0.00	0.00	0.00	67	0.00	0.00	0.00	H73	0.00	0.04	0.00
9/24/11	500	531	0.00	0.00	0.00	67	0.00	0.00	0.00	H73	0.03	0.06	0.02
	1300	531	0.00	0.00	0.00	67	0.00	0.00	0.00	H73	0.00	0.00	0.00
	2100	531	0.00	0.00	0.00	67	0.00	0.00	0.00	H73	0.00	0.00	0.00
9/25/11	500	531	0.00	0.00	0.00	67	0.00	0.00	0.00	H73	0.00	0.00	0.00
	1300	531	0.00	0.00	0.00	67	0.00	0.00	0.00	H73	0.00	0.00	0.00
	2100	531	0.00	0.00	0.00	67	0.00	0.11	0.00	H73	0.00	0.11	0.00
9/26/11	500	531	0.00	0.00	0.00	67	0.00	0.00	0.00	H73	0.00	0.00	0.00
	1300	531	0.00	0.00	0.00	67	0.00	0.02	0.00	H73	0.00	0.00	0.00
	2100	531	0.00	0.00	0.00	67	0.00	0.00	0.00	H73	0.00	0.03	0.00
9/27/11	500	531	0.00	0.00	0.00	67	0.00	0.00	0.00	H73	0.00	0.00	0.00
	1300	531	0.00	0.00	0.00	67	0.00	0.00	0.00	H73	0.00	0.00	0.00
	2100	531	0.00	0.00	0.00	67	0.00	0.00	0.00	H73	0.00	0.00	0.00
9/28/11	500	531	0.00	0.00	0.00	67	0.00	0.00	0.00	H73	0.00	0.00	0.00
	1300	531	0.00	0.09	0.00	67	0.00	0.02	0.00	H73	0.00	0.00	0.00
	2100	531	0.00	0.00	0.00	67	0.00	0.00	0.00	H73	0.00	0.00	0.00
9/29/11	500	531	0.00	0.00	0.00	67	0.00	0.00	0.00	H73	0.00	0.00	0.00
	1300	531	0.00	0.00	0.00	67	0.00	0.06	0.00	H73	0.00	0.18	0.00
	2100	531	0.00	0.00	0.00	67	0.00	0.00	0.00	H73	0.00	0.14	0.00
9/30/11	500	531	0.00	0.00	0.00	67	0.00	0.00	0.00	H73	0.00	0.00	0.00
	1300	531	0.00	0.00	0.00	67	0.00	0.07	0.00	H73	0.00	0.00	0.00
	2100	531	0.00	0.00	0.00	67	0.00	0.00	0.00	H73	0.00	0.00	0.00
10/1/11	500	531	0.00	0.00	0.00	67	0.00	0.00	0.00	H73	0.00	0.00	0.00
	1300	531	0.00	0.00	0.00	67	0.00	0.00	0.00	H73	0.00	0.00	0.00
	2100	531	0.00	0.00	0.00	67	0.00	0.00	0.00	H73	0.00	0.00	0.00
10/2/11	500	531	0.00	0.00	0.00	67	0.00	0.00	0.00	H73	0.00	0.00	0.00
	1300	531	0.00	0.00	0.00	67	0.00	0.00	0.00	H73	0.00	0.12	0.00
	2100	531	0.00	0.00	0.00	67	0.00	0.00	0.00	H73	0.00	0.00	0.00
10/3/11	500	531	0.00	0.00	0.00	67	0.00	0.00	0.00	H73	0.00	0.00	0.00
	1300	531	0.00	0.00	0.00	67	0.00	0.00	0.00	H73	0.00	0.00	0.00
	2100	531	0.00	0.00	0.00	67	0.00	0.00	0.00	H73	0.00	0.00	0.00
10/4/11	500	531	0.00	0.00	0.00	67	0.00	0.00	0.00	H73	0.00	0.00	0.00
	1300	531	0.00	0.00	0.00	67	0.00	0.00	0.00	H73	0.00	0.00	0.00
	2100	531	0.00	0.00	0.00	67	0.00	0.00	0.00	H73	0.00	0.00	0.00
10/5/11	500	531	0.00	0.00	0.00	67	0.00	0.00	0.00	H73	0.00	0.02	0.00
	1300	531	0.00	0.00	0.00	67	0.00	0.00	0.00	H73	0.00	0.00	0.00
	2100	531	0.00	0.00	0.00	67	0.00	0.00	0.00	H73	0.00	0.00	0.00
10/6/11	500	531	0.00	0.00	0.00	67	0.00	0.02	0.00	H73	0.00	0.00	0.00
	1300	531	0.00	0.00	0.00	67	0.00	0.00	0.00	H73	0.00	0.00	0.00
	2100	531	0.00	0.02	0.00	67	0.00	0.00	0.00	H73	0.00	0.03	0.01
10/7/11	500	531	0.00	0.03	0.00	67	0.00	0.00	0.00	H73	0.02	0.03	0.01
	1300	531	0.00	0.00	0.00	67	0.00	0.00	0.00	H73	0.00	0.00	0.00
	2100	531	0.00	0.00	0.00	67	0.00	0.00	0.00	H73	0.00	0.00	0.00
10/8/11	500	531	0.00	0.00	0.00	67	0.00	0.00	0.00	H73	0.00	0.00	0.00
	1300	531	0.00	0.00	0.00	67	0.00	0.00	0.00	H73	0.00	0.00	0.00
	2100	531	0.00	0.00	0.00	67	0.00	0.00	0.00	H73	0.00	0.00	0.00
10/9/11	500	531	0.00	0.00	0.00	67	0.00	0.00	0.00	H73	0.00	0.02	0.00
	1300	531	0.00	0.00	0.00	69	0.00	0.03	0.00	H73	0.00	0.00	0.00
	2100	531	0.00	0.00	0.00	69	0.00	0.02	0.00	H73	0.00	0.00	0.00
10/10/11	500	531	0.00	0.03	0.00	69	0.00	0.02	0.00	H73	0.00	0.00	0.00
	1300	531	0.00	0.00	0.00	67	0.00	0.00	0.00	H73	0.00	0.00	0.00
	2100	531	0.00	0.00	0.00	67	0.00	0.02	0.00	H73	0.00	0.00	0.00
10/11/11	500	531	0.00	0.00	0.00	67	0.00	0.00	0.00	H73	0.00	0.00	0.00
	1300	531	0.00	0.00	0.00	67	0.00	0.00	0.00	H73	0.00	0.00	0.00
	2100	531	0.00	0.00	0.00	67	0.00	0.00	0.00	H73	0.00	0.00	0.00
10/12/11	500	531	0.00	0.00	0.00	67	0.00	0.00	0.00	H73	0.00	0.00	0.00
	1300	531	0.00	0.03	0.00	67	0.00	0.00	0.00	H73	0.00	0.00	0.00
	2100	531	0.00	0.00	0.00	67	0.00	0.00	0.00	H73	0.00	0.00	0.00
10/13/11	500	531	0.00	0.00	0.00	67	0.00	0.00	0.00	H73	0.00	0.00	0.00
	1300	531	0.00	0.02	0.00	67	0.00	0.00	0.00	H73	0.00	0.03	0.00
	2100	531	0.00	0.00	0.00	67	0.00	0.00	0.00	H73	0.00	0.00	0.00
10/14/11	500	531	0.00	0.00	0.00	67	0.00	0.00	0.00	H73	0.00	0.02	0.00
	1300	531	0.00	0.00	0.00	67	0.00	0.00	0.00	H73	0.00	0.02	0.00
	2100	531	0.00	0.00	0.00	67	0.00	0.00	0.00	H73	0.00	0.00	0.00
10/15/11	500	531	0.00	0.00	0.00	67	0.00	0.00	0.00	H73	0.00	0.00	0.00
	1300	531	0.00	0.09	0.00	67	0.00	0.00	0.00	H73	0.00	0.12	0.00
	2100	531	0.00	0.00	0.00	67	0.00	0.00	0.00	H73	0.00	0.00	0.00
10/16/11	500	531	0.00	0.02	0.00	67	0.00	0.05	0.00	H73	0.00	0.00	0.00
	1300	531	0.00	0.00	0.00	67	0.00	0.00	0.00	H73	0.00	0.00	0.00
	2100	531	0.00	0.00	0.00	67	0.00	0.00	0.00	H73	0.00	0.00	0.00
10/17/11	500	531	0.00	0.00	0.00	67	0.00	0.00	0.00	H73	0.00	0.07	0.00
	1300	531	0.00	0.00	0.00	67	0.00	0.00	0.00	H73	0.00	0.00	0.00
	2100	531	0.00	0.00	0.00	67	0.00	0.00	0.00	H73	0.00	0.00	0.00
10/18/11	500	531	0.00	0.00	0.00	67	0.00	0.12	0.00	H73	0.00	0.08	0.00
	1300	531	0.00	0.00	0.00	67	0.00	0.00	0.00	H73	0.00	0.00	0.00
	2100	531	0.00	0.00	0.00	67	0.00	0.00	0.00	H73	0.00	0.00	0.00
10/19/11	500	531	0.00	0.00	0.00	67	0.00	0.00	0.00	H73	0.00	0.00	0.00
	1300	531	0.00	0.08	0.00	67	0.00	0.12	0.00	73	0.00	0.10	0.00
	2100	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
10/20/11	500	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
	1300	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
	2100	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
10/21/11	500	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
	1300	531	0.00	0.00	0.00	67	0.00	0.02	0.00	73	0.00	0.00	0.00
	2100	531	0.00	0.03	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
10/22/11	500	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
	1300	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
	2100	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
10/23/11	500	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
	1300	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
	2100	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
10/24/11	500	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
	1300	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
	2100	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
10/25/11	500	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
	1300	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
	2100	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
10/26/11	500	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
	1300	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
	2100	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
10/27/11	500	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
	1300	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
	2100	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
10/28/11	500	531	0.00	0.04	0.00	67	0.00	0.03	0.00	73	0.00	0.04	0.00
	1300	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
	2100	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
10/29/11	500	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
	1300	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
	2100	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
10/30/11	500	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
	1300	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
	2100	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.03	0.00
10/31/11	500	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
	1300	531	0.00	0.05	0.00	67	0.00	0.04	0.00	73	0.00	0.00	0.00
	2100	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
11/1/11	500	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
	1300	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
	2100	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.03	0.00
11/2/11	500	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
	1300	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
	2100	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.03	0.00
11/3/11	500	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
	1300	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
	2100	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
11/4/11	500	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.04	0.00
	1300	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
	2100	531	0.00	0.00	0.00	H67	0.00	0.00	0.00	73	0.00	0.00	0.00
11/5/11	500	531	0.00	0.00	0.00	H67	0.00	0.00	0.00	73	0.00	0.00	0.00
	1300	531	0.00	0.00	0.00	H67	0.00	0.00	0.00	73	0.00	0.00	0.00
	2100	531	0.00	0.00	0.00	H67	0.00	0.00	0.00	73	0.00	0.00	0.00
11/6/11	500	531	0.00	0.00	0.00	H67	0.00	0.00	0.00	73	0.00	0.00	0.00
	1300	531	0.00	0.00	0.00	H67	0.00	0.00	0.00	73	0.00	0.00	0.00
	2100	531	0.00	0.00	0.00	H67	0.00	0.00	0.00	73	0.00	0.00	0.00
11/7/11	500	531	0.00	0.00	0.00	H67	0.00	0.00	0.00	73	0.00	0.00	0.00
	1300	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
	2100	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
11/8/11	500	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
	1300	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
	2100	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
11/9/11	500	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.02	0.00
	1300	531	0.00	0.00	0.00	67	0.00	0.03	0.00	73	0.00	0.00	0.00
	2100	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
11/10/11	500	531	0.00	0.07	0.00	67	0.00	0.02	0.00	73	0.00	0.03	0.00
	1300	531	0.00	0.00	0.00	67	0.00	0.26	0.00	73	0.00	0.00	0.00
	2100	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
11/11/11	500	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
	1300	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
	2100	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
11/12/11	500	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
	1300	531	0.00	0.02	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
	2100	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
11/13/11	500	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
	1300	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
	2100	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
11/14/11	500	531	0.03	0.04	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
	1300	531	0.00	0.00	0.00	67	0.00	0.02	0.00	73	0.00	0.00	0.00
	2100	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
11/15/11	500	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
	1300	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
	2100	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
11/16/11	500	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
	1300	531	0.00	0.00	0.00	67	0.00	0.06	0.00	73	0.00	0.00	0.00
	2100	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
11/17/11	500	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
	1300	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
	2100	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
11/18/11	500	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
	1300	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
	2100	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
11/19/11	500	531	0.00	0.02	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
	1300	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
	2100	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.03	0.00
11/20/11	500	531	0.00	0.00	0.00	67	0.00	0.02	0.00	73	0.00	0.02	0.00
	1300	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
	2100	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
11/21/11	500	531	0.00	0.02	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
	1300	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
	2100	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
11/22/11	500	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
	1300	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
	2100	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
11/23/11	500	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
	1300	531	0.00	0.02	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
	2100	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
11/24/11	500	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
	1300	531	0.00	0.00	0.00	67	0.00	0.22	0.00	73	0.00	0.02	0.00
	2100	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.03	0.00
11/25/11	500	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
	1300	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
	2100	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
11/26/11	500	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
	1300	531	0.00	0.02	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
	2100	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.03	0.00
11/27/11	500	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.04	0.00
	1300	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
	531	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
11/28/11	500	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
	1300	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
	2100	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
11/29/11	500	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
	1300	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
	2100	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
11/30/11	500	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
	1300	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
	2100	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
12/1/11	500	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
	1300	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
	2100	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
12/2/11	500	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
	1300	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
	2100	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
12/3/11	500	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
	1300	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
	2100	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
12/4/11	500	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
	1300	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
	2100	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
12/5/11	500	531	0.00	0.00	0.00	67	0.00	0.00	0.00	73	0.00	0.00	0.00
	1300	531	0.00	0.00	0.00	67	0.00	0.00	0.00	730	0.00	0.00	0.00
	2100	Discontinued. Monitors removed from Pond 18A											
Start Up													

Pond 18A - Continuous Phosphine Monitoring

Date	Time	Station 1 - West				Station 2 - East				Station 3 - East				
		Monitor Number	Current Reading	Max Reading	TWA	Monitor Number	Current Reading	Max Reading	TWA	Monitor Number	Current Reading	Max Reading	TWA	
4/18/13	500													Monitors on and Zeroed out (No Readings)
	1300	J56	0.00	0.00	0.00	534	0.00	0.00	0.00	533	0.00	0.00	0.00	First logged reading
	2100	J56	0.00	0.00	0.00	534	0.00	0.00	0.00	533	0.00	0.00	0.00	
4/19/13	500	J56	0.00	0.00	0.00	534	0.00	0.00	0.00	533	0.00	0.00	0.00	
	1300	J56	0.00	0.00	0.00	534	0.00	0.00	0.00	533	0.00	0.00	0.00	
	2100	J56	0.00	0.00	0.00	534	0.00	0.00	0.00	533	0.00	0.00	0.00	
4/20/13	500	J56	0.00	0.00	0.00	534	0.00	0.00	0.00	533	0.00	0.00	0.00	
	1300	J56	0.00	0.00	0.00	534	0.00	0.00	0.00	533	0.00	0.00	0.00	
	2100	J56	0.00	0.00	0.00	534	0.00	0.00	0.00	533	0.00	0.00	0.00	
4/21/13	500	J56	0.00	0.00	0.00	534	0.00	0.00	0.00	533	0.00	0.00	0.00	
	1300	J56	0.00	0.00	0.00	534	0.00	0.00	0.00	533	0.00	0.00	0.00	
	2100	J56	0.00	0.00	0.00	534	0.00	0.00	0.00	533	0.00	0.00	0.00	
4/22/13	500	J56	0.00	0.00	0.00	534	0.00	0.00	0.00	533	0.00	0.00	0.00	
	1300	J56	0.00	0.00	0.00	534	0.00	0.00	0.00	533	0.00	0.00	0.00	
	2100	J56	0.00	0.00	0.00	534	0.00	0.00	0.00	533	0.00	0.00	0.00	
4/23/13	500	J56	0.00	0.00	0.00	534	0.00	0.00	0.00	533	0.00	0.00	0.00	
	1300	J56	0.00	0.00	0.00	534	0.00	0.00	0.00	533	0.00	0.00	0.00	
	2100	J56	0.00	0.00	0.00	534	0.00	0.00	0.00	533	0.00	0.00	0.00	
4/24/13	500	J56	0.00	0.00	0.00	534	0.00	0.00	0.00	533	0.00	0.00	0.00	
	1300	J56	0.00	0.09	0.00	534	0.00	0.00	0.00	533	0.00	0.00	0.00	
	2100	J56	0.00	0.00	0.00	534	0.00	0.00	0.00	533	0.00	0.00	0.00	
4/25/13	500	J56	0.00	0.00	0.00	534	0.00	0.00	0.00	533	0.00	0.00	0.00	
	1300	J56	0.00	0.02	0.00	534	0.00	0.00	0.00	533	0.00	0.00	0.00	
	2100	J56	0.00	0.00	0.00	534	0.00	0.00	0.00	533	0.00	0.00	0.00	
4/26/13	500	J56	0.05	0.05	0.00	534	0.00	0.00	0.00	533	0.00	0.00	0.00	
	1300	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	533	0.00	0.00	0.00	
	2100	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	533	0.00	0.00	0.00	
4/27/13	500	H54	0.00	0.02	0.00	534	0.00	0.00	0.00	533	0.00	0.00	0.00	
	1300	H54	0.00	0.00	0.00	534	0.00	0.02	0.00	533	0.00	0.00	0.00	
	2100	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	533	0.00	0.00	0.00	
4/28/13	500	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	533	0.00	0.00	0.00	
	1300	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	533	0.00	0.00	0.00	
	2100	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	533	0.00	0.00	0.00	
4/29/13	500	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	533	0.00	0.00	0.00	
	1300	H54	0.00	0.02	0.00	534	0.00	0.00	0.00	533	0.00	0.00	0.00	
	2100	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	533	0.00	0.00	0.00	
4/30/13	500	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	533	0.00	0.00	0.00	
	1300	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	533	0.00	0.00	0.00	
	2100	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	533	0.00	0.00	0.00	
5/1/13	500	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	533	0.00	0.00	0.00	
	1300	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	533	0.00	0.00	0.00	
	2100	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	533	0.00	0.00	0.00	
5/2/13	500	H54	0.00	0.00	0.00	534	0.00	0.03	0.00	533	0.00	0.04	0.00	
	1300	H54	0.00	0.02	0.00	534	0.00	0.00	0.00	533	0.00	0.00	0.00	
	2100	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	533	0.00	0.00	0.00	
5/3/13	500	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	533	0.00	0.06	0.00	
	1300	H54	0.00	0.02	0.00	534	0.00	0.02	0.00	533	0.00	0.08	0.00	
	2100	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	533	0.00	0.00	0.00	
5/4/13	500	H54	0.00	0.03	0.00	534	0.00	0.00	0.00	533	0.00	0.00	0.00	
	1300	H54	0.00	0.07	0.00	534	0.00	0.00	0.00	533	0.00	0.00	0.00	
	2100	H54	0.00	0.02	0.00	534	0.00	0.00	0.00	533	0.00	0.00	0.00	
5/5/13	500	H54	0.00	0.03	0.00	534	0.00	0.00	0.00	533	0.00	0.05	0.00	
	1300	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	533	0.00	0.00	0.00	
	2100	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	533	0.00	0.00	0.00	
5/6/13	500	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	533	0.00	0.05	0.00	
	1300	H54	0.00	0.00	0.00	534	0.00	0.02	0.00	533	0.00	0.02	0.00	
	2100	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	533	0.00	0.05	0.00	
5/7/13	500	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	533	0.02	0.02	0.01	
	1300	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	H69	0.00	0.00	0.00	
	2100	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	H69	0.00	0.00	0.00	
5/8/13	500	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	H69	0.00	0.04	0.00	
	1300	H54	0.00	0.00	0.00	534	0.00	0.02	0.00	H69	0.00	0.03	0.00	
	2100	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	H69	0.00	0.00	0.00	
5/9/13	500	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	H69	0.00	0.04	0.00	
	1300	H54	0.00	0.00	0.00	534	0.00	0.03	0.00	H69	0.00	0.00	0.00	
	2100	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	H69	0.00	0.00	0.00	
5/10/13	500	H54	0.00	0.03	0.00	534	0.00	0.04	0.00	H69	0.00	0.03	0.00	
	1300	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	H69	0.00	0.00	0.00	
	2100	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	H69	0.00	0.00	0.00	
5/11/13	500	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	H69	0.00	0.03	0.00	
	1300	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	H69	0.00	0.03	0.00	
	2100	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	H69	0.00	0.00	0.00	
5/12/13	500	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	H69	0.00	0.00	0.00	
	1300	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	H69	0.00	0.00	0.00	
	2100	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	H69	0.04	0.06	0.00	
5/13/13	500	H54	0.03	0.03	0.00	534	0.00	0.03	0.00	H69	0.05	0.05	0.00	
	1300	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	2100	H54	0.03	0.03	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
5/14/13	500	H54	0.04	0.05	0.00	534	0.03	0.03	0.00	J53	0.00	0.04	0.00	
	1300	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	2100	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.03	0.00	
5/15/13	500	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.05	0.00	
	1300	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	2100	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
5/16/13	500	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1300	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	2100	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
5/17/13	500	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1300	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	2100	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
5/18/13	500	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1300	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	2100	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
5/19/13	500	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1300	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	2100	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
5/20/13	500	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1300	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	2100	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
5/21/13	500	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1300	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	2100	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
5/22/13	500	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1300	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	2100	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
5/23/13	500	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1300	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	2100	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
5/24/13	500	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1300	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	2100	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
5/25/13	500	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.02	0.00	
	1300	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.02	0.00	
	2100	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
5/26/13	500	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1300	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	2100	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
5/27/13	500	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1300	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	2100	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
5/28/13	500	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1300	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	2100	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.05	0.00	
5/29/13	500	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1300	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	2100	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
5/30/13	500	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
Start 12/7 Shift	700	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1500	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1900	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
5/31/13	700	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1500	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1900	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
6/1/13	700	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1500	H54	0.00	0.00	0.00	534	0.00	0.02	0.00	J53	0.00	0.00	0.00	
	1900	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
6/2/13	700	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1500	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1900	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
6/3/13	700	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1500	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1900	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
6/4/13	700	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1500	H54	0.00	0.02	0.00	534	0.00	0.02	0.00	J53	0.00	0.00	0.00	
	1900	H54	0.00	0.02	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
6/5/13	700	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1500	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1900	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
6/6/13	700	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1500	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1900	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.16	0.00	
6/7/13	700	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1500	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1900	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
6/8/13	700	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1500	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1900	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
6/9/13	700	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1500	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1900	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
6/10/13	700	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1500	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1900	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
6/11/13	700	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1500	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1900	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
6/12/13	700	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1500	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.04	0.00	
	1900	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
6/13/13	700	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1500	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1900	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
6/14/13	700	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1500	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1900	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
6/15/13	700	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1500	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1900	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
6/16/13	700	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1500	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1900	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
6/17/13	700	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1500	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1900	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
6/18/13	700	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1500	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1900	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
6/19/13	700	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1500	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1900	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
6/20/13	700	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1500	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1900	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
6/21/13	700	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1500	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1900	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
6/22/13	700	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1500	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1900	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
6/23/13	700	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1500	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1900	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
6/24/13	700	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1500	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1900	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
6/25/13	700	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1500	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1900	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
6/26/13	700	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1500	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1900	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
6/27/13	700	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1500	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1900	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
6/28/13	700	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1500	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1900	H54	0.00	0.00	0.00	534	0.00	0.10	0.00	J53	0.00	0.00	0.00	
6/29/13	700	H54	0.00	0.07	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1500	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1900	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
6/30/13	700	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1500	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1900	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.09	0.00	
7/1/13	700	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1500	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1900	H54	0.02	0.03	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
7/2/13	700	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1500	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1900	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
7/3/13	700	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1500	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1900	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
7/4/13	700	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1500	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1900	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
7/5/13	700	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1500	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1900	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
7/6/13	700	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1500	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1900	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
7/7/13	700	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1500	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1900	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
7/8/13	700	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1500	H54	0.00	0.03	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1900	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
7/9/13	700	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1500	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1900	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
7/10/13	700	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1500	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1900	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
7/11/13	700	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1500	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1900	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
7/12/13	700	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1500	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.02	0.00	
	1900	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
7/13/13	700	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1500	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1900	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.11	0.00	
7/14/13	700	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1500	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1900	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
7/15/13	700	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1500	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1900	H54	0.00	0.02	0.00	534	0.00	0.03	0.00	J53	0.00	0.03	0.00	
7/16/13	700	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1500	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1900	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
7/17/13	700	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1500	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1900	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
7/18/13	700	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1500	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1900	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
7/19/13	700	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1500	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1900	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
7/20/13	700	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1500	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1900	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
7/21/13	700	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1500	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1900	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
7/22/13	700	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1500	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1900	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
7/23/13	700	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1500	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1900	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
7/24/13	700	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1500	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1900	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
7/25/13	700	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1500	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.02	0.00	
	1900	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
7/26/13	700	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1500	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1900	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
7/27/13	700	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1500	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1900	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
7/28/13	700	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1500	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1900	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
7/29/13	700	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1500	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1900	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
7/30/13	700	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1500	H54	0.00	0.00	0.00	534	0.00	0.03	0.00	J53	0.00	0.00	0.00	
	1900	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
7/31/13	700	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1500	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1900	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
8/1/13	700	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1500	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1900	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
8/2/13	700	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1500	H54	0.00	0.02	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1900	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
8/3/13	700	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1500	H54	0.00	0.02	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1900	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
8/4/13	700	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1500	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1900	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
8/5/13	700	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1500	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1900	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
8/6/13	700	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1500	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.03	0.00	
	1900	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
8/7/13	700	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1500	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1900	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
8/8/13	700	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1500	H54	0.00	0.04	0.00	534	0.00	0.08	0.00	J53	0.00	0.00	0.00	
	1900	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
8/9/13	700	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1500	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1900	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
8/10/13	700	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1500	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1900	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
8/11/13	700	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1500	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1900	H54	0.00	0.02	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
8/12/13	700	H54	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.02	0.00	
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
8/13/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
8/14/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
8/15/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.02	0.00	
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
8/16/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
8/17/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1500	H68	0.00	0.03	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1900	H68	0.00	0.13	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
8/18/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
8/19/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.02	0.00	
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
8/20/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
8/21/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
8/22/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.02	0.00	
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
8/23/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
8/24/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
8/25/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1500	H68	0.00	0.02	0.00	534	0.00	0.00	0.00	J53	0.00	0.02	0.00	
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
8/26/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
8/27/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.05	0.00	
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
8/28/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
8/29/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
8/30/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1500	H68	0.00	0.00	0.00	534	0.00	0.10	0.00	J53	0.00	0.00	0.00	
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
8/31/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
9/1/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
9/2/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
9/3/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
9/4/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
9/5/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
9/6/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
9/7/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1500	H68	0.00	0.00	0.00	534	0.00	0.02	0.00	J53	0.00	0.00	0.00	
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
9/8/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
9/9/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.13	0.00	
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
9/10/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
9/11/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
9/12/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
9/13/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00	

Pond 18A - Continuous Phosphine Monitoring

		Station 1 - West				Station 2 - East				Station 3 - East			
Date	Time	Monitor Number	Current Reading	Max Reading	TWA	Monitor Number	Current Reading	Max Reading	TWA	Monitor Number	Current Reading	Max Reading	TWA
	1900	H68	0.00	0.02	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
9/14/13	700	H68	0.00	0.03	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.03	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
9/15/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.02	0.00	534	0.00	0.00	0.00	J53	0.00	0.02	0.00
9/16/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.02	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
9/17/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.03	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.02	0.00	534	0.00	0.00	0.00	J53	0.00	0.03	0.00
9/18/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
9/19/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
9/20/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.03	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
9/21/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
9/22/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
9/23/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
9/24/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
9/25/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.02	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
9/26/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
9/27/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
9/28/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
9/29/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
9/30/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
10/1/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.06	0.00	534	0.00	0.04	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
10/2/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
10/3/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
10/4/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
10/5/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
10/6/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
10/7/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
10/8/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.03	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
10/9/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
10/10/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.06	0.00	534	0.00	0.00	0.00	J53	0.00	0.02	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
10/11/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
10/12/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.02	0.00	534	0.00	0.00	0.00	J53	0.00	0.03	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
10/13/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.02	0.00
10/14/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
10/15/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
10/16/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
10/17/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.03	0.00	J53	0.00	0.03	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
10/18/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
10/19/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
10/20/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
10/21/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
10/22/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
10/23/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
10/24/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
10/25/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
10/26/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
10/27/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.02	0.00
10/28/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
10/29/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
10/30/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
10/31/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
11/1/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
11/2/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
11/3/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
11/4/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
11/5/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.03	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
11/6/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
11/7/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
11/8/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
11/9/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.02	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
11/10/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
11/11/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
11/12/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.03	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
11/13/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
11/14/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
11/15/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
11/16/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
11/17/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
11/18/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.03	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
11/19/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
11/20/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.02	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
11/21/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
11/22/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
11/23/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
11/24/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
11/25/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.02	0.00	J53	0.00	0.00	0.00
	1900	H68	0.03	0.06	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
11/26/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.03	0.00	J53	0.00	0.03	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.02	0.00	J53	0.00	0.02	0.00
11/27/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
11/28/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
11/29/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
11/30/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
12/1/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.03	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
12/2/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
12/3/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
12/4/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
12/5/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.02	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
12/6/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.02	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.02	0.00	J53	0.00	0.02	0.00
12/7/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.02	0.00
12/8/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.03	0.00	534	0.00	0.06	0.00	J53	0.00	0.08	0.00
12/9/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
12/10/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
12/11/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
12/12/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.03	0.00	J53	0.00	0.03	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.03	0.00	J53	0.00	0.03	0.00
12/13/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.02	0.00	534	0.00	0.02	0.00	J53	0.00	0.04	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.03	0.00
12/14/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
12/15/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
12/16/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
12/17/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
12/18/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
12/19/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.02	0.00	534	0.00	0.02	0.00	J53	0.00	0.02	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
12/20/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
12/21/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
12/22/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
12/23/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.12	0.00	534	0.00	0.07	0.00	J53	0.00	0.13	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
12/24/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.02	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
12/25/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.03	0.00	534	0.00	0.03	0.00	J53	0.00	0.02	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.02	0.00	J53	0.00	0.02	0.00
12/26/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
12/27/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
12/28/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
12/29/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.07	0.00
12/30/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.03	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
12/31/13	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
1/1/14	700	H68	0.00	0.00	0.00	534	0.00	0.02	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
1/2/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
1/3/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
1/4/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
1/5/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
1/6/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
1/7/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
1/8/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
1/9/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
1/10/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
1/11/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
1/12/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
1/13/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
1/14/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
1/15/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.02	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
1/16/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
1/17/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
1/18/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
1/19/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
1/20/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.02	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
1/21/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.02	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
1/22/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
1/23/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
1/24/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
1/25/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
1/26/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.02	0.00	534	0.00	0.00	0.00	J53	0.00	0.03	0.00
1/27/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.02	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
1/28/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
1/29/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
1/30/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
1/31/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
2/1/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
2/2/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
2/3/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
2/4/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
2/5/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
2/6/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
2/7/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
2/8/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.02	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
2/9/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
2/10/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
2/11/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.06	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
2/12/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
2/13/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
2/14/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
2/15/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
2/16/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00

Pond 18A - Continuous Phosphine Monitoring

		Station 1 - West				Station 2 - East				Station 3 - East			
Date	**Time**	**Monitor Number**	**Current Reading**	**Max Reading**	**TWA**	**Monitor Number**	**Current Reading**	**Max Reading**	**TWA**	**Monitor Number**	**Current Reading**	**Max Reading**	**TWA**
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
2/17/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
2/18/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
2/19/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
2/20/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
2/21/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
2/22/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
2/23/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
2/24/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
2/25/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
2/26/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
2/27/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
2/28/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
3/1/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
3/2/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
3/3/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
3/4/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
3/5/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
3/6/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.17	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
3/7/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
3/8/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
3/9/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
3/10/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
3/11/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.02	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
3/12/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
3/13/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
3/14/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
3/15/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
3/16/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
3/17/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
3/18/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
3/19/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
3/20/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
3/21/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
3/22/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
3/23/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
3/24/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
3/25/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
3/26/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
3/27/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
3/28/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
3/29/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
3/30/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
3/31/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
4/1/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
4/2/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
4/3/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.02	0.00	J53	0.00	0.00	0.00
4/4/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
4/5/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
4/6/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
4/7/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
4/8/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
4/9/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
4/10/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
4/11/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
4/12/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.13	0.00
4/13/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
4/14/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
4/15/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
4/16/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
4/17/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
4/18/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
4/19/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
4/20/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
4/21/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
4/22/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
4/23/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
4/24/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
4/25/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
4/26/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
4/27/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
4/28/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
4/29/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
4/30/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
5/1/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
5/2/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
5/3/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
5/4/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
5/5/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.03	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
5/6/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
5/7/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
5/8/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
5/9/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
5/10/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
5/11/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
5/12/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
5/13/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
5/14/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
5/15/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.02	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
5/16/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
5/17/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.02	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
5/18/14	700	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1500	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00
	1900	H68	0.00	0.00	0.00	534	0.00	0.00	0.00	J53	0.00	0.00	0.00

FMC RCRA Pond Area

RCRA Pond - Continuous Phosphine Monitoring

Revised 10/12/2010

Pond 17 - Continuous Phosphine Monitoring

		Station 1				Station 2				Station 3			
Date	Time	Monitor Number	Current Reading	Max Reading	TWA	Monitor Number	Current Reading	Max Reading	TWA	Monitor Number	Current Reading	Max Reading	TWA
10/14/10	500												
	1300	73	0.00	0.00	0.00	67	0.00	0.00	0.00	68	0.00	0.00	0.00
	2100	73	0.00	0.00	0.00	67	0.00	0.00	0.00	68	0.00	0.00	0.00
10/15/10	500	73	0.00	0.00	0.00	67	0.00	0.04	0.00	68	0.00	0.06	0.00
	1300	73	0.00	0.00	0.00	67	0.00	0.03	0.00	68	0.00	0.04	0.00
	2100	73	0.00	0.00	0.00	67	0.00	0.00	0.00	68	0.00	0.00	0.00
10/16/10	500	73	0.00	0.00	0.00	67	0.00	0.00	0.00	68	0.00	0.00	0.00
	1300	73	0.00	0.00	0.00	67	0.00	0.00	0.00	68	0.00	0.00	0.00
	2100	73	0.00	0.00	0.00	67	0.00	0.00	0.00	68	0.00	0.00	0.00
10/17/10	500	73	0.00	0.00	0.00	67	0.00	0.00	0.00	68	0.00	0.02	0.00
	1300	73	0.00	0.00	0.00	67	0.00	0.00	0.00	68	0.00	0.00	0.00
	2100	73	0.00	0.00	0.00	37	0.00	0.00	0.00	68	0.00	0.00	0.00
10/18/10	500	73	0.00	0.00	0.00	67	0.00	0.00	0.00	68	0.00	0.03	0.00
	1300	73	0.00	0.00	0.00	67	0.00	0.00	0.00	68	0.00	0.00	0.00
	2100	73	0.00	0.00	0.00	67	0.00	0.00	0.00	68	0.00	0.00	0.00
10/19/10	500	67	0.00	0.00	0.00	73	0.00	0.00	0.00	68	0.00	0.00	0.00
	1300	67	0.00	0.00	0.00	73	0.00	0.00	0.00	68	0.00	0.00	0.00
	2100	67	0.00	0.00	0.00	73	0.00	0.00	0.00	68	0.00	0.00	0.00
10/20/10	500	67	0.00	0.00	0.00	73	0.00	0.02	0.00	68	0.00	0.02	0.00
	1300	67	0.00	0.00	0.00	73	0.00	0.02	0.00	68	0.00	0.00	0.00
	2100	67	0.00	0.00	0.00	73	0.00	0.00	0.00	68	0.00	0.00	0.00
10/21/10	500	67	0.00	0.03	0.00	73	0.00	0.04	0.00	68	0.00	0.03	0.00
	1300	67	0.00	0.00	0.00	73	0.00	0.00	0.00	68	0.00	0.00	0.00
	2100	67	0.00	0.00	0.00	73	0.00	0.00	0.00	68	0.00	0.00	0.00
10/22/10	500	67	0.00	0.00	0.00	73	0.00	0.03	0.00	68	0.00	0.00	0.00
	1300	67	0.00	0.00	0.00	73	0.00	0.00	0.00	68	0.00	0.02	0.00
	2100	67	0.00	0.00	0.00	73	0.00	0.00	0.00	68	0.00	0.00	0.00
10/23/10	500	67	0.00	0.00	0.00	73	0.00	0.00	0.00	68	0.00	0.00	0.00
	1300	67	0.00	0.00	0.00	73	0.00	0.00	0.00	68	0.00	0.00	0.00
	2100	67	0.00	0.00	0.00	73	0.00	0.00	0.00	68	0.00	0.00	0.00
10/24/10	500	67	0.00	0.00	0.00	73	0.00	0.00	0.00	68	0.00	0.00	0.00
	1300	67	0.00	0.00	0.00	73	0.00	0.00	0.00	68	0.00	0.00	0.00
	2100	67	0.00	0.00	0.00	73	0.00	0.00	0.00	68	0.00	0.00	0.00
10/25/10	500	67	0.00	0.00	0.00	73	0.00	0.00	0.00	68	0.00	0.00	0.00
	1300	67	0.00	0.00	0.00	73	0.00	0.00	0.00	68	0.00	0.00	0.00
	2100	67	0.00	0.00	0.00	73	0.00	0.00	0.00	68	0.00	0.00	0.00
10/26/10	500	67	0.00	0.00	0.00	73	0.00	0.00	0.00	68	0.00	0.00	0.00
	1300	67	0.00	0.00	0.00	73	0.00	0.03	0.00	68	0.00	0.00	0.00
	2100	67	0.00	0.00	0.00	73	0.00	0.00	0.00	68	0.00	0.00	0.00
10/27/10	500	67	0.00	0.00	0.00	73	0.00	0.00	0.00	68	0.00	0.03	0.00
	1300	67	0.00	0.00	0.00	73	0.00	0.00	0.00	68	0.00	0.02	0.00
	2100	67	0.00	0.00	0.00	73	0.00	0.00	0.00	68	0.00	0.00	0.00
10/28/10	500	67	0.00	0.00	0.00	73	0.00	0.00	0.00	68	0.00	0.04	0.00
	1300	67	0.00	0.00	0.00	73	0.00	0.04	0.00	68	0.00	0.03	0.00
	2100	67	0.00	0.00	0.00	73	0.00	0.00	0.00	68	0.00	0.00	0.00
10/29/10	500	67	0.00	0.00	0.00	73	0.00	0.00	0.00	68	0.00	0.03	0.00
	1300	67	0.00	0.00	0.00	73	0.00	0.02	0.00	68	0.00	0.00	0.00
	2100	67	0.00	0.00	0.00	73	0.00	0.00	0.00	68	0.00	0.00	0.00
10/30/10	500	67	0.00	0.00	0.00	73	0.00	0.00	0.00	68	0.00	0.02	0.00
	1300	67	0.00	0.00	0.00	73	0.00	0.00	0.00	68	0.00	0.04	0.00

FMC RCRA Pond Area

RCRA Pond - Continuous Phosphine Monitoring

Revised 10/12/2010

Pond 17 - Continuous Phosphine Monitoring

		Station 1				Station 2				Station 3			
Date	Time	Monitor Number	Current Reading	Max Reading	TWA	Monitor Number	Current Reading	Max Reading	TWA	Monitor Number	Current Reading	Max Reading	TWA
	2100	67	0.00	0.00	0.00	73	0.00	0.00	0.00	68	0.00	0.03	0.00
10/31/10	500	67	0.00	0.00	0.00	73	0.00	0.00	0.00	68	0.00	0.00	0.00
	1300	67	0.00	0.00	0.00	73	0.00	0.00	0.00	68	0.00	0.00	0.00
	2100	67	0.00	0.00	0.00	73	0.00	0.00	0.00	68	0.00	0.00	0.00
11/1/10	500	67	0.00	0.00	0.00	73	0.00	0.00	0.00	68	0.00	0.00	0.00
	1300	67	0.00	0.00	0.00	73	0.00	0.00	0.00	68	0.00	0.00	0.00
	2100	67	0.00	0.00	0.00	73	0.00	0.00	0.00	68	0.00	0.03	0.00
11/2/10	500	67	0.00	0.00	0.00	73	0.00	0.00	0.00	68	0.00	0.02	0.00
	1300	67	0.00	0.00	0.00	73	0.00	0.00	0.00	68	0.00	0.05	0.00
	2100	67	0.00	0.00	0.00	73	0.00	0.00	0.00	68	0.00	0.00	0.00
11/3/10	500	67	0.00	0.00	0.00	73	0.00	0.00	0.00	68	0.00	0.00	0.00
	1300	67	0.00	0.00	0.00	73	0.00	0.00	0.00	68	0.00	0.00	0.00
	2100	67	0.00	0.00	0.00	73	0.00	0.00	0.00	68	0.00	0.00	0.00
11/4/10	500	67	0.00	0.00	0.00	73	0.00	0.00	0.00	68	0.00	0.00	0.00
	1300	67	0.00	0.00	0.00	73	0.00	0.00	0.00	68	0.00	0.00	0.00
	2100	67	0.00	0.00	0.00	73	0.00	0.00	0.00	68	0.00	0.04	0.00
11/5/10	500	67	0.00	0.00	0.00	73	0.00	0.00	0.00	68	0.00	0.03	0.00
	1300	67	0.00	0.00	0.00	73	0.00	0.00	0.00	68	0.00	0.04	0.00
	2100	67	0.00	0.03	0.00	73	0.00	0.00	0.00	68	0.00	0.02	0.00
11/6/10	500	67	0.00	0.00	0.00	73	0.00	0.03	0.00	68	0.00	0.00	0.00
	1300	67	0.00	0.04	0.00	73	0.00	0.06	0.00	68	0.00	0.03	0.00
	2100	67	0.00	0.00	0.00	73	0.00	0.00	0.00	68	0.00	0.04	0.00
11/7/10	500	67	0.00	0.00	0.00	73	0.00	0.02	0.00	68	0.00	0.00	0.00
	1300	67	0.00	0.00	0.00	73	0.00	0.00	0.00	68	0.00	0.00	0.00
	2100	67	0.00	0.00	0.00	73	0.00	0.00	0.00	68	0.00	0.02	0.00