Johnny —
PLEI RE:
Torrance

Chemical Waste Management, Inc.

GENERATOR'S WASTE PROFILE SHEET

EA 1134
Profile #

(Please carefully read the instructions before completing this form. Please print in ink or type)

Sales #

Service Agreement on file? Yes ☒ No ☐ Classification: Class I ☐ Class II ☐ Daily Cover ☐ Non Haz. ☐

TSDF requested Kettleman Technology requested

☐ Check here if this is a Recertification ☒ Check here if a Certificate of Destruction or Disposal is required

GENERAL INFORMATION

1. GENERATOR NAME: Douglas Aircraft Company Generator USEPA ID: CAD086510005
2. Generator Address 19503 S. Normandie Ave. Torrance, CA 90501 Billing Address: ☐ Same: Boeing Realty Corp. 3760 Kilroy Airport Wy. Suite 300, Long Beach, CA 90806
3. Technical Contact/Phone Marcia Taleff / 562-496-6524
4. Alternate Contact/Phone John Marcasco / 562 618-6300 Billing Contact/Phone: Dawn Shaver

PROPERTIES AND COMPOSITION

5. A. Process Generating Waste: Facility Demolition - Concrete from Chromium Plating/Coating Area
   B. Is the waste from a CERCLA or state mandated cleanup? Yes ☐ No ☒ Location Name:
6. Waste Name: Concrete impregnated with Chromium
7. A. Is this a USEPA hazardous waste (40 CFR Part 261)? Yes ☒ No ☐
   B. If D001, D002, D003, D004-D043 do any underlying hazardous constituents (UHC's) apply? Yes ☐ No ☒ (if yes, attach UHC form)
   C. Does this waste contain debris (List size and type in chemical composition)? Yes ☒ No ☐
   D. Identify ALL USEPA listed and characteristic waste code numbers (D, F, K, P, U): D007 State Waste Codes:
   E. Does this waste contain any Class I or Class II ozone depleting substances? ☐ Yes (List in chemical composition) ☒ No
8. Physical state @ 70°F; A. Solid ☒ Liquid ☐ Both ☐ Gas ☐ B. Single Layer ☐ Multilayer ☐ C. Free Liquid range _____ to _____ %
9. A. pH: Range _____ to _____ or Not applicable ☒ B. Strong Odor ☐: describe _____ C. Color _____
10. Liquid Flash Point: < 73°F ☐ 73-99°F ☐ 100-139°F ☐ 140-199°F ☐ > 200°F ☐ N.A. ☒
11. CHEMICAL COMPOSITION: List ALL constituents (including halogenated organics and UHC's) present in any concentration and forward available analysis.

Constituents	Range	Units	Constituents	Range	Units
Concrete	97 - 100	%			
Chromium	0 - 3	%			
TTLC 19700 ppm					
STLC 636 ppm					

TOTAL COMPOSITION MUST EQUAL OR EXCEED 100%

12. OTHER PCB's: if yes, concentration (dry weight) _____ ppm, PCB's regulated by 40 CFR 761 ☐ Pyrophoric ☐ Explosive ☐ Radioactive ☐ Water Reactive ☐ Shock Sensitive ☐ Oxidizer ☐ Carcinogen ☐ Infectious ☐ Other
13. If Benzene, concentration _____ ppm. Is the waste subject to the Benzene Waste Operation NESHAP? Yes ☐ No ☐ Unknown ☐
14. Is the waste subject to RCRA subpart CC controls? Yes ☐ No ☒ Volatile organic concentration, if known _____ ppmw.
15. If the waste is subject to the land ban and meets the treatment standards, check here: ____ and supply analytical results.

SHIPPING INFORMATION

16. PACKAGING: Bulk Solid ☐ Type/Size: _____ Bulk Liquid ☐ Type/Size _____ Drum ☐ Type/Size _____ Other _____
17. SHIPPING FREQUENCY: Units _____ Per: ☐ Month ☐ Qtr. ☐ Year ☐ One Time ☐ Other _____

SAMPLING INFORMATION

18. A. Sample source (drum, lagoon, pond, tank, vat, etc.) Sample ID: S5_6_051701_1
    Date Sampled: 05/17/01 Sampler's Name/Company: Kennedy Jenks
    B. Generator's Agent Supervision Sampling _____ 19. No sample required (See instructions)

GENERATOR'S CERTIFICATION

I hereby certify that all information submitted in this and all attached documents contains true and accurate descriptions of this waste. Any sample submitted is representative as defined in 40 CFR 261 - Appendix 1 or by using an equivalent method. All relevant information regarding known or suspected hazards in the possession of the generator has been disclosed. I authorize CWM to obtain a sample from any waste shipment for purposes of recertification. If this certification is made by a broker, the undersigned signs as authorized agent of the generator and has confirmed the information contained in this Profile Sheet from information provided by the generator and additional information as it has determined to be reasonably necessary.

Marcia Taleff — Signature

Marcia Taleff, Env. Eng. — Printed (or typed) name and title

05/24/01 — Date

If the waste profile is approved, Chemical Waste Management, Inc. has the appropriate permits and will accept the waste pursuant to our agreement. CWM Form 6000-DI replaces the following forms: CWM-51, CWM 6000, CWM 50-A-2, CWM 50-B, CWM 6000C AND CWM Form 6000-D.

SEVERN TRENT LABORATORIES, INC.

PRELIMINARY DATA SUMMARY

The results shown below may still require additional laboratory review and are subject to change. Actions taken based on these results are the responsibility of the data user.

Lot #: E1E170297

Kennedy/Jenks Consultants
Boeing Torrance C6/KJ
Project Number: HARBOR GATEWAY

Date Reported: 5/22/01

Client Sample ID: Build_20_L_23_051101_9
Sample #: 001 Date Sampled: 05/11/01 12:30 Date Received: 05/17/01 Matrix: SOLID

PARAMETER	RESULT	REPORTING LIMIT	UNITS	ANALYTICAL METHOD	
Inductively Coupled Plasma (ICP) Metals					Reviewed
Silver	ND	1.0	mg/kg	SW846 6010B	
Aluminum	25200	20.0	mg/kg	SW846 6010B	
Arsenic	3.9	1.0	mg/kg	SW846 6010B	
Barium	176	2.0	mg/kg	SW846 6010B	
Beryllium	0.74	0.50	mg/kg	SW846 6010B	
Cadmium	ND	0.50	mg/kg	SW846 6010B	
Cobalt	13.9	5.0	mg/kg	SW846 6010B	
Chromium	28.7	1.0	mg/kg	SW846 6010B	
Copper	25.4	2.5	mg/kg	SW846 6010B	
Molybdenum	ND	4.0	mg/kg	SW846 6010B	
Nickel	21.9	4.0	mg/kg	SW846 6010B	
Lead	6.2	0.50	mg/kg	SW846 6010B	
Antimony	ND	6.0	mg/kg	SW846 6010B	
Selenium	ND	0.50	mg/kg	SW846 6010B	
Thallium	0.86 B	1.0	mg/kg	SW846 6010B	
Vanadium	56.7	5.0	mg/kg	SW846 6010B	
Zinc	65.6	2.0	mg/kg	SW846 6010B	
Mercury In Solid Waste (Manual Cold-Vapor)					Reviewed
Mercury	ND	0.10	mg/kg	SW846 7471A	

B Estimated result. Result is less than RL.

Extractable Petroleum Hydrocarbons					In Review
C8-C9	ND	20	mg/kg	SW846 8015B	
C10-C11	ND	20	mg/kg	SW846 8015B	
C12-C13	ND	20	mg/kg	SW846 8015B	
C14-C15	38	20	mg/kg	SW846 8015B	
C16-C17	180	20	mg/kg	SW846 8015B	
C18-C19	300	20	mg/kg	SW846 8015B	
C20-C23	270	20	mg/kg	SW846 8015B	
C24-C27	140	20	mg/kg	SW846 8015B	
C28-C31	160	20	mg/kg	SW846 8015B	
C32-C35	170	20	mg/kg	SW846 8015B	
C36-C39	200	20	mg/kg	SW846 8015B	
C40+	480	20	mg/kg	SW846 8015B	

(Continued on next page)

SEVERN TRENT LABORATORIES, INC.

PRELIMINARY DATA SUMMARY

The results shown below may still require additional laboratory review and are subject to change. Actions taken based on these results are the responsibility of the data user.

Lot #: E1E170297

Kennedy/Jenks Consultants
Boeing Torrance C6/KJ
Project Number: HARBOR GATEWAY

Date Reported: 5/22/01

PARAMETER	RESULT	REPORTING LIMIT	UNITS	ANALYTICAL METHOD	
Client Sample ID: Build_20_L_23_051101_9					
Sample #: 001 Date Sampled: 05/11/01 12:30 Date Received: 05/17/01 Matrix: SOLID					
Extractable Petroleum Hydrocarbons					In Review
Total Carbon Chain Range	**1900**	**10**	**mg/kg**	**SW846 8015B**	
Volatile Petroleum Hydrocarbons					In Review
C6-C8	ND	1.0	mg/kg	SW846 8015B	
Client Sample ID: Build_2_AK_13_051401_2					
Sample #: 002 Date Sampled: 05/14/01 13:00 Date Received: 05/17/01 Matrix: SOLID					
Extractable Petroleum Hydrocarbons					In Review
C8-C9	ND	10	mg/kg	SW846 8015B	
C10-C11	ND	10	mg/kg	SW846 8015B	
C12-C13	ND	10	mg/kg	SW846 8015B	
C14-C15	ND	10	mg/kg	SW846 8015B	
C16-C17	ND	10	mg/kg	SW846 8015B	
C18-C19	ND	10	mg/kg	SW846 8015B	
C20-C23	ND	10	mg/kg	SW846 8015B	
C24-C27	ND	10	mg/kg	SW846 8015B	
C28-C31	ND	10	mg/kg	SW846 8015B	
C32-C35	ND	10	mg/kg	SW846 8015B	
C36-C39	ND	10	mg/kg	SW846 8015B	
C40+	ND	10	mg/kg	SW846 8015B	
Total Carbon Chain Range	ND	10	mg/kg	SW846 8015B	
Volatile Petroleum Hydrocarbons					In Review
C6-C8	ND	1.0	mg/kg	SW846 8015B	
Client Sample ID: Build_3_Q_23_051701_3					
Sample #: 003 Date Sampled: 05/17/01 11:30 Date Received: 05/17/01 Matrix: SOLID					
Inductively Coupled Plasma (ICP) Metals					Reviewed
Lead	**8.2**	**0.50**	**mg/kg**	**SW846 6010B**	

(Continued on next page)

SEVERN TRENT LABORATORIES, INC.

PRELIMINARY DATA SUMMARY

The results shown below may still require additional laboratory review and are subject to change. Actions taken based on these results are the responsibility of the data user.

Lot #: E1E170297

Kennedy/Jenks Consultants
Boeing Torrance C6/KJ
Project Number: HARBOR GATEWAY

Date Reported: 5/22/01

Client Sample ID: Build_2_Z_20_051701_3
Sample #: 004 Date Sampled: 05/17/01 12:00 Date Received: 05/17/01 Matrix: SOLID

PARAMETER	RESULT	REPORTING LIMIT	UNITS	ANALYTICAL METHOD
Volatile Organics by GC/MS				In Review
Dichlorodifluoromethane	ND	10	ug/kg	SW846 8260B
Chloromethane	ND	10	ug/kg	SW846 8260B
Vinyl chloride	ND	10	ug/kg	SW846 8260B
Bromomethane	ND	10	ug/kg	SW846 8260B
Chloroethane	ND	10	ug/kg	SW846 8260B
Trichlorofluoromethane	ND	10	ug/kg	SW846 8260B
Acrolein	ND	100	ug/kg	SW846 8260B
1,1-Dichloroethene	**3.8 J**	**5.0**	**ug/kg**	**SW846 8260B**
Iodomethane	ND	10	ug/kg	SW846 8260B
Acetone	ND	25	ug/kg	SW846 8260B
Carbon disulfide	ND	5.0	ug/kg	SW846 8260B
Methylene chloride	ND	5.0	ug/kg	SW846 8260B
trans-1,2-Dichloroethene	ND	5.0	ug/kg	SW846 8260B
Acrylonitrile	ND	50	ug/kg	SW846 8260B
Methyl tert-butyl ether	ND	5.0	ug/kg	SW846 8260B
1,1-Dichloroethane	ND	5.0	ug/kg	SW846 8260B
Vinyl acetate	ND	10	ug/kg	SW846 8260B
2,2-Dichloropropane	ND	5.0	ug/kg	SW846 8260B
cis-1,2-Dichloroethene	ND	5.0	ug/kg	SW846 8260B
2-Butanone	ND	25	ug/kg	SW846 8260B
Bromochloromethane	ND	5.0	ug/kg	SW846 8260B
Chloroform	ND	5.0	ug/kg	SW846 8260B
Tetrahydrofuran	ND	20	ug/kg	SW846 8260B
1,1,1-Trichloroethane	**2.1 J**	**5.0**	**ug/kg**	**SW846 8260B**
1,1-Dichloropropene	ND	5.0	ug/kg	SW846 8260B
Carbon tetrachloride	ND	5.0	ug/kg	SW846 8260B
Benzene	ND	5.0	ug/kg	SW846 8260B
1,2-Dichloroethane	ND	5.0	ug/kg	SW846 8260B
Trichloroethene	**200**	**5.0**	**ug/kg**	**SW846 8260B**
1,2-Dichloropropane	ND	5.0	ug/kg	SW846 8260B
Bromodichloromethane	ND	5.0	ug/kg	SW846 8260B
2-Chloroethyl vinyl ether	ND	10	ug/kg	SW846 8260B
cis-1,3-Dichloropropene	ND	5.0	ug/kg	SW846 8260B
4-Methyl-2-pentanone	ND	25	ug/kg	SW846 8260B
Toluene	ND	5.0	ug/kg	SW846 8260B
trans-1,3-Dichloropropene	ND	5.0	ug/kg	SW846 8260B
1,1,2-Trichloroethane	ND	5.0	ug/kg	SW846 8260B

(Continued on next page)

SEVERN TRENT LABORATORIES, INC.

PRELIMINARY DATA SUMMARY

The results shown below may still require additional laboratory review and are subject to change. Actions taken based on these results are the responsibility of the data user.

Kennedy/Jenks Consultants
Boeing Torrance C6/KJ
Project Number: HARBOR GATEWAY

Lot #: E1E170297

Date Reported: 5/22/01

Client Sample ID: Build_2_Z_20_051701_3
Sample #: 004 Date Sampled: 05/17/01 12:00 Date Received: 05/17/01 Matrix: SOLID

In Review

PARAMETER	RESULT	REPORTING LIMIT	UNITS	ANALYTICAL METHOD
Volatile Organics by GC/MS				
Tetrachloroethene	ND	5.0	ug/kg	SW846 8260B
2-Hexanone	ND	25	ug/kg	SW846 8260B
Dibromochloromethane	ND	5.0	ug/kg	SW846 8260B
1,2-Dibromoethane	ND	5.0	ug/kg	SW846 8260B
Chlorobenzene	ND	5.0	ug/kg	SW846 8260B
Ethylbenzene	ND	5.0	ug/kg	SW846 8260B
Xylenes (total)	ND	5.0	ug/kg	SW846 8260B
Styrene	ND	10	ug/kg	SW846 8260B
Bromoform	ND	5.0	ug/kg	SW846 8260B
Isopropylbenzene	ND	5.0	ug/kg	SW846 8260B
p-Isopropyltoluene	ND	5.0	ug/kg	SW846 8260B
Bromobenzene	ND	5.0	ug/kg	SW846 8260B
1,1,1,2-Tetrachloroethane	ND	5.0	ug/kg	SW846 8260B
1,1,2,2-Tetrachloroethane	ND	5.0	ug/kg	SW846 8260B
1,2,3-Trichloropropane	ND	5.0	ug/kg	SW846 8260B
n-Propylbenzene	ND	5.0	ug/kg	SW846 8260B
2-Chlorotoluene	ND	5.0	ug/kg	SW846 8260B
4-Chlorotoluene	ND	5.0	ug/kg	SW846 8260B
1,3,5-Trimethylbenzene	ND	5.0	ug/kg	SW846 8260B
tert-Butylbenzene	ND	5.0	ug/kg	SW846 8260B
1,2,4-Trimethylbenzene	ND	5.0	ug/kg	SW846 8260B
sec-Butylbenzene	ND	5.0	ug/kg	SW846 8260B
1,3-Dichlorobenzene	ND	5.0	ug/kg	SW846 8260B
1,4-Dichlorobenzene	ND	5.0	ug/kg	SW846 8260B
1,2-Dichlorobenzene	ND	5.0	ug/kg	SW846 8260B
n-Butylbenzene	ND	5.0	ug/kg	SW846 8260B
1,2-Dibromo-3-chloro-propane	ND	10	ug/kg	SW846 8260B
1,2,4-Trichloro-benzene	ND	5.0	ug/kg	SW846 8260B
Hexachlorobutadiene	ND	5.0	ug/kg	SW846 8260B
1,2,3-Trichlorobenzene	ND	5.0	ug/kg	SW846 8260B

J Estimated result. Result is less than RL.

(Continued on next page)

SEVERN TRENT LABORATORIES, INC.

PRELIMINARY DATA SUMMARY

The results shown below may still require additional laboratory review and are subject to change. Actions taken based on these results are the responsibility of the data user.

Lot #: E1E170297

Kennedy/Jenks Consultants
Boeing Torrance C6/KJ
Project Number: HARBOR GATEWAY

Date Reported: 5/22/01

Client Sample ID: Build_2_AB_20_051701_2
Sample #: 005 Date Sampled: 05/17/01 12:35 Date Received: 05/17/01 Matrix: SOLID

PARAMETER	RESULT	REPORTING LIMIT	UNITS	ANALYTICAL METHOD	
Semivolatile Organic Compounds by GC/MS					In Review
IN PROGRESS					
Extractable Petroleum Hydrocarbons					In Review
C8-C9	ND	10	mg/kg	SW846 8015B	
C10-C11	ND	10	mg/kg	SW846 8015B	
C12-C13	ND	10	mg/kg	SW846 8015B	
C14-C15	ND	10	mg/kg	SW846 8015B	
C16-C17	ND	10	mg/kg	SW846 8015B	
C18-C19	ND	10	mg/kg	SW846 8015B	
C20-C23	ND	10	mg/kg	SW846 8015B	
C24-C27	ND	10	mg/kg	SW846 8015B	
C28-C31	ND	10	mg/kg	SW846 8015B	
C32-C35	ND	10	mg/kg	SW846 8015B	
C36-C39	ND	10	mg/kg	SW846 8015B	
C40+	ND	10	mg/kg	SW846 8015B	
Total Carbon Chain Range	ND	10	mg/kg	SW846 8015B	
Volatile Petroleum Hydrocarbons					In Review
C6-C8	0.10 J	1.0	mg/kg	SW846 8015B	

J Estimated result. Result is less than RL.

Client Sample ID: S5_6_051701_1
Sample #: 006 Date Sampled: 05/17/01 15:40 Date Received: 05/17/01 Matrix: SOLID

Inductively Coupled Plasma (ICP) Metals					Reviewed
Silver	ND	10.0	mg/kg	SW846 6010B	
Aluminum	9230	200	mg/kg	SW846 6010B	
Arsenic	4.0 B	10.0	mg/kg	SW846 6010B	
Barium	107	20.0	mg/kg	SW846 6010B	
Beryllium	ND	5.0	mg/kg	SW846 6010B	
Cadmium	ND	5.0	mg/kg	SW846 6010B	
Cobalt	4.9 B	50.0	mg/kg	SW846 6010B	
Chromium	19700	10.0	mg/kg	SW846 6010B	

(Continued on next page)

SEVERN TRENT LABORATORIES, INC.

PRELIMINARY DATA SUMMARY

The results shown below may still require additional laboratory review and are subject to change. Actions taken based on these results are the responsibility of the data user.

Lot #: E1E170297

Kennedy/Jenks Consultants
Boeing Torrance C6/KJ
Project Number: HARBOR GATEWAY

Date Reported: 5/22/01

Client Sample ID: S5_6_051701_1
Sample #: 006 Date Sampled: 05/17/01 15:40 Date Received: 05/17/01 Matrix: SOLID

PARAMETER		RESULT	REPORTING LIMIT	UNITS	ANALYTICAL METHOD	
Copper		12.8 B	25.0	mg/kg	SW846 6010B	
Molybdenum		ND	40.0	mg/kg	SW846 6010B	
Nickel		14.2 B	40.0	mg/kg	SW846 6010B	
Lead		3.5 B	5.0	mg/kg	SW846 6010B	
Antimony		ND	60.0	mg/kg	SW846 6010B	
Selenium		ND	5.0	mg/kg	SW846 6010B	
Thallium		ND	10.0	mg/kg	SW846 6010B	
Vanadium		29.4 B	50.0	mg/kg	SW846 6010B	
Zinc		28.0	20.0	mg/kg	SW846 6010B	
Silver	STLC	ND	0.20	mg/L	SW846 6010B	
Arsenic	STLC	0.20 B	2.0	mg/L	SW846 6010B	
Barium	STLC	5.4 B	20.0	mg/L	SW846 6010B	
Beryllium	STLC	ND	0.20	mg/L	SW846 6010B	
Cadmium	STLC	0.050 B	0.20	mg/L	SW846 6010B	
Cobalt	STLC	0.075 B	2.0	mg/L	SW846 6010B	
Chromium	STLC	636	0.20	mg/L	SW846 6010B	
Copper	STLC	0.54 B	2.0	mg/L	SW846 6010B	
Molybdenum	STLC	0.053 B	2.0	mg/L	SW846 6010B	
Nickel	STLC	0.29 B	2.0	mg/L	SW846 6010B	
Lead	STLC	0.056 B	2.0	mg/L	SW846 6010B	
Antimony	STLC	ND	2.0	mg/L	SW846 6010B	
Selenium	STLC	0.23 B	2.0	mg/L	SW846 6010B	
Thallium	STLC	ND	2.0	mg/L	SW846 6010B	
Vanadium	STLC	0.89 B	2.0	mg/L	SW846 6010B	
Zinc	STLC	2.4	2.0	mg/L	SW846 6010B	
Mercury in Liquid Waste (Manual Cold-Vapor)			STLC			Reviewed
Mercury	STLC	ND	0.020	mg/L	SW846 7470A	
Mercury in Solid Waste (Manual Cold-Vapor)						Reviewed
Mercury		0.84	0.10	mg/kg	SW846 7471A	

B Estimated result. Result is less than RL.

BOEING

Long Beach Division

Date : 04/25/01

Environmental Services Department
3855 Lakewood Blvd., Mail Code D036-0009
Long Beach, CA 90846

This page and 8 page(s)

To : Kristine

From : Marcia

Company : CVM

Phone:

Phone:

Fax : 559-627-4907

Fax : 562 - 593 – 4285

INSTRUCTIONS :

3855 Lakewood Blvd., Long Beach, CA 90846-0001 (562) 593-5511 TELEX 67-4357