TABLE 1
SOIL SAMPLING ANALYTICAL PROGRAM FOR AREAS 2 AND 6

Boeing Realty Corporation, C-6 Facility
Los Angeles, California

Area	Location	Sample I D	# of subsurface samples	8260 or 8010/8020	418.1	8015M[1]	Title 22 Metals	Cr (VI)[2]	8270	8080 (PCBs)	8080 (Pesticides)
2	Building 54/Transformer	2BB-2-1 -(1,4,10)	3	3	3	3				3	
2	Building 54/Transformer	2BB-2-2 -(1,4,10)	3							3	
2	Tool Storage Yard	2BB-2-3 -(1,4,10)	3	3	3	3	3	3	3		
2	Tool Storage Yard	2BB-2-4 -(1,4,10)	3	3	3	3	3	3	3		
2	Tool Storage Yard	2BB-2-5 -(4,10)	2	2	2	2	2	2	2		
2	Tool Storage Yard	2BB-2-6 -(1,4,10)	3	3	3	3	3	3	3		
2	Tool Storage Yard	2BB-2-7 -(1,4,10)	3	3	3	3	3	3	3		
2	Tool Storage Yard	2BB-2-8 -(1,4,10)	3	3	3	3	3	3	3		
2	Tool Storage Yard	2BB-2-9 -(1,4,10)	3	3	3	3	3	3	3		
2	Tool Storage Yard	2BB-2-10 -(1,4,10)	3	3	3	3	3	3	3		
2	Tool Storage Yard	2BB-2-11A -(1,4,10)	3	3	3	3	3	3	3		
2	Tool Storage Yard	2BB-2-11B -(2,5,10,20,30,40,50)	7	7	7	7	7	6	7		
2	Tool Storage Yard	2BB-2-12 -(1,4,10)	3	3	3	3	3	3	3		
2	Tool Storage Yard	2BB-2-13 -(1,4,10)	3	3	3	3	3	3	3		
2	Tool Storage Yard	2BB-2-14 -(4,10)	2	2	2	2	2	2	2		
2	Tool Storage Yard	2BB-2-15 -(1,4,10)	3	3	3	3	3	3	3		
2	Tool Storage Yard	2BB-2-16 -(1,4,10)	3	3	3	3	3	3	3		
2	Tool Storage Yard	2BB-2-17 -(1,4,10)	3	3	3	3	3	3	3		
2	Tool Storage Yard	2BB-2-18 -(1,4,10)	3	3	3	3	3	3	3		
2	Scrap Storage Yard	2BB-2-20 -(1,4,10)	3	3	3	3	3	3	3		
2	Scrap Storage Yard	2BB-2-21 -(1,4,10)	3	3	3	3	3	3	3		
2	Border with Electrical Substation	2BB-2-22 -(1,4,10,15,20,25)	6	6	6	6	6	6	6	6	
2	Border with Electrical Substation	2BB-2-23 -(1,4,10,15,20,25)	6	6	6	6	6	6	6	6	
2	Border with Electrical Substation	2BB-2-24 -(1,4,10)	3	3	3	3	3	3	3	3	
2	Scrap Storage Yard	2BB-2-25 -(1,4,10)	3	3	3	3	3	3	3		
2	Scrap Storage Yard	2BB-2-26 -(1,4,10)	3	3	3	3	3	3	3		
2	Scrap Storage Yard	2BB-2-27 -(1,4,10)	3	3	3	3	3	3	3		
2	Scrap Storage Yard	2BB-2-28 -(1,4,10)	3	3	3	3	3	3	3		
2	Scrap Storage Yard	2BB-2-29 -(1,4,10)	3	3	3	3	3	3	3		

Notes follow at end of table.

TABLE 1
SOIL SAMPLING ANALYTICAL PROGRAM FOR AREAS 2 AND 6

Boeing Realty Corporation, C-6 Facility
Los Angeles, California

Area	Location	Sample I D	# of subsurface samples	8260 or 8010/8020	418.1	8015M(1)	Title 22 Metals	Cr (VI)(2)	8270	8080 (PCBs)	8080 (Pesticides)
2	Scrap Storage Yard	2BB-2-30 -(1,4,10)	3	3	3	3	3	3	3		
2	Border with Electrical Substation	2BB-2-31 -(1,4,10,15,20,25)	6	6	6	6	6	6	6	6	
2	Border with Electrical Substation	2BB-2-32 -(1,4,10,15,20,25)	6	6	6	6	6	6	6	6	
2	Border with Montrose Chemical	2BB-2-33 -(1,4,10,15,20,25)	6	6	6	6	6	6	6		6
2	Border with Montrose Chemical	2BB-2-34 -(1,4,10,15,20,25)	6	6	6	6	6	6	6		6
2	Border with Montrose Chemical	2BB-2-35 -(1,4,10,15,20,25)	6	6	6	6					6
6	Border with ILM	2BB-6-1 -(4,10,20,30,40,50)	6	6	6	6	6	5		6	
6	Border with ILM	2BB-6-2 -(1,4,10,20,30,40,50)	7	7	7	7	7	7		7	
6	Border with ILM	2BB-6-3 -(1,4,10,20,30,40,50)	7	7	7	7	7	7		7	
6	Border with ILM	2BB-6-4 -(4,10,20,30,40,55)	6	6	6	6	6	6		6	
6	Border with ILM	2BB-6-5 -(1.5,5,9,19,29,39,49)	7	7	7	7	7	7		7	
6	Border with ILM	2BB-6-6 -(2,5,10,20,30,40,50)	7	7	7	7	7	7		7	
6	Parking Lot	2BB-6-8 -(1,4,10,15,20,25)	6	6	6	6	6	6		6	
6	Parking Lot	2BB-6-9 -(1,4,10,15,20,25)	6	6	6	6	6	6		6	
6	Parking Lot	2BB-6-10 -(1,4,10,15,20,25)	6	6	6	6	6	6		6	
6	Parking Lot	2BB-6-11 -(1,4,10,15,20,25)	6	6	6	6	6	6		6	
6	Parking Lot	2BB-6-12 -(1,4,10,15,20,25)	6	6	6	6	6	6		6	
6	Parking Lot	2BB-6-13 -(1,4,10,15,20,25)	6	6	6	6	6	6		6	
6	Parking Lot	2BB-6-14 -(1,4,10,15,21,25)	6	6	6	6	6	6		6	
6	Parking Lot	2BB-6-15 -(1,4,10,15,20,25)	6	6	6	6	6	6		6	
6	Parking Lot	2BB-6-16 -(1,4,10,15,20,25)	6	6	6	6	6	6		6	
6	Parking Lot	2BB-6-17 -(2,5,10,20,30,40,50)	7	7	7	7	7	4		7	

NOTES:

Blank (empty) cell indicates analysis was not performed for the given sample.

(1) 8015M analysis was only performed on sampes with a TRPH detection in 418.1.

(2) $CR^{(VI)}$ analysis was only performed on samples with >10 mg/kg total Chromium.

Notes follow at end of table.

TABLE 2
COMPARISON OF C-6 FACILITY TITLE 22 METALS CONCENTRATIONS IN SOIL SAMPLES WITH COMMON SOIL CONCENTRATIONS AND STATE THRESHOLD LIMIT VALUES

Boeing Realty Corporation, C-6 Facility
Los Angeles, California

Tested Inorganic Chemical	Number of Analyses	Number of Detections	Detection Rate	Concentration Detected at C-6 Facility (mg/kg)			Common Range in Soils[a]	CCR TTLC[b] Value	STLC[c] Value
				Min.	Max.	Avg.	(ppm)	(mg/kg)	(mg/l)
Antimony	796	0	0.0%	0	0	0	<1 - 2.6[d]	500	15
Arsenic	796	8	1.0%	12	350	110	1 - 50	500	5
Barium	796	796	100%	7	250	100	100 - 3,000	10,000	100
Beryllium	796	0	0.0%	0	0	0	0.1 - 40	75	0 .75
Cadmium	796	4	0.5%	5	9	6	0.01 - 0.7	100	1 .0
Chromium (VI)	796	0	0.0%	0	0	0	Not Available	500	560
Chromium Total	796	796	100%	3	150	25	1 - 1,000	2,500	5
Cobalt	796	796	100%	1	47	7	1 - 40	8,000	80
Copper	796	796	100%	1	81	13	2 - 100	2,500	25
Lead	796	11	1.4%	3	72	24	2 - 200	1,000	5
Mercury	796	0	0.0%	0	0	0	<0.01 - 4.6[d]	20	0 .2
Molybdenum	796	0	0.0%	0	0	0	<3 - 7[d]	3,500	350
Nickel	796	795	100%	2	140	12	5 - 500	2,000	20
Selenium	796	0	0.0%	0	0	0	0.1 - 2	100	1
Silver	796	0	0.0%	0	0	0	0.01 - 5	500	5
Thallium	796	0	0.0%	0	0	0	2.4 - 31[d]	700	7
Vanadium	796	795	100%	5	66	28	20 - 500	2,400	24
Zinc	796	796	100%	4	120	41	10 - 300	5,000	250

mg/kg = milligrams per kilogram
mg/l = milligrams per liter
ppm = parts per million
(a) *Chemical Equilibria in Soils*. Willard L. Lindsay, John L. Wiley & sons, NY, 1979, unless noted otherwise.
(b) California Code of Regulations (CCR), Title 22, Total Threshold Limit Concentration (TTLC) value. Value set to define a California hazardous waste based on the total concentration.
(c) CCR, Title 22, Soluble Threshold Limit Concentration (STLC) value. Value set to define a California hazardous waste based on leachate concentration.
(d) *Element Concentrations in Soils and Other Surficial Materials of the Conterminious United States.* H. T. Shacklette and J. G. Boerngen, USGS Professional Paper 1270, U.S. Government Printing Office, Washington, 1984.

TABLE 3
CHEMICAL ANALYTICAL RESULTS: VOLATILE ORGANIC COMPOUNDS (MOBILE LABORATORY) (EPA Method 8260)
Boeing Realty Corporation, C-6 Facility
Los Angeles, California

Area	Sample ID	Depth (ft bgs)	Benzene	Bromodichloromethane	Bromoform	Bromomethane	Carbon tetrachloride	Chlorobenzene	Chloroethane	Chloroform	Chloromethane	Dibromochloromethane	1,2-Dichlorobenzene	1,3-Dichlorobenzene	1,4-Dichlorobenzene	Dichlorodifluoromethane (Freon 12)	1,1-Dichloroethane (1,1-DCA)	1,2-Dichloroethane (1,2-DCA)	1,1-Dichloroethene (1,1-DCE)	cis-1,2-Dichloroethene (c-1,2-DCE)	trans 1,2-Dichloroethene (t-1,2-DCE)	1,2-Dichloropropane	cis-1,3-Dichloropropene	trans-1,3-Dichloropropene	Ethylbenzene
	Detection Limit (ug/kg)		5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
2	2BB-2-1-1	1																							
2	2BB-2-1-4	4																							
2	2BB-2-1-10	10																							
2	2BB-2-3-1	1																							
2	2BB-2-3-4	4																							
2	2BB-2-3-10	10																							
2	2BB-2-4-1	1																							
2	2BB-2-4-4	4																							
2	2BB-2-4-10	10																							
2	2BB-2-5-4	4																							
2	2BB-2-5-10	10																							
2	2BB-2-6-1	1																							
2	2BB-2-6-4	4																							
2	2BB-2-6-10	10																							
2	2BB-2-7-1	1																							
2	2BB-2-7-4	4																							
2	2BB-2-7-10	10																							
2	2BB-2-8-1	1																							
2	2BB-2-8-4	4																							
2	2BB-2-8-10	10																							
2	2BB-2-9-1	1																							
2	2BB-2-9-4	4																							
2	2BB-2-9-10	10																							
2	2BB-2-10-1	1																							
2	2BB-2-10-4	4																							
2	2BB-2-10-10	10																							
2	2BB-2-11A-1	1																							

Shaded cell indicates constutent result was below the detection limit.

TABLE 3
CHEMICAL ANALYTICAL RESULTS: VOLATILE ORGANIC COMPOUNDS (MOBILE LABORATORY) (EPA Method 8260)
Boeing Realty Corporation, C-6 Facility
Los Angeles, California

Area	Sample ID	Depth (ft bgs)	Benzene	Bromodichloromethane	Bromoform	Bromomethane	Carbon tetrachloride	Chlorobenzene	Chloroethane	Chloroform	Chloromethane	Dibromochloromethane	1,2-Dichlorobenzene	1,3-Dichlorobenzene	1,4-Dichlorobenzene	Dichlorodifluoromethane (Freon 12)	1,1-Dichloroethane (1,1-DCA)	1,2-Dichloroethane (1,2-DCA)	1,1-Dichloroethene (1,1-DCE)	cis-1,2-Dichloroethene (c-1,2-DCE)	trans 1,2-Dichloroethene (t-1,2-DCE)	1,2-Dichloropropane	cis-1,3-Dichloropropene	trans-1,3-Dichloropropene	Ethylbenzene
	Detection Limit (ug/kg)		5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
2	2BB-2-1-1	1																							
2	2BB-2-1-4	4																							
2	2BB-2-1-10	10																							
2	2BB-2-3-1	1																							
2	2BB-2-3-4	4																							
2	2BB-2-3-10	10																							
2	2BB-2-4-1	1																							
2	2BB-2-4-4	4																							
2	2BB-2-4-10	10																							
2	2BB-2-5-4	4																							
2	2BB-2-5-10	10																							
2	2BB-2-6-1	1																							
2	2BB-2-6-4	4																							
2	2BB-2-6-10	10																							
2	2BB-2-7-1	1																							
2	2BB-2-7-4	4																							
2	2BB-2-7-10	10																							
2	2BB-2-8-1	1																							
2	2BB-2-8-4	4																							
2	2BB-2-8-10	10																							
2	2BB-2-9-1	1																							
2	2BB-2-9-4	4																							
2	2BB-2-9-10	10																							
2	2BB-2-10-1	1																							
2	2BB-2-10-4	4																							
2	2BB-2-10-10	10																							
2	2BB-2-11A-1	1																							

Shaded cell indicates constutent result was below the detection limit.

TABLE 3

CHEMICAL ANALYTICAL RESULTS: VOLATILE ORGANIC COMPOUNDS (MOBILE LABORATORY) (EPA Method 8260)

Boeing Realty Corporation, C-6 Facility

Los Angeles, California

Area	Sample ID	Depth (ft bgs)	Methylene chloride (Dichloromethane)	1,1,2,2-Tetrachloroethane	1,1,2,2-Tetrachloroethane	Tetrachloroethene (PCE)	Toluene	1,1,1-Trichloroethane (1,1,1-TCA)	1,1,2-Trichloroethane (1,1,2-TCA)	Trichloroethene (TCE)	Trichlorofluoromethane (Freon 11)	m,p-Xylenes	o-Xylene	Vinyl chloride	TPH as Gasoline
Detection Limit (ug/kg)			5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	1,000
2	2BB-2-1-1	1													
2	2BB-2-1-4	4													
2	2BB-2-1-10	10													
2	2BB-2-3-1	1													
2	2BB-2-3-4	4													
2	2BB-2-3-10	10													
2	2BB-2-4-1	1													
2	2BB-2-4-4	4													
2	2BB-2-4-10	10													
2	2BB-2-5-4	4													
2	2BB-2-5-10	10													
2	2BB-2-6-1	1													
2	2BB-2-6-4	4													
2	2BB-2-6-10	10													
2	2BB-2-7-1	1													
2	2BB-2-7-4	4													
2	2BB-2-7-10	10													
2	2BB-2-8-1	1													
2	2BB-2-8-4	4													
2	2BB-2-8-10	10													
2	2BB-2-9-1	1													
2	2BB-2-9-4	4													
2	2BB-2-9-10	10													
2	2BB-2-10-1	1													
2	2BB-2-10-4	4													
2	2BB-2-10-10	10													
2	2BB-2-11A-1	1													

Shaded cell indicates constutent result was below the detection limit.

TABLE 3
CHEMICAL ANALYTICAL RESULTS: VOLATILE ORGANIC COMPOUNDS (MOBILE LABORATORY) (EPA Method 8260)
Boeing Realty Corporation, C-6 Facility
Los Angeles, California

Area	Sample ID	Depth (ft bgs)	Benzene	Bromodichloromethane	Bromoform	Bromomethane	Carbon tetrachloride	Chlorobenzene	Chloroethane	Chloroform	Chloromethane	Dibromochloromethane	1,2-Dichlorobenzene	1,3-Dichlorobenzene	1,4-Dichlorobenzene	Dichlorodifluoromethane (Freon 12)	1,1-Dichloroethane (1,1-DCA)	1,2-Dichloroethane (1,2-DCA)	1,1-Dichloroethene (1,1-DCE)	cis-1,2-Dichloroethene (c-1,2-DCE)	trans 1,2-Dichloroethene (t-1,2-DCE)	1,2-Dichloropropane	cis-1,3-Dichloropropene	trans-1,3-Dichloropropene	Ethylbenzene
	Detection Limit (ug/kg)		5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
2	2BB-2-11A-4	4																							
2	2BB-2-11A-10	10																							
2	2BB-2-11B-1.5	1.5																							
2	2BB-2-11B-4.5	4.5																							
2	2BB-2-11B-9.5	9.5																							
2	2BB-2-11B-19.5	19.5																							
2	2BB-2-11B-29.5	29.5																							
2	2BB-2-11B-39.5	39.5																							
2	2BB-2-11B-49.5	49.5																							
2	2BB-2-12-1	1																							
2	2BB-2-12-4	4																							
2	2BB-2-12-10	10																							
2	2BB-2-13-1	1																							
2	2BB-2-13-4	4																							
2	2BB-2-13-10	10																							
2	2BB-2-14-4	4																							
2	2BB-2-14-10	10																							
2	2BB-2-15-1	1																							
2	2BB-2-15-4	4																							
2	2BB-2-15-10	10																							
2	2BB-2-16-1	1																							
2	2BB-2-16-4	4																							
2	2BB-2-16-10	10																							
2	2BB-2-17-1	1																							
2	2BB-2-17-4	4																							
2	2BB-2-17-10	10																							
2	2BB-2-18-1	1																							

Shaded cell indicates constutent result was below the detection limit.

TABLE 3
CHEMICAL ANALYTICAL RESULTS: VOLATILE ORGANIC COMPOUNDS (MOBILE LABORATORY) (EPA Method 8260)
Boeing Realty Corporation, C-6 Facility
Los Angeles, California

Area	Sample ID	Depth (ft bgs)	Methylene chloride (Dichloromethane)	1,1,2,2-Tetrachloroethane	1,1,2,2-Tetrachloroethane	Tetrachloroethene (PCE)	Toluene	1,1,1-Trichloroethane (1,1,1-TCA)	1,1,2-Trichloroethane (1,1,2-TCA)	Trichloroethene (TCE)	Trichlorofluoromethane (Freon 11)	m,p-Xylenes	p-Xylene	Vinyl chloride	TPH as Gasoline
	Detection Limit (ug/kg)		5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	1,000
2	2BB-2-11A-4	4													
2	2BB-2-11A-10	10													
2	2BB-2-11B-1.5	1.5													
2	2BB-2-11B-4.5	4.5													
2	2BB-2-11B-9.5	9.5													
2	2BB-2-11B-19.5	19.5													
2	2BB-2-11B-29.5	29.5													
2	2BB-2-11B-39.5	39.5													
2	2BB-2-11B-49.5	49.5													
2	2BB-2-12-1	1													
2	2BB-2-12-4	4													
2	2BB-2-12-10	10													
2	2BB-2-13-1	1													
2	2BB-2-13-4	4													
2	2BB-2-13-10	10													
2	2BB-2-14-4	4													
2	2BB-2-14-10	10													
2	2BB-2-15-1	1													
2	2BB-2-15-4	4													
2	2BB-2-15-10	10													
2	2BB-2-16-1	1													
2	2BB-2-16-4	4													
2	2BB-2-16-10	10													
2	2BB-2-17-1	1													
2	2BB-2-17-4	4													
2	2BB-2-17-10	10													
2	2BB-2-18-1	1													

Shaded cell indicates constutent result was below the detection limit.

TABLE 3
CHEMICAL ANALYTICAL RESULTS: VOLATILE ORGANIC COMPOUNDS (MOBILE LABORATORY) (EPA Method 8260)
Boeing Realty Corporation, C-6 Facility
Los Angeles, California

Area	Sample ID	Depth (ft bgs)	Benzene	Bromodichloromethane	Bromoform	Bromomethane	Carbon tetrachloride	Chlorobenzene	Chloroethane	Chloroform	Chloromethane	Dibromochloromethane	1,2-Dichlorobenzene	1,3-Dichlorobenzene	1,4-Dichlorobenzene	Dichlorodifluoromethane (Freon 12)	1,1-Dichloroethane (1,1-DCA)	1,2-Dichloroethane (1,2-DCA)	1,1-Dichloroethene (1,1-DCE)	cis-1,2-Dichloroethene (c-1,2-DCE)	trans 1,2-Dichloroethene (t-1,2-DCE)	1,2-Dichloropropane	cis-1,3-Dichloropropene	trans-1,3-Dichloropropene	Ethylbenzene
	Detection Limit (ug/kg)		5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
2	2BB-2-18-4	4																							
2	2BB-2-18-10	10																							
2	2BB-2-20-1	1																							
2	2BB-2-20-4	4																							
2	2BB-2-20-10	10																							
2	2BB-2-21-1	1																							
2	2BB-2-21-4	4																							
2	2BB-2-21-10	10																							
2	2BB-2-22-1	1																							
2	2BB-2-22-4	4																							
2	2BB-2-22-10	10																							
2	2BB-2-22-15	15																							
2	2BB-2-22-20	20																							
2	2BB-2-22-25	25																							
2	2BB-2-23-1	1																							
2	2BB-2-23-4	4																							
2	2BB-2-23-10	10																							
2	2BB-2-23-15	15																							
2	2BB-2-23-20	20																							
2	2BB-2-23-25	25																							
2	2BB-2-24-1	1																							
2	2BB-2-24-4	4																							
2	2BB-2-24-10	10																							
2	2BB-2-25-1	1																							
2	2BB-2-25-4	4																							
2	2BB-2-25-10	10																							
2	2BB-2-26-1	1																							

Shaded cell indicates constutent result was below the detection limit.

TABLE 3
CHEMICAL ANALYTICAL RESULTS: VOLATILE ORGANIC COMPOUNDS (MOBILE LABORATORY) (EPA Method 8260)
Boeing Realty Corporation, C-6 Facility
Los Angeles, California

Area	Sample ID	Depth (ft bgs)	Methylene chloride (Dichloromethane)	1,1,2,2-Tetrachloroethane	1,1,2,2-Tetrachloroethane	Tetrachloroethene (PCE)	Toluene	1,1,1-Trichloroethane (1,1,1-TCA)	1,1,2-Trichloroethane (1,1,2-TCA)	Trichloroethene (TCE)	Trichlorofluoromethane (Freon 11)	m,p-Xylenes	o-Xylene	Vinyl chloride	TPH as Gasoline
	Detection Limit (ug/kg)		5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	1,000
2	2BB-2-18-4	4													
2	2BB-2-18-10	10													
2	2BB-2-20-1	1													
2	2BB-2-20-4	4													
2	2BB-2-20-10	10													
2	2BB-2-21-1	1				7.8									
2	2BB-2-21-4	4				5.2									
2	2BB-2-21-10	10													
2	2BB-2-22-1	1													
2	2BB-2-22-4	4													
2	2BB-2-22-10	10													
2	2BB-2-22-15	15													
2	2BB-2-22-20	20													
2	2BB-2-22-25	25													
2	2BB-2-23-1	1													
2	2BB-2-23-4	4													
2	2BB-2-23-10	10													
2	2BB-2-23-15	15													
2	2BB-2-23-20	20													
2	2BB-2-23-25	25													
2	2BB-2-24-1	1													
2	2BB-2-24-4	4													
2	2BB-2-24-10	10													
2	2BB-2-25-1	1													
2	2BB-2-25-4	4													
2	2BB-2-25-10	10													
2	2BB-2-26-1	1													

Shaded cell indicates constutent result was below the detection limit.

TABLE 3
CHEMICAL ANALYTICAL RESULTS: VOLATILE ORGANIC COMPOUNDS (MOBILE LABORATORY) (EPA Method 8260)
Boeing Realty Corporation, C-6 Facility
Los Angeles, California

Area	Sample ID	Depth (ft bgs)	Benzene	Bromodichloromethane	Bromoform	Bromomethane	Carbon tetrachloride	Chlorobenzene	Chloroethane	Chloroform	Chloromethane	Dibromochloromethane	1,2-Dichlorobenzene	1,3-Dichlorobenzene	1,4-Dichlorobenzene	Dichlorodifluoromethane (Freon 12)	1,1-Dichloroethane (1,1-DCA)	1,2-Dichloroethane (1,2-DCA)	1,1-Dichloroethene (1,1-DCE)	cis-1,2-Dichloroethene (c-1,2-DCE)	trans 1,2-Dichloroethene (t-1,2-DCE)	1,2-Dichloropropane	cis-1,3-Dichloropropene	trans-1,3-Dichloropropene	Ethylbenzene
	Detection Limit (ug/kg)		5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
2	2BB-2-26-4	4																							
2	2BB-2-26-10	10																							
2	2BB-2-27-1	1																							
2	2BB-2-27-4	4																							
2	2BB-2-27-10	10																							
2	2BB-2-28-1	1																							
2	2BB-2-28-4	4																							
2	2BB-2-28-10	10																							
2	2BB-2-29-1	1																							
2	2BB-2-29-4	4																							
2	2BB-2-29-10	10																							
2	2BB-2-30-1	1																							
2	2BB-2-30-4	4																							
2	2BB-2-30-10	10																							
2	2BB-2-31-1	1																							
2	2BB-2-31-4	4																							
2	2BB-2-31-10	10																							
2	2BB-2-31-15	15																							
2	2BB-2-31-20	20																							
2	2BB-2-31-25	25																							
2	2BB-2-32-1	1																							
2	2BB-2-32-4	4																							
2	2BB-2-32-10	10																							
2	2BB-2-32-15	15																							
2	2BB-2-32-20	20																							
2	2BB-2-32-25	25																							
2	2BB-2-33-1	1																							

Shaded cell indicates constutent result was below the detection limit.

TABLE 3
CHEMICAL ANALYTICAL RESULTS: VOLATILE ORGANIC COMPOUNDS (MOBILE LABORATORY) (EPA Method 8260)
Boeing Realty Corporation, C-6 Facility
Los Angeles, California

Area	Sample ID	Depth (ft bgs)	Methylene chloride (Dichloromethane)	1,1,2,2-Tetrachloroethane	1,1,2,2-Tetrachloroethane	Tetrachloroethene (PCE)	Toluene	1,1,1-Trichloroethane (1,1,1-TCA)	1,1,2-Trichloroethane (1,1,2-TCA)	Trichloroethene (TCE)	Trichlorofluoromethane (Freon 11)	m,p-Xylenes	o-Xylene	Vinyl chloride	TPH as Gasoline
	Detection Limit (ug/kg)		5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	1,000
2	2BB-2-26-4	4													
2	2BB-2-26-10	10													
2	2BB-2-27-1	1													
2	2BB-2-27-4	4													
2	2BB-2-27-10	10													
2	2BB-2-28-1	1													
2	2BB-2-28-4	4													
2	2BB-2-28-10	10													
2	2BB-2-29-1	1													
2	2BB-2-29-4	4													
2	2BB-2-29-10	10													
2	2BB-2-30-1	1													
2	2BB-2-30-4	4													
2	2BB-2-30-10	10													
2	2BB-2-31-1	1													
2	2BB-2-31-4	4													
2	2BB-2-31-10	10													
2	2BB-2-31-15	15													
2	2BB-2-31-20	20													
2	2BB-2-31-25	25													
2	2BB-2-32-1	1													
2	2BB-2-32-4	4													
2	2BB-2-32-10	10													
2	2BB-2-32-15	15													
2	2BB-2-32-20	20													
2	2BB-2-32-25	25													
2	2BB-2-33-1	1													

Shaded cell indicates constutent result was below the detection limit.

TABLE 3
CHEMICAL ANALYTICAL RESULTS: VOLATILE ORGANIC COMPOUNDS (MOBILE LABORATORY) (EPA Method 8260)
Boeing Realty Corporation, C-6 Facility
Los Angeles, California

Area	Sample ID	Depth (ft bgs)	Benzene	Bromodichloromethane	Bromoform	Bromomethane	Carbon tetrachloride	Chlorobenzene	Chloroethane	Chloroform	Chloromethane	Dibromochloromethane	1,2-Dichlorobenzene	1,3-Dichlorobenzene	1,4-Dichlorobenzene	Dichlorodifluoromethane (Freon 12)	1,1-Dichloroethane (1,1-DCA)	1,2-Dichloroethane (1,2-DCA)	1,1-Dichloroethene (1,1-DCE)	cis-1,2-Dichloroethene (c-1,2-DCE)	trans 1,2-Dichloroethene (t-1,2-DCE)	1,2-Dichloropropane	cis-1,3-Dichloropropene	trans-1,3-Dichloropropene	Ethylbenzene
	Detection Limit (ug/kg)		5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
2	2BB-2-33-4	4																							
2	2BB-2-33-10	10																							
2	2BB-2-33-15	15																							
2	2BB-2-33-20	20																							
2	2BB-2-33-25	25																							
2	2BB-2-34-1	1																							
2	2BB-2-34-4	4																							
2	2BB-2-34-10	10																							
2	2BB-2-34-15	15								6.3															
2	2BB-2-34-20	20																							
2	2BB-2-34-25	25																							
2	2BB-2-35-1	1																							
2	2BB-2-35-4	4																							
2	2BB-2-35-10	10																							
2	2BB-2-35-15	15								17															
2	2BB-2-35-20	20																							
2	2BB-2-35-25	25																							
6	2BB-6-1-10	10																							
6	2BB-6-1-20	20																							
6	2BB-6-1-30	30																							
6	2BB-6-1-4	4																							
6	2BB-6-1-40	40																							
6	2BB-6-1-50	50																							
6	2BB-6-2-1	1																							
6	2BB-6-2-4	4																							
6	2BB-6-2-10	10																							
6	2BB-6-2-20	20																							

Shaded cell indicates constutent result was below the detection limit.

TABLE 3
CHEMICAL ANALYTICAL RESULTS: VOLATILE ORGANIC COMPOUNDS (MOBILE LABORATORY) (EPA Method 8260)
Boeing Realty Corporation, C-6 Facility
Los Angeles, California

Area	Sample ID	Depth (ft bgs)	Methylene chloride (Dichloromethane)	1,1,2,2-Tetrachloroethane	1,1,2,2-Tetrachloroethane	Tetrachloroethene (PCE)	Toluene	1,1,1-Trichloroethane (1,1,1-TCA)	1,1,2-Trichloroethane (1,1,2-TCA)	Trichloroethene (TCE)	Trichlorofluoromethane (Freon 11)	m,p-Xylenes	o-Xylene	Vinyl chloride	TPH as Gasoline
	Detection Limit (ug/kg)		5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	1,000
2	2BB-2-33-4	4													
2	2BB-2-33-10	10													
2	2BB-2-33-15	15													
2	2BB-2-33-20	20													
2	2BB-2-33-25	25													
2	2BB-2-34-1	1													
2	2BB-2-34-4	4													
2	2BB-2-34-10	10													
2	2BB-2-34-15	15				6.7				5.1					
2	2BB-2-34-20	20													
2	2BB-2-34-25	25													
2	2BB-2-35-1	1													
2	2BB-2-35-4	4													
2	2BB-2-35-10	10													
2	2BB-2-35-15	15													
2	2BB-2-35-20	20													
2	2BB-2-35-25	25													
6	2BB-6-1-10	10													
6	2BB-6-1-20	20													
6	2BB-6-1-30	30													
6	2BB-6-1-4	4													
6	2BB-6-1-40	40								15					
6	2BB-6-1-50	50								52					
6	2BB-6-2-1	1													
6	2BB-6-2-4	4								9.6					
6	2BB-6-2-10	10													
6	2BB-6-2-20	20								9.1					

Shaded cell indicates constutent result was below the detection limit.

TABLE 3
CHEMICAL ANALYTICAL RESULTS: VOLATILE ORGANIC COMPOUNDS (MOBILE LABORATORY) (EPA Method 8260)
Boeing Realty Corporation, C-6 Facility
Los Angeles, California

Area	Sample ID	Depth (ft bgs)	Benzene	Bromodichloromethane	Bromoform	Bromomethane	Carbon tetrachloride	Chlorobenzene	Chloroethane	Chloroform	Chloromethane	Dibromochloromethane	1,2-Dichlorobenzene	1,3-Dichlorobenzene	1,4-Dichlorobenzene	Dichlorodifluoromethane (Freon 12)	1,1-Dichloroethane (1,1-DCA)	1,2-Dichloroethane (1,2-DCA)	1,1-Dichloroethene (1,1-DCE)	cis-1,2-Dichloroethene (c-1,2-DCE)	trans 1,2-Dichloroethene (t-1,2-DCE)	1,2-Dichloropropane	cis-1,3-Dichloropropene	trans-1,3-Dichloropropene	Ethylbenzene
	Detection Limit (ug/kg)		5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
6	2BB-6-2-30	30																							
6	2BB-6-2-40	40																							
6	2BB-6-2-50	50																							
6	2BB-6-3-1	1																							
6	2BB-6-3-4	4																							
6	2BB-6-3-10	10																							
6	2BB-6-3-20	20																							
6	2BB-6-3-30	30																							
6	2BB-6-3-40	40																							
6	2BB-6-3-50	50																							
6	2BB-6-4-4	4																							
6	2BB-6-4-10	10																							
6	2BB-6-4-20	20																							
6	2BB-6-4-30	30																							
6	2BB-6-4-40	40																							
6	2BB-6-4-55	55																							
6	2BB-6-5-2	2																							
6	2BB-6-5-4.5	4.5																							
6	2BB-6-5-9.5	9.5																							
6	2BB-6-5-19.5	19.5																							
6	2BB-6-5-29.5	29.5																							
6	2BB-6-5-39.5	39.5																							
6	2BB-6-5-49.5	49.5																							
6	2BB-6-6-1.5	1.5																							
6	2BB-6-6-4.5	4.5																							
6	2BB-6-6-9.5	9.5																							
6	2BB-6-6-19.5	19.5																							

Shaded cell indicates constutent result was below the detection limit.

TABLE 3
CHEMICAL ANALYTICAL RESULTS: VOLATILE ORGANIC COMPOUNDS (MOBILE LABORATORY) (EPA Method 8260)
Boeing Realty Corporation, C-6 Facility
Los Angeles, California

Area	Sample ID	Depth (ft bgs)	Methylene chloride (Dichloromethane)	1,1,2,2-Tetrachloroethane	1,1,2,2-Tetrachloroethane	Tetrachloroethene (PCE)	Toluene	1,1,1-Trichloroethane (1,1,1-TCA)	1,1,2-Trichloroethane (1,1,2-TCA)	Trichloroethene (TCE)	Trichlorofluoromethane (Freon 11)	m,p-Xylenes	o-Xylene	Vinyl chloride	TPH as Gasoline
	Detection Limit (ug/kg)		5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	1,000
6	2BB-6-2-30	30													
6	2BB-6-2-40	40								16					
6	2BB-6-2-50	50								19					
6	2BB-6-3-1	1								23					
6	2BB-6-3-4	4													
6	2BB-6-3-10	10								13					
6	2BB-6-3-20	20								5.9					
6	2BB-6-3-30	30													
6	2BB-6-3-40	40								34					
6	2BB-6-3-50	50								6.2					
6	2BB-6-4-4	4								17					
6	2BB-6-4-10	10								33					
6	2BB-6-4-20	20								16					
6	2BB-6-4-30	30								34					
6	2BB-6-4-40	40								15					
6	2BB-6-4-55	55								13					
6	2BB-6-5-2	2								8.4					
6	2BB-6-5-4.5	4.5								7.4					
6	2BB-6-5-9.5	9.5								7.7					
6	2BB-6-5-19.5	19.5								16					
6	2BB-6-5-29.5	29.5								17					
6	2BB-6-5-39.5	39.5								33					
6	2BB-6-5-49.5	49.5								28					
6	2BB-6-6-1.5	1.5													
6	2BB-6-6-4.5	4.5													
6	2BB-6-6-9.5	9.5													
6	2BB-6-6-19.5	19.5													

Shaded cell indicates constutent result was below the detection limit.

TABLE 3
CHEMICAL ANALYTICAL RESULTS: VOLATILE ORGANIC COMPOUNDS (MOBILE LABORATORY) (EPA Method 8260)
Boeing Realty Corporation, C-6 Facility
Los Angeles, California

Area	Sample ID	Depth (ft bgs)	Benzene	Bromodichloromethane	Bromoform	Bromomethane	Carbon tetrachloride	Chlorobenzene	Chloroethane	Chloroform	Chloromethane	Dibromochloromethane	1,2-Dichlorobenzene	1,3-Dichlorobenzene	1,4-Dichlorobenzene	Dichlorodifluoromethane (Freon 12)	1,1-Dichloroethane (1,1-DCA)	1,2-Dichloroethane (1,2-DCA)	1,1-Dichloroethene (1,1-DCE)	cis-1,2-Dichloroethene (c-1,2-DCE)	trans 1,2-Dichloroethene (t-1,2-DCE)	1,2-Dichloropropane	cis-1,3-Dichloropropene	trans-1,3-Dichloropropene	Ethylbenzene
	Detection Limit (ug/kg)		5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
6	2BB-6-6-29.5	29.5																							
6	2BB-6-6-39.5	39.5																							
6	2BB-6-6-50.5	50.5																							
6	2BB-6-8-1	1																							
6	2BB-6-8-4	4																							
6	2BB-6-8-10	10																							
6	2BB-6-8-15	15																							
6	2BB-6-8-20	20																							
6	2BB-6-8-25	25																							
6	2BB-6-9-1	1																							
6	2BB-6-9-4	4																							
6	2BB-6-9-10	10																							
6	2BB-6-9-15	15																							
6	2BB-6-9-20	20																							
6	2BB-6-9-25	25																							
6	2BB-6-10-1	1																							
6	2BB-6-10-4	4																							
6	2BB-6-10-10	10																							
6	2BB-6-10-15	15																							
6	2BB-6-10-20	20																							
6	2BB-6-10-25	25																							
6	2BB-6-11A-1	1																							
6	2BB-6-11A-4	4																							
6	2BB-6-11A-10	10																							
6	2BB-6-11B-15	15																							
6	2BB-6-11B-20	20																							
6	2BB-6-11B-25	25																							

Shaded cell indicates constutent result was below the detection limit.

TABLE 3
CHEMICAL ANALYTICAL RESULTS: VOLATILE ORGANIC COMPOUNDS (MOBILE LABORATORY) (EPA Method 8260)
Boeing Realty Corporation, C-6 Facility
Los Angeles, California

Area	Sample ID	Depth (ft bgs)	Methylene chloride (Dichloromethane)	1,1,2,2-Tetrachloroethane	1,1,2,2-Tetrachloroethane	Tetrachloroethene (PCE)	Toluene	1,1,1-Trichloroethane (1,1,1-TCA)	1,1,2-Trichloroethane (1,1,2-TCA)	Trichloroethene (TCE)	Trichlorofluoromethane (Freon 11)	m,p-Xylenes	o-Xylene	Vinyl chloride	TPH as Gasoline
	Detection Limit (ug/kg)		5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	1,000
6	2BB-6-6-29.5	29.5													
6	2BB-6-6-39.5	39.5								6.0					
6	2BB-6-6-50.5	50.5													
6	2BB-6-8-1	1													
6	2BB-6-8-4	4													
6	2BB-6-8-10	10													
6	2BB-6-8-15	15													
6	2BB-6-8-20	20													
6	2BB-6-8-25	25													
6	2BB-6-9-1	1													
6	2BB-6-9-4	4													
6	2BB-6-9-10	10													
6	2BB-6-9-15	15													
6	2BB-6-9-20	20													
6	2BB-6-9-25	25													
6	2BB-6-10-1	1													
6	2BB-6-10-4	4													
6	2BB-6-10-10	10													
6	2BB-6-10-15	15													
6	2BB-6-10-20	20													
6	2BB-6-10-25	25													
6	2BB-6-11A-1	1													
6	2BB-6-11A-4	4													
6	2BB-6-11A-10	10													
6	2BB-6-11B-15	15													
6	2BB-6-11B-20	20													
6	2BB-6-11B-25	25													

Shaded cell indicates constutent result was below the detection limit.

TABLE 3
CHEMICAL ANALYTICAL RESULTS: VOLATILE ORGANIC COMPOUNDS (MOBILE LABORATORY) (EPA Method 8260)
Boeing Realty Corporation, C-6 Facility
Los Angeles, California

Area	Sample ID	Depth (ft bgs)	Benzene	Bromodichloromethane	Bromoform	Bromomethane	Carbon tetrachloride	Chlorobenzene	Chloroethane	Chloroform	Chloromethane	Dibromochloromethane	1,2-Dichlorobenzene	1,3-Dichlorobenzene	1,4-Dichlorobenzene	Dichlorodifluoromethane (Freon 12)	1,1-Dichloroethane (1,1-DCA)	1,2-Dichloroethane (1,2-DCA)	1,1-Dichloroethene (1,1-DCE)	cis-1,2-Dichloroethene (c-1,2-DCE)	trans 1,2-Dichloroethene (t-1,2-DCE)	1,2-Dichloropropane	cis-1,3-Dichloropropene	trans-1,3-Dichloropropene	Ethylbenzene
	Detection Limit (ug/kg)		5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
6	2BB-6-12-1	1																							
6	2BB-6-12-4	4																							
6	2BB-6-12-10	10																							
6	2BB-6-12-15	15																							
6	2BB-6-12-20	20																							
6	2BB-6-12-25	25																							
6	2BB-6-13-1	1																							
6	2BB-6-13-4	4																							
6	2BB-6-13-10	10																							
6	2BB-6-13-15	15																							
6	2BB-6-13-20	20																							
6	2BB-6-13-25	25																							
6	2BB-6-14-1	1																							
6	2BB-6-14-4	4																							
6	2BB-6-14-10	10																							
6	2BB-6-14-15	15																							
6	2BB-6-14-21	21																							
6	2BB-6-14-25	25																							
6	2BB-6-15-1	1																							
6	2BB-6-15-4	4																							
6	2BB-6-15-10	10																							
6	2BB-6-15-15	15																							
6	2BB-6-15-20	20																							
6	2BB-6-15-25	25																							
6	2BB-6-16-1	1																							
6	2BB-6-16-4	4																							
6	2BB-6-16-10	10																							

Shaded cell indicates constutent result was below the detection limit.

TABLE 3
CHEMICAL ANALYTICAL RESULTS: VOLATILE ORGANIC COMPOUNDS (MOBILE LABORATORY) (EPA Method 8260)
Boeing Realty Corporation, C-6 Facility
Los Angeles, California

Area	Sample ID	Depth (ft bgs)	Methylene chloride (Dichloromethane)	1,1,2,2-Tetrachloroethane	1,1,2,2-Tetrachloroethane	Tetrachloroethene (PCE)	Toluene	1,1,1-Trichloroethane (1,1,1-TCA)	1,1,2-Trichloroethane (1,1,2-TCA)	Trichloroethene (TCE)	Trichlorofluoromethane (Freon 11)	m,p-Xylenes	o-Xylene	Vinyl chloride	TPH as Gasoline
	Detection Limit (ug/kg)		5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	1,000
6	2BB-6-12-1	1													
6	2BB-6-12-4	4													
6	2BB-6-12-10	10													
6	2BB-6-12-15	15													
6	2BB-6-12-20	20													
6	2BB-6-12-25	25													
6	2BB-6-13-1	1													
6	2BB-6-13-4	4													
6	2BB-6-13-10	10													
6	2BB-6-13-15	15													
6	2BB-6-13-20	20													
6	2BB-6-13-25	25													
6	2BB-6-14-1	1													
6	2BB-6-14-4	4													
6	2BB-6-14-10	10													
6	2BB-6-14-15	15													
6	2BB-6-14-21	21													
6	2BB-6-14-25	25													
6	2BB-6-15-1	1													
6	2BB-6-15-4	4													
6	2BB-6-15-10	10													
6	2BB-6-15-15	15													
6	2BB-6-15-20	20													
6	2BB-6-15-25	25													
6	2BB-6-16-1	1													
6	2BB-6-16-4	4													
6	2BB-6-16-10	10													

Shaded cell indicates constutent result was below the detection limit.

TABLE 3
CHEMICAL ANALYTICAL RESULTS: VOLATILE ORGANIC COMPOUNDS (MOBILE LABORATORY) (EPA Method 8260)
Boeing Realty Corporation, C-6 Facility
Los Angeles, California

Area	Sample ID	Depth (ft bgs)	Benzene	Bromodichloromethane	Bromoform	Bromomethane	Carbon tetrachloride	Chlorobenzene	Chloroethane	Chloroform	Chloromethane	Dibromochloromethane	1,2-Dichlorobenzene	1,3-Dichlorobenzene	1,4-Dichlorobenzene	Dichlorodifluoromethane (Freon 12)	1,1-Dichloroethane (1,1-DCA)	1,2-Dichloroethane (1,2-DCA)	1,1-Dichloroethene (1,1-DCE)	cis-1,2-Dichloroethene (c-1,2-DCE)	trans 1,2-Dichloroethene (t-1,2-DCE)	1,2-Dichloropropane	cis-1,3-Dichloropropene	trans-1,3-Dichloropropene	Ethylbenzene
	Detection Limit (ug/kg)		5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
6	2BB-6-16-15	15																							
6	2BB-6-16-20	20																							
6	2BB-6-16-25	25																							
6	2BB-6-17-1.5	1.5																							
6	2BB-6-17-4.5	4.5																							
6	2BB-6-17-9.5	9.5																							
6	2BB-6-17-19.5	19.5																							
6	2BB-6-17-29.5	29.5																							
6	2BB-6-17-39.5	39.5																							
6	2BB-6-17-49.5	49.5																							

Shaded cell indicates constituent result
was below the detection limit

Shaded cell indicates constutent result was below the detection limit.

TABLE 3
CHEMICAL ANALYTICAL RESULTS: VOLATILE ORGANIC COMPOUNDS (MOBILE LABORATORY) (EPA Method 8260)
Boeing Realty Corporation, C-6 Facility
Los Angeles, California

Area	Sample ID	Depth (ft bgs)	Methylene chloride (Dichloromethane)	1,1,2,2-Tetrachloroethane	1,1,2,2-Tetrachloroethane	Tetrachloroethene (PCE)	Toluene	1,1,1-Trichloroethane (1,1,1-TCA)	1,1,2-Trichloroethane (1,1,2-TCA)	Trichloroethene (TCE)	Trichlorofluoromethane (Freon 11)	m,p-Xylenes	o-Xylene	Vinyl chloride	TPH as Gasoline
	Detection Limit (ug/kg)		5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	1,000
6	2BB-6-16-15	15													
6	2BB-6-16-20	20													
6	2BB-6-16-25	25													
6	2BB-6-17-1.5	1.5													
6	2BB-6-17-4.5	4.5													
6	2BB-6-17-9.5	9.5													
6	2BB-6-17-19.5	19.5													
6	2BB-6-17-29.5	29.5													
6	2BB-6-17-39.5	39.5													
6	2BB-6-17-49.5	49.5													

Shaded cell indicates constituent result
was below the detection limit

Shaded cell indicates constutent result was below the detection limit.

TABLE 4
CHEMICAL ANALYTICAL RESULTS:
TOTAL RECOVERABLE PETROLEUM HYDROCARBONS (MOBILE LABORATORY)
(EPA Methods 418.1/8015M)

Boeing Realty Corporation, C-6 Facility
Los Angeles, California

Area	Sample ID	Depth (ft bgs)	TRPH (EPA 418.1)	TPH-E Diesel (EPA 8015M)	TPH-E Motor Oil (EPA 8015M)
		Detection Limit (mg/kg)	10	10	10
2	2BB-2-1-1	1	61		
2	2BB-2-1-4	4	97		12
2	2BB-2-1-10	10	150		
2	2BB-2-3-1	1	12		
2	2BB-2-3-4	4	210		26
2	2BB-2-3-10	10			
2	2BB-2-4-1	1	15		
2	2BB-2-4-4	4	12		
2	2BB-2-4-10	10	36		
2	2BB-2-5-4	4			
2	2BB-2-5-10	10			
2	2BB-2-6-1	1			
2	2BB-2-6-4	4	37		
2	2BB-2-6-10	10			
2	2BB-2-7-1	1			
2	2BB-2-7-4	4			
2	2BB-2-7-10	10			
2	2BB-2-8-1	1			
2	2BB-2-8-4	4			
2	2BB-2-8-10	10			
2	2BB-2-9-1	1			
2	2BB-2-9-4	4	29		
2	2BB-2-9-10	10	32		
2	2BB-2-10-1	1			
2	2BB-2-10-4	4			
2	2BB-2-10-10	10			
2	2BB-2-11A-1	1			
2	2BB-2-11B-1.5	1.5	3200		710 *
2	2BB-2-11A-4	4			
2	2BB-2-11B-4.5	4.5			
2	2BB-2-11A-10	10			
2	2BB-2-11B-19.5	19.5			
2	2BB-2-11B-29.5	29.5			
2	2BB-2-11B-39.5	39.5			

Notes follow at end of table.

TABLE 4
CHEMICAL ANALYTICAL RESULTS:
TOTAL RECOVERABLE PETROLEUM HYDROCARBONS (MOBILE LABORATORY)
(EPA Methods 418.1/8015M)

Boeing Realty Corporation, C-6 Facility
Los Angeles, California

Area	Sample ID	Depth (ft bgs)	TRPH (EPA 418.1)	TPH-E Diesel (EPA 8015M)	TPH-E Motor Oil (EPA 8015M)
		Detection Limit (mg/kg)	10	10	10
2	2BB-2-11B-49.5	49.5			
2	2BB-2-11B-9.5	9.5			
2	2BB-2-12-1	1	38		
2	2BB-2-12-4	4	67		
2	2BB-2-12-10	10	15		
2	2BB-2-13-1	1	15		
2	2BB-2-13-4	4	37		11
2	2BB-2-13-10	10	31		
2	2BB-2-14-4	4	45		
2	2BB-2-14-10	10	35		
2	2BB-2-15-1	1	18		
2	2BB-2-15-4	4	6000		420 *
2	2BB-2-15-10	10			
2	2BB-2-16-1	1	220		430 *
2	2BB-2-16-4	4	83		130
2	2BB-2-16-10	10			
2	2BB-2-17-1	1	110		
2	2BB-2-17-4	4	270		3000 *
2	2BB-2-17-10	10			
2	2BB-2-18-1	1	19		
2	2BB-2-18-4	4	33		26
2	2BB-2-18-10	10			
2	2BB-2-20-1	1			
2	2BB-2-20-4	4			
2	2BB-2-20-10	10			
2	2BB-2-21-1	1			
2	2BB-2-21-4	4			
2	2BB-2-21-10	10			
2	2BB-2-22-1	1	57		
2	2BB-2-22-4	4	40		
2	2BB-2-22-10	10			
2	2BB-2-22-15	15			
2	2BB-2-22-20	20			
2	2BB-2-22-25	25			

Notes follow at end of table.

TABLE 4
CHEMICAL ANALYTICAL RESULTS:
TOTAL RECOVERABLE PETROLEUM HYDROCARBONS (MOBILE LABORATORY)
(EPA Methods 418.1/8015M)

Boeing Realty Corporation, C-6 Facility
Los Angeles, California

Area	Sample ID	Depth (ft bgs)	TRPH (EPA 418.1)	TPH-E Diesel (EPA 8015M)	TPH-E Motor Oil (EPA 8015M)
		Detection Limit (mg/kg)	10	10	10
2	2BB-2-23-1	1	14		
2	2BB-2-23-4	4	360		98 *
2	2BB-2-23-10	10			
2	2BB-2-23-15	15			
2	2BB-2-23-20	20			
2	2BB-2-23-25	25			
2	2BB-2-24-1	1	20		
2	2BB-2-24-4	4	53		66 *
2	2BB-2-24-10	10			
2	2BB-2-25-1	1	42		57 *
2	2BB-2-25-4	4	16		
2	2BB-2-25-10	10			
2	2BB-2-26-1	1	450		280 *
2	2BB-2-26-4	4	50		
2	2BB-2-26-10	10			
2	2BB-2-27-1	1	33		
2	2BB-2-27-4	4	99		
2	2BB-2-27-10	10			
2	2BB-2-28-1	1	67		78 *
2	2BB-2-28-4	4			
2	2BB-2-28-10	10			
2	2BB-2-29-1	1			
2	2BB-2-29-4	4			
2	2BB-2-29-10	10			
2	2BB-2-30-1	1	61		37 *
2	2BB-2-30-4	4	17		
2	2BB-2-30-10	10			
2	2BB-2-31-1	1	11		
2	2BB-2-31-4	4			
2	2BB-2-31-10	10			
2	2BB-2-31-15	15			
2	2BB-2-31-20	20			
2	2BB-2-31-25	25			
2	2BB-2-32-1	1	11		

Notes follow at end of table.

TABLE 4
CHEMICAL ANALYTICAL RESULTS:
TOTAL RECOVERABLE PETROLEUM HYDROCARBONS (MOBILE LABORATORY)
(EPA Methods 418.1/8015M)

Boeing Realty Corporation, C-6 Facility
Los Angeles, California

Area	Sample ID	Depth (ft bgs)	TRPH (EPA 418.1)	TPH-E Diesel (EPA 8015M)	TPH-E Motor Oil (EPA 8015M)
Detection Limit (mg/kg)			10	10	10
2	2BB-2-32-4	4			
2	2BB-2-32-10	10			
2	2BB-2-32-15	15			
2	2BB-2-32-20	20			
2	2BB-2-32-25	25	11		
2	2BB-2-33-1	1			
2	2BB-2-33-4	4			
2	2BB-2-33-10	10			
2	2BB-2-33-15	15			
2	2BB-2-33-20	20			
2	2BB-2-33-25	25			
2	2BB-2-34-1	1	24		
2	2BB-2-34-4	4			
2	2BB-2-34-10	10			
2	2BB-2-34-15	15			
2	2BB-2-34-20	20			
2	2BB-2-34-25	25			
2	2BB-2-35-1	1	56		
2	2BB-2-35-4	4			
2	2BB-2-35-10	10			
2	2BB-2-35-15	15			
2	2BB-2-35-20	20	12		
2	2BB-2-35-25	25	13		
6	2BB-6-1-4	4			
6	2BB-6-1-10	10			
6	2BB-6-1-20	20			
6	2BB-6-1-30	30			
6	2BB-6-1-40	40			
6	2BB-6-1-50	50			
6	2BB-6-2-1	1			
6	2BB-6-2-4	4			
6	2BB-6-2-10	10			
6	2BB-6-2-20	20			
6	2BB-6-2-30	30			

Notes follow at end of table.

TABLE 4
CHEMICAL ANALYTICAL RESULTS:
TOTAL RECOVERABLE PETROLEUM HYDROCARBONS (MOBILE LABORATORY)
(EPA Methods 418.1/8015M)

Boeing Realty Corporation, C-6 Facility
Los Angeles, California

Area	Sample ID	Depth (ft bgs)	TRPH (EPA 418.1)	TPH-E Diesel (EPA 8015M)	TPH-E Motor Oil (EPA 8015M)
	Detection Limit (mg/kg)		10	10	10
6	2BB-6-2-40	40			
6	2BB-6-2-50	50			
6	2BB-6-3-1	1			
6	2BB-6-3-4	4			
6	2BB-6-3-10	10			
6	2BB-6-3-20	20			
6	2BB-6-3-30	30			
6	2BB-6-3-40	40			
6	2BB-6-3-50	50			
6	2BB-6-4-4	4			
6	2BB-6-4-10	10			
6	2BB-6-4-20	20			
6	2BB-6-4-30	30			
6	2BB-6-4-40	40			
6	2BB-6-4-50	50			
6	2BB-6-5-2.0	2	23		
6	2BB-6-5-4.5	4.5	41		
6	2BB-6-5-9.5	9.5			
6	2BB-6-5-19.5	19.5			
6	2BB-6-5-29.5	29.5			
6	2BB-6-5-39.5	39.5			
6	2BB-6-5-49.5	49.5			
6	2BB-6-6-1.5	1.5	23		
6	2BB-6-6-4.5	4.5			
6	2BB-6-6-9.5	9.5			
6	2BB-6-6-19.5	19.5			
6	2BB-6-6-29.5	29.5			
6	2BB-6-6-39.5	39.5			
6	2BB-6-6-50.5	50.5			
6	2BB-6-8-1	1			
6	2BB-6-8-4	4	33		110 *
6	2BB-6-8-10	10			
6	2BB-6-8-15	15			
6	2BB-6-8-20	20			

Notes follow at end of table.

TABLE 4
CHEMICAL ANALYTICAL RESULTS:
TOTAL RECOVERABLE PETROLEUM HYDROCARBONS (MOBILE LABORATORY)
(EPA Methods 418.1/8015M)

Boeing Realty Corporation, C-6 Facility
Los Angeles, California

Area	Sample ID	Depth (ft bgs)	TRPH (EPA 418.1)	TPH-E Diesel (EPA 8015M)	TPH-E Motor Oil (EPA 8015M)
	Detection Limit (mg/kg)		10	10	10
6	2BB-6-2-40	40			
6	2BB-6-2-50	50			
6	2BB-6-3-1	1			
6	2BB-6-3-4	4			
6	2BB-6-3-10	10			
6	2BB-6-3-20	20			
6	2BB-6-3-30	30			
6	2BB-6-3-40	40			
6	2BB-6-3-50	50			
6	2BB-6-4-4	4			
6	2BB-6-4-10	10			
6	2BB-6-4-20	20			
6	2BB-6-4-30	30			
6	2BB-6-4-40	40			
6	2BB-6-4-50	50			
6	2BB-6-5-2.0	2	23		
6	2BB-6-5-4.5	4.5	41		
6	2BB-6-5-9.5	9.5			
6	2BB-6-5-19.5	19.5			
6	2BB-6-5-29.5	29.5			
6	2BB-6-5-39.5	39.5			
6	2BB-6-5-49.5	49.5			
6	2BB-6-6-1.5	1.5	23		
6	2BB-6-6-4.5	4.5			
6	2BB-6-6-9.5	9.5			
6	2BB-6-6-19.5	19.5			
6	2BB-6-6-29.5	29.5			
6	2BB-6-6-39.5	39.5			
6	2BB-6-6-50.5	50.5			
6	2BB-6-8-1	1			
6	2BB-6-8-4	4	33		110 *
6	2BB-6-8-10	10			
6	2BB-6-8-15	15			
6	2BB-6-8-20	20			

Notes follow at end of table.

TABLE 4
CHEMICAL ANALYTICAL RESULTS:
TOTAL RECOVERABLE PETROLEUM HYDROCARBONS (MOBILE LABORATORY)
(EPA Methods 418.1/8015M)

Boeing Realty Corporation, C-6 Facility
Los Angeles, California

Area	Sample ID	Depth (ft bgs)	TRPH (EPA 418.1)	TPH-E Diesel (EPA 8015M)	TPH-E Motor Oil (EPA 8015M)
Detection Limit (mg/kg)			10	10	10
6	2BB-6-2-40	40			
6	2BB-6-2-50	50			
6	2BB-6-3-1	1			
6	2BB-6-3-4	4			
6	2BB-6-3-10	10			
6	2BB-6-3-20	20			
6	2BB-6-3-30	30			
6	2BB-6-3-40	40			
6	2BB-6-3-50	50			
6	2BB-6-4-4	4			
6	2BB-6-4-10	10			
6	2BB-6-4-20	20			
6	2BB-6-4-30	30			
6	2BB-6-4-40	40			
6	2BB-6-4-50	50			
6	2BB-6-5-2.0	2	23		
6	2BB-6-5-4.5	4.5	41		
6	2BB-6-5-9.5	9.5			
6	2BB-6-5-19.5	19.5			
6	2BB-6-5-29.5	29.5			
6	2BB-6-5-39.5	39.5			
6	2BB-6-5-49.5	49.5			
6	2BB-6-6-1.5	1.5	23		
6	2BB-6-6-4.5	4.5			
6	2BB-6-6-9.5	9.5			
6	2BB-6-6-19.5	19.5			
6	2BB-6-6-29.5	29.5			
6	2BB-6-6-39.5	39.5			
6	2BB-6-6-50.5	50.5			
6	2BB-6-8-1	1			
6	2BB-6-8-4	4	33		110 *
6	2BB-6-8-10	10			
6	2BB-6-8-15	15			
6	2BB-6-8-20	20			

Notes follow at end of table.

TABLE 4
CHEMICAL ANALYTICAL RESULTS:
TOTAL RECOVERABLE PETROLEUM HYDROCARBONS (MOBILE LABORATORY)
(EPA Methods 418.1/8015M)

Boeing Realty Corporation, C-6 Facility
Los Angeles, California

Area	Sample ID	Depth (ft bgs)	TRPH (EPA 418.1)	TPH-E Diesel (EPA 8015M)	TPH-E Motor Oil (EPA 8015M)
Detection Limit (mg/kg)			10	10	10
6	2BB-6-8-25	25			
6	2BB-6-9-1	1	31		41 *
6	2BB-6-9-4	4	140		110 *
6	2BB-6-9-10	10	23		
6	2BB-6-9-15	15			
6	2BB-6-9-20	20			
6	2BB-6-9-25	25			
6	2BB-6-10-1	1	86		58 *
6	2BB-6-10-4	4	28		
6	2BB-6-10-10	10			
6	2BB-6-10-15	15			
6	2BB-6-10-20	20			
6	2BB-6-10-25	25			
6	2BB-6-11A-1	1	200		74 *
6	2BB-6-11A-4	4	32		34 *
6	2BB-6-11A-10	10			
6	2BB-6-11B-15	15			
6	2BB-6-11B-20	20			
6	2BB-6-11B-25	25			
6	2BB-6-12-1	1	73		
6	2BB-6-12-4	4	40		
6	2BB-6-12-10	10	16		
6	2BB-6-12-15	15			
6	2BB-6-12-20	20			
6	2BB-6-12-25	25			
6	2BB-6-13-1	1			
6	2BB-6-13-4	4			
6	2BB-6-13-10	10			
6	2BB-6-13-15	15			
6	2BB-6-13-20	20			
6	2BB-6-13-25	25	18		
6	2BB-6-14-1	1	28		
6	2BB-6-14-4	4	30		
6	2BB-6-14-10	10	28		

Notes follow at end of table.

TABLE 4
CHEMICAL ANALYTICAL RESULTS:
TOTAL RECOVERABLE PETROLEUM HYDROCARBONS (MOBILE LABORATORY)
(EPA Methods 418.1/8015M)

Boeing Realty Corporation, C-6 Facility
Los Angeles, California

Area	Sample ID	Depth (ft bgs)	TRPH (EPA 418.1)	TPH-E Diesel (EPA 8015M)	TPH-E Motor Oil (EPA 8015M)
		Detection Limit (mg/kg)	10	10	10
6	2BB-6-14-15	15			
5	2BB-6-14-20	20			
6	2BB-6-14-21	21			
6	2BB-6-14-25	25			
6	2BB-6-15-1	1	27		
6	2BB-6-15-4	4	17		
6	2BB-6-15-10	10			
6	2BB-6-15-15	15			
6	2BB-6-15-20	20			
6	2BB-6-15-25	25			
6	2BB-6-16-1	1			
6	2BB-6-16-4	4			
6	2BB-6-16-10	10			
6	2BB-6-16-15	15			
6	2BB-6-16-20	20			
6	2BB-6-16-25	25			
6	2BB-6-17-1.5	1.5			
6	2BB-6-17-4.5	4.5			
6	2BB-6-17-9.5	9.5			
6	2BB-6-17-19.5	19.5			
6	2BB-6-17-29.5	29.5			
6	2BB-6-17-39.5	39.5			
6	2BB-6-17-49.5	49.5			

Unshaded (blank) cell indicates sample was not analyzed for constituent
Shaded cell indicates constituent result was below the detection limit
* - Sample chromatogram does not match standard gasoline chromatogram

TABLE 5
CHEMICAL ANALYTICAL RESULTS:
SEMI-VOLATILE ORGANIC COMPOUNDS (EPA Method 8270)

Boeing Realty Corporation, C-6 Facility
Los Angeles, California

Area	Sample ID	Depth (ft bgs)	Acenaphthene	Acenaphthylene	Aniline	Anthracene	Benzidine	Benzoic acid	Benz(a)anthracene	Benzo(b)fluoranthene	Benzo(k)fluoranthene	Benzo(g,h,i)perylene	Benzo(a)pyrene	Benzyl alcohol	Bis(2-chloroethoxy)methane	Bis(2-chloroethyl)ether	Bis(2-chloroisopropyl)ether	Bis(2-ethylhexyl)phthalate	4-Bromophenyl phenyl ether	Butyl benzyl phthalate	4-Chloroaniline	2-Chloronaphthalene	4-Chloro-3-methylphenol	2-Chlorophenol	4-Chlorophenyl phenyl ether	Chrysene	Dibenz(a,h)anthracene
	Detection Limit (ug/kg)		100	100	100	100	500	250	100	250	250	250	250	100	100	100	100	100	100	100	100	100	100	100	100	100	100
2	2BB-2-3-1	1																									
2	2BB-2-3-4	4																									
2	2BB-2-3-10	10																									
2	2BB-2-4-1	1																									
2	2BB-2-4-4	4																									
2	2BB-2-4-10	10																									
2	2BB-2-5-4	4																									
2	2BB-2-5-10	10																									
2	2BB-2-6-1	1																									
2	2BB-2-6-4	4																270									
2	2BB-2-6-10	10																									
2	2BB-2-7-1	1																									
2	2BB-2-7-4	4																									
2	2BB-2-7-10	10																120									
2	2BB-2-8-1	1																									
2	2BB-2-8-4	4																									
2	2BB-2-8-10	10																									
2	2BB-2-9-1	1																									
2	2BB-2-9-4	4																									
2	2BB-2-9-10	10																									
2	2BB-2-10-1	1																120									
2	2BB-2-10-4	4																									
2	2BB-2-10-10	10																									
2	2BB-2-11A-1	1																									
2	2BB-2-11A-4	4																260									
2	2BB-2-11A-10	10																									
2	2BB-2-11B-2.0	2																									
2	2BB-2-11B-5.0	5																									
2	2BB-2-11B-9.0	9																170									
2	2BB-2-11B-19.0	19																									

Shaded cell indicates constituent result was below the detection limit.

BOE-C6-0081808

2	2BB-2-10-4	4																										
2	2BB-2-10-10	10																										
2	2BB-2-11A-1	1																										
2	2BB-2-11A-4	4																260										
2	2BB-2-11A-10	10																										
2	2BB-2-11B-2.0	2																										
2	2BB-2-11B-5.0	5																										
2	2BB-2-11B-9.0	9																170										
2	2BB-2-11B-19.0	19																										

Shaded cell indicates constituent result was below the detection limit.

Area	Sample ID	Depth (ft bgs)	Dibenzofuran	Di-n-butyl phthal	1,3-Dichlorobenz	1,4-Dichlorobenz	1,2-Dichlorobenz	3,3'-Dichlorobenz	2,4-Dichlopher	Diethyl phthalate	2,4-Dimethylphe	Dimethyl phthala	4,6-Dinitro-2-mel	2,4-Dinitrophenc	2,4-Dinitrotoluen	2,6-Dinitrotoluen	Di-n-octyl phthal	Fluoranthene	Fluorene	Hexachlorobenz	Hexachlorobutad	Hexachlorocyclo	Hexachloroethal	Indeno(1,2,3-cd)	Isophorone	2-Methylnaphtha	2-Methylphenol
	Detection Limit (ug/kg)		100	250	100	100	100	100	100	100	100	100	100	100	250	250	250	100	100	100	100	100	100	250	100	100	100
2	2BB-2-3-1	1																									
2	2BB-2-3-4	4																									
2	2BB-2-3-10	10																									
2	2BB-2-4-1	1																									
2	2BB-2-4-4	4																									
2	2BB-2-4-10	10																									
2	2BB-2-5-4	4																									
2	2BB-2-5-10	10																									
2	2BB-2-6-1	1																									
2	2BB-2-6-4	4																									
2	2BB-2-6-10	10																									
2	2BB-2-7-1	1																									
2	2BB-2-7-4	4																									
2	2BB-2-7-10	10																									
2	2BB-2-8-1	1																									
2	2BB-2-8-4	4																									
2	2BB-2-8-10	10																									
2	2BB-2-9-1	1																									
2	2BB-2-9-4	4																									
2	2BB-2-9-10	10																									
2	2BB-2-10-1	1																									
2	2BB-2-10-4	4																									
2	2BB-2-10-10	10																									
2	2BB-2-11A-1	1																									
2	2BB-2-11A-4	4																									
2	2BB-2-11A-10	10																									
2	2BB-2-11B-2.0	2																									
2	2BB-2-11B-5.0	5																									
2	2BB-2-11B-9.0	9																									
2	2BB-2-11B-19.0	19																									

Shaded cell indicates constituent result was below the detection limit.

BOE-C6-0081809

TABLE 5
CHEMICAL ANALYTICAL RESULTS:
SEMI-VOLATILE ORGANIC COMPOUNDS (EPA Method 8270)

Boeing Realty Corporation, C-6 Facility
Los Angeles, California

Area	Sample ID	Depth (ft bgs)	Acenaphthene	Acenaphthylene	Aniline	Anthracene	Benzidine	Benzoic acid	Benz(a)anthracene	Benzo(b)fluoranthene	Benzo(k)fluoranthene	Benzo(g,h,i)perylene	Benzo(a)pyrene	Benzyl alcohol	Bis(2-chloroethoxy)methane	Bis(2-chloroethyl)ether	Bis(2-chloroisopropyl)ether	Bis(2-ethylhexyl)phthalate	4-Bromophenyl phenyl ether	Butyl benzyl phthalate	4-Chloroaniline	2-Chloronaphthalene	4-Chloro-3-methylphenol	2-Chlorophenol	4-Chlorophenyl phenyl ether	Chrysene	Dibenz(a,h)anthracene
	Detection Limit (ug/kg)		100	100	100	100	500	250	100	250	250	250	250	100	100	100	100	100	100	100	100	100	100	100	100	100	100
2	2BB-2-3-1	1																									
2	2BB-2-3-4	4																									
2	2BB-2-3-10	10																									
2	2BB-2-4-1	1																									
2	2BB-2-4-4	4																									
2	2BB-2-4-10	10																									
2	2BB-2-5-4	4																									
2	2BB-2-5-10	10																									
2	2BB-2-6-1	1																									
2	2BB-2-6-4	4																270									
2	2BB-2-6-10	10																									
2	2BB-2-7-1	1																									
2	2BB-2-7-4	4																									
2	2BB-2-7-10	10																120									
2	2BB-2-8-1	1																									
2	2BB-2-8-4	4																									
2	2BB-2-8-10	10																									
2	2BB-2-9-1	1																									
2	2BB-2-9-4	4																									
2	2BB-2-9-10	10																									
2	2BB-2-10-1	1																120									
2	2BB-2-10-4	4																									
2	2BB-2-10-10	10																									
2	2BB-2-11A-1	1																									
2	2BB-2-11A-4	4																260									
2	2BB-2-11A-10	10																									
2	2BB-2-11B-2.0	2																									
2	2BB-2-11B-5.0	5																									
2	2BB-2-11B-9.0	9																170									
2	2BB-2-11B-19.0	19																									

Shaded cell indicates constituent result was below the detection limit.

TABLE 5
CHEMICAL ANALYTICAL RESULTS:
SEMI-VOLATILE ORGANIC COMPOUNDS (EPA Method 8270)

Boeing Realty Corporation, C-6 Facility
Los Angeles, California

Area	Sample ID	Depth (ft bgs)	Acenaphthene	Acenaphthylene	Aniline	Anthracene	Benzidine	Benzoic acid	Benz(a)anthracene	Benzo(b)fluoranthene	Benzo(k)fluoranthene	Benzo(g,h,i)perylene	Benzo(a)pyrene	Benzyl alcohol	Bis(2-chloroethoxy)methane	Bis(2-chloroethyl)ether	Bis(2-chloroisopropyl)ether	Bis(2-ethylhexyl)phthalate	4-Bromophenyl phenyl ether	Butyl benzyl phthalate	4-Chloroaniline	2-Chloronaphthalene	4-Chloro-3-methylphenol	2-Chlorophenol	4-Chlorophenyl phenyl ether	Chrysene	Dibenz(a,h)anthracene
	Detection Limit (ug/kg)		100	100	100	100	500	250	100	250	250	250	250	100	100	100	100	100	100	100	100	100	100	100	100	100	100
2	2BB-2-3-1	1																									
2	2BB-2-3-4	4																									
2	2BB-2-3-10	10																									
2	2BB-2-4-1	1																									
2	2BB-2-4-4	4																									
2	2BB-2-4-10	10																									
2	2BB-2-5-4	4																									
2	2BB-2-5-10	10																									
2	2BB-2-6-1	1																									
2	2BB-2-6-4	4																270									
2	2BB-2-6-10	10																									
2	2BB-2-7-1	1																									
2	2BB-2-7-4	4																									
2	2BB-2-7-10	10																120									
2	2BB-2-8-1	1																									
2	2BB-2-8-4	4																									
2	2BB-2-8-10	10																									
2	2BB-2-9-1	1																									
2	2BB-2-9-4	4																									
2	2BB-2-9-10	10																									
2	2BB-2-10-1	1																120									
2	2BB-2-10-4	4																									
2	2BB-2-10-10	10																									
2	2BB-2-11A-1	1																									
2	2BB-2-11A-4	4																260									
2	2BB-2-11A-10	10																									
2	2BB-2-11B-2.0	2																									
2	2BB-2-11B-5.0	5																									
2	2BB-2-11B-9.0	9																170									
2	2BB-2-11B-19.0	19																									

Shaded cell indicates constituent result was below the detection limit.

TABLE 5
CHEMICAL ANALYTICAL RESULTS:
SEMI-VOLATILE ORGANIC COMPOUNDS (EPA Method 8270)

Boeing Realty Corporation, C-6 Facility
Los Angeles, California

Area	Sample ID	Depth (ft bgs)	Dibenzofuran	Di-n-butyl phthalate	1,3-Dichlorobenzene	1,4-Dichlorobenzene	1,2-Dichlorobenzene	3,3'-Dichlorobenzidine	2,4-Dichlorophenol	Diethyl phthalate	2,4-Dimethylphenol	Dimethyl phthalate	4,6-Dinitro-2-methylphenol	2,4-Dinitrophenol	2,4-Dinitrotoluene	2,6-Dinitrotoluene	Di-n-octyl phthalate	Fluoranthene	Fluorene	Hexachlorobenzene	Hexachlorobutadiene	Hexachlorocyclopentadiene	Hexachloroethane	Indeno(1,2,3-cd)pyrene	Isophorone	2-Methylnaphthalene	2-Methylphenol
	Detection Limit (ug/kg)		100	250	100	100	100	100	100	100	100	100	100	100	250	250	250	100	100	100	100	100	100	250	100	100	100
2	2BB-2-3-1	1																									
2	2BB-2-3-4	4																									
2	2BB-2-3-10	10																									
2	2BB-2-4-1	1																									
2	2BB-2-4-4	4																									
2	2BB-2-4-10	10																									
2	2BB-2-5-4	4																									
2	2BB-2-5-10	10																									
2	2BB-2-6-1	1																									
2	2BB-2-6-4	4																									
2	2BB-2-6-10	10																									
2	2BB-2-7-1	1																									
2	2BB-2-7-4	4																									
2	2BB-2-7-10	10																									
2	2BB-2-8-1	1																									
2	2BB-2-8-4	4																									
2	2BB-2-8-10	10																									
2	2BB-2-9-1	1																									
2	2BB-2-9-4	4																									
2	2BB-2-9-10	10																									
2	2BB-2-10-1	1																									
2	2BB-2-10-4	4																									
2	2BB-2-10-10	10																									
2	2BB-2-11A-1	1																									
2	2BB-2-11A-4	4																									
2	2BB-2-11A-10	10																									
2	2BB-2-11B-2.0	2																									
2	2BB-2-11B-5.0	5																									
2	2BB-2-11B-9.0	9																									
2	2BB-2-11B-19.0	19																									

Shaded cell indicates constituent result was below the detection limit.

BOE-C6-0081812

TABLE 5
CHEMICAL ANALYTICAL RESULTS:
SEMI-VOLATILE ORGANIC COMPOUNDS (EPA Method 8270)

Boeing Realty Corporation, C-6 Facility
Los Angeles, California

Area	Sample ID	Depth (ft bgs)	4-Methylphenol	Naphthalene	2-Nitroaniline	3-Nitroaniline	4-Nitroaniline	Nitrobenzene	2-Nitrophenol	4-Nitrophenol	N-Nitrosodiphenylamine	N-Nitroso-di-n-propylamine	N-Nitrosodimethylamine	Pentachlorophenol	Phenanthrene	Phenol	Pyrene	1,2,4-Trichlorobenzene	2,4,5-Trichlorophenol	2,4,6-Trichlorophenol
	Detection Limit (ug/kg)		100	100	250	250	250	100	100	100	100	100	100	250	100	100	100	100	100	100
2	2BB-2-3-1	1																		
2	2BB-2-3-4	4																		
2	2BB-2-3-10	10																		
2	2BB-2-4-1	1																		
2	2BB-2-4-4	4																		
2	2BB-2-4-10	10																		
2	2BB-2-5-4	4																		
2	2BB-2-5-10	10																		
2	2BB-2-6-1	1																		
2	2BB-2-6-4	4																		
2	2BB-2-6-10	10																		
2	2BB-2-7-1	1																		
2	2BB-2-7-4	4																		
2	2BB-2-7-10	10																		
2	2BB-2-8-1	1																		
2	2BB-2-8-4	4																		
2	2BB-2-8-10	10																		
2	2BB-2-9-1	1																		
2	2BB-2-9-4	4																		
2	2BB-2-9-10	10																		
2	2BB-2-10-1	1																		
2	2BB-2-10-4	4																		
2	2BB-2-10-10	10																		
2	2BB-2-11A-1	1																		
2	2BB-2-11A-4	4																		
2	2BB-2-11A-10	10																		
2	2BB-2-11B-2.0	2																		
2	2BB-2-11B-5.0	5																		
2	2BB-2-11B-9.0	9																		
2	2BB-2-11B-19.0	19																		

Shaded cell indicates constituent result was below the detection limit.

TABLE 5
CHEMICAL ANALYTICAL RESULTS:
SEMI-VOLATILE ORGANIC COMPOUNDS (EPA Method 8270)

Boeing Realty Corporation, C-6 Facility
Los Angeles, California

Area	Sample ID	Depth (ft bgs)	Acenaphthene	Acenaphthylene	Aniline	Anthracene	Benzidine	Benzoic acid	Benz(a)anthracene	Benzo(b)fluoranthene	Benzo(k)fluoranthene	Benzo(g,h,i)perylene	Benzo(a)pyrene	Benzyl alcohol	Bis(2-chloroethoxy)methane	Bis(2-chloroethyl)ether	Bis(2-chloroisopropyl)ether	Bis(2-ethylhexyl)phthalate	4-Bromophenyl phenyl ether	Butyl benzyl phthalate	4-Chloroaniline	2-Chloronaphthalene	4-Chloro-3-methylphenol	2-Chlorophenol	4-Chlorophenyl phenyl ether	Chrysene	Dibenz(a,h)anthracene
	Detection Limit (ug/kg)		100	100	100	100	500	250	100	250	250	250	250	100	100	100	100	100	100	100	100	100	100	100	100	100	100
2	2BB-2-11B-29.0	29																									
2	2BB-2-11B-39.0	39																									
2	2BB-2-11B-49.0	49																									
2	2BB-2-12-1	1																									
2	2BB-2-12-4	4																									
2	2BB-2-12-10	10																									
2	2BB-2-13-1	1																									
2	2BB-2-13-4	4																									
2	2BB-2-13-10	10																									
2	2BB-2-14-4	4																									
2	2BB-2-14-10	10																120									
2	2BB-2-15-1	1																									
2	2BB-2-15-4	4																									
2	2BB-2-15-10	10																									
2	2BB-2-16-1	1																									
2	2BB-2-16-4	4																									
2	2BB-2-16-10	10																140									
2	2BB-2-17-1	1																									
2	2BB-2-17-4	4																									
2	2BB-2-17-10	10																									
2	2BB-2-18-1	1																									
2	2BB-2-18-4	4																									
2	2BB-2-18-10	10																									
2	2BB-2-20-1	1																									
2	2BB-2-20-4	4																									
2	2BB-2-20-10	10																									
2	2BB-2-21-1	1																									
2	2BB-2-21-4	4							170									230								150	
2	2BB-2-21-10	10																110									
2	2BB-2-22-1	1																									

Shaded cell indicates constituent result was below the detection limit.

TABLE 5
CHEMICAL ANALYTICAL RESULTS:
SEMI-VOLATILE ORGANIC COMPOUNDS (EPA Method 8270)

Boeing Realty Corporation, C-6 Facility
Los Angeles, California

Area	Sample ID	Depth (ft bgs)	Dibenzofuran	Di-n-butyl phthalate	1,3-Dichlorobenzene	1,4-Dichlorobenzene	1,2-Dichlorobenzene	3,3'-Dichlorobenzidine	2,4-Dichlorophenol	Diethyl phthalate	2,4-Dimethylphenol	Dimethyl phthalate	4,6-Dinitro-2-methylphenol	2,4-Dinitrophenol	2,4-Dinitrotoluene	2,6-Dinitrotoluene	Di-n-octyl phthalate	Fluoranthene	Fluorene	Hexachlorobenzene	Hexachlorobutadiene	Hexachlorocyclopentadiene	Hexachloroethane	Indeno(1,2,3-cd)pyrene	Isophorone	2-Methylnaphthalene	2-Methylphenol
	Detection Limit (ug/kg)		100	250	100	100	100	100	100	100	100	100	100	100	250	250	250	100	100	100	100	100	100	250	100	100	100
2	2BB-2-11B-29.0	29																									
2	2BB-2-11B-39.0	39																									
2	2BB-2-11B-49.0	49																									
2	2BB-2-12-1	1																									
2	2BB-2-12-4	4																									
2	2BB-2-12-10	10																									
2	2BB-2-13-1	1																									
2	2BB-2-13-4	4																									
2	2BB-2-13-10	10																									
2	2BB-2-14-4	4																									
2	2BB-2-14-10	10																									
2	2BB-2-15-1	1																									
2	2BB-2-15-4	4																									
2	2BB-2-15-10	10																									
2	2BB-2-16-1	1																									
2	2BB-2-16-4	4																									
2	2BB-2-16-10	10																									
2	2BB-2-17-1	1																									
2	2BB-2-17-4	4																									
2	2BB-2-17-10	10																									
2	2BB-2-18-1	1																									
2	2BB-2-18-4	4																									
2	2BB-2-18-10	10																									
2	2BB-2-20-1	1																									
2	2BB-2-20-4	4																									
2	2BB-2-20-10	10																									
2	2BB-2-21-1	1																									
2	2BB-2-21-4	4																470									
2	2BB-2-21-10	10																									
2	2BB-2-22-1	1																									

Shaded cell indicates constituent result was below the detection limit.

BOE-C6-0081815

TABLE 5
CHEMICAL ANALYTICAL RESULTS:
SEMI-VOLATILE ORGANIC COMPOUNDS (EPA Method 8270)

Boeing Realty Corporation, C-6 Facility
Los Angeles, California

Area	Sample ID	Depth (ft bgs)	4-Methylphenol	Naphthalene	2-Nitroaniline	3-Nitroaniline	4-Nitroaniline	Nitrobenzene	2-Nitrophenol	4-Nitrophenol	N-Nitrosodiphenylamine	N-Nitroso-di-n-propylamine	N-Nitrosodimethylamine	Pentachlorophenol	Phenanthrene	Phenol	Pyrene	1,2,4-Trichlorobenzene	2,4,5-Trichlorophenol	2,4,6-Trichlorophenol
	Detection Limit (ug/kg)		100	100	250	250	250	100	100	100	100	100	100	250	100	100	100	100	100	100
2	2BB-2-11B-29.0	29																		
2	2BB-2-11B-39.0	39																		
2	2BB-2-11B-49.0	49																		
2	2BB-2-12-1	1																		
2	2BB-2-12-4	4																		
2	2BB-2-12-10	10																		
2	2BB-2-13-1	1																		
2	2BB-2-13-4	4																		
2	2BB-2-13-10	10																		
2	2BB-2-14-4	4																		
2	2BB-2-14-10	10																		
2	2BB-2-15-1	1																		
2	2BB-2-15-4	4																		
2	2BB-2-15-10	10																		
2	2BB-2-16-1	1														170				
2	2BB-2-16-4	4																		
2	2BB-2-16-10	10																		
2	2BB-2-17-1	1																		
2	2BB-2-17-4	4																		
2	2BB-2-17-10	10																		
2	2BB-2-18-1	1																		
2	2BB-2-18-4	4																		
2	2BB-2-18-10	10																		
2	2BB-2-20-1	1																		
2	2BB-2-20-4	4																		
2	2BB-2-20-10	10																		
2	2BB-2-21-1	1																		
2	2BB-2-21-4	4													320		300			
2	2BB-2-21-10	10																		
2	2BB-2-22-1	1																		

Shaded cell indicates constituent result was below the detection limit.

TABLE 5
CHEMICAL ANALYTICAL RESULTS:
SEMI-VOLATILE ORGANIC COMPOUNDS (EPA Method 8270)

Boeing Realty Corporation, C-6 Facility
Los Angeles, California

Area	Sample ID	Depth (ft bgs)	Acenaphthene	Acenaphthylene	Aniline	Anthracene	Benzidine	Benzoic acid	Benz(a)anthracene	Benzo(b)fluoranthene	Benzo(k)fluoranthene	Benzo(g,h,i)perylene	Benzo(a)pyrene	Benzyl alcohol	Bis(2-chloroethoxy)methane	Bis(2-chloroethyl)ether	Bis(2-chloroisopropyl)ether	Bis(2-ethylhexyl)phthalate	4-Bromophenyl phenyl ether	Butyl benzyl phthalate	4-Chloroaniline	2-Chloronaphthalene	4-Chloro-3-methylphenol	2-Chlorophenol	4-Chlorophenyl phenyl ether	Chrysene	Dibenz(a,h)anthracene
		Detection Limit (ug/kg)	100	100	100	100	500	250	100	250	250	250	250	100	100	100	100	100	100	100	100	100	100	100	100	100	100
2	2BB-2-22-4	4																									
2	2BB-2-22-10	10																									
2	2BB-2-22-15	15																									
2	2BB-2-22-20	20																									
2	2BB-2-22-25	25																									
2	2BB-2-23-1	1																									
2	2BB-2-23-4	4																									
2	2BB-2-23-10	10																									
2	2BB-2-23-15	15																									
2	2BB-2-23-20	20																									
2	2BB-2-23-25	25																									
2	2BB-2-24-1	1																									
2	2BB-2-24-4	4																									
2	2BB-2-24-10	10																									
2	2BB-2-25-1	1																									
2	2BB-2-25-4	4																									
2	2BB-2-25-10	10																									
2	2BB-2-26-1	1																									
2	2BB-2-26-4	4																									
2	2BB-2-26-10	10																									
2	2BB-2-27-1	1																									
2	2BB-2-27-4	4																120									
2	2BB-2-27-10	10																									
2	2BB-2-28-1	1																									
2	2BB-2-28-4	4																									
2	2BB-2-28-10	10																									
2	2BB-2-29-1	1																									
2	2BB-2-29-4	4																									
2	2BB-2-29-10	10																									
2	2BB-2-30-1	1																120									

Shaded cell indicates constituent result was below the detection limit.

TABLE 5
CHEMICAL ANALYTICAL RESULTS:
SEMI-VOLATILE ORGANIC COMPOUNDS (EPA Method 8270)

Boeing Realty Corporation, C-6 Facility
Los Angeles, California

Area	Sample ID	Depth (ft bgs)	Dibenzofuran	Di-n-butyl phthalate	1,3-Dichlorobenzene	1,4-Dichlorobenzene	1,2-Dichlorobenzene	3,3'-Dichlorobenzidine	2,4-Dichlorophenol	Diethyl phthalate	2,4-Dimethylphenol	Dimethyl phthalate	4,6-Dinitro-2-methylphenol	2,4-Dinitrophenol	2,4-Dinitrotoluene	2,6-Dinitrotoluene	Di-n-octyl phthalate	Fluoranthene	Fluorene	Hexachlorobenzene	Hexachlorobutadiene	Hexachlorocyclopentadiene	Hexachloroethane	Indeno(1,2,3-cd)pyrene	Isophorone	2-Methylnaphthalene	2-Methylphenol
	Detection Limit (ug/kg)		100	250	100	100	100	100	100	100	100	100	100	100	250	250	250	100	100	100	100	100	100	250	100	100	100
2	2BB-2-22-4	4																									
2	2BB-2-22-10	10																									
2	2BB-2-22-15	15																									
2	2BB-2-22-20	20																									
2	2BB-2-22-25	25																									
2	2BB-2-23-1	1																									
2	2BB-2-23-4	4																									
2	2BB-2-23-10	10																									
2	2BB-2-23-15	15																									
2	2BB-2-23-20	20																									
2	2BB-2-23-25	25																									
2	2BB-2-24-1	1																									
2	2BB-2-24-4	4																									
2	2BB-2-24-10	10																									
2	2BB-2-25-1	1																									
2	2BB-2-25-4	4																									
2	2BB-2-25-10	10																									
2	2BB-2-26-1	1																									
2	2BB-2-26-4	4																									
2	2BB-2-26-10	10																									
2	2BB-2-27-1	1																									
2	2BB-2-27-4	4																									
2	2BB-2-27-10	10																									
2	2BB-2-28-1	1																									
2	2BB-2-28-4	4																									
2	2BB-2-28-10	10																									
2	2BB-2-29-1	1																									
2	2BB-2-29-4	4																									
2	2BB-2-29-10	10																									
2	2BB-2-30-1	1																									

Shaded cell indicates constituent result was below the detection limit.

BOE-C6-0081818

TABLE 5
CHEMICAL ANALYTICAL RESULTS:
SEMI-VOLATILE ORGANIC COMPOUNDS (EPA Method 8270)

Boeing Realty Corporation, C-6 Facility
Los Angeles, California

Area	Sample ID	Depth (ft bgs)	4-Methylphenol	Naphthalene	2-Nitroaniline	3-Nitroaniline	4-Nitroaniline	Nitrobenzene	2-Nitrophenol	4-Nitrophenol	N-Nitrosodiphenylamine	N-Nitroso-di-n-propylamine	N-Nitrosodimethylamine	Pentachlorophenol	Phenanthrene	Phenol	Pyrene	1,2,4-Trichlorobenzene	2,4,5-Trichlorophenol	2,4,6-Trichlorophenol
	Detection Limit (ug/kg)		100	100	250	250	250	100	100	100	100	100	100	250	100	100	100	100	100	100
2	2BB-2-22-4	4																		
2	2BB-2-22-10	10																		
2	2BB-2-22-15	15																		
2	2BB-2-22-20	20																		
2	2BB-2-22-25	25																		
2	2BB-2-23-1	1																		
2	2BB-2-23-4	4																		
2	2BB-2-23-10	10																		
2	2BB-2-23-15	15																		
2	2BB-2-23-20	20																		
2	2BB-2-23-25	25																		
2	2BB-2-24-1	1																		
2	2BB-2-24-4	4																		
2	2BB-2-24-10	10																		
2	2BB-2-25-1	1																		
2	2BB-2-25-4	4																		
2	2BB-2-25-10	10																		
2	2BB-2-26-1	1																		
2	2BB-2-26-4	4																		
2	2BB-2-26-10	10																		
2	2BB-2-27-1	1																		
2	2BB-2-27-4	4																		
2	2BB-2-27-10	10																		
2	2BB-2-28-1	1																		
2	2BB-2-28-4	4																		
2	2BB-2-28-10	10																		
2	2BB-2-29-1	1																		
2	2BB-2-29-4	4																		
2	2BB-2-29-10	10																		
2	2BB-2-30-1	1																		

Shaded cell indicates constituent result was below the detection limit.

TABLE 5
CHEMICAL ANALYTICAL RESULTS:
SEMI-VOLATILE ORGANIC COMPOUNDS (EPA Method 8270)

Boeing Realty Corporation, C-6 Facility
Los Angeles, California

Area	Sample ID	Depth (ft bgs)	Acenaphthene	Acenaphthylene	Aniline	Anthracene	Benzidine	Benzoic acid	Benz(a)anthracene	Benzo(b)fluoranthene	Benzo(k)fluoranthene	Benzo(g,h,i)perylene	Benzo(a)pyrene	Benzyl alcohol	Bis(2-chloroethoxy)methane	Bis(2-chloroethyl)ether	Bis(2-chloroisopropyl)ether	Bis(2-ethylhexyl)phthalate	4-Bromophenyl phenyl ether	Butyl benzyl phthalate	4-Chloroaniline	2-Chloronaphthalene	4-Chloro-3-methylphenol	2-Chlorophenol	4-Chlorophenyl phenyl ether	Chrysene	Dibenz(a,h)anthracene
	Detection Limit (ug/kg)		100	100	100	100	500	250	100	250	250	250	250	100	100	100	100	100	100	100	100	100	100	100	100	100	100
2	2BB-2-30-4	4																									
2	2BB-2-30-10	10																									
2	2BB-2-31-1	1																									
2	2BB-2-31-4	4																									
2	2BB-2-31-10	10																									
2	2BB-2-31-15	15																3600									
2	2BB-2-31-20	20																									
2	2BB-2-31-25	25																4400									
2	2BB-2-32-1	1																									
2	2BB-2-32-4	4																									
2	2BB-2-32-10	10																									
2	2BB-2-32-15	15																									
2	2BB-2-32-20	20																									
2	2BB-2-32-25	25																									
2	2BB-2-33-1	1																670									
2	2BB-2-33-4	4																680									
2	2BB-2-33-10	10																									
2	2BB-2-33-15	15																									
2	2BB-2-33-20	20																600									
2	2BB-2-33-25	25																									
2	2BB-2-34-1	1																									
2	2BB-2-34-4	4																120									
2	2BB-2-34-10	10																190									
2	2BB-2-34-15	15																									
2	2BB-2-34-20	20																									
2	2BB-2-34-25	25																									

Shaded cell indicates constituent result was below the detection limit

Shaded cell indicates constituent result was below the detection limit.

TABLE 5
CHEMICAL ANALYTICAL RESULTS:
SEMI-VOLATILE ORGANIC COMPOUNDS (EPA Method 8270)

Boeing Realty Corporation, C-6 Facility
Los Angeles, California

Area	Sample ID	Depth (ft bgs)	Dibenzofuran	Di-n-butyl phthalate	1,3-Dichlorobenzene	1,4-Dichlorobenzene	1,2-Dichlorobenzene	3,3'-Dichlorobenzidine	2,4-Dichlorophenol	Diethyl phthalate	2,4-Dimethylphenol	Dimethyl phthalate	4,6-Dinitro-2-methylphenol	2,4-Dinitrophenol	2,4-Dinitrotoluene	2,6-Dinitrotoluene	Di-n-octyl phthalate	Fluoranthene	Fluorene	Hexachlorobenzene	Hexachlorobutadiene	Hexachlorocyclopentadiene	Hexachloroethane	Indeno(1,2,3-cd)pyrene	Isophorone	2-Methylnaphthalene	2-Methylphenol
	Detection Limit (ug/kg)		100	250	100	100	100	100	100	100	100	100	100	100	250	250	250	100	100	100	100	100	100	250	100	100	100
2	2BB-2-30-4	4																									
2	2BB-2-30-10	10																									
2	2BB-2-31-1	1																									
2	2BB-2-31-4	4																									
2	2BB-2-31-10	10																									
2	2BB-2-31-15	15																									
2	2BB-2-31-20	20																									
2	2BB-2-31-25	25																									
2	2BB-2-32-1	1																									
2	2BB-2-32-4	4																									
2	2BB-2-32-10	10																									
2	2BB-2-32-15	15																									
2	2BB-2-32-20	20																									
2	2BB-2-32-25	25																									
2	2BB-2-33-1	1																									
2	2BB-2-33-4	4																									
2	2BB-2-33-10	10																									
2	2BB-2-33-15	15																									
2	2BB-2-33-20	20																									
2	2BB-2-33-25	25																									
2	2BB-2-34-1	1																									
2	2BB-2-34-4	4																									
2	2BB-2-34-10	10																									
2	2BB-2-34-15	15																									
2	2BB-2-34-20	20																									
2	2BB-2-34-25	25																									

Shaded cell indicates constituent result was below the detection limit

Shaded cell indicates constituent result was below the detection limit.

TABLE 5
CHEMICAL ANALYTICAL RESULTS:
SEMI-VOLATILE ORGANIC COMPOUNDS (EPA Method 8270)

Boeing Realty Corporation, C-6 Facility
Los Angeles, California

Area	Sample ID	Depth (ft bgs)	4-Methylphenol	Naphthalene	2-Nitroaniline	3-Nitroaniline	4-Nitroaniline	Nitrobenzene	2-Nitrophenol	4-Nitrophenol	N-Nitrosodiphenylamine	N-Nitroso-di-n-propylamine	N-Nitrosodimethylamine	Pentachlorophenol	Phenanthrene	Phenol	Pyrene	1,2,4-Trichlorobenzene	2,4,5-Trichlorophenol	2,4,6-Trichlorophenol
	Detection Limit (ug/kg)		100	100	250	250	250	100	100	100	100	100	100	250	100	100	100	100	100	100
2	2BB-2-30-4	4																		
2	2BB-2-30-10	10																		
2	2BB-2-31-1	1																		
2	2BB-2-31-4	4																		
2	2BB-2-31-10	10																		
2	2BB-2-31-15	15																		
2	2BB-2-31-20	20																		
2	2BB-2-31-25	25																		
2	2BB-2-32-1	1																		
2	2BB-2-32-4	4																		
2	2BB-2-32-10	10																		
2	2BB-2-32-15	15																		
2	2BB-2-32-20	20																		
2	2BB-2-32-25	25																		
2	2BB-2-33-1	1																		
2	2BB-2-33-4	4																		
2	2BB-2-33-10	10																		
2	2BB-2-33-15	15																		
2	2BB-2-33-20	20																		
2	2BB-2-33-25	25																		
2	2BB-2-34-1	1																		
2	2BB-2-34-4	4																		
2	2BB-2-34-10	10																		
2	2BB-2-34-15	15																		
2	2BB-2-34-20	20																		
2	2BB-2-34-25	25																		

Shaded cell indicates constituent result was below the detection limit

Shaded cell indicates constituent result was below the detection limit.

TABLE 6
CHEMICAL ANALYTICAL RESULTS: TITLE 22 METALS

Boeing Realty Corporation, C-6 Facility
Los Angeles, California

Area	Sample I.D.	Sample Depth (ft. bgs)	Antimony EPA 6010 (mg/kg)	Arsenic EPA 6010 (mg/kg)	Barium EPA 6010 (mg/kg)	Beryllium EPA 6010 (mg/kg)	Cadmium EPA 6010 (mg/kg)	Chromium VI EPA 7196 (mg/kg)	Chromium Tot. EPA 6010 (mg/kg)	Cobalt EPA 6010 (mg/kg)	Copper EPA 6010 (mg/kg)	Lead EPA 6010 (mg/kg)	Mercury EPA 7471 (mg/kg)	Molybdenum EPA 6010 (mg/kg)	Nickel EPA 6010 (mg/kg)	Selenium EPA 6010 (mg/kg)	Silver EPA 6010 (mg/kg)	Thallium EPA 6010 (mg/kg)	Vanadium EPA 6010 (mg/kg)	Zinc EPA 6010 (mg/kg)
		STLC Limits (mg/l)	15	5.0	100	0.75	1.0	5.0	560	80	25	5.0	0.2	350	20	1.0	5.0	7.0	24	250
		TTLC Limits (mg/kg)	500	500	10000	75	100	500	2500	8000	2500	1000	20	3500	2000	100	500	700	2400	5000
		Detection Limit (mg/kg)	5.0	1.0	0.1	0.1	0.1	0.5	0.05	0.5	0.1	1.0	0.01	0.5	0.5	1.0	0.1	5.0	0.5	0.1
2	2BB-2-3-1	1			120				20	6.6	7.9				9.7				24	28
2	2BB-2-3-4	4			100				21	6.3	7.6				12				22	28
2	2BB-2-3-10	10			110				26	5.5	13				11				29	37
2	2BB-2-4-1	1			85				17	6.0	8.9				10				21	24
2	2BB-2-4-4	4			150				21	7.1	10				12				27	34
2	2BB-2-4-10	10			90				20	4.8	9.7				9.1				22	31
2	2BB-2-5-4	4			140				20	6.8	12				12				23	30
2	2BB-2-5-10	10			120				25	7.3	17				13				26	56
2	2BB-2-6-1	1			160				18	6.8	11				12				22	31
2	2BB-2-6-4	4			190				35	11	25				18				42	61
2	2BB-2-6-10	10			140				29	7.9	23				14				37	57
2	2BB-2-7-1	1			130				19	6.7	12				11				21	30
2	2BB-2-7-4	4			130				31	9.7	18				16				33	61
2	2BB-2-7-10	10			150				36	9.0	23				16				39	61
2	2BB-2-8-1	1			100				17	7.1	11				10				20	23
2	2BB-2-8-4	4			160				24	7.5	16				13				26	41
2	2BB-2-8-10	10			110				24	6.4	16				12				24	40
2	2BB-2-9-1	1			130				13	6.7	10				10				21	26
2	2BB-2-9-4	4			140				35	9.4	17				16				35	56
2	2BB-2-9-10	10			130				19	7.7	14				10				26	41
2	2BB-2-10-1	1			120				14	7.0	9.0				10				22	24
2	2BB-2-10-4	4			110				22	7.6	11				11				23	32
2	2BB-2-10-10	10			120				26	7.2	16				12				30	44
2	2BB-2-11A-1	1			84				13	5.8	6.7				8.9				16	21
2	2BB-2-11A-4	4			180				25	7.1	13				14				31	43
2	2BB-2-11A-10	10			110				22	6.5	11				11				24	41
2	2BB-2-11B-2.0	2.0			130				25	9.4	16	7.0			15				29	68
2	2BB-2-11B-5.0	5.0			130				24	7.8	12				14				30	32
2	2BB-2-11B-9.0	9.0			120				25	6.9	14				14				26	39
2	2BB-2-11B-19.0	19.0			45				17	4.1	7.7				7.3				16	26
2	2BB-2-11B-29.0	29.0			63				28	3.9	15				8.7				27	30
2	2BB-2-11B-39.0	39.0			110				35	47	22				13				24	47
2	2BB-2-11B-49.0	49.0			11				9.2	1.0	1.7				2.5				5.3	7.9
2	2BB-2-12-1	1			91				19	6.9	8				12				19	25
2	2BB-2-12-4	4			85				14	6.5	6.5				9.7				17	21
2	2BB-2-12-10	10			120				28	8.1	17				14				33	41
2	2BB-2-13-1	1			100				19	7.1	9.0				10				26	26
2	2BB-2-13-4	4			110				26	8.8	11				14				27	36
2	2BB-2-13-10	10			100				25	6.7	16				13				29	40
2	2BB-2-14-4	4			170				30	8.0	15				14				33	51
2	2BB-2-14-10	10			98				21	7.4	11				10				27	31
2	2BB-2-15-1	1			95				20	7.5	9.7				12				23	31
2	2BB-2-15-4	4			120				31	8.1	15				15				33	49
2	2BB-2-15-10	10			120				29	8.3	16				13				30	45

Shaded cell indicates constituent result was below the detection limit.

TABLE 6
CHEMICAL ANALYTICAL RESULTS: TITLE 22 METALS

Boeing Realty Corporation, C-6 Facility
Los Angeles, California

Area	Sample I.D.	Sample Depth (ft. bgs)	Antimony EPA 6010 (mg/kg)	Arsenic EPA 6010 (mg/kg)	Barium EPA 6010 (mg/kg)	Beryllium EPA 6010 (mg/kg)	Cadmium EPA 6010 (mg/kg)	Chromium VI EPA 7196 (mg/kg)	Chromium Tot. EPA 6010 (mg/kg)	Cobalt EPA 6010 (mg/kg)	Copper EPA 6010 (mg/kg)	Lead EPA 6010 (mg/kg)	Mercury EPA 7471 (mg/kg)	Molybdenum EPA 6010 (mg/kg)	Nickel EPA 6010 (mg/kg)	Selenium EPA 6010 (mg/kg)	Silver EPA 6010 (mg/kg)	Thallium EPA 6010 (mg/kg)	Vanadium EPA 6010 (mg/kg)	Zinc EPA 6010 (mg/kg)
	STLC Limits (mg/l)		15	5.0	100	0.75	1.0	5.0	560	80	25	5.0	0.2	350	20	1.0	5.0	7.0	24	250
	TTLC Limits (mg/kg)		500	500	10000	75	100	500	2500	8000	2500	1000	20	3500	2000	100	500	700	2400	5000
	Detection Limit (mg/kg)		5.0	1.0	0.1	0.1	0.1	0.5	0.05	0.5	0.1	1.0	0.01	0.5	0.5	1.0	0.1	5.0	0.5	0.1
2	2BB-2-16-1	1			130				24	9.1	31	23			13				30	70
2	2BB-2-16-4	4			120				24	8.9	13				13				28	37
2	2BB-2-16-10	10			110				23	7.0	12				10				26	38
2	2BB-2-17-1	1			71				17	5.9	7.1				9.5				20	24
2	2BB-2-17-4	4			140				25	8.8	14				17				33	45
2	2BB-2-17-10	10			94				23	7.4	13				12				28	44
2	2BB-2-18-1	1			110				22	8.2	13				12				33	40
2	2BB-2-18-4	4			71				24	7.0	14				12				27	41
2	2BB-2-18-10	10			120				31	7.3	19				12				35	61
2	2BB-2-20-1	1			120				18	6.9	11				11				23	29
2	2BB-2-20-4	4			130				31	8.6	20				17				37	44
2	2BB-2-20-10	10			120				26	6.9	15				11				29	47
2	2BB-2-21-1	1			180				28	7.8	15				16				32	50
2	2BB-2-21-4	4			140				18	6.8	9.4				11				24	27
2	2BB-2-21-10	10			120				26	6.4	16				13				30	45
2	2BB-2-22-1	1			140				29	8.2	13				15				28	34
2	2BB-2-22-4	4			120				29	9.1	16				15				32	39
2	2BB-2-22-10	10			84				21	5.2	10				9.2				21	35
2	2BB-2-22-15	15			77				18	4.1	8.4				7.1				20	25
2	2BB-2-22-20	20			29				13	1.4	1.8				4.0				14	16
2	2BB-2-22-25	25			31				17	2.9	1.9				6.1				18	23
2	2BB-2-23-1	1			98				19	7.5	10				12				26	27
2	2BB-2-23-4	4			150				33	8.5	18				16				36	42
2	2BB-2-23-10	10			130				33	8.5	20				15				37	52
2	2BB-2-23-20	20			32				13	2.8	2.7				5.0				16	17
2	2BB-2-23-25	25			29				19	2.4	3.8				8.2				18	23
2	2BB-2-24-1	1			120				27	7.7	20				15				34	39
2	2BB-2-24-4	4			92				26	6.9	15				14				30	38
2	2BB-2-24-10	10			110				25	7.5	19				13				28	45
2	2BB-2-25-1	1			120				31	7.2	15				16				35	45
2	2BB-2-25-4	4			120				28	8.0	15				14				33	41
2	2BB-2-25-10	10			100				27	7.5	15				14				31	42
2	2BB-2-26-1	1			110				27	7.3	14				16				36	43
2	2BB-2-26-4	4			110				14	6.9	12				12				27	38
2	2BB-2-26-10	10			140				3.0	6.6	68				13				35	51
2	2BB-2-27-1	1			120				30	6.9	15				14				32	41
2	2BB-2-27-4	4			130				28	7.4	15				14				33	41
2	2BB-2-27-10	10			110				28	7.0	17				13				32	45
2	2BB-2-28-1	1			100				19	6.2	11	8.6			10				19	40
2	2BB-2-28-4	4			120				20	7.4	12	2.7			11				24	43
2	2BB-2-28-10	10			110				21	7.2	13				12				22	33
2	2BB-2-29-1	1			120				21	7.3	9.6				12				22	34
2	2BB-2-29-4	4			130				25	8.8	11				14				30	44
2	2BB-2-29-10	10			100				29	6.9	12				19				33	39

Shaded cell indicates constituent result was below the detection limit.

TABLE 6
CHEMICAL ANALYTICAL RESULTS: TITLE 22 METALS

Boeing Realty Corporation, C-6 Facility
Los Angeles, California

Area	Sample I.D.	Sample Depth (ft. bgs)	Antimony EPA 6010 (mg/kg)	Arsenic EPA 6010 (mg/kg)	Barium EPA 6010 (mg/kg)	Beryllium EPA 6010 (mg/kg)	Cadmium EPA 6010 (mg/kg)	Chromium VI EPA 7196 (mg/kg)	Chromium Tot. EPA 6010 (mg/kg)	Cobalt EPA 6010 (mg/kg)	Copper EPA 6010 (mg/kg)	Lead EPA 6010 (mg/kg)	Mercury EPA 7471 (mg/kg)	Molybdenum EPA 6010 (mg/kg)	Nickel EPA 6010 (mg/kg)	Selenium EPA 6010 (mg/kg)	Silver EPA 6010 (mg/kg)	Thallium EPA 6010 (mg/kg)	Vanadium EPA 6010 (mg/kg)	Zinc EPA 6010 (mg/kg)
	STLC Limits (mg/l)		15	5.0	100	0.75	1.0	5.0	560	80	25	5.0	0.2	350	20	1.0	5.0	7.0	24	250
	TTLC Limits (mg/kg)		500	500	10000	75	100	500	2500	8000	2500	1000	20	3500	2000	100	500	700	2400	5000
	Detection Limit (mg/kg)		5.0	1.0	0.1	0.1	0.1	0.5	0.05	0.5	0.1	1.0	0.01	0.5	0.5	1.0	0.1	5.0	0.5	0.1
2	2BB-2-30-1	1			97				24	9.1	15				12				31	53
2	2BB-2-30-4	4			120				19	7.1	10				11				21	32
2	2BB-2-30-10	10			94				18	4.6	11				8.7				26	28
2	2BB-2-31-1	1			140				26	7.3	11				14				25	31
2	2BB-2-31-4	4			140				26	7.8	14				14				33	40
2	2BB-2-31-10	10			130				27	7.6	16				13				32	45
2	2BB-2-31-15	15			71				18	4.8	10				8.7				22	28
2	2BB-2-31-20	20			25				14	2.0	1.0				5.4				15	17
2	2BB-2-31-25	25			29				11	2.5	2.9				5.0				11	19
2	2BB-2-32-1	1			160				33	11	17				19				31	46
2	2BB-2-32-4	4			180				23	7.7	13				13				25	39
2	2BB-2-32-10	10			120				29	8.2	16				14				31	57
2	2BB-2-32-15	15			47				11	2.0	5.6				4.4				12	21
2	2BB-2-32-20	20			43				13	2.5	2.7				7.5				12	18
2	2BB-2-32-25	25			22				11	1.7	2.4				3.6				13	18
2	2BB-2-33-1	1			85				18	6.6	6.8				8.8				17	26
2	2BB-2-33-4	4			120				28	6.9	12				16				27	40
2	2BB-2-33-10	10			110				23	6.1	13				10				23	46
2	2BB-2-33-15	15			110				18	6.3	15				11				20	42
2	2BB-2-33-20	20			48				12	2.4	4.6				5.6				13	20
2	2BB-2-33-25	25			29				12	2.7	1.8				5.1				14	18
2	2BB-2-34-1	1			180				28	4.6	16				12				26	25
2	2BB-2-34-4	4			160				32	8.0	17				19				31	50
2	2BB-2-34-10	10			110				30	7.8	17				13				30	54
2	2BB-2-34-15	15			83				17	6.1	11				8.6				19	33
2	2BB-2-34-20	20			47				12	2.4	5.1				5.8				13	24
2	2BB-2-34-25	25			21				10	1.9	1.6				4.7				13	16
6	2BB-6-1-4	4			99				25	5.7	14				11				30	41
6	2BB-6-1-10	10			100				25	7.6	18				15				30	46
6	2BB-6-1-20	20			79				22	4.1	12				10				22	31
6	2BB-6-1-30	30			28				9.3	4.5	2.7				7.4				12	17
6	2BB-6-1-40	40			28				17	5.1	7.5				8.5				20	26
6	2BB-6-1-50	50			30				17	4.5	8.5				8.2				18	27
6	2BB-6-2-1	1			99				25	9.5	17				13				25	38
6	2BB-6-2-4	4			89				31	8.5	21				15				32	59
6	2BB-6-2-10	10			66				31	8.0	22				14				31	49
6	2BB-6-2-20	20			83				13	6.3	15				7.7				23	30
6	2BB-6-2-30	30			29				11	2.3	2.9				5.4				14	16
6	2BB-6-2-40	40			23				12	4.4	7.2				6.9				18	20
6	2BB-6-2-50	50			68				31	7.2	19				13				43	44
6	2BB-6-3-1	1			95				15	8.4	13				11				23	110
6	2BB-6-3-4	4			130				27	8.5	18				15				35	45
6	2BB-6-3-10	10			100				19	6.1	15				10				24	34
6	2BB-6-3-20	20			70				14	4.0	9.4				6.8				19	23

Shaded cell indicates constituent result was below the detection limit.

TABLE 6
CHEMICAL ANALYTICAL RESULTS: TITLE 22 METALS

Boeing Realty Corporation, C-6 Facility
Los Angeles, California

Area	Sample I.D.	Sample Depth (ft. bgs)	Antimony EPA 6010 (mg/kg)	Arsenic EPA 6010 (mg/kg)	Barium EPA 6010 (mg/kg)	Beryllium EPA 6010 (mg/kg)	Cadmium EPA 6010 (mg/kg)	Chromium VI EPA 7196 (mg/kg)	Chromium Tot. EPA 6010 (mg/kg)	Cobalt EPA 6010 (mg/kg)	Copper EPA 6010 (mg/kg)	Lead EPA 6010 (mg/kg)	Mercury EPA 7471 (mg/kg)	Molybdenum EPA 6010 (mg/kg)	Nickel EPA 6010 (mg/kg)	Selenium EPA 6010 (mg/kg)	Silver EPA 6010 (mg/kg)	Thallium EPA 6010 (mg/kg)	Vanadium EPA 6010 (mg/kg)	Zinc EPA 6010 (mg/kg)
	STLC Limits (mg/l)		15	5.0	100	0.75	1.0	5.0	560	80	25	5.0	0.2	350	20	1.0	5.0	7.0	24	250
	TTLC Limits (mg/kg)		500	500	10000	75	100	500	2500	8000	2500	1000	20	3500	2000	100	500	700	2400	5000
	Detection Limit (mg/kg)		5.0	1.0	0.1	0.1	0.1	0.5	0.05	0.5	0.1	1.0	0.01	0.5	0.5	1.0	0.1	5.0	0.5	0.1
6	2BB-6-3-30	30			20				11	2.3	1.9				4.9				12	17
6	2BB-6-3-40	40			53				25	4.9	11				12				22	34
6	2BB-6-3-50	50			36				17	4.0	9.3				9.0				19	29
6	2BB-6-4-4	4			140				24	7.6	17				14				29	42
6	2BB-6-4-10	10			97				28	7.2	16				12				29	44
6	2BB-6-4-20	20			48				14	3.9	6.9				6.9				18	20
6	2BB-6-4-30	30			20				12	3.9	2.6				5.6				11	16
6	2BB-6-4-40	40			19				10	3.3	4.9				6.5				12	18
6	2BB-6-4-55	55			11				10	1.2	1.8				4.0				7.0	8.9
6	2BB-6-5-1.5	1.5			130				26	7.3	17				13				29	42
6	2BB-6-5-5.0	5			160				26	8.0	14				13				29	43
6	2BB-6-5-9.0	9			110				24	6.9	11				10				29	42
6	2BB-6-5-19.0	19			120				44	7.6	15				18				35	55
6	2BB-6-5-29.0	29			25				16	3.8	3.6				7.3				16	24
6	2BB-6-5-39.0	39			27				15	3.4	6.6				6.7				14	19
6	2BB-6-5-49.0	49			36				25	4.4	8.0				11				19	26
6	2BB-6-6-2.0	2			100				25	8.6	12				11				24	34
6	2BB-6-6-5.0	5			150				35	8.7	20				17				36	49
6	2BB-6-6-10.0	10			130				30	9.0	19				15				34	53
6	2BB-6-6-19.0	19			68				29	3.9	8.8				11				30	32
6	2BB-6-6-29.0	29			20				12	2.7	4.0				6.0				13	18
6	2BB-6-6-39.0	39			43				27	5.5	12				12				26	35
6	2BB-6-6-50.5	50.5			19				11	1.2	1.5				3.2				6.4	5.8
6	2BB-6-8-1	1			93				28	6.4	11				11				30	35
6	2BB-6-8-4	4			130				21	6.4	12				11				23	38
6	2BB-6-8-10	10			140				26	7.0	14				12				24	45
6	2BB-6-8-15	15			110				25	8.4	20				14				33	52
6	2BB-6-8-20	20			81				20	4.3	13				11				22	29
6	2BB-6-8-25	25			24				11	1.9	3.6				6.1				16	15
6	2BB-6-9-1	1			73				25	7.5	10				13				30	36
6	2BB-6-9-4	4			130				18	6.5	8.9				8.3				24	28
6	2BB-6-9-10	10			83				33	8.2	20				13				35	46
6	2BB-6-9-15	15			100				20	8.0	13				10				24	39
6	2BB-6-9-20	20			75				22	5.1	11				7.9				26	31
6	2BB-6-9-25	25			37				16	2.0	3.3				4.9				16	17
6	2BB-6-10-1	1			91				21	6.8	11				11				27	33
6	2BB-6-10-4	4			120				33	7.2	11				13				30	41
6	2BB-6-10-10	10			94				22	7.1	14				11				24	36
6	2BB-6-10-15	15			150				33	10	20				16				40	58
6	2BB-6-10-20	20			84				21	4.8	8.5				9.3				25	27
6	2BB-6-10-25	25			33				11	2.6	2.8				4.3				14	18
6	2BB-6-11A-1	1			94				22	8.4	12				11				28	35
6	2BB-6-11A-4	4			130				29	8.2	11				14				31	39
6	2BB-6-11A-10	10			120				30	7.8	17				13				30	45

Shaded cell indicates constituent result was below the detection limit.

TABLE 6
CHEMICAL ANALYTICAL RESULTS: TITLE 22 METALS

Boeing Realty Corporation, C-6 Facility
Los Angeles, California

Area	Sample I.D.	Sample Depth (ft. bgs)	Antimony EPA 6010 (mg/kg)	Arsenic EPA 6010 (mg/kg)	Barium EPA 6010 (mg/kg)	Beryllium EPA 6010 (mg/kg)	Cadmium EPA 6010 (mg/kg)	Chromium VI EPA 7196 (mg/kg)	Chromium Tot. EPA 6010 (mg/kg)	Cobalt EPA 6010 (mg/kg)	Copper EPA 6010 (mg/kg)	Lead EPA 6010 (mg/kg)	Mercury EPA 7471 (mg/kg)	Molybdenum EPA 6010 (mg/kg)	Nickel EPA 6010 (mg/kg)	Selenium EPA 6010 (mg/kg)	Silver EPA 6010 (mg/kg)	Thallium EPA 6010 (mg/kg)	Vanadium EPA 6010 (mg/kg)	Zinc EPA 6010 (mg/kg)
		STLC Limits (mg/l)	15	5.0	100	0.75	1.0	5.0	560	80	25	5.0	0.2	350	20	1.0	5.0	7.0	24	250
		TTLC Limits (mg/kg)	500	500	10000	75	100	500	2500	8000	2500	1000	20	3500	2000	100	500	700	2400	5000
		Detection Limit (mg/kg)	5.0	1.0	0.1	0.1	0.1	0.5	0.05	0.5	0.1	1.0	0.01	0.5	0.5	1.0	0.1	5.0	0.5	0.1
6	2BB-6-11B-15	15			120				36	8.3	21				14				37	59
6	2BB-6-11B-20	20			84				17	3.7	9.4				7.6				21	26
6	2BB-6-11B-25	25			59				20	4.8	8.7				7.3				26	28
6	2BB-6-12-1	1			60				21	7.3	8.5				11				24	28
6	2BB-6-12-4	4			130				27	6.9	11				14				26	40
6	2BB-6-12-10	10			140				34	7.9	16				15				38	49
6	2BB-6-12-15	15			140				28	8.2	18				13				31	51
6	2BB-6-12-20	20			100				26	6.5	14				12				24	40
6	2BB-6-12-25	25			54				18	4.2	6.0				8.4				20	27
6	2BB-6-13-1	1			120				25	7.0	9.1				12				33	31
6	2BB-6-13-4	4			120				20	7.3	8.8				11				26	37
6	2BB-6-13-10	10			54				18	6.1	7.8				9.4				23	31
6	2BB-6-13-15	15			120				27	8.8	16				14				33	56
6	2BB-6-13-20	20			56				16	2.6	6.1				5.8				18	23
6	2BB-6-13-25	25			22				10	1.6	0.65				18				9.7	14
6	2BB-6-14-1	1			83				20	7.6	9.9				13				25	28
6	2BB-6-14-4	4			140				24	9.2	16				13				34	48
6	2BB-6-14-10	10			99				26	8.4	15				13				32	46
6	2BB-6-14-15	15			110				29	8.4	20				14				35	54
6	2BB-6-14-21	21			35				11	2.3	3.3				4.4				15	16
6	2BB-6-14-25	25			35				15	2.6	2.8				5.2				18	20
6	2BB-6-15-1	1			130				27	7.9	10				15				26	35
6	2BB-6-15-4	4			160				18	9.1	15				13				24	44
6	2BB-6-15-10	10			92				32	8.6	20				16				34	55
6	2BB-6-15-15	15			120				33	9.1	20				16				37	61
6	2BB-6-15-20	20			110				33	7.0	19				12				33	54
6	2BB-6-15-25	25			84				22	4.9	11				11				25	31
6	2BB-6-16-1	1			79				22	7.7	9.4				12				27	30
6	2BB-6-16-4	4			200				20	6.7	8.5				13				29	32
6	2BB-6-16-10	10			140				37	9.0	18				16				39	63
6	2BB-6-16-15	15			120				34	8.2	16				15				35	63
6	2BB-6-16-20	20			110				19	5.6	14				12				25	38
6	2BB-6-16-25	25			69				16	6.3	7.7				9.0				24	27
6	2BB-6-17-2.0	2			150				32	8.1	12				17				35	38
6	2BB-6-17-5.0	5			150				37	8.8	23				17				39	52
6	2BB-6-17-9.0	9			130				33	8.4	17				14				37	53
6	2BB-6-17-19.0	19			100				30	7.7	20				16				34	48
6	2BB-6-17-29.0	29			19				8.6	1.9	1.5				3.9				8.7	13
6	2BB-6-17-39.0	39			16				9.2	2.0	4.2				4.6				10	15
6	2BB-6-17-49.0	49			58				34	8.3	16				20				34	52

Shaded cell indicates constituent result was below the detection limit

Shaded cell indicates constituent result was below the detection limit.

TABLE 7
CHEMICAL ANALYTICAL RESULTS: POLYCHLORINATED BIPHENYLS
(EPA Method 8080)

Boeing Realty Corporation, C-6 Facility
Los Angeles, California

Area	Sample ID	Depth (ft bgs)	PCB-1016	PCB-1221	PCB-1232	PCB-1242	PCB-1248	PCB-1254	PCB-1260
		Detection Limit (ug/kg)	20	20	20	20	20	20	20
2	2BB-2-1-1	1							
2	2BB-2-1-4	4							
2	2BB-2-1-10	10							
2	2BB-2-2-1	1							
2	2BB-2-2-4	4							
2	2BB-2-2-10	10							
2	2BB-2-11B-2.0	2							
2	2BB-2-11B-5.0	5							
2	2BB-2-11B-9.0	9							
2	2BB-2-11B-19.0	19							
2	2BB-2-11B-29.0	29							
2	2BB-2-11B-39.0	39							
2	2BB-2-11B-49.0	49							
2	2BB-2-22-1	1							
2	2BB-2-22-4	4							
2	2BB-2-22-10	10							
2	2BB-2-22-15	15							
2	2BB-2-22-20	20							
2	2BB-2-22-25	25							
2	2BB-2-23-4	4							
2	2BB-2-23-1	1							
2	2BB-2-23-10	10							
2	2BB-2-23-15	15							
2	2BB-2-23-20	20							
2	2BB-2-23-25	25							
2	2BB-2-24-1	1							
2	2BB-2-24-4	4							
2	2BB-2-24-10	10							
2	2BB-2-31-1	1							
2	2BB-2-31-4	4							
2	2BB-2-31-10	10							
2	2BB-2-31-15	15							
2	2BB-2-31-20	20							
2	2BB-2-31-25	25							
2	2BB-2-32-1	1							
2	2BB-2-32-4	4							
2	2BB-2-32-10	10							
2	2BB-2-32-15	15							
2	2BB-2-32-20	20							
2	2BB-2-32-25	25							

Shaded cell indicates constituent result was below the detection limit.

TABLE 7
CHEMICAL ANALYTICAL RESULTS: POLYCHLORINATED BIPHENYLS
(EPA Method 8080)

Boeing Realty Corporation, C-6 Facility
Los Angeles, California

Area	Sample ID	Depth (ft bgs)	PCB-1016	PCB-1221	PCB-1232	PCB-1242	PCB-1248	PCB-1254	PCB-1260
6	2BB-6-1-4	4							
6	2BB-6-1-10	10							
6	2BB-6-1-20	20							
6	2BB-6-1-30	30							
6	2BB-6-1-40	40							
6	2BB-6-1-50	50							
6	2BB-6-2-1	1							
6	2BB-6-2-4	4							
6	2BB-6-2-10	10							
6	2BB-6-2-20	20							
6	2BB-6-2-30	30							
6	2BB-6-2-40	40							
6	2BB-6-2-50	50							
6	2BB-6-3-1	1							
6	2BB-6-3-4	4							
6	2BB-6-3-10	10							
6	2BB-6-3-20	20							
6	2BB-6-3-30	30							
6	2BB-6-3-40	40							
6	2BB-6-3-50	50							
6	2BB-6-4-4	4							
6	2BB-6-4-10	10							
6	2BB-6-4-20	20							
6	2BB-6-4-30	30							
6	2BB-6-4-40	40							
6	2BB-6-4-55	55							
6	2BB-6-5-1.5	1.5							
6	2BB-6-5-5.0	5							
6	2BB-6-5-9.0	9							
6	2BB-6-5-19.0	19							
6	2BB-6-5-29.0	29							
6	2BB-6-5-39.0	39							
6	2BB-6-5-49.0	49							
6	2BB-6-6-2.0	2							
6	2BB-6-6-5.0	5							
6	2BB-6-6-10.0	10							
6	2BB-6-6-19.0	19							
6	2BB-6-6-29.0	29							
6	2BB-6-6-39.0	39							
6	2BB-6-6-50.5	50.5							
6	2BB-6-9-1	1							

Shaded cell indicates constituent result was below the detection limit.

TABLE 7
CHEMICAL ANALYTICAL RESULTS: POLYCHLORINATED BIPHENYLS
(EPA Method 8080)

Boeing Realty Corporation, C-6 Facility
Los Angeles, California

Area	Sample ID	Depth (ft bgs)	PCB-1016	PCB-1221	PCB-1232	PCB-1242	PCB-1248	PCB-1254	PCB-1260
6	2BB-6-9-4	4							
6	2BB-6-9-10	10							
6	2BB-6-9-15	15							
6	2BB-6-9-20	20							
6	2BB-6-9-25	25							
6	2BB-6-10-1	1							
6	2BB-6-10-4	4							
6	2BB-6-10-10	10							
6	2BB-6-10-15	15							
6	2BB-6-10-20	20							
6	2BB-6-10-25	25							
6	2BB-6-11A-1	1							
6	2BB-6-11A-4	4							
6	2BB-6-11A-10	10							
6	2BB-6-11B-15	15							
6	2BB-6-11B-20	20							
6	2BB-6-11B-25	25							
6	2BB-6-12-1	1							
6	2BB-6-12-4	4							
6	2BB-6-12-10	10							
6	2BB-6-12-15	15							
6	2BB-6-12-20	20							
6	2BB-6-12-25	25							
6	2BB-6-13-1	1							
6	2BB-6-13-4	4							
6	2BB-6-13-10	10							
6	2BB-6-13-15	15							
6	2BB-6-13-20	20							
6	2BB-6-13-25	25							
6	2BB-6-14-1	1							
6	2BB-6-14-4	4							
6	2BB-6-14-10	10							
6	2BB-6-14-15	15							
6	2BB-6-14-21	21							
6	2BB-6-14-25	25							
6	2BB-6-15-1	1							
6	2BB-6-15-4	4							
6	2BB-6-15-10	10							
6	2BB-6-15-15	15							
6	2BB-6-15-20	20							
6	2BB-6-15-25	25							

Shaded cell indicates constituent result was below the detection limit.

TABLE 7
CHEMICAL ANALYTICAL RESULTS: POLYCHLORINATED BIPHENYLS
(EPA Method 8080)

Boeing Realty Corporation, C-6 Facility
Los Angeles, California

Area	Sample ID	Depth (ft bgs)	PCB-1016	PCB-1221	PCB-1232	PCB-1242	PCB-1248	PCB-1254	PCB-1260
6	2BB-6-16-1	1							
6	2BB-6-16-4	4							
6	2BB-6-16-10	10							
6	2BB-6-16-15	15							
6	2BB-6-16-20	20							
6	2BB-6-16-25	25							
6	2BB-6-17-2.0	2							
6	2BB-6-17-5.0	5							
6	2BB-6-17-9.0	9							
6	2BB-6-17-19.0	19							
6	2BB-6-17-29.0	29							
6	2BB-6-17-39.0	39							
6	2BB-6-17-49.0	49							

Shaded cell indicates constituent result was below the detection limit

TABLE 8
CHEMICAL ANALYTICAL RESULTS: PESTICIDES
(EPA Method 8080)

Boeing Realty Corporation, C-6 Facility
Los Angeles, California

Area	Sample ID	Depth (ft bgs)	Aldrin	alpha-BHC	beta-BHC	delta-BHC	gamma-BHC (Lindane)	Chlordane	4,4'-DDD	4,4'-DDE	4,4'-DDT	Dieldrin	Endosulfan I	Endosulfan II	Endosulfan sulfate	Endrin	Endrin aldehyde	Heptachlor	Heptachlor epoxide	Methoxychlor	Toxaphene
		Detection Limit (ug/kg)	1.0	1.0	1.0	2.0	1.0	10.0	2.0	1.0	2.0	1.0	2.0	1.0	10.0	2.0	3.0	1.0	1.0	30.0	35.0
2	2BB-2-33-1	1																			
2	2BB-2-33-4	4																			
2	2BB-2-33-10	10																			
2	2BB-2-33-15	15																			
2	2BB-2-33-20	20																			
2	2BB-2-33-25	25																			
2	2BB-2-35-1	1																			
2	2BB-2-35-4	4																			
2	2BB-2-35-10	10																			
2	2BB-2-35-15	15																			
2	2BB-2-35-20	20																			
2	2BB-2-35-25	25																			

Shaded cell indicates constituent result was below the detection limit

TABLE 9
SUMMARY OF RESULTS OF QA/QC ANALYSIS FOR
VOLATILE ORGANIC COMPOUNDS (EPA Method 8260)

Boeing Realty Corporation, C-6 Facility
Los Angeles, California

Sample Number	Date Sampled	Onsite Laboratory (µg/kg)	Stationary Laboratory (µg/kg)		
		TCE	PCE	Toluene	TCE
Detection Limit		5.0	2.5	2.5	2.5
2BB-2-26-1	4/10/97				
2BB-2-23-4	4/10/97				
2BB-2-22-1	4/11/97				
2BB-2-31-20	4/11/97				
2BB-2-33-10	4/11/97				
2BB-2-35-4	4/14/97				
2BB-2-1-10	4/14/97				
2BB-2-4-4	4/14/97				
2BB-2-3-10	4/14/97				
2BB-2-12-1	4/15/97				
2BB-2-15-10	4/15/97				
2BB-6-8-1	4/16/97				
2BB-6-10-20	4/17/97				
2BB-6-14-1	4/17/97				
2BB-6-15-20	4/18/97				
2BB-6-16-15	4/18/97				
2BB-6-6-5	4/24/97				
2BB-6-17-39.5	4/24/97				
2BB-6-1-10	4/23/97				
2BB-6-1-20	4/23/97				
2BB-6-1-30	4/23/97				
2BB-6-1-4	4/23/97				
2BB-6-1-40	4/23/97	15			
2BB-6-1-50	4/23/97	52			
2BB-6-2-1	4/23/97		16		19
2BB-6-2-4	4/23/97	9.6			
2BB-6-2-10	4/23/97				
2BB-6-2-20	4/23/97	9.1			
2BB-6-2-30	4/23/97				
2BB-6-2-40	4/23/97	16			
2BB-6-2-50	4/23/97	19		3	
2BB-6-3-1	4/23/97	23		3.3	15
2BB-6-3-4	4/23/97				
2BB-6-3-10	4/23/97	13			
2BB-6-3-20	4/23/97	5.9			
2BB-6-3-30	4/23/97				
2BB-6-3-40	4/23/97	34			
2BB-6-3-50	4/23/97	6.2			
2BB-6-4-4	4/23/97	17			
2BB-6-4-10	4/23/97	33			
2BB-6-4-20	4/23/97	16			
2BB-6-4-30	4/23/97	34			
2BB-6-4-40	4/23/97	15			
2BB-6-4-55	4/23/97	13			

LEGEND:
TCE - Trichloroethene
PCE - Tetrachloroethene
Shaded cell indicates constituent result was below detection limit.
Table shows only constituents that had at least one detection in the above samples.

TABLE 10
SUMMARY OF RESULTS OF QA/QC ANALYSIS FOR TOTAL RECOVERABLE PETROLEUM HYDROCARBONS (EPA Method 418.1)

Boeing Realty Corporation, C-6 Facility
Los Angeles, California

Sample No.	Date Sampled	Laboratory Results (mg/kg)		
		Onsite		Stationary
Detection Limit		20	10	8
2BB-2-29-10	4/10/97			
2BB-2-23-25	4/10/97			
2BB-2-22-25	4/11/97			9
2BB-2-33-1	4/11/97			26
2BB-2-34-25	4/11/97			10
2BB-2-6-1	4/14/97			19
2BB-2-9-1	4/15/97			21
2BB-2-18-10	4/15/97			14
2BB-6-13-20	4/17/97			
2BB-6-15-20	4/18/97			
2BB-6-3-20	4/23/97			
2BB-6-4-20	4/23/97			
2BB-6-5-19	4/24/97			57
2BB-6-6-19	4/24/97			73
2BB-6-17-49	4/24/97			
2BB-6-1-4	4/23/97			
2BB-6-1-10	4/23/97			
2BB-6-1-20	4/23/97			
2BB-6-1-30	4/23/97			15
2BB-6-1-40	4/23/97			10
2BB-6-1-50	4/23/97			10
2BB-6-2-1	4/23/97			
2BB-6-2-4	4/23/97			
2BB-6-2-10	4/23/97			13
2BB-6-2-20	4/23/97			19
2BB-6-2-30	4/23/97			13
2BB-6-2-40	4/23/97			11
2BB-6-2-50	4/23/97			16
2BB-6-3-1	4/23/97			
2BB-6-3-4	4/23/97			
2BB-6-3-10	4/23/97			
2BB-6-3-20	4/23/97			
2BB-6-3-30	4/23/97			48
2BB-6-3-40	4/23/97			15
2BB-6-3-50	4/23/97			
2BB-6-4-4	4/23/97			
2BB-6-4-10	4/23/97			19
2BB-6-4-20	4/23/97			20
2BB-6-4-30	4/23/97			
2BB-6-4-40	4/23/97			35
2BB-6-4-55	4/23/97			

Shaded cell indicates constituent result was below detection limit.