ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

LABORATORY REPORT FORM

Laboratory Name: ORANGE COAST ANALYTICAL, INC.

Address: 3002 Dow Suite 532 Tustin, CA 92780

Telephone: (714) 832-0064

Laboratory Certification
(ELAP) No.: 1416 Expiration Date: 1999

Laboratory Director's Name (Print) : Mark Noorani

Client: Montgomery Watson

Project No.: 1206035.01090010

Project Name: The Boeing Company

Laboratory Reference: MWI 9687

Analytical Method: EPA 418.1, 8260, 8270, 8080, Title 22 Metals , CCID

Date Sampled: 10/28/97
Date Received: 10/28/97
Date Reported: 11/05/97

Sample Matrix: Water & Soil

Chain of Custody Received: Yes

Laboratory Director's Signature: Mark Noorani

MWI 9687

METHOD ID	LIMIT1 SOIL	LIMIT1 WATER	LAB CAS ID	PF CODE	SURROG FLG	Units	LAB CHEM	97100413	97100414	97100415	97100416	97100417	QC(S) LAB SAMP NO	R1	T CONC	SL[1]	DL[1]
							SAMP TYPE	S	S	W	W	W					
							RES CODE	PP01	PP01	BF11	BR11	BT11					
							SAMP ID	B37-GS-206-5'	B37-GS-207-5'	EQUIP BLANK	RINSATE BLANK	TRIP BLANK					
							SAMP DATE	10/28/97	10/28/97	10/28/97	10/28/97	10/28/97					
							SAMP TIME	11:10	13:35	14:50	15:05						
							SAMP DEPTH										
							PRESERVED			N, H	N, H	N, H					
							ICED	Y	Y	Y	Y	Y					
							RECEIVED	10/28/97	10/28/97	10/28/97	10/28/97	10/28/97					
							REC TIME	15:15	15:15	15:15	15:15	15:15					
							BASIS	W	W	W	W	W					
							Tested	10/29/97	10/29/97	11/03/97	11/03/97		10/29/97				
418.1	8.0	0.5		T		ppm	Extractable Hydrocarbons	15,000	20,000	<	<		OCA200	0.0	100	107	114
							Tested	10/29/97	10/29/97	11/05/97	11/05/97		10/29/97				
6010	5.0	0.5		T		ppm	Antimony	<	<	<	<		97100413	0.0	30.0	30.0	30.0
6010	1.0	0.1		T		ppm	Arsenic	<	<	<	<		97100413	0.0	10.0	10.0	11.0
6010	0.1	0.01		T		ppm	Barium	150	100	<	<		97100413	15.0	10.0	24.0	25.0
6010	0.1	0.01		T		ppm	Beryllium	<	<	<	<		97100413	0.00	1.00	1.00	1.00
6010	0.1	0.01		T		ppm	Cadmium	<	<	<	<		97100413	0.00	1.00	1.10	1.10
							Tested	10/29/97	10/29/97	10/29/97	10/29/97		10/29/97				
7196	0.5	0.01		T		ppm	Chromium (VI)	<	<	<	<		97100414	0.00	1.00	1.1	1.1
							Tested	10/29/97	10/29/97	11/05/97	11/05/97		10/29/97				
6010	0.1	0.01		T		ppm	Chromium Total	29	29	<	<		97100413	2.9	5.0	7.5	7.4
6010	0.5	0.1		T		ppm	Cobalt	15	7.0	<	<		97100413	1.50	1.00	2.40	2.40
6010	0.1	0.01		T		ppm	Copper	12	13	<	<		97100413	1.20	1.00	2.10	2.10
6010	1.0	0.1		T		ppm	Lead	<	<	<	<		97100413	0.00	10.0	8.90	9.80
							Tested	10/29/97	10/29/97	11/04/97	11/04/97		10/29/97				
7471	0.01	0.002		T		ppm	Mercury	<	<	<	<		97100414	0.000	0.020	0.020	0.019
							Tested	10/29/97	10/29/97	11/05/97	11/05/97		10/29/97				
6010	0.5	0.1		T		ppm	Molybdenum	<	<	<	<		97100413	0.0	10.0	10.0	10.0
6010	0.5	0.1		T		ppm	Nickel	13	9.7	<	<		97100413	1.3	5.0	5.5	5.3
6010	1.0	0.1		T		ppm	Selenium	<	<	<	<		97100413	0.0	10.0	11.0	12.0
6010	0.1	0.1		T		ppm	Silver	<	<	<	<		97100413	0.0	5.0	4.2	4.9
6010	5.0	0.5		T		ppm	Thallium	<	<	<	<		97100413	0.0	30.0	30.0	30.0
6010	0.5	0.1		T		ppm	Vanadium	30	30	<	<		97100413	3.0	5.0	7.8	8.3
6010	0.1	0.01		T		ppm	Zinc	40	50	<	<		97100413	4.0	5.0	8.5	8.8
STLC				S		ppm											
TCLP				C		ppm											
							Tested	10/29/97		10/30/97	10/30/97	10/30/97	10/29/97				
							Dilution Factor	1		1	1	1	1				
8260	2.5	0.5	71-43-2	T		ppb	Benzene	<		<	<	<	97100413	0.0	50	47	45

BOE-C6-0084172

MWI 9687

8260	2.5	0.5	75-27-4	T	ppb	Bromodichloromethane	<		<	<	<						
8260	2.5	0.5	75-25-2	T	ppb	Bromoform	<		<	<	<						
8260	2.5	1.0	74-83-9	T	ppb	Bromomethane	<		<	<	<						
8260	5.0	0.5	75-15-0	T	ppb	Carbon Disulfide	<		<	<	<						
8260	2.5	0.5	56-23-5	T	ppb	Carbon tetrachloride	<		<	<	<						
8260	2.5	0.5	108-90-7	T	ppb	Chlorobenzene	<		<	<	<	97100413	0.0	50	53	50	
8260	2.5	0.5	124-48-1	T	ppb	Chlorodibromomethane	<		<	<	<						
8260	2.5	0.5	75-00-3	T	ppb	Chloroethane	<		<	<	<						
8260	5.0	0.5	110-75-8	T	ppb	2-Chloroethyl vinyl ether	<		<	<	<						
8260	2.5	0.5	67-66-3	T	ppb	Chloroform	<		<	<	<						
8260	2.5	0.5	74-87-3	T	ppb	Chloromethane	<		<	<	<						
8260	2.5	0.5	75-34-3	T	ppb	1,1-Dichloroethane	<		<	<	<						
8260	2.5	0.5	107-06-2	T	ppb	1,2-Dichloroethane	<		<	<	<						
8260	2.5	0.5	75-35-4	T	ppb	1,1-Dichloroethene	<		<	<	<	97100413	0.0	50	49	48	
8260	2.5	0.5	156-60-5	T	ppb	Trans 1,2-Dichloroethene	<		<	<	<						
8260	2.5	0.5	78-87-5	T	ppb	1,2-Dichloropropane	<		<	<	<						
8260	2.5	0.5	10061-01-5	T	ppb	cis-1,3-Dichloropropene	<		<	<	<						
8260	2.5	0.5	10061-02-6	T	ppb	trans-1,3-Dichloropropene	<		<	<	<						
8260	2.5	0.5	100-41-4	T	ppb	Ethylbenzene	<		<	<	<						
8260	5.0	2.5	75-09-2	T	ppb	Methylene chloride	<		<	<	<						
8260	2.5	0.5	100-42-5	T	ppb	Styrene	<		<	<	<						
8260	2.5	0.5	79-34-5	T	ppb	1,1,2,2-Tetrachloroethane	<		<	<	<						
8260	2.5	0.5	127-18-4	T	ppb	Tetrachloroethene	<		<	<	<						
8260	2.5	0.5	108-88-3	T	ppb	Toluene	<		<	<	<	97100413	0.0	50	40	37	
8260	2.5	0.5	71-55-6	T	ppb	1,1,1-Trichloroethane	<		<	<	<						
8260	2.5	0.5	79-00-5	T	ppb	1,1,2-Trichloroethane	<		<	<	<						
8260	2.5	0.5	79-01-6	T	ppb	Trichloroethene	<		<	<	<	97100413	0.0	50	50	50	
8260	5.0	0.5	75-69-4	T	ppb	Trichlorofluoromethane	<		<	<	<						
8260	5.0	1.0	108-05-4	T	ppb	Vinyl acetate	<		<	<	<						
8260	2.5	0.5	75-01-4	T	ppb	Vinyl chloride	<		<	<	<						
8260	2.5	1.0	1330-20-7	T	ppb	Total Xylenes	<		<	<	<						
8260	2.5	0.5	75-71-8	T	ppb	Dichlorodifluoromethane	<		<	<	<						
8260	2.5	0.5	156-59-2	T	ppb	cis-1-2,-Dichloroethene	<		<	<	<						
8260	2.5	0.5	594-20-7	T	ppb	2,2-Dichloropropane	<		<	<	<						
8260	2.5	0.5	74-97-5	T	ppb	Bromochloromethane	<		<	<	<						
8260	2.5	0.5	563-58-6	T	ppb	1,1-Dichloropropene	<		<	<	<						
8260	2.5	0.5	74-95-3	T	ppb	Dibromomethane	<		<	<	<						
8260	2.5	0.5	106-93-4	T	ppb	1,2-Dibromoethane	<		<	<	<						
8260	2.5	0.5	142-28-9	T	ppb	1,3-Dichloropropane	<		<	<	<						
8260	2.5	0.5	98-82-8	T	ppb	Isopropylbenzene	<		<	<	<						
8260	2.5	0.5	79-34-5	T	ppb	1,1,2,2-Tetrachloroethane	<		<	<	<						
8260	2.5	0.5	96-18-4	T	ppb	1,2,3-Trichloropropane	<		<	<	<						
8260	2.5	0.5	108-86-1	T	ppb	Bromobenzene	<		<	<	<						
8260	2.5	0.5	103-65-1	T	ppb	n-Propylbenzene	<		<	<	<						
8260	2.5	0.5	95-49-8	T	ppb	2-Chlorotoluene	<		<	<	<						
8260	2.5	0.5	108-67-8	T	ppb	1,3,5-Trimethylbenzene	<		<	<	<						
8260	2.5	0.5	106-43-4	T	ppb	4-Chlorotoluene	<		<	<	<						
8260	2.5	0.5	98-06-6	T	ppb	tert-Butylbenzene	<		<	<	<						
8260	2.5	0.5	95-63-6	T	ppb	1,2,4-Trimethylbenzene	<		<	<	<						

BOE-C6-0084173

8260	2 5	0 5	135-98-8	T		ppb	sec-Butylbenzene	<		<	<	<						
8260	2 5	0 5	99-87-6	T		ppb	4-Isopropyltoluene	<		<	<	<						
8260	2 5	0 5	541-73-1	T		ppb	1,3-Dichlorobenzene	<		<	<	<						
8260	2 5	0 5	106-46-7	T		ppb	1,4-Dichlorobenzene	<		<	<	<						
8260	2 5	0 5	104-51-8	T		ppb	n-Butylbenzene	<		<	<	<						
8260	2 5	0 5	95-50-1	T		ppb	1,2-Dichlorobenzene	<		<	<	<						
8260	5 0	1 0	96-12-8	T		ppb	1,2-Dibromo-3-CPA	<		<	<	<						
8260	2 5	0 5	120-82-1	T		ppb	1,2,4-Trichlorobenzene	<		<	<	<						
8260	2 5	0 5	87-68-3	T		ppb	Hexachlorobutadiene	<		<	<	<						
8260	2 5	0 5	91-20-3	T		ppb	Naphthalene	<		<	<	<						
8260	2 5	0 5	87-61-6	T		ppb	1,2,3-Trichlorobenzene	<		<	<	<						
					T	%	Dibromofluoromethane	108		106	104	105						
					T	%	Toluene-d8	83		108	108	107						
					T	%	4-Bromofluorobenzene	84		103	103	103						
							Tested	10/29/97		10/30/97	10/30/97		10/29/97					
							Dilution Factor	1		1	1							
8270	100	5 0	83-32-9	T		ppb	Acenaphthene	<		<	<		OCA200	0 0	50	44	44	
8270	100	5 0	208-96-8	T		ppb	Acenaphthylene	<		<	<							
8270	100	5 0	62-53-3	T		ppb	Aniline	<		<	<							
8270	100	5 0	120-12-7	T		ppb	Anthracene	<		<	<							
8270	500	50	65-85-0	T		ppb	Benzoic Acid	<		<	<							
8270	100	5 0	56-55-3	T		ppb	Benzo (a) anthracene	<		<	<							
8270	250	25	205-99-2	T		ppb	Benzo (b) fluoranthene	<		<	<							
8270	250	25	207-08-9	T		ppb	Benzo (k) fluoranthene	<		<	<							
8270	250	25	191-24-2	T		ppb	Benzo (g,h,i)perylene	<		<	<							
8270	250	25	50-32-8	T		ppb	Benzo (a) pyrene	<		<	<							
8270	100	50	100-51-6	T		ppb	Benzyl alcohol	<		<	<							
8270	100	5 0	111-91-1	T		ppb	Bis(2-chloroethoxy)methane	<		<	<							
8270	100	5.0	111-44-4	T		ppb	Bis(2-chloroethyl)ether	<		<	<							
8270	100	5 0	39638-32-9	T		ppb	Bis(2-chloroisopropyl)ether	<		<	<							
8270	100	3.0	117-81-7	T		ppb	Bis(2-ethylhexyl)phthalate	<		<	<							
8270	100	5.0	101-55-3	T		ppb	4-Bromophenyl phenyl ether	<		<	<							
8270	100	5.0	85-68-7	T		ppb	Butyl benzyl phthalate	<		<	<							
8270	100	5 0	106-47-8	T		ppb	4-Chloroaniline	<		<	<							
8270	100	5 0	91-58-7	T		ppb	2-Chloronaphthalene	<		<	<							
8270	100	5.0	59-50-7	T		ppb	4-Chloro-3-methylphenol	<		<	<		OCA200	0 0	100	73	72	
8270	100	5.0	95-57-8	T		ppb	2-Chlorophenol	<		<	<		OCA200	0 0	100	75	77	
8270	100	5 0	7005-72-3	T		ppb	4-Chlorophenyl phenyl ehter	<		<	<							
8270	100	5.0	218-0109	T		ppb	Chrysene	<		<	<							
8270	100	25	53-70-3	T		ppb	Dibenz(a,h)anthracene	<		<	<							
8270	100	5.0	132-64-9	T		ppb	Dibenzofuran	<		<	<							
8270	250	5.0	84-74-2	T		ppb	Di-N-butyl phthalate	<		<	<							
8270	100	5.0	541-73-1	T		ppb	1,3-Dichlorobenzene	<		<	<							
8270	100	5.0	106-46-7	T		ppb	1,4-Dichlorobenzene	<		<	<		OCA200	0.0	50	40	40	
8270	100	5.0	95-50-1	T		ppb	1,2-Dichlorobenzene	<		<	<							
8270	100	5.0	91-94-1	T		ppb	3,3-Dichlorobenzidine	<		<	<							
8270	100	5.0	120-83-2	T		ppb	2,4-Dichlorophenol	<		<	<							

BOE-C6-0084174

8270	100	5.0	84-66-2	T		ppb	Diethyl phthalate	<		<	<						
8270	100	5.0	105-67-9	T		ppb	2,4-Dimethylphenol	<		<	<						
8270	100	5.0	131-11-3	T		ppb	Dimethyl phthalate	<		<	<						
8270	100	50	534-52-1	T		ppb	4,6-Dinitro-2-methylphenol	<		<	<						
8270	100	50	51-28-5	T		ppb	2,4-Dinitrophenol	<		<	<						
8270	250	5.0	121-14-2	T		ppb	2,4-Dinitrotoluene	<		<	<						
8270	250	5.0	606-20-2	T		ppb	2,6-Dinitrotoluene	<		<	<						
8270	250	25	117-84-0	T		ppb	Di-N-octyl phthalate	<		<	<						
8270	100	5.0	206-44-0	T		ppb	Fluoranthene	<		<	<						
8270	100	5.0	86-73-7	T		ppb	Fluorene	<		<	<						
8270	100	5.0	118-74-1	T		ppb	Hexachlorobenzene	<		<	<						
8270	100	5.0	87-68-3	T		ppb	Hexachlorobutadiene	<		<	<						
8270	100	5.0	77-47-4	T		ppb	Hexachlorocyclopentadiene	<		<	<						
8270	100	5.0	67-72-1	T		ppb	Hexachloroethane	<		<	<						
8270	250	25	193-39-5	T		ppb	Indeno(1,2,3-cd)pyrene	<		<	<						
8270	100	5.0	78-59-1	T		ppb	Isophorone	<		<	<						
8270	100	5.0	91-57-6	T		ppb	2-Methylnaphthalene	<		<	<						
8270	100	5.0	95-48-7	T		ppb	2-Methylphenol	<		<	<						
8270	100	5.0	106-44-5	T		ppb	4-Methylphenol	<		<	<						
8270	100	5.0	91-20-3	T		ppb	Naphthalene	<		<	<						
8270	250	50	88-74-4	T		ppb	2-Nitroaniline	<		<	<						
8270	250	50	99-09-2	T		ppb	3-Nitroaniline	<		<	<						
8270	250	50	100-01-6	T		ppb	4-Nitroaniline	<		<	<						
8270	100	5.0	98-95-3	T		ppb	Nitrobenzene	<		<	<						
8270	100	5.0	88-75-5	T		ppb	2-Nitrophenol	<		<	<						
8270	100	50	100-02-7	T		ppb	4-Nitrophenol	<		<	<						
8270	100	5.0	86-30-6	T		ppb	N-Nitrosodiphenylamine	<		<	<						
8270	100	5.0	621-64-7	T		ppb	N-Nitroso-di-N-propylamine	<		<	<		OCA200	0.0	50	37	38
8270	100	5.0	62-75-9	T		ppb	N-Nitrosodimethylamine	<		<	<						
8270	250	50	87-86-5	T		ppb	Pentachlorophenol	<		<	<		OCA200	0.0	100	80	77
8270	100	5.0	85-01-8	T		ppb	Phenanthrene	<		<	<						
8270	100	5.0	108-95-2	T		ppb	Phenol	<		<	<		OCA200	0.0	100	72	73
8270	100	5.0	129-00-0	T		ppb	Pyrene	<		<	<		OCA200	0.0	50	60	56
8270	100	5.0	120-82-1	T		ppb	1,2,4-Trichlorobenzene	<		<	<		OCA200	0.0	50	38	38
8270	100	5.0	95-95-4	T		ppb	2,4,5-Trichlorophenol	<		<	<						
8270	100	5.0	88-06-2	T		ppb	2,4,6-Trichlorophenol	<		<	<						
							Tested			11/03/97	11/03/97						
							Dilution Factor			1	1						
8080	20	5.0	12674-11-2	T		ppb	PCB-1016			<	<						
8080	20	5.0	11104-28-2	T		ppb	PCB-1221			<	<						
8080	20	5.0	11141-16-5	T		ppb	PCB-1232			<	<						
8080	20	5.0	53469-21-9	T		ppb	PCB-1242			<	<						
8080	20	5.0	12672-29-6	T		ppb	PCB-1248			<	<						
8080	20	5.0	11097-69-1	T		ppb	PCB-1254			<	<						
8080	20	5.0	11096-82-5	T		ppb	PCB-1260			<	<						
							Tested			11/03/97	11/03/97						
							Dilution Factor			1	1						

BOE-C6-0084175

8080	1 0	0 1	309-00-2	T		ppb	Aldrin			<	<						
8080	1 0	0 2	319-84-6	T		ppb	alpha-BHC			<	<						
8080	1 0	0 2	319-85-7	T		ppb	beta-BHC			<	<						
8080	2 0	0 2	319-86-8	T		ppb	gamma-BHC			<	<						
8080	1 0	0 2	58-89-9	T		ppb	gamma-BHC (Lindane)			<	<						
8080	10	0 2	57-74-9	T		ppb	Chlordane			<	<						
8080	2 0	0 5	72-54-9	T		ppb	4,4'-DDD			<	<						
8080	5 0	0 1	72-55-9	T		ppb	4,4'-DDE			<	<						
8080	1 0	0 1	50-29-3	T		ppb	4,4'-DDT			<	<						
8080	2 0	0 5	60-57-1	T		ppb	Dieldrin			<	<						
8080	1 0	0 5	959-98-8	T		ppb	Endosulfan I			<	<						
8080	2 0	0 5	33213-65-9	T		ppb	Endosulfan II			<	<						
8080	10	0 5	1031-07-8	T		ppb	Endosulfan sulfate			<	<						
8080	2 0	0 02	72-20-8	T		ppb	Endrin			<	<						
8080	2 0	0 2	7421-93-4	T		ppb	Endrin aldehyde			<	<						
8080	1 0	0 1	76-44-8	T		ppb	Heptachlor			<	<						
8080	1 0	0 2	1024-57-3	T		ppb	Heptachlor epoxide			<	<						
8080	30	9 0	72-43-5	T		ppb	Methoxychlor			<	<						
8080	35	0 5	8001-35-2	T		ppb	Toxaphene			<	<						
							Tested	10/31/97	10/31/97								
8015m				T		ppm	Up to & Including C-12	<	11								
8015m				T		ppm	C13-22	130	1,500								
8015m				T		ppm	C23 & Higher	140	4,100								
							Tested						10/31/97				
8015m	8	1		T		ppm	Diesel						OCA 200	0 0	100	57	63

(a) QC units for Method 8270 are reported in ng

BOE-C6-0084176

			QC(W)							
RECOVER	D RECOVE	RPD	LAB SAMP NO	R1	T CONC	SL[8]	DL[8]	RECOVER	D RECOVE	RPD
107	114	6	11/03/97 OCA 100	0 0	2 5	2 4	2 3	96	92	4
100	100	0	11/05/97 97100416	0 00	3 00	3 20	3.20	107	107	0
100	110	10	97100416	0 00	1 00	1 10	1 20	110	120	9
90	100	4	97100416	0 000	1 000	1 100	1 100	110	110	0
100	100	0	97100416	0 00	0 100	0 10	0 10	100	100	0
110	110	0	97100416	0 00	0 100	0 11	0 11	110	110	0
110	110	0	10/29/97 97100416	0 00	0 50	0 51	0 53	102	106	4
92	90	1	11/05/97 97100416	0 00	0 500	0 560	0.570	112	114	2
90	90	0	97100416	0 00	0 100	0 097	0 100	97	100	3
90	90	0	97100416	0 000	0 100	0 100	0 110	100	110	10
89	98	10	97100416	0 00	1 00	1 00	1 10	100	110	10
100	95	5	11/04/97 OCA 100	0 000	0 020	0 017	0.018	85	90	6
100	100	0	11/05/97 97100416	0.00	1 00	1 10	1.10	110	110	0
84	80	4	97100416	0 00	0 50	0 48	0 50	96	100	4
110	120	9	97100416	0 00	1 00	1 20	1 10	120	110	9
84	98	15	97100416	0 00	0 50	0 50	0.53	100	106	6
100	100	0	97100416	0.00	3 00	3 40	3 50	113	117	3
96	106	6	97100416	0 00	0 50	0 54	0.53	108	106	2
90	96	3	97100416	0.000	0 500	0 53	0.56	106	112	6
94	90	4	10/30/97 1 97100417	0.0	20	18	18	90	90	0

BOE-C6-0084177

106	100	6	97100417	0.0	20	18	18	90	90	0
98	96	2	97100417	0.0	20	15	15	75	75	0
80	74	8	97100417	0.0	20	19	19	95	95	0
100	100	0	97100417	0.0	20	17	17	85	85	0

BOE-C6-0084178

			10/30/97							
88	88	0	OCA100	0 0	50	46	44	92	88	4
73	72	1	OCA100	0.0	100	68	65	68	65	5
75	77	3	OCA100	0 0	100	73	72	73	72	1
80	80	0	OCA100	0.0	50	40	40	80	80	0

BOE-C6-0084179

74	76	3	OCA100	0 0	50	39	37	78	74	5
80	77	4	OCA100	0 0	100	74	73	74	73	1
72	73	1	OCA100	0 0	100	23	20	23	20	14
120	112	7	OCA100	0 0	50	45	44	90	88	2
76	76	0	OCA100	0 0	50	45	41	90	82	9
			11/03/97 OCA100	0 0	20	15	16	75	80	6

BOE-C6-0084180

			11/03/97 OCA100	0 0	1 0	0 57	0 56	57	56	2
57	63	10								

BOE-C6-0084181

F A X

MONTGOMERY WATSON

250 N. Madison Avenue
Pasadena, California 91101

Tel: 818 568 6334
Fax: 818 796 5941

Date: 10/30/97

To: Mark Noorani

Fax No: (714) 832-0067

From: Steve Reiners

Reference: MDRC

Subject: Additional Analyses

No. of Pages: 1
(including cover)

Comments:

Please perform Carbon Chain analyses on the following samples on rush turn-around time:

B37-GS-206-5'
B37-GS-207-5'

Also, please analyze the following sample for VOCs (8260), SVOCs (8270), and PCBs (8080) on standard turn-around time:

B37-GS-209-10'

Please call me at (626) 568-6334 to confirm your receipt of this fax.
Thanks!

If you do not receive all pages, or if there are any problems with this transmission, please call Brenda Whitney at 818-568-6514.

TOTAL P.01

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532
Tustin, CA 92680
(714) 832-0064, Fax (714) 832-0064

Analysis Request and Chain of Custody Record

Lab Job No: _____
Page 1

REQUIRED TAT: SEE REMARKS

CUSTOMER INFORMATION		PROJECT INFORMATION	
COMPANY:	Montgomery Watson	PROJECT NAME:	The Boeing Company
SEND REPORT TO:	Fred Strayss	NUMBER:	1206035.01090010
ADDRESS:	250 N. Madison Ave. Pasadena, CA 91101	LOCATION:	C-6 Facility
		ADDRESS:	19503 S. Normandie Ave. Los Angeles, CA
PHONE:	(626) 568-6582 FAX: (626) 568-6515	SAMPLED BY:	IV, CW

SAMPLE ID	NO. OF CONTAINERS	SAMPLE DATE	SAMPLE TIME	SAMPLE MATRIX	CONTAINER TYPE	PRES.	TRPH 418.1	Title 22 Metals	VOCs 8260	SVOCs 8270	PCBs 8080	Pesticides 8080			REMARKS/PRECAUTIONS
B37-GS-206-5'	2	10/28/97	1110	SOIL	2"x6" SS SLEEVE	ICE	X	X	X	X					Rush 24 hr TAT or ASAP
B37-GS-207-5'	2	10/28/97	1335	↓	↓		X	X							Rush 24 hr TAT or ASAP
Equipment Blank	7	10/28/97	1450	WATER	4 amber Poly 2 VOAs	none HNO3 HCl	X	X	X	X	X	X			Standard TAT
Rinsate Blank	7	10/28/97	1505	↓	↓	↓	X	X	X	X	X	X			↓
Trip Blank	2	10/28/97	—	↓	2 VOAs	HCl ↓			X						

Total No. of Samples: 5		Method of Shipment: 1 cooler via Orange Coast Analytical	
Relinquished By: Ivan Vargas	Date/Time: 10/28/97 1515	Received By:	Date/Time:
Relinquished By:	Date/Time:	Received By:	Date/Time:
Relinquished By:	Date/Time:	Received For Lab By: [signature]	Date/Time: 10/28/97 15:15

Reporting Format: (check)
NORMAL _____ S.D. HMMD _____
RWQCB _____ OTHER _____

Sample Integrity: (check)
Intact _____ on ice _____

All samples remain the property of the client who is responsible for disposal. A disposal fee may be imposed if client fails to pickup samples.

BOE-C6-0084183