ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: The Boeing Company
Client Project #: 1206035.01090010

Analysis Method: 418.1

Sample Description: Soil,

Laboratory Reference #: MWI 9601

Sampled: 09/29/97
Received: 09/29/97
Analyzed: 09/30/97
Reported: 09/30/97

TOTAL RECOVERABLE PETROLEUM HYDROCARBONS

Laboratory Sample Sumber	*Client Sample Number*	*Extractable Hydrocarbons mg/kg (ppm)*
97090669	B37C2-GS-2-2'	N.D.
97090670	B37C2-GS-3-2'	2,200
97090671	B37C2-GS-4-2'	N.D.
97090672	B37C2-GS-5-2'	N.D.
97090673	B37C2-GS-6-4'	N.D.
97090674	B41-GS-3-2'	1,300
97090675	B41-GS-4-3'	760
97090676	B41-GS-5-1'	32,000
97090677	B41-GS-6-1'	47
Detection Limit:		8.0

Analytes reported as N.D. were not present above the stated limit of detection.

ORANGE COAST ANALYTICAL

Mark Noorani
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: The Boeing Company
Client Project #: 1206035.01090010

Sample Description: Soil, B41-GS-3-2'

Sampled: 09/29/97
Received: 09/29/97
Analyzed: 9/30-10/01/02-97
Reported: 10/09/97

Laboratory Sample Number: 97090674
Laboratory Reference #: MWI 9601

CCR - METALS

Analyte	*EPA Method*	*STLC Limits mg/l*	*TTLC Limits mg/kg*	*Detection Limit mg/kg*	*Analysis Result mg/kg*
Antimony	6010	15	500	5.0	N.D.
Arsenic	6010	5.0	500	1.0	12
Barium	6010	100	10000	0.1	69
Beryllium	6010	0.75	75	0.1	N.D.
Cadmium	6010	1.0	100	0.1	N.D.
Chromium (VI)	7196	5.0	500	0.5	N.D.
Chromium Total	6010	560	2500	0.05	21
Cobalt	6010	80	8000	0.5	4.7
Copper	6010	25	2500	0.1	16
Lead	6010	5.0	1000	1.0	3.6
Mercury	7471	0.2	20	0.01	N.D.
Molybdenum	6010	350	3500	0.5	N.D.
Nickel	6010	20	2000	0.5	8.8
Selenium	6010	1.0	100	1.0	N.D.
Silver	6010	5.0	500	0.1	N.D.
Thallium	6010	7.0	700	5.0	N.D.
Vanadium	6010	24	2400	0.5	24
Zinc	6010	250	5000	0.1	73

Analytes reported as N.D. were not present above the stated limit of detection.

ORANGE COAST ANALYTICAL

Mark Noorani
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: The Boeing Company
Client Project #: 1206035.01090010

Sample Description: Soil, B41-GS-4-3'

Sampled: 09/29/97
Received: 09/29/97
Analyzed: 9/30-10/01/02-97
Reported: 10/09/97

Laboratory Sample Number: 97090675
Laboratory Reference #: MWI 9601

CCR - METALS

Analyte	*EPA Method*	*STLC Limits mg/l*	*TTLC Limits mg/kg*	*Detection Limit mg/kg*	*Analysis Result mg/kg*
Antimony	6010	15	500	5.0	N.D.
Arsenic	6010	5.0	500	1.0	36
Barium	6010	100	10000	0.1	78
Beryllium	6010	0.75	75	0.1	N.D.
Cadmium	6010	1.0	100	0.1	N.D.
Chromium (VI)	7196	5.0	500	0.5	N.D.
Chromium Total	6010	560	2500	0.05	27
Cobalt	6010	80	8000	0.5	6.3
Copper	6010	25	2500	0.1	13
Lead	6010	5.0	1000	1.0	3.0
Mercury	7471	0.2	20	0.01	N.D.
Molybdenum	6010	350	3500	0.5	2.4
Nickel	6010	20	2000	0.5	13
Selenium	6010	1.0	100	1.0	N.D.
Silver	6010	5.0	500	0.1	N.D.
Thallium	6010	7.0	700	5.0	N.D.
Vanadium	6010	24	2400	0.5	31
Zinc	6010	250	5000	0.1	40

Analytes reported as N.D. were not present above the stated limit of detection.

ORANGE COAST ANALYTICAL

Mark Noorani
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: The Boeing Company
Client Project #: 1206035.01090010

Sample Description: Soil, B41-GS-5-1'

Sampled: 09/29/97
Received: 09/29/97
Analyzed: 9/30-10/01/02-97
Reported: 10/09/97

Laboratory Sample Number: 97090676
Laboratory Reference #: MWI 9601

CCR - METALS

Analyte	*EPA Method*	*STLC Limits mg/l*	*TTLC Limits mg/kg*	*Detection Limit mg/kg*	*Analysis Result mg/kg*
Antimony	6010	15	500	5.0	N.D.
Arsenic	6010	5.0	500	1.0	350
Barium	6010	100	10000	0.1	93
Beryllium	6010	0.75	75	0.1	N.D.
Cadmium	6010	1.0	100	0.1	8.9
Chromium (VI)	7196	5.0	500	0.5	N.D.
Chromium Total	6010	560	2500	0.05	24
Cobalt	6010	80	8000	0.5	8.0
Copper	6010	25	2500	0.1	15
Lead	6010	5.0	1000	1.0	7.1
Mercury	7471	0.2	20	0.01	N.D.
Molybdenum	6010	350	3500	0.5	N.D.
Nickel	6010	20	2000	0.5	14
Selenium	6010	1.0	100	1.0	N.D.
Silver	6010	5.0	500	0.1	N.D.
Thallium	6010	7.0	700	5.0	N.D.
Vanadium	6010	24	2400	0.5	27
Zinc	6010	250	5000	0.1	42

Analytes reported as N.D. were not present above the stated limit of detection.

ORANGE COAST ANALYTICAL

Mark Noorani
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: The Boeing Company
Client Project #: 1206035.01090010

Sample Description: Soil, B41-GS-6-1'

Sampled: 09/29/97
Received: 09/29/97
Analyzed: 9/30-10/01/02-97
Reported: 10/09/97

Laboratory Sample Number: 97090677
Laboratory Reference #: MWI 9601

CCR - METALS

Analyte	*EPA Method*	*STLC Limits mg/l*	*TTLC Limits mg/kg*	*Detection Limit mg/kg*	*Analysis Result mg/kg*
Antimony	6010	15	500	5.0	N.D.
Arsenic	6010	5.0	500	1.0	51
Barium	6010	100	10000	0.1	85
Beryllium	6010	0.75	75	0.1	N.D.
Cadmium	6010	1.0	100	0.1	1.2
Chromium (VI)	7196	5.0	500	0.5	N.D.
Chromium Total	6010	560	2500	0.05	18
Cobalt	6010	80	8000	0.5	5.8
Copper	6010	25	2500	0.1	8.4
Lead	6010	5.0	1000	1.0	N.D.
Mercury	7471	0.2	20	0.01	N.D.
Molybdenum	6010	350	3500	0.5	N.D.
Nickel	6010	20	2000	0.5	7.1
Selenium	6010	1.0	100	1.0	N.D.
Silver	6010	5.0	500	0.1	N.D.
Thallium	6010	7.0	700	5.0	N.D.
Vanadium	6010	24	2400	0.5	24
Zinc	6010	250	5000	0.1	31

Analytes reported as N.D. were not present above the stated limit of detection.

ORANGE COAST ANALYTICAL

Mark Noorani
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035.01090010

Sampled: 09/29/97
Received: 09/29/97
Analyzed: 10/06/97
Reported: 10/09/97

Sample Description: Soil, B41-GS-3-2'
Laboratory Sample Number: 97090674
Laboratory Reference #: MWI 9601

VOLATILE ORGANICS BY GC/MS (EPA 8260)

ANALYTE	*CAS NUMBER*	*DETECTION Limit (ug/kg)*	*SAMPLE RESULTS (ug/kg)*	
Benzene	71-43-2	2.5	N.D.	
Bromodichloromethane	75-27-4	2.5	N.D.	
Bromoform	75-25-2	2.5	N.D.	
Bromomethane	74-83-9	2.5	N.D.	
Carbon Disulfide	75-15-0	5.0	N.D.	
Carbon tetrachloride	56-23-5	2.5	N.D.	
Chlorobenzene	108-90-7	2.5	N.D.	
Chlorodibromomethane	124-48-1	2.5	N.D.	
Chloroethane	75-00-3	2.5	N.D.	
2-Chloroethyl vinyl ether	110-75-8	5.0	N.D.	
Chloroform	67-66-3	2.5	N.D.	
Chloromethane	74-87-3	2.5	N.D.	
1,1-Dichloroethane	75-34-3	2.5	N.D.	
1,2-Dichloroethane	107-06-2	2.5	N.D.	
1,1-Dichloroethene	75-35-4	2.5	7.5	<---
Trans 1,2-Dichloroethene	156-60-5	2.5	N.D.	
1,2-Dichloropropane	78-87-5	2.5	N.D.	
cis-1,3-Dichloropropene	10061-01-5	2.5	N.D.	
trans-1,3-Dichloropropene	10061-02-6	2.5	N.D.	
Ethylbenzene	100-41-4	2.5	7.2	<---
Methylene chloride	75-09-2	5.0	N.D.	
Styrene	100-42-5	2.5	N.D.	
1,1,2,2-Tetrachloroethane	79-34-5	2.5	N.D.	
Tetrachloroethene	127-18-4	2.5	N.D.	
Toluene	108-88-3	2.5	2.7	<---
1,1,1-Trichloroethane	71-55-6	2.5	N.D.	
1,1,2-Trichloroethane	79-00-5	2.5	N.D.	
Trichloroethene	79-01-6	2.5	N.D.	
Trichlorofluoromethane	75-69-4	5.0	33	<---
Vinyl acetate	108-05-4	5.0	N.D.	
Vinyl chloride	75-01-4	2.5	N.D.	
Total Xylenes	1330-20-7	2.5	34	<---
Dichlorodifluoromethane	75-71-8	2.5	N.D.	
cis-1-2,-Dichloroethene	156-59-2	2.5	N.D.	
2,2-Dichloropropane	594-20-7	2.5	N.D.	
Bromochloromethane	74-97-5	2.5	N.D.	
1,1-Dichloropropene	563-58-6	2.5	N.D.	
Dibromomethane	74-95-3	2.5	N.D.	
1,2-Dibromoethane	106-93-4	2.5	N.D.	

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

VOLATILE ORGANICS BY GC/MS (EPA 8260) (continued)

Sample Description: Soil, B41-GS-3-2'
Laboratory Sample #: 97090674

ANALYTE	*CAS NUMBER*	*DETECTION Limit (ug/kg)*	*SAMPLE RESULTS (ug/kg)*	
1,3-Dichloropropane	142-28-9	2.5	N.D.	
Isopropylbenzene	98-82-8	2.5	15	<---
1,1,2,2-Tetrachloroethane	79-34-5	2.5	N.D.	
1,2,3-Trichloropropane	96-18-4	2.5	N.D.	
Bromobenzene	108-86-1	2.5	N.D.	
n-Propylbenzene	103-65-1	2.5	24	<---
2-Chlorotoluene	95-49-8	2.5	N.D.	
1,3,5-Trimethylbenzene	108-67-8	2.5	65	<---
4-Chlorotoluene	106-43-4	2.5	N.D.	
tert-Butylbenzene	98-06-6	2.5	N.D.	
1,2,4-Trimethylbenzene	95-63-6	2.5	170	<---
sec-Butylbenzene	135-98-8	2.5	21	<---
4-Isopropyltoluene	99-87-6	2.5	N.D.	
1,3-Dichlorobenzene	541-73-1	2.5	N.D.	
1,4-Dichlorobenzene	106-46-7	2.5	N.D.	
n-Butylbenzene	104-51-8	2.5	20	<---
1,2-Dichlorobenzene	95-50-1	2.5	N.D.	
1,2-Dibromo-3-CPA	96-12-8	5.0	N.D.	
1,2,4-Trichlorobenzene	120-82-1	2.5	N.D.	
Hexachlorobutadiene	87-68-3	2.5	N.D.	
Naphthalene	91-20-3	2.5	47	<---
1,2,3-Trichlorobenzene	87-61-6	2.5	N.D.	

Analytes reported as N.D. were not present above the stated limit of detection.

Orange Coast Analytical

Mark Noorani
Laboratory Director

Surrogate Recoveries	%
Dibromofluoromethane	108
Toluene-d8	108
4-Bromofluorobenzene	101

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035.01090010

Sample Description: Soil, B41-GS-5-1'
Laboratory Sample Number: 97090676
Laboratory Reference #: MWI 9601

Sampled: 09/29/97
Received: 09/29/97
Analyzed: 10/03/97
Reported: 10/09/97

VOLATILE ORGANICS BY GC/MS (EPA 8260)

ANALYTE	*CAS NUMBER*	*DETECTION Limit (ug/kg)*	*SAMPLE RESULTS (ug/kg)*	
Benzene	71-43-2	50	N.D.	
Bromodichloromethane	75-27-4	50	N.D.	
Bromoform	75-25-2	50	N.D.	
Bromomethane	74-83-9	50	N.D.	
Carbon Disulfide	75-15-0	250	N.D.	
Carbon tetrachloride	56-23-5	50	N.D.	
Chlorobenzene	108-90-7	50	N.D.	
Chlorodibromomethane	124-48-1	50	N.D.	
Chloroethane	75-00-3	50	N.D.	
2-Chloroethyl vinyl ether	110-75-8	250	N.D.	
Chloroform	67-66-3	50	N.D.	
Chloromethane	74-87-3	50	N.D.	
1,1-Dichloroethane	75-34-3	50	N.D.	
1,2-Dichloroethane	107-06-2	50	N.D.	
1,1-Dichloroethene	75-35-4	50	N.D.	
Trans 1,2-Dichloroethene	156-60-5	50	N.D.	
1,2-Dichloropropane	78-87-5	50	N.D.	
cis-1,3-Dichloropropene	10061-01-5	50	N.D.	
trans-1,3-Dichloropropene	10061-02-6	50	N.D.	
Ethylbenzene	100-41-4	50	85	<---
Methylene chloride	75-09-2	250	N.D.	
Styrene	100-42-5	50	N.D.	
1,1,2,2-Tetrachloroethane	79-34-5	50	N.D.	
Tetrachloroethene	127-18-4	50	N.D.	
Toluene	108-88-3	50	N.D.	
1,1,1-Trichloroethane	71-55-6	50	N.D.	
1,1,2-Trichloroethane	79-00-5	50	N.D.	
Trichloroethene	79-01-6	50	N.D.	
Trichlorofluoromethane	75-69-4	250	N.D.	
Vinyl acetate	108-05-4	250	N.D.	
Vinyl chloride	75-01-4	50	N.D.	
Total Xylenes	1330-20-7	50	61	<---
Dichlorodifluoromethane	75-71-8	50	N.D.	
cis-1-2,-Dichloroethene	156-59-2	50	N.D.	
2,2-Dichloropropane	594-20-7	50	N.D.	
Bromochloromethane	74-97-5	50	N.D.	
1,1-Dichloropropene	563-58-6	50	N.D.	
Dibromomethane	74-95-3	50	N.D.	
1,2-Dibromoethane	106-93-4	50	N.D.	

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

LABORATORY REPORT FORM

Laboratory Name: ORANGE COAST ANALYTICAL, INC.

Address: 3002 Dow Suite 532 Tustin, CA 92780

Telephone: (714) 832-0064

Laboratory Certification
(ELAP) No.: 1416 Expiration Date: 1999

Laboratory Director's Name (Print) : Mark Noorani

Client: Montgomery Watson

Project No.: 1206035.01090010

Project Name: The Boeing Company

Laboratory Reference: MWI 9812

Analytical Method: EPA 418.1, 8260, 8270, 8080, Title 22 Metals

Date Sampled: 12/11/97
Date Received: 12/11/97
Date Reported: 12/19/97

Sample Matrix: Water & Soil

Chain of Custody Received: Yes

Laboratory Director's Signature: Mark Noorani

METHOD ID	LIMIT1 SOIL	LIMIT1 WATER	LAB CAS ID	PF CODE	SURROG FLG	Units	LAB CHEM	97120427	97120428	97120429	97120430	LAB SAMP NO.	R1	T CONC	SL[e]	DL[e]	RECOVER	D RECOVER
							SAMP TYPE	S	W	W	W	QC(S)						
							RES CODE	PP01	BF11	BR11	BT11							
							SAMP ID	B41-GS-13-5'	EQUIP BLANK	RINSATE BLANK	TRIP BLANK							
							SAMP DATE	12/11/97	12/11/97	12/11/97	12/11/97							
							SAMP TIME	14:35	14:50	15:00								
							SAMP DEPTH	5'										
							PRESERVED		, N, H	, N, H	, N, H							
							ICED	Y	Y	Y	Y							
							RECEIVED	12/11/97	12/11/97	12/11/97	12/11/97							
							REC TIME	15:10	15:10	15:10	15:10							
							BASIS	W	W	W	W							
							Tested	12/12/97	12/12/97	12/12/97		12/12/97						
418.1	8.0	0.5		T		ppm	Extractable Hydrocarbons	14	<	<		97120396	0.0	100	98	103	98	103
							Tested	12/12/97	12/12/97	12/12/97		12/16/97						
6010	5.0	0.5		T		ppm	Antimony	<	<	<		OCA 200	0.0	2.0	1.90	2.10	95	105
6010	1.0	0.1		T		ppm	Arsenic	<	<	<		OCA 200	0.0	2.0	1.90	2.10	95	105
6010	0.1	0.01		T		ppm	Barium	86	<	<		OCA 200	0.0	1.0	0.96	0.96	96	96
6010	0.1	0.01		T		ppm	Beryllium	<	<	<		OCA 200	0.00	1.00	0.93	0.93	93	93
6010	0.1	0.01		T		ppm	Cadmium	<	<	<		OCA 200	0.00	1.00	0.90	0.91	90	91
							Tested	12/12/97	12/12/97	12/12/97		12/12/97						
7196	0.5	0.01		T		ppm	Chromium (VI)	<	<	<		97120427	0.00	1.00	0.90	0.90	90	90
							Tested	12/12/97	12/12/97	12/12/97		12/16/97						
6010	0.1	0.01		T		ppm	Chromium Total	15	<	<		OCA 200	0.00	1.00	0.98	0.98	98	98
6010	0.5	0.1		T		ppm	Cobalt	6.3	<	<		OCA 200	0.00	1.00	0.96	0.96	96	96
6010	0.1	0.01		T		ppm	Copper	11	<	<		OCA 200	0.00	1.00	1.04	1.05	104	105
6010	1.0	0.1		T		ppm	Lead	2.0	<	<		OCA 200	0.00	2.0	1.80	2.00	90	100
							Tested	12/12/97	12/12/97	12/12/97		12/12/97						
7471	0.01	0.002		T		ppm	Mercury	<	<	<		97120427	0.00	0.020	0.021	0.022	105	110
							Tested	12/12/97	12/12/97	12/12/97		12/16/97						
6010	0.5	0.1		T		ppm	Molybdenum	<	<	<		OCA 200	0.0	2.0	2.08	2.2	104	111
6010	0.5	0.1		T		ppm	Nickel	8.8	<	<		OCA 200	0.00	5.00	4.78	4.81	96	96
6010	1.0	0.1		T		ppm	Selenium	<	<	<		OCA 200	0.0	2.0	1.60	1.8	80	90
6010	0.1	0.1		T		ppm	Silver	<	<	<		OCA 200	0.0	2.0	1.73	2.0	87	100
6010	5.0	0.5		T		ppm	Thallium	<	<	<		OCA 200	0.0	2.0	1.80	2.0	90	100
6010	0.5	0.1		T		ppm	Vanadium	26	<	<		OCA 200	0.0	5.0	4.80	4.9	96	98
6010	0.1	0.01		T		ppm	Zinc	30	<	<		OCA 200	0.0	1.0	0.91	0.9	91	91
							Tested											
STLC		5.0		S		ppm	Antimony											
		1.0		S		ppm	Arsenic											
		0.1		S		ppm	Barium											
		0.1		S		ppm	Beryllium											
		0.1		S		ppm	Cadmium											
		0.5		S		ppm	Chromium (VI)											
		0.1		S		ppm	Chromium Total											
		0.5		S		ppm	Cobalt											
		0.1		S		ppm	Copper											

BOE-C6-0085512

		1.0		S		ppm	Lead											
		0.01		S		ppm	Mercury											
		0.5		S		ppm	Molybdenum											
		0.5		S		ppm	Nickel											
		1.0		S		ppm	Selenium											
		0.1		S		ppm	Silver											
		5.0		S		ppm	Thallium											
		0.5		S		ppm	Vanadium											
		0.1		S		ppm	Zinc											
							Tested											
TCLP		5.0		C		ppm	Antimony											
		1.0		C		ppm	Arsenic											
		0.1		C		ppm	Barium											
		0.1		C		ppm	Beryllium											
		0.1		C		ppm	Cadmium											
		0.5		C		ppm	Chromium (VI)											
		0.1		C		ppm	Chromium Total											
		0.5		C		ppm	Cobalt											
		0.1		C		ppm	Copper											
		1.0		C		ppm	Lead											
		0.01		C		ppm	Mercury											
		0.5		C		ppm	Molybdenum											
		0.5		C		ppm	Nickel											
		1.0		C		ppm	Selenium											
		0.1		C		ppm	Silver											
		5.0		C		ppm	Thallium											
		0.5		C		ppm	Vanadium											
		0.1		C		ppm	Zinc											
							Tested	12/12/97	12/15/97	12/15/97	12/15/97	12/12/97						
							Dilution Factor	1	1	1	1							
8260	2.5	0.5	71-43-2	T		ppb	Benzene	<	<	<	<	OCA200	0.0	50	46	48	92	96
8260	2.5	0.5	75-27-4	T		ppb	Bromodichloromethane	<	<	<	<							
8260	2.5	0.5	75-25-2	T		ppb	Bromoform	<	<	<	<							
8260	2.5	1.0	74-83-9	T		ppb	Bromomethane	<	<	<	<							
8260	5.0	0.5	75-15-0	T		ppb	Carbon Disulfide	<	<	<	<							
8260	2.5	0.5	56-23-5	T		ppb	Carbon tetrachloride	<	<	<	<							
8260	2.5	0.5	108-90-7	T		ppb	Chlorobenzene	<	<	<	<	OCA200	0.0	50	45	47	90	94
8260	2.5	0.5	124-48-1	T		ppb	Chlorodibromomethane	<	<	<	<							
8260	2.5	0.5	75-00-3	T		ppb	Chloroethane	<	<	<	<							
8260	5.0	0.5	110-75-8	T		ppb	2-Chloroethyl vinyl ether	<	<	<	<							
8260	2.5	0.5	67-66-3	T		ppb	Chloroform	<	<	<	<							
8260	2.5	0.5	74-87-3	T		ppb	Chloromethane	<	<	<	<							
8260	2.5	0.5	75-34-3	T		ppb	1,1-Dichloroethane	<	<	<	<							
8260	2.5	0.5	107-06-2	T		ppb	1,2-Dichloroethane	<	<	<	<							
8260	2.5	0.5	75-35-4	T		ppb	1,1-Dichloroethene	<	<	<	<	OCA200	0.0	50	44	45	88	90
8260	2.5	0.5	156-60-5	T		ppb	Trans 1,2-Dichloroethene	<	<	<	<							
8260	2.5	0.5	78-87-5	T		ppb	1,2-Dichloropropane	<	<	<	<							
8260	2.5	0.5	10061-01-5	T		ppb	cis-1,3-Dichloropropene	<	<	<	<							
8260	2.5	0.5	10061-02-6	T		ppb	trans-1,3-Dichloropropene	<	<	<	<							
8260	2.5	0.5	100-41-4	T		ppb	Ethylbenzene	<	<	<	<							

BOE-C6-0085513

8260	5.0	2.5	75-09-2	T		ppb	Methylene chloride	<	<	<	<								
8260	2.5	0.5	100-42-5	T		ppb	Styrene	<	<	<	<								
8260	2.5	0.5	79-34-5	T		ppb	1,1,2,2-Tetrachloroethane	<	<	<	<								
8260	2.5	0.5	127-18-4	T		ppb	Tetrachloroethene	<	<	<	<								
8260	2.5	0.5	108-88-3	T		ppb	Toluene	<	<	<	<	OCA200	0.0	50	49	51	98	102	
8260	2.5	0.5	71-55-6	T		ppb	1,1,1-Trichloroethane	<	<	<	<								
8260	2.5	0.5	79-00-5	T		ppb	1,1,2-Trichloroethane	<	<	<	<								
8260	2.5	0.5	79-01-6	T		ppb	Trichloroethene	<	<	<	<	OCA200	0.0	50	43	45	86	90	
8260	5.0	0.5	75-69-4	T		ppb	Trichlorofluoromethane	<	<	<	<								
8260	5.0	1.0	108-05-4	T		ppb	Vinyl acetate	<	<	<	<								
8260	2.5	0.5	75-01-4	T		ppb	Vinyl chloride	<	<	<	<								
8260	2.5	1.0	1330-20-7	T		ppb	Total Xylenes	<	<	<	<								
8260	2.5	0.5	75-71-8	T		ppb	Dichlorodifluoromethane	<	<	<	<								
8260	2.5	0.5	156-59-2	T		ppb	cis-1-2,-Dichloroethene	<	<	<	<								
8260	2.5	0.5	594-20-7	T		ppb	2,2-Dichloropropane	<	<	<	<								
8260	2.5	0.5	74-97-5	T		ppb	Bromochloromethane	<	<	<	<								
8260	2.5	0.5	563-58-6	T		ppb	1,1-Dichloropropene	<	<	<	<								
8260	2.5	0.5	74-95-3	T		ppb	Dibromomethane	<	<	<	<								
8260	2.5	0.5	106-93-4	T		ppb	1,2-Dibromoethane	<	<	<	<								
8260	2.5	0.5	142-28-9	T		ppb	1,3-Dichloropropane	<	<	<	<								
8260	2.5	0.5	98-82-8	T		ppb	Isopropylbenzene	<	<	<	<								
8260	2.5	0.5	79-34-5	T		ppb	1,1,2,2-Tetrachloroethane	<	<	<	<								
8260	2.5	0.5	96-18-4	T		ppb	1,2,3-Trichloropropane	<	<	<	<								
8260	2.5	0.5	108-86-1	T		ppb	Bromobenzene	<	<	<	<								
8260	2.5	0.5	103-65-1	T		ppb	n-Propylbenzene	<	<	<	<								
8260	2.5	0.5	95-49-8	T		ppb	2-Chlorotoluene	<	<	<	<								
8260	2.5	0.5	108-67-8	T		ppb	1,3,5-Trimethylbenzene	<	<	<	<								
8260	2.5	0.5	106-43-4	T		ppb	4-Chlorotoluene	<	<	<	<								
8260	2.5	0.5	98-06-6	T		ppb	tert-Butylbenzene	<	<	<	<								
8260	2.5	0.5	95-63-6	T		ppb	1,2,4-Trimethylbenzene	<	<	<	<								
8260	2.5	0.5	135-98-8	T		ppb	sec-Butylbenzene	<	<	<	<								
8260	2.5	0.5	99-87-6	T		ppb	4-Isopropyltoluene	<	<	<	<								
8260	2.5	0.5	541-73-1	T		ppb	1,3-Dichlorobenzene	<	<	<	<								
8260	2.5	0.5	106-46-7	T		ppb	1,4-Dichlorobenzene	<	<	<	<								
8260	2.5	0.5	104-51-8	T		ppb	n-Butylbenzene	<	<	<	<								
8260	2.5	0.5	95-50-1	T		ppb	1,2-Dichlorobenzene	<	<	<	<								
8260	5.0	1.0	96-12-8	T		ppb	1,2-Dibromo-3-CPA	<	<	<	<								
8260	2.5	0.5	120-82-1	T		ppb	1,2,4-Trichlorobenzene	<	<	<	<								
8260	2.5	0.5	87-68-3	T		ppb	Hexachlorobutadiene	<	<	<	<								
8260	2.5	0.5	91-20-3	T		ppb	Naphthalene	<	<	<	<								
8260	2.5	0.5	87-61-6	T		ppb	1,2,3-Trichlorobenzene	<	<	<	<								
					T	%	Dibromofluoromethane	92	102	101	99								
					T	%	Toluene-d8	107	108	110	108								
					T	%	4-Bromofluorobenzene	95	99	100	99								
							Tested	12/12/97	12/16/97	12/16/97		12/12/97							
							Dilution Factor	1	1	1									
8270	100	5.0	83-32-9	T		ppb	Acenaphthene	<	<	<		OCA200	0.0	50	47	45	94	90	
8270	100	5.0	208-96-8	T		ppb	Acenaphthylene	<	<	<									
8270	100	5.0	62-53-3	T		ppb	Aniline	<	<	<									
8270	100	5.0	120-12-7	T		ppb	Anthracene	<	<	<									
8270	500	50	65-85-0	T		ppb	Benzoic Acid	<	<	<									

BOE-C6-0085514

8270	100	5.0	56-55-3	T	ppb	Benzo (a) anthracene	<	<	<									
8270	250	25	205-99-2	T	ppb	Benzo (b) fluoranthene	<	<	<									
8270	250	25	207-08-9	T	ppb	Benzo (k) fluoranthene	<	<	<									
8270	250	25	191-24-2	T	ppb	Benzo (g,h,i)perylene	<	<	<									
8270	250	25	50-32-8	T	ppb	Benzo (a) pyrene	<	<	<									
8270	100	50	100-51-6	T	ppb	Benzyl alcohol	<	<	<									
8270	100	5.0	111-91-1	T	ppb	Bis(2-chloroethoxy)methane	<	<	<									
8270	100	5.0	111-44-4	T	ppb	Bis(2-chloroethyl)ether	<	<	<									
8270	100	5.0	39638-32-9	T	ppb	Bis(2-chloroisopropyl)ether	<	<	<									
8270	100	3.0	117-81-7	T	ppb	Bis(2-ethylhexyl)phthalate	<	<	<									
8270	100	5.0	101-55-3	T	ppb	4-Bromophenyl phenyl ether	<	<	<									
8270	100	5.0	85-68-7	T	ppb	Butyl benzyl phthalate	<	<	<									
8270	100	5.0	106-47-8	T	ppb	4-Chloroaniline	<	<	<									
8270	100	5.0	91-58-7	T	ppb	2-Chloronaphthalene	<	<	<									
8270	100	5.0	59-50-7	T	ppb	4-Chloro-3-methylphenol	<	<	<		OCA200	0.0	100	82	81	82	81
8270	100	5.0	95-57-8	T	ppb	2-Chlorophenol	<	<	<		OCA200	0.0	100	76	74	76	74
8270	100	5.0	7005-72-3	T	ppb	4-Chlorophenyl phenyl ehter	<	<	<									
8270	100	5.0	218-0109	T	ppb	Chrysene	<	<	<									
8270	100	25	53-70-3	T	ppb	Dibenz(a,h)anthracene	<	<	<									
8270	100	5.0	132-64-9	T	ppb	Dibenzofuran	<	<	<									
8270	250	5.0	84-74-2	T	ppb	Di-N-butyl phthalate	<	<	<									
8270	100	5.0	541-73-1	T	ppb	1,3-Dichlorobenzene	<	<	<									
8270	100	5.0	106-46-7	T	ppb	1,4-Dichlorobenzene	<	<	<		OCA200	0.0	50	40	39	80	78
8270	100	5.0	95-50-1	T	ppb	1,2-Dichlorobenzene	<	<	<									
8270	100	5.0	91-94-1	T	ppb	3,3-Dichlorobenzidine	<	<	<									
8270	100	5.0	120-83-2	T	ppb	2,4-Dichlorophenol	<	<	<									
8270	100	5.0	84-66-2	T	ppb	Diethyl phthalate	<	<	<									
8270	100	5.0	105-67-9	T	ppb	2,4-Dimethylphenol	<	<	<									
8270	100	5.0	131-11-3	T	ppb	Dimethyl phthalate	<	<	<									
8270	100	50	534-52-1	T	ppb	4,6-Dinitro-2-methylphenol	<	<	<									
8270	100	50	51-28-5	T	ppb	2,4-Dinitrophenol	<	<	<									
8270	250	5.0	121-14-2	T	ppb	2,4-Dinitrotoluene	<	<	<									
8270	250	5.0	606-20-2	T	ppb	2,6-Dinitrotoluene	<	<	<									
8270	250	25	117-84-0	T	ppb	Di-N-octyl phthalate	<	<	<									
8270	100	5.0	206-44-0	T	ppb	Fluoranthene	<	<	<									
8270	100	5.0	86-73-7	T	ppb	Fluorene	<	<	<									
8270	100	5.0	118-74-1	T	ppb	Hexachlorobenzene	<	<	<									
8270	100	5.0	87-68-3	T	ppb	Hexachlorobutadiene	<	<	<									
8270	100	5.0	77-47-4	T	ppb	Hexachlorocyclopentadiene	<	<	<									
8270	100	5.0	67-72-1	T	ppb	Hexachloroethane	<	<	<									
8270	250	25	193-39-5	T	ppb	Indeno(1,2,3-cd)pyrene	<	<	<									
8270	100	5.0	78-59-1	T	ppb	Isophorone	<	<	<									
8270	100	5.0	91-57-6	T	ppb	2-Methylnaphthalene	<	<	<									
8270	100	5.0	95-48-7	T	ppb	2-Methylphenol	<	<	<									
8270	100	5.0	106-44-5	T	ppb	4-Methylphenol	<	<	<									
8270	100	5.0	91-20-3	T	ppb	Naphthalene	<	<	<									
8270	250	50	88-74-4	T	ppb	2-Nitroaniline	<	<	<									
8270	250	50	99-09-2	T	ppb	3-Nitroaniline	<	<	<									
8270	250	50	100-01-6	T	ppb	4-Nitroaniline	<	<	<									
8270	100	5.0	98-95-3	T	ppb	Nitrobenzene	<	<	<									
8270	100	5.0	88-75-5	T	ppb	2-Nitrophenol	<	<	<									
8270	100	50	100-02-7	T	ppb	4-Nitrophenol	<	<	<									
8270	100	5.0	86-30-6	T	ppb	N-Nitrosodiphenylamine	<	<	<									

BOE-C6-0085515

MWI 9812

8270	100	5.0	621-64-7	T	ppb	N-Nitroso-di-N-propylamine	<	<	<	OCA200	0.0	50	47	42	94	84
8270	100	5.0	62-75-9	T	ppb	N-Nitrosodimethylamine	<	<	<							
8270	250	50	87-86-5	T	ppb	Pentachlorophenol	<	<	<	OCA200	0.0	100	88	87	88	87
8270	100	5.0	85-01-8	T	ppb	Phenanthrene	<	<	<							
8270	100	5.0	108-95-2	T	ppb	Phenol	<	<	<	OCA200	0.0	100	75	72	75	72
8270	100	5.0	129-00-0	T	ppb	Pyrene	<	<	<	OCA200	0.0	50	51	52	102	104
8270	100	5.0	120-82-1	T	ppb	1,2,4-Trichlorobenzene	<	<	<	OCA200	0.0	50	41	39	82	78
8270	100	5.0	95-95-4	T	ppb	2,4,5-Trichlorophenol	<	<	<							
8270	100	5.0	88-06-2	T	ppb	2,4,6-Trichlorophenol	<	<	<							
						Tested		12/17/97	12/17/97							
						Dilution Factor		1	1							
8080	20	5.0	12674-11-2	T	ppb	PCB-1016		<	<							
8080	20	5.0	11104-28-2	T	ppb	PCB-1221		<	<							
8080	20	5.0	11141-16-5	T	ppb	PCB-1232		<	<							
8080	20	5.0	53469-21-9	T	ppb	PCB-1242		<	<							
8080	20	5.0	12672-29-6	T	ppb	PCB-1248		<	<							
8080	20	5.0	11097-69-1	T	ppb	PCB-1254		<	<							
8080	20	5.0	11096-82-5	T	ppb	PCB-1260		<	<							
						Tested		12/17/97	12/17/97							
						Dilution Factor		1	1							
8080	1.0	0.1	309-00-2	T	ppb	Aldrin		<	<							
8080	1.0	0.2	319-84-6	T	ppb	alpha-BHC		<	<							
8080	1.0	0.2	319-85-7	T	ppb	beta-BHC		<	<							
8080	2.0	0.2	319-86-8	T	ppb	gamma-BHC		<	<							
8080	1.0	0.2	58-89-9	T	ppb	gamma-BHC (Lindane)		<	<							
8080	10	0.2	57-74-9	T	ppb	Chlordane		<	<							
8080	2.0	0.5	72-54-9	T	ppb	4,4'-DDD		<	<							
8080	5.0	0.1	72-55-9	T	ppb	4,4'-DDE		<	<							
8080	1.0	0.1	50-29-3	T	ppb	4,4'-DDT		<	<							
8080	2.0	0.5	60-57-1	T	ppb	Dieldrin		<	<							
8080	1.0	0.5	959-98-8	T	ppb	Endosulfan I		<	<							
8080	2.0	0.5	33213-65-9	T	ppb	Endosulfan II		<	<							
8080	10	0.5	1031-07-8	T	ppb	Endosulfan sulfate		<	<							
8080	2.0	0.02	72-20-8	T	ppb	Endrin		<	<							
8080	2.0	0.2	7421-93-4	T	ppb	Endrin aldehyde		<	<							
8080	1.0	0.1	76-44-8	T	ppb	Heptachlor		<	<							
8080	1.0	0.2	1024-57-3	T	ppb	Heptachlor epoxide		<	<							
8080	30	9.0	72-43-5	T	ppb	Methoxychlor		<	<							
8080	35	0.5	8001-35-2	T	ppb	Toxaphene		<	<							
						Tested										
8015m				T	ppm	Up to & Including C-12										
8015m				T	ppm	C13-22										
8015m				T	ppm	C23 & Higher										
8015m	8.0	0.5		T	ppm	Total										
						Tested										
8015m	8.0	0.5		T	ppm	Diesel										
						Tested										
8015m	5.0	0.05		T	ppm	Gas										

BOE-C6-0085516

MWI 9812

9060	5.0	1.0		T		ppm	***Tested*** TOC												
9081	1.0	1.0		T		ppm	***Tested*** Cation Exchange Capacity												

(a) QC units for Method 8270 are reported in ng.

BOE-C6-0085517

	QC(W)							
RPD	LAB SAMP NO.	R1	T CONC	SL[e]	DL[e]	RECOVER	D RECOVER	RPD
5	12/12/96 OCA 100	0.0	100	2.3	2.3	2	2	0
10	12/12/97 97120428	0.00	3.00	2.96	2.98	99	99	1
10	97120428	0.00	1.00	0.94	0.97	94	97	3
0	97120428	0.00	0.100	0.091	0.092	91	92	1
0	97120428	0.00	0.100	0.080	0.080	80	80	0
1	97120428	0.00	0.100	0.086	0.087	86	87	1
0	12/12/97 97120428	0.00	0.50	0.45	0.44	90	88	2
0	12/12/97 97120428	0.00	0.100	0.094	0.095	94	95	1
0	97120428	0.00	0.100	0.097	0.097	97	97	0
1	97120428	0.00	0.100	0.11	0.11	110	110	0
11	97120428	0.00	1.00	0.95	0.93	95	93	2
5	12/12/97 OCA100	0.00	0.020	0.020	0.021	100	105	5
7	12/12/97 97120428	0.00	1.00	0.98	1.00	98	100	2
1	97120428	0.00	0.50	0.45	0.46	90	92	2
12	97120428	0.00	1.00	0.98	0.99	98	99	1
14	97120428	0.00	0.50	0.51	0.51	102	102	0
11	97120428	0.00	3.00	2.89	2.94	96	98	2
2	97120428	0.00	0.50	0.51	0.51	102	102	0
0	97120428	0.00	0.100	0.087	0.087	87	87	0

BOE-C6-0085518

	12/15/97							
4	97120249	0.0	20	17	18	85	90	6
4	97120249	0.0	20	17	17	85	85	0
2	97120249	0.0	20	15	17	75	85	13

BOE-C6-0085519

4	97120249	0.0	20	20	19	100	95	5
5	97120249	0.0	20	16	16	80	80	0
4	12/16/97 OCA100	0.0	50	45	45	90	90	0

BOE-C6-0085520

1	OCA100	0.0	100	76	74	76	74	3
3	OCA100	0.0	100	81	82	81	82	1
3	OCA100	0.0	50	34	34	68	68	0

BOE-C6-0085521

11	OCA100	0.0	50	45	47	90	94	4
1	OCA100	0.0	100	73	77	73	77	5
4	OCA100	0.0	100	36	35	36	35	3
2	OCA100	0.0	50	48	47	96	94	2
5	OCA100	0.0	50	36	36	72	72	0
	12/17/97							
	OCA100	0	20	8.9	9.5	45	48	7
	12/17/97							
	OCA100	0.0	1.0	0.77	0.52	77	52	39

BOE-C6-0085522

MWI 9812

		0.0				#DIV/0!	#DIV/0!	#DIV/0!

BOE-C6-0085523

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532
Tustin, CA 92680
(714) 832-0064, Fax (714) 832-0067

Analysis Request and Chain of Custody Record

Page 1 of 1

SEE REMARKS

REQUIRED TAT: ~~To Be Determined~~ ASAP

TOTAL P.01

CUSTOMER INFORMATION

COMPANY: Montgomery Watson
SEND REPORT TO: FRED STRAUSS
ADDRESS: 250 N MADISON AVE
PASADENA, CA 91101
PHONE: (626) 568-6582 FAX: (626) 796-5941

PROJECT INFORMATION

PROJECT NAME: The Boeing Company
NUMBER: 1206035.01090010
LOCATION: C-6 FACILITY
ADDRESS: 19503 S. NORMANDIE AVE
LOS ANGELES, CA 90501
SAMPLED BY: AW/JV/CW

SAMPLE ID	NO. OF CONTAINERS	SAMPLE DATE	SAMPLE TIME	SAMPLE MATRIX	CONTAINER TYPE	PRES.	TRPH 418.1	Title 22 Metals	VOCs 8260	SVOCs 8270	PCBs 8080	Pesticides 8080	HOLD	Chromium VI	REMARKS/PRECAUTIONS
B41-GS-13-5'	2	12/11/97	1435	SOIL	3"x6" SS SLEEVE	ICE	X	X	X	X			~~X~~	AW	Due by Mon. 12/15/97 @ 0900h
Equipment Blank	7	12/11/97	1450	WATER	40 ml Amber Glass	HCl	X	X	X	X	X	X	~~X~~	AW	Standard TAT
Rinsate Blank	7	12/11/97	1500	↓	↓	↓	X	X	X	X	X	X	~~X~~	AW	↓
Trip Blank	2	12/11/97	—	↓	2 VOA	HCl			X				~~X~~	AW	↓

Total No. of Samples: 4

Method of Shipment: Orange Coast Analytical Courier.

Relinquished By:	Date/Time:	Received By:	Date/Time:
Adam W. Vorse	12/11/97 1505hr		
Relinquished By:	Date/Time:	Received By:	Date/Time:
Relinquished By:	Date/Time:	Received For Lab By:	Date/Time:

Reporting Format: (check)
NORMAL _____ S.D. HMMD _____
HWQCB _____ OTHER _____

Sample Integrity: (check)
intact _____ on ice _____

All samples remain the property of the client who is responsible for disposal. A disposal fee may be imposed if client fails to pickup samples.

BOE-C6-0085524

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532
Tustin, CA 92680
(714) 832-0064, Fax (714) 832-0067

Analysis Request and Chain of Custody Record

Lab Job No: ____
Page 1 of 1

REQUIRED TAT: To Be Determined

CUSTOMER INFORMATION		PROJECT INFORMATION	
COMPANY:	Montgomery Watson	PROJECT NAME:	The Boeing Company
SEND REPORT TO:	FRED STRUSS	NUMBER:	1206035.01090010
ADDRESS:	250 N MADISON AVE	LOCATION:	C-6 facility
	PASADENA, CA 91101	ADDRESS:	19503 S. NORMANDIE AVE
			LOS ANGELES, CA 90501
PHONE:	(626) 568-6582 FAX: (626) 796-5941	SAMPLED BY:	AN/IV/CW

ANALYSIS/METHODS REQUEST

SAMPLE ID	NO. OF CONTAINERS	SAMPLE DATE	SAMPLE TIME	SAMPLE MATRIX	CONTAINER TYPE	PRES.	TRPH 418.1	Title 22 Metals	VOCs 8260	SVOCs 8270	PCBs 8080	Pesticides 8080	HOLD	Chromium VI	REMARKS/PRECAUTIONS
B41-GS-13-5'	2	12/11/97	1435	SOIL	2"x6" BS SLEEVE	ICE							X		
Equipment Blank	7	12/11/97	1450	WATER	4 amber 1 poly	None HCl							X		
Rinsate Blank	7	12/11/97	1500	↓	↓	↓							X		
Trip Blank	2	12/11/97	—	↓	2 VOAs	HCl ↓							X		

Total No. of Samples: 4

Method of Shipment: Orange Coast Analytical Courier.

Relinquished By:	Date/Time:	Received By:	Date/Time:
Adam V. Vonia	12/11/97 1505hrs		
Relinquished By:	Date/Time:	Received By:	Date/Time:
Relinquished By:	Date/Time:	Received For Lab By:	Date/Time:
		[illegible]	12/11/97 15:10

Reporting Format: (check)
NORMAL ____ S.D. HMMD ____
RWQCB ____ OTHER ____

Sample Integrity: (check)
Intact ____ on ice ____

All samples remain the property of the client who is responsible for disposal. A disposal fee may be imposed if client fails to pickup samples.

BOE-C6-0085525