

0 400 800

Approximate Scale: 1"=400'

N

FIG 1A

LEGEND

2-11 CONTINUOUS CORE BORING

1-26 CONTINUOUS CORE BORING IN PARCEL A

GENERALIZED CROSS-SECTION LOCATION

A - A'	Figure 3
B - B'	Figure 4
C - C'	Figure 5

Kennedy/Jenks Consultants

MDRC C-6 Facility
Torrance, California

Continuous Core Boring and Cross-Section Locations

June 1997
K/J 974002.00

Figure 1A

BOE-C6-0097325

MDRC C-6 FACILITY
PARCEL A



Soil Borings

- ● 10 Foot TD
- ▲ 25 Foot TD
- ■ 50 Foot TD

0 100 200
Approximate Scale: 1"=200'

N

Kennedy/Jenks Consultants

MDRC C-6 Facility
Torrance, California

Parcel A
Boring Locations

June 1997
K/J 974002.00

Figure 2



EXPLANATION

	CL/CH	Clay, Silty Clay, or Sandy Clay
	ML	Silt, Clayey Silt, or Sandy Silt
	SM	Silty Sand
	SP/SW	Sand
	SP	Shell Beds in Sand

FIG. 3



Notes:

Stratigraphy is inferred based on the four soil boring control points shown.
Baseline does not portray the minor differences in elevation between soil borings.

Kennedy/ Jenks Consultants

MDRC C-6 Facility
Torrance, California

Cross-Section A-A'

June 1997
K/J 974002.00

Figure 3

BOE-C6-0097327



EXPLANATION

	CL/CH	Clay, Silty Clay, or Sandy Clay
	ML	Silt, Clayey Silt, or Sandy Silt
	SM	Silty Sand
	SP/SW	Sand
	SP	Shell Beds in Sand

FIG 4



Notes:

Stratigraphy is inferred based on the four soil boring control points shown.
Baseline does not portray the minor differences in elevation between soil borings.

Kennedy/ Jenks Consultants

MDRC C-6 Facility
Torrance, California

Cross-Section B-B'

June 1997
K/J 974002.00

Figure 4

BOE-C6-0097328



EXPLANATION

CL/CH	Clay, Silty Clay, or Sandy Clay
ML	Silt, Clayey Silt, or Sandy Silt
SM	Silty Sand
SP/SW	Sand
SP	Shell Beds in Sand

FIG 5



Notes:

Stratigraphy is inferred based on the four soil boring control points shown.
Baseline does not portray the minor differences in elevation between soil borings.

Kennedy/ Jenks Consultants

MDRC C-6 Facility
Torrance, California

Cross-Section C-C'

June 1997
K/J 974002.00

Figure 5

BOE-C6-0097329

FIG 6A

MDRC C-6 FACILITY
PARCEL A



Soil Borings

- ● 10 Foot TD
- ▲ 25 Foot TD
- ■ 50 Foot TD

0 100 200
Approximate Scale: 1"=200'

N

LEGEND

TCE Concentration (µg/kg)	
	NOT DETECTED
	< 50
	51 – 100
	101 – 500
	> 500
NS	NOT SAMPLED

Kennedy/Jenks Consultants

MDRC C-6 Facility
Torrance, California

TCE Detections
1-Foot Samples

June 1997
K/J 974002.00

Figure 6A

FIG 6B

MDRC C-6 FACILITY
PARCEL A



Soil Borings

- ● 10 Foot TD
- ▲ 25 Foot TD
- ■ 50 Foot TD

0 100 200
Approximate Scale: 1"=200'

N

LEGEND

TCE Concentration (µg/kg)	
	NOT DETECTED
	< 50
	51 – 100
	101 – 500
	> 500
NS	NOT SAMPLED

Kennedy/Jenks Consultants

MDRC C-6 Facility
Torrance, California

TCE Detections
4-Foot Samples

June 1997
K/J 974002.00

Figure 6B

FIG 6C

MDRC C-6 FACILITY
PARCEL A



Soil Borings

- ● 10 Foot TD
- ▲ 25 Foot TD
- ■ 50 Foot TD

0 100 200
Approximate Scale: 1"=200'

N

LEGEND

TCE Concentration (µg/kg)	
	NOT DETECTED
	< 50
	51 – 100
	101 – 500
	> 500
NS	NOT SAMPLED

Kennedy/Jenks Consultants

MDRC C-6 Facility
Torrance, California

TCE Detections
10-Foot Samples

June 1997
K/J 974002.00

Figure 6C

FIG 6D

MDRC C-6 FACILITY
PARCEL A



Soil Borings

- ● 10 Foot TD
- ▲ 25 Foot TD
- ■ 50 Foot TD

0 100 200
Approximate Scale: 1"=200'

N

LEGEND

TCE Concentration (µg/kg)	
	NOT DETECTED
	< 50
	51 – 100
	101 – 500
	> 500
NS	NOT SAMPLED

Kennedy/Jenks Consultants

MDRC C-6 Facility
Torrance, California

TCE Detections
15 & 20-Foot Samples

June 1997
K/J 974002.00

Figure 6D

FIG 6E

MDRC C-6 FACILITY
PARCEL A



Soil Borings

- ● 10 Foot TD
- ▲ 25 Foot TD
- ■ 50 Foot TD

0 100 200
Approximate Scale: 1"=200'

N

LEGEND

TCE Concentration (µg/kg)	
	NOT DETECTED
	< 50
	51 – 100
	101 – 500
	> 500
NS	NOT SAMPLED

Kennedy/Jenks Consultants

MDRC C-6 Facility
Torrance, California

TCE Detections
25 & 30-Foot Samples

June 1997
K/J 974002.00

Figure 6E

FIG 6F

MDRC C-6 FACILITY
PARCEL A



Soil Borings

- ● 10 Foot TD
- ▲ 25 Foot TD
- ■ 50 Foot TD

0 100 200
Approximate Scale: 1"=200'

N

LEGEND

	TCE Concentration (µg/kg)
	NOT DETECTED
	< 50
	51 – 100
	101 – 500
	> 500
NS	NOT SAMPLED

Kennedy/Jenks Consultants

MDRC C-6 Facility
Torrance, California

TCE Detections
40-Foot Samples

June 1997
K/J 974002.00

Figure 6F

FIG 6G

MDRC C-6 FACILITY
PARCEL A



Soil Borings

- ● 10 Foot TD
- ▲ 25 Foot TD
- ■ 50 Foot TD

0 100 200
Approximate Scale: 1"=200'

N

LEGEND

TCE Concentration (µg/kg)	
	NOT DETECTED
	< 50
	51 – 100
	101 – 500
	> 500
NS	NOT SAMPLED

Kennedy/Jenks Consultants

MDRC C-6 Facility
Torrance, California

TCE Detections
50-Foot Samples

June 1997
K/J 974002.00

Figure 6G

FIG 7A

MDRC C-6 FACILITY
PARCEL A



Soil Borings

- ● 10 Foot TD
- ▲ 25 Foot TD
- ■ 50 Foot TD

0 100 200
Approximate Scale: 1"=200'

N

LEGEND

1,1-DCE Concentration (µg/kg)	
	NOT DETECTED
	< 50
	51 – 100
	101 – 500
	> 500
NS	NOT SAMPLED

Kennedy/Jenks Consultants

MDRC C-6 Facility
Torrance, California

1,1-DCE Detections
1-Foot Samples

June 1997
K/J 974002.00

Figure 7A

FIG 7B

MDRC C-6 FACILITY
PARCEL A



Soil Borings

- ● 10 Foot TD
- ▲ 25 Foot TD
- ■ 50 Foot TD

0 100 200
Approximate Scale: 1"=200'

N

LEGEND

1,1-DCE Concentration (µg/kg)	
	NOT DETECTED
	< 50
	51 – 100
	101 – 500
	> 500
NS	NOT SAMPLED

Kennedy/Jenks Consultants

MDRC C-6 Facility
Torrance, California

1,1-DCE Detections
4-Foot Samples

June 1997
K/J 974002.00

Figure 7B

FIG 7C

MDRC C-6 FACILITY
PARCEL A



LEGEND

Soil Borings

- ● 10 Foot TD
- ▲ 25 Foot TD
- ■ 50 Foot TD

1,1-DCE Concentration (µg/kg)	
	NOT DETECTED
	< 50
	51 – 100
	101 – 500
	> 500
NS	NOT SAMPLED

0 100 200
Approximate Scale: 1"=200'

N

Kennedy/Jenks Consultants

MDRC C-6 Facility
Torrance, California

1,1-DCE Detections
10-Foot Samples

June 1997
K/J 974002.00

Figure 7C

Fig 7D

MDRC C-6 FACILITY
PARCEL A



Soil Borings

- ● 10 Foot TD
- ▲ 25 Foot TD
- ■ 50 Foot TD

0 100 200
Approximate Scale: 1"=200'

N

LEGEND

1,1-DCE Concentration (µg/kg)	
	NOT DETECTED
	< 50
	51 – 100
	101 – 500
	> 500
NS	NOT SAMPLED

Kennedy/Jenks Consultants

MDRC C-6 Facility
Torrance, California

1,1-DCE Detections
15 & 20-Foot Samples

June 1997
K/J 974002.00

Figure 7D

FIGTE

MDRC C-6 FACILITY
PARCEL A



Soil Borings

- ● 10 Foot TD
- ▲ 25 Foot TD
- ■ 50 Foot TD

0 100 200
Approximate Scale: 1"=200'

N

LEGEND

1,1-DCE Concentration (µg/kg)	
	NOT DETECTED
	< 50
	51 – 100
	101 – 500
	> 500
NS	NOT SAMPLED

Kennedy/Jenks Consultants

MDRC C-6 Facility
Torrance, California

1,1-DCE Detections
25 & 30-Foot Samples

June 1997
K/J 974002.00

Figure 7E

Fig 7F

MDRC C-6 FACILITY
PARCEL A



Soil Borings

- ● 10 Foot TD
- ▲ 25 Foot TD
- ■ 50 Foot TD

0 100 200
Approximate Scale: 1"=200'

N

LEGEND

1,1-DCE Concentration (µg/kg)	
	NOT DETECTED
	< 50
	51 – 100
	101 – 500
	> 500
NS	NOT SAMPLED

Kennedy/Jenks Consultants

MDRC C-6 Facility
Torrance, California

1,1-DCE Detections
40-Foot Samples

June 1997
K/J 974002.00

Figure 7F

FIG 7G

MDRC C-6 FACILITY
PARCEL A



Soil Borings

- ● 10 Foot TD
- ▲ 25 Foot TD
- ■ 50 Foot TD

0 100 200
Approximate Scale: 1"=200'

N

LEGEND

1,1-DCE Concentration (µg/kg)	
	NOT DETECTED
	< 50
	51 – 100
	101 – 500
	> 500
NS	NOT SAMPLED

Kennedy/Jenks Consultants

MDRC C-6 Facility
Torrance, California

1,1-DCE Detections
50-Foot Samples

June 1997
K/J 974002.00

Figure 7G

FIG 8A

MDRC C-6 FACILITY
PARCEL A



Soil Borings

- ● 10 Foot TD
- ▲ 25 Foot TD
- ■ 50 Foot TD

LEGEND

PCE Concentration (µg/kg)	
	NOT DETECTED
	< 50
	51 – 100
	101 – 500
	> 500
NS	NOT SAMPLED

Kennedy/Jenks Consultants

MDRC C-6 Facility
Torrance, California

PCE Detections
1-Foot Samples

June 1997
K/J 974002.00

Figure 8A

Fig 8B

MDRC C-6 FACILITY
PARCEL A



Soil Borings

- ● 10 Foot TD
- ▲ 25 Foot TD
- ■ 50 Foot TD

0 100 200
Approximate Scale: 1"=200'

N

LEGEND

PCE Concentration (µg/kg)	
	NOT DETECTED
	< 50
	51 – 100
	101 – 500
	> 500
NS	NOT SAMPLED

Kennedy/Jenks Consultants

MDRC C-6 Facility
Torrance, California

PCE Detections
4-Foot Samples

June 1997
K/J 974002.00

Figure 8B

Fig 8C

MDRC C-6 FACILITY
PARCEL A



Soil Borings

- ● 10 Foot TD
- ▲ 25 Foot TD
- ■ 50 Foot TD

0 100 200
Approximate Scale: 1"=200'

N

LEGEND

PCE Concentration (µg/kg)	
	NOT DETECTED
	< 50
	51 – 100
	101 – 500
	> 500
NS	NOT SAMPLED

Kennedy/Jenks Consultants

MDRC C-6 Facility
Torrance, California

PCE Detections
10-Foot Samples

June 1997
K/J 974002.00

Figure 8C

FIG 8D

MDRC C-6 FACILITY
PARCEL A



Soil Borings

- ● 10 Foot TD
- ▲ 25 Foot TD
- ■ 50 Foot TD

0 100 200
Approximate Scale: 1"=200'

N

LEGEND

PCE Concentration (µg/kg)	
	NOT DETECTED
	< 50
	51 – 100
	101 – 500
	> 500
NS	NOT SAMPLED

Kennedy/Jenks Consultants

MDRC C-6 Facility
Torrance, California

PCE Detections
15 & 20-Foot Samples

June 1997
K/J 974002.00

Figure 8D

FIG 8E

MDRC C-6 FACILITY
PARCEL A



Soil Borings

- ● 10 Foot TD
- ▲ 25 Foot TD
- ■ 50 Foot TD

0 100 200
Approximate Scale: 1"=200'

N

LEGEND

PCE Concentration (µg/kg)	
	NOT DETECTED
	< 50
	51 – 100
	101 – 500
	> 500
NS	NOT SAMPLED

Kennedy/Jenks Consultants

MDRC C-6 Facility
Torrance, California

PCE Detections
25 & 30-Foot Samples

June 1997
K/J 974002.00

Figure 8E

FIG 8F

MDRC C-6 FACILITY
PARCEL A



Soil Borings

- ● 10 Foot TD
- ▲ 25 Foot TD
- ■ 50 Foot TD

0 100 200
Approximate Scale: 1"=200'

N

LEGEND

PCE Concentration (µg/kg)	
	NOT DETECTED
	< 50
	51 – 100
	101 – 500
	> 500
NS	NOT SAMPLED

Kennedy/Jenks Consultants

MDRC C-6 Facility
Torrance, California

PCE Detections
40-Foot Samples

June 1997
K/J 974002.00

Figure 8F

FIG 8G

MDRC C-6 FACILITY
PARCEL A



Soil Borings

- ● 10 Foot TD
- ▲ 25 Foot TD
- ■ 50 Foot TD

0 100 200
Approximate Scale: 1"=200'

N

LEGEND

PCE Concentration (µg/kg)	
	NOT DETECTED
	< 50
	51 – 100
	101 – 500
	> 500
NS	NOT SAMPLED

Kennedy/Jenks Consultants

MDRC C-6 Facility
Torrance, California

PCE Detections
50-Foot Samples

June 1997
K/J 974002.00

Figure 8G

FIG 9A

MDRC C-6 FACILITY
PARCEL A



Soil Borings

- ● 10 Foot TD
- ▲ 25 Foot TD
- ■ 50 Foot TD

LEGEND

Total Chromium Concentration (mg/kg)	
	NOT DETECTED
	< 20
	21 – 50
	51 – 100
	> 100
NS	NOT SAMPLED

Kennedy/Jenks Consultants

MDRC C-6 Facility
Torrance, California

Total Chromium Detections
1-Foot Samples

June 1997
K/J 974002.00

Figure 9A

FIG 9B

MDRC C-6 FACILITY
PARCEL A



Soil Borings

- ● 10 Foot TD
- ▲ 25 Foot TD
- ■ 50 Foot TD

0 100 200
Approximate Scale: 1"=200'

N

LEGEND

Total Chromium Concentration (mg/kg)	
	NOT DETECTED
	< 20
	21 – 50
	51 – 100
	> 100
NS	NOT SAMPLED

Kennedy/Jenks Consultants

MDRC C-6 Facility
Torrance, California

Total Chromium Detections
4-Foot Samples

June 1997
K/J 974002.00

Figure 9B

FIG 9C

MDRC C-6 FACILITY
PARCEL A



Soil Borings

- ● 10 Foot TD
- ▲ 25 Foot TD
- ■ 50 Foot TD

0 100 200
Approximate Scale: 1"=200'

N

LEGEND

Total Chromium Concentration (mg/kg)	
	NOT DETECTED
	< 20
	21 – 50
	51 – 100
	> 100
NS	NOT SAMPLED

Kennedy/Jenks Consultants

MDRC C-6 Facility
Torrance, California

Total Chromium Detections
10-Foot Samples

June 1997
K/J 974002.00

Figure 9C

FIG 9D

MDRC C-6 FACILITY
PARCEL A



Soil Borings

- ● 10 Foot TD
- ▲ 25 Foot TD
- ■ 50 Foot TD

0 100 200
Approximate Scale: 1"=200'

N

LEGEND

Total Chromium Concentration (mg/kg)	
	NOT DETECTED
	< 20
	21 – 50
	51 – 100
	> 100
NS	NOT SAMPLED

Kennedy/Jenks Consultants

MDRC C-6 Facility
Torrance, California

Total Chromium Detections
15 & 20-Foot Samples

June 1997
K/J 974002.00

Figure 9D

FIG 9E

MDRC C-6 FACILITY
PARCEL A



Soil Borings

- ● 10 Foot TD
- ▲ 25 Foot TD
- ■ 50 Foot TD

0 100 200
Approximate Scale: 1"=200'

N

LEGEND

Total Chromium Concentration (mg/kg)	
	NOT DETECTED
	< 20
	21 – 50
	51 – 100
	> 100
NS	NOT SAMPLED

Kennedy/Jenks Consultants

MDRC C-6 Facility
Torrance, California

Total Chromium Detections
25 & 30-Foot Samples

June 1997
K/J 974002.00

Figure 9E

FIG 9F

MDRC C-6 FACILITY
PARCEL A



Soil Borings

- ● 10 Foot TD
- ▲ 25 Foot TD
- ■ 50 Foot TD

0 100 200
Approximate Scale: 1"=200'

N

LEGEND

Total Chromium Concentration (mg/kg)	
	NOT DETECTED
	< 20
	21 – 50
	51 – 100
	> 100
NS	NOT SAMPLED

Kennedy/Jenks Consultants

MDRC C-6 Facility
Torrance, California

Total Chromium Detections
40-Foot Samples

June 1997
K/J 974002.00

Figure 9F

FIG 9G

MDRC C-6 FACILITY
PARCEL A



Soil Borings

- ● 10 Foot TD
- ▲ 25 Foot TD
- ■ 50 Foot TD

0 100 200
Approximate Scale: 1"=200'

N

LEGEND

Total Chromium Concentration (mg/kg)	
	NOT DETECTED
	< 20
	21 – 50
	51 – 100
	> 100
NS	NOT SAMPLED

Kennedy/Jenks Consultants

MDRC C-6 Facility
Torrance, California

Total Chromium Detections
50-Foot Samples

June 1997
K/J 974002.00

Figure 9G

FIG 10A

MDRC C-6 FACILITY
PARCEL A



Soil Borings

- ● 10 Foot TD
- ▲ 25 Foot TD
- ■ 50 Foot TD

0 100 200
Approximate Scale: 1"=200'

N

LEGEND

Arsenic Concentration (mg/kg)	
	NOT DETECTED
	< 20
	21 – 50
	51 – 100
	> 100
NS	NOT SAMPLED

Kennedy/Jenks Consultants

MDRC C-6 Facility
Torrance, California

Arsenic Detections
1-Foot Samples

June 1997
K/J 974002.00

Figure 10A

FIG 10B

MDRC C-6 FACILITY
PARCEL A



Soil Borings

- ● 10 Foot TD
- ▲ 25 Foot TD
- ■ 50 Foot TD

0 100 200
Approximate Scale: 1"=200'

N

LEGEND

Arsenic Concentration (mg/kg)	
	NOT DETECTED
	< 20
	21 – 50
	51 – 100
	> 100
NS	NOT SAMPLED

Kennedy/Jenks Consultants

MDRC C-6 Facility
Torrance, California

Arsenic Detections
4-Foot Samples

June 1997
K/J 974002.00

Figure 10B

FIG 10C

MDRC C-6 FACILITY
PARCEL A



Soil Borings

- ● 10 Foot TD
- ▲ 25 Foot TD
- ■ 50 Foot TD

0 100 200
Approximate Scale: 1"=200'

N

LEGEND

Arsenic Concentration (mg/kg)	
	NOT DETECTED
	< 20
	21 – 50
	51 – 100
	> 100
NS	NOT SAMPLED

Kennedy/Jenks Consultants

MDRC C-6 Facility
Torrance, California

Arsenic Detections
10-Foot Samples

June 1997
K/J 974002.00

Figure 10C

FIG 10D

MDRC C-6 FACILITY
PARCEL A



Soil Borings

- ● 10 Foot TD
- ▲ 25 Foot TD
- ■ 50 Foot TD

0 100 200
Approximate Scale: 1"=200'

N

LEGEND

Arsenic Concentration (mg/kg)	
	NOT DETECTED
	< 20
	21 – 50
	51 – 100
	> 100
NS	NOT SAMPLED

Kennedy/Jenks Consultants

MDRC C-6 Facility
Torrance, California

Arsenic Detections
15 & 20-Foot Samples

June 1997
K/J 974002.00

Figure 10D

FIG 10E

MDRC C-6 FACILITY
PARCEL A



Soil Borings

- ● 10 Foot TD
- ▲ 25 Foot TD
- ■ 50 Foot TD

0 100 200
Approximate Scale: 1"=200'

N

LEGEND

Arsenic Concentration (mg/kg)	
	NOT DETECTED
	< 20
	21 – 50
	51 – 100
	> 100
NS	NOT SAMPLED

Kennedy/Jenks Consultants

MDRC C-6 Facility
Torrance, California

Arsenic Detections
25 & 30-Foot Samples

June 1997
K/J 974002.00

Figure 10E

FIG 10F

MDRC C-6 FACILITY
PARCEL A



Soil Borings

- ● 10 Foot TD
- ▲ 25 Foot TD
- ■ 50 Foot TD

0 100 200
Approximate Scale: 1"=200'

N

LEGEND

Arsenic Concentration (mg/kg)	
	NOT DETECTED
	< 20
	21 – 50
	51 – 100
	> 100
NS	NOT SAMPLED

Kennedy/Jenks Consultants

MDRC C-6 Facility
Torrance, California

Arsenic Detections
40-Foot Samples

June 1997
K/J 974002.00

Figure 10F

FIG 10G

MDRC C-6 FACILITY
PARCEL A



Soil Borings

- ● 10 Foot TD
- ▲ 25 Foot TD
- ■ 50 Foot TD

0 100 200
Approximate Scale: 1"=200'

N

LEGEND

Arsenic Concentration (mg/kg)	
	NOT DETECTED
	< 20
	21 – 50
	51 – 100
	> 100
NS	NOT SAMPLED

Kennedy/Jenks Consultants

MDRC C-6 Facility
Torrance, California

Arsenic Detections
50-Foot Samples

June 1997
K/J 974002.00

Figure 10G

FIG 11A

MDRC C-6 FACILITY
PARCEL A



Soil Borings

- ● 10 Foot TD
- ▲ 25 Foot TD
- ■ 50 Foot TD

LEGEND

Lead Concentration (mg/kg)	
	NOT DETECTED
	< 20
	21 – 50
	51 – 100
	> 100
NS	NOT SAMPLED

Kennedy/Jenks Consultants

MDRC C-6 Facility
Torrance, California

Lead Detections
1-Foot Samples

June 1997
K/J 974002.00

Figure 11A

FIG 11B

MDRC C-6 FACILITY
PARCEL A



Soil Borings

- ● 10 Foot TD
- ▲ 25 Foot TD
- ■ 50 Foot TD

0 100 200
Approximate Scale: 1"=200'

N

LEGEND

Lead Concentration (mg/kg)	
	NOT DETECTED
	< 20
	21 – 50
	51 – 100
	> 100
NS	NOT SAMPLED

Kennedy/Jenks Consultants

MDRC C-6 Facility
Torrance, California

Lead Detections
4-Foot Samples

June 1997
K/J 974002.00

Figure 11B

FIG 11C

MDRC C-6 FACILITY
PARCEL A



Soil Borings

- ● 10 Foot TD
- ▲ 25 Foot TD
- ■ 50 Foot TD

LEGEND

Lead Concentration (mg/kg)	
	NOT DETECTED
	< 20
	21 – 50
	51 – 100
	> 100
NS	NOT SAMPLED

Kennedy/Jenks Consultants

MDRC C-6 Facility
Torrance, California

Lead Detections
10-Foot Samples

June 1997
K/J 974002.00

Figure 11C

FIG 11D

MDRC C-6 FACILITY
PARCEL A



Soil Borings

- ● 10 Foot TD
- ▲ 25 Foot TD
- ■ 50 Foot TD

0 100 200
Approximate Scale: 1"=200'

N

LEGEND

Lead Concentration (mg/kg)	
	NOT DETECTED
	< 20
	21 – 50
	51 – 100
	> 100
NS	NOT SAMPLED

Kennedy/Jenks Consultants

MDRC C-6 Facility
Torrance, California

Lead Detections
15 & 20-Foot Samples

June 1997
K/J 974002.00

Figure 11D

FIG 11E

MDRC C-6 FACILITY
PARCEL A



Soil Borings

- ● 10 Foot TD
- ▲ 25 Foot TD
- ■ 50 Foot TD

0 100 200
Approximate Scale: 1"=200'

N

LEGEND

Lead Concentration (mg/kg)	
	NOT DETECTED
	< 20
	21 – 50
	51 – 100
	> 100
NS	NOT SAMPLED

Kennedy/Jenks Consultants

MDRC C-6 Facility
Torrance, California

Lead Detections
25 & 30-Foot Samples

June 1997
K/J 974002.00

Figure 11E

FIG 11F

MDRC C-6 FACILITY
PARCEL A



Soil Borings

- ● 10 Foot TD
- ▲ 25 Foot TD
- ■ 50 Foot TD

0 100 200
Approximate Scale: 1"=200'

N

LEGEND

	Lead Concentration (mg/kg)
	NOT DETECTED
	< 20
	21 – 50
	51 – 100
	> 100
NS	NOT SAMPLED

Kennedy/Jenks Consultants

MDRC C-6 Facility
Torrance, California

Lead Detections
40-Foot Samples

June 1997
K/J 974002.00

Figure 11F

FIG 11G

MDRC C-6 FACILITY
PARCEL A



Soil Borings

- ● 10 Foot TD
- ▲ 25 Foot TD
- ■ 50 Foot TD

0 100 200
Approximate Scale: 1"=200'

N

LEGEND

Lead Concentration (mg/kg)	
	NOT DETECTED
	< 20
	21 – 50
	51 – 100
	> 100
NS	NOT SAMPLED

Kennedy/Jenks Consultants

MDRC C-6 Facility
Torrance, California

Lead Detections
50-Foot Samples

June 1997
K/J 974002.00

Figure 11G