APPENDIX D

SVOCs, PCBs AND DIOXINS/FURANS
SUMMARY TABLES

(FROM THE MAY 7, 1996 DAR REPORT AND
DECEMBER 24, 1996
FOURTH QUARTERLY GROUNDWATER
MONITORING REPORT)

TRC

Table 3-7. Summary of Groundwater Analytical Results - PCBs, Fourth Quarterly Groundwater Monitoring Report, Third Quarter 1996, ILM Facility, Torrance, California

Sample ID	Sample Date	PCBs[1] (in µg/L)
P-1	3/19/96	ND (0.2)
	6/26/96	0.44(PCB-1254)
	6/26/96(D)	0.27(PCB-1254)
	9/18/96	ND (0.2)
P-2	3/19/96	ND (1)
	3/19/96(D)	ND (1)
	6/20/96	ND (1.0)
	6/20/96(D)	ND (0.4)
	9/17/96	0.5(PCB-1254)
P-3	3/14/96	ND (0.2)
	6/19/96	ND (0.2)
	9/11/96	ND (0.2)
P-4	3/18/96	ND (0.2)
	9/16/96	ND (0.2)
P-5	3/19/96	ND (1)
	6/25/96	ND (0.2)
	9/17/96	ND (0.2)
	9/17/96(D)[4]	ND (0.2)
P-6	3/18/96	ND (0.2)
	6/20/96	ND (0.2)
	9/12/96	ND (0.2)
P-7	3/18/96	ND (0.2)
	6/24/96	ND (0.2)
	9/16/96	ND (0.2)
P-9	3/18/96	ND (0.2)
	6/26/96	ND (0.2)
	9/12/96	ND (0.2)
P-10	3/14/96	ND (0.2)
	6/18/96	ND (0.2)
	9/11/96	ND (0.2)
P-11	3/14/96	ND (0.2)
	6/19/96	ND (0.2)
	9/11/96	ND (0.2)
P-12	3/19/96	ND (0.2)
	6/26/96	ND (0.2)
	6/26/96(D)	ND (0.2)
	9/18/96	ND (0.2)
P-13	3/14/96	ND (0.2)
	6/19/96	ND (0.2)
	9/11/96	ND (0.2)
P-14	3/19/96	ND (0.2)
	6/26/96	ND (0.2)
	9/17/96	ND (0.2)
P-15	3/19/96	ND (0.2)
	6/26/96	ND (0.2)
	9/18/96	ND (0.2)

Table 3-7. Summary of Groundwater Analytical Results - PCBs, Fourth Quarterly Groundwater Monitoring Report, Third Quarter 1996, ILM Facility, Torrance, California

Sample ID	Sample Date	PCBs[1] (in µg/L)
P-16A	3/18/96	ND (0.2)
	3/18/96(D)	ND (0.2)
	6/26/96	ND (0.2)
	9/16/96	ND (0.2)
P-16B	3/18/96	ND (0.2)
	6/24/96	ND (0.2)
P-16C	9/12/96	ND (0.2)
P-17	3/19/96	ND (0.2)
	9/18/96	ND (0.2)
P-18	3/19/96	ND (0.2)
	9/12/96	ND (0.2)
	9/12/96(D)[2]	ND (0.2)
P-19	3/19/96	ND (0.2)
	6/25/96	ND (0.2)
	9/17/96	ND (0.2)
P-20	3/18/96	ND (0.2)
	6/25/96	ND (0.2)
	9/16/96	ND (0.2)
P-21	3/18/96	ND (0.2)
	6/25/96	ND (0.2)
	9/17/96	ND (0.2)
P-22	3/18/96	ND (0.2)
	6/20/96	ND (0.2)
	9/12/96	ND (0.2)
P-23	3/14/96	ND (0.2)
	6/20/96	ND (0.2)
	9/11/96	ND (0.2)
P-24	3/19/96	ND (1)
	6/24/96	ND (0.2)
	9/17/96	ND (0.2)
	9/17/96(D)[3]	ND (0.2)
P-25	3/19/96	ND (0.2)
	6/26/96	ND (0.2)
	9/18/96	ND (0.2)

[1]Only detected analytes are reported in table; results of all analyses are reported in Appendices D and E.
[2]Duplicate sample for P-18 is identified as Dup-1 in Appendices D and E.
[3]Duplicate sample for P-24 is identified as Dup-2 in Appendices D and E.
[4]Duplicate sample for P-5 is identified as Dup-3 in Appendices D and E.

PCB Polychlorinated biphenyl
µg/L Micrograms per liter
ND Analyte not detected above the practical quantitation limit (in parenthesis)
(D) Duplicate sample

Table 3-6. Summary of Groundwater Analytical Results - Semi-Volatile Organic Compounds (SVOCs), Fourth Quarterly Groundwater Monitoring Report, Third Quarter 1996, ILM Facility, Torrance, California

Sample ID	Sample Date	Semi-Volatile Organic Compounds[1] (in µg/L)								
		2-Methyl naphthalene	4-Methyl-phenol	Benzyl alcohol	bis-2-ethylhexyl-phthalate	Di-n-octylphthalate	Fluorene	Naphthalene	Phenanthrene	Phenol
P-24	12/20/95	3	ND(2)	5	ND(5)	ND(2)	ND(2)	6	ND(2)	ND(2)
	3/19/96	ND(2)	ND(2)	ND(2)	21	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)
	6/24/96	ND(2)	ND(2)	ND(2)	ND(5)	ND(2)	ND(2)	3	ND(2)	ND(2)
	9/17/96	ND(2)	ND(2)[2]	ND(2)	ND(5)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)
	9/17/96(D)[4]	ND(2)	ND(2)[2]	ND(2)	ND(5)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)
P-25	12/26/95	ND(2)	ND(2)	ND(2)	ND(5)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)
	3/19/96	ND(2)	ND(2)	ND(2)	ND(5)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)
	6/26/96	ND(2)	ND(2)	ND(2)	ND(5)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)
	9/18/96	ND(2)	ND(2)[2]	ND(2)	ND(5)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)

[1]Only detected analytes are reported in table; results of all analyses are reported in Appendices D and E.

[2]Flagged datum for current sample period; see Table 4-1 for explanation of QA/QC issue for this rejected result.

[3]Duplicate sample for P-18 is identified as Dup-1 in Appendices D and E.

[4]Duplicate sample for P-24 is identified as Dup-2 in Appendices D and E.

[5]Duplicate sample for P-5 is identified as Dup-3 in Appendices D and E.

µg/L Micrograms per liter

ND( ) Analyte not detected above the practical quantitation limit (in parentheses)

(D) Duplicate sample

Table 3-6. Summary of Groundwater Analytical Results - Semi-Volatile Organic Compounds (SVOCs), Fourth Quarterly Groundwater Monitoring Report, Third Quarter 1996, ILM Facility, Torrance, California

Sample ID	Sample Date	Semi-Volatile Organic Compounds[1] (in µg/L)								
		2-Methyl naphthalene	4-Methyl-phenol	Benzyl alcohol	bis-2-ethylhexyl-phthalate	Di-n-octylphthalate	Fluorene	Naphthalene	Phenanthrene	Phenol
P-11	12/27/95	ND(2)	ND(2)	ND(2)	10	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)
	3/14/96	ND(2)	ND(2)	ND(2)	ND(5)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)
	6/19/96	ND(2)	ND(2)	ND(2)	ND(5)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)
	9/11/96	ND(2)	ND(2)	ND(2)	ND(5)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)
P-12	12/21/95	ND(2)	ND(2)	ND(2)	ND(5)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)
	3/19/96	ND(2)	ND(2)	ND(2)	16	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)
	6/26/96	ND(2)	ND(2)	ND(2)	ND(5)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)
	6/26/96(D)	ND(2)	ND(2)	ND(2)	ND(5)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)
	9/18/96	ND(2)	ND(2)[2]	ND(2)	ND(5)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)
P-13	12/21/95	ND(2)	ND(2)	ND(2)	ND(5)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)
	3/14/96	ND(2)	ND(2)	3	ND(5)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)
	6/19/96	ND(2)	ND(2)	ND(2)	ND(5)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)
	9/11/96	ND(2)	ND(2)	ND(2)	ND(5)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)
P-14	12/21/95	ND(2)	ND(2)	ND(2)	ND(5)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)
	3/19/96	ND(2)	ND(2)	ND(2)	ND(5)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)
	6/26/96	ND(2)	ND(2)	ND(2)	ND(5)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)
	9/17/96	ND(2)	ND(2)[2]	ND(2)	ND(5)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)
P-15	12/27/95	ND(2)	ND(2)	ND(2)	ND(5)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)
	3/19/96	ND(2)	ND(2)	3	ND(5)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)
	6/26/96	ND(2)	ND(2)	ND(2)	ND(5)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)
	9/18/96	ND(2)	ND(2)[2]	ND(2)	ND(5)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)
P-16A	12/26/95	ND(2)	ND(2)	ND(2)	ND(5)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)
	3/18/96	ND(2)	ND(2)	ND(2)	ND(5)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)
	3/18/96(D)	ND(2)	ND(2)	5	6	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)
	6/25/96	ND(2)	ND(2)	ND(2)	ND(5)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)
	9/16/96	ND(2)	ND(2)[2]	ND(2)	ND(5)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)
P-16B	12/19/95	ND(2)	ND(2)	11	11	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)
	12/19/95(D)	ND(2)	ND(2)	ND(2)	ND(5)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)
	3/18/96	ND(2)	ND(2)	6	20	ND(2)	ND(2)	ND(2)	ND(2)	5
	6/24/96	ND(2)	ND(2)	ND(2)	15	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)

BOE-C6-0101790

Table 3-6. Summary of Groundwater Analytical Results - Semi-Volatile Organic Compounds (SVOCs), Fourth Quarterly Groundwater Monitoring Report, Third Quarter 1996, ILM Facility, Torrance, California

Sample ID	Sample Date	Semi-Volatile Organic Compounds[1] (in µg/L)								
		2-Methyl naphthalene	4-Methyl-phenol	Benzyl alcohol	bis-2-ethylhexyl-phthalate	Di-n-octylphthalate	Fluorene	Naphthalene	Phenanthrene	Phenol
P-16C	9/12/96	ND(2)	ND(2)	ND(2)	32	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)
P-17	12/21/95	ND(2)	ND(2)	15	ND(5)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)
	3/19/96	ND(2)	ND(2)	3	30	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)
	9/18/96	ND(2)	ND(2)[2]	ND(2)	ND(5)	3	ND(2)	ND(2)	ND(2)	ND(2)
P-18	12/26/95	ND(2)	ND(2)	ND(2)	ND(5)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)
	3/19/96	ND(2)	ND(2)	ND(2)	12	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)
	9/12/96	ND(10)	ND(10)	ND(10)	ND(30)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)
	9/12/96(D)[3]	ND(10)	ND(10)[2]	ND(10)	ND(30)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)
P-19	12/26/95	ND(2)	ND(2)	ND(2)	ND(5)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)
	3/19/96	ND(2)	ND(2)	ND(2)	ND(5)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)
	6/25/96	ND(2)	ND(2)	ND(2)	ND(5)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)
	9/17/96	ND(2)	ND(2)[2]	ND(2)	ND(5)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)
P-20	12/27/95	ND(2)	ND(2)	ND(2)	ND(5)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)
	3/18/96	ND(2)	ND(2)	7	16	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)
	6/25/96	ND(2)	ND(2)	ND(2)	ND(5)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)
	9/16/96	ND(2)	ND(2)[2]	ND(2)	ND(5)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)
P-21	12/26/95	ND(2)	ND(2)	ND(2)	7	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)
	3/18/96	ND(2)	ND(2)	ND(2)	ND(5)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)
	6/25/96	ND(2)	ND(2)	ND(2)	ND(5)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)
	9/17/96	ND(2)	ND(2)[2]	ND(2)	ND(5)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)
P-22	12/20/95	ND(2)	ND(2)	ND(2)	ND(5)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)
	3/18/96	ND(2)	ND(2)	2	8	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)
	6/20/96	ND(2)	ND(2)	ND(2)	ND(5)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)
	9/12/96	ND(2)	ND(2)	ND(2)	ND(5)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)
P-23	12/20/95	ND(2)	ND(2)	ND(2)	ND(5)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)
	3/14/96	ND(2)	ND(2)	ND(2)	ND(5)	4	ND(2)	ND(2)	ND(2)	ND(2)
	6/20/96	ND(2)	ND(2)	ND(2)	ND(5)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)
	9/11/96	ND(2)	ND(2)	ND(2)	ND(5)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)

BOE-C6-0101791

Table 3-6. Summary of Groundwater Analytical Results - Semi-Volatile Organic Compounds (SVOCs), Fourth Quarterly Groundwater Monitoring Report, Third Quarter 1996, ILM Facility, Torrance, California

Sample ID	Sample Date	Semi-Volatile Organic Compounds[1] (in µg/L)								
		2-Methyl naphthalene	4-Methyl-phenol	Benzyl alcohol	bis-2-ethylhexyl-phthalate	Di-n-octylphthalate	Fluorene	Naphthalene	Phenanthrene	Phenol
P-1	1/24/95	ND(2)	ND(2)	ND(2)	650	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)
	3/17/95	ND(2)	ND(2)	ND(2)	33	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)
	12/27/95	ND(2)	ND(2)	ND(2)	ND(5)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)
	12/27/95(D)	ND(2)	ND(2)	ND(2)	ND(5)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)
	3/19/96	ND(2)	ND(2)	ND(2)	ND(5)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)
	6/26/96	ND(2)	ND(2)	ND(2)	ND(5)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)
	6/26/96(D)	ND(2)	ND(2)	ND(2)	ND(5)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)
	9/18/96	ND(2)	ND(2)[2]	ND(2)	ND(5)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)
P-2	1/27/95	ND(4)	ND(4)	ND(4)	ND(10)	ND(4)	ND(4)	ND(4)	ND(4)	ND(4)
	3/17/95	ND(20)	ND(20)	ND(20)	ND(50)	ND(20)	ND(20)	ND(20)	ND(20)	ND(20)
	12/27/95	ND(20)	ND(20)	ND(20)	ND(50)	ND(20)	ND(20)	ND(20)	ND(20)	ND(20)
	3/19/96	ND(10)	ND(10)	ND(10)	ND(20)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)
	3/19/96(D)	ND(10)	ND(10)	ND(10)	ND(20)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)
	6/20/96	ND(2)	ND(2)	ND(2)	ND(5)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)
	6/20/96(D)	ND(2)	ND(2)	ND(2)	ND(5)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)
	9/17/96	ND(20)	ND(20)[2]	ND(20)	ND(50)	ND(20)	ND(20)	ND(20)	ND(20)	ND(20)
P-3	1/24/95	ND(2)	ND(2)	ND(2)	ND(5)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)
	3/17/95	ND(2)	ND(2)	ND(2)	ND(5)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)
	12/20/95	ND(2)	ND(2)	ND(2)	ND(5)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)
	3/14/96	ND(2)	ND(2)	ND(2)	ND(5)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)
	6/19/96	ND(2)	ND(2)	ND(2)	ND(5)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)
	9/11/96	ND(2)	ND(2)	ND(2)	ND(5)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)
P-4	1/26/95	ND(2)	ND(2)	ND(2)	ND(5)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)
	3/17/95	ND(2)	ND(2)	ND(2)	ND(5)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)
	12/21/95	ND(2)	ND(2)	ND(2)	ND(5)	ND(2)	ND(2)	ND(2)	ND(2)	2
	3/18/96	ND(2)	ND(2)	ND(2)	ND(5)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)
	9/16/96	ND(2)	ND(2)[2]	ND(2)	6	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)

BOE-C6-0101792

Table 3-6. Summary of Groundwater Analytical Results - Semi-Volatile Organic Compounds (SVOCs), Fourth Quarterly Groundwater Monitoring Report, Third Quarter 1996, ILM Facility, Torrance, California

Sample ID	Sample Date	Semi-Volatile Organic Compounds[1] (in µg/L)								
		2-Methyl naphthalene	4-Methyl-phenol	Benzyl alcohol	bis-2-ethylhexyl-phthalate	Di-n-octylphthalate	Fluorene	Naphthalene	Phenanthrene	Phenol
P-5	1/26/95	ND(2)	ND(2)	ND(2)	ND(5)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)
	3/17/95	ND(10)	ND(10)	ND(10)	ND(20)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)
	12/27/95	3	ND(2)	ND(2)	8	ND(2)	6	5	7	3
	3/19/96	3	3	ND(2)	ND(5)	ND(2)	5	5	8	10
	6/25/96	ND(2)	ND(2)	ND(2)	ND(5)	ND(2)	4	4	6	ND(2)
	9/17/96	ND(10)	ND(10)[2]	ND(10)	ND(30)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)
	9/17/96(D)[5]	ND(10)	ND(10)	ND(10)	ND(30)	ND(10)	ND(10)	ND(10)	ND(10)	ND(10)
P-6	3/16/95	ND(2)	ND(2)	ND(2)	ND(5)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)
	12/20/95	ND(2)	ND(2)	2	ND(5)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)
	3/18/96	ND(2)	ND(2)	4	7	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)
	6/20/96	ND(2)	ND(2)	ND(2)	ND(5)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)
	9/12/96	ND(2)	ND(2)	ND(2)	ND(5)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)
P-7	3/17/95	ND(2)	ND(2)	ND(2)	22	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)
	3/17/95(D)	ND(2)	ND(2)	ND(2)	16	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)
	12/21/95	ND(2)	ND(2)	2	ND(5)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)
	3/18/96	ND(2)	ND(2)	5	ND(5)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)
	6/24/96	ND(2)	ND(2)	ND(2)	ND(5)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)
	9/16/96	ND(2)	ND(2)[2]	ND(2)	5	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)
P-8	3/16/95	ND(2)	ND(2)	ND(2)	ND(5)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)
P-9	3/16/95	ND(2)	ND(2)	ND(2)	ND(5)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)
	12/20/95	ND(2)	ND(2)	9	ND(5)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)
	3/18/96	ND(2)	ND(2)	16	14	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)
	6/26/96	ND(2)	ND(2)	ND(2)	ND(5)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)
	9/12/96	ND(20)	ND(20)	ND(20)	ND(50)	ND(20)	ND(20)	ND(20)	ND(20)	ND(20)
P-10	3/16/95	ND(2)	ND(2)	ND(2)	ND(5)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)
	1/7/00	ND(2)	ND(2)	9	7	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)
	3/14/96	ND(2)	ND(2)	ND(2)	ND(5)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)
	6/18/96	ND(2)	ND(2)	ND(2)	ND(5)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)
	9/11/96	ND(2)	ND(2)	ND(2)	ND(5)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)

BOE-C6-0101793

Table 4-17. Summary of Groundwater Analytical Results - PCBs, Goundwater RFI Data Assessment Report, ILM Facility, Torrance, California

Sample ID	Sample Date	Analyte	Result	Flag	PQL	Units	Method
P-25	12/26/95	PCB-1242	ND		2	µg/L	8080
P-25	12/26/95	PCB-1248	ND		2	µg/L	8080
P-25	12/26/95	PCB-1254	ND		2	µg/L	8080
P-25	12/26/95	PCB-1260	ND		2	µg/L	8080
P-25	12/26/95	Total PCBs (Summation)	ND		2	µg/L	8080
P-3	12/20/95	PCB-1016	ND		0.2	µg/L	8080
P-3	12/20/95	PCB-1221	ND		0.2	µg/L	8080
P-3	12/20/95	PCB-1232	ND		0.2	µg/L	8080
P-3	12/20/95	PCB-1242	ND		0.2	µg/L	8080
P-3	12/20/95	PCB-1248	ND		0.2	µg/L	8080
P-3	12/20/95	PCB-1254	ND		0.2	µg/L	8080
P-3	12/20/95	PCB-1260	ND		0.2	µg/L	8080
P-3	12/20/95	Total PCBs (Summation)	ND		0.2	µg/L	8080
P-4	12/21/95	PCB-1016	ND		0.2	µg/L	8080
P-4	12/21/95	PCB-1221	ND		0.2	µg/L	8080
P-4	12/21/95	PCB-1232	ND		0.2	µg/L	8080
P-4	12/21/95	PCB-1242	ND		0.2	µg/L	8080
P-4	12/21/95	PCB-1248	ND		0.2	µg/L	8080
P-4	12/21/95	PCB-1254	ND		0.2	µg/L	8080
P-4	12/21/95	PCB-1260	ND		0.2	µg/L	8080
P-4	12/21/95	Total PCBs (Summation)	ND		0.2	µg/L	8080
P-5	12/27/95	PCB-1016	ND		0.2	µg/L	8080
P-5	12/27/95	PCB-1221	ND		0.2	µg/L	8080
P-5	12/27/95	PCB-1232	ND		0.2	µg/L	8080
P-5	12/27/95	PCB-1242	ND		0.2	µg/L	8080
P-5	12/27/95	PCB-1248	ND		0.2	µg/L	8080
P-5	12/27/95	PCB-1254	ND		0.2	µg/L	8080
P-5	12/27/95	PCB-1260	ND		0.2	µg/L	8080
P-5	12/27/95	Total PCBs (Summation)	ND		0.2	µg/L	8080
P-6	12/20/95	PCB-1016	ND		0.2	µg/L	8080
P-6	12/20/95	PCB-1221	ND		0.2	µg/L	8080
P-6	12/20/95	PCB-1232	ND		0.2	µg/L	8080
P-6	12/20/95	PCB-1242	ND		0.2	µg/L	8080
P-6	12/20/95	PCB-1248	ND		0.2	µg/L	8080
P-6	12/20/95	PCB-1254	ND		0.2	µg/L	8080
P-6	12/20/95	PCB-1260	ND		0.2	µg/L	8080
P-6	12/20/95	Total PCBs (Summation)	ND		0.2	µg/L	8080
P-7	12/21/95	PCB-1016	ND		0.2	µg/L	8080
P-7	12/21/95	PCB-1221	ND		0.2	µg/L	8080
P-7	12/21/95	PCB-1232	ND		0.2	µg/L	8080
P-7	12/21/95	PCB-1242	ND		0.2	µg/L	8080
P-7	12/21/95	PCB-1248	ND		0.2	µg/L	8080
P-7	12/21/95	PCB-1254	ND		0.2	µg/L	8080
P-7	12/21/95	PCB-1260	ND		0.2	µg/L	8080
P-7	12/21/95	Total PCBs (Summation)	ND		0.2	µg/L	8080
P-9	12/20/95	PCB-1016	ND		0.2	µg/L	8080
P-9	12/20/95	PCB-1221	ND		0.2	µg/L	8080
P-9	12/20/95	PCB-1232	ND		0.2	µg/L	8080
P-9	12/20/95	PCB-1242	ND		0.2	µg/L	8080

Table 4-17. Summary of Groundwater Analytical Results - PCBs, Goundwater RFI Data Assessment Report, ILM Facility, Torrance, California

Sample ID	Sample Date	Analyte	Result	Flag	PQL	Units	Method
P-9	12/20/95	PCB-1248	ND		0.2	µg/L	8080
P-9	12/20/95	PCB-1254	ND		0.2	µg/L	8080
P-9	12/20/95	PCB-1260	ND		0.2	µg/L	8080
P-9	12/20/95	Total PCBs (Summation)	ND		0.2	µg/L	8080
P-1(DUP-1)	12/27/95	PCB-1016	ND		0.2	µg/L	8080
P-1(DUP-1)	12/27/95	PCB-1221	ND		0.2	µg/L	8080
P-1(DUP-1)	12/27/95	PCB-1232	ND		0.2	µg/L	8080
P-1(DUP-1)	12/27/95	PCB-1242	ND		0.2	µg/L	8080
P-1(DUP-1)	12/27/95	PCB-1248	ND		0.2	µg/L	8080
P-1(DUP-1)	12/27/95	PCB-1254	ND		0.2	µg/L	8080
P-1(DUP-1)	12/27/95	PCB-1260	ND		0.2	µg/L	8080
P-1(DUP-1)	12/27/95	Total PCBs (Summation)	ND		0.2	µg/L	8080
P-16BD	12/19/95	PCB-1016	ND		0.2	µg/L	8080
P-16BD	12/19/95	PCB-1221	ND		0.2	µg/L	8080
P-16BD	12/19/95	PCB-1232	ND		0.2	µg/L	8080
P-16BD	12/19/95	PCB-1242	ND		0.2	µg/L	8080
P-16BD	12/19/95	PCB-1248	ND		0.2	µg/L	8080
P-16BD	12/19/95	PCB-1254	ND		0.2	µg/L	8080
P-16BD	12/19/95	PCB-1260	ND		0.2	µg/L	8080
P-16BD	12/19/95	Total PCBs (Summation)	ND		0.2	µg/L	8080

PQL Practical Quantitation Limit
ND Not Detected at or above the PQL
µg/L micrograms per liter

Table 4-17. Summary of Groundwater Analytical Results - PCBs, Goundwater RFI Data Assessment Report, ILM Facility, Torrance, California

Sample ID	Sample Date	Analyte	Result	Flag	PQL	Units	Method
P-15	12/27/95	PCB-1221	ND		0.2	µg/L	8080
P-15	12/27/95	PCB-1232	ND		0.2	µg/L	8080
P-15	12/27/95	PCB-1242	ND		0.2	µg/L	8080
P-15	12/27/95	PCB-1248	ND		0.2	µg/L	8080
P-15	12/27/95	PCB-1254	ND		0.2	µg/L	8080
P-15	12/27/95	PCB-1260	ND		0.2	µg/L	8080
P-15	12/27/95	Total PCBs (Summation)	ND		0.2	µg/L	8080
P-16A	12/26/95	PCB-1016	ND		0.2	µg/L	8080
P-16A	12/26/95	PCB-1221	ND		0.2	µg/L	8080
P-16A	12/26/95	PCB-1232	ND		0.2	µg/L	8080
P-16A	12/26/95	PCB-1242	ND		0.2	µg/L	8080
P-16A	12/26/95	PCB-1248	ND		0.2	µg/L	8080
P-16A	12/26/95	PCB-1254	ND		0.2	µg/L	8080
P-16A	12/26/95	PCB-1260	ND		0.2	µg/L	8080
P-16A	12/26/95	Total PCBs (Summation)	ND		0.2	µg/L	8080
P-16B	12/19/95	PCB-1016	ND		0.2	µg/L	8080
P-16B	12/19/95	PCB-1221	ND		0.2	µg/L	8080
P-16B	12/19/95	PCB-1232	ND		0.2	µg/L	8080
P-16B	12/19/95	PCB-1242	ND		0.2	µg/L	8080
P-16B	12/19/95	PCB-1248	ND		0.2	µg/L	8080
P-16B	12/19/95	PCB-1254	ND		0.2	µg/L	8080
P-16B	12/19/95	PCB-1260	ND		0.2	µg/L	8080
P-16B	12/19/95	Total PCBs (Summation)	ND		0.2	µg/L	8080
P-17	12/21/95	PCB-1016	ND		0.2	µg/L	8080
P-17	12/21/95	PCB-1221	ND		0.2	µg/L	8080
P-17	12/21/95	PCB-1232	ND		0.2	µg/L	8080
P-17	12/21/95	PCB-1242	ND		0.2	µg/L	8080
P-17	12/21/95	PCB-1248	ND		0.2	µg/L	8080
P-17	12/21/95	PCB-1254	ND		0.2	µg/L	8080
P-17	12/21/95	PCB-1260	ND		0.2	µg/L	8080
P-17	12/21/95	Total PCBs (Summation)	ND		0.2	µg/L	8080
P-18	12/26/95	PCB-1016	ND		0.2	µg/L	8080
P-18	12/26/95	PCB-1221	ND		0.2	µg/L	8080
P-18	12/26/95	PCB-1232	ND		0.2	µg/L	8080
P-18	12/26/95	PCB-1242	ND		0.2	µg/L	8080
P-18	12/26/95	PCB-1248	ND		0.2	µg/L	8080
P-18	12/26/95	PCB-1254	ND		0.2	µg/L	8080
P-18	12/26/95	PCB-1260	ND		0.2	µg/L	8080
P-18	12/26/95	Total PCBs (Summation)	ND		0.2	µg/L	8080
P-19	12/26/95	PCB-1016	ND		0.2	µg/L	8080
P-19	12/26/95	PCB-1221	ND		0.2	µg/L	8080
P-19	12/26/95	PCB-1232	ND		0.2	µg/L	8080
P-19	12/26/95	PCB-1242	ND		0.2	µg/L	8080
P-19	12/26/95	PCB-1248	ND		0.2	µg/L	8080
P-19	12/26/95	PCB-1254	ND		0.2	µg/L	8080
P-19	12/26/95	PCB-1260	ND		0.2	µg/L	8080
P-19	12/26/95	Total PCBs (Summation)	ND		0.2	µg/L	8080
P-2	12/27/95	PCB-1016	ND		0.2	µg/L	8080
P-2	12/27/95	PCB-1221	ND		0.2	µg/L	8080

Table 4-17. Summary of Groundwater Analytical Results - PCBs, Goundwater RFI Data Assessment Report, ILM Facility, Torrance, California

Sample ID	Sample Date	Analyte	Result	Flag	PQL	Units	Method
P-2	12/27/95	PCB-1232	ND		0.2	µg/L	8080
P-2	12/27/95	PCB-1242	ND		0.2	µg/L	8080
P-2	12/27/95	PCB-1248	ND		0.2	µg/L	8080
P-2	12/27/95	PCB-1254	ND		0.2	µg/L	8080
P-2	12/27/95	PCB-1260	ND		0.2	µg/L	8080
P-2	12/27/95	Total PCBs (Summation)	ND		0.2	µg/L	8080
P-20	12/27/95	PCB-1016	ND		0.2	µg/L	8080
P-20	12/27/95	PCB-1221	ND		0.2	µg/L	8080
P-20	12/27/95	PCB-1232	ND		0.2	µg/L	8080
P-20	12/27/95	PCB-1242	ND		0.2	µg/L	8080
P-20	12/27/95	PCB-1248	ND		0.2	µg/L	8080
P-20	12/27/95	PCB-1254	ND		0.2	µg/L	8080
P-20	12/27/95	PCB-1260	ND		0.2	µg/L	8080
P-20	12/27/95	Total PCBs (Summation)	ND		0.2	µg/L	8080
P-21	12/26/95	PCB-1016	ND		0.2	µg/L	8080
P-21	12/26/95	PCB-1221	ND		0.2	µg/L	8080
P-21	12/26/95	PCB-1232	ND		0.2	µg/L	8080
P-21	12/26/95	PCB-1242	ND		0.2	µg/L	8080
P-21	12/26/95	PCB-1248	ND		0.2	µg/L	8080
P-21	12/26/95	PCB-1254	ND		0.2	µg/L	8080
P-21	12/26/95	PCB-1260	ND		0.2	µg/L	8080
P-21	12/26/95	Total PCBs (Summation)	ND		0.2	µg/L	8080
P-22	12/20/95	PCB-1016	ND		0.2	µg/L	8080
P-22	12/20/95	PCB-1221	ND		0.2	µg/L	8080
P-22	12/20/95	PCB-1232	ND		0.2	µg/L	8080
P-22	12/20/95	PCB-1242	ND		0.2	µg/L	8080
P-22	12/20/95	PCB-1248	ND		0.2	µg/L	8080
P-22	12/20/95	PCB-1254	ND		0.2	µg/L	8080
P-22	12/20/95	PCB-1260	ND		0.2	µg/L	8080
P-22	12/20/95	Total PCBs (Summation)	ND		0.2	µg/L	8080
P-23	12/20/95	PCB-1016	ND		0.2	µg/L	8080
P-23	12/20/95	PCB-1221	ND		0.2	µg/L	8080
P-23	12/20/95	PCB-1232	ND		0.2	µg/L	8080
P-23	12/20/95	PCB-1242	ND		0.2	µg/L	8080
P-23	12/20/95	PCB-1248	ND		0.2	µg/L	8080
P-23	12/20/95	PCB-1254	ND		0.2	µg/L	8080
P-23	12/20/95	PCB-1260	ND		0.2	µg/L	8080
P-23	12/20/95	Total PCBs (Summation)	ND		0.2	µg/L	8080
P-24	12/20/95	PCB-1016	ND		0.2	µg/L	8080
P-24	12/20/95	PCB-1221	ND		0.2	µg/L	8080
P-24	12/20/95	PCB-1232	ND		0.2	µg/L	8080
P-24	12/20/95	PCB-1242	ND		0.2	µg/L	8080
P-24	12/20/95	PCB-1248	ND		0.2	µg/L	8080
P-24	12/20/95	PCB-1254	ND		0.2	µg/L	8080
P-24	12/20/95	PCB-1260	ND		0.2	µg/L	8080
P-24	12/20/95	Total PCBs (Summation)	ND		0.2	µg/L	8080
P-25	12/26/95	PCB-1016	ND		2	µg/L	8080
P-25	12/26/95	PCB-1221	ND		2	µg/L	8080
P-25	12/26/95	PCB-1232	ND		2	µg/L	8080

Table 4-15. Summary of Groundwater Analytical Results - Dioxins and Furans, Groundwater Data Assessment Report, ILM Facility, Torrance, California

Sample ID	Sample Date	Analyte	Result	Flag	PQL	Units	Method
P-7	12/21/95	Total tetra-CDDs	ND		16	pg/L	8280
P-7	12/21/95	Total tetra-CDFs	ND		11	pg/L	8280
P-7 DUP	3/17/95	2,3,7,8-TCDD	ND		23	pg/L	8280
P-8	3/16/95	2,3,7,8-TCDD	ND		24	pg/L	8280
P-9	3/16/95	2,3,7,8-TCDD	ND		19	pg/L	8280
P-9	12/20/95	1,2,3,4,6,7,8,9-OCDD	ND		29	pg/L	8280
P-9	12/20/95	1,2,3,4,6,7,8,9-OCDF	ND		12	pg/L	8280
P-9	12/20/95	1,2,3,4,6,7,8-HpCDD	ND		7	pg/L	8280
P-9	12/20/95	1,2,3,4,6,7,8-HpCDF	ND		5	pg/L	8280
P-9	12/20/95	1,2,3,4,7,8,9-HpCDF	ND		6	pg/L	8280
P-9	12/20/95	1,2,3,4,7,8-HxCDD	ND		9	pg/L	8280
P-9	12/20/95	1,2,3,4,7,8-HxCDF	ND		4	pg/L	8280
P-9	12/20/95	1,2,3,6,7,8-HxCDD	ND		8	pg/L	8280
P-9	12/20/95	1,2,3,6,7,8-HxCDF	ND		3	pg/L	8280
P-9	12/20/95	1,2,3,7,8,9-HxCDD	ND		8	pg/L	8280
P-9	12/20/95	1,2,3,7,8,9-HxCDF	ND		5	pg/L	8280
P-9	12/20/95	1,2,3,7,8-PeCDD	ND		11	pg/L	8280
P-9	12/20/95	1,2,3,7,8-PeCDF	ND		10	pg/L	8280
P-9	12/20/95	2,3,4,6,7,8-HxCDF	ND		4	pg/L	8280
P-9	12/20/95	2,3,4,7,8-PeCDF	ND		11	pg/L	8280
P-9	12/20/95	2,3,7,8-TCDD	ND		6	pg/L	8280
P-9	12/20/95	2,3,7,8-TCDF	ND		3	pg/L	8280
P-9	12/20/95	Total hepta-CDDs	ND		7	pg/L	8280
P-9	12/20/95	Total hepta-CDFs	ND		6	pg/L	8280
P-9	12/20/95	Total hexa-CDDs	ND		9	pg/L	8280
P-9	12/20/95	Total hexa-CDFs	ND		5	pg/L	8280
P-9	12/20/95	Total penta-CDDs	ND		11	pg/L	8280
P-9	12/20/95	Total penta-CDFs	ND		11	pg/L	8280
P-9	12/20/95	Total tetra-CDDs	ND		6	pg/L	8280
P-9	12/20/95	Total tetra-CDFs	ND		3	pg/L	8280

(1) DUP-1 is the duplicate sample for Well P-1

PQL Practical Quantitation Limit
ND Not Detected at or above the PQL
pg/L picograms per liter
J Data (detected result) can be considered estimated only due to QA/QC deficiencies

Table 4-17. Summary of Groundwater Analytical Results - PCBs, Goundwater RFI Data Assessment Report, ILM Facility, Torrance, California

Sample ID	Sample Date	Analyte	Result	Flag	PQL	Units	Method
P-1	12/27/95	PCB-1016	ND		0.2	µg/L	8080
P-1	12/27/95	PCB-1221	ND		0.2	µg/L	8080
P-1	12/27/95	PCB-1232	ND		0.2	µg/L	8080
P-1	12/27/95	PCB-1242	ND		0.2	µg/L	8080
P-1	12/27/95	PCB-1248	ND		0.2	µg/L	8080
P-1	12/27/95	PCB-1254	ND		0.2	µg/L	8080
P-1	12/27/95	PCB-1260	ND		0.2	µg/L	8080
P-1	12/27/95	Total PCBs (Summation)	ND		0.2	µg/L	8080
P-10	12/19/95	PCB-1016	ND		0.2	µg/L	8080
P-10	12/19/95	PCB-1221	ND		0.2	µg/L	8080
P-10	12/19/95	PCB-1232	ND		0.2	µg/L	8080
P-10	12/19/95	PCB-1242	ND		0.2	µg/L	8080
P-10	12/19/95	PCB-1248	ND		0.2	µg/L	8080
P-10	12/19/95	PCB-1254	ND		0.2	µg/L	8080
P-10	12/19/95	PCB-1260	ND		0.2	µg/L	8080
P-10	12/19/95	Total PCBs (Summation)	ND		0.2	µg/L	8080
P-11	12/27/95	PCB-1016	ND		0.2	µg/L	8080
P-11	12/27/95	PCB-1221	ND		0.2	µg/L	8080
P-11	12/27/95	PCB-1232	ND		0.2	µg/L	8080
P-11	12/27/95	PCB-1242	ND		0.2	µg/L	8080
P-11	12/27/95	PCB-1248	ND		0.2	µg/L	8080
P-11	12/27/95	PCB-1254	ND		0.2	µg/L	8080
P-11	12/27/95	PCB-1260	ND		0.2	µg/L	8080
P-11	12/27/95	Total PCBs (Summation)	ND		0.2	µg/L	8080
P-12	12/21/95	PCB-1016	ND		0.2	µg/L	8080
P-12	12/21/95	PCB-1221	ND		0.2	µg/L	8080
P-12	12/21/95	PCB-1232	ND		0.2	µg/L	8080
P-12	12/21/95	PCB-1242	ND		0.2	µg/L	8080
P-12	12/21/95	PCB-1248	ND		0.2	µg/L	8080
P-12	12/21/95	PCB-1254	ND		0.2	µg/L	8080
P-12	12/21/95	PCB-1260	ND		0.2	µg/L	8080
P-12	12/21/95	Total PCBs (Summation)	ND		0.2	µg/L	8080
P-13	12/21/95	PCB-1016	ND		0.2	µg/L	8080
P-13	12/21/95	PCB-1221	ND		0.2	µg/L	8080
P-13	12/21/95	PCB-1232	ND		0.2	µg/L	8080
P-13	12/21/95	PCB-1242	ND		0.2	µg/L	8080
P-13	12/21/95	PCB-1248	ND		0.2	µg/L	8080
P-13	12/21/95	PCB-1254	ND		0.2	µg/L	8080
P-13	12/21/95	PCB-1260	ND		0.2	µg/L	8080
P-13	12/21/95	Total PCBs (Summation)	ND		0.2	µg/L	8080
P-14	12/21/95	PCB-1016	ND		0.2	µg/L	8080
P-14	12/21/95	PCB-1221	ND		0.2	µg/L	8080
P-14	12/21/95	PCB-1232	ND		0.2	µg/L	8080
P-14	12/21/95	PCB-1242	ND		0.2	µg/L	8080
P-14	12/21/95	PCB-1248	ND		0.2	µg/L	8080
P-14	12/21/95	PCB-1254	ND		0.2	µg/L	8080
P-14	12/21/95	PCB-1260	ND		0.2	µg/L	8080
P-14	12/21/95	Total PCBs (Summation)	ND		0.2	µg/L	8080
P-15	12/27/95	PCB-1016	ND		0.2	µg/L	8080

Table 4-15. Summary of Groundwater Analytical Results - Dioxins and Furans, Groundwater Data Assessment Report, ILM Facility, Torrance, California

Sample ID	Sample Date	Analyte	Result	Flag	PQL	Units	Method
P-5	1/26/95	1,2,3,4,6,7,8-HpCDF	ND		16	pg/L	8280
P-5	1/26/95	1,2,3,4,7,8,9-HpCDF	ND		21	pg/L	8280
P-5	1/26/95	1,2,3,4,7,8-HxCDD	ND		19	pg/L	8280
P-5	1/26/95	1,2,3,4,7,8-HxCDF	ND		9	pg/L	8280
P-5	1/26/95	1,2,3,6,7,8-HxCDD	ND		17	pg/L	8280
P-5	1/26/95	1,2,3,6,7,8-HxCDF	ND		7	pg/L	8280
P-5	1/26/95	1,2,3,7,8,9-HxCDD	ND		17	pg/L	8280
P-5	1/26/95	1,2,3,7,8,9-HxCDF	ND		9	pg/L	8280
P-5	1/26/95	1,2,3,7,8-PeCDD	ND		22	pg/L	8280
P-5	1/26/95	1,2,3,7,8-PeCDF	ND		19	pg/L	8280
P-5	1/26/95	2,3,4,6,7,8-HxCDF	ND		8	pg/L	8280
P-5	1/26/95	2,3,4,7,8-PeCDF	ND		20	pg/L	8280
P-5	1/26/95	2,3,7,8-TCDD	ND		28	pg/L	8280
P-5	1/26/95	2,3,7,8-TCDF	ND		9	pg/L	8280
P-5	1/26/95	Total hepta-CDDs	ND		31	pg/L	8280
P-5	1/26/95	Total hepta-CDFs	ND		21	pg/L	8280
P-5	1/26/95	Total hexa-CDDs	ND		19	pg/L	8280
P-5	1/26/95	Total hexa-CDFs	ND		9	pg/L	8280
P-5	1/26/95	Total penta-CDDs	ND		22	pg/L	8280
P-5	1/26/95	Total penta-CDFs	ND		20	pg/L	8280
P-5	1/26/95	Total tetra-CDDs	ND		18	pg/L	8280
P-5	1/26/95	Total tetra-CDFs	ND		9	pg/L	8280
P-5	3/17/95	2,3,7,8-TCDD	ND		24	pg/L	8280
P-5	12/27/95	1,2,3,4,6,7,8,9-OCDD	ND		39	pg/L	8280
P-5	12/27/95	1,2,3,4,6,7,8,9-OCDF	ND		14	pg/L	8280
P-5	12/27/95	1,2,3,4,6,7,8-HpCDD	ND		10	pg/L	8280
P-5	12/27/95	1,2,3,4,6,7,8-HpCDF	ND		6	pg/L	8280
P-5	12/27/95	1,2,3,4,7,8,9-HpCDF	ND		8	pg/L	8280
P-5	12/27/95	1,2,3,4,7,8-HxCDD	ND		13	pg/L	8280
P-5	12/27/95	1,2,3,4,7,8-HxCDF	ND		3	pg/L	8280
P-5	12/27/95	1,2,3,6,7,8-HxCDD	ND		13	pg/L	8280
P-5	12/27/95	1,2,3,6,7,8-HxCDF	ND		3	pg/L	8280
P-5	12/27/95	1,2,3,7,8,9-HxCDD	ND		13	pg/L	8280
P-5	12/27/95	1,2,3,7,8,9-HxCDF	ND		4	pg/L	8280
P-5	12/27/95	1,2,3,7,8-PeCDD	ND		7	pg/L	8280
P-5	12/27/95	1,2,3,7,8-PeCDF	ND		11	pg/L	8280
P-5	12/27/95	2,3,4,6,7,8-HxCDF	ND		3	pg/L	8280
P-5	12/27/95	2,3,4,7,8-PeCDF	ND		12	pg/L	8280
P-5	12/27/95	2,3,7,8-TCDD	ND		9	pg/L	8280
P-5	12/27/95	2,3,7,8-TCDF	ND		5	pg/L	8280
P-5	12/27/95	Total hepta-CDDs	ND		10	pg/L	8280
P-5	12/27/95	Total hepta-CDFs	ND		8	pg/L	8280
P-5	12/27/95	Total hexa-CDDs	ND		13	pg/L	8280
P-5	12/27/95	Total hexa-CDFs	ND		4	pg/L	8280
P-5	12/27/95	Total penta-CDDs	ND		16	pg/L	8280
P-5	12/27/95	Total penta-CDFs	ND		12	pg/L	8280
P-5	12/27/95	Total tetra-CDDs	ND		9	pg/L	8280
P-5	12/27/95	Total tetra-CDFs	ND		5	pg/L	8280
P-6	3/16/95	2,3,7,8-TCDD	ND		21	pg/L	8280

Table 4-15. Summary of Groundwater Analytical Results - Dioxins and Furans, Groundwater Data Assessment Report, ILM Facility, Torrance, California

Sample ID	Sample Date	Analyte	Result	Flag	PQL	Units	Method
P-6	12/20/95	1,2,3,4,6,7,8,9-OCDD	ND		37	pg/L	8280
P-6	12/20/95	1,2,3,4,6,7,8,9-OCDF	ND		22	pg/L	8280
P-6	12/20/95	1,2,3,4,6,7,8-HpCDD	ND		12	pg/L	8280
P-6	12/20/95	1,2,3,4,6,7,8-HpCDF	ND		6	pg/L	8280
P-6	12/20/95	1,2,3,4,7,8,9-HpCDF	ND		8	pg/L	8280
P-6	12/20/95	1,2,3,4,7,8-HxCDD	ND		13	pg/L	8280
P-6	12/20/95	1,2,3,4,7,8-HxCDF	ND		5	pg/L	8280
P-6	12/20/95	1,2,3,6,7,8-HxCDD	ND		13	pg/L	8280
P-6	12/20/95	1,2,3,6,7,8-HxCDF	ND		4	pg/L	8280
P-6	12/20/95	1,2,3,7,8,9-HxCDD	ND		12	pg/L	8280
P-6	12/20/95	1,2,3,7,8,9-HxCDF	ND		6	pg/L	8280
P-6	12/20/95	1,2,3,7,8-PeCDD	ND		13	pg/L	8280
P-6	12/20/95	1,2,3,7,8-PeCDF	ND		11	pg/L	8280
P-6	12/20/95	2,3,4,6,7,8-HxCDF	ND		5	pg/L	8280
P-6	12/20/95	2,3,4,7,8-PeCDF	ND		12	pg/L	8280
P-6	12/20/95	2,3,7,8-TCDD	ND		6	pg/L	8280
P-6	12/20/95	2,3,7,8-TCDF	ND		6	pg/L	8280
P-6	12/20/95	Total hepta-CDDs	ND		12	pg/L	8280
P-6	12/20/95	Total hepta-CDFs	ND		8	pg/L	8280
P-6	12/20/95	Total hexa-CDDs	ND		13	pg/L	8280
P-6	12/20/95	Total hexa-CDFs	ND		6	pg/L	8280
P-6	12/20/95	Total penta-CDDs	ND		13	pg/L	8280
P-6	12/20/95	Total penta-CDFs	ND		12	pg/L	8280
P-6	12/20/95	Total tetra-CDDs	ND		6	pg/L	8280
P-6	12/20/95	Total tetra-CDFs	ND		6	pg/L	8280
P-7	3/17/95	2,3,7,8-TCDD	ND		24	pg/L	8280
P-7	12/21/95	1,2,3,4,6,7,8,9-OCDD	.085	J	0	pg/L	8280
P-7	12/21/95	1,2,3,4,6,7,8,9-OCDF	ND		32	pg/L	8280
P-7	12/21/95	1,2,3,4,6,7,8-HpCDD	ND		21	pg/L	8280
P-7	12/21/95	1,2,3,4,6,7,8-HpCDF	ND		13	pg/L	8280
P-7	12/21/95	1,2,3,4,7,8,9-HpCDF	ND		18	pg/L	8280
P-7	12/21/95	1,2,3,4,7,8-HxCDD	ND		15	pg/L	8280
P-7	12/21/95	1,2,3,4,7,8-HxCDF	ND		7	pg/L	8280
P-7	12/21/95	1,2,3,6,7,8-HxCDD	ND		15	pg/L	8280
P-7	12/21/95	1,2,3,6,7,8-HxCDF	ND		6	pg/L	8280
P-7	12/21/95	1,2,3,7,8,9-HxCDD	ND		14	pg/L	8280
P-7	12/21/95	1,2,3,7,8,9-HxCDF	ND		9	pg/L	8280
P-7	12/21/95	1,2,3,7,8-PeCDD	ND		14	pg/L	8280
P-7	12/21/95	1,2,3,7,8-PeCDF	ND		15	pg/L	8280
P-7	12/21/95	2,3,4,6,7,8-HxCDF	ND		7	pg/L	8280
P-7	12/21/95	2,3,4,7,8-PeCDF	ND		16	pg/L	8280
P-7	12/21/95	2,3,7,8-TCDD	ND		16	pg/L	8280
P-7	12/21/95	2,3,7,8-TCDF	ND		11	pg/L	8280
P-7	12/21/95	Total hepta-CDDs	ND		21	pg/L	8280
P-7	12/21/95	Total hepta-CDFs	ND		18	pg/L	8280
P-7	12/21/95	Total hexa-CDDs	ND		15	pg/L	8280
P-7	12/21/95	Total hexa-CDFs	ND		9	pg/L	8280
P-7	12/21/95	Total penta-CDDs	ND		14	pg/L	8280
P-7	12/21/95	Total penta-CDFs	ND		16	pg/L	8280

Table 4-15. Summary of Groundwater Analytical Results - Dioxins and Furans, Groundwater Data Assessment Report, ILM Facility, Torrance, California

Sample ID	Sample Date	Analyte	Result	Flag	PQL	Units	Method
P-3	1/24/95	1,2,3,6,7,8-HxCDD	ND		2.0	pg/L	8290
P-3	1/24/95	1,2,3,6,7,8-HxCDF	ND		2.5	pg/L	8290
P-3	1/24/95	1,2,3,7,8,9-HxCDD	ND		2.0	pg/L	8290
P-3	1/24/95	1,2,3,7,8,9-HxCDF	ND		2.7	pg/L	8290
P-3	1/24/95	1,2,3,7,8-PeCDD	ND		1.4	pg/L	8290
P-3	1/24/95	1,2,3,7,8-PeCDF	ND		2.5	pg/L	8290
P-3	1/24/95	2,3,4,6,7,8-HxCDF	ND		3.3	pg/L	8290
P-3	1/24/95	2,3,4,7,8-PeCDF	ND		2.4	pg/L	8290
P-3	1/24/95	2,3,7,8-TCDD	ND		2.4	pg/L	8290
P-3	1/24/95	2,3,7,8-TCDF	ND		1.1	pg/L	8290
P-3	1/24/95	Total hepta-CDDs	15			pg/L	8290
P-3	1/24/95	Total hepta-CDFs	23			pg/L	8290
P-3	1/24/95	Total hexa-CDDs	ND		2.0	pg/L	8290
P-3	1/24/95	Total hexa-CDFs	ND		3.3	pg/L	8290
P-3	1/24/95	Total penta-CDDs	ND		1.4	pg/L	8290
P-3	1/24/95	Total penta-CDFs	ND		2.5	pg/L	8290
P-3	1/24/95	Total tetra-CDDs	ND		3.8	pg/L	8290
P-3	1/24/95	Total tetra-CDFs	ND		1.1	pg/L	8290
P-3	3/17/95	2,3,7,8-TCDD	ND		18	pg/L	8280
P-3	12/20/95	1,2,3,4,6,7,8,9-OCDD	ND		30	pg/L	8280
P-3	12/20/95	1,2,3,4,6,7,8,9-OCDF	ND		11	pg/L	8280
P-3	12/20/95	1,2,3,4,6,7,8-HpCDD	ND		4	pg/L	8280
P-3	12/20/95	1,2,3,4,6,7,8-HpCDF	ND		5	pg/L	8280
P-3	12/20/95	1,2,3,4,7,8,9-HpCDF	ND		7	pg/L	8280
P-3	12/20/95	1,2,3,4,7,8-HxCDD	ND		6	pg/L	8280
P-3	12/20/95	1,2,3,4,7,8-HxCDF	ND		4	pg/L	8280
P-3	12/20/95	1,2,3,6,7,8-HxCDD	ND		6	pg/L	8280
P-3	12/20/95	1,2,3,6,7,8-HxCDF	ND		4	pg/L	8280
P-3	12/20/95	1,2,3,7,8,9-HxCDD	ND		6	pg/L	8280
P-3	12/20/95	1,2,3,7,8,9-HxCDF	ND		5	pg/L	8280
P-3	12/20/95	1,2,3,7,8-PeCDD	ND		10	pg/L	8280
P-3	12/20/95	1,2,3,7,8-PeCDF	ND		13	pg/L	8280
P-3	12/20/95	2,3,4,6,7,8-HxCDF	ND		4	pg/L	8280
P-3	12/20/95	2,3,4,7,8-PeCDF	ND		13	pg/L	8280
P-3	12/20/95	2,3,7,8-TCDD	ND		7	pg/L	8280
P-3	12/20/95	2,3,7,8-TCDF	ND		4	pg/L	8280
P-3	12/20/95	Total hepta-CDDs	ND		4	pg/L	8280
P-3	12/20/95	Total hepta-CDFs	ND		7	pg/L	8280
P-3	12/20/95	Total hexa-CDDs	ND		6	pg/L	8280
P-3	12/20/95	Total hexa-CDFs	ND		5	pg/L	8280
P-3	12/20/95	Total penta-CDDs	ND		10	pg/L	8280
P-3	12/20/95	Total penta-CDFs	ND		13	pg/L	8280
P-3	12/20/95	Total tetra-CDDs	ND		7	pg/L	8280
P-3	12/20/95	Total tetra-CDFs	ND		4	pg/L	8280
P-4	1/26/95	1,2,3,4,6,7,8,9-OCDD	ND		74	pg/L	8280
P-4	1/26/95	1,2,3,4,6,7,8,9-OCDF	ND		48	pg/L	8280
P-4	1/26/95	1,2,3,4,6,7,8-HpCDD	ND		22	pg/L	8280
P-4	1/26/95	1,2,3,4,6,7,8-HpCDF	ND		10	pg/L	8280
P-4	1/26/95	1,2,3,4,7,8,9-HpCDF	ND		13	pg/L	8280

Table 4-15. Summary of Groundwater Analytical Results - Dioxins and Furans, Groundwater Data Assessment Report, ILM Facility, Torrance, California

Sample ID	Sample Date	Analyte	Result	Flag	PQL	Units	Method
P-4	1/26/95	1,2,3,4,7,8-HxCDD	ND		16	pg/L	8280
P-4	1/26/95	1,2,3,4,7,8-HxCDF	ND		6	pg/L	8280
P-4	1/26/95	1,2,3,6,7,8-HxCDD	ND		14	pg/L	8280
P-4	1/26/95	1,2,3,6,7,8-HxCDF	ND		5	pg/L	8280
P-4	1/26/95	1,2,3,7,8,9-HxCDD	ND		14	pg/L	8280
P-4	1/26/95	1,2,3,7,8,9-HxCDF	ND		7	pg/L	8280
P-4	1/26/95	1,2,3,7,8-PeCDD	ND		18	pg/L	8280
P-4	1/26/95	1,2,3,7,8-PeCDF	ND		20	pg/L	8280
P-4	1/26/95	2,3,4,6,7,8-HxCDF	ND		6	pg/L	8280
P-4	1/26/95	2,3,4,7,8-PeCDF	ND		21	pg/L	8280
P-4	1/26/95	2,3,7,8-TCDD	ND		30	pg/L	8280
P-4	1/26/95	2,3,7,8-TCDF	ND		13	pg/L	8280
P-4	1/26/95	Total hepta-CDDs	ND		22	pg/L	8280
P-4	1/26/95	Total hepta-CDFs	ND		13	pg/L	8280
P-4	1/26/95	Total hexa-CDDs	ND		16	pg/L	8280
P-4	1/26/95	Total hexa-CDFs	ND		7	pg/L	8280
P-4	1/26/95	Total penta-CDDs	ND		18	pg/L	8280
P-4	1/26/95	Total penta-CDFs	ND		21	pg/L	8280
P-4	1/26/95	Total tetra-CDDs	ND		26	pg/L	8280
P-4	1/26/95	Total tetra-CDFs	ND		13	pg/L	8280
P-4	3/17/95	2,3,7,8-TCDD	ND		22	pg/L	8280
P-4	12/21/95	1,2,3,4,6,7,8,9-OCDD	ND		46	pg/L	8280
P-4	12/21/95	1,2,3,4,6,7,8,9-OCDF	ND		34	pg/L	8280
P-4	12/21/95	1,2,3,4,6,7,8-HpCDD	ND		13	pg/L	8280
P-4	12/21/95	1,2,3,4,6,7,8-HpCDF	ND		5	pg/L	8280
P-4	12/21/95	1,2,3,4,7,8,9-HpCDF	ND		6	pg/L	8280
P-4	12/21/95	1,2,3,4,7,8-HxCDD	ND		23	pg/L	8280
P-4	12/21/95	1,2,3,4,7,8-HxCDF	ND		5	pg/L	8280
P-4	12/21/95	1,2,3,6,7,8-HxCDD	ND		23	pg/L	8280
P-4	12/21/95	1,2,3,6,7,8-HxCDF	ND		5	pg/L	8280
P-4	12/21/95	1,2,3,7,8,9-HxCDD	ND		21	pg/L	8280
P-4	12/21/95	1,2,3,7,8,9-HxCDF	ND		7	pg/L	8280
P-4	12/21/95	1,2,3,7,8-PeCDD	ND		16	pg/L	8280
P-4	12/21/95	1,2,3,7,8-PeCDF	ND		16	pg/L	8280
P-4	12/21/95	2,3,4,6,7,8-HxCDF	ND		5	pg/L	8280
P-4	12/21/95	2,3,4,7,8-PeCDF	ND		16	pg/L	8280
P-4	12/21/95	2,3,7,8-TCDD	ND		16	pg/L	8280
P-4	12/21/95	2,3,7,8-TCDF	ND		7	pg/L	8280
P-4	12/21/95	Total hepta-CDDs	ND		13	pg/L	8280
P-4	12/21/95	Total hepta-CDFs	ND		6	pg/L	8280
P-4	12/21/95	Total hexa-CDDs	ND		23	pg/L	8280
P-4	12/21/95	Total hexa-CDFs	ND		7	pg/L	8280
P-4	12/21/95	Total penta-CDDs	ND		16	pg/L	8280
P-4	12/21/95	Total penta-CDFs	ND		16	pg/L	8280
P-4	12/21/95	Total tetra-CDDs	ND		16	pg/L	8280
P-4	12/21/95	Total tetra-CDFs	ND		7	pg/L	8280
P-5	1/26/95	1,2,3,4,6,7,8,9-OCDD	.19		74	pg/L	8280
P-5	1/26/95	1,2,3,4,6,7,8,9-OCDF	ND		34	pg/L	8280
P-5	1/26/95	1,2,3,4,6,7,8-HpCDD	ND		31	pg/L	8280

BOE-C6-0101803

Table 4-15. Summary of Groundwater Analytical Results - Dioxins and Furans, Groundwater Data Assessment Report, ILM Facility, Torrance, California

Sample ID	Sample Date	Analyte	Result	Flag	PQL	Units	Method
P-22	12/20/95	1,2,3,7,8,9-HxCDD	ND		14	pg/L	8280
P-22	12/20/95	1,2,3,7,8,9-HxCDF	ND		5	pg/L	8280
P-22	12/20/95	1,2,3,7,8-PeCDD	ND		12	pg/L	8280
P-22	12/20/95	1,2,3,7,8-PeCDF	ND		13	pg/L	8280
P-22	12/20/95	2,3,4,6,7,8-HxCDF	ND		4	pg/L	8280
P-22	12/20/95	2,3,4,7,8-PeCDF	ND		14	pg/L	8280
P-22	12/20/95	2,3,7,8-TCDD	ND		6	pg/L	8280
P-22	12/20/95	2,3,7,8-TCDF	ND		3	pg/L	8280
P-22	12/20/95	Total hepta-CDDs	ND		9	pg/L	8280
P-22	12/20/95	Total hepta-CDFs	ND		6	pg/L	8280
P-22	12/20/95	Total hexa-CDDs	ND		15	pg/L	8280
P-22	12/20/95	Total hexa-CDFs	ND		5	pg/L	8280
P-22	12/20/95	Total penta-CDDs	ND		12	pg/L	8280
P-22	12/20/95	Total penta-CDFs	ND		14	pg/L	8280
P-22	12/20/95	Total tetra-CDDs	ND		6	pg/L	8280
P-22	12/20/95	Total tetra-CDFs	ND		3	pg/L	8280
P-23	12/20/95	1,2,3,4,6,7,8,9-OCDD	ND		55	pg/L	8280
P-23	12/20/95	1,2,3,4,6,7,8,9-OCDF	ND		19	pg/L	8280
P-23	12/20/95	1,2,3,4,6,7,8-HpCDD	ND		17	pg/L	8280
P-23	12/20/95	1,2,3,4,6,7,8-HpCDF	ND		7	pg/L	8280
P-23	12/20/95	1,2,3,4,7,8,9-HpCDF	ND		10	pg/L	8280
P-23	12/20/95	1,2,3,4,7,8-HxCDD	ND		8	pg/L	8280
P-23	12/20/95	1,2,3,4,7,8-HxCDF	ND		5	pg/L	8280
P-23	12/20/95	1,2,3,6,7,8-HxCDD	ND		8	pg/L	8280
P-23	12/20/95	1,2,3,6,7,8-HxCDF	ND		5	pg/L	8280
P-23	12/20/95	1,2,3,7,8,9-HxCDD	ND		8	pg/L	8280
P-23	12/20/95	1,2,3,7,8,9-HxCDF	ND		6	pg/L	8280
P-23	12/20/95	1,2,3,7,8-PeCDD	ND		11	pg/L	8280
P-23	12/20/95	1,2,3,7,8-PeCDF	ND		15	pg/L	8280
P-23	12/20/95	2,3,4,6,7,8-HxCDF	ND		5	pg/L	8280
P-23	12/20/95	2,3,4,7,8-PeCDF	ND		16	pg/L	8280
P-23	12/20/95	2,3,7,8-TCDD	ND		7	pg/L	8280
P-23	12/20/95	2,3,7,8-TCDF	ND		6	pg/L	8280
P-23	12/20/95	Total hepta-CDDs	ND		17	pg/L	8280
P-23	12/20/95	Total hepta-CDFs	ND		10	pg/L	8280
P-23	12/20/95	Total hexa-CDDs	ND		8	pg/L	8280
P-23	12/20/95	Total hexa-CDFs	ND		6	pg/L	8280
P-23	12/20/95	Total penta-CDDs	ND		11	pg/L	8280
P-23	12/20/95	Total penta-CDFs	ND		16	pg/L	8280
P-23	12/20/95	Total tetra-CDDs	ND		7	pg/L	8280
P-23	12/20/95	Total tetra-CDFs	ND		6	pg/L	8280
P-24	12/20/95	1,2,3,4,6,7,8,9-OCDD	ND		28	pg/L	8280
P-24	12/20/95	1,2,3,4,6,7,8,9-OCDF	ND		10	pg/L	8280
P-24	12/20/95	1,2,3,4,6,7,8-HpCDD	ND		8	pg/L	8280
P-24	12/20/95	1,2,3,4,6,7,8-HpCDF	ND		4	pg/L	8280
P-24	12/20/95	1,2,3,4,7,8,9-HpCDF	ND		5	pg/L	8280
P-24	12/20/95	1,2,3,4,7,8-HxCDD	ND		7	pg/L	8280
P-24	12/20/95	1,2,3,4,7,8-HxCDF	ND		4	pg/L	8280
P-24	12/20/95	1,2,3,6,7,8-HxCDD	ND		7	pg/L	8280

BOE-C6-0101804

Table 4-15. Summary of Groundwater Analytical Results - Dioxins and Furans, Groundwater Data Assessment Report, ILM Facility, Torrance, California

Sample ID	Sample Date	Analyte	Result	Flag	PQL	Units	Method
P-24	12/20/95	1,2,3,6,7,8-HxCDF	ND		3	pg/L	8280
P-24	12/20/95	1,2,3,7,8,9-HxCDD	ND		7	pg/L	8280
P-24	12/20/95	1,2,3,7,8,9-HxCDF	ND		4	pg/L	8280
P-24	12/20/95	1,2,3,7,8-PeCDD	ND		13	pg/L	8280
P-24	12/20/95	1,2,3,7,8-PeCDF	ND		7	pg/L	8280
P-24	12/20/95	2,3,4,6,7,8-HxCDF	ND		4	pg/L	8280
P-24	12/20/95	2,3,4,7,8-PeCDF	ND		8	pg/L	8280
P-24	12/20/95	2,3,7,8-TCDD	ND		5	pg/L	8280
P-24	12/20/95	2,3,7,8-TCDF	ND		4	pg/L	8280
P-24	12/20/95	Total hepta-CDDs	ND		8	pg/L	8280
P-24	12/20/95	Total hepta-CDFs	ND		5	pg/L	8280
P-24	12/20/95	Total hexa-CDDs	ND		7	pg/L	8280
P-24	12/20/95	Total hexa-CDFs	ND		4	pg/L	8280
P-24	12/20/95	Total penta-CDDs	ND		13	pg/L	8280
P-24	12/20/95	Total penta-CDFs	ND		8	pg/L	8280
P-24	12/20/95	Total tetra-CDDs	ND		5	pg/L	8280
P-24	12/20/95	Total tetra-CDFs	ND		4	pg/L	8280
P-25	12/26/95	1,2,3,4,6,7,8,9-OCDD	ND		62	pg/L	8280
P-25	12/26/95	1,2,3,4,6,7,8,9-OCDF	ND		40	pg/L	8280
P-25	12/26/95	1,2,3,4,6,7,8-HpCDD	ND		13	pg/L	8280
P-25	12/26/95	1,2,3,4,6,7,8-HpCDF	ND		7	pg/L	8280
P-25	12/26/95	1,2,3,4,7,8,9-HpCDF	ND		10	pg/L	8280
P-25	12/26/95	1,2,3,4,7,8-HxCDD	ND		22	pg/L	8280
P-25	12/26/95	1,2,3,4,7,8-HxCDF	ND		6	pg/L	8280
P-25	12/26/95	1,2,3,6,7,8-HxCDD	ND		22	pg/L	8280
P-25	12/26/95	1,2,3,6,7,8-HxCDF	ND		5	pg/L	8280
P-25	12/26/95	1,2,3,7,8,9-HxCDD	ND		21	pg/L	8280
P-25	12/26/95	1,2,3,7,8,9-HxCDF	ND		7	pg/L	8280
P-25	12/26/95	1,2,3,7,8-PeCDD	ND		27	pg/L	8280
P-25	12/26/95	1,2,3,7,8-PeCDF	ND		22	pg/L	8280
P-25	12/26/95	2,3,4,6,7,8-HxCDF	ND		6	pg/L	8280
P-25	12/26/95	2,3,4,7,8-PeCDF	ND		23	pg/L	8280
P-25	12/26/95	2,3,7,8-TCDD	ND		17	pg/L	8280
P-25	12/26/95	2,3,7,8-TCDF	ND		16	pg/L	8280
P-25	12/26/95	Total hepta-CDDs	ND		13	pg/L	8280
P-25	12/26/95	Total hepta-CDFs	ND		10	pg/L	8280
P-25	12/26/95	Total hexa-CDDs	ND		22	pg/L	8280
P-25	12/26/95	Total hexa-CDFs	ND		7	pg/L	8280
P-25	12/26/95	Total penta-CDDs	ND		27	pg/L	8280
P-25	12/26/95	Total penta-CDFs	ND		23	pg/L	8280
P-25	12/26/95	Total tetra-CDDs	ND		17	pg/L	8280
P-25	12/26/95	Total tetra-CDFs	ND		16	pg/L	8280
P-3	1/24/95	1,2,3,4,6,7,8,9-OCDD	360			pg/L	8290
P-3	1/24/95	1,2,3,4,6,7,8,9-OCDF	37			pg/L	8290
P-3	1/24/95	1,2,3,4,6,7,8-HpCDD	8.7			pg/L	8290
P-3	1/24/95	1,2,3,4,6,7,8-HpCDF	23			pg/L	8290
P-3	1/24/95	1,2,3,4,7,8,9-HpCDF	ND		4.3	pg/L	8290
P-3	1/24/95	1,2,3,4,7,8-HxCDD	ND		1.9	pg/L	8290
P-3	1/24/95	1,2,3,4,7,8-HxCDF	ND		2.5	pg/L	8290

Table 4-15. Summary of Groundwater Analytical Results - Dioxins and Furans, Groundwater Data Assessment Report, ILM Facility, Torrance, California

Sample ID	Sample Date	Analyte	Result	Flag	PQL	Units	Method
P-2	1/27/95	1,2,3,7,8-PeCDF	ND		23	pg/L	8280
P-2	1/27/95	2,3,4,6,7,8-HxCDF	ND		9	pg/L	8280
P-2	1/27/95	2,3,4,7,8-PeCDF	ND		24	pg/L	8280
P-2	1/27/95	2,3,7,8-TCDD	ND		34	pg/L	8280
P-2	1/27/95	2,3,7,8-TCDF	ND		10	pg/L	8280
P-2	1/27/95	Total hepta-CDDs	ND		19	pg/L	8280
P-2	1/27/95	Total hepta-CDFs	ND		12	pg/L	8280
P-2	1/27/95	Total hexa-CDDs	ND		26	pg/L	8280
P-2	1/27/95	Total hexa-CDFs	ND		10	pg/L	8280
P-2	1/27/95	Total penta-CDDs	ND		33	pg/L	8280
P-2	1/27/95	Total penta-CDFs	ND		24	pg/L	8280
P-2	1/27/95	Total tetra-CDDs	ND		19	pg/L	8280
P-2	1/27/95	Total tetra-CDFs	ND		10	pg/L	8280
P-2	3/17/95	2,3,7,8-TCDD	ND		23	pg/L	8280
P-2	12/27/95	1,2,3,4,6,7,8,9-OCDD	.21	J	0	pg/L	8280
P-2	12/27/95	1,2,3,4,6,7,8,9-OCDF	.081	J	0	pg/L	8280
P-2	12/27/95	1,2,3,4,6,7,8-HpCDD	.043	J	0	pg/L	8280
P-2	12/27/95	1,2,3,4,6,7,8-HpCDF	.080	J	0	pg/L	8280
P-2	12/27/95	1,2,3,4,7,8,9-HpCDF	ND		15	pg/L	8280
P-2	12/27/95	1,2,3,4,7,8-HxCDD	ND		11	pg/L	8280
P-2	12/27/95	1,2,3,4,7,8-HxCDF	.029	J	0	pg/L	8280
P-2	12/27/95	1,2,3,6,7,8-HxCDD	ND		11	pg/L	8280
P-2	12/27/95	1,2,3,6,7,8-HxCDF	.022		0	pg/L	8280
P-2	12/27/95	1,2,3,7,8,9-HxCDD	ND		10	pg/L	8280
P-2	12/27/95	1,2,3,7,8,9-HxCDF	ND	J	8	pg/L	8280
P-2	12/27/95	1,2,3,7,8-PeCDD	ND		16	pg/L	8280
P-2	12/27/95	1,2,3,7,8-PeCDF	ND		26	pg/L	8280
P-2	12/27/95	2,3,4,6,7,8-HxCDF	ND		18	pg/L	8280
P-2	12/27/95	2,3,4,7,8-PeCDF	ND		30	pg/L	8280
P-2	12/27/95	2,3,7,8-TCDD	ND		13	pg/L	8280
P-2	12/27/95	2,3,7,8-TCDF	ND		23	pg/L	8280
P-2	12/27/95	Total hepta-CDDs	.081	J	0	pg/L	8280
P-2	12/27/95	Total hepta-CDFs	.12	J	0	pg/L	8280
P-2	12/27/95	Total hexa-CDDs	ND		11	pg/L	8280
P-2	12/27/95	Total hexa-CDFs	.085	J	0	pg/L	8280
P-2	12/27/95	Total penta-CDDs	ND		19	pg/L	8280
P-2	12/27/95	Total penta-CDFs	ND		30	pg/L	8280
P-2	12/27/95	Total tetra-CDDs	ND		13	pg/L	8280
P-2	12/27/95	Total tetra-CDFs	ND		28	pg/L	8280
P-20	12/27/95	1,2,3,4,6,7,8,9-OCDD	ND		31	pg/L	8280
P-20	12/27/95	1,2,3,4,6,7,8,9-OCDF	ND		16	pg/L	8280
P-20	12/27/95	1,2,3,4,6,7,8-HpCDD	ND		12	pg/L	8280
P-20	12/27/95	1,2,3,4,6,7,8-HpCDF	ND		6	pg/L	8280
P-20	12/27/95	1,2,3,4,7,8,9-HpCDF	ND		8	pg/L	8280
P-20	12/27/95	1,2,3,4,7,8-HxCDD	ND		12	pg/L	8280
P-20	12/27/95	1,2,3,4,7,8-HxCDF	ND		7	pg/L	8280
P-20	12/27/95	1,2,3,6,7,8-HxCDD	ND		12	pg/L	8280
P-20	12/27/95	1,2,3,6,7,8-HxCDF	ND		7	pg/L	8280
P-20	12/27/95	1,2,3,7,8,9-HxCDD	ND		12	pg/L	8280

Table 4-15. Summary of Groundwater Analytical Results - Dioxins and Furans, Groundwater Data Assessment Report, ILM Facility, Torrance, California

Sample ID	Sample Date	Analyte	Result	Flag	PQL	Units	Method
P-20	12/27/95	1,2,3,7,8,9-HxCDF	ND		9	pg/L	8280
P-20	12/27/95	1,2,3,7,8-PeCDD	ND		11	pg/L	8280
P-20	12/27/95	1,2,3,7,8-PeCDF	ND		20	pg/L	8280
P-20	12/27/95	2,3,4,6,7,8-HxCDF	ND		8	pg/L	8280
P-20	12/27/95	2,3,4,7,8-PeCDF	ND		20	pg/L	8280
P-20	12/27/95	2,3,7,8-TCDD	ND		10	pg/L	8280
P-20	12/27/95	2,3,7,8-TCDF	ND		7	pg/L	8280
P-20	12/27/95	Total hepta-CDDs	ND		12	pg/L	8280
P-20	12/27/95	Total hepta-CDFs	ND		8	pg/L	8280
P-20	12/27/95	Total hexa-CDDs	ND		12	pg/L	8280
P-20	12/27/95	Total hexa-CDFs	ND		9	pg/L	8280
P-20	12/27/95	Total penta-CDDs	ND		16	pg/L	8280
P-20	12/27/95	Total penta-CDFs	ND		20	pg/L	8280
P-20	12/27/95	Total tetra-CDDs	ND		10	pg/L	8280
P-20	12/27/95	Total tetra-CDFs	ND		7	pg/L	8280
P-21	12/26/95	1,2,3,4,6,7,8,9-OCDD	ND		63	pg/L	8280
P-21	12/26/95	1,2,3,4,6,7,8,9-OCDF	ND		33	pg/L	8280
P-21	12/26/95	1,2,3,4,6,7,8-HpCDD	ND		17	pg/L	8280
P-21	12/26/95	1,2,3,4,6,7,8-HpCDF	ND		10	pg/L	8280
P-21	12/26/95	1,2,3,4,7,8,9-HpCDF	ND		14	pg/L	8280
P-21	12/26/95	1,2,3,4,7,8-HxCDD	ND		24	pg/L	8280
P-21	12/26/95	1,2,3,4,7,8-HxCDF	ND		11	pg/L	8280
P-21	12/26/95	1,2,3,6,7,8-HxCDD	ND		23	pg/L	8280
P-21	12/26/95	1,2,3,6,7,8-HxCDF	ND		9	pg/L	8280
P-21	12/26/95	1,2,3,7,8,9-HxCDD	ND		22	pg/L	8280
P-21	12/26/95	1,2,3,7,8,9-HxCDF	ND		13	pg/L	8280
P-21	12/26/95	1,2,3,7,8-PeCDD	ND		28	pg/L	8280
P-21	12/26/95	1,2,3,7,8-PeCDF	ND		26	pg/L	8280
P-21	12/26/95	2,3,4,6,7,8-HxCDF	ND		11	pg/L	8280
P-21	12/26/95	2,3,4,7,8-PeCDF	ND		27	pg/L	8280
P-21	12/26/95	2,3,7,8-TCDD	ND		24	pg/L	8280
P-21	12/26/95	2,3,7,8-TCDF	ND		12	pg/L	8280
P-21	12/26/95	Total hepta-CDDs	ND		17	pg/L	8280
P-21	12/26/95	Total hepta-CDFs	ND		14	pg/L	8280
P-21	12/26/95	Total hexa-CDDs	ND		24	pg/L	8280
P-21	12/26/95	Total hexa-CDFs	ND		13	pg/L	8280
P-21	12/26/95	Total penta-CDDs	ND		28	pg/L	8280
P-21	12/26/95	Total penta-CDFs	ND		27	pg/L	8280
P-21	12/26/95	Total tetra-CDDs	ND		24	pg/L	8280
P-21	12/26/95	Total tetra-CDFs	ND		12	pg/L	8280
P-22	12/20/95	1,2,3,4,6,7,8,9-OCDD	ND		25	pg/L	8280
P-22	12/20/95	1,2,3,4,6,7,8,9-OCDF	ND		20	pg/L	8280
P-22	12/20/95	1,2,3,4,6,7,8-HpCDD	ND		9	pg/L	8280
P-22	12/20/95	1,2,3,4,6,7,8-HpCDF	ND		4	pg/L	8280
P-22	12/20/95	1,2,3,4,7,8,9-HpCDF	ND		6	pg/L	8280
P-22	12/20/95	1,2,3,4,7,8-HxCDD	ND		15	pg/L	8280
P-22	12/20/95	1,2,3,4,7,8-HxCDF	ND		4	pg/L	8280
P-22	12/20/95	1,2,3,6,7,8-HxCDD	ND		15	pg/L	8280
P-22	12/20/95	1,2,3,6,7,8-HxCDF	ND		4	pg/L	8280

BOE-C6-0101807

Table 4-15. Summary of Groundwater Analytical Results - Dioxins and Furans, Groundwater Data Assessment Report, ILM Facility, Torrance, California

Sample ID	Sample Date	Analyte	Result	Flag	PQL	Units	Method
P-16BD	12/19/95	2,3,4,7,8-PeCDF	ND		17	pg/L	8280
P-16BD	12/19/95	2,3,7,8-TCDD	ND		10	pg/L	8280
P-16BD	12/19/95	2,3,7,8-TCDF	ND		6	pg/L	8280
P-16BD	12/19/95	Total hepta-CDDs	ND		9	pg/L	8280
P-16BD	12/19/95	Total hepta-CDFs	ND		7	pg/L	8280
P-16BD	12/19/95	Total hexa-CDDs	ND		11	pg/L	8280
P-16BD	12/19/95	Total hexa-CDFs	ND		7	pg/L	8280
P-16BD	12/19/95	Total penta-CDDs	ND		23	pg/L	8280
P-16BD	12/19/95	Total penta-CDFs	ND		17	pg/L	8280
P-16BD	12/19/95	Total tetra-CDDs	ND		10	pg/L	8280
P-16BD	12/19/95	Total tetra-CDFs	ND		6	pg/L	8280
P-17	12/21/95	1,2,3,4,6,7,8,9-OCDD	ND		46	pg/L	8280
P-17	12/21/95	1,2,3,4,6,7,8,9-OCDF	ND		22	pg/L	8280
P-17	12/21/95	1,2,3,4,6,7,8-HpCDD	ND		13	pg/L	8280
P-17	12/21/95	1,2,3,4,6,7,8-HpCDF	ND		6	pg/L	8280
P-17	12/21/95	1,2,3,4,7,8,9-HpCDF	ND		9	pg/L	8280
P-17	12/21/95	1,2,3,4,7,8-HxCDD	ND		11	pg/L	8280
P-17	12/21/95	1,2,3,4,7,8-HxCDF	ND		5	pg/L	8280
P-17	12/21/95	1,2,3,6,7,8-HxCDD	ND		10	pg/L	8280
P-17	12/21/95	1,2,3,6,7,8-HxCDF	ND		4	pg/L	8280
P-17	12/21/95	1,2,3,7,8,9-HxCDD	ND		10	pg/L	8280
P-17	12/21/95	1,2,3,7,8,9-HxCDF	ND		6	pg/L	8280
P-17	12/21/95	1,2,3,7,8-PeCDD	ND		9	pg/L	8280
P-17	12/21/95	1,2,3,7,8-PeCDF	ND		9	pg/L	8280
P-17	12/21/95	2,3,4,6,7,8-HxCDF	ND		5	pg/L	8280
P-17	12/21/95	2,3,4,7,8-PeCDF	ND		9	pg/L	8280
P-17	12/21/95	2,3,7,8-TCDD	ND		6	pg/L	8280
P-17	12/21/95	2,3,7,8-TCDF	ND		5	pg/L	8280
P-17	12/21/95	Total hepta-CDDs	ND		13	pg/L	8280
P-17	12/21/95	Total hepta-CDFs	ND		9	pg/L	8280
P-17	12/21/95	Total hexa-CDDs	ND		11	pg/L	8280
P-17	12/21/95	Total hexa-CDFs	ND		6	pg/L	8280
P-17	12/21/95	Total penta-CDDs	ND		9	pg/L	8280
P-17	12/21/95	Total penta-CDFs	ND		9	pg/L	8280
P-17	12/21/95	Total tetra-CDDs	ND		6	pg/L	8280
P-17	12/21/95	Total tetra-CDFs	ND		5	pg/L	8280
P-18	12/26/95	1,2,3,4,6,7,8,9-OCDD	ND		54	pg/L	8280
P-18	12/26/95	1,2,3,4,6,7,8,9-OCDF	ND		58	pg/L	8280
P-18	12/26/95	1,2,3,4,6,7,8-HpCDD	ND		36	pg/L	8280
P-18	12/26/95	1,2,3,4,6,7,8-HpCDF	ND		16	pg/L	8280
P-18	12/26/95	1,2,3,4,7,8,9-HpCDF	ND		22	pg/L	8280
P-18	12/26/95	1,2,3,4,7,8-HxCDD	ND		35	pg/L	8280
P-18	12/26/95	1,2,3,4,7,8-HxCDF	ND		16	pg/L	8280
P-18	12/26/95	1,2,3,6,7,8-HxCDD	ND		34	pg/L	8280
P-18	12/26/95	1,2,3,6,7,8-HxCDF	ND		13	pg/L	8280
P-18	12/26/95	1,2,3,7,8,9-HxCDD	ND		33	pg/L	8280
P-18	12/26/95	1,2,3,7,8,9-HxCDF	ND		15	pg/L	8280
P-18	12/26/95	1,2,3,7,8-PeCDD	ND		24	pg/L	8280
P-18	12/26/95	1,2,3,7,8-PeCDF	ND		22	pg/L	8280

BOE-C6-0101808

Table 4-15. Summary of Groundwater Analytical Results - Dioxins and Furans, Groundwater Data Assessment Report, ILM Facility, Torrance, California

Sample ID	Sample Date	Analyte	Result	Flag	PQL	Units	Method
P-18	12/26/95	2,3,4,6,7,8-HxCDF	ND		12	pg/L	8280
P-18	12/26/95	2,3,4,7,8-PeCDF	ND		23	pg/L	8280
P-18	12/26/95	2,3,7,8-TCDD	ND		15	pg/L	8280
P-18	12/26/95	2,3,7,8-TCDF	ND		11	pg/L	8280
P-18	12/26/95	Total hepta-CDDs	ND		36	pg/L	8280
P-18	12/26/95	Total hepta-CDFs	ND		22	pg/L	8280
P-18	12/26/95	Total hexa-CDDs	ND		35	pg/L	8280
P-18	12/26/95	Total hexa-CDFs	ND		16	pg/L	8280
P-18	12/26/95	Total penta-CDDs	ND		24	pg/L	8280
P-18	12/26/95	Total penta-CDFs	ND		23	pg/L	8280
P-18	12/26/95	Total tetra-CDDs	ND		15	pg/L	8280
P-18	12/26/95	Total tetra-CDFs	ND		11	pg/L	8280
P-19	12/26/95	1,2,3,4,6,7,8,9-OCDD	.15	J	0	pg/L	8280
P-19	12/26/95	1,2,3,4,6,7,8,9-OCDF	ND		43	pg/L	8280
P-19	12/26/95	1,2,3,4,6,7,8-HpCDD	ND		22	pg/L	8280
P-19	12/26/95	1,2,3,4,6,7,8-HpCDF	ND		9	pg/L	8280
P-19	12/26/95	1,2,3,4,7,8,9-HpCDF	ND		12	pg/L	8280
P-19	12/26/95	1,2,3,4,7,8-HxCDD	ND		20	pg/L	8280
P-19	12/26/95	1,2,3,4,7,8-HxCDF	ND		9	pg/L	8280
P-19	12/26/95	1,2,3,6,7,8-HxCDD	ND		19	pg/L	8280
P-19	12/26/95	1,2,3,6,7,8-HxCDF	ND		8	pg/L	8280
P-19	12/26/95	1,2,3,7,8,9-HxCDD	ND		19	pg/L	8280
P-19	12/26/95	1,2,3,7,8,9-HxCDF	ND		11	pg/L	8280
P-19	12/26/95	1,2,3,7,8-PeCDD	ND		27	pg/L	8280
P-19	12/26/95	1,2,3,7,8-PeCDF	ND		16	pg/L	8280
P-19	12/26/95	2,3,4,6,7,8-HxCDF	ND		9	pg/L	8280
P-19	12/26/95	2,3,4,7,8-PeCDF	ND		17	pg/L	8280
P-19	12/26/95	2,3,7,8-TCDD	ND		16	pg/L	8280
P-19	12/26/95	2,3,7,8-TCDF	ND		10	pg/L	8280
P-19	12/26/95	Total hepta-CDDs	ND		22	pg/L	8280
P-19	12/26/95	Total hepta-CDFs	ND		12	pg/L	8280
P-19	12/26/95	Total hexa-CDDs	ND		20	pg/L	8280
P-19	12/26/95	Total hexa-CDFs	ND		11	pg/L	8280
P-19	12/26/95	Total penta-CDDs	ND		36	pg/L	8280
P-19	12/26/95	Total penta-CDFs	ND		17	pg/L	8280
P-19	12/26/95	Total tetra-CDDs	ND		16	pg/L	8280
P-19	12/26/95	Total tetra-CDFs	ND		10	pg/L	8280
P-2	1/27/95	1,2,3,4,6,7,8,9-OCDD	.14		74	pg/L	8280
P-2	1/27/95	1,2,3,4,6,7,8,9-OCDF	ND		37	pg/L	8280
P-2	1/27/95	1,2,3,4,6,7,8-HpCDD	ND		19	pg/L	8280
P-2	1/27/95	1,2,3,4,6,7,8-HpCDF	ND		10	pg/L	8280
P-2	1/27/95	1,2,3,4,7,8,9-HpCDF	ND		12	pg/L	8280
P-2	1/27/95	1,2,3,4,7,8-HxCDD	ND		26	pg/L	8280
P-2	1/27/95	1,2,3,4,7,8-HxCDF	ND		10	pg/L	8280
P-2	1/27/95	1,2,3,6,7,8-HxCDD	ND		22	pg/L	8280
P-2	1/27/95	1,2,3,6,7,8-HxCDF	ND		8	pg/L	8280
P-2	1/27/95	1,2,3,7,8,9-HxCDD	ND		22	pg/L	8280
P-2	1/27/95	1,2,3,7,8,9-HxCDF	ND		10	pg/L	8280
P-2	1/27/95	1,2,3,7,8-PeCDD	ND		33	pg/L	8280

Table 4-15. Summary of Groundwater Analytical Results - Dioxins and Furans, Groundwater Data Assessment Report, ILM Facility, Torrance, California

Sample ID	Sample Date	Analyte	Result	Flag	PQL	Units	Method
P-14	12/21/95	2,3,7,8-TCDF	ND		5	pg/L	8280
P-14	12/21/95	Total hepta-CDDs	ND		11	pg/L	8280
P-14	12/21/95	Total hepta-CDFs	ND		8	pg/L	8280
P-14	12/21/95	Total hexa-CDDs	ND		10	pg/L	8280
P-14	12/21/95	Total hexa-CDFs	ND		5	pg/L	8280
P-14	12/21/95	Total penta-CDDs	ND		14	pg/L	8280
P-14	12/21/95	Total penta-CDFs	ND		10	pg/L	8280
P-14	12/21/95	Total tetra-CDDs	ND		7	pg/L	8280
P-14	12/21/95	Total tetra-CDFs	ND		5	pg/L	8280
P-15	12/27/95	1,2,3,4,6,7,8,9-OCDD	ND		78	pg/L	8280
P-15	12/27/95	1,2,3,4,6,7,8,9-OCDF	ND		32	pg/L	8280
P-15	12/27/95	1,2,3,4,6,7,8-HpCDD	ND		18	pg/L	8280
P-15	12/27/95	1,2,3,4,6,7,8-HpCDF	ND		7	pg/L	8280
P-15	12/27/95	1,2,3,4,7,8,9-HpCDF	ND		9	pg/L	8280
P-15	12/27/95	1,2,3,4,7,8-HxCDD	ND		16	pg/L	8280
P-15	12/27/95	1,2,3,4,7,8-HxCDF	ND		6	pg/L	8280
P-15	12/27/95	1,2,3,6,7,8-HxCDD	ND		15	pg/L	8280
P-15	12/27/95	1,2,3,6,7,8-HxCDF	ND		5	pg/L	8280
P-15	12/27/95	1,2,3,7,8,9-HxCDD	ND		15	pg/L	8280
P-15	12/27/95	1,2,3,7,8,9-HxCDF	ND		7	pg/L	8280
P-15	12/27/95	1,2,3,7,8-PeCDD	ND		16	pg/L	8280
P-15	12/27/95	1,2,3,7,8-PeCDF	ND		12	pg/L	8280
P-15	12/27/95	2,3,4,6,7,8-HxCDF	ND		6	pg/L	8280
P-15	12/27/95	2,3,4,7,8-PeCDF	ND		13	pg/L	8280
P-15	12/27/95	2,3,7,8-TCDD	ND		11	pg/L	8280
P-15	12/27/95	2,3,7,8-TCDF	ND		7	pg/L	8280
P-15	12/27/95	Total hepta-CDDs	ND		18	pg/L	8280
P-15	12/27/95	Total hepta-CDFs	ND		9	pg/L	8280
P-15	12/27/95	Total hexa-CDDs	ND		16	pg/L	8280
P-15	12/27/95	Total hexa-CDFs	ND		7	pg/L	8280
P-15	12/27/95	Total penta-CDDs	ND		21	pg/L	8280
P-15	12/27/95	Total penta-CDFs	ND		13	pg/L	8280
P-15	12/27/95	Total tetra-CDDs	ND		11	pg/L	8280
P-15	12/27/95	Total tetra-CDFs	ND		7	pg/L	8280
P-16A	12/26/95	1,2,3,4,6,7,8,9-OCDD	.19	J	0	pg/L	8280
P-16A	12/26/95	1,2,3,4,6,7,8,9-OCDF	ND		44	pg/L	8280
P-16A	12/26/95	1,2,3,4,6,7,8-HpCDD	.030	J	0	pg/L	8280
P-16A	12/26/95	1,2,3,4,6,7,8-HpCDF	ND		16	pg/L	8280
P-16A	12/26/95	1,2,3,4,7,8,9-HpCDF	ND		18	pg/L	8280
P-16A	12/26/95	1,2,3,4,7,8-HxCDD	ND		19	pg/L	8280
P-16A	12/26/95	1,2,3,4,7,8-HxCDF	ND		10	pg/L	8280
P-16A	12/26/95	1,2,3,6,7,8-HxCDD	ND		19	pg/L	8280
P-16A	12/26/95	1,2,3,6,7,8-HxCDF	ND		8	pg/L	8280
P-16A	12/26/95	1,2,3,7,8,9-HxCDD	ND		18	pg/L	8280
P-16A	12/26/95	1,2,3,7,8,9-HxCDF	ND		12	pg/L	8280
P-16A	12/26/95	1,2,3,7,8-PeCDD	ND		14	pg/L	8280
P-16A	12/26/95	1,2,3,7,8-PeCDF	ND		19	pg/L	8280
P-16A	12/26/95	2,3,4,6,7,8-HxCDF	ND		10	pg/L	8280
P-16A	12/26/95	2,3,4,7,8-PeCDF	ND		20	pg/L	8280

Table 4-15. Summary of Groundwater Analytical Results - Dioxins and Furans, Groundwater Data Assessment Report, ILM Facility, Torrance, California

Sample ID	Sample Date	Analyte	Result	Flag	PQL	Units	Method
P-16A	12/26/95	2,3,7,8-TCDD	ND		11	pg/L	8280
P-16A	12/26/95	2,3,7,8-TCDF	ND		7	pg/L	8280
P-16A	12/26/95	Total hepta-CDDs	.057	J	0	pg/L	8280
P-16A	12/26/95	Total hepta-CDFs	ND		18	pg/L	8280
P-16A	12/26/95	Total hexa-CDDs	ND		19	pg/L	8280
P-16A	12/26/95	Total hexa-CDFs	ND		12	pg/L	8280
P-16A	12/26/95	Total penta-CDDs	ND		23	pg/L	8280
P-16A	12/26/95	Total penta-CDFs	ND		20	pg/L	8280
P-16A	12/26/95	Total tetra-CDDs	ND		11	pg/L	8280
P-16A	12/26/95	Total tetra-CDFs	ND		7	pg/L	8280
P-16B	12/19/95	1,2,3,4,6,7,8,9-OCDD	ND		59	pg/L	8280
P-16B	12/19/95	1,2,3,4,6,7,8,9-OCDF	ND		20	pg/L	8280
P-16B	12/19/95	1,2,3,4,6,7,8-HpCDD	ND		14	pg/L	8280
P-16B	12/19/95	1,2,3,4,6,7,8-HpCDF	ND		5	pg/L	8280
P-16B	12/19/95	1,2,3,4,7,8,9-HpCDF	ND		6	pg/L	8280
P-16B	12/19/95	1,2,3,4,7,8-HxCDD	ND		14	pg/L	8280
P-16B	12/19/95	1,2,3,4,7,8-HxCDF	ND		4	pg/L	8280
P-16B	12/19/95	1,2,3,6,7,8-HxCDD	ND		14	pg/L	8280
P-16B	12/19/95	1,2,3,6,7,8-HxCDF	ND		4	pg/L	8280
P-16B	12/19/95	1,2,3,7,8,9-HxCDD	ND		13	pg/L	8280
P-16B	12/19/95	1,2,3,7,8,9-HxCDF	ND		5	pg/L	8280
P-16B	12/19/95	1,2,3,7,8-PeCDD	ND		13	pg/L	8280
P-16B	12/19/95	1,2,3,7,8-PeCDF	ND		10	pg/L	8280
P-16B	12/19/95	2,3,4,6,7,8-HxCDF	ND		4	pg/L	8280
P-16B	12/19/95	2,3,4,7,8-PeCDF	ND		11	pg/L	8280
P-16B	12/19/95	2,3,7,8-TCDD	ND		10	pg/L	8280
P-16B	12/19/95	2,3,7,8-TCDF	ND		5	pg/L	8280
P-16B	12/19/95	Total hepta-CDDs	ND		14	pg/L	8280
P-16B	12/19/95	Total hepta-CDFs	ND		6	pg/L	8280
P-16B	12/19/95	Total hexa-CDDs	ND		14	pg/L	8280
P-16B	12/19/95	Total hexa-CDFs	ND		5	pg/L	8280
P-16B	12/19/95	Total penta-CDDs	ND		13	pg/L	8280
P-16B	12/19/95	Total penta-CDFs	ND		11	pg/L	8280
P-16B	12/19/95	Total tetra-CDDs	ND		10	pg/L	8280
P-16B	12/19/95	Total tetra-CDFs	ND		5	pg/L	8280
P-16BD	12/19/95	1,2,3,4,6,7,8,9-OCDD	ND		42	pg/L	8280
P-16BD	12/19/95	1,2,3,4,6,7,8,9-OCDF	ND		19	pg/L	8280
P-16BD	12/19/95	1,2,3,4,6,7,8-HpCDD	ND		9	pg/L	8280
P-16BD	12/19/95	1,2,3,4,6,7,8-HpCDF	ND		5	pg/L	8280
P-16BD	12/19/95	1,2,3,4,7,8,9-HpCDF	ND		7	pg/L	8280
P-16BD	12/19/95	1,2,3,4,7,8-HxCDD	ND		10	pg/L	8280
P-16BD	12/19/95	1,2,3,4,7,8-HxCDF	ND		6	pg/L	8280
P-16BD	12/19/95	1,2,3,6,7,8-HxCDD	ND		11	pg/L	8280
P-16BD	12/19/95	1,2,3,6,7,8-HxCDF	ND		5	pg/L	8280
P-16BD	12/19/95	1,2,3,7,8,9-HxCDD	ND		10	pg/L	8280
P-16BD	12/19/95	1,2,3,7,8,9-HxCDF	ND		7	pg/L	8280
P-16BD	12/19/95	1,2,3,7,8-PeCDD	ND		23	pg/L	8280
P-16BD	12/19/95	1,2,3,7,8-PeCDF	ND		16	pg/L	8280
P-16BD	12/19/95	2,3,4,6,7,8-HxCDF	ND		6	pg/L	8280

Table 4-15. Summary of Groundwater Analytical Results - Dioxins and Furans, Groundwater Data Assessment Report, ILM Facility, Torrance, California

Sample ID	Sample Date	Analyte	Result	Flag	PQL	Units	Method
P-10	12/19/95	Total hepta-CDFs	ND		14	pg/L	8280
P-10	12/19/95	Total hexa-CDDs	ND		8	pg/L	8280
P-10	12/19/95	Total hexa-CDFs	ND		7	pg/L	8280
P-10	12/19/95	Total penta-CDDs	ND		17	pg/L	8280
P-10	12/19/95	Total penta-CDFs	ND		14	pg/L	8280
P-10	12/19/95	Total tetra-CDDs	ND		7	pg/L	8280
P-10	12/19/95	Total tetra-CDFs	ND		9	pg/L	8280
P-11	12/27/95	1,2,3,4,6,7,8,9-OCDD	.18	J	0	pg/L	8280
P-11	12/27/95	1,2,3,4,6,7,8,9-OCDF	ND		40	pg/L	8280
P-11	12/27/95	1,2,3,4,6,7,8-HpCDD	ND		23	pg/L	8280
P-11	12/27/95	1,2,3,4,6,7,8-HpCDF	ND		12	pg/L	8280
P-11	12/27/95	1,2,3,4,7,8,9-HpCDF	ND		17	pg/L	8280
P-11	12/27/95	1,2,3,4,7,8-HxCDD	ND		24	pg/L	8280
P-11	12/27/95	1,2,3,4,7,8-HxCDF	ND		9	pg/L	8280
P-11	12/27/95	1,2,3,6,7,8-HxCDD	ND		24	pg/L	8280
P-11	12/27/95	1,2,3,6,7,8-HxCDF	ND		8	pg/L	8280
P-11	12/27/95	1,2,3,7,8,9-HxCDD	ND		22	pg/L	8280
P-11	12/27/95	1,2,3,7,8,9-HxCDF	ND		11	pg/L	8280
P-11	12/27/95	1,2,3,7,8-PeCDD	ND		23	pg/L	8280
P-11	12/27/95	1,2,3,7,8-PeCDF	ND		23	pg/L	8280
P-11	12/27/95	2,3,4,6,7,8-HxCDF	ND		9	pg/L	8280
P-11	12/27/95	2,3,4,7,8-PeCDF	ND		24	pg/L	8280
P-11	12/27/95	2,3,7,8-TCDD	ND		16	pg/L	8280
P-11	12/27/95	2,3,7,8-TCDF	ND		9	pg/L	8280
P-11	12/27/95	Total hepta-CDDs	ND		23	pg/L	8280
P-11	12/27/95	Total hepta-CDFs	ND		17	pg/L	8280
P-11	12/27/95	Total hexa-CDDs	ND		24	pg/L	8280
P-11	12/27/95	Total hexa-CDFs	ND		11	pg/L	8280
P-11	12/27/95	Total penta-CDDs	ND		32	pg/L	8280
P-11	12/27/95	Total penta-CDFs	ND		24	pg/L	8280
P-11	12/27/95	Total tetra-CDDs	ND		16	pg/L	8280
P-11	12/27/95	Total tetra-CDFs	ND		9	pg/L	8280
P-12	12/21/95	1,2,3,4,6,7,8,9-OCDD	.15	J	0	pg/L	8280
P-12	12/21/95	1,2,3,4,6,7,8,9-OCDF	ND		38	pg/L	8280
P-12	12/21/95	1,2,3,4,6,7,8-HpCDD	ND		22	pg/L	8280
P-12	12/21/95	1,2,3,4,6,7,8-HpCDF	ND		7	pg/L	8280
P-12	12/21/95	1,2,3,4,7,8,9-HpCDF	ND		10	pg/L	8280
P-12	12/21/95	1,2,3,4,7,8-HxCDD	ND		25	pg/L	8280
P-12	12/21/95	1,2,3,4,7,8-HxCDF	ND		7	pg/L	8280
P-12	12/21/95	1,2,3,6,7,8-HxCDD	ND		24	pg/L	8280
P-12	12/21/95	1,2,3,6,7,8-HxCDF	ND		6	pg/L	8280
P-12	12/21/95	1,2,3,7,8,9-HxCDD	ND		23	pg/L	8280
P-12	12/21/95	1,2,3,7,8,9-HxCDF	ND		9	pg/L	8280
P-12	12/21/95	1,2,3,7,8-PeCDD	ND		28	pg/L	8280
P-12	12/21/95	1,2,3,7,8-PeCDF	ND		23	pg/L	8280
P-12	12/21/95	2,3,4,6,7,8-HxCDF	ND		7	pg/L	8280
P-12	12/21/95	2,3,4,7,8-PeCDF	ND		24	pg/L	8280
P-12	12/21/95	2,3,7,8-TCDD	ND		13	pg/L	8280
P-12	12/21/95	2,3,7,8-TCDF	ND		9	pg/L	8280

Table 4-15. Summary of Groundwater Analytical Results - Dioxins and Furans, Groundwater Data Assessment Report, ILM Facility, Torrance, California

Sample ID	Sample Date	Analyte	Result	Flag	PQL	Units	Method
P-12	12/21/95	Total hepta-CDDs	ND		31	pg/L	8280
P-12	12/21/95	Total hepta-CDFs	ND		10	pg/L	8280
P-12	12/21/95	Total hexa-CDDs	ND		25	pg/L	8280
P-12	12/21/95	Total hexa-CDFs	ND		9	pg/L	8280
P-12	12/21/95	Total penta-CDDs	ND		28	pg/L	8280
P-12	12/21/95	Total penta-CDFs	ND		24	pg/L	8280
P-12	12/21/95	Total tetra-CDDs	ND		13	pg/L	8280
P-12	12/21/95	Total tetra-CDFs	ND		9	pg/L	8280
P-13	12/21/95	1,2,3,4,6,7,8,9-OCDD	ND		31	pg/L	8280
P-13	12/21/95	1,2,3,4,6,7,8,9-OCDF	ND		21	pg/L	8280
P-13	12/21/95	1,2,3,4,6,7,8-HpCDD	ND		11	pg/L	8280
P-13	12/21/95	1,2,3,4,6,7,8-HpCDF	ND		5	pg/L	8280
P-13	12/21/95	1,2,3,4,7,8,9-HpCDF	ND		7	pg/L	8280
P-13	12/21/95	1,2,3,4,7,8-HxCDD	ND		9	pg/L	8280
P-13	12/21/95	1,2,3,4,7,8-HxCDF	ND		6	pg/L	8280
P-13	12/21/95	1,2,3,6,7,8-HxCDD	ND		9	pg/L	8280
P-13	12/21/95	1,2,3,6,7,8-HxCDF	ND		5	pg/L	8280
P-13	12/21/95	1,2,3,7,8,9-HxCDD	ND		8	pg/L	8280
P-13	12/21/95	1,2,3,7,8,9-HxCDF	ND		7	pg/L	8280
P-13	12/21/95	1,2,3,7,8-PeCDD	ND		18	pg/L	8280
P-13	12/21/95	1,2,3,7,8-PeCDF	ND		14	pg/L	8280
P-13	12/21/95	2,3,4,6,7,8-HxCDF	ND		6	pg/L	8280
P-13	12/21/95	2,3,4,7,8-PeCDF	ND		15	pg/L	8280
P-13	12/21/95	2,3,7,8-TCDD	ND		8	pg/L	8280
P-13	12/21/95	2,3,7,8-TCDF	ND		6	pg/L	8280
P-13	12/21/95	Total hepta-CDDs	ND		11	pg/L	8280
P-13	12/21/95	Total hepta-CDFs	ND		7	pg/L	8280
P-13	12/21/95	Total hexa-CDDs	ND		9	pg/L	8280
P-13	12/21/95	Total hexa-CDFs	ND		7	pg/L	8280
P-13	12/21/95	Total penta-CDDs	ND		18	pg/L	8280
P-13	12/21/95	Total penta-CDFs	ND		15	pg/L	8280
P-13	12/21/95	Total tetra-CDDs	ND		8	pg/L	8280
P-13	12/21/95	Total tetra-CDFs	ND		6	pg/L	8280
P-14	12/21/95	1,2,3,4,6,7,8,9-OCDD	ND		46	pg/L	8280
P-14	12/21/95	1,2,3,4,6,7,8,9-OCDF	ND		19	pg/L	8280
P-14	12/21/95	1,2,3,4,6,7,8-HpCDD	ND		11	pg/L	8280
P-14	12/21/95	1,2,3,4,6,7,8-HpCDF	ND		6	pg/L	8280
P-14	12/21/95	1,2,3,4,7,8,9-HpCDF	ND		8	pg/L	8280
P-14	12/21/95	1,2,3,4,7,8-HxCDD	ND		10	pg/L	8280
P-14	12/21/95	1,2,3,4,7,8-HxCDF	ND		4	pg/L	8280
P-14	12/21/95	1,2,3,6,7,8-HxCDD	ND		10	pg/L	8280
P-14	12/21/95	1,2,3,6,7,8-HxCDF	ND		3	pg/L	8280
P-14	12/21/95	1,2,3,7,8,9-HxCDD	ND		10	pg/L	8280
P-14	12/21/95	1,2,3,7,8,9-HxCDF	ND		5	pg/L	8280
P-14	12/21/95	1,2,3,7,8-PeCDD	ND		14	pg/L	8280
P-14	12/21/95	1,2,3,7,8-PeCDF	ND		10	pg/L	8280
P-14	12/21/95	2,3,4,6,7,8-HxCDF	ND		4	pg/L	8280
P-14	12/21/95	2,3,4,7,8-PeCDF	ND		10	pg/L	8280
P-14	12/21/95	2,3,7,8-TCDD	ND		7	pg/L	8280

Table 4-15. Summary of Groundwater Analytical Results - Dioxins and Furans, Groundwater Data Assessment Report, ILM Facility, Torrance, California

Sample ID	Sample Date	Analyte	Result	Flag	PQL	Units	Method
DUP-1[1]	12/27/95	1,2,3,4,6,7,8,9-OCDD	ND		57	pg/L	8280
DUP-1[1]	12/27/95	1,2,3,4,6,7,8,9-OCDF	ND		28	pg/L	8280
DUP-1[1]	12/27/95	1,2,3,4,6,7,8-HpCDD	ND		14	pg/L	8280
DUP-1[1]	12/27/95	1,2,3,4,6,7,8-HpCDF	ND		9	pg/L	8280
DUP-1[1]	12/27/95	1,2,3,4,7,8,9-HpCDF	ND		13	pg/L	8280
DUP-1[1]	12/27/95	1,2,3,4,7,8-HxCDD	ND		21	pg/L	8280
DUP-1[1]	12/27/95	1,2,3,4,7,8-HxCDF	ND		6	pg/L	8280
DUP-1[1]	12/27/95	1,2,3,6,7,8-HxCDD	ND		21	pg/L	8280
DUP-1[1]	12/27/95	1,2,3,6,7,8-HxCDF	ND		5	pg/L	8280
DUP-1[1]	12/27/95	1,2,3,7,8,9-HxCDD	ND		20	pg/L	8280
DUP-1[1]	12/27/95	1,2,3,7,8,9-HxCDF	ND		7	pg/L	8280
DUP-1[1]	12/27/95	1,2,3,7,8-PeCDD	ND		21	pg/L	8280
DUP-1[1]	12/27/95	1,2,3,7,8-PeCDF	ND		21	pg/L	8280
DUP-1[1]	12/27/95	2,3,4,6,7,8-HxCDF	ND		6	pg/L	8280
DUP-1[1]	12/27/95	2,3,4,7,8-PeCDF	ND		22	pg/L	8280
DUP-1[1]	12/27/95	2,3,7,8-TCDD	ND		15	pg/L	8280
DUP-1[1]	12/27/95	2,3,7,8-TCDF	ND		9	pg/L	8280
DUP-1[1]	12/27/95	Total hepta-CDDs	ND		14	pg/L	8280
DUP-1[1]	12/27/95	Total hepta-CDFs	ND		13	pg/L	8280
DUP-1[1]	12/27/95	Total hexa-CDDs	ND		21	pg/L	8280
DUP-1[1]	12/27/95	Total hexa-CDFs	ND		7	pg/L	8280
DUP-1[1]	12/27/95	Total penta-CDDs	ND		24	pg/L	8280
DUP-1[1]	12/27/95	Total penta-CDFs	ND		22	pg/L	8280
DUP-1[1]	12/27/95	Total tetra-CDDs	ND		15	pg/L	8280
DUP-1[1]	12/27/95	Total tetra-CDFs	ND		9	pg/L	8280
P-1	1/24/95	1,2,3,4,6,7,8,9-OCDD	98			pg/L	8290
P-1	1/24/95	1,2,3,4,6,7,8,9-OCDF	ND		27	pg/L	8290
P-1	1/24/95	1,2,3,4,6,7,8-HpCDD	12			pg/L	8290
P-1	1/24/95	1,2,3,4,6,7,8-HpCDF	ND		13	pg/L	8290
P-1	1/24/95	1,2,3,4,7,8,9-HpCDF	ND		6.4	pg/L	8290
P-1	1/24/95	1,2,3,4,7,8-HxCDD	ND		3.2	pg/L	8290
P-1	1/24/95	1,2,3,4,7,8-HxCDF	ND		2.7	pg/L	8290
P-1	1/24/95	1,2,3,6,7,8-HxCDD	ND		3.4	pg/L	8290
P-1	1/24/95	1,2,3,6,7,8-HxCDF	ND		2.6	pg/L	8290
P-1	1/24/95	1,2,3,7,8,9-HxCDD	ND		3.4	pg/L	8290
P-1	1/24/95	1,2,3,7,8,9-HxCDF	ND		3.9	pg/L	8290
P-1	1/24/95	1,2,3,7,8-PeCDD	ND		1.8	pg/L	8290
P-1	1/24/95	1,2,3,7,8-PeCDF	ND		2.3	pg/L	8290
P-1	1/24/95	2,3,4,6,7,8-HxCDF	ND		4.5	pg/L	8290
P-1	1/24/95	2,3,4,7,8-PeCDF	ND		3.2	pg/L	8290
P-1	1/24/95	2,3,7,8-TCDD	ND		2.5	pg/L	8290
P-1	1/24/95	2,3,7,8-TCDF	ND		2.1	pg/L	8290
P-1	1/24/95	Total hepta-CDDs	20			pg/L	8290
P-1	1/24/95	Total hepta-CDFs	ND		13	pg/L	8290
P-1	1/24/95	Total hexa-CDDs	ND		3.4	pg/L	8290
P-1	1/24/95	Total hexa-CDFs	ND		4.5	pg/L	8290

Table 4-15. Summary of Groundwater Analytical Results - Dioxins and Furans, Groundwater Data Assessment Report, ILM Facility, Torrance, California

Sample ID	Sample Date	Analyte	Result	Flag	PQL	Units	Method
P-1	1/24/95	Total penta-CDDs	ND		1.8	pg/L	8290
P-1	1/24/95	Total penta-CDFs	ND		3.2	pg/L	8290
P-1	1/24/95	Total tetra-CDDs	ND		2.5	pg/L	8290
P-1	1/24/95	Total tetra-CDFs	ND		2.1	pg/L	8290
P-1	3/17/95	2,3,7,8-TCDD	ND		19	pg/L	8280
P-1	12/27/95	1,2,3,4,6,7,8,9-OCDD	.099	J		pg/L	8280
P-1	12/27/95	1,2,3,4,6,7,8,9-OCDF	ND		32	pg/L	8280
P-1	12/27/95	1,2,3,4,6,7,8-HpCDD	ND		16	pg/L	8280
P-1	12/27/95	1,2,3,4,6,7,8-HpCDF	ND		7	pg/L	8280
P-1	12/27/95	1,2,3,4,7,8,9-HpCDF	ND		10	pg/L	8280
P-1	12/27/95	1,2,3,4,7,8-HxCDD	ND		19	pg/L	8280
P-1	12/27/95	1,2,3,4,7,8-HxCDF	ND		8	pg/L	8280
P-1	12/27/95	1,2,3,6,7,8-HxCDD	ND		19	pg/L	8280
P-1	12/27/95	1,2,3,6,7,8-HxCDF	ND		7	pg/L	8280
P-1	12/27/95	1,2,3,7,8,9-HxCDD	ND		18	pg/L	8280
P-1	12/27/95	1,2,3,7,8,9-HxCDF	ND		10	pg/L	8280
P-1	12/27/95	1,2,3,7,8-PeCDD	ND		23	pg/L	8280
P-1	12/27/95	1,2,3,7,8-PeCDF	ND		21	pg/L	8280
P-1	12/27/95	2,3,4,6,7,8-HxCDF	ND		9	pg/L	8280
P-1	12/27/95	2,3,4,7,8-PeCDF	ND		22	pg/L	8280
P-1	12/27/95	2,3,7,8-TCDD	ND		16	pg/L	8280
P-1	12/27/95	2,3,7,8-TCDF	ND		10	pg/L	8280
P-1	12/27/95	Total hepta-CDDs	ND		16	pg/L	8280
P-1	12/27/95	Total hepta-CDFs	ND		10	pg/L	8280
P-1	12/27/95	Total hexa-CDDs	ND		19	pg/L	8280
P-1	12/27/95	Total hexa-CDFs	ND		10	pg/L	8280
P-1	12/27/95	Total penta-CDDs	ND		23	pg/L	8280
P-1	12/27/95	Total penta-CDFs	ND		22	pg/L	8280
P-1	12/27/95	Total tetra-CDDs	ND		16	pg/L	8280
P-1	12/27/95	Total tetra-CDFs	ND		10	pg/L	8280
P-10	3/16/95	2,3,7,8-TCDD	ND		14	pg/L	8280
P-10	12/19/95	1,2,3,4,6,7,8,9-OCDD	.12	J	0	pg/L	8280
P-10	12/19/95	1,2,3,4,6,7,8,9-OCDF	ND		22	pg/L	8280
P-10	12/19/95	1,2,3,4,6,7,8-HpCDD	ND		14	pg/L	8280
P-10	12/19/95	1,2,3,4,6,7,8-HpCDF	ND		10	pg/L	8280
P-10	12/19/95	1,2,3,4,7,8,9-HpCDF	ND		14	pg/L	8280
P-10	12/19/95	1,2,3,4,7,8-HxCDD	ND		8	pg/L	8280
P-10	12/19/95	1,2,3,4,7,8-HxCDF	ND		6	pg/L	8280
P-10	12/19/95	1,2,3,6,7,8-HxCDD	ND		8	pg/L	8280
P-10	12/19/95	1,2,3,6,7,8-HxCDF	ND		5	pg/L	8280
P-10	12/19/95	1,2,3,7,8,9-HxCDD	ND		8	pg/L	8280
P-10	12/19/95	1,2,3,7,8,9-HxCDF	ND		7	pg/L	8280
P-10	12/19/95	1,2,3,7,8-PeCDD	ND		17	pg/L	8280
P-10	12/19/95	1,2,3,7,8-PeCDF	ND		14	pg/L	8280
P-10	12/19/95	2,3,4,6,7,8-HxCDF	ND		6	pg/L	8280
P-10	12/19/95	2,3,4,7,8-PeCDF	ND		14	pg/L	8280
P-10	12/19/95	2,3,7,8-TCDD	ND		7	pg/L	8280
P-10	12/19/95	2,3,7,8-TCDF	ND		9	pg/L	8280
P-10	12/19/95	Total hepta-CDDs	ND		14	pg/L	8280

Table 4-10. Summary of Groundwater Analytical Results - Semi-Volatile Organic Compounds (SVOCs), Groundwater RFI Data Assessment Report, ILM Facility, Torrance, California

Sample ID	Sample Date	Analyte	Result	Flag	PQL	Units	Method
P-8	3/16/95	ALL ANALYTES	ND			µg/L	625
P-9	3/16/95	ALL ANALYTES	ND			µg/L	625
P-9	12/20/95	1,2,4-Trichlorobenzene	ND		2.	µg/L	625
P-9	12/20/95	1,2-Dichlorobenzene	ND		2.	µg/L	625
P-9	12/20/95	1,2-Diphenylhydrazine	ND		2.	µg/L	625
P-9	12/20/95	1,3-Dichlorobenzene	ND		2.	µg/L	625
P-9	12/20/95	1,4-Dichlorobenzene	ND		2.	µg/L	625
P-9	12/20/95	2,4,5-Trichlorophenol	ND		5.	µg/L	625
P-9	12/20/95	2,4,6-Trichlorophenol	ND		5.	µg/L	625
P-9	12/20/95	2,4-Dichlorophenol	ND		2.	µg/L	625
P-9	12/20/95	2,4-Dimethylphenol	ND		2.	µg/L	625
P-9	12/20/95	2,4-Dinitrophenol	ND		10.	µg/L	625
P-9	12/20/95	2,4-Dinitrotoluene	ND		2.	µg/L	625
P-9	12/20/95	2,6-Dinitrotoluene	ND		2.	µg/L	625
P-9	12/20/95	2-Chloronaphthalene	ND		2.	µg/L	625
P-9	12/20/95	2-Chlorophenol	ND		2.	µg/L	625
P-9	12/20/95	2-Methyl-4,6-dinitrophenol	ND		5.	µg/L	625
P-9	12/20/95	2-Methylnaphthalene	ND		2.	µg/L	625
P-9	12/20/95	2-Methylphenol	ND		2.	µg/L	625
P-9	12/20/95	2-Naphthylamine	ND		20.	µg/L	625
P-9	12/20/95	2-Nitroaniline	ND		2.	µg/L	625
P-9	12/20/95	2-Nitrophenol	ND		2.	µg/L	625
P-9	12/20/95	3,3-Dichlorobenzidine	ND		5.	µg/L	625
P-9	12/20/95	3-Nitroaniline	ND		2.	µg/L	625
P-9	12/20/95	4,4-DDD	ND		2.	µg/L	625
P-9	12/20/95	4,4-DDE	ND		2.	µg/L	625
P-9	12/20/95	4,4-DDT	ND		2.	µg/L	625
P-9	12/20/95	4-Bromophenyl-phenyl-ether	ND		2.	µg/L	625
P-9	12/20/95	4-Chloro-3-methylphenol	ND		5.	µg/L	625
P-9	12/20/95	4-Chloroaniline	ND		2.	µg/L	625
P-9	12/20/95	4-Chlorophenylphenyl-ether	ND		2.	µg/L	625
P-9	12/20/95	4-Methylphenol	ND		2.	µg/L	625
P-9	12/20/95	4-Nitroaniline	ND		5.	µg/L	625
P-9	12/20/95	4-Nitrophenol	ND		5.	µg/L	625
P-9	12/20/95	Acenaphthene	ND		2.	µg/L	625
P-9	12/20/95	Acenaphthylene	ND		2.	µg/L	625
P-9	12/20/95	Aldrin	ND		2.	µg/L	625
P-9	12/20/95	alpha-BHC	ND		2.	µg/L	625
P-9	12/20/95	Aniline	ND		5.	µg/L	625
P-9	12/20/95	Anthracene	ND		2.	µg/L	625
P-9	12/20/95	Benzidine	ND		20.	µg/L	625
P-9	12/20/95	Benzo-(a)-anthracene	ND		2.	µg/L	625
P-9	12/20/95	Benzo-(a)-pyrene	ND		2.	µg/L	625
P-9	12/20/95	Benzo-(b)-fluoranthene	ND		2.	µg/L	625
P-9	12/20/95	Benzo-(ghi)-perylene	ND		2.	µg/L	625
P-9	12/20/95	Benzo-(k)-fluoranthene	ND		2.	µg/L	625
P-9	12/20/95	Benzoic acid	ND		5.	µg/L	625
P-9	12/20/95	Benzyl-butyl-phthalate	ND		2.	µg/L	625
P-9	12/20/95	Benzylalcohol	9		2.	µg/L	625

Table 4-10. Summary of Groundwater Analytical Results - Semi-Volatile Organic Compounds (SVOCs), Groundwater RFI Data Assessment Report, ILM Facility, Torrance, California

Sample ID	Sample Date	Analyte	Result	Flag	PQL	Units	Method
P-9	12/20/95	beta-BHC	ND		2.	µg/L	625
P-9	12/20/95	bis-2-chloroethoxy-methane	ND		2.	µg/L	625
P-9	12/20/95	bis-2-chloroethyl-ether	ND		2.	µg/L	625
P-9	12/20/95	bis-2-chloroisopropyl-ether	ND		2.	µg/L	625
P-9	12/20/95	bis-2-ethylhexyl-phthalate	ND		5.	µg/L	625
P-9	12/20/95	Chrysene	ND		2.	µg/L	625
P-9	12/20/95	delta-BHC	ND		2.	µg/L	625
P-9	12/20/95	Di-n-butyl-phthalate	ND		2.	µg/L	625
P-9	12/20/95	Di-n-octylphthalate	ND		2.	µg/L	625
P-9	12/20/95	Dibenzo-(ah)-anthracene	ND		2.	µg/L	625
P-9	12/20/95	Dibenzofuran	ND		2.	µg/L	625
P-9	12/20/95	Dieldrin	ND		2.	µg/L	625
P-9	12/20/95	Diethyl-phthalate	ND		2.	µg/L	625
P-9	12/20/95	Dimethyl-phthalate	ND		2.	µg/L	625
P-9	12/20/95	Endosulfan I	ND		2.	µg/L	625
P-9	12/20/95	Endosulfan II	ND		2.	µg/L	625
P-9	12/20/95	Endosulfan Sulfate	ND		2.	µg/L	625
P-9	12/20/95	Endrin	ND		2.	µg/L	625
P-9	12/20/95	Endrin Aldehyde	ND		2.	µg/L	625
P-9	12/20/95	Fluoranthene	ND		2.	µg/L	625
P-9	12/20/95	Fluorene	ND		2.	µg/L	625
P-9	12/20/95	gamma-BHC	ND		2.	µg/L	625
P-9	12/20/95	Heptachlor	ND		2.	µg/L	625
P-9	12/20/95	Heptachlor epoxide	ND		2.	µg/L	625
P-9	12/20/95	Hexachlorobenzene	ND		2.	µg/L	625
P-9	12/20/95	Hexachlorobutadiene	ND		2.	µg/L	625
P-9	12/20/95	Hexachlorocyclopentadiene	ND		2.	µg/L	625
P-9	12/20/95	Hexachloroethane	ND		2.	µg/L	625
P-9	12/20/95	Indeno-1,2,3-cd-pyrene	ND		2.	µg/L	625
P-9	12/20/95	Isophorone	ND		2.	µg/L	625
P-9	12/20/95	N-nitrosodi-n-propylamine	ND		2.	µg/L	625
P-9	12/20/95	N-Nitrosodimethylamine	ND		2.	µg/L	625
P-9	12/20/95	N-Nitrosodiphenylamine	ND		2.	µg/L	625
P-9	12/20/95	Naphthalene	ND		2.	µg/L	625
P-9	12/20/95	Nitrobenzene	ND		2.	µg/L	625
P-9	12/20/95	Pentachlorophenol	ND		5.	µg/L	625
P-9	12/20/95	Phenanthrene	ND		2.	µg/L	625
P-9	12/20/95	Phenol	ND		2.	µg/L	625
P-9	12/20/95	Pyrene	ND		2.	µg/L	625

Note: Data collected prior to December 1995 are in summary form (i.e., only detected concentrations are included, and samples in which no analytes were detected are labeled as "all analytes, ND").

PQL	Practical Quantitation Limit
ND	Not Detected at or above the PQL
µg/L	micrograms per liter
UJ	Analyte not detected above the PQL; result is approximate and may be biased low.

Table 4-10. Summary of Groundwater Analytical Results - Semi-Volatile Organic Compounds (SVOCs), Groundwater RFI Data Assessment Report, ILM Facility, Torrance, California

Sample ID	Sample Date	Analyte	Result	Flag	PQL	Units	Method
P-6	12/20/95	Isophorone	ND		2.	µg/L	625
P-6	12/20/95	N-nitrosodi-n-propylamine	ND		2.	µg/L	625
P-6	12/20/95	N-Nitrosodimethylamine	ND		2.	µg/L	625
P-6	12/20/95	N-Nitrosodiphenylamine	ND		2.	µg/L	625
P-6	12/20/95	Naphthalene	ND		2.	µg/L	625
P-6	12/20/95	Nitrobenzene	ND		2.	µg/L	625
P-6	12/20/95	Pentachlorophenol	ND		5.	µg/L	625
P-6	12/20/95	Phenanthrene	ND		2.	µg/L	625
P-6	12/20/95	Phenol	ND		2.	µg/L	625
P-6	12/20/95	Pyrene	ND		2.	µg/L	625
P-7	3/17/95	bis-2-ethylhexyl-phthalate	22		5	µg/L	625
P-7	12/21/95	1,2,4-Trichlorobenzene	ND		2.	µg/L	625
P-7	12/21/95	1,2-Dichlorobenzene	ND		2.	µg/L	625
P-7	12/21/95	1,2-Diphenylhydrazine	ND		2.	µg/L	625
P-7	12/21/95	1,3-Dichlorobenzene	ND		2.	µg/L	625
P-7	12/21/95	1,4-Dichlorobenzene	ND		2.	µg/L	625
P-7	12/21/95	2,4,5-Trichlorophenol	ND		5.	µg/L	625
P-7	12/21/95	2,4,6-Trichlorophenol	ND		5.	µg/L	625
P-7	12/21/95	2,4-Dichlorophenol	ND		2.	µg/L	625
P-7	12/21/95	2,4-Dimethylphenol	ND		2.	µg/L	625
P-7	12/21/95	2,4-Dinitrophenol	ND		10.	µg/L	625
P-7	12/21/95	2,4-Dinitrotoluene	ND		2.	µg/L	625
P-7	12/21/95	2,6-Dinitrotoluene	ND		2.	µg/L	625
P-7	12/21/95	2-Chloronaphthalene	ND		2.	µg/L	625
P-7	12/21/95	2-Chlorophenol	ND		2.	µg/L	625
P-7	12/21/95	2-Methyl-4,6-dinitrophenol	ND		5.	µg/L	625
P-7	12/21/95	2-Methylnaphthalene	ND		2.	µg/L	625
P-7	12/21/95	2-Methylphenol	ND		2.	µg/L	625
P-7	12/21/95	2-Naphthylamine	ND		20.	µg/L	625
P-7	12/21/95	2-Nitroaniline	ND		2.	µg/L	625
P-7	12/21/95	2-Nitrophenol	ND		2.	µg/L	625
P-7	12/21/95	3,3-Dichlorobenzidine	ND		5.	µg/L	625
P-7	12/21/95	3-Nitroaniline	ND		2.	µg/L	625
P-7	12/21/95	4,4-DDD	ND		2.	µg/L	625
P-7	12/21/95	4,4-DDE	ND		2.	µg/L	625
P-7	12/21/95	4,4-DDT	ND		2.	µg/L	625
P-7	12/21/95	4-Bromophenyl-phenyl-ether	ND		2.	µg/L	625
P-7	12/21/95	4-Chloro-3-methylphenol	ND		5.	µg/L	625
P-7	12/21/95	4-Chloroaniline	ND		2.	µg/L	625
P-7	12/21/95	4-Chlorophenylphenyl-ether	ND		2.	µg/L	625
P-7	12/21/95	4-Methylphenol	ND		2.	µg/L	625
P-7	12/21/95	4-Nitroaniline	ND		5.	µg/L	625
P-7	12/21/95	4-Nitrophenol	ND		5.	µg/L	625
P-7	12/21/95	Acenaphthene	ND		2.	µg/L	625
P-7	12/21/95	Acenaphthylene	ND		2.	µg/L	625
P-7	12/21/95	Aldrin	ND		2.	µg/L	625
P-7	12/21/95	alpha-BHC	ND		2.	µg/L	625
P-7	12/21/95	Aniline	ND		5.	µg/L	625
P-7	12/21/95	Anthracene	ND		2.	µg/L	625

Table 4-10. Summary of Groundwater Analytical Results - Semi-Volatile Organic Compounds (SVOCs), Groundwater RFI Data Assessment Report, ILM Facility, Torrance, California

Sample ID	Sample Date	Analyte	Result	Flag	PQL	Units	Method
P-7	12/21/95	Benzidine	ND		20.	µg/L	625
P-7	12/21/95	Benzo-(a)-anthracene	ND		2.	µg/L	625
P-7	12/21/95	Benzo-(a)-pyrene	ND		2.	µg/L	625
P-7	12/21/95	Benzo-(b)-fluoranthene	ND		2.	µg/L	625
P-7	12/21/95	Benzo-(ghi)-perylene	ND		2.	µg/L	625
P-7	12/21/95	Benzo-(k)-fluoranthene	ND		2.	µg/L	625
P-7	12/21/95	Benzoic acid	ND		5.	µg/L	625
P-7	12/21/95	Benzyl-butyl-phthalate	ND		2.	µg/L	625
P-7	12/21/95	Benzylalcohol	2		2.	µg/L	625
P-7	12/21/95	beta-BHC	ND		2.	µg/L	625
P-7	12/21/95	bis-2-chloroethoxy-methane	ND		2.	µg/L	625
P-7	12/21/95	bis-2-chloroethyl-ether	ND		2.	µg/L	625
P-7	12/21/95	bis-2-chloroisopropyl-ether	ND		2.	µg/L	625
P-7	12/21/95	bis-2-ethylhexyl-phthalate	ND		5.	µg/L	625
P-7	12/21/95	Chrysene	ND		2.	µg/L	625
P-7	12/21/95	delta-BHC	ND		2.	µg/L	625
P-7	12/21/95	Di-n-butyl-phthalate	ND		2.	µg/L	625
P-7	12/21/95	Di-n-octylphthalate	ND		2.	µg/L	625
P-7	12/21/95	Dibenzo-(ah)-anthracene	ND		2.	µg/L	625
P-7	12/21/95	Dibenzofuran	ND		2.	µg/L	625
P-7	12/21/95	Dieldrin	ND		2.	µg/L	625
P-7	12/21/95	Diethyl-phthalate	ND		2.	µg/L	625
P-7	12/21/95	Dimethyl-phthalate	ND		2.	µg/L	625
P-7	12/21/95	Endosulfan I	ND		2.	µg/L	625
P-7	12/21/95	Endosulfan II	ND		2.	µg/L	625
P-7	12/21/95	Endosulfan Sulfate	ND		2.	µg/L	625
P-7	12/21/95	Endrin	ND		2.	µg/L	625
P-7	12/21/95	Endrin Aldehyde	ND		2.	µg/L	625
P-7	12/21/95	Fluoranthene	ND		2.	µg/L	625
P-7	12/21/95	Fluorene	ND		2.	µg/L	625
P-7	12/21/95	gamma-BHC	ND		2.	µg/L	625
P-7	12/21/95	Heptachlor	ND		2.	µg/L	625
P-7	12/21/95	Heptachlor epoxide	ND		2.	µg/L	625
P-7	12/21/95	Hexachlorobenzene	ND		2.	µg/L	625
P-7	12/21/95	Hexachlorobutadiene	ND		2.	µg/L	625
P-7	12/21/95	Hexachlorocyclopentadiene	ND		2.	µg/L	625
P-7	12/21/95	Hexachloroethane	ND		2.	µg/L	625
P-7	12/21/95	Indeno-1,2,3-cd-pyrene	ND		2.	µg/L	625
P-7	12/21/95	Isophorone	ND		2.	µg/L	625
P-7	12/21/95	N-nitrosodi-n-propylamine	ND		2.	µg/L	625
P-7	12/21/95	N-Nitrosodimethylamine	ND		2.	µg/L	625
P-7	12/21/95	N-Nitrosodiphenylamine	ND		2.	µg/L	625
P-7	12/21/95	Naphthalene	ND		2.	µg/L	625
P-7	12/21/95	Nitrobenzene	ND		2.	µg/L	625
P-7	12/21/95	Pentachlorophenol	ND		5.	µg/L	625
P-7	12/21/95	Phenanthrene	ND		2.	µg/L	625
P-7	12/21/95	Phenol	ND		2.	µg/L	625
P-7	12/21/95	Pyrene	ND		2.	µg/L	625
P-7DUP	3/17/95	bis-2-ethylhexyl-phthalate	16		5	µg/L	625

Table 4-10. Summary of Groundwater Analytical Results - Semi-Volatile Organic Compounds (SVOCs), Groundwater RFI Data Assessment Report, ILM Facility, Torrance, California

Sample ID	Sample Date	Analyte	Result	Flag	PQL	Units	Method
P-5	12/27/95	Endrin Aldehyde	ND		2.	µg/L	625
P-5	12/27/95	Fluoranthene	ND		2.	µg/L	625
P-5	12/27/95	Fluorene	6		2.	µg/L	625
P-5	12/27/95	gamma-BHC	ND		2.	µg/L	625
P-5	12/27/95	Heptachlor	ND		2.	µg/L	625
P-5	12/27/95	Heptachlor epoxide	ND		2.	µg/L	625
P-5	12/27/95	Hexachlorobenzene	ND		2.	µg/L	625
P-5	12/27/95	Hexachlorobutadiene	ND		2.	µg/L	625
P-5	12/27/95	Hexachlorocyclopentadiene	ND		2.	µg/L	625
P-5	12/27/95	Hexachloroethane	ND		2.	µg/L	625
P-5	12/27/95	Indeno-1,2,3-cd-pyrene	ND		2.	µg/L	625
P-5	12/27/95	Isophorone	ND		2.	µg/L	625
P-5	12/27/95	N-nitrosodi-n-propylamine	ND		2.	µg/L	625
P-5	12/27/95	N-Nitrosodimethylamine	ND		2.	µg/L	625
P-5	12/27/95	N-Nitrosodiphenylamine	ND		2.	µg/L	625
P-5	12/27/95	Naphthalene	5		2.	µg/L	625
P-5	12/27/95	Nitrobenzene	ND		2.	µg/L	625
P-5	12/27/95	Pentachlorophenol	ND		5.	µg/L	625
P-5	12/27/95	Phenanthrene	7		2.	µg/L	625
P-5	12/27/95	Phenol	3		2.	µg/L	625
P-5	12/27/95	Pyrene	ND		2.	µg/L	625
P-6	3/16/95	ALL ANALYTES	ND			µg/L	625
P-6	12/20/95	1,2,4-Trichlorobenzene	ND		2.	µg/L	625
P-6	12/20/95	1,2-Dichlorobenzene	ND		2.	µg/L	625
P-6	12/20/95	1,2-Diphenylhydrazine	ND		2.	µg/L	625
P-6	12/20/95	1,3-Dichlorobenzene	ND		2.	µg/L	625
P-6	12/20/95	1,4-Dichlorobenzene	ND		2.	µg/L	625
P-6	12/20/95	2,4,5-Trichlorophenol	ND		5.	µg/L	625
P-6	12/20/95	2,4,6-Trichlorophenol	ND		5.	µg/L	625
P-6	12/20/95	2,4-Dichlorophenol	ND		2.	µg/L	625
P-6	12/20/95	2,4-Dimethylphenol	ND		2.	µg/L	625
P-6	12/20/95	2,4-Dinitrophenol	ND		10.	µg/L	625
P-6	12/20/95	2,4-Dinitrotoluene	ND		2.	µg/L	625
P-6	12/20/95	2,6-Dinitrotoluene	ND		2.	µg/L	625
P-6	12/20/95	2-Chloronaphthalene	ND		2.	µg/L	625
P-6	12/20/95	2-Chlorophenol	ND		2.	µg/L	625
P-6	12/20/95	2-Methyl-4,6-dinitrophenol	ND		5.	µg/L	625
P-6	12/20/95	2-Methylnaphthalene	ND		2.	µg/L	625
P-6	12/20/95	2-Methylphenol	ND		2.	µg/L	625
P-6	12/20/95	2-Naphthylamine	ND		20.	µg/L	625
P-6	12/20/95	2-Nitroaniline	ND		2.	µg/L	625
P-6	12/20/95	2-Nitrophenol	ND		2.	µg/L	625
P-6	12/20/95	3,3-Dichlorobenzidine	ND		5.	µg/L	625
P-6	12/20/95	3-Nitroaniline	ND		2.	µg/L	625
P-6	12/20/95	4,4-DDD	ND		2.	µg/L	625
P-6	12/20/95	4,4-DDE	ND		2.	µg/L	625
P-6	12/20/95	4,4-DDT	ND		2.	µg/L	625
P-6	12/20/95	4-Bromophenyl-phenyl-ether	ND		2.	µg/L	625
P-6	12/20/95	4-Chloro-3-methylphenol	ND		5.	µg/L	625

Table 4-10. Summary of Groundwater Analytical Results - Semi-Volatile Organic Compounds (SVOCs), Groundwater RFI Data Assessment Report, ILM Facility, Torrance, California

Sample ID	Sample Date	Analyte	Result	Flag	PQL	Units	Method
P-6	12/20/95	4-Chloroaniline	ND		2.	µg/L	625
P-6	12/20/95	4-Chlorophenylphenyl-ether	ND		2.	µg/L	625
P-6	12/20/95	4-Methylphenol	ND		2.	µg/L	625
P-6	12/20/95	4-Nitroaniline	ND		5.	µg/L	625
P-6	12/20/95	4-Nitrophenol	ND		5.	µg/L	625
P-6	12/20/95	Acenaphthene	ND		2.	µg/L	625
P-6	12/20/95	Acenaphthylene	ND		2.	µg/L	625
P-6	12/20/95	Aldrin	ND		2.	µg/L	625
P-6	12/20/95	alpha-BHC	ND		2.	µg/L	625
P-6	12/20/95	Aniline	ND		5.	µg/L	625
P-6	12/20/95	Anthracene	ND		2.	µg/L	625
P-6	12/20/95	Benzidine	ND		20.	µg/L	625
P-6	12/20/95	Benzo-(a)-anthracene	ND		2.	µg/L	625
P-6	12/20/95	Benzo-(a)-pyrene	ND		2.	µg/L	625
P-6	12/20/95	Benzo-(b)-fluoranthene	ND		2.	µg/L	625
P-6	12/20/95	Benzo-(ghi)-perylene	ND		2.	µg/L	625
P-6	12/20/95	Benzo-(k)-fluoranthene	ND		2.	µg/L	625
P-6	12/20/95	Benzoic acid	ND		5.	µg/L	625
P-6	12/20/95	Benzyl-butyl-phthalate	ND		2.	µg/L	625
P-6	12/20/95	Benzylalcohol	2		2.	µg/L	625
P-6	12/20/95	beta-BHC	ND		2.	µg/L	625
P-6	12/20/95	bis-2-chloroethoxy-methane	ND		2.	µg/L	625
P-6	12/20/95	bis-2-chloroethyl-ether	ND		2.	µg/L	625
P-6	12/20/95	bis-2-chloroisopropyl-ether	ND		2.	µg/L	625
P-6	12/20/95	bis-2-ethylhexyl-phthalate	ND		5.	µg/L	625
P-6	12/20/95	Chrysene	ND		2.	µg/L	625
P-6	12/20/95	delta-BHC	ND		2.	µg/L	625
P-6	12/20/95	Di-n-butyl-phthalate	ND		2.	µg/L	625
P-6	12/20/95	Di-n-octylphthalate	ND		2.	µg/L	625
P-6	12/20/95	Dibenzo-(ah)-anthracene	ND		2.	µg/L	625
P-6	12/20/95	Dibenzofuran	ND		2.	µg/L	625
P-6	12/20/95	Dieldrin	ND		2.	µg/L	625
P-6	12/20/95	Diethyl-phthalate	ND		2.	µg/L	625
P-6	12/20/95	Dimethyl-phthalate	ND		2.	µg/L	625
P-6	12/20/95	Endosulfan I	ND		2.	µg/L	625
P-6	12/20/95	Endosulfan II	ND		2.	µg/L	625
P-6	12/20/95	Endosulfan Sulfate	ND		2.	µg/L	625
P-6	12/20/95	Endrin	ND		2.	µg/L	625
P-6	12/20/95	Endrin Aldehyde	ND		2.	µg/L	625
P-6	12/20/95	Fluoranthene	ND		2.	µg/L	625
P-6	12/20/95	Fluorene	ND		2.	µg/L	625
P-6	12/20/95	gamma-BHC	ND		2.	µg/L	625
P-6	12/20/95	Heptachlor	ND		2.	µg/L	625
P-6	12/20/95	Heptachlor epoxide	ND		2.	µg/L	625
P-6	12/20/95	Hexachlorobenzene	ND		2.	µg/L	625
P-6	12/20/95	Hexachlorobutadiene	ND		2.	µg/L	625
P-6	12/20/95	Hexachlorocyclopentadiene	ND		2.	µg/L	625
P-6	12/20/95	Hexachloroethane	ND		2.	µg/L	625
P-6	12/20/95	Indeno-1,2,3-cd-pyrene	ND		2.	µg/L	625

Table 4-10. Summary of Groundwater Analytical Results - Semi-Volatile Organic Compounds (SVOCs), Groundwater RFI Data Assessment Report, ILM Facility, Torrance, California

Sample ID	Sample Date	Analyte	Result	Flag	PQL	Units	Method
P-4	12/21/95	Dibenzofuran	ND		2.	µg/L	625
P-4	12/21/95	Dieldrin	ND		2.	µg/L	625
P-4	12/21/95	Diethyl-phthalate	ND		2.	µg/L	625
P-4	12/21/95	Dimethyl-phthalate	ND		2.	µg/L	625
P-4	12/21/95	Endosulfan I	ND		2.	µg/L	625
P-4	12/21/95	Endosulfan II	ND		2.	µg/L	625
P-4	12/21/95	Endosulfan Sulfate	ND		2.	µg/L	625
P-4	12/21/95	Endrin	ND		2.	µg/L	625
P-4	12/21/95	Endrin Aldehyde	ND		2.	µg/L	625
P-4	12/21/95	Fluoranthene	ND		2.	µg/L	625
P-4	12/21/95	Fluorene	ND		2.	µg/L	625
P-4	12/21/95	gamma-BHC	ND		2.	µg/L	625
P-4	12/21/95	Heptachlor	ND		2.	µg/L	625
P-4	12/21/95	Heptachlor epoxide	ND		2.	µg/L	625
P-4	12/21/95	Hexachlorobenzene	ND		2.	µg/L	625
P-4	12/21/95	Hexachlorobutadiene	ND		2.	µg/L	625
P-4	12/21/95	Hexachlorocyclopentadiene	ND		2.	µg/L	625
P-4	12/21/95	Hexachloroethane	ND		2.	µg/L	625
P-4	12/21/95	Indeno-1,2,3-cd-pyrene	ND		2.	µg/L	625
P-4	12/21/95	Isophorone	ND		2.	µg/L	625
P-4	12/21/95	N-nitrosodi-n-propylamine	ND		2.	µg/L	625
P-4	12/21/95	N-Nitrosodimethylamine	ND		2.	µg/L	625
P-4	12/21/95	N-Nitrosodiphenylamine	ND		2.	µg/L	625
P-4	12/21/95	Naphthalene	ND		2.	µg/L	625
P-4	12/21/95	Nitrobenzene	ND		2.	µg/L	625
P-4	12/21/95	Pentachlorophenol	ND		5.	µg/L	625
P-4	12/21/95	Phenanthrene	ND		2.	µg/L	625
P-4	12/21/95	Phenol	2		2.	µg/L	625
P-4	12/21/95	Pyrene	ND		2.	µg/L	625
P-5	1/26/95	Anthracene	18		2	µg/L	625
P-5	1/26/95	Fluorene	12		2	µg/L	625
P-5	1/26/95	Pentachlorophenol	30	UJ	5	µg/L	625
P-5	3/17/95	ALL ANALYTES	ND			µg/L	625
P-5	12/27/95	1,2,4-Trichlorobenzene	ND		2.	µg/L	625
P-5	12/27/95	1,2-Dichlorobenzene	ND		2.	µg/L	625
P-5	12/27/95	1,2-Diphenylhydrazine	ND		2.	µg/L	625
P-5	12/27/95	1,3-Dichlorobenzene	ND		2.	µg/L	625
P-5	12/27/95	1,4-Dichlorobenzene	ND		2.	µg/L	625
P-5	12/27/95	2,4,5-Trichlorophenol	ND		5.	µg/L	625
P-5	12/27/95	2,4,6-Trichlorophenol	ND		5.	µg/L	625
P-5	12/27/95	2,4-Dichlorophenol	ND		2.	µg/L	625
P-5	12/27/95	2,4-Dimethylphenol	ND		2.	µg/L	625
P-5	12/27/95	2,4-Dinitrophenol	ND		10.	µg/L	625
P-5	12/27/95	2,4-Dinitrotoluene	ND		2.	µg/L	625
P-5	12/27/95	2,6-Dinitrotoluene	ND		2.	µg/L	625
P-5	12/27/95	2-Chloronaphthalene	ND		2.	µg/L	625
P-5	12/27/95	2-Chlorophenol	ND		2.	µg/L	625
P-5	12/27/95	2-Methyl-4,6-dinitrophenol	ND		5.	µg/L	625
P-5	12/27/95	2-Methylnaphthalene	3		2.	µg/L	625

Table 4-10. Summary of Groundwater Analytical Results - Semi-Volatile Organic Compounds (SVOCs), Groundwater RFI Data Assessment Report, ILM Facility, Torrance, California

Sample ID	Sample Date	Analyte	Result	Flag	PQL	Units	Method
P-5	12/27/95	2-Methylphenol	ND		2.	µg/L	625
P-5	12/27/95	2-Naphthylamine	ND		20.	µg/L	625
P-5	12/27/95	2-Nitroaniline	ND		2.	µg/L	625
P-5	12/27/95	2-Nitrophenol	ND		2.	µg/L	625
P-5	12/27/95	3,3-Dichlorobenzidine	ND		5.	µg/L	625
P-5	12/27/95	3-Nitroaniline	ND		2.	µg/L	625
P-5	12/27/95	4,4-DDD	ND		2.	µg/L	625
P-5	12/27/95	4,4-DDE	ND		2.	µg/L	625
P-5	12/27/95	4,4-DDT	ND		2.	µg/L	625
P-5	12/27/95	4-Bromophenyl-phenyl-ether	ND		2.	µg/L	625
P-5	12/27/95	4-Chloro-3-methylphenol	ND		5.	µg/L	625
P-5	12/27/95	4-Chloroaniline	ND		2.	µg/L	625
P-5	12/27/95	4-Chlorophenylphenyl-ether	ND		2.	µg/L	625
P-5	12/27/95	4-Methylphenol	ND		2.	µg/L	625
P-5	12/27/95	4-Nitroaniline	ND		5.	µg/L	625
P-5	12/27/95	4-Nitrophenol	ND		5.	µg/L	625
P-5	12/27/95	Acenaphthene	3		2.	µg/L	625
P-5	12/27/95	Acenaphthylene	ND		2.	µg/L	625
P-5	12/27/95	Aldrin	ND		2.	µg/L	625
P-5	12/27/95	alpha-BHC	ND		2.	µg/L	625
P-5	12/27/95	Aniline	ND		5.	µg/L	625
P-5	12/27/95	Anthracene	ND		2.	µg/L	625
P-5	12/27/95	Benzidine	ND		20.	µg/L	625
P-5	12/27/95	Benzo-(a)-anthracene	ND		2.	µg/L	625
P-5	12/27/95	Benzo-(a)-pyrene	ND		2.	µg/L	625
P-5	12/27/95	Benzo-(b)-fluoranthene	ND		2.	µg/L	625
P-5	12/27/95	Benzo-(ghi)-perylene	ND		2.	µg/L	625
P-5	12/27/95	Benzo-(k)-fluoranthene	ND		2.	µg/L	625
P-5	12/27/95	Benzoic acid	ND		5.	µg/L	625
P-5	12/27/95	Benzyl-butyl-phthalate	ND		2.	µg/L	625
P-5	12/27/95	Benzylalcohol	ND		2.	µg/L	625
P-5	12/27/95	beta-BHC	ND		2.	µg/L	625
P-5	12/27/95	bis-2-chloroethoxy-methane	ND		2.	µg/L	625
P-5	12/27/95	bis-2-chloroethyl-ether	ND		2.	µg/L	625
P-5	12/27/95	bis-2-chloroisopropyl-ether	ND		2.	µg/L	625
P-5	12/27/95	bis-2-ethylhexyl-phthalate	8		5.	µg/L	625
P-5	12/27/95	Chrysene	ND		2.	µg/L	625
P-5	12/27/95	delta-BHC	ND		2.	µg/L	625
P-5	12/27/95	Di-n-butyl-phthalate	ND		2.	µg/L	625
P-5	12/27/95	Di-n-octylphthalate	ND		2.	µg/L	625
P-5	12/27/95	Dibenzo-(ah)-anthracene	ND		2.	µg/L	625
P-5	12/27/95	Dibenzofuran	ND		2.	µg/L	625
P-5	12/27/95	Dieldrin	ND		2.	µg/L	625
P-5	12/27/95	Diethyl-phthalate	ND		2.	µg/L	625
P-5	12/27/95	Dimethyl-phthalate	ND		2.	µg/L	625
P-5	12/27/95	Endosulfan I	ND		2.	µg/L	625
P-5	12/27/95	Endosulfan II	ND		2.	µg/L	625
P-5	12/27/95	Endosulfan Sulfate	ND		2.	µg/L	625
P-5	12/27/95	Endrin	ND		2.	µg/L	625

Table 4-10. Summary of Groundwater Analytical Results - Semi-Volatile Organic Compounds (SVOCs), Groundwater RFI Data Assessment Report, ILM Facility, Torrance, California

Sample ID	Sample Date	Analyte	Result	Flag	PQL	Units	Method
P-3	12/20/95	beta-BHC	ND		2.	µg/L	625
P-3	12/20/95	bis-2-chloroethoxy-methane	ND		2.	µg/L	625
P-3	12/20/95	bis-2-chloroethyl-ether	ND		2.	µg/L	625
P-3	12/20/95	bis-2-chloroisopropyl-ether	ND		2.	µg/L	625
P-3	12/20/95	bis-2-ethylhexyl-phthalate	ND		5.	µg/L	625
P-3	12/20/95	Chrysene	ND		2.	µg/L	625
P-3	12/20/95	delta-BHC	ND		2.	µg/L	625
P-3	12/20/95	Di-n-butyl-phthalate	ND		2.	µg/L	625
P-3	12/20/95	Di-n-octylphthalate	ND		2.	µg/L	625
P-3	12/20/95	Dibenzo-(ah)-anthracene	ND		2.	µg/L	625
P-3	12/20/95	Dibenzofuran	ND		2.	µg/L	625
P-3	12/20/95	Dieldrin	ND		2.	µg/L	625
P-3	12/20/95	Diethyl-phthalate	ND		2.	µg/L	625
P-3	12/20/95	Dimethyl-phthalate	ND		2.	µg/L	625
P-3	12/20/95	Endosulfan I	ND		2.	µg/L	625
P-3	12/20/95	Endosulfan II	ND		2.	µg/L	625
P-3	12/20/95	Endosulfan Sulfate	ND		2.	µg/L	625
P-3	12/20/95	Endrin	ND		2.	µg/L	625
P-3	12/20/95	Endrin Aldehyde	ND		2.	µg/L	625
P-3	12/20/95	Fluoranthene	ND		2.	µg/L	625
P-3	12/20/95	Fluorene	ND		2.	µg/L	625
P-3	12/20/95	gamma-BHC	ND		2.	µg/L	625
P-3	12/20/95	Heptachlor	ND		2.	µg/L	625
P-3	12/20/95	Heptachlor epoxide	ND		2.	µg/L	625
P-3	12/20/95	Hexachlorobenzene	ND		2.	µg/L	625
P-3	12/20/95	Hexachlorobutadiene	ND		2.	µg/L	625
P-3	12/20/95	Hexachlorocyclopentadiene	ND		2.	µg/L	625
P-3	12/20/95	Hexachloroethane	ND		2.	µg/L	625
P-3	12/20/95	Indeno-1,2,3-cd-pyrene	ND		2.	µg/L	625
P-3	12/20/95	Isophorone	ND		2.	µg/L	625
P-3	12/20/95	N-nitrosodi-n-propylamine	ND		2.	µg/L	625
P-3	12/20/95	N-Nitrosodimethylamine	ND		2.	µg/L	625
P-3	12/20/95	N-Nitrosodiphenylamine	ND		2.	µg/L	625
P-3	12/20/95	Naphthalene	ND		2.	µg/L	625
P-3	12/20/95	Nitrobenzene	ND		2.	µg/L	625
P-3	12/20/95	Pentachlorophenol	ND		5.	µg/L	625
P-3	12/20/95	Phenanthrene	ND		2.	µg/L	625
P-3	12/20/95	Phenol	ND		2.	µg/L	625
P-3	12/20/95	Pyrene	ND		2.	µg/L	625
P-4	1/26/95	ALL ANALYTES	ND			µg/L	625
P-4	3/17/95	ALL ANALYTES	ND			µg/L	625
P-4	12/21/95	1,2,4-Trichlorobenzene	ND		2.	µg/L	625
P-4	12/21/95	1,2-Dichlorobenzene	ND		2.	µg/L	625
P-4	12/21/95	1,2-Diphenylhydrazine	ND		2.	µg/L	625
P-4	12/21/95	1,3-Dichlorobenzene	ND		2.	µg/L	625
P-4	12/21/95	1,4-Dichlorobenzene	ND		2.	µg/L	625
P-4	12/21/95	2,4,5-Trichlorophenol	ND		5.	µg/L	625
P-4	12/21/95	2,4,6-Trichlorophenol	ND		5.	µg/L	625
P-4	12/21/95	2,4-Dichlorophenol	ND		2.	µg/L	625

Table 4-10. Summary of Groundwater Analytical Results - Semi-Volatile Organic Compounds (SVOCs), Groundwater RFI Data Assessment Report, ILM Facility, Torrance, California

Sample ID	Sample Date	Analyte	Result	Flag	PQL	Units	Method
P-4	12/21/95	2,4-Dimethylphenol	ND		2.	µg/L	625
P-4	12/21/95	2,4-Dinitrophenol	ND		10.	µg/L	625
P-4	12/21/95	2,4-Dinitrotoluene	ND		2.	µg/L	625
P-4	12/21/95	2,6-Dinitrotoluene	ND		2.	µg/L	625
P-4	12/21/95	2-Chloronaphthalene	ND		2.	µg/L	625
P-4	12/21/95	2-Chlorophenol	ND		2.	µg/L	625
P-4	12/21/95	2-Methyl-4,6-dinitrophenol	ND		5.	µg/L	625
P-4	12/21/95	2-Methylnaphthalene	ND		2.	µg/L	625
P-4	12/21/95	2-Methylphenol	ND		2.	µg/L	625
P-4	12/21/95	2-Naphthylamine	ND		20.	µg/L	625
P-4	12/21/95	2-Nitroaniline	ND		2.	µg/L	625
P-4	12/21/95	2-Nitrophenol	ND		2.	µg/L	625
P-4	12/21/95	3,3-Dichlorobenzidine	ND		5.	µg/L	625
P-4	12/21/95	3-Nitroaniline	ND		2.	µg/L	625
P-4	12/21/95	4,4-DDD	ND		2.	µg/L	625
P-4	12/21/95	4,4-DDE	ND		2.	µg/L	625
P-4	12/21/95	4,4-DDT	ND		2.	µg/L	625
P-4	12/21/95	4-Bromophenyl-phenyl-ether	ND		2.	µg/L	625
P-4	12/21/95	4-Chloro-3-methylphenol	ND		5.	µg/L	625
P-4	12/21/95	4-Chloroaniline	ND		2.	µg/L	625
P-4	12/21/95	4-Chlorophenylphenyl-ether	ND		2.	µg/L	625
P-4	12/21/95	4-Methylphenol	ND		2.	µg/L	625
P-4	12/21/95	4-Nitroaniline	ND		5.	µg/L	625
P-4	12/21/95	4-Nitrophenol	ND		5.	µg/L	625
P-4	12/21/95	Acenaphthene	ND		2.	µg/L	625
P-4	12/21/95	Acenaphthylene	ND		2.	µg/L	625
P-4	12/21/95	Aldrin	ND		2.	µg/L	625
P-4	12/21/95	alpha-BHC	ND		2.	µg/L	625
P-4	12/21/95	Aniline	ND		5.	µg/L	625
P-4	12/21/95	Anthracene	ND		2.	µg/L	625
P-4	12/21/95	Benzidine	ND		20.	µg/L	625
P-4	12/21/95	Benzo-(a)-anthracene	ND		2.	µg/L	625
P-4	12/21/95	Benzo-(a)-pyrene	ND		2.	µg/L	625
P-4	12/21/95	Benzo-(b)-fluoranthene	ND		2.	µg/L	625
P-4	12/21/95	Benzo-(ghi)-perylene	ND		2.	µg/L	625
P-4	12/21/95	Benzo-(k)-fluoranthene	ND		2.	µg/L	625
P-4	12/21/95	Benzoic acid	ND		5.	µg/L	625
P-4	12/21/95	Benzyl-butyl-phthalate	ND		2.	µg/L	625
P-4	12/21/95	Benzylalcohol	ND		2.	µg/L	625
P-4	12/21/95	beta-BHC	ND		2.	µg/L	625
P-4	12/21/95	bis-2-chloroethoxy-methane	ND		2.	µg/L	625
P-4	12/21/95	bis-2-chloroethyl-ether	ND		2.	µg/L	625
P-4	12/21/95	bis-2-chloroisopropyl-ether	ND		2.	µg/L	625
P-4	12/21/95	bis-2-ethylhexyl-phthalate	ND		5.	µg/L	625
P-4	12/21/95	Chrysene	ND		2.	µg/L	625
P-4	12/21/95	delta-BHC	ND		2.	µg/L	625
P-4	12/21/95	Di-n-butyl-phthalate	ND		2.	µg/L	625
P-4	12/21/95	Di-n-octylphthalate	ND		2.	µg/L	625
P-4	12/21/95	Dibenzo-(ah)-anthracene	ND		2.	µg/L	625

Table 4-10. Summary of Groundwater Analytical Results - Semi-Volatile Organic Compounds (SVOCs), Groundwater RFI Data Assessment Report, ILM Facility, Torrance, California

Sample ID	Sample Date	Analyte	Result	Flag	PQL	Units	Method
P-25	12/26/95	Anthracene	ND		2.	µg/L	625
P-25	12/26/95	Benzidine	ND		20.	µg/L	625
P-25	12/26/95	Benzo-(a)-anthracene	ND		2.	µg/L	625
P-25	12/26/95	Benzo-(a)-pyrene	ND		2.	µg/L	625
P-25	12/26/95	Benzo-(b)-fluoranthene	ND		2.	µg/L	625
P-25	12/26/95	Benzo-(ghi)-perylene	ND		2.	µg/L	625
P-25	12/26/95	Benzo-(k)-fluoranthene	ND		2.	µg/L	625
P-25	12/26/95	Benzoic acid	ND		5.	µg/L	625
P-25	12/26/95	Benzyl-butyl-phthalate	ND		2.	µg/L	625
P-25	12/26/95	Benzylalcohol	ND		2.	µg/L	625
P-25	12/26/95	beta-BHC	ND		2.	µg/L	625
P-25	12/26/95	bis-2-chloroethoxy-methane	ND		2.	µg/L	625
P-25	12/26/95	bis-2-chloroethyl-ether	ND		2.	µg/L	625
P-25	12/26/95	bis-2-chloroisopropyl-ether	ND		2.	µg/L	625
P-25	12/26/95	bis-2-ethylhexyl-phthalate	ND		5.	µg/L	625
P-25	12/26/95	Chrysene	ND		2.	µg/L	625
P-25	12/26/95	delta-BHC	ND		2.	µg/L	625
P-25	12/26/95	Di-n-butyl-phthalate	ND		2.	µg/L	625
P-25	12/26/95	Di-n-octylphthalate	ND		2.	µg/L	625
P-25	12/26/95	Dibenzo-(ah)-anthracene	ND		2.	µg/L	625
P-25	12/26/95	Dibenzofuran	ND		2.	µg/L	625
P-25	12/26/95	Dieldrin	ND		2.	µg/L	625
P-25	12/26/95	Diethyl-phthalate	ND		2.	µg/L	625
P-25	12/26/95	Dimethyl-phthalate	ND		2.	µg/L	625
P-25	12/26/95	Endosulfan I	ND		2.	µg/L	625
P-25	12/26/95	Endosulfan II	ND		2.	µg/L	625
P-25	12/26/95	Endosulfan Sulfate	ND		2.	µg/L	625
P-25	12/26/95	Endrin	ND		2.	µg/L	625
P-25	12/26/95	Endrin Aldehyde	ND		2.	µg/L	625
P-25	12/26/95	Fluoranthene	ND		2.	µg/L	625
P-25	12/26/95	Fluorene	ND		2.	µg/L	625
P-25	12/26/95	gamma-BHC	ND		2.	µg/L	625
P-25	12/26/95	Heptachlor	ND		2.	µg/L	625
P-25	12/26/95	Heptachlor epoxide	ND		2.	µg/L	625
P-25	12/26/95	Hexachlorobenzene	ND		2.	µg/L	625
P-25	12/26/95	Hexachlorobutadiene	ND		2.	µg/L	625
P-25	12/26/95	Hexachlorocyclopentadiene	ND		2.	µg/L	625
P-25	12/26/95	Hexachloroethane	ND		2.	µg/L	625
P-25	12/26/95	Indeno-1,2,3-cd-pyrene	ND		2.	µg/L	625
P-25	12/26/95	Isophorone	ND		2.	µg/L	625
P-25	12/26/95	N-nitrosodi-n-propylamine	ND		2.	µg/L	625
P-25	12/26/95	N-Nitrosodimethylamine	ND		2.	µg/L	625
P-25	12/26/95	N-Nitrosodiphenylamine	ND		2.	µg/L	625
P-25	12/26/95	Naphthalene	ND		2.	µg/L	625
P-25	12/26/95	Nitrobenzene	ND		2.	µg/L	625
P-25	12/26/95	Pentachlorophenol	ND		5.	µg/L	625
P-25	12/26/95	Phenanthrene	ND		2.	µg/L	625
P-25	12/26/95	Phenol	ND		2.	µg/L	625
P-25	12/26/95	Pyrene	ND		2.	µg/L	625

BOE-C6-0101826

Table 4-10. Summary of Groundwater Analytical Results - Semi-Volatile Organic Compounds (SVOCs), Groundwater RFI Data Assessment Report, ILM Facility, Torrance, California

Sample ID	Sample Date	Analyte	Result	Flag	PQL	Units	Method
P-3	1/24/95	ALL ANALYTES	ND			µg/L	625
P-3	3/17/95	ALL ANALYTES	ND			µg/L	625
P-3	12/20/95	1,2,4-Trichlorobenzene	ND		2.	µg/L	625
P-3	12/20/95	1,2-Dichlorobenzene	ND		2.	µg/L	625
P-3	12/20/95	1,2-Diphenylhydrazine	ND		2.	µg/L	625
P-3	12/20/95	1,3-Dichlorobenzene	ND		2.	µg/L	625
P-3	12/20/95	1,4-Dichlorobenzene	ND		2.	µg/L	625
P-3	12/20/95	2,4,5-Trichlorophenol	ND		5.	µg/L	625
P-3	12/20/95	2,4,6-Trichlorophenol	ND		5.	µg/L	625
P-3	12/20/95	2,4-Dichlorophenol	ND		2.	µg/L	625
P-3	12/20/95	2,4-Dimethylphenol	ND		2.	µg/L	625
P-3	12/20/95	2,4-Dinitrophenol	ND		10.	µg/L	625
P-3	12/20/95	2,4-Dinitrotoluene	ND		2.	µg/L	625
P-3	12/20/95	2,6-Dinitrotoluene	ND		2.	µg/L	625
P-3	12/20/95	2-Chloronaphthalene	ND		2.	µg/L	625
P-3	12/20/95	2-Chlorophenol	ND		2.	µg/L	625
P-3	12/20/95	2-Methyl-4,6-dinitrophenol	ND		5.	µg/L	625
P-3	12/20/95	2-Methylnaphthalene	ND		2.	µg/L	625
P-3	12/20/95	2-Methylphenol	ND		2.	µg/L	625
P-3	12/20/95	2-Naphthylamine	ND		20.	µg/L	625
P-3	12/20/95	2-Nitroaniline	ND		2.	µg/L	625
P-3	12/20/95	2-Nitrophenol	ND		2.	µg/L	625
P-3	12/20/95	3,3-Dichlorobenzidine	ND		5.	µg/L	625
P-3	12/20/95	3-Nitroaniline	ND		2.	µg/L	625
P-3	12/20/95	4,4-DDD	ND		2.	µg/L	625
P-3	12/20/95	4,4-DDE	ND		2.	µg/L	625
P-3	12/20/95	4,4-DDT	ND		2.	µg/L	625
P-3	12/20/95	4-Bromophenyl-phenyl-ether	ND		2.	µg/L	625
P-3	12/20/95	4-Chloro-3-methylphenol	ND		5.	µg/L	625
P-3	12/20/95	4-Chloroaniline	ND		2.	µg/L	625
P-3	12/20/95	4-Chlorophenylphenyl-ether	ND		2.	µg/L	625
P-3	12/20/95	4-Methylphenol	ND		2.	µg/L	625
P-3	12/20/95	4-Nitroaniline	ND		5.	µg/L	625
P-3	12/20/95	4-Nitrophenol	ND		5.	µg/L	625
P-3	12/20/95	Acenaphthene	ND		2.	µg/L	625
P-3	12/20/95	Acenaphthylene	ND		2.	µg/L	625
P-3	12/20/95	Aldrin	ND		2.	µg/L	625
P-3	12/20/95	alpha-BHC	ND		2.	µg/L	625
P-3	12/20/95	Aniline	ND		5.	µg/L	625
P-3	12/20/95	Anthracene	ND		2.	µg/L	625
P-3	12/20/95	Benzidine	ND		20.	µg/L	625
P-3	12/20/95	Benzo-(a)-anthracene	ND		2.	µg/L	625
P-3	12/20/95	Benzo-(a)-pyrene	ND		2.	µg/L	625
P-3	12/20/95	Benzo-(b)-fluoranthene	ND		2.	µg/L	625
P-3	12/20/95	Benzo-(ghi)-perylene	ND		2.	µg/L	625
P-3	12/20/95	Benzo-(k)-fluoranthene	ND		2.	µg/L	625
P-3	12/20/95	Benzoic acid	ND		5.	µg/L	625
P-3	12/20/95	Benzyl-butyl-phthalate	ND		2.	µg/L	625
P-3	12/20/95	Benzylalcohol	ND		2.	µg/L	625

Table 4-10. Summary of Groundwater Analytical Results - Semi-Volatile Organic Compounds (SVOCs), Groundwater RFI Data Assessment Report, ILM Facility, Torrance, California

Sample ID	Sample Date	Analyte	Result	Flag	PQL	Units	Method
P-24	12/20/95	4-Bromophenyl-phenyl-ether	ND		2.	µg/L	625
P-24	12/20/95	4-Chloro-3-methylphenol	ND		5.	µg/L	625
P-24	12/20/95	4-Chloroaniline	ND		2.	µg/L	625
P-24	12/20/95	4-Chlorophenylphenyl-ether	ND		2.	µg/L	625
P-24	12/20/95	4-Methylphenol	ND		2.	µg/L	625
P-24	12/20/95	4-Nitroaniline	ND		5.	µg/L	625
P-24	12/20/95	4-Nitrophenol	ND		5.	µg/L	625
P-24	12/20/95	Acenaphthene	ND		2.	µg/L	625
P-24	12/20/95	Acenaphthylene	ND		2.	µg/L	625
P-24	12/20/95	Aldrin	ND		2.	µg/L	625
P-24	12/20/95	alpha-BHC	ND		2.	µg/L	625
P-24	12/20/95	Aniline	ND		5.	µg/L	625
P-24	12/20/95	Anthracene	ND		2.	µg/L	625
P-24	12/20/95	Benzidine	ND		20.	µg/L	625
P-24	12/20/95	Benzo-(a)-anthracene	ND		2.	µg/L	625
P-24	12/20/95	Benzo-(a)-pyrene	ND		2.	µg/L	625
P-24	12/20/95	Benzo-(b)-fluoranthene	ND		2.	µg/L	625
P-24	12/20/95	Benzo-(ghi)-perylene	ND		2.	µg/L	625
P-24	12/20/95	Benzo-(k)-fluoranthene	ND		2.	µg/L	625
P-24	12/20/95	Benzoic acid	ND		5.	µg/L	625
P-24	12/20/95	Benzyl-butyl-phthalate	ND		2.	µg/L	625
P-24	12/20/95	Benzylalcohol	5		2.	µg/L	625
P-24	12/20/95	beta-BHC	ND		2.	µg/L	625
P-24	12/20/95	bis-2-chloroethoxy-methane	ND		2.	µg/L	625
P-24	12/20/95	bis-2-chloroethyl-ether	ND		2.	µg/L	625
P-24	12/20/95	bis-2-chloroisopropyl-ether	ND		2.	µg/L	625
P-24	12/20/95	bis-2-ethylhexyl-phthalate	ND		5.	µg/L	625
P-24	12/20/95	Chrysene	ND		2.	µg/L	625
P-24	12/20/95	delta-BHC	ND		2.	µg/L	625
P-24	12/20/95	Di-n-butyl-phthalate	ND		2.	µg/L	625
P-24	12/20/95	Di-n-octylphthalate	ND		2.	µg/L	625
P-24	12/20/95	Dibenzo-(ah)-anthracene	ND		2.	µg/L	625
P-24	12/20/95	Dibenzofuran	ND		2.	µg/L	625
P-24	12/20/95	Dieldrin	ND		2.	µg/L	625
P-24	12/20/95	Diethyl-phthalate	ND		2.	µg/L	625
P-24	12/20/95	Dimethyl-phthalate	ND		2.	µg/L	625
P-24	12/20/95	Endosulfan I	ND		2.	µg/L	625
P-24	12/20/95	Endosulfan II	ND		2.	µg/L	625
P-24	12/20/95	Endosulfan Sulfate	ND		2.	µg/L	625
P-24	12/20/95	Endrin	ND		2.	µg/L	625
P-24	12/20/95	Endrin Aldehyde	ND		2.	µg/L	625
P-24	12/20/95	Fluoranthene	ND		2.	µg/L	625
P-24	12/20/95	Fluorene	ND		2.	µg/L	625
P-24	12/20/95	gamma-BHC	ND		2.	µg/L	625
P-24	12/20/95	Heptachlor	ND		2.	µg/L	625
P-24	12/20/95	Heptachlor epoxide	ND		2.	µg/L	625
P-24	12/20/95	Hexachlorobenzene	ND		2.	µg/L	625
P-24	12/20/95	Hexachlorobutadiene	ND		2.	µg/L	625
P-24	12/20/95	Hexachlorocyclopentadiene	ND		2.	µg/L	625

Table 4-10. Summary of Groundwater Analytical Results - Semi-Volatile Organic Compounds (SVOCs), Groundwater RFI Data Assessment Report, ILM Facility, Torrance, California

Sample ID	Sample Date	Analyte	Result	Flag	PQL	Units	Method
P-24	12/20/95	Hexachloroethane	ND		2.	µg/L	625
P-24	12/20/95	Indeno-1,2,3-cd-pyrene	ND		2.	µg/L	625
P-24	12/20/95	Isophorone	ND		2.	µg/L	625
P-24	12/20/95	N-nitrosodi-n-propylamine	ND		2.	µg/L	625
P-24	12/20/95	N-Nitrosodimethylamine	ND		2.	µg/L	625
P-24	12/20/95	N-Nitrosodiphenylamine	ND		2.	µg/L	625
P-24	12/20/95	Naphthalene	6		2.	µg/L	625
P-24	12/20/95	Nitrobenzene	ND		2.	µg/L	625
P-24	12/20/95	Pentachlorophenol	ND		5.	µg/L	625
P-24	12/20/95	Phenanthrene	ND		2.	µg/L	625
P-24	12/20/95	Phenol	ND		2.	µg/L	625
P-24	12/20/95	Pyrene	ND		2.	µg/L	625
P-25	12/26/95	1,2,4-Trichlorobenzene	ND		2.	µg/L	625
P-25	12/26/95	1,2-Dichlorobenzene	ND		2.	µg/L	625
P-25	12/26/95	1,2-Diphenylhydrazine	ND		2.	µg/L	625
P-25	12/26/95	1,3-Dichlorobenzene	ND		2.	µg/L	625
P-25	12/26/95	1,4-Dichlorobenzene	ND		2.	µg/L	625
P-25	12/26/95	2,4,5-Trichlorophenol	ND		5.	µg/L	625
P-25	12/26/95	2,4,6-Trichlorophenol	ND		5.	µg/L	625
P-25	12/26/95	2,4-Dichlorophenol	ND		2.	µg/L	625
P-25	12/26/95	2,4-Dimethylphenol	ND		2.	µg/L	625
P-25	12/26/95	2,4-Dinitrophenol	ND		10.	µg/L	625
P-25	12/26/95	2,4-Dinitrotoluene	ND		2.	µg/L	625
P-25	12/26/95	2,6-Dinitrotoluene	ND		2.	µg/L	625
P-25	12/26/95	2-Chloronaphthalene	ND		2.	µg/L	625
P-25	12/26/95	2-Chlorophenol	ND		2.	µg/L	625
P-25	12/26/95	2-Methyl-4,6-dinitrophenol	ND		5.	µg/L	625
P-25	12/26/95	2-Methylnaphthalene	ND		2.	µg/L	625
P-25	12/26/95	2-Methylphenol	ND		2.	µg/L	625
P-25	12/26/95	2-Naphthylamine	ND		20.	µg/L	625
P-25	12/26/95	2-Nitroaniline	ND		2.	µg/L	625
P-25	12/26/95	2-Nitrophenol	ND		2.	µg/L	625
P-25	12/26/95	3,3-Dichlorobenzidine	ND		5.	µg/L	625
P-25	12/26/95	3-Nitroaniline	ND		2.	µg/L	625
P-25	12/26/95	4,4-DDD	ND		2.	µg/L	625
P-25	12/26/95	4,4-DDE	ND		2.	µg/L	625
P-25	12/26/95	4,4-DDT	ND		2.	µg/L	625
P-25	12/26/95	4-Bromophenyl-phenyl-ether	ND		2.	µg/L	625
P-25	12/26/95	4-Chloro-3-methylphenol	ND		5.	µg/L	625
P-25	12/26/95	4-Chloroaniline	ND		2.	µg/L	625
P-25	12/26/95	4-Chlorophenylphenyl-ether	ND		2.	µg/L	625
P-25	12/26/95	4-Methylphenol	ND		2.	µg/L	625
P-25	12/26/95	4-Nitroaniline	ND		5.	µg/L	625
P-25	12/26/95	4-Nitrophenol	ND		5.	µg/L	625
P-25	12/26/95	Acenaphthene	ND		2.	µg/L	625
P-25	12/26/95	Acenaphthylene	ND		2.	µg/L	625
P-25	12/26/95	Aldrin	ND		2.	µg/L	625
P-25	12/26/95	alpha-BHC	ND		2.	µg/L	625
P-25	12/26/95	Aniline	ND		5.	µg/L	625

Table 4-10. Summary of Groundwater Analytical Results - Semi-Volatile Organic Compounds (SVOCs), Groundwater RFI Data Assessment Report, ILM Facility, Torrance, California

Sample ID	Sample Date	Analyte	Result	Flag	PQL	Units	Method
P-23	12/20/95	2-Chlorophenol	ND		2.	µg/L	625
P-23	12/20/95	2-Methyl-4,6-dinitrophenol	ND		5.	µg/L	625
P-23	12/20/95	2-Methylnaphthalene	ND		2.	µg/L	625
P-23	12/20/95	2-Methylphenol	ND		2.	µg/L	625
P-23	12/20/95	2-Naphthylamine	ND		20.	µg/L	625
P-23	12/20/95	2-Nitroaniline	ND		2.	µg/L	625
P-23	12/20/95	2-Nitrophenol	ND		2.	µg/L	625
P-23	12/20/95	3,3-Dichlorobenzidine	ND		5.	µg/L	625
P-23	12/20/95	3-Nitroaniline	ND		2.	µg/L	625
P-23	12/20/95	4,4-DDD	ND		2.	µg/L	625
P-23	12/20/95	4,4-DDE	ND		2.	µg/L	625
P-23	12/20/95	4,4-DDT	ND		2.	µg/L	625
P-23	12/20/95	4-Bromophenyl-phenyl-ether	ND		2.	µg/L	625
P-23	12/20/95	4-Chloro-3-methylphenol	ND		5.	µg/L	625
P-23	12/20/95	4-Chloroaniline	ND		2.	µg/L	625
P-23	12/20/95	4-Chlorophenylphenyl-ether	ND		2.	µg/L	625
P-23	12/20/95	4-Methylphenol	ND		2.	µg/L	625
P-23	12/20/95	4-Nitroaniline	ND		5.	µg/L	625
P-23	12/20/95	4-Nitrophenol	ND		5.	µg/L	625
P-23	12/20/95	Acenaphthene	ND		2.	µg/L	625
P-23	12/20/95	Acenaphthylene	ND		2.	µg/L	625
P-23	12/20/95	Aldrin	ND		2.	µg/L	625
P-23	12/20/95	alpha-BHC	ND		2.	µg/L	625
P-23	12/20/95	Aniline	ND		5.	µg/L	625
P-23	12/20/95	Anthracene	ND		2.	µg/L	625
P-23	12/20/95	Benzidine	ND		20.	µg/L	625
P-23	12/20/95	Benzo-(a)-anthracene	ND		2.	µg/L	625
P-23	12/20/95	Benzo-(a)-pyrene	ND		2.	µg/L	625
P-23	12/20/95	Benzo-(b)-fluoranthene	ND		2.	µg/L	625
P-23	12/20/95	Benzo-(ghi)-perylene	ND		2.	µg/L	625
P-23	12/20/95	Benzo-(k)-fluoranthene	ND		2.	µg/L	625
P-23	12/20/95	Benzoic acid	ND		5.	µg/L	625
P-23	12/20/95	Benzyl-butyl-phthalate	ND		2.	µg/L	625
P-23	12/20/95	Benzylalcohol	ND		2.	µg/L	625
P-23	12/20/95	beta-BHC	ND		2.	µg/L	625
P-23	12/20/95	bis-2-chloroethoxy-methane	ND		2.	µg/L	625
P-23	12/20/95	bis-2-chloroethyl-ether	ND		2.	µg/L	625
P-23	12/20/95	bis-2-chloroisopropyl-ether	ND		2.	µg/L	625
P-23	12/20/95	bis-2-ethylhexyl-phthalate	ND		5.	µg/L	625
P-23	12/20/95	Chrysene	ND		2.	µg/L	625
P-23	12/20/95	delta-BHC	ND		2.	µg/L	625
P-23	12/20/95	Di-n-butyl-phthalate	ND		2.	µg/L	625
P-23	12/20/95	Di-n-octylphthalate	ND		2.	µg/L	625
P-23	12/20/95	Dibenzo-(ah)-anthracene	ND		2.	µg/L	625
P-23	12/20/95	Dibenzofuran	ND		2.	µg/L	625
P-23	12/20/95	Dieldrin	ND		2.	µg/L	625
P-23	12/20/95	Diethyl-phthalate	ND		2.	µg/L	625
P-23	12/20/95	Dimethyl-phthalate	ND		2.	µg/L	625
P-23	12/20/95	Endosulfan I	ND		2.	µg/L	625

Table 4-10. Summary of Groundwater Analytical Results - Semi-Volatile Organic Compounds (SVOCs), Groundwater RFI Data Assessment Report, ILM Facility, Torrance, California

Sample ID	Sample Date	Analyte	Result	Flag	PQL	Units	Method
P-23	12/20/95	Endosulfan II	ND		2.	µg/L	625
P-23	12/20/95	Endosulfan Sulfate	ND		2.	µg/L	625
P-23	12/20/95	Endrin	ND		2.	µg/L	625
P-23	12/20/95	Endrin Aldehyde	ND		2.	µg/L	625
P-23	12/20/95	Fluoranthene	ND		2.	µg/L	625
P-23	12/20/95	Fluorene	ND		2.	µg/L	625
P-23	12/20/95	gamma-BHC	ND		2.	µg/L	625
P-23	12/20/95	Heptachlor	ND		2.	µg/L	625
P-23	12/20/95	Heptachlor epoxide	ND		2.	µg/L	625
P-23	12/20/95	Hexachlorobenzene	ND		2.	µg/L	625
P-23	12/20/95	Hexachlorobutadiene	ND		2.	µg/L	625
P-23	12/20/95	Hexachlorocyclopentadiene	ND		2.	µg/L	625
P-23	12/20/95	Hexachloroethane	ND		2.	µg/L	625
P-23	12/20/95	Indeno-1,2,3-cd-pyrene	ND		2.	µg/L	625
P-23	12/20/95	Isophorone	ND		2.	µg/L	625
P-23	12/20/95	N-nitrosodi-n-propylamine	ND		2.	µg/L	625
P-23	12/20/95	N-Nitrosodimethylamine	ND		2.	µg/L	625
P-23	12/20/95	N-Nitrosodiphenylamine	ND		2.	µg/L	625
P-23	12/20/95	Naphthalene	ND		2.	µg/L	625
P-23	12/20/95	Nitrobenzene	ND		2.	µg/L	625
P-23	12/20/95	Pentachlorophenol	ND		5.	µg/L	625
P-23	12/20/95	Phenanthrene	ND		2.	µg/L	625
P-23	12/20/95	Phenol	ND		2.	µg/L	625
P-23	12/20/95	Pyrene	ND		2.	µg/L	625
P-24	12/20/95	1,2,4-Trichlorobenzene	ND		2.	µg/L	625
P-24	12/20/95	1,2-Dichlorobenzene	ND		2.	µg/L	625
P-24	12/20/95	1,2-Diphenylhydrazine	ND		2.	µg/L	625
P-24	12/20/95	1,3-Dichlorobenzene	ND		2.	µg/L	625
P-24	12/20/95	1,4-Dichlorobenzene	ND		2.	µg/L	625
P-24	12/20/95	2,4,5-Trichlorophenol	ND		5.	µg/L	625
P-24	12/20/95	2,4,6-Trichlorophenol	ND		5.	µg/L	625
P-24	12/20/95	2,4-Dichlorophenol	ND		2.	µg/L	625
P-24	12/20/95	2,4-Dimethylphenol	ND		2.	µg/L	625
P-24	12/20/95	2,4-Dinitrophenol	ND		10.	µg/L	625
P-24	12/20/95	2,4-Dinitrotoluene	ND		2.	µg/L	625
P-24	12/20/95	2,6-Dinitrotoluene	ND		2.	µg/L	625
P-24	12/20/95	2-Chloronaphthalene	ND		2.	µg/L	625
P-24	12/20/95	2-Chlorophenol	ND		2.	µg/L	625
P-24	12/20/95	2-Methyl-4,6-dinitrophenol	ND		5.	µg/L	625
P-24	12/20/95	2-Methylnaphthalene	3		2.	µg/L	625
P-24	12/20/95	2-Methylphenol	ND		2.	µg/L	625
P-24	12/20/95	2-Naphthylamine	ND		20.	µg/L	625
P-24	12/20/95	2-Nitroaniline	ND		2.	µg/L	625
P-24	12/20/95	2-Nitrophenol	ND		2.	µg/L	625
P-24	12/20/95	3,3-Dichlorobenzidine	ND		5.	µg/L	625
P-24	12/20/95	3-Nitroaniline	ND		2.	µg/L	625
P-24	12/20/95	4,4-DDD	ND		2.	µg/L	625
P-24	12/20/95	4,4-DDE	ND		2.	µg/L	625
P-24	12/20/95	4,4-DDT	ND		2.	µg/L	625

Table 4-10. Summary of Groundwater Analytical Results - Semi-Volatile Organic Compounds (SVOCs), Groundwater RFI Data Assessment Report, ILM Facility, Torrance, California

Sample ID	Sample Date	Analyte	Result	Flag	PQL	Units	Method
P-22	12/20/95	1,2-Dichlorobenzene	ND		2.	µg/L	625
P-22	12/20/95	1,2-Diphenylhydrazine	ND		2.	µg/L	625
P-22	12/20/95	1,3-Dichlorobenzene	ND		2.	µg/L	625
P-22	12/20/95	1,4-Dichlorobenzene	ND		2.	µg/L	625
P-22	12/20/95	2,4,5-Trichlorophenol	ND		5.	µg/L	625
P-22	12/20/95	2,4,6-Trichlorophenol	ND		5.	µg/L	625
P-22	12/20/95	2,4-Dichlorophenol	ND		2.	µg/L	625
P-22	12/20/95	2,4-Dimethylphenol	ND		2.	µg/L	625
P-22	12/20/95	2,4-Dinitrophenol	ND		10.	µg/L	625
P-22	12/20/95	2,4-Dinitrotoluene	ND		2.	µg/L	625
P-22	12/20/95	2,6-Dinitrotoluene	ND		2.	µg/L	625
P-22	12/20/95	2-Chloronaphthalene	ND		2.	µg/L	625
P-22	12/20/95	2-Chlorophenol	ND		2.	µg/L	625
P-22	12/20/95	2-Methyl-4,6-dinitrophenol	ND		5.	µg/L	625
P-22	12/20/95	2-Methylnaphthalene	ND		2.	µg/L	625
P-22	12/20/95	2-Methylphenol	ND		2.	µg/L	625
P-22	12/20/95	2-Naphthylamine	ND		20.	µg/L	625
P-22	12/20/95	2-Nitroaniline	ND		2.	µg/L	625
P-22	12/20/95	2-Nitrophenol	ND		2.	µg/L	625
P-22	12/20/95	3,3-Dichlorobenzidine	ND		5.	µg/L	625
P-22	12/20/95	3-Nitroaniline	ND		2.	µg/L	625
P-22	12/20/95	4,4-DDD	ND		2.	µg/L	625
P-22	12/20/95	4,4-DDE	ND		2.	µg/L	625
P-22	12/20/95	4,4-DDT	ND		2.	µg/L	625
P-22	12/20/95	4-Bromophenyl-phenyl-ether	ND		2.	µg/L	625
P-22	12/20/95	4-Chloro-3-methylphenol	ND		5.	µg/L	625
P-22	12/20/95	4-Chloroaniline	ND		2.	µg/L	625
P-22	12/20/95	4-Chlorophenylphenyl-ether	ND		2.	µg/L	625
P-22	12/20/95	4-Methylphenol	ND		2.	µg/L	625
P-22	12/20/95	4-Nitroaniline	ND		5.	µg/L	625
P-22	12/20/95	4-Nitrophenol	ND		5.	µg/L	625
P-22	12/20/95	Acenaphthene	ND		2.	µg/L	625
P-22	12/20/95	Acenaphthylene	ND		2.	µg/L	625
P-22	12/20/95	Aldrin	ND		2.	µg/L	625
P-22	12/20/95	alpha-BHC	ND		2.	µg/L	625
P-22	12/20/95	Aniline	ND		5.	µg/L	625
P-22	12/20/95	Anthracene	ND		2.	µg/L	625
P-22	12/20/95	Benzidine	ND		20.	µg/L	625
P-22	12/20/95	Benzo-(a)-anthracene	ND		2.	µg/L	625
P-22	12/20/95	Benzo-(a)-pyrene	ND		2.	µg/L	625
P-22	12/20/95	Benzo-(b)-fluoranthene	ND		2.	µg/L	625
P-22	12/20/95	Benzo-(ghi)-perylene	ND		2.	µg/L	625
P-22	12/20/95	Benzo-(k)-fluoranthene	ND		2.	µg/L	625
P-22	12/20/95	Benzoic acid	ND		5.	µg/L	625
P-22	12/20/95	Benzyl-butyl-phthalate	ND		2.	µg/L	625
P-22	12/20/95	Benzylalcohol	ND		2.	µg/L	625
P-22	12/20/95	beta-BHC	ND		2.	µg/L	625
P-22	12/20/95	bis-2-chloroethoxy-methane	ND		2.	µg/L	625
P-22	12/20/95	bis-2-chloroethyl-ether	ND		2.	µg/L	625

Table 4-10. Summary of Groundwater Analytical Results - Semi-Volatile Organic Compounds (SVOCs), Groundwater RFI Data Assessment Report, ILM Facility, Torrance, California

Sample ID	Sample Date	Analyte	Result	Flag	PQL	Units	Method
P-22	12/20/95	bis-2-chloroisopropyl-ether	ND		2.	µg/L	625
P-22	12/20/95	bis-2-ethylhexyl-phthalate	ND		5.	µg/L	625
P-22	12/20/95	Chrysene	ND		2.	µg/L	625
P-22	12/20/95	delta-BHC	ND		2.	µg/L	625
P-22	12/20/95	Di-n-butyl-phthalate	ND		2.	µg/L	625
P-22	12/20/95	Di-n-octylphthalate	ND		2.	µg/L	625
P-22	12/20/95	Dibenzo-(ah)-anthracene	ND		2.	µg/L	625
P-22	12/20/95	Dibenzofuran	ND		2.	µg/L	625
P-22	12/20/95	Dieldrin	ND		2.	µg/L	625
P-22	12/20/95	Diethyl-phthalate	ND		2.	µg/L	625
P-22	12/20/95	Dimethyl-phthalate	ND		2.	µg/L	625
P-22	12/20/95	Endosulfan I	ND		2.	µg/L	625
P-22	12/20/95	Endosulfan II	ND		2.	µg/L	625
P-22	12/20/95	Endosulfan Sulfate	ND		2.	µg/L	625
P-22	12/20/95	Endrin	ND		2.	µg/L	625
P-22	12/20/95	Endrin Aldehyde	ND		2.	µg/L	625
P-22	12/20/95	Fluoranthene	ND		2.	µg/L	625
P-22	12/20/95	Fluorene	ND		2.	µg/L	625
P-22	12/20/95	gamma-BHC	ND		2.	µg/L	625
P-22	12/20/95	Heptachlor	ND		2.	µg/L	625
P-22	12/20/95	Heptachlor epoxide	ND		2.	µg/L	625
P-22	12/20/95	Hexachlorobenzene	ND		2.	µg/L	625
P-22	12/20/95	Hexachlorobutadiene	ND		2.	µg/L	625
P-22	12/20/95	Hexachlorocyclopentadiene	ND		2.	µg/L	625
P-22	12/20/95	Hexachloroethane	ND		2.	µg/L	625
P-22	12/20/95	Indeno-1,2,3-cd-pyrene	ND		2.	µg/L	625
P-22	12/20/95	Isophorone	ND		2.	µg/L	625
P-22	12/20/95	N-nitrosodi-n-propylamine	ND		2.	µg/L	625
P-22	12/20/95	N-Nitrosodimethylamine	ND		2.	µg/L	625
P-22	12/20/95	N-Nitrosodiphenylamine	ND		2.	µg/L	625
P-22	12/20/95	Naphthalene	ND		2.	µg/L	625
P-22	12/20/95	Nitrobenzene	ND		2.	µg/L	625
P-22	12/20/95	Pentachlorophenol	ND		5.	µg/L	625
P-22	12/20/95	Phenanthrene	ND		2.	µg/L	625
P-22	12/20/95	Phenol	ND		2.	µg/L	625
P-22	12/20/95	Pyrene	ND		2.	µg/L	625
P-23	12/20/95	1,2,4-Trichlorobenzene	ND		2.	µg/L	625
P-23	12/20/95	1,2-Dichlorobenzene	ND		2.	µg/L	625
P-23	12/20/95	1,2-Diphenylhydrazine	ND		2.	µg/L	625
P-23	12/20/95	1,3-Dichlorobenzene	ND		2.	µg/L	625
P-23	12/20/95	1,4-Dichlorobenzene	ND		2.	µg/L	625
P-23	12/20/95	2,4,5-Trichlorophenol	ND		5.	µg/L	625
P-23	12/20/95	2,4,6-Trichlorophenol	ND		5.	µg/L	625
P-23	12/20/95	2,4-Dichlorophenol	ND		2.	µg/L	625
P-23	12/20/95	2,4-Dimethylphenol	ND		2.	µg/L	625
P-23	12/20/95	2,4-Dinitrophenol	ND		10.	µg/L	625
P-23	12/20/95	2,4-Dinitrotoluene	ND		2.	µg/L	625
P-23	12/20/95	2,6-Dinitrotoluene	ND		2.	µg/L	625
P-23	12/20/95	2-Chloronaphthalene	ND		2.	µg/L	625

Table 4-10. Summary of Groundwater Analytical Results - Semi-Volatile Organic Compounds (SVOCs), Groundwater RFI Data Assessment Report, ILM Facility, Torrance, California

Sample ID	Sample Date	Analyte	Result	Flag	PQL	Units	Method
P-20	12/27/95	Indeno-1,2,3-cd-pyrene	ND		2.	µg/L	625
P-20	12/27/95	Isophorone	ND		2.	µg/L	625
P-20	12/27/95	N-nitrosodi-n-propylamine	ND		2.	µg/L	625
P-20	12/27/95	N-Nitrosodimethylamine	ND		2.	µg/L	625
P-20	12/27/95	N-Nitrosodiphenylamine	ND		2.	µg/L	625
P-20	12/27/95	Naphthalene	ND		2.	µg/L	625
P-20	12/27/95	Nitrobenzene	ND		2.	µg/L	625
P-20	12/27/95	Pentachlorophenol	ND		5.	µg/L	625
P-20	12/27/95	Phenanthrene	ND		2.	µg/L	625
P-20	12/27/95	Phenol	ND		2.	µg/L	625
P-20	12/27/95	Pyrene	ND		2.	µg/L	625
P-21	12/26/95	1,2,4-Trichlorobenzene	ND		2.	µg/L	625
P-21	12/26/95	1,2-Dichlorobenzene	ND		2.	µg/L	625
P-21	12/26/95	1,2-Diphenylhydrazine	ND		2.	µg/L	625
P-21	12/26/95	1,3-Dichlorobenzene	ND		2.	µg/L	625
P-21	12/26/95	1,4-Dichlorobenzene	ND		2.	µg/L	625
P-21	12/26/95	2,4,5-Trichlorophenol	ND		5.	µg/L	625
P-21	12/26/95	2,4,6-Trichlorophenol	ND		5.	µg/L	625
P-21	12/26/95	2,4-Dichlorophenol	ND		2.	µg/L	625
P-21	12/26/95	2,4-Dimethylphenol	ND		2.	µg/L	625
P-21	12/26/95	2,4-Dinitrophenol	ND		10.	µg/L	625
P-21	12/26/95	2,4-Dinitrotoluene	ND		2.	µg/L	625
P-21	12/26/95	2,6-Dinitrotoluene	ND		2.	µg/L	625
P-21	12/26/95	2-Chloronaphthalene	ND		2.	µg/L	625
P-21	12/26/95	2-Chlorophenol	ND		2.	µg/L	625
P-21	12/26/95	2-Methyl-4,6-dinitrophenol	ND		5.	µg/L	625
P-21	12/26/95	2-Methylnaphthalene	ND		2.	µg/L	625
P-21	12/26/95	2-Methylphenol	ND		2.	µg/L	625
P-21	12/26/95	2-Naphthylamine	ND		20.	µg/L	625
P-21	12/26/95	2-Nitroaniline	ND		2.	µg/L	625
P-21	12/26/95	2-Nitrophenol	ND		2.	µg/L	625
P-21	12/26/95	3,3-Dichlorobenzidine	ND		5.	µg/L	625
P-21	12/26/95	3-Nitroaniline	ND		2.	µg/L	625
P-21	12/26/95	4,4-DDD	ND		2.	µg/L	625
P-21	12/26/95	4,4-DDE	ND		2.	µg/L	625
P-21	12/26/95	4,4-DDT	ND		2.	µg/L	625
P-21	12/26/95	4-Bromophenyl-phenyl-ether	ND		2.	µg/L	625
P-21	12/26/95	4-Chloro-3-methylphenol	ND		5.	µg/L	625
P-21	12/26/95	4-Chloroaniline	ND		2.	µg/L	625
P-21	12/26/95	4-Chlorophenylphenyl-ether	ND		2.	µg/L	625
P-21	12/26/95	4-Methylphenol	ND		2.	µg/L	625
P-21	12/26/95	4-Nitroaniline	ND		5.	µg/L	625
P-21	12/26/95	4-Nitrophenol	ND		5.	µg/L	625
P-21	12/26/95	Acenaphthene	ND		2.	µg/L	625
P-21	12/26/95	Acenaphthylene	ND		2.	µg/L	625
P-21	12/26/95	Aldrin	ND		2.	µg/L	625
P-21	12/26/95	alpha-BHC	ND		2.	µg/L	625
P-21	12/26/95	Aniline	ND		5.	µg/L	625
P-21	12/26/95	Anthracene	ND		2.	µg/L	625

Table 4-10. Summary of Groundwater Analytical Results - Semi-Volatile Organic Compounds (SVOCs), Groundwater RFI Data Assessment Report, ILM Facility, Torrance, California

Sample ID	Sample Date	Analyte	Result	Flag	PQL	Units	Method
P-21	12/26/95	Benzidine	ND		20.	µg/L	625
P-21	12/26/95	Benzo-(a)-anthracene	ND		2.	µg/L	625
P-21	12/26/95	Benzo-(a)-pyrene	ND		2.	µg/L	625
P-21	12/26/95	Benzo-(b)-fluoranthene	ND		2.	µg/L	625
P-21	12/26/95	Benzo-(ghi)-perylene	ND		2.	µg/L	625
P-21	12/26/95	Benzo-(k)-fluoranthene	ND		2.	µg/L	625
P-21	12/26/95	Benzoic acid	ND		5.	µg/L	625
P-21	12/26/95	Benzyl-butyl-phthalate	ND		2.	µg/L	625
P-21	12/26/95	Benzylalcohol	ND		2.	µg/L	625
P-21	12/26/95	beta-BHC	ND		2.	µg/L	625
P-21	12/26/95	bis-2-chloroethoxy-methane	ND		2.	µg/L	625
P-21	12/26/95	bis-2-chloroethyl-ether	ND		2.	µg/L	625
P-21	12/26/95	bis-2-chloroisopropyl-ether	ND		2.	µg/L	625
P-21	12/26/95	bis-2-ethylhexyl-phthalate	7		5.	µg/L	625
P-21	12/26/95	Chrysene	ND		2.	µg/L	625
P-21	12/26/95	delta-BHC	ND		2.	µg/L	625
P-21	12/26/95	Di-n-butyl-phthalate	ND		2.	µg/L	625
P-21	12/26/95	Di-n-octylphthalate	ND		2.	µg/L	625
P-21	12/26/95	Dibenzo-(ah)-anthracene	ND		2.	µg/L	625
P-21	12/26/95	Dibenzofuran	ND		2.	µg/L	625
P-21	12/26/95	Dieldrin	ND		2.	µg/L	625
P-21	12/26/95	Diethyl-phthalate	ND		2.	µg/L	625
P-21	12/26/95	Dimethyl-phthalate	ND		2.	µg/L	625
P-21	12/26/95	Endosulfan I	ND		2.	µg/L	625
P-21	12/26/95	Endosulfan II	ND		2.	µg/L	625
P-21	12/26/95	Endosulfan Sulfate	ND		2.	µg/L	625
P-21	12/26/95	Endrin	ND		2.	µg/L	625
P-21	12/26/95	Endrin Aldehyde	ND		2.	µg/L	625
P-21	12/26/95	Fluoranthene	ND		2.	µg/L	625
P-21	12/26/95	Fluorene	ND		2.	µg/L	625
P-21	12/26/95	gamma-BHC	ND		2.	µg/L	625
P-21	12/26/95	Heptachlor	ND		2.	µg/L	625
P-21	12/26/95	Heptachlor epoxide	ND		2.	µg/L	625
P-21	12/26/95	Hexachlorobenzene	ND		2.	µg/L	625
P-21	12/26/95	Hexachlorobutadiene	ND		2.	µg/L	625
P-21	12/26/95	Hexachlorocyclopentadiene	ND		2.	µg/L	625
P-21	12/26/95	Hexachloroethane	ND		2.	µg/L	625
P-21	12/26/95	Indeno-1,2,3-cd-pyrene	ND		2.	µg/L	625
P-21	12/26/95	Isophorone	ND		2.	µg/L	625
P-21	12/26/95	N-nitrosodi-n-propylamine	ND		2.	µg/L	625
P-21	12/26/95	N-Nitrosodimethylamine	ND		2.	µg/L	625
P-21	12/26/95	N-Nitrosodiphenylamine	ND		2.	µg/L	625
P-21	12/26/95	Naphthalene	ND		2.	µg/L	625
P-21	12/26/95	Nitrobenzene	ND		2.	µg/L	625
P-21	12/26/95	Pentachlorophenol	ND		5.	µg/L	625
P-21	12/26/95	Phenanthrene	ND		2.	µg/L	625
P-21	12/26/95	Phenol	ND		2.	µg/L	625
P-21	12/26/95	Pyrene	ND		2.	µg/L	625
P-22	12/20/95	1,2,4-Trichlorobenzene	ND		2.	µg/L	625

Table 4-10. Summary of Groundwater Analytical Results - Semi-Volatile Organic Compounds (SVOCs), Groundwater RFI Data Assessment Report, ILM Facility, Torrance, California

Sample ID	Sample Date	Analyte	Result	Flag	PQL	Units	Method
P-2	12/27/95	Endosulfan Sulfate	ND	UJ	20	µg/L	625
P-2	12/27/95	Endrin	ND	UJ	20	µg/L	625
P-2	12/27/95	Endrin Aldehyde	ND	UJ	20	µg/L	625
P-2	12/27/95	Fluoranthene	ND	UJ	20	µg/L	625
P-2	12/27/95	Fluorene	ND	UJ	20	µg/L	625
P-2	12/27/95	gamma-BHC	ND	UJ	20	µg/L	625
P-2	12/27/95	Heptachlor	ND	UJ	20	µg/L	625
P-2	12/27/95	Heptachlor epoxide	ND	UJ	20	µg/L	625
P-2	12/27/95	Hexachlorobenzene	ND	UJ	20	µg/L	625
P-2	12/27/95	Hexachlorobutadiene	ND	UJ	20	µg/L	625
P-2	12/27/95	Hexachlorocyclopentadiene	ND	UJ	20	µg/L	625
P-2	12/27/95	Hexachloroethane	ND	UJ	20	µg/L	625
P-2	12/27/95	Indeno-1,2,3-cd-pyrene	ND	UJ	20	µg/L	625
P-2	12/27/95	Isophorone	ND	UJ	20	µg/L	625
P-2	12/27/95	N-nitrosodi-n-propylamine	ND	UJ	20	µg/L	625
P-2	12/27/95	N-Nitrosodimethylamine	ND	UJ	20	µg/L	625
P-2	12/27/95	N-Nitrosodiphenylamine	ND	UJ	20	µg/L	625
P-2	12/27/95	Naphthalene	ND	UJ	20	µg/L	625
P-2	12/27/95	Nitrobenzene	ND	UJ	20	µg/L	625
P-2	12/27/95	Pentachlorophenol	ND	UJ	50	µg/L	625
P-2	12/27/95	Phenanthrene	ND	UJ	20	µg/L	625
P-2	12/27/95	Phenol	ND	UJ	20	µg/L	625
P-2	12/27/95	Pyrene	ND	UJ	20	µg/L	625
P-20	12/27/95	1,2,4-Trichlorobenzene	ND		2.	µg/L	625
P-20	12/27/95	1,2-Dichlorobenzene	ND		2.	µg/L	625
P-20	12/27/95	1,2-Diphenylhydrazine	ND		2.	µg/L	625
P-20	12/27/95	1,3-Dichlorobenzene	ND		2.	µg/L	625
P-20	12/27/95	1,4-Dichlorobenzene	ND		2.	µg/L	625
P-20	12/27/95	2,4,5-Trichlorophenol	ND		5.	µg/L	625
P-20	12/27/95	2,4,6-Trichlorophenol	ND		5.	µg/L	625
P-20	12/27/95	2,4-Dichlorophenol	ND		2.	µg/L	625
P-20	12/27/95	2,4-Dimethylphenol	ND		2.	µg/L	625
P-20	12/27/95	2,4-Dinitrophenol	ND		10.	µg/L	625
P-20	12/27/95	2,4-Dinitrotoluene	ND		2.	µg/L	625
P-20	12/27/95	2,6-Dinitrotoluene	ND		2.	µg/L	625
P-20	12/27/95	2-Chloronaphthalene	ND		2.	µg/L	625
P-20	12/27/95	2-Chlorophenol	ND		2.	µg/L	625
P-20	12/27/95	2-Methyl-4,6-dinitrophenol	ND		5.	µg/L	625
P-20	12/27/95	2-Methylnaphthalene	ND		2.	µg/L	625
P-20	12/27/95	2-Methylphenol	ND		2.	µg/L	625
P-20	12/27/95	2-Naphthylamine	ND		20.	µg/L	625
P-20	12/27/95	2-Nitroaniline	ND		2.	µg/L	625
P-20	12/27/95	2-Nitrophenol	ND		2.	µg/L	625
P-20	12/27/95	3,3-Dichlorobenzidine	ND		5.	µg/L	625
P-20	12/27/95	3-Nitroaniline	ND		2.	µg/L	625
P-20	12/27/95	4,4-DDD	ND		2.	µg/L	625
P-20	12/27/95	4,4-DDE	ND		2.	µg/L	625
P-20	12/27/95	4,4-DDT	ND		2.	µg/L	625
P-20	12/27/95	4-Bromophenyl-phenyl-ether	ND		2.	µg/L	625

Table 4-10. Summary of Groundwater Analytical Results - Semi-Volatile Organic Compounds (SVOCs), Groundwater RFI Data Assessment Report, ILM Facility, Torrance, California

Sample ID	Sample Date	Analyte	Result	Flag	PQL	Units	Method
P-20	12/27/95	4-Chloro-3-methylphenol	ND		5.	µg/L	625
P-20	12/27/95	4-Chloroaniline	ND		2.	µg/L	625
P-20	12/27/95	4-Chlorophenylphenyl-ether	ND		2.	µg/L	625
P-20	12/27/95	4-Methylphenol	ND		2.	µg/L	625
P-20	12/27/95	4-Nitroaniline	ND		5.	µg/L	625
P-20	12/27/95	4-Nitrophenol	ND		5.	µg/L	625
P-20	12/27/95	Acenaphthene	ND		2.	µg/L	625
P-20	12/27/95	Acenaphthylene	ND		2.	µg/L	625
P-20	12/27/95	Aldrin	ND		2.	µg/L	625
P-20	12/27/95	alpha-BHC	ND		2.	µg/L	625
P-20	12/27/95	Aniline	ND		5.	µg/L	625
P-20	12/27/95	Anthracene	ND		2.	µg/L	625
P-20	12/27/95	Benzidine	ND		20.	µg/L	625
P-20	12/27/95	Benzo-(a)-anthracene	ND		2.	µg/L	625
P-20	12/27/95	Benzo-(a)-pyrene	ND		2.	µg/L	625
P-20	12/27/95	Benzo-(b)-fluoranthene	ND		2.	µg/L	625
P-20	12/27/95	Benzo-(ghi)-perylene	ND		2.	µg/L	625
P-20	12/27/95	Benzo-(k)-fluoranthene	ND		2.	µg/L	625
P-20	12/27/95	Benzoic acid	ND		5.	µg/L	625
P-20	12/27/95	Benzyl-butyl-phthalate	ND		2.	µg/L	625
P-20	12/27/95	Benzylalcohol	ND		2.	µg/L	625
P-20	12/27/95	beta-BHC	ND		2.	µg/L	625
P-20	12/27/95	bis-2-chloroethoxy-methane	ND		2.	µg/L	625
P-20	12/27/95	bis-2-chloroethyl-ether	ND		2.	µg/L	625
P-20	12/27/95	bis-2-chloroisopropyl-ether	ND		2.	µg/L	625
P-20	12/27/95	bis-2-ethylhexyl-phthalate	ND		5.	µg/L	625
P-20	12/27/95	Chrysene	ND		2.	µg/L	625
P-20	12/27/95	delta-BHC	ND		2.	µg/L	625
P-20	12/27/95	Di-n-butyl-phthalate	ND		2.	µg/L	625
P-20	12/27/95	Di-n-octylphthalate	ND		2.	µg/L	625
P-20	12/27/95	Dibenzo-(ah)-anthracene	ND		2.	µg/L	625
P-20	12/27/95	Dibenzofuran	ND		2.	µg/L	625
P-20	12/27/95	Dieldrin	ND		2.	µg/L	625
P-20	12/27/95	Diethyl-phthalate	ND		2.	µg/L	625
P-20	12/27/95	Dimethyl-phthalate	ND		2.	µg/L	625
P-20	12/27/95	Endosulfan I	ND		2.	µg/L	625
P-20	12/27/95	Endosulfan II	ND		2.	µg/L	625
P-20	12/27/95	Endosulfan Sulfate	ND		2.	µg/L	625
P-20	12/27/95	Endrin	ND		2.	µg/L	625
P-20	12/27/95	Endrin Aldehyde	ND		2.	µg/L	625
P-20	12/27/95	Fluoranthene	ND		2.	µg/L	625
P-20	12/27/95	Fluorene	ND		2.	µg/L	625
P-20	12/27/95	gamma-BHC	ND		2.	µg/L	625
P-20	12/27/95	Heptachlor	ND		2.	µg/L	625
P-20	12/27/95	Heptachlor epoxide	ND		2.	µg/L	625
P-20	12/27/95	Hexachlorobenzene	ND		2.	µg/L	625
P-20	12/27/95	Hexachlorobutadiene	ND		2.	µg/L	625
P-20	12/27/95	Hexachlorocyclopentadiene	ND		2.	µg/L	625
P-20	12/27/95	Hexachloroethane	ND		2.	µg/L	625

Table 4-10. Summary of Groundwater Analytical Results - Semi-Volatile Organic Compounds (SVOCs), Groundwater RFI Data Assessment Report, ILM Facility, Torrance, California

Sample ID	Sample Date	Analyte	Result	Flag	PQL	Units	Method
P-19	12/26/95	delta-BHC	ND		2.	µg/L	625
P-19	12/26/95	Di-n-butyl-phthalate	ND		2.	µg/L	625
P-19	12/26/95	Di-n-octylphthalate	ND		2.	µg/L	625
P-19	12/26/95	Dibenzo-(ah)-anthracene	ND		2.	µg/L	625
P-19	12/26/95	Dibenzofuran	ND		2.	µg/L	625
P-19	12/26/95	Dieldrin	ND		2.	µg/L	625
P-19	12/26/95	Diethyl-phthalate	ND		2.	µg/L	625
P-19	12/26/95	Dimethyl-phthalate	ND		2.	µg/L	625
P-19	12/26/95	Endosulfan I	ND		2.	µg/L	625
P-19	12/26/95	Endosulfan II	ND		2.	µg/L	625
P-19	12/26/95	Endosulfan Sulfate	ND		2.	µg/L	625
P-19	12/26/95	Endrin	ND		2.	µg/L	625
P-19	12/26/95	Endrin Aldehyde	ND		2.	µg/L	625
P-19	12/26/95	Fluoranthene	ND		2.	µg/L	625
P-19	12/26/95	Fluorene	ND		2.	µg/L	625
P-19	12/26/95	gamma-BHC	ND		2.	µg/L	625
P-19	12/26/95	Heptachlor	ND		2.	µg/L	625
P-19	12/26/95	Heptachlor epoxide	ND		2.	µg/L	625
P-19	12/26/95	Hexachlorobenzene	ND		2.	µg/L	625
P-19	12/26/95	Hexachlorobutadiene	ND		2.	µg/L	625
P-19	12/26/95	Hexachlorocyclopentadiene	ND		2.	µg/L	625
P-19	12/26/95	Hexachloroethane	ND		2.	µg/L	625
P-19	12/26/95	Indeno-1,2,3-cd-pyrene	ND		2.	µg/L	625
P-19	12/26/95	Isophorone	ND		2.	µg/L	625
P-19	12/26/95	N-nitrosodi-n-propylamine	ND		2.	µg/L	625
P-19	12/26/95	N-Nitrosodimethylamine	ND		2.	µg/L	625
P-19	12/26/95	N-Nitrosodiphenylamine	ND		2.	µg/L	625
P-19	12/26/95	Naphthalene	ND		2.	µg/L	625
P-19	12/26/95	Nitrobenzene	ND		2.	µg/L	625
P-19	12/26/95	Pentachlorophenol	ND		5.	µg/L	625
P-19	12/26/95	Phenanthrene	ND		2.	µg/L	625
P-19	12/26/95	Phenol	ND		2.	µg/L	625
P-19	12/26/95	Pyrene	ND		2.	µg/L	625
P-2	1/27/95	ALL ANALYTES	ND			µg/L	625
P-2	3/17/95	ALL ANALYTES	ND			µg/L	625
P-2	12/27/95	1,2,4-Trichlorobenzene	ND	UJ	20	µg/L	625
P-2	12/27/95	1,2-Dichlorobenzene	ND	UJ	20	µg/L	625
P-2	12/27/95	1,2-Diphenylhydrazine	ND	UJ	20	µg/L	625
P-2	12/27/95	1,3-Dichlorobenzene	ND	UJ	20	µg/L	625
P-2	12/27/95	1,4-Dichlorobenzene	ND	UJ	20	µg/L	625
P-2	12/27/95	2,4,5-Trichlorophenol	ND	UJ	50	µg/L	625
P-2	12/27/95	2,4,6-Trichlorophenol	ND	UJ	50	µg/L	625
P-2	12/27/95	2,4-Dichlorophenol	ND	UJ	20	µg/L	625
P-2	12/27/95	2,4-Dimethylphenol	ND	UJ	20	µg/L	625
P-2	12/27/95	2,4-Dinitrophenol	ND	UJ	100	µg/L	625
P-2	12/27/95	2,4-Dinitrotoluene	ND	UJ	20	µg/L	625
P-2	12/27/95	2,6-Dinitrotoluene	ND	UJ	20	µg/L	625
P-2	12/27/95	2-Chloronaphthalene	ND	UJ	20	µg/L	625
P-2	12/27/95	2-Chlorophenol	ND	UJ	20	µg/L	625

Table 4-10. Summary of Groundwater Analytical Results - Semi-Volatile Organic Compounds (SVOCs), Groundwater RFI Data Assessment Report, ILM Facility, Torrance, California

Sample ID	Sample Date	Analyte	Result	Flag	PQL	Units	Method
P-2	12/27/95	2-Methyl-4,6-dinitrophenol	ND	UJ	50	µg/L	625
P-2	12/27/95	2-Methylnaphthalene	ND	UJ	20	µg/L	625
P-2	12/27/95	2-Methylphenol	ND	UJ	20	µg/L	625
P-2	12/27/95	2-Naphthylamine	ND	UJ	200	µg/L	625
P-2	12/27/95	2-Nitroaniline	ND	UJ	20	µg/L	625
P-2	12/27/95	2-Nitrophenol	ND	UJ	20	µg/L	625
P-2	12/27/95	3,3-Dichlorobenzidine	ND	UJ	50	µg/L	625
P-2	12/27/95	3-Nitroaniline	ND	UJ	20	µg/L	625
P-2	12/27/95	4,4-DDD	ND	UJ	20	µg/L	625
P-2	12/27/95	4,4-DDE	ND	UJ	20	µg/L	625
P-2	12/27/95	4,4-DDT	ND	UJ	20	µg/L	625
P-2	12/27/95	4-Bromophenyl-phenyl-ether	ND	UJ	20	µg/L	625
P-2	12/27/95	4-Chloro-3-methylphenol	ND	UJ	50	µg/L	625
P-2	12/27/95	4-Chloroaniline	ND	UJ	20	µg/L	625
P-2	12/27/95	4-Chlorophenylphenyl-ether	ND	UJ	20	µg/L	625
P-2	12/27/95	4-Methylphenol	ND	UJ	20	µg/L	625
P-2	12/27/95	4-Nitroaniline	ND	UJ	50	µg/L	625
P-2	12/27/95	4-Nitrophenol	ND	UJ	50	µg/L	625
P-2	12/27/95	Acenaphthene	ND	UJ	20	µg/L	625
P-2	12/27/95	Acenaphthylene	ND	UJ	20	µg/L	625
P-2	12/27/95	Aldrin	ND	UJ	20	µg/L	625
P-2	12/27/95	alpha-BHC	ND	UJ	20	µg/L	625
P-2	12/27/95	Aniline	ND	UJ	50	µg/L	625
P-2	12/27/95	Anthracene	ND	UJ	20	µg/L	625
P-2	12/27/95	Benzidine	ND	UJ	200	µg/L	625
P-2	12/27/95	Benzo-(a)-anthracene	ND	UJ	20	µg/L	625
P-2	12/27/95	Benzo-(a)-pyrene	ND	UJ	20	µg/L	625
P-2	12/27/95	Benzo-(b)-fluoranthene	ND	UJ	20	µg/L	625
P-2	12/27/95	Benzo-(ghi)-perylene	ND	UJ	20	µg/L	625
P-2	12/27/95	Benzo-(k)-fluoranthene	ND	UJ	20	µg/L	625
P-2	12/27/95	Benzoic acid	ND	UJ	50	µg/L	625
P-2	12/27/95	Benzyl-butyl-phthalate	ND	UJ	20	µg/L	625
P-2	12/27/95	Benzylalcohol	ND	UJ	20	µg/L	625
P-2	12/27/95	beta-BHC	ND	UJ	20	µg/L	625
P-2	12/27/95	bis-2-chloroethoxy-methane	ND	UJ	20	µg/L	625
P-2	12/27/95	bis-2-chloroethyl-ether	ND	UJ	20	µg/L	625
P-2	12/27/95	bis-2-chloroisopropyl-ether	ND	UJ	20	µg/L	625
P-2	12/27/95	bis-2-ethylhexyl-phthalate	ND	UJ	50	µg/L	625
P-2	12/27/95	Chrysene	ND	UJ	20	µg/L	625
P-2	12/27/95	delta-BHC	ND	UJ	20	µg/L	625
P-2	12/27/95	Di-n-butyl-phthalate	ND	UJ	20	µg/L	625
P-2	12/27/95	Di-n-octylphthalate	ND	UJ	20	µg/L	625
P-2	12/27/95	Dibenzo-(ah)-anthracene	ND	UJ	20	µg/L	625
P-2	12/27/95	Dibenzofuran	ND	UJ	20	µg/L	625
P-2	12/27/95	Dieldrin	ND	UJ	20	µg/L	625
P-2	12/27/95	Diethyl-phthalate	ND	UJ	20	µg/L	625
P-2	12/27/95	Dimethyl-phthalate	ND	UJ	20	µg/L	625
P-2	12/27/95	Endosulfan I	ND	UJ	20	µg/L	625
P-2	12/27/95	Endosulfan II	ND	UJ	20	µg/L	625

Table 4-10. Summary of Groundwater Analytical Results - Semi-Volatile Organic Compounds (SVOCs), Groundwater RFI Data Assessment Report, ILM Facility, Torrance, California

Sample ID	Sample Date	Analyte	Result	Flag	PQL	Units	Method
P-18	12/26/95	Benzo-(b)-fluoranthene	ND		2.	µg/L	625
P-18	12/26/95	Benzo-(ghi)-perylene	ND		2.	µg/L	625
P-18	12/26/95	Benzo-(k)-fluoranthene	ND		2.	µg/L	625
P-18	12/26/95	Benzoic acid	ND		5.	µg/L	625
P-18	12/26/95	Benzyl-butyl-phthalate	ND		2.	µg/L	625
P-18	12/26/95	Benzylalcohol	ND		2.	µg/L	625
P-18	12/26/95	beta-BHC	ND		2.	µg/L	625
P-18	12/26/95	bis-2-chloroethoxy-methane	ND		2.	µg/L	625
P-18	12/26/95	bis-2-chloroethyl-ether	ND		2.	µg/L	625
P-18	12/26/95	bis-2-chloroisopropyl-ether	ND		2.	µg/L	625
P-18	12/26/95	bis-2-ethylhexyl-phthalate	ND		5.	µg/L	625
P-18	12/26/95	Chrysene	ND		2.	µg/L	625
P-18	12/26/95	delta-BHC	ND		2.	µg/L	625
P-18	12/26/95	Di-n-butyl-phthalate	ND		2.	µg/L	625
P-18	12/26/95	Di-n-octylphthalate	ND		2.	µg/L	625
P-18	12/26/95	Dibenzo-(ah)-anthracene	ND		2.	µg/L	625
P-18	12/26/95	Dibenzofuran	ND		2.	µg/L	625
P-18	12/26/95	Dieldrin	ND		2.	µg/L	625
P-18	12/26/95	Diethyl-phthalate	ND		2.	µg/L	625
P-18	12/26/95	Dimethyl-phthalate	ND		2.	µg/L	625
P-18	12/26/95	Endosulfan I	ND		2.	µg/L	625
P-18	12/26/95	Endosulfan II	ND		2.	µg/L	625
P-18	12/26/95	Endosulfan Sulfate	ND		2.	µg/L	625
P-18	12/26/95	Endrin	ND		2.	µg/L	625
P-18	12/26/95	Endrin Aldehyde	ND		2.	µg/L	625
P-18	12/26/95	Fluoranthene	ND		2.	µg/L	625
P-18	12/26/95	Fluorene	ND		2.	µg/L	625
P-18	12/26/95	gamma-BHC	ND		2.	µg/L	625
P-18	12/26/95	Heptachlor	ND		2.	µg/L	625
P-18	12/26/95	Heptachlor epoxide	ND		2.	µg/L	625
P-18	12/26/95	Hexachlorobenzene	ND		2.	µg/L	625
P-18	12/26/95	Hexachlorobutadiene	ND		2.	µg/L	625
P-18	12/26/95	Hexachlorocyclopentadiene	ND		2.	µg/L	625
P-18	12/26/95	Hexachloroethane	ND		2.	µg/L	625
P-18	12/26/95	Indeno-1,2,3-cd-pyrene	ND		2.	µg/L	625
P-18	12/26/95	Isophorone	ND		2.	µg/L	625
P-18	12/26/95	N-nitrosodi-n-propylamine	ND		2.	µg/L	625
P-18	12/26/95	N-Nitrosodimethylamine	ND		2.	µg/L	625
P-18	12/26/95	N-Nitrosodiphenylamine	ND		2.	µg/L	625
P-18	12/26/95	Naphthalene	ND		2.	µg/L	625
P-18	12/26/95	Nitrobenzene	ND		2.	µg/L	625
P-18	12/26/95	Pentachlorophenol	ND		5.	µg/L	625
P-18	12/26/95	Phenanthrene	ND		2.	µg/L	625
P-18	12/26/95	Phenol	ND		2.	µg/L	625
P-18	12/26/95	Pyrene	ND		2.	µg/L	625
P-19	12/26/95	1,2,4-Trichlorobenzene	ND		2.	µg/L	625
P-19	12/26/95	1,2-Dichlorobenzene	ND		2.	µg/L	625
P-19	12/26/95	1,2-Diphenylhydrazine	ND		2.	µg/L	625
P-19	12/26/95	1,3-Dichlorobenzene	ND		2.	µg/L	625

Table 4-10. Summary of Groundwater Analytical Results - Semi-Volatile Organic Compounds (SVOCs), Groundwater RFI Data Assessment Report, ILM Facility, Torrance, California

Sample ID	Sample Date	Analyte	Result	Flag	PQL	Units	Method
P-19	12/26/95	1,4-Dichlorobenzene	ND		2.	µg/L	625
P-19	12/26/95	2,4,5-Trichlorophenol	ND		5.	µg/L	625
P-19	12/26/95	2,4,6-Trichlorophenol	ND		5.	µg/L	625
P-19	12/26/95	2,4-Dichlorophenol	ND		2.	µg/L	625
P-19	12/26/95	2,4-Dimethylphenol	ND		2.	µg/L	625
P-19	12/26/95	2,4-Dinitrophenol	ND		10.	µg/L	625
P-19	12/26/95	2,4-Dinitrotoluene	ND		2.	µg/L	625
P-19	12/26/95	2,6-Dinitrotoluene	ND		2.	µg/L	625
P-19	12/26/95	2-Chloronaphthalene	ND		2.	µg/L	625
P-19	12/26/95	2-Chlorophenol	ND		2.	µg/L	625
P-19	12/26/95	2-Methyl-4,6-dinitrophenol	ND		5.	µg/L	625
P-19	12/26/95	2-Methylnaphthalene	ND		2.	µg/L	625
P-19	12/26/95	2-Methylphenol	ND		2.	µg/L	625
P-19	12/26/95	2-Naphthylamine	ND		20.	µg/L	625
P-19	12/26/95	2-Nitroaniline	ND		2.	µg/L	625
P-19	12/26/95	2-Nitrophenol	ND		2.	µg/L	625
P-19	12/26/95	3,3-Dichlorobenzidine	ND		5.	µg/L	625
P-19	12/26/95	3-Nitroaniline	ND		2.	µg/L	625
P-19	12/26/95	4,4-DDD	ND		2.	µg/L	625
P-19	12/26/95	4,4-DDE	ND		2.	µg/L	625
P-19	12/26/95	4,4-DDT	ND		2.	µg/L	625
P-19	12/26/95	4-Bromophenyl-phenyl-ether	ND		2.	µg/L	625
P-19	12/26/95	4-Chloro-3-methylphenol	ND		5.	µg/L	625
P-19	12/26/95	4-Chloroaniline	ND		2.	µg/L	625
P-19	12/26/95	4-Chlorophenylphenyl-ether	ND		2.	µg/L	625
P-19	12/26/95	4-Methylphenol	ND		2.	µg/L	625
P-19	12/26/95	4-Nitroaniline	ND		5.	µg/L	625
P-19	12/26/95	4-Nitrophenol	ND		5.	µg/L	625
P-19	12/26/95	Acenaphthene	ND		2.	µg/L	625
P-19	12/26/95	Acenaphthylene	ND		2.	µg/L	625
P-19	12/26/95	Aldrin	ND		2.	µg/L	625
P-19	12/26/95	alpha-BHC	ND		2.	µg/L	625
P-19	12/26/95	Aniline	ND		5.	µg/L	625
P-19	12/26/95	Anthracene	ND		2.	µg/L	625
P-19	12/26/95	Benzidine	ND		20.	µg/L	625
P-19	12/26/95	Benzo-(a)-anthracene	ND		2.	µg/L	625
P-19	12/26/95	Benzo-(a)-pyrene	ND		2.	µg/L	625
P-19	12/26/95	Benzo-(b)-fluoranthene	ND		2.	µg/L	625
P-19	12/26/95	Benzo-(ghi)-perylene	ND		2.	µg/L	625
P-19	12/26/95	Benzo-(k)-fluoranthene	ND		2.	µg/L	625
P-19	12/26/95	Benzoic acid	ND		5.	µg/L	625
P-19	12/26/95	Benzyl-butyl-phthalate	ND		2.	µg/L	625
P-19	12/26/95	Benzylalcohol	ND		2.	µg/L	625
P-19	12/26/95	beta-BHC	ND		2.	µg/L	625
P-19	12/26/95	bis-2-chloroethoxy-methane	ND		2.	µg/L	625
P-19	12/26/95	bis-2-chloroethyl-ether	ND		2.	µg/L	625
P-19	12/26/95	bis-2-chloroisopropyl-ether	ND		2.	µg/L	625
P-19	12/26/95	bis-2-ethylhexyl-phthalate	ND		5.	µg/L	625
P-19	12/26/95	Chrysene	ND		2.	µg/L	625

Table 4-10. Summary of Groundwater Analytical Results - Semi-Volatile Organic Compounds (SVOCs), Groundwater RFI Data Assessment Report, ILM Facility, Torrance, California

Sample ID	Sample Date	Analyte	Result	Flag	PQL	Units	Method
P-17	12/21/95	4-Methylphenol	ND		2.	µg/L	625
P-17	12/21/95	4-Nitroaniline	ND		5.	µg/L	625
P-17	12/21/95	4-Nitrophenol	ND		5.	µg/L	625
P-17	12/21/95	Acenaphthene	ND		2.	µg/L	625
P-17	12/21/95	Acenaphthylene	ND		2.	µg/L	625
P-17	12/21/95	Aldrin	ND		2.	µg/L	625
P-17	12/21/95	alpha-BHC	ND		2.	µg/L	625
P-17	12/21/95	Aniline	ND		5.	µg/L	625
P-17	12/21/95	Anthracene	ND		2.	µg/L	625
P-17	12/21/95	Benzidine	ND		20.	µg/L	625
P-17	12/21/95	Benzo-(a)-anthracene	ND		2.	µg/L	625
P-17	12/21/95	Benzo-(a)-pyrene	ND		2.	µg/L	625
P-17	12/21/95	Benzo-(b)-fluoranthene	ND		2.	µg/L	625
P-17	12/21/95	Benzo-(ghi)-perylene	ND		2.	µg/L	625
P-17	12/21/95	Benzo-(k)-fluoranthene	ND		2.	µg/L	625
P-17	12/21/95	Benzoic acid	ND		5.	µg/L	625
P-17	12/21/95	Benzyl-butyl-phthalate	ND		2.	µg/L	625
P-17	12/21/95	Benzylalcohol	15		2.	µg/L	625
P-17	12/21/95	beta-BHC	ND		2.	µg/L	625
P-17	12/21/95	bis-2-chloroethoxy-methane	ND		2.	µg/L	625
P-17	12/21/95	bis-2-chloroethyl-ether	ND		2.	µg/L	625
P-17	12/21/95	bis-2-chloroisopropyl-ether	ND		2.	µg/L	625
P-17	12/21/95	bis-2-ethylhexyl-phthalate	ND		5.	µg/L	625
P-17	12/21/95	Chrysene	ND		2.	µg/L	625
P-17	12/21/95	delta-BHC	ND		2.	µg/L	625
P-17	12/21/95	Di-n-butyl-phthalate	ND		2.	µg/L	625
P-17	12/21/95	Di-n-octylphthalate	ND		2.	µg/L	625
P-17	12/21/95	Dibenzo-(ah)-anthracene	ND		2.	µg/L	625
P-17	12/21/95	Dibenzofuran	ND		2.	µg/L	625
P-17	12/21/95	Dieldrin	ND		2.	µg/L	625
P-17	12/21/95	Diethyl-phthalate	ND		2.	µg/L	625
P-17	12/21/95	Dimethyl-phthalate	ND		2.	µg/L	625
P-17	12/21/95	Endosulfan I	ND		2.	µg/L	625
P-17	12/21/95	Endosulfan II	ND		2.	µg/L	625
P-17	12/21/95	Endosulfan Sulfate	ND		2.	µg/L	625
P-17	12/21/95	Endrin	ND		2.	µg/L	625
P-17	12/21/95	Endrin Aldehyde	ND		2.	µg/L	625
P-17	12/21/95	Fluoranthene	ND		2.	µg/L	625
P-17	12/21/95	Fluorene	ND		2.	µg/L	625
P-17	12/21/95	gamma-BHC	ND		2.	µg/L	625
P-17	12/21/95	Heptachlor	ND		2.	µg/L	625
P-17	12/21/95	Heptachlor epoxide	ND		2.	µg/L	625
P-17	12/21/95	Hexachlorobenzene	ND		2.	µg/L	625
P-17	12/21/95	Hexachlorobutadiene	ND		2.	µg/L	625
P-17	12/21/95	Hexachlorocyclopentadiene	ND		2.	µg/L	625
P-17	12/21/95	Hexachloroethane	ND		2.	µg/L	625
P-17	12/21/95	Indeno-1,2,3-cd-pyrene	ND		2.	µg/L	625
P-17	12/21/95	Isophorone	ND		2.	µg/L	625
P-17	12/21/95	N-nitrosodi-n-propylamine	ND		2.	µg/L	625

Table 4-10. Summary of Groundwater Analytical Results - Semi-Volatile Organic Compounds (SVOCs), Groundwater RFI Data Assessment Report, ILM Facility, Torrance, California

Sample ID	Sample Date	Analyte	Result	Flag	PQL	Units	Method
P-17	12/21/95	N-Nitrosodimethylamine	ND		2.	µg/L	625
P-17	12/21/95	N-Nitrosodiphenylamine	ND		2.	µg/L	625
P-17	12/21/95	Naphthalene	ND		2.	µg/L	625
P-17	12/21/95	Nitrobenzene	ND		2.	µg/L	625
P-17	12/21/95	Pentachlorophenol	ND		5.	µg/L	625
P-17	12/21/95	Phenanthrene	ND		2.	µg/L	625
P-17	12/21/95	Phenol	ND		2.	µg/L	625
P-17	12/21/95	Pyrene	ND		2.	µg/L	625
P-18	12/26/95	1,2,4-Trichlorobenzene	ND		2.	µg/L	625
P-18	12/26/95	1,2-Dichlorobenzene	ND		2.	µg/L	625
P-18	12/26/95	1,2-Diphenylhydrazine	ND		2.	µg/L	625
P-18	12/26/95	1,3-Dichlorobenzene	ND		2.	µg/L	625
P-18	12/26/95	1,4-Dichlorobenzene	ND		2.	µg/L	625
P-18	12/26/95	2,4,5-Trichlorophenol	ND		5.	µg/L	625
P-18	12/26/95	2,4,6-Trichlorophenol	ND		5.	µg/L	625
P-18	12/26/95	2,4-Dichlorophenol	ND		2.	µg/L	625
P-18	12/26/95	2,4-Dimethylphenol	ND		2.	µg/L	625
P-18	12/26/95	2,4-Dinitrophenol	ND		10.	µg/L	625
P-18	12/26/95	2,4-Dinitrotoluene	ND		2.	µg/L	625
P-18	12/26/95	2,6-Dinitrotoluene	ND		2.	µg/L	625
P-18	12/26/95	2-Chloronaphthalene	ND		2.	µg/L	625
P-18	12/26/95	2-Chlorophenol	ND		2.	µg/L	625
P-18	12/26/95	2-Methyl-4,6-dinitrophenol	ND		5.	µg/L	625
P-18	12/26/95	2-Methylnaphthalene	ND		2.	µg/L	625
P-18	12/26/95	2-Methylphenol	ND		2.	µg/L	625
P-18	12/26/95	2-Naphthylamine	ND		20.	µg/L	625
P-18	12/26/95	2-Nitroaniline	ND		2.	µg/L	625
P-18	12/26/95	2-Nitrophenol	ND		2.	µg/L	625
P-18	12/26/95	3,3-Dichlorobenzidine	ND		5.	µg/L	625
P-18	12/26/95	3-Nitroaniline	ND		2.	µg/L	625
P-18	12/26/95	4,4-DDD	ND		2.	µg/L	625
P-18	12/26/95	4,4-DDE	ND		2.	µg/L	625
P-18	12/26/95	4,4-DDT	ND		2.	µg/L	625
P-18	12/26/95	4-Bromophenyl-phenyl-ether	ND		2.	µg/L	625
P-18	12/26/95	4-Chloro-3-methylphenol	ND		5.	µg/L	625
P-18	12/26/95	4-Chloroaniline	ND		2.	µg/L	625
P-18	12/26/95	4-Chlorophenylphenyl-ether	ND		2.	µg/L	625
P-18	12/26/95	4-Methylphenol	ND		2.	µg/L	625
P-18	12/26/95	4-Nitroaniline	ND		5.	µg/L	625
P-18	12/26/95	4-Nitrophenol	ND		5.	µg/L	625
P-18	12/26/95	Acenaphthene	ND		2.	µg/L	625
P-18	12/26/95	Acenaphthylene	ND		2.	µg/L	625
P-18	12/26/95	Aldrin	ND		2.	µg/L	625
P-18	12/26/95	alpha-BHC	ND		2.	µg/L	625
P-18	12/26/95	Aniline	ND		5.	µg/L	625
P-18	12/26/95	Anthracene	ND		2.	µg/L	625
P-18	12/26/95	Benzidine	ND		20.	µg/L	625
P-18	12/26/95	Benzo-(a)-anthracene	ND		2.	µg/L	625
P-18	12/26/95	Benzo-(a)-pyrene	ND		2.	µg/L	625

Table 4-10. Summary of Groundwater Analytical Results - Semi-Volatile Organic Compounds (SVOCs), Groundwater RFI Data Assessment Report, ILM Facility, Torrance, California

Sample ID	Sample Date	Analyte	Result	Flag	PQL	Units	Method
P-16BD	12/19/95	2-Naphthylamine	ND		20.	µg/L	625
P-16BD	12/19/95	2-Nitroaniline	ND		2.	µg/L	625
P-16BD	12/19/95	2-Nitrophenol	ND		2.	µg/L	625
P-16BD	12/19/95	3,3-Dichlorobenzidine	ND		5.	µg/L	625
P-16BD	12/19/95	3-Nitroaniline	ND		2.	µg/L	625
P-16BD	12/19/95	4,4-DDD	ND		2.	µg/L	625
P-16BD	12/19/95	4,4-DDE	ND		2.	µg/L	625
P-16BD	12/19/95	4,4-DDT	ND		2.	µg/L	625
P-16BD	12/19/95	4-Bromophenyl-phenyl-ether	ND		2.	µg/L	625
P-16BD	12/19/95	4-Chloro-3-methylphenol	ND		5.	µg/L	625
P-16BD	12/19/95	4-Chloroaniline	ND		2.	µg/L	625
P-16BD	12/19/95	4-Chlorophenylphenyl-ether	ND		2.	µg/L	625
P-16BD	12/19/95	4-Methylphenol	ND		2.	µg/L	625
P-16BD	12/19/95	4-Nitroaniline	ND		5.	µg/L	625
P-16BD	12/19/95	4-Nitrophenol	ND		5.	µg/L	625
P-16BD	12/19/95	Acenaphthene	ND		2.	µg/L	625
P-16BD	12/19/95	Acenaphthylene	ND		2.	µg/L	625
P-16BD	12/19/95	Aldrin	ND		2.	µg/L	625
P-16BD	12/19/95	alpha-BHC	ND		2.	µg/L	625
P-16BD	12/19/95	Aniline	ND		5.	µg/L	625
P-16BD	12/19/95	Anthracene	ND		2.	µg/L	625
P-16BD	12/19/95	Benzidine	ND		20.	µg/L	625
P-16BD	12/19/95	Benzo-(a)-anthracene	ND		2.	µg/L	625
P-16BD	12/19/95	Benzo-(a)-pyrene	ND		2.	µg/L	625
P-16BD	12/19/95	Benzo-(b)-fluoranthene	ND		2.	µg/L	625
P-16BD	12/19/95	Benzo-(ghi)-perylene	ND		2.	µg/L	625
P-16BD	12/19/95	Benzo-(k)-fluoranthene	ND		2.	µg/L	625
P-16BD	12/19/95	Benzoic acid	ND		5.	µg/L	625
P-16BD	12/19/95	Benzyl-butyl-phthalate	ND		2.	µg/L	625
P-16BD	12/19/95	Benzylalcohol	18		2.	µg/L	625
P-16BD	12/19/95	beta-BHC	ND		2.	µg/L	625
P-16BD	12/19/95	bis-2-chloroethoxy-methane	ND		2.	µg/L	625
P-16BD	12/19/95	bis-2-chloroethyl-ether	ND		2.	µg/L	625
P-16BD	12/19/95	bis-2-chloroisopropyl-ether	ND		2.	µg/L	625
P-16BD	12/19/95	bis-2-ethylhexyl-phthalate	16		5.	µg/L	625
P-16BD	12/19/95	Chrysene	ND		2.	µg/L	625
P-16BD	12/19/95	delta-BHC	ND		2.	µg/L	625
P-16BD	12/19/95	Di-n-butyl-phthalate	ND		2.	µg/L	625
P-16BD	12/19/95	Di-n-octylphthalate	ND		2.	µg/L	625
P-16BD	12/19/95	Dibenzo-(ah)-anthracene	ND		2.	µg/L	625
P-16BD	12/19/95	Dibenzofuran	ND		2.	µg/L	625
P-16BD	12/19/95	Dieldrin	ND		2.	µg/L	625
P-16BD	12/19/95	Diethyl-phthalate	ND		2.	µg/L	625
P-16BD	12/19/95	Dimethyl-phthalate	ND		2.	µg/L	625
P-16BD	12/19/95	Endosulfan I	ND		2.	µg/L	625
P-16BD	12/19/95	Endosulfan II	ND		2.	µg/L	625
P-16BD	12/19/95	Endosulfan Sulfate	ND		2.	µg/L	625
P-16BD	12/19/95	Endrin	ND		2.	µg/L	625
P-16BD	12/19/95	Endrin Aldehyde	ND		2.	µg/L	625

Table 4-10. Summary of Groundwater Analytical Results - Semi-Volatile Organic Compounds (SVOCs), Groundwater RFI Data Assessment Report, ILM Facility, Torrance, California

Sample ID	Sample Date	Analyte	Result	Flag	PQL	Units	Method
P-16BD	12/19/95	Fluoranthene	ND		2.	µg/L	625
P-16BD	12/19/95	Fluorene	ND		2.	µg/L	625
P-16BD	12/19/95	gamma-BHC	ND		2.	µg/L	625
P-16BD	12/19/95	Heptachlor	ND		2.	µg/L	625
P-16BD	12/19/95	Heptachlor epoxide	ND		2.	µg/L	625
P-16BD	12/19/95	Hexachlorobenzene	ND		2.	µg/L	625
P-16BD	12/19/95	Hexachlorobutadiene	ND		2.	µg/L	625
P-16BD	12/19/95	Hexachlorocyclopentadiene	ND		2.	µg/L	625
P-16BD	12/19/95	Hexachloroethane	ND		2.	µg/L	625
P-16BD	12/19/95	Indeno-1,2,3-cd-pyrene	ND		2.	µg/L	625
P-16BD	12/19/95	Isophorone	ND		2.	µg/L	625
P-16BD	12/19/95	N-nitrosodi-n-propylamine	ND		2.	µg/L	625
P-16BD	12/19/95	N-Nitrosodimethylamine	ND		2.	µg/L	625
P-16BD	12/19/95	N-Nitrosodiphenylamine	ND		2.	µg/L	625
P-16BD	12/19/95	Naphthalene	ND		2.	µg/L	625
P-16BD	12/19/95	Nitrobenzene	ND		2.	µg/L	625
P-16BD	12/19/95	Pentachlorophenol	ND		5.	µg/L	625
P-16BD	12/19/95	Phenanthrene	ND		2.	µg/L	625
P-16BD	12/19/95	Phenol	ND		2.	µg/L	625
P-16BD	12/19/95	Pyrene	ND		2.	µg/L	625
P-17	12/21/95	1,2,4-Trichlorobenzene	ND		2.	µg/L	625
P-17	12/21/95	1,2-Dichlorobenzene	ND		2.	µg/L	625
P-17	12/21/95	1,2-Diphenylhydrazine	ND		2.	µg/L	625
P-17	12/21/95	1,3-Dichlorobenzene	ND		2.	µg/L	625
P-17	12/21/95	1,4-Dichlorobenzene	ND		2.	µg/L	625
P-17	12/21/95	2,4,5-Trichlorophenol	ND		5.	µg/L	625
P-17	12/21/95	2,4,6-Trichlorophenol	ND		5.	µg/L	625
P-17	12/21/95	2,4-Dichlorophenol	ND		2.	µg/L	625
P-17	12/21/95	2,4-Dimethylphenol	ND		2.	µg/L	625
P-17	12/21/95	2,4-Dinitrophenol	ND		10.	µg/L	625
P-17	12/21/95	2,4-Dinitrotoluene	ND		2.	µg/L	625
P-17	12/21/95	2,6-Dinitrotoluene	ND		2.	µg/L	625
P-17	12/21/95	2-Chloronaphthalene	ND		2.	µg/L	625
P-17	12/21/95	2-Chlorophenol	ND		2.	µg/L	625
P-17	12/21/95	2-Methyl-4,6-dinitrophenol	ND		5.	µg/L	625
P-17	12/21/95	2-Methylnaphthalene	ND		2.	µg/L	625
P-17	12/21/95	2-Methylphenol	ND		2.	µg/L	625
P-17	12/21/95	2-Naphthylamine	ND		20.	µg/L	625
P-17	12/21/95	2-Nitroaniline	ND		2.	µg/L	625
P-17	12/21/95	2-Nitrophenol	ND		2.	µg/L	625
P-17	12/21/95	3,3-Dichlorobenzidine	ND		5.	µg/L	625
P-17	12/21/95	3-Nitroaniline	ND		2.	µg/L	625
P-17	12/21/95	4,4-DDD	ND		2.	µg/L	625
P-17	12/21/95	4,4-DDE	ND		2.	µg/L	625
P-17	12/21/95	4,4-DDT	ND		2.	µg/L	625
P-17	12/21/95	4-Bromophenyl-phenyl-ether	ND		2.	µg/L	625
P-17	12/21/95	4-Chloro-3-methylphenol	ND		5.	µg/L	625
P-17	12/21/95	4-Chloroaniline	ND		2.	µg/L	625
P-17	12/21/95	4-Chlorophenylphenyl-ether	ND		2.	µg/L	625

Table 4-10. Summary of Groundwater Analytical Results - Semi-Volatile Organic Compounds (SVOCs), Groundwater RFI Data Assessment Report, ILM Facility, Torrance, California

Sample ID	Sample Date	Analyte	Result	Flag	PQL	Units	Method
P-16B	12/19/95	2,4,5-Trichlorophenol	ND		5.	µg/L	625
P-16B	12/19/95	2,4,6-Trichlorophenol	ND		5.	µg/L	625
P-16B	12/19/95	2,4-Dichlorophenol	ND		2.	µg/L	625
P-16B	12/19/95	2,4-Dimethylphenol	ND		2.	µg/L	625
P-16B	12/19/95	2,4-Dinitrophenol	ND		10.	µg/L	625
P-16B	12/19/95	2,4-Dinitrotoluene	ND		2.	µg/L	625
P-16B	12/19/95	2,6-Dinitrotoluene	ND		2.	µg/L	625
P-16B	12/19/95	2-Chloronaphthalene	ND		2.	µg/L	625
P-16B	12/19/95	2-Chlorophenol	ND		2.	µg/L	625
P-16B	12/19/95	2-Methyl-4,6-dinitrophenol	ND		5.	µg/L	625
P-16B	12/19/95	2-Methylnaphthalene	ND		2.	µg/L	625
P-16B	12/19/95	2-Methylphenol	ND		2.	µg/L	625
P-16B	12/19/95	2-Naphthylamine	ND		20.	µg/L	625
P-16B	12/19/95	2-Nitroaniline	ND		2.	µg/L	625
P-16B	12/19/95	2-Nitrophenol	ND		2.	µg/L	625
P-16B	12/19/95	3,3-Dichlorobenzidine	ND		5.	µg/L	625
P-16B	12/19/95	3-Nitroaniline	ND		2.	µg/L	625
P-16B	12/19/95	4,4-DDD	ND		2.	µg/L	625
P-16B	12/19/95	4,4-DDE	ND		2.	µg/L	625
P-16B	12/19/95	4,4-DDT	ND		2.	µg/L	625
P-16B	12/19/95	4-Bromophenyl-phenyl-ether	ND		2.	µg/L	625
P-16B	12/19/95	4-Chloro-3-methylphenol	ND		5.	µg/L	625
P-16B	12/19/95	4-Chloroaniline	ND		2.	µg/L	625
P-16B	12/19/95	4-Chlorophenylphenyl-ether	ND		2.	µg/L	625
P-16B	12/19/95	4-Methylphenol	ND		2.	µg/L	625
P-16B	12/19/95	4-Nitroaniline	ND		5.	µg/L	625
P-16B	12/19/95	4-Nitrophenol	ND		5.	µg/L	625
P-16B	12/19/95	Acenaphthene	ND		2.	µg/L	625
P-16B	12/19/95	Acenaphthylene	ND		2.	µg/L	625
P-16B	12/19/95	Aldrin	ND		2.	µg/L	625
P-16B	12/19/95	alpha-BHC	ND		2.	µg/L	625
P-16B	12/19/95	Aniline	ND		5.	µg/L	625
P-16B	12/19/95	Anthracene	ND		2.	µg/L	625
P-16B	12/19/95	Benzidine	ND		20.	µg/L	625
P-16B	12/19/95	Benzo-(a)-anthracene	ND		2.	µg/L	625
P-16B	12/19/95	Benzo-(a)-pyrene	ND		2.	µg/L	625
P-16B	12/19/95	Benzo-(b)-fluoranthene	ND		2.	µg/L	625
P-16B	12/19/95	Benzo-(ghi)-perylene	ND		2.	µg/L	625
P-16B	12/19/95	Benzo-(k)-fluoranthene	ND		2.	µg/L	625
P-16B	12/19/95	Benzoic acid	ND		5.	µg/L	625
P-16B	12/19/95	Benzyl-butyl-phthalate	ND		2.	µg/L	625
P-16B	12/19/95	Benzylalcohol	11		2.	µg/L	625
P-16B	12/19/95	beta-BHC	ND		2.	µg/L	625
P-16B	12/19/95	bis-2-chloroethoxy-methane	ND		2.	µg/L	625
P-16B	12/19/95	bis-2-chloroethyl-ether	ND		2.	µg/L	625
P-16B	12/19/95	bis-2-chloroisopropyl-ether	ND		2.	µg/L	625
P-16B	12/19/95	bis-2-ethylhexyl-phthalate	11		5.	µg/L	625
P-16B	12/19/95	Chrysene	ND		2.	µg/L	625
P-16B	12/19/95	delta-BHC	ND		2.	µg/L	625

Table 4-10. Summary of Groundwater Analytical Results - Semi-Volatile Organic Compounds (SVOCs), Groundwater RFI Data Assessment Report, ILM Facility, Torrance, California

Sample ID	Sample Date	Analyte	Result	Flag	PQL	Units	Method
P-16B	12/19/95	Di-n-butyl-phthalate	ND		2.	µg/L	625
P-16B	12/19/95	Di-n-octylphthalate	ND		2.	µg/L	625
P-16B	12/19/95	Dibenzo-(ah)-anthracene	ND		2.	µg/L	625
P-16B	12/19/95	Dibenzofuran	ND		2.	µg/L	625
P-16B	12/19/95	Dieldrin	ND		2.	µg/L	625
P-16B	12/19/95	Diethyl-phthalate	ND		2.	µg/L	625
P-16B	12/19/95	Dimethyl-phthalate	ND		2.	µg/L	625
P-16B	12/19/95	Endosulfan I	ND		2.	µg/L	625
P-16B	12/19/95	Endosulfan II	ND		2.	µg/L	625
P-16B	12/19/95	Endosulfan Sulfate	ND		2.	µg/L	625
P-16B	12/19/95	Endrin	ND		2.	µg/L	625
P-16B	12/19/95	Endrin Aldehyde	ND		2.	µg/L	625
P-16B	12/19/95	Fluoranthene	ND		2.	µg/L	625
P-16B	12/19/95	Fluorene	ND		2.	µg/L	625
P-16B	12/19/95	gamma-BHC	ND		2.	µg/L	625
P-16B	12/19/95	Heptachlor	ND		2.	µg/L	625
P-16B	12/19/95	Heptachlor epoxide	ND		2.	µg/L	625
P-16B	12/19/95	Hexachlorobenzene	ND		2.	µg/L	625
P-16B	12/19/95	Hexachlorobutadiene	ND		2.	µg/L	625
P-16B	12/19/95	Hexachlorocyclopentadiene	ND		2.	µg/L	625
P-16B	12/19/95	Hexachloroethane	ND		2.	µg/L	625
P-16B	12/19/95	Indeno-1,2,3-cd-pyrene	ND		2.	µg/L	625
P-16B	12/19/95	Isophorone	ND		2.	µg/L	625
P-16B	12/19/95	N-nitrosodi-n-propylamine	ND		2.	µg/L	625
P-16B	12/19/95	N-Nitrosodimethylamine	ND		2.	µg/L	625
P-16B	12/19/95	N-Nitrosodiphenylamine	ND		2.	µg/L	625
P-16B	12/19/95	Naphthalene	ND		2.	µg/L	625
P-16B	12/19/95	Nitrobenzene	ND		2.	µg/L	625
P-16B	12/19/95	Pentachlorophenol	ND		5.	µg/L	625
P-16B	12/19/95	Phenanthrene	ND		2.	µg/L	625
P-16B	12/19/95	Phenol	ND		2.	µg/L	625
P-16B	12/19/95	Pyrene	ND		2.	µg/L	625
P-16BD	12/19/95	1,2,4-Trichlorobenzene	ND		2.	µg/L	625
P-16BD	12/19/95	1,2-Dichlorobenzene	ND		2.	µg/L	625
P-16BD	12/19/95	1,2-Diphenylhydrazine	ND		2.	µg/L	625
P-16BD	12/19/95	1,3-Dichlorobenzene	ND		2.	µg/L	625
P-16BD	12/19/95	1,4-Dichlorobenzene	ND		2.	µg/L	625
P-16BD	12/19/95	2,4,5-Trichlorophenol	ND		5.	µg/L	625
P-16BD	12/19/95	2,4,6-Trichlorophenol	ND		5.	µg/L	625
P-16BD	12/19/95	2,4-Dichlorophenol	ND		2.	µg/L	625
P-16BD	12/19/95	2,4-Dimethylphenol	ND		2.	µg/L	625
P-16BD	12/19/95	2,4-Dinitrophenol	ND		10.	µg/L	625
P-16BD	12/19/95	2,4-Dinitrotoluene	ND		2.	µg/L	625
P-16BD	12/19/95	2,6-Dinitrotoluene	ND		2.	µg/L	625
P-16BD	12/19/95	2-Chloronaphthalene	ND		2.	µg/L	625
P-16BD	12/19/95	2-Chlorophenol	ND		2.	µg/L	625
P-16BD	12/19/95	2-Methyl-4,6-dinitrophenol	ND		5.	µg/L	625
P-16BD	12/19/95	2-Methylnaphthalene	ND		2.	µg/L	625
P-16BD	12/19/95	2-Methylphenol	ND		2.	µg/L	625

Table 4-10. Summary of Groundwater Analytical Results - Semi-Volatile Organic Compounds (SVOCs), Groundwater RFI Data Assessment Report, ILM Facility, Torrance, California

Sample ID	Sample Date	Analyte	Result	Flag	PQL	Units	Method
P-15	12/27/95	N-Nitrosodiphenylamine	ND		2.	µg/L	625
P-15	12/27/95	Naphthalene	ND		2.	µg/L	625
P-15	12/27/95	Nitrobenzene	ND		2.	µg/L	625
P-15	12/27/95	Pentachlorophenol	ND		5.	µg/L	625
P-15	12/27/95	Phenanthrene	ND		2.	µg/L	625
P-15	12/27/95	Phenol	ND		2.	µg/L	625
P-15	12/27/95	Pyrene	ND		2.	µg/L	625
P-16A	12/26/95	1,2,4-Trichlorobenzene	ND		2.	µg/L	625
P-16A	12/26/95	1,2-Dichlorobenzene	ND		2.	µg/L	625
P-16A	12/26/95	1,2-Diphenylhydrazine	ND		2.	µg/L	625
P-16A	12/26/95	1,3-Dichlorobenzene	ND		2.	µg/L	625
P-16A	12/26/95	1,4-Dichlorobenzene	ND		2.	µg/L	625
P-16A	12/26/95	2,4,5-Trichlorophenol	ND		5.	µg/L	625
P-16A	12/26/95	2,4,6-Trichlorophenol	ND		5.	µg/L	625
P-16A	12/26/95	2,4-Dichlorophenol	ND		2.	µg/L	625
P-16A	12/26/95	2,4-Dimethylphenol	ND		2.	µg/L	625
P-16A	12/26/95	2,4-Dinitrophenol	ND		10.	µg/L	625
P-16A	12/26/95	2,4-Dinitrotoluene	ND		2.	µg/L	625
P-16A	12/26/95	2,6-Dinitrotoluene	ND		2.	µg/L	625
P-16A	12/26/95	2-Chloronaphthalene	ND		2.	µg/L	625
P-16A	12/26/95	2-Chlorophenol	ND		2.	µg/L	625
P-16A	12/26/95	2-Methyl-4,6-dinitrophenol	ND		5.	µg/L	625
P-16A	12/26/95	2-Methylnaphthalene	ND		2.	µg/L	625
P-16A	12/26/95	2-Methylphenol	ND		2.	µg/L	625
P-16A	12/26/95	2-Naphthylamine	ND		20.	µg/L	625
P-16A	12/26/95	2-Nitroaniline	ND		2.	µg/L	625
P-16A	12/26/95	2-Nitrophenol	ND		2.	µg/L	625
P-16A	12/26/95	3,3-Dichlorobenzidine	ND		5.	µg/L	625
P-16A	12/26/95	3-Nitroaniline	ND		2.	µg/L	625
P-16A	12/26/95	4,4-DDD	ND		2.	µg/L	625
P-16A	12/26/95	4,4-DDE	ND		2.	µg/L	625
P-16A	12/26/95	4,4-DDT	ND		2.	µg/L	625
P-16A	12/26/95	4-Bromophenyl-phenyl-ether	ND		2.	µg/L	625
P-16A	12/26/95	4-Chloro-3-methylphenol	ND		5.	µg/L	625
P-16A	12/26/95	4-Chloroaniline	ND		2.	µg/L	625
P-16A	12/26/95	4-Chlorophenylphenyl-ether	ND		2.	µg/L	625
P-16A	12/26/95	4-Methylphenol	ND		2.	µg/L	625
P-16A	12/26/95	4-Nitroaniline	ND		5.	µg/L	625
P-16A	12/26/95	4-Nitrophenol	ND		5.	µg/L	625
P-16A	12/26/95	Acenaphthene	ND		2.	µg/L	625
P-16A	12/26/95	Acenaphthylene	ND		2.	µg/L	625
P-16A	12/26/95	Aldrin	ND		2.	µg/L	625
P-16A	12/26/95	alpha-BHC	ND		2.	µg/L	625
P-16A	12/26/95	Aniline	ND		5.	µg/L	625
P-16A	12/26/95	Anthracene	ND		2.	µg/L	625
P-16A	12/26/95	Benzidine	ND		20.	µg/L	625
P-16A	12/26/95	Benzo-(a)-anthracene	ND		2.	µg/L	625
P-16A	12/26/95	Benzo-(a)-pyrene	ND		2.	µg/L	625
P-16A	12/26/95	Benzo-(b)-fluoranthene	ND		2.	µg/L	625

BOE-C6-0101848

Table 4-10. Summary of Groundwater Analytical Results - Semi-Volatile Organic Compounds (SVOCs), Groundwater RFI Data Assessment Report, ILM Facility, Torrance, California

Sample ID	Sample Date	Analyte	Result	Flag	PQL	Units	Method
P-16A	12/26/95	Benzo-(ghi)-perylene	ND		2.	µg/L	625
P-16A	12/26/95	Benzo-(k)-fluoranthene	ND		2.	µg/L	625
P-16A	12/26/95	Benzoic acid	ND		5.	µg/L	625
P-16A	12/26/95	Benzyl-butyl-phthalate	ND		2.	µg/L	625
P-16A	12/26/95	Benzylalcohol	ND		2.	µg/L	625
P-16A	12/26/95	beta-BHC	ND		2.	µg/L	625
P-16A	12/26/95	bis-2-chloroethoxy-methane	ND		2.	µg/L	625
P-16A	12/26/95	bis-2-chloroethyl-ether	ND		2.	µg/L	625
P-16A	12/26/95	bis-2-chloroisopropyl-ether	ND		2.	µg/L	625
P-16A	12/26/95	bis-2-ethylhexyl-phthalate	ND		5.	µg/L	625
P-16A	12/26/95	Chrysene	ND		2.	µg/L	625
P-16A	12/26/95	delta-BHC	ND		2.	µg/L	625
P-16A	12/26/95	Di-n-butyl-phthalate	ND		2.	µg/L	625
P-16A	12/26/95	Di-n-octylphthalate	ND		2.	µg/L	625
P-16A	12/26/95	Dibenzo-(ah)-anthracene	ND		2.	µg/L	625
P-16A	12/26/95	Dibenzofuran	ND		2.	µg/L	625
P-16A	12/26/95	Dieldrin	ND		2.	µg/L	625
P-16A	12/26/95	Diethyl-phthalate	ND		2.	µg/L	625
P-16A	12/26/95	Dimethyl-phthalate	ND		2.	µg/L	625
P-16A	12/26/95	Endosulfan I	ND		2.	µg/L	625
P-16A	12/26/95	Endosulfan II	ND		2.	µg/L	625
P-16A	12/26/95	Endosulfan Sulfate	ND		2.	µg/L	625
P-16A	12/26/95	Endrin	ND		2.	µg/L	625
P-16A	12/26/95	Endrin Aldehyde	ND		2.	µg/L	625
P-16A	12/26/95	Fluoranthene	ND		2.	µg/L	625
P-16A	12/26/95	Fluorene	ND		2.	µg/L	625
P-16A	12/26/95	gamma-BHC	ND		2.	µg/L	625
P-16A	12/26/95	Heptachlor	ND		2.	µg/L	625
P-16A	12/26/95	Heptachlor epoxide	ND		2.	µg/L	625
P-16A	12/26/95	Hexachlorobenzene	ND		2.	µg/L	625
P-16A	12/26/95	Hexachlorobutadiene	ND		2.	µg/L	625
P-16A	12/26/95	Hexachlorocyclopentadiene	ND		2.	µg/L	625
P-16A	12/26/95	Hexachloroethane	ND		2.	µg/L	625
P-16A	12/26/95	Indeno-1,2,3-cd-pyrene	ND		2.	µg/L	625
P-16A	12/26/95	Isophorone	ND		2.	µg/L	625
P-16A	12/26/95	N-nitrosodi-n-propylamine	ND		2.	µg/L	625
P-16A	12/26/95	N-Nitrosodimethylamine	ND		2.	µg/L	625
P-16A	12/26/95	N-Nitrosodiphenylamine	ND		2.	µg/L	625
P-16A	12/26/95	Naphthalene	ND		2.	µg/L	625
P-16A	12/26/95	Nitrobenzene	ND		2.	µg/L	625
P-16A	12/26/95	Pentachlorophenol	ND		5.	µg/L	625
P-16A	12/26/95	Phenanthrene	ND		2.	µg/L	625
P-16A	12/26/95	Phenol	ND		2.	µg/L	625
P-16A	12/26/95	Pyrene	ND		2.	µg/L	625
P-16B	12/19/95	1,2,4-Trichlorobenzene	ND		2.	µg/L	625
P-16B	12/19/95	1,2-Dichlorobenzene	ND		2.	µg/L	625
P-16B	12/19/95	1,2-Diphenylhydrazine	ND		2.	µg/L	625
P-16B	12/19/95	1,3-Dichlorobenzene	ND		2.	µg/L	625
P-16B	12/19/95	1,4-Dichlorobenzene	ND		2.	µg/L	625

BOE-C6-0101849

Table 4-10. Summary of Groundwater Analytical Results - Semi-Volatile Organic Compounds (SVOCs), Groundwater RFI Data Assessment Report, ILM Facility, Torrance, California

Sample ID	Sample Date	Analyte	Result	Flag	PQL	Units	Method
P-14	12/21/95	Fluorene	ND		2.	µg/L	625
P-14	12/21/95	gamma-BHC	ND		2.	µg/L	625
P-14	12/21/95	Heptachlor	ND		2.	µg/L	625
P-14	12/21/95	Heptachlor epoxide	ND		2.	µg/L	625
P-14	12/21/95	Hexachlorobenzene	ND		2.	µg/L	625
P-14	12/21/95	Hexachlorobutadiene	ND		2.	µg/L	625
P-14	12/21/95	Hexachlorocyclopentadiene	ND		2.	µg/L	625
P-14	12/21/95	Hexachloroethane	ND		2.	µg/L	625
P-14	12/21/95	Indeno-1,2,3-cd-pyrene	ND		2.	µg/L	625
P-14	12/21/95	Isophorone	ND		2.	µg/L	625
P-14	12/21/95	N-nitrosodi-n-propylamine	ND		2.	µg/L	625
P-14	12/21/95	N-Nitrosodimethylamine	ND		2.	µg/L	625
P-14	12/21/95	N-Nitrosodiphenylamine	ND		2.	µg/L	625
P-14	12/21/95	Naphthalene	ND		2.	µg/L	625
P-14	12/21/95	Nitrobenzene	ND		2.	µg/L	625
P-14	12/21/95	Pentachlorophenol	ND		5.	µg/L	625
P-14	12/21/95	Phenanthrene	ND		2.	µg/L	625
P-14	12/21/95	Phenol	ND		2.	µg/L	625
P-14	12/21/95	Pyrene	ND		2.	µg/L	625
P-15	12/27/95	1,2,4-Trichlorobenzene	ND		2.	µg/L	625
P-15	12/27/95	1,2-Dichlorobenzene	ND		2.	µg/L	625
P-15	12/27/95	1,2-Diphenylhydrazine	ND		2.	µg/L	625
P-15	12/27/95	1,3-Dichlorobenzene	ND		2.	µg/L	625
P-15	12/27/95	1,4-Dichlorobenzene	ND		2.	µg/L	625
P-15	12/27/95	2,4,5-Trichlorophenol	ND		5.	µg/L	625
P-15	12/27/95	2,4,6-Trichlorophenol	ND		5.	µg/L	625
P-15	12/27/95	2,4-Dichlorophenol	ND		2.	µg/L	625
P-15	12/27/95	2,4-Dimethylphenol	ND		2.	µg/L	625
P-15	12/27/95	2,4-Dinitrophenol	ND		10.	µg/L	625
P-15	12/27/95	2,4-Dinitrotoluene	ND		2.	µg/L	625
P-15	12/27/95	2,6-Dinitrotoluene	ND		2.	µg/L	625
P-15	12/27/95	2-Chloronaphthalene	ND		2.	µg/L	625
P-15	12/27/95	2-Chlorophenol	ND		2.	µg/L	625
P-15	12/27/95	2-Methyl-4,6-dinitrophenol	ND		5.	µg/L	625
P-15	12/27/95	2-Methylnaphthalene	ND		2.	µg/L	625
P-15	12/27/95	2-Methylphenol	ND		2.	µg/L	625
P-15	12/27/95	2-Naphthylamine	ND		20.	µg/L	625
P-15	12/27/95	2-Nitroaniline	ND		2.	µg/L	625
P-15	12/27/95	2-Nitrophenol	ND		2.	µg/L	625
P-15	12/27/95	3,3-Dichlorobenzidine	ND		5.	µg/L	625
P-15	12/27/95	3-Nitroaniline	ND		2.	µg/L	625
P-15	12/27/95	4,4-DDD	ND		2.	µg/L	625
P-15	12/27/95	4,4-DDE	ND		2.	µg/L	625
P-15	12/27/95	4,4-DDT	ND		2.	µg/L	625
P-15	12/27/95	4-Bromophenyl-phenyl-ether	ND		2.	µg/L	625
P-15	12/27/95	4-Chloro-3-methylphenol	ND		5.	µg/L	625
P-15	12/27/95	4-Chloroaniline	ND		2.	µg/L	625
P-15	12/27/95	4-Chlorophenylphenyl-ether	ND		2.	µg/L	625
P-15	12/27/95	4-Methylphenol	ND		2.	µg/L	625

Table 4-10. Summary of Groundwater Analytical Results - Semi-Volatile Organic Compounds (SVOCs), Groundwater RFI Data Assessment Report, ILM Facility, Torrance, California

Sample ID	Sample Date	Analyte	Result	Flag	PQL	Units	Method
P-15	12/27/95	4-Nitroaniline	ND		5.	µg/L	625
P-15	12/27/95	4-Nitrophenol	ND		5.	µg/L	625
P-15	12/27/95	Acenaphthene	ND		2.	µg/L	625
P-15	12/27/95	Acenaphthylene	ND		2.	µg/L	625
P-15	12/27/95	Aldrin	ND		2.	µg/L	625
P-15	12/27/95	alpha-BHC	ND		2.	µg/L	625
P-15	12/27/95	Aniline	ND		5.	µg/L	625
P-15	12/27/95	Anthracene	ND		2.	µg/L	625
P-15	12/27/95	Benzidine	ND		20.	µg/L	625
P-15	12/27/95	Benzo-(a)-anthracene	ND		2.	µg/L	625
P-15	12/27/95	Benzo-(a)-pyrene	ND		2.	µg/L	625
P-15	12/27/95	Benzo-(b)-fluoranthene	ND		2.	µg/L	625
P-15	12/27/95	Benzo-(ghi)-perylene	ND		2.	µg/L	625
P-15	12/27/95	Benzo-(k)-fluoranthene	ND		2.	µg/L	625
P-15	12/27/95	Benzoic acid	ND		5.	µg/L	625
P-15	12/27/95	Benzyl-butyl-phthalate	ND		2.	µg/L	625
P-15	12/27/95	Benzylalcohol	ND		2.	µg/L	625
P-15	12/27/95	beta-BHC	ND		2.	µg/L	625
P-15	12/27/95	bis-2-chloroethoxy-methane	ND		2.	µg/L	625
P-15	12/27/95	bis-2-chloroethyl-ether	ND		2.	µg/L	625
P-15	12/27/95	bis-2-chloroisopropyl-ether	ND		2.	µg/L	625
P-15	12/27/95	bis-2-ethylhexyl-phthalate	ND		5.	µg/L	625
P-15	12/27/95	Chrysene	ND		2.	µg/L	625
P-15	12/27/95	delta-BHC	ND		2.	µg/L	625
P-15	12/27/95	Di-n-butyl-phthalate	ND		2.	µg/L	625
P-15	12/27/95	Di-n-octylphthalate	ND		2.	µg/L	625
P-15	12/27/95	Dibenzo-(ah)-anthracene	ND		2.	µg/L	625
P-15	12/27/95	Dibenzofuran	ND		2.	µg/L	625
P-15	12/27/95	Dieldrin	ND		2.	µg/L	625
P-15	12/27/95	Diethyl-phthalate	ND		2.	µg/L	625
P-15	12/27/95	Dimethyl-phthalate	ND		2.	µg/L	625
P-15	12/27/95	Endosulfan I	ND		2.	µg/L	625
P-15	12/27/95	Endosulfan II	ND		2.	µg/L	625
P-15	12/27/95	Endosulfan Sulfate	ND		2.	µg/L	625
P-15	12/27/95	Endrin	ND		2.	µg/L	625
P-15	12/27/95	Endrin Aldehyde	ND		2.	µg/L	625
P-15	12/27/95	Fluoranthene	ND		2.	µg/L	625
P-15	12/27/95	Fluorene	ND		2.	µg/L	625
P-15	12/27/95	gamma-BHC	ND		2.	µg/L	625
P-15	12/27/95	Heptachlor	ND		2.	µg/L	625
P-15	12/27/95	Heptachlor epoxide	ND		2.	µg/L	625
P-15	12/27/95	Hexachlorobenzene	ND		2.	µg/L	625
P-15	12/27/95	Hexachlorobutadiene	ND		2.	µg/L	625
P-15	12/27/95	Hexachlorocyclopentadiene	ND		2.	µg/L	625
P-15	12/27/95	Hexachloroethane	ND		2.	µg/L	625
P-15	12/27/95	Indeno-1,2,3-cd-pyrene	ND		2.	µg/L	625
P-15	12/27/95	Isophorone	ND		2.	µg/L	625
P-15	12/27/95	N-nitrosodi-n-propylamine	ND		2.	µg/L	625
P-15	12/27/95	N-Nitrosodimethylamine	ND		2.	µg/L	625

Table 4-10. Summary of Groundwater Analytical Results - Semi-Volatile Organic Compounds (SVOCs), Groundwater RFI Data Assessment Report, ILM Facility, Torrance, California

Sample ID	Sample Date	Analyte	Result	Flag	PQL	Units	Method
P-13	12/21/95	Di-n-octylphthalate	ND		2.	µg/L	625
P-13	12/21/95	Dibenzo-(ah)-anthracene	ND		2.	µg/L	625
P-13	12/21/95	Dibenzofuran	ND		2.	µg/L	625
P-13	12/21/95	Dieldrin	ND		2.	µg/L	625
P-13	12/21/95	Diethyl-phthalate	ND		2.	µg/L	625
P-13	12/21/95	Dimethyl-phthalate	ND		2.	µg/L	625
P-13	12/21/95	Endosulfan I	ND		2.	µg/L	625
P-13	12/21/95	Endosulfan II	ND		2.	µg/L	625
P-13	12/21/95	Endosulfan Sulfate	ND		2.	µg/L	625
P-13	12/21/95	Endrin	ND		2.	µg/L	625
P-13	12/21/95	Endrin Aldehyde	ND		2.	µg/L	625
P-13	12/21/95	Fluoranthene	ND		2.	µg/L	625
P-13	12/21/95	Fluorene	ND		2.	µg/L	625
P-13	12/21/95	gamma-BHC	ND		2.	µg/L	625
P-13	12/21/95	Heptachlor	ND		2.	µg/L	625
P-13	12/21/95	Heptachlor epoxide	ND		2.	µg/L	625
P-13	12/21/95	Hexachlorobenzene	ND		2.	µg/L	625
P-13	12/21/95	Hexachlorobutadiene	ND		2.	µg/L	625
P-13	12/21/95	Hexachlorocyclopentadiene	ND		2.	µg/L	625
P-13	12/21/95	Hexachloroethane	ND		2.	µg/L	625
P-13	12/21/95	Indeno-1,2,3-cd-pyrene	ND		2.	µg/L	625
P-13	12/21/95	Isophorone	ND		2.	µg/L	625
P-13	12/21/95	N-nitrosodi-n-propylamine	ND		2.	µg/L	625
P-13	12/21/95	N-Nitrosodimethylamine	ND		2.	µg/L	625
P-13	12/21/95	N-Nitrosodiphenylamine	ND		2.	µg/L	625
P-13	12/21/95	Naphthalene	ND		2.	µg/L	625
P-13	12/21/95	Nitrobenzene	ND		2.	µg/L	625
P-13	12/21/95	Pentachlorophenol	ND		5.	µg/L	625
P-13	12/21/95	Phenanthrene	ND		2.	µg/L	625
P-13	12/21/95	Phenol	ND		2.	µg/L	625
P-13	12/21/95	Pyrene	ND		2.	µg/L	625
P-14	12/21/95	1,2,4-Trichlorobenzene	ND		2.	µg/L	625
P-14	12/21/95	1,2-Dichlorobenzene	ND		2.	µg/L	625
P-14	12/21/95	1,2-Diphenylhydrazine	ND		2.	µg/L	625
P-14	12/21/95	1,3-Dichlorobenzene	ND		2.	µg/L	625
P-14	12/21/95	1,4-Dichlorobenzene	ND		2.	µg/L	625
P-14	12/21/95	2,4,5-Trichlorophenol	ND		5.	µg/L	625
P-14	12/21/95	2,4,6-Trichlorophenol	ND		5.	µg/L	625
P-14	12/21/95	2,4-Dichlorophenol	ND		2.	µg/L	625
P-14	12/21/95	2,4-Dimethylphenol	ND		2.	µg/L	625
P-14	12/21/95	2,4-Dinitrophenol	ND		10.	µg/L	625
P-14	12/21/95	2,4-Dinitrotoluene	ND		2.	µg/L	625
P-14	12/21/95	2,6-Dinitrotoluene	ND		2.	µg/L	625
P-14	12/21/95	2-Chloronaphthalene	ND		2.	µg/L	625
P-14	12/21/95	2-Chlorophenol	ND		2.	µg/L	625
P-14	12/21/95	2-Methyl-4,6-dinitrophenol	ND		5.	µg/L	625
P-14	12/21/95	2-Methylnaphthalene	ND		2.	µg/L	625
P-14	12/21/95	2-Methylphenol	ND		2.	µg/L	625
P-14	12/21/95	2-Naphthylamine	ND		20.	µg/L	625

Table 4-10. Summary of Groundwater Analytical Results - Semi-Volatile Organic Compounds (SVOCs), Groundwater RFI Data Assessment Report, ILM Facility, Torrance, California

Sample ID	Sample Date	Analyte	Result	Flag	PQL	Units	Method
P-14	12/21/95	2-Nitroaniline	ND		2.	µg/L	625
P-14	12/21/95	2-Nitrophenol	ND		2.	µg/L	625
P-14	12/21/95	3,3-Dichlorobenzidine	ND		5.	µg/L	625
P-14	12/21/95	3-Nitroaniline	ND		2.	µg/L	625
P-14	12/21/95	4,4-DDD	ND		2.	µg/L	625
P-14	12/21/95	4,4-DDE	ND		2.	µg/L	625
P-14	12/21/95	4,4-DDT	ND		2.	µg/L	625
P-14	12/21/95	4-Bromophenyl-phenyl-ether	ND		2.	µg/L	625
P-14	12/21/95	4-Chloro-3-methylphenol	ND		5.	µg/L	625
P-14	12/21/95	4-Chloroaniline	ND		2.	µg/L	625
P-14	12/21/95	4-Chlorophenylphenyl-ether	ND		2.	µg/L	625
P-14	12/21/95	4-Methylphenol	ND		2.	µg/L	625
P-14	12/21/95	4-Nitroaniline	ND		5.	µg/L	625
P-14	12/21/95	4-Nitrophenol	ND		5.	µg/L	625
P-14	12/21/95	Acenaphthene	ND		2.	µg/L	625
P-14	12/21/95	Acenaphthylene	ND		2.	µg/L	625
P-14	12/21/95	Aldrin	ND		2.	µg/L	625
P-14	12/21/95	alpha-BHC	ND		2.	µg/L	625
P-14	12/21/95	Aniline	ND		5.	µg/L	625
P-14	12/21/95	Anthracene	ND		2.	µg/L	625
P-14	12/21/95	Benzidine	ND		20.	µg/L	625
P-14	12/21/95	Benzo-(a)-anthracene	ND		2.	µg/L	625
P-14	12/21/95	Benzo-(a)-pyrene	ND		2.	µg/L	625
P-14	12/21/95	Benzo-(b)-fluoranthene	ND		2.	µg/L	625
P-14	12/21/95	Benzo-(ghi)-perylene	ND		2.	µg/L	625
P-14	12/21/95	Benzo-(k)-fluoranthene	ND		2.	µg/L	625
P-14	12/21/95	Benzoic acid	ND		5.	µg/L	625
P-14	12/21/95	Benzyl-butyl-phthalate	ND		2.	µg/L	625
P-14	12/21/95	Benzylalcohol	ND		2.	µg/L	625
P-14	12/21/95	beta-BHC	ND		2.	µg/L	625
P-14	12/21/95	bis-2-chloroethoxy-methane	ND		2.	µg/L	625
P-14	12/21/95	bis-2-chloroethyl-ether	ND		2.	µg/L	625
P-14	12/21/95	bis-2-chloroisopropyl-ether	ND		2.	µg/L	625
P-14	12/21/95	bis-2-ethylhexyl-phthalate	ND		5.	µg/L	625
P-14	12/21/95	Chrysene	ND		2.	µg/L	625
P-14	12/21/95	delta-BHC	ND		2.	µg/L	625
P-14	12/21/95	Di-n-butyl-phthalate	ND		2.	µg/L	625
P-14	12/21/95	Di-n-octylphthalate	ND		2.	µg/L	625
P-14	12/21/95	Dibenzo-(ah)-anthracene	ND		2.	µg/L	625
P-14	12/21/95	Dibenzofuran	ND		2.	µg/L	625
P-14	12/21/95	Dieldrin	ND		2.	µg/L	625
P-14	12/21/95	Diethyl-phthalate	ND		2.	µg/L	625
P-14	12/21/95	Dimethyl-phthalate	ND		2.	µg/L	625
P-14	12/21/95	Endosulfan I	ND		2.	µg/L	625
P-14	12/21/95	Endosulfan II	ND		2.	µg/L	625
P-14	12/21/95	Endosulfan Sulfate	ND		2.	µg/L	625
P-14	12/21/95	Endrin	ND		2.	µg/L	625
P-14	12/21/95	Endrin Aldehyde	ND		2.	µg/L	625
P-14	12/21/95	Fluoranthene	ND		2.	µg/L	625

Table 4-10. Summary of Groundwater Analytical Results - Semi-Volatile Organic Compounds (SVOCs), Groundwater RFI Data Assessment Report, ILM Facility, Torrance, California

Sample ID	Sample Date	Analyte	Result	Flag	PQL	Units	Method
P-12	12/21/95	Benzo-(k)-fluoranthene	ND		2.	µg/L	625
P-12	12/21/95	Benzoic acid	ND		5.	µg/L	625
P-12	12/21/95	Benzyl-butyl-phthalate	ND		2.	µg/L	625
P-12	12/21/95	Benzylalcohol	ND		2.	µg/L	625
P-12	12/21/95	beta-BHC	ND		2.	µg/L	625
P-12	12/21/95	bis-2-chloroethoxy-methane	ND		2.	µg/L	625
P-12	12/21/95	bis-2-chloroethyl-ether	ND		2.	µg/L	625
P-12	12/21/95	bis-2-chloroisopropyl-ether	ND		2.	µg/L	625
P-12	12/21/95	bis-2-ethylhexyl-phthalate	ND		5.	µg/L	625
P-12	12/21/95	Chrysene	ND		2.	µg/L	625
P-12	12/21/95	delta-BHC	ND		2.	µg/L	625
P-12	12/21/95	Di-n-butyl-phthalate	ND		2.	µg/L	625
P-12	12/21/95	Di-n-octylphthalate	ND		2.	µg/L	625
P-12	12/21/95	Dibenzo-(ah)-anthracene	ND		2.	µg/L	625
P-12	12/21/95	Dibenzofuran	ND		2.	µg/L	625
P-12	12/21/95	Dieldrin	ND		2.	µg/L	625
P-12	12/21/95	Diethyl-phthalate	ND		2.	µg/L	625
P-12	12/21/95	Dimethyl-phthalate	ND		2.	µg/L	625
P-12	12/21/95	Endosulfan I	ND		2.	µg/L	625
P-12	12/21/95	Endosulfan II	ND		2.	µg/L	625
P-12	12/21/95	Endosulfan Sulfate	ND		2.	µg/L	625
P-12	12/21/95	Endrin	ND		2.	µg/L	625
P-12	12/21/95	Endrin Aldehyde	ND		2.	µg/L	625
P-12	12/21/95	Fluoranthene	ND		2.	µg/L	625
P-12	12/21/95	Fluorene	ND		2.	µg/L	625
P-12	12/21/95	gamma-BHC	ND		2.	µg/L	625
P-12	12/21/95	Heptachlor	ND		2.	µg/L	625
P-12	12/21/95	Heptachlor epoxide	ND		2.	µg/L	625
P-12	12/21/95	Hexachlorobenzene	ND		2.	µg/L	625
P-12	12/21/95	Hexachlorobutadiene	ND		2.	µg/L	625
P-12	12/21/95	Hexachlorocyclopentadiene	ND		2.	µg/L	625
P-12	12/21/95	Hexachloroethane	ND		2.	µg/L	625
P-12	12/21/95	Indeno-1,2,3-cd-pyrene	ND		2.	µg/L	625
P-12	12/21/95	Isophorone	ND		2.	µg/L	625
P-12	12/21/95	N-nitrosodi-n-propylamine	ND		2.	µg/L	625
P-12	12/21/95	N-Nitrosodimethylamine	ND		2.	µg/L	625
P-12	12/21/95	N-Nitrosodiphenylamine	ND		2.	µg/L	625
P-12	12/21/95	Naphthalene	ND		2.	µg/L	625
P-12	12/21/95	Nitrobenzene	ND		2.	µg/L	625
P-12	12/21/95	Pentachlorophenol	ND		5.	µg/L	625
P-12	12/21/95	Phenanthrene	ND		2.	µg/L	625
P-12	12/21/95	Phenol	ND		2.	µg/L	625
P-12	12/21/95	Pyrene	ND		2.	µg/L	625
P-13	12/21/95	1,2,4-Trichlorobenzene	ND		2.	µg/L	625
P-13	12/21/95	1,2-Dichlorobenzene	ND		2.	µg/L	625
P-13	12/21/95	1,2-Diphenylhydrazine	ND		2.	µg/L	625
P-13	12/21/95	1,3-Dichlorobenzene	ND		2.	µg/L	625
P-13	12/21/95	1,4-Dichlorobenzene	ND		2.	µg/L	625
P-13	12/21/95	2,4,5-Trichlorophenol	ND		5.	µg/L	625

Table 4-10. Summary of Groundwater Analytical Results - Semi-Volatile Organic Compounds (SVOCs), Groundwater RFI Data Assessment Report, ILM Facility, Torrance, California

Sample ID	Sample Date	Analyte	Result	Flag	PQL	Units	Method
P-13	12/21/95	2,4,6-Trichlorophenol	ND		5.	µg/L	625
P-13	12/21/95	2,4-Dichlorophenol	ND		2.	µg/L	625
P-13	12/21/95	2,4-Dimethylphenol	ND		2.	µg/L	625
P-13	12/21/95	2,4-Dinitrophenol	ND		10.	µg/L	625
P-13	12/21/95	2,4-Dinitrotoluene	ND		2.	µg/L	625
P-13	12/21/95	2,6-Dinitrotoluene	ND		2.	µg/L	625
P-13	12/21/95	2-Chloronaphthalene	ND		2.	µg/L	625
P-13	12/21/95	2-Chlorophenol	ND		2.	µg/L	625
P-13	12/21/95	2-Methyl-4,6-dinitrophenol	ND		5.	µg/L	625
P-13	12/21/95	2-Methylnaphthalene	ND		2.	µg/L	625
P-13	12/21/95	2-Methylphenol	ND		2.	µg/L	625
P-13	12/21/95	2-Naphthylamine	ND		20.	µg/L	625
P-13	12/21/95	2-Nitroaniline	ND		2.	µg/L	625
P-13	12/21/95	2-Nitrophenol	ND		2.	µg/L	625
P-13	12/21/95	3,3-Dichlorobenzidine	ND		5.	µg/L	625
P-13	12/21/95	3-Nitroaniline	ND		2.	µg/L	625
P-13	12/21/95	4,4-DDD	ND		2.	µg/L	625
P-13	12/21/95	4,4-DDE	ND		2.	µg/L	625
P-13	12/21/95	4,4-DDT	ND		2.	µg/L	625
P-13	12/21/95	4-Bromophenyl-phenyl-ether	ND		2.	µg/L	625
P-13	12/21/95	4-Chloro-3-methylphenol	ND		5.	µg/L	625
P-13	12/21/95	4-Chloroaniline	ND		2.	µg/L	625
P-13	12/21/95	4-Chlorophenylphenyl-ether	ND		2.	µg/L	625
P-13	12/21/95	4-Methylphenol	ND		2.	µg/L	625
P-13	12/21/95	4-Nitroaniline	ND		5.	µg/L	625
P-13	12/21/95	4-Nitrophenol	ND		5.	µg/L	625
P-13	12/21/95	Acenaphthene	ND		2.	µg/L	625
P-13	12/21/95	Acenaphthylene	ND		2.	µg/L	625
P-13	12/21/95	Aldrin	ND		2.	µg/L	625
P-13	12/21/95	alpha-BHC	ND		2.	µg/L	625
P-13	12/21/95	Aniline	ND		5.	µg/L	625
P-13	12/21/95	Anthracene	ND		2.	µg/L	625
P-13	12/21/95	Benzidine	ND		20.	µg/L	625
P-13	12/21/95	Benzo-(a)-anthracene	ND		2.	µg/L	625
P-13	12/21/95	Benzo-(a)-pyrene	ND		2.	µg/L	625
P-13	12/21/95	Benzo-(b)-fluoranthene	ND		2.	µg/L	625
P-13	12/21/95	Benzo-(ghi)-perylene	ND		2.	µg/L	625
P-13	12/21/95	Benzo-(k)-fluoranthene	ND		2.	µg/L	625
P-13	12/21/95	Benzoic acid	ND		5.	µg/L	625
P-13	12/21/95	Benzyl-butyl-phthalate	ND		2.	µg/L	625
P-13	12/21/95	Benzylalcohol	ND		2.	µg/L	625
P-13	12/21/95	beta-BHC	ND		2.	µg/L	625
P-13	12/21/95	bis-2-chloroethoxy-methane	ND		2.	µg/L	625
P-13	12/21/95	bis-2-chloroethyl-ether	ND		2.	µg/L	625
P-13	12/21/95	bis-2-chloroisopropyl-ether	ND		2.	µg/L	625
P-13	12/21/95	bis-2-ethylhexyl-phthalate	ND		5.	µg/L	625
P-13	12/21/95	Chrysene	ND		2.	µg/L	625
P-13	12/21/95	delta-BHC	ND		2.	µg/L	625
P-13	12/21/95	Di-n-butyl-phthalate	ND		2.	µg/L	625

Table 4-10. Summary of Groundwater Analytical Results - Semi-Volatile Organic Compounds (SVOCs), Groundwater RFI Data Assessment Report, ILM Facility, Torrance, California

Sample ID	Sample Date	Analyte	Result	Flag	PQL	Units	Method
P-11	12/27/95	4-Nitrophenol	ND		5.	µg/L	625
P-11	12/27/95	Acenaphthene	ND		2.	µg/L	625
P-11	12/27/95	Acenaphthylene	ND		2.	µg/L	625
P-11	12/27/95	Aldrin	ND		2.	µg/L	625
P-11	12/27/95	alpha-BHC	ND		2.	µg/L	625
P-11	12/27/95	Aniline	ND		5.	µg/L	625
P-11	12/27/95	Anthracene	ND		2.	µg/L	625
P-11	12/27/95	Benzidine	ND		20.	µg/L	625
P-11	12/27/95	Benzo-(a)-anthracene	ND		2.	µg/L	625
P-11	12/27/95	Benzo-(a)-pyrene	ND		2.	µg/L	625
P-11	12/27/95	Benzo-(b)-fluoranthene	ND		2.	µg/L	625
P-11	12/27/95	Benzo-(ghi)-perylene	ND		2.	µg/L	625
P-11	12/27/95	Benzo-(k)-fluoranthene	ND		2.	µg/L	625
P-11	12/27/95	Benzoic acid	ND		5.	µg/L	625
P-11	12/27/95	Benzyl-butyl-phthalate	ND		2.	µg/L	625
P-11	12/27/95	Benzylalcohol	ND		2.	µg/L	625
P-11	12/27/95	beta-BHC	ND		2.	µg/L	625
P-11	12/27/95	bis-2-chloroethoxy-methane	ND		2.	µg/L	625
P-11	12/27/95	bis-2-chloroethyl-ether	ND		2.	µg/L	625
P-11	12/27/95	bis-2-chloroisopropyl-ether	ND		2.	µg/L	625
P-11	12/27/95	bis-2-ethylhexyl-phthalate	10		5.	µg/L	625
P-11	12/27/95	Chrysene	ND		2.	µg/L	625
P-11	12/27/95	delta-BHC	ND		2.	µg/L	625
P-11	12/27/95	Di-n-butyl-phthalate	ND		2.	µg/L	625
P-11	12/27/95	Di-n-octylphthalate	ND		2.	µg/L	625
P-11	12/27/95	Dibenzo-(ah)-anthracene	ND		2.	µg/L	625
P-11	12/27/95	Dibenzofuran	ND		2.	µg/L	625
P-11	12/27/95	Dieldrin	ND		2.	µg/L	625
P-11	12/27/95	Diethyl-phthalate	ND		2.	µg/L	625
P-11	12/27/95	Dimethyl-phthalate	ND		2.	µg/L	625
P-11	12/27/95	Endosulfan I	ND		2.	µg/L	625
P-11	12/27/95	Endosulfan II	ND		2.	µg/L	625
P-11	12/27/95	Endosulfan Sulfate	ND		2.	µg/L	625
P-11	12/27/95	Endrin	ND		2.	µg/L	625
P-11	12/27/95	Endrin Aldehyde	ND		2.	µg/L	625
P-11	12/27/95	Fluoranthene	ND		2.	µg/L	625
P-11	12/27/95	Fluorene	ND		2.	µg/L	625
P-11	12/27/95	gamma-BHC	ND		2.	µg/L	625
P-11	12/27/95	Heptachlor	ND		2.	µg/L	625
P-11	12/27/95	Heptachlor epoxide	ND		2.	µg/L	625
P-11	12/27/95	Hexachlorobenzene	ND		2.	µg/L	625
P-11	12/27/95	Hexachlorobutadiene	ND		2.	µg/L	625
P-11	12/27/95	Hexachlorocyclopentadiene	ND		2.	µg/L	625
P-11	12/27/95	Hexachloroethane	ND		2.	µg/L	625
P-11	12/27/95	Indeno-1,2,3-cd-pyrene	ND		2.	µg/L	625
P-11	12/27/95	Isophorone	ND		2.	µg/L	625
P-11	12/27/95	N-nitrosodi-n-propylamine	ND		2.	µg/L	625
P-11	12/27/95	N-Nitrosodimethylamine	ND		2.	µg/L	625
P-11	12/27/95	N-Nitrosodiphenylamine	ND		2.	µg/L	625

Table 4-10. Summary of Groundwater Analytical Results - Semi-Volatile Organic Compounds (SVOCs), Groundwater RFI Data Assessment Report, ILM Facility, Torrance, California

Sample ID	Sample Date	Analyte	Result	Flag	PQL	Units	Method
P-11	12/27/95	Naphthalene	ND		2.	µg/L	625
P-11	12/27/95	Nitrobenzene	ND		2.	µg/L	625
P-11	12/27/95	Pentachlorophenol	ND		5.	µg/L	625
P-11	12/27/95	Phenanthrene	ND		2.	µg/L	625
P-11	12/27/95	Phenol	ND		2.	µg/L	625
P-11	12/27/95	Pyrene	ND		2.	µg/L	625
P-12	12/21/95	1,2,4-Trichlorobenzene	ND		2.	µg/L	625
P-12	12/21/95	1,2-Dichlorobenzene	ND		2.	µg/L	625
P-12	12/21/95	1,2-Diphenylhydrazine	ND		2.	µg/L	625
P-12	12/21/95	1,3-Dichlorobenzene	ND		2.	µg/L	625
P-12	12/21/95	1,4-Dichlorobenzene	ND		2.	µg/L	625
P-12	12/21/95	2,4,5-Trichlorophenol	ND		5.	µg/L	625
P-12	12/21/95	2,4,6-Trichlorophenol	ND		5.	µg/L	625
P-12	12/21/95	2,4-Dichlorophenol	ND		2.	µg/L	625
P-12	12/21/95	2,4-Dimethylphenol	ND		2.	µg/L	625
P-12	12/21/95	2,4-Dinitrophenol	ND		10.	µg/L	625
P-12	12/21/95	2,4-Dinitrotoluene	ND		2.	µg/L	625
P-12	12/21/95	2,6-Dinitrotoluene	ND		2.	µg/L	625
P-12	12/21/95	2-Chloronaphthalene	ND		2.	µg/L	625
P-12	12/21/95	2-Chlorophenol	ND		2.	µg/L	625
P-12	12/21/95	2-Methyl-4,6-dinitrophenol	ND		5.	µg/L	625
P-12	12/21/95	2-Methylnaphthalene	ND		2.	µg/L	625
P-12	12/21/95	2-Methylphenol	ND		2.	µg/L	625
P-12	12/21/95	2-Naphthylamine	ND		20.	µg/L	625
P-12	12/21/95	2-Nitroaniline	ND		2.	µg/L	625
P-12	12/21/95	2-Nitrophenol	ND		2.	µg/L	625
P-12	12/21/95	3,3-Dichlorobenzidine	ND		5.	µg/L	625
P-12	12/21/95	3-Nitroaniline	ND		2.	µg/L	625
P-12	12/21/95	4,4-DDD	ND		2.	µg/L	625
P-12	12/21/95	4,4-DDE	ND		2.	µg/L	625
P-12	12/21/95	4,4-DDT	ND		2.	µg/L	625
P-12	12/21/95	4-Bromophenyl-phenyl-ether	ND		2.	µg/L	625
P-12	12/21/95	4-Chloro-3-methylphenol	ND		5.	µg/L	625
P-12	12/21/95	4-Chloroaniline	ND		2.	µg/L	625
P-12	12/21/95	4-Chlorophenylphenyl-ether	ND		2.	µg/L	625
P-12	12/21/95	4-Methylphenol	ND		2.	µg/L	625
P-12	12/21/95	4-Nitroaniline	ND		5.	µg/L	625
P-12	12/21/95	4-Nitrophenol	ND		5.	µg/L	625
P-12	12/21/95	Acenaphthene	ND		2.	µg/L	625
P-12	12/21/95	Acenaphthylene	ND		2.	µg/L	625
P-12	12/21/95	Aldrin	ND		2.	µg/L	625
P-12	12/21/95	alpha-BHC	ND		2.	µg/L	625
P-12	12/21/95	Aniline	ND		5.	µg/L	625
P-12	12/21/95	Anthracene	ND		2.	µg/L	625
P-12	12/21/95	Benzidine	ND		20.	µg/L	625
P-12	12/21/95	Benzo-(a)-anthracene	ND		2.	µg/L	625
P-12	12/21/95	Benzo-(a)-pyrene	ND		2.	µg/L	625
P-12	12/21/95	Benzo-(b)-fluoranthene	ND		2.	µg/L	625
P-12	12/21/95	Benzo-(ghi)-perylene	ND		2.	µg/L	625

Table 4-10. Summary of Groundwater Analytical Results - Semi-Volatile Organic Compounds (SVOCs), Groundwater RFI Data Assessment Report, ILM Facility, Torrance, California

Sample ID	Sample Date	Analyte	Result	Flag	PQL	Units	Method
P-10	12/19/95	2-Nitrophenol	ND		2.	µg/L	625
P-10	12/19/95	3,3-Dichlorobenzidine	ND		5.	µg/L	625
P-10	12/19/95	3-Nitroaniline	ND		2.	µg/L	625
P-10	12/19/95	4,4-DDD	ND		2.	µg/L	625
P-10	12/19/95	4,4-DDE	ND		2.	µg/L	625
P-10	12/19/95	4,4-DDT	ND		2.	µg/L	625
P-10	12/19/95	4-Bromophenyl-phenyl-ether	ND		2.	µg/L	625
P-10	12/19/95	4-Chloro-3-methylphenol	ND		5.	µg/L	625
P-10	12/19/95	4-Chloroaniline	ND		2.	µg/L	625
P-10	12/19/95	4-Chlorophenylphenyl-ether	ND		2.	µg/L	625
P-10	12/19/95	4-Methylphenol	ND		2.	µg/L	625
P-10	12/19/95	4-Nitroaniline	ND		5.	µg/L	625
P-10	12/19/95	4-Nitrophenol	ND		5.	µg/L	625
P-10	12/19/95	Acenaphthene	ND		2.	µg/L	625
P-10	12/19/95	Acenaphthylene	ND		2.	µg/L	625
P-10	12/19/95	Aldrin	ND		2.	µg/L	625
P-10	12/19/95	alpha-BHC	ND		2.	µg/L	625
P-10	12/19/95	Aniline	ND		5.	µg/L	625
P-10	12/19/95	Anthracene	ND		2.	µg/L	625
P-10	12/19/95	Benzidine	ND		20.	µg/L	625
P-10	12/19/95	Benzo-(a)-anthracene	ND		2.	µg/L	625
P-10	12/19/95	Benzo-(a)-pyrene	ND		2.	µg/L	625
P-10	12/19/95	Benzo-(b)-fluoranthene	ND		2.	µg/L	625
P-10	12/19/95	Benzo-(ghi)-perylene	ND		2.	µg/L	625
P-10	12/19/95	Benzo-(k)-fluoranthene	ND		2.	µg/L	625
P-10	12/19/95	Benzoic acid	ND		5.	µg/L	625
P-10	12/19/95	Benzyl-butyl-phthalate	ND		2.	µg/L	625
P-10	12/19/95	Benzylalcohol	9		2.	µg/L	625
P-10	12/19/95	beta-BHC	ND		2.	µg/L	625
P-10	12/19/95	bis-2-chloroethoxy-methane	ND		2.	µg/L	625
P-10	12/19/95	bis-2-chloroethyl-ether	ND		2.	µg/L	625
P-10	12/19/95	bis-2-chloroisopropyl-ether	ND		2.	µg/L	625
P-10	12/19/95	bis-2-ethylhexyl-phthalate	7		5.	µg/L	625
P-10	12/19/95	Chrysene	ND		2.	µg/L	625
P-10	12/19/95	delta-BHC	ND		2.	µg/L	625
P-10	12/19/95	Di-n-butyl-phthalate	ND		2.	µg/L	625
P-10	12/19/95	Di-n-octylphthalate	ND		2.	µg/L	625
P-10	12/19/95	Dibenzo-(ah)-anthracene	ND		2.	µg/L	625
P-10	12/19/95	Dibenzofuran	ND		2.	µg/L	625
P-10	12/19/95	Dieldrin	ND		2.	µg/L	625
P-10	12/19/95	Diethyl-phthalate	ND		2.	µg/L	625
P-10	12/19/95	Dimethyl-phthalate	ND		2.	µg/L	625
P-10	12/19/95	Endosulfan I	ND		2.	µg/L	625
P-10	12/19/95	Endosulfan II	ND		2.	µg/L	625
P-10	12/19/95	Endosulfan Sulfate	ND		2.	µg/L	625
P-10	12/19/95	Endrin	ND		2.	µg/L	625
P-10	12/19/95	Endrin Aldehyde	ND		2.	µg/L	625
P-10	12/19/95	Fluoranthene	ND		2.	µg/L	625
P-10	12/19/95	Fluorene	ND		2.	µg/L	625

Table 4-10. Summary of Groundwater Analytical Results - Semi-Volatile Organic Compounds (SVOCs), Groundwater RFI Data Assessment Report, ILM Facility, Torrance, California

Sample ID	Sample Date	Analyte	Result	Flag	PQL	Units	Method
P-10	12/19/95	gamma-BHC	ND		2.	µg/L	625
P-10	12/19/95	Heptachlor	ND		2.	µg/L	625
P-10	12/19/95	Heptachlor epoxide	ND		2.	µg/L	625
P-10	12/19/95	Hexachlorobenzene	ND		2.	µg/L	625
P-10	12/19/95	Hexachlorobutadiene	ND		2.	µg/L	625
P-10	12/19/95	Hexachlorocyclopentadiene	ND		2.	µg/L	625
P-10	12/19/95	Hexachloroethane	ND		2.	µg/L	625
P-10	12/19/95	Indeno-1,2,3-cd-pyrene	ND		2.	µg/L	625
P-10	12/19/95	Isophorone	ND		2.	µg/L	625
P-10	12/19/95	N-nitrosodi-n-propylamine	ND		2.	µg/L	625
P-10	12/19/95	N-Nitrosodimethylamine	ND		2.	µg/L	625
P-10	12/19/95	N-Nitrosodiphenylamine	ND		2.	µg/L	625
P-10	12/19/95	Naphthalene	ND		2.	µg/L	625
P-10	12/19/95	Nitrobenzene	ND		2.	µg/L	625
P-10	12/19/95	Pentachlorophenol	ND		5.	µg/L	625
P-10	12/19/95	Phenanthrene	ND		2.	µg/L	625
P-10	12/19/95	Phenol	ND		2.	µg/L	625
P-10	12/19/95	Pyrene	ND		2.	µg/L	625
P-11	12/27/95	1,2,4-Trichlorobenzene	ND		2.	µg/L	625
P-11	12/27/95	1,2-Dichlorobenzene	ND		2.	µg/L	625
P-11	12/27/95	1,2-Diphenylhydrazine	ND		2.	µg/L	625
P-11	12/27/95	1,3-Dichlorobenzene	ND		2.	µg/L	625
P-11	12/27/95	1,4-Dichlorobenzene	ND		2.	µg/L	625
P-11	12/27/95	2,4,5-Trichlorophenol	ND		5.	µg/L	625
P-11	12/27/95	2,4,6-Trichlorophenol	ND		5.	µg/L	625
P-11	12/27/95	2,4-Dichlorophenol	ND		2.	µg/L	625
P-11	12/27/95	2,4-Dimethylphenol	ND		2.	µg/L	625
P-11	12/27/95	2,4-Dinitrophenol	ND		10.	µg/L	625
P-11	12/27/95	2,4-Dinitrotoluene	ND		2.	µg/L	625
P-11	12/27/95	2,6-Dinitrotoluene	ND		2.	µg/L	625
P-11	12/27/95	2-Chloronaphthalene	ND		2.	µg/L	625
P-11	12/27/95	2-Chlorophenol	ND		2.	µg/L	625
P-11	12/27/95	2-Methyl-4,6-dinitrophenol	ND		5.	µg/L	625
P-11	12/27/95	2-Methylnaphthalene	ND		2.	µg/L	625
P-11	12/27/95	2-Methylphenol	ND		2.	µg/L	625
P-11	12/27/95	2-Naphthylamine	ND		20.	µg/L	625
P-11	12/27/95	2-Nitroaniline	ND		2.	µg/L	625
P-11	12/27/95	2-Nitrophenol	ND		2.	µg/L	625
P-11	12/27/95	3,3-Dichlorobenzidine	ND		5.	µg/L	625
P-11	12/27/95	3-Nitroaniline	ND		2.	µg/L	625
P-11	12/27/95	4,4-DDD	ND		2.	µg/L	625
P-11	12/27/95	4,4-DDE	ND		2.	µg/L	625
P-11	12/27/95	4,4-DDT	ND		2.	µg/L	625
P-11	12/27/95	4-Bromophenyl-phenyl-ether	ND		2.	µg/L	625
P-11	12/27/95	4-Chloro-3-methylphenol	ND		5.	µg/L	625
P-11	12/27/95	4-Chloroaniline	ND		2.	µg/L	625
P-11	12/27/95	4-Chlorophenylphenyl-ether	ND		2.	µg/L	625
P-11	12/27/95	4-Methylphenol	ND		2.	µg/L	625
P-11	12/27/95	4-Nitroaniline	ND		5.	µg/L	625

Table 4-10. Summary of Groundwater Analytical Results - Semi-Volatile Organic Compounds (SVOCs), Groundwater RFI Data Assessment Report, ILM Facility, Torrance, California

Sample ID	Sample Date	Analyte	Result	Flag	PQL	Units	Method
P-1(DUP-1)	12/27/95	2,4-Dimethylphenol	ND		2.	µg/L	625
P-1(DUP-1)	12/27/95	2,4-Dinitrophenol	ND		10.	µg/L	625
P-1(DUP-1)	12/27/95	2,4-Dinitrotoluene	ND		2.	µg/L	625
P-1(DUP-1)	12/27/95	2,6-Dinitrotoluene	ND		2.	µg/L	625
P-1(DUP-1)	12/27/95	2-Chloronaphthalene	ND		2.	µg/L	625
P-1(DUP-1)	12/27/95	2-Chlorophenol	ND		2.	µg/L	625
P-1(DUP-1)	12/27/95	2-Methyl-4,6-dinitrophenol	ND		5.	µg/L	625
P-1(DUP-1)	12/27/95	2-Methylnaphthalene	ND		2.	µg/L	625
P-1(DUP-1)	12/27/95	2-Methylphenol	ND		2.	µg/L	625
P-1(DUP-1)	12/27/95	2-Naphthylamine	ND		20.	µg/L	625
P-1(DUP-1)	12/27/95	2-Nitroaniline	ND		2.	µg/L	625
P-1(DUP-1)	12/27/95	2-Nitrophenol	ND		2.	µg/L	625
P-1(DUP-1)	12/27/95	3,3-Dichlorobenzidine	ND		5.	µg/L	625
P-1(DUP-1)	12/27/95	3-Nitroaniline	ND		2.	µg/L	625
P-1(DUP-1)	12/27/95	4,4-DDD	ND		2.	µg/L	625
P-1(DUP-1)	12/27/95	4,4-DDE	ND		2.	µg/L	625
P-1(DUP-1)	12/27/95	4,4-DDT	ND		2.	µg/L	625
P-1(DUP-1)	12/27/95	4-Bromophenyl-phenyl-ether	ND		2.	µg/L	625
P-1(DUP-1)	12/27/95	4-Chloro-3-methylphenol	ND		5.	µg/L	625
P-1(DUP-1)	12/27/95	4-Chloroaniline	ND		2.	µg/L	625
P-1(DUP-1)	12/27/95	4-Chlorophenylphenyl-ether	ND		2.	µg/L	625
P-1(DUP-1)	12/27/95	4-Methylphenol	ND		2.	µg/L	625
P-1(DUP-1)	12/27/95	4-Nitroaniline	ND		5.	µg/L	625
P-1(DUP-1)	12/27/95	4-Nitrophenol	ND		5.	µg/L	625
P-1(DUP-1)	12/27/95	Acenaphthene	ND		2.	µg/L	625
P-1(DUP-1)	12/27/95	Acenaphthylene	ND		2.	µg/L	625
P-1(DUP-1)	12/27/95	Aldrin	ND		2.	µg/L	625
P-1(DUP-1)	12/27/95	alpha-BHC	ND		2.	µg/L	625
P-1(DUP-1)	12/27/95	Aniline	ND		5.	µg/L	625
P-1(DUP-1)	12/27/95	Anthracene	ND		2.	µg/L	625
P-1(DUP-1)	12/27/95	Benzidine	ND		20.	µg/L	625
P-1(DUP-1)	12/27/95	Benzo-(a)-anthracene	ND		2.	µg/L	625
P-1(DUP-1)	12/27/95	Benzo-(a)-pyrene	ND		2.	µg/L	625
P-1(DUP-1)	12/27/95	Benzo-(b)-fluoranthene	ND		2.	µg/L	625
P-1(DUP-1)	12/27/95	Benzo-(ghi)-perylene	ND		2.	µg/L	625
P-1(DUP-1)	12/27/95	Benzo-(k)-fluoranthene	ND		2.	µg/L	625
P-1(DUP-1)	12/27/95	Benzoic acid	ND		5.	µg/L	625
P-1(DUP-1)	12/27/95	Benzyl-butyl-phthalate	ND		2.	µg/L	625
P-1(DUP-1)	12/27/95	Benzylalcohol	ND		2.	µg/L	625
P-1(DUP-1)	12/27/95	beta-BHC	ND		2.	µg/L	625
P-1(DUP-1)	12/27/95	bis-2-chloroethoxy-methane	ND		2.	µg/L	625
P-1(DUP-1)	12/27/95	bis-2-chloroethyl-ether	ND		2.	µg/L	625
P-1(DUP-1)	12/27/95	bis-2-chloroisopropyl-ether	ND		2.	µg/L	625
P-1(DUP-1)	12/27/95	bis-2-ethylhexyl-phthalate	ND		5.	µg/L	625
P-1(DUP-1)	12/27/95	Chrysene	ND		2.	µg/L	625
P-1(DUP-1)	12/27/95	delta-BHC	ND		2.	µg/L	625
P-1(DUP-1)	12/27/95	Di-n-butyl-phthalate	ND		2.	µg/L	625
P-1(DUP-1)	12/27/95	Di-n-octylphthalate	ND		2.	µg/L	625
P-1(DUP-1)	12/27/95	Dibenzo-(ah)-anthracene	ND		2.	µg/L	625

Table 4-10. Summary of Groundwater Analytical Results - Semi-Volatile Organic Compounds (SVOCs), Groundwater RFI Data Assessment Report, ILM Facility, Torrance, California

Sample ID	Sample Date	Analyte	Result	Flag	PQL	Units	Method
P-1(DUP-1)	12/27/95	Dibenzofuran	ND		2.	µg/L	625
P-1(DUP-1)	12/27/95	Dieldrin	ND		2.	µg/L	625
P-1(DUP-1)	12/27/95	Diethyl-phthalate	ND		2.	µg/L	625
P-1(DUP-1)	12/27/95	Dimethyl-phthalate	ND		2.	µg/L	625
P-1(DUP-1)	12/27/95	Endosulfan I	ND		2.	µg/L	625
P-1(DUP-1)	12/27/95	Endosulfan II	ND		2.	µg/L	625
P-1(DUP-1)	12/27/95	Endosulfan Sulfate	ND		2.	µg/L	625
P-1(DUP-1)	12/27/95	Endrin	ND		2.	µg/L	625
P-1(DUP-1)	12/27/95	Endrin Aldehyde	ND		2.	µg/L	625
P-1(DUP-1)	12/27/95	Fluoranthene	ND		2.	µg/L	625
P-1(DUP-1)	12/27/95	Fluorene	ND		2.	µg/L	625
P-1(DUP-1)	12/27/95	gamma-BHC	ND		2.	µg/L	625
P-1(DUP-1)	12/27/95	Heptachlor	ND		2.	µg/L	625
P-1(DUP-1)	12/27/95	Heptachlor epoxide	ND		2.	µg/L	625
P-1(DUP-1)	12/27/95	Hexachlorobenzene	ND		2.	µg/L	625
P-1(DUP-1)	12/27/95	Hexachlorobutadiene	ND		2.	µg/L	625
P-1(DUP-1)	12/27/95	Hexachlorocyclopentadiene	ND		2.	µg/L	625
P-1(DUP-1)	12/27/95	Hexachloroethane	ND		2.	µg/L	625
P-1(DUP-1)	12/27/95	Indeno-1,2,3-cd-pyrene	ND		2.	µg/L	625
P-1(DUP-1)	12/27/95	Isophorone	ND		2.	µg/L	625
P-1(DUP-1)	12/27/95	N-nitrosodi-n-propylamine	ND		2.	µg/L	625
P-1(DUP-1)	12/27/95	N-Nitrosodimethylamine	ND		2.	µg/L	625
P-1(DUP-1)	12/27/95	N-Nitrosodiphenylamine	ND		2.	µg/L	625
P-1(DUP-1)	12/27/95	Naphthalene	ND		2.	µg/L	625
P-1(DUP-1)	12/27/95	Nitrobenzene	ND		2.	µg/L	625
P-1(DUP-1)	12/27/95	Pentachlorophenol	ND		5.	µg/L	625
P-1(DUP-1)	12/27/95	Phenanthrene	ND		2.	µg/L	625
P-1(DUP-1)	12/27/95	Phenol	ND		2.	µg/L	625
P-1(DUP-1)	12/27/95	Pyrene	ND		2.	µg/L	625
P-10	3/16/95	ALL ANALYTES	ND			µg/L	625
P-10	12/19/95	1,2,4-Trichlorobenzene	ND		2.	µg/L	625
P-10	12/19/95	1,2-Dichlorobenzene	ND		2.	µg/L	625
P-10	12/19/95	1,2-Diphenylhydrazine	ND		2.	µg/L	625
P-10	12/19/95	1,3-Dichlorobenzene	ND		2.	µg/L	625
P-10	12/19/95	1,4-Dichlorobenzene	ND		2.	µg/L	625
P-10	12/19/95	2,4,5-Trichlorophenol	ND		5.	µg/L	625
P-10	12/19/95	2,4,6-Trichlorophenol	ND		5.	µg/L	625
P-10	12/19/95	2,4-Dichlorophenol	ND		2.	µg/L	625
P-10	12/19/95	2,4-Dimethylphenol	ND		2.	µg/L	625
P-10	12/19/95	2,4-Dinitrophenol	ND		10.	µg/L	625
P-10	12/19/95	2,4-Dinitrotoluene	ND		2.	µg/L	625
P-10	12/19/95	2,6-Dinitrotoluene	ND		2.	µg/L	625
P-10	12/19/95	2-Chloronaphthalene	ND		2.	µg/L	625
P-10	12/19/95	2-Chlorophenol	ND		2.	µg/L	625
P-10	12/19/95	2-Methyl-4,6-dinitrophenol	ND		5.	µg/L	625
P-10	12/19/95	2-Methylnaphthalene	ND		2.	µg/L	625
P-10	12/19/95	2-Methylphenol	ND		2.	µg/L	625
P-10	12/19/95	2-Naphthylamine	ND		20.	µg/L	625
P-10	12/19/95	2-Nitroaniline	ND		2.	µg/L	625

Table 4-10. Summary of Groundwater Analytical Results - Semi-Volatile Organic Compounds (SVOCs), Groundwater RFI Data Assessment Report, ILM Facility, Torrance, California

Sample ID	Sample Date	Analyte	Result	Flag	PQL	Units	Method
P-1	1/24/95	bis-2-ethylhexyl-phthalate	650		50	µg/L	625
P-1	3/17/95	2,4,6-Trichlorophenol	10		5	µg/L	625
P-1	3/17/95	bis-2-ethylhexyl-phthalate	33		5	µg/L	625
P-1	3/17/95	Pentachlorophenol	5		5	µg/L	625
P-1	12/27/95	1,2,4-Trichlorobenzene	ND		2.	µg/L	625
P-1	12/27/95	1,2-Dichlorobenzene	ND		2.	µg/L	625
P-1	12/27/95	1,2-Diphenylhydrazine	ND		2.	µg/L	625
P-1	12/27/95	1,3-Dichlorobenzene	ND		2.	µg/L	625
P-1	12/27/95	1,4-Dichlorobenzene	ND		2.	µg/L	625
P-1	12/27/95	2,4,5-Trichlorophenol	ND		5.	µg/L	625
P-1	12/27/95	2,4,6-Trichlorophenol	ND		5.	µg/L	625
P-1	12/27/95	2,4-Dichlorophenol	ND		2.	µg/L	625
P-1	12/27/95	2,4-Dimethylphenol	ND		2.	µg/L	625
P-1	12/27/95	2,4-Dinitrophenol	ND		10.	µg/L	625
P-1	12/27/95	2,4-Dinitrotoluene	ND		2.	µg/L	625
P-1	12/27/95	2,6-Dinitrotoluene	ND		2.	µg/L	625
P-1	12/27/95	2-Chloronaphthalene	ND		2.	µg/L	625
P-1	12/27/95	2-Chlorophenol	ND		2.	µg/L	625
P-1	12/27/95	2-Methyl-4,6-dinitrophenol	ND		5.	µg/L	625
P-1	12/27/95	2-Methylnaphthalene	ND		2.	µg/L	625
P-1	12/27/95	2-Methylphenol	ND		2.	µg/L	625
P-1	12/27/95	2-Naphthylamine	ND		20.	µg/L	625
P-1	12/27/95	2-Nitroaniline	ND		2.	µg/L	625
P-1	12/27/95	2-Nitrophenol	ND		2.	µg/L	625
P-1	12/27/95	3,3-Dichlorobenzidine	ND		5.	µg/L	625
P-1	12/27/95	3-Nitroaniline	ND		2.	µg/L	625
P-1	12/27/95	4,4-DDD	ND		2.	µg/L	625
P-1	12/27/95	4,4-DDE	ND		2.	µg/L	625
P-1	12/27/95	4,4-DDT	ND		2.	µg/L	625
P-1	12/27/95	4-Bromophenyl-phenyl-ether	ND		2.	µg/L	625
P-1	12/27/95	4-Chloro-3-methylphenol	ND		5.	µg/L	625
P-1	12/27/95	4-Chloroaniline	ND		2.	µg/L	625
P-1	12/27/95	4-Chlorophenylphenyl-ether	ND		2.	µg/L	625
P-1	12/27/95	4-Methylphenol	ND		2.	µg/L	625
P-1	12/27/95	4-Nitroaniline	ND		5.	µg/L	625
P-1	12/27/95	4-Nitrophenol	ND		5.	µg/L	625
P-1	12/27/95	Acenaphthene	ND		2.	µg/L	625
P-1	12/27/95	Acenaphthylene	ND		2.	µg/L	625
P-1	12/27/95	Aldrin	ND		2.	µg/L	625
P-1	12/27/95	alpha-BHC	ND		2.	µg/L	625
P-1	12/27/95	Aniline	ND		5.	µg/L	625
P-1	12/27/95	Anthracene	ND		2.	µg/L	625
P-1	12/27/95	Benzidine	ND		20.	µg/L	625
P-1	12/27/95	Benzo-(a)-anthracene	ND		2.	µg/L	625
P-1	12/27/95	Benzo-(a)-pyrene	ND		2.	µg/L	625
P-1	12/27/95	Benzo-(b)-fluoranthene	ND		2.	µg/L	625
P-1	12/27/95	Benzo-(ghi)-perylene	ND		2.	µg/L	625
P-1	12/27/95	Benzo-(k)-fluoranthene	ND		2.	µg/L	625
P-1	12/27/95	Benzoic acid	ND		5.	µg/L	625

Table 4-10. Summary of Groundwater Analytical Results - Semi-Volatile Organic Compounds (SVOCs), Groundwater RFI Data Assessment Report, ILM Facility, Torrance, California

Sample ID	Sample Date	Analyte	Result	Flag	PQL	Units	Method
P-1	12/27/95	Benzyl-butyl-phthalate	ND		2.	µg/L	625
P-1	12/27/95	Benzylalcohol	ND		2.	µg/L	625
P-1	12/27/95	beta-BHC	ND		2.	µg/L	625
P-1	12/27/95	bis-2-chloroethoxy-methane	ND		2.	µg/L	625
P-1	12/27/95	bis-2-chloroethyl-ether	ND		2.	µg/L	625
P-1	12/27/95	bis-2-chloroisopropyl-ether	ND		2.	µg/L	625
P-1	12/27/95	bis-2-ethylhexyl-phthalate	ND		5.	µg/L	625
P-1	12/27/95	Chrysene	ND		2.	µg/L	625
P-1	12/27/95	delta-BHC	ND		2.	µg/L	625
P-1	12/27/95	Di-n-butyl-phthalate	ND		2.	µg/L	625
P-1	12/27/95	Di-n-octylphthalate	ND		2.	µg/L	625
P-1	12/27/95	Dibenzo-(ah)-anthracene	ND		2.	µg/L	625
P-1	12/27/95	Dibenzofuran	ND		2.	µg/L	625
P-1	12/27/95	Dieldrin	ND		2.	µg/L	625
P-1	12/27/95	Diethyl-phthalate	ND		2.	µg/L	625
P-1	12/27/95	Dimethyl-phthalate	ND		2.	µg/L	625
P-1	12/27/95	Endosulfan I	ND		2.	µg/L	625
P-1	12/27/95	Endosulfan II	ND		2.	µg/L	625
P-1	12/27/95	Endosulfan Sulfate	ND		2.	µg/L	625
P-1	12/27/95	Endrin	ND		2.	µg/L	625
P-1	12/27/95	Endrin Aldehyde	ND		2.	µg/L	625
P-1	12/27/95	Fluoranthene	ND		2.	µg/L	625
P-1	12/27/95	Fluorene	ND		2.	µg/L	625
P-1	12/27/95	gamma-BHC	ND		2.	µg/L	625
P-1	12/27/95	Heptachlor	ND		2.	µg/L	625
P-1	12/27/95	Heptachlor epoxide	ND		2.	µg/L	625
P-1	12/27/95	Hexachlorobenzene	ND		2.	µg/L	625
P-1	12/27/95	Hexachlorobutadiene	ND		2.	µg/L	625
P-1	12/27/95	Hexachlorocyclopentadiene	ND		2.	µg/L	625
P-1	12/27/95	Hexachloroethane	ND		2.	µg/L	625
P-1	12/27/95	Indeno-1,2,3-cd-pyrene	ND		2.	µg/L	625
P-1	12/27/95	Isophorone	ND		2.	µg/L	625
P-1	12/27/95	N-nitrosodi-n-propylamine	ND		2.	µg/L	625
P-1	12/27/95	N-Nitrosodimethylamine	ND		2.	µg/L	625
P-1	12/27/95	N-Nitrosodiphenylamine	ND		2.	µg/L	625
P-1	12/27/95	Naphthalene	ND		2.	µg/L	625
P-1	12/27/95	Nitrobenzene	ND		2.	µg/L	625
P-1	12/27/95	Pentachlorophenol	ND		5.	µg/L	625
P-1	12/27/95	Phenanthrene	ND		2.	µg/L	625
P-1	12/27/95	Phenol	ND		2.	µg/L	625
P-1	12/27/95	Pyrene	ND		2.	µg/L	625
P-1(DUP-1)	12/27/95	1,2,4-Trichlorobenzene	ND		2.	µg/L	625
P-1(DUP-1)	12/27/95	1,2-Dichlorobenzene	ND		2.	µg/L	625
P-1(DUP-1)	12/27/95	1,2-Diphenylhydrazine	ND		2.	µg/L	625
P-1(DUP-1)	12/27/95	1,3-Dichlorobenzene	ND		2.	µg/L	625
P-1(DUP-1)	12/27/95	1,4-Dichlorobenzene	ND		2.	µg/L	625
P-1(DUP-1)	12/27/95	2,4,5-Trichlorophenol	ND		5.	µg/L	625
P-1(DUP-1)	12/27/95	2,4,6-Trichlorophenol	ND		5.	µg/L	625
P-1(DUP-1)	12/27/95	2,4-Dichlorophenol	ND		2.	µg/L	625