ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
TTN: Mr. Fred Strauss
50 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035-01090010

Analysis Method: 418.1

Sample Description: Soil

Laboratory Reference #: MWI 8879

Sampled : 04-08-97
Received: 04-08-97
Analyzed: 04-09-97
Reported: 04-09-97

TOTAL RECOVERABLE PETROLEUM HYDROCARBONS

Laboratory Sample Number	*Client Sample Number*	*Sample Result (mg/kg)*
97040374	B37-RE2-SP2	N.D.
97040375	B37-GS-132-6.5'	19
97040376	B37-GS-133-6'	23
Detection Limit:		8.0

Analyte reported as N.D. was not present above the stated limit of detection.

ORANGE COAST ANALYTICAL

Mark Noorani

ark Noorani
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035-01090010

Sample Description: Soil, B37-GS-132-6.5'

Laboratory Sample Number: 97040375
Laboratory Reference #: MWI 8879

Sampled: 04-08-97
Received: 04-08-97
Analyzed: 04-09-97
Reported: 04-21-97

CCR - METALS

Analyte	*EPA Method*	*STLC Limits mg/l*	*TTLC Limits mg/kg*	*Detection Limit mg/kg*	*Analysis Result mg/kg*	
Antimony	6010	15	500	5.0	N.D.	
Arsenic	6010	5.0	500	1.0	N.D.	
Barium	6010	100	10000	0.1	200	<---
Beryllium	6010	0.75	75	0.1	N.D.	
Cadmium	6010	1.0	100	0.1	N.D.	
Chromium (VI)	7196	5.0	500	0.5	N.D.	
Chromium Total	6010	560	2500	0.05	33	<---
Cobalt	6010	80	8000	0.5	5.3	<---
Copper	6010	25	2500	0.1	17	<---
Lead	6010	5.0	1000	1.0	N.D.	
Mercury	7471	0.2	20	0.01	N.D.	
Molybdenum	6010	350	3500	0.5	N.D.	
Nickel	6010	20	2000	0.5	8.9	<---
Selenium	6010	1.0	100	1.0	N.D.	
Silver	6010	5.0	500	0.1	N.D.	
Thallium	6010	7.0	700	5.0	N.D.	
Vanadium	6010	24	2400	0.5	33	<---
Zinc	6010	250	5000	0.1	53	<---

Analytes reported as N.D. were not present above the stated limit of detection.

ORANGE COAST ANALYTICAL

Mark Noorani
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
TTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035-01090010

Sample Description: Soil, B37-GS-133-6'

Laboratory Sample Number: 97040376
Laboratory Reference #: MWI 8879

Sampled: 04-08-97
Received: 04-08-97
Analyzed: 04-09-97
Reported: 04-21-97

CCR - METALS

Analyte	*EPA Method*	*STLC Limits mg/l*	*TTLC Limits mg/kg*	*Detection Limit mg/kg*	*Analysis Result mg/kg*	
Antimony	6010	15	500	5.0	N.D.	
Arsenic	6010	5.0	500	1.0	N.D.	
Barium	6010	100	10000	0.1	90	<---
Beryllium	6010	0.75	75	0.1	N.D.	
Cadmium	6010	1.0	100	0.1	N.D.	
Chromium (VI)	7196	5.0	500	0.5	N.D.	
Chromium Total	6010	560	2500	0.05	36	<---
Cobalt	6010	80	8000	0.5	5.3	<---
Copper	6010	25	2500	0.1	13	<---
Lead	6010	5.0	1000	1.0	N.D.	
Mercury	7471	0.2	20	0.01	N.D.	
Molybdenum	6010	350	3500	0.5	N.D.	
Nickel	6010	20	2000	0.5	10	<---
Selenium	6010	1.0	100	1.0	N.D.	
Silver	6010	5.0	500	0.1	N.D.	
Thallium	6010	7.0	700	5.0	N.D.	
Vanadium	6010	24	2400	0.5	34	<---
Zinc	6010	250	5000	0.1	62	<---

Analytes reported as N.D. were not present above the stated limit of detection.

ORANGE COAST ANALYTICAL

Mark Noorani

Mark Noorani
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035-01090010

Sample Description: Soil, B37-GS-133-6'
Laboratory Sample Number: 97040376
Laboratory Reference #: MWI 8879

Sampled: 04-08-97
Received: 04-08-97
Analyzed: 04-18-97
Reported: 04-21-97

Volatile Organics by GC/MS (EPA 8260)

ANALYTE	*CAS NUMBER*	*DETECTION LIMIT (ug/kg)*	*SAMPLE RESULT (ug/kg)*
Benzene	71-43-2	2.5	N.D.
Bromodichloromethane	75-27-4	2.5	N.D.
Bromoform	75-25-2	2.5	N.D.
Bromomethane	74-83-9	2.5	N.D.
Carbon Disulfide	75-15-0	5.0	N.D.
Carbon tetrachloride	56-23-5	2.5	N.D.
Chlorobenzene	108-90-7	2.5	N.D.
Chlorodibromomethane	124-48-1	2.5	N.D.
Chloroethane	75-00-3	2.5	N.D.
2-Chloroethyl vinyl ether	110-75-8	5.0	N.D.
Chloroform	67-66-3	2.5	N.D.
Chloromethane	74-87-3	2.5	N.D.
1,1-Dichloroethane	75-35-3	2.5	N.D.
1,2-Dichloroethane	107-06-2	2.5	N.D.
1,1-Dichloroethene	75-35-4	2.5	N.D.
Trans 1,2-Dichloroethene	156-60-5	2.5	N.D.
1,2-Dichloropropane	78-87-5	2.5	N.D.
cis-1,3-Dichloropropene	10061-01-5	2.5	N.D.
trans-1,3-Dichloropropene	10061-02-6	2.5	N.D.
Ethylbenzene	100-41-4	2.5	N.D.
Methylene chloride	75-09-2	5.0	N.D.
Styrene	100-42-5	2.5	N.D.
1,1,2,2-Tetrachloroethane	79-34-5	2.5	N.D.
Tetrachloroethene	127-18-4	2.5	N.D.
Toluene	108-88-3	2.5	N.D.
1,1,1-Trichloroethane	71-55-6	2.5	N.D.
1,1,2-Trichloroethane	79-00-5	2.5	N.D.
Trichloroethene	79-01-6	2.5	N.D.
Trichlorofluoromethane	75-69-4	5.0	N.D.
Vinyl acetate	108-05-4	5.0	N.D.
Vinyl chloride	75-01-4	2.5	N.D.
Total Xylenes	1330-20-7	2.5	N.D.
Dichlorofluoromethane	75-71-8	2.5	N.D.
cis-1-2,-Dichloroethane	156-59-4	2.5	N.D.
2,2-Dichloropropane	590-20-7	2.5	N.D.
Bromochloromethane	74-97-5	2.5	N.D.
1,1-Dichloropropene	563-58-6	2.5	N.D.
1,2-Dichloropropane	78-87-5	2.5	N.D.
Dibromomethane	74-95-3	2.5	N.D.
trans-1,3-Dichloropropane	10061-02-6	2.5	N.D.
1,1,2-Trichloroethane	79-00-5	2.5	N.D.
1,2-Dibromoethane	106-93-4	2.5	N.D.

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Sample Description: Soil, B37-GS-133-6'

boratory Sample Number: 97040376

Volatile Organics by GC/MS (EPA 8260)

ANALYTE	*CAS NUMBER*	*DETECTION LIMIT (ug/kg)*	*SAMPLE RESULT (ug/kg)*
1,3-Dichloropropane	142-28-9	2.5	N.D.
Dibromochloromethane	124-48-1	2.5	N.D.
Isopropylbenzene	98-82-8	2.5	N.D.
1,1,2,2-Tetrachloroethane	79-34-5	2.5	N.D.
1,2,3-Trichloropropane	96-18-4	2.5	N.D.
Bromobenzene	108-86-1	2.5	N.D.
n-Propylbenzene	103-65-1	2.5	N.D.
2-Chlorotoluene	95-49-8	2.5	N.D.
1,3,5-Trimethylbenzene	108-67-8	2.5	N.D.
4-Chlorotoluene	106-43-4	2.5	N.D.
tert-Butylbenzene	98-06-6	2.5	N.D.
1,2,4-Trimethylbenzene	95-63-6	2.5	N.D.
sec-Butylbenzene	135-98-8	2.5	N.D.
4-Isopropyltoluene	99-87-6	2.5	N.D.
1,3-Dichlorobenzene	541-73-1	2.5	N.D.
1,4-Dichlorobenzene	106-46-7	2.5	N.D.
n-Butylbenzene	104-51-8	2.5	N.D.
1,2-Dichlorobenzene	95-50-1	2.5	N.D.
1-2-Dibromo-2-CPA	96-12-8	5.0	N.D.
'.2,4-Trichlorobenzene	120-82-1	2.5	N.D.
xachlorobutadiene	87-68-3	2.5	N.D.
..aphthalene	91-20-3	2.5	N.D.
1,2,3-Trichlorobenzene	87-61-6	2.5	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

ORANGE COAST ANALYTICAL

Mark Noorani
Laboratory Director

Surrogate Recoveries	*%*
Dibromofluoromethane	*111*
Toluene-d8	*93*
4-Bromofluorobenbzene	*113*

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035-01090010

Sample Description: Soil, B37-GS-133-6'
Laboratory Sample #: 97040376
Laboratory Reference #: MWI 8879

Sampled : 04-08-97
Received: 04-08-97
Analyzed: 04-11-97
Reported: 04-21-97

SEMI-VOLATILE ORGANICS by GC/MS (EPA 8270)

ANALYTE	*CAS NUMBER*	*DETECTION LIMIT ug/kg*	*SAMPLE RESULTS ug/kg*
Acenaphthene	83-32-9	100	N.D.
Acenaphthylene	208-96-8	100	N.D.
Aniline	62-53-3	100	N.D.
Anthracene	120-12-7	100	N.D.
Benzidine	92-87-5	500	N.D.
Benzoic Acid	65-85-0	250	N.D.
Benzo(a)anthracene	56-55-3	100	N.D.
Benzo(b)fluoranthene	205-99-2	250	N.D.
Benzo(k)fluoranthene	207-08-9	250	N.D.
Benzo(g,h,i)perylene	191-24-2	250	N.D.
Benzo(a)pyrene	50-32-8	250	N.D.
Benzyl alcohol	100-51-6	100	N.D.
Bis(2-chloroethoxy)methane	111-91-1	100	N.D.
Bis(2-chloroethyl)ether	111-44-4	100	N.D.
Bis(2-chloroisopropyl)ether	39638-32-9	100	N.D.
Bis(2-ethylhexyl)phthalate	117-81-7	100	N.D.
4-Bromophenyl phenyl ether	101-55-3	100	N.D.
Butyl benzyl phthalate	85-68-7	100	N.D.
4-Chloroaniline	106-47-8	100	N.D.
2-Chloronaphthalene	91-58-7	100	N.D.
4-Chloro-3-methylphenol	59-50-7	100	N.D.
2-Chlorophenol	95-57-8	100	N.D.
4-Chlorophenyl phenyl ether	7005-72-3	100	N.D.
Chrysene	218-0109	100	N.D.
Dibenz(a,h)anthracene	53-70-3	100	N.D.
Dibenzofuran	132-64-9	100	N.D.
Di-n-butyl phthalate	84-74-2	250	N.D.
1,3-Dichlorobenzene	541-73-1	100	N.D.
1,4-Dichlorobenzene	106-46-7	100	N.D.
1,2-Dichlorobenzene	95-50-1	100	N.D.
3,3'-Dichlorobenzidine	91-94-1	100	N.D.
2,4-Dichlorophenol	120-83-2	100	N.D.
Diethyl phthalate	84-66-2	100	N.D.
2,4-Dimethylphenol	105-67-9	100	N.D.
Dimethyl phthalate	131-11-3	100	N.D.
4,6-Dinitro-2-methylphenol	534-52-1	100	N.D.
2,4-Dinitrophenol	51-28-5	100	N.D.

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

SEMI-VOLATILE ORGANICS by GC/MS (EPA 8270) (continued)

Sample Description: Soil, B37-GS-133-6'
Laboratory Sample #: 97040376

ANALYTE	*CAS NUMBER*	*DETECTION LIMIT ug/kg*	*SAMPLE RESULTS ug/kg*
2,4-Dinitrotoluene	121-14-2	250	N.D.
2,6-Dinitrotoluene	606-20-2	250	N.D.
Di-n-octyl phthalate	117-84-0	250	N.D.
Fluoranthene	206-44-0	100	N.D.
Fluorene	86-73-7	100	N.D.
Hexachlorobenzene	118-74-1	100	N.D.
Hexachlorobutadiene	87-68-3	100	N.D.
Hexachlorocyclopentadiene	77-47-4	100	N.D.
Hexachloroethane	67-72-1	100	N.D.
Indeno(1,2,3-cd)pyrene	193-39-5	250	N.D.
Isophorone	78-59-1	100	N.D.
2-Methylnaphthalene	91-57-6	100	N.D.
2-Methylphenol	95-48-7	100	N.D.
4-Methylphenol	106-44-5	100	N.D.
Naphthalene	91-20-3	100	N.D.
itroaniline	88-74-4	250	N.D.
3-Nitroaniline	99-09-2	250	N.D.
4-Nitroaniline	100-01-6	250	N.D.
Nitrobenzene	98-95-3	100	N.D.
2-Nitrophenol	88-75-5	100	N.D.
4-Nitrophenol	100-02-7	100	N.D.
N-Nitrosodiphenylamine	86-30-6	100	N.D.
N-Nitroso-di-n-propylamine	621-64-7	100	N.D.
N-Nitrosodimethylamine	62-75-9	100	N.D.
Pentachlorophenol	87-86-5	250	N.D.
Phenanthrene	85-01-8	100	N.D.
Phenol	108-95-2	100	N.D.
Pyrene	129-00-0	100	N.D.
1,2,4-Trichlorobenzene	120-82-1	100	N.D.
2,4,5-Trichlorophenol	95-95-4	100	N.D.
2,4,6-Trichlorophenol	88-06-2	100	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

ORANGE COAST ANALYTICAL

Mark Noorani
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035-01090010

Analysis Method: 418.1

Sample Description: Water

Laboratory Reference #: MWI 8879

Sampled : 04-08-97
Received: 04-08-97
Analyzed: 04-10-97
Reported: 04-21-97

TOTAL RECOVERABLE PETROLEUM HYDROCARBONS

Laboratory Sample Number	*Client Sample Number*	*Sample Result (mg/l)*
97040377	Equip Blank	N.D.
97040378	Rinsate Blank	N.D.
Detection Limit:		0.5

Analyte reported as N.D. was not present above the stated limit of detection.

ORANGE COAST ANALYTICAL

Mark Noorani
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035.01090010

Sample Description: Water, Equip Blank

Laboratory Sample Number: 97040377
Laboratory Reference #: MWI 8879

Sampled: 04-08-97
Received: 04-08-97
Analyzed: 04-11-97
Reported: 04-21-97

CCR - METALS

Analyte	*EPA Method*	*Detection Limit mg/l*	*Analysis Result mg/l*
Antimony	6010	0.5	N.D.
Arsenic	6010	0.1	N.D.
Barium	6010	0.01	N.D.
Beryllium	6010	0.01	N.D.
Cadmium	6010	0.01	N.D.
Chromium (VI)	7196	0.01	N.D.
Chromium (Total)	6010	0.01	N.D.
Cobalt	6010	0.05	N.D.
Copper	6010	0.01	N.D.
Lead	6010	0.1	N.D.
Mercury	7471	0.002	N.D.
Molybdenum	6010	0.1	N.D.
Nickel	6010	0.05	N.D.
Selenium	6010	0.1	N.D.
Silver	6010	0.05	N.D.
Thallium	6010	0.5	N.D.
Vanadium	6010	0.1	N.D.
Zinc	6010	0.01	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

ORANGE COAST ANALYTICAL

Mark Noorani
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035.01090010

Sample Description: Water, Rinsate Blank

Laboratory Sample Number: 97040378
Laboratory Reference #: MWI 8879

Sampled: 04-08-97
Received: 04-08-97
Analyzed: 04-11-97
Reported: 04-21-97

CCR - METALS

Analyte	*EPA Method*	*Detection Limit mg/l*	*Analysis Result mg/l*
Antimony	6010	0.5	N.D.
Arsenic	6010	0.1	N.D.
Barium	6010	0.01	N.D.
Beryllium	6010	0.01	N.D.
Cadmium	6010	0.01	N.D.
Chromium (VI)	7196	0.01	N.D.
Chromium (Total)	6010	0.01	N.D.
Cobalt	6010	0.05	N.D.
Copper	6010	0.01	N.D.
Lead	6010	0.1	N.D.
Mercury	7471	0.002	N.D.
Molybdenum	6010	0.1	N.D.
Nickel	6010	0.05	N.D.
Selenium	6010	0.1	N.D.
Silver	6010	0.05	N.D.
Thallium	6010	0.5	N.D.
Vanadium	6010	0.1	N.D.
Zinc	6010	0.01	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

ORANGE COAST ANALYTICAL

Mark Noorani
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035-01090010

Sample Description: Water, Equip Blank
Laboratory Sample Number: 97040377
Laboratory Reference #: MWI 8879

Sampled: 04-08-97
Received: 04-08-97
Analyzed: 04-18-97
Reported: 04-21-97

Volatile Organics by GC/MS (EPA 8260)

ANALYTE	***CAS NUMBER***	***DETECTION LIMIT (ug/l)***	***SAMPLE RESULT (ug/l)***
Benzene	71-43-2	0.5	N.D.
Bromodichloromethane	75-27-4	0.5	N.D.
Bromoform	75-25-2	0.5	N.D.
Bromomethane	74-83-9	1.0	N.D.
Carbon Disulfide	75-15-0	0.5	N.D.
Carbon tetrachloride	56-23-5	0.5	N.D.
Chlorobenzene	108-90-7	0.5	N.D.
Chlorodibromomethane	124-48-1	0.5	N.D.
Chloroethane	75-00-3	0.5	N.D.
2-Chloroethyl vinyl ether	110-75-8	1.0	N.D.
Chloroform	67-66-3	0.5	N.D.
Chloromethane	74-87-3	0.5	N.D.
1,1-Dichloroethane	75-35-3	0.5	N.D.
1,2-Dichloroethane	107-06-2	0.5	N.D.
1,1-Dichloroethene	75-35-4	0.5	N.D.
Trans 1,2-Dichloroethene	156-60-5	0.5	N.D.
1,2-Dichloropropane	78-87-5	0.5	N.D.
cis-1,3-Dichloropropene	10061-01-5	0.5	N.D.
trans-1,3-Dichloropropene	10061-02-6	0.5	N.D.
Ethylbenzene	100-41-4	0.5	N.D.
Methylene chloride	75-09-2	2.5	N.D.
Styrene	100-42-5	0.5	N.D.
1,1,2,2-Tetrachloroethane	79-34-5	0.5	N.D.
Tetrachloroethene	127-18-4	0.5	N.D.
Toluene	108-88-3	0.5	N.D.
1,1,1-Trichloroethane	71-55-6	0.5	N.D.
1,1,2-Trichloroethane	79-00-5	0.5	N.D.
Trichloroethene	79-01-6	0.5	N.D.
Trichlorofluoromethane	75-69-4	0.5	N.D.
Vinyl acetate	108-05-4	1.0	N.D.
Vinyl chloride	75-01-4	0.5	N.D.
Total Xylenes	1330-20-7	1.0	N.D.
Dichlorofluoromethane	75-71-8	0.5	N.D.
cis-1-2,-Dichloroethane	156-59-4	0.5	N.D.
2,2-Dichloropropane	590-20-7	0.5	N.D.
Bromochloromethane	74-97-5	0.5	N.D.
1,1-Dichloropropene	563-58-6	0.5	N.D.
1,2-Dichloropropane	78-87-5	0.5	N.D.
Dibromomethane	74-95-3	0.5	N.D.
trans-1,3-Dichloropropane	10061-02-6	0.5	N.D.
1,1,2-Trichloroethane	79-00-5	0.5	N.D.
1,2-Dibromoethane	106-93-4	0.5	N.D.

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Sample Description: Water, Equip Blank

Laboratory Sample Number: 97040377

Volatile Organics by GC/MS (EPA 8260)

ANALYTE	*CAS NUMBER*	*DETECTION LIMIT (ug/l)*	*SAMPLE RESULT (ug/l)*
1,3-Dichloropropane	142-28-9	0.5	N.D.
Dibromochloromethane	124-48-1	0.5	N.D.
Isopropylbenzene	98-82-8	0.5	N.D.
1,1,2,2-Tetrachloroethane	79-34-5	0.5	N.D.
1,2,3-Trichloropropane	96-18-4	0.5	N.D.
Bromobenzene	108-86-1	0.5	N.D.
n-Propylbenzene	103-65-1	0.5	N.D.
2-Chlorotoluene	95-49-8	0.5	N.D.
1,3,5-Trimethylbenzene	108-67-8	0.5	N.D.
4-Chlorotoluene	106-43-4	0.5	N.D.
tert-Butylbenzene	98-06-6	0.5	N.D.
1,2,4-Trimethylbenzene	95-63-6	0.5	N.D.
sec-Butylbenzene	135-98-8	0.5	N.D.
4-Isopropyltoluene	99-87-6	0.5	N.D.
1,3-Dichlorobenzene	541-73-1	0.5	N.D.
1,4-Dichlorobenzene	106-46-7	0.5	N.D.
n-Butylbenzene	104-51-8	0.5	N.D.
1,2-Dichlorobenzene	95-50-1	0.5	N.D.
1-2-Dibromo-2-CPA	96-12-8	1.0	N.D.
1,2,4-Trichlorobenzene	120-82-1	0.5	N.D.
Hexachlorobutadiene	87-68-3	0.5	N.D.
Naphthalene	91-20-3	0.5	N.D.
1,2,3-Trichlorobenzene	87-61-6	0.5	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

ORANGE COAST ANALYTICAL

Mark Noorani
Laboratory Director

Surrogate Recoveries	*%*
Dibromofluoromethane	*106*
Toluene-d8	*92*
4-Bromofluorobenzene	*109*

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035-01090010

Sample Description: Water, Rinsate Blank
Laboratory Sample Number: 97040378
Laboratory Reference #: MWI 8879

Sampled: 04-08-97
Received: 04-08-97
Analyzed: 04-18-97
Reported: 04-21-97

Volatile Organics by GC/MS (EPA 8260)

ANALYTE	*CAS NUMBER*	*DETECTION LIMIT (ug/l)*	*SAMPLE RESULT (ug/l)*
Benzene	71-43-2	0.5	N.D.
Bromodichloromethane	75-27-4	0.5	N.D.
Bromoform	75-25-2	0.5	N.D.
Bromomethane	74-83-9	1.0	N.D.
Carbon Disulfide	75-15-0	0.5	N.D.
Carbon tetrachloride	56-23-5	0.5	N.D.
Chlorobenzene	108-90-7	0.5	N.D.
Chlorodibromomethane	124-48-1	0.5	N.D.
Chloroethane	75-00-3	0.5	N.D.
2-Chloroethyl vinyl ether	110-75-8	1.0	N.D.
Chloroform	67-66-3	0.5	N.D.
Chloromethane	74-87-3	0.5	N.D.
1,1-Dichloroethane	75-35-3	0.5	N.D.
1,2-Dichloroethane	107-06-2	0.5	N.D.
1,1-Dichloroethene	75-35-4	0.5	N.D.
Trans 1,2-Dichloroethene	156-60-5	0.5	N.D.
1,2-Dichloropropane	78-87-5	0.5	N.D.
cis-1,3-Dichloropropene	10061-01-5	0.5	N.D.
trans-1,3-Dichloropropene	10061-02-6	0.5	N.D.
Ethylbenzene	100-41-4	0.5	N.D.
Methylene chloride	75-09-2	2.5	N.D.
Styrene	100-42-5	0.5	N.D.
1,1,2,2-Tetrachloroethane	79-34-5	0.5	N.D.
Tetrachloroethene	127-18-4	0.5	N.D.
Toluene	108-88-3	0.5	N.D.
1,1,1-Trichloroethane	71-55-6	0.5	N.D.
1,1,2-Trichloroethane	79-00-5	0.5	N.D.
Trichloroethene	79-01-6	0.5	N.D.
Trichlorofluoromethane	75-69-4	0.5	N.D.
Vinyl acetate	108-05-4	1.0	N.D.
Vinyl chloride	75-01-4	0.5	N.D.
Total Xylenes	1330-20-7	1.0	N.D.
Dichlorofluoromethane	75-71-8	0.5	N.D.
cis-1-2,-Dichloroethane	156-59-4	0.5	N.D.
2,2-Dichloropropane	590-20-7	0.5	N.D.
Bromochloromethane	74-97-5	0.5	N.D.
1,1-Dichloropropene	563-58-6	0.5	N.D.
1,2-Dichloropropane	78-87-5	0.5	N.D.
Dibromomethane	74-95-3	0.5	N.D.
trans-1,3-Dichloropropane	10061-02-6	0.5	N.D.
1,1,2-Trichloroethane	79-00-5	0.5	N.D.
1,2-Dibromoethane	106-93-4	0.5	N.D.

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Sample Description: Water, Rinsate Blank

Laboratory Sample Number: 97040378

Volatile Organics by GC/MS (EPA 8260)

ANALYTE	*CAS NUMBER*	*DETECTION LIMIT (ug/l)*	*SAMPLE RESULT (ug/l)*
1,3-Dichloropropane	142-28-9	0.5	N.D.
Dibromochloromethane	124-48-1	0.5	N.D.
Isopropylbenzene	98-82-8	0.5	N.D.
1,1,2,2-Tetrachloroethane	79-34-5	0.5	N.D.
1,2,3-Trichloropropane	96-18-4	0.5	N.D.
Bromobenzene	108-86-1	0.5	N.D.
n-Propylbenzene	103-65-1	0.5	N.D.
2-Chlorotoluene	95-49-8	0.5	N.D.
1,3,5-Trimethylbenzene	108-67-8	0.5	N.D.
4-Chlorotoluene	106-43-4	0.5	N.D.
tert-Butylbenzene	98-06-6	0.5	N.D.
1,2,4-Trimethylbenzene	95-63-6	0.5	N.D.
sec-Butylbenzene	135-98-8	0.5	N.D.
4-Isopropyltoluene	99-87-6	0.5	N.D.
1,3-Dichlorobenzene	541-73-1	0.5	N.D.
1,4-Dichlorobenzene	106-46-7	0.5	N.D.
n-Butylbenzene	104-51-8	0.5	N.D.
1,2-Dichlorobenzene	95-50-1	0.5	N.D.
1-2-Dibromo-2-CPA	96-12-8	1.0	N.D.
1,2,4-Trichlorobenzene	120-82-1	0.5	N.D.
Hexachlorobutadiene	87-68-3	0.5	N.D.
Naphthalene	91-20-3	0.5	N.D.
1,2,3-Trichlorobenzene	87-61-6	0.5	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

ORANGE COAST ANALYTICAL

Mark Noorani
Laboratory Director

Surrogate Recoveries	*%*
Dibromofluoromethane	*108*
Toluene-d8	*88*
4-Bromofluorobenzene	*115*

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035-01090010

Sample Description: Water, Trip Blank
Laboratory Sample Number: 97040379
Laboratory Reference #: MWI 8879

Sampled: 04-08-97
Received: 04-08-97
Analyzed: 04-18-97
Reported: 04-21-97

Volatile Organics by GC/MS (EPA 8260)

ANALYTE	*CAS NUMBER*	*DETECTION LIMIT (ug/l)*	*SAMPLE RESULT (ug/l)*
Benzene	71-43-2	0.5	N.D.
Bromodichloromethane	75-27-4	0.5	N.D.
Bromoform	75-25-2	0.5	N.D.
Bromomethane	74-83-9	1.0	N.D.
Carbon Disulfide	75-15-0	0.5	N.D.
Carbon tetrachloride	56-23-5	0.5	N.D.
Chlorobenzene	108-90-7	0.5	N.D.
Chlorodibromomethane	124-48-1	0.5	N.D.
Chloroethane	75-00-3	0.5	N.D.
2-Chloroethyl vinyl ether	110-75-8	1.0	N.D.
Chloroform	67-66-3	0.5	N.D.
Chloromethane	74-87-3	0.5	N.D.
1,1-Dichloroethane	75-35-3	0.5	N.D.
1,2-Dichloroethane	107-06-2	0.5	N.D.
1,1-Dichloroethene	75-35-4	0.5	N.D.
Trans 1,2-Dichloroethene	156-60-5	0.5	N.D.
1,2-Dichloropropane	78-87-5	0.5	N.D.
cis-1,3-Dichloropropene	10061-01-5	0.5	N.D.
trans-1,3-Dichloropropene	10061-02-6	0.5	N.D.
Ethylbenzene	100-41-4	0.5	N.D.
Methylene chloride	75-09-2	2.5	N.D.
Styrene	100-42-5	0.5	N.D.
1,1,2,2-Tetrachloroethane	79-34-5	0.5	N.D.
Tetrachloroethene	127-18-4	0.5	N.D.
Toluene	108-88-3	0.5	N.D.
1,1,1-Trichloroethane	71-55-6	0.5	N.D.
1,1,2-Trichloroethane	79-00-5	0.5	N.D.
Trichloroethene	79-01-6	0.5	N.D.
Trichlorofluoromethane	75-69-4	0.5	N.D.
Vinyl acetate	108-05-4	1.0	N.D.
Vinyl chloride	75-01-4	0.5	N.D.
Total Xylenes	1330-20-7	1.0	N.D.
Dichlorofluoromethane	75-71-8	0.5	N.D.
cis-1-2,-Dichloroethane	156-59-4	0.5	N.D.
2,2-Dichloropropane	590-20-7	0.5	N.D.
Bromochloromethane	74-97-5	0.5	N.D.
1,1-Dichloropropene	563-58-6	0.5	N.D.
1,2-Dichloropropane	78-87-5	0.5	N.D.
Dibromomethane	74-95-3	0.5	N.D.
trans-1,3-Dichloropropane	10061-02-6	0.5	N.D.
1,1,2-Trichloroethane	79-00-5	0.5	N.D.
1,2-Dibromoethane	106-93-4	0.5	N.D.

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Sample Description: Water, Trip Blank

Laboratory Sample Number: 97040379

Volatile Organics by GC/MS (EPA 8260)

ANALYTE	*CAS NUMBER*	*DETECTION LIMIT (ug/l)*	*SAMPLE RESULT (ug/l)*
1,3-Dichloropropane	142-28-9	0.5	N.D.
Dibromochloromethane	124-48-1	0.5	N.D.
Isopropylbenzene	98-82-8	0.5	N.D.
1,1,2,2-Tetrachloroethane	79-34-5	0.5	N.D.
1,2,3-Trichloropropane	96-18-4	0.5	N.D.
Bromobenzene	108-86-1	0.5	N.D.
n-Propylbenzene	103-65-1	0.5	N.D.
2-Chlorotoluene	95-49-8	0.5	N.D.
1,3,5-Trimethylbenzene	108-67-8	0.5	N.D.
4-Chlorotoluene	106-43-4	0.5	N.D.
tert-Butylbenzene	98-06-6	0.5	N.D.
1,2,4-Trimethylbenzene	95-63-6	0.5	N.D.
sec-Butylbenzene	135-98-8	0.5	N.D.
4-Isopropyltoluene	99-87-6	0.5	N.D.
1,3-Dichlorobenzene	541-73-1	0.5	N.D.
1,4-Dichlorobenzene	106-46-7	0.5	N.D.
n-Butylbenzene	104-51-8	0.5	N.D.
1,2-Dichlorobenzene	95-50-1	0.5	N.D.
1-2-Dibromo-2-CPA	96-12-8	1.0	N.D.
1,2,4-Trichlorobenzene	120-82-1	0.5	N.D.
Hexachlorobutadiene	87-68-3	0.5	N.D.
Naphthalene	91-20-3	0.5	N.D.
1,2,3-Trichlorobenzene	87-61-6	0.5	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

ORANGE COAST ANALYTICAL

Mark Noorani
Laboratory Director

Surrogate Recoveries	*%*
Dibromofluoromethane	*111*
Toluene-d8	*88*
4-Bromofluorobenzene	*115*

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
N: Mr. Fred Strauss
N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035.01090010

Sample Description: Water, Equip Blank
Laboratory Sample #: 97040377
Laboratory Reference #: MWI 8879

Sampled : 04-08-97
Received: 04-08-97
Analyzed: 04-10-97
Reported: 04-21-97

SEMI-VOLATILE ORGANICS by GC/MS (EPA 8270)

ANALYTE	*CAS NUMBER*	*DETECTION LIMIT ug/l*	*SAMPLE RESULTS ug/l*
Acenaphthene	83-32-9	5.0	N.D.
Acenaphthylene	208-96-8	5.0	N.D.
Aniline	62-53-3	5.0	N.D.
Anthracene	120-12-7	5.0	N.D.
Benzidine	92-87-5	5.0	N.D.
Benzoic Acid	65-85-0	50	N.D.
Benzo(a)anthracene	56-55-3	5.0	N.D.
Benzo(b)fluoranthene	205-99-2	25	N.D.
Benzo(k)fluoranthene	207-08-9	25	N.D.
Benzo(g,h,i)perylene	191-24-2	25	N.D.
Benzo(a)pyrene	50-32-8	25	N.D.
zyl alcohol	100-51-6	50	N.D.
(2-chloroethoxy)methane	111-91-1	5.0	N.D.
Bis(2-chloroethyl)ether	111-44-4	5.0	N.D.
Bis(2-chloroisopropyl)ether	39638-32-9	5.0	N.D.
Bis(2-ethylhexyl)phthalate	117-81-7	3.0	N.D.
4-Bromophenyl phenyl ether	101-55-3	5.0	N.D.
Butyl benzyl phthalate	85-68-7	5.0	N.D.
4-Chloroaniline	106-47-8	5.0	N.D.
2-Chloronaphthalene	91-58-7	5.0	N.D.
4-Chloro-3-methylphenol	59-50-7	5.0	N.D.
2-Chlorophenol	95-57-8	5.0	N.D.
4-Chlorophenyl phenyl ether	7005-72-3	5.0	N.D.
Chrysene	218-0109	5.0	N.D.
Dibenz(a,h)anthracene	53-70-3	25	N.D.
Dibenzofuran	132-64-9	5.0	N.D.
Di-N-butyl phthalate	84-74-2	5.0	N.D.
1,3-Dichlorobenzene	541-73-1	5.0	N.D.
1,4-Dichlorobenzene	106-46-7	5.0	N.D.
1,2-Dichlorobenzene	95-50-1	5.0	N.D.
3,3-Dichlorobenzidine	91-94-1	5.0	N.D.
2,4-Dichlorophenol	120-83-2	5.0	N.D.
Diethyl phthalate	84-66-2	5.0	N.D.
2,4-Dimethylphenol	105-67-9	5.0	N.D.
Dimethyl phthalate	131-11-3	5.0	N.D.
4,6-Dinitro-2-methylphenol	534-52-1	50	N.D.
2 -Dinitrophenol	51-28-5	50	N.D.

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

SEMI-VOLATILE ORGANICS by GC/MS (EPA 8270) (continued)

Sample Description: Water, Equip Blank
Laboratory Sample #: 97040377

ANALYTE	*CAS NUMBER*	*DETECTION LIMIT ug/l*	*SAMPLE RESULTS ug/l*
2,4-Dinitrotoluene	121-14-2	5.0	N.D.
2,6-Dinitrotoluene	606-20-2	5.0	N.D.
Di-N-octyl phthalate	117-84-0	25	N.D.
Fluoranthene	206-44-0	5.0	N.D.
Fluorene	86-73-7	5.0	N.D.
Hexachlorobenzene	118-74-1	5.0	N.D.
Hexachlorobutadiene	87-68-3	5.0	N.D.
Hexachlorocyclopentadiene	77-47-4	5.0	N.D.
Hexachloroethane	67-72-1	5.0	N.D.
Indeno(1,2,3-cd)pyrene	193-39-5	25	N.D.
Isophorone	78-59-1	5.0	N.D.
2-Methylnaphthalene	91-57-6	5.0	N.D.
2-Methylphenol	95-48-7	5.0	N.D.
4-Methylphenol	106-44-5	5.0	N.D.
Naphthalene	91-20-3	50	N.D.
2-Nitroaniline	88-74-4	50	N.D.
3-Nitroaniline	99-09-2	50	N.D.
4-Nitroaniline	100-01-6	5.0	N.D.
Nitrobenzene	98-95-3	5.0	N.D.
2-Nitrophenol	88-75-5	5.0	N.D.
4-Nitrophenol	100-02-7	50	N.D.
N-Nitrosodiphenylamine	86-30-6	5.0	N.D.
N-Nitroso-di-N-propylamine	621-64-7	5.0	N.D.
N-Nitrosodimethylamine	62-75-9	5.0	N.D.
Pentachlorophenol	87-86-5	50	N.D.
Phenanthrene	85-01-8	5.0	N.D.
Phenol	108-95-2	5.0	N.D.
Pyrene	129-00-0	5.0	N.D.
1,2,4-Trichlorobenzene	120-82-1	5.0	N.D.
2,4,5-Trichlorophenol	95-95-4	5.0	N.D.
2,4,6-Trichlorophenol	88-06-2	5.0	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

ORANGE COAST ANALYTICAL

Mark Noorani
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
A : Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035.01090010

Sampled : 04-08-97
Sample Description: Water, Rinsate Blank *Received:* 04-08-97
Laboratory Sample #: 97040378 *Analyzed:* 04-10-97
Laboratory Reference #: MWI 8879 *Reported:* 04-21-97

SEMI-VOLATILE ORGANICS by GC/MS (EPA 8270)

ANALYTE	*CAS NUMBER*	*DETECTION LIMIT ug/l*	*SAMPLE RESULTS ug/l*
Acenaphthene	83-32-9	5.0	N.D.
Acenaphthylene	208-96-8	5.0	N.D.
Aniline	62-53-3	5.0	N.D.
Anthracene	120-12-7	5.0	N.D.
Benzidine	92-87-5	5.0	N.D.
Benzoic Acid	65-85-0	50	N.D.
Benzo(a)anthracene	56-55-3	5.0	N.D.
Benzo(b)fluoranthene	205-99-2	25	N.D.
Benzo(k)fluoranthene	207-08-9	25	N.D.
Benzo(g,h,i)perylene	191-24-2	25	N.D.
Benzo(a)pyrene	50-32-8	25	N.D.
I yl alcohol	100-51-6	50	N.D.
Bis(2-chloroethoxy)methane	111-91-1	5.0	N.D.
Bis(2-chloroethyl)ether	111-44-4	5.0	N.D.
Bis(2-chloroisopropyl)ether	39638-32-9	5.0	N.D.
Bis(2-ethylhexyl)phthalate	117-81-7	3.0	N.D.
4-Bromophenyl phenyl ether	101-55-3	5.0	N.D.
Butyl benzyl phthalate	85-68-7	5.0	N.D.
4-Chloroaniline	106-47-8	5.0	N.D.
2-Chloronaphthalene	91-58-7	5.0	N.D.
4-Chloro-3-methylphenol	59-50-7	5.0	N.D.
2-Chlorophenol	95-57-8	5.0	N.D.
4-Chlorophenyl phenyl ether	7005-72-3	5.0	N.D.
Chrysene	218-0109	5.0	N.D.
Dibenz(a,h)anthracene	53-70-3	25	N.D.
Dibenzofuran	132-64-9	5.0	N.D.
Di-N-butyl phthalate	84-74-2	5.0	N.D.
1,3-Dichlorobenzene	541-73-1	5.0	N.D.
1,4-Dichlorobenzene	106-46-7	5.0	N.D.
1,2-Dichlorobenzene	95-50-1	5.0	N.D.
3,3-Dichlorobenzidine	91-94-1	5.0	N.D.
2,4-Dichlorophenol	120-83-2	5.0	N.D.
Diethyl phthalate	84-66-2	5.0	N.D.
2,4-Dimethylphenol	105-67-9	5.0	N.D.
Dimethyl phthalate	131-11-3	5.0	N.D.
4,6-Dinitro-2-methylphenol	534-52-1	50	N.D.
2 -Dinitrophenol	51-28-5	50	N.D.

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

SEMI-VOLATILE ORGANICS by GC/MS (EPA 8270) (continued)

Sample Description: Water, Rinsate Blank
Laboratory Sample #: 97040378

ANALYTE	*CAS NUMBER*	*DETECTION LIMIT ug/l*	*SAMPLE RESULTS ug/l*
2,4-Dinitrotoluene	121-14-2	5.0	N.D.
2,6-Dinitrotoluene	606-20-2	5.0	N.D.
Di-N-octyl phthalate	117-84-0	25	N.D.
Fluoranthene	206-44-0	5.0	N.D.
Fluorene	86-73-7	5.0	N.D.
Hexachlorobenzene	118-74-1	5.0	N.D.
Hexachlorobutadiene	87-68-3	5.0	N.D.
Hexachlorocyclopentadiene	77-47-4	5.0	N.D.
Hexachloroethane	67-72-1	5.0	N.D.
Indeno(1,2,3-cd)pyrene	193-39-5	25	N.D.
Isophorone	78-59-1	5.0	N.D.
2-Methylnaphthalene	91-57-6	5.0	N.D.
2-Methylphenol	95-48-7	5.0	N.D.
4-Methylphenol	106-44-5	5.0	N.D.
Naphthalene	91-20-3	50	N.D.
2-Nitroaniline	88-74-4	50	N.D.
3-Nitroaniline	99-09-2	50	N.D.
4-Nitroaniline	100-01-6	5.0	N.D.
Nitrobenzene	98-95-3	5.0	N.D.
2-Nitrophenol	88-75-5	5.0	N.D.
4-Nitrophenol	100-02-7	50	N.D.
N-Nitrosodiphenylamine	86-30-6	5.0	N.D.
N-Nitroso-di-N-propylamine	621-64-7	5.0	N.D.
N-Nitrosodimethylamine	62-75-9	5.0	N.D.
Pentachlorophenol	87-86-5	50	N.D.
Phenanthrene	85-01-8	5.0	N.D.
Phenol	108-95-2	5.0	N.D.
Pyrene	129-00-0	5.0	N.D.
1,2,4-Trichlorobenzene	120-82-1	5.0	N.D.
2,4,5-Trichlorophenol	95-95-4	5.0	N.D.
2,4,6-Trichlorophenol	88-06-2	5.0	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

ORANGE COAST ANALYTICAL

Mark Noorani
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035.01090010

Sample Description: Water, Equip Blank

Laboratory Sample Number: 97040377
Laboratory Reference #: MWI 8879

Sampled: 04-08-97
Received: 04-08-97
Analyzed: 04-16-97
Reported: 04-21-97

ORGANOCHLORINE PESTICIDES (EPA 8080)

ANALYTE	*CAS NUMBER*	*DETECTION LIMIT (ug/l)*	*SAMPLE RESULTS (ug/l)*
Aldrin	309-00-2	0.1	N.D.
alpha-BHC	319-84-6	0.2	N.D.
beta-BHC	319-85-7	0.2	N.D.
delta-BHC	319-86-8	0.2	N.D.
gamma-BHC (Lindane)	58-89-9	0.2	N.D.
Chlordane	57-74-9	0.2	N.D.
4,4'-DDD	72-54-8	0.5	N.D.
4,4'-DDE	72-55-9	0.1	N.D.
4,4'-DDT	50-29-3	0.1	N.D.
Dieldrin	60-57-1	0.5	N.D.
Endosulfan I	959-98-8	0.5	N.D.
Endosulfan II	33213-65-9	0.5	N.D.
Endosulfan sulfate	1031-07-8	0.5	N.D.
Endrin	72-20-8	0.02	N.D.
Endrin aldehyde	7421-93-4	0.2	N.D.
Heptachlor	76-44-8	0.1	N.D.
Heptachlor epoxide	1024-57-3	0.2	N.D.
Methoxychlor	72-43-5	9.0	N.D.
Toxaphene	8001-35-2	0.5	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

ORANGE COAST ANALYTICAL

Mark Noorani
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035.01090010

Sample Description: Water, Rinsate Blank

Laboratory Sample Number: 97040378
Laboratory Reference #: MWI 8879

Sampled: 04-08-97
Received: 04-08-97
Analyzed: 04-16-97
Reported: 04-21-97

ORGANOCHLORINE PESTICIDES (EPA 8080)

ANALYTE	*CAS NUMBER*	*DETECTION LIMIT (ug/l)*	*SAMPLE RESULTS (ug/l)*
Aldrin	309-00-2	0.1	N.D.
alpha-BHC	319-84-6	0.2	N.D.
beta-BHC	319-85-7	0.2	N.D.
delta-BHC	319-86-8	0.2	N.D.
gamma-BHC (Lindane)	58-89-9	0.2	N.D.
Chlordane	57-74-9	0.2	N.D.
4,4'-DDD	72-54-8	0.5	N.D.
4,4'-DDE	72-55-9	0.1	N.D.
4,4'-DDT	50-29-3	0.1	N.D.
Dieldrin	60-57-1	0.5	N.D.
Endosulfan I	959-98-8	0.5	N.D.
Endosulfan II	33213-65-9	0.5	N.D.
Endosulfan sulfate	1031-07-8	0.5	N.D.
Endrin	72-20-8	0.02	N.D.
Endrin aldehyde	7421-93-4	0.2	N.D.
Heptachlor	76-44-8	0.1	N.D.
Heptachlor epoxide	1024-57-3	0.2	N.D.
Methoxychlor	72-43-5	9.0	N.D.
Toxaphene	8001-35-2	0.5	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

ORANGE COAST ANALYTICAL

Mark Noorani

Mark Noorani
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035.01090010

Sample Description: Water, Equip Blank

Laboratory Sample Number: 97040377
Laboratory Reference #: MWI 8879

Sampled: 04-08-97
Received: 04-08-97
Analyzed: 04-16-97
Reported: 04-21-97

PCB'S (EPA 8080)

ANALYTE	*CAS NUMBER*	*DETECTION LIMIT (ug/l)*	*SAMPLE RESULTS (ug/l)*
PCB-1016	12674-11-2	5.0	N.D.
PCB-1221	11104-28-2	5.0	N.D.
PCB-1232	11141-16-5	5.0	N.D.
PCB-1242	53469-21-9	5.0	N.D.
PCB-1248	12672-29-6	5.0	N.D.
PCB-1254	11097-69-1	5.0	N.D.
PCB-1260	11096-82-5	5.0	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

ORANGE COAST ANALYTICAL

Mark Noorani
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035.01090010

Sample Description: Water, Rinsate Blank

Laboratory Sample Number: 97040378
Laboratory Reference #: MWI 8879

Sampled: 04-08-97
Received: 04-08-97
Analyzed: 04-16-97
Reported: 04-21-97

PCB'S (EPA 8080)

ANALYTE	*CAS NUMBER*	*DETECTION LIMIT (ug/l)*	*SAMPLE RESULTS (ug/l)*
PCB-1016	12674-11-2	5.0	N.D.
PCB-1221	11104-28-2	5.0	N.D.
PCB-1232	11141-16-5	5.0	N.D.
PCB-1242	53469-21-9	5.0	N.D.
PCB-1248	12672-29-6	5.0	N.D.
PCB-1254	11097-69-1	5.0	N.D.
PCB-1260	11096-82-5	5.0	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

ORANGE COAST ANALYTICAL

Mark Noorani
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

QC DATA REPORT

Analysis : Metals

Date of Analysis : 04/11/97
Laboratory Sample No : 97040139
Laboratory Reference No : MWI 8879

Analyte	R1 (ppm)	SP (ppm)	MS (ppm)	MSD (ppm)	PR1 %	PR2 %	RPD %
Antimony	0.00	3.000	2.800	3.300	93	110	16
Arsenic	0.00	1.000	1.180	1.170	118	117	1
Barium	0.00	0.100	0.095	0.096	95	96	1
Beryllium	0.00	0.100	0.113	0.120	113	120	6
Cadmium	0.00	0.100	0.113	0.117	113	117	3
Chromium (VI)	0.00	0.500	0.440	0.490	88	98	11
Chromium (Total)	0.00	0.100	0.105	0.112	105	112	6
Cobalt	0.00	0.100	0.117	0.102	117	102	14
Copper	0.00	0.100	0.096	0.109	96	109	13
Lead	0.00	1.000	0.980	1.010	98	101	3
Mercury	0.000	0.020	0.021	0.023	105	115	9
Molybdenum	0.00	1.000	0.940	1.100	94	110	16
Nickel	0.00	0.500	0.580	0.560	116	112	4
Selenium	0.00	1.000	0.980	1.010	98	101	3
Silver	0.00	0.500	0.530	0.550	106	110	4
Thallium	0.00	3.000	3.300	3.400	110	113	3
Vanadium	0.00	0.500	0.590	0.600	118	120	2
Zinc	0.00	0.100	0.120	0.120	120	120	0

Definition of Terms :

R1	Results Of First Analysis
SP	Spike Concentration Added to Sample
MS	Matrix Spike Results
MSD	Matrix Spike Duplicate Results
PR1	Percent Recovery Of MS: {(MS-R1) / SP} x100
PR2	Percent Recovery Of MSD: {(MSD-R1) / SP} x 100
RPD	Relative Percent Difference: {(MS-MSD) / (MS+MSD)} x 100 x 2

ORANGE COAST ANALYTICAL

MARK NOORANI
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

QC DATA REPORT

Analysis : Metals

Date of Analysis : 04/09/97
Laboratory Sample No : 97040323
Laboratory Reference No : MWI 8879

Analyte	R1 (ppm)	SP (ppm)	MS (ppm)	MSD (ppm)	PR1 %	PR2 %	RPD %
Antimony	0.00	30.00	26.00	29.00	87	97	11
Arsenic	0.00	10.00	8.00	8.30	80	83	4
Barium	9.80	10.00	18.20	19.20	84	94	5
Beryllium	0.00	1.00	0.91	0.88	91	88	3
Cadmium	0.00	1.00	0.95	1.03	95	103	8
Chromium (Total)	2.30	5.00	6.60	6.90	86	92	4
Chromium (VI)	0.00	1.00	0.85	0.99	85	99	15
Cobalt	0.65	1.00	1.45	1.51	80	86	4
Copper	1.20	1.00	2.00	2.00	80	80	0
Lead	0.00	10.00	9.70	10.20	97	102	5
Mercury	0.000	0.020	0.016	0.018	80	90	12
Molybdenum	0.00	10.00	9.90	10.40	99	104	5
Nickel	1.10	5.00	5.30	5.60	84	90	6
Selenium	0.00	10.00	8.50	9.40	85	94	10
Silver	0.00	5.00	4.20	4.90	84	98	15
Thallium	0.00	30.00	23.00	24.00	77	80	4
Vanadium	2.90	5.00	6.90	7.50	80	92	8
Zinc	4.40	5.00	8.40	8.80	80	88	5

Definition of Terms :

R1	Results Of First Analysis
SP	Spike Concentration Added to Sample
MS	Matrix Spike Results
MSD	Matrix Spike Duplicate Results
PR1	Percent Recovery Of MS: {(MS-R1) / SP} x100
PR2	Percent Recovery Of MSD: {(MSD-R1) / SP} x 100
RPD	Relative Percent Difference: {(MS-MSD) / (MS+MSD)} x 100 x 2

ORANGE COAST ANALYTICAL

MARK NOORANI
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

QC DATA REPORT

Analysis : Volatile Organics by GC/MS (EPA 8260)

Date of Analysis : 04/18/97
Laboratory Sample No : 97040336
Laboratory Reference No : MWI 8879

Analyte	R1 (ppb)	SP (ppb)	MS (ppb)	MSD (ppb)	PR1 %	PR2 %	RPD %
Benzene	0.0	20	19	17	95	85	11
1,1-Dichloroethene	0.0	20	15	14	75	70	7
Trichloroethene	0.0	20	19	19	95	95	0
Toluene	0.0	20	21	18	105	90	15
Chlorobenzene	0.0	20	19	17	95	85	11

Definition of Terms :

R1	Results Of First Analysis
SP	Spike Concentration Added to Sample
MS	Matrix Spike Results
MSD	Matrix Spike Duplicate Results
PR1	Percent Recovery Of MS: {(MS-R1) / SP} x100
PR2	Percent Recovery Of MSD: {(MSD-R1) / SP} x 100
RPD	Relative Percent Difference: {(MS-MSD) / (MS+MSD)} x 100 x 2

ORANGE COAST ANALYTICAL

MARK NOORANI
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

QC DATA REPORT

Analysis : Volatile Organics by GC/MS (EPA 8260)

Date of Analysis : 04/17/97
Laboratory Sample No : 97040376
Laboratory Reference No : MWI 8879

Analyte	R1 (ppb)	SP (ppb)	MS (ppb)	MSD (ppb)	PR1 %	PR2 %	RPD %
Benzene	0.0	50	49	43	98	86	13
1,1-Dichloroethene	0.0	50	39	41	78	82	5
Trichloroethene	0.0	50	54	58	108	116	7
Toluene	0.0	50	50	54	100	108	8
Chlorobenzene	0.0	50	51	51	102	102	0

Definition of Terms :

R1	Results Of First Analysis
SP	Spike Concentration Added to Sample
MS	Matrix Spike Results
MSD	Matrix Spike Duplicate Results
PR1	Percent Recovery Of MS: {(MS-R1) / SP} x100
PR2	Percent Recovery Of MSD: {(MSD-R1) / SP} x 100
RPD	Relative Percent Difference: {(MS-MSD) / (MS+MSD)} x 100 x 2

ORANGE COAST ANALYTICAL

MARK NOORANI
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

QC DATA REPORT

Analysis : Total Recoverable Petroleum Hydrocarbons (EPA 418.1)

Date of Analysis : 04/10/97
Laboratory Sample No : OCA 100
Laboratory Reference No : MWI 8879

Analyte	R1 (ppm)	SP (ppm)	MS (ppm)	MSD (ppm)	PR1 %	PR2 %	RPD %
Hydrocarbons	0.0	2.5	2.2	2.2	88	88	0

Definition of Terms :

R1	Results Of First Analysis
SP	Spike Concentration Added to Sample
MS	Matrix Spike Results
MSD	Matrix Spike Duplicate Results
PR1	Percent Recovery Of MS: {(MS-R1) / SP} x100
PR2	Percent Recovery Of MSD: {(MSD-R1) / SP} x 100
RPD	Relative Percent Difference: {(MS-MSD) / (MS+MSD)} x 100 x 2

ORANGE COAST ANALYTICAL

MARK NOORANI
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

QC DATA REPORT

Analysis : Total Recoverable Petroleum Hydrocarbons (EPA 418.1)

Date of Analysis : 04/09/97
Laboratory Sample No : 97040394
Laboratory Reference No : MWI 8879

Analyte	R1 (ppm)	SP (ppm)	MS (ppm)	MSD (ppm)	PR1 %	PR2 %	RPD %
Hydrocarbons	0.0	100	100	103	100	103	3

Definition of Terms :

R1	Results Of First Analysis
SP	Spike Concentration Added to Sample
MS	Matrix Spike Results
MSD	Matrix Spike Duplicate Results
PR1	Percent Recovery Of MS: {(MS-R1) / SP} x100
PR2	Percent Recovery Of MSD: {(MSD-R1) / SP} x 100
RPD	Relative Percent Difference: {(MS-MSD) / (MS+MSD)} x 100 x 2

ORANGE COAST ANALYTICAL

MARK NOORANI
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

QC DATA REPORT

Analysis : PCB 'S (EPA 8080)

Date of Analysis : 04/16/97
Laboratory Sample No : OCA 100
Laboratory Reference No : MWI 8879

Analyte	R1 (ppb)	SP (ppb)	MS (ppb)	MSD (ppb)	PR1 %	PR2 %	RPD %
PCB-1260	0.0	50	25	29	50	58	15

Definition of Terms :

R1	Results Of First Analysis
SP	Spike Concentration Added to Sample
MS	Matrix Spike Results
MSD	Matrix Spike Duplicate Results
PR1	Percent Recovery Of MS: {(MS-R1) / SP} x100
PR2	Percent Recovery Of MSD: {(MSD-R1) / SP} x 100
RPD	Relative Percent Difference: {(MS-MSD) / (MS+MSD)} x 100 x 2

ORANGE COAST ANALYTICAL

MARK NOORANI
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

QC DATA REPORT

Analysis : Organochlorine Pesticides (EPA 8080)

Date of Analysis : 04/16/97
Laboratory Sample No : OCA 100
Laboratory Reference No : MWI 8879

Analyte	R1 (ppb)	SP (ppb)	MS (ppb)	MSD (ppb)	PR1 %	PR2 %	RPD %
4,4'-DDT	0.0	1.00	0.92	0.78	92	78	16

Definition of Terms :

R1	Results Of First Analysis
SP	Spike Concentration Added to Sample
MS	Matrix Spike Results
MSD	Matrix Spike Duplicate Results
PR1	Percent Recovery Of MS: {(MS-R1) / SP} x100
PR2	Percent Recovery Of MSD: {(MSD-R1) / SP} x 100
RPD	Relative Percent Difference: {(MS-MSD) / (MS+MSD)} x 100 x 2

ORANGE COAST ANALYTICAL

Mark Noorani

MARK NOORANI
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

QC DATA REPORT

Analysis : Semi-Volatile Organics by GC/MS (EPA 8270)

Date of Analysis : 04/11/97
Laboratory Sample No : 97040380
Laboratory Reference No : MWI 8879

Analyte	R1 (ng)	SP (ng)	MS (ng)	MSD (ng)	PR1 %	PR2 %	RPD %
1,4-Dichlorobenzene	0.0	50	42	43	84	86	2
n-Nitroso-di-n-propylamine	0.0	50	46	47	92	94	2
1,2,4-Trichlorobenzene	0.0	50	47	43	94	86	9
Acenaphthene	0.0	50	44	46	88	92	4
Pyrene	0.0	50	41	43	82	86	5
Pentachlorophenol	0.0	100	90	88	90	88	2
4-Chloro-3-Methylphenol	0.0	100	93	80	93	80	15
2-Chlorophenol	0.0	100	91	90	91	90	1
Phenol	0.0	100	80	82	80	82	2

Definition of Terms :

R1	Results Of First Analysis
SP	Spike Concentration Added to Sample
MS	Matrix Spike Results
MSD	Matrix Spike Duplicate Results
PR1	Percent Recovery Of MS: {(MS-R1) / SP} x100
PR2	Percent Recovery Of MSD: {(MSD-R1) / SP} x 100
RPD	Relative Percent Difference: {(MS-MSD) / (MS+MSD)} x 100 x 2

ORANGE COAST ANALYTICAL

MARK NOORANI
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

QC DATA REPORT

Analysis : Semi-Volatile Organics by GC/MS (EPA 8270)

Date of Analysis : 04/10/97
Laboratory Sample No : OCA 100
Laboratory Reference No : MWI 8879

Analyte	R1 (ng)	SP (ng)	MS (ng)	MSD (ng)	PR1 %	PR2 %	RPD %
1,4-Dichlorobenzene	0.0	50	45	45	90	90	0
n-Nitroso-di-n-propylamine	0.0	50	54	52	108	104	4
1,2,4-Trichlorobenzene	0.0	50	48	47	96	94	2
Acenaphthene	0.0	50	53	51	106	102	4
Pyrene	0.0	50	46	40	92	80	14
Pentachlorophenol	0.0	100	82	91	82	91	10
4-Chloro-3-Methylphenol	0.0	100	72	70	72	70	3
2-Chlorophenol	0.0	100	82	84	82	84	2
Phenol	0.0	100	27	28	27	28	4

Definition of Terms :

R1	Results Of First Analysis
SP	Spike Concentration Added to Sample
MS	Matrix Spike Results
MSD	Matrix Spike Duplicate Results
PR1	Percent Recovery Of MS: {(MS-R1) / SP} x100
PR2	Percent Recovery Of MSD: {(MSD-R1) / SP} x 100
RPD	Relative Percent Difference: {(MS-MSD) / (MS+MSD)} x 100 x 2

ORANGE COAST ANALYTICAL

Mark Noorani

MARK NOORANI
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532
Tustin, CA 92680
(714) 832-0064, Fax (714) 832-0067

Analysis Request and Chain of Custody Record

Lab Job No: _____
Page 1 / 1

Note 24hr. TAT on B37-RE2-SP2, all analyses
REQUIRED TAT: See Comments Below

CUSTOMER INFORMATION		PROJECT INFORMATION	
COMPANY:	Montgomery Watson	PROJECT NAME:	M. Donnell Douglas C-6 Facility
SEND REPORT TO:	Fred Strauss	NUMBER:	1206035.01090010
ADDRESS:	750 N. Madison Ave. S	LOCATION:	BLDG. 37 Area
	Pasadena, CA 91101	ADDRESS:	19503 S. Normandie Ave
			Torrance, CA
PHONE:	(818) 568 6582 FAX (818) 796-5441	SAMPLED BY:	JAM/TV

SAMPLE ID	NO. OF CONTAINERS	SAMPLE DATE	SAMPLE TIME	SAMPLE MATRIX	CONTAINER TYPE	PRES.	TRPH (418.1)	Title 22 metals	VOCs (8260)	SVOCs (8270)	PCBs (8080)	Pesticides (8080)			REMARKS/PRECAUTIONS
B37-RE2-SP2	2	4/8/97	1520	Soil	2"x6" SS Sleeve	ICE	X	X	X	X					24hr. TAT on all analyses
B37-GS-132-6.5'	2	↓	1555	Soil	2"x6" SS Sleeve	↓	X	X							24hr. TAT on TRPH, Standard oil
B37-GS-133-6'	2	↓	1605	Soil	2"x6" SS Sleeve	↓	X	X							24hr. TAT on TRPH, Standard oil
Equipment Blank	7	↓	1630	Water	4 Amb Poly 2 VOA	HCl	X	X	X	X	X	X			Standard TAT
Rinsate Blank	7	↓	1645	Water	↓	↓	X	X	X	X	X	X			Standard TAT
Trip Blank	2	↓	—	Water	2VOA	HCl			X						Standard TAT

Total No. of Samples: 6

Method of Shipment: Orange Coast Courier (1 cooler)

Relinquished By:	Date/Time:	Received By:	Date/Time:
John Warren	4/8/97 1700		
Relinquished By:	Date/Time:	Received By:	Date/Time:
Relinquished By:	Date/Time:	Received For Lab By:	Date/Time:
		Ann Warren	4/8/97 17:00

Reporting Format: (check)
NORMAL _____ S.D. HMMD _____
RWQCB _____ OTHER _____

Sample Integrity: (check)
intact _____ on ice _____

All samples remain the property of the client who is responsible for disposal. A disposal fee may be imposed if client fails to pickup samples.

BOE-C6-0117645