ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035-01090010

Analysis Method: 418.1

Sample Description: Soil

Laboratory Reference #: MWI 8931

Sampled : 04-18-97
Received: 04-18-97
Analyzed: 04-21-97
Reported: 04-21-97

TOTAL RECOVERABLE PETROLEUM HYDROCARBONS

Laboratory Sample Number	*Client Sample Number*	*Sample Result (mg/kg)*
97040917	B37-RE4-SP51	17
97040918	B37-GS-136-6'	N.D.
97040919	B37-GS-137-6'	N.D.
97040920	B37-GS-138-6'	N.D.
97040921	B37-GS-139-6'	N.D.
97040922	B37-GS-140-6'	N.D.
97040923	B37-GS-141-6'	N.D.
Detection Limit:		8.0

Analyte reported as N.D. was not present above the stated limit of detection.

ORANGE COAST ANALYTICAL

Mark Noorani

ark Noorani
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035-01090010

Sample Description: Soil, B37-GS-136-6'

Laboratory Sample Number: 97040918
Laboratory Reference #: MWI 8931

Sampled: 04-18-97
Received: 04-18-97
Analyzed: 05-01-97
Reported: 05-05-97

CCR - METALS

Analyte	*EPA Method*	*STLC Limits mg/l*	*TTLC Limits mg/kg*	*Detection Limit mg/kg*	*Analysis Result mg/kg*	
Antimony	6010	15	500	5.0	N.D.	
Arsenic	6010	5.0	500	1.0	N.D.	
Barium	6010	100	10000	0.1	110	<---
Beryllium	6010	0.75	75	0.1	N.D.	
Cadmium	6010	1.0	100	0.1	N.D.	
Chromium (VI)	7196	5.0	500	0.5	N.D.	
Chromium Total	6010	560	2500	0.05	22	<---
Cobalt	6010	80	8000	0.5	8.0	<---
Copper	6010	25	2500	0.1	9.0	<---
Lead	6010	5.0	1000	1.0	N.D.	
Mercury	7471	0.2	20	0.01	N.D.	
Molybdenum	6010	350	3500	0.5	N.D.	
Nickel	6010	20	2000	0.5	7.6	<---
Selenium	6010	1.0	100	1.0	N.D.	
Silver	6010	5.0	500	0.1	N.D.	
Thallium	6010	7.0	700	5.0	N.D.	
Vanadium	6010	24	2400	0.5	21	<---
Zinc	6010	250	5000	0.1	53	<---

Analytes reported as N.D. were not present above the stated limit of detection.

ORANGE COAST ANALYTICAL

Mark Noorani
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

ontgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035-01090010

Sample Description: Soil, B37-GS-137-6'

Laboratory Sample Number: 97040919
Laboratory Reference #: MWI 8931

Sampled: 04-18-97
Received: 04-18-97
Analyzed: 05-01-97
Reported: 05-05-97

CCR - METALS

Analyte	*EPA Method*	*STLC Limits mg/l*	*TTLC Limits mg/kg*	*Detection Limit mg/kg*	*Analysis Result mg/kg*	
Antimony	6010	15	500	5.0	N.D.	
Arsenic	6010	5.0	500	1.0	N.D.	
Barium	6010	100	10000	0.1	120	<---
Beryllium	6010	0.75	75	0.1	N.D.	
Cadmium	6010	1.0	100	0.1	N.D.	
Chromium (VI)	7196	5.0	500	0.5	N.D.	
Chromium Total	6010	560	2500	0.05	33	<---
obalt	6010	80	8000	0.5	6.4	<---
opper	6010	25	2500	0.1	13	<---
Lead	6010	5.0	1000	1.0	N.D.	
Mercury	7471	0.2	20	0.01	N.D.	
Molybdenum	6010	350	3500	0.5	N.D.	
Nickel	6010	20	2000	0.5	9.2	<---
Selenium	6010	1.0	100	1.0	N.D.	
Silver	6010	5.0	500	0.1	N.D.	
Thallium	6010	7.0	700	5.0	N.D.	
Vanadium	6010	24	2400	0.5	31	<---
Zinc	6010	250	5000	0.1	65	<---

Analytes reported as N.D. were not present above the stated limit of detection.

ORANGE COAST ANALYTICAL

Mark Noorani

Mark Noorani
aboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035-01090010

Sample Description: Soil, B37-GS-138-6'

Laboratory Sample Number: 97040920
Laboratory Reference #: MWI 8931

Sampled: 04-18-97
Received: 04-18-97
Analyzed: 05-01-97
Reported: 05-05-97

CCR - METALS

Analyte	*EPA Method*	*STLC Limits mg/l*	*TTLC Limits mg/kg*	*Detection Limit mg/kg*	*Analysis Result mg/kg*	
Antimony	6010	15	500	5.0	N.D.	
Arsenic	6010	5.0	500	1.0	N.D.	
Barium	6010	100	10000	0.1	140	<---
Beryllium	6010	0.75	75	0.1	N.D.	
Cadmium	6010	1.0	100	0.1	N.D.	
Chromium (VI)	7196	5.0	500	0.5	N.D.	
Chromium Total	6010	560	2500	0.05	32	<---
Cobalt	6010	80	8000	0.5	7.3	<---
Copper	6010	25	2500	0.1	9.9	<---
Lead	6010	5.0	1000	1.0	N.D.	
Mercury	7471	0.2	20	0.01	N.D.	
Molybdenum	6010	350	3500	0.5	N.D.	
Nickel	6010	20	2000	0.5	9.0	<---
Selenium	6010	1.0	100	1.0	N.D.	
Silver	6010	5.0	500	0.1	N.D.	
Thallium	6010	7.0	700	5.0	N.D.	
Vanadium	6010	24	2400	0.5	29	<---
Zinc	6010	250	5000	0.1	61	<---

Analytes reported as N.D. were not present above the stated limit of detection.

ORANGE COAST ANALYTICAL

Mark Noorani
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035-01090010

Sample Description: Soil, B37-GS-139-6'

Laboratory Sample Number: 97040921
Laboratory Reference #: MWI 8931

Sampled: 04-18-97
Received: 04-18-97
Analyzed: 05-01-97
Reported: 05-05-97

CCR - METALS

Analyte	*EPA Method*	*STLC Limits mg/l*	*TTLC Limits mg/kg*	*Detection Limit mg/kg*	*Analysis Result mg/kg*	
Antimony	6010	15	500	5.0	N.D.	
Arsenic	6010	5.0	500	1.0	N.D.	
Barium	6010	100	10000	0.1	110	<---
Beryllium	6010	0.75	75	0.1	N.D.	
Cadmium	6010	1.0	100	0.1	N.D.	
Chromium (VI)	7196	5.0	500	0.5	N.D.	
Chromium Total	6010	560	2500	0.05	23	<---
Cobalt	6010	80	8000	0.5	7.9	<---
Copper	6010	25	2500	0.1	7.0	<---
Lead	6010	5.0	1000	1.0	N.D.	
Mercury	7471	0.2	20	0.01	N.D.	
Molybdenum	6010	350	3500	0.5	N.D.	
Nickel	6010	20	2000	0.5	7.5	<---
Selenium	6010	1.0	100	1.0	N.D.	
Silver	6010	5.0	500	0.1	N.D.	
Thallium	6010	7.0	700	5.0	N.D.	
Vanadium	6010	24	2400	0.5	23	<---
Zinc	6010	250	5000	0.1	55	<---

Analytes reported as N.D. were not present above the stated limit of detection.

ORANGE COAST ANALYTICAL

Mark Noorani

Mark Noorani
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035-01090010

Sample Description: Soil, B37-GS-140-6'

Laboratory Sample Number: 97040922
Laboratory Reference #: MWI 8931

Sampled: 04-18-97
Received: 04-18-97
Analyzed: 05-01-97
Reported: 05-05-97

CCR - METALS

Analyte	*EPA Method*	*STLC Limits mg/l*	*TTLC Limits mg/kg*	*Detection Limit mg/kg*	*Analysis Result mg/kg*	
Antimony	6010	15	500	5.0	N.D.	
Arsenic	6010	5.0	500	1.0	N.D.	
Barium	6010	100	10000	0.1	110	<---
Beryllium	6010	0.75	75	0.1	N.D.	
Cadmium	6010	1.0	100	0.1	N.D.	
Chromium (VI)	7196	5.0	500	0.5	N.D.	
Chromium Total	6010	560	2500	0.05	26	<---
Cobalt	6010	80	8000	0.5	7.8	<---
Copper	6010	25	2500	0.1	9.4	<---
Lead	6010	5.0	1000	1.0	N.D.	
Mercury	7471	0.2	20	0.01	N.D.	
Molybdenum	6010	350	3500	0.5	N.D.	
Nickel	6010	20	2000	0.5	9.3	<---
Selenium	6010	1.0	100	1.0	N.D.	
Silver	6010	5.0	500	0.1	N.D.	
Thallium	6010	7.0	700	5.0	N.D.	
Vanadium	6010	24	2400	0.5	24	<---
Zinc	6010	250	5000	0.1	64	<---

Analytes reported as N.D. were not present above the stated limit of detection.

ORANGE COAST ANALYTICAL

Mark Noorani
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Iontgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035-01090010

Sample Description: Soil, B37-GS-141-6'

Laboratory Sample Number: 97040923
Laboratory Reference #: MWI 8931

Sampled: 04-18-97
Received: 04-18-97
Analyzed: 05-01-97
Reported: 05-05-97

CCR - METALS

Analyte	*EPA Method*	*STLC Limits mg/l*	*TTLC Limits mg/kg*	*Detection Limit mg/kg*	*Analysis Result mg/kg*	
Antimony	6010	15	500	5.0	N.D.	
Arsenic	6010	5.0	500	1.0	N.D.	
Barium	6010	100	10000	0.1	110	<---
Beryllium	6010	0.75	75	0.1	N.D.	
Cadmium	6010	1.0	100	0.1	N.D.	
Chromium (VI)	7196	5.0	500	0.5	N.D.	
Chromium Total	6010	560	2500	0.05	26	<---
Cobalt	6010	80	8000	0.5	8.1	<---
Copper	6010	25	2500	0.1	9.4	<---
Lead	6010	5.0	1000	1.0	N.D.	
Mercury	7471	0.2	20	0.01	N.D.	
Molybdenum	6010	350	3500	0.5	N.D.	
Nickel	6010	20	2000	0.5	8.7	<---
Selenium	6010	1.0	100	1.0	N.D.	
Silver	6010	5.0	500	0.1	N.D.	
Thallium	6010	7.0	700	5.0	N.D.	
Vanadium	6010	24	2400	0.5	24	<---
Zinc	6010	250	5000	0.1	60	<---

Analytes reported as N.D. were not present above the stated limit of detection.

ORANGE COAST ANALYTICAL

Mark Noorani
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035-01090010

Sample Description: Soil, B37-GS-136-6'
Laboratory Sample Number: 97040918
Laboratory Reference #: MWI 8931

Sampled: 04-18-97
Received: 04-18-97
Analyzed: 04-25-97
Reported: 05-05-97

Volatile Organics by GC/MS (EPA 8260)

ANALYTE	***CAS NUMBER***	***DETECTION LIMIT (ug/kg)***	***SAMPLE RESULT (ug/kg)***
Benzene	71-43-2	2.5	N.D.
Bromodichloromethane	75-27-4	2.5	N.D.
Bromoform	75-25-2	2.5	N.D.
Bromomethane	74-83-9	2.5	N.D.
Carbon Disulfide	75-15-0	5.0	N.D.
Carbon tetrachloride	56-23-5	2.5	N.D.
Chlorobenzene	108-90-7	2.5	N.D.
Chlorodibromomethane	124-48-1	2.5	N.D.
Chloroethane	75-00-3	2.5	N.D.
2-Chloroethyl vinyl ether	110-75-8	5.0	N.D.
Chloroform	67-66-3	2.5	N.D.
Chloromethane	74-87-3	2.5	N.D.
1,1-Dichloroethane	75-35-3	2.5	N.D.
1,2-Dichloroethane	107-06-2	2.5	N.D.
1,1-Dichloroethene	75-35-4	2.5	N.D.
Trans 1,2-Dichloroethene	156-60-5	2.5	N.D.
1,2-Dichloropropane	78-87-5	2.5	N.D.
cis-1,3-Dichloropropene	10061-01-5	2.5	N.D.
trans-1,3-Dichloropropene	10061-02-6	2.5	N.D.
Ethylbenzene	100-41-4	2.5	N.D.
Methylene chloride	75-09-2	5.0	N.D.
Styrene	100-42-5	2.5	N.D.
1,1,2,2-Tetrachloroethane	79-34-5	2.5	N.D.
Tetrachloroethene	127-18-4	2.5	N.D.
Toluene	108-88-3	2.5	N.D.
1,1,1-Trichloroethane	71-55-6	2.5	N.D.
1,1,2-Trichloroethane	79-00-5	2.5	N.D.
Trichloroethene	79-01-6	2.5	N.D.
Trichlorofluoromethane	75-69-4	5.0	N.D.
Vinyl acetate	108-05-4	5.0	N.D.
Vinyl chloride	75-01-4	2.5	N.D.
Total Xylenes	1330-20-7	2.5	N.D.
Dichlorofluoromethane	75-71-8	2.5	N.D.
cis-1-2,-Dichloroethane	156-59-4	2.5	N.D.
2,2-Dichloropropane	590-20-7	2.5	N.D.
Bromochloromethane	74-97-5	2.5	N.D.
1,1-Dichloropropene	563-58-6	2.5	N.D.
1,2-Dichloropropane	78-87-5	2.5	N.D.
Dibromomethane	74-95-3	2.5	N.D.
trans-1,3-Dichloropropane	10061-02-6	2.5	N.D.
1,1,2-Trichloroethane	79-00-5	2.5	N.D.
1,2-Dibromoethane	106-93-4	2.5	N.D.

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

ample Description: Soil, B37-GS-136-6'

Laboratory Sample Number: 97040918

Volatile Organics by GC/MS (EPA 8260)

ANALYTE	CAS NUMBER	DETECTION LIMIT (ug/kg)	SAMPLE RESULT (ug/kg)
1,3-Dichloropropane	142-28-9	2.5	N.D.
Dibromochloromethane	124-48-1	2.5	N.D.
Isopropylbenzene	98-82-8	2.5	N.D.
1,1,2,2-Tetrachloroethane	79-34-5	2.5	N.D.
1,2,3-Trichloropropane	96-18-4	2.5	N.D.
Bromobenzene	108-86-1	2.5	N.D.
n-Propylbenzene	103-65-1	2.5	N.D.
2-Chlorotoluene	95-49-8	2.5	N.D.
1,3,5-Trimethylbenzene	108-67-8	2.5	N.D.
4-Chlorotoluene	106-43-4	2.5	N.D.
tert-Butylbenzene	98-06-6	2.5	N.D.
1,2,4-Trimethylbenzene	95-63-6	2.5	N.D.
sec-Butylbenzene	135-98-8	2.5	N.D.
4-Isopropyltoluene	99-87-6	2.5	N.D.
1,3-Dichlorobenzene	541-73-1	2.5	N.D.
1,4-Dichlorobenzene	106-46-7	2.5	N.D.
n-Butylbenzene	104-51-8	2.5	N.D.
1,2-Dichlorobenzene	95-50-1	2.5	N.D.
-2-Dibromo-2-CPA	96-12-8	5.0	N.D.
1,2,4-Trichlorobenzene	120-82-1	2.5	N.D.
Hexachlorobutadiene	87-68-3	2.5	N.D.
Naphthalene	91-20-3	2.5	N.D.
1,2,3-Trichlorobenzene	87-61-6	2.5	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

ORANGE COAST ANALYTICAL

Mark Noorani
aboratory Director

Surrogate Recoveries	*%*
Dibromofluoromethane	*110*
Toluene-d8	*99*
4-Bromofluorobenbzene	*107*

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035-01090010

Sample Description: Soil, B37-GS-137-6'
Laboratory Sample Number: 97040919
Laboratory Reference #: MWI 8931

Sampled: 04-18-97
Received: 04-18-97
Analyzed: 04-25-97
Reported: 05-05-97

Volatile Organics by GC/MS (EPA 8260)

ANALYTE	***CAS NUMBER***	***DETECTION LIMIT (ug/kg)***	***SAMPLE RESULT (ug/kg)***
Benzene	71-43-2	2.5	N.D.
Bromodichloromethane	75-27-4	2.5	N.D.
Bromoform	75-25-2	2.5	N.D.
Bromomethane	74-83-9	2.5	N.D.
Carbon Disulfide	75-15-0	5.0	N.D.
Carbon tetrachloride	56-23-5	2.5	N.D.
Chlorobenzene	108-90-7	2.5	N.D.
Chlorodibromomethane	124-48-1	2.5	N.D.
Chloroethane	75-00-3	2.5	N.D.
2-Chloroethyl vinyl ether	110-75-8	5.0	N.D.
Chloroform	67-66-3	2.5	N.D.
Chloromethane	74-87-3	2.5	N.D.
1,1-Dichloroethane	75-35-3	2.5	N.D.
1,2-Dichloroethane	107-06-2	2.5	N.D.
1,1-Dichloroethene	75-35-4	2.5	N.D.
Trans 1,2-Dichloroethene	156-60-5	2.5	N.D.
1,2-Dichloropropane	78-87-5	2.5	N.D.
cis-1,3-Dichloropropene	10061-01-5	2.5	N.D.
trans-1,3-Dichloropropene	10061-02-6	2.5	N.D.
Ethylbenzene	100-41-4	2.5	N.D.
Methylene chloride	75-09-2	5.0	N.D.
Styrene	100-42-5	2.5	N.D.
1,1,2,2-Tetrachloroethane	79-34-5	2.5	N.D.
Tetrachloroethene	127-18-4	2.5	N.D.
Toluene	108-88-3	2.5	N.D.
1,1,1-Trichloroethane	71-55-6	2.5	N.D.
1,1,2-Trichloroethane	79-00-5	2.5	N.D.
Trichloroethene	79-01-6	2.5	N.D.
Trichlorofluoromethane	75-69-4	5.0	N.D.
Vinyl acetate	108-05-4	5.0	N.D.
Vinyl chloride	75-01-4	2.5	N.D.
Total Xylenes	1330-20-7	2.5	N.D.
Dichlorofluoromethane	75-71-8	2.5	N.D.
cis-1-2,-Dichloroethane	156-59-4	2.5	N.D.
2,2-Dichloropropane	590-20-7	2.5	N.D.
Bromochloromethane	74-97-5	2.5	N.D.
1,1-Dichloropropene	563-58-6	2.5	N.D.
1,2-Dichloropropane	78-87-5	2.5	N.D.
Dibromomethane	74-95-3	2.5	N.D.
trans-1,3-Dichloropropane	10061-02-6	2.5	N.D.
1,1,2-Trichloroethane	79-00-5	2.5	N.D.
1,2-Dibromoethane	106-93-4	2.5	N.D.

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

ample Description: Soil, B37-GS-137-6'

Laboratory Sample Number: 97040919

Volatile Organics by GC/MS (EPA 8260)

ANALYTE	CAS NUMBER	DETECTION LIMIT (ug/kg)	SAMPLE RESULT (ug/kg)
1,3-Dichloropropane	142-28-9	2.5	N.D.
Dibromochloromethane	124-48-1	2.5	N.D.
Isopropylbenzene	98-82-8	2.5	N.D.
1,1,2,2-Tetrachloroethane	79-34-5	2.5	N.D.
1,2,3-Trichloropropane	96-18-4	2.5	N.D.
Bromobenzene	108-86-1	2.5	N.D.
n-Propylbenzene	103-65-1	2.5	N.D.
2-Chlorotoluene	95-49-8	2.5	N.D.
1,3,5-Trimethylbenzene	108-67-8	2.5	N.D.
4-Chlorotoluene	106-43-4	2.5	N.D.
tert-Butylbenzene	98-06-6	2.5	N.D.
1,2,4-Trimethylbenzene	95-63-6	2.5	N.D.
sec-Butylbenzene	135-98-8	2.5	N.D.
4-Isopropyltoluene	99-87-6	2.5	N.D.
1,3-Dichlorobenzene	541-73-1	2.5	N.D.
1,4-Dichlorobenzene	106-46-7	2.5	N.D.
n-Butylbenzene	104-51-8	2.5	N.D.
1,2-Dichlorobenzene	95-50-1	2.5	N.D.
·2-Dibromo-2-CPA	96-12-8	5.0	N.D.
,2,4-Trichlorobenzene	120-82-1	2.5	N.D.
Hexachlorobutadiene	87-68-3	2.5	N.D.
Naphthalene	91-20-3	2.5	N.D.
1,2,3-Trichlorobenzene	87-61-6	2.5	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

ORANGE COAST ANALYTICAL

Mark Noorani
Laboratory Director

Surrogate Recoveries	*%*
Dibromofluoromethane	*109*
Toluene-d8	*98*
4-Bromofluorobenbzene	*111*

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035-01090010

Sample Description: Soil, B37-GS-138-6'
Laboratory Sample Number: 97040920
Laboratory Reference #: MWI 8931

Sampled: 04-18-97
Received: 04-18-97
Analyzed: 04-25-97
Reported: 05-05-97

Volatile Organics by GC/MS (EPA 8260)

ANALYTE	***CAS NUMBER***	***DETECTION LIMIT (ug/kg)***	***SAMPLE RESULT (ug/kg)***
Benzene	71-43-2	2.5	N.D.
Bromodichloromethane	75-27-4	2.5	N.D.
Bromoform	75-25-2	2.5	N.D.
Bromomethane	74-83-9	2.5	N.D.
Carbon Disulfide	75-15-0	5.0	N.D.
Carbon tetrachloride	56-23-5	2.5	N.D.
Chlorobenzene	108-90-7	2.5	N.D.
Chlorodibromomethane	124-48-1	2.5	N.D.
Chloroethane	75-00-3	2.5	N.D.
2-Chloroethyl vinyl ether	110-75-8	5.0	N.D.
Chloroform	67-66-3	2.5	N.D.
Chloromethane	74-87-3	2.5	N.D.
1,1-Dichloroethane	75-35-3	2.5	N.D.
1,2-Dichloroethane	107-06-2	2.5	N.D.
1,1-Dichloroethene	75-35-4	2.5	N.D.
Trans 1,2-Dichloroethene	156-60-5	2.5	N.D.
1,2-Dichloropropane	78-87-5	2.5	N.D.
cis-1,3-Dichloropropene	10061-01-5	2.5	N.D.
trans-1,3-Dichloropropene	10061-02-6	2.5	N.D.
Ethylbenzene	100-41-4	2.5	N.D.
Methylene chloride	75-09-2	5.0	N.D.
Styrene	100-42-5	2.5	N.D.
1,1,2,2-Tetrachloroethane	79-34-5	2.5	N.D.
Tetrachloroethene	127-18-4	2.5	N.D.
Toluene	108-88-3	2.5	N.D.
1,1,1-Trichloroethane	71-55-6	2.5	N.D.
1,1,2-Trichloroethane	79-00-5	2.5	N.D.
Trichloroethene	79-01-6	2.5	N.D.
Trichlorofluoromethane	75-69-4	5.0	N.D.
Vinyl acetate	108-05-4	5.0	N.D.
Vinyl chloride	75-01-4	2.5	N.D.
Total Xylenes	1330-20-7	2.5	N.D.
Dichlorofluoromethane	75-71-8	2.5	N.D.
cis-1-2,-Dichloroethane	156-59-4	2.5	N.D.
2,2-Dichloropropane	590-20-7	2.5	N.D.
Bromochloromethane	74-97-5	2.5	N.D.
1,1-Dichloropropene	563-58-6	2.5	N.D.
1,2-Dichloropropane	78-87-5	2.5	N.D.
Dibromomethane	74-95-3	2.5	N.D.
trans-1,3-Dichloropropane	10061-02-6	2.5	N.D.
1,1,2-Trichloroethane	79-00-5	2.5	N.D.
1,2-Dibromoethane	106-93-4	2.5	N.D.

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

ample Description: Soil, B37-GS-138-6'

Laboratory Sample Number: 97040920

Volatile Organics by GC/MS (EPA 8260)

ANALYTE	CAS NUMBER	DETECTION LIMIT (ug/kg)	SAMPLE RESULT (ug/kg)
1,3-Dichloropropane	142-28-9	2.5	N.D.
Dibromochloromethane	124-48-1	2.5	N.D.
Isopropylbenzene	98-82-8	2.5	N.D.
1,1,2,2-Tetrachloroethane	79-34-5	2.5	N.D.
1,2,3-Trichloropropane	96-18-4	2.5	N.D.
Bromobenzene	108-86-1	2.5	N.D.
n-Propylbenzene	103-65-1	2.5	N.D.
2-Chlorotoluene	95-49-8	2.5	N.D.
1,3,5-Trimethylbenzene	108-67-8	2.5	N.D.
4-Chlorotoluene	106-43-4	2.5	N.D.
tert-Butylbenzene	98-06-6	2.5	N.D.
1,2,4-Trimethylbenzene	95-63-6	2.5	N.D.
sec-Butylbenzene	135-98-8	2.5	N.D.
4-Isopropyltoluene	99-87-6	2.5	N.D.
1,3-Dichlorobenzene	541-73-1	2.5	N.D.
1,4-Dichlorobenzene	106-46-7	2.5	N.D.
n-Butylbenzene	104-51-8	2.5	N.D.
1,2-Dichlorobenzene	95-50-1	2.5	N.D.
·2-Dibromo-2-CPA	96-12-8	5.0	N.D.
,2,4-Trichlorobenzene	120-82-1	2.5	N.D.
Hexachlorobutadiene	87-68-3	2.5	N.D.
Naphthalene	91-20-3	2.5	N.D.
1,2,3-Trichlorobenzene	87-61-6	2.5	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

ORANGE COAST ANALYTICAL

Mark Noorani
Laboratory Director

Surrogate Recoveries	*%*
Dibromofluoromethane	*108*
Toluene-d8	*96*
4-Bromofluorobenbzene	*104*

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035-01090010

Sample Description: Soil, B37-GS-139-6'
Laboratory Sample Number: 97040921
Laboratory Reference #: MWI 8931

Sampled: 04-18-97
Received: 04-18-97
Analyzed: 04-25-97
Reported: 05-05-97

Volatile Organics by GC/MS (EPA 8260)

ANALYTE	***CAS NUMBER***	***DETECTION LIMIT (ug/kg)***	***SAMPLE RESULT (ug/kg)***
Benzene	71-43-2	2.5	N.D.
Bromodichloromethane	75-27-4	2.5	N.D.
Bromoform	75-25-2	2.5	N.D.
Bromomethane	74-83-9	2.5	N.D.
Carbon Disulfide	75-15-0	5.0	N.D.
Carbon tetrachloride	56-23-5	2.5	N.D.
Chlorobenzene	108-90-7	2.5	N.D.
Chlorodibromomethane	124-48-1	2.5	N.D.
Chloroethane	75-00-3	2.5	N.D.
2-Chloroethyl vinyl ether	110-75-8	5.0	N.D.
Chloroform	67-66-3	2.5	N.D.
Chloromethane	74-87-3	2.5	N.D.
1,1-Dichloroethane	75-35-3	2.5	N.D.
1,2-Dichloroethane	107-06-2	2.5	N.D.
1,1-Dichloroethene	75-35-4	2.5	N.D.
Trans 1,2-Dichloroethene	156-60-5	2.5	N.D.
1,2-Dichloropropane	78-87-5	2.5	N.D.
cis-1,3-Dichloropropene	10061-01-5	2.5	N.D.
trans-1,3-Dichloropropene	10061-02-6	2.5	N.D.
Ethylbenzene	100-41-4	2.5	N.D.
Methylene chloride	75-09-2	5.0	N.D.
Styrene	100-42-5	2.5	N.D.
1,1,2,2-Tetrachloroethane	79-34-5	2.5	N.D.
Tetrachloroethene	127-18-4	2.5	N.D.
Toluene	108-88-3	2.5	N.D.
1,1,1-Trichloroethane	71-55-6	2.5	N.D.
1,1,2-Trichloroethane	79-00-5	2.5	N.D.
Trichloroethene	79-01-6	2.5	N.D.
Trichlorofluoromethane	75-69-4	5.0	N.D.
Vinyl acetate	108-05-4	5.0	N.D.
Vinyl chloride	75-01-4	2.5	N.D.
Total Xylenes	1330-20-7	2.5	N.D.
Dichlorofluoromethane	75-71-8	2.5	N.D.
cis-1-2,-Dichloroethane	156-59-4	2.5	N.D.
2,2-Dichloropropane	590-20-7	2.5	N.D.
Bromochloromethane	74-97-5	2.5	N.D.
1,1-Dichloropropene	563-58-6	2.5	N.D.
1,2-Dichloropropane	78-87-5	2.5	N.D.
Dibromomethane	74-95-3	2.5	N.D.
trans-1,3-Dichloropropane	10061-02-6	2.5	N.D.
1,1,2-Trichloroethane	79-00-5	2.5	N.D.
1,2-Dibromoethane	106-93-4	2.5	N.D.

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

ımple Description: Soil, B37-GS-139-6'

Laboratory Sample Number: 97040921

Volatile Organics by GC/MS (EPA 8260)

ANALYTE	*CAS NUMBER*	*DETECTION LIMIT (ug/kg)*	*SAMPLE RESULT (ug/kg)*
1,3-Dichloropropane	142-28-9	2.5	N.D.
Dibromochloromethane	124-48-1	2.5	N.D.
Isopropylbenzene	98-82-8	2.5	N.D.
1,1,2,2-Tetrachloroethane	79-34-5	2.5	N.D.
1,2,3-Trichloropropane	96-18-4	2.5	N.D.
Bromobenzene	108-86-1	2.5	N.D.
n-Propylbenzene	103-65-1	2.5	N.D.
2-Chlorotoluene	95-49-8	2.5	N.D.
1,3,5-Trimethylbenzene	108-67-8	2.5	N.D.
4-Chlorotoluene	106-43-4	2.5	N.D.
tert-Butylbenzene	98-06-6	2.5	N.D.
1,2,4-Trimethylbenzene	95-63-6	2.5	N.D.
sec-Butylbenzene	135-98-8	2.5	N.D.
4-Isopropyltoluene	99-87-6	2.5	N.D.
1,3-Dichlorobenzene	541-73-1	2.5	N.D.
1,4-Dichlorobenzene	106-46-7	2.5	N.D.
n-Butylbenzene	104-51-8	2.5	N.D.
1,2-Dichlorobenzene	95-50-1	2.5	N.D.
·2-Dibromo-2-CPA	96-12-8	5.0	N.D.
,2,4-Trichlorobenzene	120-82-1	2.5	N.D.
Hexachlorobutadiene	87-68-3	2.5	N.D.
Naphthalene	91-20-3	2.5	N.D.
1,2,3-Trichlorobenzene	87-61-6	2.5	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

ORANGE COAST ANALYTICAL

Mark Noorani
Laboratory Director

Surrogate Recoveries	*%*
Dibromofluoromethane	*106*
Toluene-d8	*99*
4-Bromofluorobenbzene	*112*

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035-01090010

Sample Description: Soil, B37-GS-140-6'
Laboratory Sample Number: 97040922
Laboratory Reference #: MWI 8931

Sampled: 04-18-97
Received: 04-18-97
Analyzed: 04-25-97
Reported: 05-05-97

Volatile Organics by GC/MS (EPA 8260)

ANALYTE	***CAS NUMBER***	***DETECTION LIMIT (ug/kg)***	***SAMPLE RESULT (ug/kg)***
Benzene	71-43-2	2.5	N.D.
Bromodichloromethane	75-27-4	2.5	N.D.
Bromoform	75-25-2	2.5	N.D.
Bromomethane	74-83-9	2.5	N.D.
Carbon Disulfide	75-15-0	5.0	N.D.
Carbon tetrachloride	56-23-5	2.5	N.D.
Chlorobenzene	108-90-7	2.5	N.D.
Chlorodibromomethane	124-48-1	2.5	N.D.
Chloroethane	75-00-3	2.5	N.D.
2-Chloroethyl vinyl ether	110-75-8	5.0	N.D.
Chloroform	67-66-3	2.5	N.D.
Chloromethane	74-87-3	2.5	N.D.
1,1-Dichloroethane	75-35-3	2.5	N.D.
1,2-Dichloroethane	107-06-2	2.5	N.D.
1,1-Dichloroethene	75-35-4	2.5	N.D.
Trans 1,2-Dichloroethene	156-60-5	2.5	N.D.
1,2-Dichloropropane	78-87-5	2.5	N.D.
cis-1,3-Dichloropropene	10061-01-5	2.5	N.D.
trans-1,3-Dichloropropene	10061-02-6	2.5	N.D.
Ethylbenzene	100-41-4	2.5	N.D.
Methylene chloride	75-09-2	5.0	N.D.
Styrene	100-42-5	2.5	N.D.
1,1,2,2-Tetrachloroethane	79-34-5	2.5	N.D.
Tetrachloroethene	127-18-4	2.5	N.D.
Toluene	108-88-3	2.5	N.D.
1,1,1-Trichloroethane	71-55-6	2.5	N.D.
1,1,2-Trichloroethane	79-00-5	2.5	N.D.
Trichloroethene	79-01-6	2.5	N.D.
Trichlorofluoromethane	75-69-4	5.0	N.D.
Vinyl acetate	108-05-4	5.0	N.D.
Vinyl chloride	75-01-4	2.5	N.D.
Total Xylenes	1330-20-7	2.5	N.D.
Dichlorofluoromethane	75-71-8	2.5	N.D.
cis-1-2,-Dichloroethane	156-59-4	2.5	N.D.
2,2-Dichloropropane	590-20-7	2.5	N.D.
Bromochloromethane	74-97-5	2.5	N.D.
1,1-Dichloropropene	563-58-6	2.5	N.D.
1,2-Dichloropropane	78-87-5	2.5	N.D.
Dibromomethane	74-95-3	2.5	N.D.
trans-1,3-Dichloropropane	10061-02-6	2.5	N.D.
1,1,2-Trichloroethane	79-00-5	2.5	N.D.
1,2-Dibromoethane	106-93-4	2.5	N.D.

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

'ample Description: Soil, B37-GS-140-6'

Laboratory Sample Number: 97040922

Volatile Organics by GC/MS (EPA 8260)

ANALYTE	CAS NUMBER	DETECTION LIMIT (ug/kg)	SAMPLE RESULT (ug/kg)
1,3-Dichloropropane	142-28-9	2.5	N.D.
Dibromochloromethane	124-48-1	2.5	N.D.
Isopropylbenzene	98-82-8	2.5	N.D.
1,1,2,2-Tetrachloroethane	79-34-5	2.5	N.D.
1,2,3-Trichloropropane	96-18-4	2.5	N.D.
Bromobenzene	108-86-1	2.5	N.D.
n-Propylbenzene	103-65-1	2.5	N.D.
2-Chlorotoluene	95-49-8	2.5	N.D.
1,3,5-Trimethylbenzene	108-67-8	2.5	N.D.
4-Chlorotoluene	106-43-4	2.5	N.D.
tert-Butylbenzene	98-06-6	2.5	N.D.
1,2,4-Trimethylbenzene	95-63-6	2.5	N.D.
sec-Butylbenzene	135-98-8	2.5	N.D.
4-Isopropyltoluene	99-87-6	2.5	N.D.
1,3-Dichlorobenzene	541-73-1	2.5	N.D.
1,4-Dichlorobenzene	106-46-7	2.5	N.D.
n-Butylbenzene	104-51-8	2.5	N.D.
1,2-Dichlorobenzene	95-50-1	2.5	N.D.
-2-Dibromo-2-CPA	96-12-8	5.0	N.D.
,2,4-Trichlorobenzene	120-82-1	2.5	N.D.
Hexachlorobutadiene	87-68-3	2.5	N.D.
Naphthalene	91-20-3	2.5	N.D.
1,2,3-Trichlorobenzene	87-61-6	2.5	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

ORANGE COAST ANALYTICAL

Mark Noorani
Laboratory Director

Surrogate Recoveries	*%*
Dibromofluoromethane	*110*
Toluene-d8	*97*
4-Bromofluorobenbzene	*100*

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035-01090010

Sample Description: Soil, B37-GS-141-6'
Laboratory Sample Number: 97040923
Laboratory Reference #: MWI 8931

Sampled: 04-18-97
Received: 04-18-97
Analyzed: 04-25-97
Reported: 05-05-97

Volatile Organics by GC/MS (EPA 8260)

ANALYTE	***CAS NUMBER***	***DETECTION LIMIT (ug/kg)***	***SAMPLE RESULT (ug/kg)***
Benzene	71-43-2	2.5	N.D.
Bromodichloromethane	75-27-4	2.5	N.D.
Bromoform	75-25-2	2.5	N.D.
Bromomethane	74-83-9	2.5	N.D.
Carbon Disulfide	75-15-0	5.0	N.D.
Carbon tetrachloride	56-23-5	2.5	N.D.
Chlorobenzene	108-90-7	2.5	N.D.
Chlorodibromomethane	124-48-1	2.5	N.D.
Chloroethane	75-00-3	2.5	N.D.
2-Chloroethyl vinyl ether	110-75-8	5.0	N.D.
Chloroform	67-66-3	2.5	N.D.
Chloromethane	74-87-3	2.5	N.D.
1,1-Dichloroethane	75-35-3	2.5	N.D.
1,2-Dichloroethane	107-06-2	2.5	N.D.
1,1-Dichloroethene	75-35-4	2.5	N.D.
Trans 1,2-Dichloroethene	156-60-5	2.5	N.D.
1,2-Dichloropropane	78-87-5	2.5	N.D.
cis-1,3-Dichloropropene	10061-01-5	2.5	N.D.
trans-1,3-Dichloropropene	10061-02-6	2.5	N.D.
Ethylbenzene	100-41-4	2.5	N.D.
Methylene chloride	75-09-2	5.0	N.D.
Styrene	100-42-5	2.5	N.D.
1,1,2,2-Tetrachloroethane	79-34-5	2.5	N.D.
Tetrachloroethene	127-18-4	2.5	N.D.
Toluene	108-88-3	2.5	N.D.
1,1,1-Trichloroethane	71-55-6	2.5	N.D.
1,1,2-Trichloroethane	79-00-5	2.5	N.D.
Trichloroethene	79-01-6	2.5	N.D.
Trichlorofluoromethane	75-69-4	5.0	N.D.
Vinyl acetate	108-05-4	5.0	N.D.
Vinyl chloride	75-01-4	2.5	N.D.
Total Xylenes	1330-20-7	2.5	N.D.
Dichlorofluoromethane	75-71-8	2.5	N.D.
cis-1-2,-Dichloroethane	156-59-4	2.5	N.D.
2,2-Dichloropropane	590-20-7	2.5	N.D.
Bromochloromethane	74-97-5	2.5	N.D.
1,1-Dichloropropene	563-58-6	2.5	N.D.
1,2-Dichloropropane	78-87-5	2.5	N.D.
Dibromomethane	74-95-3	2.5	N.D.
trans-1,3-Dichloropropane	10061-02-6	2.5	N.D.
1,1,2-Trichloroethane	79-00-5	2.5	N.D.
1,2-Dibromoethane	106-93-4	2.5	N.D.

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Sample Description: Soil, B37-GS-141-6'

Laboratory Sample Number: 97040923

Volatile Organics by GC/MS (EPA 8260)

ANALYTE	CAS NUMBER	DETECTION LIMIT (ug/kg)	SAMPLE RESULT (ug/kg)
1,3-Dichloropropane	142-28-9	2.5	N.D.
Dibromochloromethane	124-48-1	2.5	N.D.
Isopropylbenzene	98-82-8	2.5	N.D.
1,1,2,2-Tetrachloroethane	79-34-5	2.5	N.D.
1,2,3-Trichloropropane	96-18-4	2.5	N.D.
Bromobenzene	108-86-1	2.5	N.D.
n-Propylbenzene	103-65-1	2.5	N.D.
2-Chlorotoluene	95-49-8	2.5	N.D.
1,3,5-Trimethylbenzene	108-67-8	2.5	N.D.
4-Chlorotoluene	106-43-4	2.5	N.D.
tert-Butylbenzene	98-06-6	2.5	N.D.
1,2,4-Trimethylbenzene	95-63-6	2.5	N.D.
sec-Butylbenzene	135-98-8	2.5	N.D.
4-Isopropyltoluene	99-87-6	2.5	N.D.
1,3-Dichlorobenzene	541-73-1	2.5	N.D.
1,4-Dichlorobenzene	106-46-7	2.5	N.D.
n-Butylbenzene	104-51-8	2.5	N.D.
1,2-Dichlorobenzene	95-50-1	2.5	N.D.
'-2-Dibromo-2-CPA	96-12-8	5.0	N.D.
,2,4-Trichlorobenzene	120-82-1	2.5	N.D.
Hexachlorobutadiene	87-68-3	2.5	N.D.
Naphthalene	91-20-3	2.5	N.D.
1,2,3-Trichlorobenzene	87-61-6	2.5	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

ORANGE COAST ANALYTICAL

Mark Noorani
Laboratory Director

Surrogate Recoveries	%
Dibromofluoromethane	*113*
Toluene-d8	*93*
4-Bromofluorobenbzene	*98*

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035-01090010

Sampled : 04-18-97
Received: 04-18-97
Analyzed: 04-25-97
Reported: 05-05-97

Sample Description: Soil, B37-GS-136-6'
Laboratory Sample #: 97040918
Laboratory Reference #: MWI 8931

SEMI-VOLATILE ORGANICS by GC/MS (EPA 8270)

ANALYTE	*CAS NUMBER*	*DETECTION LIMIT ug/kg*	*SAMPLE RESULTS ug/kg*
Acenaphthene	83-32-9	100	N.D.
Acenaphthylene	208-96-8	100	N.D.
Aniline	62-53-3	100	N.D.
Anthracene	120-12-7	100	N.D.
Benzidine	92-87-5	500	N.D.
Benzoic Acid	65-85-0	250	N.D.
Benzo(a)anthracene	56-55-3	100	N.D.
Benzo(b)fluoranthene	205-99-2	250	N.D.
Benzo(k)fluoranthene	207-08-9	250	N.D.
Benzo(g,h,i)perylene	191-24-2	250	N.D.
Benzo(a)pyrene	50-32-8	250	N.D.
Benzyl alcohol	100-51-6	100	N.D.
Bis(2-chloroethoxy)methane	111-91-1	100	N.D.
Bis(2-chloroethyl)ether	111-44-4	100	N.D.
Bis(2-chloroisopropyl)ether	39638-32-9	100	N.D.
Bis(2-ethylhexyl)phthalate	117-81-7	100	N.D.
4-Bromophenyl phenyl ether	101-55-3	100	N.D.
Butyl benzyl phthalate	85-68-7	100	N.D.
4-Chloroaniline	106-47-8	100	N.D.
2-Chloronaphthalene	91-58-7	100	N.D.
4-Chloro-3-methylphenol	59-50-7	100	N.D.
2-Chlorophenol	95-57-8	100	N.D.
4-Chlorophenyl phenyl ether	7005-72-3	100	N.D.
Chrysene	218-0109	100	N.D.
Dibenz(a,h)anthracene	53-70-3	100	N.D.
Dibenzofuran	132-64-9	100	N.D.
Di-n-butyl phthalate	84-74-2	250	N.D.
1,3-Dichlorobenzene	541-73-1	100	N.D.
1,4-Dichlorobenzene	106-46-7	100	N.D.
1,2-Dichlorobenzene	95-50-1	100	N.D.
3,3'-Dichlorobenzidine	91-94-1	100	N.D.
2,4-Dichlorophenol	120-83-2	100	N.D.
Diethyl phthalate	84-66-2	100	N.D.
2,4-Dimethylphenol	105-67-9	100	N.D.
Dimethyl phthalate	131-11-3	100	N.D.
4,6-Dinitro-2-methylphenol	534-52-1	100	N.D.
2,4-Dinitrophenol	51-28-5	100	N.D.

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

SEMI-VOLATILE ORGANICS by GC/MS (EPA 8270) (continued)

Sample Description: Soil, B37-GS-136-6'
Laboratory Sample #: 97040918

ANALYTE	*CAS NUMBER*	*DETECTION LIMIT ug/kg*	*SAMPLE RESULTS ug/kg*
2,4-Dinitrotoluene	121-14-2	250	N.D.
2,6-Dinitrotoluene	606-20-2	250	N.D.
Di-n-octyl phthalate	117-84-0	250	N.D.
Fluoranthene	206-44-0	100	N.D.
Fluorene	86-73-7	100	N.D.
Hexachlorobenzene	118-74-1	100	N.D.
Hexachlorobutadiene	87-68-3	100	N.D.
Hexachlorocyclopentadiene	77-47-4	100	N.D.
Hexachloroethane	67-72-1	100	N.D.
Indeno(1,2,3-cd)pyrene	193-39-5	250	N.D.
Isophorone	78-59-1	100	N.D.
2-Methylnaphthalene	91-57-6	100	N.D.
2-Methylphenol	95-48-7	100	N.D.
4-Methylphenol	106-44-5	100	N.D.
[illegible]thalene	91-20-3	100	N.D.
2-Nitroaniline	88-74-4	250	N.D.
3-Nitroaniline	99-09-2	250	N.D.
4-Nitroaniline	100-01-6	250	N.D.
Nitrobenzene	98-95-3	100	N.D.
2-Nitrophenol	88-75-5	100	N.D.
4-Nitrophenol	100-02-7	100	N.D.
N-Nitrosodiphenylamine	86-30-6	100	N.D.
N-Nitroso-di-n-propylamine	621-64-7	100	N.D.
N-Nitrosodimethylamine	62-75-9	100	N.D.
Pentachlorophenol	87-86-5	250	N.D.
Phenanthrene	85-01-8	100	N.D.
Phenol	108-95-2	100	N.D.
Pyrene	129-00-0	100	N.D.
1,2,4-Trichlorobenzene	120-82-1	100	N.D.
2,4,5-Trichlorophenol	95-95-4	100	N.D.
2,4,6-Trichlorophenol	88-06-2	100	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

ORANGE COAST ANALYTICAL

M[illegible] Noorani
L[illegible]oratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035-01090010

Sampled : 04-18-97
Sample Description: Soil, B37-GS-137-6' *Received:* 04-18-97
Laboratory Sample #: 97040919 *Analyzed:* 04-25-97
Laboratory Reference #: MWI 8931 *Reported:* 05-05-97

SEMI-VOLATILE ORGANICS by GC/MS (EPA 8270)

ANALYTE	*CAS NUMBER*	*DETECTION LIMIT ug/kg*	*SAMPLE RESULTS ug/kg*	
Acenaphthene	83-32-9	100	N.D.	
Acenaphthylene	208-96-8	100	N.D.	
Aniline	62-53-3	100	N.D.	
Anthracene	120-12-7	100	N.D.	
Benzidine	92-87-5	500	N.D.	
Benzoic Acid	65-85-0	250	N.D.	
Benzo(a)anthracene	56-55-3	100	N.D.	
Benzo(b)fluoranthene	205-99-2	250	N.D.	
Benzo(k)fluoranthene	207-08-9	250	N.D.	
Benzo(g,h,i)perylene	191-24-2	250	N.D.	
Benzo(a)pyrene	50-32-8	250	N.D.	
Benzyl alcohol	100-51-6	100	N.D.	
Bis(2-chloroethoxy)methane	111-91-1	100	N.D.	
Bis(2-chloroethyl)ether	111-44-4	100	N.D.	
Bis(2-chloroisopropyl)ether	39638-32-9	100	N.D.	
Bis(2-ethylhexyl)phthalate	117-81-7	100	420	<---
4-Bromophenyl phenyl ether	101-55-3	100	N.D.	
Butyl benzyl phthalate	85-68-7	100	N.D.	
4-Chloroaniline	106-47-8	100	N.D.	
2-Chloronaphthalene	91-58-7	100	N.D.	
4-Chloro-3-methylphenol	59-50-7	100	N.D.	
2-Chlorophenol	95-57-8	100	N.D.	
4-Chlorophenyl phenyl ether	7005-72-3	100	N.D.	
Chrysene	218-0109	100	N.D.	
Dibenz(a,h)anthracene	53-70-3	100	N.D.	
Dibenzofuran	132-64-9	100	N.D.	
Di-n-butyl phthalate	84-74-2	250	N.D.	
1,3-Dichlorobenzene	541-73-1	100	N.D.	
1,4-Dichlorobenzene	106-46-7	100	N.D.	
1,2-Dichlorobenzene	95-50-1	100	N.D.	
3,3'-Dichlorobenzidine	91-94-1	100	N.D.	
2,4-Dichlorophenol	120-83-2	100	N.D.	
Diethyl phthalate	84-66-2	100	N.D.	
2,4-Dimethylphenol	105-67-9	100	N.D.	
Dimethyl phthalate	131-11-3	100	N.D.	
4,6-Dinitro-2-methylphenol	534-52-1	100	N.D.	
2,4-Dinitrophenol	51-28-5	100	N.D.	

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

SEMI-VOLATILE ORGANICS by GC/MS (EPA 8270) (continued)

Sample Description: Soil, B37-GS-137-6'
Laboratory Sample #: 97040919

ANALYTE	*CAS NUMBER*	*DETECTION LIMIT ug/kg*	*SAMPLE RESULTS ug/kg*
2,4-Dinitrotoluene	121-14-2	250	N.D.
2,6-Dinitrotoluene	606-20-2	250	N.D.
Di-n-octyl phthalate	117-84-0	250	N.D.
Fluoranthene	206-44-0	100	N.D.
Fluorene	86-73-7	100	N.D.
Hexachlorobenzene	118-74-1	100	N.D.
Hexachlorobutadiene	87-68-3	100	N.D.
Hexachlorocyclopentadiene	77-47-4	100	N.D.
Hexachloroethane	67-72-1	100	N.D.
Indeno(1,2,3-cd)pyrene	193-39-5	250	N.D.
Isophorone	78-59-1	100	N.D.
2-Methylnaphthalene	91-57-6	100	N.D.
2-Methylphenol	95-48-7	100	N.D.
4-Methylphenol	106-44-5	100	N.D.
Naphthalene	91-20-3	100	N.D.
2-Nitroaniline	88-74-4	250	N.D.
3-Nitroaniline	99-09-2	250	N.D.
4-Nitroaniline	100-01-6	250	N.D.
Nitrobenzene	98-95-3	100	N.D.
2-Nitrophenol	88-75-5	100	N.D.
4-Nitrophenol	100-02-7	100	N.D.
N-Nitrosodiphenylamine	86-30-6	100	N.D.
N-Nitroso-di-n-propylamine	621-64-7	100	N.D.
N-Nitrosodimethylamine	62-75-9	100	N.D.
Pentachlorophenol	87-86-5	250	N.D.
Phenanthrene	85-01-8	100	N.D.
Phenol	108-95-2	100	N.D.
Pyrene	129-00-0	100	N.D.
1,2,4-Trichlorobenzene	120-82-1	100	N.D.
2,4,5-Trichlorophenol	95-95-4	100	N.D.
2,4,6-Trichlorophenol	88-06-2	100	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

ORANGE COAST ANALYTICAL

M Noorani
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035-01090010

Sample Description: Soil, B37-GS-138-6'
Laboratory Sample #: 97040920
Laboratory Reference #: MWI 8931

Sampled : 04-18-97
Received: 04-18-97
Analyzed: 04-25-97
Reported: 05-05-97

SEMI-VOLATILE ORGANICS by GC/MS (EPA 8270)

ANALYTE	*CAS NUMBER*	*DETECTION LIMIT ug/kg*	*SAMPLE RESULTS ug/kg*
Acenaphthene	83-32-9	100	N.D.
Acenaphthylene	208-96-8	100	N.D.
Aniline	62-53-3	100	N.D.
Anthracene	120-12-7	100	N.D.
Benzidine	92-87-5	500	N.D.
Benzoic Acid	65-85-0	250	N.D.
Benzo(a)anthracene	56-55-3	100	N.D.
Benzo(b)fluoranthene	205-99-2	250	N.D.
Benzo(k)fluoranthene	207-08-9	250	N.D.
Benzo(g,h,i)perylene	191-24-2	250	N.D.
Benzo(a)pyrene	50-32-8	250	N.D.
Benzyl alcohol	100-51-6	100	N.D.
Bis(2-chloroethoxy)methane	111-91-1	100	N.D.
Bis(2-chloroethyl)ether	111-44-4	100	N.D.
Bis(2-chloroisopropyl)ether	39638-32-9	100	N.D.
Bis(2-ethylhexyl)phthalate	117-81-7	100	N.D.
4-Bromophenyl phenyl ether	101-55-3	100	N.D.
Butyl benzyl phthalate	85-68-7	100	N.D.
4-Chloroaniline	106-47-8	100	N.D.
2-Chloronaphthalene	91-58-7	100	N.D.
4-Chloro-3-methylphenol	59-50-7	100	N.D.
2-Chlorophenol	95-57-8	100	N.D.
4-Chlorophenyl phenyl ether	7005-72-3	100	N.D.
Chrysene	218-0109	100	N.D.
Dibenz(a,h)anthracene	53-70-3	100	N.D.
Dibenzofuran	132-64-9	100	N.D.
Di-n-butyl phthalate	84-74-2	250	N.D.
1,3-Dichlorobenzene	541-73-1	100	N.D.
1,4-Dichlorobenzene	106-46-7	100	N.D.
1,2-Dichlorobenzene	95-50-1	100	N.D.
3,3'-Dichlorobenzidine	91-94-1	100	N.D.
2,4-Dichlorophenol	120-83-2	100	N.D.
Diethyl phthalate	84-66-2	100	N.D.
2,4-Dimethylphenol	105-67-9	100	N.D.
Dimethyl phthalate	131-11-3	100	N.D.
4,6-Dinitro-2-methylphenol	534-52-1	100	N.D.
2,4-Dinitrophenol	51-28-5	100	N.D.

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

SEMI-VOLATILE ORGANICS by GC/MS (EPA 8270) (continued)

Sample Description: Soil, B37-GS-138-6'
Laboratory Sample #: 97040920

ANALYTE	*CAS NUMBER*	*DETECTION LIMIT ug/kg*	*SAMPLE RESULTS ug/kg*
2,4-Dinitrotoluene	121-14-2	250	N.D.
2,6-Dinitrotoluene	606-20-2	250	N.D.
Di-n-octyl phthalate	117-84-0	250	N.D.
Fluoranthene	206-44-0	100	N.D.
Fluorene	86-73-7	100	N.D.
Hexachlorobenzene	118-74-1	100	N.D.
Hexachlorobutadiene	87-68-3	100	N.D.
Hexachlorocyclopentadiene	77-47-4	100	N.D.
Hexachloroethane	67-72-1	100	N.D.
Indeno(1,2,3-cd)pyrene	193-39-5	250	N.D.
Isophorone	78-59-1	100	N.D.
2-Methylnaphthalene	91-57-6	100	N.D.
2-Methylphenol	95-48-7	100	N.D.
4 [illegible]ethylphenol	106-44-5	100	N.D.
1 [illegible]thalene	91-20-3	100	N.D.
2-Nitroaniline	88-74-4	250	N.D.
3-Nitroaniline	99-09-2	250	N.D.
4-Nitroaniline	100-01-6	250	N.D.
Nitrobenzene	98-95-3	100	N.D.
2-Nitrophenol	88-75-5	100	N.D.
4-Nitrophenol	100-02-7	100	N.D.
N-Nitrosodiphenylamine	86-30-6	100	N.D.
N-Nitroso-di-n-propylamine	621-64-7	100	N.D.
N-Nitrosodimethylamine	62-75-9	100	N.D.
Pentachlorophenol	87-86-5	250	N.D.
Phenanthrene	85-01-8	100	N.D.
Phenol	108-95-2	100	N.D.
Pyrene	129-00-0	100	N.D.
1,2,4-Trichlorobenzene	120-82-1	100	N.D.
2,4,5-Trichlorophenol	95-95-4	100	N.D.
2,4,6-Trichlorophenol	88-06-2	100	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

ORANGE COAST ANALYTICAL

M Noorani
La ratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035-01090010

Sample Description: Soil, B37-GS-139-6'
Laboratory Sample #: 97040921
Laboratory Reference #: MWI 8931

Sampled : 04-18-97
Received: 04-18-97
Analyzed: 04-25-97
Reported: 05-05-97

SEMI-VOLATILE ORGANICS by GC/MS (EPA 8270)

ANALYTE	*CAS NUMBER*	*DETECTION LIMIT ug/kg*	*SAMPLE RESULTS ug/kg*
Acenaphthene	83-32-9	100	N.D.
Acenaphthylene	208-96-8	100	N.D.
Aniline	62-53-3	100	N.D.
Anthracene	120-12-7	100	N.D.
Benzidine	92-87-5	500	N.D.
Benzoic Acid	65-85-0	250	N.D.
Benzo(a)anthracene	56-55-3	100	N.D.
Benzo(b)fluoranthene	205-99-2	250	N.D.
Benzo(k)fluoranthene	207-08-9	250	N.D.
Benzo(g,h,i)perylene	191-24-2	250	N.D.
Benzo(a)pyrene	50-32-8	250	N.D.
Benzyl alcohol	100-51-6	100	N.D.
Bis(2-chloroethoxy)methane	111-91-1	100	N.D.
Bis(2-chloroethyl)ether	111-44-4	100	N.D.
Bis(2-chloroisopropyl)ether	39638-32-9	100	N.D.
Bis(2-ethylhexyl)phthalate	117-81-7	100	N.D.
4-Bromophenyl phenyl ether	101-55-3	100	N.D.
Butyl benzyl phthalate	85-68-7	100	N.D.
4-Chloroaniline	106-47-8	100	N.D.
2-Chloronaphthalene	91-58-7	100	N.D.
4-Chloro-3-methylphenol	59-50-7	100	N.D.
2-Chlorophenol	95-57-8	100	N.D.
4-Chlorophenyl phenyl ether	7005-72-3	100	N.D.
Chrysene	218-0109	100	N.D.
Dibenz(a,h)anthracene	53-70-3	100	N.D.
Dibenzofuran	132-64-9	100	N.D.
Di-n-butyl phthalate	84-74-2	250	N.D.
1,3-Dichlorobenzene	541-73-1	100	N.D.
1,4-Dichlorobenzene	106-46-7	100	N.D.
1,2-Dichlorobenzene	95-50-1	100	N.D.
3,3'-Dichlorobenzidine	91-94-1	100	N.D.
2,4-Dichlorophenol	120-83-2	100	N.D.
Diethyl phthalate	84-66-2	100	N.D.
2,4-Dimethylphenol	105-67-9	100	N.D.
Dimethyl phthalate	131-11-3	100	N.D.
4,6-Dinitro-2-methylphenol	534-52-1	100	N.D.
2,4-Dinitrophenol	51-28-5	100	N.D.

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

SEMI-VOLATILE ORGANICS by GC/MS (EPA 8270) (continued)

Sample Description: Soil, B37-GS-139-6'
Laboratory Sample #: 97040921

ANALYTE	*CAS NUMBER*	*DETECTION LIMIT ug/kg*	*SAMPLE RESULTS ug/kg*
2,4-Dinitrotoluene	121-14-2	250	N.D.
2,6-Dinitrotoluene	606-20-2	250	N.D.
Di-n-octyl phthalate	117-84-0	250	N.D.
Fluoranthene	206-44-0	100	N.D.
Fluorene	86-73-7	100	N.D.
Hexachlorobenzene	118-74-1	100	N.D.
Hexachlorobutadiene	87-68-3	100	N.D.
Hexachlorocyclopentadiene	77-47-4	100	N.D.
Hexachloroethane	67-72-1	100	N.D.
Indeno(1,2,3-cd)pyrene	193-39-5	250	N.D.
Isophorone	78-59-1	100	N.D.
2-Methylnaphthalene	91-57-6	100	N.D.
2-Methylphenol	95-48-7	100	N.D.
4-Methylphenol	106-44-5	100	N.D.
Naphthalene	91-20-3	100	N.D.
2-Nitroaniline	88-74-4	250	N.D.
3-Nitroaniline	99-09-2	250	N.D.
4-Nitroaniline	100-01-6	250	N.D.
Nitrobenzene	98-95-3	100	N.D.
2-Nitrophenol	88-75-5	100	N.D.
4-Nitrophenol	100-02-7	100	N.D.
N-Nitrosodiphenylamine	86-30-6	100	N.D.
N-Nitroso-di-n-propylamine	621-64-7	100	N.D.
N-Nitrosodimethylamine	62-75-9	100	N.D.
Pentachlorophenol	87-86-5	250	N.D.
Phenanthrene	85-01-8	100	N.D.
Phenol	108-95-2	100	N.D.
Pyrene	129-00-0	100	N.D.
1,2,4-Trichlorobenzene	120-82-1	100	N.D.
2,4,5-Trichlorophenol	95-95-4	100	N.D.
2,4,6-Trichlorophenol	88-06-2	100	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

ORANGE COAST ANALYTICAL

M. Noorani
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035-01090010

Sample Description: Soil, B37-GS-140-6'
Laboratory Sample #: 97040922
Laboratory Reference #: MWI 8931

Sampled : 04-18-97
Received: 04-18-97
Analyzed: 04-25-97
Reported: 05-05-97

SEMI-VOLATILE ORGANICS by GC/MS (EPA 8270)

ANALYTE	*CAS NUMBER*	*DETECTION LIMIT ug/kg*	*SAMPLE RESULTS ug/kg*
Acenaphthene	83-32-9	100	N.D.
Acenaphthylene	208-96-8	100	N.D.
Aniline	62-53-3	100	N.D.
Anthracene	120-12-7	100	N.D.
Benzidine	92-87-5	500	N.D.
Benzoic Acid	65-85-0	250	N.D.
Benzo(a)anthracene	56-55-3	100	N.D.
Benzo(b)fluoranthene	205-99-2	250	N.D.
Benzo(k)fluoranthene	207-08-9	250	N.D.
Benzo(g,h,i)perylene	191-24-2	250	N.D.
Benzo(a)pyrene	50-32-8	250	N.D.
Benzyl alcohol	100-51-6	100	N.D.
Bis(2-chloroethoxy)methane	111-91-1	100	N.D.
Bis(2-chloroethyl)ether	111-44-4	100	N.D.
Bis(2-chloroisopropyl)ether	39638-32-9	100	N.D.
Bis(2-ethylhexyl)phthalate	117-81-7	100	N.D.
4-Bromophenyl phenyl ether	101-55-3	100	N.D.
Butyl benzyl phthalate	85-68-7	100	N.D.
4-Chloroaniline	106-47-8	100	N.D.
2-Chloronaphthalene	91-58-7	100	N.D.
4-Chloro-3-methylphenol	59-50-7	100	N.D.
2-Chlorophenol	95-57-8	100	N.D.
4-Chlorophenyl phenyl ether	7005-72-3	100	N.D.
Chrysene	218-0109	100	N.D.
Dibenz(a,h)anthracene	53-70-3	100	N.D.
Dibenzofuran	132-64-9	100	N.D.
Di-n-butyl phthalate	84-74-2	250	N.D.
1,3-Dichlorobenzene	541-73-1	100	N.D.
1,4-Dichlorobenzene	106-46-7	100	N.D.
1,2-Dichlorobenzene	95-50-1	100	N.D.
3,3'-Dichlorobenzidine	91-94-1	100	N.D.
2,4-Dichlorophenol	120-83-2	100	N.D.
Diethyl phthalate	84-66-2	100	N.D.
2,4-Dimethylphenol	105-67-9	100	N.D.
Dimethyl phthalate	131-11-3	100	N.D.
4,6-Dinitro-2-methylphenol	534-52-1	100	N.D.
2,4-Dinitrophenol	51-28-5	100	N.D.

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

SEMI-VOLATILE ORGANICS by GC/MS (EPA 8270) (continued)

Sample Description: Soil, B37-GS-140-6'
Laboratory Sample #: 97040922

ANALYTE	*CAS NUMBER*	*DETECTION LIMIT ug/kg*	*SAMPLE RESULTS ug/kg*
2,4-Dinitrotoluene	121-14-2	250	N.D.
2,6-Dinitrotoluene	606-20-2	250	N.D.
Di-n-octyl phthalate	117-84-0	250	N.D.
Fluoranthene	206-44-0	100	N.D.
Fluorene	86-73-7	100	N.D.
Hexachlorobenzene	118-74-1	100	N.D.
Hexachlorobutadiene	87-68-3	100	N.D.
Hexachlorocyclopentadiene	77-47-4	100	N.D.
Hexachloroethane	67-72-1	100	N.D.
Indeno(1,2,3-cd)pyrene	193-39-5	250	N.D.
Isophorone	78-59-1	100	N.D.
2-Methylnaphthalene	91-57-6	100	N.D.
2-Methylphenol	95-48-7	100	N.D.
[illegible]ethylphenol	106-44-5	100	N.D.
[illegible]hthalene	91-20-3	100	N.D.
2-Nitroaniline	88-74-4	250	N.D.
3-Nitroaniline	99-09-2	250	N.D.
4-Nitroaniline	100-01-6	250	N.D.
Nitrobenzene	98-95-3	100	N.D.
2-Nitrophenol	88-75-5	100	N.D.
4-Nitrophenol	100-02-7	100	N.D.
N-Nitrosodiphenylamine	86-30-6	100	N.D.
N-Nitroso-di-n-propylamine	621-64-7	100	N.D.
N-Nitrosodimethylamine	62-75-9	100	N.D.
Pentachlorophenol	87-86-5	250	N.D.
Phenanthrene	85-01-8	100	N.D.
Phenol	108-95-2	100	N.D.
Pyrene	129-00-0	100	N.D.
1,2,4-Trichlorobenzene	120-82-1	100	N.D.
2,4,5-Trichlorophenol	95-95-4	100	N.D.
2,4,6-Trichlorophenol	88-06-2	100	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

ORANGE COAST ANALYTICAL

[illegible] Noorani
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035-01090010

Sample Description: Soil, B37-GS-141-6'
Laboratory Sample #: 97040923
Laboratory Reference #: MWI 8931

Sampled : 04-18-97
Received: 04-18-97
Analyzed: 04-25-97
Reported: 05-05-97

SEMI-VOLATILE ORGANICS by GC/MS (EPA 8270)

ANALYTE	*CAS NUMBER*	*DETECTION LIMIT ug/kg*	*SAMPLE RESULTS ug/kg*
Acenaphthene	83-32-9	100	N.D.
Acenaphthylene	208-96-8	100	N.D.
Aniline	62-53-3	100	N.D.
Anthracene	120-12-7	100	N.D.
Benzidine	92-87-5	500	N.D.
Benzoic Acid	65-85-0	250	N.D.
Benzo(a)anthracene	56-55-3	100	N.D.
Benzo(b)fluoranthene	205-99-2	250	N.D.
Benzo(k)fluoranthene	207-08-9	250	N.D.
Benzo(g,h,i)perylene	191-24-2	250	N.D.
Benzo(a)pyrene	50-32-8	250	N.D.
Benzyl alcohol	100-51-6	100	N.D.
Bis(2-chloroethoxy)methane	111-91-1	100	N.D.
Bis(2-chloroethyl)ether	111-44-4	100	N.D.
Bis(2-chloroisopropyl)ether	39638-32-9	100	N.D.
Bis(2-ethylhexyl)phthalate	117-81-7	100	N.D.
4-Bromophenyl phenyl ether	101-55-3	100	N.D.
Butyl benzyl phthalate	85-68-7	100	N.D.
4-Chloroaniline	106-47-8	100	N.D.
2-Chloronaphthalene	91-58-7	100	N.D.
4-Chloro-3-methylphenol	59-50-7	100	N.D.
2-Chlorophenol	95-57-8	100	N.D.
4-Chlorophenyl phenyl ether	7005-72-3	100	N.D.
Chrysene	218-0109	100	N.D.
Dibenz(a,h)anthracene	53-70-3	100	N.D.
Dibenzofuran	132-64-9	100	N.D.
Di-n-butyl phthalate	84-74-2	250	N.D.
1,3-Dichlorobenzene	541-73-1	100	N.D.
1,4-Dichlorobenzene	106-46-7	100	N.D.
1,2-Dichlorobenzene	95-50-1	100	N.D.
3,3'-Dichlorobenzidine	91-94-1	100	N.D.
2,4-Dichlorophenol	120-83-2	100	N.D.
Diethyl phthalate	84-66-2	100	N.D.
2,4-Dimethylphenol	105-67-9	100	N.D.
Dimethyl phthalate	131-11-3	100	N.D.
4,6-Dinitro-2-methylphenol	534-52-1	100	N.D.
2,4-Dinitrophenol	51-28-5	100	N.D.

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

SEMI-VOLATILE ORGANICS by GC/MS (EPA 8270) (continued)

Sample Description: Soil, B37-GS-141-6'
Laboratory Sample #: 97040923

ANALYTE	*CAS NUMBER*	*DETECTION LIMIT ug/kg*	*SAMPLE RESULTS ug/kg*
2,4-Dinitrotoluene	121-14-2	250	N.D.
2,6-Dinitrotoluene	606-20-2	250	N.D.
Di-n-octyl phthalate	117-84-0	250	N.D.
Fluoranthene	206-44-0	100	N.D.
Fluorene	86-73-7	100	N.D.
Hexachlorobenzene	118-74-1	100	N.D.
Hexachlorobutadiene	87-68-3	100	N.D.
Hexachlorocyclopentadiene	77-47-4	100	N.D.
Hexachloroethane	67-72-1	100	N.D.
Indeno(1,2,3-cd)pyrene	193-39-5	250	N.D.
Isophorone	78-59-1	100	N.D.
2-Methylnaphthalene	91-57-6	100	N.D.
2-Methylphenol	95-48-7	100	N.D.
Methylphenol	106-44-5	100	N.D.
hthalene	91-20-3	100	N.D.
2-Nitroaniline	88-74-4	250	N.D.
3-Nitroaniline	99-09-2	250	N.D.
4-Nitroaniline	100-01-6	250	N.D.
Nitrobenzene	98-95-3	100	N.D.
2-Nitrophenol	88-75-5	100	N.D.
4-Nitrophenol	100-02-7	100	N.D.
N-Nitrosodiphenylamine	86-30-6	100	N.D.
N-Nitroso-di-n-propylamine	621-64-7	100	N.D.
N-Nitrosodimethylamine	62-75-9	100	N.D.
Pentachlorophenol	87-86-5	250	N.D.
Phenanthrene	85-01-8	100	N.D.
Phenol	108-95-2	100	N.D.
Pyrene	129-00-0	100	N.D.
1,2,4-Trichlorobenzene	120-82-1	100	N.D.
2,4,5-Trichlorophenol	95-95-4	100	N.D.
2,4,6-Trichlorophenol	88-06-2	100	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

ORANGE COAST ANALYTICAL

Mark Noorani

Mark Noorani
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035-01090010

Analysis Method: 418.1

Sample Description: Water

Laboratory Reference #: MWI 8931

Sampled : 04-18-97
Received: 04-18-97
Analyzed: 04-22-97
Reported: 05-05-97

TOTAL RECOVERABLE PETROLEUM HYDROCARBONS

Laboratory Sample Number	*Client Sample Number*	*Sample Result (mg/l)*
97040924	Equip Blank	N.D.
97040925	Rinsate Blank	N.D.
Detection Limit:		0.5

Analyte reported as N.D. was not present above the stated limit of detection.

ORANGE COAST ANALYTICAL

Mark Noorani
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035.01090010

Sample Description: Water, Equip Blank

Laboratory Sample Number: 97040924
Laboratory Reference #: MWI 8931

Sampled: 04-18-97
Received: 04-18-97
Analyzed: 04-22-97
Reported: 05-05-97

CCR - METALS

Analyte	*EPA Method*	*Detection Limit mg/l*	*Analysis Result mg/l*
Antimony	6010	0.5	N.D.
Arsenic	6010	0.1	N.D.
Barium	6010	0.01	N.D.
Beryllium	6010	0.01	N.D.
Cadmium	6010	0.01	N.D.
Chromium (VI)	7196	0.01	N.D.
Chromium (Total)	6010	0.01	N.D.
Cobalt	6010	0.05	N.D.
Copper	6010	0.01	N.D.
Lead	6010	0.1	N.D.
Mercury	7471	0.002	N.D.
Molybdenum	6010	0.1	N.D.
Nickel	6010	0.05	N.D.
Selenium	6010	0.1	N.D.
Silver	6010	0.05	N.D.
Thallium	6010	0.5	N.D.
Vanadium	6010	0.1	N.D.
Zinc	6010	0.01	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

ORANGE COAST ANALYTICAL

Mark Noorani
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035.01090010

Sample Description: Water, Rinsate Blank

Laboratory Sample Number: 97040925
Laboratory Reference #: MWI 8931

Sampled: 04-18-97
Received: 04-18-97
Analyzed: 04-22-97
Reported: 05-05-97

CCR - METALS

Analyte	*EPA Method*	*Detection Limit mg/l*	*Analysis Result mg/l*
Antimony	6010	0.5	N.D.
Arsenic	6010	0.1	N.D.
Barium	6010	0.01	N.D.
Beryllium	6010	0.01	N.D.
Cadmium	6010	0.01	N.D.
Chromium (VI)	7196	0.01	N.D.
Chromium (Total)	6010	0.01	N.D.
Cobalt	6010	0.05	N.D.
Copper	6010	0.01	N.D.
Lead	6010	0.1	N.D.
Mercury	7471	0.002	N.D.
Molybdenum	6010	0.1	N.D.
Nickel	6010	0.05	N.D.
Selenium	6010	0.1	N.D.
Silver	6010	0.05	N.D.
Thallium	6010	0.5	N.D.
Vanadium	6010	0.1	N.D.
Zinc	6010	0.01	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

ORANGE COAST ANALYTICAL

Mark Noorani
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035-01090010

Sample Description: Water, Equip Blank
Laboratory Sample Number: 97040924
Laboratory Reference #: MWI 8931

Sampled: 04-18-97
Received: 04-18-97
Analyzed: 04-24-97
Reported: 05-05-97

Volatile Organics by GC/MS (EPA 8260)

ANALYTE	***CAS NUMBER***	***DETECTION LIMIT (ug/l)***	***SAMPLE RESULT (ug/l)***
Benzene	71-43-2	0.5	N.D.
Bromodichloromethane	75-27-4	0.5	N.D.
Bromoform	75-25-2	0.5	N.D.
Bromomethane	74-83-9	1.0	N.D.
Carbon Disulfide	75-15-0	0.5	N.D.
Carbon tetrachloride	56-23-5	0.5	N.D.
Chlorobenzene	108-90-7	0.5	N.D.
Chlorodibromomethane	124-48-1	0.5	N.D.
Chloroethane	75-00-3	0.5	N.D.
2-Chloroethyl vinyl ether	110-75-8	1.0	N.D.
Chloroform	67-66-3	0.5	N.D.
Chloromethane	74-87-3	0.5	N.D.
1,1-Dichloroethane	75-35-3	0.5	N.D.
1,2-Dichloroethane	107-06-2	0.5	N.D.
1,1-Dichloroethene	75-35-4	0.5	N.D.
Trans 1,2-Dichloroethene	156-60-5	0.5	N.D.
1,2-Dichloropropane	78-87-5	0.5	N.D.
cis-1,3-Dichloropropene	10061-01-5	0.5	N.D.
trans-1,3-Dichloropropene	10061-02-6	0.5	N.D.
Ethylbenzene	100-41-4	0.5	N.D.
Methylene chloride	75-09-2	2.5	N.D.
Styrene	100-42-5	0.5	N.D.
1,1,2,2-Tetrachloroethane	79-34-5	0.5	N.D.
Tetrachloroethene	127-18-4	0.5	N.D.
Toluene	108-88-3	0.5	N.D.
1,1,1-Trichloroethane	71-55-6	0.5	N.D.
1,1,2-Trichloroethane	79-00-5	0.5	N.D.
Trichloroethene	79-01-6	0.5	N.D.
Trichlorofluoromethane	75-69-4	0.5	N.D.
Vinyl acetate	108-05-4	1.0	N.D.
Vinyl chloride	75-01-4	0.5	N.D.
Total Xylenes	1330-20-7	1.0	N.D.
Dichlorofluoromethane	75-71-8	0.5	N.D.
cis-1-2,-Dichloroethane	156-59-4	0.5	N.D.
2,2-Dichloropropane	590-20-7	0.5	N.D.
Bromochloromethane	74-97-5	0.5	N.D.
1,1-Dichloropropene	563-58-6	0.5	N.D.
1,2-Dichloropropane	78-87-5	0.5	N.D.
Dibromomethane	74-95-3	0.5	N.D.
trans-1,3-Dichloropropane	10061-02-6	0.5	N.D.
1,1,2-Trichloroethane	79-00-5	0.5	N.D.
1,2-Dibromoethane	106-93-4	0.5	N.D.

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Sample Description: Water, Equip Blank

Laboratory Sample Number: 97040924

Volatile Organics by GC/MS (EPA 8260)

ANALYTE	*CAS NUMBER*	*DETECTION LIMIT (ug/l)*	*SAMPLE RESULT (ug/l)*
1,3-Dichloropropane	142-28-9	0.5	N.D.
Dibromochloromethane	124-48-1	0.5	N.D.
Isopropylbenzene	98-82-8	0.5	N.D.
1,1,2,2-Tetrachloroethane	79-34-5	0.5	N.D.
1,2,3-Trichloropropane	96-18-4	0.5	N.D.
Bromobenzene	108-86-1	0.5	N.D.
n-Propylbenzene	103-65-1	0.5	N.D.
2-Chlorotoluene	95-49-8	0.5	N.D.
1,3,5-Trimethylbenzene	108-67-8	0.5	N.D.
4-Chlorotoluene	106-43-4	0.5	N.D.
tert-Butylbenzene	98-06-6	0.5	N.D.
1,2,4-Trimethylbenzene	95-63-6	0.5	N.D.
sec-Butylbenzene	135-98-8	0.5	N.D.
4-Isopropyltoluene	99-87-6	0.5	N.D.
1,3-Dichlorobenzene	541-73-1	0.5	N.D.
1,4-Dichlorobenzene	106-46-7	0.5	N.D.
n-Butylbenzene	104-51-8	0.5	N.D.
1,2-Dichlorobenzene	95-50-1	0.5	N.D.
1-2-Dibromo-2-CPA	96-12-8	1.0	N.D.
1,2,4-Trichlorobenzene	120-82-1	0.5	N.D.
Hexachlorobutadiene	87-68-3	0.5	N.D.
Naphthalene	91-20-3	0.5	N.D.
1,2,3-Trichlorobenzene	87-61-6	0.5	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

ORANGE COAST ANALYTICAL

Mark Noorani
Laboratory Director

Surrogate Recoveries	*%*
Dibromofluoromethane	*109*
Toluene-d8	*97*
4-Bromofluorobenzene	*110*

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035-01090010

Sample Description: Water, Rinsate Blank
Laboratory Sample Number: 97040925
Laboratory Reference #: MWI 8931

Sampled: 04-18-97
Received: 04-18-97
Analyzed: 04-24-97
Reported: 05-05-97

Volatile Organics by GC/MS (EPA 8260)

ANALYTE	***CAS NUMBER***	***DETECTION LIMIT (ug/l)***	***SAMPLE RESULT (ug/l)***
Benzene	71-43-2	0.5	N.D.
Bromodichloromethane	75-27-4	0.5	N.D.
Bromoform	75-25-2	0.5	N.D.
Bromomethane	74-83-9	1.0	N.D.
Carbon Disulfide	75-15-0	0.5	N.D.
Carbon tetrachloride	56-23-5	0.5	N.D.
Chlorobenzene	108-90-7	0.5	N.D.
Chlorodibromomethane	124-48-1	0.5	N.D.
Chloroethane	75-00-3	0.5	N.D.
2-Chloroethyl vinyl ether	110-75-8	1.0	N.D.
Chloroform	67-66-3	0.5	N.D.
Chloromethane	74-87-3	0.5	N.D.
1,1-Dichloroethane	75-35-3	0.5	N.D.
1,2-Dichloroethane	107-06-2	0.5	N.D.
1,1-Dichloroethene	75-35-4	0.5	N.D.
Trans 1,2-Dichloroethene	156-60-5	0.5	N.D.
1,2-Dichloropropane	78-87-5	0.5	N.D.
cis-1,3-Dichloropropene	10061-01-5	0.5	N.D.
trans-1,3-Dichloropropene	10061-02-6	0.5	N.D.
Ethylbenzene	100-41-4	0.5	N.D.
Methylene chloride	75-09-2	2.5	N.D.
Styrene	100-42-5	0.5	N.D.
1,1,2,2-Tetrachloroethane	79-34-5	0.5	N.D.
Tetrachloroethene	127-18-4	0.5	N.D.
Toluene	108-88-3	0.5	N.D.
1,1,1-Trichloroethane	71-55-6	0.5	N.D.
1,1,2-Trichloroethane	79-00-5	0.5	N.D.
Trichloroethene	79-01-6	0.5	N.D.
Trichlorofluoromethane	75-69-4	0.5	N.D.
Vinyl acetate	108-05-4	1.0	N.D.
Vinyl chloride	75-01-4	0.5	N.D.
Total Xylenes	1330-20-7	1.0	N.D.
Dichlorofluoromethane	75-71-8	0.5	N.D.
cis-1-2,-Dichloroethane	156-59-4	0.5	N.D.
2,2-Dichloropropane	590-20-7	0.5	N.D.
Bromochloromethane	74-97-5	0.5	N.D.
1,1-Dichloropropene	563-58-6	0.5	N.D.
1,2-Dichloropropane	78-87-5	0.5	N.D.
Dibromomethane	74-95-3	0.5	N.D.
trans-1,3-Dichloropropane	10061-02-6	0.5	N.D.
1,1,2-Trichloroethane	79-00-5	0.5	N.D.
1,2-Dibromoethane	106-93-4	0.5	N.D.

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Sample Description: Water, Rinsate Blank

Laboratory Sample Number: 97040925

Volatile Organics by GC/MS (EPA 8260)

ANALYTE	CAS NUMBER	DETECTION LIMIT (ug/l)	SAMPLE RESULT (ug/l)
1,3-Dichloropropane	142-28-9	0.5	N.D.
Dibromochloromethane	124-48-1	0.5	N.D.
Isopropylbenzene	98-82-8	0.5	N.D.
1,1,2,2-Tetrachloroethane	79-34-5	0.5	N.D.
1,2,3-Trichloropropane	96-18-4	0.5	N.D.
Bromobenzene	108-86-1	0.5	N.D.
n-Propylbenzene	103-65-1	0.5	N.D.
2-Chlorotoluene	95-49-8	0.5	N.D.
1,3,5-Trimethylbenzene	108-67-8	0.5	N.D.
4-Chlorotoluene	106-43-4	0.5	N.D.
tert-Butylbenzene	98-06-6	0.5	N.D.
1,2,4-Trimethylbenzene	95-63-6	0.5	N.D.
sec-Butylbenzene	135-98-8	0.5	N.D.
4-Isopropyltoluene	99-87-6	0.5	N.D.
1,3-Dichlorobenzene	541-73-1	0.5	N.D.
1,4-Dichlorobenzene	106-46-7	0.5	N.D.
n-Butylbenzene	104-51-8	0.5	N.D.
1,2-Dichlorobenzene	95-50-1	0.5	N.D.
1-2-Dibromo-2-CPA	96-12-8	1.0	N.D.
1,2,4-Trichlorobenzene	120-82-1	0.5	N.D.
Hexachlorobutadiene	87-68-3	0.5	N.D.
Naphthalene	91-20-3	0.5	N.D.
1,2,3-Trichlorobenzene	87-61-6	0.5	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

ORANGE COAST ANALYTICAL

Mark Noorani
Laboratory Director

Surrogate Recoveries	*%*
Dibromofluoromethane	*112*
Toluene-d8	*98*
4-Bromofluorobenzene	*109*

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035-01090010

Sample Description: Water, Trip Blank
Laboratory Sample Number: 97040926
Laboratory Reference #: MWI 8931

Sampled: 04-18-97
Received: 04-18-97
Analyzed: 04-24-97
Reported: 05-05-97

Volatile Organics by GC/MS (EPA 8260)

ANALYTE	***CAS NUMBER***	***DETECTION LIMIT (ug/l)***	***SAMPLE RESULT (ug/l)***
Benzene	71-43-2	0.5	N.D.
Bromodichloromethane	75-27-4	0.5	N.D.
Bromoform	75-25-2	0.5	N.D.
Bromomethane	74-83-9	1.0	N.D.
Carbon Disulfide	75-15-0	0.5	N.D.
Carbon tetrachloride	56-23-5	0.5	N.D.
Chlorobenzene	108-90-7	0.5	N.D.
Chlorodibromomethane	124-48-1	0.5	N.D.
Chloroethane	75-00-3	0.5	N.D.
2-Chloroethyl vinyl ether	110-75-8	1.0	N.D.
Chloroform	67-66-3	0.5	N.D.
Chloromethane	74-87-3	0.5	N.D.
1,1-Dichloroethane	75-35-3	0.5	N.D.
1,2-Dichloroethane	107-06-2	0.5	N.D.
1,1-Dichloroethene	75-35-4	0.5	N.D.
Trans 1,2-Dichloroethene	156-60-5	0.5	N.D.
1,2-Dichloropropane	78-87-5	0.5	N.D.
cis-1,3-Dichloropropene	10061-01-5	0.5	N.D.
trans-1,3-Dichloropropene	10061-02-6	0.5	N.D.
Ethylbenzene	100-41-4	0.5	N.D.
Methylene chloride	75-09-2	2.5	N.D.
Styrene	100-42-5	0.5	N.D.
1,1,2,2-Tetrachloroethane	79-34-5	0.5	N.D.
Tetrachloroethene	127-18-4	0.5	N.D.
Toluene	108-88-3	0.5	N.D.
1,1,1-Trichloroethane	71-55-6	0.5	N.D.
1,1,2-Trichloroethane	79-00-5	0.5	N.D.
Trichloroethene	79-01-6	0.5	N.D.
Trichlorofluoromethane	75-69-4	0.5	N.D.
Vinyl acetate	108-05-4	1.0	N.D.
Vinyl chloride	75-01-4	0.5	N.D.
Total Xylenes	1330-20-7	1.0	N.D.
Dichlorofluoromethane	75-71-8	0.5	N.D.
cis-1-2,-Dichloroethane	156-59-4	0.5	N.D.
2,2-Dichloropropane	590-20-7	0.5	N.D.
Bromochloromethane	74-97-5	0.5	N.D.
1,1-Dichloropropene	563-58-6	0.5	N.D.
1,2-Dichloropropane	78-87-5	0.5	N.D.
Dibromomethane	74-95-3	0.5	N.D.
trans-1,3-Dichloropropane	10061-02-6	0.5	N.D.
1,1,2-Trichloroethane	79-00-5	0.5	N.D.
1,2-Dibromoethane	106-93-4	0.5	N.D.

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Sample Description: Water, Trip Blank

Laboratory Sample Number: 97040926

Volatile Organics by GC/MS (EPA 8260)

ANALYTE	CAS NUMBER	DETECTION LIMIT (ug/l)	SAMPLE RESULT (ug/l)
1,3-Dichloropropane	142-28-9	0.5	N.D.
Dibromochloromethane	124-48-1	0.5	N.D.
Isopropylbenzene	98-82-8	0.5	N.D.
1,1,2,2-Tetrachloroethane	79-34-5	0.5	N.D.
1,2,3-Trichloropropane	96-18-4	0.5	N.D.
Bromobenzene	108-86-1	0.5	N.D.
n-Propylbenzene	103-65-1	0.5	N.D.
2-Chlorotoluene	95-49-8	0.5	N.D.
1,3,5-Trimethylbenzene	108-67-8	0.5	N.D.
4-Chlorotoluene	106-43-4	0.5	N.D.
tert-Butylbenzene	98-06-6	0.5	N.D.
1,2,4-Trimethylbenzene	95-63-6	0.5	N.D.
sec-Butylbenzene	135-98-8	0.5	N.D.
4-Isopropyltoluene	99-87-6	0.5	N.D.
1,3-Dichlorobenzene	541-73-1	0.5	N.D.
1,4-Dichlorobenzene	106-46-7	0.5	N.D.
n-Butylbenzene	104-51-8	0.5	N.D.
1,2-Dichlorobenzene	95-50-1	0.5	N.D.
1-2-Dibromo-2-CPA	96-12-8	1.0	N.D.
1,2,4-Trichlorobenzene	120-82-1	0.5	N.D.
Hexachlorobutadiene	87-68-3	0.5	N.D.
Naphthalene	91-20-3	0.5	N.D.
1,2,3-Trichlorobenzene	87-61-6	0.5	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

ORANGE COAST ANALYTICAL

Mark Noorani
Laboratory Director

Surrogate Recoveries	*%*
Dibromofluoromethane	*117*
Toluene-d8	*95*
4-Bromofluorobenzene	*109*

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

*tgomery Watson
.N: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035.01090010

Sampled : 04-18-97
Received: 04-18-97
Analyzed: 04-28-97
Reported: 05-05-97

Sample Description: Water, Equip Blank
Laboratory Sample #: 97040924
Laboratory Reference #: MWI 8931

SEMI-VOLATILE ORGANICS by GC/MS (EPA 8270)

ANALYTE	*CAS NUMBER*	*DETECTION LIMIT ug/l*	*SAMPLE RESULTS ug/l*
Acenaphthene	83-32-9	5.0	N.D.
Acenaphthylene	208-96-8	5.0	N.D.
Aniline	62-53-3	5.0	N.D.
Anthracene	120-12-7	5.0	N.D.
Benzidine	92-87-5	5.0	N.D.
Benzoic Acid	65-85-0	50	N.D.
Benzo(a)anthracene	56-55-3	5.0	N.D.
Benzo(b)fluoranthene	205-99-2	25	N.D.
Benzo(k)fluoranthene	207-08-9	25	N.D.
Benzo(g,h,i)perylene	191-24-2	25	N.D.
zo(a)pyrene	50-32-8	25	N.D.
zyl alcohol	100-51-6	50	N.D.
Bis(2-chloroethoxy)methane	111-91-1	5.0	N.D.
Bis(2-chloroethyl)ether	111-44-4	5.0	N.D.
Bis(2-chloroisopropyl)ether	39638-32-9	5.0	N.D.
Bis(2-ethylhexyl)phthalate	117-81-7	3.0	N.D.
4-Bromophenyl phenyl ether	101-55-3	5.0	N.D.
Butyl benzyl phthalate	85-68-7	5.0	N.D.
4-Chloroaniline	106-47-8	5.0	N.D.
2-Chloronaphthalene	91-58-7	5.0	N.D.
4-Chloro-3-methylphenol	59-50-7	5.0	N.D.
2-Chlorophenol	95-57-8	5.0	N.D.
4-Chlorophenyl phenyl ether	7005-72-3	5.0	N.D.
Chrysene	218-0109	5.0	N.D.
Dibenz(a,h)anthracene	53-70-3	25	N.D.
Dibenzofuran	132-64-9	5.0	N.D.
Di-N-butyl phthalate	84-74-2	5.0	N.D.
1,3-Dichlorobenzene	541-73-1	5.0	N.D.
1,4-Dichlorobenzene	106-46-7	5.0	N.D.
1,2-Dichlorobenzene	95-50-1	5.0	N.D.
3,3-Dichlorobenzidine	91-94-1	5.0	N.D.
2,4-Dichlorophenol	120-83-2	5.0	N.D.
Diethyl phthalate	84-66-2	5.0	N.D.
2,4-Dimethylphenol	105-67-9	5.0	N.D.
Dimethyl phthalate	131-11-3	5.0	N.D.
4,6-Dinitro-2-methylphenol	534-52-1	50	N.D.
Dinitrophenol	51-28-5	50	N.D.

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

SEMI-VOLATILE ORGANICS by GC/MS (EPA 8270) (continued)

Sample Description: Water, Equip Blank
Laboratory Sample #: 97040924

ANALYTE	*CAS NUMBER*	*DETECTION LIMIT ug/l*	*SAMPLE RESULTS ug/l*
2,4-Dinitrotoluene	121-14-2	5.0	N.D.
2,6-Dinitrotoluene	606-20-2	5.0	N.D.
Di-N-octyl phthalate	117-84-0	25	N.D.
Fluoranthene	206-44-0	5.0	N.D.
Fluorene	86-73-7	5.0	N.D.
Hexachlorobenzene	118-74-1	5.0	N.D.
Hexachlorobutadiene	87-68-3	5.0	N.D.
Hexachlorocyclopentadiene	77-47-4	5.0	N.D.
Hexachloroethane	67-72-1	5.0	N.D.
Indeno(1,2,3-cd)pyrene	193-39-5	25	N.D.
Isophorone	78-59-1	5.0	N.D.
2-Methylnaphthalene	91-57-6	5.0	N.D.
2-Methylphenol	95-48-7	5.0	N.D.
4-Methylphenol	106-44-5	5.0	N.D.
Naphthalene	91-20-3	50	N.D.
2-Nitroaniline	88-74-4	50	N.D.
3-Nitroaniline	99-09-2	50	N.D.
4-Nitroaniline	100-01-6	5.0	N.D.
Nitrobenzene	98-95-3	5.0	N.D.
2-Nitrophenol	88-75-5	5.0	N.D.
4-Nitrophenol	100-02-7	50	N.D.
N-Nitrosodiphenylamine	86-30-6	5.0	N.D.
N-Nitroso-di-N-propylamine	621-64-7	5.0	N.D.
N-Nitrosodimethylamine	62-75-9	5.0	N.D.
Pentachlorophenol	87-86-5	50	N.D.
Phenanthrene	85-01-8	5.0	N.D.
Phenol	108-95-2	5.0	N.D.
Pyrene	129-00-0	5.0	N.D.
1,2,4-Trichlorobenzene	120-82-1	5.0	N.D.
2,4,5-Trichlorophenol	95-95-4	5.0	N.D.
2,4,6-Trichlorophenol	88-06-2	5.0	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

ORANGE COAST ANALYTICAL

Mark Noorani
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

tgomery Watson
.N: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035.01090010

Sampled : 04-18-97
Sample Description: Water, Rinsate Blank *Received:* 04-18-97
Laboratory Sample #: 97040925 *Analyzed:* 04-28-97
Laboratory Reference #: MWI 8931 *Reported:* 05-05-97

SEMI-VOLATILE ORGANICS by GC/MS (EPA 8270)

ANALYTE	*CAS NUMBER*	*DETECTION LIMIT ug/l*	*SAMPLE RESULTS ug/l*	
Acenaphthene	83-32-9	5.0	N.D.	
Acenaphthylene	208-96-8	5.0	N.D.	
Aniline	62-53-3	5.0	N.D.	
Anthracene	120-12-7	5.0	N.D.	
Benzidine	92-87-5	5.0	N.D.	
Benzoic Acid	65-85-0	50	N.D.	
Benzo(a)anthracene	56-55-3	5.0	N.D.	
Benzo(b)fluoranthene	205-99-2	25	N.D.	
Benzo(k)fluoranthene	207-08-9	25	N.D.	
Benzo(g,h,i)perylene	191-24-2	25	N.D.	
zo(a)pyrene	50-32-8	25	N.D.	
.zyl alcohol	100-51-6	50	N.D.	
Bis(2-chloroethoxy)methane	111-91-1	5.0	N.D.	
Bis(2-chloroethyl)ether	111-44-4	5.0	N.D.	
Bis(2-chloroisopropyl)ether	39638-32-9	5.0	N.D.	
Bis(2-ethylhexyl)phthalate	117-81-7	3.0	9.0	<---
4-Bromophenyl phenyl ether	101-55-3	5.0	N.D.	
Butyl benzyl phthalate	85-68-7	5.0	N.D.	
4-Chloroaniline	106-47-8	5.0	N.D.	
2-Chloronaphthalene	91-58-7	5.0	N.D.	
4-Chloro-3-methylphenol	59-50-7	5.0	N.D.	
2-Chlorophenol	95-57-8	5.0	N.D.	
4-Chlorophenyl phenyl ether	7005-72-3	5.0	N.D.	
Chrysene	218-0109	5.0	N.D.	
Dibenz(a,h)anthracene	53-70-3	25	N.D.	
Dibenzofuran	132-64-9	5.0	N.D.	
Di-N-butyl phthalate	84-74-2	5.0	N.D.	
1,3-Dichlorobenzene	541-73-1	5.0	N.D.	
1,4-Dichlorobenzene	106-46-7	5.0	N.D.	
1,2-Dichlorobenzene	95-50-1	5.0	N.D.	
3,3-Dichlorobenzidine	91-94-1	5.0	N.D.	
2,4-Dichlorophenol	120-83-2	5.0	N.D.	
Diethyl phthalate	84-66-2	5.0	N.D.	
2,4-Dimethylphenol	105-67-9	5.0	N.D.	
Dimethyl phthalate	131-11-3	5.0	N.D.	
4 6-Dinitro-2-methylphenol	534-52-1	50	N.D.	
-Dinitrophenol	51-28-5	50	N.D.	

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

SEMI-VOLATILE ORGANICS by GC/MS (EPA 8270) (continued)

Sample Description: Water, Rinsate Blank
Laboratory Sample #: 97040925

ANALYTE	*CAS NUMBER*	*DETECTION LIMIT ug/l*	*SAMPLE RESULTS ug/l*
2,4-Dinitrotoluene	121-14-2	5.0	N.D.
2,6-Dinitrotoluene	606-20-2	5.0	N.D.
Di-N-octyl phthalate	117-84-0	25	N.D.
Fluoranthene	206-44-0	5.0	N.D.
Fluorene	86-73-7	5.0	N.D.
Hexachlorobenzene	118-74-1	5.0	N.D.
Hexachlorobutadiene	87-68-3	5.0	N.D.
Hexachlorocyclopentadiene	77-47-4	5.0	N.D.
Hexachloroethane	67-72-1	5.0	N.D.
Indeno(1,2,3-cd)pyrene	193-39-5	25	N.D.
Isophorone	78-59-1	5.0	N.D.
2-Methylnaphthalene	91-57-6	5.0	N.D.
2-Methylphenol	95-48-7	5.0	N.D.
4-Methylphenol	106-44-5	5.0	N.D.
Naphthalene	91-20-3	50	N.D.
2-Nitroaniline	88-74-4	50	N.D.
3-Nitroaniline	99-09-2	50	N.D.
4-Nitroaniline	100-01-6	5.0	N.D.
Nitrobenzene	98-95-3	5.0	N.D.
2-Nitrophenol	88-75-5	5.0	N.D.
4-Nitrophenol	100-02-7	50	N.D.
N-Nitrosodiphenylamine	86-30-6	5.0	N.D.
N-Nitroso-di-N-propylamine	621-64-7	5.0	N.D.
N-Nitrosodimethylamine	62-75-9	5.0	N.D.
Pentachlorophenol	87-86-5	50	N.D.
Phenanthrene	85-01-8	5.0	N.D.
Phenol	108-95-2	5.0	N.D.
Pyrene	129-00-0	5.0	N.D.
1,2,4-Trichlorobenzene	120-82-1	5.0	N.D.
2,4,5-Trichlorophenol	95-95-4	5.0	N.D.
2,4,6-Trichlorophenol	88-06-2	5.0	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

ORANGE COAST ANALYTICAL

Mark Noorani
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035.01090010

Sample Description: Water, Equip Blank

Laboratory Sample Number: 97040924
Laboratory Reference #: MWI 8931

Sampled: 04-18-97
Received: 04-18-97
Analyzed: 04-22-97
Reported: 05-05-97

ORGANOCHLORINE PESTICIDES (EPA 8080)

ANALYTE	*CAS NUMBER*	*DETECTION LIMIT (ug/l)*	*SAMPLE RESULTS (ug/l)*
Aldrin	309-00-2	0.1	N.D.
alpha-BHC	319-84-6	0.2	N.D.
beta-BHC	319-85-7	0.2	N.D.
delta-BHC	319-86-8	0.2	N.D.
gamma-BHC (Lindane)	58-89-9	0.2	N.D.
Chlordane	57-74-9	0.2	N.D.
4,4'-DDD	72-54-8	0.5	N.D.
4,4'-DDE	72-55-9	0.1	N.D.
4,4'-DDT	50-29-3	0.1	N.D.
Dieldrin	60-57-1	0.5	N.D.
Endosulfan I	959-98-8	0.5	N.D.
Endosulfan II	33213-65-9	0.5	N.D.
Endosulfan sulfate	1031-07-8	0.5	N.D.
Endrin	72-20-8	0.02	N.D.
Endrin aldehyde	7421-93-4	0.2	N.D.
Heptachlor	76-44-8	0.1	N.D.
Heptachlor epoxide	1024-57-3	0.2	N.D.
Methoxychlor	72-43-5	9.0	N.D.
Toxaphene	8001-35-2	0.5	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

ORANGE COAST ANALYTICAL

Mark Noorani
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035.01090010

Sample Description: Water, Rinsate Blank

Laboratory Sample Number: 97040925
Laboratory Reference #: MWI 8931

Sampled: 04-18-97
Received: 04-18-97
Analyzed: 04-22-97
Reported: 05-05-97

ORGANOCHLORINE PESTICIDES (EPA 8080)

ANALYTE	*CAS NUMBER*	*DETECTION LIMIT (ug/l)*	*SAMPLE RESULTS (ug/l)*
Aldrin	309-00-2	0.1	N.D.
alpha-BHC	319-84-6	0.2	N.D.
beta-BHC	319-85-7	0.2	N.D.
delta-BHC	319-86-8	0.2	N.D.
gamma-BHC (Lindane)	58-89-9	0.2	N.D.
Chlordane	57-74-9	0.2	N.D.
4,4'-DDD	72-54-8	0.5	N.D.
4,4'-DDE	72-55-9	0.1	N.D.
4,4'-DDT	50-29-3	0.1	N.D.
Dieldrin	60-57-1	0.5	N.D.
Endosulfan I	959-98-8	0.5	N.D.
Endosulfan II	33213-65-9	0.5	N.D.
Endosulfan sulfate	1031-07-8	0.5	N.D.
Endrin	72-20-8	0.02	N.D.
Endrin aldehyde	7421-93-4	0.2	N.D.
Heptachlor	76-44-8	0.1	N.D.
Heptachlor epoxide	1024-57-3	0.2	N.D.
Methoxychlor	72-43-5	9.0	N.D.
Toxaphene	8001-35-2	0.5	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

ORANGE COAST ANALYTICAL

Mark Noorani

Mark Noorani
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035.01090010

Sample Description: Water, Equip Blank

Laboratory Sample Number: 97040924
Laboratory Reference #: MWI 8931

Sampled: 04-18-97
Received: 04-18-97
Analyzed: 04-21-97
Reported: 05-05-97

PCB'S (EPA 8080)

ANALYTE	*CAS NUMBER*	*DETECTION LIMIT (ug/l)*	*SAMPLE RESULTS (ug/l)*
PCB-1016	12674-11-2	5.0	N.D.
PCB-1221	11104-28-2	5.0	N.D.
PCB-1232	11141-16-5	5.0	N.D.
PCB-1242	53469-21-9	5.0	N.D.
PCB-1248	12672-29-6	5.0	N.D.
PCB-1254	11097-69-1	5.0	N.D.
PCB-1260	11096-82-5	5.0	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

ORANGE COAST ANALYTICAL

Mark Noorani
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035.01090010

Sample Description: Water, Rinsate Blank

Laboratory Sample Number: 97040925
Laboratory Reference #: MWI 8931

Sampled: 04-18-97
Received: 04-18-97
Analyzed: 04-21-97
Reported: 05-05-97

PCB'S (EPA 8080)

ANALYTE	*CAS NUMBER*	*DETECTION LIMIT (ug/l)*	*SAMPLE RESULTS (ug/l)*
PCB-1016	12674-11-2	5.0	N.D.
PCB-1221	11104-28-2	5.0	N.D.
PCB-1232	11141-16-5	5.0	N.D.
PCB-1242	53469-21-9	5.0	N.D.
PCB-1248	12672-29-6	5.0	N.D.
PCB-1254	11097-69-1	5.0	N.D.
PCB-1260	11096-82-5	5.0	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

ORANGE COAST ANALYTICAL

Mark Noorani
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

QC DATA REPORT

Analysis : Total Recoverable Petroleum Hydrocarbons (EPA 418.1)

Date of Analysis : 04/22/97
Laboratory Sample No : OCA 100
Laboratory Reference No : MWI 8931

Analyte	R1 (ppm)	SP (ppm)	MS (ppm)	MSD (ppm)	PR1 %	PR2 %	RPD %
Hydrocarbons	0.0	2.5	2.2	2.1	88	84	5

Definition of Terms :

R1	Results Of First Analysis
SP	Spike Concentration Added to Sample
MS	Matrix Spike Results
MSD	Matrix Spike Duplicate Results
PR1	Percent Recovery Of MS: {(MS-R1) / SP} x100
PR2	Percent Recovery Of MSD: {(MSD-R1) / SP} x 100
RPD	Relative Percent Difference: {(MS-MSD) / (MS+MSD)} x 100 x 2

ORANGE COAST ANALYTICAL

MARK NOORANI
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

QC DATA REPORT

Analysis : Total Recoverable Petroleum Hydrocarbons (EPA 418.1)

Date of Analysis : 04/21/97
Laboratory Sample No : 97040921
Laboratory Reference No : MWI 8931

Analyte	R1 (ppm)	SP (ppm)	MS (ppm)	MSD (ppm)	PR1 %	PR2 %	RPD %
Hydrocarbons	0.0	100	82	91	82	91	10

Definition of Terms :

R1	Results Of First Analysis
SP	Spike Concentration Added to Sample
MS	Matrix Spike Results
MSD	Matrix Spike Duplicate Results
PR1	Percent Recovery Of MS: {(MS-R1) / SP} x100
PR2	Percent Recovery Of MSD: {(MSD-R1) / SP} x 100
RPD	Relative Percent Difference: {(MS-MSD) / (MS+MSD)} x 100 x 2

ORANGE COAST ANALYTICAL

MARK NOORANI
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

QC DATA REPORT

Analysis : Metals

Date of Analysis : 04/22/97
Laboratory Sample No : 97040596
Laboratory Reference No : MWI 8931

Analyte	R1 (ppm)	SP (ppm)	MS (ppm)	MSD (ppm)	PR1 %	PR2 %	RPD %
Antimony	0.00	3.000	2.420	2.700	81	90	11
Arsenic	0.00	1.000	0.800	0.920	80	92	14
Barium	0.00	0.100	0.105	0.104	105	104	1
Beryllium	0.00	0.100	0.085	0.087	85	87	2
Cadmium	0.00	0.100	0.089	0.097	89	97	9
Chromium (VI)	0.00	0.500	0.450	0.490	90	98	9
Chromium (Total)	0.00	0.100	0.087	0.091	87	91	4
Cobalt	0.00	0.100	0.109	0.107	109	107	2
Copper	0.00	0.100	0.080	0.089	80	89	11
Lead	0.00	1.000	1.040	1.010	104	101	3
Mercury	0.000	0.020	0.020	0.022	100	110	10
Molybdenum	0.00	1.000	0.920	1.000	92	100	8
Nickel	0.00	0.500	0.500	0.480	100	96	4
Selenium	0.00	1.000	0.860	0.950	86	95	10
Silver	0.00	0.500	0.440	0.480	88	96	9
Thallium	0.00	3.000	2.460	2.650	82	88	7
Vanadium	0.00	0.500	0.450	0.470	90	94	4
Zinc	0.00	0.100	0.109	0.109	109	109	0

Definition of Terms :

R1	Results Of First Analysis
SP	Spike Concentration Added to Sample
MS	Matrix Spike Results
MSD	Matrix Spike Duplicate Results
PR1	Percent Recovery Of MS: {(MS-R1) / SP} x100
PR2	Percent Recovery Of MSD: {(MSD-R1) / SP} x 100
RPD	Relative Percent Difference: {(MS-MSD) / (MS+MSD)} x 100 x 2

ORANGE COAST ANALYTICAL

MARK NOORANI
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

QC DATA REPORT

Analysis : Metals

Date of Analysis : 05/01/97
Laboratory Sample No : 97040939
Laboratory Reference No : MWI 8931

Analyte	R1 (ppm)	SP (ppm)	MS (ppm)	MSD (ppm)	PR1 %	PR2 %	RPD %
Antimony	0.00	30.00	29.00	29.00	97	97	0
Arsenic	0.00	10.00	10.70	11.00	107	110	3
Barium	7.60	10.00	18.40	18.90	108	113	3
Beryllium	0.00	1.00	0.93	0.99	93	99	6
Cadmium	0.00	1.00	1.06	1.15	106	115	8
Chromium (Total)	1.80	5.00	6.90	6.90	102	102	0
Chromium (VI)	0.00	1.00	0.87	0.95	87	95	9
Cobalt	0.54	1.00	1.55	1.62	101	108	4
Copper	0.48	1.00	1.38	1.52	90	104	10
Lead	0.00	10.00	9.90	10.10	99	101	2
Mercury	0.000	0.020	0.017	0.019	85	95	11
Molybdenum	0.00	10.00	10.20	10.00	102	100	2
Nickel	0.68	5.00	5.50	5.70	96	100	4
Selenium	0.00	10.00	10.40	10.10	104	101	3
Silver	0.00	5.00	4.70	5.00	94	100	6
Thallium	0.00	30.00	26.00	30.00	87	100	14
Vanadium	2.00	5.00	6.90	7.00	98	100	1
Zinc	3.30	5.00	8.10	8.70	96	108	7

Definition of Terms :

R1	Results Of First Analysis
SP	Spike Concentration Added to Sample
MS	Matrix Spike Results
MSD	Matrix Spike Duplicate Results
PR1	Percent Recovery Of MS: {(MS-R1) / SP} x100
PR2	Percent Recovery Of MSD: {(MSD-R1) / SP} x 100
RPD	Relative Percent Difference: {(MS-MSD) / (MS+MSD)} x 100 x 2

ORANGE COAST ANALYTICAL

MARK NOORANI
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

QC DATA REPORT

Analysis : Volatile Organics by GC/MS (EPA 8260)

Date of Analysis : 04/24/97
Laboratory Sample No : 97040824
Laboratory Reference No : MWI 8931

Analyte	R1 (ppb)	SP (ppb)	MS (ppb)	MSD (ppb)	PR1 %	PR2 %	RPD %
Benzene	0.0	20	17	16	85	80	6
1,1-Dichloroethene	0.0	20	15	14	75	70	7
Trichloroethene	0.0	20	19	17	95	85	11
Toluene	0.0	20	18	16	90	80	12
Chlorobenzene	0.0	20	18	16	90	80	12

Definition of Terms :

R1	Results Of First Analysis
SP	Spike Concentration Added to Sample
MS	Matrix Spike Results
MSD	Matrix Spike Duplicate Results
PR1	Percent Recovery Of MS: {(MS-R1) / SP} x100
PR2	Percent Recovery Of MSD: {(MSD-R1) / SP} x 100
RPD	Relative Percent Difference: {(MS-MSD) / (MS+MSD)} x 100 x 2

ORANGE COAST ANALYTICAL

MARK NOORANI
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

QC DATA REPORT

Analysis : Volatile Organics by GC/MS (EPA 8260)

Date of Analysis : 04/25/97
Laboratory Sample No : 97040920
Laboratory Reference No : MWI 8931

Analyte	R1 (ppb)	SP (ppb)	MS (ppb)	MSD (ppb)	PR1 %	PR2 %	RPD %
Benzene	0.0	50	43	48	86	96	11
1,1-Dichloroethene	0.0	50	42	44	84	88	5
Trichloroethene	0.0	50	51	56	102	112	9
Toluene	0.0	50	45	49	90	98	9
Chlorobenzene	0.0	50	46	46	92	92	0

Definition of Terms :

R1	Results Of First Analysis
SP	Spike Concentration Added to Sample
MS	Matrix Spike Results
MSD	Matrix Spike Duplicate Results
PR1	Percent Recovery Of MS: {(MS-R1) / SP} x100
PR2	Percent Recovery Of MSD: {(MSD-R1) / SP} x 100
RPD	Relative Percent Difference: {(MS-MSD) / (MS+MSD)} x 100 x 2

ORANGE COAST ANALYTICAL

MARK NOORANI
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

QC DATA REPORT

Analysis : Semi-Volatile Organics by GC/MS (EPA 8270)

Date of Analysis : 04/28/97
Laboratory Sample No : OCA 100
Laboratory Reference No : MWI 8931

Analyte	R1 (ng)	SP (ng)	MS (ng)	MSD (ng)	PR1 %	PR2 %	RPD %
1,4-Dichlorobenzene	0.0	50	39	39	78	78	0
n-Nitroso-di-n-propylamine	0.0	50	42	49	84	98	15
1,2,4-Trichlorobenzene	0.0	50	39	39	78	78	0
Acenaphthene	0.0	50	47	46	94	92	2
Pyrene	0.0	50	43	41	86	82	5
Pentachlorophenol	0.0	100	72	76	72	76	5
4-Chloro-3-Methylphenol	0.0	100	56	60	56	60	7
2-Chlorophenol	0.0	100	77	79	77	79	3
Phenol	0.0	100	25	27	25	27	8

Definition of Terms :

R1	Results Of First Analysis
SP	Spike Concentration Added to Sample
MS	Matrix Spike Results
MSD	Matrix Spike Duplicate Results
PR1	Percent Recovery Of MS: {(MS-R1) / SP} x100
PR2	Percent Recovery Of MSD: {(MSD-R1) / SP} x 100
RPD	Relative Percent Difference: {(MS-MSD) / (MS+MSD)} x 100 x 2

ORANGE COAST ANALYTICAL

MARK NOORANI
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

QC DATA REPORT

Analysis : Semi-Volatile Organics by GC/MS (EPA 8270)

Date of Analysis : 04/24/97
Laboratory Sample No : 97040783
Laboratory Reference No : MWI 8931

Analyte	R1 (ng)	SP (ng)	MS (ng)	MSD (ng)	PR1 %	PR2 %	RPD %
1,4-Dichlorobenzene	0.0	50	43	45	86	90	5
n-Nitroso-di-n-propylamine	0.0	50	48	49	96	98	2
1,2,4-Trichlorobenzene	0.0	50	42	44	84	88	5
Acenaphthene	0.0	50	46	47	92	94	2
Pyrene	0.0	50	30	32	60	64	6
Pentachlorophenol	0.0	100	70	78	70	78	11
4-Chloro-3-Methylphenol	0.0	100	65	68	65	68	5
2-Chlorophenol	0.0	100	75	79	75	79	5
Phenol	0.0	100	65	69	65	69	6

Definition of Terms :

R1	Results Of First Analysis
SP	Spike Concentration Added to Sample
MS	Matrix Spike Results
MSD	Matrix Spike Duplicate Results
PR1	Percent Recovery Of MS: {(MS-R1) / SP} x100
PR2	Percent Recovery Of MSD: {(MSD-R1) / SP} x 100
RPD	Relative Percent Difference: {(MS-MSD) / (MS+MSD)} x 100 x 2

ORANGE COAST ANALYTICAL

Mark Noorani

MARK NOORANI
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

QC DATA REPORT

Analysis : PCB 'S (EPA 8080)

Date of Analysis : 04/21/97
Laboratory Sample No : OCA 100
Laboratory Reference No : MWI 8931

Analyte	R1 (ppb)	SP (ppb)	MS (ppb)	MSD (ppb)	PR1 %	PR2 %	RPD %
PCB-1260	0.0	20.0	9.6	7.5	48	38	25

Definition of Terms :

R1	Results Of First Analysis
SP	Spike Concentration Added to Sample
MS	Matrix Spike Results
MSD	Matrix Spike Duplicate Results
PR1	Percent Recovery Of MS: {(MS-R1) / SP} x100
PR2	Percent Recovery Of MSD: {(MSD-R1) / SP} x 100
RPD	Relative Percent Difference: {(MS-MSD) / (MS+MSD)} x 100 x 2

ORANGE COAST ANALYTICAL

MARK NOORANI
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

QC DATA REPORT

Analysis : Organochlorine Pesticides (EPA 8080)

Date of Analysis : 04/22/97
Laboratory Sample No : OCA 100
Laboratory Reference No : MWI 8931

Analyte	R1 (ppb)	SP (ppb)	MS (ppb)	MSD (ppb)	PR1 %	PR2 %	RPD %
4-4' -DDT	0.00	1.00	0.95	1.00	95	100	5

Definition of Terms :

R1	Results Of First Analysis
SP	Spike Concentration Added to Sample
MS	Matrix Spike Results
MSD	Matrix Spike Duplicate Results
PR1	Percent Recovery Of MS: {(MS-R1) / SP} x100
PR2	Percent Recovery Of MSD: {(MSD-R1) / SP} x 100
RPD	Relative Percent Difference: {(MS-MSD) / (MS+MSD)} x 100 x 2

ORANGE COAST ANALYTICAL

MARK NOORANI
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532
Tustin, CA 92680
(714) 832-0064, Fax (714) 832-0067

Analysis Request and Chain of Custody Record

Lab Job No: _____
Page 1 of 1

REQUIRED TAT: 24 hr TAT on Soil TRPH only; Standard TAT Otherwise

CUSTOMER INFORMATION		PROJECT INFORMATION	
COMPANY:	Montgomery Watson	PROJECT NAME:	Mc Donnell Douglas
SEND REPORT TO:	Fred Strauss	NUMBER:	1206035.01090010
ADDRESS:	250 N. Madison Ave. Pasadena, CA 91101	LOCATION:	C-6 Facility - Bldg. 37 Area
		ADDRESS:	19503 S. Normandie Ave. Los Angeles, CA
PHONE: (818) 568-6582	FAX: (818) 796-5941	SAMPLED BY:	AWN/IV

ANALYSIS/METHOD REQUEST

SAMPLE ID	NO. OF CONTAINERS	SAMPLE DATE	SAMPLE TIME	SAMPLE MATRIX	CONTAINER TYPE	PRES.	TRPH 418.1	Title 22 Metals	VOCs 8260	SVOCs 8270	PCBs 8080	Pesticides 8080			REMARKS/PRECAUTIONS
B37-RE4-SP51	2	4/18/97	1000	SOIL	2"x6" SS Sleeve	ICE	X	X	X	X					
B37-GS-136-6'	2		1005				X	X							
B37-GS-137-6'	2		1036				X	X							
B37-GS-138-6'	2		1100				X	X							
B37-GS-139-6'	2		1128				X	X							
B37-GS-140-6'	2		1152				X	X							
B37-GS-141-6'	2		1243				X	X							
Equipment Blank	7		1535	Water	4 amber 1 Poly 2 VOAs	HNO_3 HCl	X	X	X	X	X	X			
Rinsate Blank	7		1548				X	X	X	X	X	X			
Trip Blank	2				2 VOAs	HCl			X						

Total No. of Samples: 10

Method of Shipment: 1 cooler Via Orange Coast Courier

Relinquished By:	Date/Time:	Received By:	Date/Time:	Reporting Format: (check)
Adam W. Vonig	4/18/97 1625			NORMAL _____ S.D. HMMD _____
Relinquished By:	Date/Time:	Received By:	Date/Time:	RWQCB _____ OTHER _____
Relinquished By:	Date/Time:	Received For Lab By: [signature]	Date/Time: 16:25	Sample Integrity: (check) intact _____ on ice _____

All samples remain the property of the client who is responsible for dispo... A disposal fee may be imposed if client fails to pickup samples.

BOE-C6-0117853