TABLE 1 - TREATMENT SYSTEM FIELD DATA

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1/36 SVE System

DATE	HOUR METER	TIME	BLOWER TEMP (deg F)	DILUTED TEMP (def F)	DILUTED FLOW RATE (scfm)	UNDILUTED FLOW RATE (scfm)	VACUUM (in. of H2O)	HEAT EXCHANGER TEMPERATURE IN (deg F)	HEAT EXCHANGER TEMPERATURE OUT (deg F)	UNDILUTED SYSTEM INFLUENT PID (ppmv)	DILUTED SYSTEM INFLUENT PID (ppmv)	SYSTEM BREAKTHROUGH PID (ppmv)	SYSTEM EFFLUENT PID (ppmv)
3/2/2006	2069.1	8:30	130	130	978	N/A	54.47	N/A	N/A	76.2	76.0	0.0	0.0
3/8/2006	2069.7	16:00	90	80	322	N/A	34.05	90	68	N/A	N/A	N/A	N/A
3/9/2006	2094.9	17:20	82	N/A	327	347	34.05	82	60	51.0	45.0	0.0	0.0
3/10/2006	2115.3	13:55	88	88	301	284	40.86	88	62	42.6	41.0	0.0	0.0
3/12/2006	2162.4	12:55	90	90	310	318	40.86	90	62	41.0	40.5	0.0	0.0
3/13/2006	2189.6	16:00	90	90	280	291	40.86	90	60	43.2	41.0	0.0	0.0
3/14/2006	2213.9	16:30	92	92	300	291	40.86	92	62	42.6	41.0	0.0	0.0
3/15/2006	2229.8	16:30	90	90	291	301	40.86	90	62	46.7	41.0	0.0	0.0
3/16/2006	2256.6	19:00	90	90	296	291	40.86	90	62	46.1	44.2	0.0	0.0
3/21/2006	NM	8:00	90	90	290	289	40.86	90	62	41.0	41.0	0.0	0.0
3/24/2006	2429.5	10:30	90	90	290	287	40.86	90	62	44.0	44.7	0.0	0.0
3/28/2006	2520.1	16:30	90	90	311	310	40.86	90	62	NM	NM	NM	NM
3/29/2006	2538.2	8:30	90	90	296	290	40.86	90	60	NM	NM	NM	NM
3/31/2006	2589.2	11:30	90	90	362	286	40.86	90	62	25.1	20.5	0.0	0.0
4/3/2006	2610.1	12:30	90	90	440	426	40.86	90	62	NM	NM	NM	NM
4/4/2006	2638.2	13:45	90	90	442	410	40.86	90	64	NM	NM	NM	NM
4/5/2006	2656.6	13:45	90	90	410	400	40.86	90	62	40.1	38.1	0.0	0.0
4/12/2006	2821.1	10:00	100	100	410	400	40.86	100	64	40.1	38.2	0.0	0.0
4/19/2006	2986.2	7:00	125	125	680	680	40.86	125	78	46.3	42.1	0.0	0.0
4/26/2006	3103.3	15:40	116	116	660	660	54.47	116	63	31.2	29.1	4.4	0.0
5/3/2006	3267.8	16:10	100	100	645	641	47.66	100	60	26.1	22.0	2.2	0.0
5/11/2006	3458.5	15:00	102	102	640	645	47.66	102	62	18.1	17.9	1.9	0.0
5/15/2006	3555.7	16:20	102	101	N/A	N/A	47.66	102	62	NM	NM	NM	NM
5/17/2006	3555.7	16:40	70	70	625	632	47.66	70	62	NM	NM	NM	NM
5/19/2006	3601.0	7:30	113	113	646	651	47.66	113	62	18.3	17.6	0.0	0.0
5/22/2006	3671.8	7:30	110	110	660	648	47.66	110	62	NM	NM	NM	NM
5/24/2006	3722.9	7:30	115	115	649	655	47.66	115	62	18.6	18.0	0.0	0.0
6/1/2006	3913.0	14:00	115	115	652	660	47.66	115	62	16.9	16.3	0.0	0.0
6/7/2006	4056.0	13:00	115	115	650	659	47.66	115	62	15.9	15.0	0.0	0.0
6/14/2006	4224.0	13:00	118	114	648	668	47.66	118	64	15.8	15.0	0.0	0.0
6/23/2006	4439.8	13:00	116	116	651	660	47.66	116	62	16.2	15.8	0.0	0.0
6/28/2006	4561.3	14:00	130	130	659	654	47.66	130	90	17.1	18.0	0.0	0.0
7/3/2006	4681.6	14:30	132	132	651	659	47.66	132	90	16.9	16.1	0.0	0.0
7/13/2006	4922.8	16:00	140	140	725	730	47.66	140	90	26.1	25.2	1.0	0.0
7/20/2006	5081.8	7:10	110	110	980	968	47.66	110	70	NM	NM	NM	NM
7/21/2006	5119.5	20:45	130	130	745	740	47.66	130	86	26.9	26.8	1.2	0.0
7/31/2006	5210.1	11:00	110	110	726	716	47.66	110	68	NM	NM	NM	NM
8/1/2006	5236.0	13:15	130	130	746	750	47.66	130	80	20.6	20.4	1.0	0.0
8/3/2006	5238.0	11:00	110	110	749	751	47.66	110	72	19.2	18.8	4.1	0.0
8/11/2006	5241.0	15:10	132	132	178	210	47.66	132	91	28.5	28.5	10.2	0.0
8/15/2006	5330.1	13:40	115	NM	NM	NM	27.24	115	85	NM	NM	NM	NM
8/16/2006	5363.7	17:30	125	125	750	755	47.66	125	75	26.1	25.9	0.0	0.0
8/22/2006	5498.8	14:15	130	130	741	726	47.66	130	80	NM	NM	NM	NM
8/23/2006	5523.7	15:15	140	140	705	710	47.66	140	80	19.9	19.4	0.1	0.0
8/29/2006	5669.3	16:30	140	140	725	720	47.66	140	80	21.8	21.1	0.0	0.0
9/9/2006	5930.6	14:00	125	125	726	716	47.66	125	80	18.6	18.0	0.0	0.0

BOE-C6-01118426

TABLE 1 - TREATMENT SYSTEM FIELD DATA

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1/36 SVE System

DATE	HOUR METER	TIME	BLOWER TEMP (deg F)	DILUTED TEMP (def F)	DILUTED FLOW RATE (scfm)	UNDILUTED FLOW RATE (scfm)	VACUUM (in. of H2O)	HEAT EXCHANGER TEMPERATURE IN (deg F)	HEAT EXCHANGER TEMPERATURE OUT (deg F)	UNDILUTED SYSTEM INFLUENT PID (ppmv)	DILUTED SYSTEM INFLUENT PID (ppmv)	SYSTEM BREAKTHROUGH PID (ppmv)	SYSTEM EFFLUENT PID (ppmv)
9/13/2006	6031.6	19:00	120	120	721	731	47.66	120	80	15.6	15.7	0.0	0.0
9/22/2006	6247.5	19:00	125	125	728	742	47.66	125	80	15.1	14.6	0.0	0.0
9/28/2006	6376.6	16:00	125	125	741	767	47.66	125	80	23.6	27.8	1.0	0.0
10/2/2006	6481.9	13:30	134	134	726	716	47.66	134	80	21.6	20.1	4.0	0.0
10/5/2006	6549.0	8:30	110	110	741	720	47.66	110	80	42.1	40.1	4.9	0.0
10/9/2006	6653.0	16:30	110	110	745	741	47.66	110	80	40.1	39.6	5.0	0.0
10/11/2006	6703.2	17:45	130	130	715	721	47.66	130	75	41.6	40.1	10.0	0.0
10/18/2006	6864.2	12:00	130	130	748	760	47.66	130	80	33.6	32.7	0.0	0.0
10/20/2006	6918.1	18:00	125	125	751	749	47.66	125	82	35.1	35.0	0.0	0.0
10/23/2006	6985.9	16:00	140	140	726	596	47.66	140	82	42.1	40.3	0.0	0.0
10/27/2006	7081.8	16:00	130	130	741	726	47.66	130	82	21.6	20.1	0.0	0.0
10/30/2006	7149.9	7:00	130	130	621	741	47.66	130	82	20.7	20.1	0.0	0.0
11/2/2006	7229.7	17:00	130	130	721	762	47.66	130	82	20.6	20.0	0.0	0.0
11/13/2006	7347.4	13:30	100	100	680	691	0.0	100	85	0.0	0.0	0.0	0.0
11/14/2006	7365.3	7:30	100	100	670	676	0.0	100	80	0.0	0.0	0.0	0.0
11/15/2006	7390.5	15:30	99	99	659	671	0.0	99	80	0.0	0.0	0.0	0.0
11/16/2006	7407.7	9:00	120	120	682	691	27.24	120	72	10.0	9.5	0.0	0.0
11/17/2006	7442.8	19:00	125	125	650	671	54.47	125	80	35.0	34.0	0.0	0.0
11/18/2006	7463.6	17:00	140	140	660	682	54.47	140	82	36.2	35.1	0.0	0.0
11/19/2006	7456.6	10:00	140	140	667	680	54.47	140	80	37.2	36.1	0.0	0.0
11/20/2006	7503.2	8:30	145	145	671	686	54.47	145	86	38.2	36.8	0.0	0.0
11/20/2006	7515.7	21:00	140	140	669	681	54.47	140	80	37.6	37.0	0.0	0.0
11/27/2006	7682.2	19:30	125	125	640	655	54.47	125	80	36.1	35.6	1.0	0.0
11/28/2006	7705.7	19:00	125	125	660	665	54.47	125	80	33.1	33.0	1.8	0.0
12/1/2006	7765.8	7:00	120	120	676	682	54.47	120	72	104.2	102.1	20.2	0.0
12/1/2006	7776.5	18:00	140	140	681	690	54.47	140	80	110.2	106.1	0.0	0.0
12/2/2006	7794.5	13:00	140	140	670	679	54.47	140	81	100.2	99.7	0.0	0.0
12/4/2006	7837.0	6:30	125	125	676	686	54.47	125	80	90.2	89.6	0.0	0.0
12/5/2006	7866.5	12:00	130	130	679	689	54.47	130	81	120.1	118.2	9.2	0.0
12/7/2006	7912.5	10:00	130	130	675	681	54.47	130	82	122.1	119.6	10.3	0.0
12/8/2006	7945.2	18:30	125	125	680	689	54.47	125	80	116.1	115.9	0.0	0.0
12/10/2006	7963.7	13:00	125	125	660	669	54.47	125	85	110.1	108.1	0.0	0.0
12/11/2006	8004.6	6:15	125	125	690	692	54.47	125	81	112.0	110.6	0.0	0.0
12/13/2006	8041.3	17:30	130	130	681	693	54.47	130	81	115.1	114.0	0.0	0.0
12/15/2006	8112.0	17:30	130	130	674	681	54.47	130	80	121.0	116.0	0.0	0.0
12/17/2006	8154.0	13:00	125	125	680	688	54.47	125	80	120.2	119.3	0.6	0.0
12/18/2006	8174.0	7:00	125	125	685	691	54.47	125	80	120.8	119.9	1.0	0.0
12/19/2006	8210.5	19:30	125	125	690	694	54.47	125	80	115.1	114.8	1.1	0.0
12/22/2006	8280.3	18:00	120	120	685	690	54.47	120	70	119.2	118.3	1.6	0.0
12/26/2006	8368.0	9:30	115	115	670	678	54.47	115	70	102.1	100.9	3.6	0.0
12/27/2006	8401.3	19:00	110	110	691	699	54.47	110	70	103.1	101.9	4.8	0.0
12/29/2006	8448.4	18:00	110	110	685	690	54.47	110	71	98.1	97.6	5.0	0.0
1/2/2007	8546.3	18:00	110	110	701	710	54.47	110	70	99.1	96.2	10.8	0.0
1/3/2007	8569.8	17:30	120	120	693	702	54.47	120	71	15.8	13.1	10.8	0.0
1/4/2007	8584.9	10:30	120	120	700	711	54.47	120	70	15.9	14.1	11.0	0.0
1/8/2007	8679.9	9:30	115	115	707	716	54.47	115	72	15.1	12.7	12.1	0.0
1/11/2007	8760.5	18:30	115	115	697	701	54.47	115	64	16.1	15.3	10.8	0.0
1/12/2007	8784.5	18:15	115	115	702	710	54.47	115	64	16.0	15.4	11.1	0.0
1/17/2007	8905.5	19:15	115	115	710	719	54.47	115	65	16.2	15.6	11.2	0.0
1/20/2007	8975.0	17:45	115	115	698	707	54.47	115	65	17.2	15.1	12.1	0.0
1/22/2007	9024.3	19:00	120	120	693	702	54.47	120	63	16.9	16.2	15.9	0.0
1/26/2007	9121.6	19:30	115	115	707	709	54.47	115	65	17.2	16.8	14.9	0.0

TABLE 1 - TREATMENT SYSTEM FIELD DATA

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1/36 SVE System

DATE	HOUR METER	TIME	BLOWER TEMP (deg F)	DILUTED TEMP (def F)	DILUTED FLOW RATE (scfm)	UNDILUTED FLOW RATE (scfm)	VACUUM (in. of H2O)	HEAT EXCHANGER TEMPERATURE IN (deg F)	HEAT EXCHANGER TEMPERATURE OUT (deg F)	UNDILUTED SYSTEM INFLUENT PID (ppmv)	DILUTED SYSTEM INFLUENT PID (ppmv)	SYSTEM BREAKTHROUGH PID (ppmv)	SYSTEM EFFLUENT PID (ppmv)
1/27/2007	9133.8	7:45	110	110	706	711	54.47	110	68	17.6	16.6	14.7	0.0
1/29/2007	9193.6	19:00	110	110	697	702	54.47	110	67	17.1	16.1	14.8	0.0
1/31/2007	9234.6	14:15	118	118	660	670	54.47	118	72	16.1	15.6	5.5	0.0
2/1/2007	9261.9	17:30	115	115	665	675	54.47	115	70	16.4	15.7	5.9	0.0
2/5/2007	9348.4	9:00	110	110	660	670	54.47	110	72	16.8	16.0	7.0	0.0
2/7/2007	9406.0	17:30	122	122	676	682	54.47	122	94	16.9	15.1	6.0	0.0
2/12/2007	9518.5	10:00	125	125	700	706	54.47	125	NM	17.9	16.7	7.2	0.0
2/15/2007	9599.0	18:30	129	129	704	711	54.47	129	100	17.0	16.5	7.6	0.0
2/16/2007	9614.5	10:00	130	130	696	701	54.47	130	100	17.5	16.8	7.7	0.0
2/19/2007	9686.0	9:30	119	119	691	701	54.47	119	90	17.1	16.8	7.4	0.0
2/20/2007	9718.9	18:30	130	130	703	711	54.47	130	100	17.8	17.0	7.8	0.0
2/23/2007	9789.7	17:30	130	130	700	710	61.28	130	105	19.8	19.1	9.9	0.0
2/26/2007	9853.0	8:30	140	140	716	721	61.28	140	110	22.6	22.0	10.0	0.0
2/28/2007	9907.3	14:50	135	135	706	719	54.47	135	100	19.8	19.0	8.9	0.0
3/1/2007	9934.6	18:30	135	135	697	707	54.47	135	100	25.9	25.0	9.3	0.0
3/5/2007	10023.4	17:00	132	132	684	692	54.47	132	100	26.8	26.1	10.2	0.0
3/7/2007	10074.0	19:30	135	135	691	702	54.47	135	100	25.8	25.3	10.2	0.0
3/9/2007	10075.4	13:00	110	110	691	702	54.47	110	75	25.1	24.6	10.3	0.0
3/11/2007	10090.1	16:00	110	110	697	703	54.47	110	75	25.8	25.3	11.2	0.0
3/14/2007	10165.0	20:00	130	130	696	701	54.47	130	78	25.9	21.2	11.0	0.0
3/16/2007	10207.5	14:30	130	130	693	700	54.47	130	90	26.3	25.9	11.2	0.0
3/20/2007	10306.5	18:30	130	130	686	691	54.47	130	78	26.1	24.1	11.6	0.0
3/23/2007	10378.4	17:30	130	130	687	694	54.47	130	82	26.4	24.3	11.6	0.0
3/26/2007	10447.0	18:30	130	130	683	690	54.47	130	82	26.1	25.6	11.7	0.0
3/27/2007	10473.0	19:15	130	130	685	690	54.47	130	84	26.9	25.9	11.8	0.0
3/28/2007	10484.6	19:30	130	130	676	681	54.47	130	80	27.0	26.1	11.8	0.0
4/2/2007	10602.4	17:30	130	130	693	702	54.47	130	80	27.1	27.0	11.7	0.0
4/4/2007	10646.0	13:00	130	130	675	680	54.47	130	85	27.1	26.8	12.0	0.0
4/5/2007	10675.5	18:30	125	125	680	688	54.47	125	80	26.8	26.5	12.0	0.0

Notes:
ppmv: parts per million by volume
scfm: standard cubic foot per minute
N/A: not applicable
NM: not measured
Heat exchanger turned off on February 7, 2007 to maximize carbon adsorption and restarted on March 11, 2007 due to system shut downs.

Information above provided by Tait Environmental Management. Haley & Aldrich has not verified accuracy

TABLE 2 - MAINTENANCE LOG

Site Name: BRC Former C-6 Facility
Location: Torrance, California
System: SVE system

DATE	MAINTENANCE ACTIVITY
3/2/2006	Started system. Performed test on system alarms, Vessel V-4 is off line. V-2 Primary, V-3 Secondary
3/8/2006	Checked system for operation, Vessel V-4 is off line, V-2 Primary, V-3 Secondary
3/9/2006	Checked system operation, collected laboratory analysis, Vessel V-4 is off line, V-2 Primary, V-3 Secondary
3/10/2006	Checked system for operation, Vessel V-4 is off line, V-2 Primary, V-3 Secondary
3/12/2006	Checked system for operation, Vessel V-4 is off line, V-2 Primary, V-3 Secondary
3/13/2006	Checked system for operation, Vessel V-4 is off line, repaired high-high switch on sump, changed one thermocouple wire, V-2 Primary, V-3 Secondary
3/14/2006	Checked system for operation, Vessel V-4 is off line, leak on 8" steel stand pipe, V-2 Primary, V-3 Secondary
3/15/2006	System shut down at 12:10AM, restarted system at 8:20AM, V-2 Primary, V-3 Secondary
3/16/2006	Performed weekly O&M at the site, V-2 Primary, V-3 Secondary
3/21/2006	Performed weekly O&M at the site. System shut down at 11:00 PM due to high level in sump from rains, V-2 Primary, V-3 Secondary
3/24/2006	Performed weekly O&M at the site. Collected laboratory analysis of the system, V-2 Primary, V-3 Secondary
3/28/2006	System down due to High water. Setup Sump pump and pumped out rain water. V-2 Primary, V-3 Secondary
3/29/2006	Pumped rain water out of compound. V-2 Primary, V-3 Secondary
3/31/2006	System operating upon arrival, performed weekly O&M, V-2 Primary, V-3 Secondary
4/3/2006	System down upon arrival due to berm full of rain water, checked for leaks on the system, no leaks, pumped water out of berm. Washed down compound. Breaker tripped on unit reset and restarted system. Performed monthly alarm check, V-2 Primary, V-3 Secondary
4/4/2006	System down upon arrival due to berm full of rain water, checked for leaks on the system, no leaks, pumped water out of berm. Restarted system. V-2 Primary, V-3 Secondary
4/5/2006	System operating upon arrival, berm filled with rain water checked for leaks on the system, no leaks, pumped water out of berm. Performed system O&M on the system, collected lab samples on the system. V-2 Primary, V-3 Secondary
4/12/2006	System running at arrival, collected system readings: flow, vacuum, and temp. Collected PID readings. V-2 Primary, V-3 Secondary
4/18/2006	Opened wells VEW-7, VEW-9, VEW-10A, VEW-10B, VEW-11A, VEW-11B, VEW-19A, VEW-19B, VEW-20A, VEW-20B, VEW-21A, VEW-21B, VEW-22A, VEW-22B, VEW-23A, VEW-23B, VEW-24A, and VEW-24B 25% and set the SVE unit to extract at a rate around 650scfm. V-2 Primary, V-3 Secondary
4/19/2006	Returned to collect seven vapor samples from wells VEW-9, VEW-10B,VEW-19A, VEW-19B, VEW-21A, VEW-23B, and VEW-21B. Collected effluent, mid, and influent samples. Temp after heat exchanger 78°F. V-2 Primary, V-3 Secondary
4/26/2006	Arrived onsite at 0830, dropped off inverter at west ramp for Alex, collected temp., flow and vacuum readings; PID lamp is bad, replaced with 11.7 lamp from Envirosupply and collected PID readings. V-2 Primary, V-3 Secondary
4/28/2006	Received lab analysis and it indicated breakthrough on the primary vessel (V-2). Went to site. Shut down system, quenched primary vessel, brought spare vessel online and restarted the system. Vessel V-3 Primary, V-4 Secondary
5/3/2006	Collected monthly samples and performed monthly alarm checks. Vessel V-3 Primary, V-4 Secondary
5/11/2006	System running at arrival, collected system readings: flow, vacuum, and temp. Collected PID readings. Vessel V-3 Primary, V-4 Secondary
5/15/2006	Received lab analysis and it indicated breakthrough on the primary and effluent vessels. Went to site. Shut down system, quenched both vessels. Left system off until carbon change out can take place. Vessel V-3 Primary, V-4 Secondary
5/16/2006	Drained vessels in preparation of carbon changeout in vessels V-2, V-3 and V-4.
5/17/2006	Performed carbon changeout on all three vessels. Each vessel has approximately 7,000 lbs of carbon in each. System restarted with vessel V-3 as primary and V-4 as secondary, vessel V-2 is off line as a spare.
5/18/2006	Lowered flow and vacuum on well VEW-19A per Greg's request; well open ~5%, vacuum at 10".
5/19/2006	System running at arrival, collected system readings: flow, vacuum, temp., and PID.
5/22/2006	System running at arrival, collected system readings: flow, vacuum, temp., and PID; backflow valve leaking, took apart no visible problem - still leaking at departure.
5/23/2006	On site to fix leak at backflow valve, opened all valves to bleed the line, no luck; lowered flow on system until problem is fixed, temperature is the same as on 5/22/06.
5/24/2006	System running at arrival, collected system readings: flow, vacuum, temp., and PID; fixed backflow valve leaking problem.
6/1/2006	System running at arrival, calibrated PID, collected system readings: flow, vacuum, temp., and PID, cleaned compound.
6/7/2006	System running at arrival, calibrated PID, collected system readings: flow, vacuum, temp., and PID, collected monthly samples and performed monthly alarm checks.
6/14/2006	System running at arrival, calibrated PID, collected system readings: flow, vacuum, temp., and PID.
6/23/2006	System running at arrival, calibrated PID, collected system readings: flow, vacuum, temp., and PID; backflow valve leaking again, reprimed valve, working fine at departure.
6/28/2006	System running at arrival, calibrated PID, collected system readings: flow, vacuum, temp., and PID; cleaned compound area.
7/3/2006	System running at arrival, calibrated PID, collected system readings: flow, vacuum, temp., and concentrations; monthly samples will be collected next week.
7/13/2006	System running at arrival, calibrated PID, collected system readings: flow, vacuum, temp., and concentrations; collected monthly samples and performed monthly alarm checks; adjusted % open status of individual wells per CDM's email - will continue to adjust wells as system permits.
7/20/2006	Onsite for influent sample collection, system running at arrival and departure.
7/21/2006	System running at arrival, calibrated PID, collected system readings: flow, vacuum, temp., and concentrations.
7/25/2006	System running at arrival, collected system data and shut down system due to styrene breakthrough; quenched vessels.
7/26/2006	Checked system - vessels temp ok.
7/28/2006	Onsite to perform system maintenance while it is down; trained Kevin on system data collection; system ready for restart.
7/31/2006	Started system at 10:30, collected system readings after 30 minutes of operation; replaced lamp in PID.
8/1/2006	Onsite to collect system data; shut down system at departure; will restart and sample on August 3, 2006.
8/3/2006	System off at arrival; backflow valve leaking- disassembled and cleaned, reassembled and valve is working fine; restarted the system for split vapor sampling; performed monthly checks and shut down system at departure.
8/11/2006	System restarted temporarily using the spare vessel as the second vessel; collected system data and 3 individual wells data, system running at departure; hour meter at 12:10 p.m. = 5238.0, V-2 is #2 and V-3 is #1, V-4 is offline.
8/15/2006	Stan Jackson onsite to oversee carbon changeout in vessels V-3 and V-4; restarted system at 13:40 and collected partial O&M parameters. Left site with system running.
8/16/2006	Lester onsite to perform o&m; vessel 1 (V-2), vessel 2 (V-3) and V-4 is offline; calibrated PID, collected system readings: flow, vacuum, temp., and individual well concentrations.
8/22/2006	Onsite to oversee water meter leak repair; DWP not able to repair leak today but will come back tomorrow; collected minor system data.
8/23/2006	System running at arrival, calibrated PID, collected system readings: flow, vacuum, temp., and concentrations. DWP fixed leak at water meter. Performed monthly alarm checks - all operational.
8/29/2006	System running at arrival, calibrated PID, collected system readings: flow, vacuum, temp., and concentrations.
9/1/2006	Onsite to post the updated sign on the gate; system running at arrival and departure.
9/6/2006	System running at arrival. Collected monthly samples for laboratory analysis.
9/9/2006	System running at arrival, calibrated PID, collected system readings: flow, vacuum, temp., and concentrations. Performed monthly alarm checks - all operational.
9/13/2006	System running at arrival, calibrated PID, collected system readings: flow, vacuum, temp., and concentrations.
9/22/2006	System running at arrival, calibrated PID, collected system readings: flow, vacuum, temp., and concentrations.
9/28/2006	System running at arrival, calibrated PID, collected system readings: flow, vacuum, temp., and concentrations.

TABLE 2 - MAINTENANCE LOG

Site Name: BRC Former C-6 Facility
Location: Torrance, California
System: SVE system

DATE	MAINTENANCE ACTIVITY
10/2/2006	System running at arrival, calibrated PID, collected system readings: flow, vacuum, temp., and concentrations. Collected monthly system samples; made adjustments to extraction wells (% open) and collected samples from VEW-19B, 23B and 24B (after 1.5 hours of runtime); performed monthly alarm checks - all operational.
10/5/2006	System running at arrival, calibrated PID, collected system readings: flow, vacuum, temp., and concentrations.
10/9/2006	System running at arrival, calibrated PID, collected system readings: flow, vacuum, temp., and concentrations. Adjusted following wells to 100% open: VEW-14A, 13B, 10A, 19A, 24A, 23A, 07, 22A, 22B, 25B, 27, 08B, 08A, 23B.
10/11/2006	System running at arrival, vacuumed water from manifold sump; installed sight tube on storage tank
10/17/2006	Onsite to adjust backflow valve per Dennis' request; repurged and reprimed valves, everything ok; preparation of vessel for carbon changeout next day.
10/18/2006	System running at arrival; onsite for carbon changeout in vessel V-2 (offline), V-3 is primary carbon vessel and V-4 is secondary vessel.
10/20/2006	System running at arrival, calibrated PID, collected system readings: flow, vacuum, temp., and concentrations.
10/23/2006	System running at arrival, collected system readings: flow, vacuum, temp., and concentrations; meeting with Dennis C. to check on system, fixed air and water leak, installed magnehelic gage on 8 inch pipe.
10/25/2006	Onsite meeting with Dennis C. and Bill P. regarding permits and AQMD paperwork QA/QC; checked flow meter and vessels, all ok.
10/27/2006	System running at arrival, calibrated PID, collected system readings: flow, vacuum, temp., and concentrations; vacuumed 18.5 gallons of water from sumps at VEW-22A, VEW-22B, VEW-25A, VEW-25B, VEW-26A, VEW-26B, VEW-27, and VEW-28.
10/30/2006	System running at arrival, calibrated PID, collected system readings: flow, vacuum, temp., and concentrations; cleaned compound area.
11/2/2006	System running at arrival, calibrated PID, collected system readings: flow, vacuum, PID and temp. Collected monthly samples. Performed monthly alarm checks - all operational. Closed wells: VEW-13A, VEW-13B, VEW-14A, VEW-14B, VEW-15A, VEW-15B, VEW-17A, VEW-17B, VEW-18A, VEW-18B, & VEW-29. Cleaned-up site.
11/7/2006	System shut down at 6:30 p.m. due to heat exchanger motor malfunction; quenched vessels V-2 and V-3;
11/8/2006	System berm area flooded due to quenching system operating continuously overnight and leak in the 6 inch elbow connection; main power shut down to repair the heat exchanger motor de-energized the solenoid which controls the quenching system, causing continuous water to run through the vessels; minor incident reported to project team.
11/10/2006	Removed motor from heat exchanger and dropped it off at Yardley Pumps for repair; system off at departure.
11/13/2006	Restarted system on ambient air to attempt to dry off wet carbon from vessels V-2 (secondary) and V-3 (primary).
11/14/2006	Onsite to install new motor for the heat exchanger; system still operating on ambient air at departure.
11/15/2006	System running at arrival, calibrated PID, collected system readings: flow, vacuum, temp., and concentrations. Replaced fan blades and installed motor.
11/16/2006	System running at arrival, calibrated PID, collected system readings: flow, vacuum, temp., and concentrations; PTS onsite to vacuum storage tank; opened valve to well manifold 100%, dilution left open 100%.
11/17/2006	System running at arrival, calibrated PID, collected system readings: flow, vacuum, temp., and concentrations. Closed dilution valve.
11/18/2006	System running at arrival, calibrated PID, collected system readings: flow, vacuum, temp., and concentrations.
11/19/2006	System running at arrival, calibrated PID, collected system readings: flow, vacuum, temp., and concentrations.
11/20/2006	System running at arrival, calibrated PID, collected system readings: flow, vacuum, temp., and concentrations.
11/27/2006	System running at arrival, calibrated PID, collected system readings and some individual well readings: flow, vacuum, temp., and concentrations.
11/28/2006	System running at arrival, calibrated PID, collected system readings and remainder of individual well readings: flow, vacuum, temp., and concentrations.
12/1/2006	System running at arrival, calibrated PID, collected system readings: flow, vacuum, temp., and concentrations; influent concentrations increased, will monitor again after in a few hours.
12/1/2006	System running at arrival; shut system down to switch vessels and quench spent carbon vessel; V-2 is primary, V-4 is secondary and V-3 is offline being quenched; quenched for 1 hour and monitored vessel temperatures.
12/2/2006	System running at arrival, calibrated PID, collected system readings: flow, vacuum, temp., and concentrations; system temperatures ok.
12/4/2006	System running at arrival, collected system readings: flow, vacuum, temp., and concentrations. Performed monthly alarm checks - all operational.
12/5/2006	System running at arrival, collected system readings: flow, vacuum, temp., and concentrations, drained vessel V-2 of water accumulated in flex hose between V-2 and V-4; breakthru concentration increased after water removal. Performed monthly alarm checks - all operational. Collected monthly samples.
12/7/2006	System running at arrival, water was shut down at backflow valve due to leaking hose, replaced hose; collected system readings: flow, vacuum, temp., and concentrations.
12/8/2006	Carbon changeout in vessel V-3, V-2 is primary and V-4 is secondary; restarted system and collected system readings: flow, vacuum, temp. and concentrations; collected individual well data.
12/10/2006	On site to check on system after heavy rain; system running at arrival, collected system readings: flow, vacuum, temp., and concentrations.
12/11/2006	On site to check on system; system running at arrival, collected system readings: flow, vacuum, temp., and concentrations, changed oil and greased blower.
12/13/2006	On site to check on system; system running at arrival, collected system readings: flow, vacuum, temp., and concentrations; backflow valve leak needs to be fixed.
12/15/2006	System running at arrival, calibrated PID, collected system readings: flow, vacuum, PID and temp. Vacuumed 19.0 gallons of water from sumps at VEW-22A, VEW-22B, VEW-25A, VEW-25B, VEW-26A, VEW-26B, VEW-27, and VEW-28.
12/17/2006	On site to check on system after heavy rain; system running at arrival, collected system readings: flow, vacuum, temp., and concentrations.
12/18/2006	System running at arrival, calibrated PID, collected system readings: flow, vacuum, PID and temp.
12/19/2006	System running at arrival, calibrated PID, collected system and individual well readings: flow, vacuum, PID and temp.
12/22/2006	System running at arrival, calibrated PID, collected system readings: flow, vacuum, PID and temp.
12/26/2006	System running at arrival, calibrated PID, collected system readings: flow, vacuum, PID and temp. Fixed leaking backflow valve inside compound area. Spoke with Bavco and technician will be onsite to fix on 12/29/06.
12/27/2006	System running at arrival, calibrated PID, collected system readings: flow, vacuum, PID and temp; rained on 12/26/06, no problem with storage tank. Vacuumed 17.5 gallons of water from sumps at VEW-22A, VEW-22B, VEW-25A, VEW-25B, VEW-26A, VEW-26B, VEW-27, and VEW-28.
12/29/2006	System running at arrival, Bavco technician onsite to check both leaking valves; will come back next week with proper parts; fixed canopy blown away by wind, fixed computer display; collected system readings: flow, vacuum, PID and temp.
1/2/2007	System running at arrival, high winds over the weekend -fixed canopy blown away by wind, fixed computer display; collected system readings: flow, vacuum, PID and temp.
1/3/2007	System running at arrival, rented PID while Boeing PID is being serviced, collected system readings: flow, vacuum, PID and temp; installed undiluted influent sample port; collected partial well readings. Performed monthly alarm checks - all operational.
1/4/2007	System running at arrival, calibrated PID, collected system readings: flow, vacuum, PID and temp; collected remainder of individual well data. Collected monthly samples for laboratory analysis.
1/8/2007	System running at arrival, calibrated PID, collected system readings: flow, vacuum, PID and temp; fixed canopy which was down due to high winds over the weekend, fixed computer screen, left a message with Bavco re backflow valves, washed compound.
1/11/2007	System running at arrival, calibrated PID, collected system readings: flow, vacuum, PID and temp; collected partial well data.
1/12/2007	System running at arrival, calibrated PID, collected system readings: flow, vacuum, PID and temp; collected remainder of well data.
1/17/2007	System running at arrival, calibrated PID, collected system readings: flow, vacuum, PID and temp; collected partial well data.
1/19/2007	Mitch from Bavco onsite to install new backflow valve on Knot St.; valve installed and tested; tested valve in compound, valve inside building and valve outside building; could not find additional valve inside the building;
1/20/2007	System running at arrival, calibrated PID, collected system readings: flow, vacuum, PID and temp; collected remainder of well data.
1/22/2007	System running at arrival, calibrated PID, collected system readings: flow, vacuum, PID and temperature.
1/26/2007	System running at arrival, calibrated PID, collected system readings: flow, vacuum, PID and temp; collected partial well data.
1/27/2007	System running at arrival, calibrated PID, collected system readings: flow, vacuum, PID and temp; collected remainder of well data.
1/29/2007	System running at arrival, calibrated PID, collected system readings: flow, vacuum, PID and temperature.

TABLE 2 - MAINTENANCE LOG

Site Name: BRC Former C-6 Facility
Location: Torrance, California
System: SVE system

DATE	MAINTENANCE ACTIVITY
1/31/2007	System running at arrival, calibrated PID, collected system readings and well data: flow, vacuum, PID and temperature. Vacuumed 14 gallons of water from sumps at VEW-22A, VEW-22B, VEW-25A, VEW-25B, VEW-26A, VEW-26B, VEW-27, and VEW-28.
2/1/2007	System running at arrival; collected system readings: flow, vacuum, PID and temperature. Collected monthly samples for laboratory analysis. Performed monthly alarm checks - all operational.
2/5/2007	System running at arrival, calibrated PID, collected system readings: flow, vacuum, PID and temperature; checked oil, greased motor and blower, replaced air flow hose.
2/7/2007	System running at arrival, calibrated PID, collected system readings: flow, vacuum, PID and temperature; turned off heat exchanger to increase carbon temperatures and efficiency.
2/12/2007	System running at arrival, calibrated PID, collected system readings: flow, vacuum, PID and temperature; turned off system temporarily to drain water from flex hoses between carbon vessels, drained condensate from vessels, restarted system.
2/15/2007	System running at arrival, calibrated PID, collected system readings: flow, vacuum, PID and temperature, collected partial well data.
2/16/2007	System running at arrival, calibrated PID, collected system readings: flow, vacuum, PID and temperature; removed broken canopy, collected remainder of well data.
2/17/2007	System running, vacuumed 14 gallons of water from sumps at VEW-22A, VEW-22B, VEW-25A, VEW-25B, VEW-26A, VEW-26B, VEW-27, and VEW-28.
2/19/2007	System running at arrival, calibrated PID, collected system readings: flow, vacuum, PID and temperature.
2/20/2007	System running at arrival, calibrated PID, collected system readings: flow, vacuum, PID and temperature; collected individual well readings, closed wells VEW-10A, VEW-06, and VEW-05 prior to departure.
2/23/2007	System running at arrival, calibrated PID, collected system readings: flow, vacuum, PID and temperature, slight increase in vacuum after 3 wells closed.
2/26/2007	System running at arrival, calibrated PID, collected system readings: flow, vacuum, PID and temperature.
2/28/2007	System running at arrival, calibrated PID, collected system readings: flow, vacuum, PID and temperature; vacuumed 13 gallons of water from sumps at VEW-22A, VEW-22B, VEW-25A, VEW-25B, VEW-26A, VEW-26B, VEW-27, and VEW-28.
3/1/2007	System running at arrival, calibrated PID, collected system readings: flow, vacuum, PID and temperature; collected individual well readings; collected monthly system samples for laboratory analysis.
3/2/2007	Onsite to dispose of water in 3,000 gallon storage tank; system went down while disposing of storage water; no power to computer panel, replaced 10 amp fuse at computer panel and restarted system, system down for approximately 5.5 hours; system running at departure.
3/5/2007	System running at arrival, calibrated PID, collected system readings: flow, vacuum, PID and temperature.
3/7/2007	System running at arrival, calibrated PID, collected system readings: flow, vacuum, PID and temperature, collected well data.
3/9/2007	System down at arrival; system shut down 1.5 hours after site visit on 3/7/07; checked fuses in panel, all ok; rebooted computer screen, pressed reset button and restarted system; system running at departure.
3/11/2007	System down at arrival - auto dilution valve open alarm; pushed reset button at computer panel and restarted the system; turned heat exchanger on - high temp may cause the system shut down; collected system data: flow, vacuum, PID and temperature.
3/14/2007	System running at arrival, calibrated PID, collected system readings: flow, vacuum, PID and temperature, collected well data. Performed monthly alarm checks - all operational.
3/16/2007	System running at arrival, calibrated PID, collected system readings: flow, vacuum, PID and temperature. Vacuumed 15 gallons of water from sumps at VEW-22A, VEW-22B, VEW-25A, VEW-25B, VEW-26A, VEW-26B, VEW-27, and VEW-28.
3/20/2007	System running at arrival, calibrated PID, collected system readings and well data: flow, vacuum, PID and temperature. Closed wells VEW-12 and VEW-20B prior to departure.
3/23/2007	System running at arrival, calibrated PID, collected system readings: flow, vacuum, PID and temperature, greased blower and motor, checked blower oil - all ok.
3/26/2007	System running at arrival, calibrated PID, collected system readings: flow, vacuum, PID and temperature, cleaned up compound area.
3/27/2007	System running at arrival, calibrated PID, collected system readings: flow, vacuum, PID and temperature, collected partial well data. KM onsite to vacuum storage tank: 3,000 gallons of groundwater.
3/28/2007	System down at arrival, restarted system -pushed reset button, calibrated PID, collected system readings: flow, vacuum, PID and temperature; collected remainder of well data.
4/2/2007	System running at arrival, calibrated PID, collected system readings: flow, vacuum, PID and temperature, collected monthly system samples for laboratory analysis. Performed monthly alarm checks - all operational.
4/4/2007	System running at arrival, calibrated PID, collected system readings: flow, vacuum, PID and temperature; vacuumed 14 gallons of water from sumps at VEW-22A, VEW-22B, VEW-25A, VEW-25B, VEW-26A, VEW-26B, VEW-27, and VEW-28.
4/5/2007	System running at arrival, calibrated PID, collected system readings: flow, vacuum, PID and temperature; collected individual well readings, closed wells VEW-19A, VEW-19B, VEW-20A, VEW-24A, VEW-16B, and VEW-11B prior to departure.

Note: Information above provided by Tait Environmental Management. Haley & Aldrich has not verified accuracy

TABLE 3 - WELLFIELD FIELD DATA

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1/36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acfm)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
VEW-01	3/2/2006	14:24	68.1	23.2	20.64	45	11.2	100%
	3/12/2006	12:15	62.1	12.8	11.95	27	21.6	50%
	3/17/2006	7:10	59.9	12.8	11.95	27	19.9	50%
	3/24/2006	10:14	61.8	13.9	12.98	27	18.9	50%
	3/31/2006	12:10	60.7	14.6	13.52	30	19.7	50%
	4/5/2006	13:00	56.7	18.4	17.04	30	20.9	50%
	4/12/2006	11:45	61.3	15.4	14.27	30	18.3	50%
	4/19/2006	13:00	71.8	39.6	36.00	37	19.2	50%
	4/26/2006	15:20	61.7	39.5	36.10	35	1.2	50%
	5/3/2006	16:06	68.7	14.1	13.23	25	0.9	50%
	5/11/2006	14:18	64.2	16.0	14.82	30	0.8	50%
	5/19/2006	13:38	66.1	15.4	14.34	28	0.7	50%
	5/24/2006	12:42	68.4	15.3	14.21	29	0.6	50%
	6/1/2006	13:26	69.8	15.5	14.40	29	0.4	50%
	6/7/2006	13:00	60.7	15.6	14.49	29	0.8	50%
	6/14/2006	12:53	60.6	14.9	13.84	29	1.0	50%
	6/23/2006	12:38	62.9	15.1	14.02	29	0.7	50%
	6/28/2006	13:35	65.4	16.1	14.99	28	0.4	50%
	7/3/2006	14:00	65.7	16.8	15.56	30	0.3	50%
	7/13/2006	15:53	97.8	19.2	17.74	31	0.7	75%
	7/21/2006	20:30	82.1	19.8	18.29	31	0.5	75%
	8/16/2006	17:20	80.4	6.2	5.74	30	0.4	75%
	8/23/2006	14:50	91.0	17.7	16.31	32	0.4	75%
	8/29/2006	13:51	86.9	17.9	16.49	32	0.3	75%
	9/9/2006	10:10	85.8	18.6	17.14	32	0.1	75%
	9/13/2006	18:30	76.1	18.7	17.23	32	0.6	75%
	9/22/2006	18:20	74.8	18.6	17.09	33	0.7	75%
	9/28/2006	15:25	76.9	18.8	17.32	32	0.6	75%
	10/2/2006	NM	NM	NM	NM	6	NM	0%
	10/9/2006	NM	NM	NM	NM	7	NM	0%
	10/20/2006	NM	NM	NM	NM	6	NM	0%
	10/27/2006	NM	NM	NM	NM	7	NM	0%
	11/2/2006	NM	NM	NM	NM	7	NM	0%
	11/17/2006	NM	NM	NM	NM	5	NM	0%
	11/20/2006	NM	NM	NM	NM	6	NM	0%
	11/28/2006	NM	NM	NM	NM	6	NM	0%
	12/8/2006	NM	NM	NM	NM	6	NM	0%
	12/15/2006	NM	NM	NM	NM	7	NM	0%
	12/19/2006	NM	NM	NM	NM	7	NM	0%
	12/27/2006	NM	NM	NM	NM	7	NM	0%
	1/4/2007	NM	NM	NM	NM	7	NM	0%
	1/12/2007	NM	NM	NM	NM	6	NM	0%
	1/20/2007	NM	NM	NM	NM	7	NM	0%
	1/27/2007	NM	NM	NM	NM	6	NM	0%
	1/31/2007	NM	NM	NM	NM	5	NM	0%
	2/7/2007	NM	NM	NM	NM	6	NM	0%
	2/16/2007	NM	NM	NM	NM	6	NM	0%
	2/20/2007	NM	NM	NM	NM	6	NM	0%
	3/1/2007	NM	NM	NM	NM	6	NM	0%
	3/7/2007	NM	NM	NM	NM	6	NM	0%
	3/14/2007	NM	NM	NM	NM	5	NM	0%
	3/20/2007	NM	NM	NM	NM	7	NM	0%
	3/28/2007	NM	NM	NM	NM	7	NM	0%
	4/5/2007	NM	NM	NM	NM	7	NM	0%
VEW-02	3/2/2006	14:08	68.2	30.8	27.47	44	27.6	100%
	3/12/2006	12:00	62.7	19.2	17.97	26	16.7	50%
	3/17/2006	6:50	59.7	19.6	18.35	26	17.6	50%
	3/24/2006	9:58	61.3	19.3	18.02	27	16.9	50%
	3/31/2006	11:50	60.6	15.4	14.27	30	27.9	50%
	4/5/2006	12:50	56.5	13.7	12.69	30	26.6	50%
	4/12/2006	11:30	61.4	12.1	11.21	30	24.6	50%
	4/19/2006	12:45	71.7	28.7	26.16	36	21.9	50%
	4/26/2006	15:10	61.9	28.7	26.30	34	1.3	50%
	5/3/2006	15:58	68.7	11.8	11.08	25	1.3	50%
	5/11/2006	14:03	63.9	12.9	11.95	30	1.0	50%
	5/19/2006	13:21	66.2	12.4	11.52	29	0.9	50%
	5/24/2006	12:30	68.3	12.7	11.76	30	0.8	50%
	6/1/2006	13:14	69.3	12.8	11.83	31	0.6	50%
	6/7/2006	12:48	61.0	12.1	11.24	29	0.6	50%
	6/14/2006	12:37	60.8	13.9	12.91	29	0.6	50%
	6/23/2006	12:24	63.2	12.6	11.70	29	0.5	50%
	6/28/2006	13:21	65.7	12.6	11.70	29	0.1	50%
	7/3/2006	13:46	65.4	12.6	11.70	29	0.4	50%
	7/13/2006	15:38	97.5	16.6	15.34	31	0.5	75%

TABLE 3 - WELLFIELD FIELD DATA

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1/36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acfm)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
	7/21/2006	20:20	82.5	16.4	15.11	32	0.6	75%
	8/16/2006	17:08	80.6	12.8	11.79	32	0.5	75%
	8/23/2006	14:36	91.7	25.0	23.04	32	0.4	75%
	8/29/2006	13:36	87.2	25.6	23.59	32	0.4	75%
	9/9/2006	9:56	85.6	26.7	24.54	33	0.3	75%
	9/13/2006	18:18	76.4	27.1	24.90	33	0.1	75%
	9/22/2006	18:06	74.5	28.3	26.01	33	0.3	75%
	9/28/2006	15:11	76.9	28.6	26.28	33	0.5	75%
	10/2/2006	NM	NM	NM	NM	9	NM	0%
	10/9/2006	NM	NM	NM	NM	9	NM	0%
	10/20/2006	NM	NM	NM	NM	8	NM	0%
	10/27/2006	NM	NM	NM	NM	10	NM	0%
	11/2/2006	NM	NM	NM	NM	10	NM	0%
	11/17/2006	NM	NM	NM	NM	9	NM	0%
	11/20/2006	NM	NM	NM	NM	10	NM	0%
	11/28/2006	NM	NM	NM	NM	10	NM	0%
	12/8/2006	NM	NM	NM	NM	10	NM	0%
	12/15/2006	NM	NM	NM	NM	9	NM	0%
	12/19/2006	NM	NM	NM	NM	10	NM	0%
	12/27/2006	NM	NM	NM	NM	9	NM	0%
	1/4/2007	NM	NM	NM	NM	10	NM	0%
	1/12/2007	NM	NM	NM	NM	10	NM	0%
	1/20/2007	NM	NM	NM	NM	9	NM	0%
	1/27/2007	NM	NM	NM	NM	9	NM	0%
	1/31/2007	NM	NM	NM	NM	7	NM	0%
	2/7/2007	NM	NM	NM	NM	9	NM	0%
	2/16/2007	NM	NM	NM	NM	9	NM	0%
	2/20/2007	NM	NM	NM	NM	9	NM	0%
	3/1/2007	NM	NM	NM	NM	7	NM	0%
	3/7/2007	NM	NM	NM	NM	7	NM	0%
	3/14/2007	NM	NM	NM	NM	8	NM	0%
	3/20/2007	NM	NM	NM	NM	8	NM	0%
	3/28/2007	NM	NM	NM	NM	8	NM	0%
	4/5/2007	NM	NM	NM	NM	8	NM	0%
VEW-03	3/2/2006	14:15	67.9	17.8	15.79	46	29.9	100%
	3/12/2006	12:08	62.3	15.3	14.25	28	11.2	50%
	3/17/2006	6:57	59.8	15.7	14.62	28	12.7	50%
	3/24/2006	10:06	61.7	15.4	14.30	29	10.9	50%
	3/31/2006	12:00	60.8	17.0	15.66	32	16.1	50%
	4/5/2006	12:55	56.2	14.6	13.49	31	15.3	50%
	4/12/2006	11:35	61.5	13.2	12.23	30	12.8	50%
	4/19/2006	12:55	71.7	36.4	33.00	38	14.3	50%
	4/26/2006	15:15	61.8	36.8	33.55	36	1.0	50%
	5/3/2006	16:02	68.9	10.3	9.64	26	1.1	50%
	5/11/2006	14:10	63.8	12.8	11.79	32	0.9	50%
	5/19/2006	13:30	66.4	12.5	11.58	30	0.9	50%
	5/24/2006	12:36	68.0	12.0	11.12	30	0.8	50%
	6/1/2006	13:20	69.9	12.6	11.64	31	0.7	50%
	6/7/2006	12:54	60.8	12.8	11.86	30	0.7	50%
	6/14/2006	12:44	60.6	13.0	12.04	30	0.4	50%
	6/23/2006	12:31	63.0	12.6	11.67	30	0.7	50%
	6/28/2006	13:28	65.8	13.8	12.78	30	0.3	50%
	7/3/2006	13:54	65.7	13.7	12.69	30	0.4	50%
	7/13/2006	15:46	97.4	12.9	11.89	32	0.4	75%
	7/21/2006	20:25	82.7	12.1	11.15	32	0.5	75%
	8/16/2006	17:14	80.3	19.1	17.60	32	0.4	75%
	8/23/2006	14:43	91.8	12.9	11.85	33	0.5	75%
	8/29/2006	13:44	86.7	12.1	11.12	33	0.4	75%
	9/9/2006	10:03	85.4	12.1	11.12	33	0.3	75%
	9/13/2006	18:24	76.9	12.9	11.85	33	0.4	75%
	9/22/2006	18:13	74.2	13.8	12.65	34	0.7	75%
	9/28/2006	15:17	76.2	13.7	12.56	34	0.8	75%
	10/2/2006	NM	NM	NM	NM	10	NM	0%
	10/9/2006	NM	NM	NM	NM	10	NM	0%
	10/20/2006	NM	NM	NM	NM	9	NM	0%
	10/27/2006	NM	NM	NM	NM	10	NM	0%
	11/2/2006	NM	NM	NM	NM	10	NM	0%
	11/17/2006	NM	NM	NM	NM	10	NM	0%
	11/20/2006	NM	NM	NM	NM	9	NM	0%
	11/28/2006	NM	NM	NM	NM	9	NM	0%
	12/8/2006	NM	NM	NM	NM	10	NM	0%
	12/15/2006	NM	NM	NM	NM	10	NM	0%
	12/19/2006	NM	NM	NM	NM	10	NM	0%
	12/27/2006	NM	NM	NM	NM	10	NM	0%
	1/4/2007	NM	NM	NM	NM	10	NM	0%

TABLE 3 - WELLFIELD FIELD DATA

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1/36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acfm)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
	1/12/2007	NM	NM	NM	NM	10	NM	0%
	1/20/2007	NM	NM	NM	NM	10	NM	0%
	1/27/2007	NM	NM	NM	NM	10	NM	0%
	1/31/2007	NM	NM	NM	NM	9	NM	0%
	2/7/2007	NM	NM	NM	NM	10	NM	0%
	2/16/2007	NM	NM	NM	NM	10	NM	0%
	2/20/2007	NM	NM	NM	NM	10	NM	0%
	3/1/2007	NM	NM	NM	NM	10	NM	0%
	3/7/2007	NM	NM	NM	NM	10	NM	0%
	3/14/2007	NM	NM	NM	NM	10	NM	0%
	3/20/2007	NM	NM	NM	NM	10	NM	0%
	3/28/2007	NM	NM	NM	NM	10	NM	0%
	4/5/2007	NM	NM	NM	NM	10	NM	0%
VEW-04	3/2/2006	14:00	67.1	7.5	6.71	44	10.6	100%
	3/12/2006	11:52	61.7	8.4	7.86	26	40.6	50%
	3/17/2006	6:43	59.6	8.5	7.91	26	41.9	50%
	3/24/2006	9:50	61.4	8.2	7.68	26	36.9	50%
	3/31/2006	11:40	60.5	19.3	17.88	30	38.8	50%
	4/5/2006	12:45	56.8	13.6	12.60	30	33.2	50%
	4/12/2006	11:25	60.8	11.3	10.47	30	31.6	50%
	4/19/2006	12:40	71.4	29.6	27.06	35	31.3	50%
	4/26/2006	15:00	61.4	29.8	26.95	39	5.6	50%
	5/3/2006	15:54	68.3	10.9	10.23	25	4.8	50%
	5/11/2006	13:55	64.5	11.1	10.28	30	4.4	50%
	5/19/2006	13:14	66.0	11.0	10.24	28	4.1	50%
	5/24/2006	12:24	68.1	11.3	10.52	28	4.0	50%
	6/1/2006	13:08	69.9	11.0	10.24	28	3.5	50%
	6/7/2006	12:42	61.5	11.6	10.77	29	3.3	50%
	6/14/2006	12:30	61.0	11.1	10.31	29	3.0	50%
	6/23/2006	12:17	62.9	11.8	10.96	29	3.6	50%
	6/28/2006	13:14	65.4	11.8	10.99	28	2.7	50%
	7/3/2006	13:39	65.3	11.7	10.92	27	2.6	50%
	7/13/2006	15:32	97.6	4.8	4.43	31	2.2	75%
	7/21/2006	20:15	82.6	4.8	4.43	31	2.1	75%
	8/16/2006	17:02	80.3	16.0	14.78	31	2.0	75%
	8/23/2006	14:29	90.7	6.2	5.73	31	1.6	75%
	8/29/2006	13:29	87.5	6.0	5.53	32	1.3	75%
	9/9/2006	9:49	85.7	6.7	6.17	32	1.2	75%
	9/13/2006	18:12	76.7	6.8	6.25	33	1.0	75%
	9/22/2006	17:59	74.7	6.1	5.62	32	1.3	75%
	9/28/2006	15:05	76.6	6.1	5.61	33	1.5	75%
	10/2/2006	NM	NM	NM	NM	10	NM	0%
	10/9/2006	NM	NM	NM	NM	10	NM	0%
	10/20/2006	NM	NM	NM	NM	10	NM	0%
	10/27/2006	NM	NM	NM	NM	11	NM	0%
	11/2/2006	NM	NM	NM	NM	12	NM	0%
	11/17/2006	NM	NM	NM	NM	10	NM	0%
	11/20/2006	NM	NM	NM	NM	10	NM	0%
	11/28/2006	NM	NM	NM	NM	11	NM	0%
	12/8/2006	NM	NM	NM	NM	11	NM	0%
	12/15/2006	NM	NM	NM	NM	11	NM	0%
	12/19/2006	NM	NM	NM	NM	12	NM	0%
	12/27/2006	NM	NM	NM	NM	11	NM	0%
	1/4/2007	NM	NM	NM	NM	11	NM	0%
	1/12/2007	NM	NM	NM	NM	11	NM	0%
	1/20/2007	NM	NM	NM	NM	11	NM	0%
	1/27/2007	NM	NM	NM	NM	11	NM	0%
	1/31/2007	NM	NM	NM	NM	8	NM	0%
	2/7/2007	NM	NM	NM	NM	11	NM	0%
	2/16/2007	NM	NM	NM	NM	10	NM	0%
	2/20/2007	NM	NM	NM	NM	10	NM	0%
	3/1/2007	NM	NM	NM	NM	8	NM	0%
	3/7/2007	NM	NM	NM	NM	9	NM	0%
	3/14/2007	NM	NM	NM	NM	9	NM	0%
	3/20/2007	NM	NM	NM	NM	9	NM	0%
	3/28/2007	NM	NM	NM	NM	9	NM	0%
	4/5/2007	NM	NM	NM	NM	9	NM	0%
VEW-05	3/2/2006	12:40	74.1	45.1	40.23	44	92.1	100%
	3/10/2006	13:27	59.4	30.2	28.27	26	48.6	50%
	3/16/2006	18:11	56.0	31.1	29.11	26	48.6	50%
	3/24/2006	8:26	60.3	30.2	28.27	26	46.8	50%
	3/31/2006	9:50	60.2	22.2	20.56	30	29.4	50%
	4/5/2006	11:50	56.1	20.1	18.62	30	28.7	50%
	4/12/2006	9:55	60.9	19.7	18.25	30	25.3	50%

TABLE 3 - WELLFIELD FIELD DATA

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1/36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acfm)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
	4/19/2006	11:35	71.5	24.3	22.21	35	26.8	50%
	4/26/2006	13:55	61.6	30.8	28.23	34	1.0	50%
	5/3/2006	15:02	67.5	38.5	36.14	25	0.7	50%
	5/11/2006	12:30	63.3	40.1	37.15	30	0.6	50%
	5/19/2006	11:36	65.7	39.7	36.87	29	2.2	50%
	5/24/2006	10:58	68.0	39.8	36.97	29	2.0	50%
	6/1/2006	11:44	69.8	40.2	37.24	30	1.9	50%
	6/7/2006	11:21	61.0	41.0	38.08	29	1.8	50%
	6/14/2006	11:05	61.2	40.6	37.61	30	1.8	50%
	6/23/2006	10:46	62.5	41.6	38.64	29	1.6	50%
	6/28/2006	11:43	65.8	41.4	38.65	27	8.9	50%
	7/3/2006	11:48	65.3	41.6	38.84	27	8.7	50%
	7/13/2006	14:13	97.3	31.4	29.09	30	7.9	75%
	7/21/2006	19:10	82.9	31.5	29.18	30	3.8	50%
	8/16/2006	15:44	79.9	30.6	28.35	30	3.1	50%
	8/23/2006	12:58	90.9	29.9	27.70	30	3.3	50%
	8/29/2006	11:58	87.0	30.3	28.07	30	3.1	50%
	9/9/2006	8:18	85.8	31.0	28.72	30	3.0	50%
	9/13/2006	16:54	76.3	31.6	29.19	31	2.9	50%
	9/22/2006	16:28	74.7	33.6	30.96	32	3.2	50%
	9/28/2006	13:08	76.1	33.0	30.49	31	3.6	50%
	10/2/2006	11:52	79.5	34.1	31.25	34	3.6	50%
	10/9/2006	14:38	73.2	34.6	31.63	35	3.7	50%
	10/20/2006	15:38	78.4	34.4	31.78	31	3.9	50%
	10/27/2006	13:52	78.9	34.6	31.80	33	3.6	50%
	11/2/2006	15:23	76.8	34.2	31.43	33	3.1	50%
	11/17/2006	17:30	76.6	33.8	30.65	38	6.2	50%
	11/20/2006	20:15	70.8	33.9	30.74	38	6.1	50%
	11/28/2006	17:10	68.1	32.6	29.48	39	5.5	50%
	12/8/2006	17:15	76.3	34.6	30.86	44	5.0	50%
	12/15/2006	10:40	67.5	34.0	30.24	45	4.5	50%
	12/19/2006	18:00	76.4	34.4	30.51	46	4.3	50%
	12/27/2006	17:40	74.4	34.8	30.78	47	4.0	50%
	1/4/2007	7:40	64.2	34.4	30.43	47	0.0	50%
	1/12/2007	16:40	61.7	34.9	30.87	47	0.0	50%
	1/20/2007	16:30	69.5	35.8	31.84	45	0.0	50%
	1/27/2007	6:30	62.8	35.2	31.40	44	0.0	50%
	1/31/2007	13:00	67.6	36.7	32.73	44	0.1	50%
	2/7/2007	16:00	68.9	38.1	33.98	44	0.0	50%
	2/16/2007	6:30	67.9	38.8	34.51	45	0.0	50%
	2/20/2007	16:50	69.3	38.1	33.98	44	0.0	50%
	3/1/2007	NM	NM	NM	NM	7	NM	0%
	3/7/2007	NM	NM	NM	NM	8	NM	0%
	3/14/2007	NM	NM	NM	NM	9	NM	0%
	3/20/2007	NM	NM	NM	NM	9	NM	0%
	3/28/2007	NM	NM	NM	NM	9	NM	0%
	4/5/2007	NM	NM	NM	NM	9	NM	0%
VEW-06	3/2/2006	11:40	73.6	46.5	41.93	40	4.9	100%
	3/10/2006	12:36	55.9	26.4	24.78	25	6.7	50%
	3/16/2006	17:18	57.0	27.1	25.50	24	6.9	50%
	3/31/2006	9:20	60.2	29.8	27.60	30	17.2	50%
	4/5/2006	8:55	56.3	30.1	27.96	29	17.4	50%
	4/12/2006	8:45	60.8	25.6	23.71	30	15.3	50%
	4/19/2006	9:00	71.3	31.7	28.98	35	15.3	50%
	4/26/2006	9:22	61.2	31.8	29.07	35	6.2	50%
	5/3/2006	13:46	65.7	29.6	28.00	22	5.1	50%
	5/11/2006	10:10	63.3	30.9	28.78	28	4.9	50%
	5/19/2006	9:12	65.5	30.8	28.76	27	4.5	50%
	5/24/2006	8:55	67.0	30.7	28.59	28	4.3	50%
	6/1/2006	9:42	69.7	31.0	28.79	29	4.0	50%
	6/7/2006	9:10	60.6	29.6	27.56	28	3.6	50%
	6/14/2006	9:00	60.6	29.0	27.01	28	3.1	50%
	6/23/2006	8:33	61.4	29.7	27.73	27	3.1	50%
	6/28/2006	8:10	63.8	23.8	22.22	27	3.0	50%
	7/3/2006	9:03	64.9	24.2	22.60	27	2.8	50%
	7/13/2006	12:06	97.5	33.3	31.09	27	2.1	75%
	7/21/2006	17:35	82.5	33.6	31.37	27	2.0	75%
	8/16/2006	12:45	79.5	33.8	31.56	27	1.5	75%
	8/23/2006	8:50	90.8	32.3	29.92	30	2.1	75%
	8/29/2006	8:10	86.3	32.4	30.01	30	2.0	75%
	9/9/2006	11:52	84.2	33.6	31.12	30	1.6	75%
	9/13/2006	15:00	76.9	33.3	30.93	29	1.3	75%
	9/22/2006	14:10	73.7	33.9	31.40	30	1.8	75%
	9/28/2006	10:55	76.4	36.8	34.18	29	2.0	75%
	10/2/2006	8:21	78.4	37.9	35.01	31	2.2	75%
	10/9/2006	12:11	72.3	38.1	35.11	32	2.2	75%

TABLE 3 - WELLFIELD FIELD DATA

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1/36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acfm)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
	10/20/2006	13:10	79.9	38.4	35.48	31	2.0	75%
	10/27/2006	11:20	77.9	39.0	35.74	34	2.2	75%
	11/2/2006	13:10	76.9	36.8	33.73	34	2.0	75%
	11/17/2006	14:20	76.4	38.0	34.36	39	1.6	75%
	11/20/2006	17:05	70.8	38.9	35.08	40	1.5	75%
	11/27/2006	16:40	71.6	36.6	32.74	43	1.8	75%
	12/8/2006	14:05	76.2	37.8	33.72	44	1.4	75%
	12/15/2006	7:20	67.5	37.1	33.00	45	1.0	75%
	12/19/2006	14:20	73.7	37.9	33.62	46	0.9	75%
	12/27/2006	14:30	74.8	37.8	33.53	46	0.7	75%
	1/3/2007	14:20	76.0	37.5	33.08	48	0.5	75%
	1/11/2007	15:35	68.7	37.0	32.82	46	0.4	75%
	1/17/2006	16:20	67.9	37.6	33.35	46	0.3	75%
	1/26/2007	16:35	69.8	33.8	29.90	47	0.0	75%
	1/31/2007	9:50	67.9	45.9	41.28	41	0.0	75%
	2/7/2007	12:20	68.8	45.6	40.34	47	0.0	75%
	2/15/2007	15:50	71.4	45.9	40.71	46	0.0	75%
	2/20/2007	13:30	69.3	45.5	40.47	45	0.0	75%
	3/1/2007	NM	NM	NM	NM	10	NM	0%
	3/7/2007	NM	NM	NM	NM	11	NM	0%
	3/14/2007	NM	NM	NM	NM	10	NM	0%
	3/20/2007	NM	NM	NM	NM	10	NM	0%
	3/27/2007	NM	NM	NM	NM	11	NM	0%
	4/5/2007	NM	NM	NM	NM	11	NM	0%
VEW-07*	3/2/2006	NM	NM	NM	NM	NM	NM	0%
	3/10/2006	NM	NM	NM	NM	NM	NM	0%
	3/16/2006	NM	NM	NM	NM	NM	NM	0%
	3/23/2006	NM	NM	NM	NM	NM	NM	0%
	4/5/2006	NM	NM	NM	NM	NM	NM	0%
	4/12/2006	NM	NM	NM	NM	8	NM	0%
	4/19/2006	10:20	71.4	29.7	27.44	31	24.3	25%
	4/26/2006	9:54	61.2	27.1	25.04	31	15.9	25%
	5/3/2006	14:18	66.2	24.0	22.82	20	11.9	25%
	5/11/2006	11:09	63.3	25.1	23.56	25	11.4	25%
	5/19/2006	10:13	65.2	25.5	23.93	25	10.9	25%
	5/24/2006	9:43	67.8	25.9	24.25	26	10.5	25%
	6/1/2006	10:30	69.2	25.6	24.03	25	9.8	25%
	6/7/2006	10:03	60.0	25.6	24.03	25	9.7	25%
	6/14/2006	9:52	60.1	25.0	23.40	26	8.1	25%
	6/23/2006	9:29	61.9	25.0	23.47	25	9.0	25%
	6/28/2006	10:19	63.7	33.8	31.31	30	8.1	25%
	7/3/2006	9:59	64.6	33.0	30.57	30	8.2	25%
	7/13/2006	12:59	97.2	44.0	40.87	29	7.6	50%
	7/21/2006	18:15	82.9	44.1	40.85	30	7.0	50%
	8/16/2006	13:33	79.3	46.1	42.70	30	6.5	50%
	8/23/2006	9:46	91.0	35.7	33.07	30	11.3	50%
	8/29/2006	9:06	86.4	35.9	33.26	30	11.0	50%
	9/9/2006	12:48	84.2	36.1	33.44	30	11.7	50%
	9/13/2006	15:48	76.4	36.7	34.00	30	11.9	50%
	9/22/2006	15:06	73.8	36.1	33.44	30	12.6	50%
	9/28/2006	11:51	76.8	37.6	34.83	30	12.8	50%
	10/2/2006	10:35	78.4	38.8	35.66	33	13.0	50%
	10/9/2006	13:07	72.4	38.9	35.65	34	13.2	100%
	10/20/2006	14:06	79.6	39.6	36.49	32	13.1	100%
	10/27/2006	12:24	77.6	40.1	36.75	34	7.9	100%
	11/2/2006	14:06	76.8	40.6	37.21	34	7.6	100%
	11/17/2006	15:40	76.9	39.8	35.89	40	6.1	100%
	11/20/2006	18:25	70.8	38.3	34.54	40	5.5	100%
	11/27/2006	18:00	71.5	41.2	36.75	44	5.2	100%
	12/8/2006	15:25	76.7	42.8	38.07	45	4.9	100%
	12/15/2006	8:40	67.8	42.1	37.45	45	4.4	100%
	12/19/2006	15:40	73.9	42.8	38.07	45	4.0	100%
	12/27/2006	15:50	74.7	43.2	38.21	47	2.9	100%
	1/3/2007	15:40	76.3	44.2	38.99	48	1.0	100%
	1/11/2007	16:55	68.7	45.0	39.70	48	0.9	100%
	1/17/2007	17:40	67.4	45.1	39.67	49	0.7	100%
	1/26/2007	17:55	69.7	46.8	41.28	48	0.6	100%
	1/31/2007	11:10	67.2	44.7	39.98	43	4.4	100%
	2/7/2007	13:40	68.5	44.0	38.92	47	4.0	100%
	2/15/2007	17:10	71.6	44.9	39.61	48	4.4	100%
	2/20/2007	14:50	69.9	44.8	39.74	46	4.6	100%
	3/1/2007	15:40	68.5	45.4	39.83	50	4.2	100%
	3/7/2007	16:10	67.1	46.0	40.35	50	4.4	100%
	3/14/2007	11:16	74.8	43.9	38.83	47	4.0	100%
	3/20/2007	15:20	68.1	43.6	38.46	48	3.5	100%
	3/27/2007	18:45	70.9	42.3	37.31	48	3.3	100%

TABLE 3 - WELLFIELD FIELD DATA

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1/36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acfm)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
	4/5/2007	14:50	71.8	42.3	37.31	48	3.5	100%
VEW-08A	3/2/2006	13:20	72.9	15.3	13.65	44	98.1	100%
	3/12/2006	11:15	61.0	13.7	12.83	26	26.7	50%
	3/17/2006	6:10	59.0	13.9	13.01	26	26.9	50%
	3/24/2006	9:13	60.6	13.2	12.32	27	21.5	50%
	3/31/2006	10:50	60.8	19.8	18.34	30	38.9	50%
	4/5/2006	12:20	56.6	17.8	16.53	29	35.6	50%
	4/12/2006	10:55	60.9	15.3	14.17	30	31.9	50%
	4/19/2006	12:05	71.4	26.9	24.59	35	31.3	50%
	4/26/2006	14:25	61.8	26.1	23.92	34	7.6	50%
	5/3/2006	15:26	68.7	8.65	8.12	25	5.7	50%
	5/11/2006	13:05	64.0	9.75	9.06	29	4.6	50%
	5/19/2006	12:22	65.9	9.4	8.78	27	4.4	50%
	5/24/2006	11:37	68.0	9.6	8.94	28	4.3	50%
	6/1/2006	12:22	69.7	9.5	8.85	28	4.2	50%
	6/7/2006	11:59	60.9	9.6	8.94	28	3.8	50%
	6/14/2006	11:46	60.8	8.7	8.08	29	3.9	50%
	6/23/2006	11:28	63.2	9.5	8.87	27	3.5	50%
	6/28/2006	12:25	65.7	9.7	9.08	26	3.1	50%
	7/3/2006	12:50	65.0	9.8	9.15	27	3.3	50%
	7/13/2006	14:44	97.0	10.4	9.63	30	3.1	75%
	7/21/2006	19:40	82.3	10.8	9.98	31	3.1	75%
	8/16/2006	16:20	80.1	10.9	10.10	30	2.7	75%
	8/23/2006	13:40	91.4	12.7	11.76	30	7.6	75%
	8/29/2006	12:40	86.9	12.9	11.95	30	7.4	75%
	9/9/2006	9:00	85.0	12.1	11.24	29	7.3	75%
	9/13/2006	17:30	76.8	12.9	11.95	30	7.0	75%
	9/22/2006	17:10	74.6	13.8	12.75	31	7.7	75%
	9/28/2006	13:50	76.3	13.1	12.13	30	7.5	75%
	10/2/2006	12:40	79.0	13.6	12.50	33	8.8	75%
	10/9/2006	15:21	73.3	13.9	12.77	33	8.2	100%
	10/20/2006	16:21	78.3	14.6	13.45	32	7.9	100%
	10/27/2006	14:40	78.9	14.9	13.66	34	7.7	100%
	11/2/2006	16:05	76.3	15.1	13.84	34	7.5	100%
	11/17/2006	18:10	76.0	13.9	12.53	40	7.6	100%
	11/20/2006	20:55	70.2	12.8	11.54	40	7.0	100%
	11/28/2006	17:50	68.7	13.0	11.69	41	6.5	100%
	12/8/2006	17:55	76.7	14.6	12.99	45	6.0	100%
	12/15/2006	11:20	67.9	14.5	12.86	46	5.5	100%
	12/19/2006	18:40	76.2	14.9	13.18	47	5.0	100%
	12/27/2006	18:20	74.6	14.0	12.42	46	4.4	100%
	1/4/2007	8:30	64.7	12.8	11.32	47	1.1	100%
	1/12/2007	17:20	61.9	12.1	10.67	48	0.7	100%
	1/20/2007	17:10	69.7	12.3	10.91	46	0.7	100%
	1/27/2007	7:10	62.5	12.7	11.27	46	0.6	100%
	1/31/2007	13:40	67.5	17.0	15.20	43	4.6	100%
	2/7/2007	16:40	68.7	17.8	15.79	46	4.8	100%
	2/16/2007	7:10	67.8	17.1	15.21	45	4.4	100%
	2/20/2007	17:30	69.0	17.4	15.52	44	4.8	100%
	3/1/2007	18:00	68.6	18.0	15.83	49	4.7	100%
	3/7/2008	18:30	67.6	18.2	15.97	50	4.8	100%
	3/14/2007	19:25	74.9	18.4	16.32	46	4.9	100%
	3/20/2007	17:40	68.3	18.9	16.76	46	4.6	100%
	3/28/2007	19:35	69.8	18.6	16.45	47	4.2	100%
	4/5/2007	17:20	71.4	18.6	16.41	48	4.4	100%
VEW-08B	3/2/2006	13:14	72.6	70.1	62.35	45	79.6	100%
	3/12/2006	11:08	60.7	40.6	37.71	29	42.7	50%
	3/16/2006	18:45	57.3	41.6	38.64	29	46.7	50%
	3/24/2006	9:05	60.7	40.9	37.99	29	40.6	50%
	3/31/2006	10:40	60.4	27.6	25.36	33	16.6	50%
	4/5/2006	12:15	64.1	126.1	115.88	33	15.4	50%
	4/12/2006	10:45	61.3	118.0	108.73	32	12.8	50%
	4/19/2006	12:00	71.7	38.7	35.09	38	17.4	50%
	4/26/2006	14:20	61.3	38.8	35.37	36	3.6	50%
	5/3/2006	15:22	68.0	40.9	37.99	29	3.1	50%
	5/11/2006	13:07	64.3	41.7	38.32	33	5.0	50%
	5/19/2006	12:14	65.8	39.8	36.77	31	4.8	50%
	5/24/2006	11:31	67.7	39.5	36.49	31	5.0	50%
	6/1/2006	12:15	69.5	39.0	36.03	31	4.8	50%
	6/7/2006	11:53	60.7	38.6	35.66	31	4.9	50%
	6/14/2006	11:39	60.8	40.0	37.05	30	4.8	50%
	6/23/2006	11:21	63.0	38.9	35.94	31	4.6	50%
	6/28/2006	12:18	65.8	38.3	35.38	31	4.0	50%
	7/3/2006	12:43	65.4	38.3	35.48	30	3.6	50%
	7/13/2006	14:36	97.1	55.6	50.96	34	3.7	75%
	7/21/2006	19:35	82.5	54.9	50.32	34	23.0	75%

TABLE 3 - WELLFIELD FIELD DATA

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1/36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acfm)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
	8/16/2006	16:04	80.3	53.9	49.40	34	20.6	75%
	8/23/2006	13:33	91.7	51.1	46.71	35	16.9	75%
	8/29/2006	12:33	86.6	52.8	48.13	36	16.6	75%
	9/9/2006	8:53	85.9	56.6	51.60	36	16.4	75%
	9/13/2006	17:24	76.1	56.0	51.19	35	16.6	75%
	9/22/2006	17:03	74.4	57.2	52.28	35	16.8	75%
	9/28/2006	13:43	76.0	58.6	53.56	35	17.2	75%
	10/2/2006	12:32	78.9	58.0	52.87	36	16.9	75%
	10/9/2006	15:14	73.0	58.1	52.96	36	16.5	100%
	10/20/2006	16:14	78.5	58.0	52.87	36	16.3	100%
	10/27/2006	14:32	78.6	59.1	53.58	38	14.6	100%
	11/2/2006	15:58	76.7	60.7	55.18	37	14.4	100%
	11/17/2006	18:00	76.9	71.0	63.50	43	14.8	100%
	11/20/2006	20:45	70.8	70.8	63.15	44	14.4	100%
	11/28/2006	17:40	68.9	71.1	63.24	45	14.0	100%
	12/8/2006	17:45	76.1	72.6	64.04	48	12.6	100%
	12/15/2006	11:10	67.6	72.0	63.51	48	12.1	100%
	12/19/2006	18:30	76.6	73.8	65.10	48	12.0	100%
	12/27/2006	18:10	74.8	73.0	64.04	50	10.5	100%
	1/4/2007	8:20	64.1	71.6	62.81	50	4.4	100%
	1/12/2007	17:10	61.3	70.1	61.49	50	2.6	100%
	1/20/2007	17:00	69.6	69.2	60.70	50	2.0	100%
	1/27/2007	7:00	62.7	67.3	59.04	50	1.5	100%
	1/31/2007	13:30	67.7	72.0	63.69	47	2.2	100%
	2/7/2007	16:30	68.6	72.9	63.95	50	2.0	100%
	2/16/2007	7:00	69.5	72.4	63.87	48	2.2	100%
	2/20/2007	17:20	69.2	72.1	63.60	48	2.3	100%
	3/1/2007	17:50	68.4	73.9	64.46	52	2.2	100%
	3/7/2007	18:20	67.9	74.8	65.25	52	2.3	100%
	3/14/2007	19:18	74.4	73.1	64.12	50	2.3	100%
	3/20/2007	17:30	68.9	73.8	64.56	51	2.0	100%
	3/28/2007	19:25	69.3	73.8	64.38	52	1.8	100%
	4/5/2007	17:10	71.5	73.0	63.68	52	1.8	100%
VEW-09*	3/2/2006	NM	NM	NM	NM	NM	NM	0%
	3/10/2006	NM	NM	NM	NM	NM	NM	0%
	3/16/2006	NM	NM	NM	NM	NM	NM	0%
	3/23/2006	NM	NM	NM	NM	NM	NM	0%
	4/5/2006	NM	NM	NM	NM	NM	NM	0%
	4/12/2006	NM	NM	NM	NM	10	NM	0%
	4/19/2006	10:10	71.5	41.1	37.47	36	29.3	25%
	4/26/2006	9:50	61.3	40.6	37.01	36	58.6	25%
	5/3/2006	14:14	66.1	19.1	17.93	25	46.9	25%
	5/11/2006	11:02	63.7	20.9	19.31	31	47.1	25%
	5/19/2006	10:05	65.7	20.8	19.27	30	46.1	25%
	5/24/2006	9:37	67.4	20.9	19.36	30	47.1	25%
	6/1/2006	10:24	69.5	21.2	19.64	30	40.8	25%
	6/7/2006	9:56	60.2	20.6	19.08	30	39.6	25%
	6/14/2006	9:45	60.3	20.1	18.67	29	34.0	25%
	6/23/2006	9:22	61.7	20.8	19.27	30	31.1	25%
	6/28/2006	10:12	63.8	25.9	24.06	29	36.8	25%
	7/3/2006	9:52	64.5	25.6	23.78	29	37.1	25%
	7/13/2006	12:52	97.6	23.6	21.80	31	31.7	100%
	7/21/2006	18:10	82.1	23.8	21.99	31	32.6	100%
	8/16/2006	13:27	79.6	23.7	21.90	31	30.6	100%
	8/23/2006	9:39	90.6	22.9	20.99	34	35.6	100%
	8/29/2006	8:59	86.0	22.8	20.95	33	36.7	100%
	9/9/2006	12:41	84.6	22.6	20.77	33	37.1	100%
	9/13/2006	15:42	76.0	26.6	24.44	33	38.3	100%
	9/22/2006	14:59	73.1	27.1	24.84	34	40.2	100%
	9/28/2006	11:44	76.1	28.6	26.21	34	44.2	100%
	10/2/2006	10:28	78.4	30.2	27.60	35	45.6	100%
	10/9/2006	13:00	72.6	30.6	27.97	35	45.0	100%
	10/20/2006	13:59	79.8	30.8	28.23	34	46.2	100%
	10/27/2006	12:16	77.9	31.4	28.62	36	48.1	100%
	11/2/2006	13:59	76.3	31.0	28.34	35	49.2	100%
	11/17/2006	15:30	76.4	27.6	24.69	43	44.6	100%
	11/20/2006	18:15	70.6	27.8	24.80	44	44.1	100%
	11/27/2006	17:50	71.7	27.8	24.66	46	40.7	100%
	12/8/2006	15:15	76.0	27.9	24.68	47	39.1	100%
	12/15/2006	8:30	67.3	28.7	25.25	49	36.1	100%
	12/19/2006	15:30	73.5	28.8	25.26	50	37.1	100%
	12/27/2006	15:40	74.6	27.8	24.39	50	30.2	100%
	1/3/2007	15:30	76.9	27.8	24.32	51	19.2	100%
	1/11/2007	16:45	68.2	25.1	22.02	50	16.1	100%
	1/17/2007	17:30	67.1	25.4	22.28	50	14.2	100%

TABLE 3 - WELLFIELD FIELD DATA

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1/36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acfm)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
	1/26/2007	17:45	69.8	26.5	23.25	50	10.2	100%
	1/31/2007	11:00	67.8	35.2	31.31	45	9.9	100%
	2/7/2007	13:30	68.4	36.2	32.20	45	9.6	100%
	2/15/2007	17:00	71.3	36.0	31.58	50	9.0	100%
	2/20/2007	14:40	69.6	36.9	32.55	48	8.8	100%
	3/1/2007	15:30	68.4	37.4	32.62	52	8.7	100%
	3/7/2007	16:00	67.9	37.8	32.97	52	8.8	100%
	3/14/2007	17:40	74.3	38.2	33.51	50	8.6	100%
	3/20/2007	15:10	68.7	37.9	33.15	51	8.4	100%
	3/27/2007	18:35	70.3	38.6	33.77	51	8.0	100%
	4/5/2007	14:40	71.4	38.1	33.33	51	7.8	100%
VEW-10A*	3/2/2006	NM	NM	NM	NM	NM	NM	0%
	3/10/2006	NM	NM	NM	NM	NM	NM	0%
	3/16/2006	NM	NM	NM	NM	NM	NM	0%
	3/23/2006	NM	NM	NM	NM	NM	NM	0%
	4/5/2006	NM	NM	NM	NM	NM	NM	0%
	4/12/2006	NM	NM	NM	NM	10	NM	0%
	4/19/2006	8:20	71.4	30.4	28.01	32	28.3	25%
	4/26/2006	9:06	61.7	30.8	28.38	32	2.4	25%
	5/3/2006	13:20	67.5	8.05	7.63	21	2.0	25%
	5/11/2006	9:40	63.2	9.01	8.43	26	1.4	25%
	5/19/2006	8:37	65.1	9.11	8.6	25	1.7	25%
	5/24/2006	8:31	67.8	9.20	8.6	25	1.5	25%
	6/1/2006	9:16	69.3	9.4	8.8	26	1.4	25%
	6/7/2006	8:43	60.3	9.2	8.6	25	1.3	25%
	6/14/2006	8:33	60.3	9.8	9.2	26	1.0	25%
	6/23/2006	8:05	61.7	9.5	8.9	25	1.8	25%
	6/28/2006	7:35	63.8	9.0	8.4	25	1.0	25%
	7/3/2006	8:35	64.5	8.6	8.1	25	0.9	25%
	7/13/2006	11:07	97.0	8.3	7.8	26	0.4	25%
	7/21/2006	17:10	82.9	8.6	8.0	27	0.4	25%
	8/16/2006	12:15	79.7	8.7	8.1	28	0.3	25%
	8/23/2006	8:15	90.1	7.5	7.0	27	0.4	25%
	8/29/2006	7:35	86.0	7.7	7.2	28	0.3	25%
	9/9/2006	11:17	84.6	7.9	7.4	28	0.3	25%
	9/13/2006	14:30	76.3	7.7	7.2	28	0.6	25%
	9/22/2006	13:35	73.4	7.8	7.2	29	0.9	25%
	9/28/2006	10:20	76.7	7.6	7.1	28	1.1	25%
	10/2/2006	7:45	78.9	8.1	7.5	30	1.0	25%
	10/9/2006	11:35	72.5	8.3	7.7	30	1.1	100%
	10/20/2006	12:35	79.2	8.5	7.9	30	1.3	100%
	10/27/2006	10:40	77.7	8.7	8.0	31	1.1	100%
	11/2/2006	12:35	76.3	8.1	7.5	32	1.0	100%
	11/17/2006	13:30	76.0	11.6	10.5	37	0.2	100%
	11/20/2006	16:15	70.1	11.6	10.5	38	0.2	100%
	11/27/2006	15:50	71.2	12.9	11.6	40	0.3	100%
	12/8/2006	13:15	76.0	13.1	11.7	42	0.2	100%
	12/15/2006	6:30	67.2	13.3	11.9	43	0.3	100%
	12/19/2006	13:30	73.9	13.4	12.0	44	0.2	100%
	12/27/2006	13:40	74.1	13.0	11.6	45	0.2	100%
	1/3/2007	13:30	76.1	12.8	11.4	45	0.2	100%
	1/11/2007	14:45	68.2	13.0	11.6	45	0.0	100%
	1/17/2007	15:30	67.2	13.3	11.8	46	0.0	100%
	1/26/2007	15:45	69.2	11.3	10.1	44	0.0	100%
	1/31/2007	9:00	67.8	17.5	15.9	37	0.0	100%
	2/7/2007	11:30	68.2	17.9	16.0	44	0.0	100%
	2/15/2007	15:00	71.6	17.6	15.7	44	0.0	100%
	2/20/2007	12:40	69.1	17.1	15.3	44	0.0	100%
	3/1/2007	NM	NM	NM	NM	14	NM	0%
	3/7/2007	NM	NM	NM	NM	14	NM	0%
	3/14/2007	NM	NM	NM	NM	15	NM	0%
	3/20/2007	NM	NM	NM	NM	15	NM	0%
	3/27/2007	NM	NM	NM	NM	15	NM	0%
	4/5/2007	NM	NM	NM	NM	15	NM	0%
VEW-10B*	3/2/2006	NM	NM	NM	NM	NM	NM	0%
	3/10/2006	NM	NM	NM	NM	NM	NM	0%
	3/16/2006	NM	NM	NM	NM	NM	NM	0%
	3/23/2006	NM	NM	NM	NM	NM	NM	0%
	4/5/2006	NM	NM	NM	NM	NM	NM	0%
	4/12/2006	NM	NM	NM	NM	6	NM	0%
	4/19/2006	8:30	71.2	28.6	26.49	30	26.8	25%
	4/26/2006	9:10	61.5	26.7	24.60	32	155.0	25%
	5/3/2006	13:24	67.6	10.9	10.39	19	120.2	25%

TABLE 3 - WELLFIELD FIELD DATA

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1/36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acfm)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
	5/11/2006	9:48	63.7	11.6	10.92	24	116..9	25%
	5/19/2006	8:44	65.6	11.6	10.97	22	110.8	25%
	5/24/2006	8:37	67.9	11.8	11.13	23	112.8	25%
	6/1/2006	9:24	69.7	11.7	11.01	24	110.0	25%
	6/7/2006	8:50	60.5	11.4	10.78	22	106.9	25%
	6/14/2006	8:40	60.6	12.0	11.29	24	104.0	25%
	6/23/2006	8:12	61.8	11.6	10.97	22	104.6	25%
	6/28/2006	7:42	63.9	11.6	11.00	21	104.6	25%
	7/3/2006	8:42	64.7	11.8	11.16	22	102.1	25%
	7/13/2006	11:13	97.8	9.1	8.61	22	91.2	50%
	7/21/2006	17:15	82.4	9.3	8.77	23	90.6	50%
	8/11/2006	17:00	82.0	10.4	9.79	24	14.9	50%
	8/16/2006	12:21	79.8	9.6	9.03	24	91.6	50%
	8/23/2006	8:22	90.7	7.6	7.13	25	62.7	50%
	8/29/2006	7:42	85.7	7.9	7.38	27	62.8	50%
	9/9/2006	11:24	84.8	4.7	4.38	28	62.9	50%
	9/13/2006	14:36	76.8	4.9	4.60	25	60.1	50%
	9/22/2006	13:42	73.8	5.2	4.88	25	59.3	50%
	9/28/2006	10:27	76.8	6.0	5.63	25	60.6	50%
	10/2/2006	7:52	78.2	10.1	9.43	27	66.7	100%
	10/9/2006	11:42	72.6	10.6	9.87	28	66.1	100%
	10/20/2006	12:42	79.7	10.8	10.08	27	66.4	100%
	10/27/2006	10:48	77.3	11.0	10.22	29	65.9	100%
	11/2/2006	12:42	76.9	10.6	9.85	29	64.1	100%
	11/17/2006	13:40	76.6	12.0	11.00	34	60.1	100%
	11/20/2006	16:25	70.3	12.4	11.36	34	55.2	100%
	11/27/2006	16:00	71.4	9.8	8.74	44	55.1	100%
	12/8/2006	13:25	76.4	9.8	8.84	40	52.1	100%
	12/15/2006	6:40	67.4	9.7	8.75	40	50.2	100%
	12/19/2006	13:40	73.6	10.0	9.02	40	45.1	100%
	12/27/2006	13:50	74.6	10.1	9.08	41	40.1	100%
	1/3/2007	13:40	76.4	10.5	9.39	43	31.3	100%
	1/11/2007	14:55	68.1	10.6	9.40	46	29.1	100%
	1/17/2007	15:40	67.8	10.7	9.49	46	24.2	100%
	1/26/2007	15:55	69.4	9.6	8.52	46	20.6	100%
	1/31/2007	9:10	67.7	21.6	19.69	36	7.2	100%
	2/7/2007	11:40	68.4	21.1	18.72	46	7.0	100%
	2/15/2007	15:10	71.7	21.9	19.64	42	6.5	100%
	2/20/2007	12:50	69.8	22.3	20.11	40	6.7	100%
	3/1/2007	6:50	63.1	14.6	13.02	44	6.8	100%
	3/7/2007	14:20	67.6	14.1	12.54	45	6.9	100%
	3/14/2007	16:30	74.1	14.7	13.18	42	6.1	100%
	3/20/2007	13:30	68.2	14.1	12.65	42	6.0	100%
	3/27/2007	17:05	70.1	14.6	13.06	43	6.1	100%
	4/5/2007	13:00	71.0	14.6	13.02	44	6.0	100%
VEW-11A*	3/2/2006	NM	NM	NM	NM	NM	NM	0%
	3/12/2006	NM	NM	NM	NM	NM	NM	0%
	3/17/2006	NM	NM	NM	NM	NM	NM	0%
	3/24/2006	NM	NM	NM	NM	NM	NM	0%
	4/5/2006	NM	NM	NM	NM	NM	NM	0%
	4/12/2006	NM	NM	NM	NM	6	NM	0%
	4/19/2006	12:10	71.3	20.1	18.62	30	28.7	25%
	4/26/2006	14:30	61.7	43.1	39.40	35	2.2	25%
	5/3/2006	15:30	68.2	23.9	22.67	21	2.0	25%
	5/11/2006	13:12	63.9	25.2	23.59	26	1.7	25%
	5/19/2006	12:30	66.2	25.5	23.93	25	1.7	25%
	5/24/2006	11:43	68.2	25.0	23.47	25	1.5	25%
	6/1/2006	12:29	69.3	25.5	23.93	25	2.3	25%
	6/7/2006	12:05	61.5	22.6	21.21	25	2.2	25%
	6/14/2006	11:53	61.3	21.9	20.50	26	2.1	25%
	6/23/2006	11:35	63.3	22.9	21.49	25	2.1	25%
	6/28/2006	12:32	65.1	22.8	21.40	25	2.0	25%
	7/3/2006	12:57	65.3	22.0	20.65	25	1.9	25%
	7/13/2006	14:50	97.3	28.1	26.44	24	1.6	25%
	7/21/2006	19:45	82.8	28.0	26.28	25	3.6	25%
	8/16/2006	16:26	80.7	27.6	25.84	26	3.3	25%
	8/23/2006	13:47	91.5	28.8	27.03	25	3.3	25%
	8/29/2006	12:47	87.3	28.1	26.31	26	3.3	25%
	9/9/2006	9:07	85.1	28.4	26.52	27	3.0	25%
	9/13/2006	17:36	76.1	30.1	28.25	25	3.3	25%
	9/22/2006	17:17	74.9	31.1	29.11	26	3.9	25%
	9/28/2006	13:58	76.9	32.3	30.32	25	4.1	25%
	10/2/2006	12:48	79.4	32.6	30.52	26	4.4	25%
	10/9/2006	15:28	73.1	33.2	31.00	27	4.0	25%
	10/20/2006	16:28	78.9	33.6	31.37	27	4.2	25%

TABLE 3 - WELLFIELD FIELD DATA

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1/36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acfm)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
	10/27/2006	14:48	78.5	34.3	31.86	29	3.9	25%
	11/2/2006	16:12	76.9	34.6	32.05	30	3.8	25%
	11/17/2006	18:20	76.6	34.2	31.60	31	4.6	25%
	11/20/2006	21:05	70.0	30.6	28.20	32	4.9	25%
	11/28/2006	18:00	68.8	31.7	28.98	35	4.6	25%
	12/8/2006	18:05	76.5	32.0	29.25	35	4.4	25%
	12/15/2006	11:30	67.1	31.6	28.73	37	4.1	25%
	12/19/2006	18:50	76.8	32.0	29.09	37	3.7	25%
	12/27/2006	18:30	74.7	33.2	30.18	37	3.3	25%
	1/4/2007	8:40	64.5	31.3	28.46	37	0.9	25%
	1/12/2007	17:30	61.3	32.8	29.82	37	0.7	25%
	1/20/2007	17:20	69.1	32.4	29.54	36	0.6	25%
	1/27/2007	7:20	62.1	33.4	30.37	37	0.4	25%
	1/31/2007	13:50	67.3	32.4	29.77	33	1.1	25%
	2/7/2007	16:50	68.5	33.8	30.73	37	1.0	25%
	2/16/2007	7:20	67.9	33.4	30.28	38	1.1	25%
	2/20/2007	17:40	69.7	33.1	30.17	36	1.8	25%
	3/1/2007	18:10	68.7	34.6	31.29	39	2.1	25%
	3/7/2007	18:40	69.8	34.8	31.38	40	2.2	25%
	3/14/2007	19:32	74.8	34.1	31.09	36	2.3	25%
	3/20/2007	17:50	68.9	34.8	31.64	37	2.8	25%
	3/28/2007	19:45	69.4	34.1	30.92	38	3.0	25%
	4/5/2007	17:30	71.9	33.6	30.63	36	3.3	25%
VEW-11B*	3/2/2006	NM	NM	NM	NM	NM	NM	0%
	3/12/2006	NM	NM	NM	NM	NM	NM	0%
	3/17/2006	NM	NM	NM	NM	NM	NM	0%
	3/24/2006	NM	NM	NM	NM	NM	NM	0%
	4/5/2006	NM	NM	NM	NM	NM	NM	0%
	4/12/2006	NM	NM	NM	NM	10	NM	0%
	4/19/2006	12:15	71.4	26.6	24.25	36	30.2	25%
	4/26/2006	14:35	61.9	36.1	32.82	37	3.9	25%
	5/3/2006	15:34	68.3	7.85	7.35	26	3.3	25%
	5/11/2006	13:19	63.8	7.97	7.34	32	3.0	25%
	5/19/2006	12:37	66.0	7.5	6.95	30	2.8	25%
	5/24/2006	11:50	68.1	7.3	6.76	30	2.4	25%
	6/1/2006	12:35	69.4	7.0	6.48	30	2.0	25%
	6/7/2006	12:11	61.0	7.2	6.67	30	1.8	25%
	6/14/2006	12:00	60.9	6.9	6.39	30	1.4	25%
	6/23/2006	11:42	63.1	7.0	6.48	30	1.7	25%
	6/28/2006	12:39	65.8	7.0	6.48	30	1.0	25%
	7/3/2006	13:04	65.4	6.9	6.39	30	0.6	25%
	7/13/2006	14:57	97.5	9.4	8.68	31	0.5	25%
	7/21/2006	19:50	82.6	9.5	8.78	31	1.1	25%
	8/16/2006	16:32	79.6	9.6	8.85	32	0.9	25%
	8/23/2006	13:54	91.3	11.4	10.56	30	2.6	25%
	8/29/2006	12:54	87.1	14.0	12.97	30	2.4	25%
	9/9/2006	9:14	85.3	14.6	13.52	30	2.2	25%
	9/13/2006	17:42	76.5	15.1	14.10	27	2.7	25%
	9/22/2006	17:24	74.3	15.8	14.48	34	2.6	25%
	9/28/2006	14:05	76.2	15.6	14.34	33	2.8	25%
	10/2/2006	12:56	78.9	15.9	14.53	35	3.0	25%
	10/9/2006	15:35	72.8	16.7	15.26	35	2.6	25%
	10/20/2006	16:35	78.0	16.9	15.45	35	2.9	25%
	10/27/2006	14:56	78.7	17.6	16.04	36	1.4	25%
	11/2/2006	16:19	76.4	17.9	16.32	36	1.2	25%
	11/17/2006	18:30	76.1	12.4	11.15	41	1.2	25%
	11/20/2006	21:15	70.5	12.0	10.76	42	1.1	25%
	11/28/2006	18:10	68.1	12.2	10.91	43	0.9	25%
	12/8/2006	18:15	76.1	14.2	12.60	46	0.9	25%
	12/15/2006	11:40	67.7	14.4	12.67	49	0.4	25%
	12/19/2006	19:00	76.7	14.8	12.98	50	0.4	25%
	12/27/2006	18:40	74.1	15.9	13.95	50	0.5	25%
	1/4/2007	8:50	64.6	16.9	14.82	50	0.0	25%
	1/12/2007	17:40	61.7	17.1	14.92	52	0.0	25%
	1/20/2007	17:30	69.2	17.7	15.48	51	0.0	25%
	1/27/2007	7:30	62.7	17.8	15.61	50	0.0	25%
	1/31/2007	14:00	67.7	13.1	11.65	45	0.9	25%
	2/7/2007	17:00	68.9	13.9	12.19	50	0.5	25%
	2/16/2007	7:30	67.4	14.2	12.49	49	0.4	25%
	2/20/2007	17:50	69.8	14.9	13.18	47	0.5	25%
	3/1/2007	18:20	68.7	15.3	13.38	51	0.4	25%
	3/7/2007	18:50	67.1	15.9	13.91	51	0.3	25%
	3/14/2007	19:37	74.4	15.8	13.86	50	0.5	25%
	3/20/2007	18:00	68.8	16.1	14.12	50	0.4	25%
	3/28/2007	19:55	69.5	16.7	14.65	50	0.5	25%

TABLE 3 - WELLFIELD FIELD DATA

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1/36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acfm)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
	4/5/2007	17:50	71.8	16.8	14.74	50	0.6	25%
VEW-12	3/2/2006	NM	NM	NM	NM	NM	NM	0%
	3/10/2006	NM	NM	NM	NM	NM	NM	0%
	3/16/2006	NM	NM	NM	NM	NM	NM	0%
	3/23/2006	NM	NM	NM	NM	NM	NM	0%
	4/5/2006	NM	NM	NM	NM	NM	NM	0%
	4/12/2006	NM	NM	NM	NM	11	NM	0%
	4/19/2006	NM	NM	NM	NM	14	NM	0%
	4/26/2006	NM	NM	NM	NM	14	NM	0%
	5/3/2006	NM	NM	NM	NM	8	NM	0%
	5/11/2006	NM	NM	NM	NM	9	NM	0%
	5/19/2006	9:05	NM	NM	NM	14	NM	0%
	5/24/2006	NM	NM	NM	NM	13	NM	0%
	6/1/2006	NM	NM	NM	NM	12	NM	0%
	6/7/2006	NM	NM	NM	NM	14	NM	0%
	6/14/2006	NM	NM	NM	NM	15	NM	0%
	6/23/2006	NM	NM	NM	NM	14	NM	0%
	6/28/2006	8:03	NM	NM	NM	14	NM	0%
	7/3/2006	NM	NM	NM	NM	14	NM	0%
	7/13/2006	12:00	97.7	16.4	15.2	30	21.1	75%
	7/21/2006	17:30	82.7	16.2	15.0	30	20.1	75%
	8/16/2006	12:39	79.8	16.3	15.1	30	19.1	75%
	8/23/2006	8:43	90.9	14.1	13.0	31	14.9	75%
	8/29/2006	8:03	86.7	13.8	12.7	31	14.1	75%
	9/9/2006	11:45	84.7	14.1	13.0	31	13.6	75%
	9/13/2006	14:54	76.5	15.0	13.9	31	13.9	75%
	9/22/2006	14:03	73.5	15.9	14.7	31	14.8	75%
	9/28/2006	10:48	76.3	16.3	15.1	31	14.6	75%
	10/2/2006	8:14	78.9	17.2	15.8	33	14.9	75%
	10/9/2006	12:04	72.8	17.0	15.6	33	14.6	75%
	10/20/2006	13:03	79.6	17.4	16.0	33	14.3	75%
	10/27/2006	11:12	77.1	17.9	16.4	35	14.8	75%
	11/2/2006	13:03	76.2	16.1	14.7	35	14.4	75%
	11/17/2006	14:10	76.3	17.5	15.8	40	14.4	75%
	11/20/2006	16:55	70.4	17.6	15.8	41	14.0	75%
	11/27/2006	16:30	71.4	39.6	35.2	45	14.0	75%
	12/8/2006	13:55	76.9	40.1	35.6	46	12.1	75%
	12/15/2006	7:10	67.1	40.3	35.7	46	10.2	75%
	12/19/2006	14:10	73.6	41.6	37.0	45	9.0	75%
	12/27/2006	14:20	74.4	41.4	36.6	47	6.9	75%
	1/3/2007	14:10	76.5	41.0	36.3	47	6.0	75%
	1/11/2007	15:25	68.5	40.6	35.9	47	5.1	75%
	1/17/2007	16:10	67.5	40.1	35.5	47	5.0	75%
	1/26/2007	16:25	69.1	38.1	33.7	47	4.0	75%
	1/31/2007	9:40	67.6	17.2	15.3	45	0.4	75%
	2/7/2007	12:10	68.3	17.6	15.6	47	0.2	75%
	2/15/2007	15:40	71.5	17.0	15.0	47	0.0	75%
	2/20/2007	13:20	69.9	16.5	14.7	45	0.0	75%
	3/1/2007	7:20	63.6	16.8	14.8	48	0.0	75%
	3/7/2007	14:50	67.1	16.6	14.6	48	0.0	75%
	3/14/2007	16:51	74.1	16.8	14.8	48	0.0	75%
	3/20/2007	14:00	68.7	16.1	14.2	48	0.0	75%
	3/27/2007	NM	NM	NM	NM	14	NM	0%
	4/5/2007	NM	NM	NM	NM	12	NM	0%
VEW-13A	3/2/2006	11:35	67.4	16.2	14.57	41	16.1	100%
	3/10/2006	12:27	55.6	8.4	7.84	27	8.6	50%
	3/16/2006	17:08	57.0	9.2	8.59	27	9.1	50%
	3/23/2006	12:27	63.9	9.0	8.40	27	6.3	50%
	3/31/2006	9:10	59.9	13.8	12.78	30	14.7	50%
	4/5/2006	8:50	56.4	14.8	13.71	30	13.9	50%
	4/12/2006	8:35	60.9	12.8	11.86	30	10.9	50%
	4/19/2006	8:10	71.0	26.8	24.43	36	12.2	50%
	4/26/2006	9:02	61.4	27.1	24.70	36	14.7	50%
	5/3/2006	13:16	67.4	10.3	9.69	24	11.6	50%
	5/11/2006	9:32	63.4	11.0	10.19	30	11.2	50%
	5/19/2006	8:30	65.5	11.8	11.02	27	11.0	50%
	5/24/2006	8:25	67.2	11.9	11.11	27	10.9	50%
	6/1/2006	9:10	69.0	12.1	11.30	27	10.0	50%
	6/7/2006	8:37	60.6	12.0	11.15	29	9.1	50%
	6/14/2006	8:27	60.8	11.8	10.96	29	9.0	50%
	6/23/2006	7:58	61.9	12.1	11.24	29	8.6	50%
	6/28/2006	7:28	63.7	12.6	11.76	27	9.0	50%
	7/3/2006	8:28	64.6	12.7	11.86	27	8.7	50%

TABLE 3 - WELLFIELD FIELD DATA

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1/36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acfm)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
	7/13/2006	11:00	97.5	11.3	10.47	30	8.6	75%
	7/21/2006	17:05	82.3	11.4	10.56	30	8.7	75%
	8/16/2006	12:09	79.8	10.6	9.82	30	8.6	75%
	8/23/2006	8:08	90.7	11.8	10.93	30	6.7	75%
	8/29/2006	7:28	86.6	12.1	11.21	30	6.4	75%
	9/9/2006	11:10	84.6	12.1	11.21	30	6.3	75%
	9/13/2006	14:24	76.6	12.3	11.39	30	6.4	75%
	9/22/2006	13:28	73.9	12.6	11.67	30	6.7	75%
	9/28/2006	10:13	76.5	12.1	11.21	30	6.8	75%
	10/2/2006	7:38	78.4	14.2	13.05	33	7.2	75%
	10/9/2006	11:28	72.6	14.4	13.23	33	7.6	75%
	10/20/2006	12:28	79.8	14.2	13.05	33	7.5	75%
	10/27/2006	10:32	77.8	14.4	13.20	34	7.0	75%
	11/2/2006	12:28	76.6	14.5	13.32	33	7.7	75%
	11/17/2006	NM	NM	NM	NM	14	NM	0%
	11/20/2006	NM	NM	NM	NM	14	NM	0%
	11/27/2006	NM	NM	NM	NM	16	NM	0%
	12/8/2006	NM	NM	NM	NM	15	NM	0%
	12/15/2006	NM	NM	NM	NM	15	NM	0%
	12/19/2006	NM	NM	NM	NM	16	NM	0%
	12/27/2006	NM	NM	NM	NM	14	NM	0%
	1/3/2007	NM	NM	NM	NM	14	NM	0%
	1/11/2007	NM	NM	NM	NM	14	NM	0%
	1/17/2007	NM	NM	NM	NM	14	NM	0%
	1/26/2007	NM	NM	NM	NM	14	NM	0%
	1/31/2007	NM	NM	NM	NM	6	NM	0%
	2/7/2007	NM	NM	NM	NM	10	NM	0%
	2/15/2007	NM	NM	NM	NM	14	NM	0%
	2/20/2007	NM	NM	NM	NM	15	NM	0%
	3/1/2007	NM	NM	NM	NM	13	NM	0%
	3/7/2007	NM	NM	NM	NM	13	NM	0%
	3/14/2007	NM	NM	NM	NM	14	NM	0%
	3/20/2007	NM	NM	NM	NM	14	NM	0%
	3/27/2007	NM	NM	NM	NM	15	NM	0%
	4/5/2007	NM	NM	NM	NM	15	NM	0%
VEW-13B	3/2/2006	11:30	65.6	18.4	16.68	38	26.1	100%
	3/10/2006	12:20	55.3	11.3	10.61	25	14.6	50%
	3/16/2006	17:01	57.7	11.6	10.89	25	15.0	50%
	3/23/2006	12:20	63.8	11.5	10.79	25	10.6	50%
	3/31/2006	9:00	60.3	14.3	13.25	30	29.6	50%
	4/5/2006	8:45	56.7	17.3	16.07	29	28.6	50%
	4/12/2006	8:25	61.2	15.2	14.08	30	25.2	50%
	4/19/2006	8:00	70.8	24.9	22.76	35	24.6	50%
	4/26/2006	8:58	61.3	24.8	22.67	35	1.4	50%
	5/3/2006	13:12	67.4	8.82	8.37	21	1.0	50%
	5/11/2006	9:24	63.3	9.31	8.67	28	0.9	50%
	5/19/2006	8:22	65.4	9.25	8.66	26	0.8	50%
	5/24/2006	8:18	67.4	9.1	8.52	26	0.7	50%
	6/1/2006	9:03	69.7	9.2	8.59	27	0.5	50%
	6/7/2006	8:30	60.0	9.0	8.38	28	0.4	50%
	6/14/2006	8:20	60.1	9.6	8.92	29	0.4	50%
	6/23/2006	7:51	61.5	8.7	8.14	26	0.4	50%
	6/28/2006	7:21	63.4	9.1	8.50	27	0.5	50%
	7/3/2006	8:21	64.4	9.0	8.43	26	0.5	50%
	7/13/2006	10:53	97.6	14.4	13.41	28	0.2	75%
	7/21/2006	17:00	82.5	14.3	13.32	28	0.2	75%
	8/16/2006	12:03	79.8	14.7	13.69	28	0.2	75%
	8/23/2006	8:01	90.3	14.0	12.97	30	0.2	75%
	8/29/2006	7:21	86.4	14.3	13.28	29	0.3	75%
	9/9/2006	11:03	84.4	14.7	13.65	29	0.2	75%
	9/13/2006	14:18	76.3	14.4	13.34	30	0.3	75%
	9/22/2006	13:21	73.2	14.8	13.71	30	0.6	75%
	9/28/2006	10:06	76.1	15.2	14.08	30	0.7	75%
	10/2/2006	7:31	78.3	16.0	14.78	31	0.8	75%
	10/9/2006	11:21	72.5	16.7	15.43	31	0.8	75%
	10/20/2006	12:21	79.8	16.8	15.52	31	0.7	75%
	10/27/2006	10:24	77.0	16.9	15.57	32	0.7	75%
	11/2/2006	12:21	76.4	16.7	15.39	32	0.7	75%
	11/17/2006	NM	NM	NM	NM	13	NM	0%
	11/20/2006	NM	NM	NM	NM	13	NM	0%
	11/27/2006	NM	NM	NM	NM	15	NM	0%
	12/8/2006	NM	NM	NM	NM	8	NM	0%
	12/15/2006	NM	NM	NM	NM	13	NM	0%
	12/19/2006	NM	NM	NM	NM	13	NM	0%
	12/27/2006	NM	NM	NM	NM	12	NM	0%

TABLE 3 - WELLFIELD FIELD DATA

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1/36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acfm)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
	1/3/2007	NM	NM	NM	NM	7	NM	0%
	1/11/2007	NM	NM	NM	NM	13	NM	0%
	1/17/2007	NM	NM	NM	NM	12	NM	0%
	1/26/2007	NM	NM	NM	NM	12	NM	0%
	1/31/2007	NM	NM	NM	NM	6	NM	0%
	2/7/2007	NM	NM	NM	NM	9	NM	0%
	2/15/2007	NM	NM	NM	NM	12	NM	0%
	2/20/2007	NM	NM	NM	NM	13	NM	0%
	3/1/2007	NM	NM	NM	NM	11	NM	0%
	3/7/2007	NM	NM	NM	NM	11	NM	0%
	3/14/2007	NM	NM	NM	NM	11	NM	0%
	3/20/2007	NM	NM	NM	NM	11	NM	0%
	3/27/2007	NM	NM	NM	NM	10	NM	0%
	4/5/2007	NM	NM	NM	NM	11	NM	0%
VEW-14A	3/2/2006	11:24	64.4	19.5	17.68	38	41.6	100%
	3/10/2006	12:14	54.9	11.0	10.32	25	40.6	50%
	3/16/2006	16:54	57.6	11.2	10.51	25	44.6	50%
	3/23/2006	12:13	64.1	11.4	10.67	26	41.3	50%
	3/31/2006	8:50	60.2	12.6	11.80	26	14.0	50%
	4/5/2006	8:40	56.8	15.3	14.21	29	14.9	50%
	4/12/2006	8:15	60.5	14.6	13.52	30	12.6	50%
	4/19/2006	7:50	70.9	20.4	18.80	32	13.8	50%
	4/26/2006	8:54	61.0	21.8	20.09	32	1.7	50%
	5/3/2006	13:08	65.5	16.8	15.93	21	1.9	50%
	5/11/2006	9:16	63.8	17.6	16.48	26	1.4	50%
	5/19/2006	8:14	65.3	17.7	16.61	25	1.6	50%
	5/24/2006	8:12	67.5	17.9	16.76	26	1.4	50%
	6/1/2006	8:57	69.5	17.6	16.48	26	1.0	50%
	6/7/2006	8:14	60.4	17.4	16.29	26	0.8	50%
	6/14/2006	8:14	60.4	15.8	14.79	26	1.0	50%
	6/23/2006	7:44	61.0	17.6	16.52	25	0.7	50%
	6/28/2006	7:14	63.7	17.4	16.33	25	0.6	50%
	7/3/2006	8:14	64.5	17.3	16.24	25	0.4	50%
	7/13/2006	10:47	97.4	14.2	13.29	26	0.1	75%
	7/21/2006	16:55	82.6	14.4	13.45	27	0.1	75%
	8/16/2006	11:57	79.5	14.6	13.60	28	0.0	75%
	8/23/2006	7:54	89.6	13.1	12.20	28	0.1	75%
	8/29/2006	7:14	86.7	13.3	12.35	29	0.1	75%
	9/9/2006	10:56	84.9	13.6	12.63	29	0.1	75%
	9/13/2006	14:12	76.0	13.8	12.82	29	0.0	75%
	9/22/2006	13:14	73.3	13.1	12.17	29	0.3	75%
	9/28/2006	9:59	76.3	13.6	12.66	28	0.8	75%
	10/2/2006	7:24	78.9	13.9	12.88	30	0.9	75%
	10/9/2006	11:14	72.4	14.1	13.06	30	1.0	100%
	10/20/2006	12:14	79.1	14.4	13.34	30	0.9	100%
	10/27/2006	10:16	77.6	14.9	13.73	32	0.8	100%
	11/2/2006	12:14	76.2	15.6	14.37	32	0.7	100%
	11/17/2006	NM	NM	NM	NM	9	NM	0%
	11/20/2006	NM	NM	NM	NM	10	NM	0%
	11/27/2006	NM	NM	NM	NM	10	NM	0%
	12/8/2006	NM	NM	NM	NM	9	NM	0%
	12/15/2006	NM	NM	NM	NM	10	NM	0%
	12/19/2006	NM	NM	NM	NM	10	NM	0%
	12/27/2006	NM	NM	NM	NM	9	NM	0%
	1/3/2007	NM	NM	NM	NM	9	NM	0%
	1/11/2007	NM	NM	NM	NM	9	NM	0%
	1/17/2007	NM	NM	NM	NM	9	NM	0%
	1/26/2007	NM	NM	NM	NM	9	NM	0%
	1/31/2007	NM	NM	NM	NM	5	NM	0%
	2/7/2007	NM	NM	NM	NM	8	NM	0%
	2/15/2007	NM	NM	NM	NM	9	NM	0%
	2/20/2007	NM	NM	NM	NM	10	NM	0%
	3/1/2007	NM	NM	NM	NM	8	NM	0%
	3/7/2007	NM	NM	NM	NM	9	NM	0%
	3/14/2007	NM	NM	NM	NM	8	NM	0%
	3/20/2007	NM	NM	NM	NM	8	NM	0%
	3/27/2007	NM	NM	NM	NM	9	NM	0%
	4/5/2007	NM	NM	NM	NM	9	NM	0%
VEW-14B	3/2/2006	11:18	67.6	44.9	40.49	40	48.6	100%
	3/10/2006	12:07	55.9	24.3	22.75	26	28.6	50%
	3/16/2006	16:47	57.9	24.6	23.03	26	27.1	50%
	3/23/2006	12:07	64.2	24.4	22.84	26	23.1	50%
	3/31/2006	8:40	59.6	23.4	21.79	28	24.4	50%

BOE-C6-0118444

TABLE 3 - WELLFIELD FIELD DATA

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1/36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acfm)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
	4/5/2006	8:35	56.3	37.6	34.92	29	22.6	50%
	4/12/2006	8:05	61.4	33.9	31.40	30	21.7	50%
	4/19/2006	7:40	71.4	44.7	40.86	35	19.7	50%
	4/26/2006	8:50	61.7	44.8	40.95	35	11.5	50%
	5/3/2006	13:04	65.7	29.6	28.00	22	7.3	50%
	5/11/2006	9:08	63.8	30.7	28.51	29	7.3	50%
	5/19/2006	8:07	65.7	30.6	28.50	28	7.0	50%
	5/24/2006	8:06	69.6	31.0	28.87	28	7.1	50%
	6/1/2006	8:51	69.3	29.9	27.84	28	7.0	50%
	6/7/2006	8:07	60.5	29.7	27.66	28	6.6	50%
	6/14/2006	8:06	60.6	31.1	28.89	29	6.6	50%
	6/23/2006	7:37	61.4	29.6	27.64	27	6.5	50%
	6/28/2006	7:07	63.6	29.6	27.71	26	5.1	50%
	7/3/2006	8:07	64.1	29.7	27.73	27	4.9	50%
	7/13/2006	10:41	97.0	28.1	26.10	29	4.0	75%
	7/21/2006	16:50	82.7	28.6	26.56	29	3.5	75%
	8/16/2006	11:51	79.6	26.9	24.98	29	3.1	75%
	8/23/2006	7:47	89.8	29.8	27.60	30	3.3	75%
	8/29/2006	7:07	85.9	29.1	26.96	30	3.0	75%
	9/9/2006	10:49	84.7	30.1	27.81	31	2.8	75%
	9/13/2006	14:06	76.6	29.8	27.60	30	2.6	75%
	9/22/2006	13:07	73.6	31.2	28.90	30	2.1	75%
	9/28/2006	9:52	76.4	32.6	30.20	30	2.3	75%
	10/2/2006	7:17	78.6	33.1	30.50	32	2.1	75%
	10/9/2006	11:07	72.3	33.6	30.88	33	2.3	100%
	10/20/2006	12:07	79.6	33.1	30.58	31	2.5	100%
	10/27/2006	10:08	77.9	34.1	31.34	33	2.4	100%
	11/2/2006	12:07	76.8	34.4	31.36	36	2.8	100%
	11/17/2006	NM	NM	NM	NM	10	NM	0%
	11/20/2006	NM	NM	NM	NM	10	NM	0%
	11/27/2006	NM	NM	NM	NM	10	NM	0%
	12/8/2006	NM	NM	NM	NM	10	NM	0%
	12/15/2006	NM	NM	NM	NM	10	NM	0%
	12/19/2006	NM	NM	NM	NM	10	NM	0%
	12/27/2006	NM	NM	NM	NM	9	NM	0%
	1/3/2007	NM	NM	NM	NM	9	NM	0%
	1/11/2007	NM	NM	NM	NM	9	NM	0%
	1/17/2007	NM	NM	NM	NM	9	NM	0%
	1/26/2007	NM	NM	NM	NM	9	NM	0%
	1/31/2007	NM	NM	NM	NM	5	NM	0%
	2/7/2007	NM	NM	NM	NM	8	NM	0%
	2/15/2007	NM	NM	NM	NM	9	NM	0%
	2/20/2007	NM	NM	NM	NM	10	NM	0%
	3/1/2007	NM	NM	NM	NM	9	NM	0%
	3/7/2007	NM	NM	NM	NM	9	NM	0%
	3/14/2007	NM	NM	NM	NM	8	NM	0%
	3/20/2007	NM	NM	NM	NM	8	NM	0%
	3/27/2007	NM	NM	NM	NM	8	NM	0%
	4/5/2007	NM	NM	NM	NM	8	NM	0%
VEW-15A	3/2/2006	12:46	74.6	15.9	14.14	45	48.6	100%
	3/12/2006	10:38	59.6	7.0	6.52	28	19.6	50%
	3/16/2006	18:18	56.5	7.1	6.62	28	20.1	50%
	3/24/2006	8:34	60.6	7.1	6.61	28	19.0	50%
	3/31/2006	10:00	60.6	16.3	15.02	32	38.3	50%
	4/5/2006	11:55	56.5	11.5	10.65	30	36.4	50%
	4/12/2006	10:05	61.2	10.8	9.98	31	35.4	50%
	4/19/2006	11:40	71.4	19.9	18.14	36	33.2	50%
	4/26/2006	14:00	61.7	20.1	18.37	35	3.6	50%
	5/3/2006	15:06	68.0	9.0	8.43	26	3.0	50%
	5/11/2006	12:37	63.5	11.1	10.28	30	2.5	50%
	5/19/2006	11:44	65.3	11.2	10.37	30	4.7	50%
	5/24/2006	11:04	68.3	11.0	10.19	30	4.6	50%
	6/1/2006	11:50	69.7	11.6	10.75	30	4.4	50%
	6/7/2006	11:27	61.3	11.8	10.93	30	4.2	50%
	6/14/2006	11:10	61.1	14.0	13.00	29	4.3	50%
	6/23/2006	10:53	62.6	11.9	11.02	30	4.0	50%
	6/28/2006	11:50	65.7	11.8	10.96	29	3.6	50%
	7/3/2006	11:55	65.3	11.8	10.96	29	3.6	50%
	7/13/2006	14:19	97.6	13.2	12.20	31	3.3	75%
	7/21/2006	19:15	82.6	13.3	12.29	31	7.8	75%
	8/16/2006	15:50	79.6	13.6	12.56	31	7.6	75%
	8/23/2006	13:05	90.7	11.7	10.81	31	3.6	75%
	8/29/2006	12:05	87.3	11.8	10.87	32	3.1	75%
	9/9/2006	8:25	85.9	11.8	10.87	32	3.4	75%
	9/13/2006	17:00	76.8	11.7	10.75	33	3.2	75%

TABLE 3 - WELLFIELD FIELD DATA

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1/36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acfm)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
	9/22/2006	16:35	74.5	11.1	10.20	33	3.6	75%
	9/28/2006	13:15	76.7	11.0	10.11	33	3.6	75%
	10/2/2006	11:59	79.2	11.6	10.60	35	3.9	75%
	10/9/2006	14:45	73.6	11.7	10.75	33	3.6	75%
	10/20/2006	15:45	78.7	11.9	10.91	34	3.6	75%
	10/27/2006	14:00	78.2	12.6	11.52	35	3.3	75%
	11/2/2006	15:30	76.2	12.1	11.06	35	3.6	75%
	11/17/2006	NM	NM	NM	NM	10	NM	0%
	11/20/2006	NM	NM	NM	NM	10	NM	0%
	11/28/2006	NM	NM	NM	NM	10	NM	0%
	12/8/2006	NM	NM	NM	NM	11	NM	0%
	12/15/2006	NM	NM	NM	NM	12	NM	0%
	12/19/2006	NM	NM	NM	NM	12	NM	0%
	12/27/2006	NM	NM	NM	NM	13	NM	0%
	1/4/2007	NM	NM	NM	NM	13	NM	0%
	1/12/2007	NM	NM	NM	NM	11	NM	0%
	1/20/2007	NM	NM	NM	NM	12	NM	0%
	1/27/2007	NM	NM	NM	NM	12	NM	0%
	1/31/2007	NM	NM	NM	NM	10	NM	0%
	2/7/2007	NM	NM	NM	NM	12	NM	0%
	2/16/2007	NM	NM	NM	NM	12	NM	0%
	2/20/2007	NM	NM	NM	NM	13	NM	0%
	3/1/2007	NM	NM	NM	NM	11	NM	0%
	3/7/2007	NM	NM	NM	NM	11	NM	0%
	3/14/2007	NM	NM	NM	NM	12	NM	0%
	3/20/2007	NM	NM	NM	NM	13	NM	0%
	3/28/2007	NM	NM	NM	NM	12	NM	0%
	4/5/2007	NM	NM	NM	NM	12	NM	0%
VEW-15B	3/2/2006	13:06	71.6	22.2	19.80	44	16.1	100%
	3/12/2006	11:00	60.9	11.9	11.08	28	10.7	50%
	3/16/2006	18:39	57.1	12.6	11.73	28	11.2	50%
	3/24/2006	8:57	60.3	12.4	11.55	28	10.0	50%
	3/31/2006	10:30	60.6	15.7	14.54	30	18.4	50%
	4/5/2006	12:10	56.9	13.4	12.41	30	16.3	50%
	4/12/2006	10:35	61.4	12.3	11.39	30	14.3	50%
	4/19/2006	11:55	71.4	34.2	31.09	37	15.8	50%
	4/26/2006	14:15	61.9	34.8	31.81	35	30.6	50%
	5/3/2006	15:18	68.3	13.4	12.58	25	26.0	50%
	5/11/2006	13:00	63.8	14.9	13.80	30	24.2	50%
	5/19/2006	12:07	66.0	14.6	13.56	29	26.7	50%
	5/24/2006	11:24	68.2	14.8	13.71	30	26.5	50%
	6/1/2006	12:08	69.7	14.7	13.62	30	26.4	50%
	6/7/2006	11:46	61.2	14.8	13.71	30	26.1	50%
	6/14/2006	11:32	61.0	13.9	12.88	30	26.0	50%
	6/23/2006	11:14	62.8	14.6	13.56	29	26.5	50%
	6/28/2006	12:11	65.9	14.9	13.84	29	24.1	50%
	7/3/2006	12:36	65.3	14.6	13.56	29	23.6	50%
	7/13/2006	14:30	97.5	14.4	13.34	30	23.3	75%
	7/21/2006	19:30	82.8	14.2	13.12	31	1.3	75%
	8/16/2006	16:08	80.0	14.2	13.12	31	1.1	75%
	8/23/2006	13:26	91.3	15.7	14.50	31	10.6	75%
	8/29/2006	12:26	86.8	15.6	14.41	31	9.7	75%
	9/9/2006	8:46	85.2	15.7	14.50	31	9.2	75%
	9/13/2006	17:18	76.0	15.1	13.91	32	9.3	75%
	9/22/2006	16:56	74.7	16.2	14.89	33	9.6	75%
	9/28/2006	13:36	76.5	16.8	15.48	32	9.9	75%
	10/2/2006	12:24	78.6	16.4	15.03	34	10.6	75%
	10/9/2006	15:07	73.5	16.6	15.25	33	10.1	75%
	10/20/2006	16:06	78.4	16.4	15.07	33	10.0	75%
	10/27/2006	14:24	78.7	16.7	15.26	35	9.9	75%
	11/2/2006	15:51	76.4	16.1	14.68	36	9.6	75%
	11/17/2006	NM	NM	NM	NM	9	NM	0%
	11/20/2006	NM	NM	NM	NM	9	NM	0%
	11/28/2006	NM	NM	NM	NM	9	NM	0%
	12/8/2006	NM	NM	NM	NM	10	NM	0%
	12/15/2006	NM	NM	NM	NM	10	NM	0%
	12/19/2006	NM	NM	NM	NM	10	NM	0%
	12/27/2006	NM	NM	NM	NM	10	NM	0%
	1/4/2007	NM	NM	NM	NM	10	NM	0%
	1/12/2007	NM	NM	NM	NM	9	NM	0%
	1/20/2007	NM	NM	NM	NM	10	NM	0%
	1/27/2007	NM	NM	NM	NM	10	NM	0%
	1/31/2007	NM	NM	NM	NM	8	NM	0%
	2/7/2007	NM	NM	NM	NM	10	NM	0%
	2/16/2007	NM	NM	NM	NM	10	NM	0%

TABLE 3 - WELLFIELD FIELD DATA

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1/36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acfm)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
	2/20/2007	NM	NM	NM	NM	10	NM	0%
	3/1/2007	NM	NM	NM	NM	10	NM	0%
	3/7/2007	NM	NM	NM	NM	11	NM	0%
	3/14/2007	NM	NM	NM	NM	10	NM	0%
	3/20/2007	NM	NM	NM	NM	10	NM	0%
	3/28/2007	NM	NM	NM	NM	10	NM	0%
	4/5/2007	NM	NM	NM	NM	10	NM	0%
VEW-16A	3/2/2006	12:53	71.6	28.1	26.16	28.1	71.1	100%
	3/12/2006	10:45	59.7	26.3	24.62	26	36.7	50%
	3/16/2006	18:25	56.9	26.6	24.90	26	36.0	50%
	3/24/2006	8:42	60.4	26.0	24.34	26	30.0	50%
	3/31/2006	10:10	59.9	18.2	16.86	30	26.9	50%
	4/5/2006	12:00	56.4	9.6	8.86	30	25.8	50%
	4/12/2006	10:15	60.8	10.1	9.36	30	23.6	50%
	4/19/2006	11:45	71.6	26.8	24.50	35	23.7	50%
	4/26/2006	14:05	61.5	26.7	24.47	34	14.9	50%
	5/3/2006	15:10	68.7	5.90	5.54	25	11.8	50%
	5/11/2006	12:45	63.6	7.21	6.70	29	11.9	50%
	5/19/2006	11:52	66.0	7.11	6.64	27	11.7	50%
	5/24/2006	11:11	67.7	7.2	6.74	26	11.6	50%
	6/1/2006	11:56	69.6	7.6	7.11	26	11.0	50%
	6/7/2006	11:33	60.8	7.7	7.15	29	10.8	50%
	6/14/2006	11:17	60.9	9.0	8.34	30	10.3	50%
	6/23/2006	11:00	62.7	7.5	6.98	28	10.5	50%
	6/28/2006	11:57	65.1	7.6	7.10	27	8.1	50%
	7/3/2006	12:02	65.6	7.7	7.17	28	8.2	50%
	7/13/2006	14:26	97.4	4.4	4.08	30	8.0	75%
	7/21/2006	19:20	82.1	4.2	3.88	31	3.1	75%
	8/16/2006	15:56	79.8	4.0	3.70	31	2.9	75%
	8/23/2006	13:12	91.3	2.5	2.32	30	9.6	75%
	8/29/2006	12:12	87.5	2.7	2.49	31	9.4	75%
	9/9/2006	8:32	85.4	2.8	2.59	31	9.0	75%
	9/13/2006	17:06	76.4	3.1	2.87	30	7.9	75%
	9/22/2006	16:42	74.9	3.3	3.05	31	8.2	75%
	9/28/2006	13:22	76.9	3.6	3.33	31	8.8	75%
	10/2/2006	12:09	79.4	4.0	3.68	33	8.9	75%
	10/9/2006	14:52	73.4	4.4	4.04	33	8.7	75%
	10/20/2006	15:52	76.1	4.7	4.32	33	8.9	75%
	10/27/2006	14:08	78.1	4.9	4.49	34	8.2	75%
	11/2/2006	15:37	76.5	5.2	4.77	34	8.6	75%
	11/17/2006	17:40	76.1	5.6	5.05	40	8.3	75%
	11/20/2006	20:25	70.2	5.7	5.13	41	8.0	75%
	11/28/2006	17:20	68.3	5.9	5.31	41	7.6	75%
	12/8/2006	17:25	76.4	7.1	6.32	45	7.6	75%
	12/15/2006	10:50	67.1	7.7	6.83	46	7.0	75%
	12/19/2006	18:10	76.5	7.9	7.01	46	7.0	75%
	12/27/2006	17:50	74.1	8.2	7.25	47	5.9	75%
	1/4/2007	7:50	64.0	8.9	7.85	48	1.1	75%
	1/12/2007	16:50	61.1	8.6	7.57	49	0.8	75%
	1/20/2007	16:40	69.2	8.9	7.87	47	0.7	75%
	1/27/2007	6:40	62.0	8.7	7.70	47	0.6	75%
	1/31/2007	13:10	67.6	13.0	11.60	44	9.9	75%
	2/7/2007	16:10	68.1	13.8	12.21	47	9.7	75%
	2/16/2007	6:40	67.6	13.6	12.06	46	9.4	75%
	2/20/2007	17:00	69.9	13.8	12.27	45	9.8	75%
	3/1/2007	17:30	68.1	14.6	12.77	51	9.6	75%
	3/7/2007	18:00	67.1	14.0	12.25	51	9.7	75%
	3/14/2007	19:04	74.6	14.4	12.74	47	9.9	75%
	3/20/2007	17:10	68.1	14.3	12.61	48	9.6	75%
	3/28/2007	19:05	69.7	14.6	12.84	49	9.0	75%
	4/5/2007	16:50	71.9	14.6	12.81	50	9.9	75%
VEW-16B	3/2/2006	13:00	71.0	28.7	25.53	45	61.6	100%
	3/12/2006	10:52	60.2	16.4	15.19	30	31.6	50%
	3/16/2006	18:32	58.1	16.3	15.10	30	31.3	50%
	3/24/2006	8:50	60.9	16.2	15.01	30	26.0	50%
	3/31/2006	10:20	60.2	22.7	20.97	31	17.7	50%
	4/5/2006	12:05	56.4	11.0	10.09	32	18.4	50%
	4/12/2006	10:25	61.7	9.7	8.94	32	17.0	50%
	4/19/2006	11:50	71.5	36.4	33.00	38	15.4	50%
	4/26/2006	14:10	61.7	36.8	33.55	36	1.7	50%
	5/3/2006	15:14	68.3	52.7	49.21	27	1.4	50%
	5/11/2006	12:53	63.9	54.3	50.17	31	1.6	50%
	5/19/2006	12:00	66.3	53.6	49.65	30	2.3	50%

TABLE 3 - WELLFIELD FIELD DATA

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1/36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acfm)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
	5/24/2006	11:18	67.9	53.8	49.84	30	2.2	50%
	6/1/2006	12:02	69.5	54.1	49.98	31	2.1	50%
	6/7/2006	11:39	61.3	55.1	51.04	30	1.8	50%
	6/14/2006	11:25	61.0	52.6	48.72	30	1.6	50%
	6/23/2006	11:07	62.1	54.9	50.86	30	1.7	50%
	6/28/2006	12:04	65.4	54.1	50.78	25	1.2	50%
	7/3/2006	12:09	65.7	54.3	50.97	25	1.0	50%
	7/13/2006	14:24	97.4	85.6	78.66	33	1.0	75%
	7/21/2006	19:25	82.3	85.0	78.11	33	7.8	75%
	8/16/2006	16:02	79.7	83.6	76.82	33	7.4	75%
	8/23/2006	13:19	90.1	87.3	80.01	34	5.7	75%
	8/29/2006	12:19	87.0	86.1	79.12	33	5.5	75%
	9/9/2006	8:39	85.3	87.6	80.72	32	5.3	75%
	9/13/2006	17:12	76.7	86.1	78.91	34	5.5	75%
	9/22/2006	16:49	74.3	86.9	79.43	35	5.0	75%
	9/28/2006	13:29	76.3	87.1	79.61	35	4.6	75%
	10/2/2006	12:16	79.0	88.6	80.98	35	4.4	75%
	10/9/2006	14:59	73.6	88.1	80.74	34	4.3	75%
	10/20/2006	15:59	78.9	88.8	80.95	36	4.0	75%
	10/27/2006	14:16	78.3	89.3	81.19	37	3.5	75%
	11/2/2006	15:44	76.2	88.1	79.88	38	3.8	75%
	11/17/2006	17:50	76.5	94.1	84.16	43	3.8	75%
	11/20/2006	20:35	70.3	90.1	80.59	43	3.6	75%
	11/28/2006	17:30	68.7	90.3	80.76	43	3.3	75%
	12/8/2006	17:35	76.8	92.6	81.91	47	2.9	75%
	12/15/2006	11:00	67.8	91.1	80.14	49	2.4	75%
	12/19/2006	18:20	76.1	91.2	80.00	50	2.2	75%
	12/27/2006	18:00	74.3	92.8	81.41	50	2.1	75%
	1/4/2007	8:00	64.9	91.0	79.60	51	0.8	75%
	1/12/2007	17:00	61.7	90.2	78.90	51	0.6	75%
	1/20/2007	16:50	69.7	91.1	79.91	50	0.4	75%
	1/27/2007	6:50	62.4	90.2	79.12	50	0.3	75%
	1/31/2007	13:20	67.8	54.5	48.21	47	1.0	75%
	2/7/2007	16:20	68.4	54.9	48.16	50	0.9	75%
	2/16/2007	6:50	67.4	55.6	48.91	49	0.6	75%
	2/20/2007	17:10	69.1	55.8	49.22	48	0.9	75%
	3/1/2007	17:40	68.8	56.9	49.49	53	0.9	75%
	3/7/2007	18:10	67.0	57.1	49.53	54	0.8	75%
	3/14/2007	19:11	74.8	55.8	48.95	50	0.6	75%
	3/20/2007	17:20	68.9	55.9	49.04	50	0.5	75%
	3/27/2007	19:15	69.4	56.2	49.30	50	0.4	75%
	4/5/2007	17:00	71.6	56.8	49.83	50	0.6	75%
VEW-17A	3/2/2006	13:25	71.6	21.6	19.21	45	10.6	100%
	3/12/2006	11:30	61.2	20.3	18.95	27	7.6	50%
	3/17/2006	6:23	59.7	21.6	20.17	27	9.6	50%
	3/24/2006	9:27	61.3	21.4	19.93	28	9.0	50%
	3/31/2006	11:10	60.4	16.4	15.15	31	29.7	50%
	4/5/2006	12:30	56.9	12.9	11.95	30	28.1	50%
	4/12/2006	11:10	61.4	11.0	10.19	30	26.2	50%
	4/19/2006	12:25	71.4	36.1	32.82	37	26.3	50%
	4/26/2006	14:45	61.5	39.6	36.29	34	2.1	50%
	5/3/2006	15:42	68.6	13.0	12.14	27	2.0	50%
	5/11/2006	13:33	64.3	15.7	14.54	30	1.9	50%
	5/19/2006	12:51	65.8	14.8	13.75	29	1.6	50%
	5/24/2006	12:05	67.4	14.5	13.43	30	1.4	50%
	6/1/2006	12:48	69.5	14.6	13.52	30	1.2	50%
	6/7/2006	12:24	60.7	14.8	13.75	29	1.4	50%
	6/14/2006	12:12	60.6	13.9	12.88	30	1.1	50%
	6/23/2006	11:56	62.8	14.5	13.47	29	1.4	50%
	6/28/2006	12:53	65.4	14.8	13.82	27	0.8	50%
	7/3/2006	13:18	65.2	14.3	13.32	28	0.7	50%
	7/13/2006	15:11	97.5	15.9	14.73	30	0.4	75%
	7/21/2006	20:00	82.8	15.8	14.60	31	0.2	75%
	8/16/2006	16:44	79.7	16.8	15.48	32	0.2	75%
	8/23/2006	14:08	91.0	17.8	16.44	31	0.2	75%
	8/29/2006	13:08	86.9	18.6	17.18	31	0.2	75%
	9/9/2006	9:28	85.6	18.1	16.72	31	0.2	75%
	9/13/2006	17:54	76.8	17.9	16.49	32	0.2	75%
	9/22/2006	17:38	74.6	18.3	16.86	32	0.1	75%
	9/25/2006	14:44	76.7	17.9	16.45	33	0.2	75%
	10/2/2006	13:10	78.6	18.6	17.05	34	1.4	75%
	10/9/2006	15:49	72.6	18.9	17.32	34	1.6	75%
	10/20/2006	16:49	78.6	18.4	16.91	33	1.0	75%
	10/27/2006	15:12	78.4	18.8	17.18	35	0.9	75%
	11/2/2006	16:35	76.0	18.4	16.82	35	0.9	75%

TABLE 3 - WELLFIELD FIELD DATA

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1/36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acfm)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
	11/17/2006	NM	NM	NM	NM	7	NM	0%
	11/20/2006	NM	NM	NM	NM	7	NM	0%
	11/28/2006	NM	NM	NM	NM	7	NM	0%
	12/8/2006	NM	NM	NM	NM	9	NM	0%
	12/15/2006	NM	NM	NM	NM	9	NM	0%
	12/19/2006	NM	NM	NM	NM	9	NM	0%
	12/27/2006	NM	NM	NM	NM	10	NM	0%
	1/4/2007	NM	NM	NM	NM	10	NM	0%
	1/12/2007	NM	NM	NM	NM	9	NM	0%
	1/20/2007	NM	NM	NM	NM	9	NM	0%
	1/27/2007	NM	NM	NM	NM	9	NM	0%
	1/31/2007	NM	NM	NM	NM	7	NM	0%
	2/7/2007	NM	NM	NM	NM	9	NM	0%
	2/16/2007	NM	NM	NM	NM	9	NM	0%
	2/20/2007	NM	NM	NM	NM	9	NM	0%
	3/1/2007	NM	NM	NM	NM	10	NM	0%
	3/7/2007	NM	NM	NM	NM	10	NM	0%
	3/14/2007	NM	NM	NM	NM	10	NM	0%
	3/20/2007	NM	NM	NM	NM	10	NM	0%
	3/28/2007	NM	NM	NM	NM	10	NM	0%
	4/5/2007	NM	NM	NM	NM	10	NM	0%
VEW-17B	3/2/2006	13:31	71.6	36.7	32.64	45	21.6	100%
	3/12/2006	11:22	61.2	42.7	39.55	30	16.7	50%
	3/17/2006	6:17	59.6	43.6	40.39	30	16.8	50%
	3/24/2006	9:20	60.9	43.6	40.28	31	10.9	50%
	3/31/2006	11:00	60.1	21.3	19.73	30	15.2	50%
	4/5/2006	12:25	63.1	136.7	125.29	34	14.9	50%
	4/12/2006	11:05	61.2	119.3	110.51	30	12.8	50%
	4/19/2006	12:20	71.2	43.9	39.48	41	14.1	50%
	4/26/2006	14:40	61.4	29.8	26.95	39	1.0	50%
	5/3/2006	15:38	68.0	69.2	64.10	30	1.1	50%
	5/11/2006	13:26	64.2	72.10	66.08	34	0.8	50%
	5/19/2006	12:44	66.3	70.1	64.59	32	0.9	50%
	5/24/2006	11:57	67.9	71.2	65.78	31	0.8	50%
	6/1/2006	12:41	69.3	71.8	66.33	31	0.6	50%
	6/7/2006	12:18	60.9	71.9	65.90	34	0.4	50%
	6/14/2006	12:05	60.7	70.3	64.26	35	0.6	50%
	6/23/2006	11:49	62.9	71.8	65.80	34	0.2	50%
	6/28/2006	12:46	65.4	71.8	65.98	33	0.4	50%
	7/3/2006	13:11	65.5	71.7	65.89	33	0.4	50%
	7/13/2006	15:04	97.6	48.2	44.06	35	0.3	75%
	7/21/2006	19:55	82.4	48.6	44.42	35	0.6	75%
	8/16/2006	16:38	79.9	46.9	42.98	34	0.4	75%
	8/23/2006	14:01	91.7	45.0	41.13	35	0.5	75%
	8/29/2006	13:01	87.0	43.6	39.85	35	0.4	75%
	9/9/2006	9:21	85.5	41.6	38.02	35	0.3	75%
	9/13/2006	17:48	76.3	42.1	38.38	36	0.2	75%
	9/22/2006	17:31	74.0	44.6	40.66	36	0.3	75%
	9/28/2006	14:36	76.8	44.0	40.11	36	0.6	75%
	10/2/2006	13:04	78.8	45.1	40.89	38	0.8	75%
	10/9/2006	15:42	72.9	46.1	41.80	38	1.1	75%
	10/20/2006	16:42	78.8	47.1	42.82	37	1.8	75%
	10/27/2006	15:04	78.3	48.8	44.13	39	0.8	75%
	11/2/2006	16:27	76.5	49.6	44.85	39	0.9	75%
	11/17/2006	NM	NM	NM	NM	11	NM	0%
	11/20/2006	NM	NM	NM	NM	11	NM	0%
	11/28/2006	NM	NM	NM	NM	10	NM	0%
	12/8/2006	NM	NM	NM	NM	13	NM	0%
	12/15/2006	NM	NM	NM	NM	14	NM	0%
	12/19/2006	NM	NM	NM	NM	14	NM	0%
	12/27/2006	NM	NM	NM	NM	14	NM	0%
	1/4/2007	NM	NM	NM	NM	14	NM	0%
	1/12/2007	NM	NM	NM	NM	14	NM	0%
	1/20/2007	NM	NM	NM	NM	14	NM	0%
	1/27/2007	NM	NM	NM	NM	14	NM	0%
	1/31/2007	NM	NM	NM	NM	12	NM	0%
	2/7/2007	NM	NM	NM	NM	14	NM	0%
	2/16/2007	NM	NM	NM	NM	14	NM	0%
	2/20/2007	NM	NM	NM	NM	15	NM	0%
	3/1/2007	NM	NM	NM	NM	15	NM	0%
	3/7/2007	NM	NM	NM	NM	15	NM	0%
	3/14/2007	NM	NM	NM	NM	14	NM	0%
	3/20/2007	NM	NM	NM	NM	14	NM	0%
	3/28/2007	NM	NM	NM	NM	14	NM	0%
	4/5/2007	NM	NM	NM	NM	14	NM	0%

TABLE 3 - WELLFIELD FIELD DATA

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1/36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acfm)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
VEW-18A	3/2/2006	13:52	73.6	8.3	7.33	46	79.6	100%
	3/12/2006	11:38	61.3	4.4	4.09	29	16.7	50%
	3/17/2006	6:29	59.4	4.4	4.11	30	16.8	50%
	3/24/2006	9:35	61.0	4.4	4.09	30	14.8	50%
	3/31/2006	11:20	60.6	14.7	13.54	32	24.9	50%
	4/5/2006	12:35	56.7	11.2	10.27	32	23.6	50%
	4/12/2006	11:15	61.3	10.3	9.54	30	21.4	50%
	4/19/2006	12:30	71.6	29.9	27.26	36	21.0	50%
	4/26/2006	14:50	61.6	29.6	26.98	36	2.4	50%
	5/3/2006	15:46	68.6	13.3	12.42	27	2.1	50%
	5/11/2006	13:40	64.2	15.4	14.15	33	2.0	50%
	5/19/2006	13:00	65.6	10.4	9.63	30	1.9	50%
	5/24/2006	12:12	67.8	10.7	9.91	30	1.7	50%
	6/1/2006	12:55	69.3	10.7	9.91	30	1.6	50%
	6/7/2006	12:30	61.2	10.8	9.98	31	1.7	50%
	6/14/2006	12:16	60.8	11.1	10.25	31	1.6	50%
	6/23/2006	12:03	62.9	11.1	10.28	30	1.2	50%
	6/28/2006	13:00	65.8	11.8	10.93	30	0.7	50%
	7/3/2006	13:25	65.0	11.6	10.75	30	0.6	50%
	7/13/2006	15:18	97.6	7.9	7.26	33	0.7	75%
	7/21/2006	20:05	82.3	7.6	6.98	33	0.5	75%
	8/16/2006	16:50	80.0	7.3	6.71	33	0.4	75%
	8/23/2006	14:15	90.6	9.0	8.25	34	0.5	75%
	8/29/2006	13:15	86.6	9.6	8.82	33	0.5	75%
	9/9/2006	9:35	85.2	9.6	8.82	33	0.4	75%
	9/13/2006	18:00	76.6	9.0	8.25	34	0.5	75%
	9/22/2006	17:45	74.4	9.9	9.07	34	0.9	75%
	9/28/2006	14:51	76.4	10.2	9.35	34	1.1	75%
	10/2/2006	13:18	79.2	10.6	9.69	35	1.0	75%
	10/9/2006	15:56	73.1	10.7	9.81	34	1.1	75%
	10/20/2006	16:56	78.4	11.4	10.42	35	1.0	75%
	10/27/2006	15:20	78.0	12.1	11.00	37	1.2	75%
	11/2/2006	16:42	76.4	12.8	11.64	37	1.8	75%
	11/17/2006	NM	NM	NM	NM	9	NM	0%
	11/20/2006	NM	NM	NM	NM	9	NM	0%
	11/28/2006	NM	NM	NM	NM	9	NM	0%
	12/8/2006	NM	NM	NM	NM	8	NM	0%
	12/15/2006	NM	NM	NM	NM	8	NM	0%
	12/19/2006	NM	NM	NM	NM	8	NM	0%
	12/27/2006	NM	NM	NM	NM	9	NM	0%
	1/4/2007	NM	NM	NM	NM	9	NM	0%
	1/12/2007	NM	NM	NM	NM	9	NM	0%
	1/20/2007	NM	NM	NM	NM	8	NM	0%
	1/27/2007	NM	NM	NM	NM	9	NM	0%
	1/31/2007	NM	NM	NM	NM	9	NM	0%
	2/7/2007	NM	NM	NM	NM	9	NM	0%
	2/16/2007	NM	NM	NM	NM	9	NM	0%
	2/20/2007	NM	NM	NM	NM	9	NM	0%
	3/1/2007	NM	NM	NM	NM	10	NM	0%
	3/7/2007	NM	NM	NM	NM	10	NM	0%
	3/14/2007	NM	NM	NM	NM	8	NM	0%
	3/20/2007	NM	NM	NM	NM	9	NM	0%
	3/28/2007	NM	NM	NM	NM	9	NM	0%
	4/5/2007	NM	NM	NM	NM	9	NM	0%
VEW-18B	3/2/2006	13:45	70.1	4.8	4.21	46	48.6	100%
	3/12/2006	11:45	61.7	9.5	8.85	28	40.6	50%
	3/17/2006	6:36	59.0	9.6	8.89	28	41.6	50%
	3/24/2006	9:43	61.3	9.5	8.85	28	35.7	50%
	3/31/2006	11:30	60.7	18.7	17.23	32	16.4	50%
	4/5/2006	12:40	56.9	9.8	9.03	32	15.9	50%
	4/12/2006	11:20	61.5	8.8	8.15	30	12.8	50%
	4/19/2006	12:35	71.5	39.4	35.72	38	13.7	50%
	4/26/2006	14:55	61.7	39.2	35.64	37	13.6	50%
	5/3/2006	15:50	68.9	9.5	8.85	28	11.3	50%
	5/11/2006	13:48	64.0	10.9	10.04	32	11.9	50%
	5/19/2006	13:07	66.3	9.8	9.08	30	11.3	50%
	5/24/2006	12:18	68.0	9.9	9.17	30	11.0	50%
	6/1/2006	13:02	69.6	9.8	9.08	30	10.5	50%
	6/7/2006	12:36	61.0	9.6	8.89	30	9.9	50%
	6/14/2006	12:23	60.9	10.0	9.26	30	10.2	50%
	6/23/2006	12:10	62.8	9.4	8.71	30	9.6	50%
	6/28/2006	13:07	65.4	9.4	8.71	30	7.6	50%
	7/3/2006	13:32	65.7	9.6	8.87	31	7.0	50%
	7/13/2006	15:25	97.1	4.5	4.14	33	7.4	75%

TABLE 3 - WELLFIELD FIELD DATA

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1/36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acfm)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
	7/21/2006	20:10	82.9	4.4	4.03	34	0.8	75%
	8/16/2006	16:56	80.2	4.2	3.86	33	0.6	75%
	8/23/2006	14:22	90.4	8.5	7.81	33	0.7	75%
	8/29/2006	13:22	87.3	8.4	7.72	33	0.6	75%
	9/9/2006	9:42	85.8	8.8	8.11	32	0.7	75%
	9/13/2006	18:06	76.1	8.1	7.42	34	0.5	75%
	9/22/2006	17:52	74.1	8.7	7.95	35	0.6	75%
	9/28/2006	14:58	76.5	8.8	8.04	35	0.8	75%
	10/2/2006	13:24	79.6	9.1	8.30	36	1.6	75%
	10/9/2006	16:05	73.3	9.3	8.50	35	1.7	75%
	10/20/2006	17:03	78.7	9.6	8.80	34	1.7	75%
	10/27/2006	15:28	78.1	10.6	9.66	36	1.3	75%
	11/2/2006	16:59	76.1	10.1	9.21	36	1.6	75%
	11/17/2006	NM	NM	NM	NM	6	NM	0%
	11/20/2006	NM	NM	NM	NM	7	NM	0%
	11/28/2006	NM	NM	NM	NM	7	NM	0%
	12/8/2006	NM	NM	NM	NM	10	NM	0%
	12/15/2006	NM	NM	NM	NM	10	NM	0%
	12/19/2006	NM	NM	NM	NM	10	NM	0%
	12/27/2006	NM	NM	NM	NM	10	NM	0%
	1/4/2007	NM	NM	NM	NM	10	NM	0%
	1/12/2007	NM	NM	NM	NM	10	NM	0%
	1/20/2007	NM	NM	NM	NM	10	NM	0%
	1/27/2007	NM	NM	NM	NM	10	NM	0%
	1/31/2007	NM	NM	NM	NM	6	NM	0%
	2/7/2007	NM	NM	NM	NM	10	NM	0%
	2/16/2007	NM	NM	NM	NM	10	NM	0%
	2/20/2007	NM	NM	NM	NM	10	NM	0%
	3/1/2007	NM	NM	NM	NM	10	NM	0%
	3/7/2007	NM	NM	NM	NM	10	NM	0%
	3/14/2007	NM	NM	NM	NM	10	NM	0%
	3/20/2007	NM	NM	NM	NM	11	NM	0%
	3/28/2007	NM	NM	NM	NM	10	NM	0%
	4/5/2007	NM	NM	NM	NM	10	NM	0%
VEW-19A*	3/2/2006	NM	NM	NM	NM	NM	NM	0%
	3/10/2006	NM	NM	NM	NM	NM	NM	0%
	3/16/2006	NM	NM	NM	NM	NM	NM	0%
	3/23/2006	NM	NM	NM	NM	NM	NM	0%
	4/5/2006	NM	NM	NM	NM	NM	NM	0%
	4/12/2006	NM	NM	NM	NM	0	NM	0%
	4/19/2006	8:40	71.0	19.7	19.02	14	27.5	25%
	4/26/2006	9:14	61.4	19.7	19.02	14	1.9	25%
	5/3/2006	13:28	65.1	7.15	6.80	20	1.8	25%
	5/11/2006	9:56	63.8	7.9	7.40	24	1.9	25%
	5/19/2006	8:51	65.7	2.76	2.69	10	1.7	5%
	5/24/2006	8:43	67.4	2.5	2.44	10	1.6	25%
	6/1/2006	9:30	69.4	2.1	2.05	10	1.5	25%
	6/7/2006	8:57	60.3	2.0	1.94	12	1.2	5%
	6/14/2006	8:46	60.3	2.1	2.04	12	0.8	5%
	6/23/2006	8:19	61.2	2.2	2.14	12	1.1	5%
	6/28/2006	7:49	63.4	2.1	2.03	13	1.3	5%
	7/3/2006	8:49	64.3	2.0	1.94	13	1.1	5%
	7/13/2006	11:19	97.7	4.6	4.33	24	1.0	25%
	7/21/2006	17:20	82.6	4.4	4.13	25	1.1	25%
	8/11/2006	17:05	81.9	14.8	13.89	25	0.0	25%
	8/16/2006	12:27	79.8	4.8	4.51	25	1.0	25%
	8/23/2006	8:29	90.3	4.1	3.84	26	1.6	25%
	8/29/2006	7:49	85.9	4.3	4.03	26	1.7	25%
	9/9/2006	11:31	84.1	7.6	7.10	27	1.6	25%
	9/13/2006	14:42	76.0	4.4	4.12	26	1.4	25%
	9/22/2006	13:49	73.3	7.5	7.02	26	1.8	25%
	9/28/2006	10:34	76.6	7.7	7.21	26	1.6	25%
	10/2/2006	7:59	78.8	7.9	7.38	27	1.4	25%
	10/9/2006	11:49	72.8	8.1	7.54	28	1.8	100%
	10/20/2006	12:49	79.0	8.3	7.73	28	1.9	100%
	10/27/2006	10:56	77.6	8.8	8.15	30	1.6	100%
	11/2/2006	12:49	76.7	8.1	7.50	30	1.7	100%
	11/17/2006	13:50	76.4	9.3	8.50	35	1.2	100%
	11/20/2006	16:35	70.6	9.5	8.66	36	1.1	100%
	11/27/2006	16:10	71.3	10.8	9.77	39	1.0	100%
	12/8/2006	13:35	76.7	10.8	9.74	40	0.6	100%
	12/15/2006	6:50	67.5	11.3	10.22	39	0.4	100%
	12/19/2006	13:50	73.1	10.6	9.58	39	0.3	100%
	12/27/2006	14:00	74.5	10.7	9.60	42	0.4	100%
	1/3/2007	13:50	76.9	10.1	9.03	43	0.2	100%

TABLE 3 - WELLFIELD FIELD DATA

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1/36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acfm)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
	1/11/2007	15:05	68.7	10.5	9.37	44	0.1	100%
	1/17/2007	15:50	67.1	10.0	8.92	44	0.0	100%
	1/26/2007	16:05	69.5	9.7	8.58	47	0.0	100%
	1/31/2007	9:20	67.3	14.3	13.04	36	0.6	100%
	2/7/2007	11:50	68.9	14.7	13.00	47	0.5	100%
	2/15/2007	15:20	71.8	14.9	13.33	43	0.7	100%
	2/20/2007	13:00	69.4	14.6	13.17	40	0.8	100%
	3/1/2007	7:00	63.8	73.7	65.74	44	0.6	100%
	3/7/2007	14:30	67.9	23.8	21.23	44	0.5	100%
	3/14/2007	16:37	74.2	23.1	20.66	43	0.5	100%
	3/20/2007	13:40	68.3	23.8	21.29	43	0.4	100%
	3/27/2007	17:15	70.8	23.6	21.11	43	0.3	100%
	4/5/2007	13:10	71.1	23.6	21.11	43	0.4	100%
VEW-19B*	3/2/2006	NM	NM	NM	NM	NM	NM	0%
	3/10/2006	NM	NM	NM	NM	NM	NM	0%
	3/16/2006	NM	NM	NM	NM	NM	NM	0%
	3/23/2006	NM	NM	NM	NM	NM	NM	0%
	4/5/2006	NM	NM	NM	NM	NM	NM	0%
	4/12/2006	NM	NM	NM	NM	12	NM	0%
	4/19/2006	8:50	71.4	42.1	38.58	34	29.4	25%
	4/26/2006	9:18	61.3	41.7	38.22	34	150.0	25%
	5/3/2006	13:32	65.4	8.8	8.32	22	110.2	25%
	5/11/2006	10:03	63.9	8.9	8.29	28	106.9	25%
	5/19/2006	8:58	65.4	8.6	8.05	26	110.8	25%
	5/24/2006	8:49	67.5	8.7	8.17	25	105.8	25%
	6/1/2006	9:36	69.6	8.8	8.26	25	103.6	25%
	6/7/2006	9:04	60.2	8.6	8.03	27	101.9	25%
	6/14/2006	8:53	60.3	8.4	7.82	28	101.1	25%
	6/23/2006	8:26	61.3	8.7	8.14	26	99.8	25%
	6/28/2006	7:56	63.5	8.5	7.96	26	98.1	25%
	7/3/2006	8:56	64.8	8.3	7.75	27	97.2	25%
	7/13/2006	11:25	97.6	9.5	8.96	23	90.6	50%
	7/21/2006	17:25	82.6	9.4	8.87	23	86.7	50%
	8/11/2006	17:10	82.9	9.9	9.17	28	8.3	100%
	8/16/2006	12:33	79.7	9.8	9.25	23	83.6	100%
	8/23/2006	8:36	90.8	7.5	6.97	29	56.9	100%
	8/29/2006	7:56	86.3	7.4	6.93	26	54.6	100%
	9/9/2006	11:38	84.3	13.6	12.70	27	53.0	100%
	9/13/2006	14:48	76.4	13.8	12.78	30	54.8	100%
	9/22/2006	13:56	73.6	13.9	12.88	30	55.8	100%
	9/28/2006	10:41	76.9	14.3	13.28	29	54.1	100%
	10/2/2006	8:06	78.5	14.9	13.77	31	55.2	100%
	10/9/2006	11:56	72.4	14.6	13.49	31	56.1	100%
	10/20/2006	12:56	79.3	14.8	13.67	31	57.6	100%
	10/27/2006	11:04	77.4	14.9	13.69	33	57.4	100%
	11/2/2006	12:56	76.5	14.5	13.32	33	57.6	100%
	11/17/2006	14:00	76.2	10.4	9.43	38	51.3	100%
	11/20/2006	16:45	70.9	10.2	9.25	38	49.2	100%
	11/27/2006	16:20	71.6	18.6	16.64	43	46.9	100%
	12/8/2006	13:45	76.5	19.6	17.48	44	44.2	100%
	12/15/2006	7:00	67.9	19.7	17.57	44	40.1	100%
	12/19/2006	14:00	73.3	20.0	17.84	44	38.0	100%
	12/27/2006	14:10	74.1	21.1	18.72	46	38.6	100%
	1/3/2007	14:00	76.4	22.6	19.99	47	18.2	100%
	1/11/2007	15:15	68.1	23.1	20.43	47	17.0	100%
	1/17/2007	16:00	67.3	23.7	20.91	48	15.9	100%
	1/26/2007	16:15	69.9	20.7	18.36	46	13.8	100%
	1/31/2007	9:30	67.4	15.2	13.71	40	1.9	100%
	2/7/2007	12:00	68.5	15.5	13.75	46	1.6	100%
	2/15/2007	15:30	71.2	15.9	14.10	46	1.3	100%
	2/20/2007	13:10	69.7	16.3	14.54	44	1.4	100%
	3/1/2007	7:10	63.7	14.9	13.18	47	1.6	100%
	3/7/2007	14:40	67.8	14.8	13.06	48	1.2	100%
	3/14/2007	16:44	74.8	15.3	13.57	46	1.1	100%
	3/20/2007	13:50	68.5	15.8	13.98	47	1.0	100%
	3/27/2007	17:25	70.6	15.6	13.80	47	0.9	100%
	4/5/2007	13:20	71.3	15.6	13.80	47	1.0	100%
VEW-20A*	3/2/2006	NM	NM	NM	NM	NM	NM	0%
	3/10/2006	NM	NM	NM	NM	NM	NM	0%
	3/16/2006	NM	NM	NM	NM	NM	NM	0%
	3/24/2006	NM	NM	NM	NM	NM	NM	0%
	4/5/2006	NM	NM	NM	NM	NM	NM	0%
	4/12/2006	NM	NM	NM	NM	7	NM	0%

TABLE 3 - WELLFIELD FIELD DATA

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1/36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acfm)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
	4/19/2006	11:30	71.6	30.6	27.97	35	29.7	25%
	4/26/2006	13:50	61.5	30.8	28.23	34	3.0	25%
	5/3/2006	14:58	68.0	7.60	7.15	24	2.6	25%
	5/11/2006	12:23	63.4	9.01	8.37	29	2.9	25%
	5/19/2006	11:29	65.6	8.9	8.29	28	6.5	25%
	5/24/2006	10:52	68.1	8.8	8.19	28	6.3	25%
	6/1/2006	11:38	69.5	8.7	8.08	29	6.1	25%
	6/7/2006	11:14	61.2	8.8	8.19	28	6.0	25%
	6/14/2006	10:58	61.0	8.4	7.82	28	5.2	25%
	6/23/2006	10:39	62.8	8.6	7.99	29	5.5	25%
	6/28/2006	11:36	65.8	8.8	8.17	29	4.6	25%
	7/3/2006	11:41	65.4	8.3	7.73	28	4.4	25%
	7/13/2006	14:07	97.6	12.2	11.30	30	4.0	50%
	7/21/2006	19:05	82.1	12.0	11.15	29	1.1	25%
	8/16/2006	15:38	80.1	13.0	12.04	30	0.9	25%
	8/23/2006	12:51	90.6	14.0	12.97	30	1.6	25%
	8/29/2006	11:51	86.6	14.4	13.34	30	1.3	25%
	9/9/2006	8:11	85.6	14.6	13.52	30	1.6	25%
	9/13/2006	16:48	76.5	14.4	13.34	30	1.7	25%
	9/22/2006	16:21	74.1	15.1	13.99	30	1.9	25%
	9/28/2006	13:01	76.4	15.9	14.73	30	2.1	25%
	10/2/2006	11:45	78.8	16.2	15.01	30	2.3	25%
	10/9/2006	14:31	73.0	16.0	14.74	32	2.0	25%
	10/20/2006	15:31	78.6	16.6	15.38	30	2.1	25%
	10/27/2006	13:44	78.4	16.9	15.65	30	1.6	25%
	11/2/2006	15:16	76.4	17.3	16.03	30	1.7	25%
	11/17/2006	17:20	76.9	19.6	17.63	41	0.4	25%
	11/20/2006	20:05	70.9	20.1	18.08	41	0.3	25%
	11/28/2006	17:00	68.4	21.0	18.83	42	0.5	25%
	12/8/2006	17:05	76.1	22.1	19.93	40	0.6	25%
	12/15/2006	10:30	67.3	22.6	20.93	30	0.5	25%
	12/19/2006	17:50	76.9	22.0	20.33	31	0.4	25%
	12/27/2006	17:30	74.9	22.8	20.22	46	0.4	25%
	1/4/2007	7:30	64.9	22.1	20.47	30	0.0	25%
	1/12/2007	16:30	61.8	21.6	20.01	30	0.0	25%
	1/20/2007	16:20	69.7	22.6	20.93	30	0.0	25%
	1/27/2007	6:20	62.2	22.0	20.27	32	0.0	25%
	1/31/2007	12:50	67.0	11.5	10.62	31	1.8	25%
	2/7/2007	15:50	68.0	11.7	10.78	32	1.3	25%
	2/16/2007	6:20	67.8	11.4	10.56	30	1.0	25%
	2/20/2007	16:40	69.4	11.8	10.93	30	0.7	25%
	3/1/2007	17:20	68.2	12.6	11.52	35	0.8	25%
	3/7/2007	17:50	67.8	12.8	11.67	36	0.7	25%
	3/14/2007	18:57	74.7	12.1	11.21	30	0.8	25%
	3/20/2007	17:00	68.3	12.8	11.26	49	0.7	25%
	3/28/2007	18:55	69.9	12.8	11.26	49	0.5	25%
	4/5/2007	16:40	71.0	12.8	11.26	49	0.3	25%
VEW-20B*	3/2/2006	NM	NM	NM	NM	NM	NM	0%
	3/10/2006	NM	NM	NM	NM	NM	NM	0%
	3/16/2006	NM	NM	NM	NM	NM	NM	0%
	3/24/2006	NM	NM	NM	NM	NM	NM	0%
	4/5/2006	NM	NM	NM	NM	NM	NM	0%
	4/12/2006	NM	NM	NM	NM	6	NM	0%
	4/19/2006	11:25	71.5	28.2	25.78	35	26.4	25%
	4/26/2006	13:45	61.7	28.1	25.75	34	4.0	25%
	5/3/2006	14:54	68.5	6.8	6.45	21	3.1	25%
	5/11/2006	12:15	63.7	7.91	7.33	30	3.0	25%
	5/19/2006	11:22	65.6	7.82	7.30	27	2.4	25%
	5/24/2006	10:45	67.9	7.9	7.38	27	2.2	25%
	6/1/2006	11:32	69.7	7.9	7.38	27	2.0	25%
	6/7/2006	11:07	60.9	8.1	7.58	26	1.5	25%
	6/14/2006	10:52	61.1	9.0	8.40	27	1.1	25%
	6/23/2006	10:32	62.0	8.0	7.49	26	1.2	25%
	6/28/2006	11:29	65.5	8.4	7.86	26	1.0	25%
	7/3/2006	11:34	65.7	8.3	7.75	27	1.1	25%
	7/13/2006	14:00	97.5	8.8	8.17	29	1.0	25%
	7/21/2006	19:00	82.8	8.5	7.87	30	4.8	75%
	8/16/2006	15:32	80.4	8.3	7.71	29	4.4	75%
	8/23/2006	12:44	90.9	8.8	8.22	27	4.8	75%
	8/29/2006	11:44	86.7	8.9	8.31	27	4.4	75%
	9/9/2006	8:04	85.4	8.6	8.01	28	4.2	75%
	9/13/2006	16:42	76.6	8.7	8.06	30	4.0	75%
	9/22/2006	16:14	74.8	8.9	8.24	30	4.4	75%
	9/28/2006	12:54	76.2	8.8	8.15	30	4.0	75%
	10/2/2006	11:38	78.9	8.9	8.22	31	4.2	75%

TABLE 3 - WELLFIELD FIELD DATA

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1/36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acfm)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
	10/9/2006	14:24	72.9	8.1	7.48	31	4.4	75%
	10/20/2006	15:24	78.1	8.4	7.76	31	4.3	75%
	10/27/2006	13:36	78.8	8.4	7.72	33	4.0	75%
	11/2/2006	15:09	76.5	8.8	8.07	34	3.6	75%
	11/17/2006	17:10	76.5	10.4	9.40	39	4.1	75%
	11/20/2006	19:55	70.5	9.9	8.95	39	4.0	75%
	11/28/2006	16:50	68.9	10.2	9.22	39	3.5	75%
	12/8/2006	16:55	76.6	12.6	11.24	44	3.0	75%
	12/15/2006	10:20	67.1	12.7	11.30	45	2.1	75%
	12/19/2006	17:40	76.4	12.8	11.39	45	2.0	75%
	12/27/2006	17:20	74.6	12.1	10.70	47	1.5	75%
	1/4/2007	7:20	64.8	12.8	11.32	47	0.2	75%
	1/12/2007	16:20	61.6	13.4	11.82	48	0.1	75%
	1/20/2007	16:10	69.1	13.6	12.06	46	0.0	75%
	1/27/2007	6:10	62.8	13.9	12.26	48	0.0	75%
	1/31/2007	12:40	67.2	8.7	7.80	42	1.6	75%
	2/7/2007	15:40	68.4	8.9	7.85	48	1.0	75%
	2/16/2007	6:10	67.6	9.2	8.18	45	1.1	75%
	2/20/2007	16:30	69.8	9.6	8.54	45	0.9	75%
	3/1/2007	17:10	68.7	10.7	9.36	51	0.8	75%
	3/7/2007	17:40	67.1	11.0	9.62	51	1.0	75%
	3/14/2007	18:50	74.3	10.8	9.58	46	1.4	75%
	3/20/2007	16:50	68.9	10.8	9.55	47	1.2	75%
	3/28/2007	NM	NM	NM	NM	10	NM	0%
	4/5/2007	NM	NM	NM	NM	10	NM	0%
VEW-21A*	3/2/2006	NM	NM	NM	NM	NM	NM	0%
	3/10/2006	NM	NM	NM	NM	NM	NM	0%
	3/16/2006	NM	NM	NM	NM	NM	NM	0%
	3/23/2006	NM	NM	NM	NM	NM	NM	0%
	4/5/2006	NM	NM	NM	NM	NM	NM	0%
	4/12/2006	NM	NM	NM	NM	6	NM	0%
	4/19/2006	9:50	71.4	30.9	28.47	32	23.7	25%
	4/26/2006	9:42	61.7	30.8	28.38	32	20.6	25%
	5/3/2006	14:06	66.3	8.9	8.40	21	16.7	25%
	5/11/2006	10:46	62.9	9.9	9.28	26	16.9	25%
	5/19/2006	9:49	65.5	10.1	9.48	25	16.7	25%
	5/24/2006	9:25	67.5	10.9	10.23	25	16.4	25%
	6/1/2006	10:12	69.3	10.8	10.14	25	16.3	25%
	6/7/2006	9:43	60.7	9.6	8.99	26	16.0	25%
	6/14/2006	9:31	60.7	10.1	9.43	27	14.8	25%
	6/23/2006	9:08	61.8	9.4	8.82	25	14.9	25%
	6/28/2006	9:58	63.5	7.7	7.23	25	15.1	25%
	7/3/2006	9:38	64.3	7.4	6.93	26	15.0	25%
	7/13/2006	12:38	97.4	9.0	8.40	27	14.2	50%
	7/21/2006	18:00	82.1	9.2	8.59	27	14.6	50%
	8/16/2006	13:15	79.4	9.6	8.96	27	14.0	50%
	8/23/2006	9:25	90.0	8.5	7.92	28	18.6	50%
	8/29/2006	8:45	86.3	8.7	8.10	28	18.7	50%
	9/9/2006	12:27	84.6	8.7	8.08	29	18.8	50%
	9/13/2006	15:30	76.6	8.8	8.17	29	16.8	50%
	9/22/2006	14:45	73.8	9.3	8.64	29	17.8	50%
	9/28/2006	11:30	76.7	9.6	8.92	29	17.1	50%
	10/2/2006	10:14	78.7	10.0	9.26	30	19.6	100%
	10/9/2006	12:46	72.8	10.6	9.82	30	19.0	100%
	10/20/2006	13:45	79.3	10.6	9.85	29	19.1	100%
	10/27/2006	12:00	77.3	10.9	10.07	31	19.9	100%
	11/2/2006	13:45	76.3	11.6	10.69	32	14.7	100%
	11/17/2006	15:10	76.1	10.2	9.27	37	19.6	100%
	11/20/2006	17:55	70.2	11.0	10.00	37	19.5	100%
	11/27/2006	17:30	71.8	11.6	10.43	41	19.0	100%
	12/8/2006	14:55	76.5	11.8	10.58	42	12.6	100%
	12/15/2006	8:10	67.4	11.7	10.49	42	12.0	100%
	12/19/2006	15:10	73.1	11.8	10.50	45	10.8	100%
	12/27/2006	15:20	74.1	12.8	11.42	44	9.1	100%
	1/3/2007	15:10	76.5	12.1	10.76	45	6.0	100%
	1/11/2007	16:25	68.8	12.6	11.21	45	5.4	100%
	1/17/2007	17:10	67.5	12.1	10.76	45	5.0	100%
	1/26/2007	17:25	69.5	12.1	10.76	45	3.9	100%
	1/31/2007	10:40	67.4	11.1	10.01	40	12.6	100%
	2/7/2007	13:10	68.7	11.3	9.91	50	12.6	100%
	2/15/2007	16:40	71.8	11.9	10.61	44	12.9	100%
	2/20/2007	14:20	69.6	11.6	10.38	43	13.8	100%
	3/1/2007	15:10	68.7	12.6	11.15	47	13.6	100%
	3/7/2007	15:40	66.9	12.8	11.32	47	13.7	100%
	3/14/2007	17:26	74.7	12.9	11.51	44	13.9	100%

TABLE 3 - WELLFIELD FIELD DATA

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1/36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acfm)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
	3/20/2007	14:50	68.3	13.2	11.74	45	13.0	100%
	3/27/2007	18:15	70.8	13.6	12.06	46	12.5	100%
	4/5/2007	14:20	71.6	13.1	11.59	47	12.2	100%
VEW-21B*	3/2/2006	NM	NM	NM	NM	NM	NM	0%
	3/10/2006	NM	NM	NM	NM	NM	NM	0%
	3/16/2006	NM	NM	NM	NM	NM	NM	0%
	3/23/2006	NM	NM	NM	NM	NM	NM	0%
	4/5/2006	NM	NM	NM	NM	NM	NM	0%
	4/12/2006	NM	NM	NM	NM	10	NM	0%
	4/19/2006	10:00	71.6	26.6	24.31	35	28.6	25%
	4/26/2006	9:46	61.2	24.8	22.85	32	170.0	25%
	5/3/2006	14:10	66.9	6.65	6.26	24	140.9	25%
	5/11/2006	10:54	63.3	7.67	7.12	29	151.2	25%
	5/19/2006	9:57	65.7	7.5	7.01	28	148.2	25%
	5/24/2006	9:31	67.7	8.0	7.43	29	144.8	25%
	6/1/2006	10:18	69.4	8.3	7.69	30	143.8	25%
	6/7/2006	9:49	60.6	7.8	7.24	29	141.2	25%
	6/14/2006	9:39	60.6	8.3	7.69	30	132.0	25%
	6/23/2006	9:15	61.6	7.8	7.24	29	139.8	25%
	6/28/2006	10:05	63.1	21.0	19.66	26	131.2	25%
	7/3/2006	9:45	64.2	21.8	20.41	26	129.6	25%
	7/13/2006	12:45	97.5	6.4	5.93	30	121.1	50%
	7/21/2006	18:05	82.6	6.3	5.84	30	120.8	50%
	8/16/2006	13:21	79.8	6.6	6.10	31	119.6	50%
	8/23/2006	9:32	90.7	6.1	5.64	31	336.1	50%
	8/29/2006	8:52	86.1	6.3	5.82	31	346.1	50%
	9/9/2006	12:34	84.7	6.8	6.28	31	341.6	50%
	9/13/2006	15:36	76.8	6.5	6.01	31	341.8	50%
	9/22/2006	14:52	73.4	6.8	6.28	31	362.8	50%
	9/28/2006	11:37	76.0	7.2	6.65	31	359.6	50%
	10/2/2006	10:21	78.6	21.4	19.67	33	386.7	100%
	10/9/2006	12:53	72.4	21.4	19.67	33	371.1	100%
	10/20/2006	13:52	79.0	21.6	19.96	31	376.6	100%
	10/27/2006	12:08	77.4	22.0	20.16	34	371.1	100%
	11/2/2006	13:52	76.8	23.1	21.17	34	320.1	100%
	11/17/2006	15:20	76.6	9.4	8.48	40	361.2	100%
	11/20/2006	18:05	70.9	9.2	8.30	40	358.2	100%
	11/27/2006	17:40	71.4	9.8	8.77	43	316.1	100%
	12/8/2006	15:05	76.4	9.6	8.56	44	301.6	100%
	12/15/2006	8:20	67.0	9.4	8.36	45	291.2	100%
	12/19/2006	15:20	73.6	9.0	8.01	45	286.1	100%
	12/27/2006	15:30	74.8	10.2	9.02	47	268.2	100%
	1/3/2007	15:20	76.4	10.8	9.55	47	92.6	100%
	1/11/2007	16:35	68.5	11.0	9.73	47	89.2	100%
	1/17/2007	17:20	67.8	11.3	9.97	48	78.6	100%
	1/26/2007	17:35	69.3	11.8	10.44	47	70.8	100%
	1/31/2007	10:50	67.2	10.1	9.06	42	310	100%
	2/7/2007	13:20	68.9	10.8	9.58	46	321	100%
	2/15/2007	16:50	71.9	10.6	9.40	46	33.1	100%
	2/20/2007	14:30	69.3	10.7	9.52	45	316.0	100%
	3/1/2007	15:20	68.8	11.4	10.00	50	321.0	100%
	3/7/2007	15:50	67.3	11.0	9.65	50	329.0	100%
	3/14/2007	17:33	74.6	14.1	12.47	47	318.0	100%
	3/20/2007	15:00	68.4	13.9	12.30	47	311.0	100%
	3/27/2007	18:25	70.6	14.7	13.00	47	306.0	100%
	4/5/2007	14:30	71.8	14.9	13.18	47	301.6	100%
VEW-22A*	3/2/2006	NM	NM	NM	NM	NM	NM	0%
	3/10/2006	NM	NM	NM	NM	NM	NM	0%
	3/16/2006	NM	NM	NM	NM	NM	NM	0%
	3/23/2006	NM	NM	NM	NM	NM	NM	0%
	4/5/2006	NM	NM	NM	NM	NM	NM	0%
	4/12/2006	NM	NM	NM	NM	10	NM	0%
	4/19/2006	11:05	71.7	40.1	36.55	36	30.7	25%
	4/26/2006	10:14	61.7	41.1	37.47	36	12.6	50%
	5/3/2006	14:38	68.5	7.1	6.66	25	10.5	25%
	5/11/2006	11:46	63.8	7.9	7.32	30	11.0	25%
	5/19/2006	10:52	65.5	7.1	6.59	29	10.4	25%
	5/24/2006	10:17	67.4	7.6	7.06	29	10.5	25%
	6/1/2006	11:02	69.7	7.3	6.78	29	10.2	25%
	6/7/2006	10:35	60.3	7.1	6.58	30	9.2	50%
	6/14/2006	10:24	60.4	7.2	6.69	29	8.7	50%
	6/23/2006	10:04	61.5	7.6	7.06	29	9.0	25%
	6/28/2006	11:01	63.3	7.8	7.24	29	9.0	25%
	7/3/2006	10:34	64.2	7.4	6.89	28	9.1	25%

TABLE 3 - WELLFIELD FIELD DATA

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1/36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acfm)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
	7/13/2006	13:33	97.1	5.0	4.63	30	8.1	50%
	7/21/2006	18:40	82.7	5.4	5.00	30	7.6	50%
	8/16/2006	14:03	79.6	4.9	4.54	30	7.8	50%
	8/23/2006	10:21	87.0	7.0	6.47	31	7.4	50%
	8/29/2006	9:41	86.4	7.4	6.84	31	7.3	50%
	9/9/2006	13:23	84.9	7.6	7.02	31	7.0	50%
	9/13/2006	16:18	76.5	7.7	7.11	31	7.3	50%
	9/22/2006	15:41	73.6	7.1	6.54	32	7.7	50%
	9/28/2006	12:26	76.3	8.8	8.09	33	7.1	50%
	10/2/2006	11:10	78.9	9.2	8.43	34	7.4	50%
	10/9/2006	13:42	72.6	9.9	9.07	34	7.3	100%
	10/20/2006	14:41	79.3	10.2	9.40	32	7.3	100%
	10/27/2006	13:04	77.7	11.0	10.08	34	7.3	100%
	11/2/2006	14:41	76.2	12.0	10.94	36	6.7	100%
	11/17/2006	16:30	76.9	44.0	39.68	40	6.6	100%
	11/20/2006	19:15	70.9	44.4	39.93	41	6.2	100%
	11/27/2006	18:50	71.6	44.8	40.07	43	6.6	100%
	12/8/2006	16:15	76.1	44.9	39.94	45	7.1	100%
	12/15/2006	9:30	67.1	45.2	40.09	46	6.9	100%
	12/19/2006	16:30	73.6	46.1	40.78	47	6.7	100%
	12/27/2006	16:40	74.1	46.8	41.40	47	6.4	100%
	1/3/2007	16:30	76.5	46.1	40.44	50	1.8	100%
	1/11/2007	17:45	68.6	46.1	40.55	49	1.4	100%
	1/17/2007	18:30	67.1	46.7	41.08	49	1.2	100%
	1/26/2007	18:45	69.8	47.8	42.28	47	1.0	100%
	1/31/2007	12:00	67.6	15.0	13.38	44	26	100%
	2/7/2007	14:30	68.1	15.5	13.71	47	26	100%
	2/15/2007	18:00	71.3	15.9	14.06	47	25.5	100%
	2/20/2007	15:40	69.4	16.2	14.45	44	22.8	100%
	3/1/2007	16:30	68.3	16.9	14.78	51	20.6	100%
	3/7/2007	17:00	67.9	16.0	14.00	51	21.6	100%
	3/14/2007	18:22	74.6	16.4	14.51	47	19.9	100%
	3/20/2007	16:10	68.9	16.6	14.64	48	19.6	100%
	3/28/2007	18:15	69.4	16.7	14.69	49	14.5	100%
	4/5/2007	15:50	71.7	16.6	14.56	50	14.8	100%
VEW-22B*	3/2/2006	NM	NM	NM	NM	NM	NM	0%
	3/10/2006	NM	NM	NM	NM	NM	NM	0%
	3/16/2006	NM	NM	NM	NM	NM	NM	0%
	3/23/2006	NM	NM	NM	NM	NM	NM	0%
	4/5/2006	NM	NM	NM	NM	NM	NM	0%
	4/12/2006	NM	NM	NM	NM	10	NM	0%
	4/19/2006	11:10	71.5	34.7	31.89	33	26.4	25%
	4/26/2006	10:18	61.5	34.1	31.34	33	4.0	50%
	5/3/2006	14:42	68.8	21.8	20.62	22	3.2	25%
	5/11/2006	11:54	63.4	22.9	21.33	28	2.8	25%
	5/19/2006	11:00	65.7	22.0	20.54	27	2.7	25%
	5/24/2006	10:25	67.9	22.8	21.29	27	2.6	25%
	6/1/2006	11:08	69.6	22.6	21.05	28	2.2	25%
	6/7/2006	10:41	60.5	21.0	19.61	27	2.0	50%
	6/14/2006	10:30	60.6	21.6	20.11	28	2.3	50%
	6/23/2006	10:11	61.6	21.6	20.22	26	1.8	25%
	6/28/2006	11:08	63.8	21.9	20.45	27	1.5	25%
	7/3/2006	10:41	64.7	21.7	20.21	28	1.6	25%
	7/13/2006	13:40	97.6	25.2	23.59	26	1.3	25%
	7/21/2006	18:45	82.7	25.6	23.97	26	1.2	25%
	8/16/2006	14:03	79.6	4.9	4.54	30	7.8	25%
	8/23/2006	10:28	89.7	20.1	18.82	26	5.5	25%
	8/29/2006	9:48	86.1	20.9	19.51	27	5.3	25%
	9/9/2006	13:30	84.2	21.2	19.79	27	5.1	25%
	9/13/2006	16:24	76.8	21.6	20.22	26	5.5	25%
	9/22/2006	15:48	73.7	22.1	20.63	27	8.1	25%
	9/28/2006	12:33	76.5	23.6	22.04	27	9.0	25%
	10/2/2006	11:17	78.1	24.6	22.61	33	9.1	25%
	10/9/2006	13:49	72.4	24.6	22.55	34	9.1	100%
	10/20/2006	14:48	79.3	24.9	22.94	32	9.4	100%
	10/27/2006	13:12	77.4	24.6	22.55	34	9.9	100%
	11/2/2006	14:48	76.1	24.9	22.82	34	9.0	100%
	11/17/2006	16:40	76.2	30.6	27.59	40	9.2	100%
	11/20/2006	19:25	70.1	30.8	27.70	41	8.9	100%
	11/27/2006	19:00	71.5	30.9	27.64	43	8.1	100%
	12/8/2006	16:25	76.8	31.2	27.75	45	7.8	100%
	12/15/2006	9:40	67.9	31.0	27.57	45	7.4	100%
	12/19/2006	16:40	73.8	31.9	28.37	45	7.3	100%

TABLE 3 - WELLFIELD FIELD DATA

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1/36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acfm)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
	12/27/2006	16:50	74.6	32.1	28.39	47	7.0	100%
	1/3/2007	16:40	76.8	32.8	29.09	46	1.0	100%
	1/11/2007	17:55	68.4	32.6	28.76	48	0.8	100%
	1/17/2007	18:40	67.3	32.5	28.67	48	0.6	100%
	1/26/2007	18:55	69.2	31.6	27.95	47	0.7	100%
	1/31/2007	12:10	67.2	43.7	39.19	42	1.8	100%
	2/7/2007	14:40	68.4	47.1	41.66	47	1.7	100%
	2/15/2007	18:10	71.6	48.2	42.76	46	1.5	100%
	2/20/2007	16:00	69.8	48.8	43.41	45	1.4	100%
	3/1/2007	16:40	68.9	53.6	47.02	50	1.2	100%
	3/7/2007	17:10	67.1	55.1	48.33	50	1.4	100%
	3/14/2007	18:29	74.9	32.9	29.18	46	1.6	100%
	3/20/2007	16:20	68.1	32.7	29.01	46	1.4	100%
	3/28/2007	18:25	69.2	32.1	28.47	46	1.9	100%
	4/5/2007	16:00	71.3	30.9	27.41	46	1.6	100%
VEW-23A*	3/2/2006	NM	NM	NM	NM	NM	NM	0%
	3/10/2006	NM	NM	NM	NM	NM	NM	0%
	3/16/2006	NM	NM	NM	NM	NM	NM	0%
	3/23/2006	NM	NM	NM	NM	NM	NM	0%
	4/5/2006	NM	NM	NM	NM	NM	NM	0%
	4/12/2006	NM	NM	NM	NM	11	NM	0%
	4/19/2006	9:40	71.5	31.6	29.12	32	28.7	25%
	4/26/2006	9:38	61.9	31.9	29.39	32	25.3	25%
	5/3/2006	14:02	66.3	21.7	20.58	21	18.6	25%
	5/11/2006	10:39	63.7	23.1	21.57	27	18.0	25%
	5/19/2006	9:42	65.6	23.7	22.19	26	18.3	25%
	5/23/2006	9:19	67.4	23.4	21.85	27	18.0	25%
	6/1/2006	10:06	69.6	23.9	22.26	28	17.5	25%
	6/7/2006	9:36	60.9	23.6	22.09	26	18.6	25%
	6/14/2006	9:25	60.7	22.8	21.34	26	15.7	25%
	6/23/2006	9:01	61.3	23.9	22.37	26	18.0	25%
	6/28/2006	9:51	63.3	9.8	9.17	26	17.8	25%
	7/3/2006	9:31	64.3	9.6	9.01	25	17.2	25%
	7/13/2006	12:31	97.0	27.6	25.63	29	16.1	50%
	7/21/2006	17:55	82.3	27.0	25.01	30	15.9	50%
	8/16/2006	13:09	79.8	27.6	25.57	30	14.6	50%
	8/23/2006	9:18	90.7	25.1	23.25	30	29.6	50%
	8/29/2006	8:38	85.7	25.5	23.56	31	26.7	50%
	9/9/2006	12:20	84.7	26.1	24.11	31	24.6	50%
	9/13/2006	15:24	76.9	26.6	24.64	30	26.7	50%
	9/22/2006	14:38	73.5	27.1	25.10	30	27.6	50%
	9/28/2006	11:23	76.8	26.9	24.92	30	28.6	50%
	10/2/2006	10:07	78.9	27.8	25.68	31	26.8	50%
	10/9/2006	12:39	72.9	28.1	25.75	34	26.1	100%
	10/20/2006	13:38	79.5	28.6	26.42	31	26.8	100%
	10/27/2006	11:52	77.7	29.4	26.95	34	27.1	100%
	11/2/2006	13:38	76.6	28.4	25.96	35	28.1	100%
	11/17/2006	15:00	76.4	32.0	28.94	39	20.2	100%
	11/20/2006	17:45	70.0	32.6	29.48	39	20.0	100%
	11/27/2006	17:20	71.6	32.9	29.43	43	19.0	100%
	12/8/2006	14:45	76.3	33.8	30.15	44	16.9	100%
	12/15/2006	8:00	67.7	33.8	30.06	45	16.4	100%
	12/19/2006	15:00	73.8	34.0	29.99	48	16.0	100%
	12/27/2006	15:10	74.3	34.4	30.60	45	14.2	100%
	1/3/2007	15:00	76.9	34.0	30.16	46	10.6	100%
	1/11/2007	16:15	68.3	35.1	31.13	46	9.1	100%
	1/17/2007	17:00	67.2	35.8	31.67	47	8.5	100%
	1/26/2007	17:15	69.9	36.7	32.55	46	7.9	100%
	1/31/2007	10:30	67.8	4.78	4.30	41	16.6	100%
	2/7/2007	13:00	68.4	4.78	4.23	47	16.0	100%
	2/15/2007	16:30	71.6	4.82	4.29	45	15.5	100%
	2/20/2007	14:10	69.8	4.80	4.28	44	15.7	100%
	3/1/2007	15:00	68.8	5.12	4.53	47	15.8	100%
	3/7/2007	15:30	67.7	5.26	4.64	48	15.0	100%
	3/14/2007	17:19	74.6	5.26	4.67	46	15.8	100%
	3/20/2007	14:40	68.7	5.51	4.89	46	15.6	100%
	3/27/2007	18:05	70.4	5.23	4.64	46	15.0	100%
	4/5/2007	14:10	71.9	6.20	5.50	46	14.5	100%
VEW-23B*	3/2/2006	NM	NM	NM	NM	NM	NM	0%
	3/10/2006	NM	NM	NM	NM	NM	NM	0%
	3/16/2006	NM	NM	NM	NM	NM	NM	0%
	3/23/2006	NM	NM	NM	NM	NM	NM	0%
	4/5/2006	NM	NM	NM	NM	NM	NM	0%

TABLE 3 - WELLFIELD FIELD DATA

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1/36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acfm)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
	4/12/2006	NM	NM	NM	NM	12	NM	0%
	4/19/2006	9:30	71.6	33.7	30.56	38	26.8	25%
	4/26/2006	9:34	61.8	33.8	30.65	38	440.0	25%
	5/3/2006	13:55	66.9	4.42	4.14	26	349.2	25%
	5/11/2006	10:32	63.5	4.97	4.59	31	361.1	25%
	5/19/2006	9:35	65.8	5.1	4.72	30	360.2	25%
	5/24/2006	9:13	67.8	5.5	5.09	30	355.6	25%
	6/1/2006	10:00	69.5	5.3	4.91	30	361.2	25%
	6/7/2006	9:30	60.8	5.1	4.72	30	359.0	25%
	6/14/2006	9:19	60.8	5.6	5.19	30	351.0	25%
	6/23/2006	8:54	61.0	5.6	5.19	30	362.1	25%
	6/28/2006	9:44	63.5	23.9	22.14	30	341.3	25%
	7/3/2006	9:24	64.4	23.6	21.80	31	339.6	25%
	7/13/2006	12:25	97.6	3.6	3.33	31	326.9	50%
	7/21/2006	17:50	82.1	3.7	3.41	32	321.6	50%
	8/16/2006	13:03	79.8	3.6	3.32	32	319.6	50%
	8/23/2006	9:11	90.3	4.4	4.04	33	269.9	50%
	8/29/2006	8:31	85.9	4.6	4.23	33	260.7	50%
	9/9/2006	12:13	84.1	4.9	4.50	33	256.8	50%
	9/13/2006	15:18	76.2	4.7	4.33	32	269.1	50%
	9/22/2006	14:31	73.3	4.1	3.77	33	276.9	50%
	9/28/2006	11:16	76.5	4.2	3.86	33	268.1	50%
	10/2/2006	10:00	78.1	4.8	4.40	34	271.6	50%
	10/9/2006	12:32	72.9	4.6	4.20	35	270.7	100%
	10/20/2006	13:31	79.7	4.8	4.40	34	276.0	100%
	10/27/2006	11:44	77.6	5.1	4.66	35	278.1	100%
	11/2/2006	13:31	76.4	5.5	5.03	35	269.7	100%
	11/17/2006	14:50	76.8	4.4	3.95	42	261.2	100%
	11/20/2006	17:35	70.6	4.4	3.95	42	241.2	100%
	11/27/2006	17:10	71.4	4.9	4.36	45	242.1	100%
	12/8/2006	14:35	76.8	4.6	4.08	46	239.6	100%
	12/15/2006	7:50	67.3	4.8	4.23	48	229.7	100%
	12/19/2006	14:50	73.2	4.6	4.08	46	221.1	100%
	12/27/2006	15:00	74.5	5.1	4.49	49	201.3	100%
	1/3/2006	14:50	76.6	5.5	4.82	50	102.6	100%
	1/11/2007	16:05	68..4	5.0	4.39	50	99.1	100%
	1/17/2007	16:50	67.9	5.3	4.65	50	90.2	100%
	1/26/2007	17:05	69.8	5.0	4.39	50	79.3	100%
	1/31/2007	10:20	67.7	8.8	7.80	44	41.6	100%
	2/7/2007	12:50	68.1	8.88	7.79	50	44.6	100%
	2/15/2007	16:20	71	8.92	7.85	49	40.7	100%
	2/20/2007	14:00	69.1	8.99	7.97	46	41.8	100%
	3/1/2007	7:50	63.4	10.1	8.86	50	44.8	100%
	3/7/2007	15:20	67.1	10.8	9.47	50	44.0	100%
	3/14/2007	17:12	74.4	10.4	9.15	49	44.1	100%
	3/20/2007	14:30	68.9	10.8	9.50	49	44.0	100%
	3/27/2007	17:55	70.6	10.9	9.59	49	41.3	100%
	4/5/2007	14:00	71.8	11.8	10.38	49	40.1	100%
VEW-24A*	3/2/2006	NM	NM	NM	NM	NM	NM	0%
	3/10/2006	NM	NM	NM	NM	NM	NM	0%
	3/16/2006	NM	NM	NM	NM	NM	NM	0%
	3/23/2006	NM	NM	NM	NM	NM	NM	0%
	4/5/2006	NM	NM	NM	NM	NM	NM	0%
	4/12/2006	NM	NM	NM	NM	11	NM	0%
	4/19/2006	9:10	71.2	28.6	26.63	28	19.7	25%
	4/26/2006	9:26	61.3	27.1	25.24	28	3.2	25%
	5/3/2006	13:50	66.7	4.3	4.04	25	3.0	25%
	5/11/2006	10:11	63.7	5.0	4.61	32	2.5	25%
	5/19/2006	9:20	65.4	5.7	5.28	30	2.3	25%
	5/24/2006	9:01	67.3	5.5	5.08	31	2.2	25%
	6/1/2006	9:48	69.8	5.4	4.99	31	2.1	25%
	6/7/2006	9:16	60.7	5.5	5.09	30	2.0	25%
	6/14/2006	9:05	60.6	5.8	5.39	29	2.0	25%
	6/23/2006	8:40	61.3	5.3	4.91	30	1.5	25%
	6/28/2006	9:30	63.9	5.4	5.00	30	1.5	25%
	7/3/2006	9:10	64.6	5.3	4.91	30	1.2	25%
	7/13/2006	12:13	97.4	6.6	6.08	32	0.8	25%
	7/21/2006	17:40	82.3	6.5	5.99	32	0.7	25%
	8/16/2006	12:51	79.4	6.7	6.17	32	0.6	25%
	8/23/2006	8:57	90.7	4.9	4.49	34	0.6	25%
	8/29/2006	8:17	86.1	4.7	4.32	33	0.4	25%
	9/9/2006	11:59	84.8	4.8	4.40	34	0.3	25%
	9/13/2006	15:06	76.4	4.9	4.50	33	0.6	25%
	9/22/2006	14:17	73.0	5.2	4.75	35	0.5	25%
	9/28/2006	11:02	76.2	5.6	5.13	34	0.7	25%

TABLE 3 - WELLFIELD FIELD DATA

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1/36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acfm)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
	10/2/2006	8:28	78.9	6.0	5.48	35	0.8	25%
	10/9/2006	12:18	72.4	6.3	5.74	36	0.7	100%
	10/20/2006	13:17	79.1	6.8	6.23	34	0.7	100%
	10/27/2006	11:28	77.4	7.4	6.75	36	0.6	100%
	11/2/2006	13:17	76.1	7.7	7.02	36	0.7	100%
	11/17/2006	14:30	76.9	13.3	11.90	43	0.1	100%
	11/20/2006	17:05	70.1	13.6	12.16	43	0.2	100%
	11/27/2006	16:50	71.9	13.4	11.92	45	0.1	100%
	12/8/2006	14:15	76.4	13.0	11.47	48	0.2	100%
	12/15/2006	7:30	67.8	13.2	11.64	48	0.3	100%
	12/19/2006	14:30	73.4	13.8	12.27	45	0.4	100%
	12/27/2006	14:40	74.7	14.2	12.42	51	0.5	100%
	1/3/2007	14:30	76.3	14.3	12.54	50	0.0	100%
	1/11/2007	15:45	68.9	15.1	13.25	50	0.0	100%
	1/17/2007	16:30	67.3	15.5	13.56	51	0.0	100%
	1/26/2007	16:45	69.1	14.0	12.28	50	0.0	100%
	1/31/2007	10:00	67.7	10.9	9.72	44	0.5	100%
	2/7/2007	12:30	68.7	11.6	10.18	50	0.5	100%
	2/15/2007	16:00	71.9	11.2	9.82	50	0.4	100%
	2/20/2007	13:40	69.7	11.0	9.70	48	0.5	100%
	3/1/2007	7:30	63.2	11.8	10.29	52	0.5	100%
	3/7/2007	15:00	67.0	11.4	9.94	52	0.4	100%
	3/14/2007	16:58	74.0	11.3	9.91	50	0.7	100%
	3/20/2007	14:10	68.3	11.8	10.32	51	0.6	100%
	3/27/2007	17:35	70.8	11.7	10.21	52	0.5	100%
	4/5/2007	13:30	71.8	11.8	10.29	52	0.7	100%
VEW-24B*	3/2/2006	NM	NM	NM	NM	NM	NM	0%
	3/10/2006	NM	NM	NM	NM	NM	NM	0%
	3/16/2006	NM	NM	NM	NM	NM	NM	0%
	3/23/2006	NM	NM	NM	NM	NM	NM	0%
	4/5/2006	NM	NM	NM	NM	NM	NM	0%
	4/12/2006	NM	NM	NM	NM	10	NM	0%
	4/19/2006	9:20	71.4	25.5	23.31	35	22.6	25%
	4/26/2006	9:30	61.7	25.1	22.94	35	1203.0	25%
	5/3/2006	13:54	66.7	5.0	4.69	25	1148.0	25%
	5/11/2006	10:25	63.6	5.5	5.09	30	1167.3	25%
	5/19/2006	9:27	65.1	5.6	5.20	29	1,159.6	25%
	5/24/2006	9:07	67.7	5.8	5.39	29	1,161.2	25%
	6/1/2006	9:54	69.4	5.7	5.28	30	1,160.2	25%
	6/7/2006	9:23	60.4	5.2	4.83	29	1,159.2	25%
	6/14/2006	9:12	60.5	4.9	4.56	28	1,112.0	25%
	6/23/2006	8:47	61.5	5.0	4.64	29	1,146.2	25%
	6/28/2006	9:37	63.6	5.3	4.92	29	1,141.2	25%
	7/3/2006	9:17	64.3	5.1	4.74	29	1,136.9	25%
	7/13/2006	12:19	97.0	5.9	5.47	30	1,116.9	50%
	7/21/2006	17:45	82.4	5.8	5.37	30	1,107.6	50%
	8/11/2006	NM	NM	NM	NM	NM	NM	100%
	8/16/2006	12:57	79.3	5.8	5.37	30	1,091.6	100%
	8/23/2006	9:04	90.9	5.4	4.98	32	1,920.6	100%
	8/29/2006	8:24	86.4	5.5	5.07	32	1,910.7	100%
	9/9/2006	12:06	84.6	5.6	5.16	32	1,907.1	100%
	9/13/2006	15:12	76.3	5.5	5.08	31	1,816.1	100%
	9/22/2006	14:24	73.8	5.0	4.62	31	1,801.1	100%
	9/28/2006	11:09	76.9	5.5	5.08	31	1,812.1	100%
	10/2/2006	8:35	78.3	5.7	5.22	34	1,716.1	100%
	10/9/2006	12:25	72.6	5.7	5.22	34	1,701.1	100%
	10/20/2006	13:24	79.4	5.9	5.42	33	1,721.1	100%
	10/27/2006	11:36	77.9	6.3	5.77	34	1,701.6	100%
	11/2/2006	13:24	76.8	6.7	6.14	34	1,671.1	100%
	11/17/2006	14:40	76.5	4.8	4.33	40	1,611.0	100%
	11/20/2006	17:25	70.8	4.9	4.42	40	1,591.2	100%
	11/27/2006	17:00	71.0	4.8	4.28	44	1,510.1	100%
	12/8/2006	14:25	76.7	5.1	4.54	45	1,502.1	100%
	12/15/2006	7:40	67.9	5.5	4.88	46	1,411.6	100%
	12/19/2006	14:40	73.6	5.9	5.19	49	1,398.6	100%
	12/27/2006	14:50	74.9	6.6	5.82	48	1,316.1	100%
	1/3/2007	14:40	76.8	6.9	6.07	49	921.2	100%
	1/11/2007	15:55	68.6	7.2	6.35	48	901.2	100%
	1/17/2007	16:40	67.5	7.7	6.79	48	817.2	100%
	1/26/2007	16:55	69.6	6.9	6.10	47	767.8	100%
	1/31/2007	10:10	67.1	7.8	6.98	43	1,712	100%
	2/7/2007	12:40	68.3	7.83	6.93	47	1,698	100%
	2/15/2007	16:10	71.3	7.88	6.95	48	1,680	100%
	2/20/2007	13:50	69.2	7.81	6.95	45	1,698	100%
	3/1/2007	7:40	63.5	8.61	7.55	50	1,602	100%

TABLE 3 - WELLFIELD FIELD DATA

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1/36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acfm)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
	3/7/2007	15:10	67.8	8.70	7.63	50	1,581	100%
	3/14/2007	17:05	74.8	8.73	7.70	48	1,609	100%
	3/20/2007	14:20	68.1	8.91	7.86	48	1,601	100%
	3/27/2007	17:45	70.3	8.96	7.90	48	1,610	100%
	4/5/2007	13:40	71.4	9.10	8.03	48	1,601	100%
VEW-25A	3/2/2006	11:50	71.6	57.5	51.85	40	10.2	100%
	3/10/2006	12:50	56.6	85.6	79.29	30	6.2	50%
	3/16/2006	17:28	57.0	86.1	79.76	30	7.6	50%
	3/23/2006	12:41	63.9	88.3	81.58	31	7.0	50%
	3/31/2006	9:30	60.2	23.7	21.84	32	16.8	50%
	4/5/2006	9:00	56.7	56.7	52.10	33	15.4	50%
	4/12/2006	8:55	61.3	53.7	49.88	29	12.9	50%
	4/19/2006	10:30	71.3	46.2	41.66	40	13.7	50%
	4/26/2006	9:58	61.3	47.6	42.92	40	4.6	50%
	5/3/2006	14:22	66.1	34.3	32.11	26	4.8	50%
	5/11/2006	11:17	63.6	36.0	33.08	33	4.2	50%
	5/19/2006	10:21	65.3	34.4	31.87	30	4.0	50%
	5/24/2006	9:49	67.5	34.6	31.97	31	3.8	50%
	6/1/2006	10:36	69.1	34.8	32.07	32	3.4	50%
	6/7/2006	10:09	60.5	33.6	30.96	32	3.2	50%
	6/14/2006	9:59	60.5	34.2	31.60	31	2.8	50%
	6/23/2006	9:36	61.5	33.8	31.23	31	3.0	50%
	6/28/2006	10:26	63.7	10.7	9.91	30	3.0	50%
	7/3/2006	10:06	64.9	10.8	10.00	30	3.2	50%
	7/13/2006	13:06	97.6	38.2	35.10	33	3.0	75%
	7/21/2006	18:20	82.7	38.2	35.10	33	3.1	75%
	8/16/2006	13:39	79.8	38.6	35.47	33	3.0	75%
	8/23/2006	9:53	90.6	31.4	28.70	35	8.6	75%
	8/29/2006	9:13	85.8	31.0	28.34	35	8.7	75%
	9/9/2006	12:55	84.8	31.1	28.50	34	8.8	75%
	9/13/2006	15:54	76.1	30.1	27.59	34	8.0	75%
	9/22/2006	15:13	73.4	32.6	29.80	35	7.5	75%
	9/28/2006	11:58	76.7	33.7	30.80	35	7.7	75%
	10/2/2006	10:42	78.5	33.3	30.36	36	7.4	75%
	10/9/2006	13:14	72.4	33.6	30.71	35	7.6	75%
	10/20/2006	14:13	79.4	38.8	35.47	35	7.8	75%
	10/27/2006	12:32	77.4	39.5	35.91	37	6.4	100%
	11/2/2006	14:13	76.2	39.0	35.46	37	7.0	75%
	11/17/2006	15:50	76.2	39.1	34.97	43	5.2	75%
	11/20/2006	18:35	70.7	39.4	35.14	44	5.1	75%
	11/27/2006	18:10	71.2	40.6	35.91	47	5.0	75%
	12/8/2006	15:35	76.5	40.7	35.90	48	4.1	75%
	12/15/2006	8:50	67.3	41.3	36.33	49	4.0	75%
	12/19/2006	15:50	73.3	41.0	36.07	49	3.6	75%
	12/27/2006	16:00	74.4	42.3	37.11	50	3.1	75%
	1/3/2007	15:50	76.8	42.8	37.44	51	1.2	75%
	1/11/2007	17:05	68.9	43.1	37.70	51	1.1	75%
	1/17/2007	17:50	67.8	43.8	38.31	51	0.9	75%
	1/26/2007	18:05	69.4	41.6	36.39	51	0.7	75%
	1/31/2007	11:20	67.9	165.0	146.36	46	5.0	75%
	2/7/2007	13:50	68.6	164.0	143.86	50	5.1	75%
	2/15/2007	17:20	71.2	160.2	140.53	50	5.3	75%
	2/20/2007	15:00	69.2	158.1	139.46	48	5.5	75%
	3/1/2007	15:50	68.9	159.3	138.57	53	5.0	75%
	3/7/2007	16:20	67.8	158.1	137.52	53	5.1	75%
	3/14/2007	17:54	74.9	158.2	138.77	50	4.8	75%
	3/20/2007	15:30	68.9	158.6	139.13	50	4.6	75%
	3/27/2007	18:55	70.5	157.1	137.81	50	4.7	75%
	4/5/2007	15:00	71.2	159.6	140.00	50	4.8	75%
VEW-25B	3/2/2006	12:15	76.1	13.6	12.26	40	59.6	100%
	3/10/2006	13:13	59.0	3.9	3.65	26	14.7	50%
	3/16/2006	17:56	56.5	4.0	3.74	26	16.7	50%
	3/24/2006	8:10	60.2	4.2	3.93	26	17.6	50%
	3/31/2006	9:30	60.1	13.6	12.60	30	10.0	50%
	4/5/2006	11:40	56.5	9.2	8.52	30	11.6	50%
	4/12/2006	9:35	61.5	11.6	10.75	30	10.3	50%
	4/19/2006	11:15	71.6	26.1	23.86	35	13.7	50%
	4/26/2006	13:30	61.7	24.9	22.76	35	100.3	50%
	5/3/2006	14:46	68.9	11.5	10.82	24	90.1	50%
	5/11/2006	12:01	64.0	12.9	11.95	30	89.2	50%
	5/19/2006	11:07	65.8	12.0	11.20	27	86.2	50%
	5/24/2006	10:31	67.5	11.8	10.99	28	84.3	50%
	6/1/2006	11:20	69.3	11.9	11.05	29	83.1	50%
	6/7/2006	10:55	60.6	11.8	10.96	29	80.2	50%

TABLE 3 - WELLFIELD FIELD DATA

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1/36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acfm)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
	6/14/2006	10:40	60.0	11.2	10.40	29	76.1	50%
	6/23/2006	10:18	61.9	11.6	10.77	29	75.6	50%
	6/28/2006	11:15	65.1	11.9	11.11	27	70.1	50%
	7/3/2006	11:20	65.9	11.8	11.02	27	65.2	50%
	7/13/2006	13:46	97.1	6.3	5.84	30	60.2	75%
	7/21/2006	18:50	82.9	6.0	5.56	30	61.6	75%
	8/16/2006	15:20	80.2	5.6	5.19	30	60.1	75%
	8/23/2006	12:30	90.6	5.9	5.47	30	26.9	75%
	8/29/2006	11:30	86.7	5.8	5.37	30	25.1	75%
	9/9/2006	7:40	85.7	5.9	5.47	30	25.8	75%
	9/13/2006	16:30	76.1	5.4	5.00	30	24.6	75%
	9/22/2006	16:00	74.1	5.9	5.45	31	24.3	75%
	9/28/2006	12:40	76.7	6.2	5.74	30	25.6	75%
	10/2/2006	11:24	79.0	7.2	6.62	33	26.1	75%
	10/9/2006	14:10	72.9	7.4	6.80	33	26.6	100%
	10/20/2006	15:10	78.1	7.6	6.97	34	24.7	100%
	10/27/2006	13:20	78.4	7.7	7.06	34	25.0	100%
	11/2/2006	14:55	76.9	7.9	7.24	34	24.2	100%
	11/17/2006	16:50	76.9	6.5	5.86	40	23.2	100%
	11/20/2006	19:35	70.6	6.6	5.95	40	20.6	100%
	11/28/2006	16:30	68.2	6.7	6.03	41	20.0	100%
	12/8/2006	16:35	76.9	7.2	6.42	44	19.0	100%
	12/15/2006	10:00	67.9	7.4	6.58	45	18.1	100%
	12/19/2006	17:20	73.1	7.6	6.74	46	17.1	100%
	12/27/2006	17:00	74.1	8.1	7.17	47	15.2	100%
	1/4/2007	7:00	64.2	8.8	7.81	46	9.1	100%
	1/12/2007	16:05	61.1	10.0	8.82	48	8.1	100%
	1/20/2007	15:50	69.2	9.8	8.69	46	6.1	100%
	1/27/2007	5:50	62.0	10.1	8.91	48	5.7	100%
	1/31/2007	12:20	67.1	10.3	9.24	42	15.5	100%
	2/7/2007	15:20	68.1	10.6	9.35	48	15.0	100%
	2/16/2007	5:50	67.0	11.0	9.78	45	14.5	100%
	2/20/2007	16:10	69.7	11.7	10.44	44	14.0	100%
	3/1/2007	16:50	68.4	12.0	10.61	47	14.6	100%
	3/7/2007	17:20	67.3	12.6	11.15	47	14.3	100%
	3/14/2007	18:36	74.0	12.8	11.35	46	14.5	100%
	3/20/2007	16:30	68.7	12.1	10.70	47	14.0	100%
	3/28/2007	18:35	69.5	12.9	11.41	47	14.5	100%
	4/5/2007	16:20	71.8	12.6	11.15	47	14.6	100%
VEW-26A	3/2/2006	11:56	70.7	17.0	15.33	40	9.8	100%
	3/10/2006	12:58	57.0	10.9	10.18	27	46.2	50%
	3/16/2006	17:35	57.6	11.2	10.46	27	48.2	50%
	3/23/2006	12:48	63.1	11.4	10.64	27	7.0	50%
	3/31/2006	12:20	59.8	13.6	12.60	30	28.9	50%
	4/5/2006	9:05	56.9	12.6	11.67	30	27.3	50%
	4/12/2006	9:05	60.6	10.8	10.00	30	25.2	50%
	4/19/2006	10:40	71.4	33.9	30.99	35	24.6	50%
	4/26/2006	10:02	61.4	33.8	30.89	35	7.6	50%
	5/3/2006	14:26	67.0	9.9	9.29	25	4.4	50%
	5/11/2006	11:24	63.7	10.6	9.82	30	4.0	50%
	5/19/2006	10:28	65.9	10.3	9.57	29	3.7	50%
	5/24/2006	9:55	67.9	10.8	10.03	29	3.5	50%
	6/1/2006	10:43	69.4	10.9	10.12	29	3.2	50%
	6/7/2006	10:15	60.7	10.1	9.38	29	3.0	50%
	6/14/2006	10:05	60.7	11.6	10.75	30	2.6	50%
	6/23/2006	9:43	61.4	10.8	10.03	29	2.5	50%
	6/28/2006	10:33	63.8	23.8	22.16	28	2.5	50%
	7/3/2006	10:13	64.7	23.6	22.04	27	2.4	50%
	7/13/2006	13:14	97.5	13.2	12.23	30	2.1	75%
	7/21/2006	18:25	82.5	15.4	14.27	30	2.0	75%
	8/16/2006	13:45	79.6	15.7	14.54	30	1.8	75%
	8/23/2006	10:00	89.5	10.4	9.58	32	4.1	75%
	8/29/2006	9:20	85.6	10.8	9.95	32	4.2	75%
	9/9/2006	13:02	84.7	10.7	9.86	32	4.6	75%
	9/13/2006	16:00	76.7	10.9	10.07	31	4.7	75%
	9/22/2006	15:20	73.8	11.6	10.66	33	6.7	75%
	9/28/2006	12:05	76.2	11.7	10.78	32	6.0	75%
	10/2/2006	10:49	78.0	11.9	10.91	34	6.7	75%
	10/9/2006	13:21	72.6	12.6	11.55	34	6.6	75%
	10/20/2006	14:20	79.6	12.6	11.58	33	6.8	75%
	10/27/2006	12:40	77.9	13.4	12.25	35	9.1	100%
	11/2/2006	14:20	76.7	13.6	12.40	36	6.0	75%
	11/17/2006	16:00	76.8	14.0	12.62	40	8.2	75%
	11/20/2006	18:45	70.3	14.2	12.81	40	7.6	75%
	11/27/2006	18:20	71.8	14.4	12.84	44	7.9	75%

TABLE 3 - WELLFIELD FIELD DATA

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1/36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acfm)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
	12/8/2006	15:45	76.2	14.8	13.16	45	7.6	75%
	12/15/2006	9:00	67.6	14.7	13.00	47	7.2	75%
	12/19/2006	16:00	73.4	15.2	13.45	47	7.0	75%
	12/27/2006	16:10	74.6	16.1	14.20	48	6.5	75%
	1/3/2007	16:00	76.9	16.6	14.60	49	5.1	75%
	1/11/2007	17:15	68.1	16.0	14.11	48	4.6	75%
	1/17/2007	18:00	67.3	16.4	14.47	48	4.0	75%
	1/26/2007	18:15	69.7	17.8	15.66	49	2.5	75%
	1/31/2007	11:30	67.7	15.1	13.47	44	3.5	75%
	2/7/2007	14:00	68.2	15.3	13.50	48	3.8	75%
	2/15/2007	17:30	71.8	15.9	14.03	48	3.9	75%
	2/20/2007	15:10	69.0	14.1	12.54	45	3.6	75%
	3/1/2007	16:00	68.7	14.8	12.95	51	3.9	75%
	3/7/2007	16:30	67.4	14.9	13.00	52	3.6	75%
	3/14/2007	18:01	74.2	14.1	12.44	48	3.6	75%
	3/20/2007	15:40	68.7	14.8	13.09	47	3.1	75%
	3/28/2007	17:45	69.2	14.6	12.91	47	3.0	75%
	4/5/2007	15:20	71.3	14.8	13.09	47	3.5	75%
VEW-26B	3/2/2006	12:02	71.6	38.1	34.17	42	14.9	100%
	3/10/2006	13:07	56.7	23.4	21.79	28	14.6	50%
	3/16/2006	17:42	57.4	23.6	21.98	28	14.9	50%
	3/23/2006	12:54	63.5	23.7	22.07	28	40.1	50%
	3/31/2006	12:30	60.6	19.5	18.02	31	10.2	50%
	4/5/2006	9:10	56.5	25.5	23.56	31	11.6	50%
	4/12/2006	9:15	60.8	21.2	19.59	31	10.8	50%
	4/19/2006	10:50	71.6	31.8	28.91	37	12.7	50%
	4/26/2006	10:06	61.6	31.7	28.82	37	17.6	50%
	5/3/2006	14:30	68.3	23.2	21.78	25	15.8	50%
	5/11/2006	11:31	63.0	24.9	23.00	31	14.7	50%
	5/19/2006	10:36	65.0	23.6	21.92	29	15.6	50%
	5/24/2006	10:01	67.6	23.8	22.05	30	16.5	50%
	6/1/2006	10:50	69.7	24.0	22.23	30	16.5	50%
	6/7/2006	10:21	60.3	23.1	21.45	29	15.5	50%
	6/14/2006	10:11	60.4	23.4	21.73	29	13.8	50%
	6/23/2006	9:50	61.2	24.1	22.32	30	15.0	50%
	6/28/2006	10:40	63.9	21.3	19.78	29	14.1	50%
	7/3/2006	10:20	64.5	21.6	20.06	29	14.2	50%
	7/13/2006	13:20	97.3	25.8	23.90	30	13.1	75%
	7/21/2006	18:30	82.6	25.0	23.10	31	14.0	75%
	8/16/2006	13:51	79.9	26.7	24.73	30	13.6	75%
	8/23/2006	10:07	89.6	22.3	20.55	32	9.7	75%
	8/29/2006	9:27	85.4	23.1	21.23	33	9.6	75%
	9/9/2006	13:09	84.5	23.6	21.69	33	9.0	75%
	9/13/2006	16:06	76.8	23.5	21.77	30	8.0	75%
	9/22/2006	15:27	73.6	24.3	22.51	30	9.7	75%
	9/28/2006	12:12	76.9	25.6	23.71	30	9.5	75%
	10/2/2006	10:56	78.8	25.9	23.80	33	9.2	75%
	10/9/2006	13:28	72.8	25.8	23.71	33	9.0	75%
	10/20/2006	14:27	79.4	25.1	23.13	32	9.3	75%
	10/27/2006	12:48	77.5	25.9	23.74	34	6.6	75%
	11/2/2006	14:27	76.6	25.7	23.55	34	9.3	75%
	11/17/2006	16:10	76.1	32.6	29.40	40	6.2	75%
	11/20/2006	18:55	70.6	32.8	29.58	40	6.0	75%
	11/27/2006	18:30	71.3	32.8	29.26	44	5.9	75%
	12/8/2006	15:55	76.6	33.2	29.53	45	4.9	75%
	12/15/2006	9:10	67.5	33.7	29.89	46	4.4	75%
	12/19/2006	16:10	73.7	34.1	30.25	46	4.1	75%
	12/27/2006	16:20	74.8	34.8	30.70	48	4.0	75%
	1/3/2007	16:10	76.7	34.1	30.08	48	2.0	75%
	1/11/2007	17:25	68.1	34.4	30.26	49	1.7	75%
	1/17/2007	18:10	67.8	34.4	30.35	48	1.5	75%
	1/26/2007	18:25	69.2	34.2	30.17	48	1.0	75%
	1/31/2007	11:40	67.6	36.5	32.56	44	4.0	75%
	2/7/2007	14:10	68.5	37.0	32.37	51	4.1	75%
	2/15/2007	17:40	71.3	36.5	32.20	48	4.0	75%
	2/20/2007	15:20	69.5	36.8	32.64	46	4.4	75%
	3/1/2007	16:10	68.1	37.8	33.07	51	4.7	75%
	3/7/2007	16:40	62.7	37.8	33.07	51	4.8	75%
	3/14/2007	18:07	74.4	37.6	33.17	48	4.8	75%
	3/20/2007	15:50	68.5	37.1	32.45	51	4.7	75%
	3/28/2007	17:55	69.1	37.7	32.89	52	4.6	75%
	4/5/2007	15:30	71.8	38.1	33.23	52	4.4	75%
VEW-27	3/2/2006	12:25	71.9	32.9	29.59	41	100.6	100%

TABLE 3 - WELLFIELD FIELD DATA

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1/36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acfm)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
	3/10/2006	13:20	59.6	22.2	20.73	27	34.7	50%
	3/16/2006	18:04	55.9	22.6	21.10	27	34.9	50%
	3/24/2006	8:18	61.0	23.7	22.13	27	33.6	50%
	3/31/2006	9:40	60.4	23.6	21.80	31	14.4	50%
	4/5/2006	11:45	56.1	19.9	18.43	30	14.9	50%
	4/12/2006	9:45	61.0	18.7	17.23	32	12.6	50%
	4/19/2006	11:20	71.4	33.7	30.72	36	15.2	50%
	4/26/2006	13:40	61.4	33.8	30.81	36	10.6	50%
	5/3/2006	14:50	68.7	18.5	17.36	25	8.8	50%
	5/11/2006	12:08	63.8	19.9	18.43	30	8.7	50%
	5/19/2006	11:15	65.9	19.6	18.20	29	7.9	50%
	5/24/2006	10:38	67.6	19.5	18.11	29	7.0	50%
	6/1/2006	11:26	69.8	19.7	18.35	28	6.5	50%
	6/7/2006	11:01	60.8	19.7	18.30	29	6.2	50%
	6/14/2006	10:45	60.8	21.2	19.64	30	6.0	50%
	6/23/2006	10:25	61.8	19.8	18.39	29	6.0	50%
	6/28/2006	11:22	65.4	19.4	18.11	27	5.4	50%
	7/3/2006	11:27	65.6	19.6	18.35	26	5.6	50%
	7/13/2006	13:53	97.6	21.6	20.01	30	5.1	75%
	7/21/2006	18:55	82.6	21.5	19.92	30	58.2	75%
	8/16/2006	15:26	80.3	21.6	20.01	30	57.6	75%
	8/23/2006	12:37	90.1	19.0	17.55	31	21.6	75%
	8/29/2006	11:37	86.9	19.7	18.15	32	22.6	75%
	9/9/2006	7:50	85.1	19.6	18.20	29	22.1	75%
	9/13/2006	16:36	76.9	19.1	17.69	30	22.0	75%
	9/22/2006	16:07	74.6	19.9	18.34	32	23.1	75%
	9/28/2006	12:47	76.8	20.3	18.70	32	23.7	75%
	10/2/2006	11:31	79.2	19.9	18.29	33	22.6	75%
	10/9/2006	14:17	73.6	20.1	18.42	34	22.7	100%
	10/20/2006	15:17	78.3	20.9	19.21	33	22.1	100%
	10/27/2006	13:28	78.6	21.2	19.38	35	20.4	100%
	11/2/2006	15:02	76.1	21.4	19.56	35	19.6	100%
	11/17/2006	17:00	76.1	24.4	22.00	40	21.6	100%
	11/20/2006	19:45	70.4	24.6	22.24	39	21.0	100%
	11/28/2006	16:40	68.3	24.0	21.64	40	21.2	100%
	12/8/2006	16:45	76.3	26.1	23.22	45	22.6	100%
	12/15/2006	10:10	67.7	26.6	23.60	46	20.1	100%
	12/19/2006	17:30	73.6	26.9	23.80	47	19.2	100%
	12/27/2006	17:10	74.4	27.3	24.15	47	17.1	100%
	1/4/2007	7:10	64.4	27.1	23.97	47	8.7	100%
	1/12/2007	16:10	61.3	27.6	24.28	49	7.2	100%
	1/20/2007	16:00	69.8	28.7	25.32	48	4.8	100%
	1/27/2007	6:00	62.9	28.8	25.33	49	4.2	100%
	1/31/2007	12:30	67.5	9.9	8.83	44	21.5	100%
	2/7/2007	15:30	68.6	9.6	8.44	49	21.6	100%
	2/16/2007	6:00	67.9	9.0	7.98	46	21.4	100%
	2/20/2007	16:20	69.1	9.4	8.36	45	21.8	100%
	3/1/2007	17:00	68.5	9.9	8.68	50	21.0	100%
	3/7/2007	17:30	67.6	9.0	7.89	50	19.9	100%
	3/14/2007	18:43	74.8	9.8	8.67	47	21.8	100%
	3/20/2007	16:40	68.3	9.1	8.07	46	21.0	100%
	3/28/2007	18:45	69.1	8.9	7.89	46	20.6	100%
	4/5/2007	16:30	71.2	8.8	7.81	46	20.8	100%
VEW-28	3/2/2006	12:10	71.9	32.3	29.05	41	29.0	100%
	3/10/2006	13:04	57.9	26.9	25.18	26	17.6	50%
	3/16/2006	17:49	57.2	26.4	24.71	26	8.6	50%
	3/23/2006	13:00	63.8	26.5	24.81	26	13.1	50%
	3/31/2006	12:40	60.4	17.4	16.12	30	37.6	50%
	4/5/2006	9:15	56.7	21.0	19.45	30	35.2	50%
	4/12/2006	9:25	60.9	19.1	17.69	30	33.7	50%
	4/19/2006	11:00	71.6	26.6	24.31	35	31.6	50%
	4/26/2006	10:10	61.9	26.8	24.50	35	3.9	50%
	5/3/2006	14:34	68.4	20.5	19.29	24	3.6	50%
	5/11/2006	11:39	63.7	22.1	20.47	30	3.9	50%
	5/19/2006	10:44	65.3	21.5	20.02	28	4.1	50%
	5/24/2006	10:08	67.5	21.8	20.30	28	4.3	50%
	6/1/2006	10:56	69.5	21.6	20.11	28	4.1	50%
	6/7/2006	10:28	60.9	21.0	19.50	29	3.6	50%
	6/14/2006	10:18	60.9	21.8	20.25	29	3.1	50%
	6/23/2006	9:57	61.8	21.8	20.25	29	3.3	50%
	6/28/2006	10:47	63.5	21.4	19.98	27	3.3	50%
	7/3/2006	10:27	64.1	21.6	20.11	28	3.2	50%
	7/13/2006	13:26	97.6	24.1	22.32	30	2.6	75%
	7/21/2006	18:35	82.8	24.4	22.60	30	2.2	75%
	8/16/2006	13:57	79.1	23.9	22.14	30	2.2	75%

TABLE 3 - WELLFIELD FIELD DATA

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1/36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acfm)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
	8/23/2006	10:14	89.9	18.7	17.28	31	7.1	75%
	8/29/2006	9:34	86.2	18.1	16.72	31	6.9	75%
	9/9/2006	13:16	84.3	18.7	17.23	32	6.1	75%
	9/13/2006	16:02	76.4	18.6	17.23	30	6.6	75%
	9/22/2006	15:34	73.4	17.9	16.54	31	6.1	75%
	9/28/2006	12:19	76.6	18.6	17.14	32	6.2	75%
	10/2/2006	11:03	78.3	19.8	18.15	34	6.0	75%
	10/9/2006	13:35	72.8	19.8	18.15	34	6.6	75%
	10/20/2006	14:34	79.8	19.9	18.29	33	6.0	75%
	10/27/2006	12:56	77.9	20.6	18.83	35	7.1	75%
	11/2/2006	14:34	76.8	20.1	18.37	35	6.2	75%
	11/17/2006	16:20	76.3	24.5	22.09	40	6.4	75%
	11/20/2006	19:05	70.5	24.2	21.82	40	6.3	75%
	11/27/2006	18:40	71.4	24.9	22.21	44	5.0	75%
	12/8/2006	16:05	76.9	25.1	22.26	46	5.6	75%
	12/15/2006	9:20	67.8	25.5	22.62	46	5.5	75%
	12/19/2006	16:20	73.1	25.1	22.26	46	5.0	75%
	12/27/2006	16:30	74.0	25.8	22.76	48	4.5	75%
	1/3/2007	16:20	76.8	25.1	22.08	49	2.0	75%
	1/11/2007	17:35	68.5	25.9	22.72	50	1.8	75%
	1/17/2007	18:20	67.8	25.1	22.02	50	1.6	75%
	1/26/2007	18:35	69.3	26.9	23.73	48	1.2	75%
	1/31/2007	11:50	67.7	27.6	24.62	44	2.3	75%
	2/7/2007	14:20	68.7	27.8	24.52	48	2.1	75%
	2/15/2007	17:50	71.0	30.2	26.64	48	2.3	75%
	2/20/2007	15:30	69.7	30.9	27.49	45	2.8	75%
	3/1/2007	16:20	68.4	32.1	28.16	50	3.0	75%
	3/7/2007	16:50	67.3	33.2	29.12	50	2.8	75%
	3/14/2007	18:15	74.3	33.9	29.90	48	3.3	75%
	3/20/2007	16:00	68.4	34.6	30.44	49	3.1	75%
	3/28/2007	18:05	69.7	34.3	30.17	49	2.9	75%
	4/5/2007	15:40	71.4	34.9	30.61	50	2.6	75%
VEW-29	3/2/2006	11:10	68.2	40.5	36.52	40	31.6	100%
	3/10/2006	12:00	55.6	23.9	22.37	26	36.7	50%
	3/16/2006	16:40	58.6	26.0	24.40	25	31.0	50%
	3/23/2006	12:00	64.0	25.9	24.25	26	25.1	50%
	3/31/2006	8:30	59.3	19.7	18.20	31	19.6	50%
	4/5/2006	8:30	56.1	21.6	20.06	29	18.7	50%
	4/12/2006	7:55	60.2	19.6	18.16	30	15.4	50%
	4/19/2006	7:30	70.2	28.6	26.14	35	15.2	50%
	4/26/2006	8:45	61.8	29.0	26.51	35	12.6	50%
	5/3/2006	13:00	66.0	23.5	22.17	23	10.1	50%
	5/11/2006	9:00	63.1	24.1	22.38	29	9.6	50%
	5/19/2006	8:00	65.1	23.9	22.32	27	9.4	50%
	5/24/2006	8:00	67.1	23.6	21.98	28	9.0	50%
	6/1/2006	8:45	69.2	23.6	21.92	29	8.5	50%
	6/7/2006	8:00	60.2	23.4	21.73	29	8.3	50%
	6/14/2006	8:00	60.4	25.0	23.28	28	7.9	50%
	6/23/2006	7:30	61.3	24.2	22.60	27	8.0	50%
	6/28/2006	7:00	63.1	23.6	22.04	27	8.0	50%
	7/3/2006	8:00	64.2	23.1	21.57	27	7.5	50%
	7/13/2006	10:35	97.4	28.7	26.66	29	6.5	75%
	7/21/2006	16:45	82.1	28.5	26.47	29	6.3	75%
	8/16/2006	11:45	79.2	26.7	24.73	30	6.2	75%
	8/23/2006	7:40	89.4	22.5	20.84	30	4.4	75%
	8/29/2006	7:00	85.6	22.3	20.66	30	4.3	75%
	9/9/2006	10:42	84.1	22.6	20.93	30	4.2	75%
	9/13/2006	14:00	76.9	22.7	21.03	30	4.0	75%
	9/22/2006	13:00	73.2	22.9	21.16	31	4.4	75%
	9/28/2006	9:45	76.2	30.2	27.90	31	4.6	75%
	10/2/2006	7:10	78.1	31.6	29.04	33	4.4	75%
	10/9/2006	11:00	72.1	31.7	29.13	33	4.6	75%
	10/20/2006	12:00	79.6	31.8	29.38	31	4.4	75%
	10/27/2006	10:00	77.6	32.8	30.06	34	4.0	75%
	11/2/2006	12:00	76.9	32.1	29.42	34	4.4	75%
	11/17/2006	NM	NM	NM	NM	8	NM	0%
	11/20/2006	NM	NM	NM	NM	8	NM	0%
	11/27/2006	NM	NM	NM	NM	10	NM	0%
	12/8/2006	NM	NM	NM	NM	7	NM	0%
	12/15/2006	NM	NM	NM	NM	9	NM	0%
	12/19/2006	NM	NM	NM	NM	9	NM	0%
	12/27/2006	NM	NM	NM	NM	7	NM	0%
	1/3/2007	NM	NM	NM	NM	7	NM	0%
	1/11/2007	NM	NM	NM	NM	9	NM	0%

TABLE 3 - WELLFIELD FIELD DATA

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1/36 SVE System

WELL ID	DATE	TIME	INLET TEMP (deg F)	FLOW RATE (acfm)	FLOW RATE (scfm)	VACUUM (inches of H2O)	WELLHEAD PID (ppmv)	% Open
	1/17/2007	NM	NM	NM	NM	9	NM	0%
	1/26/2007	NM	NM	NM	NM	8	NM	0%
	1/31/2007	NM	NM	NM	NM	6	NM	0%
	2/7/2007	NM	NM	NM	NM	9	NM	0%
	2/15/2007	NM	NM	NM	NM	7	NM	0%
	2/20/2007	NM	NM	NM	NM	9	NM	0%
	3/1/2007	NM	NM	NM	NM	7	NM	0%
	3/7/2007	NM	NM	NM	NM	8	NM	0%
	3/14/2007	NM	NM	NM	NM	7	NM	0%
	3/20/2007	NM	NM	NM	NM	7	NM	0%
	3/27/2007	NM	NM	NM	NM	7	NM	0%
	4/5/2007	NM	NM	NM	NM	8	NM	0%
VMW-0106	3/2/2006	NM	NM	NM	NM	NM	NM	0%
	3/10/2006	NM	NM	NM	NM	NM	NM	0%
	3/16/2006	NM	NM	NM	NM	NM	NM	0%
	3/23/2006	NM	NM	NM	NM	NM	NM	0%
	4/5/2006	NM	NM	NM	NM	NM	NM	0%
	4/12/2006	NM	NM	NM	NM	0	NM	0%
	4/19/2006	NM	NM	NM	NM	0	NM	0%
	4/26/2006	NM	NM	NM	NM	0	NM	0%
	5/3/2006	NM	NM	NM	NM	0	NM	0%
	5/11/2006	NM	NM	NM	NM	0	NM	0%
	5/19/2006	NM	NM	NM	NM	0	NM	0%
	5/24/2006	NM	NM	NM	NM	0	NM	0%
	6/1/2006	NM	NM	NM	NM	0	NM	0%
	6/7/2006	NM	NM	NM	NM	0	NM	0%
	6/14/2006	NM	NM	NM	NM	0	NM	0%
	6/23/2006	NM	NM	NM	NM	0	NM	0%
	6/28/2006	10:54	NM	NM	NM	0	NM	0%
	7/3/2006	NM	NM	NM	NM	0	NM	0%

Notes:
ppmv: parts per million by volume
acfm: actual cubic foot per minute (measured values in the field)
scfm: standard cubic foot per minute (acfm corrected for vacuum and temperature)
NM: not measured
*: wells with detected MEK concentration

Information above provided by Tait Environmental Management. Haley & Aldrich has not verified accuracy

TABLE 4 - SYSTEM VAPOR CONCENTRATIONS

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1/36 SVE System

Sample Date	Sample ID	Sample Location	Total Non-Methane Hydrocarbons (ppbv)	TPH-G (ppbv)	Methyl tert-butyl ether (MTBE) (ppbv)	Dichlorodifluoromethane (ppbv)	Chloromethane (ppbv)	1,2-Dichloro-1,1,2,2-tetrafluoroethane (ppbv)	Vinyl chloride (ppbv)	Bromomethane (ppbv)	Chloroethane (ppbv)	Trichlorofluoromethane (ppbv)	1,1-Dichloroethene (1,1 DCE) (ppbv)	Carbon disulfide (ppbv)	1,1,2-Trichloro-1,2,2-trifluoroethane (ppbv)	Acetone (ppbv)	Methylene chloride (ppbv)	trans-1,2-Dichloroethene (trans-1,2 DCE) (ppbv)	1,1-Dichloroethane (1,1 DCA) (ppbv)	Vinyl acetate (ppbv)	cis-1,2-Dichloroethene (cis-1,2 DCE) (ppbv)	2-Butanone (MEK) (ppbv)	Chloroform (ppbv)	1,1,1-Trichloroethane (1,1,1 TCA) (ppbv)	Carbon tetrachloride (ppbv)	Benzene (ppbv)
03/09/06	GAC0001X AV030906 0001	Effluent	700	680J	ND	ND	1.5J	ND	ND	ND	ND	ND	ND	ND	ND	400	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
03/09/06	GAC0001B AV030906 0001	Breakthru	470J	510J	ND	ND	ND	ND	ND	ND	ND	ND	24	ND	ND	3.8J	ND	ND	ND	ND	ND	ND	ND	1.7J	ND	ND
03/09/06	GAC0001U AV030906 0001	Influent	9000	2000	ND	ND	ND	ND	ND	ND	ND	12	3000	ND	ND	ND	ND	22	30	ND	15	ND	13	230	ND	5.9J
03/24/06	GAC0001X AV032406 0001	Effluent	280J	460J	ND	0.73J	ND	ND	ND	ND	ND	ND	ND	ND	ND	36	**2.3**	ND	ND	ND	ND	ND	ND	ND	ND	1.5J
03/24/06	GAC0001B AV032406 0001	Breakthru	410J	380J	ND	2.2	ND	ND	0.81J	ND	ND	ND	27	ND	ND	8.3J	**1.8J**	ND	ND	ND	ND	ND	ND	30	ND	ND
03/24/06	GAC0001U AV032406 0001	Influent	10000	4100	ND	ND	ND	ND	ND	ND	ND	8.9J	2000	ND	ND	ND	ND	9.9J	21J	ND	ND	ND	ND	2900	ND	ND
04/19/06	GAC0001X AV041906 0001	Effluent	1000	780J	ND	2.8	ND	ND	0.85J	ND	ND	15	110	2.4J	ND	9.9J	1.4J	ND	1.4J	ND	ND	ND	ND	370	ND	ND
04/19/06	GAC0001B AV041906 0001	Breakthru	48000J	13000	ND	ND	ND	ND	ND	ND	ND	ND	7,600	ND	ND	ND	ND	ND	100J	ND	ND	ND	ND	38,000	ND	ND
04/19/06	GAC0001U AV041906 0001	Influent	120,000	71,000	ND	ND	ND	ND	ND	ND	ND	ND	6,300	ND	ND	ND	ND	ND	210J	ND	ND	9,400	ND	63,000	ND	ND
05/03/06	GAC0001X AV050306 0001	Effluent	890	580J	ND	2.9	ND	ND	ND	ND	ND	ND	30	ND	ND	2.7J	**1.9J**	ND	ND	ND	ND	ND	ND	68	ND	ND
05/03/06	GAC0001B AV050306 0001	Breakthru	14,000	4200	ND	ND	ND	ND	ND	ND	ND	ND	2,500	ND	ND	ND	**21J**	ND	42	ND	ND	ND	ND	7,100	ND	ND
05/03/06	GAC0001U AV050306 0001	Influent	42,000	29,000	ND	ND	ND	ND	ND	ND	ND	ND	1,500	ND	ND	330	**33J**	23J	70	ND	40J	11,000	ND	8,000	ND	ND
06/07/06	GAC0001X AV060706 0001	Effluent	ND	0.31J	ND	2.4	ND	ND	ND	ND	ND	ND	2.8	ND	ND	15	**3.4**	ND	ND	ND	ND	ND	ND	13	ND	ND
06/07/06	GAC0001B AV060706 0001	Breakthru	3,100	1.1	ND	2.6J	ND	ND	ND	ND	ND	21	430	ND	ND	ND	**19**	ND	25	ND	ND	84	ND	1,600	ND	ND
06/07/06	GAC0001U AV060706 0001	Influent	23,000	16	ND	ND	ND	ND	ND	ND	ND	ND	560	ND	ND	390	ND	ND	35J	ND	25J	11,000	ND	3,100	ND	ND
07/13/06	GAC0001X AV071306 0001	Effluent	5,100	1,600	ND	1.8J	ND	ND	ND	ND	ND	8.8	460	ND	1.2J	6.7J	5.3	ND	38	ND	ND	ND	2.4	2,400	ND	ND
07/13/06	GAC0001B AV071306 0001	Breakthru	6,400	1,800	ND	1.7J	ND	ND	ND	ND	ND	11	490	ND	ND	160	6.1J	9.7	30	ND	22	94	12	2,200	ND	ND
07/13/06	GAC0001U AV071306 0001	Influent	18,000	15,000	ND	ND	ND	ND	ND	ND	ND	ND	300	ND	ND	260	ND	ND	20J	ND	ND	8,000	ND	1,700	ND	ND
07/20/06	GAC0001U AV072006 0001	Influent	17,000	13,000	ND	ND	ND	ND	ND	ND	ND	ND	310	ND	ND	370	ND	ND	21J	ND	23J	9,000	ND	1,500	ND	30J
08/03/06	GAC0001X AV080306 0001	Effluent	20,000	9,600	MDL<16	ND<23	ND<18	ND<21	ND<31	ND<39	ND<31	ND<17	1,300	420	ND<27	220	ND<28	ND<48	110J	ND<120	ND<36	ND<98	ND<11	22,000	ND<16	ND<8.5
08/03/06	GAC0001B AV080306 0001	Breakthru	12,000	7,600	MDL<6.2	ND<9	ND<7.4	ND<8.4	ND<12	ND<16	ND<13	ND<6.7	760	230	ND<11	420	ND<11	ND<19	ND<5.6	ND<49	110	1,700	27J	8,600	ND<6.5	ND<3.4
08/03/06	GAC0001U AV080306 0001	Influent	18,000	18,000	MDL<5.2	ND<7.5	ND<6.1	ND<7.0	ND<10	ND<13	ND<10	ND<5.6	610	310	ND<8.9	630	ND<9.3	ND<16	32J	ND<41	200	9,200	ND<3.6	4,600	ND<5.4	17J
08/03/06	GAC0001X AV080306 0001	Effluent	42,000	7,300	NA	ND<100	ND<200	ND<100	ND<100	ND<100	ND<200	ND<100	890	ND<500	ND<100	ND<500	ND<100	ND<100	75J	ND<500	ND<100	ND<500	ND<100	17,000	ND<100	ND<100
08/03/06	GAC0001B AV080306 0001	Breakthru	27,000	5,500	NA	ND<50	ND<100	ND<50	ND<50	ND<50	ND<100	ND<50	1,000	ND<250	ND<50	380	ND<50	21J	39J	ND<250	75	1,600	29J	9,600	ND<50	ND<50
08/03/06	GAC0001U AV080306 0001	Influent	28,000	14,000	NA	ND<50	ND<100	ND<50	ND<50	ND<50	ND<100	ND<50	450	ND<250	ND<50	350	ND<50	ND<50	24J	ND<250	ND<50	7,300	ND<50	4,000	ND<50	ND<50
08/03/06	GAC0001X AV080306 0002	Effluent	56,000	7,400	NA	ND<190	ND<370	ND<190	ND<190	ND<190	ND<370	ND<190	1,300	ND<940	ND<190	ND<940	ND<190	ND<190	120J	ND<940	ND<190	ND<940	ND<190	24,000	ND<190	ND<190
08/03/06	GAC0001B AV080306 0002	Breakthru	37,000	6,700	NA	ND<84	ND<170	ND<84	ND<84	ND<84	ND<170	ND<84	1,000	ND<420	ND<84	500	ND<84	28J	66J	ND<420	130	2,100	41J	13,000	ND<84	ND<84
08/03/06	GAC0001U AV080306 0002	Influent	33,000	15,000	NA	ND<100	ND<200	ND<100	ND<100	ND<100	ND<200	ND<100	510	ND<500	ND<100	330J	ND<100	ND<100	ND<100	ND<500	ND<100	9,400	ND<100	4,500	ND<100	ND<100
09/06/06	GAC0001X AV090606 0001	Effluent	920	ND<1,700	ND<2.0	1.8J	ND<4.0	ND<2.0	ND<2.0	ND<2.0	ND<4.0	8.5	14	MDL<2.0	ND<2.0	ND<10	8.6	ND<2.0	1.5J	MDL<2.0	ND<2.0	ND<10	ND<2.0	380	ND<2.0	ND<2.0
09/06/06	GAC0001B AV090906 0001	Breakthru	6,900	890J	ND<12	ND<12	ND<24	ND<12	ND<12	ND<12	ND<24	8.8J	460	ND<59	ND<12	17J	ND<12	ND<12	27	ND<59	ND<12	68	13	2,600	ND<12	ND<12
09/06/06	GAC0001U AV090906 0001	Influent	22,000	11,000	ND<50	ND<50	ND<100	ND<50	ND<50	ND<50	ND<100	ND<50	240	ND<250	ND<50	290	ND<50	ND<50	13J	ND<250	ND<50	9,300	ND<50	1,700	ND<50	ND<50
10/02/06	GAC0001X AV100206 0001	Effluent	3,300J	740J	MDL<4.3	ND<17	ND<34	ND<17	MDL<6.8	ND<17	ND<34	5.8J	450	MDL<17	ND<17	ND<86	ND<17	ND<17	23	MDL<17	ND<17	ND<86	17	2,200	MDL<4.3	ND<17
10/02/06	GAC0001B AV100206 0001	Breakthru	4,300J	1,300J	ND<18	ND<18	ND<35	ND<18	ND<18	ND<18	ND<35	6.7J	330	ND<88	ND<18	340	ND<18	6.9J	18	ND<88	46	360	13J	1,900	ND<18	ND<18
10/02/06	GAC0001U AV100206 0001	Influent	16,000	12,000	ND<55	ND<55	ND<110	ND<55	ND<55	ND<55	ND<110	ND<55	230	ND<280	ND<55	400	ND<55	ND<55	14J	ND<280	ND<55	11,000	ND<55	1,500	ND<55	ND<55
11/02/06	GAC0001X AV110206 0001	Effluent	4,600	1.1J	MDL<3.8	ND<15	ND<30	ND<15	MDL<6.1	ND<15	ND<30	25	280	MDL<15	ND<15	ND<76	9.3J	ND<15	23	MDL<15	ND<15	ND<76	7.8J	3,100	MDL<3.8	ND<15
11/02/06	GAC0001B AV110206 0001	Breakthru	8,000	2.0	ND<18	ND<18	ND<37	ND<18	ND<18	ND<18	ND<37	9.6J	710	ND<92	ND<18	180	9.5J	12J	40	ND<92	66	53J	32	4,400	ND<18	ND<18
11/02/06	GAC0001U AV110206 0001	Influent	18,000	11	ND<44	ND<44	ND<89	ND<44	ND<44	ND<44	ND<89	ND<44	210	ND<220	ND<44	400	ND<44	ND<44	11J	ND<220	ND<44	11,000	ND<44	1,600	ND<44	ND<44
12/05/06	GAC0001X AV120506 0001	Effluent	1,400J	ND<1,900	MDL<4.8	ND<19	ND<38	ND<19	MDL<7.6	ND<19	ND<38	ND<19	190	MDL<19	ND<19	ND<95	ND<19	ND<19	11J	MDL<19	ND<19	ND<95	ND<19	900	MDL<4.8	ND<19
12/05/06	GAC0001B AV120506 0001	Breakthru	2,800J	1,200J	ND<37	ND<37	ND<73	ND<37	ND<37	ND<37	ND<73	ND<37	360	ND<180	ND<37	ND<180	ND<37	ND<37	13J	ND<180	ND<37	87J	ND<37	1,600	ND<37	ND<37
12/05/06	GAC0001U AV120506 0001	Influent	2,200J	ND<2,000	ND<20	ND<20	ND<39	ND<20	ND<20	ND<20	ND<20	6.6J	360	ND<98	ND<20	ND<98	ND<20	ND<20	16J	ND<98	ND<20	ND<98	11J	1,300	ND<20	ND<20
01/04/07	GAC0001X AV010407 0001	Effluent	1,500	570J	ND<2.0	1.4J	ND<4.0	ND<2.0	ND<2.0	ND<2.0	ND<4.0	4.7	180	MDL<2.0	ND<2.0	5.1J	1.6J	2.6	10	MDL<2.0	10	ND<10	8.6	1,200	ND<2.0	ND<2.0
01/04/07	GAC0001B AV010407 0001	Breakthru	3,300	1,300J	ND<2.0	0.87J	ND<4.0	ND<2.0	ND<2.0	ND<2.0	ND<4.0	6.0	220	MDL<2.0	0.77J	280	1.9J	2.3	13	MDL<2.0	12	190	8.4	1,400	ND<2.0	2.2
01/04/07	GAC0001U AV010407 0001	Influent	17,000	16,000	ND<64	ND<64	ND<130	ND<64	ND<64	ND<64	ND<130	ND<64	170	ND<320	ND<64	510	ND<64	ND<64	ND<64	ND<320	ND<64	15,000	ND<64	1,200	ND<64	ND<64
02/01/07	GAC0001X AV020107 0001	Effluent	2,300	640J	MDL<1.4	ND<5.8	ND<12	ND<5.8	MDL<2.3	ND<5.8	ND<12	4.2J	190	MDL<5.8	ND<5.8	30	ND<5.8	3.0J	11	MDL<5.8	17	ND<29	11	1,200	MDL<1.4	ND<5.8
02/01/07	GAC0001B AV020107 0001	Breakthru	6,700	3,400	MDL<1.5	ND<5.8	ND<12	ND<5.8	MDL<2.3	ND<5.8	ND<12	4.3J	150	MDL<5.8	ND<5.8	400	ND<5.8	1.8J	10	MDL<5.8	12	ND<5.8	9.0	1,200	MDL<1.5	ND<5.8
02/01/07	GAC0001U AV020107 0001	Influent	15,000	9,900	ND<9.9	ND<9.9	ND<20	ND<9.9	ND<9.9	ND<9.9	ND<20	4.1J	160	ND<50	ND<9.9	520	ND<9.9	ND<9.9	9.2J	ND<50	ND<9.9	12,000	8.5J	1,200	ND<9.9	ND<9.9
03/01/07	GAC0001X AV030107 0001	Effluent	1,200	ND<1,800	ND<2.0	1.3J	ND<4.0	ND<2.0	ND<2.0	ND<2.0	ND<4.0	3.3	89	MDL<2.0	ND<2.0	27	1.7J	1.2J	2.0	MDL<2.0	8.2	4.6J	2.3	140	ND<2.0	ND<2.0
03/01/07	GAC0001B AV030107 0001	Breakthru	1,200	1,000J	ND<2.0	1.4J	ND<4.0	ND<2.0	ND<2.0	ND<2.0	ND<4.0	3.7	95	MDL<2.0	ND<2.0	960	1.8J	ND<2.0	1.4J	MDL<2.0	1.9J	ND<10	0.86J	52	ND<2.0	ND<2.0
03/01/07	GAC0001U AV030107 0001	Influent	11,000	6,900	ND<3.8	1.1J	ND<7.7	ND<3.8	ND<3.8	ND<3.8	ND<7.7	3.2J	130	ND<19	ND<3.8	390	ND<3.8	1.0J	6.8	ND<19	6.3	8,800	6.5	690	ND<3.8	ND<3.8

Notes:

ppbv = parts per billion by volume
ND = Not Detected at the laboratory reporting limit
MDL = Less than MDL (method detection limit)
NA = Not Analyzed
J = Estimated result. Result is less than reporting limit (RL)
Bolded values are "B" flagged
E = Estimated result. Result concentration exceeds the calibration range.
TPH-G = Results are indicative of compounds other than gasoline
MTBE analysis was omitted by the STL laboratory for the samples collected on August 3, 2006.
RL and MDL limits that are above AQMD limits are the lowest possible limits attained for that individual sample due to the high hits for the other target analytes present in the sample.
For the quoted price STL shall report sample data from the analyses where the highest concentration target analyte falls within the linear range of the instrument. It is STL's responsibility to determine the appropriate dilution without jeopardizing

Information above provided by Tait Environmental Management. Haley & Aldrich has not verified accuracy

BOE-C6-0118466

TABLE 4 - SYSTEM VAPOR CONCENTRATIONS

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1/36 SVE System

Sample Date	Sample ID	Sample Location	1,2-Dichloroethane (1,2 DCA) (ppbv)	Trichloroethene (TCE) (ppbv)	1,2-Dichloropropane (ppbv)	Bromodichloromethane (ppbv)	cis-1,3-Dichloropropene (ppbv)	4-Methyl-2-pentanone (MIBK) (ppbv)	Toluene (ppbv)	trans-1,3-Dichloropropene (ppbv)	1,1,2-Trichloroethane (1,1,2 TCA) (ppbv)	Tetrachloroethene (PCE) (ppbv)	2-Hexanone (ppbv)	Dibromochloromethane (ppbv)	1,2-Dibromoethane (EDB) (ppbv)	Chlorobenzene (ppbv)	Ethylbenzene (ppbv)	Xylenes (total) (ppbv)	m-Xylene & p-Xylene (ppbv)	o-Xylenes (ppbv)	Styrene (ppbv)	Bromoform (ppbv)	1,1,2,2-Tetrachloroethane (ppbv)	4-Ethyltoluene (ppbv)	1,3,5-Trimethylbenzene (ppbv)	1,2,4-Trimethylbenzene (ppbv)	1,3-Dichlorobenzene (ppbv)
			COMPOUND																								
03/09/06	GAC0001X AV030906 0001	Effluent	ND	ND	ND	ND	ND	ND	0.63J	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
03/09/06	GAC0001B AV030906 0001	Breakthru	ND	16	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
03/09/06	GAC0001U AV030906 0001	Influent	ND	2100	ND	ND	ND	ND	ND	ND	ND	63	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
03/24/06	GAC0001X AV032406 0001	Effluent	ND	ND	ND	ND	ND	ND	5.9	ND	ND	1.1J	ND	ND	ND	ND	0.82J	3.2	2.4	0.82J	ND	ND	ND	0.86J	ND	ND	ND
03/24/06	GAC0001B AV032406 0001	Breakthru	ND	11	ND	ND	ND	ND	7.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
03/24/06	GAC0001U AV032406 0001	Influent	ND	1100	ND	ND	ND	ND	450	ND	ND	37	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
04/19/06	GAC0001X AV041906 0001	Effluent	ND	ND	ND	ND	ND	ND	2.3J	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
04/19/06	GAC0001B AV041906 0001	Breakthru	ND	ND	ND	ND	ND	ND	210J	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
04/19/06	GAC0001U AV041906 0001	Influent	ND	1,800	ND	ND	ND	860J	28,000	ND	ND	ND	ND	ND	ND	ND	ND	830	650	190J	ND	ND	ND	ND	ND	ND	ND
05/03/06	GAC0001X AV050306 0001	Effluent	ND	ND	ND	ND	ND	ND	39	ND	ND	ND	ND	ND	ND	ND	3.0	4.0	3.1	0.86J	17	ND	ND	ND	ND	ND	ND
05/03/06	GAC0001B AV050306 0001	Breakthru	ND	10J	ND	ND	ND	ND	110	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
05/03/06	GAC0001U AV050306 0001	Influent	ND	1,200	ND	ND	ND	2,200	10,000	ND	28J	56J	ND	ND	ND	ND	60J	520	380	130	ND	ND	ND	ND	ND	ND	ND
06/07/06	GAC0001X AV060706 0001	Effluent	ND	ND	ND	ND	ND	ND	2.6J	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
06/07/06	GAC0001B AV060706 0001	Breakthru	ND	9.3J	ND	ND	ND	ND	95	ND	ND	ND	ND	ND	ND	ND	2.6J	ND	ND	ND	8.6J	ND	ND	ND	ND	ND	ND
06/07/06	GAC0001U AV060706 0001	Influent	ND	940	ND	ND	ND	1,300	5,600	ND	16J	50	ND	ND	ND	ND	39J	330	240	88	ND	ND	ND	ND	ND	ND	ND
07/13/06	GAC0001X AV071306 0001	Effluent	ND	0.74J	ND	ND	ND	ND	12	ND	ND	ND	ND	ND	ND	ND	1.5J	1.8J	1.8J	ND	7.5	ND	ND	ND	ND	ND	ND
07/13/06	GAC0001B AV071306 0001	Breakthru	4.2	56	ND	ND	ND	ND	52	ND	ND	ND	ND	ND	ND	ND	2.4J	ND	ND	ND	7.5	ND	ND	ND	ND	ND	ND
07/13/06	GAC0001U AV071306 0001	Influent	ND	720	ND	ND	ND	680	3,800	ND	ND	27J	ND	ND	ND	ND	22J	180	140	43	ND<40	ND	ND	ND	ND	ND	ND
07/20/06	GAC0001U AV072006 0001	Influent	ND	820	ND	ND	ND	830	4,400	ND	15J	35J	ND	ND	ND	16J	41	290	220	72	ND<40	ND	ND	ND	ND	ND	ND
08/03/06	GAC0001X AV080306 0001	Effluent	ND<10	ND<40	ND<12	ND<7.7	ND<22	ND<16	350	ND<21	ND<17	350	ND<28	ND<18	ND<23	ND<6.6	ND<6.1	46J	46J	ND<11	ND<14	ND<17	ND<12	ND<12	ND<12	ND<9	ND<15
08/03/06	GAC0001B AV080306 0001	Breakthru	ND<4.0	820	ND<4.6	ND<3.1	ND<8.6	ND<6.2	53J	ND<8.3	ND<6.7	240	ND<11	ND<7	ND<9.0	ND<2.6	22J	104J	69	35J	ND<5.4	ND<6.6	ND<5.0	ND<4.7	ND<4.8	16J	ND<5.9
08/03/06	GAC0001U AV080306 0001	Influent	ND<3.3	1,000	ND<3.8	ND<2.6	ND<7.2	ND<5.2	5,600	91	ND<5.6	86	ND<9.3	ND<5.9	ND<7.5	ND<2.2	67	390	280	110	59	ND<5.5	ND<4.1	14J	ND<4	20J	ND<4.9
08/03/06	GAC0001X AV080306 0001	Effluent	ND<100	ND<100	ND<100	ND<100	ND<100	ND<500	ND<250	ND<100	ND<100	ND<100	ND<500	ND<100	ND<100	ND<100	ND<100	ND<100	ND<100	ND<100	ND<100	ND<100	ND<100	ND<100	ND<100	ND<100	ND<100
08/03/06	GAC0001B AV080306 0001	Breakthru	40J	940	ND<50	ND<50	ND<50	ND<250	43J	ND<50	ND<50	ND<50	ND<250	ND<50	ND<50	ND<50	ND<50	ND<50	ND<50	ND<50	ND<50	ND<50	ND<50	ND<50	ND<50	ND<50	ND<50
08/03/06	GAC0001U AV080306 0001	Influent	ND<50	800	ND<50	ND<50	ND<50	550	5,700	ND<50	ND<50	29J	ND<250	ND<50	ND<50	ND<50	28J	240	180	58	ND<50	ND<50	ND<50	ND<50	ND<50	ND<50	ND<50
08/03/06	GAC0001X AV080306 0002	Effluent	ND<190	ND<190	ND<190	ND<190	ND<190	ND<940	ND<190	ND<190	ND<190	ND<190	ND<940	ND<190	ND<190	ND<190	ND<190	ND<190	ND<190	ND<190	ND<190	ND<190	ND<190	ND<190	ND<190	ND<190	ND<190
08/03/06	GAC0001B AV080306 0002	Breakthru	ND<84	1,100	ND<84	ND<84	ND<84	ND<420	56J	ND<84	ND<84	ND<84	ND<420	ND<84	ND<84	ND<84	ND<84	ND<84	ND<84	ND<84	ND<84	ND<84	ND<84	ND<84	ND<84	ND<84	ND<84
08/03/06	GAC0001U AV080306 0002	Influent	ND<100	940	ND<100	ND<100	ND<100	320J	6,900	ND<100	ND<100	ND<100	ND<500	ND<100	ND<100	ND<100	35J	290	220	77J	ND<100	ND<100	ND<100	ND<100	ND<100	ND<100	ND<100
09/06/06	GAC0001X AV090606 0001	Effluent	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<10	0.66J	ND<2.0	ND<2.0	ND<2.0	ND<10	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0
09/06/06	GAC0001B AV090906 0001	Breakthru	ND<12	6.2J	ND<12	ND<12	ND<12	ND<59	36	ND<12	ND<12	ND<12	ND<59	ND<12	ND<12	ND<12	ND<12	ND<12	ND<12	ND<12	ND<12	ND<12	ND<12	ND<12	ND<12	ND<12	ND<12
09/06/06	GAC0001U AV090906 0001	Influent	ND<50	760	ND<50	ND<50	ND<50	350	4,700	ND<50	ND<50	31J	ND<250	ND<50	ND<50	ND<50	27J	260	200	69	ND<50	ND<50	ND<50	ND<50	ND<50	ND<50	ND<50
10/02/06	GAC0001X AV100206 0001	Effluent	MDL<6.8	ND<17	ND<17	ND<17	ND<17	ND<86	ND<17	ND<17	ND<17	ND<17	ND<86	ND<17	MDL<4.3	MDL<4.3	ND<17	ND<17	ND<17	ND<17	MDL<8.6	ND<17	MDL<4.3	ND<17	ND<17	ND<17	ND<17
10/02/06	GAC0001B AV100206 0001	Breakthru	18	650	ND<18	ND<18	ND<18	ND<88	48	ND<18	ND<18	ND<18	ND<88	ND<18	ND<18	ND<18	ND<18	ND<18	ND<18	ND<18	ND<18	ND<18	ND<18	ND<18	ND<18	ND<18	ND<18
10/02/06	GAC0001U AV100206 0001	Influent	ND<55	830	ND<55	ND<55	ND<55	400	4,900	ND<55	ND<55	33J	ND<280	ND<55	ND<55	ND<55	29J	280	210	74	ND<55	ND<55	ND<55	ND<55	ND<55	ND<55	ND<55
11/02/06	GAC0001X AV110206 0001	Effluent	MDL<6.1	ND<15	ND<15	ND<15	ND<15	ND<76	ND<15	ND<15	ND<15	ND<15	ND<76	ND<15	MDL<3.8	MDL<3.8	ND<15	ND<15	ND<15	ND<15	MDL<7.6	ND<15	MDL<3.8	ND<15	ND<15	ND<15	ND<15
11/02/06	GAC0001B AV110206 0001	Breakthru	20	220	ND<18	ND<18	ND<18	ND<92	33	ND<18	ND<18	ND<18	ND<92	ND<18	ND<18	ND<18	ND<18	ND<18	ND<18	ND<18	ND<18	ND<18	ND<18	ND<18	ND<18	ND<18	ND<18
11/02/06	GAC0001U AV110206 0001	Influent	ND<44	720	ND<44	ND<44	ND<44	340	4,600	ND<44	ND<44	36J	ND<220	ND<44	ND<44	ND<44	31J	260	200	61	ND<44	ND<44	ND<44	ND<44	ND<44	ND<44	ND<44
12/05/06	GAC0001X AV120506 0001	Effluent	MDL<7.6	ND<19	ND<19	ND<19	ND<19	ND<95	13J	ND<19	ND<19	ND<19	ND<95	ND<19	MDL<4.8	MDL<4.8	MDL<9.5	ND<19	ND<19	ND<19	MDL<9.5	ND<19	MDL<4.8	ND<19	ND<19	ND<19	ND<19
12/05/06	GAC0001B AV120506 0001	Breakthru	ND<37	81	ND<37	ND<37	ND<37	ND<180	41	ND<37	ND<37	ND<37	ND<180	ND<37	ND<37	ND<37	ND<37	ND<37	ND<37	ND<37	ND<37	ND<37	ND<37	ND<37	ND<37	ND<37	ND<37
12/05/06	GAC0001U AV120506 0001	Influent	ND<20	ND<20	ND<20	ND<20	ND<20	ND<98	17J	ND<20	ND<20	ND<20	ND<98	ND<20	ND<20	ND<20	ND<20	ND<20	ND<20	ND<20	ND<20	ND<20	ND<20	ND<20	ND<20	ND<20	ND<20
01/04/07	GAC0001X AV010407 0001	Effluent	1.8J	16	ND<2.0	ND<2.0	ND<2.0	ND<10	3.2	ND<2.0	ND<2.0	ND<2.0	ND<10	ND<2.0	ND<2.0	ND<2.0	ND<2.0	2.6	2.0	0.65J	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0
01/04/07	GAC0001B AV010407 0001	Breakthru	4.5	570	ND<2.0	ND<2.0	ND<2.0	5.0J	240	ND<2.0	2.7	5.8	ND<10	ND<2.0	ND<2.0	ND<2.0	ND<2.0	2.5	1.8J	0.65J	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0
01/04/07	GAC0001U AV010407 0001	Influent	ND<64	550	ND<64	ND<64	ND<64	510	5,600	ND<64	ND<64	23J	ND<320	ND<64	ND<64	ND<64	52J	470	360	110	ND<64	ND<64	ND<64	ND<64	ND<64	ND<64	ND<64
02/01/07	GAC0001X AV020107 0001	Effluent	4.4J	160	ND<5.8	ND<5.8	ND<5.8	ND<29	ND<5.8	ND<5.8	ND<5.8	ND<5.8	ND<29	ND<5.8	MDL<1.4	MDL<1.4	ND<5.8	ND<5.8	ND<5.8	ND<5.8	MDL<2.9	ND<5.8	MDL<1.4	ND<5.8	ND<5.8	ND<5.8	ND<5.8
02/01/07	GAC0001B AV020107 0001	Breakthru	3.0J	710	ND<5.8	ND<5.8	ND<5.8	ND<29	1,000	ND<5.8	4.8J	12	ND<29	ND<5.8	ND<5.8	ND<5.8	ND<5.8	ND<5.8	ND<5.8	ND<5.8	MDL<2.9	ND<5.8	MDL<1.5	ND<5.8	ND<5.8	ND<5.8	ND<5.8
02/01/07	GAC0001U AV020107 0001	Influent	ND<9.9	640	ND<9.9	ND<9.9	ND<9.9	850	3,800	ND<9.9	7.0J	33	ND<50	ND<9.9	ND<9.9	ND<9.9	38	380	290	93	ND<9.9	ND<9.9	ND<9.9	ND<9.9	ND<9.9	ND<9.9	ND<9.9
03/01/07	GAC0001X AV030107 0001	Effluent	3.8	180	ND<2.0	ND<2.0	ND<2.0	ND<10	4.9	ND<2.0	ND<2.0	ND<2.0	ND<10	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0
03/01/07	GAC0001B AV030107 0001	Breakthru	ND<2.0	41	ND<2.0	ND<2.0	ND<2.0	7.2J	190	ND<2.0	ND<2.0	0.99J	ND<10	ND<2.0	ND<2.0	ND<2.0	ND<2.0	2.8	2.1	0.66J	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0	ND<2.0
03/01/07	GAC0001U_AV030107_0001	Influent	2.0J	450	ND<3.8	ND<3.8	ND<3.8	760	2,500	ND<3.8	4.7	21	ND<19	ND<3.8	ND<3.8	ND<3.8	33	290	220	73	ND<3.8	ND<3.8	ND<3.8	ND<3.8	ND<3.8	ND<3.8	ND<3.8

Notes:

ppbv = parts per billion by volume
ND = Not Detected at the laboratory reporting limit
MDL = Less than MDL (method detection limit)
NA = Not Analyzed
J = Estimated result. Result is less than reporting lim
Bolded values are "B" flagged
E = Estimated result. Result concentration exceeds th
TPH-G = Results are indicative of compounds other t
MTBE analysis was omitted by the STL laboratory fc
RL and MDL limits that are above AQMD limits are
For the quoted price STL shall report sample data fron

Information above provided by Tait Environmen

TABLE 4 - SYSTEM VAPOR CONCENTRATIONS

Site Name: BRC Former C-6 Facility
Location: Los Angeles, California
System: Building 1/36 SVE System

Sample Date	Sample ID	Sample Location	1,4-Dichlorobenzene (ppbv)	Benzyl chloride (ppbv)	1,2-Dichlorobenzene (ppbv)	1,2,4-Trichloro-benzene (ppbv)	CO2 (%)	Oxygen (%)	Methane (%)
03/09/06	GAC0001X AV030906 0001	Effluent	ND	ND	ND	ND	NA	NA	NA
03/09/06	GAC0001B AV030906 0001	Breakthru	ND	ND	ND	ND	NA	NA	NA
03/09/06	GAC0001U AV030906 0001	Influent	ND	ND	ND	ND	NA	NA	NA
03/24/06	GAC0001X AV032406 0001	Effluent	ND	ND	ND	ND	NA	NA	NA
03/24/06	GAC0001B AV032406 0001	Breakthru	ND	ND	ND	ND	NA	NA	NA
03/24/06	GAC0001U AV032406 0001	Influent	ND	ND	ND	ND	NA	NA	NA
04/19/06	GAC0001X AV041906 0001	Effluent	ND	ND	ND	ND	NA	NA	NA
04/19/06	GAC0001B AV041906 0001	Breakthru	ND	ND	ND	ND	NA	NA	NA
04/19/06	GAC0001U AV041906 0001	Influent	ND	ND	ND	ND	NA	NA	NA
05/03/06	GAC0001X AV050306 0001	Effluent	ND	ND	ND	ND	NA	NA	NA
05/03/06	GAC0001B AV050306 0001	Breakthru	ND	ND	ND	ND	NA	NA	NA
05/03/06	GAC0001U AV050306 0001	Influent	ND	ND	ND	ND	NA	NA	NA
06/07/06	GAC0001X AV060706 0001	Effluent	ND	ND	ND	ND	NA	NA	NA
06/07/06	GAC0001B AV060706 0001	Breakthru	ND	ND	ND	ND	NA	NA	NA
06/07/06	GAC0001U AV060706 0001	Influent	ND	ND	ND	ND	NA	NA	NA
07/13/06	GAC0001X AV071306 0001	Effluent	ND	ND	ND	ND	NA	NA	NA
07/13/06	GAC0001B AV071306 0001	Breakthru	ND	ND	ND	ND	NA	NA	NA
07/13/06	GAC0001U AV071306 0001	Influent	ND	ND	ND	ND	NA	NA	NA
07/20/06	GAC0001U AV072006 0001	Influent	ND	ND	ND	ND	NA	NA	NA
08/03/06	GAC0001X AV080306 0001	Effluent	ND<8.5	7.7J	ND<18	ND<46	7,000	200,000	ND<10
08/03/06	GAC0001B AV080306 0001	Breakthru	ND<3.4	ND<2.6	ND<7.1	ND<18	6,800	190,000	ND<10
08/03/06	GAC0001U AV080306 0001	Influent	ND<2.8	ND<2.2	ND<5.9	ND<15	7,000	190,000	ND<10
08/03/06	GAC0001X AV080306 0001	Effluent	ND<100	ND<500	ND<100	ND<250	NA	NA	NA
08/03/06	GAC0001B AV080306 0001	Breakthru	ND<50	ND<250	ND<50	ND<120	NA	NA	NA
08/03/06	GAC0001U AV080306 0001	Influent	ND<50	ND<250	ND<50	ND<120	NA	NA	NA
08/03/06	GAC0001X AV080306 0002	Effluent	ND<190	ND<940	ND<190	ND<470	NA	NA	NA
08/03/06	GAC0001B AV080306 0002	Breakthru	ND<84	ND<420	ND<84	ND<210	NA	NA	NA
08/03/06	GAC0001U AV080306 0002	Influent	ND<100	ND<500	ND<100	ND<250	NA	NA	NA
09/06/06	GAC0001X AV090606 0001	Effluent	ND<2.0	ND<10	ND<2.0	ND<2.0	NA	NA	NA
09/06/06	GAC0001B AV090906 0001	Breakthru	ND<12	ND<59	ND<12	ND<29	NA	NA	NA
09/06/06	GAC0001U AV090906 0001	Influent	ND<50	ND<250	ND<50	ND<120	NA	NA	NA
10/02/06	GAC0001X AV100206 0001	Effluent	MDL<6.8	MDL<68	ND<17	ND<43	NA	NA	NA
10/02/06	GAC0001B AV100206 0001	Breakthru	ND<18	ND<88	ND<18	ND<44	NA	NA	NA
10/02/06	GAC0001U AV100206 0001	Influent	ND<55	ND<280	ND<55	ND<140	NA	NA	NA
11/02/06	GAC0001X AV110206 0001	Effluent	MDL<6.1	MDL<61	ND<15	ND<38	NA	NA	NA
11/02/06	GAC0001B AV110206 0001	Breakthru	ND<18	ND<92	ND<18	ND<46	NA	NA	NA
11/02/06	GAC0001U AV110206 0001	Influent	ND<44	ND<220	ND<44	ND<110	NA	NA	NA
12/05/06	GAC0001X AV120506 0001	Effluent	MDL<7.6	MDL<76	ND<19	ND<48	NA	NA	NA
12/05/06	GAC0001B AV120506 0001	Breakthru	ND<37	ND<180	ND<37	ND<91	NA	NA	NA
12/05/06	GAC0001U AV120506 0001	Influent	ND<20	ND<98	ND<20	ND<20	NA	NA	NA
01/04/07	GAC0001X AV010407 0001	Effluent	ND<2.0	MDL<8.0	ND<2.0	ND<5.0	NA	NA	NA
01/04/07	GAC0001B AV010407 0001	Breakthru	ND<2.0	MDL<8.0	ND<2.0	ND<5.0	NA	NA	NA
01/04/07	GAC0001U AV010407 0001	Influent	ND<64	ND<320	ND<64	ND<160	NA	NA	NA
02/01/07	GAC0001X AV020107 0001	Effluent	MDL<2.3	MDL<23	ND<5.8	ND<14	NA	NA	NA
02/01/07	GAC0001B AV020107 0001	Breakthru	MDL<2.3	MDL<23	ND<5.8	ND<15	NA	NA	NA
02/01/07	GAC0001U AV020107 0001	Influent	ND<9.9	ND<50	ND<9.9	ND<25	NA	NA	NA
03/01/07	GAC0001X AV030107 0001	Effluent	ND<2.0	MDL<8.0	ND<2.0	ND<5.0	NA	NA	NA
03/01/07	GAC0001B AV030107 0001	Breakthru	ND<2.0	MDL<8.0	ND<2.0	ND<5.0	NA	NA	NA
03/01/07	GAC0001U_AV030107_0001	Influent	ND<3.8	ND<19	ND<3.8	ND<9.6	NA	NA	NA

Notes:

ppbv = parts per billion by volume
ND = Not Detected at the laboratory reporting limit
MDL = Less than MDL (method detection limit)
NA = Not Analyzed
J = Estimated result. Result is less than reporting lim
Bolded values are "B" flagged
E = Estimated result. Result concentration exceeds th
TPH-G = Results are indicative of compounds other t
MTBE analysis was omitted by the STL laboratory fc
RL and MDL limits that are above AQMD limits are
For the quoted price STL shall report sample data fron

Information above provided by Tait Environmen