ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: The Boeing Company
Client Project #: 1206035.01090010

Analysis Method: 418.1

Sample Description: Soil,

Laboratory Reference #: MWI 9626

Sampled: 10/06/97
Received: 10/06/97
Analyzed: 10/07/97
Reported: 10/07/97

TOTAL RECOVERABLE PETROLEUM HYDROCARBONS

Laboratory Sample Sumber	*Client Sample Number*	*Extractable Hydrocarbons mg/kg (ppm)*
97100125	BA-RE1-SP3	150
Detection Limit:		8.0

Analyte reported as N.D. was not present above the stated limit of detection.

ORANGE COAST ANALYTICAL

Mark Noorani
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: The Boeing Company
Client Project #: 1206035.01090010

Sample Description: Soil, BA-RE1-SP3

Sampled: 10/06/97
Received: 10/06/97
Analyzed: 10/7-08/97
Reported: 10/09/97

Laboratory Sample Number: 97100125
Laboratory Reference #: MWI 9626

CCR - METALS

Analyte	*EPA Method*	*STLC Limits mg/l*	*TTLC Limits mg/kg*	*Detection Limit mg/kg*	*Analysis Result mg/kg*
Antimony	6010	15	500	5.0	N.D.
Arsenic	6010	5.0	500	1.0	16
Barium	6010	100	10000	0.1	93
Beryllium	6010	0.75	75	0.1	N.D.
Cadmium	6010	1.0	100	0.1	N.D.
Chromium (VI)	7196	5.0	500	0.5	N.D.
Chromium Total	6010	560	2500	0.05	34
Cobalt	6010	80	8000	0.5	9.7
Copper	6010	25	2500	0.1	14
Lead	6010	5.0	1000	1.0	N.D.
Mercury	7471	0.2	20	0.01	N.D.
Molybdenum	6010	350	3500	0.5	N.D.
Nickel	6010	20	2000	0.5	17
Selenium	6010	1.0	100	1.0	N.D.
Silver	6010	5.0	500	0.1	N.D.
Thallium	6010	7.0	700	5.0	N.D.
Vanadium	6010	24	2400	0.5	29
Zinc	6010	250	5000	0.1	45

Analytes reported as N.D. were not present above the stated limit of detection.

ORANGE COAST ANALYTICAL

Mark Noorani
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: The Boeing Company
Client Project #: 1206035.01090010

Sample Description: Soil, BA-RE1-SP3
Laboratory Sample Number: 97100125
Laboratory Reference #: MWI 9626

Sampled: 10/06/97
Received: 10/06/97
Analyzed: 10/09/97
Reported: 10/09/97

VOLATILE ORGANICS BY GC/MS (EPA 8260)

ANALYTE	***CAS NUMBER***	***DETECTION Limit (ug/kg)***	***SAMPLE RESULTS (ug/kg)***
Benzene	71-43-2	2.5	N.D.
Bromodichloromethane	75-27-4	2.5	N.D.
Bromoform	75-25-2	2.5	N.D.
Bromomethane	74-83-9	2.5	N.D.
Carbon Disulfide	75-15-0	5.0	N.D.
Carbon tetrachloride	56-23-5	2.5	N.D.
Chlorobenzene	108-90-7	2.5	N.D.
Chlorodibromomethane	124-48-1	2.5	N.D.
Chloroethane	75-00-3	2.5	N.D.
2-Chloroethyl vinyl ether	110-75-8	5.0	N.D.
Chloroform	67-66-3	2.5	N.D.
Chloromethane	74-87-3	2.5	N.D.
1,1-Dichloroethane	75-34-3	2.5	N.D.
1,2-Dichloroethane	107-06-2	2.5	N.D.
1,1-Dichloroethene	75-35-4	2.5	N.D.
Trans 1,2-Dichloroethene	156-60-5	2.5	N.D.
1,2-Dichloropropane	78-87-5	2.5	N.D.
cis-1,3-Dichloropropene	10061-01-5	2.5	N.D.
trans-1,3-Dichloropropene	10061-02-6	2.5	N.D.
Ethylbenzene	100-41-4	2.5	N.D.
Methylene chloride	75-09-2	5.0	N.D.
Styrene	100-42-5	2.5	N.D.
1,1,2,2-Tetrachloroethane	79-34-5	2.5	N.D.
Tetrachloroethene	127-18-4	2.5	N.D.
Toluene	108-88-3	2.5	N.D.
1,1,1-Trichloroethane	71-55-6	2.5	N.D.
1,1,2-Trichloroethane	79-00-5	2.5	N.D.
Trichloroethene	79-01-6	2.5	N.D.
Trichlorofluoromethane	75-69-4	5.0	N.D.
Vinyl acetate	108-05-4	5.0	N.D.
Vinyl chloride	75-01-4	2.5	N.D.
Total Xylenes	1330-20-7	2.5	N.D.
Dichlorodifluoromethane	75-71-8	2.5	N.D.
cis-1-2,-Dichloroethene	156-59-2	2.5	N.D.
2,2-Dichloropropane	594-20-7	2.5	N.D.
Bromochloromethane	74-97-5	2.5	N.D.
1,1-Dichloropropene	563-58-6	2.5	N.D.
Dibromomethane	74-95-3	2.5	N.D.
1,2-Dibromoethane	106-93-4	2.5	N.D.

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

VOLATILE ORGANICS BY GC/MS (EPA 8260) ***(continued)***

Sample Description: Soil, BA-RE1-SP3
Laboratory Sample #: 97100125

ANALYTE	*CAS NUMBER*	*DETECTION Limit (ug/kg)*	*SAMPLE RESULTS (ug/kg)*
1,3-Dichloropropane	142-28-9	2.5	N.D.
Isopropylbenzene	98-82-8	2.5	N.D.
1,1,2,2-Tetrachloroethane	79-34-5	2.5	N.D.
1,2,3-Trichloropropane	96-18-4	2.5	N.D.
Bromobenzene	108-86-1	2.5	N.D.
n-Propylbenzene	103-65-1	2.5	N.D.
2-Chlorotoluene	95-49-8	2.5	N.D.
1,3,5-Trimethylbenzene	108-67-8	2.5	N.D.
4-Chlorotoluene	106-43-4	2.5	N.D.
tert-Butylbenzene	98-06-6	2.5	N.D.
1,2,4-Trimethylbenzene	95-63-6	2.5	N.D.
sec-Butylbenzene	135-98-8	2.5	N.D.
4-Isopropyltoluene	99-87-6	2.5	N.D.
1,3-Dichlorobenzene	541-73-1	2.5	N.D.
1,4-Dichlorobenzene	106-46-7	2.5	N.D.
n-Butylbenzene	104-51-8	2.5	N.D.
1,2-Dichlorobenzene	95-50-1	2.5	N.D.
1,2-Dibromo-3-CPA	96-12-8	5.0	N.D.
1,2,4-Trichlorobenzene	120-82-1	2.5	N.D.
Hexachlorobutadiene	87-68-3	2.5	N.D.
Naphthalene	91-20-3	2.5	N.D.
1,2,3-Trichlorobenzene	87-61-6	2.5	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

Orange Coast Analytical

Mark Noorani
Laboratory Director

Surrogate Recoveries	%
Dibromofluoromethane	100
Toluene-d8	96
4-Bromofluorobenzene	94

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: The Boeing Company
Client Project #: 1206035.01090010

Sample Description: Soil, BA-RE1-SP3
Laboratory Sample Number: 97100125
Laboratory Reference #: MWI 9626

Sampled: 10/06/97
Received: 10/06/97
Analyzed: 10/09/97
Reported: 10/09/97

SEMI VOLATILE ORGANICS BY GC/MS (EPA 8270)

ANALYTE	*CAS NUMBER*	*DETECTION Limit (ug/kg)*	*SAMPLE RESULTS (ug/kg)*
Acenaphthene	83-32-9	100	N.D.
Acenaphthylene	208-96-8	100	N.D.
Aniline	62-53-3	100	N.D.
Anthracene	120-12-7	100	N.D.
Benzoic Acid	65-85-0	500	N.D.
Benzo (a) anthracene	56-55-3	100	N.D.
Benzo (b) fluoranthene	205-99-2	250	N.D.
Benzo (k) fluoranthene	207-08-9	250	N.D.
Benzo (g,h,i)perylene	191-24-2	250	N.D.
Benzo (a) pyrene	50-32-8	250	N.D.
Benzyl alcohol	100-51-6	100	N.D.
Bis(2-chloroethoxy)methane	111-91-1	100	N.D.
Bis(2-chloroethyl)ether	111-44-4	100	N.D.
Bis(2-chloroisopropyl)ether	39638-32-9	100	N.D.
Bis(2-ethylhexyl)phthalate	117-81-7	100	N.D.
4-Bromophenyl phenyl ether	101-55-3	100	N.D.
Butyl benzyl phthalate	85-68-7	100	N.D.
4-Chloroaniline	106-47-8	100	N.D.
2-Chloronaphthalene	91-58-7	100	N.D.
4-Chloro-3-methylphenol	59-50-7	100	N.D.
2-Chlorophenol	95-57-8	100	N.D.
4-Chlorophenyl phenyl ehter	7005-72-3	100	N.D.
Chrysene	218-0109	100	N.D.
Dibenz(a,h)anthracene	53-70-3	100	N.D.
Dibenzofuran	132-64-9	100	N.D.
Di-N-butyl phthalate	84-74-2	250	N.D.
1,3-Dichlorobenzene	541-73-1	100	N.D.
1,4-Dichlorobenzene	106-46-7	100	N.D.
1,2-Dichlorobenzene	95-50-1	100	N.D.
3,3-Dichlorobenzidine	91-94-1	100	N.D.
2,4-Dichlorophenol	120-83-2	100	N.D.
Diethyl phthalate	84-66-2	100	N.D.
2,4-Dimethylphenol	105-67-9	100	N.D.
Dimethyl phthalate	131-11-3	100	N.D.
4,6-Dinitro-2-methylphenol	534-52-1	100	N.D.
2,4-Dinitrophenol	51-28-5	100	N.D.
2,4-Dinitrotoluene	121-14-2	250	N.D.
2,6-Dinitrotoluene	606-20-2	250	N.D.
Di-N-octyl phthalate	117-84-0	250	N.D.

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

SEMI-VOLATILE ORGANICS BY GC/MS (EPA 8270) (continued)

Sample Description: Soil, BA-RE1-SP3
Laboratory Sample #: 97100125

ANALYTE	*CAS NUMBER*	*DETECTION Limit (ug/kg)*	*SAMPLE RESULTS (ug/kg)*
Fluoranthene	206-44-0	100	N.D.
Fluorene	86-73-7	100	N.D.
Hexachlorobenzene	118-74-1	100	N.D.
Hexachlorobutadiene	87-68-3	100	N.D.
Hexachlorocyclopentadiene	77-47-4	100	N.D.
Hexachloroethane	67-72-1	100	N.D.
Indeno(1,2,3-cd)pyrene	193-39-5	250	N.D.
Isophorone	78-59-1	100	N.D.
2-Methylnaphthalene	91-57-6	100	N.D.
2-Methylphenol	95-48-7	100	N.D.
4-Methylphenol	106-44-5	100	N.D.
Naphthalene	91-20-3	100	N.D.
2-Nitroaniline	88-74-4	250	N.D.
3-Nitroaniline	99-09-2	250	N.D.
4-Nitroaniline	100-01-6	250	N.D.
Nitrobenzene	98-95-3	100	N.D.
2-Nitrophenol	88-75-5	100	N.D.
4-Nitrophenol	100-02-7	100	N.D.
N-Nitrosodiphenylamine	86-30-6	100	N.D.
N-Nitroso-di-N-propylamine	621-64-7	100	N.D.
N-Nitrosodimethylamine	62-75-9	100	N.D.
Pentachlorophenol	87-86-5	250	N.D.
Phenanthrene	85-01-8	100	N.D.
Phenol	108-95-2	100	N.D.
Pyrene	129-00-0	100	N.D.
1,2,4-Trichlorobenzene	120-82-1	100	N.D.
2,4,5-Trichlorophenol	95-95-4	100	N.D.
2,4,6-Trichlorophenol	88-06-2	100	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

Orange Coast Analytical

Mark Noorani
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: The Boeing Company
Client Project #: 1206035.01090010

Analysis Method: 418.1

Sample Description: Water,

Laboratory Reference #: MWI 9626

Sampled: 10/06/97
Received: 10/06/97
Analyzed: 10/10/97
Reported: 10/13/97

TOTAL RECOVERABLE PETROLEUM HYDROCARBONS

Laboratory Sample Sumber	*Client Sample Number*	*Extractable Hydrocarbons mg/l (ppm)*
97100126	Equipment Blank	N.D.
97100127	Rinsate Blank	N.D.

Detection Limit:	0.5

Analyte reported as N.D. was not present above the stated limit of detection.

ORANGE COAST ANALYTICAL

Mark Noorani
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: The Boeing Comapny
Client Project #: 1206035.01090010

Sample Description: Water, Equip Blank

Sampled: 10/06/97
Received: 10/06/97
Analyzed: 10/07-09-13/97
Reported: 10/13/97

Laboratory Sample Number: 97100126
Laboratory Reference #: MWI 9626

CCR - METALS

Analyte	*EPA Method*	*Detection Limit mg/l*	*Analysis Result mg/l*
Antimony	6010	0.5	N.D.
Arsenic	6010	0.1	N.D.
Barium	6010	0.01	N.D.
Beryllium	6010	0.01	N.D.
Cadmium	6010	0.01	N.D.
Chromium (VI)	7196	0.01	N.D.
Chromium Total	6010	0.01	N.D.
Cobalt	6010	0.05	N.D.
Copper	6010	0.01	N.D.
Lead	6010	0.1	N.D.
Mercury	7471	0.002	N.D.
Molybdenum	6010	0.1	N.D.
Nickel	6010	0.05	N.D.
Selenium	6010	0.1	N.D.
Silver	6010	0.05	N.D.
Thallium	6010	0.5	N.D.
Vanadium	6010	0.1	N.D.
Zinc	6010	0.01	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

ORANGE COAST ANALYTICAL

Mark Noorani
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: The Boeing Comapny
Client Project #: 1206035.01090010

Sample Description: Water, Rinsate Blank

Sampled: 10/06/97
Received: 10/06/97
Analyzed: 10/07-09-13/97
Reported: 10/13/97

Laboratory Sample Number: 97100127
Laboratory Reference #: MWI 9626

CCR - METALS

Analyte	*EPA Method*	*Detection Limit mg/l*	*Analysis Result mg/l*
Antimony	6010	0.5	N.D.
Arsenic	6010	0.1	N.D.
Barium	6010	0.01	N.D.
Beryllium	6010	0.01	N.D.
Cadmium	6010	0.01	N.D.
Chromium (VI)	7196	0.01	N.D.
Chromium Total	6010	0.01	N.D.
Cobalt	6010	0.05	N.D.
Copper	6010	0.01	N.D.
Lead	6010	0.1	N.D.
Mercury	7471	0.002	N.D.
Molybdenum	6010	0.1	N.D.
Nickel	6010	0.05	N.D.
Selenium	6010	0.1	N.D.
Silver	6010	0.05	N.D.
Thallium	6010	0.5	N.D.
Vanadium	6010	0.1	N.D.
Zinc	6010	0.01	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

ORANGE COAST ANALYTICAL

Mark Noorani
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: The Boeing Company
Client Project #: 1206035.01090010

Sample Description: Water, Equip Blank
Laboratory Sample Number: 97100126
Laboratory Reference #: MWI 9626

Sampled: 10/06/97
Received: 10/06/97
Analyzed: 10/09/97
Reported: 10/13/97

VOLATILE ORGANICS BY GC/MS (EPA 8260)

ANALYTE	*CAS NUMBER*	*DETECTION Limit (ug/l)*	*SAMPLE RESULTS (ug/l)*
Benzene	71-43-2	0.5	N.D.
Bromodichloromethane	75-27-4	0.5	N.D.
Bromoform	75-25-2	0.5	N.D.
Bromomethane	74-83-9	1.0	N.D.
Carbon Disulfide	75-15-0	0.5	N.D.
Carbon tetrachloride	56-23-5	0.5	N.D.
Chlorobenzene	108-90-7	0.5	N.D.
Chlorodibromomethane	124-48-1	0.5	N.D.
Chloroethane	75-00-3	0.5	N.D.
2-Chloroethyl vinyl ether	110-75-8	0.5	N.D.
Chloroform	67-66-3	0.5	N.D.
Chloromethane	74-87-3	0.5	N.D.
1,1-Dichloroethane	75-34-3	0.5	N.D.
1,2-Dichloroethane	107-06-2	0.5	N.D.
1,1-Dichloroethene	75-35-4	0.5	N.D.
Trans 1,2-Dichloroethene	156-60-5	0.5	N.D.
1,2-Dichloropropane	78-87-5	0.5	N.D.
cis-1,3-Dichloropropene	10061-01-5	0.5	N.D.
trans-1,3-Dichloropropene	10061-02-6	0.5	N.D.
Ethylbenzene	100-41-4	0.5	N.D.
Methylene chloride	75-09-2	2.5	N.D.
Styrene	100-42-5	0.5	N.D.
1,1,2,2-Tetrachloroethane	79-34-5	0.5	N.D.
Tetrachloroethene	127-18-4	0.5	N.D.
Toluene	108-88-3	0.5	N.D.
1,1,1-Trichloroethane	71-55-6	0.5	N.D.
1,1,2-Trichloroethane	79-00-5	0.5	N.D.
Trichloroethene	79-01-6	0.5	N.D.
Trichlorofluoromethane	75-69-4	0.5	N.D.
Vinyl acetate	108-05-4	1.0	N.D.
Vinyl chloride	75-01-4	0.5	N.D.
Total Xylenes	1330-20-7	1.0	N.D.
Dichlorodifluoromethane	75-71-8	0.5	N.D.
cis-1-2,-Dichloroethene	156-59-2	0.5	N.D.
2,2-Dichloropropane	594-20-7	0.5	N.D.
Bromochloromethane	74-97-5	0.5	N.D.
1,1-Dichloropropene	563-58-6	0.5	N.D.
Dibromomethane	74-95-3	0.5	N.D.
1,2-Dibromoethane	106-93-4	0.5	N.D.

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

VOLATILE ORGANICS BY GC/MS (EPA 8260) (continued)

Sample Description: Water, Equip Blank
Laboratory Sample #: 97100126

ANALYTE	CAS NUMBER	DETECTION Limit (ug/l)	SAMPLE RESULTS (ug/l)
1,3-Dichloropropane	142-28-9	0.5	N.D.
Isopropylbenzene	98-82-8	0.5	N.D.
1.1.2.2-Tetrachloroethane	79-34-5	0.5	N.D.
1,2,3-Trichloropropane	96-18-4	0.5	N.D.
Bromobenzene	108-86-1	0.5	N.D.
n-Propylbenzene	103-65-1	0.5	N.D.
2-Chlorotoluene	95-49-8	0.5	N.D.
1,3,5-Trimethylbenzene	108-67-8	0.5	N.D.
4-Chlorotoluene	106-43-4	0.5	N.D.
tert-Butylbenzene	98-06-6	0.5	N.D.
1,2,4-Trimethylbenzene	95-63-6	0.5	N.D.
sec-Butylbenzene	135-98-8	0.5	N.D.
4-Isopropyltoluene	99-87-6	0.5	N.D.
1,3-Dichlorobenzene	541-73-1	0.5	N.D.
1,4-Dichlorobenzene	106-46-7	0.5	N.D.
n-Butylbenzene	104-51-8	0.5	N.D.
1,2-Dichlorobenzene	95-50-1	0.5	N.D.
1-2-Dibromo-3-CPA	96-12-8	1.0	N.D.
1,2,4-Trichlorobenzene	120-82-1	0.5	N.D.
Hexachlorobutadiene	87-68-3	0.5	N.D.
Naphthalene	91-20-3	0.5	N.D.
1,2,3-Trichlorobenzene	87-61-6	0.5	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

Orange Coast Analytical

Mark Noorani
Laboratory Director

Surrogate Recoveries %

Dibromofluoromethane	104
Toluene-d8	95
4-Bromofluorobenzene	99

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: The Boeing Company
Client Project #: 1206035.01090010

Sample Description: Water, Rinsate Blank
Laboratory Sample Number: 97100127
Laboratory Reference #: MWI 9626

Sampled: 10/06/97
Received: 10/06/97
Analyzed: 10/09/97
Reported: 10/13/97

VOLATILE ORGANICS BY GC/MS (EPA 8260)

ANALYTE	*CAS NUMBER*	*DETECTION Limit (ug/l)*	*SAMPLE RESULTS (ug/l)*
Benzene	71-43-2	0.5	N.D.
Bromodichloromethane	75-27-4	0.5	N.D.
Bromoform	75-25-2	0.5	N.D.
Bromomethane	74-83-9	1.0	N.D.
Carbon Disulfide	75-15-0	0.5	N.D.
Carbon tetrachloride	56-23-5	0.5	N.D.
Chlorobenzene	108-90-7	0.5	N.D.
Chlorodibromomethane	124-48-1	0.5	N.D.
Chloroethane	75-00-3	0.5	N.D.
2-Chloroethyl vinyl ether	110-75-8	0.5	N.D.
Chloroform	67-66-3	0.5	N.D.
Chloromethane	74-87-3	0.5	N.D.
1,1-Dichloroethane	75-34-3	0.5	N.D.
1,2-Dichloroethane	107-06-2	0.5	N.D.
1,1-Dichloroethene	75-35-4	0.5	N.D.
Trans 1,2-Dichloroethene	156-60-5	0.5	N.D.
1,2-Dichloropropane	78-87-5	0.5	N.D.
cis-1,3-Dichloropropene	10061-01-5	0.5	N.D.
trans-1,3-Dichloropropene	10061-02-6	0.5	N.D.
Ethylbenzene	100-41-4	0.5	N.D.
Methylene chloride	75-09-2	2.5	N.D.
Styrene	100-42-5	0.5	N.D.
1,1,2,2-Tetrachloroethane	79-34-5	0.5	N.D.
Tetrachloroethene	127-18-4	0.5	N.D.
Toluene	108-88-3	0.5	N.D.
1,1,1-Trichloroethane	71-55-6	0.5	N.D.
1,1,2-Trichloroethane	79-00-5	0.5	N.D.
Trichloroethene	79-01-6	0.5	N.D.
Trichlorofluoromethane	75-69-4	0.5	N.D.
Vinyl acetate	108-05-4	1.0	N.D.
Vinyl chloride	75-01-4	0.5	N.D.
Total Xylenes	1330-20-7	1.0	N.D.
Dichlorodifluoromethane	75-71-8	0.5	N.D.
cis-1-2,-Dichloroethene	156-59-2	0.5	N.D.
2,2-Dichloropropane	594-20-7	0.5	N.D.
Bromochloromethane	74-97-5	0.5	N.D.
1,1-Dichloropropene	563-58-6	0.5	N.D.
Dibromomethane	74-95-3	0.5	N.D.
1,2-Dibromoethane	106-93-4	0.5	N.D.

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

VOLATILE ORGANICS BY GC/MS (EPA 8260) (continued)

Sample Description: Water, Rinsate Blank
Laboratory Sample #: 97100127

ANALYTE	CAS NUMBER	DETECTION Limit (ug/l)	SAMPLE RESULTS (ug/l)
1,3-Dichloropropane	142-28-9	0.5	N.D.
Isopropylbenzene	98-82-8	0.5	N.D.
1.1.2.2-Tetrachloroethane	79-34-5	0.5	N.D.
1,2,3-Trichloropropane	96-18-4	0.5	N.D.
Bromobenzene	108-86-1	0.5	N.D.
n-Propylbenzene	103-65-1	0.5	N.D.
2-Chlorotoluene	95-49-8	0.5	N.D.
1,3,5-Trimethylbenzene	108-67-8	0.5	N.D.
4-Chlorotoluene	106-43-4	0.5	N.D.
tert-Butylbenzene	98-06-6	0.5	N.D.
1,2,4-Trimethylbenzene	95-63-6	0.5	N.D.
sec-Butylbenzene	135-98-8	0.5	N.D.
4-Isopropyltoluene	99-87-6	0.5	N.D.
1,3-Dichlorobenzene	541-73-1	0.5	N.D.
1,4-Dichlorobenzene	106-46-7	0.5	N.D.
n-Butylbenzene	104-51-8	0.5	N.D.
1,2-Dichlorobenzene	95-50-1	0.5	N.D.
1-2-Dibromo-3-CPA	96-12-8	1.0	N.D.
1,2,4-Trichlorobenzene	120-82-1	0.5	N.D.
Hexachlorobutadiene	87-68-3	0.5	N.D.
Naphthalene	91-20-3	0.5	N.D.
1,2,3-Trichlorobenzene	87-61-6	0.5	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

Orange Coast Analytical

Mark Noorani
Laboratory Director

Surrogate Recoveries %

Dibromofluoromethane	105
Toluene-d8	94
4-Bromofluorobenzene	99

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: The Boeing Company
Client Project #: 1206035.01090010

Sampled: 10/06/97
Received: 10/06/97
Analyzed: 10/09/97
Reported: 10/13/97

Sample Description: Water, Trip Blank
Laboratory Sample Number: 97100128
Laboratory Reference #: MWI 9626

VOLATILE ORGANICS BY GC/MS (EPA 8260)

ANALYTE	***CAS NUMBER***	***DETECTION Limit (ug/l)***	***SAMPLE RESULTS (ug/l)***
Benzene	71-43-2	0.5	N.D.
Bromodichloromethane	75-27-4	0.5	N.D.
Bromoform	75-25-2	0.5	N.D.
Bromomethane	74-83-9	1.0	N.D.
Carbon Disulfide	75-15-0	0.5	N.D.
Carbon tetrachloride	56-23-5	0.5	N.D.
Chlorobenzene	108-90-7	0.5	N.D.
Chlorodibromomethane	124-48-1	0.5	N.D.
Chloroethane	75-00-3	0.5	N.D.
2-Chloroethyl vinyl ether	110-75-8	0.5	N.D.
Chloroform	67-66-3	0.5	N.D.
Chloromethane	74-87-3	0.5	N.D.
1,1-Dichloroethane	75-34-3	0.5	N.D.
1,2-Dichloroethane	107-06-2	0.5	N.D.
1,1-Dichloroethene	75-35-4	0.5	N.D.
Trans 1,2-Dichloroethene	156-60-5	0.5	N.D.
1,2-Dichloropropane	78-87-5	0.5	N.D.
cis-1,3-Dichloropropene	10061-01-5	0.5	N.D.
trans-1,3-Dichloropropene	10061-02-6	0.5	N.D.
Ethylbenzene	100-41-4	0.5	N.D.
Methylene chloride	75-09-2	2.5	N.D.
Styrene	100-42-5	0.5	N.D.
1,1,2,2-Tetrachloroethane	79-34-5	0.5	N.D.
Tetrachloroethene	127-18-4	0.5	N.D.
Toluene	108-88-3	0.5	N.D.
1,1,1-Trichloroethane	71-55-6	0.5	N.D.
1,1,2-Trichloroethane	79-00-5	0.5	N.D.
Trichloroethene	79-01-6	0.5	N.D.
Trichlorofluoromethane	75-69-4	0.5	N.D.
Vinyl acetate	108-05-4	1.0	N.D.
Vinyl chloride	75-01-4	0.5	N.D.
Total Xylenes	1330-20-7	1.0	N.D.
Dichlorodifluoromethane	75-71-8	0.5	N.D.
cis-1-2,-Dichloroethene	156-59-2	0.5	N.D.
2,2-Dichloropropane	594-20-7	0.5	N.D.
Bromochloromethane	74-97-5	0.5	N.D.
1,1-Dichloropropene	563-58-6	0.5	N.D.
Dibromomethane	74-95-3	0.5	N.D.
1,2-Dibromoethane	106-93-4	0.5	N.D.

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

VOLATILE ORGANICS BY GC/MS (EPA 8260) (continued)

Sample Description: Water, Trip Blank
Laboratory Sample #: 97100128

ANALYTE	*CAS NUMBER*	*DETECTION Limit (ug/l)*	*SAMPLE RESULTS (ug/l)*
1,3-Dichloropropane	142-28-9	0.5	N.D.
Isopropylbenzene	98-82-8	0.5	N.D.
1.1.2.2-Tetrachloroethane	79-34-5	0.5	N.D.
1,2,3-Trichloropropane	96-18-4	0.5	N.D.
Bromobenzene	108-86-1	0.5	N.D.
n-Propylbenzene	103-65-1	0.5	N.D.
2-Chlorotoluene	95-49-8	0.5	N.D.
1,3,5-Trimethylbenzene	108-67-8	0.5	N.D.
4-Chlorotoluene	106-43-4	0.5	N.D.
tert-Butylbenzene	98-06-6	0.5	N.D.
1,2,4-Trimethylbenzene	95-63-6	0.5	N.D.
sec-Butylbenzene	135-98-8	0.5	N.D.
4-Isopropyltoluene	99-87-6	0.5	N.D.
1,3-Dichlorobenzene	541-73-1	0.5	N.D.
1,4-Dichlorobenzene	106-46-7	0.5	N.D.
n-Butylbenzene	104-51-8	0.5	N.D.
1,2-Dichlorobenzene	95-50-1	0.5	N.D.
1-2-Dibromo-3-CPA	96-12-8	1.0	N.D.
1,2,4-Trichlorobenzene	120-82-1	0.5	N.D.
Hexachlorobutadiene	87-68-3	0.5	N.D.
Naphthalene	91-20-3	0.5	N.D.
1,2,3-Trichlorobenzene	87-61-6	0.5	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

Orange Coast Analytical

Mark Noorani
Laboratory Director

Surrogate Recoveries	%
Dibromofluoromethane	104
Toluene-d8	95
4-Bromofluorobenzene	98

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: The Boeing Company
Client Project #: 1206035.01090010

Sample Description: Water, Equip Blank
Laboratory Sample Number: 97100126
Laboratory Reference #: MWI 9626

Sampled: 10/06/97
Received: 10/06/97
Analyzed: 10/09/97
Reported: 10/13/97

SEMI VOLATILE ORGANICS BY GC/MS (EPA 8270)

ANALYTE	*CAS NUMBER*	*DETECTION Limit (ug/l)*	*SAMPLE RESULTS (ug/l)*
Acenaphthene	83-32-9	5.0	N.D.
Acenaphthylene	208-96-8	5.0	N.D.
Aniline	62-53-3	5.0	N.D.
Anthracene	120-12-7	5.0	N.D.
Benzoic Acid	65-85-0	50	N.D.
Benzo (a) anthracene	56-55-3	5.0	N.D.
Benzo (b) fluoranthene	205-99-2	25	N.D.
Benzo (k) fluoranthene	207-08-9	25	N.D.
Benzo (g,h,i)perylene	191-24-2	25	N.D.
Benzo (a) pyrene	50-32-8	25	N.D.
Benzyl alcohol	100-51-6	50	N.D.
Bis(2-chloroethoxy)methane	111-91-1	5.0	N.D.
Bis(2-chloroethyl)ether	111-44-4	5.0	N.D.
Bis(2-chloroisopropyl)ether	39638-32-9	5.0	N.D.
Bis(2-ethylhexyl)phthalate	117-81-7	3.0	53
4-Bromophenyl phenyl ether	101-55-3	5.0	N.D.
Butyl benzyl phthalate	85-68-7	5.0	N.D.
4-Chloroaniline	106-47-8	5.0	N.D.
2-Chloronaphthalene	91-58-7	5.0	N.D.
4-Chloro-3-methylphenol	59-50-7	5.0	N.D.
2-Chlorophenol	95-57-8	5.0	N.D.
4-Chlorophenyl phenyl ehter	7005-72-3	5.0	N.D.
Chrysene	218-0109	5.0	N.D.
Dibenz(a,h)anthracene	53-70-3	25	N.D.
Dibenzofuran	132-64-9	5.0	N.D.
Di-N-butyl phthalate	84-74-2	5.0	N.D.
1,3-Dichlorobenzene	541-73-1	5.0	N.D.
1,4-Dichlorobenzene	106-46-7	5.0	N.D.
1,2-Dichlorobenzene	95-50-1	5.0	N.D.
3,3-Dichlorobenzidine	91-94-1	5.0	N.D.
2,4-Dichlorophenol	120-83-2	5.0	N.D.
Diethyl phthalate	84-66-2	5.0	N.D.
2,4-Dimethylphenol	105-67-9	5.0	N.D.
Dimethyl phthalate	131-11-3	5.0	N.D.
4,6-Dinitro-2-methylphenol	534-52-1	50	N.D.
2,4-Dinitrophenol	51-28-5	50	N.D.

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

SEMI-VOLATILE ORGANICS BY GC/MS (EPA 8270) (continued)

Sample Description: Water, Equip Blank
Laboratory Sample #: 97100126

ANALYTE	CAS NUMBER	DETECTION Limit (ug/l)	SAMPLE RESULTS (ug/l)
2,4-Dinitrotoluene	121-14-2	5.0	N.D.
2,6-Dinitrotoluene	606-20-2	5.0	N.D.
Di-N-octyl phthalate	117-84-0	25	N.D.
Fluoranthene	206-44-0	5.0	N.D.
Fluorene	86-73-7	5.0	N.D.
Hexachlorobenzene	118-74-1	5.0	N.D.
Hexachlorobutadiene	87-68-3	5.0	N.D.
Hexachlorocyclopentadiene	77-47-4	5.0	N.D.
Hexachloroethane	67-72-1	5.0	N.D.
Indeno(1,2,3-cd)pyrene	193-39-5	25	N.D.
Isophorone	78-59-1	5.0	N.D.
2-Methylnaphthalene	91-57-6	5.0	N.D.
2-Methylphenol	95-48-7	5.0	N.D.
4-Methylphenol	106-44-5	5.0	N.D.
Naphthalene	91-20-3	5.0	N.D.
2-Nitroaniline	88-74-4	50	N.D.
3-Nitroaniline	99-09-2	50	N.D.
4-Nitroaniline	100-01-6	50	N.D.
Nitrobenzene	98-95-3	5.0	N.D.
2-Nitrophenol	88-75-5	5.0	N.D.
4-Nitrophenol	100-02-7	50	N.D.
N-Nitrosodiphenylamine	86-30-6	5.0	N.D.
N-Nitroso-di-N-propylamine	621-64-7	5.0	N.D.
N-Nitrosodimethylamine	62-75-9	5.0	N.D.
Pentachlorophenol	87-86-5	50	N.D.
Phenanthrene	85-01-8	5.0	N.D.
Phenol	108-95-2	5.0	N.D.
Pyrene	129-00-0	5.0	N.D.
1,2,4-Trichlorobenzene	120-82-1	5.0	N.D.
2,4,5-Trichlorophenol	95-95-4	5.0	N.D.
2,4,6-Trichlorophenol	88-06-2	5.0	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

Orange Coast Analytical

Mark Noorani
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: The Boeing Company
Client Project #: 1206035.01090010

Sample Description: Water, Rinsate Blank
Laboratory Sample Number: 97100127
Laboratory Reference #: MWI 9626

Sampled: 10/06/97
Received: 10/06/97
Analyzed: 10/09/97
Reported: 10/13/97

SEMI VOLATILE ORGANICS BY GC/MS (EPA 8270)

ANALYTE	*CAS NUMBER*	*DETECTION Limit (ug/l)*	*SAMPLE RESULTS (ug/l)*
Acenaphthene	83-32-9	5.0	N.D.
Acenaphthylene	208-96-8	5.0	N.D.
Aniline	62-53-3	5.0	N.D.
Anthracene	120-12-7	5.0	N.D.
Benzoic Acid	65-85-0	50	N.D.
Benzo (a) anthracene	56-55-3	5.0	N.D.
Benzo (b) fluoranthene	205-99-2	25	N.D.
Benzo (k) fluoranthene	207-08-9	25	N.D.
Benzo (g,h,i)perylene	191-24-2	25	N.D.
Benzo (a) pyrene	50-32-8	25	N.D.
Benzyl alcohol	100-51-6	50	N.D.
Bis(2-chloroethoxy)methane	111-91-1	5.0	N.D.
Bis(2-chloroethyl)ether	111-44-4	5.0	N.D.
Bis(2-chloroisopropyl)ether	39638-32-9	5.0	N.D.
Bis(2-ethylhexyl)phthalate	117-81-7	3.0	N.D.
4-Bromophenyl phenyl ether	101-55-3	5.0	N.D.
Butyl benzyl phthalate	85-68-7	5.0	N.D.
4-Chloroaniline	106-47-8	5.0	N.D.
2-Chloronaphthalene	91-58-7	5.0	N.D.
4-Chloro-3-methylphenol	59-50-7	5.0	N.D.
2-Chlorophenol	95-57-8	5.0	N.D.
4-Chlorophenyl phenyl ehter	7005-72-3	5.0	N.D.
Chrysene	218-0109	5.0	N.D.
Dibenz(a,h)anthracene	53-70-3	25	N.D.
Dibenzofuran	132-64-9	5.0	N.D.
Di-N-butyl phthalate	84-74-2	5.0	N.D.
1,3-Dichlorobenzene	541-73-1	5.0	N.D.
1,4-Dichlorobenzene	106-46-7	5.0	N.D.
1,2-Dichlorobenzene	95-50-1	5.0	N.D.
3,3-Dichlorobenzidine	91-94-1	5.0	N.D.
2,4-Dichlorophenol	120-83-2	5.0	N.D.
Diethyl phthalate	84-66-2	5.0	N.D.
2,4-Dimethylphenol	105-67-9	5.0	N.D.
Dimethyl phthalate	131-11-3	5.0	N.D.
4,6-Dinitro-2-methylphenol	534-52-1	50	N.D.
2,4-Dinitrophenol	51-28-5	50	N.D.

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

SEMI-VOLATILE ORGANICS BY GC/MS (EPA 8270) (continued)

Sample Description: Water, Rinsate Blank
Laboratory Sample #: 97100127

ANALYTE	*CAS NUMBER*	*DETECTION Limit (ug/l)*	*SAMPLE RESULTS (ug/l)*
2,4-Dinitrotoluene	121-14-2	5.0	N.D.
2,6-Dinitrotoluene	606-20-2	5.0	N.D.
Di-N-octyl phthalate	117-84-0	25	N.D.
Fluoranthene	206-44-0	5.0	N.D.
Fluorene	86-73-7	5.0	N.D.
Hexachlorobenzene	118-74-1	5.0	N.D.
Hexachlorobutadiene	87-68-3	5.0	N.D.
Hexachlorocyclopentadiene	77-47-4	5.0	N.D.
Hexachloroethane	67-72-1	5.0	N.D.
Indeno(1,2,3-cd)pyrene	193-39-5	25	N.D.
Isophorone	78-59-1	5.0	N.D.
2-Methylnaphthalene	91-57-6	5.0	N.D.
2-Methylphenol	95-48-7	5.0	N.D.
4-Methylphenol	106-44-5	5.0	N.D.
Naphthalene	91-20-3	5.0	N.D.
2-Nitroaniline	88-74-4	50	N.D.
3-Nitroaniline	99-09-2	50	N.D.
4-Nitroaniline	100-01-6	50	N.D.
Nitrobenzene	98-95-3	5.0	N.D.
2-Nitrophenol	88-75-5	5.0	N.D.
4-Nitrophenol	100-02-7	50	N.D.
N-Nitrosodiphenylamine	86-30-6	5.0	N.D.
N-Nitroso-di-N-propylamine	621-64-7	5.0	N.D.
N-Nitrosodimethylamine	62-75-9	5.0	N.D.
Pentachlorophenol	87-86-5	50	N.D.
Phenanthrene	85-01-8	5.0	N.D.
Phenol	108-95-2	5.0	N.D.
Pyrene	129-00-0	5.0	N.D.
1,2,4-Trichlorobenzene	120-82-1	5.0	N.D.
2,4,5-Trichlorophenol	95-95-4	5.0	N.D.
2,4,6-Trichlorophenol	88-06-2	5.0	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

Orange Coast Analytical

Mark Noorani
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: The Boeing Company
Client Project #: 1206035.01090010

Sample Description: Water, Equip Blank

Sampled: 10/06/97
Received: 10/06/97
Analyzed: 10/08/97
Reported: 10/13/97

Laboratory Sample Number: 97100126
Laboratory Reference #: MWI 9626

ORGANOCHLORINE PESTICIDES (EPA 8080)

Analyte	*CAS NUMBER*	*DETECTION LIMITS (ug/l)*	*SAMPLE RESULTS (ug/l)*
Aldrin	309-00-2	0.1	N.D.
alpha-BHC	319-84-6	0.2	N.D.
beta-BHC	319-85-7	0.2	N.D.
gamma-BHC	319-86-8	0.2	N.D.
gamma-BHC (Lindane)	58-89-9	0.2	N.D.
Chlordane	57-74-9	0.2	N.D.
4,4'-DDD	72-54-9	0.5	N.D.
4,4'-DDE	72-55-9	0.1	N.D.
4,4'-DDT	50-29-3	0.1	N.D.
Dieldrin	60-57-1	0.5	N.D.
Endosulfan I	959-98-8	0.5	N.D.
Endosulfan II	33213-65-9	0.5	N.D.
Endosulfan sulfate	1031-07-8	0.5	N.D.
Endrin	72-20-8	0.02	N.D.
Endrin aldehyde	7421-93-4	0.2	N.D.
Heptachlor	76-44-8	0.1	N.D.
Heptachlor epoxide	1024-57-3	0.2	N.D.
Methoxychlor	72-43-5	9.0	N.D.
Toxaphene	8001-35-2	0.5	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

ORANGE COAST ANALYTICAL

Mark Noorani
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: The Boeing Company
Client Project #: 1206035.01090010

Sample Description: Water, Rinsate Blank

Sampled: 10/06/97
Received: 10/06/97
Analyzed: 10/08/97
Reported: 10/13/97

Laboratory Sample Number: 97100127
Laboratory Reference #: MWI 9626

ORGANOCHLORINE PESTICIDES (EPA 8080)

Analyte	*CAS NUMBER*	*DETECTION LIMITS (ug/l)*	*SAMPLE RESULTS (ug/l)*
Aldrin	309-00-2	0.1	N.D.
alpha-BHC	319-84-6	0.2	N.D.
beta-BHC	319-85-7	0.2	N.D.
gamma-BHC	319-86-8	0.2	N.D.
gamma-BHC (Lindane)	58-89-9	0.2	N.D.
Chlordane	57-74-9	0.2	N.D.
4,4'-DDD	72-54-9	0.5	N.D.
4,4'-DDE	72-55-9	0.1	N.D.
4,4'-DDT	50-29-3	0.1	N.D.
Dieldrin	60-57-1	0.5	N.D.
Endosulfan I	959-98-8	0.5	N.D.
Endosulfan II	33213-65-9	0.5	N.D.
Endosulfan sulfate	1031-07-8	0.5	N.D.
Endrin	72-20-8	0.02	N.D.
Endrin aldehyde	7421-93-4	0.2	N.D.
Heptachlor	76-44-8	0.1	N.D.
Heptachlor epoxide	1024-57-3	0.2	N.D.
Methoxychlor	72-43-5	9.0	N.D.
Toxaphene	8001-35-2	0.5	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

ORANGE COAST ANALYTICAL

Mark Noorani
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: The Boeing Company
Client Project #: 1206035.01090010

Sample Description: Water, Equip Blank

Sampled: 10/06/97
Received: 10/06/97
Analyzed: 10/08/97
Reported: 10/13/97

Laboratory Sample Number: 97100126
Laboratory Reference #: MWI 9626

PCB'S (EPA 8080)

Analyte	*CAS NUMBER*	*DETECTION LIMITS (ug/l)*	*SAMPLE RESULTS (ug/l)*
PCB-1016	12674-11-2	5.0	N.D.
PCB-1221	11104-28-2	5.0	N.D.
PCB-1232	11141-16-5	5.0	N.D.
PCB-1242	53469-21-9	5.0	N.D.
PCB-1248	12672-29-6	5.0	N.D.
PCB-1254	11097-69-1	5.0	N.D.
PCB-1260	11096-82-5	5.0	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

ORANGE COAST ANALYTICAL

Mark Noorani
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: The Boeing Company
Client Project #: 1206035.01090010

Sample Description: Water, Rinsate Blank

Sampled: 10/06/97
Received: 10/06/97
Analyzed: 10/08/97
Reported: 10/13/97

Laboratory Sample Number: 97100127
Laboratory Reference #: MWI 9626

PCB'S (EPA 8080)

Analyte	*CAS NUMBER*	*DETECTION LIMITS (ug/l)*	*SAMPLE RESULTS (ug/l)*
PCB-1016	12674-11-2	5.0	N.D.
PCB-1221	11104-28-2	5.0	N.D.
PCB-1232	11141-16-5	5.0	N.D.
PCB-1242	53469-21-9	5.0	N.D.
PCB-1248	12672-29-6	5.0	N.D.
PCB-1254	11097-69-1	5.0	N.D.
PCB-1260	11096-82-5	5.0	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

ORANGE COAST ANALYTICAL

Mark Noorani
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

QC DATA REPORT

Analysis : Semi-Volatile Organics by GC/MS (EPA 8270)

Date of Analysis : 10/09/97
Laboratory Sample No : OCA 100
Laboratory Reference No : MWI 9626

Analyte	R1 (ng)	SP (ng)	MS (ng)	MSD (ng)	PR1 %	PR2 %	RPD %
1,4-Dichlorobenzene	0.0	50	31	30	62	60	3
n-Nitroso-di-n-propylamine	0.0	50	41	42	82	84	2
1,2,4-Trichlorobenzene	0.0	50	34	34	68	68	0
Acenaphthene	0.0	50	40	41	80	82	2
Pyrene	0.0	50	40	41	80	82	2
Pentachlorophenol	0.0	100	71	74	71	74	4
4-Chloro-3-Methylphenol	0.0	100	72	71	72	71	1
2-Chlorophenol	0.0	100	70	70	70	70	0
Phenol	0.0	100	26	26	26	26	0

Definition of Terms :

R1	Results Of First Analysis
SP	Spike Concentration Added to Sample
MS	Matrix Spike Results
MSD	Matrix Spike Duplicate Results
PR1	Percent Recovery Of MS: {(MS-R1) / SP} x100
PR2	Percent Recovery Of MSD: {(MSD-R1) / SP} x 100
RPD	Relative Percent Difference: {(MS-MSD) / (MS+MSD)} x 100 x 2

ORANGE COAST ANALYTICAL

MARK NOORANI
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

QC DATA REPORT

Analysis : Semi-Volatile Organics by GC/MS (EPA 8270)

Date of Analysis : 10/09/97
Laboratory Sample No : OCA 200
Laboratory Reference No : MWI 9626

Analyte	R1 (ng)	SP (ng)	MS (ng)	MSD (ng)	PR1 %	PR2 %	RPD %
1,4-Dichlorobenzene	0.0	50	33	32	66	64	3
n-Nitroso-di-n-propylamine	0.0	50	36	36	72	72	0
1,2,4-Trichlorobenzene	0.0	50	37	35	74	70	6
Acenaphthene	0.0	50	38	36	76	72	5
Pyrene	0.0	50	36	36	72	72	0
Pentachlorophenol	0.0	100	68	69	68	69	1
4-Chloro-3-Methylphenol	0.0	100	65	70	65	70	7
2-Chlorophenol	0.0	100	60	60	60	60	0
Phenol	0.0	100	57	58	57	58	2

Definition of Terms :

R1	Results Of First Analysis
SP	Spike Concentration Added to Sample
MS	Matrix Spike Results
MSD	Matrix Spike Duplicate Results
PR1	Percent Recovery Of MS: {(MS-R1) / SP} x100
PR2	Percent Recovery Of MSD: {(MSD-R1) / SP} x 100
RPD	Relative Percent Difference: {(MS-MSD) / (MS+MSD)} x 100 x 2

ORANGE COAST ANALYTICAL

MARK NOORANI
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

QC DATA REPORT

Analysis : Total Recoverable Petroleum Hydrocarbons (EPA 418.1)

Date of Analysis : 10/10/97
Laboratory Sample No : OCA 100
Laboratory Reference No : MWI 9626

Analyte	R1 (ppm)	SP (ppm)	MS (ppm)	MSD (ppm)	PR1 %	PR2 %	RPD %
Hydrocarbons	0	2.5	2.0	1.9	80	76	5

Definition of Terms :

R1	Results Of First Analysis
SP	Spike Concentration Added to Sample
MS	Matrix Spike Results
MSD	Matrix Spike Duplicate Results
PR1	Percent Recovery Of MS: {(MS-R1) / SP} x100
PR2	Percent Recovery Of MSD: {(MSD-R1) / SP} x 100
RPD	Relative Percent Difference: {(MS-MSD) / (MS+MSD)} x 100 x 2

ORANGE COAST ANALYTICAL

MARK NOORANI
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

QC DATA REPORT

Analysis : Organochlorine Pesticides (EPA 8080)

Date of Analysis : 10/08/97
Laboratory Sample No : OCA 100
Laboratory Reference No : MWI 9626

Analyte	R1 (ppb)	SP (ppb)	MS (ppb)	MSD (ppb)	PR1 %	PR2 %	RPD %
4,4'-DDT	0.0	1.00	0.46	0.36	46	36	24

Definition of Terms :

R1	Results Of First Analysis
SP	Spike Concentration Added to Sample
MS	Matrix Spike Results
MSD	Matrix Spike Duplicate Results
PR1	Percent Recovery Of MS: {(MS-R1) / SP} x100
PR2	Percent Recovery Of MSD: {(MSD-R1) / SP} x 100
RPD	Relative Percent Difference: {(MS-MSD) / (MS+MSD)} x 100 x 2

ORANGE COAST ANALYTICAL

MARK NOORANI
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

QC DATA REPORT

Analysis : PCB 'S (EPA 8080)

Date of Analysis : 10/08/97
Laboratory Sample No : OCA 100
Laboratory Reference No : MWI 9626

Analyte	R1 (ppb)	SP (ppb)	MS (ppb)	MSD (ppb)	PR1 %	PR2 %	RPD %
PCB-1260	0.0	20	8.4	7.5	42	38	11

Definition of Terms :

R1	Results Of First Analysis
SP	Spike Concentration Added to Sample
MS	Matrix Spike Results
MSD	Matrix Spike Duplicate Results
PR1	Percent Recovery Of MS: {(MS-R1) / SP} x100
PR2	Percent Recovery Of MSD: {(MSD-R1) / SP} x 100
RPD	Relative Percent Difference: {(MS-MSD) / (MS + MSD)} x 100 x 2

ORANGE COAST ANALYTICAL

MARK NOORANI
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

QC DATA REPORT

Analysis : Total Recoverable Petroleum Hydrocarbons (EPA 418.1)

Date of Analysis : 10/07/97
Laboratory Sample No : 97100055
Laboratory Reference No : MWI 9626

Analyte	R1 (ppm)	SP (ppm)	MS (ppm)	MSD (ppm)	PR1 %	PR2 %	RPD %
Hydrocarbons	0.0	100	109	110	109	110	1

Definition of Terms :

R1	Results Of First Analysis
SP	Spike Concentration Added to Sample
MS	Matrix Spike Results
MSD	Matrix Spike Duplicate Results
PR1	Percent Recovery Of MS: {(MS-R1) / SP} x100
PR2	Percent Recovery Of MSD: {(MSD-R1) / SP} x 100
RPD	Relative Percent Difference: {(MS-MSD) / (MS+MSD)} x 100 x 2

ORANGE COAST ANALYTICAL

MARK NOORANI
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

QC DATA REPORT

Analysis : Metals

Date of Analysis : 10/07/97-10/08/97-10/09/97
Laboratory Sample No : 97100057-97100125
Laboratory Reference No : MWI 9626

Analyte	R1 (ppm)	SP (ppm)	MS (ppm)	MSD (ppm)	PR1 %	PR2 %	RPD %
Antimony	0.00	30.0	30.0	30.0	100	100	0
Arsenic	0.97	10.0	12.0	12.0	110	110	0
Barium	7.5	10.0	18.0	18.0	105	105	0
Beryllium	0.00	1.00	1.10	1.10	110	110	0
Cadmium	0.00	1.00	0.99	0.98	99	98	1
Chromium (Total)	2.60	5.00	7.60	7.70	100	102	1
Chromium (VI)	0.00	1.00	1.00	0.96	100	96	4
Cobalt	0.75	1.00	1.70	1.90	95	115	11
Copper	0.93	1.00	1.90	2.00	97	107	5
Lead	0.00	10.0	9.30	8.80	93	88	6
Mercury	0.000	0.020	0.021	0.022	105	110	5
Molybdenum	0.00	10.0	10.0	10.0	100	100	0
Nickel	1.00	5.0	5.7	5.9	94	98	3
Selenium	0.00	10.0	9.7	10.0	97	100	3
Silver	0.00	5.0	4.4	4.2	88	84	5
Thallium	0.00	30.0	26.0	26.0	87	87	0
Vanadium	2.60	5.0	7.9	8.1	106	110	2
Zinc	3.10	5.0	8.1	8.1	100	100	0

Definition of Terms :

R1	Results Of First Analysis
SP	Spike Concentration Added to Sample
MS	Matrix Spike Results
MSD	Matrix Spike Duplicate Results
PR1	Percent Recovery Of MS: {(MS-R1) / SP} x100
PR2	Percent Recovery Of MSD: {(MSD-R1) / SP} x 100
RPD	Relative Percent Difference: {(MS-MSD) / (MS+MSD)} x 100 x 2

ORANGE COAST ANALYTICAL

Mark Noorani

MARK NOORANI
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

QC DATA REPORT

Analysis : Metals

Date of Analysis : 10/07/97-10/09/97-10/13/97
Laboratory Sample No : 97100127-97100182-OCA 100
Laboratory Reference No : MWI 9626

Analyte	R1 (ppm)	SP (ppm)	MS (ppm)	MSD (ppm)	PR1 %	PR2 %	RPD %
Antimony	0.00	3.00	3.00	3.00	100	100	0
Arsenic	0.00	1.00	1.10	1.20	110	120	9
Barium	0.00	1.00	1.10	1.10	110	110	0
Beryllium	0.00	0.100	0.110	0.100	110	100	10
Cadmium	0.00	0.100	0.110	0.110	110	110	0
Chromium (VI)	0.00	0.50	0.50	0.45	100	90	11
Chromium (Total)	0.00	0.50	0.560	0.600	112	120	7
Cobalt	0.00	0.100	0.087	0.087	87	87	0
Copper	0.00	0.100	0.094	0.090	94	90	4
Lead	0.00	1.00	1.10	0.95	110	95	15
Mercury	0.000	0.020	0.021	0.021	105	105	0
Molybdenum	0.00	1.00	1.10	1.00	110	100	10
Nickel	0.00	0.50	0.46	0.49	92	98	6
Selenium	0.00	1.00	1.20	1.10	120	110	9
Silver	0.00	0.50	0.52	0.53	104	106	2
Thallium	0.00	3.00	3.20	3.30	107	110	3
Vanadium	0.00	0.50	0.52	0.52	104	104	0
Zinc	0.000	0.500	0.620	0.620	124	124	0

Definition of Terms :

R1	Results Of First Analysis
SP	Spike Concentration Added to Sample
MS	Matrix Spike Results
MSD	Matrix Spike Duplicate Results
PR1	Percent Recovery Of MS: {(MS-R1) / SP} x100
PR2	Percent Recovery Of MSD: {(MSD-R1) / SP} x 100
RPD	Relative Percent Difference: {(MS-MSD) / (MS+MSD)} x 100 x 2

ORANGE COAST ANALYTICAL

MARK NOORANI
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

QC DATA REPORT

Analysis : Volatile Organics by GC/MS (EPA 8260)

Date of Analysis : 10/07/97
Laboratory Sample No : OCA 200
Laboratory Reference No : MWI 9626

Analyte	R1 (ppb)	SP (ppb)	MS (ppb)	MSD (ppb)	PR1 %	PR2 %	RPD %
Benzene	0.0	50	48	49	96	98	2
1,1-Dichloroethene	0.0	50	49	50	98	100	2
Trichloroethene	0.0	50	47	48	94	96	2
Toluene	0.0	50	47	49	94	98	4
Chlorobenzene	0.0	50	49	50	98	100	2

Definition of Terms :

R1	Results Of First Analysis
SP	Spike Concentration Added to Sample
MS	Matrix Spike Results
MSD	Matrix Spike Duplicate Results
PR1	Percent Recovery Of MS: {(MS-R1) / SP} x100
PR2	Percent Recovery Of MSD: {(MSD-R1) / SP} x 100
RPD	Relative Percent Difference: {(MS-MSD) / (MS+MSD)} x 100 x 2

ORANGE COAST ANALYTICAL

Mark Noorani

MARK NOORANI
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

QC DATA REPORT

Analysis : Volatile Organics by GC/MS (EPA 8260)

Date of Analysis : 10/09/97
Laboratory Sample No : 97100128
Laboratory Reference No : MWI 9626

Analyte	R1 (ppb)	SP (ppb)	MS (ppb)	MSD (ppb)	PR1 %	PR2 %	RPD %
Benzene	0.0	20	17	17	85	85	0
1,1-Dichloroethene	0.0	20	19	18	95	90	5
Trichloroethene	0.0	20	17	17	85	85	0
Toluene	0.0	20	17	18	85	90	6
Chlorobenzene	0.0	20	17	18	85	90	6

Definition of Terms :

R1	Results Of First Analysis
SP	Spike Concentration Added to Sample
MS	Matrix Spike Results
MSD	Matrix Spike Duplicate Results
PR1	Percent Recovery Of MS: {(MS-R1) / SP} x100
PR2	Percent Recovery Of MSD: {(MSD-R1) / SP} x 100
RPD	Relative Percent Difference: {(MS-MSD) / (MS+MSD)} x 100 x 2

ORANGE COAST ANALYTICAL

MARK NOORANI
Laboratory Director

F A X

MONTGOMERY WATSON

250 N. Madison Ave.
Pasadena, California 91101

Tel: 626 568-6582
Fax: 626 568 6515

Date: October 9, 1997

To: Mark Noorani **Fax No:** 714-832-0067

From: Fred Strauss

Subject: Accelerated Turnaround Time **No. of Pages:** 1 **(including cover)**

Mark:

Please accelerate the turnaround time to 24 hours on the remaining analyses for following samples:

Sample ID	Sample Date
BA-RE1-SP2	10/06/97
BA-RE1-SP3	10/06/97

Remaining analyses include Title 22 metals, VOCs, SVOCs.

Please call me if you have any questions.

Thank you

FAXED

If you do not receive all pages, or if there are any problems with this transmission, please call 626-568-6582.

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532
Tustin, CA 92680
(714) 832-0064, Fax (714) 832-0067

Analysis Request and Chain of Custody Record

Lab Job No: ____
Page 1 of ____

24 TAT on SOIL TRPH ONLY.
REQUIRED TAT: STANDARD TAT OTHERWISE

CUSTOMER INFORMATION	PROJECT INFORMATION
COMPANY: Montgomery Watson	PROJECT NAME: The Boeing Company
SEND REPORT TO: Fred Strauss	NUMBER: 1206035.01090010
ADDRESS: 250 N. Madison Ave. Pasadena, CA 91101	LOCATION: C-6 Facility
	ADDRESS: 19503 S. Normandie Ave. Los Angeles, CA
PHONE: (626) 568-6582 FAX: (626) 796-5941	SAMPLED BY: IV/CW

SAMPLE ID	NO. OF CONTAINERS	SAMPLE DATE	SAMPLE TIME	SAMPLE MATRIX	CONTAINER TYPE	PRES.	TRPH 418.1	Title 22 Metals	VOCs 8260	SVOCs 8270	PCBs 8080	Pesticides 8080			REMARKS/PRECAUTIONS
BA-RE1-SP2	2	10/06/97	1127	SOIL	2"x6" ss sleeve	ICE	X	X	X	X					
BA-RE1-SP3	2	10/06/97	1155	SOIL	↓		X	X	X	X					
EQUIPMENT BLANK	7	10/06/97	1430	WATER	4 amber 1 poly 2 VOAs	none HNO3 HCl	X	X	X	X	X	X			
RINSATE BLANK	7	10/06/97	1445	WATER	↓	↓	X	X	X	X	X	X			
TRIP BLANK	2	10/06/97	—	WATER	2 VOAs	HCl			X						

Total No. of Samples: 5

Method of Shipment: 1. cooler via Orange Coast courier

Relinquished By:	Date/Time:	Received By:	Date/Time:
Ivan Vargas	10/6/97 1515		
Relinquished By:	Date/Time:	Received By:	Date/Time:
Relinquished By:	Date/Time:	Received For Lab By: [signature]	Date/Time: 10/6/97 15:15

Reporting Format: (check)
NORMAL ____ S.D. HMMD ____
RWQCB ____ OTHER ____

Sample Integrity: (check)
intact ____ on ice ____

All samples remain the property of the client who is responsible for disposal. A disposal fee may be imposed if client fails to pickup samples.

BOE-C6-0134304