ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

LABORATORY REPORT FORM

Laboratory Name: ORANGE COAST ANALYTICAL, INC.

Address: 3002 Dow Suite 532 Tustin, CA 92780

Telephone: (714) 832-0064

Laboratory Certification
(ELAP) No.: 1416 Expiration Date: 1999

Laboratory Director's Name (Print) : Mark Noorani

Client: Montgomery Watson

Project No.: 1206035.01090010

Project Name: The Boeing Company

Laboratory Reference: MWI 9845

Analytical Method: EPA 8260, 8270, Title 22 Metals

Date Sampled: 12/29/97
Date Received: 12/29/97
Date Reported: 01/05/98

Sample Matrix: Water & Soil

Chain of Custody Received: Yes

Laboratory Director's Signature: Mark Noorani

METHOD ID	LIMIT1 SOIL	LIMIT1 WATER	LAB CAS ID	PF CODE	SURROG FLG	Units	LAB CHEM								
							SAMP TYPE			W	W	W			S
							RES CODE			BF11	BR11	BT11			PP01
							SAMP ID			EQUIP BLANK	RINSATE BLANK	TRIP BLANK			BA-LTU-1-GS-1
							SAMP DATE			12/29/97	12/29/97	12/29/97			12/29/97
							SAMP TIME			13:50	14:00				14:40
							SAMP DEPTH								
							PRESERVED			, N, H	, N, H	, N, H			
							ICED			Y	Y	Y			Y
							RECEIVED			12/29/97	12/29/97	12/29/97			12/29/97
							REC TIME			14:55	14:55	14:55			14:55
							BASIS			W	W	W			W
										97120567	97120568	97120569			97120572
							Tested								
418.1	8.0	0.5		T		ppm	Extractable Hydrocarbons								
							Tested			01/02/98	01/02/98				01/02/98
6010	5.0	0.5		T		ppm	Antimony			<	<				<
6010	1.0	0.1		T		ppm	Arsenic			<	<				3.8
6010	0.1	0.01		T		ppm	Barium			<	<				100
6010	0.1	0.01		T		ppm	Beryllium			<	<				<
6010	0.1	0.01		T		ppm	Cadmium			<	<				1.3
							Tested			12/30/97	12/30/97				12/30/97
7196	0.5	0.01		T		ppm	Chromium (VI)			<	<				<
							Tested			01/02/98	01/02/98				01/02/98
6010	0.1	0.01		T		ppm	Chromium Total			<	<				15
6010	0.5	0.1		T		ppm	Cobalt			<	<				9.1
6010	0.1	0.01		T		ppm	Copper			<	<				17
6010	1.0	0.1		T		ppm	Lead			<	<				3.6
							Tested			12/31/97	12/31/97				12/31/97
7471	0.01	0.002		T		ppm	Mercury			<	<				<
							Tested			01/02/98	01/02/98				01/02/98
6010	0.5	0.1		T		ppm	Molybdenum			<	<				<
6010	0.5	0.1		T		ppm	Nickel			<	<				11
6010	1.0	0.1		T		ppm	Selenium			<	<				<
6010	0.1	0.1		T		ppm	Silver			<	<				<
6010	5.0	0.5		T		ppm	Thallium			<	<				<
6010	0.5	0.1		T		ppm	Vanadium			<	<				29
6010	0.1	0.01		T		ppm	Zinc			<	<				39
							Tested								
STLC		5.0		S		ppm	Antimony								
		1.0		S		ppm	Arsenic								
		0.1		S		ppm	Barium								
		0.1		S		ppm	Beryllium								
		0.1		S		ppm	Cadmium								
		0.5		S		ppm	Chromium (VI)								
		0.1		S		ppm	Chromium Total								
		0.5		S		ppm	Cobalt								
		0.1		S		ppm	Copper								

BOE-C6-0134306

		1.0		S		ppm	Lead									
		0.01		S		ppm	Mercury									
		0.5		S		ppm	Molybdenum									
		0.5		S		ppm	Nickel									
		1.0		S		ppm	Selenium									
		0.1		S		ppm	Silver									
		5.0		S		ppm	Thallium									
		0.5		S		ppm	Vanadium									
		0.1		S		ppm	Zinc									
							Tested									
TCLP		5.0		C		ppm	Antimony									
		1.0		C		ppm	Arsenic									
		0.1		C		ppm	Barium									
		0.1		C		ppm	Beryllium									
		0.1		C		ppm	Cadmium									
		0.5		C		ppm	Chromium (VI)									
		0.1		C		ppm	Chromium Total									
		0.5		C		ppm	Cobalt									
		0.1		C		ppm	Copper									
		1.0		C		ppm	Lead									
		0.01		C		ppm	Mercury									
		0.5		C		ppm	Molybdenum									
		0.5		C		ppm	Nickel									
		1.0		C		ppm	Selenium									
		0.1		C		ppm	Silver									
		5.0		C		ppm	Thallium									
		0.5		C		ppm	Vanadium									
		0.1		C		ppm	Zinc									
							Tested			12/30/97	12/30/97	12/31/97	1			12/30/97
							Dilution Factor			1	1	1				1
8260	2.5	0.5	71-43-2	T		ppb	Benzene			<	<	<				<
8260	2.5	0.5	75-27-4	T		ppb	Bromodichloromethane			<	<	<				<
8260	2.5	0.5	75-25-2	T		ppb	Bromoform			<	<	<				<
8260	2.5	1.0	74-83-9	T		ppb	Bromomethane			<	<	<				<
8260	5.0	0.5	75-15-0	T		ppb	Carbon Disulfide			<	<	<				<
8260	2.5	0.5	56-23-5	T		ppb	Carbon tetrachloride			<	<	<				<
8260	2.5	0.5	108-90-7	T		ppb	Chlorobenzene			<	<	<				<
8260	2.5	0.5	124-48-1	T		ppb	Chlorodibromomethane			<	<	<				<
8260	2.5	0.5	75-00-3	T		ppb	Chloroethane			<	<	<				<
8260	5.0	0.5	110-75-8	T		ppb	2-Chloroethyl vinyl ether			<	<	<				<
8260	2.5	0.5	67-66-3	T		ppb	Chloroform			<	<	<				<
8260	2.5	0.5	74-87-3	T		ppb	Chloromethane			<	<	<				<
8260	2.5	0.5	75-34-3	T		ppb	1,1-Dichloroethane			<	<	<				<
8260	2.5	0.5	107-06-2	T		ppb	1,2-Dichloroethane			<	<	<				<
8260	2.5	0.5	75-35-4	T		ppb	1,1-Dichloroethene			<	<	<				<
8260	2.5	0.5	156-60-5	T		ppb	Trans 1,2-Dichloroethene			<	<	<				<
8260	2.5	0.5	78-87-5	T		ppb	1,2-Dichloropropane			<	<	<				<
8260	2.5	0.5	10061-01-5	T		ppb	cis-1,3-Dichloropropene			<	<	<				<
8260	2.5	0.5	10061-02-6	T		ppb	trans-1,3-Dichloropropene			<	<	<				<
8260	2.5	0.5	100-41-4	T		ppb	Ethylbenzene			<	<	<				<

BOE-C6-0134307

8260	5.0	2.5	75-09-2	T		ppb	Methylene chloride			<	<	<			<
8260	2.5	0.5	100-42-5	T		ppb	Styrene			<	<	<			<
8260	2.5	0.5	79-34-5	T		ppb	1,1,2,2-Tetrachloroethane			<	<	<			<
8260	2.5	0.5	127-18-4	T		ppb	Tetrachloroethene			<	<	<			<
8260	2.5	0.5	108-88-3	T		ppb	Toluene			<	<	<			<
8260	2.5	0.5	71-55-6	T		ppb	1,1,1-Trichloroethane			<	<	<			<
8260	2.5	0.5	79-00-5	T		ppb	1,1,2-Trichloroethane			<	<	<			<
8260	2.5	0.5	79-01-6	T		ppb	Trichloroethene			<	<	<			<
8260	5.0	0.5	75-69-4	T		ppb	Trichlorofluoromethane			<	<	<			<
8260	5.0	1.0	108-05-4	T		ppb	Vinyl acetate			<	<	<			<
8260	2.5	0.5	75-01-4	T		ppb	Vinyl chloride			<	<	<			<
8260	2.5	1.0	1330-20-7	T		ppb	Total Xylenes			<	<	<			<
8260	2.5	0.5	75-71-8	T		ppb	Dichlorodifluoromethane			<	<	<			<
8260	2.5	0.5	156-59-2	T		ppb	cis-1-2,-Dichloroethene			<	<	<			<
8260	2.5	0.5	594-20-7	T		ppb	2,2-Dichloropropane			<	<	<			<
8260	2.5	0.5	74-97-5	T		ppb	Bromochloromethane			<	<	<			<
8260	2.5	0.5	563-58-6	T		ppb	1,1-Dichloropropene			<	<	<			<
8260	2.5	0.5	74-95-3	T		ppb	Dibromomethane			<	<	<			<
8260	2.5	0.5	106-93-4	T		ppb	1,2-Dibromoethane			<	<	<			<
8260	2.5	0.5	142-28-9	T		ppb	1,3-Dichloropropane			<	<	<			<
8260	2.5	0.5	98-82-8	T		ppb	Isopropylbenzene			<	<	<			<
8260	2.5	0.5	79-34-5	T		ppb	1,1,2,2-Tetrachloroethane			<	<	<			<
8260	2.5	0.5	96-18-4	T		ppb	1,2,3-Trichloropropane			<	<	<			<
8260	2.5	0.5	108-86-1	T		ppb	Bromobenzene			<	<	<			<
8260	2.5	0.5	103-65-1	T		ppb	n-Propylbenzene			<	<	<			<
8260	2.5	0.5	95-49-8	T		ppb	2-Chlorotoluene			<	<	<			<
8260	2.5	0.5	108-67-8	T		ppb	1,3,5-Trimethylbenzene			<	<	<			<
8260	2.5	0.5	106-43-4	T		ppb	4-Chlorotoluene			<	<	<			<
8260	2.5	0.5	98-06-6	T		ppb	tert-Butylbenzene			<	<	<			<
8260	2.5	0.5	95-63-6	T		ppb	1,2,4-Trimethylbenzene			<	<	<			<
8260	2.5	0.5	135-98-8	T		ppb	sec-Butylbenzene			<	<	<			<
8260	2.5	0.5	99-87-6	T		ppb	4-Isopropyltoluene			<	<	<			<
8260	2.5	0.5	541-73-1	T		ppb	1,3-Dichlorobenzene			<	<	<			<
8260	2.5	0.5	106-46-7	T		ppb	1,4-Dichlorobenzene			<	<	<			<
8260	2.5	0.5	104-51-8	T		ppb	n-Butylbenzene			<	<	<			<
8260	2.5	0.5	95-50-1	T		ppb	1,2-Dichlorobenzene			<	<	<			<
8260	5.0	1.0	96-12-8	T		ppb	1,2-Dibromo-3-CPA			<	<	<			<
8260	2.5	0.5	120-82-1	T		ppb	1,2,4-Trichlorobenzene			<	<	<			<
8260	2.5	0.5	87-68-3	T		ppb	Hexachlorobutadiene			<	<	<			<
8260	2.5	0.5	91-20-3	T		ppb	Naphthalene			<	<	<			<
8260	2.5	0.5	87-61-6	T		ppb	1,2,3-Trichlorobenzene			<	<	<			<
					T	%	Dibromofluoromethane			107	108	106			107
					T	%	Toluene-d8			96	96	97			105
					T	%	4-Bromofluorobenzene			108	105	105			98
							Tested			12/30/97	12/30/97				12/30/97
							Dilution Factor			1	1				1
8270	100	5.0	83-32-9	T		ppb	Acenaphthene			<	<				<
8270	100	5.0	208-96-8	T		ppb	Acenaphthylene			<	<				<
8270	100	5.0	62-53-3	T		ppb	Aniline			<	<				<
8270	100	5.0	120-12-7	T		ppb	Anthracene			<	<				<
8270	500	50	65-85-0	T		ppb	Benzoic Acid			<	<				<

BOE-C6-0134308

8270	100	5.0	56-55-3	T		ppb	Benzo (a) anthracene			<	<				<
8270	250	25	205-99-2	T		ppb	Benzo (b) fluoranthene			<	<				<
8270	250	25	207-08-9	T		ppb	Benzo (k) fluoranthene			<	<				<
8270	250	25	191-24-2	T		ppb	Benzo (g,h,i)perylene			<	<				<
8270	250	25	50-32-8	T		ppb	Benzo (a) pyrene			<	<				<
8270	100	50	100-51-6	T		ppb	Benzyl alcohol			<	<				<
8270	100	5.0	111-91-1	T		ppb	Bis(2-chloroethoxy)methane			<	<				<
8270	100	5.0	111-44-4	T		ppb	Bis(2-chloroethyl)ether			<	<				<
8270	100	5.0	39638-32-9	T		ppb	Bis(2-chloroisopropyl)ether			<	<				<
8270	100	3.0	117-81-7	T		ppb	Bis(2-ethylhexyl)phthalate			<	<				<
8270	100	5.0	101-55-3	T		ppb	4-Bromophenyl phenyl ether			<	<				<
8270	100	5.0	85-68-7	T		ppb	Butyl benzyl phthalate			<	<				<
8270	100	5.0	106-47-8	T		ppb	4-Chloroaniline			<	<				<
8270	100	5.0	91-58-7	T		ppb	2-Chloronaphthalene			<	<				<
8270	100	5.0	59-50-7	T		ppb	4-Chloro-3-methylphenol			<	<				<
8270	100	5.0	95-57-8	T		ppb	2-Chlorophenol			<	<				<
8270	100	5.0	7005-72-3	T		ppb	4-Chlorophenyl phenyl ehter			<	<				<
8270	100	5.0	218-0109	T		ppb	Chrysene			<	<				<
8270	100	25	53-70-3	T		ppb	Dibenz(a,h)anthracene			<	<				<
8270	100	5.0	132-64-9	T		ppb	Dibenzofuran			<	<				<
8270	250	5.0	84-74-2	T		ppb	Di-N-butyl phthalate			<	<				<
8270	100	5.0	541-73-1	T		ppb	1,3-Dichlorobenzene			<	<				<
8270	100	5.0	106-46-7	T		ppb	1,4-Dichlorobenzene			<	<				<
8270	100	5.0	95-50-1	T		ppb	1,2-Dichlorobenzene			<	<				<
8270	100	5.0	91-94-1	T		ppb	3,3-Dichlorobenzidine			<	<				<
8270	100	5.0	120-83-2	T		ppb	2,4-Dichlorophenol			<	<				<
8270	100	5.0	84-66-2	T		ppb	Diethyl phthalate			<	<				<
8270	100	5.0	105-67-9	T		ppb	2,4-Dimethylphenol			<	<				<
8270	100	5.0	131-11-3	T		ppb	Dimethyl phthalate			<	<				<
8270	100	50	534-52-1	T		ppb	4,6-Dinitro-2-methylphenol			<	<				<
8270	100	50	51-28-5	T		ppb	2,4-Dinitrophenol			<	<				<
8270	250	5.0	121-14-2	T		ppb	2,4-Dinitrotoluene			<	<				<
8270	250	5.0	606-20-2	T		ppb	2,6-Dinitrotoluene			<	<				<
8270	250	25	117-84-0	T		ppb	Di-N-octyl phthalate			<	<				<
8270	100	5.0	206-44-0	T		ppb	Fluoranthene			<	<				<
8270	100	5.0	86-73-7	T		ppb	Fluorene			<	<				<
8270	100	5.0	118-74-1	T		ppb	Hexachlorobenzene			<	<				<
8270	100	5.0	87-68-3	T		ppb	Hexachlorobutadiene			<	<				<
8270	100	5.0	77-47-4	T		ppb	Hexachlorocyclopentadiene			<	<				<
8270	100	5.0	67-72-1	T		ppb	Hexachloroethane			<	<				<
8270	250	25	193-39-5	T		ppb	Indeno(1,2,3-cd)pyrene			<	<				<
8270	100	5.0	78-59-1	T		ppb	Isophorone			<	<				<
8270	100	5.0	91-57-6	T		ppb	2-Methylnaphthalene			<	<				<
8270	100	5.0	95-48-7	T		ppb	2-Methylphenol			<	<				<
8270	100	5.0	106-44-5	T		ppb	4-Methylphenol			<	<				<
8270	100	5.0	91-20-3	T		ppb	Naphthalene			<	<				<
8270	250	50	88-74-4	T		ppb	2-Nitroaniline			<	<				<
8270	250	50	99-09-2	T		ppb	3-Nitroaniline			<	<				<
8270	250	50	100-01-6	T		ppb	4-Nitroaniline			<	<				<
8270	100	5.0	98-95-3	T		ppb	Nitrobenzene			<	<				<
8270	100	5.0	88-75-5	T		ppb	2-Nitrophenol			<	<				<
8270	100	50	100-02-7	T		ppb	4-Nitrophenol			<	<				<
8270	100	5.0	86-30-6	T		ppb	N-Nitrosodiphenylamine			<	<				<

BOE-C6-0134309

8270	100	5.0	621-64-7	T		ppb	N-Nitroso-di-N-propylamine			<	<				<
8270	100	5.0	62-75-9	T		ppb	N-Nitrosodimethylamine			<	<				<
8270	250	50	87-86-5	T		ppb	Pentachlorophenol			<	<				<
8270	100	5.0	85-01-8	T		ppb	Phenanthrene			<	<				<
8270	100	5.0	108-95-2	T		ppb	Phenol			<	<				<
8270	100	5.0	129-00-0	T		ppb	Pyrene			<	<				<
8270	100	5.0	120-82-1	T		ppb	1,2,4-Trichlorobenzene			<	<				<
8270	100	5.0	95-95-4	T		ppb	2,4,5-Trichlorophenol			<	<				<
8270	100	5.0	88-06-2	T		ppb	2,4,6-Trichlorophenol			<	<				<
							Tested								
							Dilution Factor								
8080	20	5.0	12674-11-2	T		ppb	PCB-1016								
8080	20	5.0	11104-28-2	T		ppb	PCB-1221								
8080	20	5.0	11141-16-5	T		ppb	PCB-1232								
8080	20	5.0	53469-21-9	T		ppb	PCB-1242								
8080	20	5.0	12672-29-6	T		ppb	PCB-1248								
8080	20	5.0	11097-69-1	T		ppb	PCB-1254								
8080	20	5.0	11096-82-5	T		ppb	PCB-1260								
							Tested								
							Dilution Factor								
8080	1.0	0.1	309-00-2	T		ppb	Aldrin								
8080	1.0	0.2	319-84-6	T		ppb	alpha-BHC								
8080	1.0	0.2	319-85-7	T		ppb	beta-BHC								
8080	2.0	0.2	319-86-8	T		ppb	gamma-BHC								
8080	1.0	0.2	58-89-9	T		ppb	gamma-BHC (Lindane)								
8080	10	0.2	57-74-9	T		ppb	Chlordane								
8080	2.0	0.5	72-54-9	T		ppb	4,4'-DDD								
8080	5.0	0.1	72-55-9	T		ppb	4,4'-DDE								
8080	1.0	0.1	50-29-3	T		ppb	4,4'-DDT								
8080	2.0	0.5	60-57-1	T		ppb	Dieldrin								
8080	1.0	0.5	959-98-8	T		ppb	Endosulfan I								
8080	2.0	0.5	33213-65-9	T		ppb	Endosulfan II								
8080	10	0.5	1031-07-8	T		ppb	Endosulfan sulfate								
8080	2.0	0.02	72-20-8	T		ppb	Endrin								
8080	2.0	0.2	7421-93-4	T		ppb	Endrin aldehyde								
8080	1.0	0.1	76-44-8	T		ppb	Heptachlor								
8080	1.0	0.2	1024-57-3	T		ppb	Heptachlor epoxide								
8080	30	9.0	72-43-5	T		ppb	Methoxychlor								
8080	35	0.5	8001-35-2	T		ppb	Toxaphene								
							Tested								
8015m				T		ppm	Up to & Including C-12								
8015m				T		ppm	C13-22								
8015m				T		ppm	C23 & Higher								
8015m	8.0	0.5		T		ppm	Total								
							Tested								
8015m	8.0	0.5		T		ppm	Diesel								
							Tested								
8015m	5.0	0.05		T		ppm	Gas								

BOE-C6-0134310

MWI 9845

9060	5.0	1.0		T		ppm	***Tested*** TOC									
9081	1.0	1.0		T		ppm	***Tested*** Cation Exchange Capacity									

(a) QC units for Method 8270 are reported in ng.

BOE-C6-0134311

QC(S)								QC(W)							
LAB SAMP NO.	R1	T CONC	SL[e]	DL[e]	RECOVER	D RECOVER	RPD	LAB SAMP NO.	R1	T CONC	SL[e]	DL[e]	RECOVER	D RECOVER	RPD
01/02/98								01/02/98							
97120565	0.0	5.0	5.1	5.0	102	100	2	97120567	0.00	3.00	3.07	3.08	102	103	0
97120565	1.4	5.0	6.5	6.3	102	98	3	97120567	0.00	1.00	1.00	1.00	100	100	0
97120565	7.9	5.0	13.4	12.9	110	100	4	97120567	0.000	0.100	0.084	0.084	84	84	0
97120565	0.00	1.00	0.93	0.89	93	89	4	97120567	0.00	0.100	0.095	0.096	95	96	1
97120565	0.12	1.00	0.98	0.95	86	83	3	97120567	0.00	0.100	0.093	0.094	93	94	1
12/30/97								12/30/97							
97120572	0.00	1.00	1.00	1.00	100	100	0	97120567	0.00	0.50	0.51	0.50	102	100	2
01/02/98								01/02/98							
97120565	1.50	1.00	2.47	2.38	97	88	4	97120567	0.00	0.100	0.094	0.094	94	94	0
97120565	0.70	1.00	1.59	1.53	89	83	4	97120567	0.00	0.100	0.096	0.096	96	96	0
97120565	1.40	1.00	2.37	2.28	97	88	4	97120567	0.000	0.100	0.096	0.098	96	98	2
97120565	0.44	1.0	1.2	1.2	76	76	0	97120567	0.00	1.00	0.96	0.95	96	95	1
12/31/97								12/31/97							
97120565	0.000	0.020	0.022	0.024	110	120	9	OCA 100	0.000	0.020	0.019	0.019	95	95	0
01/02/98								01/02/98							
97120565	0.0	1.0	0.95	0.92	95	92	3	97120567	0.00	1.00	0.99	1.03	99	103	4
97120565	0.99	5.00	5.80	5.58	96	92	4	97120567	0.00	0.50	0.47	0.48	94	96	2
97120565	0.0	5.0	4.2	4.1	84	82	2	97120567	0.00	1.00	1.01	1.02	101	102	1
97120565	0.0	5.0	5.0	4.8	100	96	4	97120567	0.00	0.50	0.50	0.53	100	106	6
97120565	0.0	5.0	4.2	4.1	84	82	2	97120567	0.00	3.00	3.04	3.04	101	101	0
97120565	2.7	5.0	7.0	6.7	86	80	4	97120567	0.00	0.50	0.45	0.46	90	92	2
97120565	3.4	5.0	7.5	7.2	82	76	4	97120567	0.000	0.100	0.100	0.099	100	99	1

BOE-C6-0134312

12/30/97 1 OCA 200	0.0	50	51	54	102	108	6	12/30/97 1 97120568	0.0	20	15	15	75	75	0
OCA 200	0.0	50	47	48	94	96	2	97120568	0.0	20	16	15	80	75	6
OCA 200	0.0	50	48	59	96	118	21	97120568	0.0	20	15	15	75	75	0

BOE-C6-0134313

OCA 200	0.0	50	51	54	102	108	6	97120568	0.0	20	15	15	75	75	0
OCA 200	0.0	50	46	48	92	96	4	97120568	0.0	20	15	15	75	75	0
12/30/97								12/30/97							
OCA200	0.0	50	44	52	88	104	17	OCA100	0.0	50	37	39	74	78	5

BOE-C6-0134314

OCA200	0.0	100	69	65	69	65	6	OCA100	0.0	100	55	63	55	63	14
OCA200	0.0	100	70	68	70	68	3	OCA100	0.0	100	64	72	64	72	12
OCA200	0.0	50	38	38	76	76	0	OCA100	0.0	50	26	27	52	54	4

BOE-C6-0134315

OCA200	0.0	50	41	44	82	88	7	OCA100	0.0	50	39	36	78	72	8
OCA200	0.0	100	78	60	78	60	26	OCA100	0.0	100	61	70	61	70	14
OCA200	0.0	100	70	68	70	68	3	OCA100	0.0	100	22	30	22	30	31
OCA200	0.0	50	49	46	98	92	6	OCA100	0.0	50	41	46	82	92	11
OCA200	0.0	50	40	40	80	80	0	OCA100	0.0	50	27	29	54	58	7

BOE-C6-0134316

BOE-C6-0134317

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532
Tustin, CA 92680
(714) 832-0064, Fax (714) 832-0067

Analysis Request and Chain of Custody Record

LAB JOB NO: _____
Page 1 of 1

REQUIRED TAT: SEE REMARKS

CUSTOMER INFORMATION

COMPANY: Montgomery Watson
SEND REPORT TO: Fred Strauss
ADDRESS: 250 N Madison Ave
Pasadena, CA 91101
PHONE: (626) 568-6588 FAX: (626) 796-5941

PROJECT INFORMATION

PROJECT NAME: The Boeing Company
NUMBER: 1206035.01090010
LOCATION: C-6 Facility
ADDRESS: 19503 S. Normandie Ave.
Los Angeles, CA 90501
SAMPLED BY: JV/CW/AN.

SAMPLE ID	NO. OF CONTAINERS	SAMPLE DATE	SAMPLE TIME	SAMPLE MATRIX	CONTAINER TYPE	PRES.	TPH 418.1	Title 22 Metals	VOCs 8260	SVOCs 8270	PCBs 8080	Pesticides 8080	REMARKS/PRECAUTIONS
PH-LTU-2A-GS-1	2	12/29/97	1320	SOIL	2"x6" SS Sleeve	ICE	X	X	X				
PH-LTU-2-GS-1	2	↓	1330	↓	↓		X	X	X				Due by Mon. 1/5/98 Noon ↓
EQUIPMENT BLANK	6		1350	WATER	3 amber 1 poly 2 VOAs	some HNO3 HCl	X	X	X				Standard TAT
RINSATE BLANK	6		1400				X	X	X				
TRIP BLANK	2		—		2 VOAs	HCl		X					↓
~~MEA-GS-1~~ BA1-LTU-1-GS-1	1	12/29/97	1430	SOIL	2"x6" SS Sleeve	ICE	X	X	X				24-HR TAT
BA-LTU-2-GS-1	2	↓	1435	↓	↓	↓	X	X	X				Due by Mon. 1/5/98 Noon ↓
BA-LTU-1-GS-1	2		1440				X	X	X				

Post-it™ Fax Note 7671 | Date 12/31/97 | # of pages ▶ 1
To MARIE | From ADAM
Co./Dept. ORANGE COAST | Co. MONTGOMERY WATSON
Phone # (714) 832-0064 | Phone # (310) 320-8926
Fax # (714) 832-0067 | Fax # (310) 320-8901

– ADD THESE ANALYSES –
DUE BY Wed. 1/7/98 @ NOON
AWN

Total No. of Samples: 5

Method of Shipment: Orange Coast Lab. Courier.

Relinquished By: Adam W. Venig Date/Time: 12/29/97 1500 hrs

Received By: Date/Time:

Relinquished By: Date/Time:

Received By: Date/Time:

Relinquished By: Date/Time:

Received For Lab By: Date/Time:

Reporting Format: (check)
NORMAL _____ S.D. HMMD _____
RWQCB _____ OTHER _____

Sample Integrity: (check)
intact _____ on ice _____

All samples remain the property of the client who is responsible for disposal. A disposal fee may be imposed if client fails to pickup samples.

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532
Tustin, CA 92680
(714) 832-0064, Fax (714) 832-0067

Analysis Request and Chain of Custody Record

Lab Job No: 1
Page 1 of 1

REQUIRED TAT: SEE REMARKS

CUSTOMER INFORMATION		PROJECT INFORMATION	
COMPANY:	Montgomery Watson	PROJECT NAME:	The Boeing Company
SEND REPORT TO:	Fred Strauss	NUMBER:	1206035.01090010
ADDRESS:	250 N Madison Ave	LOCATION:	C-6 facility
	Pasadena, CA 91101	ADDRESS:	19503 S. Normandie Ave.
			Los Angeles, CA 90501
PHONE:	(626) 568-6582	FAX: (626) 796-5941	SAMPLED BY: Ivi Cwian.

SAMPLE ID	NO. OF CONTAINERS	SAMPLE DATE	SAMPLE TIME	SAMPLE MATRIX	CONTAINER TYPE	PRES.	TRPH 418.1	Title 22 Metals	VOCs 8260	SVOCs 8270	PCBs 8080	Pesticides 8080			REMARKS/PRECAUTIONS
PH-LTU-2A-GS-1	2	12/29/97	1320	SOIL	2"x6" s.s. sleeve	ICE		X	X	X					Due by Mon. 1/5/98 @ Noon
PH-LTU-2-GS-1	2	↓	1330	↓	↓			X	X	X					↓
EQUIPMENT BLANK	6		1350	WATER	3 amber 1 poly 2 VOAs	none HNO3 HCl		X	X	X					Standard TAT
RINSATE BLANK	6		1400		↓	↓		X	X	X					↓
TRIP BLANK	2	↓	–	↓	2 VOAs	HCl ↓			X						↓
~~NEA-GS-1~~ BH1-LTU-1-GS-1	1	12/29/97	1430	SOIL	2"x6" s.s. sleeve	ICE			X						← 24-HR TAT
BA-LTU-2-GS-1	2	↓	1435	↓	↓			X	X	X					Due by Mon. 1/5/98 @ Noon
BA-LTU-1-GS-1	2	↓	1440	↓	↓	↓		X	X	X					↓

Total No. of Samples: 5

Method of Shipment: Orange Coast Lab. Courier.

Relinquished By:	Date/Time:	Received By:	Date/Time:	Reporting Format: (check)
Adam W. Vonig	12/29/97 1500 hrs			NORMAL ____ S.D. HMMD ____
Relinquished By:	Date/Time:	Received By:	Date/Time:	RWQCB ____ OTHER ____
Relinquished By:	Date/Time:	Received For Lab By: Angel Hartman	Date/Time: 12-29-97 14:55	Sample Integrity: (check) intact ____ on ice ____

All samples remain the property of the client who is responsible for disposal. A disposal fee may be imposed if client fails to pickup samples.

BOE-C6-0134319