ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

LABORATORY REPORT FORM

Laboratory Name: ORANGE COAST ANALYTICAL, INC.

Address: 3002 Dow Suite 532 Tustin, CA 92780

Telephone: (714) 832-0064

Laboratory Certification (ELAP) No.: 1416 Expiration Date: 1999

Laboratory Director's Name (Print) : Mark Noorani

Client: Montgomery Watson

Project No.: 1206035.01090010

Project Name: The Boeing Company

Laboratory Reference: MWI 10056

Analytical Method: 418.1 8260, 8270,Title 22 Metals

Date Sampled: 03/24/98
Date Received: 03/24/98
Date Reported: 03/31/98

Sample Matrix: Water & Soil

Chain of Custody Received: Yes

Laboratory Director's Signature: Mark Noorani

METHOD ID	LIMIT1 SOIL	LIMIT1 WATER	LAB CAS ID	PF CODE	SURROG FLG	Units	LAB CHEM	98030347	98030348	98030349	98030350	LAB SAMP NO.	R1	T CONC	SL[a]	DL[a]	RECOVER	D RECOVER
							SAMP TYPE	S	W	W	W	QC(S)						
							RES CODE	PP01	BF11	BR11	BT11							
							SAMP ID	B41-LTU2-GS-5	EQUIP BLANK	RINSATE BLANK	TRIP BLANK							
							SAMP DATE	03/24/98	03/24/98	03/24/98	03/24/98							
							SAMP TIME	7:45	14:35	14:50								
							SAMP DEPTH											
							PRESERVED		, N, H	, N, H	, N, H							
							ICED	Y	Y	Y	Y							
							RECEIVED	03/24/98	03/24/98	03/24/98	03/24/98							
							REC TIME	15:00	15:00	15:00	15:00							
							BASIS	W	W	W	W							
							Tested	03/25/98	03/26/98	03/26/98		03/25/98						
418.1	8.0	0.5		T		ppm	Extractable Hydrocarbons	55	<	<		OCA 200	0.0	100	86	91	86	91
							Tested	03/25/98	03/31/98	03/31/98		03/25/98						
6010	5.0	0.5		T		ppm	Antimony	<	<	<		98030347	0.00	10.0	10.1	10.1	101	101
6010	1.0	0.1		T		ppm	Arsenic	14	<	<		98030347	0.29	10.0	10.3	10.20	100	99
6010	0.1	0.01		T		ppm	Barium	110	<	<		98030347	2.28	5.00	6.97	6.89	94	93
6010	0.1	0.01		T		ppm	Beryllium	<	<	<		98030347	0.00	1.00	1.03	1.02	103	102
6010	0.1	0.01		T		ppm	Cadmium	<	<	<		98030347	0.00	1.00	1.00	0.99	100	99
							Tested	03/25/98	03/25/98	03/25/98		03/26/98						
7196	0.5	0.01		T		ppm	Chromium (VI)	<	<	<		98030340	0.00	1.00	1.10	1.10	110	110
							Tested	03/25/98	03/31/98	03/31/98		03/25/98						
6010	0.1	0.01		T		ppm	Chromium Total	20	<	<		98030347	0.39	1.00	1.37	1.35	98	96
6010	0.5	0.1		T		ppm	Cobalt	9.6	<	<		98030347	0.19	1.00	1.13	1.11	94	92
6010	0.1	0.01		T		ppm	Copper	21	<	<		98030347	0.42	1.00	1.48	1.46	106	104
6010	1.0	0.1		T		ppm	Lead	8.2	<	<		98030347	0.16	5.00	4.62	4.56	89	88
							Tested	03/25/98	03/26/98	03/26/98		03/25/98						
7471	0.01	0.002		T		ppm	Mercury	<	<	<		98030340	0.65	0.80	1.40	1.50	94	106
							Tested	03/25/98	03/31/98	03/31/98		03/25/98						
6010	0.5	0.1		T		ppm	Molybdenum	<	<	<		98030347	0.00	5.00	4.80	4.74	96	95
6010	0.5	0.1		T		ppm	Nickel	14	<	<		98030347	0.28	5.00	5.00	4.93	94	93
6010	1.0	0.1		T		ppm	Selenium	<	<	<		98030347	0.00	10.0	9.73	9.65	97	97
6010	0.1	0.1		T		ppm	Silver	<	<	<		98030347	0.00	5.00	5.10	5.08	102	102
6010	5.0	0.5		T		ppm	Thallium	<	<	<		98030347	0.00	10.0	9.00	8.91	90	89
6010	0.5	0.1		T		ppm	Vanadium	40	<	<		98030347	0.81	5.00	5.73	5.65	98	97
6010	0.1	0.01		T		ppm	Zinc	64	<	0.032		98030347	1.27	1.00	2.20	2.16	93	89
							Tested											
STLC		5.0		S		ppm	Antimony											
		1.0		S		ppm	Arsenic											
		0.1		S		ppm	Barium											
		0.1		S		ppm	Beryllium											
		0.1		S		ppm	Cadmium											
		0.5		S		ppm	Chromium (VI)											
		0.1		S		ppm	Chromium Total											
		0.5		S		ppm	Cobalt											
		0.1		S		ppm	Copper											
		1.0		S		ppm	Lead											
		0.01		S		ppm	Mercury											

BOE-C6-0134357

		0.5		S		ppm	Molybdenum											
		0.5		S		ppm	Nickel											
		1.0		S		ppm	Selenium											
		0.1		S		ppm	Silver											
		5.0		S		ppm	Thallium											
		0.5		S		ppm	Vanadium											
		0.1		S		ppm	Zinc											
							Tested											
TCLP		5.0		C		ppm	Antimony											
		1.0		C		ppm	Arsenic											
		0.1		C		ppm	Barium											
		0.1		C		ppm	Beryllium											
		0.1		C		ppm	Cadmium											
		0.5		C		ppm	Chromium (VI)											
		0.1		C		ppm	Chromium Total											
		0.5		C		ppm	Cobalt											
		0.1		C		ppm	Copper											
		1.0		C		ppm	Lead											
		0.01		C		ppm	Mercury											
		0.5		C		ppm	Molybdenum											
		0.5		C		ppm	Nickel											
		1.0		C		ppm	Selenium											
		0.1		C		ppm	Silver											
		5.0		C		ppm	Thallium											
		0.5		C		ppm	Vanadium											
		0.1		C		ppm	Zinc											
							Tested	03/25/98	03/30/98	03/27/98	03/27/98	03/25/98						
							Dilution Factor	1	1	1	1							
8260	2.5	0.5	71-43-2	T		ppb	Benzene	<	<	<	<	98030347	0.0	50	51	50	102	100
8260	2.5	0.5	75-27-4	T		ppb	Bromodichloromethane	<	<	<	<							
8260	2.5	0.5	75-25-2	T		ppb	Bromoform	<	<	<	<							
8260	2.5	1.0	74-83-9	T		ppb	Bromomethane	<	<	<	<							
8260	5.0	0.5	75-15-0	T		ppb	Carbon Disulfide	<	<	<	<							
8260	2.5	0.5	56-23-5	T		ppb	Carbon tetrachloride	<	<	<	<							
8260	2.5	0.5	108-90-7	T		ppb	Chlorobenzene	<	<	<	<	98030347	0.0	50	52	51	104	102
8260	2.5	0.5	124-48-1	T		ppb	Chlorodibromomethane	<	<	<	<							
8260	2.5	0.5	75-00-3	T		ppb	Chloroethane	<	<	<	<							
8260	5.0	0.5	110-75-8	T		ppb	2-Chloroethyl vinyl ether	<	<	<	<							
8260	2.5	0.5	67-66-3	T		ppb	Chloroform	<	<	<	<							
8260	2.5	0.5	74-87-3	T		ppb	Chloromethane	<	<	<	<							
8260	2.5	0.5	75-34-3	T		ppb	1,1-Dichloroethane	<	<	<	<							
8260	2.5	0.5	107-06-2	T		ppb	1,2-Dichloroethane	<	<	<	<							
8260	2.5	0.5	75-35-4	T		ppb	1,1-Dichloroethene	<	<	<	<	98030347	0.0	50	53	51	106	102
8260	2.5	0.5	156-60-5	T		ppb	Trans 1,2-Dichloroethene	<	<	<	<							
8260	2.5	0.5	78-87-5	T		ppb	1,2-Dichloropropane	<	<	<	<							
8260	2.5	0.5	10061-01-5	T		ppb	cis-1,3-Dichloropropene	<	<	<	<							
8260	2.5	0.5	10061-02-6	T		ppb	trans-1,3-Dichloropropene	<	<	<	<							
8260	2.5	0.5	100-41-4	T		ppb	Ethylbenzene	<	<	<	<							
8260	5.0	2.5	75-09-2	T		ppb	Methylene chloride	<	<	<	<							
8260	2.5	0.5	100-42-5	T		ppb	Styrene	<	<	<	<							
8260	2.5	0.5	79-34-5	T		ppb	1,1,2,2-Tetrachloroethane	<	<	<	<							
8260	2.5	0.5	127-18-4	T		ppb	Tetrachloroethene	<		<	<							

BOE-C6-0134358

8260	2.5	0.5	108-88-3	T		ppb	Toluene	<	<	<	<	98030347	0.0	50	50	50	100	100
8260	2.5	0.5	71-55-6	T		ppb	1,1,1-Trichloroethane	<	<	<	<							
8260	2.5	0.5	79-00-5	T		ppb	1,1,2-Trichloroethane	<	<	<	<							
8260	2.5	0.5	79-01-6	T		ppb	Trichloroethene	<	<	<	<	98030347	0.0	50	50	49	100	98
8260	5.0	0.5	75-69-4	T		ppb	Trichlorofluoromethane	<	<	<	<							
8260	5.0	1.0	108-05-4	T		ppb	Vinyl acetate	<	<	<	<							
8260	2.5	0.5	75-01-4	T		ppb	Vinyl chloride	<	<	<	<							
8260	2.5	1.0	1330-20-7	T		ppb	Total Xylenes	<	<	<	<							
8260	2.5	0.5	75-71-8	T		ppb	Dichlorodifluoromethane	<	<	<	<							
8260	2.5	0.5	156-59-2	T		ppb	cis-1-2,-Dichloroethene	<	<	<	<							
8260	2.5	0.5	594-20-7	T		ppb	2,2-Dichloropropane	<	<	<	<							
8260	2.5	0.5	74-97-5	T		ppb	Bromochloromethane	<	<	<	<							
8260	2.5	0.5	563-58-6	T		ppb	1,1-Dichloropropene	<	<	<	<							
8260	2.5	0.5	74-95-3	T		ppb	Dibromomethane	<	<	<	<							
8260	2.5	0.5	106-93-4	T		ppb	1,2-Dibromoethane	<	<	<	<							
8260	2.5	0.5	142-28-9	T		ppb	1,3-Dichloropropane	<	<	<	<							
8260	2.5	0.5	98-82-8	T		ppb	Isopropylbenzene	<	<	<	<							
8260	2.5	0.5	79-34-5	T		ppb	1,1,2,2-Tetrachloroethane	<	<	<	<							
8260	2.5	0.5	96-18-4	T		ppb	1,2,3-Trichloropropane	<	<	<	<							
8260	2.5	0.5	108-86-1	T		ppb	Bromobenzene	<	<	<	<							
8260	2.5	0.5	103-65-1	T		ppb	n-Propylbenzene	<	<	<	<							
8260	2.5	0.5	95-49-8	T		ppb	2-Chlorotoluene	<	<	<	<							
8260	2.5	0.5	108-67-8	T		ppb	1,3,5-Trimethylbenzene	<	<	<	<							
8260	2.5	0.5	106-43-4	T		ppb	4-Chlorotoluene	<	<	<	<							
8260	2.5	0.5	98-06-6	T		ppb	tert-Butylbenzene	<	<	<	<							
8260	2.5	0.5	95-63-6	T		ppb	1,2,4-Trimethylbenzene	<	<	<	<							
8260	2.5	0.5	135-98-8	T		ppb	sec-Butylbenzene	<	<	<	<							
8260	2.5	0.5	99-87-6	T		ppb	4-Isopropyltoluene	<	<	<	<							
8260	2.5	0.5	541-73-1	T		ppb	1,3-Dichlorobenzene	<	<	<	<							
8260	2.5	0.5	106-46-7	T		ppb	1,4-Dichlorobenzene	<	<	<	<							
8260	2.5	0.5	104-51-8	T		ppb	n-Butylbenzene	<	<	<	<							
8260	2.5	0.5	95-50-1	T		ppb	1,2-Dichlorobenzene	<	<	<	<							
8260	5.0	1.0	96-12-8	T		ppb	1,2-Dibromo-3-CPA	<	<	<	<							
8260	2.5	0.5	120-82-1	T		ppb	1,2,4-Trichlorobenzene	<	<	<	<							
8260	2.5	0.5	87-68-3	T		ppb	Hexachlorobutadiene	<	<	<	<							
8260	2.5	0.5	91-20-3	T		ppb	Naphthalene	<	<	<	<							
8260	2.5	0.5	87-61-6	T		ppb	1,2,3-Trichlorobenzene	<	<	<	<							
					T	%	Dibromofluoromethane	104	108	108	105							
					T	%	Toluene-d8	103	101	97	97							
					T	%	4-Bromofluorobenzene	99	105	103	102							
							Tested	03/25/98	03/27/98	03/27/98		03/25/98						
							Dilution Factor	1	1	1								
8270	100	5.0	83-32-9	T		ppb	Acenaphthene	<	<	<		OCA200	0.0	50	42	40	84	80
8270	100	5.0	208-96-8	T		ppb	Acenaphthylene	<	<	<								
8270	100	5.0	62-53-3	T		ppb	Aniline	<	<	<								
8270	100	5.0	120-12-7	T		ppb	Anthracene	<	<	<								
8270	500	50	65-85-0	T		ppb	Benzoic Acid	<	<	<								
8270	100	5.0	56-55-3	T		ppb	Benzo (a) anthracene	<	<	<								
8270	250	25	205-99-2	T		ppb	Benzo (b) fluoranthene	<	<	<								
8270	250	25	207-08-9	T		ppb	Benzo (k) fluoranthene	<	<	<								
8270	250	25	191-24-2	T		ppb	Benzo (g,h,i)perylene	<	<	<								
8270	250	25	50-32-8	T		ppb	Benzo (a) pyrene	<	<	<								
8270	100	50	100-51-6	T		ppb	Benzyl alcohol	<	<	<								

BOE-C6-0134359

8270	100	5.0	111-91-1	T	ppb	Bis(2-chloroethoxy)methane	<	<	<									
8270	100	5.0	111-44-4	T	ppb	Bis(2-chloroethyl)ether	<	<	<									
8270	100	5.0	39638-32-9	T	ppb	Bis(2-chloroisopropyl)ether	<	<	<									
8270	100	3.0	117-81-7	T	ppb	Bis(2-ethylhexyl)phthalate	<	<	<									
8270	100	5.0	101-55-3	T	ppb	4-Bromophenyl phenyl ether	<	<	<									
8270	100	5.0	85-68-7	T	ppb	Butyl benzyl phthalate	<	<	<									
8270	100	5.0	106-47-8	T	ppb	4-Chloroaniline	<	<	<									
8270	100	5.0	91-58-7	T	ppb	2-Chloronaphthalene	<	<	<									
8270	100	5.0	59-50-7	T	ppb	4-Chloro-3-methylphenol	<	<	<		OCA200	0.0	100	92	90	92	90	
8270	100	5.0	95-57-8	T	ppb	2-Chlorophenol	<	<	<		OCA200	0.0	100	78	78	78	78	
8270	100	5.0	7005-72-3	T	ppb	4-Chlorophenyl phenyl ehter	<	<	<									
8270	100	5.0	218-0109	T	ppb	Chrysene	<	<	<									
8270	100	25	53-70-3	T	ppb	Dibenz(a,h)anthracene	<	<	<									
8270	100	5.0	132-64-9	T	ppb	Dibenzofuran	<	<	<									
8270	250	5.0	84-74-2	T	ppb	Di-N-butyl phthalate	<	<	<									
8270	100	5.0	541-73-1	T	ppb	1,3-Dichlorobenzene	<	<	<									
8270	100	5.0	106-46-7	T	ppb	1,4-Dichlorobenzene	<	<	<		OCA200	0.0	50	48	47	96	94	
8270	100	5.0	95-50-1	T	ppb	1,2-Dichlorobenzene	<	<	<									
8270	100	5.0	91-94-1	T	ppb	3,3-Dichlorobenzidine	<	<	<									
8270	100	5.0	120-83-2	T	ppb	2,4-Dichlorophenol	<	<	<									
8270	100	5.0	84-66-2	T	ppb	Diethyl phthalate	<	<	<									
8270	100	5.0	105-67-9	T	ppb	2,4-Dimethylphenol	<	<	<									
8270	100	5.0	131-11-3	T	ppb	Dimethyl phthalate	<	<	<									
8270	100	50	534-52-1	T	ppb	4,6-Dinitro-2-methylphenol	<	<	<									
8270	100	50	51-28-5	T	ppb	2,4-Dinitrophenol	<	<	<									
8270	250	5.0	121-14-2	T	ppb	2,4-Dinitrotoluene	<	<	<									
8270	250	5.0	606-20-2	T	ppb	2,6-Dinitrotoluene	<	<	<									
8270	250	25	117-84-0	T	ppb	Di-N-octyl phthalate	<	<	<									
8270	100	5.0	206-44-0	T	ppb	Fluoranthene	<	<	<									
8270	100	5.0	86-73-7	T	ppb	Fluorene	<	<	<									
8270	100	5.0	118-74-1	T	ppb	Hexachlorobenzene	<	<	<									
8270	100	5.0	87-68-3	T	ppb	Hexachlorobutadiene	<	<	<									
8270	100	5.0	77-47-4	T	ppb	Hexachlorocyclopentadiene	<	<	<									
8270	100	5.0	67-72-1	T	ppb	Hexachloroethane	<	<	<									
8270	250	25	193-39-5	T	ppb	Indeno(1,2,3-cd)pyrene	<	<	<									
8270	100	5.0	78-59-1	T	ppb	Isophorone	<	<	<									
8270	100	5.0	91-57-6	T	ppb	2-Methylnaphthalene	<	<	<									
8270	100	5.0	95-48-7	T	ppb	2-Methylphenol	<	<	<									
8270	100	5.0	106-44-5	T	ppb	4-Methylphenol	<	<	<									
8270	100	5.0	91-20-3	T	ppb	Naphthalene	<	<	<									
8270	250	50	88-74-4	T	ppb	2-Nitroaniline	<	<	<									
8270	250	50	99-09-2	T	ppb	3-Nitroaniline	<	<	<									
8270	250	50	100-01-6	T	ppb	4-Nitroaniline	<	<	<									
8270	100	5.0	98-95-3	T	ppb	Nitrobenzene	<	<	<									
8270	100	5.0	88-75-5	T	ppb	2-Nitrophenol	<	<	<									
8270	100	50	100-02-7	T	ppb	4-Nitrophenol	<	<	<									
8270	100	5.0	86-30-6	T	ppb	N-Nitrosodiphenylamine	<	<	<									
8270	100	5.0	621-64-7	T	ppb	N-Nitroso-di-N-propylamine	<	<	<		OCA200	0.0	50	58	50	116	100	
8270	100	5.0	62-75-9	T	ppb	N-Nitrosodimethylamine	<	<	<									
8270	250	50	87-86-5	T	ppb	Pentachlorophenol	<	<	<		OCA200	0.0	100	92	92	92	92	
8270	100	5.0	85-01-8	T	ppb	Phenanthrene	<	<	<									
8270	100	5.0	108-95-2	T	ppb	Phenol	<	<	<		OCA200	0.0	100	78	76	78	76	
8270	100	5.0	129-00-0	T	ppb	Pyrene	<	<	<		OCA200	0.0	50	59	45	118	90	
8270	100	5.0	120-82-1	T	ppb	1,2,4-Trichlorobenzene	<	<	<		OCA200	0.0	50	48	47	96	94	
8270	100	5.0	95-95-4	T	ppb	2,4,5-Trichlorophenol	<	<	<									

BOE-C6-0134360

8270	100	5.0	88-06-2	T		ppb	2,4,6-Trichlorophenol	<	<	<								
							Tested											
							Dilution Factor											
8080	20	5.0	12674-11-2	T		ppb	PCB-1016											
8080	20	5.0	11104-28-2	T		ppb	PCB-1221											
8080	20	5.0	11141-16-5	T		ppb	PCB-1232											
8080	20	5.0	53469-21-9	T		ppb	PCB-1242											
8080	20	5.0	12672-29-6	T		ppb	PCB-1248											
8080	20	5.0	11097-69-1	T		ppb	PCB-1254											
8080	20	5.0	11096-82-5	T		ppb	PCB-1260											
							Tested											
							Dilution Factor											
8080	1.0	0.1	309-00-2	T		ppb	Aldrin											
8080	1.0	0.2	319-84-6	T		ppb	alpha-BHC											
8080	1.0	0.2	319-85-7	T		ppb	beta-BHC											
8080	2.0	0.2	319-86-8	T		ppb	gamma-BHC											
8080	1.0	0.2	58-89-9	T		ppb	gamma-BHC (Lindane)											
8080	10	0.2	57-74-9	T		ppb	Chlordane											
8080	2.0	0.5	72-54-9	T		ppb	4,4'-DDD											
8080	5.0	0.1	72-55-9	T		ppb	4,4'-DDE											
8080	1.0	0.1	50-29-3	T		ppb	4,4'-DDT											
8080	2.0	0.5	60-57-1	T		ppb	Dieldrin											
8080	1.0	0.5	959-98-8	T		ppb	Endosulfan I											
8080	2.0	0.5	33213-65-9	T		ppb	Endosulfan II											
8080	10	0.5	1031-07-8	T		ppb	Endosulfan sulfate											
8080	2.0	0.02	72-20-8	T		ppb	Endrin											
8080	2.0	0.2	7421-93-4	T		ppb	Endrin aldehyde											
8080	1.0	0.1	76-44-8	T		ppb	Heptachlor											
8080	1.0	0.2	1024-57-3	T		ppb	Heptachlor epoxide											
8080	30	9.0	72-43-5	T		ppb	Methoxychlor											
8080	35	0.5	8001-35-2	T		ppb	Toxaphene											
							Tested											
8015m				T		ppm	Up to & Including C-12											
8015m				T		ppm	C13-22											
8015m				T		ppm	C23 & Higher											
8015m	8.0	0.5		T		ppm	Total											
							Tested											
8015m	8.0	0.5		T		ppm	Diesel											
							Tested											
8015m	5.0	0.05		T		ppm	Gas											
							Tested											
9060	5.0	1.0		T		ppm	TOC											
							Tested											
9081	1.0	1.0		T		ppm	Cation Exchange Capacity											

(a) QC units for Method 8270 are reported in ng.

BOE-C6-0134361

	QC(W)							
RPD	LAB SAMP NO.	R1	T CONC	SL[e]	DL[e]	RECOVER	D RECOVER	RPD
	03/26/98							
6	OCA 100	0.0	2.5	2.0	1.9	80	76	5
	03/31/98							
0	98030348	0.00	1.00	1.04	1.04	104	104	0
1	98030348	0.00	1.00	1.02	1.02	102	102	0
1	98030348	0.00	0.10	0.105	0.103	105	103	2
1	98030348	0.00	0.10	0.103	0.102	103	102	1
1	98030348	0.00	0.10	0.102	0.101	102	101	1
	03/26/98							
0	OCA 100	0.00	0.50	0.56	0.53	112	106	6
	03/31/98							
1	98030348	0.00	0.10	0.098	0.097	98	97	1
2	98030348	0.00	0.10	0.106	0.105	106	105	1
1	98030348	0.00	0.10	0.107	0.104	107	104	3
1	98030348	0.00	1.00	1.02	1.01	102	101	1
	03/26/98							
7	OCA 100	0.00	0.020	0.018	0.018	90	90	0
	03/31/98							
1	98030348	0.00	1.00	1.00	0.99	100	99	1
1	98030348	0.00	0.50	0.519	0.514	104	103	1
1	98030348	0.00	1.00	0.988	0.957	99	96	3
0	98030348	0.00	0.50	0.524	0.526	105	105	0
1	98030348	0.00	1.00	1.05	1.03	105	103	2
1	98030348	0.00	0.50	0.500	0.494	100	99	1
2	98030348	0.00	0.10	0.111	0.108	111	108	3

BOE-C6-0134362

	03/27/98							
2	98030350	0.0	20	18	17	90	85	6
2	98030350	0.0	20	17	17	85	85	0
4	98030350	0.0	20	16	16	80	80	0

BOE-C6-0134363

0	98030350	0.0	20	16	16	80	80	0
2	98030350	0.0	20	18	18	90	90	0
5	03/27/98 OCA100	0.0	50	40	40	80	80	0

BOE-C6-0134364

2	OCA100	0.0	100	78	79	78	79	1
0	OCA100	0.0	100	77	80	77	80	4
2	OCA100	0.0	50	37	33	74	66	11
15	OCA100	0.0	50	49	52	98	104	6
0	OCA100	0.0	100	83	83	83	83	0
3	OCA100	0.0	100	29	37	29	37	24
27	OCA100	0.0	50	47	44	94	88	7
2	OCA100	0.0	50	39	35	78	70	11

BOE-C6-0134365

BOE-C6-0134366

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532
Tustin, CA 92680
(714) 832-0064, Fax (714) 832-0067

Analysis Request and Chain of Custody Record

Lab Job No: _____
Page 1 of 1

REQUIRED TAT: SEE REMARKS

CUSTOMER INFORMATION		PROJECT INFORMATION	
COMPANY:	Montgomery Watson	PROJECT NAME:	The Boeing Company
SEND REPORT TO:	Fred Strauss	NUMBER:	1206035.01090010
ADDRESS:	250 N Madison Ave.	LOCATION:	C-6 facility.
	Pasadena, CA 91101	ADDRESS:	19503 S Normandie Ave.
			Los Angeles, CA 90501
PHONE:	(626) 588-6582 FAX: (626) 796-5941	SAMPLED BY:	~~[illegible]~~ AWN. AN/JM

SAMPLE ID	NO. OF CONTAINERS	SAMPLE DATE	SAMPLE TIME	SAMPLE MATRIX	CONTAINER TYPE	PRES.	TRPH 418.1	Title 22 Metals	VOCs 8260	SVOCs 8270	PCBs 8080	Pesticides 8080			REMARKS/PRECAUTIONS
B41-LTU2-GS-5	2	3/24/98	0745	SOIL	2x6 in SS sleeve	ICE	X	X	X	X					48 hr TAT
Equipment Blank	6	3/24/98	1435	WATER	3 amber 1 Poly 2 VOAs	none HNO3 HCl	X	X	X	X					Standard TAT
Rinsate Blank	6	3/24/98	1450	WATER	↓	↓	X	X	X	X					↓
Trip Blank	2	3/24/98	—	WATER	2 VOAs	HCl			X						↓

Total No. of Samples: 4

Method of Shipment: Orange Coast Lab Courier. (1 cooler)

Relinquished By:	Date/Time:	Received By:	Date/Time:
[signature]	3/24/98 15:00		
Relinquished By:	Date/Time:	Received By:	Date/Time:
Relinquished By:	Date/Time:	Received For Lab By: [signature]	Date/Time: 3/24/98 15:00

Reporting Format: (check)
NORMAL _____ S.D. HMMD _____
RWQCB _____ OTHER _____

Sample Integrity: (check)
intact _____ on ice _____

All samples remain the property of the client who is responsible fc posal. A disposal fee may be imposed if client fails to pickup samples.

BOE-C6-0134367