ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

LABORATORY REPORT FORM

Laboratory Name: ORANGE COAST ANALYTICAL, INC.

Address: 3002 Dow Suite 532 Tustin, CA 92780

Telephone: (714) 832-0064

Laboratory Certification
(ELAP) No.: 1416 Expiration Date: 1999

Laboratory Director's Name (Print) : Mark Noorani

Client: Montgomery Watson

Project No.: 1206035.01090010

Project Name: The Boeing Company

Laboratory Reference: MWI 10283

Analytical Method: T' Arsenic,STLC Arsenic, 8010, TCLP 8010, 8260, Metals

Date Sampled: 06/19/98
Date Received: 06/19/98
Date Reported: 06/26/98

Sample Matrix: Soil & Water

Chain of Custody Received: Yes

Laboratory Director's Signature: Mark Noorani

METHOD ID	LIMIT1 SOIL	LIMIT1 WATER	LAB CAS ID	PF CODE	SURROG FLG	Units	LAB CHEM	98060263	98060264	98060265	98060266	98060267	LAB SAMP NO.	R1	T CONC	SL[a]	DL[a]	RECOVER
							SAMP TYPE	S	S	W	W	W	QC(S)					
							RES CODE	PP01	PP01	BF11	BR11	BT11						
							SAMP ID	B66A-RE2-SP2	B66A-RE4-SP2	EQUIP BLANK	RINSATE BLANK	TRIP BLANK						
							SAMP DATE	06/19/98	06/19/98	06/19/98	06/19/98							
							SAMP TIME	12:15	12:25	12:40	12:45							
							SAMP DEPTH											
							PRESERVED			, N, H	, N, H	, N, H						
							ICED	Y	Y	Y	Y	Y						
							RECEIVED	06/19/98	06/19/98	06/19/98	06/19/98	06/19/98						
							REC TIME	14:05	14:05	14:05	14:05	14:05						
							BASIS	W	W	W	W	W						
							Tested											
418.1	8.0	0.5		T		ppm	Extractable Hydrocarbons											
							Tested	06/22/98	06/22/98	06/24/98	06/24/98		06/22/98					
6010	5.0	0.5		T		ppm	Antimony			<	<							
6010	1.0	0.1		T		ppm	Arsenic	5.2	14	<	<		M98065115	0.22	10.0	11.8	12.2	116
6010	0.1	0.01		T		ppm	Barium			<	<							
6010	0.1	0.01		T		ppm	Beryllium			<	<							
6010	0.1	0.01		T		ppm	Cadmium			<	<							
							Tested			06/22/98	06/22/98							
7196	0.5	0.01		T		ppm	Chromium (VI)			<	<							
							Tested			06/24/98	06/24/98							
6010	0.1	0.01		T		ppm	Chromium Total			<	<							
6010	0.5	0.1		T		ppm	Cobalt			<	<							
6010	0.1	0.01		T		ppm	Copper			<	<							
6010	1.0	0.1		T		ppm	Lead			<	<							
							Tested			06/22/98	06/22/98							
7471	0.01	0.002		T		ppm	Mercury			<	<							
							Tested			06/24/98	06/24/98							
6010	0.5	0.1		T		ppm	Molybdenum			<	<							
6010	0.5	0.1		T		ppm	Nickel			<	<							
6010	1.0	0.1		T		ppm	Selenium			<	<							
6010	0.1	0.1		T		ppm	Silver			<	<							
6010	5.0	0.5		T		ppm	Thallium			<	<							
6010	0.5	0.1		T		ppm	Vanadium			<	<							
6010	0.1	0.01		T		ppm	Zinc			<	<							
							Tested	06/24/98	06/24/98									
STLC		5.0		S		ppm	Antimony											
		1.0		S		ppm	Arsenic	<	<									
		0.1		S		ppm	Barium											
		0.1		S		ppm	Beryllium											
		0.1		S		ppm	Cadmium											
		0.5		S		ppm	Chromium (VI)											
		0.1		S		ppm	Chromium Total											
		0.5		S		ppm	Cobalt											
		0.1		S		ppm	Copper											
		1.0		S		ppm	Lead											
		0.01		S		ppm	Mercury											

BOE-C6-0134391

		0.5		S		ppm	Molybdenum											
		0.5		S		ppm	Nickel											
		1.0		S		ppm	Selenium											
		0.1		S		ppm	Silver											
		5.0		S		ppm	Thallium											
		0.5		S		ppm	Vanadium											
		0.1		S		ppm	Zinc											
							Tested											
TCLP		5.0		C		ppm	Antimony											
		1.0		C		ppm	Arsenic											
		0.1		C		ppm	Barium											
		0.1		C		ppm	Beryllium											
		0.1		C		ppm	Cadmium											
		0.5		C		ppm	Chromium (VI)											
		0.1		C		ppm	Chromium Total											
		0.5		C		ppm	Cobalt											
		0.1		C		ppm	Copper											
		1.0		C		ppm	Lead											
		0.01		C		ppm	Mercury											
		0.5		C		ppm	Molybdenum											
		0.5		C		ppm	Nickel											
		1.0		C		ppm	Selenium											
		0.1		C		ppm	Silver											
		5.0		C		ppm	Thallium											
		0.5		C		ppm	Vanadium											
		0.1		C		ppm	Zinc											
							Tested	06/22/98				06/22/98						
							Dilution Factor	1										
8010	5.0	0.50	79-01-6	T		ppb	Trichloroethene	<				98060246	0.0	20	20	19	100	
					T	%	1,4 Dichlorobutane	92										
							Tested	06/23/98										
							Dilution Factor	1										
TCLP8010		0.50	79-01-6	T		ppb	Trichloroethene	<										
					T	%	1,4 Dichlorobutane	82										
							Tested		06/22/98	06/22/98	06/22/98							
							Dilution Factor		1	1	1							
8260	2.5	0.5	71-43-2	T		ppb	Benzene		<	<	<							
8260	2.5	0.5	75-27-4	T		ppb	Bromodichloromethane		<	<	<							
8260	2.5	0.5	75-25-2	T		ppb	Bromoform		<	<	<							
8260	2.5	1.0	74-83-9	T		ppb	Bromomethane		<	<	<							
8260	5.0	0.5	75-15-0	T		ppb	Carbon Disulfide		<	<	<							
8260	2.5	0.5	56-23-5	T		ppb	Carbon tetrachloride		<	<	<							
8260	2.5	0.5	108-90-7	T		ppb	Chlorobenzene		<	<	<							
8260	2.5	0.5	124-48-1	T		ppb	Chlorodibromomethane		<	<	<							
8260	2.5	0.5	75-00-3	T		ppb	Chloroethane		<	<	<							

BOE-C6-0134392

8260	5.0	0.5	110-75-8	T		ppb	2-Chloroethyl vinyl ether			<	<	<							
8260	2.5	0.5	67-66-3	T		ppb	Chloroform			<	<	<							
8260	2.5	0.5	74-87-3	T		ppb	Chloromethane			<	<	<							
8260	2.5	0.5	75-34-3	T		ppb	1,1-Dichloroethane			<	<	<							
8260	2.5	0.5	107-06-2	T		ppb	1,2-Dichloroethane			<	<	<							
8260	2.5	0.5	75-35-4	T		ppb	1,1-Dichloroethene			<	<	<							
8260	2.5	0.5	156-60-5	T		ppb	Trans 1,2-Dichloroethene			<	<	<							
8260	2.5	0.5	78-87-5	T		ppb	1,2-Dichloropropane			<	<	<							
8260	2.5	0.5	10061-01-5	T		ppb	cis-1,3-Dichloropropene			<	<	<							
8260	2.5	0.5	10061-02-6	T		ppb	trans-1,3-Dichloropropene			<	<	<							
8260	2.5	0.5	100-41-4	T		ppb	Ethylbenzene			<	<	<							
8260	5.0	2.5	75-09-2	T		ppb	Methylene chloride			<	<	<							
8260	2.5	0.5	100-42-5	T		ppb	Styrene			<	<	<							
8260	2.5	0.5	79-34-5	T		ppb	1,1,2,2-Tetrachloroethane			<	<	<							
8260	2.5	0.5	127-18-4	T		ppb	Tetrachloroethene			<	<	<							
8260	2.5	0.5	108-88-3	T		ppb	Toluene			<	0.52	<							
8260	2.5	0.5	71-55-6	T		ppb	1,1,1-Trichloroethane			<	<	<							
8260	2.5	0.5	79-00-5	T		ppb	1,1,2-Trichloroethane			<	<	<							
8260	2.5	0.5	79-01-6	T		ppb	Trichloroethene			<	<	<							
8260	5.0	0.5	75-69-4	T		ppb	Trichlorofluoromethane			<	<	<							
8260	5.0	1.0	108-05-4	T		ppb	Vinyl acetate			<	<	<							
8260	2.5	0.5	75-01-4	T		ppb	Vinyl chloride			<	<	<							
8260	2.5	1.0	1330-20-7	T		ppb	Total Xylenes			<	<	<							
8260	2.5	0.5	75-71-8	T		ppb	Dichlorodifluoromethane			<	<	<							
8260	2.5	0.5	156-59-2	T		ppb	cis-1-2,-Dichloroethene			<	<	<							
8260	2.5	0.5	594-20-7	T		ppb	2,2-Dichloropropane			<	<	<							
8260	2.5	0.5	74-97-5	T		ppb	Bromochloromethane			<	<	<							
8260	2.5	0.5	563-58-6	T		ppb	1,1-Dichloropropene			<	<	<							
8260	2.5	0.5	74-95-3	T		ppb	Dibromomethane			<	<	<							
8260	2.5	0.5	106-93-4	T		ppb	1,2-Dibromoethane			<	<	<							
8260	2.5	0.5	142-28-9	T		ppb	1,3-Dichloropropane			<	<	<							
8260	2.5	0.5	98-82-8	T		ppb	Isopropylbenzene			<	<	<							
8260	2.5	0.5	79-34-5	T		ppb	1,1,2,2-Tetrachloroethane			<	<	<							
8260	2.5	0.5	96-18-4	T		ppb	1,2,3-Trichloropropane			<	<	<							
8260	2.5	0.5	108-86-1	T		ppb	Bromobenzene			<	<	<							
8260	2.5	0.5	103-65-1	T		ppb	n-Propylbenzene			<	<	<							
8260	2.5	0.5	95-49-8	T		ppb	2-Chlorotoluene			<	<	<							
8260	2.5	0.5	108-67-8	T		ppb	1,3,5-Trimethylbenzene			<	<	<							
8260	2.5	0.5	106-43-4	T		ppb	4-Chlorotoluene			<	<	<							
8260	2.5	0.5	98-06-6	T		ppb	tert-Butylbenzene			<	<	<							
8260	2.5	0.5	95-63-6	T		ppb	1,2,4-Trimethylbenzene			<	<	<							
8260	2.5	0.5	135-98-8	T		ppb	sec-Butylbenzene			<	<	<							
8260	2.5	0.5	99-87-6	T		ppb	4-Isopropyltoluene			<	<	<							
8260	2.5	0.5	541-73-1	T		ppb	1,3-Dichlorobenzene			<	<	<							
8260	2.5	0.5	106-46-7	T		ppb	1,4-Dichlorobenzene			<	<	<							
8260	2.5	0.5	104-51-8	T		ppb	n-Butylbenzene			<	<	<							
8260	2.5	0.5	95-50-1	T		ppb	1,2-Dichlorobenzene			<	<	<							
8260	5.0	1.0	96-12-8	T		ppb	1,2-Dibromo-3-CPA			<	<	<							
8260	2.5	0.5	120-82-1	T		ppb	1,2,4-Trichlorobenzene			<	<	<							
8260	2.5	0.5	87-68-3	T		ppb	Hexachlorobutadiene			<	<	<							
8260	2.5	0.5	91-20-3	T		ppb	Naphthalene			<	1.1	<							
8260	2.5	0.5	87-61-6	T		ppb	1,2,3-Trichlorobenzene			<	0.75	<							
					T	%	Dibromofluoromethane			96	95	94							
					T	%	Toluene-d8			92	92	92							

					T	%	4-Bromofluorobenzene			94	94	95							
							Tested												
							Dilution Factor												
8270	100	5.0	83-32-9	T		ppb	Acenaphthene												
8270	100	5.0	208-96-8	T		ppb	Acenaphthylene												
8270	100	5.0	62-53-3	T		ppb	Aniline												
8270	100	5.0	120-12-7	T		ppb	Anthracene												
8270	500	50	65-85-0	T		ppb	Benzoic Acid												
8270	100	5.0	56-55-3	T		ppb	Benzo (a) anthracene												
8270	250	25	205-99-2	T		ppb	Benzo (b) fluoranthene												
8270	250	25	207-08-9	T		ppb	Benzo (k) fluoranthene												
8270	250	25	191-24-2	T		ppb	Benzo (g,h,i)perylene												
8270	250	25	50-32-8	T		ppb	Benzo (a) pyrene												
8270	100	50	100-51-6	T		ppb	Benzyl alcohol												
8270	100	5.0	111-91-1	T		ppb	Bis(2-chloroethoxy)methane												
8270	100	5.0	111-44-4	T		ppb	Bis(2-chloroethyl)ether												
8270	100	5.0	39638-32-9	T		ppb	Bis(2-chloroisopropyl)ether												
8270	100	3.0	117-81-7	T		ppb	Bis(2-ethylhexyl)phthalate												
8270	100	5.0	101-55-3	T		ppb	4-Bromophenyl phenyl ether												
8270	100	5.0	85-68-7	T		ppb	Butyl benzyl phthalate												
8270	100	5.0	106-47-8	T		ppb	4-Chloroaniline												
8270	100	5.0	91-58-7	T		ppb	2-Chloronaphthalene												
8270	100	5.0	59-50-7	T		ppb	4-Chloro-3-methylphenol												
8270	100	5.0	95-57-8	T		ppb	2-Chlorophenol												
8270	100	5.0	7005-72-3	T		ppb	4-Chlorophenyl phenyl ether												
8270	100	5.0	218-0109	T		ppb	Chrysene												
8270	100	25	53-70-3	T		ppb	Dibenz(a,h)anthracene												
8270	100	5.0	132-64-9	T		ppb	Dibenzofuran												
8270	250	5.0	84-74-2	T		ppb	Di-N-butyl phthalate												
8270	100	5.0	541-73-1	T		ppb	1,3-Dichlorobenzene												
8270	100	5.0	106-46-7	T		ppb	1,4-Dichlorobenzene												
8270	100	5.0	95-50-1	T		ppb	1,2-Dichlorobenzene												
8270	100	5.0	91-94-1	T		ppb	3,3-Dichlorobenzidine												
8270	100	5.0	120-83-2	T		ppb	2,4-Dichlorophenol												
8270	100	5.0	84-66-2	T		ppb	Diethyl phthalate												
8270	100	5.0	105-67-9	T		ppb	2,4-Dimethylphenol												
8270	100	5.0	131-11-3	T		ppb	Dimethyl phthalate												
8270	100	50	534-52-1	T		ppb	4,6-Dinitro-2-methylphenol												
8270	100	50	51-28-5	T		ppb	2,4-Dinitrophenol												
8270	250	5.0	121-14-2	T		ppb	2,4-Dinitrotoluene												
8270	250	5.0	606-20-2	T		ppb	2,6-Dinitrotoluene												
8270	250	25	117-84-0	T		ppb	Di-N-octyl phthalate												
8270	100	5.0	206-44-0	T		ppb	Fluoranthene												
8270	100	5.0	86-73-7	T		ppb	Fluorene												
8270	100	5.0	118-74-1	T		ppb	Hexachlorobenzene												
8270	100	5.0	87-68-3	T		ppb	Hexachlorobutadiene												
8270	100	5.0	77-47-4	T		ppb	Hexachlorocyclopentadiene												
8270	100	5.0	67-72-1	T		ppb	Hexachloroethane												
8270	250	25	193-39-5	T		ppb	Indeno(1,2,3-cd)pyrene												
8270	100	5.0	78-59-1	T		ppb	Isophorone												
8270	100	5.0	91-57-6	T		ppb	2-Methylnaphthalene												
8270	100	5.0	95-48-7	T		ppb	2-Methylphenol												
8270	100	5.0	106-44-5	T		ppb	4-Methylphenol												
8270	100	5.0	91-20-3	T		ppb	Naphthalene												

BOE-C6-0134394

8270	250	50	88-74-4	T		ppb	2-Nitroaniline
8270	250	50	99-09-2	T		ppb	3-Nitroaniline
8270	250	50	100-01-6	T		ppb	4-Nitroaniline
8270	100	5.0	98-95-3	T		ppb	Nitrobenzene
8270	100	5.0	88-75-5	T		ppb	2-Nitrophenol
8270	100	50	100-02-7	T		ppb	4-Nitrophenol
8270	100	5.0	86-30-6	T		ppb	N-Nitrosodiphenylamine
8270	100	5.0	621-64-7	T		ppb	N-Nitroso-di-N-propylamine
8270	100	5.0	62-75-9	T		ppb	N-Nitrosodimethylamine
8270	250	50	87-86-5	T		ppb	Pentachlorophenol
8270	100	5.0	85-01-8	T		ppb	Phenanthrene
8270	100	5.0	108-95-2	T		ppb	Phenol
8270	100	5.0	129-00-0	T		ppb	Pyrene
8270	100	5.0	120-82-1	T		ppb	1,2,4-Trichlorobenzene
8270	100	5.0	95-95-4	T		ppb	2,4,5-Trichlorophenol
8270	100	5.0	88-06-2	T		ppb	2,4,6-Trichlorophenol
							Tested
							Dilution Factor
8080	20	5.0	12674-11-2	T		ppb	PCB-1016
8080	20	5.0	11104-28-2	T		ppb	PCB-1221
8080	20	5.0	11141-16-5	T		ppb	PCB-1232
8080	20	5.0	53469-21-9	T		ppb	PCB-1242
8080	20	5.0	12672-29-6	T		ppb	PCB-1248
8080	20	5.0	11097-69-1	T		ppb	PCB-1254
8080	20	5.0	11096-82-5	T		ppb	PCB-1260
							Tested
							Dilution Factor
8080	1.0	0.1	309-00-2	T		ppb	Aldrin
8080	1.0	0.2	319-84-6	T		ppb	alpha-BHC
8080	1.0	0.2	319-85-7	T		ppb	beta-BHC
8080	2.0	0.2	319-86-8	T		ppb	gamma-BHC
8080	1.0	0.2	58-89-9	T		ppb	gamma-BHC (Lindane)
8080	10	0.2	57-74-9	T		ppb	Chlordane
8080	2.0	0.5	72-54-8	T		ppb	4,4'-DDD
8080	5.0	0.1	72-55-9	T		ppb	4,4'-DDE
8080	1.0	0.1	50-29-3	T		ppb	4,4'-DDT
8080	2.0	0.5	60-57-1	T		ppb	Dieldrin
8080	1.0	0.5	959-98-8	T		ppb	Endosulfan I
8080	2.0	0.5	33213-65-9	T		ppb	Endosulfan II
8080	10	0.5	1031-07-8	T		ppb	Endosulfan sulfate
8080	2.0	0.02	72-20-8	T		ppb	Endrin
8080	2.0	0.2	7421-93-4	T		ppb	Endrin aldehyde
8080	1.0	0.1	76-44-8	T		ppb	Heptachlor
8080	1.0	0.2	1024-57-3	T		ppb	Heptachlor epoxide
8080	30	9.0	72-43-5	T		ppb	Methoxychlor
8080	35	0.5	8001-35-2	T		ppb	Toxaphene
							Tested
8015m				T		ppm	Up to & Including C-12
8015m				T		ppm	C13-22
8015m				T		ppm	C23 & Higher
8015m	8.0	0.5		T		ppm	Total

BOE-C6-0134395

MWI 10283

8015m	8.0	0.5		T		ppm	***Tested*** Diesel												
8015m	5.0	0.05		T		ppm	***Tested*** Gas												
9060	5.0	1.0		T		ppm	***Tested*** TOC												
9081	1.0	1.0		T		ppm	***Tested*** Cation Exchange Capacity												

(a) QC units for Method 8270 are reported in ng.

BOE-C6-0134396

		QC(W)							
D RECOVER	RPD	LAB SAMP NO.	R1	T CONC	SL[e]	DL[e]	RECOVER	D RECOVER	RPD
		06/24/98							
		98060265	0.00	1.00	1.02	1.10	102	110	8
120	3	98060265	0.00	1.00	0.981	1.03	98	103	5
		98060265	0.00	0.10	0.101	0.107	101	107	6
		98060265	0.00	0.10	0.100	0.105	100	105	5
		98060265	0.00	0.10	0.096	0.102	96	102	6
		06/22/98							
		OCA 100	0.00	0.50	0.46	0.48	92	96	4
		06/24/98							
		98060265	0.00	0.10	0.100	0.106	100	106	6
		98060265	0.00	0.10	0.100	0.106	100	106	6
		98060265	0.00	0.10	0.105	0.111	105	111	6
		98060265	0.00	1.00	1.00	1.07	100	107	7
		06/22/98							
		OCA 100	0.00	0.02	0.019	0.021	95	105	10
		06/24/98							
		98060265	0.00	1.00	1.01	1.07	101	107	6
		98060265	0.00	0.50	0.51	0.54	102	108	6
		98060265	0.00	1.00	0.95	1.01	95	101	7
		98060265	0.00	0.50	0.50	0.53	100	107	6
		98060265	0.00	1.00	1.00	1.05	100	105	5
		98060265	0.00	0.50	0.498	0.526	100	105	5
		98060265	0.00	0.10	0.099	0.104	99	104	5
		06/24/98							
		A98060120	0.0	10.0	9.99	10.2	100	102	2

BOE-C6-0134397

95	5									
		06/23/98 98060264	0.0	5.0	5.1	5.0	102	100	2	
		06/22/98 1 98060267	0.0	20	20	18	100	90	11	
			0.0	20	20	18	100	90	11	

BOE-C6-0134398

			0.0	20	18	16	90	80	12
			0.0	20	20	18	100	90	11
			0.0	20	20	18	100	90	11

BOE-C6-0134399

BOE-C6-0134402

Analysis Request and Chain of Custody Record

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532
Tustin, CA 92780
(714) 832-0064, Fax (714) 832-0067

4620 E. Elwood, Suite 4
Phoenix, AZ 85040
(602) 736-0960 Fax (602) 736-0970

Lab Job No: _____
Page 1 of 1

REQUIRED TAT: SEE REMARKS

CUSTOMER INFORMATION

COMPANY: MONTGOMERY WATSON
SEND REPORT TO: FRED STRAUSS
ADDRESS: 250 N. MADISON AVE
PASADENA CA 91101
PHONE: (626) 568-6582 FAX: (626) 568-6515

PROJECT INFORMATION

PROJECT NAME: BOEING REALTY CORP
NUMBER: 1206035.01090010
LOCATION: C-6 FACILITY
ADDRESS: 19503 S. NORMANDIE AVE
LOS ANGELES CA 90501
SAMPLED BY: JSM

SAMPLE ID	NO. OF CONTAINERS	SAMPLE DATE	SAMPLE TIME	SAMPLE MATRIX	CONTAINER TYPE	PRES.	ARSENIC-STLC, TTLC	8010 *	8010 TCLP *	VOCs 8260	SVOCs 8270, TRPH	PCBs 8080	PESTICIDES 8080	TITLE 22 METALS	REMARKS/PRECAUTIONS
B66A-RE2-SP2	2	6/19/98	1215	SOIL	2x6 IN SS SLEEVE	ICE	X								3-DAY TAT
B66A-RE4-SP2	2	↓	1225	SOIL	2x6 IN SS SLEEVE	ICE	X	X	X						3-DAY TAT
EQUIPMENT BLANK	3		1240	H_2O	1 POLY 2 VOA	HNO_3 HCL				X	X	X	X	X	STANDARD TAT
RINSATE BLANK	3		1245	H_2O	"	"				X	X	X	X	X	STANDARD TAT
TRIP BLANK	2		—	H_2O	2 VOAs	HCl				X					STANDARD TAT

* REPORT TCE ONLY

Total No. of Samples: 5

Method of Shipment: ORANGE COAST LAB COURIER

Relinquished By:	Date/Time:	Received By:	Date/Time:
[signature]	6/19/98 14:05		
Relinquished By:	Date/Time:	Received By:	Date/Time:
Relinquished By:	Date/Time:	Received For Lab By: [signature]	Date/Time: 6/19/98 14:05

Reporting Format: (check)
NORMAL _____ S.D. HMMD _____
RWQCB _____ OTHER _____

Sample Integrity: (check)
intact _____ on ice _____

All samples remain the property of the client who is responsible for disposal. A disposal fee may be imposed if client fails to pickup samples.

BOE-C6-0134403