ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

LABORATORY REPORT FORM

Laboratory Name: ORANGE COAST ANALYTICAL, INC.

Address: 3002 Dow Suite 532 Tustin, CA 92780

Telephone: (714) 832-0064

Laboratory Certification
(ELAP) No.: 1416 Expiration Date: 1999

Laboratory Director's Name (Print) : Mark Noorani

Client: Montgomery Watson

Project No.: 1206035.01090010

Project Name: The Boeing Company

Laboratory Reference: MWI 9825

Analytical Method: EPA 8260, 8270,Title 22 Metals

Date Sampled: 12/17/97
Date Received: 12/17/97
Date Reported: 12/23/97

Sample Matrix: Water & Soil

Chain of Custody Received: Yes

Laboratory Director's Signature: Mark Noorani

METHOD ID	LIMIT1 SOIL	LIMIT1 WATER	LAB CAS ID	PF CODE	SURROG FLG	Units	LAB CHEM	97120488	97120489	97120490	97120491	97120492	97120493	97120494	97120495
							SAMP TYPE	S	S	S	S	S	S	S	S
							RES CODE	PP01	PP01	PP01	PP01	PP01	PP01	PP01	PP01
							SAMP ID	B41-GS-14-5'	B37C1-GS-8-6'	B37C2-GS-8-6'	B37C2-GS-7-6'	B66AC1-GS-3-12'	OA2-GS-4-9'	PL-GS-20-6'	PL-GS-21-5'
							SAMP DATE	12/17/97	12/17/97	12/17/97	12/17/97	12/17/97	12/17/97	12/17/97	12/17/97
							SAMP TIME	8:40	8:50	9:05	9:20	10.15	11:25	11:45	11:50
							SAMP DEPTH	5'	6'	6'	6'	12'	9'	6'	5'
							PRESERVED								
							ICED	Y	Y	Y	Y	Y	Y	Y	Y
							RECEIVED	12/17/97	12/17/97	12/17/97	12/17/97	12/17/97	12/17/97	12/17/97	12/17/97
							REC TIME	15:08	15:08	15:08	15:08	15:08	15:08	15:08	15:08
							BASIS	W	W	W	W	W	W	W	W
							Tested								
418.1	8.0	0.5		T		ppm	Extractable Hydrocarbons								
							Tested	12/19/97	12/19/97	12/19/97	12/19/97	12/19/97	12/19/97		12/19/97
6010	5.0	0.5		T		ppm	Antimony	<	<	<	<	<	<		<
6010	1.0	0.1		T		ppm	Arsenic	<	<	1.1	1.1	<	1.3		4.3
6010	0.1	0.01		T		ppm	Barium	77	78	64	96	39	82		77
6010	0.1	0.01		T		ppm	Beryllium	<	<	<	<	<	<		<
6010	0.1	0.01		T		ppm	Cadmium	<	0.32	0.13	0.14	<	0.16		0.26
							Tested	12/18/97	12/18/97	12/18/97	12/18/97	12/18/97	12/18/97		12/18/97
7196	0.5	0.01		T		ppm	Chromium (VI)	<	<	<	<	<	<		<
							Tested	12/19/97	12/19/97	12/19/97	12/19/97	12/19/97	12/19/97		12/19/97
6010	0.1	0.01		T		ppm	Chromium Total	14	12	14	15	7.2	18		15
6010	0.5	0.1		T		ppm	Cobalt	6.7	5.3	8.2	8.2	3.8	7.2		7.1
6010	0.1	0.01		T		ppm	Copper	12	15	16	15	7.7	18		13
6010	1.0	0.1		T		ppm	Lead	1.8	1.9	2.0	2.5	1.1	2.8		3.1
							Tested	12/19/97	12/19/97	12/19/97	12/19/97	12/19/97	12/19/97		12/19/97
7471	0.01	0.002		T		ppm	Mercury	<	<	<	<	<	<		<
							Tested	12/19/97	12/19/97	12/19/97	12/19/97	12/19/97	12/19/97		12/19/97
6010	0.5	0.1		T		ppm	Molybdenum	<	<	<	<	<	<		<
6010	0.5	0.1		T		ppm	Nickel	8.4	9.3	8.5	8.7	5.3	12		10
6010	1.0	0.1		T		ppm	Selenium	<	<	<	<	<	<		<
6010	0.1	0.1		T		ppm	Silver	<	<	<	<	<	<		<
6010	5.0	0.5		T		ppm	Thallium	<	<	<	<	<	<		<
6010	0.5	0.1		T		ppm	Vanadium	26	19	32	28	14	27		27
6010	0.1	0.01		T		ppm	Zinc	27	46	46	39	15	32		29
							Tested								
STLC		5.0		S		ppm	Antimony								
		1.0		S		ppm	Arsenic								
		0.1		S		ppm	Barium								
		0.1		S		ppm	Beryllium								
		0.1		S		ppm	Cadmium								
		0.5		S		ppm	Chromium (VI)								
		0.1		S		ppm	Chromium Total								
		0.5		S		ppm	Cobalt								
		0.1		S		ppm	Copper								

BOE-C6-0144093

		1.0		S		ppm	Lead
		0.01		S		ppm	Mercury
		0.5		S		ppm	Molybdenum
		0.5		S		ppm	Nickel
		1.0		S		ppm	Selenium
		0.1		S		ppm	Silver
		5.0		S		ppm	Thallium
		0.5		S		ppm	Vanadium
		0.1		S		ppm	Zinc
							Tested
TCLP		5.0		C		ppm	Antimony
		1.0		C		ppm	Arsenic
		0.1		C		ppm	Barium
		0.1		C		ppm	Beryllium
		0.1		C		ppm	Cadmium
		0.5		C		ppm	Chromium (VI)
		0.1		C		ppm	Chromium Total
		0.5		C		ppm	Cobalt
		0.1		C		ppm	Copper
		1.0		C		ppm	Lead
		0.01		C		ppm	Mercury
		0.5		C		ppm	Molybdenum
		0.5		C		ppm	Nickel
		1.0		C		ppm	Selenium
		0.1		C		ppm	Silver
		5.0		C		ppm	Thallium
		0.5		C		ppm	Vanadium
		0.1		C		ppm	Zinc
							Tested
							Dilution Factor
8260	2.5	0.5	71-43-2	T		ppb	Benzene
8260	2.5	0.5	75-27-4	T		ppb	Bromodichloromethane
8260	2.5	0.5	75-25-2	T		ppb	Bromoform
8260	2.5	1.0	74-83-9	T		ppb	Bromomethane
8260	5.0	0.5	75-15-0	T		ppb	Carbon Disulfide
8260	2.5	0.5	56-23-5	T		ppb	Carbon tetrachloride
8260	2.5	0.5	108-90-7	T		ppb	Chlorobenzene
8260	2.5	0.5	124-48-1	T		ppb	Chlorodibromomethane
8260	2.5	0.5	75-00-3	T		ppb	Chloroethane
8260	5.0	0.5	110-75-8	T		ppb	2-Chloroethyl vinyl ether
8260	2.5	0.5	67-66-3	T		ppb	Chloroform
8260	2.5	0.5	74-87-3	T		ppb	Chloromethane
8260	2.5	0.5	75-34-3	T		ppb	1,1-Dichloroethane
8260	2.5	0.5	107-06-2	T		ppb	1,2-Dichloroethane
8260	2.5	0.5	75-35-4	T		ppb	1,1-Dichloroethene
8260	2.5	0.5	156-60-5	T		ppb	Trans 1,2-Dichloroethene
8260	2.5	0.5	78-87-5	T		ppb	1,2-Dichloropropane
8260	2.5	0.5	10061-01-5	T		ppb	cis-1,3-Dichloropropene
8260	2.5	0.5	10061-02-6	T		ppb	trans-1,3-Dichloropropene
8260	2.5	0.5	100-41-4	T		ppb	Ethylbenzene

BOE-C6-0144094

8260	5.0	2.5	75-09-2	T		ppb	Methylene chloride								
8260	2.5	0.5	100-42-5	T		ppb	Styrene								
8260	2.5	0.5	79-34-5	T		ppb	1,1,2,2-Tetrachloroethane								
8260	2.5	0.5	127-18-4	T		ppb	Tetrachloroethene								
8260	2.5	0.5	108-88-3	T		ppb	Toluene								
8260	2.5	0.5	71-55-6	T		ppb	1,1,1-Trichloroethane								
8260	2.5	0.5	79-00-5	T		ppb	1,1,2-Trichloroethane								
8260	2.5	0.5	79-01-6	T		ppb	Trichloroethene								
8260	5.0	0.5	75-69-4	T		ppb	Trichlorofluoromethane								
8260	5.0	1.0	108-05-4	T		ppb	Vinyl acetate								
8260	2.5	0.5	75-01-4	T		ppb	Vinyl chloride								
8260	2.5	1.0	1330-20-7	T		ppb	Total Xylenes								
8260	2.5	0.5	75-71-8	T		ppb	Dichlorodifluoromethane								
8260	2.5	0.5	156-59-2	T		ppb	cis-1-2,-Dichloroethene								
8260	2.5	0.5	594-20-7	T		ppb	2,2-Dichloropropane								
8260	2.5	0.5	74-97-5	T		ppb	Bromochloromethane								
8260	2.5	0.5	563-58-6	T		ppb	1,1-Dichloropropene								
8260	2.5	0.5	74-95-3	T		ppb	Dibromomethane								
8260	2.5	0.5	106-93-4	T		ppb	1,2-Dibromoethane								
8260	2.5	0.5	142-28-9	T		ppb	1,3-Dichloropropane								
8260	2.5	0.5	98-82-8	T		ppb	Isopropylbenzene								
8260	2.5	0.5	79-34-5	T		ppb	1,1,2,2-Tetrachloroethane								
8260	2.5	0.5	96-18-4	T		ppb	1,2,3-Trichloropropane								
8260	2.5	0.5	108-86-1	T		ppb	Bromobenzene								
8260	2.5	0.5	103-65-1	T		ppb	n-Propylbenzene								
8260	2.5	0.5	95-49-8	T		ppb	2-Chlorotoluene								
8260	2.5	0.5	108-67-8	T		ppb	1,3,5-Trimethylbenzene								
8260	2.5	0.5	106-43-4	T		ppb	4-Chlorotoluene								
8260	2.5	0.5	98-06-6	T		ppb	tert-Butylbenzene								
8260	2.5	0.5	95-63-6	T		ppb	1,2,4-Trimethylbenzene								
8260	2.5	0.5	135-98-8	T		ppb	sec-Butylbenzene								
8260	2.5	0.5	99-87-6	T		ppb	4-Isopropyltoluene								
8260	2.5	0.5	541-73-1	T		ppb	1,3-Dichlorobenzene								
8260	2.5	0.5	106-46-7	T		ppb	1,4-Dichlorobenzene								
8260	2.5	0.5	104-51-8	T		ppb	n-Butylbenzene								
8260	2.5	0.5	95-50-1	T		ppb	1,2-Dichlorobenzene								
8260	5.0	1.0	96-12-8	T		ppb	1,2-Dibromo-3-CPA								
8260	2.5	0.5	120-82-1	T		ppb	1,2,4-Trichlorobenzene								
8260	2.5	0.5	87-68-3	T		ppb	Hexachlorobutadiene								
8260	2.5	0.5	91-20-3	T		ppb	Naphthalene								
8260	2.5	0.5	87-61-6	T		ppb	1,2,3-Trichlorobenzene								
					T	%	Dibromofluoromethane								
					T	%	Toluene-d8								
					T	%	4-Bromofluorobenzene								
							Tested	12/18/97						12/18/97	12/18/97
							Dilution Factor	1						1	1
8270	100	5.0	83-32-9	T		ppb	Acenaphthene	130						<	<
8270	100	5.0	208-96-8	T		ppb	Acenaphthylene	<						<	<
8270	100	5.0	62-53-3	T		ppb	Aniline	<						<	<
8270	100	5.0	120-12-7	T		ppb	Anthracene	220						<	<
8270	500	50	65-85-0	T		ppb	Benzoic Acid	<						<	<

BOE-C6-0144095

8270	100	5.0	56-55-3	T		ppb	Benzo (a) anthracene	350						<	<
8270	250	25	205-99-2	T		ppb	Benzo (b) fluoranthene	<						<	<
8270	250	25	207-08-9	T		ppb	Benzo (k) fluoranthene	<						<	<
8270	250	25	191-24-2	T		ppb	Benzo (g,h,i)perylene	<						<	<
8270	250	25	50-32-8	T		ppb	Benzo (a) pyrene	310						<	<
8270	100	50	100-51-6	T		ppb	Benzyl alcohol	<						<	<
8270	100	5.0	111-91-1	T		ppb	Bis(2-chloroethoxy)methane	<						<	<
8270	100	5.0	111-44-4	T		ppb	Bis(2-chloroethyl)ether	<						<	<
8270	100	5.0	39638-32-9	T		ppb	Bis(2-chloroisopropyl)ether	<						<	<
8270	100	3.0	117-81-7	T		ppb	Bis(2-ethylhexyl)phthalate	<						<	<
8270	100	5.0	101-55-3	T		ppb	4-Bromophenyl phenyl ether	<						<	<
8270	100	5.0	85-68-7	T		ppb	Butyl benzyl phthalate	<						<	<
8270	100	5.0	106-47-8	T		ppb	4-Chloroaniline	<						<	<
8270	100	5.0	91-58-7	T		ppb	2-Chloronaphthalene	<						<	<
8270	100	5.0	59-50-7	T		ppb	4-Chloro-3-methylphenol	<						<	<
8270	100	5.0	95-57-8	T		ppb	2-Chlorophenol	<						<	<
8270	100	5.0	7005-72-3	T		ppb	4-Chlorophenyl phenyl ehter	<						<	<
8270	100	5.0	218-0109	T		ppb	Chrysene	620						<	<
8270	100	25	53-70-3	T		ppb	Dibenz(a,h)anthracene	<						<	<
8270	100	5.0	132-64-9	T		ppb	Dibenzofuran	<						<	<
8270	250	5.0	84-74-2	T		ppb	Di-N-butyl phthalate	<						<	<
8270	100	5.0	541-73-1	T		ppb	1,3-Dichlorobenzene	<						<	<
8270	100	5.0	106-46-7	T		ppb	1,4-Dichlorobenzene	<						<	<
8270	100	5.0	95-50-1	T		ppb	1,2-Dichlorobenzene	<						<	<
8270	100	5.0	91-94-1	T		ppb	3,3-Dichlorobenzidine	<						<	<
8270	100	5.0	120-83-2	T		ppb	2,4-Dichlorophenol	<						<	<
8270	100	5.0	84-66-2	T		ppb	Diethyl phthalate	<						<	<
8270	100	5.0	105-67-9	T		ppb	2,4-Dimethylphenol	<						<	<
8270	100	5.0	131-11-3	T		ppb	Dimethyl phthalate	<						<	<
8270	100	50	534-52-1	T		ppb	4,6-Dinitro-2-methylphenol	<						<	<
8270	100	50	51-28-5	T		ppb	2,4-Dinitrophenol	<						<	<
8270	250	5.0	121-14-2	T		ppb	2,4-Dinitrotoluene	<						<	<
8270	250	5.0	606-20-2	T		ppb	2,6-Dinitrotoluene	<						<	<
8270	250	25	117-84-0	T		ppb	Di-N-octyl phthalate	<						<	<
8270	100	5.0	206-44-0	T		ppb	Fluoranthene	190						<	<
8270	100	5.0	86-73-7	T		ppb	Fluorene	210						<	<
8270	100	5.0	118-74-1	T		ppb	Hexachlorobenzene	<						<	<
8270	100	5.0	87-68-3	T		ppb	Hexachlorobutadiene	<						<	<
8270	100	5.0	77-47-4	T		ppb	Hexachlorocyclopentadiene	<						<	<
8270	100	5.0	67-72-1	T		ppb	Hexachloroethane	<						<	<
8270	250	25	193-39-5	T		ppb	Indeno(1,2,3-cd)pyrene	<						<	<
8270	100	5.0	78-59-1	T		ppb	Isophorone	<						<	<
8270	100	5.0	91-57-6	T		ppb	2-Methylnaphthalene	<						<	<
8270	100	5.0	95-48-7	T		ppb	2-Methylphenol	<						<	<
8270	100	5.0	106-44-5	T		ppb	4-Methylphenol	<						<	<
8270	100	5.0	91-20-3	T		ppb	Naphthalene	<						<	<
8270	250	50	88-74-4	T		ppb	2-Nitroaniline	<						<	<
8270	250	50	99-09-2	T		ppb	3-Nitroaniline	<						<	<
8270	250	50	100-01-6	T		ppb	4-Nitroaniline	<						<	<
8270	100	5.0	98-95-3	T		ppb	Nitrobenzene	<						<	<
8270	100	5.0	88-75-5	T		ppb	2-Nitrophenol	<						<	<
8270	100	50	100-02-7	T		ppb	4-Nitrophenol	<						<	<
8270	100	5.0	86-30-6	T		ppb	N-Nitrosodiphenylamine	<						<	<

BOE-C6-0144096

8270	100	5.0	621-64-7	T		ppb	N-Nitroso-di-N-propylamine	<						<	<
8270	100	5.0	62-75-9	T		ppb	N-Nitrosodimethylamine	<						<	<
8270	250	50	87-86-5	T		ppb	Pentachlorophenol	<						<	<
8270	100	5.0	85-01-8	T		ppb	Phenanthrene	230						<	<
8270	100	5.0	108-95-2	T		ppb	Phenol	<						<	<
8270	100	5.0	129-00-0	T		ppb	Pyrene	1800						<	<
8270	100	5.0	120-82-1	T		ppb	1,2,4-Trichlorobenzene	<						<	<
8270	100	5.0	95-95-4	T		ppb	2,4,5-Trichlorophenol	<						<	<
8270	100	5.0	88-06-2	T		ppb	2,4,6-Trichlorophenol	<						<	<
							Tested								
							Dilution Factor								
8080	20	5.0	12674-11-2	T		ppb	PCB-1016								
8080	20	5.0	11104-28-2	T		ppb	PCB-1221								
8080	20	5.0	11141-16-5	T		ppb	PCB-1232								
8080	20	5.0	53469-21-9	T		ppb	PCB-1242								
8080	20	5.0	12672-29-6	T		ppb	PCB-1248								
8080	20	5.0	11097-69-1	T		ppb	PCB-1254								
8080	20	5.0	11096-82-5	T		ppb	PCB-1260								
							Tested								
							Dilution Factor								
8080	1.0	0.1	309-00-2	T		ppb	Aldrin								
8080	1.0	0.2	319-84-6	T		ppb	alpha-BHC								
8080	1.0	0.2	319-85-7	T		ppb	beta-BHC								
8080	2.0	0.2	319-86-8	T		ppb	gamma-BHC								
8080	1.0	0.2	58-89-9	T		ppb	gamma-BHC (Lindane)								
8080	10	0.2	57-74-9	T		ppb	Chlordane								
8080	2.0	0.5	72-54-9	T		ppb	4,4'-DDD								
8080	5.0	0.1	72-55-9	T		ppb	4,4'-DDE								
8080	1.0	0.1	50-29-3	T		ppb	4,4'-DDT								
8080	2.0	0.5	60-57-1	T		ppb	Dieldrin								
8080	1.0	0.5	959-98-8	T		ppb	Endosulfan I								
8080	2.0	0.5	33213-65-9	T		ppb	Endosulfan II								
8080	10	0.5	1031-07-8	T		ppb	Endosulfan sulfate								
8080	2.0	0.02	72-20-8	T		ppb	Endrin								
8080	2.0	0.2	7421-93-4	T		ppb	Endrin aldehyde								
8080	1.0	0.1	76-44-8	T		ppb	Heptachlor								
8080	1.0	0.2	1024-57-3	T		ppb	Heptachlor epoxide								
8080	30	9.0	72-43-5	T		ppb	Methoxychlor								
8080	35	0.5	8001-35-2	T		ppb	Toxaphene								
							Tested								
8015m				T		ppm	Up to & Including C-12								
8015m				T		ppm	C13-22								
8015m				T		ppm	C23 & Higher								
8015m	8.0	0.5		T		ppm	Total								
							Tested								
8015m	8.0	0.5		T		ppm	Diesel								
							Tested								
8015m	5.0	0.05		T		ppm	Gas								

BOE-C6-0144097

MWI 9825

9060	5.0	1.0		T		ppm	*Tested* TOC								
9081	1.0	1.0		T		ppm	*Tested* Cation Exchange Capacity								

(a) QC units for Method 8270 are reported in ng.

BOE-C6-0144098

			QC(S)								QC(W)							
W BF11 EQUIP BLANK 12/17/97 14:50 , N, H Y 12/17/97 15:08 W	W BR11 RINSATE BLANK 12/17/97 14:55 , N, H Y 12/17/97 15:08 W	W BT11 TRIP BLANK 12/17/97 , N, H Y 12/17/97 15:08 W																
97120496	97120497	97120498	LAB SAMP NO.	R1	T CONC	SL[a]	DL[a]	RECOVER	D RECOVER	RPD	LAB SAMP NO.	R1	T CONC	SL[a]	DL[a]	RECOVER	D RECOVER	RPD
12/19/97	12/19/97		12/19/97								12/19/97							
<	<		97120492	0.0	5.0	4.6	4.7	92	94	2	97120496	0.00	3.00	2.92	3.22	97	107	10
<	<		97120492	0.0	5.0	4.7	4.8	94	96	2	97120496	0.00	1.00	1.02	1.10	102	110	8
<	<		97120492	3.9	10.0	13.6	13.8	97	99	1	97120496	0.000	0.100	0.089	0.100	89	100	12
<	<		97120492	0.00	1.00	0.91	0.92	91	92	1	97120496	0.00	0.100	0.10	0.11	99	110	11
<	<		97120492	0.00	1.00	0.97	0.98	97	98	1	97120496	0.00	0.100	0.11	0.12	110	120	8
12/18/97	12/18/97		12/18/97								12/18/97							
<	<		97120492	0.00	1.00	0.93	0.94	93	94	1	97120496	0.00	0.50	0.44	0.46	88	96	9
12/19/97	12/19/97		12/19/97								12/19/97							
<	<		97120492	0.72	1.00	1.58	1.61	86	89	2	97120496	0.00	0.100	0.10	0.11	96	110	14
<	<		97120492	0.38	1.00	1.18	1.20	80	82	2	97120496	0.00	0.100	0.10	0.11	97	110	13
<	<		97120492	0.77	1.00	1.71	1.73	94	96	1	97120496	0.000	0.100	0.098	0.110	98	110	12
<	<		97120492	0.11	1.0	0.91	0.92	80	81	1	97120496	0.00	1.00	0.92	1.02	92	102	10
12/19/97	12/19/97		12/19/97								12/19/97							
<	<		97120495	0.000	0.020	0.021	0.022	105	110	5	OCA 100	0.000	0.020	0.019	0.019	95	95	0
12/19/97	12/19/97		12/19/97								12/19/97							
<	<		97120492	0.0	1.0	1.0	1.0	96	97	1	97120496	0.00	1.00	0.97	1.10	97	110	13
<	<		97120492	0.53	5.00	4.64	4.72	82	84	2	97120496	0.00	0.50	0.49	0.56	98	112	13
<	<		97120492	0.0	5.0	4.0	4.1	80	82	1	97120496	0.00	1.00	0.98	1.10	98	110	12
<	<		97120492	0.0	2.5	2.4	2.4	94	94	0	97120496	0.00	0.50	0.49	0.56	98	112	13
<	<		97120492	0.0	5.0	4.0	4.1	80	81	1	97120496	0.00	3.00	2.97	3.26	99	109	9
<	<		97120492	1.4	5.0	5.7	5.8	86	88	1	97120496	0.00	0.50	0.46	0.52	92	104	12
<	<		97120492	1.5	1.0	2.3	2.3	80	82	1	97120496	0.000	0.100	0.099	0.110	99	110	11

BOE-C6-0144099

		12/22/97								12/19/97									
		1																	
		<								97120522	0.0	20	17	18	85	90	6		
		<																	
		<																	
		<																	
		<																	
		<																	
		<								97120522	0.0	20	15	16	75	80	6		
		<																	
		<																	
		<																	
		<																	
		<																	
		<																	
		<																	
		<								97120522	0.0	20	17	18	85	90	6		
		<																	
		<																	
		<																	
		<																	
		<																	

BOE-C6-0144100

MWI 9825

											97120522	0.0	20	17	19	85	95	11
											97120522	0.0	20	15	16	75	80	6
12/19/97 1 < < < < <	12/19/97 1 < < < < <	< < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < < 99 106 100	12/18/97 97120494	0.0	50	46	44	92	88	4	12/19/97 OCA100	0.0	50	44	44	88	88	0

BOE-C6-0144101

97120494	0.0	100	77	79	77	79	3	OCA100	0.0	100	73	72	73	72	1
97120494	0.0	100	76	79	76	79	4	OCA100	0.0	100	80	81	80	81	1
97120494	0.0	50	42	41	84	82	2	OCA100	0.0	50	34	34	68	68	0

BOE-C6-0144102

<	<		97120494	0.0	50	45	43	90	86	5	OCA100	0.0	50	47	42	94	84	11
<	<																	
<	<		97120494	0.0	100	78	84	78	84	7	OCA100	0.0	100	75	78	75	78	4
<	<																	
<	<		97120494	0.0	100	73	76	73	76	4	OCA100	0.0	100	36	34	36	34	6
<	<		97120494	0.0	50	49	47	98	94	4	OCA100	0.0	50	49	48	98	96	2
<	<		97120494	0.0	50	44	43	88	86	2	OCA100	0.0	50	37	36	74	72	3
<	<																	
<	<																	

BOE-C6-0144103

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532
Tustin, CA 92680
(714) 832-0064, Fax (714) 832-0067

Analysis Request and Chain of Custody Record

Lab Job No: _____
Page 1 of 1

RESULTS DUE BY 9AM, 12/23/97
REQUIRED TAT: STANDARD TAT ON WATER

CUSTOMER INFORMATION	PROJECT INFORMATION
COMPANY: Montgomery Watson	PROJECT NAME: The Boeing Company
SEND REPORT TO: Fred Strauss	NUMBER: 1206035.01090010
ADDRESS: 250 N Madison	LOCATION: C-6 facility.
Pasadena, CA 91101	ADDRESS: 19503 S Normandie Ave. Los Angeles, CA 90501
PHONE (626) 568-6582 FAX: (626) 796-5941	SAMPLED BY: IV / CW / AN

SAMPLE ID	NO. OF CONTAINERS	SAMPLE DATE	SAMPLE TIME	SAMPLE MATRIX	CONTAINER TYPE	PRES.	TRPH 418.1	Title 22 Metals	VOCs 8260	SVOCs 8270	PCBs 8080	Pesticides 8080	REMARKS/PRECAUTIONS
B41-GS-14-5'	2	12/17/97	0840	SOIL	2"x6" sleeve	ICE		X		X			
B37C1-GS-8-6'	2		0850					X					
B37C2-GS-8-6'	2		0905					X					
B37C2-GS-7-6'	2		0920					X					
B66AC1-GS-3-12'	2		1015					X					
OA2-GS-4-9'	2		1125					X					
PL-GS-20-6'	2		1145							X			
PL-GS-21-5'	2		1150					X		X			
EQUIPMENT BLANK	2		1450	WATER	1 poly 1 amber	HNO3 none		X		X			
RINSATE BLANK	2		1455					X		X			
TRIP BLANK	2		—		2 VOAs	HCl			X				

Total No. of Samples: 11

Method of Shipment: Orange Coast Analytical Courier

Relinquished By:	Date/Time:	Received By:	Date/Time:
Christopher Wong	12/17/97 1508		
Relinquished By:	Date/Time:	Received By:	Date/Time:
Relinquished By:	Date/Time:	Received For Lab By: [signature]	Date/Time: 12/17/97 15:08

Reporting Format: (check)
NORMAL _____ S.D. HMMD _____
RWQCB _____ OTHER _____

Sample Integrity: (check)
intact _____ on ice _____

All samples remain the property of the client who is responsible f[illegible]posal. A disposal fee may be imposed if client fails to pickup samples.

BOE-C6-0144104