ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035.01090010

Analysis Method: 418.1

Sample Description: Soil,

Laboratory Reference #: MWI 9373

Sampled: 07/23/97
Received: 07/23/97
Analyzed: 07/24/97
Reported: 07/24/97

TOTAL RECOVERABLE PETROLEUM HYDROCARBONS

Laboratory Sample Sumber	*Client Sample Number*	*Extractable Hydrocarbons mg/kg (ppm)*
97070386	OA1-GS-33-4'	N.D.
97070387	OA1-GS-34-12'	N.D.
97070388	OA1-GS-35-12'	N.D.
97070389	OA1-GS-36-12'	N.D.
97070390	OA1-GS-37-6'	N.D.
97070391	OA1-GS-38-3'	N.D.
97070392	OA1-GS-39-6'	N.D.
97070393	OA1-GS-40-6'	25
97070394	OA1-GS-41-6'	N.D.
97070395	OA1-GS-42-6'	N.D.
97070396	OA1-RE4-SP3	63

Detection Limit:	8.0

Analytes reported as N.D. were not present above the stated limit of detection.

ORANGE COAST ANALYTICAL

Mark Noorani
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035.01090010

Sample Description: Soil, OA1-GS-41-6'

Sampled: 07/23/97
Received: 07/23/97
Analyzed: 07/24/97
Reported: 07/31/97

Laboratory Sample Number: 97070394
Laboratory Reference #: MWI 9373

CCR - METALS

Analyte	*EPA Method*	*STLC Limits mg/l*	*TTLC Limits mg/kg*	*Detection Limit mg/kg*	*Analysis Result mg/kg*	
Antimony	6010	15	500	5.0	N.D.	
Arsenic	6010	5.0	500	1.0	N.D.	
Barium	6010	100	10000	0.1	93	<---
Beryllium	6010	0.75	75	0.1	N.D.	
Cadmium	6010	1.0	100	0.1	N.D.	
Chromium (VI)	7196	5.0	500	0.5	N.D.	
Chromium Total	6010	560	2500	0.05	23	<---
Cobalt	6010	80	8000	0.5	6.8	<---
Copper	6010	25	2500	0.1	9.0	<---
Lead	6010	5.0	1000	1.0	N.D.	
Mercury	7471	0.2	20	0.01	N.D.	
Molybdenum	6010	350	3500	0.5	N.D.	
Nickel	6010	20	2000	0.5	8.8	<---
Selenium	6010	1.0	100	1.0	N.D.	
Silver	6010	5.0	500	0.1	N.D.	
Thallium	6010	7.0	700	5.0	N.D.	
Vanadium	6010	24	2400	0.5	27	<---
Zinc	6010	250	5000	0.1	31	<---

Analytes reported as N.D. were not present above the stated limit of detection.

ORANGE COAST ANALYTICAL

Mark Noorani
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035.01090010

Sample Description: Soil, OA1-GS-42-6'

Sampled: 07/23/97
Received: 07/23/97
Analyzed: 07/24/97
Reported: 07/31/97

Laboratory Sample Number: 97070395
Laboratory Reference #: MWI 9373

CCR - METALS

Analyte	*EPA Method*	*STLC Limits mg/l*	*TTLC Limits mg/kg*	*Detection Limit mg/kg*	*Analysis Result mg/kg*	
Antimony	6010	15	500	5.0	N.D.	
Arsenic	6010	5.0	500	1.0	N.D.	
Barium	6010	100	10000	0.1	92	<---
Beryllium	6010	0.75	75	0.1	N.D.	
Cadmium	6010	1.0	100	0.1	N.D.	
Chromium (VI)	7196	5.0	500	0.5	N.D.	
Chromium Total	6010	560	2500	0.05	26	<---
Cobalt	6010	80	8000	0.5	4.9	<---
Copper	6010	25	2500	0.1	9.9	<---
Lead	6010	5.0	1000	1.0	N.D.	
Mercury	7471	0.2	20	0.01	N.D.	
Molybdenum	6010	350	3500	0.5	N.D.	
Nickel	6010	20	2000	0.5	8.5	<---
Selenium	6010	1.0	100	1.0	N.D.	
Silver	6010	5.0	500	0.1	N.D.	
Thallium	6010	7.0	700	5.0	N.D.	
Vanadium	6010	24	2400	0.5	30	<---
Zinc	6010	250	5000	0.1	34	<---

Analytes reported as N.D. were not present above the stated limit of detection.

ORANGE COAST ANALYTICAL

Mark Noorani
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035.01090010

Sample Description: Soil, OA1-GS-41-6'
Laboratory Sample Number: 97070394
Laboratory Reference #: MWI 9373

Sampled: 07/23/97
Received: 07/23/97
Analyzed: 07/28/97
Reported: 08/01/97

VOLATILE ORGANICS BY GC/MS (EPA 8260)

ANALYTE	*CAS NUMBER*	*DETECTION Limit (ug/kg)*	*SAMPLE RESULTS (ug/kg)*	
Benzene	71-43-2	2.5	N.D.	
Bromodichloromethane	75-27-4	2.5	N.D.	
Bromoform	75-25-2	2.5	N.D.	
Bromomethane	74-83-9	2.5	N.D.	
Carbon Disulfide	75-15-0	5.0	N.D.	
Carbon tetrachloride	56-23-5	2.5	N.D.	
Chlorobenzene	108-90-7	2.5	N.D.	
Chlorodibromomethane	124-48-1	2.5	N.D.	
Chloroethane	75-00-3	2.5	N.D.	
2-Chloroethyl vinyl ether	110-75-8	5.0	N.D.	
Chloroform	67-66-3	2.5	N.D.	
Chloromethane	74-87-3	2.5	N.D.	
1,1-Dichloroethane	75-34-3	2.5	N.D.	
1,2-Dichloroethane	107-06-2	2.5	N.D.	
1,1-Dichloroethene	75-35-4	2.5	N.D.	
Trans 1,2-Dichloroethene	156-60-5	2.5	N.D.	
1,2-Dichloropropane	78-87-5	2.5	N.D.	
cis-1,3-Dichloropropene	10061-01-5	2.5	N.D.	
trans-1,3-Dichloropropene	10061-02-6	2.5	N.D.	
Ethylbenzene	100-41-4	2.5	N.D.	
Methylene chloride	75-09-2	5.0	N.D.	
Styrene	100-42-5	2.5	N.D.	
1,1,2,2-Tetrachloroethane	79-34-5	2.5	N.D.	
Tetrachloroethene	127-18-4	2.5	N.D.	
Toluene	108-88-3	2.5	N.D.	
1,1,1-Trichloroethane	71-55-6	2.5	N.D.	
1,1,2-Trichloroethane	79-00-5	2.5	N.D.	
Trichloroethene	79-01-6	2.5	2.6	<---
Trichlorofluoromethane	75-69-4	5.0	N.D.	
Vinyl acetate	108-05-4	5.0	N.D.	
Vinyl chloride	75-01-4	2.5	N.D.	
Total Xylenes	1330-20-7	2.5	N.D.	
Dichlorodifluoromethane	75-71-8	2.5	N.D.	
cis-1-2,-Dichloroethene	156-59-2	2.5	N.D.	
2,2-Dichloropropane	594-20-7	2.5	N.D.	
Bromochloromethane	74-97-5	2.5	N.D.	
1,1-Dichloropropene	563-58-6	2.5	N.D.	
Dibromomethane	74-95-3	2.5	N.D.	
1,2-Dibromoethane	106-93-4	2.5	N.D.	

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

VOLATILE ORGANICS BY GC/MS (EPA 8260) (continued)

Sample Description: Soil, OA1-GS-41-6'
Laboratory Sample #: 97070394

ANALYTE	*CAS NUMBER*	*DETECTION Limit (ug/kg)*	*SAMPLE RESULTS (ug/kg)*
1,3-Dichloropropane	142-28-9	2.5	N.D.
Isopropylbenzene	98-82-8	2.5	N.D.
1,1,2,2-Tetrachloroethane	79-34-5	2.5	N.D.
1,2,3-Trichloropropane	96-18-4	2.5	N.D.
Bromobenzene	108-86-1	2.5	N.D.
n-Propylbenzene	103-65-1	2.5	N.D.
2-Chlorotoluene	95-49-8	2.5	N.D.
1,3,5-Trimethylbenzene	108-67-8	2.5	N.D.
4-Chlorotoluene	106-43-4	2.5	N.D.
tert-Butylbenzene	98-06-6	2.5	N.D.
1,2,4-Trimethylbenzene	95-63-6	2.5	N.D.
sec-Butylbenzene	135-98-8	2.5	N.D.
4-Isopropyltoluene	99-87-6	2.5	N.D.
1,3-Dichlorobenzene	541-73-1	2.5	N.D.
1,4-Dichlorobenzene	106-46-7	2.5	N.D.
n-Butylbenzene	104-51-8	2.5	N.D.
1,2-Dichlorobenzene	95-50-1	2.5	N.D.
1,2-Dibromo-3-CPA	96-12-8	5.0	N.D.
1,2,4-Trichlorobenzene	120-82-1	2.5	N.D.
Hexachlorobutadiene	87-68-3	2.5	N.D.
Naphthalene	91-20-3	2.5	N.D.
1,2,3-Trichlorobenzene	87-61-6	2.5	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

Orange Coast Analytical

Mark Noorani
Laboratory Director

Surrogate Recoveries %

Dibromofluoromethane	85
Toluene-d8	96
4-Bromofluorobenzene	88

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035.01090010

Sample Description: Soil, OA1-GS-41-6'
Laboratory Sample Number: 97070394
Laboratory Reference #: MWI 9373

Sampled: 07/23/97
Received: 07/23/97
Analyzed: 07/25/97
Reported: 07/31/97

SEMI VOLATILE ORGANICS BY GC/MS (EPA 8270)

ANALYTE	*CAS NUMBER*	*DETECTION Limit (ug/kg)*	*SAMPLE RESULTS (ug/kg)*
Acenaphthene	83-32-9	100	N.D.
Acenaphthylene	208-96-8	100	N.D.
Aniline	62-53-3	100	N.D.
Anthracene	120-12-7	100	N.D.
Benzoic Acid	65-85-0	500	N.D.
Benzo (a) anthracene	56-55-3	100	N.D.
Benzo (b) fluoranthene	205-99-2	250	N.D.
Benzo (k) fluoranthene	207-08-9	250	N.D.
Benzo (g,h,i)perylene	191-24-2	250	N.D.
Benzo (a) pyrene	50-32-8	250	N.D.
Benzyl alcohol	100-51-6	100	N.D.
Bis(2-chloroethoxy)methane	111-91-1	100	N.D.
Bis(2-chloroethyl)ether	111-44-4	100	N.D.
Bis(2-chloroisopropyl)ether	39638-32-9	100	N.D.
Bis(2-ethylhexyl)phthalate	117-81-7	100	N.D.
4-Bromophenyl phenyl ether	101-55-3	100	N.D.
Butyl benzyl phthalate	85-68-7	100	N.D.
4-Chloroaniline	106-47-8	100	N.D.
2-Chloronaphthalene	91-58-7	100	N.D.
4-Chloro-3-methylphenol	59-50-7	100	N.D.
2-Chlorophenol	95-57-8	100	N.D.
4-Chlorophenyl phenyl ehter	7005-72-3	100	N.D.
Chrysene	218-0109	100	N.D.
Dibenz(a,h)anthracene	53-70-3	100	N.D.
Dibenzofuran	132-64-9	100	N.D.
Di-N-butyl phthalate	84-74-2	250	N.D.
1,3-Dichlorobenzene	541-73-1	100	N.D.
1,4-Dichlorobenzene	106-46-7	100	N.D.
1,2-Dichlorobenzene	95-50-1	100	N.D.
3,3-Dichlorobenzidine	91-94-1	100	N.D.
2,4-Dichlorophenol	120-83-2	100	N.D.
Diethyl phthalate	84-66-2	100	N.D.
2,4-Dimethylphenol	105-67-9	100	N.D.
Dimethyl phthalate	131-11-3	100	N.D.
4,6-Dinitro-2-methylphenol	534-52-1	100	N.D.
2,4-Dinitrophenol	51-28-5	100	N.D.
2,4-Dinitrotoluene	121-14-2	250	N.D.
2,6-Dinitrotoluene	606-20-2	250	N.D.
Di-N-octyl phthalate	117-84-0	250	N.D.

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

SEMI-VOLATILE ORGANICS BY GC/MS (EPA 8270) (continued)

Sample Description: Soil, OA1-GS-41-6'
Laboratory Sample #: 97070394

ANALYTE	*CAS NUMBER*	*DETECTION Limit (ug/kg)*	*SAMPLE RESULTS (ug/kg)*
Fluoranthene	206-44-0	100	N.D.
Fluorene	86-73-7	100	N.D.
Hexachlorobenzene	118-74-1	100	N.D.
Hexachlorobutadiene	87-68-3	100	N.D.
Hexachlorocyclopentadiene	77-47-4	100	N.D.
Hexachloroethane	67-72-1	100	N.D.
Indeno(1,2,3-cd)pyrene	193-39-5	250	N.D.
Isophorone	78-59-1	100	N.D.
2-Methylnaphthalene	91-57-6	100	N.D.
2-Methylphenol	95-48-7	100	N.D.
4-Methylphenol	106-44-5	100	N.D.
Naphthalene	91-20-3	100	N.D.
2-Nitroaniline	88-74-4	250	N.D.
3-Nitroaniline	99-09-2	250	N.D.
4-Nitroaniline	100-01-6	250	N.D.
Nitrobenzene	98-95-3	100	N.D.
2-Nitrophenol	88-75-5	100	N.D.
4-Nitrophenol	100-02-7	100	N.D.
N-Nitrosodiphenylamine	86-30-6	100	N.D.
N-Nitroso-di-N-propylamine	621-64-7	100	N.D.
N-Nitrosodimethylamine	62-75-9	100	N.D.
Pentachlorophenol	87-86-5	250	N.D.
Phenanthrene	85-01-8	100	N.D.
Phenol	108-95-2	100	N.D.
Pyrene	129-00-0	100	N.D.
1,2,4-Trichlorobenzene	120-82-1	100	N.D.
2,4,5-Trichlorophenol	95-95-4	100	N.D.
2,4,6-Trichlorophenol	88-06-2	100	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

Orange Coast Analytical

Mark Noorani
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035.01090010

Analysis Method: 418.1

Sample Description: Water,

Laboratory Reference #: MWI 9373

Sampled: 07/23/97
Received: 07/23/97
Analyzed: 07/25/97
Reported: 07/31/97

TOTAL RECOVERABLE PETROLEUM HYDROCARBONS

Laboratory Sample Number	*Client Sample Number*	*Extractable Hydrocarbons mg/l (ppm)*
97070397	Equip Blank	N.D.
97070398	Rinsate Blank	N.D.
Detection Limit:		0.5

Analyte reported as N.D. was not present above the stated limit of detection.

ORANGE COAST ANALYTICAL

Mark Noorani
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035.01090010

Sample Description: Water, Equip Blank

Sampled: 07/23/97
Received: 07/23/97
Analyzed: 07/24/97
Reported: 07/31/97

Laboratory Sample Number: 97070397
Laboratory Reference #: MWI 9373

CCR - METALS

Analyte	*EPA Method*	*Detection Limit mg/l*	*Analysis Result mg/l*
Antimony	6010	0.5	N.D.
Arsenic	6010	0.1	N.D.
Barium	6010	0.01	N.D.
Beryllium	6010	0.01	N.D.
Cadmium	6010	0.01	N.D.
Chromium (VI)	7196	0.01	N.D.
Chromium Total	6010	0.01	N.D.
Cobalt	6010	0.05	N.D.
Copper	6010	0.01	N.D.
Lead	6010	0.1	N.D.
Mercury	7471	0.002	N.D.
Molybdenum	6010	0.1	N.D.
Nickel	6010	0.05	N.D.
Selenium	6010	0.1	N.D.
Silver	6010	0.05	N.D.
Thallium	6010	0.5	N.D.
Vanadium	6010	0.1	N.D.
Zinc	6010	0.01	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

ORANGE COAST ANALYTICAL

Mark Noorani
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035.01090010

Sample Description: Water, Rinsate Blank

Sampled: 07/23/97
Received: 07/23/97
Analyzed: 07/24/97
Reported: 07/31/97

Laboratory Sample Number: 97070398
Laboratory Reference #: MWI 9373

CCR - METALS

Analyte	*EPA Method*	*Detection Limit mg/l*	*Analysis Result mg/l*
Antimony	6010	0.5	N.D.
Arsenic	6010	0.1	N.D.
Barium	6010	0.01	N.D.
Beryllium	6010	0.01	N.D.
Cadmium	6010	0.01	N.D.
Chromium (VI)	7196	0.01	N.D.
Chromium Total	6010	0.01	N.D.
Cobalt	6010	0.05	N.D.
Copper	6010	0.01	N.D.
Lead	6010	0.1	N.D.
Mercury	7471	0.002	N.D.
Molybdenum	6010	0.1	N.D.
Nickel	6010	0.05	N.D.
Selenium	6010	0.1	N.D.
Silver	6010	0.05	N.D.
Thallium	6010	0.5	N.D.
Vanadium	6010	0.1	N.D.
Zinc	6010	0.01	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

ORANGE COAST ANALYTICAL

Mark Noorani
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035.01090010

Sample Description: Water, Equip Blank
Laboratory Sample Number: 97070397
Laboratory Reference #: MWI 9373

Sampled: 07/23/97
Received: 07/23/97
Analyzed: 07/29/97
Reported: 07/31/97

VOLATILE ORGANICS BY GC/MS (EPA 8260)

ANALYTE	*CAS NUMBER*	*DETECTION Limit (ug/l)*	*SAMPLE RESULTS (ug/l)*
Benzene	71-43-2	0.5	N.D.
Bromodichloromethane	75-27-4	0.5	N.D.
Bromoform	75-25-2	0.5	N.D.
Bromomethane	74-83-9	1.0	N.D.
Carbon Disulfide	75-15-0	0.5	N.D.
Carbon tetrachloride	56-23-5	0.5	N.D.
Chlorobenzene	108-90-7	0.5	N.D.
Chlorodibromomethane	124-48-1	0.5	N.D.
Chloroethane	75-00-3	0.5	N.D.
2-Chloroethyl vinyl ether	110-75-8	0.5	N.D.
Chloroform	67-66-3	0.5	N.D.
Chloromethane	74-87-3	0.5	N.D.
1,1-Dichloroethane	75-34-3	0.5	N.D.
1,2-Dichloroethane	107-06-2	0.5	N.D.
1,1-Dichloroethene	75-35-4	0.5	N.D.
Trans 1,2-Dichloroethene	156-60-5	0.5	N.D.
1,2-Dichloropropane	78-87-5	0.5	N.D.
cis-1,3-Dichloropropene	10061-01-5	0.5	N.D.
trans-1,3-Dichloropropene	10061-02-6	0.5	N.D.
Ethylbenzene	100-41-4	0.5	N.D.
Methylene chloride	75-09-2	2.5	N.D.
Styrene	100-42-5	0.5	N.D.
1,1,2,2-Tetrachloroethane	79-34-5	0.5	N.D.
Tetrachloroethene	127-18-4	0.5	N.D.
Toluene	108-88-3	0.5	N.D.
1,1,1-Trichloroethane	71-55-6	0.5	N.D.
1,1,2-Trichloroethane	79-00-5	0.5	N.D.
Trichloroethene	79-01-6	0.5	N.D.
Trichlorofluoromethane	75-69-4	0.5	N.D.
Vinyl acetate	108-05-4	1.0	N.D.
Vinyl chloride	75-01-4	0.5	N.D.
Total Xylenes	1330-20-7	1.0	N.D.
Dichlorodifluoromethane	75-71-8	0.5	N.D.
cis-1-2,-Dichloroethene	156-59-2	0.5	N.D.
2,2-Dichloropropane	594-20-7	0.5	N.D.
Bromochloromethane	74-97-5	0.5	N.D.
1,1-Dichloropropene	563-58-6	0.5	N.D.
Dibromomethane	74-95-3	0.5	N.D.
1,2-Dibromoethane	106-93-4	0.5	N.D.

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

VOLATILE ORGANICS BY GC/MS (EPA 8260) (continued)

Sample Description: Water, Equip Blank
Laboratory Sample #: 97070397

ANALYTE	*CAS NUMBER*	*DETECTION Limit (ug/l)*	*SAMPLE RESULTS (ug/l)*
1,3-Dichloropropane	142-28-9	0.5	N.D.
Isopropylbenzene	98-82-8	0.5	N.D.
1.1.2.2-Tetrachloroethane	79-34-5	0.5	N.D.
1,2,3-Trichloropropane	96-18-4	0.5	N.D.
Bromobenzene	108-86-1	0.5	N.D.
n-Propylbenzene	103-65-1	0.5	N.D.
2-Chlorotoluene	95-49-8	0.5	N.D.
1,3,5-Trimethylbenzene	108-67-8	0.5	N.D.
4-Chlorotoluene	106-43-4	0.5	N.D.
tert-Butylbenzene	98-06-6	0.5	N.D.
1,2,4-Trimethylbenzene	95-63-6	0.5	N.D.
sec-Butylbenzene	135-98-8	0.5	N.D.
4-Isopropyltoluene	99-87-6	0.5	N.D.
1,3-Dichlorobenzene	541-73-1	0.5	N.D.
1,4-Dichlorobenzene	106-46-7	0.5	N.D.
n-Butylbenzene	104-51-8	0.5	N.D.
1,2-Dichlorobenzene	95-50-1	0.5	N.D.
1-2-Dibromo-3-CPA	96-12-8	1.0	N.D.
1,2,4-Trichlorobenzene	120-82-1	0.5	N.D.
Hexachlorobutadiene	87-68-3	0.5	N.D.
Naphthalene	91-20-3	0.5	N.D.
1,2,3-Trichlorobenzene	87-61-6	0.5	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

Orange Coast Analytical

Mark Noorani
Laboratory Director

Surrogate Recoveries	%
Dibromofluoromethane	86
Toluene-d8	94
4-Bromofluorobenzene	90

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035.01090010

Sample Description: Water, Rinsate Blank
Laboratory Sample Number: 97070398
Laboratory Reference #: MWI 9373

Sampled: 07/23/97
Received: 07/23/97
Analyzed: 07/29/97
Reported: 07/31/97

VOLATILE ORGANICS BY GC/MS (EPA 8260)

ANALYTE	*CAS NUMBER*	*DETECTION Limit (ug/l)*	*SAMPLE RESULTS (ug/l)*
Benzene	71-43-2	0.5	N.D.
Bromodichloromethane	75-27-4	0.5	N.D.
Bromoform	75-25-2	0.5	N.D.
Bromomethane	74-83-9	1.0	N.D.
Carbon Disulfide	75-15-0	0.5	N.D.
Carbon tetrachloride	56-23-5	0.5	N.D.
Chlorobenzene	108-90-7	0.5	N.D.
Chlorodibromomethane	124-48-1	0.5	N.D.
Chloroethane	75-00-3	0.5	N.D.
2-Chloroethyl vinyl ether	110-75-8	0.5	N.D.
Chloroform	67-66-3	0.5	N.D.
Chloromethane	74-87-3	0.5	N.D.
1,1-Dichloroethane	75-34-3	0.5	N.D.
1,2-Dichloroethane	107-06-2	0.5	N.D.
1,1-Dichloroethene	75-35-4	0.5	N.D.
Trans 1,2-Dichloroethene	156-60-5	0.5	N.D.
1,2-Dichloropropane	78-87-5	0.5	N.D.
cis-1,3-Dichloropropene	10061-01-5	0.5	N.D.
trans-1,3-Dichloropropene	10061-02-6	0.5	N.D.
Ethylbenzene	100-41-4	0.5	N.D.
Methylene chloride	75-09-2	2.5	N.D.
Styrene	100-42-5	0.5	N.D.
1,1,2,2-Tetrachloroethane	79-34-5	0.5	N.D.
Tetrachloroethene	127-18-4	0.5	N.D.
Toluene	108-88-3	0.5	N.D.
1,1,1-Trichloroethane	71-55-6	0.5	N.D.
1,1,2-Trichloroethane	79-00-5	0.5	N.D.
Trichloroethene	79-01-6	0.5	N.D.
Trichlorofluoromethane	75-69-4	0.5	N.D.
Vinyl acetate	108-05-4	1.0	N.D.
Vinyl chloride	75-01-4	0.5	N.D.
Total Xylenes	1330-20-7	1.0	N.D.
Dichlorodifluoromethane	75-71-8	0.5	N.D.
cis-1-2,-Dichloroethene	156-59-2	0.5	N.D.
2,2-Dichloropropane	594-20-7	0.5	N.D.
Bromochloromethane	74-97-5	0.5	N.D.
1,1-Dichloropropene	563-58-6	0.5	N.D.
Dibromomethane	74-95-3	0.5	N.D.
1,2-Dibromoethane	106-93-4	0.5	N.D.

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

VOLATILE ORGANICS BY GC/MS (EPA 8260) (continued)

Sample Description: Water, Rinsate Blank
Laboratory Sample #: 97070398

ANALYTE	*CAS NUMBER*	*DETECTION Limit (ug/l)*	*SAMPLE RESULTS (ug/l)*
1,3-Dichloropropane	142-28-9	0.5	N.D.
Isopropylbenzene	98-82-8	0.5	N.D.
1.1.2.2-Tetrachloroethane	79-34-5	0.5	N.D.
1,2,3-Trichloropropane	96-18-4	0.5	N.D.
Bromobenzene	108-86-1	0.5	N.D.
n-Propylbenzene	103-65-1	0.5	N.D.
2-Chlorotoluene	95-49-8	0.5	N.D.
1,3,5-Trimethylbenzene	108-67-8	0.5	N.D.
4-Chlorotoluene	106-43-4	0.5	N.D.
tert-Butylbenzene	98-06-6	0.5	N.D.
1,2,4-Trimethylbenzene	95-63-6	0.5	N.D.
sec-Butylbenzene	135-98-8	0.5	N.D.
4-Isopropyltoluene	99-87-6	0.5	N.D.
1,3-Dichlorobenzene	541-73-1	0.5	N.D.
1,4-Dichlorobenzene	106-46-7	0.5	N.D.
n-Butylbenzene	104-51-8	0.5	N.D.
1,2-Dichlorobenzene	95-50-1	0.5	N.D.
1-2-Dibromo-3-CPA	96-12-8	1.0	N.D.
1,2,4-Trichlorobenzene	120-82-1	0.5	N.D.
Hexachlorobutadiene	87-68-3	0.5	N.D.
Naphthalene	91-20-3	0.5	N.D.
1,2,3-Trichlorobenzene	87-61-6	0.5	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

Orange Coast Analytical

Mark Noorani
Laboratory Director

Surrogate Recoveries	%
Dibromofluoromethane	87
Toluene-d8	94
4-Bromofluorobenzene	90

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035.01090010

Sample Description: Water, Trip Blank
Laboratory Sample Number: 97070399
Laboratory Reference #: MWI 9373

Sampled: 07/23/97
Received: 07/23/97
Analyzed: 07/29/97
Reported: 07/31/97

VOLATILE ORGANICS BY GC/MS (EPA 8260)

ANALYTE	*CAS NUMBER*	*DETECTION Limit (ug/l)*	*SAMPLE RESULTS (ug/l)*
Benzene	71-43-2	0.5	N.D.
Bromodichloromethane	75-27-4	0.5	N.D.
Bromoform	75-25-2	0.5	N.D.
Bromomethane	74-83-9	1.0	N.D.
Carbon Disulfide	75-15-0	0.5	N.D.
Carbon tetrachloride	56-23-5	0.5	N.D.
Chlorobenzene	108-90-7	0.5	N.D.
Chlorodibromomethane	124-48-1	0.5	N.D.
Chloroethane	75-00-3	0.5	N.D.
2-Chloroethyl vinyl ether	110-75-8	0.5	N.D.
Chloroform	67-66-3	0.5	N.D.
Chloromethane	74-87-3	0.5	N.D.
1,1-Dichloroethane	75-34-3	0.5	N.D.
1,2-Dichloroethane	107-06-2	0.5	N.D.
1,1-Dichloroethene	75-35-4	0.5	N.D.
Trans 1,2-Dichloroethene	156-60-5	0.5	N.D.
1,2-Dichloropropane	78-87-5	0.5	N.D.
cis-1,3-Dichloropropene	10061-01-5	0.5	N.D.
trans-1,3-Dichloropropene	10061-02-6	0.5	N.D.
Ethylbenzene	100-41-4	0.5	N.D.
Methylene chloride	75-09-2	2.5	N.D.
Styrene	100-42-5	0.5	N.D.
1,1,2,2-Tetrachloroethane	79-34-5	0.5	N.D.
Tetrachloroethene	127-18-4	0.5	N.D.
Toluene	108-88-3	0.5	N.D.
1,1,1-Trichloroethane	71-55-6	0.5	N.D.
1,1,2-Trichloroethane	79-00-5	0.5	N.D.
Trichloroethene	79-01-6	0.5	N.D.
Trichlorofluoromethane	75-69-4	0.5	N.D.
Vinyl acetate	108-05-4	1.0	N.D.
Vinyl chloride	75-01-4	0.5	N.D.
Total Xylenes	1330-20-7	1.0	N.D.
Dichlorodifluoromethane	75-71-8	0.5	N.D.
cis-1-2,-Dichloroethene	156-59-2	0.5	N.D.
2,2-Dichloropropane	594-20-7	0.5	N.D.
Bromochloromethane	74-97-5	0.5	N.D.
1,1-Dichloropropene	563-58-6	0.5	N.D.
Dibromomethane	74-95-3	0.5	N.D.
1,2-Dibromoethane	106-93-4	0.5	N.D.

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

VOLATILE ORGANICS BY GC/MS (EPA 8260) (continued)

Sample Description: Water, Trip Blank
Laboratory Sample #: 97070399

ANALYTE	CAS NUMBER	DETECTION Limit (ug/l)	SAMPLE RESULTS (ug/l)
1,3-Dichloropropane	142-28-9	0.5	N.D.
Isopropylbenzene	98-82-8	0.5	N.D.
1.1.2.2-Tetrachloroethane	79-34-5	0.5	N.D.
1,2,3-Trichloropropane	96-18-4	0.5	N.D.
Bromobenzene	108-86-1	0.5	N.D.
n-Propylbenzene	103-65-1	0.5	N.D.
2-Chlorotoluene	95-49-8	0.5	N.D.
1,3,5-Trimethylbenzene	108-67-8	0.5	N.D.
4-Chlorotoluene	106-43-4	0.5	N.D.
tert-Butylbenzene	98-06-6	0.5	N.D.
1,2,4-Trimethylbenzene	95-63-6	0.5	N.D.
sec-Butylbenzene	135-98-8	0.5	N.D.
4-Isopropyltoluene	99-87-6	0.5	N.D.
1,3-Dichlorobenzene	541-73-1	0.5	N.D.
1,4-Dichlorobenzene	106-46-7	0.5	N.D.
n-Butylbenzene	104-51-8	0.5	N.D.
1,2-Dichlorobenzene	95-50-1	0.5	N.D.
1-2-Dibromo-3-CPA	96-12-8	1.0	N.D.
1,2,4-Trichlorobenzene	120-82-1	0.5	N.D.
Hexachlorobutadiene	87-68-3	0.5	N.D.
Naphthalene	91-20-3	0.5	N.D.
1,2,3-Trichlorobenzene	87-61-6	0.5	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

Orange Coast Analytical

Mark Noorani
Laboratory Director

Surrogate Recoveries	%
Dibromofluoromethane	89
Toluene-d8	95
4-Bromofluorobenzene	89

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035.01090010

Sample Description: Water, Equip Blank
Laboratory Sample Number: 97070397
Laboratory Reference #: MWI 9373

Sampled: 07/23/97
Received: 07/23/97
Analyzed: 07/29/97
Reported: 07/31/97

SEMI VOLATILE ORGANICS BY GC/MS (EPA 8270)

ANALYTE	*CAS NUMBER*	*DETECTION Limit (ug/l)*	*SAMPLE RESULTS (ug/l)*
Acenaphthene	83-32-9	5.0	N.D.
Acenaphthylene	208-96-8	5.0	N.D.
Aniline	62-53-3	5.0	N.D.
Anthracene	120-12-7	5.0	N.D.
Benzoic Acid	65-85-0	50	N.D.
Benzo (a) anthracene	56-55-3	5.0	N.D.
Benzo (b) fluoranthene	205-99-2	25	N.D.
Benzo (k) fluoranthene	207-08-9	25	N.D.
Benzo (g,h,i)perylene	191-24-2	25	N.D.
Benzo (a) pyrene	50-32-8	25	N.D.
Benzyl alcohol	100-51-6	50	N.D.
Bis(2-chloroethoxy)methane	111-91-1	5.0	N.D.
Bis(2-chloroethyl)ether	111-44-4	5.0	N.D.
Bis(2-chloroisopropyl)ether	39638-32-9	5.0	N.D.
Bis(2-ethylhexyl)phthalate	117-81-7	3.0	N.D.
4-Bromophenyl phenyl ether	101-55-3	5.0	N.D.
Butyl benzyl phthalate	85-68-7	5.0	N.D.
4-Chloroaniline	106-47-8	5.0	N.D.
2-Chloronaphthalene	91-58-7	5.0	N.D.
4-Chloro-3-methylphenol	59-50-7	5.0	N.D.
2-Chlorophenol	95-57-8	5.0	N.D.
4-Chlorophenyl phenyl ehter	7005-72-3	5.0	N.D.
Chrysene	218-0109	5.0	N.D.
Dibenz(a,h)anthracene	53-70-3	25	N.D.
Dibenzofuran	132-64-9	5.0	N.D.
Di-N-butyl phthalate	84-74-2	5.0	N.D.
1,3-Dichlorobenzene	541-73-1	5.0	N.D.
1,4-Dichlorobenzene	106-46-7	5.0	N.D.
1,2-Dichlorobenzene	95-50-1	5.0	N.D.
3,3-Dichlorobenzidine	91-94-1	5.0	N.D.
2,4-Dichlorophenol	120-83-2	5.0	N.D.
Diethyl phthalate	84-66-2	5.0	N.D.
2,4-Dimethylphenol	105-67-9	5.0	N.D.
Dimethyl phthalate	131-11-3	5.0	N.D.
4,6-Dinitro-2-methylphenol	534-52-1	50	N.D.
2,4-Dinitrophenol	51-28-5	50	N.D.

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

SEMI-VOLATILE ORGANICS BY GC/MS (EPA 8270) (continued)

Sample Description: Water, Equip Blank
Laboratory Sample #: 97070397

ANALYTE	*CAS NUMBER*	*DETECTION Limit (ug/l)*	*SAMPLE RESULTS (ug/l)*
2,4-Dinitrotoluene	121-14-2	5.0	N.D.
2,6-Dinitrotoluene	606-20-2	5.0	N.D.
Di-N-octyl phthalate	117-84-0	25	N.D.
Fluoranthene	206-44-0	5.0	N.D.
Fluorene	86-73-7	5.0	N.D.
Hexachlorobenzene	118-74-1	5.0	N.D.
Hexachlorobutadiene	87-68-3	5.0	N.D.
Hexachlorocyclopentadiene	77-47-4	5.0	N.D.
Hexachloroethane	67-72-1	5.0	N.D.
Indeno(1,2,3-cd)pyrene	193-39-5	25	N.D.
Isophorone	78-59-1	5.0	N.D.
2-Methylnaphthalene	91-57-6	5.0	N.D.
2-Methylphenol	95-48-7	5.0	N.D.
4-Methylphenol	106-44-5	5.0	N.D.
Naphthalene	91-20-3	5.0	N.D.
2-Nitroaniline	88-74-4	50	N.D.
3-Nitroaniline	99-09-2	50	N.D.
4-Nitroaniline	100-01-6	50	N.D.
Nitrobenzene	98-95-3	5.0	N.D.
2-Nitrophenol	88-75-5	5.0	N.D.
4-Nitrophenol	100-02-7	50	N.D.
N-Nitrosodiphenylamine	86-30-6	5.0	N.D.
N-Nitroso-di-N-propylamine	621-64-7	5.0	N.D.
N-Nitrosodimethylamine	62-75-9	5.0	N.D.
Pentachlorophenol	87-86-5	50	N.D.
Phenanthrene	85-01-8	5.0	N.D.
Phenol	108-95-2	5.0	N.D.
Pyrene	129-00-0	5.0	N.D.
1,2,4-Trichlorobenzene	120-82-1	5.0	N.D.
2,4,5-Trichlorophenol	95-95-4	5.0	N.D.
2,4,6-Trichlorophenol	88-06-2	5.0	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

Orange Coast Analytical

Mark Noorani
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035.01090010

Sample Description: Water, Rinsate Blank
Laboratory Sample Number: 97070398
Laboratory Reference #: MWI 9373

Sampled: 07/23/97
Received: 07/23/97
Analyzed: 07/29/97
Reported: 07/31/97

SEMI VOLATILE ORGANICS BY GC/MS (EPA 8270)

ANALYTE	*CAS NUMBER*	*DETECTION Limit (ug/l)*	*SAMPLE RESULTS (ug/l)*
Acenaphthene	83-32-9	5.0	N.D.
Acenaphthylene	208-96-8	5.0	N.D.
Aniline	62-53-3	5.0	N.D.
Anthracene	120-12-7	5.0	N.D.
Benzoic Acid	65-85-0	50	N.D.
Benzo (a) anthracene	56-55-3	5.0	N.D.
Benzo (b) fluoranthene	205-99-2	25	N.D.
Benzo (k) fluoranthene	207-08-9	25	N.D.
Benzo (g,h,i)perylene	191-24-2	25	N.D.
Benzo (a) pyrene	50-32-8	25	N.D.
Benzyl alcohol	100-51-6	50	N.D.
Bis(2-chloroethoxy)methane	111-91-1	5.0	N.D.
Bis(2-chloroethyl)ether	111-44-4	5.0	N.D.
Bis(2-chloroisopropyl)ether	39638-32-9	5.0	N.D.
Bis(2-ethylhexyl)phthalate	117-81-7	3.0	N.D.
4-Bromophenyl phenyl ether	101-55-3	5.0	N.D.
Butyl benzyl phthalate	85-68-7	5.0	N.D.
4-Chloroaniline	106-47-8	5.0	N.D.
2-Chloronaphthalene	91-58-7	5.0	N.D.
4-Chloro-3-methylphenol	59-50-7	5.0	N.D.
2-Chlorophenol	95-57-8	5.0	N.D.
4-Chlorophenyl phenyl ehter	7005-72-3	5.0	N.D.
Chrysene	218-0109	5.0	N.D.
Dibenz(a,h)anthracene	53-70-3	25	N.D.
Dibenzofuran	132-64-9	5.0	N.D.
Di-N-butyl phthalate	84-74-2	5.0	N.D.
1,3-Dichlorobenzene	541-73-1	5.0	N.D.
1,4-Dichlorobenzene	106-46-7	5.0	N.D.
1,2-Dichlorobenzene	95-50-1	5.0	N.D.
3,3-Dichlorobenzidine	91-94-1	5.0	N.D.
2,4-Dichlorophenol	120-83-2	5.0	N.D.
Diethyl phthalate	84-66-2	5.0	N.D.
2,4-Dimethylphenol	105-67-9	5.0	N.D.
Dimethyl phthalate	131-11-3	5.0	N.D.
4,6-Dinitro-2-methylphenol	534-52-1	50	N.D.
2,4-Dinitrophenol	51-28-5	50	N.D.

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

SEMI-VOLATILE ORGANICS BY GC/MS (EPA 8270) (continued)

Sample Description: Water, Rinsate Blank
Laboratory Sample #: 97070398

ANALYTE	*CAS NUMBER*	*DETECTION Limit (ug/l)*	*SAMPLE RESULTS (ug/l)*
2,4-Dinitrotoluene	121-14-2	5.0	N.D.
2,6-Dinitrotoluene	606-20-2	5.0	N.D.
Di-N-octyl phthalate	117-84-0	25	N.D.
Fluoranthene	206-44-0	5.0	N.D.
Fluorene	86-73-7	5.0	N.D.
Hexachlorobenzene	118-74-1	5.0	N.D.
Hexachlorobutadiene	87-68-3	5.0	N.D.
Hexachlorocyclopentadiene	77-47-4	5.0	N.D.
Hexachloroethane	67-72-1	5.0	N.D.
Indeno(1,2,3-cd)pyrene	193-39-5	25	N.D.
Isophorone	78-59-1	5.0	N.D.
2-Methylnaphthalene	91-57-6	5.0	N.D.
2-Methylphenol	95-48-7	5.0	N.D.
4-Methylphenol	106-44-5	5.0	N.D.
Naphthalene	91-20-3	5.0	N.D.
2-Nitroaniline	88-74-4	50	N.D.
3-Nitroaniline	99-09-2	50	N.D.
4-Nitroaniline	100-01-6	50	N.D.
Nitrobenzene	98-95-3	5.0	N.D.
2-Nitrophenol	88-75-5	5.0	N.D.
4-Nitrophenol	100-02-7	50	N.D.
N-Nitrosodiphenylamine	86-30-6	5.0	N.D.
N-Nitroso-di-N-propylamine	621-64-7	5.0	N.D.
N-Nitrosodimethylamine	62-75-9	5.0	N.D.
Pentachlorophenol	87-86-5	50	N.D.
Phenanthrene	85-01-8	5.0	N.D.
Phenol	108-95-2	5.0	N.D.
Pyrene	129-00-0	5.0	N.D.
1,2,4-Trichlorobenzene	120-82-1	5.0	N.D.
2,4,5-Trichlorophenol	95-95-4	5.0	N.D.
2,4,6-Trichlorophenol	88-06-2	5.0	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

Orange Coast Analytical

Mark Noorani
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035.01090010

Sample Description: Water, Equip Blank

Sampled: 07/23/97
Received: 07/23/97
Analyzed: 07/28/97
Reported: 07/31/97

Laboratory Sample Number: 97070397
Laboratory Reference #: MWI 9373

ORGANOCHLORINE PESTICIDES (EPA 8080)

Analyte	*CAS NUMBER*	*DETECTION LIMITS (ug/l)*	*SAMPLE RESULTS (ug/l)*
Aldrin	309-00-2	0.1	N.D.
alpha-BHC	319-84-6	0.2	N.D.
beta-BHC	319-85-7	0.2	N.D.
gamma-BHC	319-86-8	0.2	N.D.
gamma-BHC (Lindane)	58-89-9	0.2	N.D.
Chlordane	57-74-9	0.2	N.D.
4,4'-DDD	72-54-9	0.5	N.D.
4,4'-DDE	72-55-9	0.1	N.D.
4,4'-DDT	50-29-3	0.1	N.D.
Dieldrin	60-57-1	0.5	N.D.
Endosulfan I	959-98-8	0.5	N.D.
Endosulfan II	33213-65-9	0.5	N.D.
Endosulfan sulfate	1031-07-8	0.5	N.D.
Endrin	72-20-8	0.02	N.D.
Endrin aldehyde	7421-93-4	0.2	N.D.
Heptachlor	76-44-8	0.1	N.D.
Hetachlor epoxide	1024-57-3	0.2	N.D.
Methoxychlor	72-43-5	9.0	N.D.
Toxaphene	8001-35-2	0.5	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

ORANGE COAST ANALYTICAL

Mark Noorani
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035.01090010

Sample Description: Water, Rinsate Blank

Sampled: 07/23/97
Received: 07/23/97
Analyzed: 07/28/97
Reported: 07/31/97

Laboratory Sample Number: 97070398
Laboratory Reference #: MWI 9373

ORGANOCHLORINE PESTICIDES (EPA 8080)

Analyte	*CAS NUMBER*	*DETECTION LIMITS (ug/l)*	*SAMPLE RESULTS (ug/l)*
Aldrin	309-00-2	0.1	N.D.
alpha-BHC	319-84-6	0.2	N.D.
beta-BHC	319-85-7	0.2	N.D.
gamma-BHC	319-86-8	0.2	N.D.
gamma-BHC (Lindane)	58-89-9	0.2	N.D.
Chlordane	57-74-9	0.2	N.D.
4,4'-DDD	72-54-9	0.5	N.D.
4,4'-DDE	72-55-9	0.1	N.D.
4,4'-DDT	50-29-3	0.1	N.D.
Dieldrin	60-57-1	0.5	N.D.
Endosulfan I	959-98-8	0.5	N.D.
Endosulfan II	33213-65-9	0.5	N.D.
Endosulfan sulfate	1031-07-8	0.5	N.D.
Endrin	72-20-8	0.02	N.D.
Endrin aldehyde	7421-93-4	0.2	N.D.
Heptachlor	76-44-8	0.1	N.D.
Hetachlor epoxide	1024-57-3	0.2	N.D.
Methoxychlor	72-43-5	9.0	N.D.
Toxaphene	8001-35-2	0.5	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

ORANGE COAST ANALYTICAL

Mark Noorani
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035.01090010

Sample Description: Water, Equip Blank

Sampled: 07/23/97
Received: 07/23/97
Analyzed: 07/28/97
Reported: 07/31/97

Laboratory Sample Number: 97070397
Laboratory Reference #: MWI 9373

PCB'S (EPA 8080)

Analyte	*CAS NUMBER*	*DETECTION LIMITS (ug/l)*	*SAMPLE RESULTS (ug/l)*
PCB-1016	12674-11-2	5.0	N.D.
PCB-1221	11104-28-2	5.0	N.D.
PCB-1232	11141-16-5	5.0	N.D.
PCB-1242	53469-21-9	5.0	N.D.
PCB-1248	12672-29-6	5.0	N.D.
PCB-1254	11097-69-1	5.0	N.D.
PCB-1260	11096-82-5	5.0	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

ORANGE COAST ANALYTICAL

Mark Noorani
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035.01090010

Sample Description: Water, Rinsate Blank

Sampled: 07/23/97
Received: 07/23/97
Analyzed: 07/28/97
Reported: 07/31/97

Laboratory Sample Number: 97070398
Laboratory Reference #: MWI 9373

PCB'S (EPA 8080)

Analyte	*CAS NUMBER*	*DETECTION LIMITS (ug/l)*	*SAMPLE RESULTS (ug/l)*
PCB-1016	12674-11-2	5.0	N.D.
PCB-1221	11104-28-2	5.0	N.D.
PCB-1232	11141-16-5	5.0	N.D.
PCB-1242	53469-21-9	5.0	N.D.
PCB-1248	12672-29-6	5.0	N.D.
PCB-1254	11097-69-1	5.0	N.D.
PCB-1260	11096-82-5	5.0	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

ORANGE COAST ANALYTICAL

Mark Noorani
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

QC DATA REPORT

Analysis : Metals

Date of Analysis : 07/24/97
Laboratory Sample No : 97070394
Laboratory Reference No : MWI 9373

Analyte	R1 (ppm)	SP (ppm)	MS (ppm)	MSD (ppm)	PR1 %	PR2 %	RPD %
Antimony	0.0	30.0	30.0	31.0	100	103	3
Arsenic	0.0	10.0	10.8	10.9	108	109	1
Barium	9.3	10.0	19.0	19.0	97	97	0
Beryllium	0.00	1.00	0.99	1.01	99	101	2
Cadmium	0.00	1.00	0.94	1.03	94	103	9
Chromium (Total)	2.30	5.00	6.70	6.90	88	92	3
Chromium (VI)	0.00	1.00	0.83	0.86	83	86	4
Cobalt	0.68	1.00	1.52	1.50	84	82	1
Copper	0.90	1.00	1.72	1.82	82	92	6
Lead	0.00	10.0	9.4	10.1	94	101	7
Mercury	0.000	0.020	0.017	0.019	85	95	11
Molybdenum	0.0	10.0	10.4	10.3	104	103	1
Nickel	0.88	5.00	5.1	5.4	84	90	6
Selenium	0.0	10.0	9.5	10.1	95	101	6
Silver	0.0	5.0	4.1	4.0	82	80	2
Thallium	0.0	30.0	25.0	28.0	83	93	11
Vanadium	2.7	5.0	7.6	7.8	98	102	3
Zinc	3.1	5.0	7.3	7.7	84	92	5

Definition of Terms :

R1	Results Of First Analysis
SP	Spike Concentration Added to Sample
MS	Matrix Spike Results
MSD	Matrix Spike Duplicate Results
PR1	Percent Recovery Of MS: {(MS-R1) / SP} x100
PR2	Percent Recovery Of MSD: {(MSD-R1) / SP} x 100
RPD	Relative Percent Difference: {(MS-MSD) / (MS+MSD)} x 100 x 2

ORANGE COAST ANALYTICAL

MARK NOORANI
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

QC DATA REPORT

Analysis : Metals

Date of Analysis : 07/24/97
Laboratory Sample No : 97070381
Laboratory Reference No : MWI 9373

Analyte	R1 (ppm)	SP (ppm)	MS (ppm)	MSD (ppm)	PR1 %	PR2 %	RPD %
Antimony	0.0	30.0	28.0	30.0	93	100	7
Arsenic	0.0	10.0	9.8	10.8	98	108	10
Barium	16.0	10.0	25.0	26.5	90	105	6
Beryllium	0.00	1.00	0.92	0.96	92	96	4
Cadmium	0.00	1.00	0.92	1.02	92	102	10
Chromium (Total)	3.40	5.00	7.70	8.10	86	94	5
Chromium (VI)	0.00	1.00	0.80	0.85	80	85	6
Cobalt	0.82	1.00	1.66	1.71	84	89	3
Copper	1.80	1.00	2.60	2.60	80	80	0
Lead	0.00	10.0	8.0	8.3	80	83	4
Mercury	0.000	0.020	0.018	0.019	90	95	5
Molybdenum	0.0	10.0	9.5	9.8	95	98	3
Nickel	1.50	5.00	5.6	5.9	82	88	5
Selenium	0.0	10.0	8.5	9.3	85	93	9
Silver	0.0	5.0	4.6	4.1	92	82	11
Thallium	0.0	30.0	25.0	29.0	83	97	15
Vanadium	3.7	5.0	8.4	8.6	94	98	2
Zinc	4.7	5.0	8.7	9.2	80	90	6

Definition of Terms :

R1	Results Of First Analysis
SP	Spike Concentration Added to Sample
MS	Matrix Spike Results
MSD	Matrix Spike Duplicate Results
PR1	Percent Recovery Of MS: {(MS-R1) / SP} x100
PR2	Percent Recovery Of MSD: {(MSD-R1) / SP} x 100
RPD	Relative Percent Difference: {(MS-MSD) / (MS+MSD)} x 100 x 2

ORANGE COAST ANALYTICAL

MARK NOORANI
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

QC DATA REPORT

Analysis : Metals

Date of Analysis : 07/24/97
Laboratory Sample No : 97070398
Laboratory Reference No : MWI 9373

Analyte	R1 (ppm)	SP (ppm)	MS (ppm)	MSD (ppm)	PR1 %	PR2 %	RPD %
Antimony	0.00	3.00	3.10	3.50	103	117	12
Arsenic	0.00	1.00	1.19	1.20	119	120	1
Barium	0.000	0.100	0.099	0.105	99	105	6
Beryllium	0.00	0.100	0.098	0.092	98	92	6
Cadmium	0.00	0.100	0.111	0.117	111	117	5
Chromium (VI)	0.00	0.50	0.45	0.44	90	88	2
Chromium (Total)	0.00	0.100	0.086	0.101	86	101	16
Cobalt	0.00	0.100	0.088	0.102	88	102	15
Copper	0.000	0.100	0.088	0.092	88	92	4
Lead	0.00	1.00	1.18	1.13	118	113	4
Mercury	0.000	0.020	0.019	0.019	95	95	0
Molybdenum	0.00	1.00	0.91	1.06	91	106	15
Nickel	0.00	0.50	0.52	0.51	104	102	2
Selenium	0.00	1.00	1.00	1.15	100	115	14
Silver	0.00	0.50	0.45	0.50	90	100	11
Thallium	0.00	3.00	3.30	3.40	110	113	3
Vanadium	0.00	0.50	0.47	0.53	94	106	12
Zinc	0.000	0.100	0.085	0.091	85	91	7

Definition of Terms :

R1	Results Of First Analysis
SP	Spike Concentration Added to Sample
MS	Matrix Spike Results
MSD	Matrix Spike Duplicate Results
PR1	Percent Recovery Of MS: {(MS-R1) / SP} x100
PR2	Percent Recovery Of MSD: {(MSD-R1) / SP} x 100
RPD	Relative Percent Difference: {(MS-MSD) / (MS+MSD)} x 100 x 2

ORANGE COAST ANALYTICAL

MARK NOORANI
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

QC DATA REPORT

Analysis : Total Recoverable Petroleum Hydrocarbons (EPA 418.1)

Date of Analysis : 07/24/97
Laboratory Sample No : 97070383
Laboratory Reference No : MWI 9373

Analyte	R1 (ppm)	SP (ppm)	MS (ppm)	MSD (ppm)	PR1 %	PR2 %	RPD %
Hydrocarbons	0.0	100	94	94	94	94	0

Definition of Terms :

R1	Results Of First Analysis
SP	Spike Concentration Added to Sample
MS	Matrix Spike Results
MSD	Matrix Spike Duplicate Results
PR1	Percent Recovery Of MS: {(MS-R1) / SP} x100
PR2	Percent Recovery Of MSD: {(MSD-R1) / SP} x 100
RPD	Relative Percent Difference: {(MS-MSD) / (MS+MSD)} x 100 x 2

ORANGE COAST ANALYTICAL

MARK NOORANI
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

QC DATA REPORT

Analysis : Total Recoverable Petroleum Hydrocarbons (EPA 418.1)

Date of Analysis : 07/24/97
Laboratory Sample No : 97070363
Laboratory Reference No : MWI 9373

Analyte	R1 (ppm)	SP (ppm)	MS (ppm)	MSD (ppm)	PR1 %	PR2 %	RPD %
Hydrocarbons	0.0	100	103	101	103	101	2

Definition of Terms :

R1	Results Of First Analysis
SP	Spike Concentration Added to Sample
MS	Matrix Spike Results
MSD	Matrix Spike Duplicate Results
PR1	Percent Recovery Of MS: {(MS-R1) / SP} x100
PR2	Percent Recovery Of MSD: {(MSD-R1) / SP} x 100
RPD	Relative Percent Difference: {(MS-MSD) / (MS+MSD)} x 100 x 2

ORANGE COAST ANALYTICAL

MARK NOORANI
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

QC DATA REPORT

Analysis : Total Recoverable Petroleum Hydrocarbons (EPA 418.1)

Date of Analysis : 07/25/97
Laboratory Sample No : OCA 100
Laboratory Reference No : MWI 9373

Analyte	R1 (ppm)	SP (ppm)	MS (ppm)	MSD (ppm)	PR1 %	PR2 %	RPD %
Hydrocarbons	0.0	2.5	2.3	2.4	92	96	4

Definition of Terms :

R1	Results Of First Analysis
SP	Spike Concentration Added to Sample
MS	Matrix Spike Results
MSD	Matrix Spike Duplicate Results
PR1	Percent Recovery Of MS: {(MS-R1) / SP} x100
PR2	Percent Recovery Of MSD: {(MSD-R1) / SP} x 100
RPD	Relative Percent Difference: {(MS-MSD) / (MS+MSD)} x 100 x 2

ORANGE COAST ANALYTICAL

MARK NOORANI
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

QC DATA REPORT

Analysis : Volatile Organics by GC/MS (EPA 8260)

Date of Analysis : 07/24/97
Laboratory Sample No : 97070396
Laboratory Reference No : MWI 9373

Analyte	R1 (ppb)	SP (ppb)	MS (ppb)	MSD (ppb)	PR1 %	PR2 %	RPD %
Benzene	0.0	50	53	56	106	112	6
1,1-Dichloroethene	0.0	50	49	53	98	106	8
Trichloroethene	0.0	50	49	50	98	100	2
Toluene	0.0	50	52	54	104	108	4
Chlorobenzene	0.0	50	49	50	98	100	2

Definition of Terms :

R1	Results Of First Analysis
SP	Spike Concentration Added to Sample
MS	Matrix Spike Results
MSD	Matrix Spike Duplicate Results
PR1	Percent Recovery Of MS: {(MS-R1) / SP} x100
PR2	Percent Recovery Of MSD: {(MSD-R1) / SP} x 100
RPD	Relative Percent Difference: {(MS-MSD) / (MS+MSD)} x 100 x 2

ORANGE COAST ANALYTICAL

MARK NOORANI
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

QC DATA REPORT

Analysis : Volatile Organics by GC/MS (EPA 8260)

Date of Analysis : 07/28/97
Laboratory Sample No : 97070466
Laboratory Reference No : MWI 9373

Analyte	R1 (ppb)	SP (ppb)	MS (ppb)	MSD (ppb)	PR1 %	PR2 %	RPD %
Benzene	0.0	50	49	52	98	104	6
1,1-Dichloroethene	0.0	50	46	49	92	98	6
Trichloroethene	1.96	50	44	47	84	90	7
Toluene	0.0	50	47	50	94	100	6
Chlorobenzene	0.0	50	48	50	96	100	4

Definition of Terms :

R1	Results Of First Analysis
SP	Spike Concentration Added to Sample
MS	Matrix Spike Results
MSD	Matrix Spike Duplicate Results
PR1	Percent Recovery Of MS: {(MS-R1) / SP} x100
PR2	Percent Recovery Of MSD: {(MSD-R1) / SP} x 100
RPD	Relative Percent Difference: {(MS-MSD) / (MS+MSD)} x 100 x 2

ORANGE COAST ANALYTICAL

Mark Noorani

MARK NOORANI
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

QC DATA REPORT

Analysis : Volatile Organics by GC/MS (EPA 8260)

Date of Analysis : 07/29/97
Laboratory Sample No : 97070399
Laboratory Reference No : MWI 9373

Analyte	R1 (ppb)	SP (ppb)	MS (ppb)	MSD (ppb)	PR1 %	PR2 %	RPD %
Benzene	0.0	20	18	18	90	90	0
1,1-Dichloroethene	0.0	20	16	16	80	80	0
Trichloroethene	0.0	20	17	17	85	85	0
Toluene	0.0	20	19	19	95	95	0
Chlorobenzene	0.0	20	19	19	95	95	0

Definition of Terms :

R1	Results Of First Analysis
SP	Spike Concentration Added to Sample
MS	Matrix Spike Results
MSD	Matrix Spike Duplicate Results
PR1	Percent Recovery Of MS: {(MS-R1) / SP} x100
PR2	Percent Recovery Of MSD: {(MSD-R1) / SP} x 100
RPD	Relative Percent Difference: {(MS-MSD) / (MS+MSD)} x 100 x 2

ORANGE COAST ANALYTICAL

Mark Noorani

MARK NOORANI
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

QC DATA REPORT

Analysis : Semi-Volatile Organics by GC/MS (EPA 8270)

Date of Analysis : 07/25/97
Laboratory Sample No : 97070362
Laboratory Reference No : MWI 9373

Analyte	R1 (ng)	SP (ng)	MS (ng)	MSD (ng)	PR1 %	PR2 %	RPD %
1,4-Dichlorobenzene	0.0	50	43	41	86	82	5
n-Nitroso-di-n-propylamine	0.0	50	39	39	78	78	0
1,2,4-Trichlorobenzene	0.0	50	43	42	86	84	2
Acenaphthene	0.0	50	44	42	88	84	5
Pyrene	0.0	50	43	39	86	78	10
Pentachlorophenol	0.0	100	76	72	76	72	5
4-Chloro-3-Methylphenol	0.0	100	71	65	71	65	9
2-Chlorophenol	0.0	100	73	69	73	69	6
Phenol	0.0	100	68	63	68	63	8

Definition of Terms :

R1	Results Of First Analysis
SP	Spike Concentration Added to Sample
MS	Matrix Spike Results
MSD	Matrix Spike Duplicate Results
PR1	Percent Recovery Of MS: {(MS-R1) / SP} x100
PR2	Percent Recovery Of MSD: {(MSD-R1) / SP} x 100
RPD	Relative Percent Difference: {(MS-MSD) / (MS+MSD)} x 100 x 2

ORANGE COAST ANALYTICAL

Mark Noorani

MARK NOORANI
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

QC DATA REPORT

Analysis : Semi-Volatile Organics by GC/MS (EPA 8270)

Date of Analysis : 07/27/97
Laboratory Sample No : 97070345
Laboratory Reference No : MWI 9373

Analyte	R1 (ng)	SP (ng)	MS (ng)	MSD (ng)	PR1 %	PR2 %	RPD %
1,4-Dichlorobenzene	0.0	50	43	43	86	86	0
n-Nitroso-di-n-propylamine	0.0	50	53	45	106	90	16
1,2,4-Trichlorobenzene	0.0	50	45	44	90	88	2
Acenaphthene	0.0	50	44	44	88	88	0
Pyrene	12.8	50	57	53	88	80	7
Pentachlorophenol	0.0	100	84	82	84	82	2
4-Chloro-3-Methylphenol	0.0	100	70	65	70	65	7
2-Chlorophenol	0.0	100	72	71	72	71	1
Phenol	0.0	100	68	66	68	66	3

Definition of Terms :

R1	Results Of First Analysis
SP	Spike Concentration Added to Sample
MS	Matrix Spike Results
MSD	Matrix Spike Duplicate Results
PR1	Percent Recovery Of MS: {(MS-R1) / SP} x100
PR2	Percent Recovery Of MSD: {(MSD-R1) / SP} x 100
RPD	Relative Percent Difference: {(MS-MSD) / (MS+MSD)} x 100 x 2

ORANGE COAST ANALYTICAL

MARK NOORANI
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

QC DATA REPORT

Analysis : Semi-Volatile Organics by GC/MS (EPA 8270)

Date of Analysis : 07/28/97
Laboratory Sample No : OCA 200
Laboratory Reference No : MWI 9373

Analyte	R1 (ng)	SP (ng)	MS (ng)	MSD (ng)	PR1 %	PR2 %	RPD %
1,4-Dichlorobenzene	0.0	50	46	47	92	94	2
n-Nitroso-di-n-propylamine	0.0	50	42	47	84	94	11
1,2,4-Trichlorobenzene	0.0	50	46	46	92	92	0
Acenaphthene	0.0	50	46	46	92	92	0
Pyrene	0.0	50	44	45	88	90	2
Pentachlorophenol	0.0	100	79	82	79	82	4
4-Chloro-3-Methylphenol	0.0	100	69	68	69	68	1
2-Chlorophenol	0.0	100	77	77	77	77	0
Phenol	0.0	100	72	73	72	73	1

Definition of Terms :

R1	Results Of First Analysis
SP	Spike Concentration Added to Sample
MS	Matrix Spike Results
MSD	Matrix Spike Duplicate Results
PR1	Percent Recovery Of MS: {(MS-R1) / SP} x100
PR2	Percent Recovery Of MSD: {(MSD-R1) / SP} x 100
RPD	Relative Percent Difference: {(MS-MSD) / (MS+MSD)} x 100 x 2

ORANGE COAST ANALYTICAL

MARK NOORANI
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

QC DATA REPORT

Analysis : Semi-Volatile Organics by GC/MS (EPA 8270)

Date of Analysis : 07/29/97
Laboratory Sample No : OCA 100
Laboratory Reference No : MWI 9373

Analyte	R1 (ng)	SP (ng)	MS (ng)	MSD (ng)	PR1 %	PR2 %	RPD %
1,4-Dichlorobenzene	0.0	50	43	38	86	76	12
n-Nitroso-di-n-propylamine	0.0	50	48	47	96	94	2
1,2,4-Trichlorobenzene	0.0	50	43	38	86	76	12
Acenaphthene	0.0	50	48	46	96	92	4
Pyrene	0.0	50	48	45	96	90	6
Pentachlorophenol	0.0	100	83	77	83	77	8
4-Chloro-3-Methylphenol	0.0	100	75	70	75	70	7
2-Chlorophenol	0.0	100	79	75	79	75	5
Phenol	0.0	100	28	26	28	26	7

Definition of Terms :

R1	Results Of First Analysis
SP	Spike Concentration Added to Sample
MS	Matrix Spike Results
MSD	Matrix Spike Duplicate Results
PR1	Percent Recovery Of MS: {(MS-R1) / SP} x100
PR2	Percent Recovery Of MSD: {(MSD-R1) / SP} x 100
RPD	Relative Percent Difference: {(MS-MSD) / (MS+MSD)} x 100 x 2

ORANGE COAST ANALYTICAL

MARK NOORANI
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

QC DATA REPORT

Analysis : PCB 'S (EPA 8080)

Date of Analysis : 07/28/97
Laboratory Sample No : OCA 100
Laboratory Reference No : MWI 9373

Analyte	R1 (ppb)	SP (ppb)	MS (ppb)	MSD (ppb)	PR1 %	PR2 %	RPD %
PCB-1260	0.0	20	20	22	100	110	10

Definition of Terms :

R1	Results Of First Analysis
SP	Spike Concentration Added to Sample
MS	Matrix Spike Results
MSD	Matrix Spike Duplicate Results
PR1	Percent Recovery Of MS: {(MS-R1) / SP} x100
PR2	Percent Recovery Of MSD: {(MSD-R1) / SP} x 100
RPD	Relative Percent Difference: {(MS-MSD) / (MS+MSD)} x 100 x 2

ORANGE COAST ANALYTICAL

Mark Noorani

MARK NOORANI
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

QC DATA REPORT

Analysis : Organochlorine Pesticides (EPA 8080)

Date of Analysis : 07/28/97
Laboratory Sample No : OCA 100
Laboratory Reference No : MWI 9373

Analyte	R1 (ppb)	SP (ppb)	MS (ppb)	MSD (ppb)	PR1 %	PR2 %	RPD %
4,4'-DDT	0.0	1.0	0.71	0.71	71	71	0

Definition of Terms :

R1	Results Of First Analysis
SP	Spike Concentration Added to Sample
MS	Matrix Spike Results
MSD	Matrix Spike Duplicate Results
PR1	Percent Recovery Of MS: {(MS-R1) / SP} x100
PR2	Percent Recovery Of MSD: {(MSD-R1) / SP} x 100
RPD	Relative Percent Difference: {(MS-MSD) / (MS+MSD)} x 100 x 2

ORANGE COAST ANALYTICAL

Mark Noorani

MARK NOORANI
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532
Tustin, CA 92680
(714) 832-0064, Fax (714) 832-0067

Analysis Request and Chain of Custody Record

Lab Job No: _____
Page 1 of _____

REQUIRED TAT: 24hr TAT on TRPH only. Standard TAT other

CUSTOMER INFORMATION

COMPANY: Montgomery Watson
SEND REPORT TO: Fred Strauss
ADDRESS: 250 N. Madison Ave. Pasadena, CA 91101
PHONE: (818) 568-6582 FAX: (818) 796-5941

PROJECT INFORMATION

PROJECT NAME: McDonnell Douglas
NUMBER: 1206035.01090010
LOCATION: C-6 facility
ADDRESS: 19503 Normandie Ave. Los Angeles, CA
SAMPLED BY: CW/AWN/IV

SAMPLE ID	NO. OF CONTAINERS	SAMPLE DATE	SAMPLE TIME	SAMPLE MATRIX	CONTAINER TYPE	PRESERVATIVE	TRPH 418.1	Title 22 Metals	VOCs 8260	SVOCs 8270	PCBs 8080	Pesticides 8080	REMARKS/PRECAUTIONS
OA1-GS-22-12'	2	7/23/97	0915	Soil	2"x6" SS sleeve	Ice	X	X					
OA1-GS-23-12'	2		0925				X	X					
OA1-GS-24-4'	2		0940				X	X					
OA1-GS-25-2'	2		0955				X	X					
OA1-GS-26-2'	2		1005				X	X					
OA1-GS-27-3'	2		1015				X	X					
OA1-GS-28-12'	2		1030				X	X					
OA1-GS-29-12'	2		1040				X	X					
OA1-GS-30-12'	2		1050				X	X					
OA1-GS-31-4'	2		1145				X	X					
OA1-GS-32-2'	2		1150				X	X					
OA1-GS-33-4'	2		1310				X	X					
OA1-GS-34-12'	2		1325				X	X					
OA1-GS-35-12'	2		1335				X	X					

Total No. of Samples: 25

Method of Shipment: 2 Coolers via Orange Coast Courier

Relinquished By: Ivan Vargas Date/Time: 7/23/97 1615

Received By: Date/Time:

Relinquished By: Date/Time:

Received By: Date/Time:

Relinquished By: Date/Time:

Received For Lab By: [signature] Date/Time: 7/23/97 16:15

Reporting Format: (check)
NORMAL _____ S.D. HMMD _____
RWQCB _____ OTHER _____

Sample Integrity: (check)
intact _____ on ice _____

All samples remain the property of the client who is responsible for [illegible]al. A disposal fee may be imposed if client fails to pickup samples.

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532
Tustin, CA 92680
(714) 832-0064, Fax (714) 832-0067

Anal[illegible] Request and Chain of Custody Record

Lab Job No: ____
Page 2 of ____

REQUIRED TAT: 24 hr TAT ON Soil [illegible] Standard TAT ot[illegible]

CUSTOMER INFORMATION		PROJECT INFORMATION	
COMPANY:	Montgomery Watson	PROJECT NAME:	McDonnell Douglas
SEND REPORT TO:	Fred Strauss	NUMBER:	1206035.01090010
ADDRESS:	250 N Madison Ave	LOCATION:	C-6 Facility.
	Pasadena, CA 91101	ADDRESS:	19503 Normandie Ave. Los Angeles, CA
PHONE:	(818) 568-6582 FAX: (818) 796-5941	SAMPLED BY:	CW/AWN/IV.

ANALYSIS/METHOD REQUEST

SAMPLE ID	NO. OF CONTAINERS	SAMPLE DATE	SAMPLE TIME	SAMPLE MATRIX	CONTAINER TYPE	PRES.	TRPH 418.1	Title 22 Metals	VOCs 8260	SVOCs 8270	PCBs 8080	Pesticides 8080			REMARKS/PRECAUTIONS
OA1-GS-36-12'	2	7/23/97	1350	Soil	2"x6" SS sleeve	Ice	X	X							
OA1-GS-37-6'	2		1450				X	X							
OA1-GS-38-3'	2		1500				X	X							
OA1-GS-39-6'	2		1510				X	X							
OA1-GS-40-6'	2		1520				X	X							
OA1-GS-41-6'	2		1530				X	X							
OA1-GS-42-6'	2		1545				X	X							
OA1-RE4-SP3	2		1450				X	X	X	X					
Equipment Blank	7		1545	Water	4 amber 1 poly 2 VOAs	None HNO3 HCL	X	X	X	X	X	X			
Rinsate Blank	7		1600				X	X	X	X	X	X			
Trip Blank	2				2 VOAs	HCL			X						

Total No. of Samples: 25

Method of Shipment: 2 Coolers via Orange Coast Courier.

Relinquished By:	Date/Time:	Received By:	Date/Time:	Reporting Format: (check)
Ivan Vargas	9/23/97 1615			NORMAL ____ S.D. HMMD ____
Relinquished By:	Date/Time:	Received By:	Date/Time:	RWQCB ____ OTHER ____
Relinquished By:	Date/Time:	Received For Lab By: [signature]	Date/Time: 7/23/97 1615	Sample Integrity: (check) intact ____ on ice ____

All samples remain the property of the client who is responsible for disposal. A disposal fee may be imposed if client fails to pickup samples.

BOE-C6-0146086

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035.01090010

Analysis Method: 418.1

Sample Description: Soil,

Laboratory Reference #: MWI 9378

Sampled: 07/24/97
Received: 07/24/97
Analyzed: 07/25/97
Reported: 07/25/97

TOTAL RECOVERABLE PETROLEUM HYDROCARBONS

Laboratory Sample Sumber	*Client Sample Number*	*Extractable Hydrocarbons mg/kg (ppm)*
97070411	OA1-GS-43-4'	N.D.
97070412	OA1-GS-44-10'	N.D.
97070413	OA1-GS-45-10'	N.D.
97070414	OA1-GS-46-10'	N.D.
97070415	OA1-GS-47-10'	N.D.
97070416	OA1-RE5-SP1	300
97070417	OA1-RE5-SP2	210

Detection Limit:	8.0

Analytes reported as N.D. were not present above the stated limit of detection.

ORANGE COAST ANALYTICAL

Mark Noorani
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035.01090010

Sample Description: Soil, OA1-GS-43-4'

Sampled: 07/24/97
Received: 07/24/97
Analyzed: 07/29/97
Reported: 07/31/97

Laboratory Sample Number: 97070411
Laboratory Reference #: MWI 9378

CCR - METALS

Analyte	*EPA Method*	*STLC Limits mg/l*	*TTLC Limits mg/kg*	*Detection Limit mg/kg*	*Analysis Result mg/kg*	
Antimony	6010	15	500	5.0	N.D.	
Arsenic	6010	5.0	500	1.0	N.D.	
Barium	6010	100	10000	0.1	100	<---
Beryllium	6010	0.75	75	0.1	N.D.	
Cadmium	6010	1.0	100	0.1	N.D.	
Chromium (VI)	7196	5.0	500	0.5	N.D.	
Chromium Total	6010	560	2500	0.05	21	<---
Cobalt	6010	80	8000	0.5	5.6	<---
Copper	6010	25	2500	0.1	9.3	<---
Lead	6010	5.0	1000	1.0	N.D.	
Mercury	7471	0.2	20	0.01	N.D.	
Molybdenum	6010	350	3500	0.5	N.D.	
Nickel	6010	20	2000	0.5	8.0	<---
Selenium	6010	1.0	100	1.0	N.D.	
Silver	6010	5.0	500	0.1	N.D.	
Thallium	6010	7.0	700	5.0	N.D.	
Vanadium	6010	24	2400	0.5	24	<---
Zinc	6010	250	5000	0.1	35	<---

Analytes reported as N.D. were not present above the stated limit of detection.

ORANGE COAST ANALYTICAL

Mark Noorani
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035.01090010

Analysis Method: 418.1

Sample Description: Water,

Laboratory Reference #: MWI 9378

Sampled: 07/24/97
Received: 07/24/97
Analyzed: 07/25/97
Reported: 07/31/97

TOTAL RECOVERABLE PETROLEUM HYDROCARBONS

Laboratory Sample Number	*Client Sample Number*	*Extractable Hydrocarbons mg/l (ppm)*
97070418	Equip Blank	N.D.
97070419	Rinsate Blank	N.D.
Detection Limit:		0.5

Analyte reported as N.D. was not present above the stated limit of detection.

ORANGE COAST ANALYTICAL

Mark Noorani
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035.01090010

Sample Description: Water, Equip Blank

Sampled: 07/24/97
Received: 07/24/97
Analyzed: 07/29/97
Reported: 07/31/97

Laboratory Sample Number: 97070418
Laboratory Reference #: MWI 9378

CCR - METALS

Analyte	*EPA Method*	*Detection Limit mg/l*	*Analysis Result mg/l*
Antimony	6010	0.5	N.D.
Arsenic	6010	0.1	N.D.
Barium	6010	0.01	N.D.
Beryllium	6010	0.01	N.D.
Cadmium	6010	0.01	N.D.
Chromium (VI)	7196	0.01	N.D.
Chromium Total	6010	0.01	N.D.
Cobalt	6010	0.05	N.D.
Copper	6010	0.01	N.D.
Lead	6010	0.1	N.D.
Mercury	7471	0.002	N.D.
Molybdenum	6010	0.1	N.D.
Nickel	6010	0.05	N.D.
Selenium	6010	0.1	N.D.
Silver	6010	0.05	N.D.
Thallium	6010	0.5	N.D.
Vanadium	6010	0.1	N.D.
Zinc	6010	0.01	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

ORANGE COAST ANALYTICAL

Mark Noorani
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035.01090010

Sample Description: Water, Rinsate Blank

Sampled: 07/24/97
Received: 07/24/97
Analyzed: 07/29/97
Reported: 07/31/97

Laboratory Sample Number: 97070419
Laboratory Reference #: MWI 9378

CCR - METALS

Analyte	*EPA Method*	*Detection Limit mg/l*	*Analysis Result mg/l*
Antimony	6010	0.5	N.D.
Arsenic	6010	0.1	N.D.
Barium	6010	0.01	N.D.
Beryllium	6010	0.01	N.D.
Cadmium	6010	0.01	N.D.
Chromium (VI)	7196	0.01	N.D.
Chromium Total	6010	0.01	N.D.
Cobalt	6010	0.05	N.D.
Copper	6010	0.01	N.D.
Lead	6010	0.1	N.D.
Mercury	7471	0.002	N.D.
Molybdenum	6010	0.1	N.D.
Nickel	6010	0.05	N.D.
Selenium	6010	0.1	N.D.
Silver	6010	0.05	N.D.
Thallium	6010	0.5	N.D.
Vanadium	6010	0.1	N.D.
Zinc	6010	0.01	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

ORANGE COAST ANALYTICAL

Mark Noorani
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035.01090010

Sampled: 07/24/97
Received: 07/24/97
Analyzed: 07/29/97
Reported: 07/31/97

Sample Description: Water, Equip Blank
Laboratory Sample Number: 97070418
Laboratory Reference #: MWI 9378

VOLATILE ORGANICS BY GC/MS (EPA 8260)

ANALYTE	***CAS NUMBER***	***DETECTION Limit (ug/l)***	***SAMPLE RESULTS (ug/l)***
Benzene	71-43-2	0.5	N.D.
Bromodichloromethane	75-27-4	0.5	N.D.
Bromoform	75-25-2	0.5	N.D.
Bromomethane	74-83-9	1.0	N.D.
Carbon Disulfide	75-15-0	0.5	N.D.
Carbon tetrachloride	56-23-5	0.5	N.D.
Chlorobenzene	108-90-7	0.5	N.D.
Chlorodibromomethane	124-48-1	0.5	N.D.
Chloroethane	75-00-3	0.5	N.D.
2-Chloroethyl vinyl ether	110-75-8	0.5	N.D.
Chloroform	67-66-3	0.5	N.D.
Chloromethane	74-87-3	0.5	N.D.
1,1-Dichloroethane	75-34-3	0.5	N.D.
1,2-Dichloroethane	107-06-2	0.5	N.D.
1,1-Dichloroethene	75-35-4	0.5	N.D.
Trans 1,2-Dichloroethene	156-60-5	0.5	N.D.
1,2-Dichloropropane	78-87-5	0.5	N.D.
cis-1,3-Dichloropropene	10061-01-5	0.5	N.D.
trans-1,3-Dichloropropene	10061-02-6	0.5	N.D.
Ethylbenzene	100-41-4	0.5	N.D.
Methylene chloride	75-09-2	2.5	N.D.
Styrene	100-42-5	0.5	N.D.
1,1,2,2-Tetrachloroethane	79-34-5	0.5	N.D.
Tetrachloroethene	127-18-4	0.5	N.D.
Toluene	108-88-3	0.5	N.D.
1,1,1-Trichloroethane	71-55-6	0.5	N.D.
1,1,2-Trichloroethane	79-00-5	0.5	N.D.
Trichloroethene	79-01-6	0.5	N.D.
Trichlorofluoromethane	75-69-4	0.5	N.D.
Vinyl acetate	108-05-4	1.0	N.D.
Vinyl chloride	75-01-4	0.5	N.D.
Total Xylenes	1330-20-7	1.0	N.D.
Dichlorodifluoromethane	75-71-8	0.5	N.D.
cis-1-2,-Dichloroethene	156-59-2	0.5	N.D.
2,2-Dichloropropane	594-20-7	0.5	N.D.
Bromochloromethane	74-97-5	0.5	N.D.
1,1-Dichloropropene	563-58-6	0.5	N.D.
Dibromomethane	74-95-3	0.5	N.D.
1,2-Dibromoethane	106-93-4	0.5	N.D.

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

VOLATILE ORGANICS BY GC/MS (EPA 8260) (continued)

Sample Description: Water, Equip Blank
Laboratory Sample #: 97070418

ANALYTE	*CAS NUMBER*	*DETECTION Limit (ug/l)*	*SAMPLE RESULTS (ug/l)*
1,3-Dichloropropane	142-28-9	0.5	N.D.
Isopropylbenzene	98-82-8	0.5	N.D.
1.1.2.2-Tetrachloroethane	79-34-5	0.5	N.D.
1,2,3-Trichloropropane	96-18-4	0.5	N.D.
Bromobenzene	108-86-1	0.5	N.D.
n-Propylbenzene	103-65-1	0.5	N.D.
2-Chlorotoluene	95-49-8	0.5	N.D.
1,3,5-Trimethylbenzene	108-67-8	0.5	N.D.
4-Chlorotoluene	106-43-4	0.5	N.D.
tert-Butylbenzene	98-06-6	0.5	N.D.
1,2,4-Trimethylbenzene	95-63-6	0.5	N.D.
sec-Butylbenzene	135-98-8	0.5	N.D.
4-Isopropyltoluene	99-87-6	0.5	N.D.
1,3-Dichlorobenzene	541-73-1	0.5	N.D.
1,4-Dichlorobenzene	106-46-7	0.5	N.D.
n-Butylbenzene	104-51-8	0.5	N.D.
1,2-Dichlorobenzene	95-50-1	0.5	N.D.
1-2-Dibromo-3-CPA	96-12-8	1.0	N.D.
1,2,4-Trichlorobenzene	120-82-1	0.5	N.D.
Hexachlorobutadiene	87-68-3	0.5	N.D.
Naphthalene	91-20-3	0.5	N.D.
1,2,3-Trichlorobenzene	87-61-6	0.5	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

Orange Coast Analytical

Mark Noorani
Laboratory Director

Surrogate Recoveries %

Dibromofluoromethane	88
Toluene-d8	96
4-Bromofluorobenzene	90

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035.01090010

Sample Description: Water, Rinsate Blank
Laboratory Sample Number: 97070419
Laboratory Reference #: MWI 9378

Sampled: 07/24/97
Received: 07/24/97
Analyzed: 07/29/97
Reported: 07/31/97

VOLATILE ORGANICS BY GC/MS (EPA 8260)

ANALYTE	*CAS NUMBER*	*DETECTION Limit (ug/l)*	*SAMPLE RESULTS (ug/l)*
Benzene	71-43-2	0.5	N.D.
Bromodichloromethane	75-27-4	0.5	N.D.
Bromoform	75-25-2	0.5	N.D.
Bromomethane	74-83-9	1.0	N.D.
Carbon Disulfide	75-15-0	0.5	N.D.
Carbon tetrachloride	56-23-5	0.5	N.D.
Chlorobenzene	108-90-7	0.5	N.D.
Chlorodibromomethane	124-48-1	0.5	N.D.
Chloroethane	75-00-3	0.5	N.D.
2-Chloroethyl vinyl ether	110-75-8	0.5	N.D.
Chloroform	67-66-3	0.5	N.D.
Chloromethane	74-87-3	0.5	N.D.
1,1-Dichloroethane	75-34-3	0.5	N.D.
1,2-Dichloroethane	107-06-2	0.5	N.D.
1,1-Dichloroethene	75-35-4	0.5	N.D.
Trans 1,2-Dichloroethene	156-60-5	0.5	N.D.
1,2-Dichloropropane	78-87-5	0.5	N.D.
cis-1,3-Dichloropropene	10061-01-5	0.5	N.D.
trans-1,3-Dichloropropene	10061-02-6	0.5	N.D.
Ethylbenzene	100-41-4	0.5	N.D.
Methylene chloride	75-09-2	2.5	N.D.
Styrene	100-42-5	0.5	N.D.
1,1,2,2-Tetrachloroethane	79-34-5	0.5	N.D.
Tetrachloroethene	127-18-4	0.5	N.D.
Toluene	108-88-3	0.5	N.D.
1,1,1-Trichloroethane	71-55-6	0.5	N.D.
1,1,2-Trichloroethane	79-00-5	0.5	N.D.
Trichloroethene	79-01-6	0.5	N.D.
Trichlorofluoromethane	75-69-4	0.5	N.D.
Vinyl acetate	108-05-4	1.0	N.D.
Vinyl chloride	75-01-4	0.5	N.D.
Total Xylenes	1330-20-7	1.0	N.D.
Dichlorodifluoromethane	75-71-8	0.5	N.D.
cis-1-2,-Dichloroethene	156-59-2	0.5	N.D.
2,2-Dichloropropane	594-20-7	0.5	N.D.
Bromochloromethane	74-97-5	0.5	N.D.
1,1-Dichloropropene	563-58-6	0.5	N.D.
Dibromomethane	74-95-3	0.5	N.D.
1,2-Dibromoethane	106-93-4	0.5	N.D.

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

VOLATILE ORGANICS BY GC/MS (EPA 8260) (continued)

Sample Description: Water, Rinsate Blank
Laboratory Sample #: 97070419

ANALYTE	*CAS NUMBER*	*DETECTION Limit (ug/l)*	*SAMPLE RESULTS (ug/l)*
1,3-Dichloropropane	142-28-9	0.5	N.D.
Isopropylbenzene	98-82-8	0.5	N.D.
1.1.2.2-Tetrachloroethane	79-34-5	0.5	N.D.
1,2,3-Trichloropropane	96-18-4	0.5	N.D.
Bromobenzene	108-86-1	0.5	N.D.
n-Propylbenzene	103-65-1	0.5	N.D.
2-Chlorotoluene	95-49-8	0.5	N.D.
1,3,5-Trimethylbenzene	108-67-8	0.5	N.D.
4-Chlorotoluene	106-43-4	0.5	N.D.
tert-Butylbenzene	98-06-6	0.5	N.D.
1,2,4-Trimethylbenzene	95-63-6	0.5	N.D.
sec-Butylbenzene	135-98-8	0.5	N.D.
4-Isopropyltoluene	99-87-6	0.5	N.D.
1,3-Dichlorobenzene	541-73-1	0.5	N.D.
1,4-Dichlorobenzene	106-46-7	0.5	N.D.
n-Butylbenzene	104-51-8	0.5	N.D.
1,2-Dichlorobenzene	95-50-1	0.5	N.D.
1-2-Dibromo-3-CPA	96-12-8	1.0	N.D.
1,2,4-Trichlorobenzene	120-82-1	0.5	N.D.
Hexachlorobutadiene	87-68-3	0.5	N.D.
Naphthalene	91-20-3	0.5	N.D.
1,2,3-Trichlorobenzene	87-61-6	0.5	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

Orange Coast Analytical

Mark Noorani
Laboratory Director

Surrogate Recoveries	%
Dibromofluoromethane	91
Toluene-d8	97
4-Bromofluorobenzene	91

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035.01090010

Sample Description: Water, Trip Blank
Laboratory Sample Number: 97070420
Laboratory Reference #: MWI 9378

Sampled: 07/24/97
Received: 07/24/97
Analyzed: 07/29/97
Reported: 07/31/97

VOLATILE ORGANICS BY GC/MS (EPA 8260)

ANALYTE	*CAS NUMBER*	*DETECTION Limit (ug/l)*	*SAMPLE RESULTS (ug/l)*
Benzene	71-43-2	0.5	N.D.
Bromodichloromethane	75-27-4	0.5	N.D.
Bromoform	75-25-2	0.5	N.D.
Bromomethane	74-83-9	1.0	N.D.
Carbon Disulfide	75-15-0	0.5	N.D.
Carbon tetrachloride	56-23-5	0.5	N.D.
Chlorobenzene	108-90-7	0.5	N.D.
Chlorodibromomethane	124-48-1	0.5	N.D.
Chloroethane	75-00-3	0.5	N.D.
2-Chloroethyl vinyl ether	110-75-8	0.5	N.D.
Chloroform	67-66-3	0.5	N.D.
Chloromethane	74-87-3	0.5	N.D.
1,1-Dichloroethane	75-34-3	0.5	N.D.
1,2-Dichloroethane	107-06-2	0.5	N.D.
1,1-Dichloroethene	75-35-4	0.5	N.D.
Trans 1,2-Dichloroethene	156-60-5	0.5	N.D.
1,2-Dichloropropane	78-87-5	0.5	N.D.
cis-1,3-Dichloropropene	10061-01-5	0.5	N.D.
trans-1,3-Dichloropropene	10061-02-6	0.5	N.D.
Ethylbenzene	100-41-4	0.5	N.D.
Methylene chloride	75-09-2	2.5	N.D.
Styrene	100-42-5	0.5	N.D.
1,1,2,2-Tetrachloroethane	79-34-5	0.5	N.D.
Tetrachloroethene	127-18-4	0.5	N.D.
Toluene	108-88-3	0.5	N.D.
1,1,1-Trichloroethane	71-55-6	0.5	N.D.
1,1,2-Trichloroethane	79-00-5	0.5	N.D.
Trichloroethene	79-01-6	0.5	N.D.
Trichlorofluoromethane	75-69-4	0.5	N.D.
Vinyl acetate	108-05-4	1.0	N.D.
Vinyl chloride	75-01-4	0.5	N.D.
Total Xylenes	1330-20-7	1.0	N.D.
Dichlorodifluoromethane	75-71-8	0.5	N.D.
cis-1-2,-Dichloroethene	156-59-2	0.5	N.D.
2,2-Dichloropropane	594-20-7	0.5	N.D.
Bromochloromethane	74-97-5	0.5	N.D.
1,1-Dichloropropene	563-58-6	0.5	N.D.
Dibromomethane	74-95-3	0.5	N.D.
1,2-Dibromoethane	106-93-4	0.5	N.D.

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

VOLATILE ORGANICS BY GC/MS (EPA 8260) (continued)

Sample Description: Water, Trip Blank
Laboratory Sample #: 97070420

ANALYTE	CAS NUMBER	DETECTION Limit (ug/l)	SAMPLE RESULTS (ug/l)
1,3-Dichloropropane	142-28-9	0.5	N.D.
Isopropylbenzene	98-82-8	0.5	N.D.
1.1.2.2-Tetrachloroethane	79-34-5	0.5	N.D.
1,2,3-Trichloropropane	96-18-4	0.5	N.D.
Bromobenzene	108-86-1	0.5	N.D.
n-Propylbenzene	103-65-1	0.5	N.D.
2-Chlorotoluene	95-49-8	0.5	N.D.
1,3,5-Trimethylbenzene	108-67-8	0.5	N.D.
4-Chlorotoluene	106-43-4	0.5	N.D.
tert-Butylbenzene	98-06-6	0.5	N.D.
1,2,4-Trimethylbenzene	95-63-6	0.5	N.D.
sec-Butylbenzene	135-98-8	0.5	N.D.
4-Isopropyltoluene	99-87-6	0.5	N.D.
1,3-Dichlorobenzene	541-73-1	0.5	N.D.
1,4-Dichlorobenzene	106-46-7	0.5	N.D.
n-Butylbenzene	104-51-8	0.5	N.D.
1,2-Dichlorobenzene	95-50-1	0.5	N.D.
1-2-Dibromo-3-CPA	96-12-8	1.0	N.D.
1,2,4-Trichlorobenzene	120-82-1	0.5	N.D.
Hexachlorobutadiene	87-68-3	0.5	N.D.
Naphthalene	91-20-3	0.5	N.D.
1,2,3-Trichlorobenzene	87-61-6	0.5	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

Orange Coast Analytical

Mark Noorani
Laboratory Director

Surrogate Recoveries %

Dibromofluoromethane	92
Toluene-d8	94
4-Bromofluorobenzene	91

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035.01090010

Sample Description: Water, Equip Blank
Laboratory Sample Number: 97070418
Laboratory Reference #: MWI 9378

Sampled: 07/24/97
Received: 07/24/97
Analyzed: 07/29/97
Reported: 07/31/97

SEMI VOLATILE ORGANICS BY GC/MS (EPA 8270)

ANALYTE	*CAS NUMBER*	*DETECTION Limit (ug/l)*	*SAMPLE RESULTS (ug/l)*
Acenaphthene	83-32-9	5.0	N.D.
Acenaphthylene	208-96-8	5.0	N.D.
Aniline	62-53-3	5.0	N.D.
Anthracene	120-12-7	5.0	N.D.
Benzoic Acid	65-85-0	50	N.D.
Benzo (a) anthracene	56-55-3	5.0	N.D.
Benzo (b) fluoranthene	205-99-2	25	N.D.
Benzo (k) fluoranthene	207-08-9	25	N.D.
Benzo (g,h,i)perylene	191-24-2	25	N.D.
Benzo (a) pyrene	50-32-8	25	N.D.
Benzyl alcohol	100-51-6	50	N.D.
Bis(2-chloroethoxy)methane	111-91-1	5.0	N.D.
Bis(2-chloroethyl)ether	111-44-4	5.0	N.D.
Bis(2-chloroisopropyl)ether	39638-32-9	5.0	N.D.
Bis(2-ethylhexyl)phthalate	117-81-7	3.0	N.D.
4-Bromophenyl phenyl ether	101-55-3	5.0	N.D.
Butyl benzyl phthalate	85-68-7	5.0	N.D.
4-Chloroaniline	106-47-8	5.0	N.D.
2-Chloronaphthalene	91-58-7	5.0	N.D.
4-Chloro-3-methylphenol	59-50-7	5.0	N.D.
2-Chlorophenol	95-57-8	5.0	N.D.
4-Chlorophenyl phenyl ehter	7005-72-3	5.0	N.D.
Chrysene	218-0109	5.0	N.D.
Dibenz(a,h)anthracene	53-70-3	25	N.D.
Dibenzofuran	132-64-9	5.0	N.D.
Di-N-butyl phthalate	84-74-2	5.0	N.D.
1,3-Dichlorobenzene	541-73-1	5.0	N.D.
1,4-Dichlorobenzene	106-46-7	5.0	N.D.
1,2-Dichlorobenzene	95-50-1	5.0	N.D.
3,3-Dichlorobenzidine	91-94-1	5.0	N.D.
2,4-Dichlorophenol	120-83-2	5.0	N.D.
Diethyl phthalate	84-66-2	5.0	N.D.
2,4-Dimethylphenol	105-67-9	5.0	N.D.
Dimethyl phthalate	131-11-3	5.0	N.D.
4,6-Dinitro-2-methylphenol	534-52-1	50	N.D.
2,4-Dinitrophenol	51-28-5	50	N.D.

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

SEMI-VOLATILE ORGANICS BY GC/MS (EPA 8270) (continued)

Sample Description: Water, Equip Blank
Laboratory Sample #: 97070418

ANALYTE	*CAS NUMBER*	*DETECTION Limit (ug/l)*	*SAMPLE RESULTS (ug/l)*
2,4-Dinitrotoluene	121-14-2	5.0	N.D.
2,6-Dinitrotoluene	606-20-2	5.0	N.D.
Di-N-octyl phthalate	117-84-0	25	N.D.
Fluoranthene	206-44-0	5.0	N.D.
Fluorene	86-73-7	5.0	N.D.
Hexachlorobenzene	118-74-1	5.0	N.D.
Hexachlorobutadiene	87-68-3	5.0	N.D.
Hexachlorocyclopentadiene	77-47-4	5.0	N.D.
Hexachloroethane	67-72-1	5.0	N.D.
Indeno(1,2,3-cd)pyrene	193-39-5	25	N.D.
Isophorone	78-59-1	5.0	N.D.
2-Methylnaphthalene	91-57-6	5.0	N.D.
2-Methylphenol	95-48-7	5.0	N.D.
4-Methylphenol	106-44-5	5.0	N.D.
Naphthalene	91-20-3	5.0	N.D.
2-Nitroaniline	88-74-4	50	N.D.
3-Nitroaniline	99-09-2	50	N.D.
4-Nitroaniline	100-01-6	50	N.D.
Nitrobenzene	98-95-3	5.0	N.D.
2-Nitrophenol	88-75-5	5.0	N.D.
4-Nitrophenol	100-02-7	50	N.D.
N-Nitrosodiphenylamine	86-30-6	5.0	N.D.
N-Nitroso-di-N-propylamine	621-64-7	5.0	N.D.
N-Nitrosodimethylamine	62-75-9	5.0	N.D.
Pentachlorophenol	87-86-5	50	N.D.
Phenanthrene	85-01-8	5.0	N.D.
Phenol	108-95-2	5.0	N.D.
Pyrene	129-00-0	5.0	N.D.
1,2,4-Trichlorobenzene	120-82-1	5.0	N.D.
2,4,5-Trichlorophenol	95-95-4	5.0	N.D.
2,4,6-Trichlorophenol	88-06-2	5.0	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

Orange Coast Analytical

Mark Noorani
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035.01090010

Sample Description: Water, Rinsate Blank
Laboratory Sample Number: 97070419
Laboratory Reference #: MWI 9378

Sampled: 07/24/97
Received: 07/24/97
Analyzed: 07/29/97
Reported: 07/31/97

SEMI VOLATILE ORGANICS BY GC/MS (EPA 8270)

ANALYTE	*CAS NUMBER*	*DETECTION Limit (ug/l)*	*SAMPLE RESULTS (ug/l)*
Acenaphthene	83-32-9	5.0	N.D.
Acenaphthylene	208-96-8	5.0	N.D.
Aniline	62-53-3	5.0	N.D.
Anthracene	120-12-7	5.0	N.D.
Benzoic Acid	65-85-0	50	N.D.
Benzo (a) anthracene	56-55-3	5.0	N.D.
Benzo (b) fluoranthene	205-99-2	25	N.D.
Benzo (k) fluoranthene	207-08-9	25	N.D.
Benzo (g,h,i)perylene	191-24-2	25	N.D.
Benzo (a) pyrene	50-32-8	25	N.D.
Benzyl alcohol	100-51-6	50	N.D.
Bis(2-chloroethoxy)methane	111-91-1	5.0	N.D.
Bis(2-chloroethyl)ether	111-44-4	5.0	N.D.
Bis(2-chloroisopropyl)ether	39638-32-9	5.0	N.D.
Bis(2-ethylhexyl)phthalate	117-81-7	3.0	N.D.
4-Bromophenyl phenyl ether	101-55-3	5.0	N.D.
Butyl benzyl phthalate	85-68-7	5.0	N.D.
4-Chloroaniline	106-47-8	5.0	N.D.
2-Chloronaphthalene	91-58-7	5.0	N.D.
4-Chloro-3-methylphenol	59-50-7	5.0	N.D.
2-Chlorophenol	95-57-8	5.0	N.D.
4-Chlorophenyl phenyl ehter	7005-72-3	5.0	N.D.
Chrysene	218-0109	5.0	N.D.
Dibenz(a,h)anthracene	53-70-3	25	N.D.
Dibenzofuran	132-64-9	5.0	N.D.
Di-N-butyl phthalate	84-74-2	5.0	N.D.
1,3-Dichlorobenzene	541-73-1	5.0	N.D.
1,4-Dichlorobenzene	106-46-7	5.0	N.D.
1,2-Dichlorobenzene	95-50-1	5.0	N.D.
3,3-Dichlorobenzidine	91-94-1	5.0	N.D.
2,4-Dichlorophenol	120-83-2	5.0	N.D.
Diethyl phthalate	84-66-2	5.0	N.D.
2,4-Dimethylphenol	105-67-9	5.0	N.D.
Dimethyl phthalate	131-11-3	5.0	N.D.
4,6-Dinitro-2-methylphenol	534-52-1	50	N.D.
2,4-Dinitrophenol	51-28-5	50	N.D.

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

SEMI-VOLATILE ORGANICS BY GC/MS (EPA 8270) (continued)

Sample Description: Water, Rinsate Blank
Laboratory Sample #: 97070419

ANALYTE	*CAS NUMBER*	*DETECTION Limit (ug/l)*	*SAMPLE RESULTS (ug/l)*
2,4-Dinitrotoluene	121-14-2	5.0	N.D.
2,6-Dinitrotoluene	606-20-2	5.0	N.D.
Di-N-octyl phthalate	117-84-0	25	N.D.
Fluoranthene	206-44-0	5.0	N.D.
Fluorene	86-73-7	5.0	N.D.
Hexachlorobenzene	118-74-1	5.0	N.D.
Hexachlorobutadiene	87-68-3	5.0	N.D.
Hexachlorocyclopentadiene	77-47-4	5.0	N.D.
Hexachloroethane	67-72-1	5.0	N.D.
Indeno(1,2,3-cd)pyrene	193-39-5	25	N.D.
Isophorone	78-59-1	5.0	N.D.
2-Methylnaphthalene	91-57-6	5.0	N.D.
2-Methylphenol	95-48-7	5.0	N.D.
4-Methylphenol	106-44-5	5.0	N.D.
Naphthalene	91-20-3	5.0	N.D.
2-Nitroaniline	88-74-4	50	N.D.
3-Nitroaniline	99-09-2	50	N.D.
4-Nitroaniline	100-01-6	50	N.D.
Nitrobenzene	98-95-3	5.0	N.D.
2-Nitrophenol	88-75-5	5.0	N.D.
4-Nitrophenol	100-02-7	50	N.D.
N-Nitrosodiphenylamine	86-30-6	5.0	N.D.
N-Nitroso-di-N-propylamine	621-64-7	5.0	N.D.
N-Nitrosodimethylamine	62-75-9	5.0	N.D.
Pentachlorophenol	87-86-5	50	N.D.
Phenanthrene	85-01-8	5.0	N.D.
Phenol	108-95-2	5.0	N.D.
Pyrene	129-00-0	5.0	N.D.
1,2,4-Trichlorobenzene	120-82-1	5.0	N.D.
2,4,5-Trichlorophenol	95-95-4	5.0	N.D.
2,4,6-Trichlorophenol	88-06-2	5.0	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

Orange Coast Analytical

Mark Noorani
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035.01090010

Sample Description: Water, Equip Blank

Sampled: 07/24/97
Received: 07/24/97
Analyzed: 07/28/97
Reported: 07/31/97

Laboratory Sample Number: 97070418
Laboratory Reference #: MWI 9378

PCB'S (EPA 8080)

Analyte	*CAS NUMBER*	*DETECTION LIMITS (ug/l)*	*SAMPLE RESULTS (ug/l)*
PCB-1016	12674-11-2	5.0	N.D.
PCB-1221	11104-28-2	5.0	N.D.
PCB-1232	11141-16-5	5.0	N.D.
PCB-1242	53469-21-9	5.0	N.D.
PCB-1248	12672-29-6	5.0	N.D.
PCB-1254	11097-69-1	5.0	N.D.
PCB-1260	11096-82-5	5.0	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

ORANGE COAST ANALYTICAL

Mark Noorani
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035.01090010

Sample Description: Water, Rinsate Blank

Sampled: 07/24/97
Received: 07/24/97
Analyzed: 07/28/97
Reported: 07/31/97

Laboratory Sample Number: 97070419
Laboratory Reference #: MWI 9378

PCB'S (EPA 8080)

Analyte	*CAS NUMBER*	*DETECTION LIMITS (ug/l)*	*SAMPLE RESULTS (ug/l)*
PCB-1016	12674-11-2	5.0	N.D.
PCB-1221	11104-28-2	5.0	N.D.
PCB-1232	11141-16-5	5.0	N.D.
PCB-1242	53469-21-9	5.0	N.D.
PCB-1248	12672-29-6	5.0	N.D.
PCB-1254	11097-69-1	5.0	N.D.
PCB-1260	11096-82-5	5.0	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

ORANGE COAST ANALYTICAL

Mark Noorani
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery·Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035.01090010

Sample Description: Water, Equip Blank

Sampled: 07/24/97
Received: 07/24/97
Analyzed: 07/28/97
Reported: 07/31/97

Laboratory Sample Number: 97070418
Laboratory Reference #: MWI 9378

ORGANOCHLORINE PESTICIDES (EPA 8080)

Analyte	*CAS NUMBER*	*DETECTION LIMITS (ug/l)*	*SAMPLE RESULTS (ug/l)*
Aldrin	309-00-2	0.1	N.D.
alpha-BHC	319-84-6	0.2	N.D.
beta-BHC	319-85-7	0.2	N.D.
gamma-BHC	319-86-8	0.2	N.D.
gamma-BHC (Lindane)	58-89-9	0.2	N.D.
Chlordane	57-74-9	0.2	N.D.
4,4'-DDD	72-54-9	0.5	N.D.
4,4'-DDE	72-55-9	0.1	N.D.
4,4'-DDT	50-29-3	0.1	N.D.
Dieldrin	60-57-1	0.5	N.D.
Endosulfan I	959-98-8	0.5	N.D.
Endosulfan II	33213-65-9	0.5	N.D.
Endosulfan sulfate	1031-07-8	0.5	N.D.
Endrin	72-20-8	0.02	N.D.
Endrin aldehyde	7421-93-4	0.2	N.D.
Heptachlor	76-44-8	0.1	N.D.
Hetachlor epoxide	1024-57-3	0.2	N.D.
Methoxychlor	72-43-5	9.0	N.D.
Toxaphene	8001-35-2	0.5	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

ORANGE COAST ANALYTICAL

Mark Noorani
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035.01090010

Sample Description: Water, Rinsate Blank

Sampled: 07/24/97
Received: 07/24/97
Analyzed: 07/28/97
Reported: 07/31/97

Laboratory Sample Number: 97070419
Laboratory Reference #: MWI 9378

ORGANOCHLORINE PESTICIDES (EPA 8080)

Analyte	*CAS NUMBER*	*DETECTION LIMITS (ug/l)*	*SAMPLE RESULTS (ug/l)*
Aldrin	309-00-2	0.1	N.D.
alpha-BHC	319-84-6	0.2	N.D.
beta-BHC	319-85-7	0.2	N.D.
gamma-BHC	319-86-8	0.2	N.D.
gamma-BHC (Lindane)	58-89-9	0.2	N.D.
Chlordane	57-74-9	0.2	N.D.
4,4'-DDD	72-54-9	0.5	N.D.
4,4'-DDE	72-55-9	0.1	N.D.
4,4'-DDT	50-29-3	0.1	N.D.
Dieldrin	60-57-1	0.5	N.D.
Endosulfan I	959-98-8	0.5	N.D.
Endosulfan II	33213-65-9	0.5	N.D.
Endosulfan sulfate	1031-07-8	0.5	N.D.
Endrin	72-20-8	0.02	N.D.
Endrin aldehyde	7421-93-4	0.2	N.D.
Heptachlor	76-44-8	0.1	N.D.
Hetachlor epoxide	1024-57-3	0.2	N.D.
Methoxychlor	72-43-5	9.0	N.D.
Toxaphene	8001-35-2	0.5	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

ORANGE COAST ANALYTICAL

Mark Noorani
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

QC DATA REPORT

Analysis : PCB 'S (EPA 8080)

Date of Analysis : 07/28/97
Laboratory Sample No : OCA 100
Laboratory Reference No : MWI 9378

Analyte	R1 (ppb)	SP (ppb)	MS (ppb)	MSD (ppb)	PR1 %	PR2 %	RPD %
PCB-1260	0.0	20	20	22	100	110	10

Definition of Terms :

R1	Results Of First Analysis
SP	Spike Concentration Added to Sample
MS	Matrix Spike Results
MSD	Matrix Spike Duplicate Results
PR1	Percent Recovery Of MS: {(MS-R1) / SP} x100
PR2	Percent Recovery Of MSD: {(MSD-R1) / SP} x 100
RPD	Relative Percent Difference: {(MS-MSD) / (MS+MSD)} x 100 x 2

ORANGE COAST ANALYTICAL

MARK NOORANI
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

QC DATA REPORT

Analysis : Organochlorine Pesticides (EPA 8080)

Date of Analysis : 07/28/97
Laboratory Sample No : OCA 100
Laboratory Reference No : MWI 9378

Analyte	R1 (ppb)	SP (ppb)	MS (ppb)	MSD (ppb)	PR1 %	PR2 %	RPD %
4,4'-DDT	0.0	1.0	0.71	0.71	71	71	0

Definition of Terms :

R1	Results Of First Analysis
SP	Spike Concentration Added to Sample
MS	Matrix Spike Results
MSD	Matrix Spike Duplicate Results
PR1	Percent Recovery Of MS: {(MS-R1) / SP} x100
PR2	Percent Recovery Of MSD: {(MSD-R1) / SP} x 100
RPD	Relative Percent Difference: {(MS-MSD) / (MS+MSD)} x 100 x 2

ORANGE COAST ANALYTICAL

MARK NOORANI
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

QC DATA REPORT

Analysis : PCB 'S (EPA 8080)

Date of Analysis : 07/31/97
Laboratory Sample No : 97070461
Laboratory Reference No : MWI 9378

Analyte	R1 (ppb)	SP (ppb)	MS (ppb)	MSD (ppb)	PR1 %	PR2 %	RPD %
PCB-1260	0.0	250	97	85	39	34	13

Definition of Terms :

R1	Results Of First Analysis
SP	Spike Concentration Added to Sample
MS	Matrix Spike Results
MSD	Matrix Spike Duplicate Results
PR1	Percent Recovery Of MS: {(MS-R1) / SP} x100
PR2	Percent Recovery Of MSD: {(MSD-R1) / SP} x 100
RPD	Relative Percent Difference: {(MS-MSD) / (MS+MSD)} x 100 x 2

ORANGE COAST ANALYTICAL

MARK NOORANI
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

QC DATA REPORT

Analysis : Volatile Organics by GC/MS (EPA 8260)

Date of Analysis : 07/29/97
Laboratory Sample No : 97070399
Laboratory Reference No : MWI 9378

Analyte	R1 (ppb)	SP (ppb)	MS (ppb)	MSD (ppb)	PR1 %	PR2 %	RPD %
Benzene	0.0	20	18	18	90	90	0
1,1-Dichloroethene	0.0	20	16	16	80	80	0
Trichloroethene	0.0	20	17	17	85	85	0
Toluene	0.0	20	19	19	95	95	0
Chlorobenzene	0.0	20	19	19	95	95	0

Definition of Terms :

R1	Results Of First Analysis
SP	Spike Concentration Added to Sample
MS	Matrix Spike Results
MSD	Matrix Spike Duplicate Results
PR1	Percent Recovery Of MS: {(MS-R1) / SP} x100
PR2	Percent Recovery Of MSD: {(MSD-R1) / SP} x 100
RPD	Relative Percent Difference: {(MS-MSD) / (MS+MSD)} x 100 x 2

ORANGE COAST ANALYTICAL

Mark Noorani

MARK NOORANI
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

QC DATA REPORT

Analysis : Volatile Organics by GC/MS (EPA 8260)

Date of Analysis : 07/28/97
Laboratory Sample No : 97070466
Laboratory Reference No : MWI 9378

Analyte	R1 (ppb)	SP (ppb)	MS (ppb)	MSD (ppb)	PR1 %	PR2 %	RPD %
Benzene	0.0	50	49	52	98	104	6
1,1-Dichloroethene	0.0	50	46	49	92	98	6
Trichloroethene	1.96	50	44	47	84	90	7
Toluene	0.0	50	47	50	94	100	6
Chlorobenzene	0.0	50	48	50	96	100	4

Definition of Terms :

R1	Results Of First Analysis
SP	Spike Concentration Added to Sample
MS	Matrix Spike Results
MSD	Matrix Spike Duplicate Results
PR1	Percent Recovery Of MS: {(MS-R1) / SP} x100
PR2	Percent Recovery Of MSD: {(MSD-R1) / SP} x 100
RPD	Relative Percent Difference: {(MS-MSD) / (MS+MSD)} x 100 x 2

ORANGE COAST ANALYTICAL

Mark Noorani

MARK NOORANI
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

QC DATA REPORT

Analysis : Volatile Organics by GC/MS (EPA 8260)

Date of Analysis : 08/01/97
Laboratory Sample No : 97070412
Laboratory Reference No : MWI 9378

Analyte	R1 (ppb)	SP (ppb)	MS (ppb)	MSD (ppb)	PR1 %	PR2 %	RPD %
Benzene	0.0	50	53	53	106	106	0
1,1-Dichloroethene	0.0	50	54	54	108	108	0
Trichloroethene	0.0	50	51	52	102	104	2
Toluene	0.0	50	52	52	104	104	0
Chlorobenzene	0.0	50	49	47	98	94	4

Definition of Terms :

R1	Results Of First Analysis
SP	Spike Concentration Added to Sample
MS	Matrix Spike Results
MSD	Matrix Spike Duplicate Results
PR1	Percent Recovery Of MS: {(MS-R1) / SP} x100
PR2	Percent Recovery Of MSD: {(MSD-R1) / SP} x 100
RPD	Relative Percent Difference: {(MS-MSD) / (MS+MSD)} x 100 x 2

ORANGE COAST ANALYTICAL

Mark Noorani

MARK NOORANI
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

QC DATA REPORT

Analysis : Total Recoverable Petroleum Hydrocarbons (EPA 418.1)

Date of Analysis : 07/25/97
Laboratory Sample No : OCA 100
Laboratory Reference No : MWI 9378

Analyte	R1 (ppm)	SP (ppm)	MS (ppm)	MSD (ppm)	PR1 %	PR2 %	RPD %
Hydrocarbons	0.0	2.5	2.3	2.4	92	96	4

Definition of Terms :

R1	Results Of First Analysis
SP	Spike Concentration Added to Sample
MS	Matrix Spike Results
MSD	Matrix Spike Duplicate Results
PR1	Percent Recovery Of MS: {(MS-R1) / SP} x100
PR2	Percent Recovery Of MSD: {(MSD-R1) / SP} x 100
RPD	Relative Percent Difference: {(MS-MSD) / (MS+MSD)} x 100 x 2

ORANGE COAST ANALYTICAL

MARK NOORANI
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

QC DATA REPORT

Analysis : Total Recoverable Petroleum Hydrocarbons (EPA 418.1)

Date of Analysis : 07/25/97
Laboratory Sample No : 97070390
Laboratory Reference No : MWI 9378

Analyte	R1 (ppm)	SP (ppm)	MS (ppm)	MSD (ppm)	PR1 %	PR2 %	RPD %
Hydrocarbons	0.0	100	104	103	104	103	1

Definition of Terms :

R1	Results Of First Analysis
SP	Spike Concentration Added to Sample
MS	Matrix Spike Results
MSD	Matrix Spike Duplicate Results
PR1	Percent Recovery Of MS: {(MS-R1) / SP} x100
PR2	Percent Recovery Of MSD: {(MSD-R1) / SP} x 100
RPD	Relative Percent Difference: {(MS-MSD) / (MS+MSD)} x 100 x 2

ORANGE COAST ANALYTICAL

Mark Noorani

MARK NOORANI
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

QC DATA REPORT

Analysis : Semi-Volatile Organics by GC/MS (EPA 8270)

Date of Analysis : 07/29/97
Laboratory Sample No : OCA 100
Laboratory Reference No : MWI 9378

Analyte	R1 (ng)	SP (ng)	MS (ng)	MSD (ng)	PR1 %	PR2 %	RPD %
1,4-Dichlorobenzene	0.0	50	43	38	86	76	12
n-Nitroso-di-n-propylamine	0.0	50	48	47	96	94	2
1,2,4-Trichlorobenzene	0.0	50	43	38	86	76	12
Acenaphthene	0.0	50	48	46	96	92	4
Pyrene	0.0	50	48	45	96	90	6
Pentachlorophenol	0.0	100	83	77	83	77	8
4-Chloro-3-Methylphenol	0.0	100	75	70	75	70	7
2-Chlorophenol	0.0	100	79	75	79	75	5
Phenol	0.0	100	28	26	28	26	7

Definition of Terms :

R1	Results Of First Analysis
SP	Spike Concentration Added to Sample
MS	Matrix Spike Results
MSD	Matrix Spike Duplicate Results
PR1	Percent Recovery Of MS: {(MS-R1) / SP} x100
PR2	Percent Recovery Of MSD: {(MSD-R1) / SP} x 100
RPD	Relative Percent Difference: {(MS-MSD) / (MS+MSD)} x 100 x 2

ORANGE COAST ANALYTICAL

Mark Noorani

MARK NOORANI
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

QC DATA REPORT

Analysis : Semi-Volatile Organics by GC/MS (EPA 8270)

Date of Analysis : 07/31/97
Laboratory Sample No : 97070528
Laboratory Reference No : MWI 9378

Analyte	R1 (ng)	SP (ng)	MS (ng)	MSD (ng)	PR1 %	PR2 %	RPD %
1,4-Dichlorobenzene	0.0	50	44	42	88	84	5
n-Nitroso-di-n-propylamine	0.0	50	41	43	82	86	5
1,2,4-Trichlorobenzene	0.0	50	45	44	90	88	2
Acenaphthene	0.0	50	46	44	92	88	4
Pyrene	0.0	50	47	44	94	88	7
Pentachlorophenol	0.0	100	83	79	83	79	5
4-Chloro-3-Methylphenol	0.0	100	75	71	75	71	5
2-Chlorophenol	0.0	100	81	76	81	76	6
Phenol	0.0	100	68	65	68	65	5

Definition of Terms :

R1	Results Of First Analysis
SP	Spike Concentration Added to Sample
MS	Matrix Spike Results
MSD	Matrix Spike Duplicate Results
PR1	Percent Recovery Of MS: {(MS-R1) / SP} x100
PR2	Percent Recovery Of MSD: {(MSD-R1) / SP} x 100
RPD	Relative Percent Difference: {(MS-MSD) / (MS+MSD)} x 100 x 2

ORANGE COAST ANALYTICAL

Mark Noorani

MARK NOORANI
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

QC DATA REPORT

Analysis : Metals

Date of Analysis : 07/29/97
Laboratory Sample No : 97070419
Laboratory Reference No : MWI 9378

Analyte	R1 (ppm)	SP (ppm)	MS (ppm)	MSD (ppm)	PR1 %	PR2 %	RPD %
Antimony	0.00	3.00	2.40	2.60	80	87	8
Arsenic	0.00	1.00	1.02	1.01	102	101	1
Barium	0.000	0.100	0.098	0.086	98	86	13
Beryllium	0.00	0.100	0.098	0.103	98	103	5
Cadmium	0.00	0.100	0.109	0.107	109	107	2
Chromium (VI)	0.00	0.50	0.41	0.50	82	100	20
Chromium (Total)	0.00	0.100	0.101	0.091	101	91	10
Cobalt	0.00	0.100	0.114	0.107	114	107	6
Copper	0.000	0.100	0.098	0.103	98	103	5
Lead	0.00	1.00	0.80	0.86	80	86	7
Mercury	0.000	0.020	0.020	0.021	100	105	5
Molybdenum	0.00	1.00	0.90	0.84	90	84	7
Nickel	0.00	0.50	0.49	0.51	98	102	4
Selenium	0.00	1.00	1.02	0.99	102	99	3
Silver	0.00	0.50	0.46	0.52	92	104	12
Thallium	0.00	3.00	3.10	2.80	103	93	10
Vanadium	0.00	0.50	0.49	0.45	98	90	9
Zinc	0.000	0.100	0.083	0.080	83	80	4

Definition of Terms :

R1	Results Of First Analysis
SP	Spike Concentration Added to Sample
MS	Matrix Spike Results
MSD	Matrix Spike Duplicate Results
PR1	Percent Recovery Of MS: {(MS-R1) / SP} x100
PR2	Percent Recovery Of MSD: {(MSD-R1) / SP} x 100
RPD	Relative Percent Difference: {(MS-MSD) / (MS+MSD)} x 100 x 2

ORANGE COAST ANALYTICAL

MARK NOORANI
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

QC DATA REPORT

Analysis : Metals

Date of Analysis : 07/29/97
Laboratory Sample No : 97070411
Laboratory Reference No : MWI 9378

Analyte	R1 (ppm)	SP (ppm)	MS (ppm)	MSD (ppm)	PR1 %	PR2 %	RPD %
Antimony	0.0	30.0	30.0	30.0	100	100	0
Arsenic	0.0	10.0	11.1	12.0	111	120	8
Barium	10.0	10.0	20.0	21.0	100	110	5
Beryllium	0.00	1.00	0.99	1.02	99	102	3
Cadmium	0.00	1.00	0.96	1.09	96	109	13
Chromium (Total)	2.10	5.00	6.90	7.10	96	100	3
Chromium (VI)	0.00	1.00	0.81	0.86	81	86	6
Cobalt	0.56	1.00	1.52	1.55	96	99	2
Copper	0.93	1.00	1.89	1.92	96	99	2
Lead	0.00	10.0	8.3	9.5	83	95	13
Mercury	0.000	0.020	0.018	0.019	90	95	5
Molybdenum	0.0	10.0	9.6	10.2	96	102	6
Nickel	0.80	5.00	5.3	5.5	90	94	4
Selenium	0.0	10.0	8.9	9.0	89	90	1
Silver	0.0	5.0	6.0	6.0	120	120	0
Thallium	0.0	30.0	25.0	25.0	83	83	0
Vanadium	2.4	5.0	7.4	7.6	100	104	3
Zinc	3.5	5.0	8.2	8.6	94	102	5

Definition of Terms :

R1	Results Of First Analysis
SP	Spike Concentration Added to Sample
MS	Matrix Spike Results
MSD	Matrix Spike Duplicate Results
PR1	Percent Recovery Of MS: {(MS-R1) / SP} x100
PR2	Percent Recovery Of MSD: {(MSD-R1) / SP} x 100
RPD	Relative Percent Difference: {(MS-MSD) / (MS+MSD)} x 100 x 2

ORANGE COAST ANALYTICAL

Mark Noorani

MARK NOORANI
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532
Tustin, CA 92680
(714) 832-0064, Fax (714) 832-0067

Analysis Request and Chain of Custody Record

Lab Job No: _____
Page 1 of 1

REQUIRED TAT: 24 hr TAT ON Soil TRPH Standard TAT otherwise

CUSTOMER INFORMATION		PROJECT INFORMATION	
COMPANY:	Montgomery Watson	PROJECT NAME:	McDonnell Douglas
SEND REPORT TO:	Fred Strauss	NUMBER:	1206035.01090010
ADDRESS:	250 N Madison Ave	LOCATION:	C-6 facility
	Pasadena, CA 91101	ADDRESS:	19503 S Normandie Ave
			Los Angeles, CA
PHONE:	(818)568-6582 FAX: (818)796-5941	SAMPLED BY:	CW/AN/IY

SAMPLE ID	NO. OF CONTAINERS	SAMPLE DATE	SAMPLE TIME	SAMPLE MATRIX	CONTAINER TYPE	PRES.	TRPH 418.1	TITLE 22 METALS	VOCs 8260	SVOCs 8270	PCBs 8080	Pesticides 8080			REMARKS/PRECAUTIONS
OA1-GS-43-4'	2	7/24/97	1005	Soil	2"x6" SS sleeve	Ice	X	X							
OA1-GS-44-10'	2		1050				X	X							
OA1-GS-45-10'	2		1110				X	X							
OA1-GS-46-10'	2		1120				X	X							
OA1-GS-47-10'	2		1130				X	X							
OA1-RE5-SP1	2		1335				X	X	X	X					
OA1-RE5-SP2	2		1405				X	X	X	X					
EQUIPMENT Blank	7		1500	Water	4 Amber 1 poly 2 VOAs	none HNO3 HCl	X	X	X	X	X	X			
Rinsate Blank	7		1515	water			X	X	X	X	X	X			
Trip Blank	2			Water	2 VOAs	HCl			X						

Total No. of Samples: 10

Method of Shipment: 1 Cooler via Orange Coast Courier.

Relinquished By:	Date/Time:	Received By:	Date/Time:	Reporting Format: (check)
Ivan Vargas	7/24/97 1600			NORMAL _____ S.D. HMMD _____
Relinquished By:	Date/Time:	Received By:	Date/Time:	RWQCB _____ OTHER _____
Relinquished By:	Date/Time:	Received For Lab By: [signature]	Date/Time: 7/24/97 16:00	Sample Integrity: (check) Intact _____ on ice _____

All samples remain the property of the client who is responsible [illegible]osal. A disposal fee may be imposed if client fails to pickup samples.

BOE-C6-0146118

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035.01090010

Analysis Method: 418.1

Sample Description: Soil,

Laboratory Reference #: MWI 9388

Sampled: 07/25/97
Received: 07/25/97
Analyzed: 07/28/97
Reported: 07/28/97

TOTAL RECOVERABLE PETROLEUM HYDROCARBONS

Laboratory Sample Sumber	*Client Sample Number*	*Extractable Hydrocarbons mg/kg (ppm)*
97070450	OA1-GS-48-12'	N.D.
97070451	OA1-GS-49-12'	N.D.
97070452	OA1-GS-50-12'	N.D.
97070453	OA1-GS-51-2'	N.D.
97070454	OA1-GS-52-3'	N.D.
97070455	OA1-GS-53-3'	N.D.
97070456	OA1-GS-54-2'	N.D.
97070457	OA1-GS-55-3'	N.D.
97070458	OA1-GS-56-3'	N.D.
97070459	OA1-GS-57-6'	N.D.
97070460	OA1-GS-58-10'	N.D.

Detection Limit:	8.0

Analytes reported as N.D. were not present above the stated limit of detection.

ORANGE COAST ANALYTICAL

Mark Noorani

Mark Noorani
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035.01090010

Analysis Method: 418.1

Sample Description: Soil,

Laboratory Reference #: MWI 9388

Sampled: 07/25/97
Received: 07/25/97
Analyzed: 07/28/97
Reported: 07/28/97

TOTAL RECOVERABLE PETROLEUM HYDROCARBONS

Laboratory Sample Sumber	*Client Sample Number*	*Extractable Hydrocarbons mg/kg (ppm)*
97070461	OA1-GS-59-5'	9.0
97070462	OA1-GS-60-6'	N.D.
97070463	OA1-GS-61-10'	N.D.
97070464	OA1-GS-62-6'	13
97070465	PL-GS-10-2.5'	10,000
97070466	OA1-RE5-SP3	260
Detection Limit:		8.0

Analytes reported as N.D. were not present above the stated limit of detection.

ORANGE COAST ANALYTICAL

Mark Noorani
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035.01090010

Sample Description: Soil, OA1-GS-48-12'

Sampled: 07/25/97
Received: 07/25/97
Analyzed: 07/29/97
Reported: 08/01/97

Laboratory Sample Number: 97070450
Laboratory Reference #: MWI 9388

CCR - METALS

Analyte	*EPA Method*	*STLC Limits mg/l*	*TTLC Limits mg/kg*	*Detection Limit mg/kg*	*Analysis Result mg/kg*	
Antimony	6010	15	500	5.0	N.D.	
Arsenic	6010	5.0	500	1.0	N.D.	
Barium	6010	100	10000	0.1	130	<---
Beryllium	6010	0.75	75	0.1	N.D.	
Cadmium	6010	1.0	100	0.1	N.D.	
Chromium (VI)	7196	5.0	500	0.5	N.D.	
Chromium Total	6010	560	2500	0.05	31	<---
Cobalt	6010	80	8000	0.5	8.3	<---
Copper	6010	25	2500	0.1	19	<---
Lead	6010	5.0	1000	1.0	N.D.	
Mercury	7471	0.2	20	0.01	N.D.	
Molybdenum	6010	350	3500	0.5	N.D.	
Nickel	6010	20	2000	0.5	15	<---
Selenium	6010	1.0	100	1.0	N.D.	
Silver	6010	5.0	500	0.1	N.D.	
Thallium	6010	7.0	700	5.0	N.D.	
Vanadium	6010	24	2400	0.5	38	<---
Zinc	6010	250	5000	0.1	54	<---

Analytes reported as N.D. were not present above the stated limit of detection.

ORANGE COAST ANALYTICAL

Mark Noorani
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035.01090010

Sample Description: Soil, OA1-GS-49-12'

Sampled: 07/25/97
Received: 07/25/97
Analyzed: 07/29/97
Reported: 08/01/97

Laboratory Sample Number: 97070451
Laboratory Reference #: MWI 9388

CCR - METALS

Analyte	*EPA Method*	*STLC Limits mg/l*	*TTLC Limits mg/kg*	*Detection Limit mg/kg*	*Analysis Result mg/kg*	
Antimony	6010	15	500	5.0	N.D.	
Arsenic	6010	5.0	500	1.0	N.D.	
Barium	6010	100	10000	0.1	93	<---
Beryllium	6010	0.75	75	0.1	N.D.	
Cadmium	6010	1.0	100	0.1	N.D.	
Chromium (VI)	7196	5.0	500	0.5	N.D.	
Chromium Total	6010	560	2500	0.05	25	<---
Cobalt	6010	80	8000	0.5	6.8	<---
Copper	6010	25	2500	0.1	17	<---
Lead	6010	5.0	1000	1.0	N.D.	
Mercury	7471	0.2	20	0.01	N.D.	
Molybdenum	6010	350	3500	0.5	N.D.	
Nickel	6010	20	2000	0.5	14	<---
Selenium	6010	1.0	100	1.0	N.D.	
Silver	6010	5.0	500	0.1	N.D.	
Thallium	6010	7.0	700	5.0	N.D.	
Vanadium	6010	24	2400	0.5	31	<---
Zinc	6010	250	5000	0.1	45	<---

Analytes reported as N.D. were not present above the stated limit of detection.

ORANGE COAST ANALYTICAL

Mark Noorani
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035.01090010

Sample Description: Soil, OA1-GS-50-12'

Sampled: 07/25/97
Received: 07/25/97
Analyzed: 07/29/97
Reported: 08/01/97

Laboratory Sample Number: 97070452
Laboratory Reference #: MWI 9388

CCR - METALS

Analyte	*EPA Method*	*STLC Limits mg/l*	*TTLC Limits mg/kg*	*Detection Limit mg/kg*	*Analysis Result mg/kg*	
Antimony	6010	15	500	5.0	N.D.	
Arsenic	6010	5.0	500	1.0	N.D.	
Barium	6010	100	10000	0.1	110	<---
Beryllium	6010	0.75	75	0.1	N.D.	
Cadmium	6010	1.0	100	0.1	N.D.	
Chromium (VI)	7196	5.0	500	0.5	N.D.	
Chromium Total	6010	560	2500	0.05	29	<---
Cobalt	6010	80	8000	0.5	6.8	<---
Copper	6010	25	2500	0.1	17	<---
Lead	6010	5.0	1000	1.0	N.D.	
Mercury	7471	0.2	20	0.01	N.D.	
Molybdenum	6010	350	3500	0.5	N.D.	
Nickel	6010	20	2000	0.5	15	<---
Selenium	6010	1.0	100	1.0	N.D.	
Silver	6010	5.0	500	0.1	N.D.	
Thallium	6010	7.0	700	5.0	N.D.	
Vanadium	6010	24	2400	0.5	34	<---
Zinc	6010	250	5000	0.1	47	<---

Analytes reported as N.D. were not present above the stated limit of detection.

ORANGE COAST ANALYTICAL

Mark Noorani
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035.01090010

Sample Description: Soil, OA1-GS-55-3'

Sampled: 07/25/97
Received: 07/25/97
Analyzed: 07/29/97
Reported: 08/01/97

Laboratory Sample Number: 97070457
Laboratory Reference #: MWI 9388

CCR - METALS

Analyte	*EPA Method*	*STLC Limits mg/l*	*TTLC Limits mg/kg*	*Detection Limit mg/kg*	*Analysis Result mg/kg*	
Antimony	6010	15	500	5.0	N.D.	
Arsenic	6010	5.0	500	1.0	N.D.	
Barium	6010	100	10000	0.1	82	<---
Beryllium	6010	0.75	75	0.1	N.D.	
Cadmium	6010	1.0	100	0.1	N.D.	
Chromium (VI)	7196	5.0	500	0.5	N.D.	
Chromium Total	6010	560	2500	0.05	22	<---
Cobalt	6010	80	8000	0.5	5.0	<---
Copper	6010	25	2500	0.1	9.5	<---
Lead	6010	5.0	1000	1.0	N.D.	
Mercury	7471	0.2	20	0.01	N.D.	
Molybdenum	6010	350	3500	0.5	N.D.	
Nickel	6010	20	2000	0.5	7.3	<---
Selenium	6010	1.0	100	1.0	N.D.	
Silver	6010	5.0	500	0.1	N.D.	
Thallium	6010	7.0	700	5.0	N.D.	
Vanadium	6010	24	2400	0.5	24	<---
Zinc	6010	250	5000	0.1	30	<---

Analytes reported as N.D. were not present above the stated limit of detection.

ORANGE COAST ANALYTICAL

Mark Noorani
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035.01090010

Sample Description: Soil, OA1-GS-56-3'

Sampled: 07/25/97
Received: 07/25/97
Analyzed: 07/29/97
Reported: 08/01/97

Laboratory Sample Number: 97070458
Laboratory Reference #: MWI 9388

CCR - METALS

Analyte	*EPA Method*	*STLC Limits mg/l*	*TTLC Limits mg/kg*	*Detection Limit mg/kg*	*Analysis Result mg/kg*	
Antimony	6010	15	500	5.0	N.D.	
Arsenic	6010	5.0	500	1.0	N.D.	
Barium	6010	100	10000	0.1	140	<---
Beryllium	6010	0.75	75	0.1	N.D.	
Cadmium	6010	1.0	100	0.1	N.D.	
Chromium (VI)	7196	5.0	500	0.5	N.D.	
Chromium Total	6010	560	2500	0.05	30	<---
Cobalt	6010	80	8000	0.5	6.1	<---
Copper	6010	25	2500	0.1	14	<---
Lead	6010	5.0	1000	1.0	N.D.	
Mercury	7471	0.2	20	0.01	N.D.	
Molybdenum	6010	350	3500	0.5	N.D.	
Nickel	6010	20	2000	0.5	10	<---
Selenium	6010	1.0	100	1.0	N.D.	
Silver	6010	5.0	500	0.1	N.D.	
Thallium	6010	7.0	700	5.0	N.D.	
Vanadium	6010	24	2400	0.5	34	<---
Zinc	6010	250	5000	0.1	46	<---

Analytes reported as N.D. were not present above the stated limit of detection.

ORANGE COAST ANALYTICAL

Mark Noorani
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035.01090010

Sample Description: Soil, OA1-GS-57-6'

Sampled: 07/25/97
Received: 07/25/97
Analyzed: 07/29/97
Reported: 08/01/97

Laboratory Sample Number: 97070459
Laboratory Reference #: MWI 9388

CCR - METALS

Analyte	*EPA Method*	*STLC Limits mg/l*	*TTLC Limits mg/kg*	*Detection Limit mg/kg*	*Analysis Result mg/kg*	
Antimony	6010	15	500	5.0	N.D.	
Arsenic	6010	5.0	500	1.0	N.D.	
Barium	6010	100	10000	0.1	72	<---
Beryllium	6010	0.75	75	0.1	N.D.	
Cadmium	6010	1.0	100	0.1	N.D.	
Chromium (VI)	7196	5.0	500	0.5	N.D.	
Chromium Total	6010	560	2500	0.05	28	<---
Cobalt	6010	80	8000	0.5	4.2	<---
Copper	6010	25	2500	0.1	12	<---
Lead	6010	5.0	1000	1.0	N.D.	
Mercury	7471	0.2	20	0.01	N.D.	
Molybdenum	6010	350	3500	0.5	N.D.	
Nickel	6010	20	2000	0.5	8.4	<---
Selenium	6010	1.0	100	1.0	N.D.	
Silver	6010	5.0	500	0.1	N.D.	
Thallium	6010	7.0	700	5.0	N.D.	
Vanadium	6010	24	2400	0.5	25	<---
Zinc	6010	250	5000	0.1	46	<---

Analytes reported as N.D. were not present above the stated limit of detection.

ORANGE COAST ANALYTICAL

Mark Noorani
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035.01090010

Sample Description: Soil, OA1-GS-58-10'

Sampled: 07/25/97
Received: 07/25/97
Analyzed: 07/29/97
Reported: 08/01/97

Laboratory Sample Number: 97070460
Laboratory Reference #: MWI 9388

CCR - METALS

Analyte	*EPA Method*	*STLC Limits mg/l*	*TTLC Limits mg/kg*	*Detection Limit mg/kg*	*Analysis Result mg/kg*	
Antimony	6010	15	500	5.0	N.D.	
Arsenic	6010	5.0	500	1.0	N.D.	
Barium	6010	100	10000	0.1	92	<---
Beryllium	6010	0.75	75	0.1	N.D.	
Cadmium	6010	1.0	100	0.1	N.D.	
Chromium (VI)	7196	5.0	500	0.5	N.D.	
Chromium Total	6010	560	2500	0.05	26	<---
Cobalt	6010	80	8000	0.5	6.5	<---
Copper	6010	25	2500	0.1	14	<---
Lead	6010	5.0	1000	1.0	N.D.	
Mercury	7471	0.2	20	0.01	N.D.	
Molybdenum	6010	350	3500	0.5	N.D.	
Nickel	6010	20	2000	0.5	13	<---
Selenium	6010	1.0	100	1.0	N.D.	
Silver	6010	5.0	500	0.1	N.D.	
Thallium	6010	7.0	700	5.0	N.D.	
Vanadium	6010	24	2400	0.5	31	<---
Zinc	6010	250	5000	0.1	49	<---

Analytes reported as N.D. were not present above the stated limit of detection.

ORANGE COAST ANALYTICAL

Mark Noorani
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035.01090010

Sample Description: Soil, OA1-GS-59-5'

Sampled: 07/25/97
Received: 07/25/97
Analyzed: 07/29/97
Reported: 08/01/97

Laboratory Sample Number: 97070461
Laboratory Reference #: MWI 9388

CCR - METALS

Analyte	*EPA Method*	*STLC Limits mg/l*	*TTLC Limits mg/kg*	*Detection Limit mg/kg*	*Analysis Result mg/kg*	
Antimony	6010	15	500	5.0	N.D.	
Arsenic	6010	5.0	500	1.0	N.D.	
Barium	6010	100	10000	0.1	87	<---
Beryllium	6010	0.75	75	0.1	N.D.	
Cadmium	6010	1.0	100	0.1	N.D.	
Chromium (VI)	7196	5.0	500	0.5	N.D.	
Chromium Total	6010	560	2500	0.05	20	<---
Cobalt	6010	80	8000	0.5	8.8	<---
Copper	6010	25	2500	0.1	12	<---
Lead	6010	5.0	1000	1.0	N.D.	
Mercury	7471	0.2	20	0.01	N.D.	
Molybdenum	6010	350	3500	0.5	N.D.	
Nickel	6010	20	2000	0.5	13	<---
Selenium	6010	1.0	100	1.0	N.D.	
Silver	6010	5.0	500	0.1	N.D.	
Thallium	6010	7.0	700	5.0	N.D.	
Vanadium	6010	24	2400	0.5	27	<---
Zinc	6010	250	5000	0.1	43	<---

Analytes reported as N.D. were not present above the stated limit of detection.

ORANGE COAST ANALYTICAL

Mark Noorani
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035.01090010

Sampled: 07/25/97
Received: 07/25/97
Analyzed: 07/31/97
Reported: 08/05/97

Sample Description: Soil, OA1-GS-48-12'
Laboratory Sample Number: 97070450
Laboratory Reference #: MWI 9388

VOLATILE ORGANICS BY GC/MS (EPA 8260)

ANALYTE	*CAS NUMBER*	*DETECTION Limit (ug/kg)*	*SAMPLE RESULTS (ug/kg)*	
Benzene	71-43-2	2.5	N.D.	
Bromodichloromethane	75-27-4	2.5	N.D.	
Bromoform	75-25-2	2.5	N.D.	
Bromomethane	74-83-9	2.5	N.D.	
Carbon Disulfide	75-15-0	5.0	N.D.	
Carbon tetrachloride	56-23-5	2.5	N.D.	
Chlorobenzene	108-90-7	2.5	N.D.	
Chlorodibromomethane	124-48-1	2.5	N.D.	
Chloroethane	75-00-3	2.5	N.D.	
2-Chloroethyl vinyl ether	110-75-8	5.0	N.D.	
Chloroform	67-66-3	2.5	N.D.	
Chloromethane	74-87-3	2.5	N.D.	
1,1-Dichloroethane	75-34-3	2.5	N.D.	
1,2-Dichloroethane	107-06-2	2.5	N.D.	
1,1-Dichloroethene	75-35-4	2.5	N.D.	
Trans 1,2-Dichloroethene	156-60-5	2.5	N.D.	
1,2-Dichloropropane	78-87-5	2.5	N.D.	
cis-1,3-Dichloropropene	10061-01-5	2.5	N.D.	
trans-1,3-Dichloropropene	10061-02-6	2.5	N.D.	
Ethylbenzene	100-41-4	2.5	N.D.	
Methylene chloride	75-09-2	5.0	N.D.	
Styrene	100-42-5	2.5	N.D.	
1,1,2,2-Tetrachloroethane	79-34-5	2.5	N.D.	
Tetrachloroethene	127-18-4	2.5	N.D.	
Toluene	108-88-3	2.5	N.D.	
1,1,1-Trichloroethane	71-55-6	2.5	N.D.	
1,1,2-Trichloroethane	79-00-5	2.5	N.D.	
Trichloroethene	79-01-6	2.5	2.5	<---
Trichlorofluoromethane	75-69-4	5.0	N.D.	
Vinyl acetate	108-05-4	5.0	N.D.	
Vinyl chloride	75-01-4	2.5	N.D.	
Total Xylenes	1330-20-7	2.5	N.D.	
Dichlorodifluoromethane	75-71-8	2.5	N.D.	
cis-1-2,-Dichloroethene	156-59-2	2.5	N.D.	
2,2-Dichloropropane	594-20-7	2.5	N.D.	
Bromochloromethane	74-97-5	2.5	N.D.	
1,1-Dichloropropene	563-58-6	2.5	N.D.	
Dibromomethane	74-95-3	2.5	N.D.	
1,2-Dibromoethane	106-93-4	2.5	N.D.	

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

VOLATILE ORGANICS BY GC/MS (EPA 8260) (continued)

Sample Description: Soil, OA1-GS-48-12'
Laboratory Sample #: 97070450

ANALYTE	CAS NUMBER	DETECTION Limit (ug/kg)	SAMPLE RESULTS (ug/kg)
1,3-Dichloropropane	142-28-9	2.5	N.D.
Isopropylbenzene	98-82-8	2.5	N.D.
1,1,2,2-Tetrachloroethane	79-34-5	2.5	N.D.
1,2,3-Trichloropropane	96-18-4	2.5	N.D.
Bromobenzene	108-86-1	2.5	N.D.
n-Propylbenzene	103-65-1	2.5	N.D.
2-Chlorotoluene	95-49-8	2.5	N.D.
1,3,5-Trimethylbenzene	108-67-8	2.5	N.D.
4-Chlorotoluene	106-43-4	2.5	N.D.
tert-Butylbenzene	98-06-6	2.5	N.D.
1,2,4-Trimethylbenzene	95-63-6	2.5	N.D.
sec-Butylbenzene	135-98-8	2.5	N.D.
4-Isopropyltoluene	99-87-6	2.5	N.D.
1,3-Dichlorobenzene	541-73-1	2.5	N.D.
1,4-Dichlorobenzene	106-46-7	2.5	N.D.
n-Butylbenzene	104-51-8	2.5	N.D.
1,2-Dichlorobenzene	95-50-1	2.5	N.D.
1,2-Dibromo-3-CPA	96-12-8	5.0	N.D.
1,2,4-Trichlorobenzene	120-82-1	2.5	N.D.
Hexachlorobutadiene	87-68-3	2.5	N.D.
Naphthalene	91-20-3	2.5	N.D.
1,2,3-Trichlorobenzene	87-61-6	2.5	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

Orange Coast Analytical

Mark Noorani
Laboratory Director

Surrogate Recoveries	%
Dibromofluoromethane	91
Toluene-d8	96
4-Bromofluorobenzene	92

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035.01090010

Sample Description: Soil, OA1-GS-55-3'
Laboratory Sample Number: 97070457
Laboratory Reference #: MWI 9388

Sampled: 07/25/97
Received: 07/25/97
Analyzed: 07/31/97
Reported: 08/05/97

VOLATILE ORGANICS BY GC/MS (EPA 8260)

ANALYTE	*CAS NUMBER*	*DETECTION Limit (ug/kg)*	*SAMPLE RESULTS (ug/kg)*	
Benzene	71-43-2	2.5	N.D.	
Bromodichloromethane	75-27-4	2.5	N.D.	
Bromoform	75-25-2	2.5	N.D.	
Bromomethane	74-83-9	2.5	N.D.	
Carbon Disulfide	75-15-0	5.0	N.D.	
Carbon tetrachloride	56-23-5	2.5	N.D.	
Chlorobenzene	108-90-7	2.5	N.D.	
Chlorodibromomethane	124-48-1	2.5	N.D.	
Chloroethane	75-00-3	2.5	N.D.	
2-Chloroethyl vinyl ether	110-75-8	5.0	N.D.	
Chloroform	67-66-3	2.5	N.D.	
Chloromethane	74-87-3	2.5	N.D.	
1,1-Dichloroethane	75-34-3	2.5	N.D.	
1,2-Dichloroethane	107-06-2	2.5	N.D.	
1,1-Dichloroethene	75-35-4	2.5	N.D.	
Trans 1,2-Dichloroethene	156-60-5	2.5	N.D.	
1,2-Dichloropropane	78-87-5	2.5	N.D.	
cis-1,3-Dichloropropene	10061-01-5	2.5	N.D.	
trans-1,3-Dichloropropene	10061-02-6	2.5	N.D.	
Ethylbenzene	100-41-4	2.5	N.D.	
Methylene chloride	75-09-2	5.0	N.D.	
Styrene	100-42-5	2.5	N.D.	
1,1,2,2-Tetrachloroethane	79-34-5	2.5	N.D.	
Tetrachloroethene	127-18-4	2.5	N.D.	
Toluene	108-88-3	2.5	N.D.	
1,1,1-Trichloroethane	71-55-6	2.5	N.D.	
1,1,2-Trichloroethane	79-00-5	2.5	N.D.	
Trichloroethene	79-01-6	2.5	4.6	<---
Trichlorofluoromethane	75-69-4	5.0	N.D.	
Vinyl acetate	108-05-4	5.0	N.D.	
Vinyl chloride	75-01-4	2.5	N.D.	
Total Xylenes	1330-20-7	2.5	N.D.	
Dichlorodifluoromethane	75-71-8	2.5	N.D.	
cis-1-2,-Dichloroethene	156-59-2	2.5	N.D.	
2,2-Dichloropropane	594-20-7	2.5	N.D.	
Bromochloromethane	74-97-5	2.5	N.D.	
1,1-Dichloropropene	563-58-6	2.5	N.D.	
Dibromomethane	74-95-3	2.5	N.D.	
1,2-Dibromoethane	106-93-4	2.5	N.D.	

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

VOLATILE ORGANICS BY GC/MS (EPA 8260) (continued)

Sample Description: Soil, OA1-GS-55-3'
Laboratory Sample #: 97070457

ANALYTE	*CAS NUMBER*	*DETECTION Limit (ug/kg)*	*SAMPLE RESULTS (ug/kg)*
1,3-Dichloropropane	142-28-9	2.5	N.D.
Isopropylbenzene	98-82-8	2.5	N.D.
1,1,2,2-Tetrachloroethane	79-34-5	2.5	N.D.
1,2,3-Trichloropropane	96-18-4	2.5	N.D.
Bromobenzene	108-86-1	2.5	N.D.
n-Propylbenzene	103-65-1	2.5	N.D.
2-Chlorotoluene	95-49-8	2.5	N.D.
1,3,5-Trimethylbenzene	108-67-8	2.5	N.D.
4-Chlorotoluene	106-43-4	2.5	N.D.
tert-Butylbenzene	98-06-6	2.5	N.D.
1,2,4-Trimethylbenzene	95-63-6	2.5	N.D.
sec-Butylbenzene	135-98-8	2.5	N.D.
4-Isopropyltoluene	99-87-6	2.5	N.D.
1,3-Dichlorobenzene	541-73-1	2.5	N.D.
1,4-Dichlorobenzene	106-46-7	2.5	N.D.
n-Butylbenzene	104-51-8	2.5	N.D.
1,2-Dichlorobenzene	95-50-1	2.5	N.D.
1,2-Dibromo-3-CPA	96-12-8	5.0	N.D.
1,2,4-Trichlorobenzene	120-82-1	2.5	N.D.
Hexachlorobutadiene	87-68-3	2.5	N.D.
Naphthalene	91-20-3	2.5	N.D.
1,2,3-Trichlorobenzene	87-61-6	2.5	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

Orange Coast Analytical

Mark Noorani
Laboratory Director

Surrogate Recoveries %

Dibromofluoromethane	89
Toluene-d8	95
4-Bromofluorobenzene	89

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035.01090010

Sample Description: Soil, OA1-GS-56-3'
Laboratory Sample Number: 97070458
Laboratory Reference #: MWI 9388

Sampled: 07/25/97
Received: 07/25/97
Analyzed: 07/31/97
Reported: 08/05/97

VOLATILE ORGANICS BY GC/MS (EPA 8260)

ANALYTE	*CAS NUMBER*	*DETECTION Limit (ug/kg)*	*SAMPLE RESULTS (ug/kg)*	
Benzene	71-43-2	2.5	N.D.	
Bromodichloromethane	75-27-4	2.5	N.D.	
Bromoform	75-25-2	2.5	N.D.	
Bromomethane	74-83-9	2.5	N.D.	
Carbon Disulfide	75-15-0	5.0	N.D.	
Carbon tetrachloride	56-23-5	2.5	N.D.	
Chlorobenzene	108-90-7	2.5	N.D.	
Chlorodibromomethane	124-48-1	2.5	N.D.	
Chloroethane	75-00-3	2.5	N.D.	
2-Chloroethyl vinyl ether	110-75-8	5.0	N.D.	
Chloroform	67-66-3	2.5	N.D.	
Chloromethane	74-87-3	2.5	N.D.	
1,1-Dichloroethane	75-34-3	2.5	N.D.	
1,2-Dichloroethane	107-06-2	2.5	N.D.	
1,1-Dichloroethene	75-35-4	2.5	N.D.	
Trans 1,2-Dichloroethene	156-60-5	2.5	N.D.	
1,2-Dichloropropane	78-87-5	2.5	N.D.	
cis-1,3-Dichloropropene	10061-01-5	2.5	N.D.	
trans-1,3-Dichloropropene	10061-02-6	2.5	N.D.	
Ethylbenzene	100-41-4	2.5	N.D.	
Methylene chloride	75-09-2	5.0	N.D.	
Styrene	100-42-5	2.5	N.D.	
1,1,2,2-Tetrachloroethane	79-34-5	2.5	N.D.	
Tetrachloroethene	127-18-4	2.5	N.D.	
Toluene	108-88-3	2.5	N.D.	
1,1,1-Trichloroethane	71-55-6	2.5	N.D.	
1,1,2-Trichloroethane	79-00-5	2.5	N.D.	
Trichloroethene	79-01-6	2.5	3.8	<---
Trichlorofluoromethane	75-69-4	5.0	N.D.	
Vinyl acetate	108-05-4	5.0	N.D.	
Vinyl chloride	75-01-4	2.5	N.D.	
Total Xylenes	1330-20-7	2.5	N.D.	
Dichlorodifluoromethane	75-71-8	2.5	N.D.	
cis-1-2,-Dichloroethene	156-59-2	2.5	N.D.	
2,2-Dichloropropane	594-20-7	2.5	N.D.	
Bromochloromethane	74-97-5	2.5	N.D.	
1,1-Dichloropropene	563-58-6	2.5	N.D.	
Dibromomethane	74-95-3	2.5	N.D.	
1,2-Dibromoethane	106-93-4	2.5	N.D.	

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

VOLATILE ORGANICS BY GC/MS (EPA 8260) (continued)

Sample Description: Soil, OA1-GS-56-3'
Laboratory Sample #: 97070458

ANALYTE	*CAS NUMBER*	*DETECTION Limit (ug/kg)*	*SAMPLE RESULTS (ug/kg)*
1,3-Dichloropropane	142-28-9	2.5	N.D.
Isopropylbenzene	98-82-8	2.5	N.D.
1,1,2,2-Tetrachloroethane	79-34-5	2.5	N.D.
1,2,3-Trichloropropane	96-18-4	2.5	N.D.
Bromobenzene	108-86-1	2.5	N.D.
n-Propylbenzene	103-65-1	2.5	N.D.
2-Chlorotoluene	95-49-8	2.5	N.D.
1,3,5-Trimethylbenzene	108-67-8	2.5	N.D.
4-Chlorotoluene	106-43-4	2.5	N.D.
tert-Butylbenzene	98-06-6	2.5	N.D.
1,2,4-Trimethylbenzene	95-63-6	2.5	N.D.
sec-Butylbenzene	135-98-8	2.5	N.D.
4-Isopropyltoluene	99-87-6	2.5	N.D.
1,3-Dichlorobenzene	541-73-1	2.5	N.D.
1,4-Dichlorobenzene	106-46-7	2.5	N.D.
n-Butylbenzene	104-51-8	2.5	N.D.
1,2-Dichlorobenzene	95-50-1	2.5	N.D.
1,2-Dibromo-3-CPA	96-12-8	5.0	N.D.
1,2,4-Trichlorobenzene	120-82-1	2.5	N.D.
Hexachlorobutadiene	87-68-3	2.5	N.D.
Naphthalene	91-20-3	2.5	N.D.
1,2,3-Trichlorobenzene	87-61-6	2.5	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

Orange Coast Analytical

Mark Noorani
Laboratory Director

Surrogate Recoveries	%
Dibromofluoromethane	90
Toluene-d8	94
4-Bromofluorobenzene	90

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035.01090010

Sample Description: Soil, OA1-GS-58-10'
Laboratory Sample Number: 97070460
Laboratory Reference #: MWI 9388

Sampled: 07/25/97
Received: 07/25/97
Analyzed: 07/31/97
Reported: 08/05/97

VOLATILE ORGANICS BY GC/MS (EPA 8260)

ANALYTE	*CAS NUMBER*	*DETECTION Limit (ug/kg)*	*SAMPLE RESULTS (ug/kg)*	
Benzene	71-43-2	2.5	N.D.	
Bromodichloromethane	75-27-4	2.5	N.D.	
Bromoform	75-25-2	2.5	N.D.	
Bromomethane	74-83-9	2.5	N.D.	
Carbon Disulfide	75-15-0	5.0	N.D.	
Carbon tetrachloride	56-23-5	2.5	N.D.	
Chlorobenzene	108-90-7	2.5	N.D.	
Chlorodibromomethane	124-48-1	2.5	N.D.	
Chloroethane	75-00-3	2.5	N.D.	
2-Chloroethyl vinyl ether	110-75-8	5.0	N.D.	
Chloroform	67-66-3	2.5	N.D.	
Chloromethane	74-87-3	2.5	N.D.	
1,1-Dichloroethane	75-34-3	2.5	N.D.	
1,2-Dichloroethane	107-06-2	2.5	N.D.	
1,1-Dichloroethene	75-35-4	2.5	N.D.	
Trans 1,2-Dichloroethene	156-60-5	2.5	N.D.	
1,2-Dichloropropane	78-87-5	2.5	N.D.	
cis-1,3-Dichloropropene	10061-01-5	2.5	N.D.	
trans-1,3-Dichloropropene	10061-02-6	2.5	N.D.	
Ethylbenzene	100-41-4	2.5	N.D.	
Methylene chloride	75-09-2	5.0	N.D.	
Styrene	100-42-5	2.5	N.D.	
1,1,2,2-Tetrachloroethane	79-34-5	2.5	N.D.	
Tetrachloroethene	127-18-4	2.5	N.D.	
Toluene	108-88-3	2.5	N.D.	
1,1,1-Trichloroethane	71-55-6	2.5	N.D.	
1,1,2-Trichloroethane	79-00-5	2.5	N.D.	
Trichloroethene	79-01-6	2.5	14	<---
Trichlorofluoromethane	75-69-4	5.0	N.D.	
Vinyl acetate	108-05-4	5.0	N.D.	
Vinyl chloride	75-01-4	2.5	N.D.	
Total Xylenes	1330-20-7	2.5	N.D.	
Dichlorodifluoromethane	75-71-8	2.5	N.D.	
cis-1-2,-Dichloroethene	156-59-2	2.5	N.D.	
2,2-Dichloropropane	594-20-7	2.5	N.D.	
Bromochloromethane	74-97-5	2.5	N.D.	
1,1-Dichloropropene	563-58-6	2.5	N.D.	
Dibromomethane	74-95-3	2.5	N.D.	
1,2-Dibromoethane	106-93-4	2.5	N.D.	

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

VOLATILE ORGANICS BY GC/MS (EPA 8260) (continued)

Sample Description: Soil, OA1-GS-58-10'
Laboratory Sample #: 97070460

ANALYTE	CAS NUMBER	DETECTION Limit (ug/kg)	SAMPLE RESULTS (ug/kg)
1,3-Dichloropropane	142-28-9	2.5	N.D.
Isopropylbenzene	98-82-8	2.5	N.D.
1,1,2,2-Tetrachloroethane	79-34-5	2.5	N.D.
1,2,3-Trichloropropane	96-18-4	2.5	N.D.
Bromobenzene	108-86-1	2.5	N.D.
n-Propylbenzene	103-65-1	2.5	N.D.
2-Chlorotoluene	95-49-8	2.5	N.D.
1,3,5-Trimethylbenzene	108-67-8	2.5	N.D.
4-Chlorotoluene	106-43-4	2.5	N.D.
tert-Butylbenzene	98-06-6	2.5	N.D.
1,2,4-Trimethylbenzene	95-63-6	2.5	N.D.
sec-Butylbenzene	135-98-8	2.5	N.D.
4-Isopropyltoluene	99-87-6	2.5	N.D.
1,3-Dichlorobenzene	541-73-1	2.5	N.D.
1,4-Dichlorobenzene	106-46-7	2.5	N.D.
n-Butylbenzene	104-51-8	2.5	N.D.
1,2-Dichlorobenzene	95-50-1	2.5	N.D.
1,2-Dibromo-3-CPA	96-12-8	5.0	N.D.
1,2,4-Trichlorobenzene	120-82-1	2.5	N.D.
Hexachlorobutadiene	87-68-3	2.5	N.D.
Naphthalene	91-20-3	2.5	N.D.
1,2,3-Trichlorobenzene	87-61-6	2.5	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

Orange Coast Analytical

Mark Noorani
Laboratory Director

Surrogate Recoveries	%
Dibromofluoromethane	91
Toluene-d8	95
4-Bromofluorobenzene	90

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035.01090010

Sample Description: Soil, OA1-GS-59-5'
Laboratory Sample Number: 97070461
Laboratory Reference #: MWI 9388

Sampled: 07/25/97
Received: 07/25/97
Analyzed: 07/31/97
Reported: 08/05/97

VOLATILE ORGANICS BY GC/MS (EPA 8260)

ANALYTE	***CAS NUMBER***	***DETECTION Limit (ug/kg)***	***SAMPLE RESULTS (ug/kg)***
Benzene	71-43-2	2.5	N.D.
Bromodichloromethane	75-27-4	2.5	N.D.
Bromoform	75-25-2	2.5	N.D.
Bromomethane	74-83-9	2.5	N.D.
Carbon Disulfide	75-15-0	5.0	N.D.
Carbon tetrachloride	56-23-5	2.5	N.D.
Chlorobenzene	108-90-7	2.5	N.D.
Chlorodibromomethane	124-48-1	2.5	N.D.
Chloroethane	75-00-3	2.5	N.D.
2-Chloroethyl vinyl ether	110-75-8	5.0	N.D.
Chloroform	67-66-3	2.5	N.D.
Chloromethane	74-87-3	2.5	N.D.
1,1-Dichloroethane	75-34-3	2.5	N.D.
1,2-Dichloroethane	107-06-2	2.5	N.D.
1,1-Dichloroethene	75-35-4	2.5	N.D.
Trans 1,2-Dichloroethene	156-60-5	2.5	N.D.
1,2-Dichloropropane	78-87-5	2.5	N.D.
cis-1,3-Dichloropropene	10061-01-5	2.5	N.D.
trans-1,3-Dichloropropene	10061-02-6	2.5	N.D.
Ethylbenzene	100-41-4	2.5	N.D.
Methylene chloride	75-09-2	5.0	N.D.
Styrene	100-42-5	2.5	N.D.
1,1,2,2-Tetrachloroethane	79-34-5	2.5	N.D.
Tetrachloroethene	127-18-4	2.5	N.D.
Toluene	108-88-3	2.5	N.D.
1,1,1-Trichloroethane	71-55-6	2.5	N.D.
1,1,2-Trichloroethane	79-00-5	2.5	N.D.
Trichloroethene	79-01-6	2.5	N.D.
Trichlorofluoromethane	75-69-4	5.0	N.D.
Vinyl acetate	108-05-4	5.0	N.D.
Vinyl chloride	75-01-4	2.5	N.D.
Total Xylenes	1330-20-7	2.5	N.D.
Dichlorodifluoromethane	75-71-8	2.5	N.D.
cis-1-2,-Dichloroethene	156-59-2	2.5	N.D.
2,2-Dichloropropane	594-20-7	2.5	N.D.
Bromochloromethane	74-97-5	2.5	N.D.
1,1-Dichloropropene	563-58-6	2.5	N.D.
Dibromomethane	74-95-3	2.5	N.D.
1,2-Dibromoethane	106-93-4	2.5	N.D.

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

VOLATILE ORGANICS BY GC/MS (EPA 8260) (continued)

Sample Description: Soil, OA1-GS-59-5'
Laboratory Sample #: 97070461

ANALYTE	*CAS NUMBER*	*DETECTION Limit (ug/kg)*	*SAMPLE RESULTS (ug/kg)*
1,3-Dichloropropane	142-28-9	2.5	N.D.
Isopropylbenzene	98-82-8	2.5	N.D.
1,1,2,2-Tetrachloroethane	79-34-5	2.5	N.D.
1,2,3-Trichloropropane	96-18-4	2.5	N.D.
Bromobenzene	108-86-1	2.5	N.D.
n-Propylbenzene	103-65-1	2.5	N.D.
2-Chlorotoluene	95-49-8	2.5	N.D.
1,3,5-Trimethylbenzene	108-67-8	2.5	N.D.
4-Chlorotoluene	106-43-4	2.5	N.D.
tert-Butylbenzene	98-06-6	2.5	N.D.
1,2,4-Trimethylbenzene	95-63-6	2.5	N.D.
sec-Butylbenzene	135-98-8	2.5	N.D.
4-Isopropyltoluene	99-87-6	2.5	N.D.
1,3-Dichlorobenzene	541-73-1	2.5	N.D.
1,4-Dichlorobenzene	106-46-7	2.5	N.D.
n-Butylbenzene	104-51-8	2.5	N.D.
1,2-Dichlorobenzene	95-50-1	2.5	N.D.
1,2-Dibromo-3-CPA	96-12-8	5.0	N.D.
1,2,4-Trichlorobenzene	120-82-1	2.5	N.D.
Hexachlorobutadiene	87-68-3	2.5	N.D.
Naphthalene	91-20-3	2.5	N.D.
1,2,3-Trichlorobenzene	87-61-6	2.5	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

Orange Coast Analytical

Mark Noorani
Laboratory Director

Surrogate Recoveries %

Dibromofluoromethane	89
Toluene-d8	98
4-Bromofluorobenzene	88

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035.01090010

Sample Description: Soil, OA1-GS-48-12'
Laboratory Sample Number: 97070450
Laboratory Reference #: MWI 9388

Sampled: 07/25/97
Received: 07/25/97
Analyzed: 07/31/97
Reported: 08/01/97

SEMI VOLATILE ORGANICS BY GC/MS (EPA 8270)

ANALYTE	*CAS NUMBER*	*DETECTION Limit (ug/kg)*	*SAMPLE RESULTS (ug/kg)*
Acenaphthene	83-32-9	100	N.D.
Acenaphthylene	208-96-8	100	N.D.
Aniline	62-53-3	100	N.D.
Anthracene	120-12-7	100	N.D.
Benzoic Acid	65-85-0	500	N.D.
Benzo (a) anthracene	56-55-3	100	N.D.
Benzo (b) fluoranthene	205-99-2	250	N.D.
Benzo (k) fluoranthene	207-08-9	250	N.D.
Benzo (g,h,i)perylene	191-24-2	250	N.D.
Benzo (a) pyrene	50-32-8	250	N.D.
Benzyl alcohol	100-51-6	100	N.D.
Bis(2-chloroethoxy)methane	111-91-1	100	N.D.
Bis(2-chloroethyl)ether	111-44-4	100	N.D.
Bis(2-chloroisopropyl)ether	39638-32-9	100	N.D.
Bis(2-ethylhexyl)phthalate	117-81-7	100	N.D.
4-Bromophenyl phenyl ether	101-55-3	100	N.D.
Butyl benzyl phthalate	85-68-7	100	N.D.
4-Chloroaniline	106-47-8	100	N.D.
2-Chloronaphthalene	91-58-7	100	N.D.
4-Chloro-3-methylphenol	59-50-7	100	N.D.
2-Chlorophenol	95-57-8	100	N.D.
4-Chlorophenyl phenyl ehter	7005-72-3	100	N.D.
Chrysene	218-0109	100	N.D.
Dibenz(a,h)anthracene	53-70-3	100	N.D.
Dibenzofuran	132-64-9	100	N.D.
Di-N-butyl phthalate	84-74-2	250	N.D.
1,3-Dichlorobenzene	541-73-1	100	N.D.
1,4-Dichlorobenzene	106-46-7	100	N.D.
1,2-Dichlorobenzene	95-50-1	100	N.D.
3,3-Dichlorobenzidine	91-94-1	100	N.D.
2,4-Dichlorophenol	120-83-2	100	N.D.
Diethyl phthalate	84-66-2	100	N.D.
2,4-Dimethylphenol	105-67-9	100	N.D.
Dimethyl phthalate	131-11-3	100	N.D.
4,6-Dinitro-2-methylphenol	534-52-1	100	N.D.
2,4-Dinitrophenol	51-28-5	100	N.D.
2,4-Dinitrotoluene	121-14-2	250	N.D.
2,6-Dinitrotoluene	606-20-2	250	N.D.
Di-N-octyl phthalate	117-84-0	250	N.D.

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

SEMI-VOLATILE ORGANICS BY GC/MS (EPA 8270) (continued)

Sample Description: Soil, OA1-GS-48-12'
Laboratory Sample #: 97070450

ANALYTE	*CAS NUMBER*	*DETECTION Limit (ug/kg)*	*SAMPLE RESULTS (ug/kg)*
Fluoranthene	206-44-0	100	N.D.
Fluorene	86-73-7	100	N.D.
Hexachlorobenzene	118-74-1	100	N.D.
Hexachlorobutadiene	87-68-3	100	N.D.
Hexachlorocyclopentadiene	77-47-4	100	N.D.
Hexachloroethane	67-72-1	100	N.D.
Indeno(1,2,3-cd)pyrene	193-39-5	250	N.D.
Isophorone	78-59-1	100	N.D.
2-Methylnaphthalene	91-57-6	100	N.D.
2-Methylphenol	95-48-7	100	N.D.
4-Methylphenol	106-44-5	100	N.D.
Naphthalene	91-20-3	100	N.D.
2-Nitroaniline	88-74-4	250	N.D.
3-Nitroaniline	99-09-2	250	N.D.
4-Nitroaniline	100-01-6	250	N.D.
Nitrobenzene	98-95-3	100	N.D.
2-Nitrophenol	88-75-5	100	N.D.
4-Nitrophenol	100-02-7	100	N.D.
N-Nitrosodiphenylamine	86-30-6	100	N.D.
N-Nitroso-di-N-propylamine	621-64-7	100	N.D.
N-Nitrosodimethylamine	62-75-9	100	N.D.
Pentachlorophenol	87-86-5	250	N.D.
Phenanthrene	85-01-8	100	N.D.
Phenol	108-95-2	100	N.D.
Pyrene	129-00-0	100	N.D.
1,2,4-Trichlorobenzene	120-82-1	100	N.D.
2,4,5-Trichlorophenol	95-95-4	100	N.D.
2,4,6-Trichlorophenol	88-06-2	100	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

Orange Coast Analytical

Mark Noorani
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035.01090010

Sample Description: Soil, OA1-GS-55-3'
Laboratory Sample Number: 97070457
Laboratory Reference #: MWI 9388

Sampled: 07/25/97
Received: 07/25/97
Analyzed: 07/31/97
Reported: 08/01/97

SEMI VOLATILE ORGANICS BY GC/MS (EPA 8270)

ANALYTE	*CAS NUMBER*	*DETECTION Limit (ug/kg)*	*SAMPLE RESULTS (ug/kg)*
Acenaphthene	83-32-9	100	N.D.
Acenaphthylene	208-96-8	100	N.D.
Aniline	62-53-3	100	N.D.
Anthracene	120-12-7	100	N.D.
Benzoic Acid	65-85-0	500	N.D.
Benzo (a) anthracene	56-55-3	100	N.D.
Benzo (b) fluoranthene	205-99-2	250	N.D.
Benzo (k) fluoranthene	207-08-9	250	N.D.
Benzo (g,h,i)perylene	191-24-2	250	N.D.
Benzo (a) pyrene	50-32-8	250	N.D.
Benzyl alcohol	100-51-6	100	N.D.
Bis(2-chloroethoxy)methane	111-91-1	100	N.D.
Bis(2-chloroethyl)ether	111-44-4	100	N.D.
Bis(2-chloroisopropyl)ether	39638-32-9	100	N.D.
Bis(2-ethylhexyl)phthalate	117-81-7	100	N.D.
4-Bromophenyl phenyl ether	101-55-3	100	N.D.
Butyl benzyl phthalate	85-68-7	100	N.D.
4-Chloroaniline	106-47-8	100	N.D.
2-Chloronaphthalene	91-58-7	100	N.D.
4-Chloro-3-methylphenol	59-50-7	100	N.D.
2-Chlorophenol	95-57-8	100	N.D.
4-Chlorophenyl phenyl ehter	7005-72-3	100	N.D.
Chrysene	218-0109	100	N.D.
Dibenz(a,h)anthracene	53-70-3	100	N.D.
Dibenzofuran	132-64-9	100	N.D.
Di-N-butyl phthalate	84-74-2	250	N.D.
1,3-Dichlorobenzene	541-73-1	100	N.D.
1,4-Dichlorobenzene	106-46-7	100	N.D.
1,2-Dichlorobenzene	95-50-1	100	N.D.
3,3-Dichlorobenzidine	91-94-1	100	N.D.
2,4-Dichlorophenol	120-83-2	100	N.D.
Diethyl phthalate	84-66-2	100	N.D.
2,4-Dimethylphenol	105-67-9	100	N.D.
Dimethyl phthalate	131-11-3	100	N.D.
4,6-Dinitro-2-methylphenol	534-52-1	100	N.D.
2,4-Dinitrophenol	51-28-5	100	N.D.
2,4-Dinitrotoluene	121-14-2	250	N.D.
2,6-Dinitrotoluene	606-20-2	250	N.D.
Di-N-octyl phthalate	117-84-0	250	N.D.

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

SEMI-VOLATILE ORGANICS BY GC/MS (EPA 8270) (continued)

Sample Description: Soil, OA1-GS-55-3'
Laboratory Sample #: 97070457

ANALYTE	CAS NUMBER	DETECTION Limit (ug/kg)	SAMPLE RESULTS (ug/kg)
Fluoranthene	206-44-0	100	N.D.
Fluorene	86-73-7	100	N.D.
Hexachlorobenzene	118-74-1	100	N.D.
Hexachlorobutadiene	87-68-3	100	N.D.
Hexachlorocyclopentadiene	77-47-4	100	N.D.
Hexachloroethane	67-72-1	100	N.D.
Indeno(1,2,3-cd)pyrene	193-39-5	250	N.D.
Isophorone	78-59-1	100	N.D.
2-Methylnaphthalene	91-57-6	100	N.D.
2-Methylphenol	95-48-7	100	N.D.
4-Methylphenol	106-44-5	100	N.D.
Naphthalene	91-20-3	100	N.D.
2-Nitroaniline	88-74-4	250	N.D.
3-Nitroaniline	99-09-2	250	N.D.
4-Nitroaniline	100-01-6	250	N.D.
Nitrobenzene	98-95-3	100	N.D.
2-Nitrophenol	88-75-5	100	N.D.
4-Nitrophenol	100-02-7	100	N.D.
N-Nitrosodiphenylamine	86-30-6	100	N.D.
N-Nitroso-di-N-propylamine	621-64-7	100	N.D.
N-Nitrosodimethylamine	62-75-9	100	N.D.
Pentachlorophenol	87-86-5	250	N.D.
Phenanthrene	85-01-8	100	N.D.
Phenol	108-95-2	100	N.D.
Pyrene	129-00-0	100	N.D.
1,2,4-Trichlorobenzene	120-82-1	100	N.D.
2,4,5-Trichlorophenol	95-95-4	100	N.D.
2,4,6-Trichlorophenol	88-06-2	100	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

Orange Coast Analytical

Mark Noorani
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035.01090010

Sampled: 07/25/97
Received: 07/25/97
Analyzed: 08/01/97
Reported: 08/05/97

Sample Description: Soil, OA1-GS-56-3'
Laboratory Sample Number: 97070458
Laboratory Reference #: MWI 9388

SEMI VOLATILE ORGANICS BY GC/MS (EPA 8270)

ANALYTE	***CAS NUMBER***	***DETECTION Limit (ug/kg)***	***SAMPLE RESULTS (ug/kg)***
Acenaphthene	83-32-9	100	N.D.
Acenaphthylene	208-96-8	100	N.D.
Aniline	62-53-3	100	N.D.
Anthracene	120-12-7	100	N.D.
Benzoic Acid	65-85-0	500	N.D.
Benzo (a) anthracene	56-55-3	100	N.D.
Benzo (b) fluoranthene	205-99-2	250	N.D.
Benzo (k) fluoranthene	207-08-9	250	N.D.
Benzo (g,h,i)perylene	191-24-2	250	N.D.
Benzo (a) pyrene	50-32-8	250	N.D.
Benzyl alcohol	100-51-6	100	N.D.
Bis(2-chloroethoxy)methane	111-91-1	100	N.D.
Bis(2-chloroethyl)ether	111-44-4	100	N.D.
Bis(2-chloroisopropyl)ether	39638-32-9	100	N.D.
Bis(2-ethylhexyl)phthalate	117-81-7	100	N.D.
4-Bromophenyl phenyl ether	101-55-3	100	N.D.
Butyl benzyl phthalate	85-68-7	100	N.D.
4-Chloroaniline	106-47-8	100	N.D.
2-Chloronaphthalene	91-58-7	100	N.D.
4-Chloro-3-methylphenol	59-50-7	100	N.D.
2-Chlorophenol	95-57-8	100	N.D.
4-Chlorophenyl phenyl ehter	7005-72-3	100	N.D.
Chrysene	218-0109	100	N.D.
Dibenz(a,h)anthracene	53-70-3	100	N.D.
Dibenzofuran	132-64-9	100	N.D.
Di-N-butyl phthalate	84-74-2	250	N.D.
1,3-Dichlorobenzene	541-73-1	100	N.D.
1,4-Dichlorobenzene	106-46-7	100	N.D.
1,2-Dichlorobenzene	95-50-1	100	N.D.
3,3-Dichlorobenzidine	91-94-1	100	N.D.
2,4-Dichlorophenol	120-83-2	100	N.D.
Diethyl phthalate	84-66-2	100	N.D.
2,4-Dimethylphenol	105-67-9	100	N.D.
Dimethyl phthalate	131-11-3	100	N.D.
4,6-Dinitro-2-methylphenol	534-52-1	100	N.D.
2,4-Dinitrophenol	51-28-5	100	N.D.
2,4-Dinitrotoluene	121-14-2	250	N.D.
2,6-Dinitrotoluene	606-20-2	250	N.D.
Di-N-octyl phthalate	117-84-0	250	N.D.

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

SEMI-VOLATILE ORGANICS BY GC/MS (EPA 8270) (continued)

Sample Description: Soil, OA1-GS-56-3'
Laboratory Sample #: 97070458

ANALYTE	*CAS NUMBER*	*DETECTION Limit (ug/kg)*	*SAMPLE RESULTS (ug/kg)*
Fluoranthene	206-44-0	100	N.D.
Fluorene	86-73-7	100	N.D.
Hexachlorobenzene	118-74-1	100	N.D.
Hexachlorobutadiene	87-68-3	100	N.D.
Hexachlorocyclopentadiene	77-47-4	100	N.D.
Hexachloroethane	67-72-1	100	N.D.
Indeno(1,2,3-cd)pyrene	193-39-5	250	N.D.
Isophorone	78-59-1	100	N.D.
2-Methylnaphthalene	91-57-6	100	N.D.
2-Methylphenol	95-48-7	100	N.D.
4-Methylphenol	106-44-5	100	N.D.
Naphthalene	91-20-3	100	N.D.
2-Nitroaniline	88-74-4	250	N.D.
3-Nitroaniline	99-09-2	250	N.D.
4-Nitroaniline	100-01-6	250	N.D.
Nitrobenzene	98-95-3	100	N.D.
2-Nitrophenol	88-75-5	100	N.D.
4-Nitrophenol	100-02-7	100	N.D.
N-Nitrosodiphenylamine	86-30-6	100	N.D.
N-Nitroso-di-N-propylamine	621-64-7	100	N.D.
N-Nitrosodimethylamine	62-75-9	100	N.D.
Pentachlorophenol	87-86-5	250	N.D.
Phenanthrene	85-01-8	100	N.D.
Phenol	108-95-2	100	N.D.
Pyrene	129-00-0	100	N.D.
1,2,4-Trichlorobenzene	120-82-1	100	N.D.
2,4,5-Trichlorophenol	95-95-4	100	N.D.
2,4,6-Trichlorophenol	88-06-2	100	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

Orange Coast Analytical

Mark Noorani
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035.01090010

Sample Description: Soil, OA1-GS-58-10'
Laboratory Sample Number: 97070460
Laboratory Reference #: MWI 9388

Sampled: 07/25/97
Received: 07/25/97
Analyzed: 08/01/97
Reported: 08/05/97

SEMI VOLATILE ORGANICS BY GC/MS (EPA 8270)

ANALYTE	*CAS NUMBER*	*DETECTION Limit (ug/kg)*	*SAMPLE RESULTS (ug/kg)*
Acenaphthene	83-32-9	100	N.D.
Acenaphthylene	208-96-8	100	N.D.
Aniline	62-53-3	100	N.D.
Anthracene	120-12-7	100	N.D.
Benzoic Acid	65-85-0	500	N.D.
Benzo (a) anthracene	56-55-3	100	N.D.
Benzo (b) fluoranthene	205-99-2	250	N.D.
Benzo (k) fluoranthene	207-08-9	250	N.D.
Benzo (g,h,i)perylene	191-24-2	250	N.D.
Benzo (a) pyrene	50-32-8	250	N.D.
Benzyl alcohol	100-51-6	100	N.D.
Bis(2-chloroethoxy)methane	111-91-1	100	N.D.
Bis(2-chloroethyl)ether	111-44-4	100	N.D.
Bis(2-chloroisopropyl)ether	39638-32-9	100	N.D.
Bis(2-ethylhexyl)phthalate	117-81-7	100	N.D.
4-Bromophenyl phenyl ether	101-55-3	100	N.D.
Butyl benzyl phthalate	85-68-7	100	N.D.
4-Chloroaniline	106-47-8	100	N.D.
2-Chloronaphthalene	91-58-7	100	N.D.
4-Chloro-3-methylphenol	59-50-7	100	N.D.
2-Chlorophenol	95-57-8	100	N.D.
4-Chlorophenyl phenyl ehter	7005-72-3	100	N.D.
Chrysene	218-0109	100	N.D.
Dibenz(a,h)anthracene	53-70-3	100	N.D.
Dibenzofuran	132-64-9	100	N.D.
Di-N-butyl phthalate	84-74-2	250	N.D.
1,3-Dichlorobenzene	541-73-1	100	N.D.
1,4-Dichlorobenzene	106-46-7	100	N.D.
1,2-Dichlorobenzene	95-50-1	100	N.D.
3,3-Dichlorobenzidine	91-94-1	100	N.D.
2,4-Dichlorophenol	120-83-2	100	N.D.
Diethyl phthalate	84-66-2	100	N.D.
2,4-Dimethylphenol	105-67-9	100	N.D.
Dimethyl phthalate	131-11-3	100	N.D.
4,6-Dinitro-2-methylphenol	534-52-1	100	N.D.
2,4-Dinitrophenol	51-28-5	100	N.D.
2,4-Dinitrotoluene	121-14-2	250	N.D.
2,6-Dinitrotoluene	606-20-2	250	N.D.
Di-N-octyl phthalate	117-84-0	250	N.D.

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

SEMI-VOLATILE ORGANICS BY GC/MS (EPA 8270) (continued)

Sample Description: Soil, OA1-GS-58-10'
Laboratory Sample #: 97070460

ANALYTE	CAS NUMBER	DETECTION Limit (ug/kg)	SAMPLE RESULTS (ug/kg)
Fluoranthene	206-44-0	100	N.D.
Fluorene	86-73-7	100	N.D.
Hexachlorobenzene	118-74-1	100	N.D.
Hexachlorobutadiene	87-68-3	100	N.D.
Hexachlorocyclopentadiene	77-47-4	100	N.D.
Hexachloroethane	67-72-1	100	N.D.
Indeno(1,2,3-cd)pyrene	193-39-5	250	N.D.
Isophorone	78-59-1	100	N.D.
2-Methylnaphthalene	91-57-6	100	N.D.
2-Methylphenol	95-48-7	100	N.D.
4-Methylphenol	106-44-5	100	N.D.
Naphthalene	91-20-3	100	N.D.
2-Nitroaniline	88-74-4	250	N.D.
3-Nitroaniline	99-09-2	250	N.D.
4-Nitroaniline	100-01-6	250	N.D.
Nitrobenzene	98-95-3	100	N.D.
2-Nitrophenol	88-75-5	100	N.D.
4-Nitrophenol	100-02-7	100	N.D.
N-Nitrosodiphenylamine	86-30-6	100	N.D.
N-Nitroso-di-N-propylamine	621-64-7	100	N.D.
N-Nitrosodimethylamine	62-75-9	100	N.D.
Pentachlorophenol	87-86-5	250	N.D.
Phenanthrene	85-01-8	100	N.D.
Phenol	108-95-2	100	N.D.
Pyrene	129-00-0	100	N.D.
1,2,4-Trichlorobenzene	120-82-1	100	N.D.
2,4,5-Trichlorophenol	95-95-4	100	N.D.
2,4,6-Trichlorophenol	88-06-2	100	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

Orange Coast Analytical

Mark Noorani
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035.01090010

Sample Description: Soil, OA1-GS-59-5'
Laboratory Sample Number: 97070461
Laboratory Reference #: MWI 9388

Sampled: 07/25/97
Received: 07/25/97
Analyzed: 08/01/97
Reported: 08/05/97

SEMI VOLATILE ORGANICS BY GC/MS (EPA 8270)

ANALYTE	*CAS NUMBER*	*DETECTION Limit (ug/kg)*	*SAMPLE RESULTS (ug/kg)*
Acenaphthene	83-32-9	100	N.D.
Acenaphthylene	208-96-8	100	N.D.
Aniline	62-53-3	100	N.D.
Anthracene	120-12-7	100	N.D.
Benzoic Acid	65-85-0	500	N.D.
Benzo (a) anthracene	56-55-3	100	N.D.
Benzo (b) fluoranthene	205-99-2	250	N.D.
Benzo (k) fluoranthene	207-08-9	250	N.D.
Benzo (g,h,i)perylene	191-24-2	250	N.D.
Benzo (a) pyrene	50-32-8	250	N.D.
Benzyl alcohol	100-51-6	100	N.D.
Bis(2-chloroethoxy)methane	111-91-1	100	N.D.
Bis(2-chloroethyl)ether	111-44-4	100	N.D.
Bis(2-chloroisopropyl)ether	39638-32-9	100	N.D.
Bis(2-ethylhexyl)phthalate	117-81-7	100	N.D.
4-Bromophenyl phenyl ether	101-55-3	100	N.D.
Butyl benzyl phthalate	85-68-7	100	N.D.
4-Chloroaniline	106-47-8	100	N.D.
2-Chloronaphthalene	91-58-7	100	N.D.
4-Chloro-3-methylphenol	59-50-7	100	N.D.
2-Chlorophenol	95-57-8	100	N.D.
4-Chlorophenyl phenyl ehter	7005-72-3	100	N.D.
Chrysene	218-0109	100	N.D.
Dibenz(a,h)anthracene	53-70-3	100	N.D.
Dibenzofuran	132-64-9	100	N.D.
Di-N-butyl phthalate	84-74-2	250	N.D.
1,3-Dichlorobenzene	541-73-1	100	N.D.
1,4-Dichlorobenzene	106-46-7	100	N.D.
1,2-Dichlorobenzene	95-50-1	100	N.D.
3,3-Dichlorobenzidine	91-94-1	100	N.D.
2,4-Dichlorophenol	120-83-2	100	N.D.
Diethyl phthalate	84-66-2	100	N.D.
2,4-Dimethylphenol	105-67-9	100	N.D.
Dimethyl phthalate	131-11-3	100	N.D.
4,6-Dinitro-2-methylphenol	534-52-1	100	N.D.
2,4-Dinitrophenol	51-28-5	100	N.D.
2,4-Dinitrotoluene	121-14-2	250	N.D.
2,6-Dinitrotoluene	606-20-2	250	N.D.
Di-N-octyl phthalate	117-84-0	250	N.D.

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

SEMI-VOLATILE ORGANICS BY GC/MS (EPA 8270) (continued)

Sample Description: Soil, OA1-GS-59-5'
Laboratory Sample #: 97070461

ANALYTE	CAS NUMBER	DETECTION Limit (ug/kg)	SAMPLE RESULTS (ug/kg)
Fluoranthene	206-44-0	100	N.D.
Fluorene	86-73-7	100	N.D.
Hexachlorobenzene	118-74-1	100	N.D.
Hexachlorobutadiene	87-68-3	100	N.D.
Hexachlorocyclopentadiene	77-47-4	100	N.D.
Hexachloroethane	67-72-1	100	N.D.
Indeno(1,2,3-cd)pyrene	193-39-5	250	N.D.
Isophorone	78-59-1	100	N.D.
2-Methylnaphthalene	91-57-6	100	N.D.
2-Methylphenol	95-48-7	100	N.D.
4-Methylphenol	106-44-5	100	N.D.
Naphthalene	91-20-3	100	N.D.
2-Nitroaniline	88-74-4	250	N.D.
3-Nitroaniline	99-09-2	250	N.D.
4-Nitroaniline	100-01-6	250	N.D.
Nitrobenzene	98-95-3	100	N.D.
2-Nitrophenol	88-75-5	100	N.D.
4-Nitrophenol	100-02-7	100	N.D.
N-Nitrosodiphenylamine	86-30-6	100	N.D.
N-Nitroso-di-N-propylamine	621-64-7	100	N.D.
N-Nitrosodimethylamine	62-75-9	100	N.D.
Pentachlorophenol	87-86-5	250	N.D.
Phenanthrene	85-01-8	100	N.D.
Phenol	108-95-2	100	N.D.
Pyrene	129-00-0	100	N.D.
1,2,4-Trichlorobenzene	120-82-1	100	N.D.
2,4,5-Trichlorophenol	95-95-4	100	N.D.
2,4,6-Trichlorophenol	88-06-2	100	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

Orange Coast Analytical

Mark Noorani
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035.01090010

Sample Description: Soil, OA1-GS-59-5'

Sampled: 07/25/97
Received: 07/25/97
Analyzed: 07/31/97
Reported: 08/01/97

Laboratory Sample Number: 97070461
Laboratory Reference #: MWI 9388

PCB'S (EPA 8080)

Analyte	*CAS NUMBER*	*DETECTION LIMITS (ug/kg)*	*SAMPLE RESULTS (ug/kg)*
PCB-1016	12674-11-2	20	N.D.
PCB-1221	11104-28-2	20	N.D.
PCB-1232	11141-16-5	20	N.D.
PCB-1242	53469-21-9	20	N.D.
PCB-1248	12672-29-6	20	N.D.
PCB-1254	11097-69-1	20	N.D.
PCB-1260	11096-82-5	20	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

ORANGE COAST ANALYTICAL

Mark Noorani
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035.01090010

Analysis Method: 418.1

Sample Description: Water,

Laboratory Reference #: MWI 9388

Sampled: 07/25/97
Received: 07/25/97
Analyzed: 07/30/97
Reported: 08/01/97

TOTAL RECOVERABLE PETROLEUM HYDROCARBONS

Laboratory Sample Number	*Client Sample Number*	*Extractable Hydrocarbons mg/l (ppm)*
97070467	Equip Blank	N.D.
97070468	Rinsate Blank	N.D.
Detection Limit:		0.5

Analyte reported as N.D. was not present above the stated limit of detection.

ORANGE COAST ANALYTICAL

Mark Noorani
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035.01090010

Sample Description: Water, Equip Blank

Sampled: 07/25/97
Received: 07/25/97
Analyzed: 07/29/97
Reported: 08/01/97

Laboratory Sample Number: 97070467
Laboratory Reference #: MWI 9388

CCR - METALS

Analyte	*EPA Method*	*Detection Limit mg/l*	*Analysis Result mg/l*
Antimony	6010	0.5	N.D.
Arsenic	6010	0.1	N.D.
Barium	6010	0.01	N.D.
Beryllium	6010	0.01	N.D.
Cadmium	6010	0.01	N.D.
Chromium (VI)	7196	0.01	N.D.
Chromium Total	6010	0.01	N.D.
Cobalt	6010	0.05	N.D.
Copper	6010	0.01	N.D.
Lead	6010	0.1	N.D.
Mercury	7471	0.002	N.D.
Molybdenum	6010	0.1	N.D.
Nickel	6010	0.05	N.D.
Selenium	6010	0.1	N.D.
Silver	6010	0.05	N.D.
Thallium	6010	0.5	N.D.
Vanadium	6010	0.1	N.D.
Zinc	6010	0.01	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

ORANGE COAST ANALYTICAL

Mark Noorani
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035.01090010

Sample Description: Water, Rinsate Blank

Sampled: 07/25/97
Received: 07/25/97
Analyzed: 07/29/97
Reported: 08/01/97

Laboratory Sample Number: 97070468
Laboratory Reference #: MWI 9388

CCR - METALS

Analyte	*EPA Method*	*Detection Limit mg/l*	*Analysis Result mg/l*
Antimony	6010	0.5	N.D.
Arsenic	6010	0.1	N.D.
Barium	6010	0.01	N.D.
Beryllium	6010	0.01	N.D.
Cadmium	6010	0.01	N.D.
Chromium (VI)	7196	0.01	N.D.
Chromium Total	6010	0.01	N.D.
Cobalt	6010	0.05	N.D.
Copper	6010	0.01	N.D.
Lead	6010	0.1	N.D.
Mercury	7471	0.002	N.D.
Molybdenum	6010	0.1	N.D.
Nickel	6010	0.05	N.D.
Selenium	6010	0.1	N.D.
Silver	6010	0.05	N.D.
Thallium	6010	0.5	N.D.
Vanadium	6010	0.1	N.D.
Zinc	6010	0.01	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

ORANGE COAST ANALYTICAL

Mark Noorani
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035.01090010

Sample Description: Water, Equip Blank
Laboratory Sample Number: 97070467
Laboratory Reference #: MWI 9388

Sampled: 07/25/97
Received: 07/25/97
Analyzed: 07/29/97
Reported: 08/01/97

VOLATILE ORGANICS BY GC/MS (EPA 8260)

ANALYTE	*CAS NUMBER*	*DETECTION Limit (ug/l)*	*SAMPLE RESULTS (ug/l)*
Benzene	71-43-2	0.5	N.D.
Bromodichloromethane	75-27-4	0.5	N.D.
Bromoform	75-25-2	0.5	N.D.
Bromomethane	74-83-9	1.0	N.D.
Carbon Disulfide	75-15-0	0.5	N.D.
Carbon tetrachloride	56-23-5	0.5	N.D.
Chlorobenzene	108-90-7	0.5	N.D.
Chlorodibromomethane	124-48-1	0.5	N.D.
Chloroethane	75-00-3	0.5	N.D.
2-Chloroethyl vinyl ether	110-75-8	0.5	N.D.
Chloroform	67-66-3	0.5	N.D.
Chloromethane	74-87-3	0.5	N.D.
1,1-Dichloroethane	75-34-3	0.5	N.D.
1,2-Dichloroethane	107-06-2	0.5	N.D.
1,1-Dichloroethene	75-35-4	0.5	N.D.
Trans 1,2-Dichloroethene	156-60-5	0.5	N.D.
1,2-Dichloropropane	78-87-5	0.5	N.D.
cis-1,3-Dichloropropene	10061-01-5	0.5	N.D.
trans-1,3-Dichloropropene	10061-02-6	0.5	N.D.
Ethylbenzene	100-41-4	0.5	N.D.
Methylene chloride	75-09-2	2.5	N.D.
Styrene	100-42-5	0.5	N.D.
1,1,2,2-Tetrachloroethane	79-34-5	0.5	N.D.
Tetrachloroethene	127-18-4	0.5	N.D.
Toluene	108-88-3	0.5	N.D.
1,1,1-Trichloroethane	71-55-6	0.5	N.D.
1,1,2-Trichloroethane	79-00-5	0.5	N.D.
Trichloroethene	79-01-6	0.5	N.D.
Trichlorofluoromethane	75-69-4	0.5	N.D.
Vinyl acetate	108-05-4	1.0	N.D.
Vinyl chloride	75-01-4	0.5	N.D.
Total Xylenes	1330-20-7	1.0	N.D.
Dichlorodifluoromethane	75-71-8	0.5	N.D.
cis-1-2,-Dichloroethene	156-59-2	0.5	N.D.
2,2-Dichloropropane	594-20-7	0.5	N.D.
Bromochloromethane	74-97-5	0.5	N.D.
1,1-Dichloropropene	563-58-6	0.5	N.D.
Dibromomethane	74-95-3	0.5	N.D.
1,2-Dibromoethane	106-93-4	0.5	N.D.

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

VOLATILE ORGANICS BY GC/MS (EPA 8260) (continued)

Sample Description: Water, Equip Blank
Laboratory Sample #: 97070467

ANALYTE	CAS NUMBER	DETECTION Limit (ug/l)	SAMPLE RESULTS (ug/l)
1,3-Dichloropropane	142-28-9	0.5	N.D.
Isopropylbenzene	98-82-8	0.5	N.D.
1.1.2.2-Tetrachloroethane	79-34-5	0.5	N.D.
1,2,3-Trichloropropane	96-18-4	0.5	N.D.
Bromobenzene	108-86-1	0.5	N.D.
n-Propylbenzene	103-65-1	0.5	N.D.
2-Chlorotoluene	95-49-8	0.5	N.D.
1,3,5-Trimethylbenzene	108-67-8	0.5	N.D.
4-Chlorotoluene	106-43-4	0.5	N.D.
tert-Butylbenzene	98-06-6	0.5	N.D.
1,2,4-Trimethylbenzene	95-63-6	0.5	N.D.
sec-Butylbenzene	135-98-8	0.5	N.D.
4-Isopropyltoluene	99-87-6	0.5	N.D.
1,3-Dichlorobenzene	541-73-1	0.5	N.D.
1,4-Dichlorobenzene	106-46-7	0.5	N.D.
n-Butylbenzene	104-51-8	0.5	N.D.
1,2-Dichlorobenzene	95-50-1	0.5	N.D.
1-2-Dibromo-3-CPA	96-12-8	1.0	N.D.
1,2,4-Trichlorobenzene	120-82-1	0.5	N.D.
Hexachlorobutadiene	87-68-3	0.5	N.D.
Naphthalene	91-20-3	0.5	N.D.
1,2,3-Trichlorobenzene	87-61-6	0.5	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

Orange Coast Analytical

Mark Noorani
Laboratory Director

Surrogate Recoveries %

Dibromofluoromethane	89
Toluene-d8	95
4-Bromofluorobenzene	90

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035.01090010

Sample Description: Water, Rinsate Blank
Laboratory Sample Number: 97070468
Laboratory Reference #: MWI 9388

Sampled: 07/25/97
Received: 07/25/97
Analyzed: 07/29/97
Reported: 08/01/97

VOLATILE ORGANICS BY GC/MS (EPA 8260)

ANALYTE	*CAS NUMBER*	*DETECTION Limit (ug/l)*	*SAMPLE RESULTS (ug/l)*
Benzene	71-43-2	0.5	N.D.
Bromodichloromethane	75-27-4	0.5	N.D.
Bromoform	75-25-2	0.5	N.D.
Bromomethane	74-83-9	1.0	N.D.
Carbon Disulfide	75-15-0	0.5	N.D.
Carbon tetrachloride	56-23-5	0.5	N.D.
Chlorobenzene	108-90-7	0.5	N.D.
Chlorodibromomethane	124-48-1	0.5	N.D.
Chloroethane	75-00-3	0.5	N.D.
2-Chloroethyl vinyl ether	110-75-8	0.5	N.D.
Chloroform	67-66-3	0.5	N.D.
Chloromethane	74-87-3	0.5	N.D.
1,1-Dichloroethane	75-34-3	0.5	N.D.
1,2-Dichloroethane	107-06-2	0.5	N.D.
1,1-Dichloroethene	75-35-4	0.5	N.D.
Trans 1,2-Dichloroethene	156-60-5	0.5	N.D.
1,2-Dichloropropane	78-87-5	0.5	N.D.
cis-1,3-Dichloropropene	10061-01-5	0.5	N.D.
trans-1,3-Dichloropropene	10061-02-6	0.5	N.D.
Ethylbenzene	100-41-4	0.5	N.D.
Methylene chloride	75-09-2	2.5	N.D.
Styrene	100-42-5	0.5	N.D.
1,1,2,2-Tetrachloroethane	79-34-5	0.5	N.D.
Tetrachloroethene	127-18-4	0.5	N.D.
Toluene	108-88-3	0.5	N.D.
1,1,1-Trichloroethane	71-55-6	0.5	N.D.
1,1,2-Trichloroethane	79-00-5	0.5	N.D.
Trichloroethene	79-01-6	0.5	N.D.
Trichlorofluoromethane	75-69-4	0.5	N.D.
Vinyl acetate	108-05-4	1.0	N.D.
Vinyl chloride	75-01-4	0.5	N.D.
Total Xylenes	1330-20-7	1.0	N.D.
Dichlorodifluoromethane	75-71-8	0.5	N.D.
cis-1-2,-Dichloroethene	156-59-2	0.5	N.D.
2,2-Dichloropropane	594-20-7	0.5	N.D.
Bromochloromethane	74-97-5	0.5	N.D.
1,1-Dichloropropene	563-58-6	0.5	N.D.
Dibromomethane	74-95-3	0.5	N.D.
1,2-Dibromoethane	106-93-4	0.5	N.D.

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

VOLATILE ORGANICS BY GC/MS (EPA 8260) (continued)

Sample Description: Water, Rinsate Blank
Laboratory Sample #: 97070468

ANALYTE	*CAS NUMBER*	*DETECTION Limit (ug/l)*	*SAMPLE RESULTS (ug/l)*
1,3-Dichloropropane	142-28-9	0.5	N.D.
Isopropylbenzene	98-82-8	0.5	N.D.
1.1.2.2-Tetrachloroethane	79-34-5	0.5	N.D.
1,2,3-Trichloropropane	96-18-4	0.5	N.D.
Bromobenzene	108-86-1	0.5	N.D.
n-Propylbenzene	103-65-1	0.5	N.D.
2-Chlorotoluene	95-49-8	0.5	N.D.
1,3,5-Trimethylbenzene	108-67-8	0.5	N.D.
4-Chlorotoluene	106-43-4	0.5	N.D.
tert-Butylbenzene	98-06-6	0.5	N.D.
1,2,4-Trimethylbenzene	95-63-6	0.5	N.D.
sec-Butylbenzene	135-98-8	0.5	N.D.
4-Isopropyltoluene	99-87-6	0.5	N.D.
1,3-Dichlorobenzene	541-73-1	0.5	N.D.
1,4-Dichlorobenzene	106-46-7	0.5	N.D.
n-Butylbenzene	104-51-8	0.5	N.D.
1,2-Dichlorobenzene	95-50-1	0.5	N.D.
1-2-Dibromo-3-CPA	96-12-8	1.0	N.D.
1,2,4-Trichlorobenzene	120-82-1	0.5	N.D.
Hexachlorobutadiene	87-68-3	0.5	N.D.
Naphthalene	91-20-3	0.5	N.D.
1,2,3-Trichlorobenzene	87-61-6	0.5	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

Orange Coast Analytical

Mark Noorani
Laboratory Director

Surrogate Recoveries	%
Dibromofluoromethane	91
Toluene-d8	95
4-Bromofluorobenzene	89

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035.01090010

Sample Description: Water, Trip Blank
Laboratory Sample Number: 97070469
Laboratory Reference #: MWI 9388

Sampled: 07/25/97
Received: 07/25/97
Analyzed: 07/29/97
Reported: 08/01/97

VOLATILE ORGANICS BY GC/MS (EPA 8260)

ANALYTE	*CAS NUMBER*	*DETECTION Limit (ug/l)*	*SAMPLE RESULTS (ug/l)*
Benzene	71-43-2	0.5	N.D.
Bromodichloromethane	75-27-4	0.5	N.D.
Bromoform	75-25-2	0.5	N.D.
Bromomethane	74-83-9	1.0	N.D.
Carbon Disulfide	75-15-0	0.5	N.D.
Carbon tetrachloride	56-23-5	0.5	N.D.
Chlorobenzene	108-90-7	0.5	N.D.
Chlorodibromomethane	124-48-1	0.5	N.D.
Chloroethane	75-00-3	0.5	N.D.
2-Chloroethyl vinyl ether	110-75-8	0.5	N.D.
Chloroform	67-66-3	0.5	N.D.
Chloromethane	74-87-3	0.5	N.D.
1,1-Dichloroethane	75-34-3	0.5	N.D.
1,2-Dichloroethane	107-06-2	0.5	N.D.
1,1-Dichloroethene	75-35-4	0.5	N.D.
Trans 1,2-Dichloroethene	156-60-5	0.5	N.D.
1,2-Dichloropropane	78-87-5	0.5	N.D.
cis-1,3-Dichloropropene	10061-01-5	0.5	N.D.
trans-1,3-Dichloropropene	10061-02-6	0.5	N.D.
Ethylbenzene	100-41-4	0.5	N.D.
Methylene chloride	75-09-2	2.5	N.D.
Styrene	100-42-5	0.5	N.D.
1,1,2,2-Tetrachloroethane	79-34-5	0.5	N.D.
Tetrachloroethene	127-18-4	0.5	N.D.
Toluene	108-88-3	0.5	N.D.
1,1,1-Trichloroethane	71-55-6	0.5	N.D.
1,1,2-Trichloroethane	79-00-5	0.5	N.D.
Trichloroethene	79-01-6	0.5	N.D.
Trichlorofluoromethane	75-69-4	0.5	N.D.
Vinyl acetate	108-05-4	1.0	N.D.
Vinyl chloride	75-01-4	0.5	N.D.
Total Xylenes	1330-20-7	1.0	N.D.
Dichlorodifluoromethane	75-71-8	0.5	N.D.
cis-1-2,-Dichloroethene	156-59-2	0.5	N.D.
2,2-Dichloropropane	594-20-7	0.5	N.D.
Bromochloromethane	74-97-5	0.5	N.D.
1,1-Dichloropropene	563-58-6	0.5	N.D.
Dibromomethane	74-95-3	0.5	N.D.
1,2-Dibromoethane	106-93-4	0.5	N.D.

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

VOLATILE ORGANICS BY GC/MS (EPA 8260) (continued)

Sample Description: Water, Trip Blank
Laboratory Sample #: 97070469

ANALYTE	CAS NUMBER	DETECTION Limit (ug/l)	SAMPLE RESULTS (ug/l)
1,3-Dichloropropane	142-28-9	0.5	N.D.
Isopropylbenzene	98-82-8	0.5	N.D.
1.1.2.2-Tetrachloroethane	79-34-5	0.5	N.D.
1,2,3-Trichloropropane	96-18-4	0.5	N.D.
Bromobenzene	108-86-1	0.5	N.D.
n-Propylbenzene	103-65-1	0.5	N.D.
2-Chlorotoluene	95-49-8	0.5	N.D.
1,3,5-Trimethylbenzene	108-67-8	0.5	N.D.
4-Chlorotoluene	106-43-4	0.5	N.D.
tert-Butylbenzene	98-06-6	0.5	N.D.
1,2,4-Trimethylbenzene	95-63-6	0.5	N.D.
sec-Butylbenzene	135-98-8	0.5	N.D.
4-Isopropyltoluene	99-87-6	0.5	N.D.
1,3-Dichlorobenzene	541-73-1	0.5	N.D.
1,4-Dichlorobenzene	106-46-7	0.5	N.D.
n-Butylbenzene	104-51-8	0.5	N.D.
1,2-Dichlorobenzene	95-50-1	0.5	N.D.
1-2-Dibromo-3-CPA	96-12-8	1.0	N.D.
1,2,4-Trichlorobenzene	120-82-1	0.5	N.D.
Hexachlorobutadiene	87-68-3	0.5	N.D.
Naphthalene	91-20-3	0.5	N.D.
1,2,3-Trichlorobenzene	87-61-6	0.5	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

Orange Coast Analytical

Mark Noorani
Laboratory Director

Surrogate Recoveries	%
Dibromofluoromethane	90
Toluene-d8	94
4-Bromofluorobenzene	89

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035.01090010

Sample Description: Water, Equip Blank
Laboratory Sample Number: 97070467
Laboratory Reference #: MWI 9388

Sampled: 07/25/97
Received: 07/25/97
Analyzed: 07/29/97
Reported: 08/01/97

SEMI VOLATILE ORGANICS BY GC/MS (EPA 8270)

ANALYTE	*CAS NUMBER*	*DETECTION Limit (ug/l)*	*SAMPLE RESULTS (ug/l)*
Acenaphthene	83-32-9	5.0	N.D.
Acenaphthylene	208-96-8	5.0	N.D.
Aniline	62-53-3	5.0	N.D.
Anthracene	120-12-7	5.0	N.D.
Benzoic Acid	65-85-0	50	N.D.
Benzo (a) anthracene	56-55-3	5.0	N.D.
Benzo (b) fluoranthene	205-99-2	25	N.D.
Benzo (k) fluoranthene	207-08-9	25	N.D.
Benzo (g,h,i)perylene	191-24-2	25	N.D.
Benzo (a) pyrene	50-32-8	25	N.D.
Benzyl alcohol	100-51-6	50	N.D.
Bis(2-chloroethoxy)methane	111-91-1	5.0	N.D.
Bis(2-chloroethyl)ether	111-44-4	5.0	N.D.
Bis(2-chloroisopropyl)ether	39638-32-9	5.0	N.D.
Bis(2-ethylhexyl)phthalate	117-81-7	3.0	N.D.
4-Bromophenyl phenyl ether	101-55-3	5.0	N.D.
Butyl benzyl phthalate	85-68-7	5.0	N.D.
4-Chloroaniline	106-47-8	5.0	N.D.
2-Chloronaphthalene	91-58-7	5.0	N.D.
4-Chloro-3-methylphenol	59-50-7	5.0	N.D.
2-Chlorophenol	95-57-8	5.0	N.D.
4-Chlorophenyl phenyl ehter	7005-72-3	5.0	N.D.
Chrysene	218-0109	5.0	N.D.
Dibenz(a,h)anthracene	53-70-3	25	N.D.
Dibenzofuran	132-64-9	5.0	N.D.
Di-N-butyl phthalate	84-74-2	5.0	N.D.
1,3-Dichlorobenzene	541-73-1	5.0	N.D.
1,4-Dichlorobenzene	106-46-7	5.0	N.D.
1,2-Dichlorobenzene	95-50-1	5.0	N.D.
3,3-Dichlorobenzidine	91-94-1	5.0	N.D.
2,4-Dichlorophenol	120-83-2	5.0	N.D.
Diethyl phthalate	84-66-2	5.0	N.D.
2,4-Dimethylphenol	105-67-9	5.0	N.D.
Dimethyl phthalate	131-11-3	5.0	N.D.
4,6-Dinitro-2-methylphenol	534-52-1	50	N.D.
2,4-Dinitrophenol	51-28-5	50	N.D.

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

SEMI-VOLATILE ORGANICS BY GC/MS (EPA 8270) (continued)

Sample Description: Water, Equip Blank
Laboratory Sample #: 97070467

ANALYTE	CAS NUMBER	DETECTION Limit (ug/l)	SAMPLE RESULTS (ug/l)
2,4-Dinitrotoluene	121-14-2	5.0	N.D.
2,6-Dinitrotoluene	606-20-2	5.0	N.D.
Di-N-octyl phthalate	117-84-0	25	N.D.
Fluoranthene	206-44-0	5.0	N.D.
Fluorene	86-73-7	5.0	N.D.
Hexachlorobenzene	118-74-1	5.0	N.D.
Hexachlorobutadiene	87-68-3	5.0	N.D.
Hexachlorocyclopentadiene	77-47-4	5.0	N.D.
Hexachloroethane	67-72-1	5.0	N.D.
Indeno(1,2,3-cd)pyrene	193-39-5	25	N.D.
Isophorone	78-59-1	5.0	N.D.
2-Methylnaphthalene	91-57-6	5.0	N.D.
2-Methylphenol	95-48-7	5.0	N.D.
4-Methylphenol	106-44-5	5.0	N.D.
Naphthalene	91-20-3	5.0	N.D.
2-Nitroaniline	88-74-4	50	N.D.
3-Nitroaniline	99-09-2	50	N.D.
4-Nitroaniline	100-01-6	50	N.D.
Nitrobenzene	98-95-3	5.0	N.D.
2-Nitrophenol	88-75-5	5.0	N.D.
4-Nitrophenol	100-02-7	50	N.D.
N-Nitrosodiphenylamine	86-30-6	5.0	N.D.
N-Nitroso-di-N-propylamine	621-64-7	5.0	N.D.
N-Nitrosodimethylamine	62-75-9	5.0	N.D.
Pentachlorophenol	87-86-5	50	N.D.
Phenanthrene	85-01-8	5.0	N.D.
Phenol	108-95-2	5.0	N.D.
Pyrene	129-00-0	5.0	N.D.
1,2,4-Trichlorobenzene	120-82-1	5.0	N.D.
2,4,5-Trichlorophenol	95-95-4	5.0	N.D.
2,4,6-Trichlorophenol	88-06-2	5.0	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

Orange Coast Analytical

Mark Noorani
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035.01090010

Sample Description: Water, Rinsate Blank
Laboratory Sample Number: 97070468
Laboratory Reference #: MWI 9388

Sampled: 07/25/97
Received: 07/25/97
Analyzed: 07/29/97
Reported: 08/01/97

SEMI VOLATILE ORGANICS BY GC/MS (EPA 8270)

ANALYTE	*CAS NUMBER*	*DETECTION Limit (ug/l)*	*SAMPLE RESULTS (ug/l)*
Acenaphthene	83-32-9	5.0	N.D.
Acenaphthylene	208-96-8	5.0	N.D.
Aniline	62-53-3	5.0	N.D.
Anthracene	120-12-7	5.0	N.D.
Benzoic Acid	65-85-0	50	N.D.
Benzo (a) anthracene	56-55-3	5.0	N.D.
Benzo (b) fluoranthene	205-99-2	25	N.D.
Benzo (k) fluoranthene	207-08-9	25	N.D.
Benzo (g,h,i)perylene	191-24-2	25	N.D.
Benzo (a) pyrene	50-32-8	25	N.D.
Benzyl alcohol	100-51-6	50	N.D.
Bis(2-chloroethoxy)methane	111-91-1	5.0	N.D.
Bis(2-chloroethyl)ether	111-44-4	5.0	N.D.
Bis(2-chloroisopropyl)ether	39638-32-9	5.0	N.D.
Bis(2-ethylhexyl)phthalate	117-81-7	3.0	N.D.
4-Bromophenyl phenyl ether	101-55-3	5.0	N.D.
Butyl benzyl phthalate	85-68-7	5.0	N.D.
4-Chloroaniline	106-47-8	5.0	N.D.
2-Chloronaphthalene	91-58-7	5.0	N.D.
4-Chloro-3-methylphenol	59-50-7	5.0	N.D.
2-Chlorophenol	95-57-8	5.0	N.D.
4-Chlorophenyl phenyl ehter	7005-72-3	5.0	N.D.
Chrysene	218-0109	5.0	N.D.
Dibenz(a,h)anthracene	53-70-3	25	N.D.
Dibenzofuran	132-64-9	5.0	N.D.
Di-N-butyl phthalate	84-74-2	5.0	N.D.
1,3-Dichlorobenzene	541-73-1	5.0	N.D.
1,4-Dichlorobenzene	106-46-7	5.0	N.D.
1,2-Dichlorobenzene	95-50-1	5.0	N.D.
3,3-Dichlorobenzidine	91-94-1	5.0	N.D.
2,4-Dichlorophenol	120-83-2	5.0	N.D.
Diethyl phthalate	84-66-2	5.0	N.D.
2,4-Dimethylphenol	105-67-9	5.0	N.D.
Dimethyl phthalate	131-11-3	5.0	N.D.
4,6-Dinitro-2-methylphenol	534-52-1	50	N.D.
2,4-Dinitrophenol	51-28-5	50	N.D.

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

SEMI-VOLATILE ORGANICS BY GC/MS (EPA 8270) (continued)

Sample Description: Water, Rinsate Blank
Laboratory Sample #: 97070468

ANALYTE	*CAS NUMBER*	*DETECTION Limit (ug/l)*	*SAMPLE RESULTS (ug/l)*
2,4-Dinitrotoluene	121-14-2	5.0	N.D.
2,6-Dinitrotoluene	606-20-2	5.0	N.D.
Di-N-octyl phthalate	117-84-0	25	N.D.
Fluoranthene	206-44-0	5.0	N.D.
Fluorene	86-73-7	5.0	N.D.
Hexachlorobenzene	118-74-1	5.0	N.D.
Hexachlorobutadiene	87-68-3	5.0	N.D.
Hexachlorocyclopentadiene	77-47-4	5.0	N.D.
Hexachloroethane	67-72-1	5.0	N.D.
Indeno(1,2,3-cd)pyrene	193-39-5	25	N.D.
Isophorone	78-59-1	5.0	N.D.
2-Methylnaphthalene	91-57-6	5.0	N.D.
2-Methylphenol	95-48-7	5.0	N.D.
4-Methylphenol	106-44-5	5.0	N.D.
Naphthalene	91-20-3	5.0	N.D.
2-Nitroaniline	88-74-4	50	N.D.
3-Nitroaniline	99-09-2	50	N.D.
4-Nitroaniline	100-01-6	50	N.D.
Nitrobenzene	98-95-3	5.0	N.D.
2-Nitrophenol	88-75-5	5.0	N.D.
4-Nitrophenol	100-02-7	50	N.D.
N-Nitrosodiphenylamine	86-30-6	5.0	N.D.
N-Nitroso-di-N-propylamine	621-64-7	5.0	N.D.
N-Nitrosodimethylamine	62-75-9	5.0	N.D.
Pentachlorophenol	87-86-5	50	N.D.
Phenanthrene	85-01-8	5.0	N.D.
Phenol	108-95-2	5.0	N.D.
Pyrene	129-00-0	5.0	N.D.
1,2,4-Trichlorobenzene	120-82-1	5.0	N.D.
2,4,5-Trichlorophenol	95-95-4	5.0	N.D.
2,4,6-Trichlorophenol	88-06-2	5.0	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

Orange Coast Analytical

Mark Noorani
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035.01090010

Sample Description: Water, Equip Blank

Sampled: 07/25/97
Received: 07/25/97
Analyzed: 07/28/97
Reported: 08/01/97

Laboratory Sample Number: 97070467
Laboratory Reference #: MWI 9388

PCB'S (EPA 8080)

Analyte	*CAS NUMBER*	*DETECTION LIMITS (ug/l)*	*SAMPLE RESULTS (ug/l)*
PCB-1016	12674-11-2	5.0	N.D.
PCB-1221	11104-28-2	5.0	N.D.
PCB-1232	11141-16-5	5.0	N.D.
PCB-1242	53469-21-9	5.0	N.D.
PCB-1248	12672-29-6	5.0	N.D.
PCB-1254	11097-69-1	5.0	N.D.
PCB-1260	11096-82-5	5.0	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

ORANGE COAST ANALYTICAL

Mark Noorani
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035.01090010

Sample Description: Water, Rinsate Blank

Sampled: 07/25/97
Received: 07/25/97
Analyzed: 07/28/97
Reported: 08/01/97

Laboratory Sample Number: 97070468
Laboratory Reference #: MWI 9388

PCB'S (EPA 8080)

Analyte	*CAS NUMBER*	*DETECTION LIMITS (ug/l)*	*SAMPLE RESULTS (ug/l)*
PCB-1016	12674-11-2	5.0	N.D.
PCB-1221	11104-28-2	5.0	N.D.
PCB-1232	11141-16-5	5.0	N.D.
PCB-1242	53469-21-9	5.0	N.D.
PCB-1248	12672-29-6	5.0	N.D.
PCB-1254	11097-69-1	5.0	N.D.
PCB-1260	11096-82-5	5.0	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

ORANGE COAST ANALYTICAL

Mark Noorani
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035.01090010

Sample Description: Water, Rinsate Blank

Sampled: 07/25/97
Received: 07/25/97
Analyzed: 07/28/97
Reported: 08/01/97

Laboratory Sample Number: 97070468
Laboratory Reference #: MWI 9388

ORGANOCHLORINE PESTICIDES (EPA 8080)

Analyte	*CAS NUMBER*	*DETECTION LIMITS (ug/l)*	*SAMPLE RESULTS (ug/l)*
Aldrin	309-00-2	0.1	N.D.
alpha-BHC	319-84-6	0.2	N.D.
beta-BHC	319-85-7	0.2	N.D.
gamma-BHC	319-86-8	0.2	N.D.
gamma-BHC (Lindane)	58-89-9	0.2	N.D.
Chlordane	57-74-9	0.2	N.D.
4,4'-DDD	72-54-9	0.5	N.D.
4,4'-DDE	72-55-9	0.1	N.D.
4,4'-DDT	50-29-3	0.1	N.D.
Dieldrin	60-57-1	0.5	N.D.
Endosulfan I	959-98-8	0.5	N.D.
Endosulfan II	33213-65-9	0.5	N.D.
Endosulfan sulfate	1031-07-8	0.5	N.D.
Endrin	72-20-8	0.02	N.D.
Endrin aldehyde	7421-93-4	0.2	N.D.
Heptachlor	76-44-8	0.1	N.D.
Hetachlor epoxide	1024-57-3	0.2	N.D.
Methoxychlor	72-43-5	9.0	N.D.
Toxaphene	8001-35-2	0.5	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

ORANGE COAST ANALYTICAL

Mark Noorani
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035.01090010

Sample Description: Water, Equip Blank

Sampled: 07/25/97
Received: 07/25/97
Analyzed: 07/28/97
Reported: 08/01/97

Laboratory Sample Number: 97070467
Laboratory Reference #: MWI 9388

ORGANOCHLORINE PESTICIDES (EPA 8080)

Analyte	*CAS NUMBER*	*DETECTION LIMITS (ug/l)*	*SAMPLE RESULTS (ug/l)*
Aldrin	309-00-2	0.1	N.D.
alpha-BHC	319-84-6	0.2	N.D.
beta-BHC	319-85-7	0.2	N.D.
gamma-BHC	319-86-8	0.2	N.D.
gamma-BHC (Lindane)	58-89-9	0.2	N.D.
Chlordane	57-74-9	0.2	N.D.
4,4'-DDD	72-54-9	0.5	N.D.
4,4'-DDE	72-55-9	0.1	N.D.
4,4'-DDT	50-29-3	0.1	N.D.
Dieldrin	60-57-1	0.5	N.D.
Endosulfan I	959-98-8	0.5	N.D.
Endosulfan II	33213-65-9	0.5	N.D.
Endosulfan sulfate	1031-07-8	0.5	N.D.
Endrin	72-20-8	0.02	N.D.
Endrin aldehyde	7421-93-4	0.2	N.D.
Heptachlor	76-44-8	0.1	N.D.
Hetachlor epoxide	1024-57-3	0.2	N.D.
Methoxychlor	72-43-5	9.0	N.D.
Toxaphene	8001-35-2	0.5	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

ORANGE COAST ANALYTICAL

Mark Noorani
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035.01090010

Analysis Method: EPA 3510/8015m

Sample Description: Water,

Laboratory Reference #: MWI 9388

Sampled: 07/25/97
Received: 07/25/97
Analyzed: 07/31/97
Reported: 08/01/97

DIESEL ANALYSIS (EPA 8015m)

Laboratory Sample Number	*Client Sample Number*	*Extractable Hydrocarbons (mg/l)*
97070467	Equip Blank	N.D.
97070468	Rinsate Blank	N.D.
Detection Limit:		0.5

Analytes reported as N.D. were not present above the stated limit of detection.

ORANGE COAST ANALYTICAL

Mark Noorani
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035.01090010

Analysis Method: EPA 5030/8015m

Sample Description: Water,

Laboratory Reference #: MWI 9388

Sampled: 07/25/97
Received: 07/25/97
Analyzed: 07/29/97
Reported: 08/01/97

VOLATILE FUEL HYDROCARBONS (EPA 8015M)

Laboratory Sample Number	*Client Sample Number*	*Volatile Fuel Hydrocarbons (ug/l) (ppb)*
97070467	Equip Blank	N.D.
97070468	Rinsate Blank	N.D.

Detection Limit:	50

Volatile Fuel Hydrocarbons are quantitated against a gasoline standard.
Hydrocarbons detected by this method range from C6 to C14.
Analytes reported as N.D. were not present above the stated limit of detection.

ORANGE COAST ANALYTICAL

Mark Noorani
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

QC DATA REPORT

Analysis : Metals

Date of Analysis : 07/29/97
Laboratory Sample No : 97070411
Laboratory Reference No : MWI 9388

Analyte	R1 (ppm)	SP (ppm)	MS (ppm)	MSD (ppm)	PR1 %	PR2 %	RPD %
Antimony	0.0	30.0	30.0	30.0	100	100	0
Arsenic	0.0	10.0	11.1	12.0	111	120	8
Barium	10.0	10.0	20.0	21.0	100	110	5
Beryllium	0.00	1.00	0.99	1.02	99	102	3
Cadmium	0.00	1.00	0.96	1.09	96	109	13
Chromium (Total)	2.10	5.00	6.90	7.10	96	100	3
Chromium (VI)	0.00	1.00	0.81	0.86	81	86	6
Cobalt	0.56	1.00	1.52	1.55	96	99	2
Copper	0.93	1.00	1.89	1.92	96	99	2
Lead	0.00	10.0	8.3	9.5	83	95	13
Mercury	0.000	0.020	0.018	0.019	90	95	5
Molybdenum	0.0	10.0	9.6	10.2	96	102	6
Nickel	0.80	5.00	5.3	5.5	90	94	4
Selenium	0.0	10.0	8.9	9.0	89	90	1
Silver	0.0	5.0	6.0	6.0	120	120	0
Thallium	0.0	30.0	25.0	25.0	83	83	0
Vanadium	2.4	5.0	7.4	7.6	100	104	3
Zinc	3.5	5.0	8.2	8.6	94	102	5

Definition of Terms :

R1	Results Of First Analysis
SP	Spike Concentration Added to Sample
MS	Matrix Spike Results
MSD	Matrix Spike Duplicate Results
PR1	Percent Recovery Of MS: {(MS-R1) / SP} x100
PR2	Percent Recovery Of MSD: {(MSD-R1) / SP} x 100
RPD	Relative Percent Difference: {(MS-MSD) / (MS+MSD)} x 100 x 2

ORANGE COAST ANALYTICAL

MARK NOORANI
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

QC DATA REPORT

Analysis : Metals

Date of Analysis : 07/29/97
Laboratory Sample No : 97070462
Laboratory Reference No : MWI 9388

Analyte	R1 (ppm)	SP (ppm)	MS (ppm)	MSD (ppm)	PR1 %	PR2 %	RPD %
Antimony	0.0	30.0	28.5	30.0	95	100	5
Arsenic	0.0	10.0	8.4	8.0	84	80	5
Barium	8.7	10.0	19.0	18.9	103	102	1
Beryllium	0.00	1.00	1.05	0.96	105	96	9
Cadmium	0.00	1.00	0.95	0.96	95	96	1
Chromium (Total)	2.00	5.00	6.60	6.50	92	90	2
Chromium (VI)	0.00	1.00	1.04	1.00	104	100	4
Cobalt	0.88	1.00	1.75	1.74	87	86	1
Copper	1.20	1.00	2.10	2.10	90	90	0
Lead	0.00	10.0	8.9	8.1	89	81	9
Mercury	0.000	0.020	0.019	0.020	95	100	5
Molybdenum	0.0	10.0	9.4	9.7	94	97	3
Nickel	1.30	5.00	5.7	5.6	88	86	2
Selenium	0.0	10.0	9.1	9.2	91	92	1
Silver	0.0	5.0	5.0	5.0	100	100	0
Thallium	0.0	30.0	25.0	25.0	83	83	0
Vanadium	2.7	5.0	8.0	7.6	106	98	5
Zinc	4.3	5.0	8.8	8.9	90	92	1

Definition of Terms :

R1	Results Of First Analysis
SP	Spike Concentration Added to Sample
MS	Matrix Spike Results
MSD	Matrix Spike Duplicate Results
PR1	Percent Recovery Of MS: {(MS-R1) / SP} x100
PR2	Percent Recovery Of MSD: {(MSD-R1) / SP} x 100
RPD	Relative Percent Difference: {(MS-MSD) / (MS+MSD)} x 100 x 2

ORANGE COAST ANALYTICAL

MARK NOORANI
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

QC DATA REPORT

Analysis : Metals

Date of Analysis : 07/29/97
Laboratory Sample No : 97070419
Laboratory Reference No : MWI 9388

Analyte	R1 (ppm)	SP (ppm)	MS (ppm)	MSD (ppm)	PR1 %	PR2 %	RPD %
Antimony	0.00	3.00	2.40	2.60	80	87	8
Arsenic	0.00	1.00	1.02	1.01	102	101	1
Barium	0.000	0.100	0.098	0.086	98	86	13
Beryllium	0.00	0.100	0.098	0.103	98	103	5
Cadmium	0.00	0.100	0.109	0.107	109	107	2
Chromium (VI)	0.00	0.50	0.41	0.50	82	100	20
Chromium (Total)	0.00	0.100	0.101	0.091	101	91	10
Cobalt	0.00	0.100	0.114	0.107	114	107	6
Copper	0.000	0.100	0.098	0.103	98	103	5
Lead	0.00	1.00	0.80	0.86	80	86	7
Mercury	0.000	0.020	0.020	0.021	100	105	5
Molybdenum	0.00	1.00	0.90	0.84	90	84	7
Nickel	0.00	0.50	0.49	0.51	98	102	4
Selenium	0.00	1.00	1.02	0.99	102	99	3
Silver	0.00	0.50	0.46	0.52	92	104	12
Thallium	0.00	3.00	3.10	2.80	103	93	10
Vanadium	0.00	0.50	0.49	0.45	98	90	9
Zinc	0.000	0.100	0.083	0.080	83	80	4

Definition of Terms :

R1	Results Of First Analysis
SP	Spike Concentration Added to Sample
MS	Matrix Spike Results
MSD	Matrix Spike Duplicate Results
PR1	Percent Recovery Of MS: {(MS-R1) / SP} x100
PR2	Percent Recovery Of MSD: {(MSD-R1) / SP} x 100
RPD	Relative Percent Difference: {(MS-MSD) / (MS+MSD)} x 100 x 2

ORANGE COAST ANALYTICAL

MARK NOORANI
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

QC DATA REPORT

Analysis : Total Recoverable Petroleum Hydrocarbons (EPA 418.1)

Date of Analysis : 07/28/97
Laboratory Sample No : 97070411
Laboratory Reference No : MWI 9388

Analyte	R1 (ppm)	SP (ppm)	MS (ppm)	MSD (ppm)	PR1 %	PR2 %	RPD %
Hydrocarbons	0.0	100	98	97	98	97	1

Definition of Terms :

R1	Results Of First Analysis
SP	Spike Concentration Added to Sample
MS	Matrix Spike Results
MSD	Matrix Spike Duplicate Results
PR1	Percent Recovery Of MS: {(MS-R1) / SP} x100
PR2	Percent Recovery Of MSD: {(MSD-R1) / SP} x 100
RPD	Relative Percent Difference: {(MS-MSD) / (MS+MSD)} x 100 x 2

ORANGE COAST ANALYTICAL

MARK NOORANI
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

QC DATA REPORT

Analysis : Total Recoverable Petroleum Hydrocarbons (EPA 418.1)

Date of Analysis : 07/28/97
Laboratory Sample No : 97070415
Laboratory Reference No : MWI 9388

Analyte	R1 (ppm)	SP (ppm)	MS (ppm)	MSD (ppm)	PR1 %	PR2 %	RPD %
Hydrocarbons	0.0	100	100	103	100	103	3

Definition of Terms :

R1	Results Of First Analysis
SP	Spike Concentration Added to Sample
MS	Matrix Spike Results
MSD	Matrix Spike Duplicate Results
PR1	Percent Recovery Of MS: {(MS-R1) / SP} x100
PR2	Percent Recovery Of MSD: {(MSD-R1) / SP} x 100
RPD	Relative Percent Difference: {(MS-MSD) / (MS+MSD)} x 100 x 2

ORANGE COAST ANALYTICAL

MARK NOORANI
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

QC DATA REPORT

Analysis : Total Recoverable Petroleum Hydrocarbons (EPA 418.1)

Date of Analysis : 07/30/97
Laboratory Sample No :OCA 100
Laboratory Reference No : MWI 9388

Analyte	R1 (ppm)	SP (ppm)	MS (ppm)	MSD (ppm)	PR1 %	PR2 %	RPD %
Hydrocarbons	0.0	2.5	2.5	2.5	100	100	0

Definition of Terms :

R1	Results Of First Analysis
SP	Spike Concentration Added to Sample
MS	Matrix Spike Results
MSD	Matrix Spike Duplicate Results
PR1	Percent Recovery Of MS: {(MS-R1) / SP} x100
PR2	Percent Recovery Of MSD: {(MSD-R1) / SP} x 100
RPD	Relative Percent Difference: {(MS-MSD) / (MS+MSD)} x 100 x 2

ORANGE COAST ANALYTICAL

Mark Noorani

MARK NOORANI
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

QC DATA REPORT

Analysis : PCB 'S (EPA 8080)

Date of Analysis : 07/31/97
Laboratory Sample No : 97070461
Laboratory Reference No : MWI 9388

Analyte	R1 (ppb)	SP (ppb)	MS (ppb)	MSD (ppb)	PR1 %	PR2 %	RPD %
PCB-1260	0.0	250	97	85	39	34	13

Definition of Terms :

R1	Results Of First Analysis
SP	Spike Concentration Added to Sample
MS	Matrix Spike Results
MSD	Matrix Spike Duplicate Results
PR1	Percent Recovery Of MS: {(MS-R1) / SP} x100
PR2	Percent Recovery Of MSD: {(MSD-R1) / SP} x 100
RPD	Relative Percent Difference: {(MS-MSD) / (MS+MSD)} x 100 x 2

ORANGE COAST ANALYTICAL

MARK NOORANI
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

QC DATA REPORT

Analysis : PCB 'S (EPA 8080)

Date of Analysis : 07/28/97.
Laboratory Sample No : 97070361
Laboratory Reference No : MWI 9388

Analyte	R1 (ppb)	SP (ppb)	MS (ppb)	MSD (ppb)	PR1 %	PR2 %	RPD %
PCB-1260	0.0	250	150	150	60	60	0

Definition of Terms :

R1	Results Of First Analysis
SP	Spike Concentration Added to Sample
MS	Matrix Spike Results
MSD	Matrix Spike Duplicate Results
PR1	Percent Recovery Of MS: {(MS-R1) / SP} x100
PR2	Percent Recovery Of MSD: {(MSD-R1) / SP} x 100
RPD	Relative Percent Difference: {(MS-MSD) / (MS+MSD)} x 100 x 2

ORANGE COAST ANALYTICAL

MARK NOORANI
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

QC DATA REPORT

Analysis : Organochlorine Pesticides (EPA 8080)

Date of Analysis : 07/28/97
Laboratory Sample No : OCA 100
Laboratory Reference No : MWI 9388

Analyte	R1 (ppb)	SP (ppb)	MS (ppb)	MSD (ppb)	PR1 %	PR2 %	RPD %
4,4'-DDT	0.0	1.0	0.71	0.71	71	71	0

Definition of Terms :

R1	Results Of First Analysis
SP	Spike Concentration Added to Sample
MS	Matrix Spike Results
MSD	Matrix Spike Duplicate Results
PR1	Percent Recovery Of MS: {(MS-R1) / SP} x100
PR2	Percent Recovery Of MSD: {(MSD-R1) / SP} x 100
RPD	Relative Percent Difference: {(MS-MSD) / (MS+MSD)} x 100 x 2

ORANGE COAST ANALYTICAL

Mark Noorani

MARK NOORANI
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

QC DATA REPORT

Analysis : PCB 'S (EPA 8080)

Date of Analysis : 07/28/97
Laboratory Sample No : OCA 100
Laboratory Reference No : MWI 9388

Analyte	R1 (ppb)	SP (ppb)	MS (ppb)	MSD (ppb)	PR1 %	PR2 %	RPD %
PCB-1260	0.0	20	20	22	100	110	10

Definition of Terms :

R1	Results Of First Analysis
SP	Spike Concentration Added to Sample
MS	Matrix Spike Results
MSD	Matrix Spike Duplicate Results
PR1	Percent Recovery Of MS: {(MS-R1) / SP} x100
PR2	Percent Recovery Of MSD: {(MSD-R1) / SP} x 100
RPD	Relative Percent Difference: {(MS-MSD) / (MS+MSD)} x 100 x 2

ORANGE COAST ANALYTICAL

MARK NOORANI
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

QC DATA REPORT

Analysis : Diesel (EPA 8015m)

Date of Analysis : 07/28/97
Laboratory Sample No : OCA 200
Laboratory Reference No : MWI 9388

Analyte	R1 (ppm)	SP (ppm)	MS (ppm)	MSD (ppm)	PR1 %	PR2 %	RPD %
Hydrocarbons	0.0	100	76	87	76	87	13

Definition of Terms :

R1	Results Of First Analysis
SP	Spike Concentration Added to Sample
MS	Matrix Spike Results
MSD	Matrix Spike Duplicate Results
PR1	Percent Recovery Of MS: {(MS-R1) / SP} x100
PR2	Percent Recovery Of MSD: {(MSD-R1) / SP} x 100
RPD	Relative Percent Difference: {(MS-MSD) / (MS+MSD)} x 100 x 2

ORANGE COAST ANALYTICAL

MARK NOORANI
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

QC DATA REPORT

Analysis : Diesel (EPA 8015m)

Date of Analysis : 07/31/97
Laboratory Sample No : OCA 100
Laboratory Reference No : MWI 9388

Analyte	R1 (ppm)	SP (ppm)	MS (ppm)	MSD (ppm)	PR1 %	PR2 %	RPD %
Hydrocarbons	0.0	5.0	3.8	4.7	76	94	21

Definition of Terms :

R1	Results Of First Analysis
SP	Spike Concentration Added to Sample
MS	Matrix Spike Results
MSD	Matrix Spike Duplicate Results
PR1	Percent Recovery Of MS: {(MS-R1) / SP} x100
PR2	Percent Recovery Of MSD: {(MSD-R1) / SP} x 100
RPD	Relative Percent Difference: {(MS-MSD) / (MS+MSD)} x 100 x 2

ORANGE COAST ANALYTICAL

MARK NOORANI
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

QC DATA REPORT

Analysis : Volatile Fuel Hydrocarbons (EPA 5030 / 8015m)

Date of Analysis : 07/29/97
Laboratory Sample No : 97070467
Laboratory Reference No : MWI 9388

Analyte	R1 (ppb)	SP (ppb)	MS (ppb)	MSD (ppb)	PR1 %	PR2 %	RPD %
Hydrocarbons	0	250	240	260	96	104	8

Definition of Terms :

R1	Results Of First Analysis
SP	Spike Concentration Added to Sample
MS	Matrix Spike Results
MSD	Matrix Spike Duplicate Results
PR1	Percent Recovery Of MS: {(MS-R1) / SP} x100
PR2	Percent Recovery Of MSD: {(MSD-R1) / SP} x 100
RPD	Relative Percent Difference: {(MS-MSD) / (MS+MSD)} x 100 x 2

ORANGE COAST ANALYTICAL

Mark Noorani

MARK NOORANI
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

QC DATA REPORT

Analysis : Volatile Organics by GC/MS (EPA 8260)

Date of Analysis : 07/29/97
Laboratory Sample No : 97070399
Laboratory Reference No : MWI 9388

Analyte	R1 (ppb)	SP (ppb)	MS (ppb)	MSD (ppb)	PR1 %	PR2 %	RPD %
Benzene	0.0	20	18	18	90	90	0
1,1-Dichloroethene	0.0	20	16	16	80	80	0
Trichloroethene	0.0	20	17	17	85	85	0
Toluene	0.0	20	19	19	95	95	0
Chlorobenzene	0.0	20	19	19	95	95	0

Definition of Terms :

R1	Results Of First Analysis
SP	Spike Concentration Added to Sample
MS	Matrix Spike Results
MSD	Matrix Spike Duplicate Results
PR1	Percent Recovery Of MS: {(MS-R1) / SP} x100
PR2	Percent Recovery Of MSD: {(MSD-R1) / SP} x 100
RPD	Relative Percent Difference: {(MS-MSD) / (MS+MSD)} x 100 x 2

ORANGE COAST ANALYTICAL

MARK NOORANI
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

QC DATA REPORT

Analysis : Volatile Organics by GC/MS (EPA 8260)

Date of Analysis : 07/28/97
Laboratory Sample No : 97070466
Laboratory Reference No : MWI 9388

Analyte	R1 (ppb)	SP (ppb)	MS (ppb)	MSD (ppb)	PR1 %	PR2 %	RPD %
Benzene	0.0	50	49	52	98	104	6
1,1-Dichloroethene	0.0	50	46	49	92	98	6
Trichloroethene	1.96	50	44	47	84	90	7
Toluene	0.0	50	47	50	94	100	6
Chlorobenzene	0.0	50	48	50	96	100	4

Definition of Terms :

R1	Results Of First Analysis
SP	Spike Concentration Added to Sample
MS	Matrix Spike Results
MSD	Matrix Spike Duplicate Results
PR1	Percent Recovery Of MS: {(MS-R1) / SP} x100
PR2	Percent Recovery Of MSD: {(MSD-R1) / SP} x 100
RPD	Relative Percent Difference: {(MS-MSD) / (MS+MSD)} x 100 x 2

ORANGE COAST ANALYTICAL

MARK NOORANI
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

QC DATA REPORT

Analysis : Volatile Organics by GC/MS (EPA 8260)

Date of Analysis : 08/01/97
Laboratory Sample No : 97070412
Laboratory Reference No : MWI 9388

Analyte	R1 (ppb)	SP (ppb)	MS (ppb)	MSD (ppb)	PR1 %	PR2 %	RPD %
Benzene	0.0	50	53	53	106	106	0
1,1-Dichloroethene	0.0	50	54	54	108	108	0
Trichloroethene	0.0	50	51	52	102	104	2
Toluene	0.0	50	52	52	104	104	0
Chlorobenzene	0.0	50	49	47	98	94	4

Definition of Terms :

R1	Results Of First Analysis
SP	Spike Concentration Added to Sample
MS	Matrix Spike Results
MSD	Matrix Spike Duplicate Results
PR1	Percent Recovery Of MS: {(MS-R1) / SP} x100
PR2	Percent Recovery Of MSD: {(MSD-R1) / SP} x 100
RPD	Relative Percent Difference: {(MS-MSD) / (MS+MSD)} x 100 x 2

ORANGE COAST ANALYTICAL

MARK NOORANI
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

QC DATA REPORT

Analysis : Semi-Volatile Organics by GC/MS (EPA 8270)

Date of Analysis : 07/29/97
Laboratory Sample No : OCA 100
Laboratory Reference No : MWI 9388

Analyte	R1 (ng)	SP (ng)	MS (ng)	MSD (ng)	PR1 %	PR2 %	RPD %
1,4-Dichlorobenzene	0.0	50	43	38	86	76	12
n-Nitroso-di-n-propylamine	0.0	50	48	47	96	94	2
1,2,4-Trichlorobenzene	0.0	50	43	38	86	76	12
Acenaphthene	0.0	50	48	46	96	92	4
Pyrene	0.0	50	48	45	96	90	6
Pentachlorophenol	0.0	100	83	77	83	77	8
4-Chloro-3-Methylphenol	0.0	100	75	70	75	70	7
2-Chlorophenol	0.0	100	79	75	79	75	5
Phenol	0.0	100	28	26	28	26	7

Definition of Terms :

R1	Results Of First Analysis
SP	Spike Concentration Added to Sample
MS	Matrix Spike Results
MSD	Matrix Spike Duplicate Results
PR1	Percent Recovery Of MS: {(MS-R1) / SP} x100
PR2	Percent Recovery Of MSD: {(MSD-R1) / SP} x 100
RPD	Relative Percent Difference: {(MS-MSD) / (MS+MSD)} x 100 x 2

ORANGE COAST ANALYTICAL

MARK NOORANI
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

QC DATA REPORT

Analysis : Semi-Volatile Organics by GC/MS (EPA 8270)

Date of Analysis : 07/31/97
Laboratory Sample No : 97070528
Laboratory Reference No : MWI 9388

Analyte	R1 (ng)	SP (ng)	MS (ng)	MSD (ng)	PR1 %	PR2 %	RPD %
1,4-Dichlorobenzene	0.0	50	44	42	88	84	5
n-Nitroso-di-n-propylamine	0.0	50	41	43	82	86	5
1,2,4-Trichlorobenzene	0.0	50	45	44	90	88	2
Acenaphthene	0.0	50	46	44	92	88	4
Pyrene	0.0	50	47	44	94	88	7
Pentachlorophenol	0.0	100	83	79	83	79	5
4-Chloro-3-Methylphenol	0.0	100	75	71	75	71	5
2-Chlorophenol	0.0	100	81	76	81	76	6
Phenol	0.0	100	68	65	68	65	5

Definition of Terms :

R1	Results Of First Analysis
SP	Spike Concentration Added to Sample
MS	Matrix Spike Results
MSD	Matrix Spike Duplicate Results
PR1	Percent Recovery Of MS: {(MS-R1) / SP} x100
PR2	Percent Recovery Of MSD: {(MSD-R1) / SP} x 100
RPD	Relative Percent Difference: {(MS-MSD) / (MS+MSD)} x 100 x 2

ORANGE COAST ANALYTICAL

MARK NOORANI
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

QC DATA REPORT

Analysis : Semi-Volatile Organics by GC/MS (EPA 8270)

Date of Analysis : 08/01/97
Laboratory Sample No : 97070414
Laboratory Reference No : MWI 9388

Analyte	R1 (ng)	SP (ng)	MS (ng)	MSD (ng)	PR1 %	PR2 %	RPD %
1,4-Dichlorobenzene	0.0	50	42	40	84	80	5
n-Nitroso-di-n-propylamine	0.0	50	46	47	92	94	2
1,2,4-Trichlorobenzene	0.0	50	43	42	86	84	2
Acenaphthene	0.0	50	44	42	88	84	5
Pyrene	0.0	50	45	42	90	84	7
Pentachlorophenol	0.0	100	80	88	80	88	10
4-Chloro-3-Methylphenol	0.0	100	66	70	66	70	6
2-Chlorophenol	0.0	100	75	76	75	76	1
Phenol	0.0	100	67	68	67	68	1

Definition of Terms :

R1	Results Of First Analysis
SP	Spike Concentration Added to Sample
MS	Matrix Spike Results
MSD	Matrix Spike Duplicate Results
PR1	Percent Recovery Of MS: {(MS-R1) / SP} x100
PR2	Percent Recovery Of MSD: {(MSD-R1) / SP} x 100
RPD	Relative Percent Difference: {(MS-MSD) / (MS+MSD)} x 100 x 2

ORANGE COAST ANALYTICAL

MARK NOORANI
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

QC DATA REPORT

Analysis : Semi-Volatile Organics by GC/MS (EPA 8270)

Date of Analysis : 07/28/97
Laboratory Sample No : OCA 200
Laboratory Reference No : MWI 9388

Analyte	R1 (ng)	SP (ng)	MS (ng)	MSD (ng)	PR1 %	PR2 %	RPD %
1,4-Dichlorobenzene	0.0	50	46	47	92	94	2
n-Nitroso-di-n-propylamine	0.0	50	42	47	84	94	11
1,2,4-Trichlorobenzene	0.0	50	46	46	92	92	0
Acenaphthene	0.0	50	69	68	138	136	1
Pyrene	0.0	50	44	45	88	90	2
Pentachlorophenol	0.0	100	79	89	79	89	12
4-Chloro-3-Methylphenol	0.0	100	69	68	69	68	1
2-Chlorophenol	0.0	100	77	77	77	77	0
Phenol	0.0	100	72	73	72	73	1

Definition of Terms :

R1	Results Of First Analysis
SP	Spike Concentration Added to Sample
MS	Matrix Spike Results
MSD	Matrix Spike Duplicate Results
PR1	Percent Recovery Of MS: {(MS-R1) / SP} x100
PR2	Percent Recovery Of MSD: {(MSD-R1) / SP} x 100
RPD	Relative Percent Difference: {(MS-MSD) / (MS+MSD)} x 100 x 2

ORANGE COAST ANALYTICAL

MARK NOORANI
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

QC DATA REPORT

Analysis : Semi-Volatile Organics by GC/MS (EPA 8270)

Date of Analysis : 08/02/97
Laboratory Sample No : 97070462
Laboratory Reference No : MWI 9388

Analyte	R1 (ng)	SP (ng)	MS (ng)	MSD (ng)	PR1 %	PR2 %	RPD %
1,4-Dichlorobenzene	0.0	50	40	38	80	76	5
n-Nitroso-di-n-propylamine	0.0	50	37	37	74	74	0
1,2,4-Trichlorobenzene	0.0	50	41	40	82	80	2
Acenaphthene	0.0	50	42	40	84	80	5
Pyrene	0.0	50	46	42	92	84	9
Pentachlorophenol	0.0	100	70	73	70	73	4
4-Chloro-3-Methylphenol	0.0	100	58	58	58	58	0
2-Chlorophenol	0.0	100	74	71	74	71	4
Phenol	0.0	100	64	62	64	62	3

Definition of Terms :

R1	Results Of First Analysis
SP	Spike Concentration Added to Sample
MS	Matrix Spike Results
MSD	Matrix Spike Duplicate Results
PR1	Percent Recovery Of MS: {(MS-R1) / SP} x100
PR2	Percent Recovery Of MSD: {(MSD-R1) / SP} x 100
RPD	Relative Percent Difference: {(MS-MSD) / (MS+MSD)} x 100 x 2

ORANGE COAST ANALYTICAL

MARK NOORANI
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532
Tustin, CA 92680
(714) 832-0064, Fax (714) 832-0067

Analysis Request and Chain of Custody Record

Lab Job No: _____
Page 1 of 2

24 hr TAT on SOIL TRPH (All Soil Samples)
48 hr TAT on sample PL-GS-10-28 (All analyses)
REQUIRED TAT: Standard TAT otherwise

CUSTOMER INFORMATION		PROJECT INFORMATION	
COMPANY:	Montgomery Watson	PROJECT NAME:	McDonnell Douglas
SEND REPORT TO:	Fred Strauss	NUMBER:	1206035.01090010
ADDRESS:	250 N. Madison Ave. Pasadena, CA 91101	LOCATION:	C-6 Facility
		ADDRESS:	19503 S. Normandie Ave. Los Angeles, CA
PHONE: 818-568-6582	FAX: 818-796-5941	SAMPLED BY:	AWN/CW/IV

SAMPLE ID	NO. OF CONTAINERS	SAMPLE DATE	SAMPLE TIME	SAMPLE MATRIX	CONTAINER TYPE	PRES.	TRPH 418.1	Title 22 Metals	VOCs 8260	SVOCs 8270	PCBs 8080	Pesticides 8080			REMARKS/PRECAUTIONS
OA1-GS-48-12'	2	7/25/97	0830	SOIL	2"x6" SS Sleeve	ICE	X	X							
OA1-GS-49-12'	2		0855				X	X							
OA1-GS-50-12'	2		0910				X	X							
OA1-GS-51-2'	2		0945				X	X							
OA1-GS-52-3'	2		1005				X	X							
OA1-GS-53-3'	2		1025				X	X							
OA1-GS-54-2'	2		1045				X	X							
OA1-GS-55-3'	2		1105				X	X							
OA1-GS-56-3'	2		1140				X	X							
OA1-GS-57-6'	2		1250				X	X							
OA1-GS-58-10'	2		1305				X	X							
OA1-GS-59-5'	2		1340				X	X							
OA1-GS-60-6'	2		1410				X	X							
OA1-GS-61-10'	2		1435				X	X							

Total No. of Samples: 20

Method of Shipment: 2 coolers via Orange Coast Courier

Relinquished By:	Date/Time:	Received By:	Date/Time:
Adam W. Vanis	7/25/97 1700 hrs		
Relinquished By:	Date/Time:	Received By:	Date/Time:
Relinquished By:	Date/Time:	Received For Lab By: [signature]	Date/Time: 7/25/97 17:00

Reporting Format: (check)
NORMAL _____ S.D. HMMD _____
RWQCB _____ OTHER _____

Sample Integrity: (check)
Intact _____ on ice _____

All samples remain the property of the client who is responsible for disposal. A disposal fee may be imposed if client fails to pickup samples.

BOE-C6-0146190

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532
Tustin, CA 92680
(714) 832-0064, Fax (714) 832-0067

Analysis Request and Chain of Custody Record

Lab Job No: _____
Page 2 of 2

24 hr TAT on SOIL TRPH (All Soil Samples)
48 hr TAT on Sample PL-GS-10-2.5' (All [illegible])
REQUIRED TAT: Standard TAT Otherwise

CUSTOMER INFORMATION		PROJECT INFORMATION	
COMPANY:	Montgomery Watson	PROJECT NAME:	Mc Donnell Douglas
SEND REPORT TO:	Fred Strauss	NUMBER:	1206035.01090010
ADDRESS:	250 N. Madison Ave. Pasadena, CA 91101	LOCATION:	C-6 Facility
		ADDRESS:	19503 S. Normandie Ave. Los Angeles, CA
PHONE:	818-568-6582 FAX: 818-796-5941	SAMPLED BY:	AWN/CW/IV

SAMPLE ID	NO. OF CONTAINERS	SAMPLE DATE	SAMPLE TIME	SAMPLE MATRIX	CONTAINER TYPE	PRES.	TRPH 418.1	Title 22 Metals	VOCs 8260	SVOCs 8270	PCBs 8080	Pesticides 8080	Carbon Chain	8015 gas	8015 diesel	REMARKS/PRECAUTIONS
OA1-GS-62-6'	2	7/25/97	1450	SOIL	2"x6" SS Sleeve	ICE	X	X	X	X	X	NO	X	X	X	AWN 7/25/97
PL-GS-10-2.5'	2	↓	1455	↓	↓	↓	X	X	X	X	X		X	X	X	48 hr TAT on SAMPLE PL-GS-10-2.5
OA1-RE5-SP3	2	↓	1615	↓	↓	↓	X	X	X	X						
Equipment Blank	9	↓	1500	WATER	Sampler 1 Poly 3 VOAs	None HNO3 HCl	X	X	X	X	X	X		X	X	
Rinsate Blank	9	↓	1530	↓	↓	↓	X	X	X	X	X	X		X	X	
Trip Blank	2	↓	—	↓	2 VOAs	HCl			X							

Total No. of Samples: 20

Method of Shipment: 2 Coolers via Orange Coast Courier

Relinquished By:	Date/Time:	Received By:	Date/Time:
Adam W. Nanio	7/25/97 1700hrs		
Relinquished By:	Date/Time:	Received By:	Date/Time:
Relinquished By:	Date/Time:	Received For Lab By:	Date/Time:
		[signature]	7/25/97 17:00

Reporting Format: (check)
NORMAL ____ S.D. HMMD ____
RWQCB ____ OTHER ____

Sample Integrity: (check)
Intact ____ on ice ____

All samples remain the property of the client who is responsible for disposal. A disposal fee may be imposed if client fails to pickup samples.

BOE-C6-0146191

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035.01090010

Analysis Method: 418.1

Sample Description: Soil,

Laboratory Reference #: MWI 9450

Sampled: 08/12/97
Received: 08/12/97
Analyzed: 08/13/97
Reported: 08/13/97

TOTAL RECOVERABLE PETROLEUM HYDROCARBONS

Laboratory Sample Number	*Client Sample Number*	*Extractable Hydrocarbons mg/kg (ppm)*
97080178	OA1-GS-79-3'	N.D.
97080179	OA1-GS-80-2'	N.D.
97080180	OA1-GS-81-2'	N.D.
97080181	OA1-GS-82-2'	N.D.
97080182	OA1-GS-83-2'	N.D.
Detection Limit:		8.0

Analytes reported as N.D. were not present above the stated limit of detection.

ORANGE COAST ANALYTICAL

Mark Noorani
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035.01090010

Sample Description: Soil, OA1-GS-79-3'

Sampled: 08/12/97
Received: 08/12/97
Analyzed: 08/13/97
Reported: 08/14/97

Laboratory Sample Number: 97080178
Laboratory Reference #: MWI 9450

CCR - METALS

Analyte	*EPA Method*	*STLC Limits mg/l*	*TTLC Limits mg/kg*	*Detection Limit mg/kg*	*Analysis Result mg/kg*	
Antimony	6010	15	500	5.0	N.D.	
Arsenic	6010	5.0	500	1.0	N.D.	
Barium	6010	100	10000	0.1	84	<---
Beryllium	6010	0.75	75	0.1	N.D.	
Cadmium	6010	1.0	100	0.1	N.D.	
Chromium (VI)	7196	5.0	500	0.5	N.D.	
Chromium Total	6010	560	2500	0.05	21	<---
Cobalt	6010	80	8000	0.5	4.3	<---
Copper	6010	25	2500	0.1	8.6	<---
Lead	6010	5.0	1000	1.0	N.D.	
Mercury	7471	0.2	20	0.01	N.D.	
Molybdenum	6010	350	3500	0.5	N.D.	
Nickel	6010	20	2000	0.5	7.0	<---
Selenium	6010	1.0	100	1.0	N.D.	
Silver	6010	5.0	500	0.1	N.D.	
Thallium	6010	7.0	700	5.0	N.D.	
Vanadium	6010	24	2400	0.5	22	<---
Zinc	6010	250	5000	0.1	25	<---

Analytes reported as N.D. were not present above the stated limit of detection.

ORANGE COAST ANALYTICAL

Mark Noorani
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035.01090010

Sample Description: Soil, OA1-GS-80-2'

Sampled: 08/12/97
Received: 08/12/97
Analyzed: 08/13/97
Reported: 08/14/97

Laboratory Sample Number: 97080179
Laboratory Reference #: MWI 9450

CCR - METALS

Analyte	*EPA Method*	*STLC Limits mg/l*	*TTLC Limits mg/kg*	*Detection Limit mg/kg*	*Analysis Result mg/kg*	
Antimony	6010	15	500	5.0	N.D.	
Arsenic	6010	5.0	500	1.0	N.D.	
Barium	6010	100	10000	0.1	96	<---
Beryllium	6010	0.75	75	0.1	N.D.	
Cadmium	6010	1.0	100	0.1	N.D.	
Chromium (VI)	7196	5.0	500	0.5	N.D.	
Chromium Total	6010	560	2500	0.05	19	<---
Cobalt	6010	80	8000	0.5	6.3	<---
Copper	6010	25	2500	0.1	9.8	<---
Lead	6010	5.0	1000	1.0	N.D.	
Mercury	7471	0.2	20	0.01	N.D.	
Molybdenum	6010	350	3500	0.5	N.D.	
Nickel	6010	20	2000	0.5	6.0	<---
Selenium	6010	1.0	100	1.0	N.D.	
Silver	6010	5.0	500	0.1	N.D.	
Thallium	6010	7.0	700	5.0	N.D.	
Vanadium	6010	24	2400	0.5	26	<---
Zinc	6010	250	5000	0.1	27	<---

Analytes reported as N.D. were not present above the stated limit of detection.

ORANGE COAST ANALYTICAL

Mark Noorani
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035.01090010

Sample Description: Soil, OA1-GS-81-2'

Sampled: 08/12/97
Received: 08/12/97
Analyzed: 08/13/97
Reported: 08/14/97

Laboratory Sample Number: 97080180
Laboratory Reference #: MWI 9450

CCR - METALS

Analyte	*EPA Method*	*STLC Limits mg/l*	*TTLC Limits mg/kg*	*Detection Limit mg/kg*	*Analysis Result mg/kg*	
Antimony	6010	15	500	5.0	N.D.	
Arsenic	6010	5.0	500	1.0	N.D.	
Barium	6010	100	10000	0.1	97	<---
Beryllium	6010	0.75	75	0.1	N.D.	
Cadmium	6010	1.0	100	0.1	N.D.	
Chromium (VI)	7196	5.0	500	0.5	N.D.	
Chromium Total	6010	560	2500	0.05	23	<---
Cobalt	6010	80	8000	0.5	7.2	<---
Copper	6010	25	2500	0.1	8.0	<---
Lead	6010	5.0	1000	1.0	N.D.	
Mercury	7471	0.2	20	0.01	N.D.	
Molybdenum	6010	350	3500	0.5	N.D.	
Nickel	6010	20	2000	0.5	6.9	<---
Selenium	6010	1.0	100	1.0	N.D.	
Silver	6010	5.0	500	0.1	N.D.	
Thallium	6010	7.0	700	5.0	N.D.	
Vanadium	6010	24	2400	0.5	26	<---
Zinc	6010	250	5000	0.1	28	<---

Analytes reported as N.D. were not present above the stated limit of detection.

ORANGE COAST ANALYTICAL

Mark Noorani
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035.01090010

Sample Description: Soil, OA1-GS-82-2'

Sampled: 08/12/97
Received: 08/12/97
Analyzed: 08/13/97
Reported: 08/14/97

Laboratory Sample Number: 97080181
Laboratory Reference #: MWI 9450

CCR - METALS

Analyte	*EPA Method*	*STLC Limits mg/l*	*TTLC Limits mg/kg*	*Detection Limit mg/kg*	*Analysis Result mg/kg*	
Antimony	6010	15	500	5.0	N.D.	
Arsenic	6010	5.0	500	1.0	N.D.	
Barium	6010	100	10000	0.1	96	<---
Beryllium	6010	0.75	75	0.1	N.D.	
Cadmium	6010	1.0	100	0.1	N.D.	
Chromium (VI)	7196	5.0	500	0.5	N.D.	
Chromium Total	6010	560	2500	0.05	27	<---
Cobalt	6010	80	8000	0.5	5.9	<---
Copper	6010	25	2500	0.1	9.7	<---
Lead	6010	5.0	1000	1.0	N.D.	
Mercury	7471	0.2	20	0.01	N.D.	
Molybdenum	6010	350	3500	0.5	N.D.	
Nickel	6010	20	2000	0.5	7.0	<---
Selenium	6010	1.0	100	1.0	N.D.	
Silver	6010	5.0	500	0.1	N.D.	
Thallium	6010	7.0	700	5.0	N.D.	
Vanadium	6010	24	2400	0.5	30	<---
Zinc	6010	250	5000	0.1	34	<---

Analytes reported as N.D. were not present above the stated limit of detection.

ORANGE COAST ANALYTICAL

Mark Noorani
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035.01090010

Sample Description: Soil, OA1-GS-83-2'

Sampled: 08/12/97
Received: 08/12/97
Analyzed: 08/13/97
Reported: 08/14/97

Laboratory Sample Number: 97080182
Laboratory Reference #: MWI 9450

CCR - METALS

Analyte	*EPA Method*	*STLC Limits mg/l*	*TTLC Limits mg/kg*	*Detection Limit mg/kg*	*Analysis Result mg/kg*	
Antimony	6010	15	500	5.0	N.D.	
Arsenic	6010	5.0	500	1.0	N.D.	
Barium	6010	100	10000	0.1	94	<---
Beryllium	6010	0.75	75	0.1	N.D.	
Cadmium	6010	1.0	100	0.1	N.D.	
Chromium (VI)	7196	5.0	500	0.5	N.D.	
Chromium Total	6010	560	2500	0.05	26	<---
Cobalt	6010	80	8000	0.5	4.7	<---
Copper	6010	25	2500	0.1	10	<---
Lead	6010	5.0	1000	1.0	N.D.	
Mercury	7471	0.2	20	0.01	N.D.	
Molybdenum	6010	350	3500	0.5	N.D.	
Nickel	6010	20	2000	0.5	7.5	<---
Selenium	6010	1.0	100	1.0	N.D.	
Silver	6010	5.0	500	0.1	N.D.	
Thallium	6010	7.0	700	5.0	N.D.	
Vanadium	6010	24	2400	0.5	27	<---
Zinc	6010	250	5000	0.1	33	<---

Analytes reported as N.D. were not present above the stated limit of detection.

ORANGE COAST ANALYTICAL

Mark Noorani
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035.01090010

Sample Description: Soil, OA1-GS-79-3'
Laboratory Sample Number: 97080178
Laboratory Reference #: MWI 9450

Sampled: 08/12/97
Received: 08/12/97
Analyzed: 08/13/97
Reported: 08/14/97

VOLATILE ORGANICS BY GC/MS (EPA 8260)

ANALYTE	*CAS NUMBER*	*DETECTION Limit (ug/kg)*	*SAMPLE RESULTS (ug/kg)*
Benzene	71-43-2	2.5	N.D.
Bromodichloromethane	75-27-4	2.5	N.D.
Bromoform	75-25-2	2.5	N.D.
Bromomethane	74-83-9	2.5	N.D.
Carbon Disulfide	75-15-0	5.0	N.D.
Carbon tetrachloride	56-23-5	2.5	N.D.
Chlorobenzene	108-90-7	2.5	N.D.
Chlorodibromomethane	124-48-1	2.5	N.D.
Chloroethane	75-00-3	2.5	N.D.
2-Chloroethyl vinyl ether	110-75-8	5.0	N.D.
Chloroform	67-66-3	2.5	N.D.
Chloromethane	74-87-3	2.5	N.D.
1,1-Dichloroethane	75-34-3	2.5	N.D.
1,2-Dichloroethane	107-06-2	2.5	N.D.
1,1-Dichloroethene	75-35-4	2.5	N.D.
Trans 1,2-Dichloroethene	156-60-5	2.5	N.D.
1,2-Dichloropropane	78-87-5	2.5	N.D.
cis-1,3-Dichloropropene	10061-01-5	2.5	N.D.
trans-1,3-Dichloropropene	10061-02-6	2.5	N.D.
Ethylbenzene	100-41-4	2.5	N.D.
Methylene chloride	75-09-2	5.0	N.D.
Styrene	100-42-5	2.5	N.D.
1,1,2,2-Tetrachloroethane	79-34-5	2.5	N.D.
Tetrachloroethene	127-18-4	2.5	N.D.
Toluene	108-88-3	2.5	N.D.
1,1,1-Trichloroethane	71-55-6	2.5	N.D.
1,1,2-Trichloroethane	79-00-5	2.5	N.D.
Trichloroethene	79-01-6	2.5	N.D.
Trichlorofluoromethane	75-69-4	5.0	N.D.
Vinyl acetate	108-05-4	5.0	N.D.
Vinyl chloride	75-01-4	2.5	N.D.
Total Xylenes	1330-20-7	2.5	N.D.
Dichlorodifluoromethane	75-71-8	2.5	N.D.
cis-1-2,-Dichloroethene	156-59-2	2.5	N.D.
2,2-Dichloropropane	594-20-7	2.5	N.D.
Bromochloromethane	74-97-5	2.5	N.D.
1,1-Dichloropropene	563-58-6	2.5	N.D.
Dibromomethane	74-95-3	2.5	N.D.
1,2-Dibromoethane	106-93-4	2.5	N.D.

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

VOLATILE ORGANICS BY GC/MS (EPA 8260) (continued)

Sample Description: Soil, OA1-GS-79-3'
Laboratory Sample #: 97080178

ANALYTE	*CAS NUMBER*	*DETECTION Limit (ug/kg)*	*SAMPLE RESULTS (ug/kg)*
1,3-Dichloropropane	142-28-9	2.5	N.D.
Isopropylbenzene	98-82-8	2.5	N.D.
1,1,2,2-Tetrachloroethane	79-34-5	2.5	N.D.
1,2,3-Trichloropropane	96-18-4	2.5	N.D.
Bromobenzene	108-86-1	2.5	N.D.
n-Propylbenzene	103-65-1	2.5	N.D.
2-Chlorotoluene	95-49-8	2.5	N.D.
1,3,5-Trimethylbenzene	108-67-8	2.5	N.D.
4-Chlorotoluene	106-43-4	2.5	N.D.
tert-Butylbenzene	98-06-6	2.5	N.D.
1,2,4-Trimethylbenzene	95-63-6	2.5	N.D.
sec-Butylbenzene	135-98-8	2.5	N.D.
4-Isopropyltoluene	99-87-6	2.5	N.D.
1,3-Dichlorobenzene	541-73-1	2.5	N.D.
1,4-Dichlorobenzene	106-46-7	2.5	N.D.
n-Butylbenzene	104-51-8	2.5	N.D.
1,2-Dichlorobenzene	95-50-1	2.5	N.D.
1,2-Dibromo-3-CPA	96-12-8	5.0	N.D.
1,2,4-Trichlorobenzene	120-82-1	2.5	N.D.
Hexachlorobutadiene	87-68-3	2.5	N.D.
Naphthalene	91-20-3	2.5	N.D.
1,2,3-Trichlorobenzene	87-61-6	2.5	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

Orange Coast Analytical

Mark Noorani
Laboratory Director

Surrogate Recoveries %

Dibromofluoromethane	94
Toluene-d8	105
4-Bromofluorobenzene	93

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035.01090010

Sample Description: Soil, OA1-GS-79-3'
Laboratory Sample Number: 97080178
Laboratory Reference #: MWI 9450

Sampled: 08/12/97
Received: 08/12/97
Analyzed: 08/13/97
Reported: 08/14/97

SEMI VOLATILE ORGANICS BY GC/MS (EPA 8270)

ANALYTE	*CAS NUMBER*	*DETECTION Limit (ug/kg)*	*SAMPLE RESULTS (ug/kg)*
Acenaphthene	83-32-9	100	N.D.
Acenaphthylene	208-96-8	100	N.D.
Aniline	62-53-3	100	N.D.
Anthracene	120-12-7	100	N.D.
Benzoic Acid	65-85-0	500	N.D.
Benzo (a) anthracene	56-55-3	100	N.D.
Benzo (b) fluoranthene	205-99-2	250	N.D.
Benzo (k) fluoranthene	207-08-9	250	N.D.
Benzo (g,h,i)perylene	191-24-2	250	N.D.
Benzo (a) pyrene	50-32-8	250	N.D.
Benzyl alcohol	100-51-6	100	N.D.
Bis(2-chloroethoxy)methane	111-91-1	100	N.D.
Bis(2-chloroethyl)ether	111-44-4	100	N.D.
Bis(2-chloroisopropyl)ether	39638-32-9	100	N.D.
Bis(2-ethylhexyl)phthalate	117-81-7	100	N.D.
4-Bromophenyl phenyl ether	101-55-3	100	N.D.
Butyl benzyl phthalate	85-68-7	100	N.D.
4-Chloroaniline	106-47-8	100	N.D.
2-Chloronaphthalene	91-58-7	100	N.D.
4-Chloro-3-methylphenol	59-50-7	100	N.D.
2-Chlorophenol	95-57-8	100	N.D.
4-Chlorophenyl phenyl ehter	7005-72-3	100	N.D.
Chrysene	218-0109	100	N.D.
Dibenz(a,h)anthracene	53-70-3	100	N.D.
Dibenzofuran	132-64-9	100	N.D.
Di-N-butyl phthalate	84-74-2	250	N.D.
1,3-Dichlorobenzene	541-73-1	100	N.D.
1,4-Dichlorobenzene	106-46-7	100	N.D.
1,2-Dichlorobenzene	95-50-1	100	N.D.
3,3-Dichlorobenzidine	91-94-1	100	N.D.
2,4-Dichlorophenol	120-83-2	100	N.D.
Diethyl phthalate	84-66-2	100	N.D.
2,4-Dimethylphenol	105-67-9	100	N.D.
Dimethyl phthalate	131-11-3	100	N.D.
4,6-Dinitro-2-methylphenol	534-52-1	100	N.D.
2,4-Dinitrophenol	51-28-5	100	N.D.
2,4-Dinitrotoluene	121-14-2	250	N.D.
2,6-Dinitrotoluene	606-20-2	250	N.D.
Di-N-octyl phthalate	117-84-0	250	N.D.

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

SEMI-VOLATILE ORGANICS BY GC/MS (EPA 8270) (continued)

Sample Description: Soil, OA1-GS-79-3'
Laboratory Sample #: 97080178

ANALYTE	*CAS NUMBER*	*DETECTION Limit (ug/kg)*	*SAMPLE RESULTS (ug/kg)*
Fluoranthene	206-44-0	100	N.D.
Fluorene	86-73-7	100	N.D.
Hexachlorobenzene	118-74-1	100	N.D.
Hexachlorobutadiene	87-68-3	100	N.D.
Hexachlorocyclopentadiene	77-47-4	100	N.D.
Hexachloroethane	67-72-1	100	N.D.
Indeno(1,2,3-cd)pyrene	193-39-5	250	N.D.
Isophorone	78-59-1	100	N.D.
2-Methylnaphthalene	91-57-6	100	N.D.
2-Methylphenol	95-48-7	100	N.D.
4-Methylphenol	106-44-5	100	N.D.
Naphthalene	91-20-3	100	N.D.
2-Nitroaniline	88-74-4	250	N.D.
3-Nitroaniline	99-09-2	250	N.D.
4-Nitroaniline	100-01-6	250	N.D.
Nitrobenzene	98-95-3	100	N.D.
2-Nitrophenol	88-75-5	100	N.D.
4-Nitrophenol	100-02-7	100	N.D.
N-Nitrosodiphenylamine	86-30-6	100	N.D.
N-Nitroso-di-N-propylamine	621-64-7	100	N.D.
N-Nitrosodimethylamine	62-75-9	100	N.D.
Pentachlorophenol	87-86-5	250	N.D.
Phenanthrene	85-01-8	100	N.D.
Phenol	108-95-2	100	N.D.
Pyrene	129-00-0	100	N.D.
1,2,4-Trichlorobenzene	120-82-1	100	N.D.
2,4,5-Trichlorophenol	95-95-4	100	N.D.
2,4,6-Trichlorophenol	88-06-2	100	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

Orange Coast Analytical

Mark Noorani
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035.01090010

Analysis Method: 418.1

Sample Description: Water,

Laboratory Reference #: MWI 9450

Sampled: 08/12/97
Received: 08/12/97
Analyzed: 08/13/97
Reported: 08/18/97

TOTAL RECOVERABLE PETROLEUM HYDROCARBONS

Laboratory Sample Number	*Client Sample Number*	*Extractable Hydrocarbons mg/l (ppm)*
97080183	Equip Blank	N.D.
97080184	Rinsate Blank	N.D.
Detection Limit:		0.5

Analyte reported as N.D. was not present above the stated limit of detection.

ORANGE COAST ANALYTICAL

Mark Noorani
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035.01090010

Sample Description: Water, Equip Blank

Sampled: 08/12/97
Received: 08/12/97
Analyzed: 08/13/97
Reported: 08/18/97

Laboratory Sample Number: 97080183
Laboratory Reference #: MWI 9450

CCR - METALS

Analyte	*EPA Method*	*Detection Limit mg/l*	*Analysis Result mg/l*
Antimony	6010	0.5	N.D.
Arsenic	6010	0.1	N.D.
Barium	6010	0.01	N.D.
Beryllium	6010	0.01	N.D.
Cadmium	6010	0.01	N.D.
Chromium (VI)	7196	0.01	N.D.
Chromium Total	6010	0.01	N.D.
Cobalt	6010	0.05	N.D.
Copper	6010	0.01	N.D.
Lead	6010	0.1	N.D.
Mercury	7471	0.002	N.D.
Molybdenum	6010	0.1	N.D.
Nickel	6010	0.05	N.D.
Selenium	6010	0.1	N.D.
Silver	6010	0.05	N.D.
Thallium	6010	0.5	N.D.
Vanadium	6010	0.1	N.D.
Zinc	6010	0.01	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

ORANGE COAST ANALYTICAL

Mark Noorani
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035.01090010

Sample Description: Water, Rinsate Blank

Sampled: 08/12/97
Received: 08/12/97
Analyzed: 08/13/97
Reported: 08/18/97

Laboratory Sample Number: 97080184
Laboratory Reference #: MWI 9450

CCR - METALS

Analyte	*EPA Method*	*Detection Limit mg/l*	*Analysis Result mg/l*
Antimony	6010	0.5	N.D.
Arsenic	6010	0.1	N.D.
Barium	6010	0.01	N.D.
Beryllium	6010	0.01	N.D.
Cadmium	6010	0.01	N.D.
Chromium (VI)	7196	0.01	N.D.
Chromium Total	6010	0.01	N.D.
Cobalt	6010	0.05	N.D.
Copper	6010	0.01	N.D.
Lead	6010	0.1	N.D.
Mercury	7471	0.002	N.D.
Molybdenum	6010	0.1	N.D.
Nickel	6010	0.05	N.D.
Selenium	6010	0.1	N.D.
Silver	6010	0.05	N.D.
Thallium	6010	0.5	N.D.
Vanadium	6010	0.1	N.D.
Zinc	6010	0.01	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

ORANGE COAST ANALYTICAL

Mark Noorani
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-097

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035.01090010

Sample Description: Water, Equip Blank
Laboratory Sample Number: 97080183
Laboratory Reference #: MWI 9450

Sampled: 08/12/97
Received: 08/12/97
Analyzed: 08/13/97
Reported: 08/18/97

VOLATILE ORGANICS BY GC/MS (EPA 8260)

ANALYTE	*CAS NUMBER*	*DETECTION Limit (ug/l)*	*SAMPLE RESULTS (ug/l)*
Benzene	71-43-2	0.5	N.D.
Bromodichloromethane	75-27-4	0.5	N.D.
Bromoform	75-25-2	0.5	N.D.
Bromomethane	74-83-9	1.0	N.D.
Carbon Disulfide	75-15-0	0.5	N.D.
Carbon tetrachloride	56-23-5	0.5	N.D.
Chlorobenzene	108-90-7	0.5	N.D.
Chlorodibromomethane	124-48-1	0.5	N.D.
Chloroethane	75-00-3	0.5	N.D.
2-Chloroethyl vinyl ether	110-75-8	0.5	N.D.
Chloroform	67-66-3	0.5	N.D.
Chloromethane	74-87-3	0.5	N.D.
1,1-Dichloroethane	75-34-3	0.5	N.D.
1,2-Dichloroethane	107-06-2	0.5	N.D.
1,1-Dichloroethene	75-35-4	0.5	N.D.
Trans 1,2-Dichloroethene	156-60-5	0.5	N.D.
1,2-Dichloropropane	78-87-5	0.5	N.D.
cis-1,3-Dichloropropene	10061-01-5	0.5	N.D.
trans-1,3-Dichloropropene	10061-02-6	0.5	N.D.
Ethylbenzene	100-41-4	0.5	N.D.
Methylene chloride	75-09-2	2.5	N.D.
Styrene	100-42-5	0.5	N.D.
1,1,2,2-Tetrachloroethane	79-34-5	0.5	N.D.
Tetrachloroethene	127-18-4	0.5	N.D.
Toluene	108-88-3	0.5	N.D.
1,1,1-Trichloroethane	71-55-6	0.5	N.D.
1,1,2-Trichloroethane	79-00-5	0.5	N.D.
Trichloroethene	79-01-6	0.5	N.D.
Trichlorofluoromethane	75-69-4	0.5	N.D.
Vinyl acetate	108-05-4	1.0	N.D.
Vinyl chloride	75-01-4	0.5	N.D.
Total Xylenes	1330-20-7	1.0	N.D.
Dichlorodifluoromethane	75-71-8	0.5	N.D.
cis-1-2,-Dichloroethene	156-59-2	0.5	N.D.
2,2-Dichloropropane	594-20-7	0.5	N.D.
Bromochloromethane	74-97-5	0.5	N.D.
1,1-Dichloropropene	563-58-6	0.5	N.D.
Dibromomethane	74-95-3	0.5	N.D.
1,2-Dibromoethane	106-93-4	0.5	N.D.

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

VOLATILE ORGANICS BY GC/MS (EPA 8260) (continued)

Sample Description: Water, Equip Blank
Laboratory Sample #: 97080183

ANALYTE	*CAS NUMBER*	*DETECTION Limit (ug/l)*	*SAMPLE RESULTS (ug/l)*
1,3-Dichloropropane	142-28-9	0.5	N.D.
Isopropylbenzene	98-82-8	0.5	N.D.
1.1.2.2-Tetrachloroethane	79-34-5	0.5	N.D.
1,2,3-Trichloropropane	96-18-4	0.5	N.D.
Bromobenzene	108-86-1	0.5	N.D.
n-Propylbenzene	103-65-1	0.5	N.D.
2-Chlorotoluene	95-49-8	0.5	N.D.
1,3,5-Trimethylbenzene	108-67-8	0.5	N.D.
4-Chlorotoluene	106-43-4	0.5	N.D.
tert-Butylbenzene	98-06-6	0.5	N.D.
1,2,4-Trimethylbenzene	95-63-6	0.5	N.D.
sec-Butylbenzene	135-98-8	0.5	N.D.
4-Isopropyltoluene	99-87-6	0.5	N.D.
1,3-Dichlorobenzene	541-73-1	0.5	N.D.
1,4-Dichlorobenzene	106-46-7	0.5	N.D.
n-Butylbenzene	104-51-8	0.5	N.D.
1,2-Dichlorobenzene	95-50-1	0.5	N.D.
1-2-Dibromo-3-CPA	96-12-8	1.0	N.D.
1,2,4-Trichlorobenzene	120-82-1	0.5	N.D.
Hexachlorobutadiene	87-68-3	0.5	N.D.
Naphthalene	91-20-3	0.5	N.D.
1,2,3-Trichlorobenzene	87-61-6	0.5	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

Orange Coast Analytical

Mark Noorani
Laboratory Director

Surrogate Recoveries %

Dibromofluoromethane	105
Toluene-d8	104
4-Bromofluorobenzene	97

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

VOLATILE ORGANICS BY GC/MS (EPA 8260) (continued)

Sample Description: Water, Rinsate Blank
Laboratory Sample #: 97080184

ANALYTE	CAS NUMBER	DETECTION Limit (ug/l)	SAMPLE RESULTS (ug/l)
1,3-Dichloropropane	142-28-9	0.5	N.D.
Isopropylbenzene	98-82-8	0.5	N.D.
1.1.2.2-Tetrachloroethane	79-34-5	0.5	N.D.
1,2,3-Trichloropropane	96-18-4	0.5	N.D.
Bromobenzene	108-86-1	0.5	N.D.
n-Propylbenzene	103-65-1	0.5	N.D.
2-Chlorotoluene	95-49-8	0.5	N.D.
1,3,5-Trimethylbenzene	108-67-8	0.5	N.D.
4-Chlorotoluene	106-43-4	0.5	N.D.
tert-Butylbenzene	98-06-6	0.5	N.D.
1,2,4-Trimethylbenzene	95-63-6	0.5	N.D.
sec-Butylbenzene	135-98-8	0.5	N.D.
4-Isopropyltoluene	99-87-6	0.5	N.D.
1,3-Dichlorobenzene	541-73-1	0.5	N.D.
1,4-Dichlorobenzene	106-46-7	0.5	N.D.
n-Butylbenzene	104-51-8	0.5	N.D.
1,2-Dichlorobenzene	95-50-1	0.5	N.D.
1-2-Dibromo-3-CPA	96-12-8	1.0	N.D.
1,2,4-Trichlorobenzene	120-82-1	0.5	N.D.
Hexachlorobutadiene	87-68-3	0.5	N.D.
Naphthalene	91-20-3	0.5	N.D.
1,2,3-Trichlorobenzene	87-61-6	0.5	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

Orange Coast Analytical

Mark Noorani
Laboratory Director

Surrogate Recoveries	%
Dibromofluoromethane	116
Toluene-d8	106
4-Bromofluorobenzene	103

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035.01090010

Sample Description: Water, Trip Blank
Laboratory Sample Number: 97080185
Laboratory Reference #: MWI 9450

Sampled: 08/12/97
Received: 08/12/97
Analyzed: 08/13/97
Reported: 08/18/97

VOLATILE ORGANICS BY GC/MS (EPA 8260)

ANALYTE	*CAS NUMBER*	*DETECTION Limit (ug/l)*	*SAMPLE RESULTS (ug/l)*
Benzene	71-43-2	0.5	N.D.
Bromodichloromethane	75-27-4	0.5	N.D.
Bromoform	75-25-2	0.5	N.D.
Bromomethane	74-83-9	1.0	N.D.
Carbon Disulfide	75-15-0	0.5	N.D.
Carbon tetrachloride	56-23-5	0.5	N.D.
Chlorobenzene	108-90-7	0.5	N.D.
Chlorodibromomethane	124-48-1	0.5	N.D.
Chloroethane	75-00-3	0.5	N.D.
2-Chloroethyl vinyl ether	110-75-8	0.5	N.D.
Chloroform	67-66-3	0.5	N.D.
Chloromethane	74-87-3	0.5	N.D.
1,1-Dichloroethane	75-34-3	0.5	N.D.
1,2-Dichloroethane	107-06-2	0.5	N.D.
1,1-Dichloroethene	75-35-4	0.5	N.D.
Trans 1,2-Dichloroethene	156-60-5	0.5	N.D.
1,2-Dichloropropane	78-87-5	0.5	N.D.
cis-1,3-Dichloropropene	10061-01-5	0.5	N.D.
trans-1,3-Dichloropropene	10061-02-6	0.5	N.D.
Ethylbenzene	100-41-4	0.5	N.D.
Methylene chloride	75-09-2	2.5	N.D.
Styrene	100-42-5	0.5	N.D.
1,1,2,2-Tetrachloroethane	79-34-5	0.5	N.D.
Tetrachloroethene	127-18-4	0.5	N.D.
Toluene	108-88-3	0.5	N.D.
1,1,1-Trichloroethane	71-55-6	0.5	N.D.
1,1,2-Trichloroethane	79-00-5	0.5	N.D.
Trichloroethene	79-01-6	0.5	N.D.
Trichlorofluoromethane	75-69-4	0.5	N.D.
Vinyl acetate	108-05-4	1.0	N.D.
Vinyl chloride	75-01-4	0.5	N.D.
Total Xylenes	1330-20-7	1.0	N.D.
Dichlorodifluoromethane	75-71-8	0.5	N.D.
cis-1-2,-Dichloroethene	156-59-2	0.5	N.D.
2,2-Dichloropropane	594-20-7	0.5	N.D.
Bromochloromethane	74-97-5	0.5	N.D.
1,1-Dichloropropene	563-58-6	0.5	N.D.
Dibromomethane	74-95-3	0.5	N.D.
1,2-Dibromoethane	106-93-4	0.5	N.D.

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

VOLATILE ORGANICS BY GC/MS (EPA 8260) (continued)

Sample Description: Water, Trip Blank
Laboratory Sample #: 97080185

ANALYTE	*CAS NUMBER*	*DETECTION Limit (ug/l)*	*SAMPLE RESULTS (ug/l)*
1,3-Dichloropropane	142-28-9	0.5	N.D.
Isopropylbenzene	98-82-8	0.5	N.D.
1.1.2.2-Tetrachloroethane	79-34-5	0.5	N.D.
1,2,3-Trichloropropane	96-18-4	0.5	N.D.
Bromobenzene	108-86-1	0.5	N.D.
n-Propylbenzene	103-65-1	0.5	N.D.
2-Chlorotoluene	95-49-8	0.5	N.D.
1,3,5-Trimethylbenzene	108-67-8	0.5	N.D.
4-Chlorotoluene	106-43-4	0.5	N.D.
tert-Butylbenzene	98-06-6	0.5	N.D.
1,2,4-Trimethylbenzene	95-63-6	0.5	N.D.
sec-Butylbenzene	135-98-8	0.5	N.D.
4-Isopropyltoluene	99-87-6	0.5	N.D.
1,3-Dichlorobenzene	541-73-1	0.5	N.D.
1,4-Dichlorobenzene	106-46-7	0.5	N.D.
n-Butylbenzene	104-51-8	0.5	N.D.
1,2-Dichlorobenzene	95-50-1	0.5	N.D.
1-2-Dibromo-3-CPA	96-12-8	1.0	N.D.
1,2,4-Trichlorobenzene	120-82-1	0.5	N.D.
Hexachlorobutadiene	87-68-3	0.5	N.D.
Naphthalene	91-20-3	0.5	N.D.
1,2,3-Trichlorobenzene	87-61-6	0.5	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

Orange Coast Analytical

Mark Noorani
Laboratory Director

Surrogate Recoveries	%
Dibromofluoromethane	101
Toluene-d8	105
4-Bromofluorobenzene	96

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035.01090010

Sample Description: Water, Equip Blank
Laboratory Sample Number: 97080183
Laboratory Reference #: MWI 9450

Sampled: 08/12/97
Received: 08/12/97
Analyzed: 08/13/97
Reported: 08/18/97

SEMI VOLATILE ORGANICS BY GC/MS (EPA 8270)

ANALYTE	*CAS NUMBER*	*DETECTION Limit (ug/l)*	*SAMPLE RESULTS (ug/l)*
Acenaphthene	83-32-9	5.0	N.D.
Acenaphthylene	208-96-8	5.0	N.D.
Aniline	62-53-3	5.0	N.D.
Anthracene	120-12-7	5.0	N.D.
Benzoic Acid	65-85-0	50	N.D.
Benzo (a) anthracene	56-55-3	5.0	N.D.
Benzo (b) fluoranthene	205-99-2	25	N.D.
Benzo (k) fluoranthene	207-08-9	25	N.D.
Benzo (g,h,i)perylene	191-24-2	25	N.D.
Benzo (a) pyrene	50-32-8	25	N.D.
Benzyl alcohol	100-51-6	50	N.D.
Bis(2-chloroethoxy)methane	111-91-1	5.0	N.D.
Bis(2-chloroethyl)ether	111-44-4	5.0	N.D.
Bis(2-chloroisopropyl)ether	39638-32-9	5.0	N.D.
Bis(2-ethylhexyl)phthalate	117-81-7	3.0	N.D.
4-Bromophenyl phenyl ether	101-55-3	5.0	N.D.
Butyl benzyl phthalate	85-68-7	5.0	N.D.
4-Chloroaniline	106-47-8	5.0	N.D.
2-Chloronaphthalene	91-58-7	5.0	N.D.
4-Chloro-3-methylphenol	59-50-7	5.0	N.D.
2-Chlorophenol	95-57-8	5.0	N.D.
4-Chlorophenyl phenyl ehter	7005-72-3	5.0	N.D.
Chrysene	218-0109	5.0	N.D.
Dibenz(a,h)anthracene	53-70-3	25	N.D.
Dibenzofuran	132-64-9	5.0	N.D.
Di-N-butyl phthalate	84-74-2	5.0	N.D.
1,3-Dichlorobenzene	541-73-1	5.0	N.D.
1,4-Dichlorobenzene	106-46-7	5.0	N.D.
1,2-Dichlorobenzene	95-50-1	5.0	N.D.
3,3-Dichlorobenzidine	91-94-1	5.0	N.D.
2,4-Dichlorophenol	120-83-2	5.0	N.D.
Diethyl phthalate	84-66-2	5.0	N.D.
2,4-Dimethylphenol	105-67-9	5.0	N.D.
Dimethyl phthalate	131-11-3	5.0	N.D.
4,6-Dinitro-2-methylphenol	534-52-1	50	N.D.
2,4-Dinitrophenol	51-28-5	50	N.D.

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

SEMI-VOLATILE ORGANICS BY GC/MS (EPA 8270) (continued)

Sample Description: Water, Equip Blank
Laboratory Sample #: 97080183

ANALYTE	*CAS NUMBER*	*DETECTION Limit (ug/l)*	*SAMPLE RESULTS (ug/l)*
2,4-Dinitrotoluene	121-14-2	5.0	N.D.
2,6-Dinitrotoluene	606-20-2	5.0	N.D.
Di-N-octyl phthalate	117-84-0	25	N.D.
Fluoranthene	206-44-0	5.0	N.D.
Fluorene	86-73-7	5.0	N.D.
Hexachlorobenzene	118-74-1	5.0	N.D.
Hexachlorobutadiene	87-68-3	5.0	N.D.
Hexachlorocyclopentadiene	77-47-4	5.0	N.D.
Hexachloroethane	67-72-1	5.0	N.D.
Indeno(1,2,3-cd)pyrene	193-39-5	25	N.D.
Isophorone	78-59-1	5.0	N.D.
2-Methylnaphthalene	91-57-6	5.0	N.D.
2-Methylphenol	95-48-7	5.0	N.D.
4-Methylphenol	106-44-5	5.0	N.D.
Naphthalene	91-20-3	5.0	N.D.
2-Nitroaniline	88-74-4	50	N.D.
3-Nitroaniline	99-09-2	50	N.D.
4-Nitroaniline	100-01-6	50	N.D.
Nitrobenzene	98-95-3	5.0	N.D.
2-Nitrophenol	88-75-5	5.0	N.D.
4-Nitrophenol	100-02-7	50	N.D.
N-Nitrosodiphenylamine	86-30-6	5.0	N.D.
N-Nitroso-di-N-propylamine	621-64-7	5.0	N.D.
N-Nitrosodimethylamine	62-75-9	5.0	N.D.
Pentachlorophenol	87-86-5	50	N.D.
Phenanthrene	85-01-8	5.0	N.D.
Phenol	108-95-2	5.0	N.D.
Pyrene	129-00-0	5.0	N.D.
1,2,4-Trichlorobenzene	120-82-1	5.0	N.D.
2,4,5-Trichlorophenol	95-95-4	5.0	N.D.
2,4,6-Trichlorophenol	88-06-2	5.0	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

Orange Coast Analytical

Mark Noorani
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035.01090010

Sample Description: Water, Rinsate Blank
Laboratory Sample Number: 97080184
Laboratory Reference #: MWI 9450

Sampled: 08/12/97
Received: 08/12/97
Analyzed: 08/13/97
Reported: 08/18/97

SEMI VOLATILE ORGANICS BY GC/MS (EPA 8270)

ANALYTE	*CAS NUMBER*	*DETECTION Limit (ug/l)*	*SAMPLE RESULTS (ug/l)*
Acenaphthene	83-32-9	5.0	N.D.
Acenaphthylene	208-96-8	5.0	N.D.
Aniline	62-53-3	5.0	N.D.
Anthracene	120-12-7	5.0	N.D.
Benzoic Acid	65-85-0	50	N.D.
Benzo (a) anthracene	56-55-3	5.0	N.D.
Benzo (b) fluoranthene	205-99-2	25	N.D.
Benzo (k) fluoranthene	207-08-9	25	N.D.
Benzo (g,h,i)perylene	191-24-2	25	N.D.
Benzo (a) pyrene	50-32-8	25	N.D.
Benzyl alcohol	100-51-6	50	N.D.
Bis(2-chloroethoxy)methane	111-91-1	5.0	N.D.
Bis(2-chloroethyl)ether	111-44-4	5.0	N.D.
Bis(2-chloroisopropyl)ether	39638-32-9	5.0	N.D.
Bis(2-ethylhexyl)phthalate	117-81-7	3.0	N.D.
4-Bromophenyl phenyl ether	101-55-3	5.0	N.D.
Butyl benzyl phthalate	85-68-7	5.0	N.D.
4-Chloroaniline	106-47-8	5.0	N.D.
2-Chloronaphthalene	91-58-7	5.0	N.D.
4-Chloro-3-methylphenol	59-50-7	5.0	N.D.
2-Chlorophenol	95-57-8	5.0	N.D.
4-Chlorophenyl phenyl ehter	7005-72-3	5.0	N.D.
Chrysene	218-0109	5.0	N.D.
Dibenz(a,h)anthracene	53-70-3	25	N.D.
Dibenzofuran	132-64-9	5.0	N.D.
Di-N-butyl phthalate	84-74-2	5.0	N.D.
1,3-Dichlorobenzene	541-73-1	5.0	N.D.
1,4-Dichlorobenzene	106-46-7	5.0	N.D.
1,2-Dichlorobenzene	95-50-1	5.0	N.D.
3,3-Dichlorobenzidine	91-94-1	5.0	N.D.
2,4-Dichlorophenol	120-83-2	5.0	N.D.
Diethyl phthalate	84-66-2	5.0	N.D.
2,4-Dimethylphenol	105-67-9	5.0	N.D.
Dimethyl phthalate	131-11-3	5.0	N.D.
4,6-Dinitro-2-methylphenol	534-52-1	50	N.D.
2,4-Dinitrophenol	51-28-5	50	N.D.

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

SEMI-VOLATILE ORGANICS BY GC/MS (EPA 8270) (continued)

Sample Description: Water, Rinsate Blank
Laboratory Sample #: 97080184

ANALYTE	*CAS NUMBER*	*DETECTION Limit (ug/l)*	*SAMPLE RESULTS (ug/l)*
2,4-Dinitrotoluene	121-14-2	5.0	N.D.
2,6-Dinitrotoluene	606-20-2	5.0	N.D.
Di-N-octyl phthalate	117-84-0	25	N.D.
Fluoranthene	206-44-0	5.0	N.D.
Fluorene	86-73-7	5.0	N.D.
Hexachlorobenzene	118-74-1	5.0	N.D.
Hexachlorobutadiene	87-68-3	5.0	N.D.
Hexachlorocyclopentadiene	77-47-4	5.0	N.D.
Hexachloroethane	67-72-1	5.0	N.D.
Indeno(1,2,3-cd)pyrene	193-39-5	25	N.D.
Isophorone	78-59-1	5.0	N.D.
2-Methylnaphthalene	91-57-6	5.0	N.D.
2-Methylphenol	95-48-7	5.0	N.D.
4-Methylphenol	106-44-5	5.0	N.D.
Naphthalene	91-20-3	5.0	N.D.
2-Nitroaniline	88-74-4	50	N.D.
3-Nitroaniline	99-09-2	50	N.D.
4-Nitroaniline	100-01-6	50	N.D.
Nitrobenzene	98-95-3	5.0	N.D.
2-Nitrophenol	88-75-5	5.0	N.D.
4-Nitrophenol	100-02-7	50	N.D.
N-Nitrosodiphenylamine	86-30-6	5.0	N.D.
N-Nitroso-di-N-propylamine	621-64-7	5.0	N.D.
N-Nitrosodimethylamine	62-75-9	5.0	N.D.
Pentachlorophenol	87-86-5	50	N.D.
Phenanthrene	85-01-8	5.0	N.D.
Phenol	108-95-2	5.0	N.D.
Pyrene	129-00-0	5.0	N.D.
1,2,4-Trichlorobenzene	120-82-1	5.0	N.D.
2,4,5-Trichlorophenol	95-95-4	5.0	N.D.
2,4,6-Trichlorophenol	88-06-2	5.0	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

Orange Coast Analytical

Mark Noorani
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035.01090010

Sample Description: Water, Equip Blank

Sampled: 08/12/97
Received: 08/12/97
Analyzed: 08/13/97
Reported: 08/18/97

Laboratory Sample Number: 97080183
Laboratory Reference #: MWI 9450

ORGANOCHLORINE PESTICIDES (EPA 8080)

Analyte	*CAS NUMBER*	*DETECTION LIMITS (ug/l)*	*SAMPLE RESULTS (ug/l)*
Aldrin	309-00-2	0.1	N.D.
alpha-BHC	319-84-6	0.2	N.D.
beta-BHC	319-85-7	0.2	N.D.
gamma-BHC	319-86-8	0.2	N.D.
gamma-BHC (Lindane)	58-89-9	0.2	N.D.
Chlordane	57-74-9	0.2	N.D.
4,4'-DDD	72-54-9	0.5	N.D.
4,4'-DDE	72-55-9	0.1	N.D.
4,4'-DDT	50-29-3	0.1	N.D.
Dieldrin	60-57-1	0.5	N.D.
Endosulfan I	959-98-8	0.5	N.D.
Endosulfan II	33213-65-9	0.5	N.D.
Endosulfan sulfate	1031-07-8	0.5	N.D.
Endrin	72-20-8	0.02	N.D.
Endrin aldehyde	7421-93-4	0.2	N.D.
Heptachlor	76-44-8	0.1	N.D.
Heptachlor epoxide	1024-57-3	0.2	N.D.
Methoxychlor	72-43-5	9.0	N.D.
Toxaphene	8001-35-2	0.5	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

ORANGE COAST ANALYTICAL

Mark Noorani
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035.01090010

Sample Description: Water, Rinsate Blank

Sampled: 08/12/97
Received: 08/12/97
Analyzed: 08/13/97
Reported: 08/18/97

Laboratory Sample Number: 97080184
Laboratory Reference #: MWI 9450

ORGANOCHLORINE PESTICIDES (EPA 8080)

Analyte	*CAS NUMBER*	*DETECTION LIMITS (ug/l)*	*SAMPLE RESULTS (ug/l)*
Aldrin	309-00-2	0.1	N.D.
alpha-BHC	319-84-6	0.2	N.D.
beta-BHC	319-85-7	0.2	N.D.
gamma-BHC	319-86-8	0.2	N.D.
gamma-BHC (Lindane)	58-89-9	0.2	N.D.
Chlordane	57-74-9	0.2	N.D.
4,4'-DDD	72-54-9	0.5	N.D.
4,4'-DDE	72-55-9	0.1	N.D.
4,4'-DDT	50-29-3	0.1	N.D.
Dieldrin	60-57-1	0.5	N.D.
Endosulfan I	959-98-8	0.5	N.D.
Endosulfan II	33213-65-9	0.5	N.D.
Endosulfan sulfate	1031-07-8	0.5	N.D.
Endrin	72-20-8	0.02	N.D.
Endrin aldehyde	7421-93-4	0.2	N.D.
Heptachlor	76-44-8	0.1	N.D.
Heptachlor epoxide	1024-57-3	0.2	N.D.
Methoxychlor	72-43-5	9.0	N.D.
Toxaphene	8001-35-2	0.5	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

ORANGE COAST ANALYTICAL

Mark Noorani
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035.01090010

Sample Description: Water, Equip Blank

Sampled: 08/12/97
Received: 08/12/97
Analyzed: 08/15/97
Reported: 08/18/97

Laboratory Sample Number: 97080183
Laboratory Reference #: MWI 9450

PCB'S (EPA 8080)

Analyte	*CAS NUMBER*	*DETECTION LIMITS (ug/l)*	*SAMPLE RESULTS (ug/l)*
PCB-1016	12674-11-2	5.0	N.D.
PCB-1221	11104-28-2	5.0	N.D.
PCB-1232	11141-16-5	5.0	N.D.
PCB-1242	53469-21-9	5.0	N.D.
PCB-1248	12672-29-6	5.0	N.D.
PCB-1254	11097-69-1	5.0	N.D.
PCB-1260	11096-82-5	5.0	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

ORANGE COAST ANALYTICAL

Mark Noorani
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

Montgomery Watson
ATTN: Mr. Fred Strauss
250 N. Madison Ave.
Pasadena, CA 91101

Client Project ID: McDonnell Douglas
Client Project #: 1206035.01090010

Sample Description: Water, Rinsate Blank

Sampled: 08/12/97
Received: 08/12/97
Analyzed: 08/15/97
Reported: 08/18/97

Laboratory Sample Number: 97080184
Laboratory Reference #: MWI 9450

PCB'S (EPA 8080)

Analyte	*CAS NUMBER*	*DETECTION LIMITS (ug/l)*	*SAMPLE RESULTS (ug/l)*
PCB-1016	12674-11-2	5.0	N.D.
PCB-1221	11104-28-2	5.0	N.D.
PCB-1232	11141-16-5	5.0	N.D.
PCB-1242	53469-21-9	5.0	N.D.
PCB-1248	12672-29-6	5.0	N.D.
PCB-1254	11097-69-1	5.0	N.D.
PCB-1260	11096-82-5	5.0	N.D.

Analytes reported as N.D. were not present above the stated limit of detection.

ORANGE COAST ANALYTICAL

Mark Noorani
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

QC DATA REPORT

Analysis : Total Recoverable Petroleum Hydrocarbons (EPA 418.1)

Date of Analysis : 08/13/97
Laboratory Sample No : 97080146
Laboratory Reference No : MWI 9450

Analyte	R1 (ppm)	SP (ppm)	MS (ppm)	MSD (ppm)	PR1 %	PR2 %	RPD %
Hydrocarbons	0.0	100	98	102	98	102	4

Definition of Terms :

R1	Results Of First Analysis
SP	Spike Concentration Added to Sample
MS	Matrix Spike Results
MSD	Matrix Spike Duplicate Results
PR1	Percent Recovery Of MS: {(MS-R1) / SP} x100
PR2	Percent Recovery Of MSD: {(MSD-R1) / SP} x 100
RPD	Relative Percent Difference: {(MS-MSD) / (MS+MSD)} x 100 x 2

ORANGE COAST ANALYTICAL

MARK NOORANI
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

QC DATA REPORT

Analysis : Total Recoverable Petroleum Hydrocarbons (EPA 418.1)

Date of Analysis : 08/13/97
Laboratory Sample No : OCA 100
Laboratory Reference No : MWI 9450

Analyte	R1 (ppm)	SP (ppm)	MS (ppm)	MSD (ppm)	PR1 %	PR2 %	RPD %
Hydrocarbons	0.0	2.5	2.4	2.5	96	100	4

Definition of Terms :

R1	Results Of First Analysis
SP	Spike Concentration Added to Sample
MS	Matrix Spike Results
MSD	Matrix Spike Duplicate Results
PR1	Percent Recovery Of MS: {(MS-R1) / SP} x100
PR2	Percent Recovery Of MSD: {(MSD-R1) / SP} x 100
RPD	Relative Percent Difference: {(MS-MSD) / (MS+MSD)} x 100 x 2

ORANGE COAST ANALYTICAL

Mark Noorani

MARK NOORANI
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

QC DATA REPORT

Analysis : Metals

Date of Analysis : 08/13/97
Laboratory Sample No : 97080179
Laboratory Reference No : MWI 9450

Analyte	R1 (ppm)	SP (ppm)	MS (ppm)	MSD (ppm)	PR1 %	PR2 %	RPD %
Antimony	0.0	30.0	31.0	29.0	103	97	7
Arsenic	0.0	10.0	11.9	11.4	119	114	4
Barium	9.6	10.0	20.1	20.3	105	107	1
Beryllium	0.00	1.00	1.01	0.99	101	99	2
Cadmium	0.00	1.00	0.96	0.97	96	97	1
Chromium (Total)	1.90	5.00	6.70	6.60	96	94	2
Chromium (VI)	0.00	1.00	0.88	0.80	88	80	10
Cobalt	0.63	1.00	1.60	1.55	97	92	3
Copper	0.98	1.00	1.97	1.96	99	98	1
Lead	0.00	10.0	8.3	8.1	83	81	2
Mercury	0.000	0.020	0.018	0.017	90	85	6
Molybdenum	0.0	10.0	10.6	10.2	106	102	4
Nickel	0.60	5.00	5.3	4.9	94	86	8
Selenium	0.0	10.0	10.7	10.4	107	104	3
Silver	0.0	5.0	4.7	4.5	94	90	4
Thallium	0.0	30.0	25.0	26.0	83	87	4
Vanadium	2.6	5.0	7.6	7.2	100	92	5
Zinc	2.7	5.0	7.2	7.1	90	88	1

Definition of Terms :

R1	Results Of First Analysis
SP	Spike Concentration Added to Sample
MS	Matrix Spike Results
MSD	Matrix Spike Duplicate Results
PR1	Percent Recovery Of MS: {(MS-R1) / SP} x100
PR2	Percent Recovery Of MSD: {(MSD-R1) / SP} x 100
RPD	Relative Percent Difference: {(MS-MSD) / (MS+MSD)} x 100 x 2

ORANGE COAST ANALYTICAL

MARK NOORANI
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

QC DATA REPORT

Analysis : Metals

Date of Analysis : 08/13/97
Laboratory Sample No : 97080150
Laboratory Reference No : MWI 9450

Analyte	R1 (ppm)	SP (ppm)	MS (ppm)	MSD (ppm)	PR1 %	PR2 %	RPD %
Antimony	0.00	3.00	2.60	3.00	87	100	14
Arsenic	0.00	1.00	0.85	1.00	85	100	16
Barium	0.000	0.100	0.093	0.094	93	94	1
Beryllium	0.00	0.100	0.094	0.101	94	101	7
Cadmium	0.00	0.100	0.105	0.112	105	112	6
Chromium (VI)	0.00	0.50	0.48	0.46	96	92	4
Chromium (Total)	0.00	0.100	0.096	0.104	96	104	8
Cobalt	0.00	0.100	0.087	0.094	87	94	8
Copper	0.000	0.100	0.091	0.102	91	102	11
Lead	0.00	1.00	1.16	1.14	116	114	2
Mercury	0.000	0.020	0.021	0.022	105	110	5
Molybdenum	0.00	1.00	1.04	1.08	104	108	4
Nickel	0.00	0.50	0.44	0.50	88	100	13
Selenium	0.00	1.00	1.06	1.08	106	108	2
Silver	0.00	0.50	0.51	0.53	102	106	4
Thallium	0.00	3.00	3.20	3.10	107	103	3
Vanadium	0.00	0.50	0.45	0.46	90	92	2
Zinc	0.000	0.100	0.080	0.089	80	89	11

Definition of Terms :

R1	Results Of First Analysis
SP	Spike Concentration Added to Sample
MS	Matrix Spike Results
MSD	Matrix Spike Duplicate Results
PR1	Percent Recovery Of MS: {(MS-R1) / SP} x100
PR2	Percent Recovery Of MSD: {(MSD-R1) / SP} x 100
RPD	Relative Percent Difference: {(MS-MSD) / (MS+MSD)} x 100 x 2

ORANGE COAST ANALYTICAL

MARK NOORANI
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

QC DATA REPORT

Analysis : Semi-Volatile Organics by GC/MS (EPA 8270)

Date of Analysis : 08/13/97
Laboratory Sample No : 97080178
Laboratory Reference No : MWI 9450

Analyte	R1 (ng)	SP (ng)	MS (ng)	MSD (ng)	PR1 %	PR2 %	RPD %
1,4-Dichlorobenzene	0.0	50	38	38	76	76	0
n-Nitroso-di-n-propylamine	0.0	50	45	43	90	86	5
1,2,4-Trichlorobenzene	0.0	50	42	41	84	82	2
Acenaphthene	0.0	50	39	39	78	78	0
Pyrene	0.0	50	40	39	80	78	3
Pentachlorophenol	0.0	100	73	72	73	72	1
4-Chloro-3-Methylphenol	0.0	100	78	73	78	73	7
2-Chlorophenol	0.0	100	73	70	73	70	4
Phenol	0.0	100	64	61	64	61	5

Definition of Terms :

R1	Results Of First Analysis
SP	Spike Concentration Added to Sample
MS	Matrix Spike Results
MSD	Matrix Spike Duplicate Results
PR1	Percent Recovery Of MS: {(MS-R1) / SP} x100
PR2	Percent Recovery Of MSD: {(MSD-R1) / SP} x 100
RPD	Relative Percent Difference: {(MS-MSD) / (MS+MSD)} x 100 x 2

ORANGE COAST ANALYTICAL

MARK NOORANI
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

QC DATA REPORT

Analysis : Semi-Volatile Organics by GC/MS (EPA 8270)

Date of Analysis : 08/13/97
Laboratory Sample No : OCA 100
Laboratory Reference No : MWI 9450

Analyte	R1 (ng)	SP (ng)	MS (ng)	MSD (ng)	PR1 %	PR2 %	RPD %
1,4-Dichlorobenzene	0.0	50	26	25	52	50	4
n-Nitroso-di-n-propylamine	0.0	50	41	44	82	88	7
1,2,4-Trichlorobenzene	0.0	50	30	30	60	60	0
Acenaphthene	0.0	50	37	37	74	74	0
Pyrene	0.0	50	40	39	80	78	3
Pentachlorophenol	0.0	100	70	74	70	74	6
4-Chloro-3-Methylphenol	0.0	100	43	56	43	56	26
2-Chlorophenol	0.0	100	60	64	60	64	6
Phenol	0.0	100	20	23	20	23	14

Definition of Terms :

R1	Results Of First Analysis
SP	Spike Concentration Added to Sample
MS	Matrix Spike Results
MSD	Matrix Spike Duplicate Results
PR1	Percent Recovery Of MS: {(MS-R1) / SP} x100
PR2	Percent Recovery Of MSD: {(MSD-R1) / SP} x 100
RPD	Relative Percent Difference: {(MS-MSD) / (MS+MSD)} x 100 x 2

ORANGE COAST ANALYTICAL

Mark Noorani

MARK NOORANI
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

QC DATA REPORT

Analysis : Volatile Organics by GC/MS (EPA 8260)

Date of Analysis : 08/13/97
Laboratory Sample No : 97080185
Laboratory Reference No : MWI 9450

Analyte	R1 (ppb)	SP (ppb)	MS (ppb)	MSD (ppb)	PR1 %	PR2 %	RPD %
Benzene	0.0	20	18	18	90	90	0
1,1-Dichloroethene	0.0	20	18	19	90	95	5
Trichloroethene	0.0	20	16	17	80	85	6
Toluene	0.0	20	19	19	95	95	0
Chlorobenzene	0.0	20	17	18	85	90	6

Definition of Terms :

R1	Results Of First Analysis
SP	Spike Concentration Added to Sample
MS	Matrix Spike Results
MSD	Matrix Spike Duplicate Results
PR1	Percent Recovery Of MS: {(MS-R1) / SP} x100
PR2	Percent Recovery Of MSD: {(MSD-R1) / SP} x 100
RPD	Relative Percent Difference: {(MS-MSD) / (MS+MSD)} x 100 x 2

ORANGE COAST ANALYTICAL

MARK NOORANI
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

QC DATA REPORT

Analysis : Volatile Organics by GC/MS (EPA 8260)

Date of Analysis : 08/13/97
Laboratory Sample No : 97080178
Laboratory Reference No : MWI 9450

Analyte	R1 (ppb)	SP (ppb)	MS (ppb)	MSD (ppb)	PR1 %	PR2 %	RPD %
Benzene	0.0	50	51	49	102	98	4
1,1-Dichloroethene	0.0	50	55	53	110	106	4
Trichloroethene	0.0	50	49	49	98	98	0
Toluene	0.0	50	52	51	104	102	2
Chlorobenzene	0.0	50	51	48	102	96	6

Definition of Terms :

R1	Results Of First Analysis
SP	Spike Concentration Added to Sample
MS	Matrix Spike Results
MSD	Matrix Spike Duplicate Results
PR1	Percent Recovery Of MS: {(MS-R1) / SP} x100
PR2	Percent Recovery Of MSD: {(MSD-R1) / SP} x 100
RPD	Relative Percent Difference: {(MS-MSD) / (MS+MSD)} x 100 x 2

ORANGE COAST ANALYTICAL

MARK NOORANI
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

QC DATA REPORT

Analysis : Organochlorine Pesticides (EPA 8080)

Date of Analysis : 08/13/97
Laboratory Sample No : OCA 100
Laboratory Reference No : MWI 9450

Analyte	R1 (ppb)	SP (ppb)	MS (ppb)	MSD (ppb)	PR1 %	PR2 %	RPD %
4,4'-DDT	0.0	1.0	0.66	0.61	66	61	8

Definition of Terms :

R1	Results Of First Analysis
SP	Spike Concentration Added to Sample
MS	Matrix Spike Results
MSD	Matrix Spike Duplicate Results
PR1	Percent Recovery Of MS: {(MS-R1) / SP} x100
PR2	Percent Recovery Of MSD: {(MSD-R1) / SP} x 100
RPD	Relative Percent Difference: {(MS-MSD) / (MS+MSD)} x 100 x 2

ORANGE COAST ANALYTICAL

MARK NOORANI
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

QC DATA REPORT

Analysis : PCB 'S (EPA 8080)

Date of Analysis : 08/15/97
Laboratory Sample No : OCA 100
Laboratory Reference No : MWI 9450

Analyte	R1 (ppb)	SP (ppb)	MS (ppb)	MSD (ppb)	PR1 %	PR2 %	RPD %
PCB-1260	0.0	20	14	12	70	60	15

Definition of Terms :

R1	Results Of First Analysis
SP	Spike Concentration Added to Sample
MS	Matrix Spike Results
MSD	Matrix Spike Duplicate Results
PR1	Percent Recovery Of MS: {(MS-R1) / SP} x100
PR2	Percent Recovery Of MSD: {(MSD-R1) / SP} x 100
RPD	Relative Percent Difference: {(MS-MSD) / (MS+MSD)} x 100 x 2

ORANGE COAST ANALYTICAL

MARK NOORANI
Laboratory Director

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532
Tustin, CA 92680
(714) 832-0064, Fax (714) 832-0067

A[illegible]sis Request and Cha[illegible] of Custody Record

Lab Job No: ____
Page 1 of 1

24 hr TAT on all Soil Analyses; Standard TAT otherwise.
REQUIRED TAT: AS NOTED BELOW

CUSTOMER INFORMATION
COMPANY: Montgomery Watson
SEND REPORT TO: Fred Strauss
ADDRESS: 250 N MADISON Ave
PASADENA, CA 91101
PHONE: (818) 568-6582 FAX: (818) 790-5941

PROJECT INFORMATION
PROJECT NAME: Mc Donnell Douglas.
NUMBER: 1206035.01090010
LOCATION: C-6 FACILITY.
ADDRESS: 19503 S Normandie Ave
Los Angeles, CA.
SAMPLED BY: IV

SAMPLE ID	NO. OF CONTAINERS	SAMPLE DATE	SAMPLE TIME	SAMPLE MATRIX	CONTAINER TYPE	PRES.	TRPH 418.1	Title 22 Metals	VOCs 8260	SVOCs 8270	PCBs 8080	Pesticides 8080			REMARKS/PRECAUTIONS
OA1-GS-79-3'	2	8/12/97	1115	Soil	2"x6" SS Sleeve	Ice	X	X	X	X					24 hr TAT
OA1-GS-80-2'	2		1140				X	X							24 hr TAT
OA1-GS-81-2'	2		1158				X	X							24 hr TAT
OA1-GS-82-2'	2		1250				X	X							24 hr TAT
OA1-GS-83-2'	2		1308				X	X							24 hr TAT
Equipment Blank	7	8/12/97	1500	WATER	4 amber 1 poly 2 VOAs	none HNO3 HCl	X	X	X	X	X	X			Standard TAT
Rinsate Blank	7		1515				X	X	X	X	X	X			
Trip Blank	2		—		2 VOAs	HCl			X						

Total No. of Samples: 8

Method of Shipment:

Relinquished By:	Date/Time:	Received By:	Date/Time:
Ivan Vargas	8/12/97 1545		

Reporting Format: (check)
NORMAL ____ S.D. HMMD ____
RWQCB ____ OTHER ____

Received For Lab By: [signature] Date/Time: 8/12/97 15:45

Sample Integrity: (check)
intact ____ on ice ____

All samples remain the property of the client who is responsible for disposal. A disposal fee may be imposed if client fails to pickup samples.

BOE-C6-0146228