ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532, Tustin, CA 92780 (714) 832-0064 Fax (714) 832-0067
4620 E. Elwood, Suite 4, Phoenix, AZ 85040 (602) 736-0960 Fax (602) 736-0970

LABORATORY REPORT FORM

Laboratory Name: ORANGE COAST ANALYTICAL, INC.

Address: 3002 Dow Suite 532 Tustin, CA 92780

Telephone: (714) 832-0064

Laboratory Certification (ELAP) No.: 1416 Expiration Date: 1999

Laboratory Director's Name (Print) : Mark Noorani

Client: Montgomery Watson

Project No.: 1206035.01090010

Project Name: The Boeing Company

Laboratory Reference: MWI 9856

Analytical Method: EPA 8260, 8270, Title 22 Metals

Date Sampled: 01/06/98
Date Received: 01/06/98
Date Reported: 01/06/98

Sample Matrix: Water & Soil

Chain of Custody Received: Yes

Laboratory Director's Signature: Mark Noorani

MWI 9856

METHOD ID	LIMIT1 SOIL	LIMIT1 WATER	LAB CAS ID	PF CODE	SURROG FLG	Units	LAB CHEM	98010015	98010016	98010017	98010018	LAB SAMP NO.	R1	T CONC	SL[e]	DL[e]	RECOVER	D RECOVER
							SAMP TYPE	S	W	W	W	QC(S)						
							RES CODE	PP01	BF11	BR11	BT11							
							SAMP ID	PH-LTU1-GS-1	EQUIP BLANK	RINSATE BLANK	TRIP BLANK							
							SAMP DATE	01/06/98	01/06/98	01/06/98	01/06/98							
							SAMP TIME	8:00	11:30	11:45								
							SAMP DEPTH	1'										
							PRESERVED		, N, H	, N, H	, N, H							
							ICED	Y	Y	Y	Y							
							RECEIVED	01/06/98	01/06/98	01/06/98	01/06/98							
							REC TIME	12:15	12:15	12:15	12:15							
							BASIS	W	W	W	W							
							Tested											
418.1	8.0	0.5		T		ppm	Extractable Hydrocarbons											
							Tested	01/06/98	01/06/98	01/06/98		01/06/98						
6010	5.0	0.5		T		ppm	Antimony	<	<	<		98010015	0.0	5.0	4.8	4.7	96	94
6010	1.0	0.1		T		ppm	Arsenic	<	<	<		98010015	0.0	5.0	4.7	4.6	94	92
6010	0.1	0.01		T		ppm	Barium	100	<	<		98010015	2.0	5.0	7.9	7.8	118	116
6010	0.1	0.01		T		ppm	Beryllium	0.62	<	<		98010015	0.012	1.00	0.89	0.88	88	87
6010	0.1	0.01		T		ppm	Cadmium	<	<	<		98010015	0.0	1.00	0.93	0.92	93	92
							Tested	01/06/98	01/06/98	01/06/98		01/06/98						
7196	0.5	0.01		T		ppm	Chromium (VI)	<	<	<		98010015	0.0	1.00	0.89	0.90	89	90
							Tested	01/06/98	01/06/98	01/06/98		01/06/98						
6010	0.1	0.01		T		ppm	Chromium Total	23	<	<		98010015	0.46	1.00	1.4	1.4	94	94
6010	0.5	0.1		T		ppm	Cobalt	7.3	<	<		98010015	0.146	1.00	1.0	1.0	85	85
6010	0.1	0.01		T		ppm	Copper	15	<	<		98010015	0.30	1.00	1.3	1.3	100	100
6010	1.0	0.1		T		ppm	Lead	2.8	<	<		98010015	0.056	5.0	4.6	4.5	91	89
							Tested	01/07/98	01/07/98	01/07/98		01/07/98						
7471	0.01	0.002		T		ppm	Mercury	<	<	<		98010015	0.0	0.020	0.022	0.021	110	105
							Tested	01/06/98	01/06/98	01/06/98		01/06/98						
6010	0.5	0.1		T		ppm	Molybdenum	<	<	<		98010015	0.0	5.0	4.6	4.5	92	90
6010	0.5	0.1		T		ppm	Nickel	7.8	<	<		98010015	0.156	5.00	4.4	4.4	85	85
6010	1.0	0.1		T		ppm	Selenium	<	<	<		98010015	0.0	5.0	4.4	4.3	88	86
6010	0.1	0.1		T		ppm	Silver	<	<	<		98010015	0.0	5.0	4.8	4.7	96	94
6010	5.0	0.5		T		ppm	Thallium	<	<	<		98010015	0.0	5.0	4.2	4.2	84	84
6010	0.5	0.1		T		ppm	Vanadium	33	<	<		98010015	0.66	5.0	5.7	5.6	101	99
6010	0.1	0.01		T		ppm	Zinc	36	<	<		98010015	0.72	1.0	1.7	1.6	93	88
							Tested											
STLC		5.0		S		ppm	Antimony											
		1.0		S		ppm	Arsenic											
		0.1		S		ppm	Barium											
		0.1		S		ppm	Beryllium											
		0.1		S		ppm	Cadmium											
		0.5		S		ppm	Chromium (VI)											
		0.1		S		ppm	Chromium Total											
		0.5		S		ppm	Cobalt											
		0.1		S		ppm	Copper											

BOE-C6-0152802

		1.0		S		ppm	Lead											
		0.01		S		ppm	Mercury											
		0.5		S		ppm	Molybdenum											
		0.5		S		ppm	Nickel											
		1.0		S		ppm	Selenium											
		0.1		S		ppm	Silver											
		5.0		S		ppm	Thallium											
		0.5		S		ppm	Vanadium											
		0.1		S		ppm	Zinc											
							Tested											
TCLP		5.0		C		ppm	Antimony											
		1.0		C		ppm	Arsenic											
		0.1		C		ppm	Barium											
		0.1		C		ppm	Beryllium											
		0.1		C		ppm	Cadmium											
		0.5		C		ppm	Chromium (VI)											
		0.1		C		ppm	Chromium Total											
		0.5		C		ppm	Cobalt											
		0.1		C		ppm	Copper											
		1.0		C		ppm	Lead											
		0.01		C		ppm	Mercury											
		0.5		C		ppm	Molybdenum											
		0.5		C		ppm	Nickel											
		1.0		C		ppm	Selenium											
		0.1		C		ppm	Silver											
		5.0		C		ppm	Thallium											
		0.5		C		ppm	Vanadium											
		0.1		C		ppm	Zinc											
							Tested	01/06/98	01/06/98	01/06/98	01/06/98	01/06/98						
							Dilution Factor	1	1	1	1							
8260	2.5	0.5	71-43-2	T		ppb	Benzene	<	<	<	<	OCA 200	0.0	50	53	52	106	104
8260	2.5	0.5	75-27-4	T		ppb	Bromodichloromethane	<	<	<	<							
8260	2.5	0.5	75-25-2	T		ppb	Bromoform	<	<	<	<							
8260	2.5	1.0	74-83-9	T		ppb	Bromomethane	<	<	<	<							
8260	5.0	0.5	75-15-0	T		ppb	Carbon Disulfide	<	<	<	<							
8260	2.5	0.5	56-23-5	T		ppb	Carbon tetrachloride	<	<	<	<							
8260	2.5	0.5	108-90-7	T		ppb	Chlorobenzene	<	<	<	<	OCA 200	0.0	50	53	50	106	100
8260	2.5	0.5	124-48-1	T		ppb	Chlorodibromomethane	<	<	<	<							
8260	2.5	0.5	75-00-3	T		ppb	Chloroethane	<	<	<	<							
8260	5.0	0.5	110-75-8	T		ppb	2-Chloroethyl vinyl ether	<	<	<	<							
8260	2.5	0.5	67-66-3	T		ppb	Chloroform	<	<	<	<							
8260	2.5	0.5	74-87-3	T		ppb	Chloromethane	<	<	<	<							
8260	2.5	0.5	75-34-3	T		ppb	1,1-Dichloroethane	<	<	<	<							
8260	2.5	0.5	107-06-2	T		ppb	1,2-Dichloroethane	<	<	<	<							
8260	2.5	0.5	75-35-4	T		ppb	1,1-Dichloroethene	<	<	<	<	OCA 200	0.0	50	51	47	102	94
8260	2.5	0.5	156-60-5	T		ppb	Trans 1,2-Dichloroethene	<	<	<	<							
8260	2.5	0.5	78-87-5	T		ppb	1,2-Dichloropropane	<	<	<	<							
8260	2.5	0.5	10061-01-5	T		ppb	cis-1,3-Dichloropropene	<	<	<	<							
8260	2.5	0.5	10061-02-6	T		ppb	trans-1,3-Dichloropropene	<	<	<	<							
8260	2.5	0.5	100-41-4	T		ppb	Ethylbenzene	<	<	<	<							

BOE-C6-0152803

8260	5.0	2.5	75-09-2	T		ppb	Methylene chloride	<	<	<	<								
8260	2.5	0.5	100-42-5	T		ppb	Styrene	<	<	<	<								
8260	2.5	0.5	79-34-5	T		ppb	1,1,2,2-Tetrachloroethane	<	<	<	<								
8260	2.5	0.5	127-18-4	T		ppb	Tetrachloroethene	<	<	<	<								
8260	2.5	0.5	108-88-3	T		ppb	Toluene	<	<	<	<	OCA 200	0.0	50	52	52	104	104	
8260	2.5	0.5	71-55-6	T		ppb	1,1,1-Trichloroethane	<	<	<	<								
8260	2.5	0.5	79-00-5	T		ppb	1,1,2-Trichloroethane	<	<	<	<								
8260	2.5	0.5	79-01-6	T		ppb	Trichloroethene	<	<	<	<	OCA 200	0.0	50	49	48	98	96	
8260	5.0	0.5	75-69-4	T		ppb	Trichlorofluoromethane	<	<	<	<								
8260	5.0	1.0	108-05-4	T		ppb	Vinyl acetate	<	<	<	<								
8260	2.5	0.5	75-01-4	T		ppb	Vinyl chloride	<	<	<	<								
8260	2.5	1.0	1330-20-7	T		ppb	Total Xylenes	<	<	<	<								
8260	2.5	0.5	75-71-8	T		ppb	Dichlorodifluoromethane	<	<	<	<								
8260	2.5	0.5	156-59-2	T		ppb	cis-1-2,-Dichloroethene	<	<	<	<								
8260	2.5	0.5	594-20-7	T		ppb	2,2-Dichloropropane	<	<	<	<								
8260	2.5	0.5	74-97-5	T		ppb	Bromochloromethane	<	<	<	<								
8260	2.5	0.5	563-58-6	T		ppb	1,1-Dichloropropene	<	<	<	<								
8260	2.5	0.5	74-95-3	T		ppb	Dibromomethane	<	<	<	<								
8260	2.5	0.5	106-93-4	T		ppb	1,2-Dibromoethane	<	<	<	<								
8260	2.5	0.5	142-28-9	T		ppb	1,3-Dichloropropane	<	<	<	<								
8260	2.5	0.5	98-82-8	T		ppb	Isopropylbenzene	<	<	<	<								
8260	2.5	0.5	79-34-5	T		ppb	1,1,2,2-Tetrachloroethane	<	<	<	<								
8260	2.5	0.5	96-18-4	T		ppb	1,2,3-Trichloropropane	<	<	<	<								
8260	2.5	0.5	108-86-1	T		ppb	Bromobenzene	<	<	<	<								
8260	2.5	0.5	103-65-1	T		ppb	n-Propylbenzene	<	<	<	<								
8260	2.5	0.5	95-49-8	T		ppb	2-Chlorotoluene	<	<	<	<								
8260	2.5	0.5	108-67-8	T		ppb	1,3,5-Trimethylbenzene	<	<	<	<								
8260	2.5	0.5	106-43-4	T		ppb	4-Chlorotoluene	<	<	<	<								
8260	2.5	0.5	98-06-6	T		ppb	tert-Butylbenzene	<	<	<	<								
8260	2.5	0.5	95-63-6	T		ppb	1,2,4-Trimethylbenzene	<	<	<	<								
8260	2.5	0.5	135-98-8	T		ppb	sec-Butylbenzene	3.1	<	<	<								
8260	2.5	0.5	99-87-6	T		ppb	4-Isopropyltoluene	<	<	<	<								
8260	2.5	0.5	541-73-1	T		ppb	1,3-Dichlorobenzene	<	<	<	<								
8260	2.5	0.5	106-46-7	T		ppb	1,4-Dichlorobenzene	<	<	<	<								
8260	2.5	0.5	104-51-8	T		ppb	n-Butylbenzene	<	<	<	<								
8260	2.5	0.5	95-50-1	T		ppb	1,2-Dichlorobenzene	<	<	<	<								
8260	5.0	1.0	96-12-8	T		ppb	1,2-Dibromo-3-CPA	<	<	<	<								
8260	2.5	0.5	120-82-1	T		ppb	1,2,4-Trichlorobenzene	<	<	<	<								
8260	2.5	0.5	87-68-3	T		ppb	Hexachlorobutadiene	<	<	<	<								
8260	2.5	0.5	91-20-3	T		ppb	Naphthalene	<	<	<	<								
8260	2.5	0.5	87-61-6	T		ppb	1,2,3-Trichlorobenzene	<	<	<	<								
					T	%	Dibromofluoromethane	96	105	118	109								
					T	%	Toluene-d8	107	109	110	109								
					T	%	4-Bromofluorobenzene	101	105	106	104								
							Tested	01/07/98	01/07/98	01/07/98		01/07/98							
							Dilution Factor	1	1	1									
8270	100	5.0	83-32-9	T		ppb	Acenaphthene	<	<	<		OCA200	0.0	50	41	35	82	70	
8270	100	5.0	208-96-8	T		ppb	Acenaphthylene	<	<	<									
8270	100	5.0	62-53-3	T		ppb	Aniline	<	<	<									
8270	100	5.0	120-12-7	T		ppb	Anthracene	<	<	<									
8270	500	50	65-85-0	T		ppb	Benzoic Acid	<	<	<									

BOE-C6-0152804

8270	100	5.0	56-55-3	T	ppb	Benzo (a) anthracene	<	<	<									
8270	250	25	205-99-2	T	ppb	Benzo (b) fluoranthene	<	<	<									
8270	250	25	207-08-9	T	ppb	Benzo (k) fluoranthene	<	<	<									
8270	250	25	191-24-2	T	ppb	Benzo (g,h,i)perylene	<	<	<									
8270	250	25	50-32-8	T	ppb	Benzo (a) pyrene	<	<	<									
8270	100	50	100-51-6	T	ppb	Benzyl alcohol	<	<	<									
8270	100	5.0	111-91-1	T	ppb	Bis(2-chloroethoxy)methane	<	<	<									
8270	100	5.0	111-44-4	T	ppb	Bis(2-chloroethyl)ether	<	<	<									
8270	100	5.0	39638-32-9	T	ppb	Bis(2-chloroisopropyl)ether	<	<	<									
8270	100	3.0	117-81-7	T	ppb	Bis(2-ethylhexyl)phthalate	<	<	<									
8270	100	5.0	101-55-3	T	ppb	4-Bromophenyl phenyl ether	<	<	<									
8270	100	5.0	85-68-7	T	ppb	Butyl benzyl phthalate	<	<	<									
8270	100	5.0	106-47-8	T	ppb	4-Chloroaniline	<	<	<									
8270	100	5.0	91-58-7	T	ppb	2-Chloronaphthalene	<	<	<									
8270	100	5.0	59-50-7	T	ppb	4-Chloro-3-methylphenol	<	<	<		OCA200	0.0	100	87	89	87	89	
8270	100	5.0	95-57-8	T	ppb	2-Chlorophenol	<	<	<		OCA200	0.0	100	80	81	80	81	
8270	100	5.0	7005-72-3	T	ppb	4-Chlorophenyl phenyl ehter	<	<	<									
8270	100	5.0	218-0109	T	ppb	Chrysene	<	<	<									
8270	100	25	53-70-3	T	ppb	Dibenz(a,h)anthracene	<	<	<									
8270	100	5.0	132-64-9	T	ppb	Dibenzofuran	<	<	<									
8270	250	5.0	84-74-2	T	ppb	Di-N-butyl phthalate	<	<	<									
8270	100	5.0	541-73-1	T	ppb	1,3-Dichlorobenzene	<	<	<									
8270	100	5.0	106-46-7	T	ppb	1,4-Dichlorobenzene	<	<	<		OCA200	0.0	50	51	43	102	86	
8270	100	5.0	95-50-1	T	ppb	1,2-Dichlorobenzene	<	<	<									
8270	100	5.0	91-94-1	T	ppb	3,3-Dichlorobenzidine	<	<	<									
8270	100	5.0	120-83-2	T	ppb	2,4-Dichlorophenol	<	<	<									
8270	100	5.0	84-66-2	T	ppb	Diethyl phthalate	<	<	<									
8270	100	5.0	105-67-9	T	ppb	2,4-Dimethylphenol	<	<	<									
8270	100	5.0	131-11-3	T	ppb	Dimethyl phthalate	<	<	<									
8270	100	50	534-52-1	T	ppb	4,6-Dinitro-2-methylphenol	<	<	<									
8270	100	50	51-28-5	T	ppb	2,4-Dinitrophenol	<	<	<									
8270	250	5.0	121-14-2	T	ppb	2,4-Dinitrotoluene	<	<	<									
8270	250	5.0	606-20-2	T	ppb	2,6-Dinitrotoluene	<	<	<									
8270	250	25	117-84-0	T	ppb	Di-N-octyl phthalate	<	<	<									
8270	100	5.0	206-44-0	T	ppb	Fluoranthene	<	<	<									
8270	100	5.0	86-73-7	T	ppb	Fluorene	<	<	<									
8270	100	5.0	118-74-1	T	ppb	Hexachlorobenzene	<	<	<									
8270	100	5.0	87-68-3	T	ppb	Hexachlorobutadiene	<	<	<									
8270	100	5.0	77-47-4	T	ppb	Hexachlorocyclopentadiene	<	<	<									
8270	100	5.0	67-72-1	T	ppb	Hexachloroethane	<	<	<									
8270	250	25	193-39-5	T	ppb	Indeno(1,2,3-cd)pyrene	<	<	<									
8270	100	5.0	78-59-1	T	ppb	Isophorone	<	<	<									
8270	100	5.0	91-57-6	T	ppb	2-Methylnaphthalene	<	<	<									
8270	100	5.0	95-48-7	T	ppb	2-Methylphenol	<	<	<									
8270	100	5.0	106-44-5	T	ppb	4-Methylphenol	<	<	<									
8270	100	5.0	91-20-3	T	ppb	Naphthalene	<	<	<									
8270	250	50	88-74-4	T	ppb	2-Nitroaniline	<	<	<									
8270	250	50	99-09-2	T	ppb	3-Nitroaniline	<	<	<									
8270	250	50	100-01-6	T	ppb	4-Nitroaniline	<	<	<									
8270	100	5.0	98-95-3	T	ppb	Nitrobenzene	<	<	<									
8270	100	5.0	88-75-5	T	ppb	2-Nitrophenol	<	<	<									
8270	100	50	100-02-7	T	ppb	4-Nitrophenol	<	<	<									
8270	100	5.0	86-30-6	T	ppb	N-Nitrosodiphenylamine	<	<	<									

BOE-C6-0152805

8270	100	5.0	621-64-7	T	ppb	N-Nitroso-di-N-propylamine	<	<	<		OCA200	0.0	50	50	42	100	84
8270	100	5.0	62-75-9	T	ppb	N-Nitrosodimethylamine	<	<	<								
8270	250	50	87-86-5	T	ppb	Pentachlorophenol	<	<	<		OCA200	0.0	100	96	101	96	101
8270	100	5.0	85-01-8	T	ppb	Phenanthrene	<	<	<								
8270	100	5.0	108-95-2	T	ppb	Phenol	<	<	<		OCA200	0.0	100	79	80	79	80
8270	100	5.0	129-00-0	T	ppb	Pyrene	<	<	<		OCA200	0.0	50	42	35	84	70
8270	100	5.0	120-82-1	T	ppb	1,2,4-Trichlorobenzene	<	<	<		OCA200	0.0	50	53	44	106	88
8270	100	5.0	95-95-4	T	ppb	2,4,5-Trichlorophenol	<	<	<								
8270	100	5.0	88-06-2	T	ppb	2,4,6-Trichlorophenol	<	<	<								
						Tested											
						Dilution Factor											
8080	20	5.0	12674-11-2	T	ppb	PCB-1016											
8080	20	5.0	11104-28-2	T	ppb	PCB-1221											
8080	20	5.0	11141-16-5	T	ppb	PCB-1232											
8080	20	5.0	53469-21-9	T	ppb	PCB-1242											
8080	20	5.0	12672-29-6	T	ppb	PCB-1248											
8080	20	5.0	11097-69-1	T	ppb	PCB-1254											
8080	20	5.0	11096-82-5	T	ppb	PCB-1260											
						Tested											
						Dilution Factor											
8080	1.0	0.1	309-00-2	T	ppb	Aldrin											
8080	1.0	0.2	319-84-6	T	ppb	alpha-BHC											
8080	1.0	0.2	319-85-7	T	ppb	beta-BHC											
8080	2.0	0.2	319-86-8	T	ppb	gamma-BHC											
8080	1.0	0.2	58-89-9	T	ppb	gamma-BHC (Lindane)											
8080	10	0.2	57-74-9	T	ppb	Chlordane											
8080	2.0	0.5	72-54-9	T	ppb	4,4'-DDD											
8080	5.0	0.1	72-55-9	T	ppb	4,4'-DDE											
8080	1.0	0.1	50-29-3	T	ppb	4,4'-DDT											
8080	2.0	0.5	60-57-1	T	ppb	Dieldrin											
8080	1.0	0.5	959-98-8	T	ppb	Endosulfan I											
8080	2.0	0.5	33213-65-9	T	ppb	Endosulfan II											
8080	10	0.5	1031-07-8	T	ppb	Endosulfan sulfate											
8080	2.0	0.02	72-20-8	T	ppb	Endrin											
8080	2.0	0.2	7421-93-4	T	ppb	Endrin aldehyde											
8080	1.0	0.1	76-44-8	T	ppb	Heptachlor											
8080	1.0	0.2	1024-57-3	T	ppb	Heptachlor epoxide											
8080	30	9.0	72-43-5	T	ppb	Methoxychlor											
8080	35	0.5	8001-35-2	T	ppb	Toxaphene											
						Tested											
8015m				T	ppm	Up to & Including C-12											
8015m				T	ppm	C13-22											
8015m				T	ppm	C23 & Higher											
8015m	8.0	0.5		T	ppm	Total											
						Tested											
8015m	8.0	0.5		T	ppm	Diesel											
						Tested											
8015m	5.0	0.05		T	ppm	Gas											

BOE-C6-0152806

MWI 9856

9060	5.0	1.0		T		ppm	*Tested* TOC												
9081	1.0	1.0		T		ppm	*Tested* Cation Exchange Capacity												

(a) QC units for Method 8270 are reported in ng.

BOE-C6-0152807

	QC(W)							
RPD	LAB SAMP NO.	R1	T CONC	SL[a]	DL[a]	RECOVER	D RECOVER	RPD
	01/06/98							
2	98010016	0.00	3.00	2.92	2.99	97	100	2
2	98010016	0.00	1.00	1.01	1.03	101	103	2
1	98010016	0.000	0.100	0.088	0.090	88	90	2
1	98010016	0.00	0.100	0.096	0.098	96	98	2
1	98010016	0.00	0.100	0.093	0.095	93	95	2
	01/06/98							
1	98010016	0.00	0.50	0.45	0.45	90	90	0
	01/06/98							
0	98010016	0.00	0.100	0.094	0.096	94	96	2
0	98010016	0.00	0.100	0.095	0.097	95	97	2
0	98010016	0.000	0.100	0.097	0.101	97	101	4
2	98010016	0.00	1.00	0.94	0.96	94	96	2
	01/07/98							
5	OCA 100	0.000	0.020	0.024	0.024	120	120	0
	01/06/98							
2	98010016	0.00	1.00	0.99	1.02	99	102	3
0	98010016	0.00	0.50	0.48	0.50	96	100	4
2	98010016	0.00	1.00	1.03	1.04	103	104	1
2	98010016	0.00	0.50	0.50	0.52	100	104	4
0	98010016	0.00	3.00	2.96	2.95	99	98	0
2	98010016	0.00	0.50	0.47	0.49	94	98	4
3	98010016	0.000	0.100	0.098	0.098	98	98	0

BOE-C6-0152808

2	01/06/98 97010018	0.0	20	19	19	95	95	0
6		0.0	20	18	18	90	90	0
8		0.0	20	21	18	105	90	15

BOE-C6-0152809

0		0.0	20	19	20	95	100	5
2		0.0	20	17	18	85	90	6
16	01/07/98 OCA100	0.0	50	30	32	60	64	6

BOE-C6-0152810

2	OCA100	0.0	100	54	56	54	56	4
1	OCA100	0.0	100	63	62	63	62	2
17	OCA100	0.0	50	30	31	60	62	3

BOE-C6-0152811

17	OCA100	0.0	50	37	39	74	78	5
5	OCA100	0.0	100	71	73	71	73	3
1	OCA100	0.0	100	19	18	19	18	5
18	OCA100	0.0	50	32	33	64	66	3
19	OCA100	0.0	50	31	34	62	68	9

BOE-C6-0152812



BOE-C6-0152813

ORANGE COAST ANALYTICAL, INC.
3002 Dow, Suite 532
Tustin, CA 92680
(714) 832-0064, Fax (714) 832-0067

Analysis Request and Chain of Custody Record

Lab Job No: _____
Page 1 of 1

SOIL RESULTS DUE BY WED. 1/14
REQUIRED TAT: STANDARD TAT ON WATER

CUSTOMER INFORMATION	PROJECT INFORMATION
COMPANY: Montgomery Watson	PROJECT NAME: The Boeing Company
SEND REPORT TO: FRED STRAUSS	NUMBER: 1206035.01090010
ADDRESS: 250 N MADISON	LOCATION: C-6 FACILITY
PASADENA, CA 91101	ADDRESS: 19503 S. Normandie Ave.
	Los Angeles, CA 90501
PHONE: (626) 568-6582 FAX: (626) 796-5941	SAMPLED BY: IVI ANI CW

SAMPLE ID	NO. OF CONTAINERS	SAMPLE DATE	SAMPLE TIME	SAMPLE MATRIX	CONTAINER TYPE	PRES.	TRPH 418.1	Title 22 Metals	VOCs 8260	SVOCs 8270	PCBs 8080	Pesticides 8080			REMARKS/PRECAUTIONS
PH-LTU1-GS-1	2	1/6/97	0800	SOIL	2" x 6" SS SLEEVE	ICE		X	X	X					Rush 24hr TAT
Equipment Blank	6	1/6/97	1130	WATER	3 Amber Liters	None		X	X	X					
Rinsate Blank	6	1/6/97	1145	WATER	3 Amber Liters	HNO3		X	X	X					
Trip Blank	2	1/6/97	—	WATER	2 VOAs	HCl			X						

Total No. of Samples: 4

Method of Shipment: Orange Coast Lab Courier (1 Cooler).

Relinquished By:	Date/Time:	Received By:	Date/Time:
Ivan Vargas	1/6/98 1215		
Relinquished By:	Date/Time:	Received By:	Date/Time:
Relinquished By:	Date/Time:	Received For Lab By:	Date/Time:
		[illegible]	1/6/98 12:15

Reporting Format: (check)
NORMAL _____ S.D. HMMD _____
RWQCB _____ OTHER _____

Sample Integrity: (check)
intact _____ on ice _____

All samples remain the property of the client who is responsible fr[illegible]posal. A disposal fee may be imposed if client fails to pickup samples.

BOE-C6-0152814