Please
Org. to FH
FILE

Project No.: 882
cc: FSH ✓

Catagory: 3rd Party

Pdf ✓

From: SM

SEVERN TRENT SERVICES

STL Los Angeles
1721 South Grand Avenue
Santa Ana, CA 92705-4808

Tel: 714 258 8610
Fax: 714 258 0921
www.stl-inc.com

August 8, 2001

STL LOT NUMBER: **E1G240186**
PO/CONTRACT: 05220-SEV001-00-G72

Mehmet Pehlivan
Tait Environmental
701 Park Center Dr
Santa Ana, CA 92705

Dear Mehmet Pehlivan,

This report contains the analytical results for the five samples received under chain of custody by STL Los Angeles on on July 24, 2001. Hexavalent Chromium was performed by Del Mar Analytical. See attached report for any related anomalies.

STL Los Angeles certifies that the test results in this report meet all NELAP requirements for parameters for which accreditation is required or available. Any exceptions to NELAP requirements are noted in the case narrative. The case narrative is an integral part of this report. NELAP Certification Number for STL Los Angeles is 01118CA.

Any matrix related anomaly is footnoted within the report. A cooler receipt temperature between 2-6 degrees Celsius is within EPA acceptance criteria. The temperature(s) of the coolers received for this project can be found on the Project Receipt Checklist.

This report shall not be reproduced except in full, without the written approval of the laboratory.

This report contains 00038 pages.

RECEIVED
SEP 26 2001
ENGLAND GEOSYSTEM
☐ ELECTRONIC ☒ SCAN

ACCREDITED IN ACCORDANCE WITH nelac

CASE NARRATIVE

All applicable quality control procedures met method-specified acceptance criteria.

If you have any questions, please feel free to call me at (714) 258-8610.

Sincerely,

Diane Suzuki
Project Manager
CC: Project File

00001A

STL LABS
~~SIERRA ANALYTICAL~~
TEL: ~~949-348-9389~~ 714-258-8676
~~FAX: 949-348-9115~~
~~26052 Merit Circle • Suite 105 • Laguna Hills, CA • 92653~~

CHAIN OF CUSTODY RECORD

Date: 7/24/01 Page 1 of 1

Lab Project No.:

Client: Tait Environmental
Client Address: 701 N. Parkcenter Drive
Santa Ana, CA 92705
Client Tel. No.: 714-560-8200
Client Fax No.: 714-560-8235
Client Proj. Mgr.: Tom Dixon

Client Proj. Number/Proj. Name:

Turn Around Time Requested:
- [ ] Immediate Attention
- [x] Rush 24-48 hours
- [ ] Rush 72-96 hours
- [ ] Normal
- [ ] Mobile

Analyses Requested

Client Sample No.	Sierra Sample No.	Date/Time	Matrix	Preservatives	Container Type	No. of Containers	EPA 7199	EPA 8260B Full	Comments
MDHP_0005_07242001_0001	[redacted]	7-24 8:30	Water	None	500 mL Poly	1	X		
MDHP_0005_07242001_0001		7-24 8:30	Water	HCL	40 mL VOA	3		X	
MDHP_0005_07242001_0003		7-24 8:30	Water	None	500 mL Poly	1	X		
MDHP_0005_07242001_0003		7-24 8:30	Water	HCl	40 mL VOA	3		X	
SDPHP_0108_07242001_0001		7-24	Water	HCl	40 mL VOA	3		X	
SDPHP_0108_07242001_0003		7-24	Water	HCl	40 mL VOA	3		X	
SDPHP_0108_07242001_0003		7-24	Water	HCL	40 mL VOA	3		X	

1. Sampler Signature: [signature] Shipped Via:
Printed Name: Greg Buchanan (Carrier/Waybill No.)

Total Number of Containers Submitted to Laboratory

2. Relinquished By: Greg Buchanan Date: 7-24 Received By: Date:
Company: Tait Environmental Time: Company: Time:

The delivery of samples and the signature on this chain of custody form constitutes authorization to perform the analyses specified above under SIERRA's Terms and Conditions, unless otherwise agreed upon in writing between SIERRA and CLIENT.
* - Samples determined to be hazardous by SIERRA will be returned to CLIENT.

3. Relinquished By: [signature] Date: 7/24/01 Received By: Date:
Company: STL Time: 11:05 Company: Time:

14 Total Number of Containers Received by Laboratory

Sample Disposal:
- [ ] Return to Client
- [ ] Lab Disposal *
- [ ] Archive _____ mos.
- [ ] Other _____

4. Relinquished By: Date: Received By: Date:
Company: Time: Company: Time:

Special Instructions: 24 Hour turnaround

FOR LABORATORY USE ONLY - Sample Receipt Conditions:
- [ ] Intact
- [ ] Sample Seals
- [ ] Properly Labeled
- [ ] Appropriate Sample Container
- [ ] Chilled - Temp (°C) _____
- [ ] Preservatives - Verified By _____
- [ ] Other _____
- [ ] Storage Location

Rev: 082796

DISTRIBUTION: White - To Accompany Samples, Yellow - Laboratory Copy, Pink - Field Personnel Copy

000002

BOE-C6-0153721

STL LOS ANGELES
PROJECT RECEIPT CHECKLIST

Date: 7/24/01

Quantims Lot #: EIG 240186.
Client Name: TAIT BRC.
Received by: MLT

Quote #:
Project: Boeing
Date/Time Received: 7/24/01 11:05

Delivered by : ☑ Client ☐ Airborne ☐ Fed Ex ☐ DHL ☐ Ultra-Ex ☐ Rey B. ☐ UPS ☐ DES ☐ Other

Initial / Date

Custody Seal Status: ☐ Intact ☐ Broken ☑ None ..... MLT 7/24/01
Custody Seal #(s): ☐ No Seal # .....
Sample Container(s): ☑ STL-LA ☐ Client ☐ N/A .....
Temperature(s) (COOLER/BLANK) in °C: (CORRECTED TEMP) .....
Thermometer Used : ☑ IR (Infra-red) ☐ Digital (Probe) .....
Samples: ☑ Intact ☐ Broken ☐ Other .....
Anomalies: ☑ No ☐ Yes (See Clouseau) .....
Labeled by .....
Labeling checked by .....

Turn Around Time: ☑ RUSH-24HR ☑ RUSH-48HR ☐ RUSH-72HR (NORMAL) ☑ NORMAL .....
Short-Hold Notification: ☐ Ph ☐ Wet Chem ☐ Metals (Filter/Pres) ☐ Encore ☑ N/A ... ✓
Outside Analysis(es) (Test/Lab/Date Sent Out) :

.....
.....
.....
.....

•••••••••• LEAVE NO BLANK SPACES ; USE N/A ••••••••••

Fraction	1→2	3→5									PH
VOAh /*	3	3									N/A
250ml Pg	1	—									

k:HCl na:Sodium Hydroxide zna:Zinc Acetate/Sodium Hydroxide s: H2SO4 n:HNO3 n/f:HNO3-Field Filtered n/fl:HNO3-Lab Filtered
CGJ:Clear Glass Jar CGB:Clear Glass Bottle AGJ:Amber Glass Jar AGB:Amber Glass Bottle PB: Poly Bottle E:Encore Sampler V:VOA

*** Number of VOA's w/ Headspace present**

LOGGED BY/DATE: MB 07/26/01 REVIEWED BY/DATE: J Swan 7-25-01

000003

BOE-C6-0153722

EXECUTIVE SUMMARY - Detection Highlights

E1G240186

PARAMETER	RESULT	REPORTING LIMIT	UNITS	ANALYTICAL METHOD
MDHP_0005_0724 2001_0001 07/24/01 08:50 001				
Trichloroethene	12	1.0	ug/L	SW846 8260B
MDHP_0005_0724 2001_0003 07/24/01 08:50 002				
cis-1,2-Dichloroethene	0.37 J	1.0	ug/L	SW846 8260B
Trichloroethene	11	1.0	ug/L	SW846 8260B
SDPHP_0108_07242001_0001 07/24/01 003				
trans-1,2-Dichloroethene	3.5 J	5.0	ug/L	SW846 8260B
cis-1,2-Dichloroethene	43	5.0	ug/L	SW846 8260B
cis-1,2-Dichloroethene	49	25	ug/L	SW846 8260B
Chloroform	6.0	5.0	ug/L	SW846 8260B
Trichloroethene	970 E	5.0	ug/L	SW846 8260B
Trichloroethene	1200	25	ug/L	SW846 8260B
SDPHP_0108_07242001_0003 07/24/01 004				
trans-1,2-Dichloroethene	3.7 J	5.0	ug/L	SW846 8260B
cis-1,2-Dichloroethene	48	25	ug/L	SW846 8260B
cis-1,2-Dichloroethene	46	5.0	ug/L	SW846 8260B
Chloroform	6.3	5.0	ug/L	SW846 8260B
Trichloroethene	1300	25	ug/L	SW846 8260B
Trichloroethene	1000 E	5.0	ug/L	SW846 8260B

METHODS SUMMARY

E1G240186

PARAMETER	ANALYTICAL METHOD	PREPARATION METHOD
Volatile Organics by GC/MS	SW846 8260B	SW846 5030B/826

References:

SW846 "Test Methods for Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 and its updates.

SAMPLE SUMMARY

E1G240186

WO #	SAMPLE#	CLIENT SAMPLE ID	SAMPLED DATE	SAMP TIME
EGTRV	001	MDHP_0005_0724 2001_0001	07/24/01	08:50
EGTR7	002	MDHP_0005_0724 2001_0003	07/24/01	08:50
EGTTF	003	SDPHP_0108_07242001_0001	07/24/01	
EGTTK	004	SDPHP_0108_07242001_0003	07/24/01	

NOTE(S):

- The analytical results of the samples listed above are presented on the following pages.
- All calculations are performed before rounding to avoid round-off errors in calculated results.
- Results noted as "ND" were not detected at or above the stated limit.
- This report must not be reproduced, except in full, without the written approval of the laboratory.
- Results for the following parameters are never reported on a dry weight basis: color, corrosivity, density, flashpoint, ignitability, layers, odor, paint filter test, pH, porosity pressure, reactivity, redox potential, specific gravity, spot tests, solids, solubility, temperature, viscosity, and weight.

TAIT ENVIRONMENTAL

Client Sample ID: MDHP_0005_0724 2001_0001

GC/MS Volatiles

Lot-Sample #...: E1G240186-001 **Work Order #...:** EGTRV1AC **Matrix.....:** WATER
Date Sampled...: 07/24/01 08:50 **Date Received..:** 07/24/01 11:05 **MS Run #.....:** 1206252
Prep Date.....: 07/25/01 **Analysis Date..:** 07/25/01
Prep Batch #...: 1206443 **Analysis Time..:** 13:32
Dilution Factor: 1
Analyst ID.....: 004648 **Instrument ID..:** MSC
Method.....: SW846 8260B

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Dichlorodifluoromethane	ND	1.0	ug/L	0.40
Chloromethane	ND	2.0	ug/L	0.30
Vinyl chloride	ND	0.50	ug/L	0.30
Chloroethane	ND	2.0	ug/L	0.30
Bromomethane	ND	2.0	ug/L	1.0
Trichlorofluoromethane	ND	2.0	ug/L	0.30
1,1,2-Trichlorotrifluoro-ethane	ND	1.0	ug/L	0.40
1,1-Dichloroethene	ND	1.0	ug/L	0.30
Methylene chloride	ND	1.0	ug/L	0.30
Methyl tert-butyl ether	ND	1.0	ug/L	0.50
Carbon disulfide	ND	1.0	ug/L	0.30
Acetone	ND	10	ug/L	3.0
trans-1,2-Dichloroethene	ND	1.0	ug/L	0.30
1,1-Dichloroethane	ND	1.0	ug/L	0.20
2,2-Dichloropropane	ND	1.0	ug/L	0.30
cis-1,2-Dichloroethene	ND	1.0	ug/L	0.30
Chloroform	ND	1.0	ug/L	0.30
Bromochloromethane	ND	1.0	ug/L	0.30
1,1,1-Trichloroethane	ND	1.0	ug/L	0.20
2-Butanone	ND	5.0	ug/L	3.0
1,1-Dichloropropene	ND	1.0	ug/L	0.30
Carbon tetrachloride	ND	0.50	ug/L	0.30
1,2-Dibromoethane	ND	1.0	ug/L	0.30
Benzene	ND	1.0	ug/L	0.30
Trichloroethene	**12**	**1.0**	**ug/L**	**0.30**
Bromodichloromethane	ND	1.0	ug/L	0.30
4-Methyl-2-pentanone	ND	5.0	ug/L	3.0
Toluene	ND	1.0	ug/L	0.30
1,1,2-Trichloroethane	ND	1.0	ug/L	0.30
1,2-Dichloroethane	ND	0.50	ug/L	0.40
Tetrachloroethene	ND	1.0	ug/L	0.30
2-Hexanone	ND	5.0	ug/L	3.0
Dibromochloromethane	ND	1.0	ug/L	0.40
Chlorobenzene	ND	1.0	ug/L	0.30
1,1,1,2-Tetrachloroethane	ND	1.0	ug/L	0.30
Ethylbenzene	ND	1.0	ug/L	0.20

(Continued on next page)

TAIT ENVIRONMENTAL

Client Sample ID: MDHP_0005_0724 2001_0001

GC/MS Volatiles

Lot-Sample #...: E1G240186-001 **Work Order #...:** EGTRV1AC **Matrix.....:** WATER

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Xylenes (total)	ND	1.0	ug/L	0.80
Styrene	ND	1.0	ug/L	0.30
Bromoform	ND	1.0	ug/L	0.30
Isopropylbenzene	ND	1.0	ug/L	0.30
1,1,2,2-Tetrachloroethane	ND	1.0	ug/L	0.40
1,2,3-Trichloropropane	ND	1.0	ug/L	0.40
n-Propylbenzene	ND	1.0	ug/L	0.40
Bromobenzene	ND	1.0	ug/L	0.30
1,3,5-Trimethylbenzene	ND	1.0	ug/L	0.20
2-Chlorotoluene	ND	1.0	ug/L	0.30
4-Chlorotoluene	ND	1.0	ug/L	0.30
tert-Butylbenzene	ND	1.0	ug/L	0.20
1,2,4-Trimethylbenzene	ND	1.0	ug/L	0.30
sec-Butylbenzene	ND	1.0	ug/L	0.30
p-Isopropyltoluene	ND	1.0	ug/L	0.30
1,3-Dichlorobenzene	ND	1.0	ug/L	0.30
1,4-Dichlorobenzene	ND	1.0	ug/L	0.30
n-Butylbenzene	ND	1.0	ug/L	0.30
1,2-Dichlorobenzene	ND	1.0	ug/L	0.30
1,2-Dibromo-3-chloro-propane	ND	2.0	ug/L	0.70
1,2,4-Trichloro-benzene	ND	1.0	ug/L	0.30
Hexachlorobutadiene	ND	1.0	ug/L	0.30
1,2,3-Trichlorobenzene	ND	1.0	ug/L	0.40
Acrolein	ND	20	ug/L	12
Acrylonitrile	ND	20	ug/L	10
Iodomethane	ND	2.0	ug/L	1.0
2-Chloroethyl vinyl ether	ND	5.0	ug/L	2.0
Tetrahydrofuran	ND	10	ug/L	2.0
Vinyl acetate	ND	5.0	ug/L	2.0

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Bromofluorobenzene	104	(75 - 120)
1,2-Dichloroethane-d4	114	(65 - 130)
Toluene-d8	108	(80 - 130)

TAIT ENVIRONMENTAL

Client Sample ID: MDHP_0005_0724 2001_0003

GC/MS Volatiles

Lot-Sample #...: E1G240186-002 **Work Order #...:** EGTR71AA **Matrix.....:** WATER
Date Sampled...: 07/24/01 08:50 **Date Received..:** 07/24/01 11:05 **MS Run #.....:** 1206183
Prep Date.....: 07/25/01 **Analysis Date..:** 07/25/01
Prep Batch #...: 1206310 **Analysis Time..:** 02:28
Dilution Factor: 1
Analyst ID.....: 004648 **Instrument ID..:** MSC
Method.....: SW846 8260B

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Dichlorodifluoromethane	ND	1.0	ug/L	0.40
Chloromethane	ND	2.0	ug/L	0.30
Vinyl chloride	ND	0.50	ug/L	0.30
Chloroethane	ND	2.0	ug/L	0.30
Bromomethane	ND	2.0	ug/L	1.0
Trichlorofluoromethane	ND	2.0	ug/L	0.30
1,1,2-Trichlorotrifluoro-ethane	ND	1.0	ug/L	0.40
1,1-Dichloroethene	ND	1.0	ug/L	0.30
Methylene chloride	ND	1.0	ug/L	0.30
Methyl tert-butyl ether	ND	1.0	ug/L	0.50
Carbon disulfide	ND	1.0	ug/L	0.30
Acetone	ND	10	ug/L	3.0
trans-1,2-Dichloroethene	ND	1.0	ug/L	0.30
1,1-Dichloroethane	ND	1.0	ug/L	0.20
2,2-Dichloropropane	ND	1.0	ug/L	0.30
cis-1,2-Dichloroethene	**0.37 J**	**1.0**	**ug/L**	**0.30**
Chloroform	ND	1.0	ug/L	0.30
Bromochloromethane	ND	1.0	ug/L	0.30
1,1,1-Trichloroethane	ND	1.0	ug/L	0.20
2-Butanone	ND	5.0	ug/L	3.0
1,1-Dichloropropene	ND	1.0	ug/L	0.30
Carbon tetrachloride	ND	0.50	ug/L	0.30
1,2-Dibromoethane	ND	1.0	ug/L	0.30
Benzene	ND	1.0	ug/L	0.30
Trichloroethene	**11**	**1.0**	**ug/L**	**0.30**
Bromodichloromethane	ND	1.0	ug/L	0.30
4-Methyl-2-pentanone	ND	5.0	ug/L	3.0
Toluene	ND	1.0	ug/L	0.30
1,1,2-Trichloroethane	ND	1.0	ug/L	0.30
1,2-Dichloroethane	ND	0.50	ug/L	0.40
Tetrachloroethene	ND	1.0	ug/L	0.30
2-Hexanone	ND	5.0	ug/L	3.0
Dibromochloromethane	ND	1.0	ug/L	0.40
Chlorobenzene	ND	1.0	ug/L	0.30
1,1,1,2-Tetrachloroethane	ND	1.0	ug/L	0.30
Ethylbenzene	ND	1.0	ug/L	0.20

(Continued on next page)

TAIT ENVIRONMENTAL

Client Sample ID: MDHP_0005_0724 2001_0003

GC/MS Volatiles

Lot-Sample #...: E1G240186-002 **Work Order #...:** EGTR71AA **Matrix.....:** WATER

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Xylenes (total)	ND	1.0	ug/L	0.80
Styrene	ND	1.0	ug/L	0.30
Bromoform	ND	1.0	ug/L	0.30
Isopropylbenzene	ND	1.0	ug/L	0.30
1,1,2,2-Tetrachloroethane	ND	1.0	ug/L	0.40
1,2,3-Trichloropropane	ND	1.0	ug/L	0.40
n-Propylbenzene	ND	1.0	ug/L	0.40
Bromobenzene	ND	1.0	ug/L	0.30
1,3,5-Trimethylbenzene	ND	1.0	ug/L	0.20
2-Chlorotoluene	ND	1.0	ug/L	0.30
4-Chlorotoluene	ND	1.0	ug/L	0.30
tert-Butylbenzene	ND	1.0	ug/L	0.20
1,2,4-Trimethylbenzene	ND	1.0	ug/L	0.30
sec-Butylbenzene	ND	1.0	ug/L	0.30
p-Isopropyltoluene	ND	1.0	ug/L	0.30
1,3-Dichlorobenzene	ND	1.0	ug/L	0.30
1,4-Dichlorobenzene	ND	1.0	ug/L	0.30
n-Butylbenzene	ND	1.0	ug/L	0.30
1,2-Dichlorobenzene	ND	1.0	ug/L	0.30
1,2-Dibromo-3-chloro-propane	ND	2.0	ug/L	0.70
1,2,4-Trichloro-benzene	ND	1.0	ug/L	0.30
Hexachlorobutadiene	ND	1.0	ug/L	0.30
1,2,3-Trichlorobenzene	ND	1.0	ug/L	0.40
Acrolein	ND	20	ug/L	12
Acrylonitrile	ND	20	ug/L	10
Iodomethane	ND	2.0	ug/L	1.0
2-Chloroethyl vinyl ether	ND	5.0	ug/L	2.0
Tetrahydrofuran	ND	10	ug/L	2.0
Vinyl acetate	ND	5.0	ug/L	2.0

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Bromofluorobenzene	109	(75 - 120)
1,2-Dichloroethane-d4	120	(65 - 130)
Toluene-d8	109	(80 - 130)

NOTE(S):

J Estimated result. Result is less than RL.

TAIT ENVIRONMENTAL

Client Sample ID: SDPHP_0108_07242001_0001

GC/MS Volatiles

Lot-Sample #...: E1G240186-003 **Work Order #...:** EGTTF1AA **Matrix.....:** WATER
Date Sampled...: 07/24/01 **Date Received..:** 07/24/01 11:05 **MS Run #.....:** 1206183
Prep Date.....: 07/25/01 **Analysis Date..:** 07/25/01
Prep Batch #...: 1206310 **Analysis Time..:** 02:58
Dilution Factor: 25
Analyst ID.....: 004648 **Instrument ID..:** MSC
Method.....: SW846 8260B

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Dichlorodifluoromethane	ND	25	ug/L	10
Chloromethane	ND	50	ug/L	7.5
Vinyl chloride	ND	12	ug/L	7.5
Chloroethane	ND	50	ug/L	7.5
Bromomethane	ND	50	ug/L	25
Trichlorofluoromethane	ND	50	ug/L	7.5
1,1,2-Trichlorotrifluoro-ethane	ND	25	ug/L	10
1,1-Dichloroethene	ND	25	ug/L	7.5
Methylene chloride	ND	25	ug/L	7.5
Methyl tert-butyl ether	ND	25	ug/L	12
Carbon disulfide	ND	25	ug/L	7.5
Acetone	ND	250	ug/L	75
trans-1,2-Dichloroethene	ND	25	ug/L	7.5
1,1-Dichloroethane	ND	25	ug/L	5.0
2,2-Dichloropropane	ND	25	ug/L	7.5
cis-1,2-Dichloroethene	**49**	**25**	**ug/L**	**7.5**
Chloroform	ND	25	ug/L	7.5
Bromochloromethane	ND	25	ug/L	7.5
1,1,1-Trichloroethane	ND	25	ug/L	5.0
2-Butanone	ND	120	ug/L	75
1,1-Dichloropropene	ND	25	ug/L	7.5
Carbon tetrachloride	ND	12	ug/L	7.5
1,2-Dibromoethane	ND	25	ug/L	7.5
Benzene	ND	25	ug/L	7.5
Trichloroethene	**1200**	**25**	**ug/L**	**7.5**
Bromodichloromethane	ND	25	ug/L	7.5
4-Methyl-2-pentanone	ND	120	ug/L	75
Toluene	ND	25	ug/L	7.5
1,1,2-Trichloroethane	ND	25	ug/L	7.5
1,2-Dichloroethane	ND	12	ug/L	10
Tetrachloroethene	ND	25	ug/L	7.5
2-Hexanone	ND	120	ug/L	75
Dibromochloromethane	ND	25	ug/L	10
Chlorobenzene	ND	25	ug/L	7.5
1,1,1,2-Tetrachloroethane	ND	25	ug/L	7.5
Ethylbenzene	ND	25	ug/L	5.0

(Continued on next page)

TAIT ENVIRONMENTAL

Client Sample ID: SDPHP_0108_07242001_0001

GC/MS Volatiles

Lot-Sample #...: E1G240186-003 **Work Order #...:** EGTTF1AA **Matrix.....:** WATER

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Xylenes (total)	ND	25	ug/L	20
Styrene	ND	25	ug/L	7.5
Bromoform	ND	25	ug/L	7.5
Isopropylbenzene	ND	25	ug/L	7.5
1,1,2,2-Tetrachloroethane	ND	25	ug/L	10
1,2,3-Trichloropropane	ND	25	ug/L	10
n-Propylbenzene	ND	25	ug/L	10
Bromobenzene	ND	25	ug/L	7.5
1,3,5-Trimethylbenzene	ND	25	ug/L	5.0
2-Chlorotoluene	ND	25	ug/L	7.5
4-Chlorotoluene	ND	25	ug/L	7.5
tert-Butylbenzene	ND	25	ug/L	5.0
1,2,4-Trimethylbenzene	ND	25	ug/L	7.5
sec-Butylbenzene	ND	25	ug/L	7.5
p-Isopropyltoluene	ND	25	ug/L	7.5
1,3-Dichlorobenzene	ND	25	ug/L	7.5
1,4-Dichlorobenzene	ND	25	ug/L	7.5
n-Butylbenzene	ND	25	ug/L	7.5
1,2-Dichlorobenzene	ND	25	ug/L	7.5
1,2-Dibromo-3-chloro-propane	ND	50	ug/L	18
1,2,4-Trichloro-benzene	ND	25	ug/L	7.5
Hexachlorobutadiene	ND	25	ug/L	7.5
1,2,3-Trichlorobenzene	ND	25	ug/L	10
Acrolein	ND	500	ug/L	300
Acrylonitrile	ND	500	ug/L	250
Iodomethane	ND	50	ug/L	25
2-Chloroethyl vinyl ether	ND	120	ug/L	50
Tetrahydrofuran	ND	250	ug/L	50
Vinyl acetate	ND	120	ug/L	50

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Bromofluorobenzene	111	(75 - 120)
1,2-Dichloroethane-d4	119	(65 - 130)
Toluene-d8	112	(80 - 130)

TAIT ENVIRONMENTAL

Client Sample ID: SDPHP_0108_07242001_0001

GC/MS Volatiles

Lot-Sample #...: E1G240186-003 **Work Order #...:** EGTTF2AA **Matrix.....:** WATER
Date Sampled...: 07/24/01 **Date Received..:** 07/24/01 11:05 **MS Run #.....:** 1206183
Prep Date.....: 07/25/01 **Analysis Date..:** 07/25/01
Prep Batch #...: 1206310 **Analysis Time..:** 05:57
Dilution Factor: 5
Analyst ID.....: 004648 **Instrument ID..:** MSC
Method.....: SW846 8260B

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Dichlorodifluoromethane	ND	5.0	ug/L	2.0
Chloromethane	ND	10	ug/L	1.5
Vinyl chloride	ND	2.5	ug/L	1.5
Chloroethane	ND	10	ug/L	1.5
Bromomethane	ND	10	ug/L	5.0
Trichlorofluoromethane	ND	10	ug/L	1.5
1,1,2-Trichlorotrifluoro-ethane	ND	5.0	ug/L	2.0
1,1-Dichloroethene	ND	5.0	ug/L	1.5
Methylene chloride	ND	5.0	ug/L	1.5
Methyl tert-butyl ether	ND	5.0	ug/L	2.5
Carbon disulfide	ND	5.0	ug/L	1.5
Acetone	ND	50	ug/L	15
trans-1,2-Dichloroethene	**3.5 J**	**5.0**	**ug/L**	**1.5**
1,1-Dichloroethane	ND	5.0	ug/L	1.0
2,2-Dichloropropane	ND	5.0	ug/L	1.5
cis-1,2-Dichloroethene	**43**	**5.0**	**ug/L**	**1.5**
Chloroform	**6.0**	**5.0**	**ug/L**	**1.5**
Bromochloromethane	ND	5.0	ug/L	1.5
1,1,1-Trichloroethane	ND	5.0	ug/L	1.0
2-Butanone	ND	25	ug/L	15
1,1-Dichloropropene	ND	5.0	ug/L	1.5
Carbon tetrachloride	ND	2.5	ug/L	1.5
1,2-Dibromoethane	ND	5.0	ug/L	1.5
Benzene	ND	5.0	ug/L	1.5
Trichloroethene	**970 E**	**5.0**	**ug/L**	**1.5**
Bromodichloromethane	ND	5.0	ug/L	1.5
4-Methyl-2-pentanone	ND	25	ug/L	15
Toluene	ND	5.0	ug/L	1.5
1,1,2-Trichloroethane	ND	5.0	ug/L	1.5
1,2-Dichloroethane	ND	2.5	ug/L	2.0
Tetrachloroethene	ND	5.0	ug/L	1.5
2-Hexanone	ND	25	ug/L	15
Dibromochloromethane	ND	5.0	ug/L	2.0
Chlorobenzene	ND	5.0	ug/L	1.5
1,1,1,2-Tetrachloroethane	ND	5.0	ug/L	1.5
Ethylbenzene	ND	5.0	ug/L	1.0

(Continued on next page)

TAIT ENVIRONMENTAL

Client Sample ID: SDPHP_0108_07242001_0001

GC/MS Volatiles

Lot-Sample #...: E1G240186-003 **Work Order #...:** EGTTF2AA **Matrix.....:** WATER

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Xylenes (total)	ND	5.0	ug/L	4.0
Styrene	ND	5.0	ug/L	1.5
Bromoform	ND	5.0	ug/L	1.5
Isopropylbenzene	ND	5.0	ug/L	1.5
1,1,2,2-Tetrachloroethane	ND	5.0	ug/L	2.0
1,2,3-Trichloropropane	ND	5.0	ug/L	2.0
n-Propylbenzene	ND	5.0	ug/L	2.0
Bromobenzene	ND	5.0	ug/L	1.5
1,3,5-Trimethylbenzene	ND	5.0	ug/L	1.0
2-Chlorotoluene	ND	5.0	ug/L	1.5
4-Chlorotoluene	ND	5.0	ug/L	1.5
tert-Butylbenzene	ND	5.0	ug/L	1.0
1,2,4-Trimethylbenzene	ND	5.0	ug/L	1.5
sec-Butylbenzene	ND	5.0	ug/L	1.5
p-Isopropyltoluene	ND	5.0	ug/L	1.5
1,3-Dichlorobenzene	ND	5.0	ug/L	1.5
1,4-Dichlorobenzene	ND	5.0	ug/L	1.5
n-Butylbenzene	ND	5.0	ug/L	1.5
1,2-Dichlorobenzene	ND	5.0	ug/L	1.5
1,2-Dibromo-3-chloro-propane	ND	10	ug/L	3.5
1,2,4-Trichloro-benzene	ND	5.0	ug/L	1.5
Hexachlorobutadiene	ND	5.0	ug/L	1.5
1,2,3-Trichlorobenzene	ND	5.0	ug/L	2.0
Acrolein	ND	100	ug/L	60
Acrylonitrile	ND	100	ug/L	50
Iodomethane	ND	10	ug/L	5.0
2-Chloroethyl vinyl ether	ND	25	ug/L	10
Tetrahydrofuran	ND	50	ug/L	10
Vinyl acetate	ND	25	ug/L	10

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Bromofluorobenzene	108	(75 - 120)
1,2-Dichloroethane-d4	111	(65 - 130)
Toluene-d8	114	(80 - 130)

NOTE(S):

J Estimated result. Result is less than RL.

E Estimated result. Result concentration exceeds the calibration range.

TAIT ENVIRONMENTAL

Client Sample ID: SDPHP_0108_07242001_0003

GC/MS Volatiles

Lot-Sample #...: E1G240186-004 **Work Order #...:** EGTTK1AA **Matrix.....:** WATER
Date Sampled...: 07/24/01 **Date Received..:** 07/24/01 11:05 **MS Run #.....:** 1206183
Prep Date.....: 07/25/01 **Analysis Date..:** 07/25/01
Prep Batch #...: 1206310 **Analysis Time..:** 03:28
Dilution Factor: 25
Analyst ID.....: 004648 **Instrument ID..:** MSC
Method.....: SW846 8260B

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Dichlorodifluoromethane	ND	25	ug/L	10
Chloromethane	ND	50	ug/L	7.5
Vinyl chloride	ND	12	ug/L	7.5
Chloroethane	ND	50	ug/L	7.5
Bromomethane	ND	50	ug/L	25
Trichlorofluoromethane	ND	50	ug/L	7.5
1,1,2-Trichlorotrifluoro-ethane	ND	25	ug/L	10
1,1-Dichloroethene	ND	25	ug/L	7.5
Methylene chloride	ND	25	ug/L	7.5
Methyl tert-butyl ether	ND	25	ug/L	12
Carbon disulfide	ND	25	ug/L	7.5
Acetone	ND	250	ug/L	75
trans-1,2-Dichloroethene	ND	25	ug/L	7.5
1,1-Dichloroethane	ND	25	ug/L	5.0
2,2-Dichloropropane	ND	25	ug/L	7.5
cis-1,2-Dichloroethene	**48**	**25**	**ug/L**	**7.5**
Chloroform	ND	25	ug/L	7.5
Bromochloromethane	ND	25	ug/L	7.5
1,1,1-Trichloroethane	ND	25	ug/L	5.0
2-Butanone	ND	120	ug/L	75
1,1-Dichloropropene	ND	25	ug/L	7.5
Carbon tetrachloride	ND	12	ug/L	7.5
1,2-Dibromoethane	ND	25	ug/L	7.5
Benzene	ND	25	ug/L	7.5
Trichloroethene	**1300**	**25**	**ug/L**	**7.5**
Bromodichloromethane	ND	25	ug/L	7.5
4-Methyl-2-pentanone	ND	120	ug/L	75
Toluene	ND	25	ug/L	7.5
1,1,2-Trichloroethane	ND	25	ug/L	7.5
1,2-Dichloroethane	ND	12	ug/L	10
Tetrachloroethene	ND	25	ug/L	7.5
2-Hexanone	ND	120	ug/L	75
Dibromochloromethane	ND	25	ug/L	10
Chlorobenzene	ND	25	ug/L	7.5
1,1,1,2-Tetrachloroethane	ND	25	ug/L	7.5
Ethylbenzene	ND	25	ug/L	5.0

(Continued on next page)

TAIT ENVIRONMENTAL

Client Sample ID: SDPHP_0108_07242001_0003

GC/MS Volatiles

Lot-Sample #...: E1G240186-004 **Work Order #...:** EGTTK1AA **Matrix.....:** WATER

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Xylenes (total)	ND	25	ug/L	20
Styrene	ND	25	ug/L	7.5
Bromoform	ND	25	ug/L	7.5
Isopropylbenzene	ND	25	ug/L	7.5
1,1,2,2-Tetrachloroethane	ND	25	ug/L	10
1,2,3-Trichloropropane	ND	25	ug/L	10
n-Propylbenzene	ND	25	ug/L	10
Bromobenzene	ND	25	ug/L	7.5
1,3,5-Trimethylbenzene	ND	25	ug/L	5.0
2-Chlorotoluene	ND	25	ug/L	7.5
4-Chlorotoluene	ND	25	ug/L	7.5
tert-Butylbenzene	ND	25	ug/L	5.0
1,2,4-Trimethylbenzene	ND	25	ug/L	7.5
sec-Butylbenzene	ND	25	ug/L	7.5
p-Isopropyltoluene	ND	25	ug/L	7.5
1,3-Dichlorobenzene	ND	25	ug/L	7.5
1,4-Dichlorobenzene	ND	25	ug/L	7.5
n-Butylbenzene	ND	25	ug/L	7.5
1,2-Dichlorobenzene	ND	25	ug/L	7.5
1,2-Dibromo-3-chloro-propane	ND	50	ug/L	18
1,2,4-Trichloro-benzene	ND	25	ug/L	7.5
Hexachlorobutadiene	ND	25	ug/L	7.5
1,2,3-Trichlorobenzene	ND	25	ug/L	10
Acrolein	ND	500	ug/L	300
Acrylonitrile	ND	500	ug/L	250
Iodomethane	ND	50	ug/L	25
2-Chloroethyl vinyl ether	ND	120	ug/L	50
Tetrahydrofuran	ND	250	ug/L	50
Vinyl acetate	ND	120	ug/L	50

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Bromofluorobenzene	111	(75 - 120)
1,2-Dichloroethane-d4	124	(65 - 130)
Toluene-d8	112	(80 - 130)

TAIT ENVIRONMENTAL

Client Sample ID: SDPHP_0108_07242001_0003

GC/MS Volatiles

Lot-Sample #...: E1G240186-004 **Work Order #...:** EGTTK2AA **Matrix.....:** WATER
Date Sampled...: 07/24/01 **Date Received..:** 07/24/01 11:05 **MS Run #.....:** 1206183
Prep Date.....: 07/25/01 **Analysis Date..:** 07/25/01
Prep Batch #...: 1206310 **Analysis Time..:** 06:27
Dilution Factor: 5
Analyst ID.....: 004648 **Instrument ID..:** MSC
Method.....: SW846 8260B

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Dichlorodifluoromethane	ND	5.0	ug/L	2.0
Chloromethane	ND	10	ug/L	1.5
Vinyl chloride	ND	2.5	ug/L	1.5
Chloroethane	ND	10	ug/L	1.5
Bromomethane	ND	10	ug/L	5.0
Trichlorofluoromethane	ND	10	ug/L	1.5
1,1,2-Trichlorotrifluoro-ethane	ND	5.0	ug/L	2.0
1,1-Dichloroethene	ND	5.0	ug/L	1.5
Methylene chloride	ND	5.0	ug/L	1.5
Methyl tert-butyl ether	ND	5.0	ug/L	2.5
Carbon disulfide	ND	5.0	ug/L	1.5
Acetone	ND	50	ug/L	15
trans-1,2-Dichloroethene	**3.7 J**	**5.0**	**ug/L**	**1.5**
1,1-Dichloroethane	ND	5.0	ug/L	1.0
2,2-Dichloropropane	ND	5.0	ug/L	1.5
cis-1,2-Dichloroethene	**46**	**5.0**	**ug/L**	**1.5**
Chloroform	**6.3**	**5.0**	**ug/L**	**1.5**
Bromochloromethane	ND	5.0	ug/L	1.5
1,1,1-Trichloroethane	ND	5.0	ug/L	1.0
2-Butanone	ND	25	ug/L	15
1,1-Dichloropropene	ND	5.0	ug/L	1.5
Carbon tetrachloride	ND	2.5	ug/L	1.5
1,2-Dibromoethane	ND	5.0	ug/L	1.5
Benzene	ND	5.0	ug/L	1.5
Trichloroethene	**1000 E**	**5.0**	**ug/L**	**1.5**
Bromodichloromethane	ND	5.0	ug/L	1.5
4-Methyl-2-pentanone	ND	25	ug/L	15
Toluene	ND	5.0	ug/L	1.5
1,1,2-Trichloroethane	ND	5.0	ug/L	1.5
1,2-Dichloroethane	ND	2.5	ug/L	2.0
Tetrachloroethene	ND	5.0	ug/L	1.5
2-Hexanone	ND	25	ug/L	15
Dibromochloromethane	ND	5.0	ug/L	2.0
Chlorobenzene	ND	5.0	ug/L	1.5
1,1,1,2-Tetrachloroethane	ND	5.0	ug/L	1.5
Ethylbenzene	ND	5.0	ug/L	1.0

(Continued on next page)

TAIT ENVIRONMENTAL

Client Sample ID: SDPHP_0108_07242001_0003

GC/MS Volatiles

Lot-Sample #...: E1G240186-004 **Work Order #...:** EGTTK2AA **Matrix.....:** WATER

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Xylenes (total)	ND	5.0	ug/L	4.0
Styrene	ND	5.0	ug/L	1.5
Bromoform	ND	5.0	ug/L	1.5
Isopropylbenzene	ND	5.0	ug/L	1.5
1,1,2,2-Tetrachloroethane	ND	5.0	ug/L	2.0
1,2,3-Trichloropropane	ND	5.0	ug/L	2.0
n-Propylbenzene	ND	5.0	ug/L	2.0
Bromobenzene	ND	5.0	ug/L	1.5
1,3,5-Trimethylbenzene	ND	5.0	ug/L	1.0
2-Chlorotoluene	ND	5.0	ug/L	1.5
4-Chlorotoluene	ND	5.0	ug/L	1.5
tert-Butylbenzene	ND	5.0	ug/L	1.0
1,2,4-Trimethylbenzene	ND	5.0	ug/L	1.5
sec-Butylbenzene	ND	5.0	ug/L	1.5
p-Isopropyltoluene	ND	5.0	ug/L	1.5
1,3-Dichlorobenzene	ND	5.0	ug/L	1.5
1,4-Dichlorobenzene	ND	5.0	ug/L	1.5
n-Butylbenzene	ND	5.0	ug/L	1.5
1,2-Dichlorobenzene	ND	5.0	ug/L	1.5
1,2-Dibromo-3-chloro-propane	ND	10	ug/L	3.5
1,2,4-Trichloro-benzene	ND	5.0	ug/L	1.5
Hexachlorobutadiene	ND	5.0	ug/L	1.5
1,2,3-Trichlorobenzene	ND	5.0	ug/L	2.0
Acrolein	ND	100	ug/L	60
Acrylonitrile	ND	100	ug/L	50
Iodomethane	ND	10	ug/L	5.0
2-Chloroethyl vinyl ether	ND	25	ug/L	10
Tetrahydrofuran	ND	50	ug/L	10
Vinyl acetate	ND	25	ug/L	10

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Bromofluorobenzene	104	(75 - 120)
1,2-Dichloroethane-d4	109	(65 - 130)
Toluene-d8	106	(80 - 130)

NOTE(S):

J Estimated result. Result is less than RL.

E Estimated result. Result concentration exceeds the calibration range.

QC DATA ASSOCIATION SUMMARY

E1G240186

Sample Preparation and Analysis Control Numbers

SAMPLE#	MATRIX	ANALYTICAL METHOD	LEACH BATCH #	PREP BATCH #	MS RUN#
001	WATER	SW846 8260B		1206443	1206252
002	WATER	SW846 8260B		1206310	1206183
003	WATER	SW846 8260B		1206310	1206183
004	WATER	SW846 8260B		1206310	1206183

BOE-C6-0153738

METHOD BLANK REPORT

GC/MS Volatiles

Client Lot #...: E1G240186
MB Lot-Sample #: E1G250000-310
Analysis Date..: 07/24/01
Dilution Factor: 1

Work Order #...: EGWPX1AA
Prep Date.....: 07/24/01
Prep Batch #...: 1206310
Analyst ID.....: 004648

Matrix.....: WATER
Analysis Time..: 20:59
Instrument ID..: MSC

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD
Dichlorodifluoromethane	ND	1.0	ug/L	SW846 8260B
Chloromethane	ND	2.0	ug/L	SW846 8260B
Vinyl chloride	ND	0.50	ug/L	SW846 8260B
Chloroethane	ND	2.0	ug/L	SW846 8260B
Bromomethane	ND	2.0	ug/L	SW846 8260B
Trichlorofluoromethane	ND	2.0	ug/L	SW846 8260B
1,1,2-Trichlorotrifluoro-ethane	ND	1.0	ug/L	SW846 8260B
1,1-Dichloroethene	ND	1.0	ug/L	SW846 8260B
Methylene chloride	ND	1.0	ug/L	SW846 8260B
Methyl tert-butyl ether	ND	1.0	ug/L	SW846 8260B
Carbon disulfide	ND	1.0	ug/L	SW846 8260B
Acetone	ND	10	ug/L	SW846 8260B
trans-1,2-Dichloroethene	ND	1.0	ug/L	SW846 8260B
1,1-Dichloroethane	ND	1.0	ug/L	SW846 8260B
2,2-Dichloropropane	ND	1.0	ug/L	SW846 8260B
cis-1,2-Dichloroethene	ND	1.0	ug/L	SW846 8260B
Chloroform	ND	1.0	ug/L	SW846 8260B
Bromochloromethane	ND	1.0	ug/L	SW846 8260B
1,1,1-Trichloroethane	ND	1.0	ug/L	SW846 8260B
2-Butanone	ND	5.0	ug/L	SW846 8260B
1,1-Dichloropropene	ND	1.0	ug/L	SW846 8260B
Carbon tetrachloride	ND	0.50	ug/L	SW846 8260B
1,2-Dibromoethane	ND	1.0	ug/L	SW846 8260B
Benzene	ND	1.0	ug/L	SW846 8260B
Trichloroethene	ND	1.0	ug/L	SW846 8260B
Bromodichloromethane	ND	1.0	ug/L	SW846 8260B
4-Methyl-2-pentanone	ND	5.0	ug/L	SW846 8260B
Toluene	ND	1.0	ug/L	SW846 8260B
1,1,2-Trichloroethane	ND	1.0	ug/L	SW846 8260B
1,2-Dichloroethane	ND	0.50	ug/L	SW846 8260B
Tetrachloroethene	ND	1.0	ug/L	SW846 8260B
2-Hexanone	ND	5.0	ug/L	SW846 8260B
Dibromochloromethane	ND	1.0	ug/L	SW846 8260B
Chlorobenzene	ND	1.0	ug/L	SW846 8260B
1,1,1,2-Tetrachloroethane	ND	1.0	ug/L	SW846 8260B
Ethylbenzene	ND	1.0	ug/L	SW846 8260B
Xylenes (total)	ND	1.0	ug/L	SW846 8260B
Styrene	ND	1.0	ug/L	SW846 8260B
Bromoform	ND	1.0	ug/L	SW846 8260B

(Continued on next page)

METHOD BLANK REPORT

GC/MS Volatiles

Client Lot #...: E1G240186 **Work Order #...:** EGWPX1AA **Matrix.....:** WATER

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD
Isopropylbenzene	ND	1.0	ug/L	SW846 8260B
1,1,2,2-Tetrachloroethane	ND	1.0	ug/L	SW846 8260B
1,2,3-Trichloropropane	ND	1.0	ug/L	SW846 8260B
n-Propylbenzene	ND	1.0	ug/L	SW846 8260B
Bromobenzene	ND	1.0	ug/L	SW846 8260B
1,3,5-Trimethylbenzene	ND	1.0	ug/L	SW846 8260B
2-Chlorotoluene	ND	1.0	ug/L	SW846 8260B
4-Chlorotoluene	ND	1.0	ug/L	SW846 8260B
tert-Butylbenzene	ND	1.0	ug/L	SW846 8260B
1,2,4-Trimethylbenzene	ND	1.0	ug/L	SW846 8260B
sec-Butylbenzene	ND	1.0	ug/L	SW846 8260B
p-Isopropyltoluene	ND	1.0	ug/L	SW846 8260B
1,3-Dichlorobenzene	ND	1.0	ug/L	SW846 8260B
1,4-Dichlorobenzene	ND	1.0	ug/L	SW846 8260B
n-Butylbenzene	ND	1.0	ug/L	SW846 8260B
1,2-Dichlorobenzene	ND	1.0	ug/L	SW846 8260B
1,2-Dibromo-3-chloro-propane	ND	2.0	ug/L	SW846 8260B
1,2,4-Trichloro-benzene	ND	1.0	ug/L	SW846 8260B
Hexachlorobutadiene	ND	1.0	ug/L	SW846 8260B
1,2,3-Trichlorobenzene	ND	1.0	ug/L	SW846 8260B
Acrolein	ND	20	ug/L	SW846 8260B
Acrylonitrile	ND	20	ug/L	SW846 8260B
Iodomethane	ND	2.0	ug/L	SW846 8260B
2-Chloroethyl vinyl ether	ND	5.0	ug/L	SW846 8260B
Tetrahydrofuran	ND	10	ug/L	SW846 8260B
Vinyl acetate	ND	5.0	ug/L	SW846 8260B

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Bromofluorobenzene	110	(75 - 120)
1,2-Dichloroethane-d4	116	(65 - 130)
Toluene-d8	112	(80 - 130)

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

METHOD BLANK REPORT

GC/MS Volatiles

Client Lot #...: E1G240186
MB Lot-Sample #: E1G250000-443
Work Order #...: EGXD21AA
Matrix.....: WATER
Prep Date.....: 07/25/01
Analysis Time..: 09:30
Analysis Date..: 07/25/01
Prep Batch #...: 1206443
Instrument ID..: MSC
Dilution Factor: 1
Analyst ID.....: 004648

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD
Dichlorodifluoromethane	ND	1.0	ug/L	SW846 8260B
Chloromethane	ND	2.0	ug/L	SW846 8260B
Vinyl chloride	ND	0.50	ug/L	SW846 8260B
Chloroethane	ND	2.0	ug/L	SW846 8260B
Bromomethane	ND	2.0	ug/L	SW846 8260B
Trichlorofluoromethane	ND	2.0	ug/L	SW846 8260B
1,1,2-Trichlorotrifluoro-ethane	ND	1.0	ug/L	SW846 8260B
1,1-Dichloroethene	ND	1.0	ug/L	SW846 8260B
Methylene chloride	ND	1.0	ug/L	SW846 8260B
Methyl tert-butyl ether	ND	1.0	ug/L	SW846 8260B
Carbon disulfide	ND	1.0	ug/L	SW846 8260B
Acetone	ND	10	ug/L	SW846 8260B
trans-1,2-Dichloroethene	ND	1.0	ug/L	SW846 8260B
1,1-Dichloroethane	ND	1.0	ug/L	SW846 8260B
2,2-Dichloropropane	ND	1.0	ug/L	SW846 8260B
cis-1,2-Dichloroethene	ND	1.0	ug/L	SW846 8260B
Chloroform	ND	1.0	ug/L	SW846 8260B
Bromochloromethane	ND	1.0	ug/L	SW846 8260B
1,1,1-Trichloroethane	ND	1.0	ug/L	SW846 8260B
2-Butanone	ND	5.0	ug/L	SW846 8260B
1,1-Dichloropropene	ND	1.0	ug/L	SW846 8260B
Carbon tetrachloride	ND	0.50	ug/L	SW846 8260B
1,2-Dibromoethane	ND	1.0	ug/L	SW846 8260B
Benzene	ND	1.0	ug/L	SW846 8260B
Trichloroethene	ND	1.0	ug/L	SW846 8260B
Bromodichloromethane	ND	1.0	ug/L	SW846 8260B
4-Methyl-2-pentanone	ND	5.0	ug/L	SW846 8260B
Toluene	ND	1.0	ug/L	SW846 8260B
1,1,2-Trichloroethane	ND	1.0	ug/L	SW846 8260B
1,2-Dichloroethane	ND	0.50	ug/L	SW846 8260B
Tetrachloroethene	ND	1.0	ug/L	SW846 8260B
2-Hexanone	ND	5.0	ug/L	SW846 8260B
Dibromochloromethane	ND	1.0	ug/L	SW846 8260B
Chlorobenzene	ND	1.0	ug/L	SW846 8260B
1,1,1,2-Tetrachloroethane	ND	1.0	ug/L	SW846 8260B
Ethylbenzene	ND	1.0	ug/L	SW846 8260B
Xylenes (total)	ND	1.0	ug/L	SW846 8260B
Styrene	ND	1.0	ug/L	SW846 8260B
Bromoform	ND	1.0	ug/L	SW846 8260B

(Continued on next page)

METHOD BLANK REPORT

GC/MS Volatiles

Client Lot #...: E1G240186 **Work Order #...:** EGXD21AA **Matrix.....:** WATER

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD
Isopropylbenzene	ND	1.0	ug/L	SW846 8260B
1,1,2,2-Tetrachloroethane	ND	1.0	ug/L	SW846 8260B
1,2,3-Trichloropropane	ND	1.0	ug/L	SW846 8260B
n-Propylbenzene	ND	1.0	ug/L	SW846 8260B
Bromobenzene	ND	1.0	ug/L	SW846 8260B
1,3,5-Trimethylbenzene	ND	1.0	ug/L	SW846 8260B
2-Chlorotoluene	ND	1.0	ug/L	SW846 8260B
4-Chlorotoluene	ND	1.0	ug/L	SW846 8260B
tert-Butylbenzene	ND	1.0	ug/L	SW846 8260B
1,2,4-Trimethylbenzene	ND	1.0	ug/L	SW846 8260B
sec-Butylbenzene	ND	1.0	ug/L	SW846 8260B
p-Isopropyltoluene	ND	1.0	ug/L	SW846 8260B
1,3-Dichlorobenzene	ND	1.0	ug/L	SW846 8260B
1,4-Dichlorobenzene	ND	1.0	ug/L	SW846 8260B
n-Butylbenzene	ND	1.0	ug/L	SW846 8260B
1,2-Dichlorobenzene	ND	1.0	ug/L	SW846 8260B
1,2-Dibromo-3-chloro-propane	ND	2.0	ug/L	SW846 8260B
1,2,4-Trichloro-benzene	ND	1.0	ug/L	SW846 8260B
Hexachlorobutadiene	ND	1.0	ug/L	SW846 8260B
1,2,3-Trichlorobenzene	ND	1.0	ug/L	SW846 8260B
Acrolein	ND	20	ug/L	SW846 8260B
Acrylonitrile	ND	20	ug/L	SW846 8260B
Iodomethane	ND	2.0	ug/L	SW846 8260B
2-Chloroethyl vinyl ether	ND	5.0	ug/L	SW846 8260B
Tetrahydrofuran	ND	10	ug/L	SW846 8260B
Vinyl acetate	ND	5.0	ug/L	SW846 8260B

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Bromofluorobenzene	107	(75 - 120)
1,2-Dichloroethane-d4	112	(65 - 130)
Toluene-d8	109	(80 - 130)

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

LABORATORY CONTROL SAMPLE DATA REPORT

GC/MS Volatiles

Client Lot #...: E1G240186 **Work Order #...:** EGWPX1AC **Matrix.....:** WATER
LCS Lot-Sample#: E1G250000-310
Prep Date.....: 07/24/01 **Analysis Date..:** 07/24/01
Prep Batch #...: 1206310 **Analysis Time..:** 20:29
Dilution Factor: 1 **Instrument ID..:** MSC
Analyst ID.....: 004648

PARAMETER	SPIKE AMOUNT	MEASURED AMOUNT	UNITS	PERCENT RECOVERY	METHOD
1,1-Dichloroethene	**10.0**	**9.26**	**ug/L**	**93**	**SW846 8260B**
Benzene	**10.0**	**9.52**	**ug/L**	**95**	**SW846 8260B**
Trichloroethene	**10.0**	**9.24**	**ug/L**	**92**	**SW846 8260B**
Toluene	**10.0**	**9.56**	**ug/L**	**96**	**SW846 8260B**
Chlorobenzene	**10.0**	**9.29**	**ug/L**	**93**	**SW846 8260B**

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Bromofluorobenzene	114	(75 - 120)
1,2-Dichloroethane-d4	115	(65 - 130)
Toluene-d8	117	(80 - 130)

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

Bold print denotes control parameters

LABORATORY CONTROL SAMPLE DATA REPORT

GC/MS Volatiles

Client Lot #...: E1G240186 **Work Order #...:** EGXD21AC **Matrix.....:** WATER
LCS Lot-Sample#: E1G250000-443
Prep Date.....: 07/25/01 **Analysis Date..:** 07/25/01
Prep Batch #...: 1206443 **Analysis Time..:** 09:01
Dilution Factor: 1 **Instrument ID..:** MSC
Analyst ID.....: 004648

PARAMETER	SPIKE AMOUNT	MEASURED AMOUNT	UNITS	PERCENT RECOVERY	METHOD
1,1-Dichloroethene	**10.0**	**9.42**	**ug/L**	**94**	**SW846 8260B**
Benzene	**10.0**	**9.76**	**ug/L**	**98**	**SW846 8260B**
Trichloroethene	**10.0**	**9.35**	**ug/L**	**94**	**SW846 8260B**
Toluene	**10.0**	**9.58**	**ug/L**	**96**	**SW846 8260B**
Chlorobenzene	**10.0**	**9.43**	**ug/L**	**94**	**SW846 8260B**

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Bromofluorobenzene	105	(75 - 120)
1,2-Dichloroethane-d4	110	(65 - 130)
Toluene-d8	104	(80 - 130)

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

Bold print denotes control parameters

LABORATORY CONTROL SAMPLE EVALUATION REPORT

GC/MS Volatiles

Client Lot #...: E1G240186 **Work Order #...:** EGWPX1AC **Matrix.....:** WATER
LCS Lot-Sample#: E1G250000-310
Prep Date.....: 07/24/01 **Analysis Date..:** 07/24/01
Prep Batch #...: 1206310 **Analysis Time..:** 20:29
Dilution Factor: 1 **Instrument ID..:** MSC
Analyst ID.....: 004648

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	METHOD
1,1-Dichloroethene	**93**	**(70 - 130)**	**SW846 8260B**
Benzene	**95**	**(75 - 120)**	**SW846 8260B**
Trichloroethene	**92**	**(75 - 130)**	**SW846 8260B**
Toluene	**96**	**(80 - 120)**	**SW846 8260B**
Chlorobenzene	**93**	**(80 - 120)**	**SW846 8260B**

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Bromofluorobenzene	114	(75 - 120)
1,2-Dichloroethane-d4	115	(65 - 130)
Toluene-d8	117	(80 - 130)

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

Bold print denotes control parameters

LABORATORY CONTROL SAMPLE EVALUATION REPORT

GC/MS Volatiles

Client Lot #...: E1G240186 **Work Order #...:** EGXD21AC **Matrix.....:** WATER
LCS Lot-Sample#: E1G250000-443
Prep Date.....: 07/25/01 **Analysis Date..:** 07/25/01
Prep Batch #...: 1206443 **Analysis Time..:** 09:01
Dilution Factor: 1 **Instrument ID..:** MSC
Analyst ID.....: 004648

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	METHOD
1,1-Dichloroethene	**94**	**(70 - 130)**	**SW846 8260B**
Benzene	**98**	**(75 - 120)**	**SW846 8260B**
Trichloroethene	**94**	**(75 - 130)**	**SW846 8260B**
Toluene	**96**	**(80 - 120)**	**SW846 8260B**
Chlorobenzene	**94**	**(80 - 120)**	**SW846 8260B**

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Bromofluorobenzene	105	(75 - 120)
1,2-Dichloroethane-d4	110	(65 - 130)
Toluene-d8	104	(80 - 130)

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

Bold print denotes control parameters

MATRIX SPIKE SAMPLE DATA REPORT

GC/MS Volatiles

Client Lot #...:	E1G240186	**Work Order #...:**	EGTPV1AC-MS	**Matrix.....:**	WATER
MS Lot-Sample #:	E1G240181-001		EGTPV1AD-MSD		
Date Sampled...:	07/20/01 08:20	**Date Received..:**	07/24/01 09:40	**MS Run #.....:**	1206183
Prep Date.....:	07/25/01	**Analysis Date..:**	07/25/01		
Prep Batch #...:	1206310	**Analysis Time..:**	03:58		
Dilution Factor:	1	**Analyst ID.....:**	004648	**Instrument ID..:**	MSC

PARAMETER	SAMPLE AMOUNT	SPIKE AMT	MEASRD AMOUNT	UNITS	PERCENT RECOVERY	RPD	METHOD
1,1-Dichloroethene	**ND**	**10.0**	**9.36**	**ug/L**	**94**		**SW846 8260B**
	ND	**10.0**	**9.31**	**ug/L**	**93**	**0.53**	**SW846 8260B**
Benzene	**ND**	**10.0**	**9.64**	**ug/L**	**96**		**SW846 8260B**
	ND	**10.0**	**9.58**	**ug/L**	**96**	**0.62**	**SW846 8260B**
Trichloroethene	**ND**	**10.0**	**9.47**	**ug/L**	**95**		**SW846 8260B**
	ND	**10.0**	**9.16**	**ug/L**	**92**	**3.3**	**SW846 8260B**
Toluene	**ND**	**10.0**	**9.54**	**ug/L**	**95**		**SW846 8260B**
	ND	**10.0**	**9.55**	**ug/L**	**96**	**0.10**	**SW846 8260B**
Chlorobenzene	**ND**	**10.0**	**9.40**	**ug/L**	**94**		**SW846 8260B**
	ND	**10.0**	**9.24**	**ug/L**	**92**	**1.7**	**SW846 8260B**

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Bromofluorobenzene	114	(75 - 120)
	112	(75 - 120)
1,2-Dichloroethane-d4	123	(65 - 130)
	120	(65 - 130)
Toluene-d8	113	(80 - 130)
	113	(80 - 130)

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

Bold print denotes control parameters

MATRIX SPIKE SAMPLE DATA REPORT

GC/MS Volatiles

Client Lot #...:	E1G240186	**Work Order #...:**	EGVCN1A7-MS	**Matrix.....:**	WATER
MS Lot-Sample #:	E1G240235-002		EGVCN1A8-MSD		
Date Sampled...:	07/24/01 08:35	**Date Received..:**	07/24/01 17:05	**MS Run #.....:**	1206252
Prep Date.....:	07/25/01	**Analysis Date..:**	07/25/01		
Prep Batch #...:	1206443	**Analysis Time..:**	18:31		
Dilution Factor:	1	**Analyst ID.....:**	015590	**Instrument ID..:**	MSC

PARAMETER	SAMPLE AMOUNT	SPIKE AMT	MEASRD AMOUNT	UNITS	PERCENT RECOVERY	RPD	METHOD
1,1-Dichloroethene	**5.6**	**10.0**	**14.4**	**ug/L**	**88**		**SW846 8260B**
	5.6	**10.0**	**14.7**	**ug/L**	**91**	**1.8**	**SW846 8260B**
Benzene	**ND**	**10.0**	**9.68**	**ug/L**	**97**		**SW846 8260B**
	ND	**10.0**	**10.1**	**ug/L**	**101**	**3.9**	**SW846 8260B**
Trichloroethene	**17**	**10.0**	**25.1**	**ug/L**	**82**		**SW846 8260B**
	17	**10.0**	**25.2**	**ug/L**	**83**	**0.47**	**SW846 8260B**
Toluene	**ND**	**10.0**	**9.38**	**ug/L**	**94**		**SW846 8260B**
	ND	**10.0**	**9.54**	**ug/L**	**95**	**1.7**	**SW846 8260B**
Chlorobenzene	**ND**	**10.0**	**9.33**	**ug/L**	**93**		**SW846 8260B**
	ND	**10.0**	**9.47**	**ug/L**	**95**	**1.5**	**SW846 8260B**

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Bromofluorobenzene	102	(75 - 120)
	105	(75 - 120)
1,2-Dichloroethane-d4	117	(65 - 130)
	117	(65 - 130)
Toluene-d8	100	(80 - 130)
	103	(80 - 130)

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

Bold print denotes control parameters

MATRIX SPIKE SAMPLE EVALUATION REPORT

GC/MS Volatiles

Client Lot #...:	E1G240186	**Work Order #...:**	EGTPV1AC-MS EGTPV1AD-MSD	**Matrix.....:**	WATER
MS Lot-Sample #:	E1G240181-001				
Date Sampled...:	07/20/01 08:20	**Date Received..:**	07/24/01 09:40	**MS Run #.....:**	1206183
Prep Date.....:	07/25/01	**Analysis Date..:**	07/25/01		
Prep Batch #...:	1206310	**Analysis Time..:**	03:58		
Dilution Factor:	1	**Analyst ID.....:**	004648	**Instrument ID..:**	MSC

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	RPD	RPD LIMITS	METHOD
1,1-Dichloroethene	**94**	**(70 - 130)**			**SW846 8260B**
	93	**(70 - 130)**	**0.53**	**(0-25)**	**SW846 8260B**
Benzene	**96**	**(75 - 120)**			**SW846 8260B**
	96	**(75 - 120)**	**0.62**	**(0-25)**	**SW846 8260B**
Trichloroethene	**95**	**(75 - 130)**			**SW846 8260B**
	92	**(75 - 130)**	**3.3**	**(0-25)**	**SW846 8260B**
Toluene	**95**	**(80 - 120)**			**SW846 8260B**
	96	**(80 - 120)**	**0.10**	**(0-25)**	**SW846 8260B**
Chlorobenzene	**94**	**(80 - 120)**			**SW846 8260B**
	92	**(80 - 120)**	**1.7**	**(0-25)**	**SW846 8260B**

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Bromofluorobenzene	114	(75 - 120)
	112	(75 - 120)
1,2-Dichloroethane-d4	123	(65 - 130)
	120	(65 - 130)
Toluene-d8	113	(80 - 130)
	113	(80 - 130)

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

Bold print denotes control parameters

MATRIX SPIKE SAMPLE EVALUATION REPORT

GC/MS Volatiles

Client Lot #...:	E1G240186	**Work Order #...:**	EGVCN1A7-MS EGVCN1A8-MSD	**Matrix.....:**	WATER
MS Lot-Sample #:	E1G240235-002				
Date Sampled...:	07/24/01 08:35	**Date Received..:**	07/24/01 17:05	**MS Run #.....:**	1206252
Prep Date.....:	07/25/01	**Analysis Date..:**	07/25/01		
Prep Batch #...:	1206443	**Analysis Time..:**	18:31		
Dilution Factor:	1	**Analyst ID.....:**	015590	**Instrument ID..:**	MSC

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	RPD	RPD LIMITS	METHOD
1,1-Dichloroethene	**88**	**(70 - 130)**			**SW846 8260B**
	91	**(70 - 130)**	**1.8**	**(0-25)**	**SW846 8260B**
Benzene	**97**	**(75 - 120)**			**SW846 8260B**
	101	**(75 - 120)**	**3.9**	**(0-25)**	**SW846 8260B**
Trichloroethene	**82**	**(75 - 130)**			**SW846 8260B**
	83	**(75 - 130)**	**0.47**	**(0-25)**	**SW846 8260B**
Toluene	**94**	**(80 - 120)**			**SW846 8260B**
	95	**(80 - 120)**	**1.7**	**(0-25)**	**SW846 8260B**
Chlorobenzene	**93**	**(80 - 120)**			**SW846 8260B**
	95	**(80 - 120)**	**1.5**	**(0-25)**	**SW846 8260B**

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Bromofluorobenzene	102	(75 - 120)
	105	(75 - 120)
1,2-Dichloroethane-d4	117	(65 - 130)
	117	(65 - 130)
Toluene-d8	100	(80 - 130)
	103	(80 - 130)

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

Bold print denotes control parameters

Subcontracted Analysis

BOE-C6-0153751

Del Mar Analytical

2852 Alton Ave., Irvine, CA 92606 (949) 261-1022 FAX (949) 261-1228
1014 E. Coldby Dr., Suite A, Colton, CA 92324 (909) 370-4667 FAX (909) 370-1046
7277 Hayvenhurst, Suite B-12, Van Nuys, CA 91406 (818) 779-1844 FAX (818) 779-1843
9484 Chesapeake Dr., Suite 805, San Diego, CA 92123 (858) 505-8596 FAX (858) 505-9589
9830 South 51st St., Suite B-120, Phoenix, AZ 85044 (480) 785-0043 FAX (480) 785-0851

LABORATORY REPORT

Prepared For: STL Los Angeles
1721 S. Grand Avenue
Santa Ana, CA 92705

Attention: Diane Suzuki
Project: E1G240186

Sampled: 07/24/01
Received: 07/24/01
Reported: 07/25/01

This laboratory report is confidential and is intended for the sole use of Del Mar Analytical and its client. This entire report was reviewed and approved for release.

CA ELAP Certificate #1197
AZ DHS License #AZ0428

Del Mar Analytical, Irvine
Pat Abe
Project Manager

000033

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from Del Mar Analytical.

Del Mar Analytical

2852 Alton Ave., Irvine, CA 92606 (949) 261-1022 FAX (949) 261-1228
1014 E. Coldby Dr., Suite A, Colton, CA 92324 (909) 370-4667 FAX (909) 370-1046
7277 Hayvenhurst, Suite B-12, Van Nuys, CA 91406 (818) 779-1844 FAX (818) 779-1843
9484 Chesapeake Dr., Suite 805, San Diego, CA 92123 (858) 505-8596 FAX (858) 505-9589
9830 South 51st St., Suite B-120, Phoenix, AZ 85044 (480) 785-0043 FAX (480) 785-0851

STL Los Angeles
1721 S. Grand Avenue
Santa Ana, CA 92705
Attention: Diane Suzuki

Project ID: E1G240186

Report Number: IKG0826

Sampled: 07/24/01
Received: 07/24/01

INORGANICS

Analyte	Method	Batch	MDL Limit	Reporting Limit	Sample Result	Dilution Factor	Date Extracted	Date Analyzed	Data Qualifiers
			mg/l	mg/l	mg/l				
Sample ID: IKG0826-01 (MDHP-0005-07242001-0001 - Water)									
Chromium VI	EPA 7199	I1G2469	0.00020	0.0020	ND	1	07/24/01	07/24/01	P2
Sample ID: IKG0826-02 (MDHP-0005-07242001-0003 - Water)									
Chromium VI	EPA 7199	I1G2469	0.00020	0.0020	**0.00025**	1	07/24/01	07/24/01	P2,J

Del Mar Analytical, Irvine
Pat Abe
Project Manager

000034

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from Del Mar Analytical.

Del Mar Analytical

2852 Alton Ave., Irvine, CA 92606 (949) 261-1022 FAX (949) 261-1228
1014 E. Coldby Dr., Suite A, Colton, CA 92324 (909) 370-4667 FAX (909) 370-1046
7277 Hayvenhurst, Suite B-12, Van Nuys, CA 91406 (818) 779-1844 FAX (818) 779-1843
9484 Chesapeake Dr., Suite 805, San Diego, CA 92123 (858) 505-8596 FAX (858) 505-9589
9830 South 51st St., Suite B-120, Phoenix, AZ 85044 (480) 785-0043 FAX (480) 785-0851

STL Los Angeles
1721 S. Grand Avenue
Santa Ana, CA 92705
Attention: Diane Suzuki

Project ID: E1G240186

Report Number: IKG0826

Sampled: 07/24/01
Received: 07/24/01

METHOD BLANK/QC DATA

INORGANICS

Analyte	Result	Reporting Limit	MDL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Data Qualifiers
Batch: I1G2469 Extracted: 07/24/01											
Blank Analyzed: 07/24/01 (I1G2469-BLK1)											
Chromium VI	ND	0.0020	0.00020	mg/l							
LCS Analyzed: 07/24/01 (I1G2469-BS1)											
Chromium VI	0.0508	0.0020	0.00020	mg/l	0.0500		102	90-110			
Matrix Spike Analyzed: 07/24/01 (I1G2469-MS1)						**Source: IKG0826-01**					
Chromium VI	0.0534	0.0020	0.00020	mg/l	0.0500	ND	107	70-130			*P2*
Matrix Spike Dup Analyzed: 07/24/01 (I1G2469-MSD1)						**Source: IKG0826-01**					
Chromium VI	0.0537	0.0020	0.00020	mg/l	0.0500	ND	107	70-130	0.560	15	*P2*

Del Mar Analytical, Irvine
Pat Abe
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from Del Mar Analytical.

Del Mar Analytical

2852 Alton Ave., Irvine, CA 92606 (949) 261-1022 FAX (949) 261-1228
1014 E. Coldby Dr., Suite A, Colton, CA 92324 (909) 370-4667 FAX (909) 370-1046
7277 Hayvenhurst, Suite B-12, Van Nuys, CA 91406 (818) 779-1844 FAX (818) 779-1843
9484 Chesapeake Dr., Suite 805, San Diego, CA 92123 (858) 505-8596 FAX (858) 505-9589
9830 South 51st St., Suite B-120, Phoenix, AZ 85044 (480) 785-0043 FAX (480) 785-0851

STL Los Angeles
1721 S. Grand Avenue
Santa Ana, CA 92705
Attention: Diane Suzuki

Project ID: E1G240186

Report Number: IKG0826

Sampled: 07/24/01
Received: 07/24/01

DATA QUALIFIERS AND DEFINITIONS

J	Estimated value. Analyte detected at a level less than the Reporting Limit (RL) and greater than or equal to the Method Detection Limit (MDL). The user of this data should be aware that this data is of unknown quality.
P2	Sample received without chemical preservation, but preserved by the laboratory.
ND	Analyte NOT DETECTED at or above the reporting limit or MDL, if MDL is specified.
NR	Not reported.
RPD	Relative Percent Difference

Del Mar Analytical, Irvine
Pat Abe
Project Manager

000036

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from Del Mar Analytical.

[redacted]

Chain of Custody Record

SEVERN TRENT SERVICES

Severn Trent Laboratories, Inc.

STL-4124 (0700)

Client	Project Manager	Date	Chain of Custody Number
SRL - LA	D. Suzuki	07/24/01	054002
Address	**Telephone Number (Area Code)/Fax Number**	**Lab Number**	**Page 1 of 1**
1721 So. Grand Ave	(714) 258-8610 Ext 307	EIG240186	

City	State	Zip Code	Site Contact	Lab Contact
Santa Ana	CA	92705		

Project Name and Location (State):

Carrier/Waybill Number:

Contract/Purchase Order/Quote No.:

Analysis (Attach list if more space is needed): EPA 7199

Special Instructions/ Conditions of Receipt

Sample I.D. No. and Description (Containers for each sample may be combined on one line)	Date	Time	Air	Aqueous	Sed.	Soil	Unpres.	H2SO4	HNOS	HCl	NaOH	ZnAc/ NaOH	EPA 7199
MDHP_0005_07242001_0001	07/24/01	0850		X									X
MDHP_0005_07242001_0003	"	"		X									X

Possible Hazard Identification: ☐ Non-Hazard ☐ Flammable ☐ Skin Irritant ☐ Poison B ☐ Unknown

Sample Disposal: ☐ Return To Client ☐ Disposal By Lab ☐ Archive For _____ Months (A fee may be assessed if samples are retained longer than 3 months)

Turn Around Time Required: ☒ 24 Hours ☐ 48 Hours ☐ 7 Days ☐ 14 Days ☐ 21 Days ☐ Other _____

QC Requirements (Specify):

	Date	Time		Date	Time
1. Relinquished By: Brian S. - SRL	07/24/01	1400	1. Received By: [signature]	7-24-01	1600
2. Relinquished By			2. Received By		
3. Relinquished By			3. Received By: [signature]	7/24/01	1600

Comments:

DISTRIBUTION: WHITE - Stays with the Sample; CANARY - Returned to Client with Report; PINK - Field Copy

000037

BOE-C6-0153756