SEVERN TRENT SERVICES

STL Los Angeles

1721 South Grand Avenue
Santa Ana, CA 92705-4808

Tel: (714) 258-8610
Fax: (714) 258-0921

www.stl-inc.com

November 27, 2000

STL LOT NUMBER: **E0J250140**

Rus Purcell
Kennedy/Jenks Consultants
2151 Michelson Drive
Suite 100
Irvine, CA 92612

Dear Mr. Purcell,

This report contains the analytical results for the 38 samples received under chain of custody by STL Los Angeles on October 24, 2000. These samples are associated with your Boeing Parcel C; C-6 project.

All applicable quality control procedures met method-specified acceptance criteria except as noted on the following page. Matrix related anomalies are footnoted within the report.

This report shall not be reproduced except in full, without the written approval of the laboratory.

If you have any questions, please feel free to call me at 714-258-8610.

Sincerely,

Diane Suzuki
Project Manager

cc: Project File

SEVERN TRENT SERVICES

LOT NUMBER E0J250140

Nonconformance E01043

Affected Samples:
33: C-2-246-2

Affected Methods:
8082

Case Narrative:
The closing CCV was out high.

Corrective Action:
The samples with hits (282-1,4,5 and 140-33) were reanalyzed.

The closing standard on the reanalysis was out high. The second set of results is reported. Both sets of data are similar.

Nonconformance E01093

Affected Samples:

9: C-2-229-5	15: C-2-237-10
18: C-2-238-10	19: C-2-238-15
28: C-2-242-5	31: C-2-243-10
34: C-2-245-1	35: C-2-245-5

Affected Methods:
8015B

Case Narrative:
CCV was recovered high and outside of control limits. However, the analyte was not detected in any of the samples; therefore, positive bias is not expected to impact data quality.

The closing RT marker standard was out slightly high at 15.8%D. The MB and LCS met criteria. The samples were analyzed twice.

Corrective Action:
Maintenance was done before the second analysis. The reanalysis results are reported. Also MeCl2 was inserted after a bad matrix.

STL Committed To Your Success

SEVERN TRENT LABORATORIES

No. 203023

CHAIN OF CUSTODY RECORD

CUSTOMER INFORMATION	PROJECT INFORMATION
COMPANY: Kennedy Jenks	PROJECT NAME/NUMBER: 004032.01
SEND REPORT TO: Jay Knight	BILLING INFORMATION
ADDRESS: 2151 Michelson Dr. Ste 100	BILL TO:
Irvine, Ca 92612	ADDRESS:
PHONE: 949-261-1577	PHONE:
FAX:	FAX: PO NO.:

SAMPLE NO.	SAMPLE DESCRIPTION	SAMPLE DATE	SAMPLE TIME	SAMPLE MATRIX	CONTAINER	PRESERV.	NUMBER OF CONTAINERS	8260 VOC	6010 METALS	8015 TPH						REMARKS/PRECAUTIONS
	C-2-226-5	10-23-00	9:20	Soil	Poly liner	ICE	1	X	X	X						
	C-2-226-10		9:23					X		X						
	C-2-226-15		9:35					X		X						
	C-2-227-10		1025					X	X	X						
	C-2-227-15		1052					X		X						
	C-2-228-5		1116					X	X	X						
	C-2-228-10		1122					X		X						
	C-2-228-15		1130					X		X						
	C-2-229-5		1227					X	X	X						
	C-2-229-10		1235					X		X						

SAMPLER: Tim

SHIPMENT METHOD:

AIRBILL NO.:

REQUIRED TURNAROUND* ☐ SAME DAY ☐ 24 HOURS ☐ 48 HOURS ☐ 72 HOURS ☐ 5 DAYS ☐ 10 DAYS ☐ ROUTINE ☐ OTHER

1. RELINQUISHED BY:	DATE	2. RELINQUISHED BY:	DATE	3. RELINQUISHED BY:	DATE
SIGNATURE: [signature]	10/23/00	SIGNATURE:		SIGNATURE: [signature]	10/24/00
PRINTED NAME/COMPANY: Tim Doyle KJ	TIME 16:00	PRINTED NAME/COMPANY:	TIME	PRINTED NAME/COMPANY: SR	TIME 7:30
1. RECEIVED BY:	DATE	2. RECEIVED BY:	DATE	3. RECEIVED BY:	DATE
SIGNATURE: [signature]	10-24-00	SIGNATURE: Pedro Villalobos	10/24	SIGNATURE:	
PRINTED NAME/COMPANY: STL	TIME 8:00	PRINTED NAME/COMPANY: STL	TIME 7:30	PRINTED NAME/COMPANY:	TIME

* RUSH TURNAROUND MAY REQUIRE SURCHARGE

SEVERN TRENT LABORATORIES
1721 South Grand Avenue
Santa Ana 92705
Phone: (714) 258-8610 / Fax: (714) 258-0921

000003

BOE-C6-0166608

SEVERN TRENT LABORATORIES, INC. STANDARD TERMS AND CONDITIONS

ACCEPTANCE. Severn Trent Laboratories, Inc. (hereafter referred to as "STL") offers and will accept orders for services (as defined herein) only under the following Standard Terms and Conditions (the "Terms"). These Terms shall not apply if STL and the Customer shall have executed a separate agreement in writing. If specific Terms are not incorporated in the separate agreement those Terms will apply to the Customer. No modifications to the Terms shall be valid and binding unless in writing and signed by an authorized representative of STL. Customer's order for services shall be subject to the Terms and the Terms shall be binding upon receipt of samples to STL. Either party may terminate this agreement at any time by giving written notice of such termination to the other party. Upon termination the customer is subject to payment for all services rendered and expenses incurred up to date in accordance with the applicable Price Schedule.

INSURANCE. STL maintains insurance coverage with minimum limits as follows: (a) Comprehensive General Liability- $1,000,000 each occurrence $2,000,000 annual aggregate; (b) Comprehensive Automotive Liability Bodily Injury and Property Damage- $1,000,000 each occurrence. (c) Workman's Compensation- $500,000 each occurrence and $500,000 each employee; STL and Customer agree to furnish the other, upon request, certificates attesting to the existence of insurance coverage.

INDEPENDENT CONTRACTOR. STL's relationship with Customer under this agreement shall be that of an independent contractor. Nothing in this Agreement shall be construed to designate STL, or any of its employees or subcontractors, as employees, joint venturers or partners of Customer.

SUBCONTRACTING. STL shall have the right to subcontract any and all services, duties, and obligations hereunder, in whole or in part with the consent of the Customer in a timely response which shall not be unreasonably refused. Subcontractor shall be bound by the same Terms of performance as STL.

BILLING. All fees are charged or billed directly to the Customer. The billing of a third party will not be accepted without a statement, signed by the third party, which acknowledges and accepts payment responsibility.

PAYMENT. Payment in advance is required for all Customers except those whose credit has been established with STL. Customers with STL approved credit, terms are Net 30 days, after which time a 1-1/2% per month late charge is added to all unpaid balances. Failure of the Customer to pay according to Terms gives STL the right to withhold delivery of future data until all past due invoices have been settled. Customer shall pay all costs and expenses incident to the collection of past due amounts, including reasonable attorney's fees. No retainage of fees by the customer is allowed without the consent of STL.

MODIFICATIONS. If the sample received is of unknown character than in the original quote, or if due to the composition of the sample the original procedure specified is not practicable or likely to produce reliable results, Customer will be promptly notified. Modified procedures will be suggested and STL may quote new prices for such modifications. Upon agreement of such modification, the original quote shall be deemed amended and the samples in question shall be deemed to have been received.

TIME OF PERFORMANCE. STL will use its best efforts to comply with storage, processing and analytical time limits requested by the Customer. Unless specifically agreed to in writing between STL and Customer, the time performance of any testing or other services performed by STL under this agreement is not guaranteed and STL shall have no liability for failure to perform such services within the time requested. Quick turnaround times are available at a premium cost which will be defined in the quote, providing STL workload availability.

LIMITATION OF DAMAGES. STL is not an insurer of services rendered and the payments mentioned are based solely on the value of the services provided pursuant to this agreement. STL's liability to the Customer and the Customer's exclusive remedy for any cause of action alleged against STL, whether based in contract, tort, or otherwise, shall be limited solely to the amount paid by the Customer for the services performed. In no event shall STL be liable for incidental or consequential damages including, without limitation, business interruption, loss of use, or loss of profits incurred by the Customer, its subsidiaries, affiliates, successors or assigns, arising out of or related to this agreement or the performance of services hereunder.

WARRANTY. STL makes no warranty or representation, express or implied, or guarantee of results from the performance of services pursuant to this Agreement. Any information, recommendation, interpretation, or opinion by STL is based upon inferences and assumptions which are subject to error, and with respect to which analysis may differ. Accordingly, STL does not assume any liability with respect to the use of, or for damages resulting from the use of, any information, data, test results, analysis, apparatus, method, or process disclosed by STL. STL makes no presentation or warranty of any kind, including but not limited to, the warranties of fitness for a particular purpose or merchantability, nor are any such warranties to be implied with respect to the data or service furnished. STL assumes no responsibility with respect to Customer's use thereof.

LIMITATION ACTION. No action, regardless of form, arising out of or brought in connection with any services provided under this Agreement may be brought by the Customer more than one year after the performance of said services by STL. It is expressly agreed that STL shall have no liability to Customer unless that liability arises out of the willful misconduct or gross negligence of STL or its duly authorized employees.

CONFIDENTIALITY. Data and the sample materials provided by Customer or at Customer's request and the result obtained by STL shall be held in confidence (unless such information is generally available to the public or is in the public domain or Customer has failed to pay STL for all services rendered or is otherwise in breach of this Agreement) subject to any disclosure required by law or legal process. STL's reports and the data and information provided therein are for the exclusive use and benefit of Customer and Customer agrees there shall be no third party beneficiary of such reports, data, or information. Customer will not disclose to any third party any information concerning STL's technical information, software programs, or other formulations.

SEVERABILITY. The provisions of this Agreement shall be severable, and if any clause, sentence, paragraph, provision or other part hereof shall be adjudged by any court of competent jurisdiction to be invalid, such judgment shall not affect, impair or invalidate the remainder hereof, which remainder shall continue in full force and effect.

WAIVER. No waiver by either party of any breach, default or violation of any term, warranty, representation, agreement, covenant, condition or provision hereof shall constitute a waiver of any subsequent breach, default or violation of the same or any other term, warranty, representation, agreement, covenant, condition or provision hereof. All waivers must be in writing.

FORCE MAJEURE. Obligation of either party under this Agreement shall be suspended, and such party shall not be liable for damages or other remedies while such party is prevented from complying therewith, in whole or in part, due to contingencies beyond its reasonable control, including, but not limited to, strikes, riots, war, fire, act of God, injunction, compliance with any law, regulation or order, whether valid or invalid, of the United States of America or any other governmental body or any instrumentality, matrix interference or unknown highly contaminated samples that impact instrument operations thereof, whether now existing or hereafter created, inability to secure materials or obtain necessary permits, provided, however, the party so prevented from complying with its obligations hereunder shall promptly notify the other party thereof.

LITIGATION. All costs associated with compliance to any subpoena for documents, for testimony in court of law, or for any other purpose relating to work performed by STL, in connection with work performed for the Customer, shall be paid by the Customer. Such costs shall include, but are not limited to, hourly charges for persons involved in responding to subpoenas, travel and accommodations, mileage, attorney's preparation of testifier and advice of counsel in connection with response to subpoenas, and all other expenses deemed reasonable and associated with said litigation.

HAZARDOUS WASTE. Unused portions of samples found or suspected to be hazardous according to state or federal guidelines may be returned to the Customer upon completion of the analytical work. The cost of returning the sample may be invoiced to the Customer. The sample portions thereof remain the property of the Customer at all times. All radioactive or dioxin containing samples will be returned to the sampling site or to the Customer at the Customer's expense.

RETENTION OF SAMPLES. All routine samples are retained in our storage facilities for 30 days after report generation unless prior arrangements have been made. Samples may be held longer per Customers request for an additional fee.

RETENTION OF REPORTS. STL shall retain copies of analytical reports for a period of 5 years after report date, after which such reports may be destroyed or returned to the Customer at Customers expense. If Customer requests additional copies of such analytical reports during the retention period, an additional charge will apply for the preparation and printing of such reports.

COMPLIANCE WITH LAW. In the performance of all services to be provided hereunder, STL and Customer agree to comply with all applicable Federal, State and local laws and ordinances and all lawful orders, rules and regulations of any constituted authority.

APPLICABLE LAW. The validity, performance and construction of this Agreement shall be governed by and construed in accordance with the laws of the State of Delaware.

DRAFT — REVISION 1/27/99

BOE-C6-0166610

STL Committed To Your Success

SEVERN TRENT LABORATORIES

No. 202496

CHAIN OF CUSTODY RECORD

CUSTOMER INFORMATION	PROJECT INFORMATION
COMPANY: Kennedy Jenks	PROJECT NAME/NUMBER: 004032.01
SEND REPORT TO: Jay Knight	BILLING INFORMATION
ADDRESS: 2151 Michelson Dr. Ste 100	BILL TO:
Irvine, Ca 92612	ADDRESS:
PHONE: 949-261-0155	PHONE:
FAX:	FAX: PO NO.:

LAB JOB NO.

SAMPLE NO.	SAMPLE DESCRIPTION	SAMPLE DATE	SAMPLE TIME	SAMPLE MATRIX	CONTAINER	PRESERV.	NUMBER OF CONTAINERS	ANALYSIS / METHOD REQUEST: 8260 VOC	6010 Metals	8015 TPH						REMARKS/PRECAUTIONS
	C-2-236-5	10-24-00	8:45	Soil	Poly. liner	ICE	1	X	X	X						
	C-2-236-10		8:52					X		X						
	C-2-236-15		9:10					X		X						
	C-2-237-5		9:20					X	X	X						
	C-2-237-10		9:30					X		X						
	C-2-237-15		10:00					X		X						
	C-2-238-5		10:10					X	X	X						
	C-2-238-10		10:15					X		X						
	C-2-238-15		10:30					X		X						
	C-2-239-5	10-24-00		Soil	Poly liner	ICE	1	X	X	X						

SAMPLER: Tim

SHIPMENT METHOD:

AIRBILL NO.:

REQUIRED TURNAROUND* ☐ SAME DAY ☐ 24 HOURS ☐ 48 HOURS ☐ 72 HOURS ☐ 5 DAYS ☐ 10 DAYS ☐ ROUTINE ☐ OTHER

1. RELINQUISHED BY:	DATE	2. RELINQUISHED BY:	DATE	3. RELINQUISHED BY:	DATE
SIGNATURE: Tim Doyle	10-24-00	SIGNATURE:		SIGNATURE: [signature]	10/24/00
PRINTED NAME/COMPANY: Tim Doyle K/J	TIME 16:00	PRINTED NAME/COMPANY:	TIME	PRINTED NAME/COMPANY: STL	TIME 0730
1. RECEIVED BY:	DATE	**2. RECEIVED BY:**	DATE	**3. RECEIVED BY:**	DATE
SIGNATURE: [signature]	1600	SIGNATURE: Adolfo Villalobos	10/24	SIGNATURE:	
PRINTED NAME/COMPANY: STL	TIME 10/24/00	PRINTED NAME/COMPANY: STL	TIME 17:30	PRINTED NAME/COMPANY:	TIME

* RUSH TURNAROUND MAY REQUIRE SURCHARGE

000004

SEVERN TRENT LABORATORIES
1721 South Grand Avenue
Santa Ana 92705
Phone: (714) 258-8610 / Fax: (714) 258-0921

SEVERN TRENT LABORATORIES, INC. STANDARD TERMS AND CONDITIONS

ACCEPTANCE. Severn Trent Laboratories, Inc. (hereafter referred to as "STL") offers and will accept orders for services (as defined herein) only under the following Standard Terms and Conditions (the "Terms"). These Terms shall not apply if STL and the Customer shall have executed a separate agreement in writing. If specific Terms are not incorporated in the separate agreement those Terms will apply to the Customer. No modifications to the Terms shall be valid and binding unless in writing and signed by an authorized representative of STL. Customer's order for services shall be subject to the Terms and the Terms shall be binding upon receipt of samples to STL. Either party may terminate this agreement at any time by giving written notice of such termination to the other party. Upon termination the customer is subject to payment for all services rendered and expenses incurred up to date in accordance with the applicable Price Schedule.

INSURANCE. STL maintains insurance coverage with minimum limits as follows: (a) Comprehensive General Liability- $1,000,000 each occurrence $2,000,000 annual aggregate; (b) Comprehensive Automotive Liability Bodily Injury and Property Damage- $1,000,000 each occurrence. (c) Workman's Compensation- $500,000 each occurrence and $500,000 each employee; STL and Customer agree to furnish the other, upon request, certificates attesting to the existence of insurance coverage.

INDEPENDENT CONTRACTOR. STL's relationship with Customer under this agreement shall be that of an independent contractor. Nothing in this Agreement shall be construed to designate STL, or any of its employees or subcontractors, as employees, joint venturers or partners of Customer.

SUBCONTRACTING. STL shall have the right to subcontract any and all services, duties, and obligations hereunder, in whole or in part with the consent of the Customer in a timely response which shall not be unreasonably refused. Subcontractor shall be bound by the same Terms of performance as STL.

BILLING. All fees are charged or billed directly to the Customer. The billing of a third party will not be accepted without a statement, signed by the third party, which acknowledges and accepts payment responsibility.

PAYMENT. Payment in advance is required for all Customers except those whose credit has been established with STL. Customers with STL approved credit, terms are Net 30 days, after which time a 1-1/2% per month late charge is added to all unpaid balances. Failure of the Customer to pay according to Terms gives STL the right to withhold delivery of future data until all past due invoices have been settled. Customer shall pay all costs and expenses incident to the collection of past due amounts, including reasonable attorney's fees. No retainage of fees by the customer is allowed without the consent of STL.

MODIFICATIONS. If the sample received is of unknown character than in the original quote, or if due to the composition of the sample the original procedure specified is not practicable or likely to produce reliable results, Customer will be promptly notified. Modified procedures will be suggested and STL may quote new prices for such modifications. Upon agreement of such modification, the original quote shall be deemed amended and the samples in question shall be deemed to have been received.

TIME OF PERFORMANCE. STL will use its best efforts to comply with storage, processing and analytical time limits requested by the Customer. Unless specifically agreed to in writing between STL and Customer, the time performance of any testing or other services performed by STL under this agreement is not guaranteed and STL shall have no liability for failure to perform such services within the time requested. Quick turnaround times are available at a premium cost which will be defined in the quote, providing STL workload availability.

LIMITATION OF DAMAGES. STL is not an insurer of services rendered and the payments mentioned are based solely on the value of the services provided pursuant to this agreement. STL's liability to the Customer and the Customer's exclusive remedy for any cause of action alleged against STL, whether based in contract, tort, or otherwise, shall be limited solely to the amount paid by the Customer for the services performed. In no event shall STL be liable for incidental or consequential damages including, without limitation, business interruption, loss of use, or loss of profits incurred by the Customer, its subsidiaries, affiliates, successors or assigns, arising out of or related to this agreement or the performance of services hereunder.

WARRANTY. STL makes no warranty or representation, express or implied, or guarantee of results from the performance of services pursuant to this Agreement. Any information, recommendation, interpretation, or opinion by STL is based upon inferences and assumptions which are subject to error, and with respect to which analysis may differ. Accordingly, STL does not assume any liability with respect to the use of, or for damages resulting from the use of, any information, data, test results, analysis, apparatus, method, or process disclosed by STL. STL makes no presentation or warranty of any kind, including but not limited to, the warranties of fitness for a particular purpose or merchantability, nor are any such warranties to be implied with respect to the data or service furnished. STL assumes no responsibility with respect to Customer's use thereof.

LIMITATION ACTION. No action, regardless of form, arising out of or brought in connection with any services provided under this Agreement may be brought by the Customer more than one year after the performance of said services by STL. It is expressly agreed that STL shall have no liability to Customer unless that liability arises out of the willful misconduct or gross negligence of STL or its duly authorized employees.

CONFIDENTIALITY. Data and the sample materials provided by Customer or at Customer's request and the result obtained by STL shall be held in confidence (unless such information is generally available to the public or is in the public domain or Customer has failed to pay STL for all services rendered or is otherwise in breach of this Agreement) subject to any disclosure required by law or legal process. STL's reports and the data and information provided therein are for the exclusive use and benefit of Customer and Customer agrees there shall be no third party beneficiary of such reports, data, or information. Customer will not disclose to any third party any information concerning STL's technical information, software programs, or other formulations.

SEVERABILITY. The provisions of this Agreement shall be severable, and if any clause, sentence, paragraph, provision or other part hereof shall be adjudged by any court of competent jurisdiction to be invalid, such judgment shall not affect, impair or invalidate the remainder hereof, which remainder shall continue in full force and effect.

WAIVER. No waiver by either party of any breach, default or violation of any term, warranty, representation, agreement, covenant, condition or provision hereof shall constitute a waiver of any subsequent breach, default or violation of the same or any other term, warranty, representation, agreement, covenant, condition or provision hereof. All waivers must be in writing.

FORCE MAJEURE. Obligation of either party under this Agreement shall be suspended, and such party shall not be liable for damages or other remedies while such party is prevented from complying therewith, in whole or in part, due to contingencies beyond its reasonable control, including, but not limited to, strikes, riots, war, fire, act of God, injunction, compliance with any law, regulation or order, whether valid or invalid, of the United States of America or any other governmental body or any instrumentality, matrix interference or unknown highly contaminated samples that impact instrument operations thereof, whether now existing or hereafter created, inability to secure materials or obtain necessary permits, provided, however, the party so prevented from complying with its obligations hereunder shall promptly notify the other party thereof.

LITIGATION. All costs associated with compliance to any subpoena for documents, for testimony in court of law, or for any other purpose relating to work performed by STL, in connection with work performed for the Customer, shall be paid by the Customer. Such costs shall include, but are not limited to, hourly charges for persons involved in responding to subpoenas, travel and accommodations, mileage, attorney's preparation of testifier and advice of counsel in connection with response to subpoenas, and all other expenses deemed reasonable and associated with said litigation.

HAZARDOUS WASTE. Unused portions of samples found or suspected to be hazardous according to state or federal guidelines may be returned to the Customer upon completion of the analytical work. The cost of returning the sample may be invoiced to the Customer. The sample portions thereof remain the property of the Customer at all times. All radioactive or dioxin containing samples will be returned to the sampling site or to the Customer at the Customer's expense.

RETENTION OF SAMPLES. All routine samples are retained in our storage facilities for 30 days after report generation unless prior arrangements have been made. Samples may be held longer per Customers request for an additional fee.

RETENTION OF REPORTS. STL shall retain copies of analytical reports for a period of 5 years after report date, after which such reports may be destroyed or returned to the Customer at Customers expense. If Customer requests additional copies of such analytical reports during the retention period, an additional charge will apply for the preparation and printing of such reports.

COMPLIANCE WITH LAW. In the performance of all services to be provided hereunder, STL and Customer agree to comply with all applicable Federal, State and local laws and ordinances and all lawful orders, rules and regulations of any constituted authority.

APPLICABLE LAW. The validity, performance and construction of this Agreement shall be governed by and construed in accordance with the laws of the State of Delaware.

DRAFT — REVISION 1/27/99

SEVERN TRENT LABORATORIES

Committed To Your Success

No. 203020

CHAIN OF CUSTODY RECORD

CUSTOMER INFORMATION	PROJECT INFORMATION
COMPANY: Kennedy Jenks	PROJECT NAME/NUMBER: 004032.01
SEND REPORT TO: Jay Knight	BILLING INFORMATION
ADDRESS: 2151 Michelson Dr. Ste 100	BILL TO:
Irvine Ca 92612	ADDRESS:
PHONE: 949-261-1577	PHONE:
FAX:	FAX: PO NO.:

LAB JOB NO.:

SAMPLE NO.	SAMPLE DESCRIPTION	SAMPLE DATE	SAMPLE TIME	SAMPLE MATRIX	CONTAINER	PRESERV.	NUMBER OF CONTAINERS	8260 VOC	6010 METAL	8015 TPH						REMARKS/PRECAUTIONS
	C-2-239-10	10-24-00	10:45	Soil	Poly liner	ICE	1	X								
	C-2-240-5		10:55					X	X	X						
	C-2-240-10		11:05					X		X						
	C-2-240-15		11:30					X		X						
	C-2-241-5		13:30					X	X	X						
	C-2-241-10		13:35					X		X						
	C-2-241-15		13:40					X		X						
	C-2-242-5		13:50					X	X	X						
	C-2-242-10		14:05					X								
	C-2-243-5		14:20	Soil	Poly liner	ICE	1	X	X	X						

SAMPLER: Tini

SHIPMENT METHOD:

AIRBILL NO.:

REQUIRED TURNAROUND* ☐ SAME DAY ☐ 24 HOURS ☐ 48 HOURS ☐ 72 HOURS ☐ 5 DAYS ☐ 10 DAYS ☐ ROUTINE ☐ OTHER

1. RELINQUISHED BY:	DATE	2. RELINQUISHED BY:	DATE	3. RELINQUISHED BY:	DATE
SIGNATURE: Tini Doyle	10-24-00	SIGNATURE:		SIGNATURE:	10/24/00
PRINTED NAME/COMPANY: Tini Doyle KJ	TIME	PRINTED NAME/COMPANY:	TIME	PRINTED NAME/COMPANY: STL	TIME 1430
1. RECEIVED BY:	DATE	2. RECEIVED BY:	DATE	3. RECEIVED BY:	DATE
SIGNATURE:	10/24/00	SIGNATURE: Apolo Villalobos	10/24	SIGNATURE:	
PRINTED NAME/COMPANY: STL	TIME 1600	PRINTED NAME/COMPANY: STL	TIME 17:30	PRINTED NAME/COMPANY:	TIME

* RUSH TURNAROUND MAY REQUIRE SURCHARGE

SEVERN TRENT LABORATORIES
1721 South Grand Avenue
Santa Ana 92705
Phone: (714) 258-8610 / Fax: (714) 258-0921

BOE-C6-0166612

000005

SEVERN TRENT LABORATORIES, INC. STANDARD TERMS AND CONDITIONS

ACCEPTANCE. Severn Trent Laboratories, Inc. (hereafter referred to as "STL") offers and will accept orders for services (as defined herein) only under the following Standard Terms and Conditions (the "Terms"). These Terms shall not apply if STL and the Customer shall have executed a separate agreement in writing. If specific Terms are not incorporated in the separate agreement those Terms will apply to the Customer. No modifications to the Terms shall be valid and binding unless in writing and signed by an authorized representative of STL. Customer's order for services shall be subject to the Terms and the Terms shall be binding upon receipt of samples to STL. Either party may terminate this agreement at any time by giving written notice of such termination to the other party. Upon termination the customer is subject to payment for all services rendered and expenses incurred up to date in accordance with the applicable Price Schedule.

INSURANCE. STL maintains insurance coverage with minimum limits as follows: (a) Comprehensive General Liability- $1,000,000 each occurrence $2,000,000 annual aggregate; (b) Comprehensive Automotive Liability Bodily Injury and Property Damage- $1,000,000 each occurrence. (c) Workman's Compensation- $500,000 each occurrence and $500,000 each employee; STL and Customer agree to furnish the other, upon request, certificates attesting to the existence of insurance coverage.

INDEPENDENT CONTRACTOR. STL's relationship with Customer under this agreement shall be that of an independent contractor. Nothing in this Agreement shall be construed to designate STL, or any of its employees or subcontractors, as employees, joint venturers or partners of Customer.

SUBCONTRACTING. STL shall have the right to subcontract any and all services, duties, and obligations hereunder, in whole or in part with the consent of the Customer in a timely response which shall not be unreasonably refused. Subcontractor shall be bound by the same Terms of performance as STL.

BILLING. All fees are charged or billed directly to the Customer. The billing of a third party will not be accepted without a statement, signed by the third party, which acknowledges and accepts payment responsibility.

PAYMENT. Payment in advance is required for all Customers except those whose credit has been established with STL. Customers with STL approved credit, terms are Net 30 days, after which time a 1-1/2% per month late charge is added to all unpaid balances. Failure of the Customer to pay according to Terms gives STL the right to withhold delivery of future data until all past due invoices have been settled. Customer shall pay all costs and expenses incident to the collection of past due amounts, including reasonable attorney's fees. No retainage of fees by the customer is allowed without the consent of STL.

MODIFICATIONS. If the sample received is of unknown character than in the original quote, or if due to the composition of the sample the original procedure specified is not practicable or likely to produce reliable results, Customer will be promptly notified. Modified procedures will be suggested and STL may quote new prices for such modifications. Upon agreement of such modification, the original quote shall be deemed amended and the samples in question shall be deemed to have been received.

TIME OF PERFORMANCE. STL will use its best efforts to comply with storage, processing and analytical time limits requested by the Customer. Unless specifically agreed to in writing between STL and Customer, the time performance of any testing or other services performed by STL under this agreement is not guaranteed and STL shall have no liability for failure to perform such services within the time requested. Quick turnaround times are available at a premium cost which will be defined in the quote, providing STL workload availability.

LIMITATION OF DAMAGES. STL is not an insurer of services rendered and the payments mentioned are based solely on the value of the services provided pursuant to this agreement. STL's liability to the Customer and the Customer's exclusive remedy for any cause of action alleged against STL, whether based in contract, tort, or otherwise, shall be limited solely to the amount paid by the Customer for the services performed. In no event shall STL be liable for incidental or consequential damages including, without limitation, business interruption, loss of use, or loss of profits incurred by the Customer, its subsidiaries, affiliates, successors or assigns, arising out of or related to this agreement or the performance of services hereunder.

WARRANTY. STL makes no warranty or representation, express or implied, or guarantee of results from the performance of services pursuant to this Agreement. Any information, recommendation, interpretation, or opinion by STL is based upon inferences and assumptions which are subject to error, and with respect to which analysis may differ. Accordingly, STL does not assume any liability with respect to the use of, or for damages resulting from the use of, any information, data, test results, analysis, apparatus, method, or process disclosed by STL. STL makes no presentation or warranty of any kind, including but not limited to, the warranties of fitness for a particular purpose or merchantability, nor are any such warranties to be implied with respect to the data or service furnished. STL assumes no responsibility with respect to Customer's use thereof.

LIMITATION ACTION. No action, regardless of form, arising out of or brought in connection with any services provided under this Agreement may be brought by the Customer more than one year after the performance of said services by STL. It is expressly agreed that STL shall have no liability to Customer unless that liability arises out of the willful misconduct or gross negligence of STL or its duly authorized employees.

CONFIDENTIALITY. Data and the sample materials provided by Customer or at Customer's request and the result obtained by STL shall be held in confidence (unless such information is generally available to the public or is in the public domain or Customer has failed to pay STL for all services rendered or is otherwise in breach of this Agreement) subject to any disclosure required by law or legal process. STL's reports and the data and information provided therein are for the exclusive use and benefit of Customer and Customer agrees there shall be no third party beneficiary of such reports, data, or information. Customer will not disclose to any third party any information concerning STL's technical information, software programs, or other formulations.

SEVERABILITY. The provisions of this Agreement shall be severable, and if any clause, sentence, paragraph, provision or other part hereof shall be adjudged by any court of competent jurisdiction to be invalid, such judgment shall not affect, impair or invalidate the remainder hereof, which remainder shall continue in full force and effect.

WAIVER. No waiver by either party of any breach, default or violation of any term, warranty, representation, agreement, covenant, condition or provision hereof shall constitute a waiver of any subsequent breach, default or violation of the same or any other term, warranty, representation, agreement, covenant, condition or provision hereof. All waivers must be in writing.

FORCE MAJEURE. Obligation of either party under this Agreement shall be suspended, and such party shall not be liable for damages or other remedies while such party is prevented from complying therewith, in whole or in part, due to contingencies beyond its reasonable control, including, but not limited to, strikes, riots, war, fire, act of God, injunction, compliance with any law, regulation or order, whether valid or invalid, of the United States of America or any other governmental body or any instrumentality, matrix interference or unknown highly contaminated samples that impact instrument operations thereof, whether now existing or hereafter created, inability to secure materials or obtain necessary permits, provided, however, the party so prevented from complying with its obligations hereunder shall promptly notify the other party thereof.

LITIGATION. All costs associated with compliance to any subpoena for documents, for testimony in court of law, or for any other purpose relating to work performed by STL, in connection with work performed for the Customer, shall be paid by the Customer. Such costs shall include, but are not limited to, hourly charges for persons involved in responding to subpoenas, travel and accommodations, mileage, attorney's preparation of testifier and advice of counsel in connection with response to subpoenas, and all other expenses deemed reasonable and associated with said litigation.

HAZARDOUS WASTE. Unused portions of samples found or suspected to be hazardous according to state or federal guidelines may be returned to the Customer upon completion of the analytical work. The cost of returning the sample may be invoiced to the Customer. The sample portions thereof remain the property of the Customer at all times. All radioactive or dioxin containing samples will be returned to the sampling site or to the Customer at the Customer's expense.

RETENTION OF SAMPLES. All routine samples are retained in our storage facilities for 30 days after report generation unless prior arrangements have been made. Samples may be held longer per Customers request for an additional fee.

RETENTION OF REPORTS. STL shall retain copies of analytical reports for a period of 5 years after report date, after which such reports may be destroyed or returned to the Customer at Customers expense. If Customer requests additional copies of such analytical reports during the retention period, an additional charge will apply for the preparation and printing of such reports.

COMPLIANCE WITH LAW. In the performance of all services to be provided hereunder, STL and Customer agree to comply with all applicable Federal, State and local laws and ordinances and all lawful orders, rules and regulations of any constituted authority.

APPLICABLE LAW. The validity, performance and construction of this Agreement shall be governed by and construed in accordance with the laws of the State of Delaware.

DRAFT — REVISION 1/27/99

STL Committed To Your Success

SEVERN TRENT LABORATORIES

No. 203021

CHAIN OF CUSTODY RECORD

CUSTOMER INFORMATION	PROJECT INFORMATION
COMPANY: Kennedy Jenks	PROJECT NAME/NUMBER: 004032.01
SEND REPORT TO: Jay Knight	BILLING INFORMATION
ADDRESS: 2151 Michelson Dr. Ste 100	BILL TO:
Irvine, Ca 92612	ADDRESS:
PHONE: 949-261-1577	PHONE:
FAX:	FAX: PO NO.:

SAMPLE NO.	SAMPLE DESCRIPTION	SAMPLE DATE	SAMPLE TIME	SAMPLE MATRIX	CONTAINER	PRESERV.	NUMBER OF CONTAINERS	8260 VOC	6010 Metals	8015 TPH	8082 PCBs						REMARKS/PRECAUTIONS
	C-2-243-10	10-24-00	14:30	Soil	Poly Jar	ICE	1	X		X							
	C-2-243-15		14:45					X		X							
	C-2-246-2		15:00								X						
	C-2-245-1		15:18						X	X							
	C-2-245-5		15:19						X	X							
	C-2-245-10		15:30	Soil	Poly Jar		1			X							NO PCB'S
	C-2-10/24 Rinsate		15:45	W	VOA		2	X									
	TRIP BLANK	10-24-00	15:45	W	VOA	ICE	1										

LAB JOB NO.

SAMPLER: Tim

SHIPMENT METHOD:

AIRBILL NO.:

REQUIRED TURNAROUND* ☐ SAME DAY ☐ 24 HOURS ☐ 48 HOURS ☐ 72 HOURS ☐ 5 DAYS ☐ 10 DAYS ☐ ROUTINE ☐ OTHER

1. RELINQUISHED BY:	DATE	2. RELINQUISHED BY:	DATE	3. RELINQUISHED BY:	DATE
SIGNATURE:	10-24-00	SIGNATURE:		SIGNATURE:	10/24/0
PRINTED NAME/COMPANY: Tim Doshe K/J	TIME 1600	PRINTED NAME/COMPANY:	TIME	PRINTED NAME/COMPANY: SJC	TIME 730
1. RECEIVED BY:	DATE	2. RECEIVED BY:	DATE	3. RECEIVED BY:	DATE
SIGNATURE:	10/24/00	SIGNATURE: Adolfo Villalobos	10/24	SIGNATURE:	
PRINTED NAME/COMPANY: STL	TIME 1600	PRINTED NAME/COMPANY: STL	TIME 17:30	PRINTED NAME/COMPANY:	TIME

* RUSH TURNAROUND MAY REQUIRE SURCHARGE

SEVERN TRENT LABORATORIES
1721 South Grand Avenue
Santa Ana, CA 92705
Phone: (714) 258-8610 / Fax: (714) 258-0921

000006

BOE-C6-0166614

SEVERN TRENT LABORATORIES, INC. STANDARD TERMS AND CONDITIONS

ACCEPTANCE. Severn Trent Laboratories, Inc. (hereafter referred to as "STL") offers and will accept orders for services (as defined herein) only under the following Standard Terms and Conditions (the "Terms"). These Terms shall not apply if STL and the Customer shall have executed a separate agreement in writing. If specific Terms are not incorporated in the separate agreement those Terms will apply to the Customer. No modifications to the Terms shall be valid and binding unless in writing and signed by an authorized representative of STL. Customer's order for services shall be subject to the Terms and the Terms shall be binding upon receipt of samples to STL. Either party may terminate this agreement at any time by giving written notice of such termination to the other party. Upon termination the customer is subject to payment for all services rendered and expenses incurred up to date in accordance with the applicable Price Schedule.

INSURANCE. STL maintains insurance coverage with minimum limits as follows: (a) Comprehensive General Liability- $1,000,000 each occurrence $2,000,000 annual aggregate; (b) Comprehensive Automotive Liability Bodily Injury and Property Damage- $1,000,000 each occurrence. (c) Workman's Compensation- $500,000 each occurrence and $500,000 each employee; STL and Customer agree to furnish the other, upon request, certificates attesting to the existence of insurance coverage.

INDEPENDENT CONTRACTOR. STL's relationship with Customer under this agreement shall be that of an independent contractor. Nothing in this Agreement shall be construed to designate STL, or any of its employees or subcontractors, as employees, joint venturers or partners of Customer.

SUBCONTRACTING. STL shall have the right to subcontract any and all services, duties, and obligations hereunder, in whole or in part with the consent of the Customer in a timely response which shall not be unreasonably refused. Subcontractor shall be bound by the same Terms of performance as STL.

BILLING. All fees are charged or billed directly to the Customer. The billing of a third party will not be accepted without a statement, signed by the third party, which acknowledges and accepts payment responsibility.

PAYMENT. Payment in advance is required for all Customers except those whose credit has been established with STL. Customers with STL approved credit, terms are Net 30 days, after which time a 1-1/2% per month late charge is added to all unpaid balances. Failure of the Customer to pay according to Terms gives STL the right to withhold delivery of future data until all past due invoices have been settled. Customer shall pay all costs and expenses incident to the collection of past due amounts, including reasonable attorney's fees. No retainage of fees by the customer is allowed without the consent of STL.

MODIFICATIONS. If the sample received is of unknown character than in the original quote, or if due to the composition of the sample the original procedure specified is not practicable or likely to produce reliable results, Customer will be promptly notified. Modified procedures will be suggested and STL may quote new prices for such modifications. Upon agreement of such modification, the original quote shall be deemed amended and the samples in question shall be deemed to have been received.

TIME OF PERFORMANCE. STL will use its best efforts to comply with storage, processing and analytical time limits requested by the Customer. Unless specifically agreed to in writing between STL and Customer, the time performance of any testing or other services performed by STL under this agreement is not guaranteed and STL shall have no liability for failure to perform such services within the time requested. Quick turnaround times are available at a premium cost which will be defined in the quote, providing STL workload availability.

LIMITATION OF DAMAGES. STL is not an insurer of services rendered and the payments mentioned are based solely on the value of the services provided pursuant to this agreement. STL's liability to the Customer and the Customer's exclusive remedy for any cause of action alleged against STL, whether based in contract, tort, or otherwise, shall be limited solely to the amount paid by the Customer for the services performed. In no event shall STL be liable for incidental or consequential damages including, without limitation, business interruption, loss of use, or loss of profits incurred by the Customer, its subsidiaries, affiliates, successors or assigns, arising out of or related to this agreement or the performance of services hereunder.

WARRANTY. STL makes no warranty or representation, express or implied, or guarantee of results from the performance of services pursuant to this Agreement. Any information, recommendation, interpretation, or opinion by STL is based upon inferences and assumptions which are subject to error, and with respect to which analysis may differ. Accordingly, STL does not assume any liability with respect to the use of, or for damages resulting from the use of, any information, data, test results, analysis, apparatus, method, or process disclosed by STL. STL makes no presentation or warranty of any kind, including but not limited to, the warranties of fitness for a particular purpose or merchantability, nor are any such warranties to be implied with respect to the data or service furnished. STL assumes no responsibility with respect to Customer's use thereof.

LIMITATION ACTION. No action, regardless of form, arising out of or brought in connection with any services provided under this Agreement may be brought by the Customer more than one year after the performance of said services by STL. It is expressly agreed that STL shall have no liability to Customer unless that liability arises out of the willful misconduct or gross negligence of STL or its duly authorized employees.

CONFIDENTIALITY. Data and the sample materials provided by Customer or at Customer's request and the result obtained by STL shall be held in confidence (unless such information is generally available to the public or is in the public domain or Customer has failed to pay STL for all services rendered or is otherwise in breach of this Agreement) subject to any disclosure required by law or legal process. STL's reports and the data and information provided therein are for the exclusive use and benefit of Customer and Customer agrees there shall be no third party beneficiary of such reports, data, or information. Customer will not disclose to any third party any information concerning STL's technical information, software programs, or other formulations.

SEVERABILITY. The provisions of this Agreement shall be severable, and if any clause, sentence, paragraph, provision or other part hereof shall be adjudged by any court of competent jurisdiction to be invalid, such judgment shall not affect, impair or invalidate the remainder hereof, which remainder shall continue in full force and effect.

WAIVER. No waiver by either party of any breach, default or violation of any term, warranty, representation, agreement, covenant, condition or provision hereof shall constitute a waiver of any subsequent breach, default or violation of the same or any other term, warranty, representation, agreement, covenant, condition or provision hereof. All waivers must be in writing.

FORCE MAJEURE. Obligation of either party under this Agreement shall be suspended, and such party shall not be liable for damages or other remedies while such party is prevented from complying therewith, in whole or in part, due to contingencies beyond its reasonable control, including, but not limited to, strikes, riots, war, fire, act of God, injunction, compliance with any law, regulation or order, whether valid or invalid, of the United States of America or any other governmental body or any instrumentality, matrix interference or unknown highly contaminated samples that impact instrument operations thereof, whether now existing or hereafter created, inability to secure materials or obtain necessary permits, provided, however, the party so prevented from complying with its obligations hereunder shall promptly notify the other party thereof.

LITIGATION. All costs associated with compliance to any subpoena for documents, for testimony in court of law, or for any other purpose relating to work performed by STL, in connection with work performed for the Customer, shall be paid by the Customer. Such costs shall include, but are not limited to, hourly charges for persons involved in responding to subpoenas, travel and accommodations, mileage, attorney's preparation of testifier and advice of counsel in connection with response to subpoenas, and all other expenses deemed reasonable and associated with said litigation.

HAZARDOUS WASTE. Unused portions of samples found or suspected to be hazardous according to state or federal guidelines may be returned to the Customer upon completion of the analytical work. The cost of returning the sample may be invoiced to the Customer. The sample portions thereof remain the property of the Customer at all times. All radioactive or dioxin containing samples will be returned to the sampling site or to the Customer at the Customer's expense.

RETENTION OF SAMPLES. All routine samples are retained in our storage facilities for 30 days after report generation unless prior arrangements have been made. Samples may be held longer per Customers request for an additional fee.

RETENTION OF REPORTS. STL shall retain copies of analytical reports for a period of 5 years after report date, after which such reports may be destroyed or returned to the Customer at Customers expense. If Customer requests additional copies of such analytical reports during the retention period, an additional charge will apply for the preparation and printing of such reports.

COMPLIANCE WITH LAW. In the performance of all services to be provided hereunder, STL and Customer agree to comply with all applicable Federal, State and local laws and ordinances and all lawful orders, rules and regulations of any constituted authority.

APPLICABLE LAW. The validity, performance and construction of this Agreement shall be governed by and construed in accordance with the laws of the State of Delaware.

DRAFT — REVISION 1/27/99

STL – LOS ANGELES
PROJECT RECEIPT CHECKLIST

Date: 10-24-00

Quantims Lot #: EDT 250140
Client Name: KENNEDY JENKS
Received by: AV

Quote #:
Project: Boeing
Date/Time Received: 10/24 17:30

Delivered by : ☐Client ☐Airborne ☐Fed Ex ☐DHL ☐Ultra-Ex ☐Rey B.
☐UPS ☐DES ☒Other MIKE HERNANDEZ

		Initial / Date
Custody Seal Status:	☐Intact ☐Broken ☒None	AV 10/24
Custody Seal #(s):	☐No Seal #	
Sample Container(s):	☐STL-LA ☒Client ☐N/A	
Temperature(s) (COOLER/BLANK) in °C:	17°C NOT BLANK (CORRECTED TEMP)	
Thermometer Used :	☒IR (Infra-red) ☐Digital (Probe)	
Samples:	☒Intact ☐Broken ☐Other	
Anomalies:	☐No ☒Yes (See Clouseau) SEE CWR	
Labeled by		
Labeling checked by		
Turn Around Time:	☐RUSH-24HR ☐RUSH-48HR ☐RUSH-72HR ☒NORMAL	AV 10/24
Short-Hold Notification:	☐Ph ☐Wet Chem ☐Metals (Filter/Pres) ☐Encore ☐N/A	

Outside Analysis(es) (Test/Lab/Date Sent Out) :

•••••••••• LEAVE NO BLANK SPACES ; USE N/A ••••••••••

Fraction	1-36	37	38								PH
VOAh *		2	1								N/A
only Steve	1										

h:HCl na:Sodium Hydroxide zna:Zinc Acetate/Sodium Hydroxide s: H2SO4 n:HNO3 n/f:HNO3-Field filtered n/l:HNO3-Lab filtered
CGJ:Clear Glass Jar CGB:Clear Glass Bottle AGJ:Amber Glass Jar AGB:Amber Glass Bottle PB: Poly Bottle E:Encore Sampler V:VOA

* Number of VOA's w/ Headspace present

LOGGED BY/DATE: MB 10/25/00 REVIEWED BY/DATE:

000007

BOE-C6-0166616

STL Los Angeles
Condition Upon Receipt Anomaly Report (CUR)

Client: KENNEDY JENKS Date/Time 10-24-00
Lot No: Initiated by: DV

Affected samples Chain of Custody #

Client ID	Lab ID	Analyses Requested

CONDITION/ANOMALY/VARIANCE (CHECK ALL THAT APPLY):

- COOLERS
  - ☐ Not Received, No (COC)
  - ☐ Not Received but COC (s) Available
  - ☐ Leaking
  - ☐ Other: _____
- CUSTODY SEALS (COOLER(S)/CONTAINER(S)
  - ☐ None
  - ☐ Not Intact
  - ☐ Other _____
- TEMPERATURE (SPECS 4 ± 2°C)
  - ☒ Cooler Temp(s) 17°C
  - ☒ Temperature Blank(s) NONE
- CHAIN OF CUSTODY (COC)
  - ☐ Not relinquished by Client; No date/time relinquished
  - ☐ Incomplete information provided
  - ☐ Other _____
- CONTAINERS
  - ☐ Leaking
  - ☐ Broken
  - ☐ Extra
  - ☐ Without Labels
  - ☐ VOA Vials with Headspace _____ mm
  - ☐ Other: _____
- CONTAINERS LABELS
  - ☐ Not the same ID/info as in COC
  - ☐ Incomplete Information
    - ☐ Preservative
    - ☐ Collection _____ Time _____ Date
  - ☐ Markings/Info illegible
  - ☐ Torn
  - ☐ Other _____
- SAMPLES
  - ☐ Samples NOT RECEIVED but listed on COC
  - ☐ Samples received but NOT LISTED on COC
  - ☐ Logged based on Label Information
  - ☐ Logged based on info from other samples on COC
  - ☐ Logged according to Work Plan
  - ☐ Logged on HOLD UNTIL FURTHER NOTICE
  - ☐ Other _____
  - ☐ Will be noted on COC—Client to send samples with new COC
  - ☐ Mislabeled as to tests, preservatives, etc.
  - ☐ Holding time expired
  - ☐ Improper container used
  - ☐ Not preserved/Improper preservative used
  - ☐ Improper pH _____ Lab to preserve sample and document
  - ☐ Insufficient quantities for analysis

Comments Samples straight from field

Corrective Action Implemented:
- ☐ Client Informed: verbally on _____ By: _____ In writing on _____ By: _____
- ☐ Sample(s) processed "as is."
- ☐ Sample(s) on hold until: _____ If released, notify: _____

Sample Control Supervisor Review: _____ Date: _____
Project Management Review: _____ Date: 10/27/00

SIGNED ORIGINAL MUST BE RETAINED IN THE PROJECT FILE

EXECUTIVE SUMMARY - Detection Highlights

E0J250140

PARAMETER	RESULT	REPORTING LIMIT	UNITS	ANALYTICAL METHOD
C-2-226-5 10/23/00 09:20 001				
Mercury	0.074 B	0.10	mg/kg	SW846 7471A
Aluminum	30200	20.0	mg/kg	SW846 6010B
Arsenic	4.0	1.0	mg/kg	SW846 6010B
Antimony	0.70 B	6.0	mg/kg	SW846 6010B
Barium	243	2.0	mg/kg	SW846 6010B
Cadmium	0.82	0.50	mg/kg	SW846 6010B
Chromium	31.6	1.0	mg/kg	SW846 6010B
Beryllium	0.87	0.50	mg/kg	SW846 6010B
Lead	6.4	0.50	mg/kg	SW846 6010B
Cobalt	11.3	5.0	mg/kg	SW846 6010B
Copper	18.1	2.5	mg/kg	SW846 6010B
Molybdenum	1.0 B	4.0	mg/kg	SW846 6010B
Nickel	23.2	4.0	mg/kg	SW846 6010B
Thallium	1.6	1.0	mg/kg	SW846 6010B
Vanadium	59.5	5.0	mg/kg	SW846 6010B
Zinc	58.0	2.0	mg/kg	SW846 6010B
Trichloroethene	32	5.0	ug/kg	SW846 8260B
C-2-226-15 10/23/00 09:35 003				
Trichloroethene	11	5.0	ug/kg	SW846 8260B
C-2-228-5 10/23/00 11:16 006				
Mercury	0.025 B	0.10	mg/kg	SW846 7471A
Aluminum	28900	20.0	mg/kg	SW846 6010B
Arsenic	3.5	1.0	mg/kg	SW846 6010B
Antimony	0.45 B	6.0	mg/kg	SW846 6010B
Barium	231	2.0	mg/kg	SW846 6010B
Cadmium	0.78	0.50	mg/kg	SW846 6010B
Chromium	30.4	1.0	mg/kg	SW846 6010B
Beryllium	0.83	0.50	mg/kg	SW846 6010B
Lead	6.3	0.50	mg/kg	SW846 6010B
Cobalt	11.1	5.0	mg/kg	SW846 6010B
Copper	18.6	2.5	mg/kg	SW846 6010B
Molybdenum	1.2 B	4.0	mg/kg	SW846 6010B
Nickel	21.2	4.0	mg/kg	SW846 6010B
Thallium	1.2	1.0	mg/kg	SW846 6010B
Vanadium	57.0	5.0	mg/kg	SW846 6010B
Zinc	54.5	2.0	mg/kg	SW846 6010B
Trichloroethene	59	5.0	ug/kg	SW846 8260B

(Continued on next page)

EXECUTIVE SUMMARY - Detection Highlights

E0J250140

PARAMETER	RESULT	REPORTING LIMIT	UNITS	ANALYTICAL METHOD
C-2-228-15 10/23/00 11:30 008				
Trichloroethene	2.9 J	5.0	ug/kg	SW846 8260B
C-2-229-5 10/23/00 12:27 009				
C18-C19	60 J	100	mg/kg	SW846 8015B
C20-C23	73 J	100	mg/kg	SW846 8015B
C24-C27	450	100	mg/kg	SW846 8015B
C28-C31	340	100	mg/kg	SW846 8015B
C32-C35	310	100	mg/kg	SW846 8015B
C36-C39	220	100	mg/kg	SW846 8015B
Total Carbon Chain Range	1500	100	mg/kg	SW846 8015B
Mercury	0.033 B	0.10	mg/kg	SW846 7471A
Aluminum	32800	20.0	mg/kg	SW846 6010B
Arsenic	3.8	1.0	mg/kg	SW846 6010B
Antimony	0.25 B	6.0	mg/kg	SW846 6010B
Barium	218	2.0	mg/kg	SW846 6010B
Cadmium	0.84	0.50	mg/kg	SW846 6010B
Chromium	33.8	1.0	mg/kg	SW846 6010B
Beryllium	0.87	0.50	mg/kg	SW846 6010B
Lead	6.7	0.50	mg/kg	SW846 6010B
Cobalt	11.4	5.0	mg/kg	SW846 6010B
Copper	20.3	2.5	mg/kg	SW846 6010B
Molybdenum	1.4 B	4.0	mg/kg	SW846 6010B
Nickel	25.3	4.0	mg/kg	SW846 6010B
Thallium	0.74 B	1.0	mg/kg	SW846 6010B
Vanadium	62.9	5.0	mg/kg	SW846 6010B
Zinc	63.8	2.0	mg/kg	SW846 6010B
1,1,1-Trichloroethane	1.3 J	5.0	ug/kg	SW846 8260B
Trichloroethene	120	5.0	ug/kg	SW846 8260B
Tetrachloroethene	2.6 J	5.0	ug/kg	SW846 8260B
C-2-229-10 10/23/00 12:35 010				
Total Carbon Chain Range	5.9 J	10	mg/kg	SW846 8015B
Methyl tert-butyl ether	1.1 J	5.0	ug/kg	SW846 8260B
C-2-236-5 10/24/00 08:45 011				
Mercury	0.041 B	0.10	mg/kg	SW846 7471A
Aluminum	17400	20.0	mg/kg	SW846 6010B
Arsenic	2.0	1.0	mg/kg	SW846 6010B
Antimony	0.46 B	6.0	mg/kg	SW846 6010B
Barium	98.4	2.0	mg/kg	SW846 6010B

(Continued on next page)

EXECUTIVE SUMMARY - Detection Highlights

E0J250140

PARAMETER	RESULT	REPORTING LIMIT	UNITS	ANALYTICAL METHOD
C-2-236-5 10/24/00 08:45 011				
Cadmium	0.36 B	0.50	mg/kg	SW846 6010B
Chromium	17.8	1.0	mg/kg	SW846 6010B
Beryllium	0.47 B	0.50	mg/kg	SW846 6010B
Lead	3.8	0.50	mg/kg	SW846 6010B
Cobalt	6.7	5.0	mg/kg	SW846 6010B
Copper	11.0	2.5	mg/kg	SW846 6010B
Molybdenum	0.67 B	4.0	mg/kg	SW846 6010B
Nickel	13.0	4.0	mg/kg	SW846 6010B
Thallium	0.59 B	1.0	mg/kg	SW846 6010B
Vanadium	33.1	5.0	mg/kg	SW846 6010B
Zinc	33.5	2.0	mg/kg	SW846 6010B
Trichloroethene	32	5.0	ug/kg	SW846 8260B
C-2-236-10 10/24/00 08:52 012				
Total Carbon Chain Range	6.9 J	10	mg/kg	SW846 8015B
Trichloroethene	5.0	5.0	ug/kg	SW846 8260B
C-2-236-15 10/24/00 09:10 013				
Total Carbon Chain Range	7.1 J	10	mg/kg	SW846 8015B
C-2-237-5 10/24/00 09:20 014				
C18-C19	6.1 J	10	mg/kg	SW846 8015B
Total Carbon Chain Range	8.9 J	10	mg/kg	SW846 8015B
Mercury	0.025 B	0.10	mg/kg	SW846 7471A
Aluminum	34300	20.0	mg/kg	SW846 6010B
Arsenic	3.0	1.0	mg/kg	SW846 6010B
Antimony	0.40 B	6.0	mg/kg	SW846 6010B
Barium	221	2.0	mg/kg	SW846 6010B
Cadmium	0.83	0.50	mg/kg	SW846 6010B
Chromium	34.6	1.0	mg/kg	SW846 6010B
Beryllium	0.98	0.50	mg/kg	SW846 6010B
Lead	6.5	0.50	mg/kg	SW846 6010B
Cobalt	11.0	5.0	mg/kg	SW846 6010B
Copper	34.6	2.5	mg/kg	SW846 6010B
Molybdenum	1.2 B	4.0	mg/kg	SW846 6010B
Nickel	22.6	4.0	mg/kg	SW846 6010B
Vanadium	62.1	5.0	mg/kg	SW846 6010B
Zinc	61.1	2.0	mg/kg	SW846 6010B
Trichloroethene	54	5.0	ug/kg	SW846 8260B

(Continued on next page)

EXECUTIVE SUMMARY - Detection Highlights

E0J250140

PARAMETER	RESULT	REPORTING LIMIT	UNITS	ANALYTICAL METHOD
C-2-237-10 10/24/00 09:30 015				
C18-C19	10	10	mg/kg	SW846 8015B
C20-C23	13	10	mg/kg	SW846 8015B
C24-C27	19	10	mg/kg	SW846 8015B
C28-C31	24	10	mg/kg	SW846 8015B
C32-C35	20	10	mg/kg	SW846 8015B
C36-C39	22	10	mg/kg	SW846 8015B
C40+	39	10	mg/kg	SW846 8015B
Total Carbon Chain Range	160	10	mg/kg	SW846 8015B
Trichloroethene	5.6	5.0	ug/kg	SW846 8260B
C-2-237-15 10/24/00 10:00 016				
C18-C19	5.0 J	10	mg/kg	SW846 8015B
Total Carbon Chain Range	8.2 J	10	mg/kg	SW846 8015B
C-2-238-5 10/24/00 10:10 017				
Total Carbon Chain Range	6.6 J	10	mg/kg	SW846 8015B
Aluminum	33600	20.0	mg/kg	SW846 6010B
Arsenic	3.8	1.0	mg/kg	SW846 6010B
Barium	192	2.0	mg/kg	SW846 6010B
Cadmium	0.78	0.50	mg/kg	SW846 6010B
Chromium	33.7	1.0	mg/kg	SW846 6010B
Beryllium	0.92	0.50	mg/kg	SW846 6010B
Lead	6.5	0.50	mg/kg	SW846 6010B
Cobalt	10.0	5.0	mg/kg	SW846 6010B
Copper	18.9	2.5	mg/kg	SW846 6010B
Molybdenum	1.3 B	4.0	mg/kg	SW846 6010B
Nickel	20.9	4.0	mg/kg	SW846 6010B
Thallium	0.71 B	1.0	mg/kg	SW846 6010B
Vanadium	62.8	5.0	mg/kg	SW846 6010B
Zinc	58.7	2.0	mg/kg	SW846 6010B
Trichloroethene	20	5.0	ug/kg	SW846 8260B
C-2-238-10 10/24/00 10:15 018				
C24-C27	5.7 J	10	mg/kg	SW846 8015B
C28-C31	6.3 J	10	mg/kg	SW846 8015B
C32-C35	7.2 J	10	mg/kg	SW846 8015B
C36-C39	17	10	mg/kg	SW846 8015B
C40+	18	10	mg/kg	SW846 8015B
Total Carbon Chain Range	65	10	mg/kg	SW846 8015B

(Continued on next page)

EXECUTIVE SUMMARY - Detection Highlights

E0J250140

PARAMETER	RESULT	REPORTING LIMIT	UNITS	ANALYTICAL METHOD
C-2-238-15 10/24/00 10:30 019				
C18-C19	8.2 J	10	mg/kg	SW846 8015B
C20-C23	10	10	mg/kg	SW846 8015B
C24-C27	14	10	mg/kg	SW846 8015B
C28-C31	16	10	mg/kg	SW846 8015B
C32-C35	15	10	mg/kg	SW846 8015B
C36-C39	25	10	mg/kg	SW846 8015B
C40+	7.8 J	10	mg/kg	SW846 8015B
Total Carbon Chain Range	100	10	mg/kg	SW846 8015B
C-2-239-5 10/24/00 020				
Total Carbon Chain Range	6.0 J	10	mg/kg	SW846 8015B
Mercury	0.030 B	0.10	mg/kg	SW846 7471A
Aluminum	25700	20.0	mg/kg	SW846 6010B
Arsenic	3.8	1.0	mg/kg	SW846 6010B
Antimony	0.46 B	6.0	mg/kg	SW846 6010B
Barium	202	2.0	mg/kg	SW846 6010B
Cadmium	0.72	0.50	mg/kg	SW846 6010B
Chromium	28.2	1.0	mg/kg	SW846 6010B
Beryllium	0.70	0.50	mg/kg	SW846 6010B
Lead	6.2	0.50	mg/kg	SW846 6010B
Cobalt	11.2	5.0	mg/kg	SW846 6010B
Copper	20.9	2.5	mg/kg	SW846 6010B
Molybdenum	1.1 B	4.0	mg/kg	SW846 6010B
Nickel	20.1	4.0	mg/kg	SW846 6010B
Thallium	1.2	1.0	mg/kg	SW846 6010B
Vanadium	54.9	5.0	mg/kg	SW846 6010B
Zinc	59.7	2.0	mg/kg	SW846 6010B
Trichloroethene	13	5.0	ug/kg	SW846 8260B
C-2-239-10 10/24/00 10:45 021				
Trichloroethene	20	5.0	ug/kg	SW846 8260B
C-2-240-5 10/24/00 10:55 022				
Mercury	0.039 B	0.10	mg/kg	SW846 7471A
Aluminum	17700	20.0	mg/kg	SW846 6010B
Arsenic	1.7	1.0	mg/kg	SW846 6010B
Antimony	0.64 B	6.0	mg/kg	SW846 6010B
Barium	108	2.0	mg/kg	SW846 6010B
Cadmium	0.32 B	0.50	mg/kg	SW846 6010B
Chromium	17.9	1.0	mg/kg	SW846 6010B

(Continued on next page)

EXECUTIVE SUMMARY - Detection Highlights

E0J250140

PARAMETER	RESULT	REPORTING LIMIT	UNITS	ANALYTICAL METHOD
C-2-240-5 10/24/00 10:55 022				
Beryllium	0.49 B	0.50	mg/kg	SW846 6010B
Lead	3.3	0.50	mg/kg	SW846 6010B
Cobalt	6.1	5.0	mg/kg	SW846 6010B
Copper	9.4	2.5	mg/kg	SW846 6010B
Molybdenum	0.66 B	4.0	mg/kg	SW846 6010B
Nickel	10.9	4.0	mg/kg	SW846 6010B
Vanadium	33.1	5.0	mg/kg	SW846 6010B
Zinc	29.4	2.0	mg/kg	SW846 6010B
Trichloroethene	48	5.0	ug/kg	SW846 8260B
C-2-241-5 10/24/00 13:30 025				
Total Carbon Chain Range	5.8 J	10	mg/kg	SW846 8015B
Arsenic	3.3	1.0	mg/kg	SW846 6010B
Aluminum	27900	20.0	mg/kg	SW846 6010B
Antimony	0.51 B	6.0	mg/kg	SW846 6010B
Barium	132	2.0	mg/kg	SW846 6010B
Cadmium	0.65	0.50	mg/kg	SW846 6010B
Chromium	29.2	1.0	mg/kg	SW846 6010B
Beryllium	0.82	0.50	mg/kg	SW846 6010B
Lead	6.0	0.50	mg/kg	SW846 6010B
Cobalt	10.4	5.0	mg/kg	SW846 6010B
Copper	16.4	2.5	mg/kg	SW846 6010B
Molybdenum	0.97 B	4.0	mg/kg	SW846 6010B
Nickel	20.6	4.0	mg/kg	SW846 6010B
Vanadium	52.9	5.0	mg/kg	SW846 6010B
Zinc	50.9	2.0	mg/kg	SW846 6010B
Trichloroethene	6.7	5.0	ug/kg	SW846 8260B
C-2-241-10 10/24/00 13:35 026				
C18-C19	5.1 J	10	mg/kg	SW846 8015B
Total Carbon Chain Range	9.5 J	10	mg/kg	SW846 8015B
C-2-242-5 10/24/00 13:50 028				
C12-C13	970	500	mg/kg	SW846 8015B
C14-C15	2100	500	mg/kg	SW846 8015B
C16-C17	2600	500	mg/kg	SW846 8015B
C18-C19	2200	500	mg/kg	SW846 8015B
C20-C23	1400	500	mg/kg	SW846 8015B
C24-C27	1100	500	mg/kg	SW846 8015B
C28-C31	1100	500	mg/kg	SW846 8015B

(Continued on next page)

EXECUTIVE SUMMARY - Detection Highlights

E0J250140

PARAMETER	RESULT	REPORTING LIMIT	UNITS	ANALYTICAL METHOD
C-2-242-5 10/24/00 13:50 028				
C32-C35	1100	500	mg/kg	SW846 8015B
C36-C39	1200	500	mg/kg	SW846 8015B
C40+	3000	500	mg/kg	SW846 8015B
Total Carbon Chain Range	17000	500	mg/kg	SW846 8015B
C6-C8	0.59 J	1.0	mg/kg	SW846 8015B
Mercury	0.13	0.10	mg/kg	SW846 7471A
Aluminum	5500	20.0	mg/kg	SW846 6010B
Arsenic	2.9	1.0	mg/kg	SW846 6010B
Antimony	2.3 B	6.0	mg/kg	SW846 6010B
Barium	875	2.0	mg/kg	SW846 6010B
Cadmium	10	0.50	mg/kg	SW846 6010B
Chromium	71.0	1.0	mg/kg	SW846 6010B
Beryllium	0.14 B	0.50	mg/kg	SW846 6010B
Lead	1790	0.50	mg/kg	SW846 6010B
Silver	0.27 B	1.0	mg/kg	SW846 6010B
Cobalt	10.7	5.0	mg/kg	SW846 6010B
Copper	116	2.5	mg/kg	SW846 6010B
Molybdenum	5.5	4.0	mg/kg	SW846 6010B
Nickel	37.4	4.0	mg/kg	SW846 6010B
Vanadium	32.2	5.0	mg/kg	SW846 6010B
Zinc	1460	10.0	mg/kg	SW846 6010B
Trichlorofluoromethane	280 J	500	ug/kg	SW846 8260B
Acetone	610 J	1200	ug/kg	SW846 8260B
Methylene chloride	91 J	250	ug/kg	SW846 8260B
2-Butanone	890 J	1200	ug/kg	SW846 8260B
Toluene	81 J	250	ug/kg	SW846 8260B
Ethylbenzene	1500	250	ug/kg	SW846 8260B
Xylenes (total)	14000	250	ug/kg	SW846 8260B
Isopropylbenzene	160 J	250	ug/kg	SW846 8260B
p-Isopropyltoluene	210 J	250	ug/kg	SW846 8260B
1,3,5-Trimethylbenzene	140 J	250	ug/kg	SW846 8260B
1,2,4-Trimethylbenzene	380	250	ug/kg	SW846 8260B
n-Butylbenzene	170 J	250	ug/kg	SW846 8260B
C-2-243-5 10/24/00 14:20 030				
C20-C23	6.8 J	10	mg/kg	SW846 8015B
C24-C27	9.8 J	10	mg/kg	SW846 8015B
C28-C31	11	10	mg/kg	SW846 8015B
C32-C35	9.9 J	10	mg/kg	SW846 8015B
C36-C39	13	10	mg/kg	SW846 8015B
Total Carbon Chain Range	57	10	mg/kg	SW846 8015B
Mercury	0.030 B	0.10	mg/kg	SW846 7471A

(Continued on next page)

EXECUTIVE SUMMARY - Detection Highlights

E0J250140

PARAMETER	RESULT	REPORTING LIMIT	UNITS	ANALYTICAL METHOD
C-2-243-5 10/24/00 14:20 030				
Aluminum	22600	20.0	mg/kg	SW846 6010B
Arsenic	3.7	1.0	mg/kg	SW846 6010B
Barium	178	2.0	mg/kg	SW846 6010B
Cadmium	13.2	0.50	mg/kg	SW846 6010B
Chromium	31.0	1.0	mg/kg	SW846 6010B
Beryllium	0.66	0.50	mg/kg	SW846 6010B
Lead	79.0	0.50	mg/kg	SW846 6010B
Cobalt	13.0	5.0	mg/kg	SW846 6010B
Copper	26.6	2.5	mg/kg	SW846 6010B
Molybdenum	1.1 B	4.0	mg/kg	SW846 6010B
Nickel	21.9	4.0	mg/kg	SW846 6010B
Thallium	0.83 B	1.0	mg/kg	SW846 6010B
Vanadium	50.5	5.0	mg/kg	SW846 6010B
Zinc	325	2.0	mg/kg	SW846 6010B
Trichloroethene	16	5.0	ug/kg	SW846 8260B
C-2-243-10 10/24/00 14:30 031				
C20-C23	92 J	100	mg/kg	SW846 8015B
C24-C27	160	100	mg/kg	SW846 8015B
C28-C31	210	100	mg/kg	SW846 8015B
C32-C35	200	100	mg/kg	SW846 8015B
C36-C39	220	100	mg/kg	SW846 8015B
C40+	530	100	mg/kg	SW846 8015B
Total Carbon Chain Range	1500	100	mg/kg	SW846 8015B
Trichloroethene	3.9 J	5.0	ug/kg	SW846 8260B
C-2-246-2 10/24/00 15:00 033				
Aroclor 1254	230	33	ug/kg	SW846 8082
C-2-245-1 10/24/00 15:17 034				
C18-C19	500 J	1000	mg/kg	SW846 8015B
C20-C23	1100	1000	mg/kg	SW846 8015B
C24-C27	1900	1000	mg/kg	SW846 8015B
C28-C31	2300	1000	mg/kg	SW846 8015B
C32-C35	2200	1000	mg/kg	SW846 8015B
C36-C39	4700	1000	mg/kg	SW846 8015B
Total Carbon Chain Range	14000	1000	mg/kg	SW846 8015B
Mercury	0.024 B	0.10	mg/kg	SW846 7471A
Aluminum	5600	20.0	mg/kg	SW846 6010B
Arsenic	1.3	1.0	mg/kg	SW846 6010B

(Continued on next page)

EXECUTIVE SUMMARY - Detection Highlights

E0J250140

PARAMETER	RESULT	REPORTING LIMIT	UNITS	ANALYTICAL METHOD
C-2-245-1 10/24/00 15:17 034				
Barium	115	2.0	mg/kg	SW846 6010B
Cadmium	1.0	0.50	mg/kg	SW846 6010B
Chromium	29.3	1.0	mg/kg	SW846 6010B
Beryllium	0.12 B	0.50	mg/kg	SW846 6010B
Lead	235	0.50	mg/kg	SW846 6010B
Selenium	0.66	0.50	mg/kg	SW846 6010B
Silver	0.46 B	1.0	mg/kg	SW846 6010B
Cobalt	13.2	5.0	mg/kg	SW846 6010B
Copper	28.3	2.5	mg/kg	SW846 6010B
Molybdenum	5.9	4.0	mg/kg	SW846 6010B
Nickel	15.3	4.0	mg/kg	SW846 6010B
Vanadium	28.0	5.0	mg/kg	SW846 6010B
Zinc	200	2.0	mg/kg	SW846 6010B
C-2-245-5 10/24/00 15:19 035				
C24-C27	5.1 J	10	mg/kg	SW846 8015B
C28-C31	5.6 J	10	mg/kg	SW846 8015B
C32-C35	6.3 J	10	mg/kg	SW846 8015B
C36-C39	8.0 J	10	mg/kg	SW846 8015B
Total Carbon Chain Range	35	10	mg/kg	SW846 8015B
Mercury	0.026 B	0.10	mg/kg	SW846 7471A
Aluminum	34200	20.0	mg/kg	SW846 6010B
Arsenic	3.4	1.0	mg/kg	SW846 6010B
Antimony	0.73 B	6.0	mg/kg	SW846 6010B
Barium	163	2.0	mg/kg	SW846 6010B
Cadmium	0.70	0.50	mg/kg	SW846 6010B
Chromium	33.3	1.0	mg/kg	SW846 6010B
Beryllium	0.89	0.50	mg/kg	SW846 6010B
Lead	7.8	0.50	mg/kg	SW846 6010B
Cobalt	11.8	5.0	mg/kg	SW846 6010B
Copper	19.9	2.5	mg/kg	SW846 6010B
Molybdenum	1.2 B	4.0	mg/kg	SW846 6010B
Nickel	17.7	4.0	mg/kg	SW846 6010B
Vanadium	57.7	5.0	mg/kg	SW846 6010B
Zinc	61.7	2.0	mg/kg	SW846 6010B
C-2-245-10 10/24/00 15:30 036				
Mercury	0.050 B	0.10	mg/kg	SW846 7471A
Aluminum	16800	20.0	mg/kg	SW846 6010B
Arsenic	3.8	1.0	mg/kg	SW846 6010B
Antimony	0.30 B	6.0	mg/kg	SW846 6010B

(Continued on next page)

EXECUTIVE SUMMARY - Detection Highlights

E0J250140

PARAMETER	RESULT	REPORTING LIMIT	UNITS	ANALYTICAL METHOD
C-2-245-10 10/24/00 15:30 036				
Barium	73.4	2.0	mg/kg	SW846 6010B
Cadmium	0.69	0.50	mg/kg	SW846 6010B
Chromium	22.0	1.0	mg/kg	SW846 6010B
Beryllium	0.45 B	0.50	mg/kg	SW846 6010B
Lead	3.8	0.50	mg/kg	SW846 6010B
Cobalt	6.8	5.0	mg/kg	SW846 6010B
Copper	25.1	2.5	mg/kg	SW846 6010B
Molybdenum	1.3 B	4.0	mg/kg	SW846 6010B
Nickel	14.7	4.0	mg/kg	SW846 6010B
Vanadium	41.7	5.0	mg/kg	SW846 6010B
Zinc	43.5	2.0	mg/kg	SW846 6010B

METHODS SUMMARY

E0J250140

PARAMETER	ANALYTICAL METHOD	PREPARATION METHOD
Extractable Petroleum Hydrocarbons	SW846 8015B	SANA AUTO-SHAKE
Inductively Coupled Plasma (ICP) Metals	SW846 6010B	SW846 3050B
Mercury in Solid Waste (Manual Cold-Vapor)	SW846 7471A	SW846 7471A
PCBs by SW-846 8082	SW846 8082	SW846 3550
Volatile Organics by GC/MS	SW846 8260B	SW846 5030
Volatile Organics by GC/MS	SW846 8260B	SW846 5030B/826
Volatile Petroleum Hydrocarbons	SW846 8015B	SW846 5030

References:

SW846 "Test Methods for Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 and its updates.

SAMPLE SUMMARY

E0J250140

WO #	SAMPLE#	CLIENT SAMPLE ID	DATE	TIME
DNPXX	001	C-2-226-5	10/23/00	09:20
DNPX9	002	C-2-226-10	10/23/00	09:23
DNP0C	003	C-2-226-15	10/23/00	09:35
DNP0F	004	C-2-227-10	10/23/00	10:25
DNP0G	005	C-2-227-15	10/23/00	10:52
DNP03	006	C-2-228-5	10/23/00	11:16
DNP1A	007	C-2-228-10	10/23/00	11:22
DNP1D	008	C-2-228-15	10/23/00	11:30
DNP1E	009	C-2-229-5	10/23/00	12:27
DNP1F	010	C-2-229-10	10/23/00	12:35
DNP1H	011	C-2-236-5	10/24/00	08:45
DNP1T	012	C-2-236-10	10/24/00	08:52
DNP19	013	C-2-236-15	10/24/00	09:10
DNP2C	014	C-2-237-5	10/24/00	09:20
DNP2E	015	C-2-237-10	10/24/00	09:30
DNP2G	016	C-2-237-15	10/24/00	10:00
DNP2H	017	C-2-238-5	10/24/00	10:10
DNP2J	018	C-2-238-10	10/24/00	10:15
DNP2K	019	C-2-238-15	10/24/00	10:30
DNP2L	020	C-2-239-5	10/24/00	
DNP2M	021	C-2-239-10	10/24/00	10:45
DNP2Q	022	C-2-240-5	10/24/00	10:55
DNP2R	023	C-2-240-10	10/24/00	11:05
DNP2V	024	C-2-240-15	10/24/00	11:30
DNP2X	025	C-2-241-5	10/24/00	13:30
DNP21	026	C-2-241-10	10/24/00	13:35
DNP22	027	C-2-241-5	10/24/00	13:40
DNP24	028	C-2-242-5	10/24/00	13:50
DNP25	029	C-2-242-10	10/24/00	14:05
DNP27	030	C-2-243-5	10/24/00	14:20
DNP3F	031	C-2-243-10	10/24/00	14:30
DNP3G	032	C-2-243-15	10/24/00	14:45
DNP3L	033	C-2-246-2	10/24/00	15:00
DNP3N	034	C-2-245-1	10/24/00	15:17
DNP3W	035	C-2-245-5	10/24/00	15:19
DNP3X	036	C-2-245-10	10/24/00	15:30

(Continued on next page)

SAMPLE SUMMARY

E0J250140

WO #	SAMPLE#	CLIENT SAMPLE ID	DATE	TIME
DNP32	037	C-2-10/24 rinsate	10/24/00	15:45

NOTE(S):

- The analytical results of the samples listed above are presented on the following pages.
- All calculations are performed before rounding to avoid round-off errors in calculated results.
- Results noted as "ND" were not detected at or above the stated limit.
- This report must not be reproduced, except in full, without the written approval of the laboratory.
- Results for the following parameters are never reported on a dry weight basis: color, corrosivity, density, flashpoint, ignitability, layers, odor, paint filter test, pH, porosity pressure, reactivity, redox potential, specific gravity, spot tests, solids, solubility, temperature, viscosity, and weight.

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-226-5

GC Semivolatiles

Lot-Sample #...:	E0J250140-001	**Work Order #...:**	DNPXX1AC	**Matrix.....:**	SOLID
Date Sampled...:	10/23/00 09:20	**Date Received..:**	10/24/00 16:00	**MS Run #.....:**	0301179
Prep Date.....:	10/26/00	**Analysis Date..:**	11/12/00		
Prep Batch #...:	0300527	**Analysis Time..:**	05:42		
Dilution Factor:	1				
% Moisture.....:		**Analyst ID.....:**	356074	**Instrument ID..:**	G01
		Method.....:	SW846 8015B		

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
C8-C9	ND	10	mg/kg	5.0
C10-C11	ND	10	mg/kg	5.0
C12-C13	ND	10	mg/kg	5.0
C14-C15	ND	10	mg/kg	5.0
C16-C17	ND	10	mg/kg	5.0
C18-C19	ND	10	mg/kg	5.0
C20-C23	ND	10	mg/kg	5.0
C24-C27	ND	10	mg/kg	5.0
C28-C31	ND	10	mg/kg	5.0
C32-C35	ND	10	mg/kg	5.0
C36-C39	ND	10	mg/kg	5.0
C40+	ND	10	mg/kg	5.0
Total Carbon Chain Range	ND	10	mg/kg	5.0

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Benzo(a)pyrene	81	(60 - 130)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-226-5

GC Volatiles

Lot-Sample #...:	E0J250140-001	**Work Order #...:**	DNPXX1AD	**Matrix.....:**	SOLID
Date Sampled...:	10/23/00 09:20	**Date Received..:**	10/24/00 16:00	**MS Run #.....:**	0307245
Prep Date.....:	10/25/00	**Analysis Date..:**	10/25/00		
Prep Batch #...:	0304504	**Analysis Time..:**	19:15		
Dilution Factor:	1				
% Moisture.....:		**Analyst ID.....:**	001464	**Instrument ID..:**	G16
		Method.....:	SW846 8015B		

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
C6-C8	ND	1.0	mg/kg	0.10

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
a,a,a-Trifluorotoluene (TFT)	99	(60 - 130)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-226-5

GC/MS Volatiles

Lot-Sample #...:	E0J250140-001	**Work Order #...:**	DNPXX1AA	**Matrix.....:**	SOLID
Date Sampled...:	10/23/00 09:20	**Date Received..:**	10/24/00 16:00	**MS Run #.....:**	0307213
Prep Date.....:	11/01/00	**Analysis Date..:**	11/02/00		
Prep Batch #...:	0307439	**Analysis Time..:**	00:42		
Dilution Factor:	1				
% Moisture.....:		**Analyst ID.....:**	015590	**Instrument ID..:**	MSD
		Method.....:	SW846 8260B		

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Dichlorodifluoromethane	ND	10	ug/kg	1.0
Chloromethane	ND	10	ug/kg	3.0
Vinyl chloride	ND	10	ug/kg	2.0
Bromomethane	ND	10	ug/kg	2.0
Chloroethane	ND	10	ug/kg	2.0
Trichlorofluoromethane	ND	10	ug/kg	2.0
Acrolein	ND	100	ug/kg	30
1,1-Dichloroethene	ND	5.0	ug/kg	2.0
Iodomethane	ND	10	ug/kg	5.0
Acetone	ND	25	ug/kg	15
Carbon disulfide	ND	5.0	ug/kg	2.0
Methylene chloride	ND	5.0	ug/kg	3.0
trans-1,2-Dichloroethene	ND	5.0	ug/kg	2.0
Acrylonitrile	ND	50	ug/kg	30
Methyl tert-butyl ether	ND	5.0	ug/kg	1.0
1,1-Dichloroethane	ND	5.0	ug/kg	1.0
Vinyl acetate	ND	10	ug/kg	5.0
2,2-Dichloropropane	ND	5.0	ug/kg	2.0
cis-1,2-Dichloroethene	ND	5.0	ug/kg	2.0
2-Butanone	ND	25	ug/kg	15
Bromochloromethane	ND	5.0	ug/kg	1.0
Chloroform	ND	5.0	ug/kg	1.0
Tetrahydrofuran	ND	20	ug/kg	10
1,1,1-Trichloroethane	ND	5.0	ug/kg	1.0
1,1-Dichloropropene	ND	5.0	ug/kg	1.0
Carbon tetrachloride	ND	5.0	ug/kg	1.0
Benzene	ND	5.0	ug/kg	2.0
1,2-Dichloroethane	ND	5.0	ug/kg	1.0
Trichloroethene	**32**	**5.0**	**ug/kg**	**2.0**
1,2-Dichloropropane	ND	5.0	ug/kg	1.0
Bromodichloromethane	ND	5.0	ug/kg	1.0
2-Chloroethyl vinyl ether	ND	10	ug/kg	5.0
cis-1,3-Dichloropropene	ND	5.0	ug/kg	1.0
4-Methyl-2-pentanone	ND	25	ug/kg	10
Toluene	ND	5.0	ug/kg	2.0
trans-1,3-Dichloropropene	ND	5.0	ug/kg	3.0
1,1,2-Trichloroethane	ND	5.0	ug/kg	3.0

(Continued on next page)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-226-5

GC/MS Volatiles

Lot-Sample #...: E0J250140-001 **Work Order #...:** DNPXX1AA **Matrix.....:** SOLID

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Tetrachloroethene	ND	5.0	ug/kg	2.0
2-Hexanone	ND	25	ug/kg	10
Dibromochloromethane	ND	5.0	ug/kg	5.0
1,2-Dibromoethane	ND	5.0	ug/kg	3.0
Chlorobenzene	ND	5.0	ug/kg	2.0
Ethylbenzene	ND	5.0	ug/kg	2.0
Xylenes (total)	ND	5.0	ug/kg	3.0
Styrene	ND	10	ug/kg	2.0
Bromoform	ND	5.0	ug/kg	3.0
Isopropylbenzene	ND	5.0	ug/kg	2.0
p-Isopropyltoluene	ND	5.0	ug/kg	2.0
Bromobenzene	ND	5.0	ug/kg	2.0
1,1,1,2-Tetrachloroethane	ND	5.0	ug/kg	3.0
1,1,2,2-Tetrachloroethane	ND	5.0	ug/kg	3.0
1,2,3-Trichloropropane	ND	5.0	ug/kg	3.0
n-Propylbenzene	ND	5.0	ug/kg	2.0
2-Chlorotoluene	ND	5.0	ug/kg	2.0
4-Chlorotoluene	ND	5.0	ug/kg	2.0
1,3,5-Trimethylbenzene	ND	5.0	ug/kg	2.0
tert-Butylbenzene	ND	5.0	ug/kg	2.0
1,2,4-Trimethylbenzene	ND	5.0	ug/kg	2.0
sec-Butylbenzene	ND	5.0	ug/kg	2.0
1,3-Dichlorobenzene	ND	5.0	ug/kg	2.0
1,4-Dichlorobenzene	ND	5.0	ug/kg	2.0
1,2-Dichlorobenzene	ND	5.0	ug/kg	2.0
n-Butylbenzene	ND	5.0	ug/kg	2.0
1,2-Dibromo-3-chloro-propane	ND	10	ug/kg	3.0
1,2,4-Trichloro-benzene	ND	5.0	ug/kg	2.0
Hexachlorobutadiene	ND	5.0	ug/kg	2.0
1,2,3-Trichlorobenzene	ND	5.0	ug/kg	2.0
t-Butanol	ND	100	ug/kg	50
Isopropyl ether	ND	10	ug/kg	1.0
Tert-amyl methyl ether	ND	10	ug/kg	2.0
Tert-butyl ethyl ether	ND	10	ug/kg	1.0

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Bromofluorobenzene	87	(70 - 130)
1,2-Dichloroethane-d4	81	(60 - 140)
Toluene-d8	100	(70 - 130)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-226-10

GC Semivolatiles

Lot-Sample #...:	E0J250140-002	**Work Order #...:**	DNPX91AC	**Matrix.....:**	SOLID
Date Sampled...:	10/23/00 09:23	**Date Received..:**	10/24/00 16:00	**MS Run #.....:**	0301179
Prep Date.....:	10/26/00	**Analysis Date..:**	11/12/00		
Prep Batch #...:	0300527	**Analysis Time..:**	08:43		
Dilution Factor:	1				
% Moisture.....:		**Analyst ID.....:**	356074	**Instrument ID..:**	G01
		Method.....:	SW846 8015B		

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
C8-C9	ND	10	mg/kg	5.0
C10-C11	ND	10	mg/kg	5.0
C12-C13	ND	10	mg/kg	5.0
C14-C15	ND	10	mg/kg	5.0
C16-C17	ND	10	mg/kg	5.0
C18-C19	ND	10	mg/kg	5.0
C20-C23	ND	10	mg/kg	5.0
C24-C27	ND	10	mg/kg	5.0
C28-C31	ND	10	mg/kg	5.0
C32-C35	ND	10	mg/kg	5.0
C36-C39	ND	10	mg/kg	5.0
C40+	ND	10	mg/kg	5.0
Total Carbon Chain Range	ND	10	mg/kg	5.0

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Benzo(a)pyrene	85	(60 - 130)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-226-10

GC Volatiles

Lot-Sample #...:	E0J250140-002	**Work Order #...:**	DNPX91AD	**Matrix.....:**	SOLID
Date Sampled...:	10/23/00 09:23	**Date Received..:**	10/24/00 16:00	**MS Run #.....:**	0307245
Prep Date.....:	10/25/00	**Analysis Date..:**	10/25/00		
Prep Batch #...:	0304504	**Analysis Time..:**	19:44		
Dilution Factor:	1				
% Moisture.....:		**Analyst ID.....:**	001464	**Instrument ID..:**	G16
		Method.....:	SW846 8015B		

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
C6-C8	ND	1.0	mg/kg	0.10

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
a,a,a-Trifluorotoluene (TFT)	99	(60 - 130)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-226-10

GC/MS Volatiles

Lot-Sample #...:	E0J250140-002	**Work Order #...:**	DNPX91AA	**Matrix.....:**	SOLID
Date Sampled...:	10/23/00 09:23	**Date Received..:**	10/24/00 16:00	**MS Run #.....:**	0307213
Prep Date.....:	11/01/00	**Analysis Date..:**	11/02/00		
Prep Batch #...:	0307439	**Analysis Time..:**	01:13		
Dilution Factor:	1				
% Moisture.....:		**Analyst ID.....:**	015590	**Instrument ID..:**	MSD
		Method.....:	SW846 8260B		

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Dichlorodifluoromethane	ND	10	ug/kg	1.0
Chloromethane	ND	10	ug/kg	3.0
Vinyl chloride	ND	10	ug/kg	2.0
Bromomethane	ND	10	ug/kg	2.0
Chloroethane	ND	10	ug/kg	2.0
Trichlorofluoromethane	ND	10	ug/kg	2.0
Acrolein	ND	100	ug/kg	30
1,1-Dichloroethene	ND	5.0	ug/kg	2.0
Iodomethane	ND	10	ug/kg	5.0
Acetone	ND	25	ug/kg	15
Carbon disulfide	ND	5.0	ug/kg	2.0
Methylene chloride	ND	5.0	ug/kg	3.0
trans-1,2-Dichloroethene	ND	5.0	ug/kg	2.0
Acrylonitrile	ND	50	ug/kg	30
Methyl tert-butyl ether	ND	5.0	ug/kg	1.0
1,1-Dichloroethane	ND	5.0	ug/kg	1.0
Vinyl acetate	ND	10	ug/kg	5.0
2,2-Dichloropropane	ND	5.0	ug/kg	2.0
cis-1,2-Dichloroethene	ND	5.0	ug/kg	2.0
2-Butanone	ND	25	ug/kg	15
Bromochloromethane	ND	5.0	ug/kg	1.0
Chloroform	ND	5.0	ug/kg	1.0
Tetrahydrofuran	ND	20	ug/kg	10
1,1,1-Trichloroethane	ND	5.0	ug/kg	1.0
1,1-Dichloropropene	ND	5.0	ug/kg	1.0
Carbon tetrachloride	ND	5.0	ug/kg	1.0
Benzene	ND	5.0	ug/kg	2.0
1,2-Dichloroethane	ND	5.0	ug/kg	1.0
Trichloroethene	ND	5.0	ug/kg	2.0
1,2-Dichloropropane	ND	5.0	ug/kg	1.0
Bromodichloromethane	ND	5.0	ug/kg	1.0
2-Chloroethyl vinyl ether	ND	10	ug/kg	5.0
cis-1,3-Dichloropropene	ND	5.0	ug/kg	1.0
4-Methyl-2-pentanone	ND	25	ug/kg	10
Toluene	ND	5.0	ug/kg	2.0
trans-1,3-Dichloropropene	ND	5.0	ug/kg	3.0
1,1,2-Trichloroethane	ND	5.0	ug/kg	3.0

(Continued on next page)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-226-10

GC/MS Volatiles

Lot-Sample #...: E0J250140-002 **Work Order #...:** DNPX91AA **Matrix.....:** SOLID

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Tetrachloroethene	ND	5.0	ug/kg	2.0
2-Hexanone	ND	25	ug/kg	10
Dibromochloromethane	ND	5.0	ug/kg	5.0
1,2-Dibromoethane	ND	5.0	ug/kg	3.0
Chlorobenzene	ND	5.0	ug/kg	2.0
Ethylbenzene	ND	5.0	ug/kg	2.0
Xylenes (total)	ND	5.0	ug/kg	3.0
Styrene	ND	10	ug/kg	2.0
Bromoform	ND	5.0	ug/kg	3.0
Isopropylbenzene	ND	5.0	ug/kg	2.0
p-Isopropyltoluene	ND	5.0	ug/kg	2.0
Bromobenzene	ND	5.0	ug/kg	2.0
1,1,1,2-Tetrachloroethane	ND	5.0	ug/kg	3.0
1,1,2,2-Tetrachloroethane	ND	5.0	ug/kg	3.0
1,2,3-Trichloropropane	ND	5.0	ug/kg	3.0
n-Propylbenzene	ND	5.0	ug/kg	2.0
2-Chlorotoluene	ND	5.0	ug/kg	2.0
4-Chlorotoluene	ND	5.0	ug/kg	2.0
1,3,5-Trimethylbenzene	ND	5.0	ug/kg	2.0
tert-Butylbenzene	ND	5.0	ug/kg	2.0
1,2,4-Trimethylbenzene	ND	5.0	ug/kg	2.0
sec-Butylbenzene	ND	5.0	ug/kg	2.0
1,3-Dichlorobenzene	ND	5.0	ug/kg	2.0
1,4-Dichlorobenzene	ND	5.0	ug/kg	2.0
1,2-Dichlorobenzene	ND	5.0	ug/kg	2.0
n-Butylbenzene	ND	5.0	ug/kg	2.0
1,2-Dibromo-3-chloro-propane	ND	10	ug/kg	3.0
1,2,4-Trichloro-benzene	ND	5.0	ug/kg	2.0
Hexachlorobutadiene	ND	5.0	ug/kg	2.0
1,2,3-Trichlorobenzene	ND	5.0	ug/kg	2.0
t-Butanol	ND	100	ug/kg	50
Isopropyl ether	ND	10	ug/kg	1.0
Tert-amyl methyl ether	ND	10	ug/kg	2.0
Tert-butyl ethyl ether	ND	10	ug/kg	1.0

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Bromofluorobenzene	86	(70 - 130)
1,2-Dichloroethane-d4	80	(60 - 140)
Toluene-d8	99	(70 - 130)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-226-15

GC Semivolatiles

Lot-Sample #...:	E0J250140-003	**Work Order #...:**	DNP0C1AC	**Matrix.....:**	SOLID
Date Sampled...:	10/23/00 09:35	**Date Received..:**	10/24/00 16:00	**MS Run #.....:**	0301179
Prep Date.....:	10/26/00	**Analysis Date..:**	11/12/00		
Prep Batch #...:	0300527	**Analysis Time..:**	09:14		
Dilution Factor:	1				
% Moisture.....:		**Analyst ID.....:**	356074	**Instrument ID..:**	G01
		Method.....:	SW846 8015B		

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
C8-C9	ND	10	mg/kg	5.0
C10-C11	ND	10	mg/kg	5.0
C12-C13	ND	10	mg/kg	5.0
C14-C15	ND	10	mg/kg	5.0
C16-C17	ND	10	mg/kg	5.0
C18-C19	ND	10	mg/kg	5.0
C20-C23	ND	10	mg/kg	5.0
C24-C27	ND	10	mg/kg	5.0
C28-C31	ND	10	mg/kg	5.0
C32-C35	ND	10	mg/kg	5.0
C36-C39	ND	10	mg/kg	5.0
C40+	ND	10	mg/kg	5.0
Total Carbon Chain Range	ND	10	mg/kg	5.0

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Benzo(a)pyrene	84	(60 - 130)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-226-15

GC Volatiles

Lot-Sample #...:	E0J250140-003	Work Order #...:	DNP0C1AD	Matrix.....:	SOLID
Date Sampled...:	10/23/00 09:35	Date Received..:	10/24/00 16:00	MS Run #.....:	0307245
Prep Date.....:	10/25/00	Analysis Date..:	10/25/00		
Prep Batch #...:	0304504	Analysis Time..:	20:12		
Dilution Factor:	1				
% Moisture.....:		Analyst ID.....:	001464	Instrument ID..:	G16
		Method.....:	SW846 8015B		

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
C6-C8	ND	1.0	mg/kg	0.10

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
a,a,a-Trifluorotoluene (TFT)	100	(60 - 130)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-226-15

GC/MS Volatiles

Lot-Sample #...:	E0J250140-003	**Work Order #...:**	DNP0C1AA	**Matrix.....:**	SOLID
Date Sampled...:	10/23/00 09:35	**Date Received..:**	10/24/00 16:00	**MS Run #.....:**	0307213
Prep Date.....:	11/01/00	**Analysis Date..:**	11/02/00		
Prep Batch #...:	0307439	**Analysis Time..:**	01:44		
Dilution Factor:	1				
% Moisture.....:		**Analyst ID.....:**	015590	**Instrument ID..:**	MSD
		Method.....:	SW846 8260B		

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Dichlorodifluoromethane	ND	10	ug/kg	1.0
Chloromethane	ND	10	ug/kg	3.0
Vinyl chloride	ND	10	ug/kg	2.0
Bromomethane	ND	10	ug/kg	2.0
Chloroethane	ND	10	ug/kg	2.0
Trichlorofluoromethane	ND	10	ug/kg	2.0
Acrolein	ND	100	ug/kg	30
1,1-Dichloroethene	ND	5.0	ug/kg	2.0
Iodomethane	ND	10	ug/kg	5.0
Acetone	ND	25	ug/kg	15
Carbon disulfide	ND	5.0	ug/kg	2.0
Methylene chloride	ND	5.0	ug/kg	3.0
trans-1,2-Dichloroethene	ND	5.0	ug/kg	2.0
Acrylonitrile	ND	50	ug/kg	30
Methyl tert-butyl ether	ND	5.0	ug/kg	1.0
1,1-Dichloroethane	ND	5.0	ug/kg	1.0
Vinyl acetate	ND	10	ug/kg	5.0
2,2-Dichloropropane	ND	5.0	ug/kg	2.0
cis-1,2-Dichloroethene	ND	5.0	ug/kg	2.0
2-Butanone	ND	25	ug/kg	15
Bromochloromethane	ND	5.0	ug/kg	1.0
Chloroform	ND	5.0	ug/kg	1.0
Tetrahydrofuran	ND	20	ug/kg	10
1,1,1-Trichloroethane	ND	5.0	ug/kg	1.0
1,1-Dichloropropene	ND	5.0	ug/kg	1.0
Carbon tetrachloride	ND	5.0	ug/kg	1.0
Benzene	ND	5.0	ug/kg	2.0
1,2-Dichloroethane	ND	5.0	ug/kg	1.0
Trichloroethene	**11**	**5.0**	**ug/kg**	**2.0**
1,2-Dichloropropane	ND	5.0	ug/kg	1.0
Bromodichloromethane	ND	5.0	ug/kg	1.0
2-Chloroethyl vinyl ether	ND	10	ug/kg	5.0
cis-1,3-Dichloropropene	ND	5.0	ug/kg	1.0
4-Methyl-2-pentanone	ND	25	ug/kg	10
Toluene	ND	5.0	ug/kg	2.0
trans-1,3-Dichloropropene	ND	5.0	ug/kg	3.0
1,1,2-Trichloroethane	ND	5.0	ug/kg	3.0

(Continued on next page)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-226-15

GC/MS Volatiles

Lot-Sample #...: E0J250140-003 **Work Order #...:** DNP0C1AA **Matrix.....:** SOLID

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Tetrachloroethene	ND	5.0	ug/kg	2.0
2-Hexanone	ND	25	ug/kg	10
Dibromochloromethane	ND	5.0	ug/kg	5.0
1,2-Dibromoethane	ND	5.0	ug/kg	3.0
Chlorobenzene	ND	5.0	ug/kg	2.0
Ethylbenzene	ND	5.0	ug/kg	2.0
Xylenes (total)	ND	5.0	ug/kg	3.0
Styrene	ND	10	ug/kg	2.0
Bromoform	ND	5.0	ug/kg	3.0
Isopropylbenzene	ND	5.0	ug/kg	2.0
p-Isopropyltoluene	ND	5.0	ug/kg	2.0
Bromobenzene	ND	5.0	ug/kg	2.0
1,1,1,2-Tetrachloroethane	ND	5.0	ug/kg	3.0
1,1,2,2-Tetrachloroethane	ND	5.0	ug/kg	3.0
1,2,3-Trichloropropane	ND	5.0	ug/kg	3.0
n-Propylbenzene	ND	5.0	ug/kg	2.0
2-Chlorotoluene	ND	5.0	ug/kg	2.0
4-Chlorotoluene	ND	5.0	ug/kg	2.0
1,3,5-Trimethylbenzene	ND	5.0	ug/kg	2.0
tert-Butylbenzene	ND	5.0	ug/kg	2.0
1,2,4-Trimethylbenzene	ND	5.0	ug/kg	2.0
sec-Butylbenzene	ND	5.0	ug/kg	2.0
1,3-Dichlorobenzene	ND	5.0	ug/kg	2.0
1,4-Dichlorobenzene	ND	5.0	ug/kg	2.0
1,2-Dichlorobenzene	ND	5.0	ug/kg	2.0
n-Butylbenzene	ND	5.0	ug/kg	2.0
1,2-Dibromo-3-chloro-propane	ND	10	ug/kg	3.0
1,2,4-Trichloro-benzene	ND	5.0	ug/kg	2.0
Hexachlorobutadiene	ND	5.0	ug/kg	2.0
1,2,3-Trichlorobenzene	ND	5.0	ug/kg	2.0
t-Butanol	ND	100	ug/kg	50
Isopropyl ether	ND	10	ug/kg	1.0
Tert-amyl methyl ether	ND	10	ug/kg	2.0
Tert-butyl ethyl ether	ND	10	ug/kg	1.0

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Bromofluorobenzene	86	(70 - 130)
1,2-Dichloroethane-d4	79	(60 - 140)
Toluene-d8	98	(70 - 130)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-227-10

GC Semivolatiles

Lot-Sample #...:	E0J250140-004	**Work Order #...:**	DNP0F1AC	**Matrix.....:**	SOLID
Date Sampled...:	10/23/00 10:25	**Date Received..:**	10/24/00 16:00	**MS Run #.....:**	0301179
Prep Date.....:	10/26/00	**Analysis Date..:**	11/12/00		
Prep Batch #...:	0300527	**Analysis Time..:**	09:44		
Dilution Factor:	1				
% Moisture.....:		**Analyst ID.....:**	356074	**Instrument ID..:**	G01
		Method.....:	SW846 8015B		

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
C8-C9	ND	10	mg/kg	5.0
C10-C11	ND	10	mg/kg	5.0
C12-C13	ND	10	mg/kg	5.0
C14-C15	ND	10	mg/kg	5.0
C16-C17	ND	10	mg/kg	5.0
C18-C19	ND	10	mg/kg	5.0
C20-C23	ND	10	mg/kg	5.0
C24-C27	ND	10	mg/kg	5.0
C28-C31	ND	10	mg/kg	5.0
C32-C35	ND	10	mg/kg	5.0
C36-C39	ND	10	mg/kg	5.0
C40+	ND	10	mg/kg	5.0
Total Carbon Chain Range	ND	10	mg/kg	5.0

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Benzo(a)pyrene	89	(60 - 130)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-227-10

GC Volatiles

Lot-Sample #...:	E0J250140-004	**Work Order #...:**	DNP0F1AD	**Matrix.....:**	SOLID
Date Sampled...:	10/23/00 10:25	**Date Received..:**	10/24/00 16:00	**MS Run #.....:**	0307245
Prep Date.....:	10/25/00	**Analysis Date..:**	10/25/00		
Prep Batch #...:	0304504	**Analysis Time..:**	20:41		
Dilution Factor:	1				
% Moisture.....:		**Analyst ID.....:**	001464	**Instrument ID..:**	G16
		Method.....:	SW846 8015B		

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
C6-C8	ND	1.0	mg/kg	0.10

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
a,a,a-Trifluorotoluene (TFT)	98	(60 - 130)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-227-10

GC/MS Volatiles

Lot-Sample #...:	E0J250140-004	**Work Order #...:**	DNP0F1AA	**Matrix.....:**	SOLID
Date Sampled...:	10/23/00 10:25	**Date Received..:**	10/24/00 16:00	**MS Run #.....:**	0307213
Prep Date.....:	11/01/00	**Analysis Date..:**	11/02/00		
Prep Batch #...:	0307439	**Analysis Time..:**	02:16		
Dilution Factor:	1				
% Moisture.....:		**Analyst ID.....:**	015590	**Instrument ID..:**	MSD
		Method.....:	SW846 8260B		

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Dichlorodifluoromethane	ND	10	ug/kg	1.0
Chloromethane	ND	10	ug/kg	3.0
Vinyl chloride	ND	10	ug/kg	2.0
Bromomethane	ND	10	ug/kg	2.0
Chloroethane	ND	10	ug/kg	2.0
Trichlorofluoromethane	ND	10	ug/kg	2.0
Acrolein	ND	100	ug/kg	30
1,1-Dichloroethene	ND	5.0	ug/kg	2.0
Iodomethane	ND	10	ug/kg	5.0
Acetone	ND	25	ug/kg	15
Carbon disulfide	ND	5.0	ug/kg	2.0
Methylene chloride	ND	5.0	ug/kg	3.0
trans-1,2-Dichloroethene	ND	5.0	ug/kg	2.0
Acrylonitrile	ND	50	ug/kg	30
Methyl tert-butyl ether	ND	5.0	ug/kg	1.0
1,1-Dichloroethane	ND	5.0	ug/kg	1.0
Vinyl acetate	ND	10	ug/kg	5.0
2,2-Dichloropropane	ND	5.0	ug/kg	2.0
cis-1,2-Dichloroethene	ND	5.0	ug/kg	2.0
2-Butanone	ND	25	ug/kg	15
Bromochloromethane	ND	5.0	ug/kg	1.0
Chloroform	ND	5.0	ug/kg	1.0
Tetrahydrofuran	ND	20	ug/kg	10
1,1,1-Trichloroethane	ND	5.0	ug/kg	1.0
1,1-Dichloropropene	ND	5.0	ug/kg	1.0
Carbon tetrachloride	ND	5.0	ug/kg	1.0
Benzene	ND	5.0	ug/kg	2.0
1,2-Dichloroethane	ND	5.0	ug/kg	1.0
Trichloroethene	ND	5.0	ug/kg	2.0
1,2-Dichloropropane	ND	5.0	ug/kg	1.0
Bromodichloromethane	ND	5.0	ug/kg	1.0
2-Chloroethyl vinyl ether	ND	10	ug/kg	5.0
cis-1,3-Dichloropropene	ND	5.0	ug/kg	1.0
4-Methyl-2-pentanone	ND	25	ug/kg	10
Toluene	ND	5.0	ug/kg	2.0
trans-1,3-Dichloropropene	ND	5.0	ug/kg	3.0
1,1,2-Trichloroethane	ND	5.0	ug/kg	3.0

(Continued on next page)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-227-10

GC/MS Volatiles

Lot-Sample #...: E0J250140-004 **Work Order #...:** DNP0F1AA **Matrix.....:** SOLID

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Tetrachloroethene	ND	5.0	ug/kg	2.0
2-Hexanone	ND	25	ug/kg	10
Dibromochloromethane	ND	5.0	ug/kg	5.0
1,2-Dibromoethane	ND	5.0	ug/kg	3.0
Chlorobenzene	ND	5.0	ug/kg	2.0
Ethylbenzene	ND	5.0	ug/kg	2.0
Xylenes (total)	ND	5.0	ug/kg	3.0
Styrene	ND	10	ug/kg	2.0
Bromoform	ND	5.0	ug/kg	3.0
Isopropylbenzene	ND	5.0	ug/kg	2.0
p-Isopropyltoluene	ND	5.0	ug/kg	2.0
Bromobenzene	ND	5.0	ug/kg	2.0
1,1,1,2-Tetrachloroethane	ND	5.0	ug/kg	3.0
1,1,2,2-Tetrachloroethane	ND	5.0	ug/kg	3.0
1,2,3-Trichloropropane	ND	5.0	ug/kg	3.0
n-Propylbenzene	ND	5.0	ug/kg	2.0
2-Chlorotoluene	ND	5.0	ug/kg	2.0
4-Chlorotoluene	ND	5.0	ug/kg	2.0
1,3,5-Trimethylbenzene	ND	5.0	ug/kg	2.0
tert-Butylbenzene	ND	5.0	ug/kg	2.0
1,2,4-Trimethylbenzene	ND	5.0	ug/kg	2.0
sec-Butylbenzene	ND	5.0	ug/kg	2.0
1,3-Dichlorobenzene	ND	5.0	ug/kg	2.0
1,4-Dichlorobenzene	ND	5.0	ug/kg	2.0
1,2-Dichlorobenzene	ND	5.0	ug/kg	2.0
n-Butylbenzene	ND	5.0	ug/kg	2.0
1,2-Dibromo-3-chloro-propane	ND	10	ug/kg	3.0
1,2,4-Trichloro-benzene	ND	5.0	ug/kg	2.0
Hexachlorobutadiene	ND	5.0	ug/kg	2.0
1,2,3-Trichlorobenzene	ND	5.0	ug/kg	2.0
t-Butanol	ND	100	ug/kg	50
Isopropyl ether	ND	10	ug/kg	1.0
Tert-amyl methyl ether	ND	10	ug/kg	2.0
Tert-butyl ethyl ether	ND	10	ug/kg	1.0

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Bromofluorobenzene	87	(70 - 130)
1,2-Dichloroethane-d4	79	(60 - 140)
Toluene-d8	101	(70 - 130)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-227-15

GC Semivolatiles

Lot-Sample #...:	E0J250140-005	**Work Order #...:**	DNP0G1AC	**Matrix.....:**	SOLID
Date Sampled...:	10/23/00 10:52	**Date Received..:**	10/24/00 16:00	**MS Run #.....:**	0301179
Prep Date.....:	10/26/00	**Analysis Date..:**	11/12/00		
Prep Batch #...:	0300527	**Analysis Time..:**	10:14		
Dilution Factor:	1				
% Moisture.....:		**Analyst ID.....:**	356074	**Instrument ID..:**	G01
		Method.....:	SW846 8015B		

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
C8-C9	ND	10	mg/kg	5.0
C10-C11	ND	10	mg/kg	5.0
C12-C13	ND	10	mg/kg	5.0
C14-C15	ND	10	mg/kg	5.0
C16-C17	ND	10	mg/kg	5.0
C18-C19	ND	10	mg/kg	5.0
C20-C23	ND	10	mg/kg	5.0
C24-C27	ND	10	mg/kg	5.0
C28-C31	ND	10	mg/kg	5.0
C32-C35	ND	10	mg/kg	5.0
C36-C39	ND	10	mg/kg	5.0
C40+	ND	10	mg/kg	5.0
Total Carbon Chain Range	ND	10	mg/kg	5.0

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Benzo(a)pyrene	88	(60 - 130)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-227-15

GC Volatiles

Lot-Sample #...:	E0J250140-005	**Work Order #...:**	DNP0G1AD	**Matrix.....:**	SOLID
Date Sampled...:	10/23/00 10:52	**Date Received..:**	10/24/00 16:00	**MS Run #.....:**	0307245
Prep Date.....:	10/25/00	**Analysis Date..:**	10/25/00		
Prep Batch #...:	0304504	**Analysis Time..:**	21:09		
Dilution Factor:	1				
% Moisture.....:		**Analyst ID.....:**	001464	**Instrument ID..:**	G16
		Method.....:	SW846 8015B		

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
C6-C8	ND	1.0	mg/kg	0.10

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
a,a,a-Trifluorotoluene (TFT)	99	(60 - 130)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-227-15

GC/MS Volatiles

Lot-Sample #...:	E0J250140-005	**Work Order #...:**	DNP0G1AA	**Matrix.....:**	SOLID
Date Sampled...:	10/23/00 10:52	**Date Received..:**	10/24/00 16:00	**MS Run #.....:**	0307213
Prep Date.....:	11/01/00	**Analysis Date..:**	11/01/00		
Prep Batch #...:	0307439	**Analysis Time..:**	22:37		
Dilution Factor:	1				
% Moisture.....:		**Analyst ID.....:**	015590	**Instrument ID..:**	MSD
		Method.....:	SW846 8260B		

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Dichlorodifluoromethane	ND	10	ug/kg	1.0
Chloromethane	ND	10	ug/kg	3.0
Vinyl chloride	ND	10	ug/kg	2.0
Bromomethane	ND	10	ug/kg	2.0
Chloroethane	ND	10	ug/kg	2.0
Trichlorofluoromethane	ND	10	ug/kg	2.0
Acrolein	ND	100	ug/kg	30
1,1-Dichloroethene	ND	5.0	ug/kg	2.0
Iodomethane	ND	10	ug/kg	5.0
Acetone	ND	25	ug/kg	15
Carbon disulfide	ND	5.0	ug/kg	2.0
Methylene chloride	ND	5.0	ug/kg	3.0
trans-1,2-Dichloroethene	ND	5.0	ug/kg	2.0
Acrylonitrile	ND	50	ug/kg	30
Methyl tert-butyl ether	ND	5.0	ug/kg	1.0
1,1-Dichloroethane	ND	5.0	ug/kg	1.0
Vinyl acetate	ND	10	ug/kg	5.0
2,2-Dichloropropane	ND	5.0	ug/kg	2.0
cis-1,2-Dichloroethene	ND	5.0	ug/kg	2.0
2-Butanone	ND	25	ug/kg	15
Bromochloromethane	ND	5.0	ug/kg	1.0
Chloroform	ND	5.0	ug/kg	1.0
Tetrahydrofuran	ND	20	ug/kg	10
1,1,1-Trichloroethane	ND	5.0	ug/kg	1.0
1,1-Dichloropropene	ND	5.0	ug/kg	1.0
Carbon tetrachloride	ND	5.0	ug/kg	1.0
Benzene	ND	5.0	ug/kg	2.0
1,2-Dichloroethane	ND	5.0	ug/kg	1.0
Trichloroethene	ND	5.0	ug/kg	2.0
1,2-Dichloropropane	ND	5.0	ug/kg	1.0
Bromodichloromethane	ND	5.0	ug/kg	1.0
2-Chloroethyl vinyl ether	ND	10	ug/kg	5.0
cis-1,3-Dichloropropene	ND	5.0	ug/kg	1.0
4-Methyl-2-pentanone	ND	25	ug/kg	10
Toluene	ND	5.0	ug/kg	2.0
trans-1,3-Dichloropropene	ND	5.0	ug/kg	3.0
1,1,2-Trichloroethane	ND	5.0	ug/kg	3.0

(Continued on next page)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-227-15

GC/MS Volatiles

Lot-Sample #...: E0J250140-005 **Work Order #...:** DNP0G1AA **Matrix.....:** SOLID

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Tetrachloroethene	ND	5.0	ug/kg	2.0
2-Hexanone	ND	25	ug/kg	10
Dibromochloromethane	ND	5.0	ug/kg	5.0
1,2-Dibromoethane	ND	5.0	ug/kg	3.0
Chlorobenzene	ND	5.0	ug/kg	2.0
Ethylbenzene	ND	5.0	ug/kg	2.0
Xylenes (total)	ND	5.0	ug/kg	3.0
Styrene	ND	10	ug/kg	2.0
Bromoform	ND	5.0	ug/kg	3.0
Isopropylbenzene	ND	5.0	ug/kg	2.0
p-Isopropyltoluene	ND	5.0	ug/kg	2.0
Bromobenzene	ND	5.0	ug/kg	2.0
1,1,1,2-Tetrachloroethane	ND	5.0	ug/kg	3.0
1,1,2,2-Tetrachloroethane	ND	5.0	ug/kg	3.0
1,2,3-Trichloropropane	ND	5.0	ug/kg	3.0
n-Propylbenzene	ND	5.0	ug/kg	2.0
2-Chlorotoluene	ND	5.0	ug/kg	2.0
4-Chlorotoluene	ND	5.0	ug/kg	2.0
1,3,5-Trimethylbenzene	ND	5.0	ug/kg	2.0
tert-Butylbenzene	ND	5.0	ug/kg	2.0
1,2,4-Trimethylbenzene	ND	5.0	ug/kg	2.0
sec-Butylbenzene	ND	5.0	ug/kg	2.0
1,3-Dichlorobenzene	ND	5.0	ug/kg	2.0
1,4-Dichlorobenzene	ND	5.0	ug/kg	2.0
1,2-Dichlorobenzene	ND	5.0	ug/kg	2.0
n-Butylbenzene	ND	5.0	ug/kg	2.0
1,2-Dibromo-3-chloro-propane	ND	10	ug/kg	3.0
1,2,4-Trichloro-benzene	ND	5.0	ug/kg	2.0
Hexachlorobutadiene	ND	5.0	ug/kg	2.0
1,2,3-Trichlorobenzene	ND	5.0	ug/kg	2.0
t-Butanol	ND	100	ug/kg	50
Isopropyl ether	ND	10	ug/kg	1.0
Tert-amyl methyl ether	ND	10	ug/kg	2.0
Tert-butyl ethyl ether	ND	10	ug/kg	1.0

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Bromofluorobenzene	87	(70 - 130)
1,2-Dichloroethane-d4	81	(60 - 140)
Toluene-d8	100	(70 - 130)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-228-5

GC Semivolatiles

Lot-Sample #...:	E0J250140-006	**Work Order #...:**	DNP031AD	**Matrix.....:**	SOLID
Date Sampled...:	10/23/00 11:16	**Date Received..:**	10/24/00 16:00	**MS Run #.....:**	0301179
Prep Date.....:	10/26/00	**Analysis Date..:**	11/12/00		
Prep Batch #...:	0300527	**Analysis Time..:**	10:44		
Dilution Factor:	1				
% Moisture.....:		**Analyst ID.....:**	356074	**Instrument ID..:**	G01
		Method.....:	SW846 8015B		

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
C8-C9	ND	10	mg/kg	5.0
C10-C11	ND	10	mg/kg	5.0
C12-C13	ND	10	mg/kg	5.0
C14-C15	ND	10	mg/kg	5.0
C16-C17	ND	10	mg/kg	5.0
C18-C19	ND	10	mg/kg	5.0
C20-C23	ND	10	mg/kg	5.0
C24-C27	ND	10	mg/kg	5.0
C28-C31	ND	10	mg/kg	5.0
C32-C35	ND	10	mg/kg	5.0
C36-C39	ND	10	mg/kg	5.0
C40+	ND	10	mg/kg	5.0
Total Carbon Chain Range	ND	10	mg/kg	5.0

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Benzo(a)pyrene	89	(60 - 130)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-228-5

GC Volatiles

Lot-Sample #...:	E0J250140-006	**Work Order #...:**	DNP031AE	**Matrix.....:**	SOLID
Date Sampled...:	10/23/00 11:16	**Date Received..:**	10/24/00 16:00	**MS Run #.....:**	0307245
Prep Date.....:	10/25/00	**Analysis Date..:**	10/25/00		
Prep Batch #...:	0304504	**Analysis Time..:**	21:38		
Dilution Factor:	1				
% Moisture.....:		**Analyst ID.....:**	001464	**Instrument ID..:**	G16
		Method.....:	SW846 8015B		

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
C6-C8	ND	1.0	mg/kg	0.10

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
a,a,a-Trifluorotoluene (TFT)	98	(60 - 130)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-228-5

GC/MS Volatiles

Lot-Sample #...: E0J250140-006 **Work Order #...:** DNP031AC **Matrix.....:** SOLID
Date Sampled...: 10/23/00 11:16 **Date Received..:** 10/24/00 16:00 **MS Run #.....:** 0307213
Prep Date.....: 11/01/00 **Analysis Date..:** 11/02/00
Prep Batch #...: 0307439 **Analysis Time..:** 02:47
Dilution Factor: 1
% Moisture.....: **Analyst ID.....:** 015590 **Instrument ID..:** MSD
Method.....: SW846 8260B

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Dichlorodifluoromethane	ND	10	ug/kg	1.0
Chloromethane	ND	10	ug/kg	3.0
Vinyl chloride	ND	10	ug/kg	2.0
Bromomethane	ND	10	ug/kg	2.0
Chloroethane	ND	10	ug/kg	2.0
Trichlorofluoromethane	ND	10	ug/kg	2.0
Acrolein	ND	100	ug/kg	30
1,1-Dichloroethene	ND	5.0	ug/kg	2.0
Iodomethane	ND	10	ug/kg	5.0
Acetone	ND	25	ug/kg	15
Carbon disulfide	ND	5.0	ug/kg	2.0
Methylene chloride	ND	5.0	ug/kg	3.0
trans-1,2-Dichloroethene	ND	5.0	ug/kg	2.0
Acrylonitrile	ND	50	ug/kg	30
Methyl tert-butyl ether	ND	5.0	ug/kg	1.0
1,1-Dichloroethane	ND	5.0	ug/kg	1.0
Vinyl acetate	ND	10	ug/kg	5.0
2,2-Dichloropropane	ND	5.0	ug/kg	2.0
cis-1,2-Dichloroethene	ND	5.0	ug/kg	2.0
2-Butanone	ND	25	ug/kg	15
Bromochloromethane	ND	5.0	ug/kg	1.0
Chloroform	ND	5.0	ug/kg	1.0
Tetrahydrofuran	ND	20	ug/kg	10
1,1,1-Trichloroethane	ND	5.0	ug/kg	1.0
1,1-Dichloropropene	ND	5.0	ug/kg	1.0
Carbon tetrachloride	ND	5.0	ug/kg	1.0
Benzene	ND	5.0	ug/kg	2.0
1,2-Dichloroethane	ND	5.0	ug/kg	1.0
Trichloroethene	**59**	**5.0**	**ug/kg**	**2.0**
1,2-Dichloropropane	ND	5.0	ug/kg	1.0
Bromodichloromethane	ND	5.0	ug/kg	1.0
2-Chloroethyl vinyl ether	ND	10	ug/kg	5.0
cis-1,3-Dichloropropene	ND	5.0	ug/kg	1.0
4-Methyl-2-pentanone	ND	25	ug/kg	10
Toluene	ND	5.0	ug/kg	2.0
trans-1,3-Dichloropropene	ND	5.0	ug/kg	3.0
1,1,2-Trichloroethane	ND	5.0	ug/kg	3.0

(Continued on next page)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-228-5

GC/MS Volatiles

Lot-Sample #...: E0J250140-006 **Work Order #...:** DNP031AC **Matrix.....:** SOLID

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Tetrachloroethene	ND	5.0	ug/kg	2.0
2-Hexanone	ND	25	ug/kg	10
Dibromochloromethane	ND	5.0	ug/kg	5.0
1,2-Dibromoethane	ND	5.0	ug/kg	3.0
Chlorobenzene	ND	5.0	ug/kg	2.0
Ethylbenzene	ND	5.0	ug/kg	2.0
Xylenes (total)	ND	5.0	ug/kg	3.0
Styrene	ND	10	ug/kg	2.0
Bromoform	ND	5.0	ug/kg	3.0
Isopropylbenzene	ND	5.0	ug/kg	2.0
p-Isopropyltoluene	ND	5.0	ug/kg	2.0
Bromobenzene	ND	5.0	ug/kg	2.0
1,1,1,2-Tetrachloroethane	ND	5.0	ug/kg	3.0
1,1,2,2-Tetrachloroethane	ND	5.0	ug/kg	3.0
1,2,3-Trichloropropane	ND	5.0	ug/kg	3.0
n-Propylbenzene	ND	5.0	ug/kg	2.0
2-Chlorotoluene	ND	5.0	ug/kg	2.0
4-Chlorotoluene	ND	5.0	ug/kg	2.0
1,3,5-Trimethylbenzene	ND	5.0	ug/kg	2.0
tert-Butylbenzene	ND	5.0	ug/kg	2.0
1,2,4-Trimethylbenzene	ND	5.0	ug/kg	2.0
sec-Butylbenzene	ND	5.0	ug/kg	2.0
1,3-Dichlorobenzene	ND	5.0	ug/kg	2.0
1,4-Dichlorobenzene	ND	5.0	ug/kg	2.0
1,2-Dichlorobenzene	ND	5.0	ug/kg	2.0
n-Butylbenzene	ND	5.0	ug/kg	2.0
1,2-Dibromo-3-chloro-propane	ND	10	ug/kg	3.0
1,2,4-Trichloro-benzene	ND	5.0	ug/kg	2.0
Hexachlorobutadiene	ND	5.0	ug/kg	2.0
1,2,3-Trichlorobenzene	ND	5.0	ug/kg	2.0
t-Butanol	ND	100	ug/kg	50
Isopropyl ether	ND	10	ug/kg	1.0
Tert-amyl methyl ether	ND	10	ug/kg	2.0
Tert-butyl ethyl ether	ND	10	ug/kg	1.0

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Bromofluorobenzene	89	(70 - 130)
1,2-Dichloroethane-d4	82	(60 - 140)
Toluene-d8	101	(70 - 130)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-228-10

GC Semivolatiles

Lot-Sample #...:	E0J250140-007	**Work Order #...:**	DNP1A1AC	**Matrix.....:**	SOLID
Date Sampled...:	10/23/00 11:22	**Date Received..:**	10/24/00 16:00	**MS Run #.....:**	0301179
Prep Date.....:	10/26/00	**Analysis Date..:**	11/12/00		
Prep Batch #...:	0300527	**Analysis Time..:**	11:15		
Dilution Factor:	1				
% Moisture.....:		**Analyst ID.....:**	356074	**Instrument ID..:**	G01
		Method.....:	SW846 8015B		

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
C8-C9	ND	10	mg/kg	5.0
C10-C11	ND	10	mg/kg	5.0
C12-C13	ND	10	mg/kg	5.0
C14-C15	ND	10	mg/kg	5.0
C16-C17	ND	10	mg/kg	5.0
C18-C19	ND	10	mg/kg	5.0
C20-C23	ND	10	mg/kg	5.0
C24-C27	ND	10	mg/kg	5.0
C28-C31	ND	10	mg/kg	5.0
C32-C35	ND	10	mg/kg	5.0
C36-C39	ND	10	mg/kg	5.0
C40+	ND	10	mg/kg	5.0
Total Carbon Chain Range	ND	10	mg/kg	5.0

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Benzo(a)pyrene	82	(60 - 130)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-228-10

GC Volatiles

Lot-Sample #...:	E0J250140-007	**Work Order #...:**	DNP1A1AD	**Matrix.....:**	SOLID
Date Sampled...:	10/23/00 11:22	**Date Received..:**	10/24/00 16:00	**MS Run #.....:**	0307245
Prep Date.....:	10/25/00	**Analysis Date..:**	10/25/00		
Prep Batch #...:	0304504	**Analysis Time..:**	22:06		
Dilution Factor:	1				
% Moisture.....:		**Analyst ID.....:**	001464	**Instrument ID..:**	G16
		Method.....:	SW846 8015B		

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
C6-C8	ND	1.0	mg/kg	0.10

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
a,a,a-Trifluorotoluene (TFT)	98	(60 - 130)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-228-10

GC/MS Volatiles

Lot-Sample #...:	E0J250140-007	**Work Order #...:**	DNP1A1AA	**Matrix.....:**	SOLID
Date Sampled...:	10/23/00 11:22	**Date Received..:**	10/24/00 16:00	**MS Run #.....:**	0307213
Prep Date.....:	11/01/00	**Analysis Date..:**	11/02/00		
Prep Batch #...:	0307439	**Analysis Time..:**	03:18		
Dilution Factor:	1				
% Moisture.....:		**Analyst ID.....:**	015590	**Instrument ID..:**	MSD
		Method.....:	SW846 8260B		

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Dichlorodifluoromethane	ND	10	ug/kg	1.0
Chloromethane	ND	10	ug/kg	3.0
Vinyl chloride	ND	10	ug/kg	2.0
Bromomethane	ND	10	ug/kg	2.0
Chloroethane	ND	10	ug/kg	2.0
Trichlorofluoromethane	ND	10	ug/kg	2.0
Acrolein	ND	100	ug/kg	30
1,1-Dichloroethene	ND	5.0	ug/kg	2.0
Iodomethane	ND	10	ug/kg	5.0
Acetone	ND	25	ug/kg	15
Carbon disulfide	ND	5.0	ug/kg	2.0
Methylene chloride	ND	5.0	ug/kg	3.0
trans-1,2-Dichloroethene	ND	5.0	ug/kg	2.0
Acrylonitrile	ND	50	ug/kg	30
Methyl tert-butyl ether	ND	5.0	ug/kg	1.0
1,1-Dichloroethane	ND	5.0	ug/kg	1.0
Vinyl acetate	ND	10	ug/kg	5.0
2,2-Dichloropropane	ND	5.0	ug/kg	2.0
cis-1,2-Dichloroethene	ND	5.0	ug/kg	2.0
2-Butanone	ND	25	ug/kg	15
Bromochloromethane	ND	5.0	ug/kg	1.0
Chloroform	ND	5.0	ug/kg	1.0
Tetrahydrofuran	ND	20	ug/kg	10
1,1,1-Trichloroethane	ND	5.0	ug/kg	1.0
1,1-Dichloropropene	ND	5.0	ug/kg	1.0
Carbon tetrachloride	ND	5.0	ug/kg	1.0
Benzene	ND	5.0	ug/kg	2.0
1,2-Dichloroethane	ND	5.0	ug/kg	1.0
Trichloroethene	ND	5.0	ug/kg	2.0
1,2-Dichloropropane	ND	5.0	ug/kg	1.0
Bromodichloromethane	ND	5.0	ug/kg	1.0
2-Chloroethyl vinyl ether	ND	10	ug/kg	5.0
cis-1,3-Dichloropropene	ND	5.0	ug/kg	1.0
4-Methyl-2-pentanone	ND	25	ug/kg	10
Toluene	ND	5.0	ug/kg	2.0
trans-1,3-Dichloropropene	ND	5.0	ug/kg	3.0
1,1,2-Trichloroethane	ND	5.0	ug/kg	3.0

(Continued on next page)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-228-10

GC/MS Volatiles

Lot-Sample #...: E0J250140-007 **Work Order #...:** DNP1A1AA **Matrix.....:** SOLID

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Tetrachloroethene	ND	5.0	ug/kg	2.0
2-Hexanone	ND	25	ug/kg	10
Dibromochloromethane	ND	5.0	ug/kg	5.0
1,2-Dibromoethane	ND	5.0	ug/kg	3.0
Chlorobenzene	ND	5.0	ug/kg	2.0
Ethylbenzene	ND	5.0	ug/kg	2.0
Xylenes (total)	ND	5.0	ug/kg	3.0
Styrene	ND	10	ug/kg	2.0
Bromoform	ND	5.0	ug/kg	3.0
Isopropylbenzene	ND	5.0	ug/kg	2.0
p-Isopropyltoluene	ND	5.0	ug/kg	2.0
Bromobenzene	ND	5.0	ug/kg	2.0
1,1,1,2-Tetrachloroethane	ND	5.0	ug/kg	3.0
1,1,2,2-Tetrachloroethane	ND	5.0	ug/kg	3.0
1,2,3-Trichloropropane	ND	5.0	ug/kg	3.0
n-Propylbenzene	ND	5.0	ug/kg	2.0
2-Chlorotoluene	ND	5.0	ug/kg	2.0
4-Chlorotoluene	ND	5.0	ug/kg	2.0
1,3,5-Trimethylbenzene	ND	5.0	ug/kg	2.0
tert-Butylbenzene	ND	5.0	ug/kg	2.0
1,2,4-Trimethylbenzene	ND	5.0	ug/kg	2.0
sec-Butylbenzene	ND	5.0	ug/kg	2.0
1,3-Dichlorobenzene	ND	5.0	ug/kg	2.0
1,4-Dichlorobenzene	ND	5.0	ug/kg	2.0
1,2-Dichlorobenzene	ND	5.0	ug/kg	2.0
n-Butylbenzene	ND	5.0	ug/kg	2.0
1,2-Dibromo-3-chloro-propane	ND	10	ug/kg	3.0
1,2,4-Trichloro-benzene	ND	5.0	ug/kg	2.0
Hexachlorobutadiene	ND	5.0	ug/kg	2.0
1,2,3-Trichlorobenzene	ND	5.0	ug/kg	2.0
t-Butanol	ND	100	ug/kg	50
Isopropyl ether	ND	10	ug/kg	1.0
Tert-amyl methyl ether	ND	10	ug/kg	2.0
Tert-butyl ethyl ether	ND	10	ug/kg	1.0

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Bromofluorobenzene	86	(70 - 130)
1,2-Dichloroethane-d4	80	(60 - 140)
Toluene-d8	99	(70 - 130)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-228-15

GC Semivolatiles

Lot-Sample #...:	E0J250140-008	**Work Order #...:**	DNP1D1AC	**Matrix.....:**	SOLID
Date Sampled...:	10/23/00 11:30	**Date Received..:**	10/24/00 16:00	**MS Run #.....:**	0301179
Prep Date.....:	10/26/00	**Analysis Date..:**	11/12/00		
Prep Batch #...:	0300527	**Analysis Time..:**	11:45		
Dilution Factor:	1				
% Moisture.....:		**Analyst ID.....:**	356074	**Instrument ID..:**	G01
		Method.....:	SW846 8015B		

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
C8-C9	ND	10	mg/kg	5.0
C10-C11	ND	10	mg/kg	5.0
C12-C13	ND	10	mg/kg	5.0
C14-C15	ND	10	mg/kg	5.0
C16-C17	ND	10	mg/kg	5.0
C18-C19	ND	10	mg/kg	5.0
C20-C23	ND	10	mg/kg	5.0
C24-C27	ND	10	mg/kg	5.0
C28-C31	ND	10	mg/kg	5.0
C32-C35	ND	10	mg/kg	5.0
C36-C39	ND	10	mg/kg	5.0
C40+	ND	10	mg/kg	5.0
Total Carbon Chain Range	ND	10	mg/kg	5.0

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Benzo(a)pyrene	77	(60 - 130)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-228-15

GC Volatiles

Lot-Sample #...:	E0J250140-008	**Work Order #...:**	DNP1D1AD	**Matrix.....:**	SOLID
Date Sampled...:	10/23/00 11:30	**Date Received..:**	10/24/00 16:00	**MS Run #.....:**	0307245
Prep Date.....:	10/25/00	**Analysis Date..:**	10/25/00		
Prep Batch #...:	0304504	**Analysis Time..:**	22:35		
Dilution Factor:	1				
% Moisture.....:		**Analyst ID.....:**	001464	**Instrument ID..:**	G16
		Method.....:	SW846 8015B		

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
C6-C8	ND	1.0	mg/kg	0.10

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
a,a,a-Trifluorotoluene (TFT)	97	(60 - 130)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-228-15

GC/MS Volatiles

Lot-Sample #...:	E0J250140-008	**Work Order #...:**	DNP1D1AA	**Matrix.....:**	SOLID
Date Sampled...:	10/23/00 11:30	**Date Received..:**	10/24/00 16:00	**MS Run #.....:**	0307213
Prep Date.....:	11/01/00	**Analysis Date..:**	11/02/00		
Prep Batch #...:	0307439	**Analysis Time..:**	03:49		
Dilution Factor:	1				
% Moisture.....:		**Analyst ID.....:**	015590	**Instrument ID..:**	MSD
		Method.....:	SW846 8260B		

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Dichlorodifluoromethane	ND	10	ug/kg	1.0
Chloromethane	ND	10	ug/kg	3.0
Vinyl chloride	ND	10	ug/kg	2.0
Bromomethane	ND	10	ug/kg	2.0
Chloroethane	ND	10	ug/kg	2.0
Trichlorofluoromethane	ND	10	ug/kg	2.0
Acrolein	ND	100	ug/kg	30
1,1-Dichloroethene	ND	5.0	ug/kg	2.0
Iodomethane	ND	10	ug/kg	5.0
Acetone	ND	25	ug/kg	15
Carbon disulfide	ND	5.0	ug/kg	2.0
Methylene chloride	ND	5.0	ug/kg	3.0
trans-1,2-Dichloroethene	ND	5.0	ug/kg	2.0
Acrylonitrile	ND	50	ug/kg	30
Methyl tert-butyl ether	ND	5.0	ug/kg	1.0
1,1-Dichloroethane	ND	5.0	ug/kg	1.0
Vinyl acetate	ND	10	ug/kg	5.0
2,2-Dichloropropane	ND	5.0	ug/kg	2.0
cis-1,2-Dichloroethene	ND	5.0	ug/kg	2.0
2-Butanone	ND	25	ug/kg	15
Bromochloromethane	ND	5.0	ug/kg	1.0
Chloroform	ND	5.0	ug/kg	1.0
Tetrahydrofuran	ND	20	ug/kg	10
1,1,1-Trichloroethane	ND	5.0	ug/kg	1.0
1,1-Dichloropropene	ND	5.0	ug/kg	1.0
Carbon tetrachloride	ND	5.0	ug/kg	1.0
Benzene	ND	5.0	ug/kg	2.0
1,2-Dichloroethane	ND	5.0	ug/kg	1.0
Trichloroethene	**2.9 J**	**5.0**	**ug/kg**	**2.0**
1,2-Dichloropropane	ND	5.0	ug/kg	1.0
Bromodichloromethane	ND	5.0	ug/kg	1.0
2-Chloroethyl vinyl ether	ND	10	ug/kg	5.0
cis-1,3-Dichloropropene	ND	5.0	ug/kg	1.0
4-Methyl-2-pentanone	ND	25	ug/kg	10
Toluene	ND	5.0	ug/kg	2.0
trans-1,3-Dichloropropene	ND	5.0	ug/kg	3.0
1,1,2-Trichloroethane	ND	5.0	ug/kg	3.0

(Continued on next page)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-228-15

GC/MS Volatiles

Lot-Sample #...: E0J250140-008 **Work Order #...:** DNP1D1AA **Matrix.....:** SOLID

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Tetrachloroethene	ND	5.0	ug/kg	2.0
2-Hexanone	ND	25	ug/kg	10
Dibromochloromethane	ND	5.0	ug/kg	5.0
1,2-Dibromoethane	ND	5.0	ug/kg	3.0
Chlorobenzene	ND	5.0	ug/kg	2.0
Ethylbenzene	ND	5.0	ug/kg	2.0
Xylenes (total)	ND	5.0	ug/kg	3.0
Styrene	ND	10	ug/kg	2.0
Bromoform	ND	5.0	ug/kg	3.0
Isopropylbenzene	ND	5.0	ug/kg	2.0
p-Isopropyltoluene	ND	5.0	ug/kg	2.0
Bromobenzene	ND	5.0	ug/kg	2.0
1,1,1,2-Tetrachloroethane	ND	5.0	ug/kg	3.0
1,1,2,2-Tetrachloroethane	ND	5.0	ug/kg	3.0
1,2,3-Trichloropropane	ND	5.0	ug/kg	3.0
n-Propylbenzene	ND	5.0	ug/kg	2.0
2-Chlorotoluene	ND	5.0	ug/kg	2.0
4-Chlorotoluene	ND	5.0	ug/kg	2.0
1,3,5-Trimethylbenzene	ND	5.0	ug/kg	2.0
tert-Butylbenzene	ND	5.0	ug/kg	2.0
1,2,4-Trimethylbenzene	ND	5.0	ug/kg	2.0
sec-Butylbenzene	ND	5.0	ug/kg	2.0
1,3-Dichlorobenzene	ND	5.0	ug/kg	2.0
1,4-Dichlorobenzene	ND	5.0	ug/kg	2.0
1,2-Dichlorobenzene	ND	5.0	ug/kg	2.0
n-Butylbenzene	ND	5.0	ug/kg	2.0
1,2-Dibromo-3-chloro-propane	ND	10	ug/kg	3.0
1,2,4-Trichloro-benzene	ND	5.0	ug/kg	2.0
Hexachlorobutadiene	ND	5.0	ug/kg	2.0
1,2,3-Trichlorobenzene	ND	5.0	ug/kg	2.0
t-Butanol	ND	100	ug/kg	50
Isopropyl ether	ND	10	ug/kg	1.0
Tert-amyl methyl ether	ND	10	ug/kg	2.0
Tert-butyl ethyl ether	ND	10	ug/kg	1.0

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Bromofluorobenzene	86	(70 - 130)
1,2-Dichloroethane-d4	80	(60 - 140)
Toluene-d8	101	(70 - 130)

NOTE(S):

J Estimated result. Result is less than RL.

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-229-5

GC Semivolatiles

Lot-Sample #...:	E0J250140-009	**Work Order #...:**	DNP1E1AD	**Matrix.....:**	SOLID
Date Sampled...:	10/23/00 12:27	**Date Received..:**	10/24/00 16:00	**MS Run #.....:**	0301179
Prep Date.....:	10/26/00	**Analysis Date..:**	11/13/00		
Prep Batch #...:	0300527	**Analysis Time..:**	22:01		
Dilution Factor:	10				
% Moisture.....:		**Analyst ID.....:**	356074	**Instrument ID..:**	G01
		Method.....:	SW846 8015B		

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
C8-C9	ND	100	mg/kg	50
C10-C11	ND	100	mg/kg	50
C12-C13	ND	100	mg/kg	50
C14-C15	ND	100	mg/kg	50
C16-C17	ND	100	mg/kg	50
C18-C19	**60 J**	**100**	**mg/kg**	**50**
C20-C23	**73 J**	**100**	**mg/kg**	**50**
C24-C27	**450**	**100**	**mg/kg**	**50**
C28-C31	**340**	**100**	**mg/kg**	**50**
C32-C35	**310**	**100**	**mg/kg**	**50**
C36-C39	**220**	**100**	**mg/kg**	**50**
C40+	ND	100	mg/kg	50
Total Carbon Chain Range	**1500**	**100**	**mg/kg**	**50**

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Benzo(a)pyrene	105	(60 - 130)

NOTE(S):

J Estimated result. Result is less than RL.

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-229-5

GC Volatiles

Lot-Sample #...:	E0J250140-009	**Work Order #...:**	DNP1E1AE	**Matrix.....:**	SOLID
Date Sampled...:	10/23/00 12:27	**Date Received..:**	10/24/00 16:00	**MS Run #.....:**	0307245
Prep Date.....:	10/25/00	**Analysis Date..:**	10/25/00		
Prep Batch #...:	0304504	**Analysis Time..:**	23:03		
Dilution Factor:	1				
% Moisture.....:		**Analyst ID.....:**	001464	**Instrument ID..:**	G16
		Method.....:	SW846 8015B		

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
C6-C8	ND	1.0	mg/kg	0.10

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
a,a,a-Trifluorotoluene (TFT)	92	(60 - 130)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-229-5

GC/MS Volatiles

Lot-Sample #...:	E0J250140-009	**Work Order #...:**	DNP1E1AC	**Matrix.....:**	SOLID
Date Sampled...:	10/23/00 12:27	**Date Received..:**	10/24/00 16:00	**MS Run #.....:**	0307213
Prep Date.....:	11/01/00	**Analysis Date..:**	11/02/00		
Prep Batch #...:	0307439	**Analysis Time..:**	04:20		
Dilution Factor:	1				
% Moisture.....:		**Analyst ID.....:**	015590	**Instrument ID..:**	MSD
		Method.....:	SW846 8260B		

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Dichlorodifluoromethane	ND	10	ug/kg	1.0
Chloromethane	ND	10	ug/kg	3.0
Vinyl chloride	ND	10	ug/kg	2.0
Bromomethane	ND	10	ug/kg	2.0
Chloroethane	ND	10	ug/kg	2.0
Trichlorofluoromethane	ND	10	ug/kg	2.0
Acrolein	ND	100	ug/kg	30
1,1-Dichloroethene	ND	5.0	ug/kg	2.0
Iodomethane	ND	10	ug/kg	5.0
Acetone	ND	25	ug/kg	15
Carbon disulfide	ND	5.0	ug/kg	2.0
Methylene chloride	ND	5.0	ug/kg	3.0
trans-1,2-Dichloroethene	ND	5.0	ug/kg	2.0
Acrylonitrile	ND	50	ug/kg	30
Methyl tert-butyl ether	ND	5.0	ug/kg	1.0
1,1-Dichloroethane	ND	5.0	ug/kg	1.0
Vinyl acetate	ND	10	ug/kg	5.0
2,2-Dichloropropane	ND	5.0	ug/kg	2.0
cis-1,2-Dichloroethene	ND	5.0	ug/kg	2.0
2-Butanone	ND	25	ug/kg	15
Bromochloromethane	ND	5.0	ug/kg	1.0
Chloroform	ND	5.0	ug/kg	1.0
Tetrahydrofuran	ND	20	ug/kg	10
1,1,1-Trichloroethane	**1.3 J**	**5.0**	**ug/kg**	**1.0**
1,1-Dichloropropene	ND	5.0	ug/kg	1.0
Carbon tetrachloride	ND	5.0	ug/kg	1.0
Benzene	ND	5.0	ug/kg	2.0
1,2-Dichloroethane	ND	5.0	ug/kg	1.0
Trichloroethene	**120**	**5.0**	**ug/kg**	**2.0**
1,2-Dichloropropane	ND	5.0	ug/kg	1.0
Bromodichloromethane	ND	5.0	ug/kg	1.0
2-Chloroethyl vinyl ether	ND	10	ug/kg	5.0
cis-1,3-Dichloropropene	ND	5.0	ug/kg	1.0
4-Methyl-2-pentanone	ND	25	ug/kg	10
Toluene	ND	5.0	ug/kg	2.0
trans-1,3-Dichloropropene	ND	5.0	ug/kg	3.0
1,1,2-Trichloroethane	ND	5.0	ug/kg	3.0

(Continued on next page)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-229-5

GC/MS Volatiles

Lot-Sample #...: E0J250140-009 **Work Order #...:** DNP1E1AC **Matrix.....:** SOLID

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Tetrachloroethene	**2.6 J**	**5.0**	**ug/kg**	**2.0**
2-Hexanone	ND	25	ug/kg	10
Dibromochloromethane	ND	5.0	ug/kg	5.0
1,2-Dibromoethane	ND	5.0	ug/kg	3.0
Chlorobenzene	ND	5.0	ug/kg	2.0
Ethylbenzene	ND	5.0	ug/kg	2.0
Xylenes (total)	ND	5.0	ug/kg	3.0
Styrene	ND	10	ug/kg	2.0
Bromoform	ND	5.0	ug/kg	3.0
Isopropylbenzene	ND	5.0	ug/kg	2.0
p-Isopropyltoluene	ND	5.0	ug/kg	2.0
Bromobenzene	ND	5.0	ug/kg	2.0
1,1,1,2-Tetrachloroethane	ND	5.0	ug/kg	3.0
1,1,2,2-Tetrachloroethane	ND	5.0	ug/kg	3.0
1,2,3-Trichloropropane	ND	5.0	ug/kg	3.0
n-Propylbenzene	ND	5.0	ug/kg	2.0
2-Chlorotoluene	ND	5.0	ug/kg	2.0
4-Chlorotoluene	ND	5.0	ug/kg	2.0
1,3,5-Trimethylbenzene	ND	5.0	ug/kg	2.0
tert-Butylbenzene	ND	5.0	ug/kg	2.0
1,2,4-Trimethylbenzene	ND	5.0	ug/kg	2.0
sec-Butylbenzene	ND	5.0	ug/kg	2.0
1,3-Dichlorobenzene	ND	5.0	ug/kg	2.0
1,4-Dichlorobenzene	ND	5.0	ug/kg	2.0
1,2-Dichlorobenzene	ND	5.0	ug/kg	2.0
n-Butylbenzene	ND	5.0	ug/kg	2.0
1,2-Dibromo-3-chloro-propane	ND	10	ug/kg	3.0
1,2,4-Trichloro-benzene	ND	5.0	ug/kg	2.0
Hexachlorobutadiene	ND	5.0	ug/kg	2.0
1,2,3-Trichlorobenzene	ND	5.0	ug/kg	2.0
t-Butanol	ND	100	ug/kg	50
Isopropyl ether	ND	10	ug/kg	1.0
Tert-amyl methyl ether	ND	10	ug/kg	2.0
Tert-butyl ethyl ether	ND	10	ug/kg	1.0

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Bromofluorobenzene	95	(70 - 130)
1,2-Dichloroethane-d4	92	(60 - 140)
Toluene-d8	107	(70 - 130)

NOTE(S):

J Estimated result. Result is less than RL.

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-229-10

GC Semivolatiles

Lot-Sample #...:	E0J250140-010	**Work Order #...:**	DNP1F1AC	**Matrix.....:**	SOLID
Date Sampled...:	10/23/00 12:35	**Date Received..:**	10/24/00 16:00	**MS Run #.....:**	0301179
Prep Date.....:	10/26/00	**Analysis Date..:**	11/12/00		
Prep Batch #...:	0300527	**Analysis Time..:**	14:17		
Dilution Factor:	1				
% Moisture.....:		**Analyst ID.....:**	356074	**Instrument ID..:**	G01
		Method.....:	SW846 8015B		

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
C8-C9	ND	10	mg/kg	5.0
C10-C11	ND	10	mg/kg	5.0
C12-C13	ND	10	mg/kg	5.0
C14-C15	ND	10	mg/kg	5.0
C16-C17	ND	10	mg/kg	5.0
C18-C19	ND	10	mg/kg	5.0
C20-C23	ND	10	mg/kg	5.0
C24-C27	ND	10	mg/kg	5.0
C28-C31	ND	10	mg/kg	5.0
C32-C35	ND	10	mg/kg	5.0
C36-C39	ND	10	mg/kg	5.0
C40+	ND	10	mg/kg	5.0
Total Carbon Chain Range	**5.9 J**	**10**	**mg/kg**	**5.0**

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Benzo(a)pyrene	80	(60 - 130)

NOTE(S):

J Estimated result. Result is less than RL.

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-229-10

GC Volatiles

Lot-Sample #...:	E0J250140-010	**Work Order #...:**	DNP1F1AD	**Matrix.....:**	SOLID
Date Sampled...:	10/23/00 12:35	**Date Received..:**	10/24/00 16:00	**MS Run #.....:**	0307245
Prep Date.....:	10/25/00	**Analysis Date..:**	10/25/00		
Prep Batch #...:	0304504	**Analysis Time..:**	23:32		
Dilution Factor:	1				
% Moisture.....:		**Analyst ID.....:**	001464	**Instrument ID..:**	G16
		Method.....:	SW846 8015B		

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
C6-C8	ND	1.0	mg/kg	0.10

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
a,a,a-Trifluorotoluene (TFT)	99	(60 - 130)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-229-10

GC/MS Volatiles

Lot-Sample #...: E0J250140-010 **Work Order #...:** DNP1F1AA **Matrix.....:** SOLID
Date Sampled...: 10/23/00 12:35 **Date Received..:** 10/24/00 16:00 **MS Run #.....:** 0307213
Prep Date.....: 11/01/00 **Analysis Date..:** 11/02/00
Prep Batch #...: 0307439 **Analysis Time..:** 04:52
Dilution Factor: 1
% Moisture.....: **Analyst ID.....:** 015590 **Instrument ID..:** MSD
Method.....: SW846 8260B

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Dichlorodifluoromethane	ND	10	ug/kg	1.0
Chloromethane	ND	10	ug/kg	3.0
Vinyl chloride	ND	10	ug/kg	2.0
Bromomethane	ND	10	ug/kg	2.0
Chloroethane	ND	10	ug/kg	2.0
Trichlorofluoromethane	ND	10	ug/kg	2.0
Acrolein	ND	100	ug/kg	30
1,1-Dichloroethene	ND	5.0	ug/kg	2.0
Iodomethane	ND	10	ug/kg	5.0
Acetone	ND	25	ug/kg	15
Carbon disulfide	ND	5.0	ug/kg	2.0
Methylene chloride	ND	5.0	ug/kg	3.0
trans-1,2-Dichloroethene	ND	5.0	ug/kg	2.0
Acrylonitrile	ND	50	ug/kg	30
Methyl tert-butyl ether	**1.1 J**	**5.0**	**ug/kg**	**1.0**
1,1-Dichloroethane	ND	5.0	ug/kg	1.0
Vinyl acetate	ND	10	ug/kg	5.0
2,2-Dichloropropane	ND	5.0	ug/kg	2.0
cis-1,2-Dichloroethene	ND	5.0	ug/kg	2.0
2-Butanone	ND	25	ug/kg	15
Bromochloromethane	ND	5.0	ug/kg	1.0
Chloroform	ND	5.0	ug/kg	1.0
Tetrahydrofuran	ND	20	ug/kg	10
1,1,1-Trichloroethane	ND	5.0	ug/kg	1.0
1,1-Dichloropropene	ND	5.0	ug/kg	1.0
Carbon tetrachloride	ND	5.0	ug/kg	1.0
Benzene	ND	5.0	ug/kg	2.0
1,2-Dichloroethane	ND	5.0	ug/kg	1.0
Trichloroethene	ND	5.0	ug/kg	2.0
1,2-Dichloropropane	ND	5.0	ug/kg	1.0
Bromodichloromethane	ND	5.0	ug/kg	1.0
2-Chloroethyl vinyl ether	ND	10	ug/kg	5.0
cis-1,3-Dichloropropene	ND	5.0	ug/kg	1.0
4-Methyl-2-pentanone	ND	25	ug/kg	10
Toluene	ND	5.0	ug/kg	2.0
trans-1,3-Dichloropropene	ND	5.0	ug/kg	3.0
1,1,2-Trichloroethane	ND	5.0	ug/kg	3.0

(Continued on next page)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-229-10

GC/MS Volatiles

Lot-Sample #...: E0J250140-010 **Work Order #...:** DNP1F1AA **Matrix.....:** SOLID

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Tetrachloroethene	ND	5.0	ug/kg	2.0
2-Hexanone	ND	25	ug/kg	10
Dibromochloromethane	ND	5.0	ug/kg	5.0
1,2-Dibromoethane	ND	5.0	ug/kg	3.0
Chlorobenzene	ND	5.0	ug/kg	2.0
Ethylbenzene	ND	5.0	ug/kg	2.0
Xylenes (total)	ND	5.0	ug/kg	3.0
Styrene	ND	10	ug/kg	2.0
Bromoform	ND	5.0	ug/kg	3.0
Isopropylbenzene	ND	5.0	ug/kg	2.0
p-Isopropyltoluene	ND	5.0	ug/kg	2.0
Bromobenzene	ND	5.0	ug/kg	2.0
1,1,1,2-Tetrachloroethane	ND	5.0	ug/kg	3.0
1,1,2,2-Tetrachloroethane	ND	5.0	ug/kg	3.0
1,2,3-Trichloropropane	ND	5.0	ug/kg	3.0
n-Propylbenzene	ND	5.0	ug/kg	2.0
2-Chlorotoluene	ND	5.0	ug/kg	2.0
4-Chlorotoluene	ND	5.0	ug/kg	2.0
1,3,5-Trimethylbenzene	ND	5.0	ug/kg	2.0
tert-Butylbenzene	ND	5.0	ug/kg	2.0
1,2,4-Trimethylbenzene	ND	5.0	ug/kg	2.0
sec-Butylbenzene	ND	5.0	ug/kg	2.0
1,3-Dichlorobenzene	ND	5.0	ug/kg	2.0
1,4-Dichlorobenzene	ND	5.0	ug/kg	2.0
1,2-Dichlorobenzene	ND	5.0	ug/kg	2.0
n-Butylbenzene	ND	5.0	ug/kg	2.0
1,2-Dibromo-3-chloro-propane	ND	10	ug/kg	3.0
1,2,4-Trichloro-benzene	ND	5.0	ug/kg	2.0
Hexachlorobutadiene	ND	5.0	ug/kg	2.0
1,2,3-Trichlorobenzene	ND	5.0	ug/kg	2.0
t-Butanol	ND	100	ug/kg	50
Isopropyl ether	ND	10	ug/kg	1.0
Tert-amyl methyl ether	ND	10	ug/kg	2.0
Tert-butyl ethyl ether	ND	10	ug/kg	1.0

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Bromofluorobenzene	87	(70 - 130)
1,2-Dichloroethane-d4	79	(60 - 140)
Toluene-d8	98	(70 - 130)

NOTE(S):

J Estimated result. Result is less than RL.

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-236-5

GC Semivolatiles

Lot-Sample #...:	E0J250140-011	**Work Order #...:**	DNP1H1AD	**Matrix.....:**	SOLID
Date Sampled...:	10/24/00 08:45	**Date Received..:**	10/24/00 16:00	**MS Run #.....:**	0301179
Prep Date.....:	10/26/00	**Analysis Date..:**	11/12/00		
Prep Batch #...:	0300527	**Analysis Time..:**	14:47		
Dilution Factor:	1				
% Moisture.....:		**Analyst ID.....:**	356074	**Instrument ID..:**	G01
		Method.....:	SW846 8015B		

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
C8-C9	ND	10	mg/kg	5.0
C10-C11	ND	10	mg/kg	5.0
C12-C13	ND	10	mg/kg	5.0
C14-C15	ND	10	mg/kg	5.0
C16-C17	ND	10	mg/kg	5.0
C18-C19	ND	10	mg/kg	5.0
C20-C23	ND	10	mg/kg	5.0
C24-C27	ND	10	mg/kg	5.0
C28-C31	ND	10	mg/kg	5.0
C32-C35	ND	10	mg/kg	5.0
C36-C39	ND	10	mg/kg	5.0
C40+	ND	10	mg/kg	5.0
Total Carbon Chain Range	ND	10	mg/kg	5.0

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Benzo(a)pyrene	75	(60 - 130)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-236-5

GC Volatiles

Lot-Sample #...:	E0J250140-011	**Work Order #...:**	DNP1H1AE	**Matrix.....:**	SOLID
Date Sampled...:	10/24/00 08:45	**Date Received..:**	10/24/00 16:00	**MS Run #.....:**	0307245
Prep Date.....:	10/25/00	**Analysis Date..:**	10/26/00		
Prep Batch #...:	0304504	**Analysis Time..:**	00:01		
Dilution Factor:	1				
% Moisture.....:		**Analyst ID.....:**	001464	**Instrument ID..:**	G16
		Method.....:	SW846 8015B		

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
C6-C8	ND	1.0	mg/kg	0.10

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
a,a,a-Trifluorotoluene (TFT)	99	(60 - 130)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-236-5

GC/MS Volatiles

Lot-Sample #...: E0J250140-011 **Work Order #...:** DNP1H1AC **Matrix.....:** SOLID
Date Sampled...: 10/24/00 08:45 **Date Received..:** 10/24/00 16:00 **MS Run #.....:** 0307213
Prep Date.....: 11/01/00 **Analysis Date..:** 11/02/00
Prep Batch #...: 0307439 **Analysis Time..:** 05:23
Dilution Factor: 1
% Moisture.....: **Analyst ID.....:** 015590 **Instrument ID..:** MSD
Method.....: SW846 8260B

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Dichlorodifluoromethane	ND	10	ug/kg	1.0
Chloromethane	ND	10	ug/kg	3.0
Vinyl chloride	ND	10	ug/kg	2.0
Bromomethane	ND	10	ug/kg	2.0
Chloroethane	ND	10	ug/kg	2.0
Trichlorofluoromethane	ND	10	ug/kg	2.0
Acrolein	ND	100	ug/kg	30
1,1-Dichloroethene	ND	5.0	ug/kg	2.0
Iodomethane	ND	10	ug/kg	5.0
Acetone	ND	25	ug/kg	15
Carbon disulfide	ND	5.0	ug/kg	2.0
Methylene chloride	ND	5.0	ug/kg	3.0
trans-1,2-Dichloroethene	ND	5.0	ug/kg	2.0
Acrylonitrile	ND	50	ug/kg	30
Methyl tert-butyl ether	ND	5.0	ug/kg	1.0
1,1-Dichloroethane	ND	5.0	ug/kg	1.0
Vinyl acetate	ND	10	ug/kg	5.0
2,2-Dichloropropane	ND	5.0	ug/kg	2.0
cis-1,2-Dichloroethene	ND	5.0	ug/kg	2.0
2-Butanone	ND	25	ug/kg	15
Bromochloromethane	ND	5.0	ug/kg	1.0
Chloroform	ND	5.0	ug/kg	1.0
Tetrahydrofuran	ND	20	ug/kg	10
1,1,1-Trichloroethane	ND	5.0	ug/kg	1.0
1,1-Dichloropropene	ND	5.0	ug/kg	1.0
Carbon tetrachloride	ND	5.0	ug/kg	1.0
Benzene	ND	5.0	ug/kg	2.0
1,2-Dichloroethane	ND	5.0	ug/kg	1.0
Trichloroethene	**32**	**5.0**	**ug/kg**	**2.0**
1,2-Dichloropropane	ND	5.0	ug/kg	1.0
Bromodichloromethane	ND	5.0	ug/kg	1.0
2-Chloroethyl vinyl ether	ND	10	ug/kg	5.0
cis-1,3-Dichloropropene	ND	5.0	ug/kg	1.0
4-Methyl-2-pentanone	ND	25	ug/kg	10
Toluene	ND	5.0	ug/kg	2.0
trans-1,3-Dichloropropene	ND	5.0	ug/kg	3.0
1,1,2-Trichloroethane	ND	5.0	ug/kg	3.0

(Continued on next page)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-236-5

GC/MS Volatiles

Lot-Sample #...: E0J250140-011 **Work Order #...:** DNP1H1AC **Matrix.....:** SOLID

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Tetrachloroethene	ND	5.0	ug/kg	2.0
2-Hexanone	ND	25	ug/kg	10
Dibromochloromethane	ND	5.0	ug/kg	5.0
1,2-Dibromoethane	ND	5.0	ug/kg	3.0
Chlorobenzene	ND	5.0	ug/kg	2.0
Ethylbenzene	ND	5.0	ug/kg	2.0
Xylenes (total)	ND	5.0	ug/kg	3.0
Styrene	ND	10	ug/kg	2.0
Bromoform	ND	5.0	ug/kg	3.0
Isopropylbenzene	ND	5.0	ug/kg	2.0
p-Isopropyltoluene	ND	5.0	ug/kg	2.0
Bromobenzene	ND	5.0	ug/kg	2.0
1,1,1,2-Tetrachloroethane	ND	5.0	ug/kg	3.0
1,1,2,2-Tetrachloroethane	ND	5.0	ug/kg	3.0
1,2,3-Trichloropropane	ND	5.0	ug/kg	3.0
n-Propylbenzene	ND	5.0	ug/kg	2.0
2-Chlorotoluene	ND	5.0	ug/kg	2.0
4-Chlorotoluene	ND	5.0	ug/kg	2.0
1,3,5-Trimethylbenzene	ND	5.0	ug/kg	2.0
tert-Butylbenzene	ND	5.0	ug/kg	2.0
1,2,4-Trimethylbenzene	ND	5.0	ug/kg	2.0
sec-Butylbenzene	ND	5.0	ug/kg	2.0
1,3-Dichlorobenzene	ND	5.0	ug/kg	2.0
1,4-Dichlorobenzene	ND	5.0	ug/kg	2.0
1,2-Dichlorobenzene	ND	5.0	ug/kg	2.0
n-Butylbenzene	ND	5.0	ug/kg	2.0
1,2-Dibromo-3-chloro-propane	ND	10	ug/kg	3.0
1,2,4-Trichloro-benzene	ND	5.0	ug/kg	2.0
Hexachlorobutadiene	ND	5.0	ug/kg	2.0
1,2,3-Trichlorobenzene	ND	5.0	ug/kg	2.0
t-Butanol	ND	100	ug/kg	50
Isopropyl ether	ND	10	ug/kg	1.0
Tert-amyl methyl ether	ND	10	ug/kg	2.0
Tert-butyl ethyl ether	ND	10	ug/kg	1.0

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Bromofluorobenzene	88	(70 - 130)
1,2-Dichloroethane-d4	83	(60 - 140)
Toluene-d8	99	(70 - 130)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-236-10

GC Semivolatiles

Lot-Sample #...:	E0J250140-012	**Work Order #...:**	DNP1T1AC	**Matrix.....:**	SOLID
Date Sampled...:	10/24/00 08:52	**Date Received..:**	10/24/00 16:00	**MS Run #.....:**	0301179
Prep Date.....:	10/26/00	**Analysis Date..:**	11/12/00		
Prep Batch #...:	0300527	**Analysis Time..:**	15:17		
Dilution Factor:	1				
% Moisture.....:		**Analyst ID.....:**	356074	**Instrument ID..:**	G01
		Method.....:	SW846 8015B		

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
C8-C9	ND	10	mg/kg	5.0
C10-C11	ND	10	mg/kg	5.0
C12-C13	ND	10	mg/kg	5.0
C14-C15	ND	10	mg/kg	5.0
C16-C17	ND	10	mg/kg	5.0
C18-C19	ND	10	mg/kg	5.0
C20-C23	ND	10	mg/kg	5.0
C24-C27	ND	10	mg/kg	5.0
C28-C31	ND	10	mg/kg	5.0
C32-C35	ND	10	mg/kg	5.0
C36-C39	ND	10	mg/kg	5.0
C40+	ND	10	mg/kg	5.0
Total Carbon Chain Range	**6.9 J**	**10**	**mg/kg**	**5.0**

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Benzo(a)pyrene	83	(60 - 130)

NOTE(S):

J Estimated result. Result is less than RL.

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-236-10

GC Volatiles

Lot-Sample #...:	E0J250140-012	**Work Order #...:**	DNP1T1AD	**Matrix.....:**	SOLID
Date Sampled...:	10/24/00 08:52	**Date Received..:**	10/24/00 16:00	**MS Run #.....:**	0307245
Prep Date.....:	10/25/00	**Analysis Date..:**	10/26/00		
Prep Batch #...:	0304504	**Analysis Time..:**	00:29		
Dilution Factor:	1				
% Moisture.....:		**Analyst ID.....:**	001464	**Instrument ID..:**	G16
		Method.....:	SW846 8015B		

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
C6-C8	ND	1.0	mg/kg	0.10

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
a,a,a-Trifluorotoluene (TFT)	95	(60 - 130)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-236-10

GC/MS Volatiles

Lot-Sample #...:	E0J250140-012	**Work Order #...:**	DNP1T1AA	**Matrix.....:**	SOLID
Date Sampled...:	10/24/00 08:52	**Date Received..:**	10/24/00 16:00	**MS Run #.....:**	0307213
Prep Date.....:	11/01/00	**Analysis Date..:**	11/02/00		
Prep Batch #...:	0307439	**Analysis Time..:**	05:54		
Dilution Factor:	1				
% Moisture.....:		**Analyst ID.....:**	015590	**Instrument ID..:**	MSD
		Method.....:	SW846 8260B		

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Dichlorodifluoromethane	ND	10	ug/kg	1.0
Chloromethane	ND	10	ug/kg	3.0
Vinyl chloride	ND	10	ug/kg	2.0
Bromomethane	ND	10	ug/kg	2.0
Chloroethane	ND	10	ug/kg	2.0
Trichlorofluoromethane	ND	10	ug/kg	2.0
Acrolein	ND	100	ug/kg	30
1,1-Dichloroethene	ND	5.0	ug/kg	2.0
Iodomethane	ND	10	ug/kg	5.0
Acetone	ND	25	ug/kg	15
Carbon disulfide	ND	5.0	ug/kg	2.0
Methylene chloride	ND	5.0	ug/kg	3.0
trans-1,2-Dichloroethene	ND	5.0	ug/kg	2.0
Acrylonitrile	ND	50	ug/kg	30
Methyl tert-butyl ether	ND	5.0	ug/kg	1.0
1,1-Dichloroethane	ND	5.0	ug/kg	1.0
Vinyl acetate	ND	10	ug/kg	5.0
2,2-Dichloropropane	ND	5.0	ug/kg	2.0
cis-1,2-Dichloroethene	ND	5.0	ug/kg	2.0
2-Butanone	ND	25	ug/kg	15
Bromochloromethane	ND	5.0	ug/kg	1.0
Chloroform	ND	5.0	ug/kg	1.0
Tetrahydrofuran	ND	20	ug/kg	10
1,1,1-Trichloroethane	ND	5.0	ug/kg	1.0
1,1-Dichloropropene	ND	5.0	ug/kg	1.0
Carbon tetrachloride	ND	5.0	ug/kg	1.0
Benzene	ND	5.0	ug/kg	2.0
1,2-Dichloroethane	ND	5.0	ug/kg	1.0
Trichloroethene	**5.0**	**5.0**	**ug/kg**	**2.0**
1,2-Dichloropropane	ND	5.0	ug/kg	1.0
Bromodichloromethane	ND	5.0	ug/kg	1.0
2-Chloroethyl vinyl ether	ND	10	ug/kg	5.0
cis-1,3-Dichloropropene	ND	5.0	ug/kg	1.0
4-Methyl-2-pentanone	ND	25	ug/kg	10
Toluene	ND	5.0	ug/kg	2.0
trans-1,3-Dichloropropene	ND	5.0	ug/kg	3.0
1,1,2-Trichloroethane	ND	5.0	ug/kg	3.0

(Continued on next page)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-236-10

GC/MS Volatiles

Lot-Sample #...: E0J250140-012 **Work Order #...:** DNP1T1AA **Matrix.....:** SOLID

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Tetrachloroethene	ND	5.0	ug/kg	2.0
2-Hexanone	ND	25	ug/kg	10
Dibromochloromethane	ND	5.0	ug/kg	5.0
1,2-Dibromoethane	ND	5.0	ug/kg	3.0
Chlorobenzene	ND	5.0	ug/kg	2.0
Ethylbenzene	ND	5.0	ug/kg	2.0
Xylenes (total)	ND	5.0	ug/kg	3.0
Styrene	ND	10	ug/kg	2.0
Bromoform	ND	5.0	ug/kg	3.0
Isopropylbenzene	ND	5.0	ug/kg	2.0
p-Isopropyltoluene	ND	5.0	ug/kg	2.0
Bromobenzene	ND	5.0	ug/kg	2.0
1,1,1,2-Tetrachloroethane	ND	5.0	ug/kg	3.0
1,1,2,2-Tetrachloroethane	ND	5.0	ug/kg	3.0
1,2,3-Trichloropropane	ND	5.0	ug/kg	3.0
n-Propylbenzene	ND	5.0	ug/kg	2.0
2-Chlorotoluene	ND	5.0	ug/kg	2.0
4-Chlorotoluene	ND	5.0	ug/kg	2.0
1,3,5-Trimethylbenzene	ND	5.0	ug/kg	2.0
tert-Butylbenzene	ND	5.0	ug/kg	2.0
1,2,4-Trimethylbenzene	ND	5.0	ug/kg	2.0
sec-Butylbenzene	ND	5.0	ug/kg	2.0
1,3-Dichlorobenzene	ND	5.0	ug/kg	2.0
1,4-Dichlorobenzene	ND	5.0	ug/kg	2.0
1,2-Dichlorobenzene	ND	5.0	ug/kg	2.0
n-Butylbenzene	ND	5.0	ug/kg	2.0
1,2-Dibromo-3-chloro-propane	ND	10	ug/kg	3.0
1,2,4-Trichloro-benzene	ND	5.0	ug/kg	2.0
Hexachlorobutadiene	ND	5.0	ug/kg	2.0
1,2,3-Trichlorobenzene	ND	5.0	ug/kg	2.0
t-Butanol	ND	100	ug/kg	50
Isopropyl ether	ND	10	ug/kg	1.0
Tert-amyl methyl ether	ND	10	ug/kg	2.0
Tert-butyl ethyl ether	ND	10	ug/kg	1.0

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Bromofluorobenzene	86	(70 - 130)
1,2-Dichloroethane-d4	80	(60 - 140)
Toluene-d8	100	(70 - 130)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-236-15

GC Semivolatiles

Lot-Sample #...:	E0J250140-013	Work Order #...:	DNP191AC	Matrix.....:	SOLID
Date Sampled...:	10/24/00 09:10	Date Received..:	10/24/00 16:00	MS Run #.....:	0301179
Prep Date.....:	10/26/00	Analysis Date..:	11/12/00		
Prep Batch #...:	0300527	Analysis Time..:	15:47		
Dilution Factor:	1				
% Moisture.....:		Analyst ID.....:	356074	Instrument ID..:	G01
		Method.....:	SW846 8015B		

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
C8-C9	ND	10	mg/kg	5.0
C10-C11	ND	10	mg/kg	5.0
C12-C13	ND	10	mg/kg	5.0
C14-C15	ND	10	mg/kg	5.0
C16-C17	ND	10	mg/kg	5.0
C18-C19	ND	10	mg/kg	5.0
C20-C23	ND	10	mg/kg	5.0
C24-C27	ND	10	mg/kg	5.0
C28-C31	ND	10	mg/kg	5.0
C32-C35	ND	10	mg/kg	5.0
C36-C39	ND	10	mg/kg	5.0
C40+	ND	10	mg/kg	5.0
Total Carbon Chain Range	**7.1 J**	**10**	**mg/kg**	**5.0**

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Benzo(a)pyrene	75	(60 - 130)

NOTE(S):

J Estimated result. Result is less than RL.

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-236-15

GC Volatiles

Lot-Sample #...:	E0J250140-013	Work Order #...:	DNP191AD	Matrix.....:	SOLID
Date Sampled...:	10/24/00 09:10	Date Received..:	10/24/00 16:00	MS Run #.....:	0307245
Prep Date.....:	10/25/00	Analysis Date..:	10/26/00		
Prep Batch #...:	0304504	Analysis Time..:	00:58		
Dilution Factor:	1				
% Moisture.....:		Analyst ID.....:	001464	Instrument ID..:	G16
		Method.....:	SW846 8015B		

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
C6-C8	ND	1.0	mg/kg	0.10

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
a,a,a-Trifluorotoluene (TFT)	97	(60 - 130)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-236-15

GC/MS Volatiles

Lot-Sample #...:	E0J250140-013	**Work Order #...:**	DNP191AA	**Matrix.....:**	SOLID
Date Sampled...:	10/24/00 09:10	**Date Received..:**	10/24/00 16:00	**MS Run #.....:**	0307213
Prep Date.....:	11/01/00	**Analysis Date..:**	11/02/00		
Prep Batch #...:	0307439	**Analysis Time..:**	06:25		
Dilution Factor:	1				
% Moisture.....:		**Analyst ID.....:**	015590	**Instrument ID..:**	MSD
		Method.....:	SW846 8260B		

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Dichlorodifluoromethane	ND	10	ug/kg	1.0
Chloromethane	ND	10	ug/kg	3.0
Vinyl chloride	ND	10	ug/kg	2.0
Bromomethane	ND	10	ug/kg	2.0
Chloroethane	ND	10	ug/kg	2.0
Trichlorofluoromethane	ND	10	ug/kg	2.0
Acrolein	ND	100	ug/kg	30
1,1-Dichloroethene	ND	5.0	ug/kg	2.0
Iodomethane	ND	10	ug/kg	5.0
Acetone	ND	25	ug/kg	15
Carbon disulfide	ND	5.0	ug/kg	2.0
Methylene chloride	ND	5.0	ug/kg	3.0
trans-1,2-Dichloroethene	ND	5.0	ug/kg	2.0
Acrylonitrile	ND	50	ug/kg	30
Methyl tert-butyl ether	ND	5.0	ug/kg	1.0
1,1-Dichloroethane	ND	5.0	ug/kg	1.0
Vinyl acetate	ND	10	ug/kg	5.0
2,2-Dichloropropane	ND	5.0	ug/kg	2.0
cis-1,2-Dichloroethene	ND	5.0	ug/kg	2.0
2-Butanone	ND	25	ug/kg	15
Bromochloromethane	ND	5.0	ug/kg	1.0
Chloroform	ND	5.0	ug/kg	1.0
Tetrahydrofuran	ND	20	ug/kg	10
1,1,1-Trichloroethane	ND	5.0	ug/kg	1.0
1,1-Dichloropropene	ND	5.0	ug/kg	1.0
Carbon tetrachloride	ND	5.0	ug/kg	1.0
Benzene	ND	5.0	ug/kg	2.0
1,2-Dichloroethane	ND	5.0	ug/kg	1.0
Trichloroethene	ND	5.0	ug/kg	2.0
1,2-Dichloropropane	ND	5.0	ug/kg	1.0
Bromodichloromethane	ND	5.0	ug/kg	1.0
2-Chloroethyl vinyl ether	ND	10	ug/kg	5.0
cis-1,3-Dichloropropene	ND	5.0	ug/kg	1.0
4-Methyl-2-pentanone	ND	25	ug/kg	10
Toluene	ND	5.0	ug/kg	2.0
trans-1,3-Dichloropropene	ND	5.0	ug/kg	3.0
1,1,2-Trichloroethane	ND	5.0	ug/kg	3.0

(Continued on next page)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-236-15

GC/MS Volatiles

Lot-Sample #...: E0J250140-013 **Work Order #...:** DNP191AA **Matrix.....:** SOLID

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Tetrachloroethene	ND	5.0	ug/kg	2.0
2-Hexanone	ND	25	ug/kg	10
Dibromochloromethane	ND	5.0	ug/kg	5.0
1,2-Dibromoethane	ND	5.0	ug/kg	3.0
Chlorobenzene	ND	5.0	ug/kg	2.0
Ethylbenzene	ND	5.0	ug/kg	2.0
Xylenes (total)	ND	5.0	ug/kg	3.0
Styrene	ND	10	ug/kg	2.0
Bromoform	ND	5.0	ug/kg	3.0
Isopropylbenzene	ND	5.0	ug/kg	2.0
p-Isopropyltoluene	ND	5.0	ug/kg	2.0
Bromobenzene	ND	5.0	ug/kg	2.0
1,1,1,2-Tetrachloroethane	ND	5.0	ug/kg	3.0
1,1,2,2-Tetrachloroethane	ND	5.0	ug/kg	3.0
1,2,3-Trichloropropane	ND	5.0	ug/kg	3.0
n-Propylbenzene	ND	5.0	ug/kg	2.0
2-Chlorotoluene	ND	5.0	ug/kg	2.0
4-Chlorotoluene	ND	5.0	ug/kg	2.0
1,3,5-Trimethylbenzene	ND	5.0	ug/kg	2.0
tert-Butylbenzene	ND	5.0	ug/kg	2.0
1,2,4-Trimethylbenzene	ND	5.0	ug/kg	2.0
sec-Butylbenzene	ND	5.0	ug/kg	2.0
1,3-Dichlorobenzene	ND	5.0	ug/kg	2.0
1,4-Dichlorobenzene	ND	5.0	ug/kg	2.0
1,2-Dichlorobenzene	ND	5.0	ug/kg	2.0
n-Butylbenzene	ND	5.0	ug/kg	2.0
1,2-Dibromo-3-chloro-propane	ND	10	ug/kg	3.0
1,2,4-Trichloro-benzene	ND	5.0	ug/kg	2.0
Hexachlorobutadiene	ND	5.0	ug/kg	2.0
1,2,3-Trichlorobenzene	ND	5.0	ug/kg	2.0
t-Butanol	ND	100	ug/kg	50
Isopropyl ether	ND	10	ug/kg	1.0
Tert-amyl methyl ether	ND	10	ug/kg	2.0
Tert-butyl ethyl ether	ND	10	ug/kg	1.0

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Bromofluorobenzene	86	(70 - 130)
1,2-Dichloroethane-d4	82	(60 - 140)
Toluene-d8	99	(70 - 130)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-237-5

GC Semivolatiles

Lot-Sample #...:	E0J250140-014	**Work Order #...:**	DNP2C1AD	**Matrix.....:**	SOLID
Date Sampled...:	10/24/00 09:20	**Date Received..:**	10/24/00 16:00	**MS Run #.....:**	0301179
Prep Date.....:	10/26/00	**Analysis Date..:**	11/12/00		
Prep Batch #...:	0300527	**Analysis Time..:**	16:18		
Dilution Factor:	1				
% Moisture.....:		**Analyst ID.....:**	356074	**Instrument ID..:**	G01
		Method.....:	SW846 8015B		

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
C8-C9	ND	10	mg/kg	5.0
C10-C11	ND	10	mg/kg	5.0
C12-C13	ND	10	mg/kg	5.0
C14-C15	ND	10	mg/kg	5.0
C16-C17	ND	10	mg/kg	5.0
C18-C19	**6.1 J**	**10**	**mg/kg**	**5.0**
C20-C23	ND	10	mg/kg	5.0
C24-C27	ND	10	mg/kg	5.0
C28-C31	ND	10	mg/kg	5.0
C32-C35	ND	10	mg/kg	5.0
C36-C39	ND	10	mg/kg	5.0
C40+	ND	10	mg/kg	5.0
Total Carbon Chain Range	**8.9 J**	**10**	**mg/kg**	**5.0**

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Benzo(a)pyrene	87	(60 - 130)

NOTE(S):

J Estimated result. Result is less than RL.

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-237-5

GC Volatiles

Lot-Sample #...:	E0J250140-014	**Work Order #...:**	DNP2C1AE	**Matrix.....:**	SOLID
Date Sampled...:	10/24/00 09:20	**Date Received..:**	10/24/00 16:00	**MS Run #.....:**	0307245
Prep Date.....:	10/25/00	**Analysis Date..:**	10/26/00		
Prep Batch #...:	0304504	**Analysis Time..:**	01:26		
Dilution Factor:	1				
% Moisture.....:		**Analyst ID.....:**	001464	**Instrument ID..:**	G16
		Method.....:	SW846 8015B		

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
C6-C8	ND	1.0	mg/kg	0.10

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
a,a,a-Trifluorotoluene (TFT)	98	(60 - 130)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-237-5

GC/MS Volatiles

Lot-Sample #...:	E0J250140-014	**Work Order #...:**	DNP2C1AC	**Matrix.....:**	SOLID
Date Sampled...:	10/24/00 09:20	**Date Received..:**	10/24/00 16:00	**MS Run #.....:**	0307213
Prep Date.....:	11/01/00	**Analysis Date..:**	11/02/00		
Prep Batch #...:	0307439	**Analysis Time..:**	06:56		
Dilution Factor:	1				
% Moisture.....:		**Analyst ID.....:**	015590	**Instrument ID..:**	MSD
		Method.....:	SW846 8260B		

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Dichlorodifluoromethane	ND	10	ug/kg	1.0
Chloromethane	ND	10	ug/kg	3.0
Vinyl chloride	ND	10	ug/kg	2.0
Bromomethane	ND	10	ug/kg	2.0
Chloroethane	ND	10	ug/kg	2.0
Trichlorofluoromethane	ND	10	ug/kg	2.0
Acrolein	ND	100	ug/kg	30
1,1-Dichloroethene	ND	5.0	ug/kg	2.0
Iodomethane	ND	10	ug/kg	5.0
Acetone	ND	25	ug/kg	15
Carbon disulfide	ND	5.0	ug/kg	2.0
Methylene chloride	ND	5.0	ug/kg	3.0
trans-1,2-Dichloroethene	ND	5.0	ug/kg	2.0
Acrylonitrile	ND	50	ug/kg	30
Methyl tert-butyl ether	ND	5.0	ug/kg	1.0
1,1-Dichloroethane	ND	5.0	ug/kg	1.0
Vinyl acetate	ND	10	ug/kg	5.0
2,2-Dichloropropane	ND	5.0	ug/kg	2.0
cis-1,2-Dichloroethene	ND	5.0	ug/kg	2.0
2-Butanone	ND	25	ug/kg	15
Bromochloromethane	ND	5.0	ug/kg	1.0
Chloroform	ND	5.0	ug/kg	1.0
Tetrahydrofuran	ND	20	ug/kg	10
1,1,1-Trichloroethane	ND	5.0	ug/kg	1.0
1,1-Dichloropropene	ND	5.0	ug/kg	1.0
Carbon tetrachloride	ND	5.0	ug/kg	1.0
Benzene	ND	5.0	ug/kg	2.0
1,2-Dichloroethane	ND	5.0	ug/kg	1.0
Trichloroethene	**54**	**5.0**	**ug/kg**	**2.0**
1,2-Dichloropropane	ND	5.0	ug/kg	1.0
Bromodichloromethane	ND	5.0	ug/kg	1.0
2-Chloroethyl vinyl ether	ND	10	ug/kg	5.0
cis-1,3-Dichloropropene	ND	5.0	ug/kg	1.0
4-Methyl-2-pentanone	ND	25	ug/kg	10
Toluene	ND	5.0	ug/kg	2.0
trans-1,3-Dichloropropene	ND	5.0	ug/kg	3.0
1,1,2-Trichloroethane	ND	5.0	ug/kg	3.0

(Continued on next page)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-237-5

GC/MS Volatiles

Lot-Sample #...: E0J250140-014 **Work Order #...:** DNP2C1AC **Matrix.....:** SOLID

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Tetrachloroethene	ND	5.0	ug/kg	2.0
2-Hexanone	ND	25	ug/kg	10
Dibromochloromethane	ND	5.0	ug/kg	5.0
1,2-Dibromoethane	ND	5.0	ug/kg	3.0
Chlorobenzene	ND	5.0	ug/kg	2.0
Ethylbenzene	ND	5.0	ug/kg	2.0
Xylenes (total)	ND	5.0	ug/kg	3.0
Styrene	ND	10	ug/kg	2.0
Bromoform	ND	5.0	ug/kg	3.0
Isopropylbenzene	ND	5.0	ug/kg	2.0
p-Isopropyltoluene	ND	5.0	ug/kg	2.0
Bromobenzene	ND	5.0	ug/kg	2.0
1,1,1,2-Tetrachloroethane	ND	5.0	ug/kg	3.0
1,1,2,2-Tetrachloroethane	ND	5.0	ug/kg	3.0
1,2,3-Trichloropropane	ND	5.0	ug/kg	3.0
n-Propylbenzene	ND	5.0	ug/kg	2.0
2-Chlorotoluene	ND	5.0	ug/kg	2.0
4-Chlorotoluene	ND	5.0	ug/kg	2.0
1,3,5-Trimethylbenzene	ND	5.0	ug/kg	2.0
tert-Butylbenzene	ND	5.0	ug/kg	2.0
1,2,4-Trimethylbenzene	ND	5.0	ug/kg	2.0
sec-Butylbenzene	ND	5.0	ug/kg	2.0
1,3-Dichlorobenzene	ND	5.0	ug/kg	2.0
1,4-Dichlorobenzene	ND	5.0	ug/kg	2.0
1,2-Dichlorobenzene	ND	5.0	ug/kg	2.0
n-Butylbenzene	ND	5.0	ug/kg	2.0
1,2-Dibromo-3-chloro-propane	ND	10	ug/kg	3.0
1,2,4-Trichloro-benzene	ND	5.0	ug/kg	2.0
Hexachlorobutadiene	ND	5.0	ug/kg	2.0
1,2,3-Trichlorobenzene	ND	5.0	ug/kg	2.0
t-Butanol	ND	100	ug/kg	50
Isopropyl ether	ND	10	ug/kg	1.0
Tert-amyl methyl ether	ND	10	ug/kg	2.0
Tert-butyl ethyl ether	ND	10	ug/kg	1.0

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Bromofluorobenzene	87	(70 - 130)
1,2-Dichloroethane-d4	87	(60 - 140)
Toluene-d8	97	(70 - 130)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-237-10

GC Semivolatiles

Lot-Sample #...:	E0J250140-015	Work Order #...:	DNP2E1AC	Matrix.....:	SOLID
Date Sampled...:	10/24/00 09:30	Date Received..:	10/24/00 16:00	MS Run #.....:	0301179
Prep Date.....:	10/26/00	Analysis Date..:	11/13/00		
Prep Batch #...:	0300527	Analysis Time..:	22:31		
Dilution Factor:	1				
% Moisture.....:		Analyst ID.....:	356074	Instrument ID..:	G01
		Method.....:	SW846 8015B		

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
C8-C9	ND	10	mg/kg	5.0
C10-C11	ND	10	mg/kg	5.0
C12-C13	ND	10	mg/kg	5.0
C14-C15	ND	10	mg/kg	5.0
C16-C17	ND	10	mg/kg	5.0
C18-C19	**10**	**10**	**mg/kg**	**5.0**
C20-C23	**13**	**10**	**mg/kg**	**5.0**
C24-C27	**19**	**10**	**mg/kg**	**5.0**
C28-C31	**24**	**10**	**mg/kg**	**5.0**
C32-C35	**20**	**10**	**mg/kg**	**5.0**
C36-C39	**22**	**10**	**mg/kg**	**5.0**
C40+	**39**	**10**	**mg/kg**	**5.0**
Total Carbon Chain Range	**160**	**10**	**mg/kg**	**5.0**

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Benzo(a)pyrene	102	(60 - 130)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-237-10

GC Volatiles

Lot-Sample #...:	E0J250140-015	**Work Order #...:**	DNP2E1AD	**Matrix.....:**	SOLID
Date Sampled...:	10/24/00 09:30	**Date Received..:**	10/24/00 16:00	**MS Run #.....:**	0307245
Prep Date.....:	10/25/00	**Analysis Date..:**	10/26/00		
Prep Batch #...:	0304504	**Analysis Time..:**	01:54		
Dilution Factor:	1				
% Moisture.....:		**Analyst ID.....:**	001464	**Instrument ID..:**	G16
		Method.....:	SW846 8015B		

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
C6-C8	ND	1.0	mg/kg	0.10

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
a,a,a-Trifluorotoluene (TFT)	98	(60 - 130)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-237-10

GC/MS Volatiles

Lot-Sample #...:	E0J250140-015	**Work Order #...:**	DNP2E1AA	**Matrix.....:**	SOLID
Date Sampled...:	10/24/00 09:30	**Date Received..:**	10/24/00 16:00	**MS Run #.....:**	0307213
Prep Date.....:	11/01/00	**Analysis Date..:**	11/02/00		
Prep Batch #...:	0307439	**Analysis Time..:**	07:27		
Dilution Factor:	1				
% Moisture.....:		**Analyst ID.....:**	015590	**Instrument ID..:**	MSD
		Method.....:	SW846 8260B		

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Dichlorodifluoromethane	ND	10	ug/kg	1.0
Chloromethane	ND	10	ug/kg	3.0
Vinyl chloride	ND	10	ug/kg	2.0
Bromomethane	ND	10	ug/kg	2.0
Chloroethane	ND	10	ug/kg	2.0
Trichlorofluoromethane	ND	10	ug/kg	2.0
Acrolein	ND	100	ug/kg	30
1,1-Dichloroethene	ND	5.0	ug/kg	2.0
Iodomethane	ND	10	ug/kg	5.0
Acetone	ND	25	ug/kg	15
Carbon disulfide	ND	5.0	ug/kg	2.0
Methylene chloride	ND	5.0	ug/kg	3.0
trans-1,2-Dichloroethene	ND	5.0	ug/kg	2.0
Acrylonitrile	ND	50	ug/kg	30
Methyl tert-butyl ether	ND	5.0	ug/kg	1.0
1,1-Dichloroethane	ND	5.0	ug/kg	1.0
Vinyl acetate	ND	10	ug/kg	5.0
2,2-Dichloropropane	ND	5.0	ug/kg	2.0
cis-1,2-Dichloroethene	ND	5.0	ug/kg	2.0
2-Butanone	ND	25	ug/kg	15
Bromochloromethane	ND	5.0	ug/kg	1.0
Chloroform	ND	5.0	ug/kg	1.0
Tetrahydrofuran	ND	20	ug/kg	10
1,1,1-Trichloroethane	ND	5.0	ug/kg	1.0
1,1-Dichloropropene	ND	5.0	ug/kg	1.0
Carbon tetrachloride	ND	5.0	ug/kg	1.0
Benzene	ND	5.0	ug/kg	2.0
1,2-Dichloroethane	ND	5.0	ug/kg	1.0
Trichloroethene	**5.6**	**5.0**	**ug/kg**	**2.0**
1,2-Dichloropropane	ND	5.0	ug/kg	1.0
Bromodichloromethane	ND	5.0	ug/kg	1.0
2-Chloroethyl vinyl ether	ND	10	ug/kg	5.0
cis-1,3-Dichloropropene	ND	5.0	ug/kg	1.0
4-Methyl-2-pentanone	ND	25	ug/kg	10
Toluene	ND	5.0	ug/kg	2.0
trans-1,3-Dichloropropene	ND	5.0	ug/kg	3.0
1,1,2-Trichloroethane	ND	5.0	ug/kg	3.0

(Continued on next page)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-237-10

GC/MS Volatiles

Lot-Sample #...: E0J250140-015 **Work Order #...:** DNP2E1AA **Matrix.....:** SOLID

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Tetrachloroethene	ND	5.0	ug/kg	2.0
2-Hexanone	ND	25	ug/kg	10
Dibromochloromethane	ND	5.0	ug/kg	5.0
1,2-Dibromoethane	ND	5.0	ug/kg	3.0
Chlorobenzene	ND	5.0	ug/kg	2.0
Ethylbenzene	ND	5.0	ug/kg	2.0
Xylenes (total)	ND	5.0	ug/kg	3.0
Styrene	ND	10	ug/kg	2.0
Bromoform	ND	5.0	ug/kg	3.0
Isopropylbenzene	ND	5.0	ug/kg	2.0
p-Isopropyltoluene	ND	5.0	ug/kg	2.0
Bromobenzene	ND	5.0	ug/kg	2.0
1,1,1,2-Tetrachloroethane	ND	5.0	ug/kg	3.0
1,1,2,2-Tetrachloroethane	ND	5.0	ug/kg	3.0
1,2,3-Trichloropropane	ND	5.0	ug/kg	3.0
n-Propylbenzene	ND	5.0	ug/kg	2.0
2-Chlorotoluene	ND	5.0	ug/kg	2.0
4-Chlorotoluene	ND	5.0	ug/kg	2.0
1,3,5-Trimethylbenzene	ND	5.0	ug/kg	2.0
tert-Butylbenzene	ND	5.0	ug/kg	2.0
1,2,4-Trimethylbenzene	ND	5.0	ug/kg	2.0
sec-Butylbenzene	ND	5.0	ug/kg	2.0
1,3-Dichlorobenzene	ND	5.0	ug/kg	2.0
1,4-Dichlorobenzene	ND	5.0	ug/kg	2.0
1,2-Dichlorobenzene	ND	5.0	ug/kg	2.0
n-Butylbenzene	ND	5.0	ug/kg	2.0
1,2-Dibromo-3-chloro-propane	ND	10	ug/kg	3.0
1,2,4-Trichloro-benzene	ND	5.0	ug/kg	2.0
Hexachlorobutadiene	ND	5.0	ug/kg	2.0
1,2,3-Trichlorobenzene	ND	5.0	ug/kg	2.0
t-Butanol	ND	100	ug/kg	50
Isopropyl ether	ND	10	ug/kg	1.0
Tert-amyl methyl ether	ND	10	ug/kg	2.0
Tert-butyl ethyl ether	ND	10	ug/kg	1.0

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Bromofluorobenzene	86	(70 - 130)
1,2-Dichloroethane-d4	81	(60 - 140)
Toluene-d8	98	(70 - 130)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-237-15

GC Semivolatiles

Lot-Sample #...:	E0J250140-016	**Work Order #...:**	DNP2G1AC	**Matrix.....:**	SOLID
Date Sampled...:	10/24/00 10:00	**Date Received..:**	10/24/00 16:00	**MS Run #.....:**	0301179
Prep Date.....:	10/26/00	**Analysis Date..:**	11/12/00		
Prep Batch #...:	0300527	**Analysis Time..:**	17:18		
Dilution Factor:	1				
% Moisture.....:		**Analyst ID.....:**	356074	**Instrument ID..:**	G01
		Method.....:	SW846 8015B		

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
C8-C9	ND	10	mg/kg	5.0
C10-C11	ND	10	mg/kg	5.0
C12-C13	ND	10	mg/kg	5.0
C14-C15	ND	10	mg/kg	5.0
C16-C17	ND	10	mg/kg	5.0
C18-C19	**5.0 J**	**10**	**mg/kg**	**5.0**
C20-C23	ND	10	mg/kg	5.0
C24-C27	ND	10	mg/kg	5.0
C28-C31	ND	10	mg/kg	5.0
C32-C35	ND	10	mg/kg	5.0
C36-C39	ND	10	mg/kg	5.0
C40+	ND	10	mg/kg	5.0
Total Carbon Chain Range	**8.2 J**	**10**	**mg/kg**	**5.0**

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Benzo(a)pyrene	84	(60 - 130)

NOTE(S):

J Estimated result. Result is less than RL.

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-237-15

GC Volatiles

Lot-Sample #...:	E0J250140-016	**Work Order #...:**	DNP2G1AD	**Matrix.....:**	SOLID
Date Sampled...:	10/24/00 10:00	**Date Received..:**	10/24/00 16:00	**MS Run #.....:**	0307245
Prep Date.....:	10/25/00	**Analysis Date..:**	10/26/00		
Prep Batch #...:	0304504	**Analysis Time..:**	02:23		
Dilution Factor:	1				
% Moisture.....:		**Analyst ID.....:**	001464	**Instrument ID..:**	G16
		Method.....:	SW846 8015B		

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
C6-C8	ND	1.0	mg/kg	0.10

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
a,a,a-Trifluorotoluene (TFT)	95	(60 - 130)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-237-15

GC/MS Volatiles

Lot-Sample #...: E0J250140-016 **Work Order #...:** DNP2G1AA **Matrix.....:** SOLID
Date Sampled...: 10/24/00 10:00 **Date Received..:** 10/24/00 16:00 **MS Run #.....:** 0307231
Prep Date.....: 11/01/00 **Analysis Date..:** 11/02/00
Prep Batch #...: 0307482 **Analysis Time..:** 00:32
Dilution Factor: 1
% Moisture.....: **Analyst ID.....:** 015590 **Instrument ID..:** MSG
Method.....: SW846 8260B

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Dichlorodifluoromethane	ND	10	ug/kg	1.0
Chloromethane	ND	10	ug/kg	3.0
Vinyl chloride	ND	10	ug/kg	2.0
Bromomethane	ND	10	ug/kg	2.0
Chloroethane	ND	10	ug/kg	2.0
Trichlorofluoromethane	ND	10	ug/kg	2.0
Acrolein	ND	100	ug/kg	30
1,1-Dichloroethene	ND	5.0	ug/kg	2.0
Iodomethane	ND	10	ug/kg	5.0
Acetone	ND	25	ug/kg	15
Carbon disulfide	ND	5.0	ug/kg	2.0
Methylene chloride	ND	5.0	ug/kg	3.0
trans-1,2-Dichloroethene	ND	5.0	ug/kg	2.0
Acrylonitrile	ND	50	ug/kg	30
Methyl tert-butyl ether	ND	5.0	ug/kg	1.0
1,1-Dichloroethane	ND	5.0	ug/kg	1.0
Vinyl acetate	ND	10	ug/kg	5.0
2,2-Dichloropropane	ND	5.0	ug/kg	2.0
cis-1,2-Dichloroethene	ND	5.0	ug/kg	2.0
2-Butanone	ND	25	ug/kg	15
Bromochloromethane	ND	5.0	ug/kg	1.0
Chloroform	ND	5.0	ug/kg	1.0
Tetrahydrofuran	ND	20	ug/kg	10
1,1,1-Trichloroethane	ND	5.0	ug/kg	1.0
1,1-Dichloropropene	ND	5.0	ug/kg	1.0
Carbon tetrachloride	ND	5.0	ug/kg	1.0
Benzene	ND	5.0	ug/kg	2.0
1,2-Dichloroethane	ND	5.0	ug/kg	1.0
Trichloroethene	ND	5.0	ug/kg	2.0
1,2-Dichloropropane	ND	5.0	ug/kg	1.0
Bromodichloromethane	ND	5.0	ug/kg	1.0
2-Chloroethyl vinyl ether	ND	10	ug/kg	5.0
cis-1,3-Dichloropropene	ND	5.0	ug/kg	1.0
4-Methyl-2-pentanone	ND	25	ug/kg	10
Toluene	ND	5.0	ug/kg	2.0
trans-1,3-Dichloropropene	ND	5.0	ug/kg	3.0
1,1,2-Trichloroethane	ND	5.0	ug/kg	3.0

(Continued on next page)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-237-15

GC/MS Volatiles

Lot-Sample #...: E0J250140-016 **Work Order #...:** DNP2G1AA **Matrix.....:** SOLID

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Tetrachloroethene	ND	5.0	ug/kg	2.0
2-Hexanone	ND	25	ug/kg	10
Dibromochloromethane	ND	5.0	ug/kg	5.0
1,2-Dibromoethane	ND	5.0	ug/kg	3.0
Chlorobenzene	ND	5.0	ug/kg	2.0
Ethylbenzene	ND	5.0	ug/kg	2.0
Xylenes (total)	ND	5.0	ug/kg	3.0
Styrene	ND	10	ug/kg	2.0
Bromoform	ND	5.0	ug/kg	3.0
Isopropylbenzene	ND	5.0	ug/kg	2.0
p-Isopropyltoluene	ND	5.0	ug/kg	2.0
Bromobenzene	ND	5.0	ug/kg	2.0
1,1,1,2-Tetrachloroethane	ND	5.0	ug/kg	3.0
1,1,2,2-Tetrachloroethane	ND	5.0	ug/kg	3.0
1,2,3-Trichloropropane	ND	5.0	ug/kg	3.0
n-Propylbenzene	ND	5.0	ug/kg	2.0
2-Chlorotoluene	ND	5.0	ug/kg	2.0
4-Chlorotoluene	ND	5.0	ug/kg	2.0
1,3,5-Trimethylbenzene	ND	5.0	ug/kg	2.0
tert-Butylbenzene	ND	5.0	ug/kg	2.0
1,2,4-Trimethylbenzene	ND	5.0	ug/kg	2.0
sec-Butylbenzene	ND	5.0	ug/kg	2.0
1,3-Dichlorobenzene	ND	5.0	ug/kg	2.0
1,4-Dichlorobenzene	ND	5.0	ug/kg	2.0
1,2-Dichlorobenzene	ND	5.0	ug/kg	2.0
n-Butylbenzene	ND	5.0	ug/kg	2.0
1,2-Dibromo-3-chloro-propane	ND	10	ug/kg	3.0
1,2,4-Trichloro-benzene	ND	5.0	ug/kg	2.0
Hexachlorobutadiene	ND	5.0	ug/kg	2.0
1,2,3-Trichlorobenzene	ND	5.0	ug/kg	2.0
t-Butanol	ND	100	ug/kg	50
Isopropyl ether	ND	10	ug/kg	1.0
Tert-amyl methyl ether	ND	10	ug/kg	2.0
Tert-butyl ethyl ether	ND	10	ug/kg	1.0

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Bromofluorobenzene	104	(70 - 130)
1,2-Dichloroethane-d4	97	(60 - 140)
Toluene-d8	101	(70 - 130)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-238-5

GC Semivolatiles

Lot-Sample #...:	E0J250140-017	**Work Order #...:**	DNP2H1AD	**Matrix.....:**	SOLID
Date Sampled...:	10/24/00 10:10	**Date Received..:**	10/24/00 16:00	**MS Run #.....:**	0301179
Prep Date.....:	10/26/00	**Analysis Date..:**	11/12/00		
Prep Batch #...:	0300527	**Analysis Time..:**	17:48		
Dilution Factor:	1				
% Moisture.....:		**Analyst ID.....:**	356074	**Instrument ID..:**	G01
		Method.....:	SW846 8015B		

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
C8-C9	ND	10	mg/kg	5.0
C10-C11	ND	10	mg/kg	5.0
C12-C13	ND	10	mg/kg	5.0
C14-C15	ND	10	mg/kg	5.0
C16-C17	ND	10	mg/kg	5.0
C18-C19	ND	10	mg/kg	5.0
C20-C23	ND	10	mg/kg	5.0
C24-C27	ND	10	mg/kg	5.0
C28-C31	ND	10	mg/kg	5.0
C32-C35	ND	10	mg/kg	5.0
C36-C39	ND	10	mg/kg	5.0
C40+	ND	10	mg/kg	5.0
Total Carbon Chain Range	**6.6 J**	**10**	**mg/kg**	**5.0**

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Benzo(a)pyrene	88	(60 - 130)

NOTE(S):

J Estimated result. Result is less than RL.

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-238-5

GC Volatiles

Lot-Sample #...:	E0J250140-017	**Work Order #...:**	DNP2H1AE	**Matrix.....:**	SOLID
Date Sampled...:	10/24/00 10:10	**Date Received..:**	10/24/00 16:00	**MS Run #.....:**	0307245
Prep Date.....:	10/25/00	**Analysis Date..:**	10/26/00		
Prep Batch #...:	0304504	**Analysis Time..:**	02:52		
Dilution Factor:	1				
% Moisture.....:		**Analyst ID.....:**	001464	**Instrument ID..:**	G16
		Method.....:	SW846 8015B		

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
C6-C8	ND	1.0	mg/kg	0.10

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
a,a,a-Trifluorotoluene (TFT)	97	(60 - 130)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-238-5

GC/MS Volatiles

Lot-Sample #...:	E0J250140-017	**Work Order #...:**	DNP2H1AC	**Matrix.....:**	SOLID
Date Sampled...:	10/24/00 10:10	**Date Received..:**	10/24/00 16:00	**MS Run #.....:**	0307231
Prep Date.....:	11/01/00	**Analysis Date..:**	11/02/00		
Prep Batch #...:	0307482	**Analysis Time..:**	01:05		
Dilution Factor:	1				
% Moisture.....:		**Analyst ID.....:**	015590	**Instrument ID..:**	MSG
		Method.....:	SW846 8260B		

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Dichlorodifluoromethane	ND	10	ug/kg	1.0
Chloromethane	ND	10	ug/kg	3.0
Vinyl chloride	ND	10	ug/kg	2.0
Bromomethane	ND	10	ug/kg	2.0
Chloroethane	ND	10	ug/kg	2.0
Trichlorofluoromethane	ND	10	ug/kg	2.0
Acrolein	ND	100	ug/kg	30
1,1-Dichloroethene	ND	5.0	ug/kg	2.0
Iodomethane	ND	10	ug/kg	5.0
Acetone	ND	25	ug/kg	15
Carbon disulfide	ND	5.0	ug/kg	2.0
Methylene chloride	ND	5.0	ug/kg	3.0
trans-1,2-Dichloroethene	ND	5.0	ug/kg	2.0
Acrylonitrile	ND	50	ug/kg	30
Methyl tert-butyl ether	ND	5.0	ug/kg	1.0
1,1-Dichloroethane	ND	5.0	ug/kg	1.0
Vinyl acetate	ND	10	ug/kg	5.0
2,2-Dichloropropane	ND	5.0	ug/kg	2.0
cis-1,2-Dichloroethene	ND	5.0	ug/kg	2.0
2-Butanone	ND	25	ug/kg	15
Bromochloromethane	ND	5.0	ug/kg	1.0
Chloroform	ND	5.0	ug/kg	1.0
Tetrahydrofuran	ND	20	ug/kg	10
1,1,1-Trichloroethane	ND	5.0	ug/kg	1.0
1,1-Dichloropropene	ND	5.0	ug/kg	1.0
Carbon tetrachloride	ND	5.0	ug/kg	1.0
Benzene	ND	5.0	ug/kg	2.0
1,2-Dichloroethane	ND	5.0	ug/kg	1.0
Trichloroethene	**20**	**5.0**	**ug/kg**	**2.0**
1,2-Dichloropropane	ND	5.0	ug/kg	1.0
Bromodichloromethane	ND	5.0	ug/kg	1.0
2-Chloroethyl vinyl ether	ND	10	ug/kg	5.0
cis-1,3-Dichloropropene	ND	5.0	ug/kg	1.0
4-Methyl-2-pentanone	ND	25	ug/kg	10
Toluene	ND	5.0	ug/kg	2.0
trans-1,3-Dichloropropene	ND	5.0	ug/kg	3.0
1,1,2-Trichloroethane	ND	5.0	ug/kg	3.0

(Continued on next page)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-238-5

GC/MS Volatiles

Lot-Sample #...: E0J250140-017 **Work Order #...:** DNP2H1AC **Matrix.....:** SOLID

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Tetrachloroethene	ND	5.0	ug/kg	2.0
2-Hexanone	ND	25	ug/kg	10
Dibromochloromethane	ND	5.0	ug/kg	5.0
1,2-Dibromoethane	ND	5.0	ug/kg	3.0
Chlorobenzene	ND	5.0	ug/kg	2.0
Ethylbenzene	ND	5.0	ug/kg	2.0
Xylenes (total)	ND	5.0	ug/kg	3.0
Styrene	ND	10	ug/kg	2.0
Bromoform	ND	5.0	ug/kg	3.0
Isopropylbenzene	ND	5.0	ug/kg	2.0
p-Isopropyltoluene	ND	5.0	ug/kg	2.0
Bromobenzene	ND	5.0	ug/kg	2.0
1,1,1,2-Tetrachloroethane	ND	5.0	ug/kg	3.0
1,1,2,2-Tetrachloroethane	ND	5.0	ug/kg	3.0
1,2,3-Trichloropropane	ND	5.0	ug/kg	3.0
n-Propylbenzene	ND	5.0	ug/kg	2.0
2-Chlorotoluene	ND	5.0	ug/kg	2.0
4-Chlorotoluene	ND	5.0	ug/kg	2.0
1,3,5-Trimethylbenzene	ND	5.0	ug/kg	2.0
tert-Butylbenzene	ND	5.0	ug/kg	2.0
1,2,4-Trimethylbenzene	ND	5.0	ug/kg	2.0
sec-Butylbenzene	ND	5.0	ug/kg	2.0
1,3-Dichlorobenzene	ND	5.0	ug/kg	2.0
1,4-Dichlorobenzene	ND	5.0	ug/kg	2.0
1,2-Dichlorobenzene	ND	5.0	ug/kg	2.0
n-Butylbenzene	ND	5.0	ug/kg	2.0
1,2-Dibromo-3-chloro-propane	ND	10	ug/kg	3.0
1,2,4-Trichloro-benzene	ND	5.0	ug/kg	2.0
Hexachlorobutadiene	ND	5.0	ug/kg	2.0
1,2,3-Trichlorobenzene	ND	5.0	ug/kg	2.0
t-Butanol	ND	100	ug/kg	50
Isopropyl ether	ND	10	ug/kg	1.0
Tert-amyl methyl ether	ND	10	ug/kg	2.0
Tert-butyl ethyl ether	ND	10	ug/kg	1.0

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Bromofluorobenzene	102	(70 - 130)
1,2-Dichloroethane-d4	102	(60 - 140)
Toluene-d8	101	(70 - 130)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-238-10

GC Semivolatiles

Lot-Sample #...:	E0J250140-018	Work Order #...:	DNP2J1AC	Matrix.....:	SOLID
Date Sampled...:	10/24/00 10:15	Date Received..:	10/24/00 16:00	MS Run #.....:	0301179
Prep Date.....:	10/26/00	Analysis Date..:	11/13/00		
Prep Batch #...:	0300527	Analysis Time..:	23:02		
Dilution Factor:	1				
% Moisture.....:		Analyst ID.....:	356074	Instrument ID..:	G01
		Method.....:	SW846 8015B		

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
C8-C9	ND	10	mg/kg	5.0
C10-C11	ND	10	mg/kg	5.0
C12-C13	ND	10	mg/kg	5.0
C14-C15	ND	10	mg/kg	5.0
C16-C17	ND	10	mg/kg	5.0
C18-C19	ND	10	mg/kg	5.0
C20-C23	ND	10	mg/kg	5.0
C24-C27	**5.7 J**	**10**	**mg/kg**	**5.0**
C28-C31	**6.3 J**	**10**	**mg/kg**	**5.0**
C32-C35	**7.2 J**	**10**	**mg/kg**	**5.0**
C36-C39	**17**	**10**	**mg/kg**	**5.0**
C40+	**18**	**10**	**mg/kg**	**5.0**
Total Carbon Chain Range	**65**	**10**	**mg/kg**	**5.0**

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Benzo(a)pyrene	102	(60 - 130)

NOTE(S):

J Estimated result. Result is less than RL.

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-238-10

GC Volatiles

Lot-Sample #...:	E0J250140-018	**Work Order #...:**	DNP2J1AD	**Matrix.....:**	SOLID
Date Sampled...:	10/24/00 10:15	**Date Received..:**	10/24/00 16:00	**MS Run #.....:**	0307245
Prep Date.....:	10/25/00	**Analysis Date..:**	10/26/00		
Prep Batch #...:	0304504	**Analysis Time..:**	04:17		
Dilution Factor:	1				
% Moisture.....:		**Analyst ID.....:**	001464	**Instrument ID..:**	G16
		Method.....:	SW846 8015B		

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
C6-C8	ND	1.0	mg/kg	0.10

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
a,a,a-Trifluorotoluene (TFT)	97	(60 - 130)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-238-10

GC/MS Volatiles

Lot-Sample #...: E0J250140-018 **Work Order #...:** DNP2J1AA **Matrix.....:** SOLID
Date Sampled...: 10/24/00 10:15 **Date Received..:** 10/24/00 16:00 **MS Run #.....:** 0307231
Prep Date.....: 11/01/00 **Analysis Date..:** 11/02/00
Prep Batch #...: 0307482 **Analysis Time..:** 01:38
Dilution Factor: 1
% Moisture.....: **Analyst ID.....:** 015590 **Instrument ID..:** MSG
Method.....: SW846 8260B

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Dichlorodifluoromethane	ND	10	ug/kg	1.0
Chloromethane	ND	10	ug/kg	3.0
Vinyl chloride	ND	10	ug/kg	2.0
Bromomethane	ND	10	ug/kg	2.0
Chloroethane	ND	10	ug/kg	2.0
Trichlorofluoromethane	ND	10	ug/kg	2.0
Acrolein	ND	100	ug/kg	30
1,1-Dichloroethene	ND	5.0	ug/kg	2.0
Iodomethane	ND	10	ug/kg	5.0
Acetone	ND	25	ug/kg	15
Carbon disulfide	ND	5.0	ug/kg	2.0
Methylene chloride	ND	5.0	ug/kg	3.0
trans-1,2-Dichloroethene	ND	5.0	ug/kg	2.0
Acrylonitrile	ND	50	ug/kg	30
Methyl tert-butyl ether	ND	5.0	ug/kg	1.0
1,1-Dichloroethane	ND	5.0	ug/kg	1.0
Vinyl acetate	ND	10	ug/kg	5.0
2,2-Dichloropropane	ND	5.0	ug/kg	2.0
cis-1,2-Dichloroethene	ND	5.0	ug/kg	2.0
2-Butanone	ND	25	ug/kg	15
Bromochloromethane	ND	5.0	ug/kg	1.0
Chloroform	ND	5.0	ug/kg	1.0
Tetrahydrofuran	ND	20	ug/kg	10
1,1,1-Trichloroethane	ND	5.0	ug/kg	1.0
1,1-Dichloropropene	ND	5.0	ug/kg	1.0
Carbon tetrachloride	ND	5.0	ug/kg	1.0
Benzene	ND	5.0	ug/kg	2.0
1,2-Dichloroethane	ND	5.0	ug/kg	1.0
Trichloroethene	ND	5.0	ug/kg	2.0
1,2-Dichloropropane	ND	5.0	ug/kg	1.0
Bromodichloromethane	ND	5.0	ug/kg	1.0
2-Chloroethyl vinyl ether	ND	10	ug/kg	5.0
cis-1,3-Dichloropropene	ND	5.0	ug/kg	1.0
4-Methyl-2-pentanone	ND	25	ug/kg	10
Toluene	ND	5.0	ug/kg	2.0
trans-1,3-Dichloropropene	ND	5.0	ug/kg	3.0
1,1,2-Trichloroethane	ND	5.0	ug/kg	3.0

(Continued on next page)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-238-10

GC/MS Volatiles

Lot-Sample #...: E0J250140-018 **Work Order #...:** DNP2J1AA **Matrix.....:** SOLID

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Tetrachloroethene	ND	5.0	ug/kg	2.0
2-Hexanone	ND	25	ug/kg	10
Dibromochloromethane	ND	5.0	ug/kg	5.0
1,2-Dibromoethane	ND	5.0	ug/kg	3.0
Chlorobenzene	ND	5.0	ug/kg	2.0
Ethylbenzene	ND	5.0	ug/kg	2.0
Xylenes (total)	ND	5.0	ug/kg	3.0
Styrene	ND	10	ug/kg	2.0
Bromoform	ND	5.0	ug/kg	3.0
Isopropylbenzene	ND	5.0	ug/kg	2.0
p-Isopropyltoluene	ND	5.0	ug/kg	2.0
Bromobenzene	ND	5.0	ug/kg	2.0
1,1,1,2-Tetrachloroethane	ND	5.0	ug/kg	3.0
1,1,2,2-Tetrachloroethane	ND	5.0	ug/kg	3.0
1,2,3-Trichloropropane	ND	5.0	ug/kg	3.0
n-Propylbenzene	ND	5.0	ug/kg	2.0
2-Chlorotoluene	ND	5.0	ug/kg	2.0
4-Chlorotoluene	ND	5.0	ug/kg	2.0
1,3,5-Trimethylbenzene	ND	5.0	ug/kg	2.0
tert-Butylbenzene	ND	5.0	ug/kg	2.0
1,2,4-Trimethylbenzene	ND	5.0	ug/kg	2.0
sec-Butylbenzene	ND	5.0	ug/kg	2.0
1,3-Dichlorobenzene	ND	5.0	ug/kg	2.0
1,4-Dichlorobenzene	ND	5.0	ug/kg	2.0
1,2-Dichlorobenzene	ND	5.0	ug/kg	2.0
n-Butylbenzene	ND	5.0	ug/kg	2.0
1,2-Dibromo-3-chloro-propane	ND	10	ug/kg	3.0
1,2,4-Trichloro-benzene	ND	5.0	ug/kg	2.0
Hexachlorobutadiene	ND	5.0	ug/kg	2.0
1,2,3-Trichlorobenzene	ND	5.0	ug/kg	2.0
t-Butanol	ND	100	ug/kg	50
Isopropyl ether	ND	10	ug/kg	1.0
Tert-amyl methyl ether	ND	10	ug/kg	2.0
Tert-butyl ethyl ether	ND	10	ug/kg	1.0

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Bromofluorobenzene	103	(70 - 130)
1,2-Dichloroethane-d4	101	(60 - 140)
Toluene-d8	105	(70 - 130)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-238-15

GC Semivolatiles

Lot-Sample #...:	E0J250140-019	Work Order #...:	DNP2K1AC	Matrix.....:	SOLID
Date Sampled...:	10/24/00 10:30	Date Received..:	10/24/00 16:00	MS Run #.....:	0301179
Prep Date.....:	10/26/00	Analysis Date..:	11/13/00		
Prep Batch #...:	0300527	Analysis Time..:	23:32		
Dilution Factor:	1				
% Moisture.....:		Analyst ID.....:	356074	Instrument ID..:	G01
		Method.....:	SW846 8015B		

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
C8-C9	ND	10	mg/kg	5.0
C10-C11	ND	10	mg/kg	5.0
C12-C13	ND	10	mg/kg	5.0
C14-C15	ND	10	mg/kg	5.0
C16-C17	ND	10	mg/kg	5.0
C18-C19	**8.2 J**	**10**	**mg/kg**	**5.0**
C20-C23	**10**	**10**	**mg/kg**	**5.0**
C24-C27	**14**	**10**	**mg/kg**	**5.0**
C28-C31	**16**	**10**	**mg/kg**	**5.0**
C32-C35	**15**	**10**	**mg/kg**	**5.0**
C36-C39	**25**	**10**	**mg/kg**	**5.0**
C40+	**7.8 J**	**10**	**mg/kg**	**5.0**
Total Carbon Chain Range	**100**	**10**	**mg/kg**	**5.0**

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Benzo(a)pyrene	82	(60 - 130)

NOTE(S):

J Estimated result. Result is less than RL.

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-238-15

GC Volatiles

Lot-Sample #...:	E0J250140-019	**Work Order #...:**	DNP2K1AD	**Matrix.....:**	SOLID
Date Sampled...:	10/24/00 10:30	**Date Received..:**	10/24/00 16:00	**MS Run #.....:**	0307245
Prep Date.....:	10/25/00	**Analysis Date..:**	10/26/00		
Prep Batch #...:	0304504	**Analysis Time..:**	04:46		
Dilution Factor:	1				
% Moisture.....:		**Analyst ID.....:**	001464	**Instrument ID..:**	G16
		Method.....:	SW846 8015B		

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
C6-C8	ND	1.0	mg/kg	0.10

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
a,a,a-Trifluorotoluene (TFT)	97	(60 - 130)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-238-15

GC/MS Volatiles

Lot-Sample #...:	E0J250140-019	**Work Order #...:**	DNP2K1AA	**Matrix.....:**	SOLID
Date Sampled...:	10/24/00 10:30	**Date Received..:**	10/24/00 16:00	**MS Run #.....:**	0307231
Prep Date.....:	11/01/00	**Analysis Date..:**	11/02/00		
Prep Batch #...:	0307482	**Analysis Time..:**	02:11		
Dilution Factor:	1				
% Moisture.....:		**Analyst ID.....:**	015590	**Instrument ID..:**	MSG
		Method.....:	SW846 8260B		

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Dichlorodifluoromethane	ND	10	ug/kg	1.0
Chloromethane	ND	10	ug/kg	3.0
Vinyl chloride	ND	10	ug/kg	2.0
Bromomethane	ND	10	ug/kg	2.0
Chloroethane	ND	10	ug/kg	2.0
Trichlorofluoromethane	ND	10	ug/kg	2.0
Acrolein	ND	100	ug/kg	30
1,1-Dichloroethene	ND	5.0	ug/kg	2.0
Iodomethane	ND	10	ug/kg	5.0
Acetone	ND	25	ug/kg	15
Carbon disulfide	ND	5.0	ug/kg	2.0
Methylene chloride	ND	5.0	ug/kg	3.0
trans-1,2-Dichloroethene	ND	5.0	ug/kg	2.0
Acrylonitrile	ND	50	ug/kg	30
Methyl tert-butyl ether	ND	5.0	ug/kg	1.0
1,1-Dichloroethane	ND	5.0	ug/kg	1.0
Vinyl acetate	ND	10	ug/kg	5.0
2,2-Dichloropropane	ND	5.0	ug/kg	2.0
cis-1,2-Dichloroethene	ND	5.0	ug/kg	2.0
2-Butanone	ND	25	ug/kg	15
Bromochloromethane	ND	5.0	ug/kg	1.0
Chloroform	ND	5.0	ug/kg	1.0
Tetrahydrofuran	ND	20	ug/kg	10
1,1,1-Trichloroethane	ND	5.0	ug/kg	1.0
1,1-Dichloropropene	ND	5.0	ug/kg	1.0
Carbon tetrachloride	ND	5.0	ug/kg	1.0
Benzene	ND	5.0	ug/kg	2.0
1,2-Dichloroethane	ND	5.0	ug/kg	1.0
Trichloroethene	ND	5.0	ug/kg	2.0
1,2-Dichloropropane	ND	5.0	ug/kg	1.0
Bromodichloromethane	ND	5.0	ug/kg	1.0
2-Chloroethyl vinyl ether	ND	10	ug/kg	5.0
cis-1,3-Dichloropropene	ND	5.0	ug/kg	1.0
4-Methyl-2-pentanone	ND	25	ug/kg	10
Toluene	ND	5.0	ug/kg	2.0
trans-1,3-Dichloropropene	ND	5.0	ug/kg	3.0
1,1,2-Trichloroethane	ND	5.0	ug/kg	3.0

(Continued on next page)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-238-15

GC/MS Volatiles

Lot-Sample #...: E0J250140-019 **Work Order #...:** DNP2K1AA **Matrix.....:** SOLID

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Tetrachloroethene	ND	5.0	ug/kg	2.0
2-Hexanone	ND	25	ug/kg	10
Dibromochloromethane	ND	5.0	ug/kg	5.0
1,2-Dibromoethane	ND	5.0	ug/kg	3.0
Chlorobenzene	ND	5.0	ug/kg	2.0
Ethylbenzene	ND	5.0	ug/kg	2.0
Xylenes (total)	ND	5.0	ug/kg	3.0
Styrene	ND	10	ug/kg	2.0
Bromoform	ND	5.0	ug/kg	3.0
Isopropylbenzene	ND	5.0	ug/kg	2.0
p-Isopropyltoluene	ND	5.0	ug/kg	2.0
Bromobenzene	ND	5.0	ug/kg	2.0
1,1,1,2-Tetrachloroethane	ND	5.0	ug/kg	3.0
1,1,2,2-Tetrachloroethane	ND	5.0	ug/kg	3.0
1,2,3-Trichloropropane	ND	5.0	ug/kg	3.0
n-Propylbenzene	ND	5.0	ug/kg	2.0
2-Chlorotoluene	ND	5.0	ug/kg	2.0
4-Chlorotoluene	ND	5.0	ug/kg	2.0
1,3,5-Trimethylbenzene	ND	5.0	ug/kg	2.0
tert-Butylbenzene	ND	5.0	ug/kg	2.0
1,2,4-Trimethylbenzene	ND	5.0	ug/kg	2.0
sec-Butylbenzene	ND	5.0	ug/kg	2.0
1,3-Dichlorobenzene	ND	5.0	ug/kg	2.0
1,4-Dichlorobenzene	ND	5.0	ug/kg	2.0
1,2-Dichlorobenzene	ND	5.0	ug/kg	2.0
n-Butylbenzene	ND	5.0	ug/kg	2.0
1,2-Dibromo-3-chloro-propane	ND	10	ug/kg	3.0
1,2,4-Trichloro-benzene	ND	5.0	ug/kg	2.0
Hexachlorobutadiene	ND	5.0	ug/kg	2.0
1,2,3-Trichlorobenzene	ND	5.0	ug/kg	2.0
t-Butanol	ND	100	ug/kg	50
Isopropyl ether	ND	10	ug/kg	1.0
Tert-amyl methyl ether	ND	10	ug/kg	2.0
Tert-butyl ethyl ether	ND	10	ug/kg	1.0

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Bromofluorobenzene	107	(70 - 130)
1,2-Dichloroethane-d4	101	(60 - 140)
Toluene-d8	106	(70 - 130)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-239-5

GC Semivolatiles

Lot-Sample #...:	E0J250140-020	**Work Order #...:**	DNP2L1AD	**Matrix.....:**	SOLID
Date Sampled...:	10/24/00	**Date Received..:**	10/24/00 16:00	**MS Run #.....:**	0301179
Prep Date.....:	10/26/00	**Analysis Date..:**	11/12/00		
Prep Batch #...:	0300527	**Analysis Time..:**	19:19		
Dilution Factor:	1				
% Moisture.....:		**Analyst ID.....:**	356074	**Instrument ID..:**	G01
		Method.....:	SW846 8015B		

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
C8-C9	ND	10	mg/kg	5.0
C10-C11	ND	10	mg/kg	5.0
C12-C13	ND	10	mg/kg	5.0
C14-C15	ND	10	mg/kg	5.0
C16-C17	ND	10	mg/kg	5.0
C18-C19	ND	10	mg/kg	5.0
C20-C23	ND	10	mg/kg	5.0
C24-C27	ND	10	mg/kg	5.0
C28-C31	ND	10	mg/kg	5.0
C32-C35	ND	10	mg/kg	5.0
C36-C39	ND	10	mg/kg	5.0
C40+	ND	10	mg/kg	5.0
Total Carbon Chain Range	**6.0 J**	**10**	**mg/kg**	**5.0**

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Benzo(a)pyrene	92	(60 - 130)

NOTE(S):

J Estimated result. Result is less than RL.

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-239-5

GC Volatiles

Lot-Sample #...:	E0J250140-020	**Work Order #...:**	DNP2L1AE	**Matrix.....:**	SOLID
Date Sampled...:	10/24/00	**Date Received..:**	10/24/00 16:00	**MS Run #.....:**	0307245
Prep Date.....:	10/25/00	**Analysis Date..:**	10/26/00		
Prep Batch #...:	0304504	**Analysis Time..:**	05:14		
Dilution Factor:	1				
% Moisture.....:		**Analyst ID.....:**	001464	**Instrument ID..:**	G16
		Method.....:	SW846 8015B		

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
C6-C8	ND	1.0	mg/kg	0.10

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
a,a,a-Trifluorotoluene (TFT)	97	(60 - 130)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-239-5

GC/MS Volatiles

Lot-Sample #...: E0J250140-020 **Work Order #...:** DNP2L1AC **Matrix.....:** SOLID
Date Sampled...: 10/24/00 **Date Received..:** 10/24/00 16:00 **MS Run #.....:** 0307231
Prep Date.....: 11/01/00 **Analysis Date..:** 11/02/00
Prep Batch #...: 0307482 **Analysis Time..:** 02:44
Dilution Factor: 1
% Moisture.....: **Analyst ID.....:** 015590 **Instrument ID..:** MSG
Method.....: SW846 8260B

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Dichlorodifluoromethane	ND	10	ug/kg	1.0
Chloromethane	ND	10	ug/kg	3.0
Vinyl chloride	ND	10	ug/kg	2.0
Bromomethane	ND	10	ug/kg	2.0
Chloroethane	ND	10	ug/kg	2.0
Trichlorofluoromethane	ND	10	ug/kg	2.0
Acrolein	ND	100	ug/kg	30
1,1-Dichloroethene	ND	5.0	ug/kg	2.0
Iodomethane	ND	10	ug/kg	5.0
Acetone	ND	25	ug/kg	15
Carbon disulfide	ND	5.0	ug/kg	2.0
Methylene chloride	ND	5.0	ug/kg	3.0
trans-1,2-Dichloroethene	ND	5.0	ug/kg	2.0
Acrylonitrile	ND	50	ug/kg	30
Methyl tert-butyl ether	ND	5.0	ug/kg	1.0
1,1-Dichloroethane	ND	5.0	ug/kg	1.0
Vinyl acetate	ND	10	ug/kg	5.0
2,2-Dichloropropane	ND	5.0	ug/kg	2.0
cis-1,2-Dichloroethene	ND	5.0	ug/kg	2.0
2-Butanone	ND	25	ug/kg	15
Bromochloromethane	ND	5.0	ug/kg	1.0
Chloroform	ND	5.0	ug/kg	1.0
Tetrahydrofuran	ND	20	ug/kg	10
1,1,1-Trichloroethane	ND	5.0	ug/kg	1.0
1,1-Dichloropropene	ND	5.0	ug/kg	1.0
Carbon tetrachloride	ND	5.0	ug/kg	1.0
Benzene	ND	5.0	ug/kg	2.0
1,2-Dichloroethane	ND	5.0	ug/kg	1.0
Trichloroethene	**13**	**5.0**	**ug/kg**	**2.0**
1,2-Dichloropropane	ND	5.0	ug/kg	1.0
Bromodichloromethane	ND	5.0	ug/kg	1.0
2-Chloroethyl vinyl ether	ND	10	ug/kg	5.0
cis-1,3-Dichloropropene	ND	5.0	ug/kg	1.0
4-Methyl-2-pentanone	ND	25	ug/kg	10
Toluene	ND	5.0	ug/kg	2.0
trans-1,3-Dichloropropene	ND	5.0	ug/kg	3.0
1,1,2-Trichloroethane	ND	5.0	ug/kg	3.0

(Continued on next page)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-239-5

GC/MS Volatiles

Lot-Sample #...: E0J250140-020 **Work Order #...:** DNP2L1AC **Matrix.....:** SOLID

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Tetrachloroethene	ND	5.0	ug/kg	2.0
2-Hexanone	ND	25	ug/kg	10
Dibromochloromethane	ND	5.0	ug/kg	5.0
1,2-Dibromoethane	ND	5.0	ug/kg	3.0
Chlorobenzene	ND	5.0	ug/kg	2.0
Ethylbenzene	ND	5.0	ug/kg	2.0
Xylenes (total)	ND	5.0	ug/kg	3.0
Styrene	ND	10	ug/kg	2.0
Bromoform	ND	5.0	ug/kg	3.0
Isopropylbenzene	ND	5.0	ug/kg	2.0
p-Isopropyltoluene	ND	5.0	ug/kg	2.0
Bromobenzene	ND	5.0	ug/kg	2.0
1,1,1,2-Tetrachloroethane	ND	5.0	ug/kg	3.0
1,1,2,2-Tetrachloroethane	ND	5.0	ug/kg	3.0
1,2,3-Trichloropropane	ND	5.0	ug/kg	3.0
n-Propylbenzene	ND	5.0	ug/kg	2.0
2-Chlorotoluene	ND	5.0	ug/kg	2.0
4-Chlorotoluene	ND	5.0	ug/kg	2.0
1,3,5-Trimethylbenzene	ND	5.0	ug/kg	2.0
tert-Butylbenzene	ND	5.0	ug/kg	2.0
1,2,4-Trimethylbenzene	ND	5.0	ug/kg	2.0
sec-Butylbenzene	ND	5.0	ug/kg	2.0
1,3-Dichlorobenzene	ND	5.0	ug/kg	2.0
1,4-Dichlorobenzene	ND	5.0	ug/kg	2.0
1,2-Dichlorobenzene	ND	5.0	ug/kg	2.0
n-Butylbenzene	ND	5.0	ug/kg	2.0
1,2-Dibromo-3-chloro-propane	ND	10	ug/kg	3.0
1,2,4-Trichloro-benzene	ND	5.0	ug/kg	2.0
Hexachlorobutadiene	ND	5.0	ug/kg	2.0
1,2,3-Trichlorobenzene	ND	5.0	ug/kg	2.0
t-Butanol	ND	100	ug/kg	50
Isopropyl ether	ND	10	ug/kg	1.0
Tert-amyl methyl ether	ND	10	ug/kg	2.0
Tert-butyl ethyl ether	ND	10	ug/kg	1.0

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Bromofluorobenzene	107	(70 - 130)
1,2-Dichloroethane-d4	104	(60 - 140)
Toluene-d8	102	(70 - 130)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-239-10

GC/MS Volatiles

Lot-Sample #...: E0J250140-021 **Work Order #...:** DNP2M1AA **Matrix.....:** SOLID
Date Sampled...: 10/24/00 10:45 **Date Received..:** 10/24/00 16:00 **MS Run #.....:** 0307231
Prep Date.....: 11/01/00 **Analysis Date..:** 11/01/00
Prep Batch #...: 0307482 **Analysis Time..:** 22:54
Dilution Factor: 1
% Moisture.....: **Analyst ID.....:** 015590 **Instrument ID..:** MSG
Method.....: SW846 8260B

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Dichlorodifluoromethane	ND	10	ug/kg	1.0
Chloromethane	ND	10	ug/kg	3.0
Vinyl chloride	ND	10	ug/kg	2.0
Bromomethane	ND	10	ug/kg	2.0
Chloroethane	ND	10	ug/kg	2.0
Trichlorofluoromethane	ND	10	ug/kg	2.0
Acrolein	ND	100	ug/kg	30
1,1-Dichloroethene	ND	5.0	ug/kg	2.0
Iodomethane	ND	10	ug/kg	5.0
Acetone	ND	25	ug/kg	15
Carbon disulfide	ND	5.0	ug/kg	2.0
Methylene chloride	ND	5.0	ug/kg	3.0
trans-1,2-Dichloroethene	ND	5.0	ug/kg	2.0
Acrylonitrile	ND	50	ug/kg	30
Methyl tert-butyl ether	ND	5.0	ug/kg	1.0
1,1-Dichloroethane	ND	5.0	ug/kg	1.0
Vinyl acetate	ND	10	ug/kg	5.0
2,2-Dichloropropane	ND	5.0	ug/kg	2.0
cis-1,2-Dichloroethene	ND	5.0	ug/kg	2.0
2-Butanone	ND	25	ug/kg	15
Bromochloromethane	ND	5.0	ug/kg	1.0
Chloroform	ND	5.0	ug/kg	1.0
Tetrahydrofuran	ND	20	ug/kg	10
1,1,1-Trichloroethane	ND	5.0	ug/kg	1.0
1,1-Dichloropropene	ND	5.0	ug/kg	1.0
Carbon tetrachloride	ND	5.0	ug/kg	1.0
Benzene	ND	5.0	ug/kg	2.0
1,2-Dichloroethane	ND	5.0	ug/kg	1.0
Trichloroethene	**20**	**5.0**	**ug/kg**	**2.0**
1,2-Dichloropropane	ND	5.0	ug/kg	1.0
Bromodichloromethane	ND	5.0	ug/kg	1.0
2-Chloroethyl vinyl ether	ND	10	ug/kg	5.0
cis-1,3-Dichloropropene	ND	5.0	ug/kg	1.0
4-Methyl-2-pentanone	ND	25	ug/kg	10
Toluene	ND	5.0	ug/kg	2.0
trans-1,3-Dichloropropene	ND	5.0	ug/kg	3.0
1,1,2-Trichloroethane	ND	5.0	ug/kg	3.0

(Continued on next page)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-239-10

GC/MS Volatiles

Lot-Sample #...: E0J250140-021 **Work Order #...:** DNP2M1AA **Matrix.....:** SOLID

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Tetrachloroethene	ND	5.0	ug/kg	2.0
2-Hexanone	ND	25	ug/kg	10
Dibromochloromethane	ND	5.0	ug/kg	5.0
1,2-Dibromoethane	ND	5.0	ug/kg	3.0
Chlorobenzene	ND	5.0	ug/kg	2.0
Ethylbenzene	ND	5.0	ug/kg	2.0
Xylenes (total)	ND	5.0	ug/kg	3.0
Styrene	ND	10	ug/kg	2.0
Bromoform	ND	5.0	ug/kg	3.0
Isopropylbenzene	ND	5.0	ug/kg	2.0
p-Isopropyltoluene	ND	5.0	ug/kg	2.0
Bromobenzene	ND	5.0	ug/kg	2.0
1,1,1,2-Tetrachloroethane	ND	5.0	ug/kg	3.0
1,1,2,2-Tetrachloroethane	ND	5.0	ug/kg	3.0
1,2,3-Trichloropropane	ND	5.0	ug/kg	3.0
n-Propylbenzene	ND	5.0	ug/kg	2.0
2-Chlorotoluene	ND	5.0	ug/kg	2.0
4-Chlorotoluene	ND	5.0	ug/kg	2.0
1,3,5-Trimethylbenzene	ND	5.0	ug/kg	2.0
tert-Butylbenzene	ND	5.0	ug/kg	2.0
1,2,4-Trimethylbenzene	ND	5.0	ug/kg	2.0
sec-Butylbenzene	ND	5.0	ug/kg	2.0
1,3-Dichlorobenzene	ND	5.0	ug/kg	2.0
1,4-Dichlorobenzene	ND	5.0	ug/kg	2.0
1,2-Dichlorobenzene	ND	5.0	ug/kg	2.0
n-Butylbenzene	ND	5.0	ug/kg	2.0
1,2-Dibromo-3-chloro-propane	ND	10	ug/kg	3.0
1,2,4-Trichloro-benzene	ND	5.0	ug/kg	2.0
Hexachlorobutadiene	ND	5.0	ug/kg	2.0
1,2,3-Trichlorobenzene	ND	5.0	ug/kg	2.0
t-Butanol	ND	100	ug/kg	50
Isopropyl ether	ND	10	ug/kg	1.0
Tert-amyl methyl ether	ND	10	ug/kg	2.0
Tert-butyl ethyl ether	ND	10	ug/kg	1.0

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Bromofluorobenzene	108	(70 - 130)
1,2-Dichloroethane-d4	95	(60 - 140)
Toluene-d8	104	(70 - 130)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-240-5

GC Semivolatiles

Lot-Sample #...:	E0J250140-022	**Work Order #...:**	DNP2Q1AD	**Matrix.....:**	SOLID
Date Sampled...:	10/24/00 10:55	**Date Received..:**	10/24/00 16:00	**MS Run #.....:**	0301185
Prep Date.....:	10/26/00	**Analysis Date..:**	11/11/00		
Prep Batch #...:	0300530	**Analysis Time..:**	18:09		
Dilution Factor:	1				
% Moisture.....:		**Analyst ID.....:**	356074	**Instrument ID..:**	G01
		Method.....:	SW846 8015B		

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
C8-C9	ND	10	mg/kg	5.0
C10-C11	ND	10	mg/kg	5.0
C12-C13	ND	10	mg/kg	5.0
C14-C15	ND	10	mg/kg	5.0
C16-C17	ND	10	mg/kg	5.0
C18-C19	ND	10	mg/kg	5.0
C20-C23	ND	10	mg/kg	5.0
C24-C27	ND	10	mg/kg	5.0
C28-C31	ND	10	mg/kg	5.0
C32-C35	ND	10	mg/kg	5.0
C36-C39	ND	10	mg/kg	5.0
C40+	ND	10	mg/kg	5.0
Total Carbon Chain Range	ND	10	mg/kg	5.0

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Benzo(a)pyrene	92	(60 - 130)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-240-5

GC Volatiles

Lot-Sample #...:	E0J250140-022	**Work Order #...:**	DNP2Q1AE	**Matrix.....:**	SOLID
Date Sampled...:	10/24/00 10:55	**Date Received..:**	10/24/00 16:00	**MS Run #.....:**	0307256
Prep Date.....:	10/26/00	**Analysis Date..:**	10/26/00		
Prep Batch #...:	0304505	**Analysis Time..:**	08:05		
Dilution Factor:	1				
% Moisture.....:		**Analyst ID.....:**	001464	**Instrument ID..:**	G16
		Method.....:	SW846 8015B		

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
C6-C8	ND	1.0	mg/kg	0.10

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
a,a,a-Trifluorotoluene (TFT)	97	(60 - 130)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-240-5

GC/MS Volatiles

Lot-Sample #...: E0J250140-022 **Work Order #...:** DNP2Q1AC **Matrix.....:** SOLID
Date Sampled...: 10/24/00 10:55 **Date Received..:** 10/24/00 16:00 **MS Run #.....:** 0307231
Prep Date.....: 11/01/00 **Analysis Date..:** 11/02/00
Prep Batch #...: 0307482 **Analysis Time..:** 03:17
Dilution Factor: 1
% Moisture.....: **Analyst ID.....:** 015590 **Instrument ID..:** MSG
Method.....: SW846 8260B

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Dichlorodifluoromethane	ND	10	ug/kg	1.0
Chloromethane	ND	10	ug/kg	3.0
Vinyl chloride	ND	10	ug/kg	2.0
Bromomethane	ND	10	ug/kg	2.0
Chloroethane	ND	10	ug/kg	2.0
Trichlorofluoromethane	ND	10	ug/kg	2.0
Acrolein	ND	100	ug/kg	30
1,1-Dichloroethene	ND	5.0	ug/kg	2.0
Iodomethane	ND	10	ug/kg	5.0
Acetone	ND	25	ug/kg	15
Carbon disulfide	ND	5.0	ug/kg	2.0
Methylene chloride	ND	5.0	ug/kg	3.0
trans-1,2-Dichloroethene	ND	5.0	ug/kg	2.0
Acrylonitrile	ND	50	ug/kg	30
Methyl tert-butyl ether	ND	5.0	ug/kg	1.0
1,1-Dichloroethane	ND	5.0	ug/kg	1.0
Vinyl acetate	ND	10	ug/kg	5.0
2,2-Dichloropropane	ND	5.0	ug/kg	2.0
cis-1,2-Dichloroethene	ND	5.0	ug/kg	2.0
2-Butanone	ND	25	ug/kg	15
Bromochloromethane	ND	5.0	ug/kg	1.0
Chloroform	ND	5.0	ug/kg	1.0
Tetrahydrofuran	ND	20	ug/kg	10
1,1,1-Trichloroethane	ND	5.0	ug/kg	1.0
1,1-Dichloropropene	ND	5.0	ug/kg	1.0
Carbon tetrachloride	ND	5.0	ug/kg	1.0
Benzene	ND	5.0	ug/kg	2.0
1,2-Dichloroethane	ND	5.0	ug/kg	1.0
Trichloroethene	**48**	**5.0**	**ug/kg**	**2.0**
1,2-Dichloropropane	ND	5.0	ug/kg	1.0
Bromodichloromethane	ND	5.0	ug/kg	1.0
2-Chloroethyl vinyl ether	ND	10	ug/kg	5.0
cis-1,3-Dichloropropene	ND	5.0	ug/kg	1.0
4-Methyl-2-pentanone	ND	25	ug/kg	10
Toluene	ND	5.0	ug/kg	2.0
trans-1,3-Dichloropropene	ND	5.0	ug/kg	3.0
1,1,2-Trichloroethane	ND	5.0	ug/kg	3.0

(Continued on next page)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-240-5

GC/MS Volatiles

Lot-Sample #...: E0J250140-022 Work Order #...: DNP2Q1AC Matrix.....: SOLID

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Tetrachloroethene	ND	5.0	ug/kg	2.0
2-Hexanone	ND	25	ug/kg	10
Dibromochloromethane	ND	5.0	ug/kg	5.0
1,2-Dibromoethane	ND	5.0	ug/kg	3.0
Chlorobenzene	ND	5.0	ug/kg	2.0
Ethylbenzene	ND	5.0	ug/kg	2.0
Xylenes (total)	ND	5.0	ug/kg	3.0
Styrene	ND	10	ug/kg	2.0
Bromoform	ND	5.0	ug/kg	3.0
Isopropylbenzene	ND	5.0	ug/kg	2.0
p-Isopropyltoluene	ND	5.0	ug/kg	2.0
Bromobenzene	ND	5.0	ug/kg	2.0
1,1,1,2-Tetrachloroethane	ND	5.0	ug/kg	3.0
1,1,2,2-Tetrachloroethane	ND	5.0	ug/kg	3.0
1,2,3-Trichloropropane	ND	5.0	ug/kg	3.0
n-Propylbenzene	ND	5.0	ug/kg	2.0
2-Chlorotoluene	ND	5.0	ug/kg	2.0
4-Chlorotoluene	ND	5.0	ug/kg	2.0
1,3,5-Trimethylbenzene	ND	5.0	ug/kg	2.0
tert-Butylbenzene	ND	5.0	ug/kg	2.0
1,2,4-Trimethylbenzene	ND	5.0	ug/kg	2.0
sec-Butylbenzene	ND	5.0	ug/kg	2.0
1,3-Dichlorobenzene	ND	5.0	ug/kg	2.0
1,4-Dichlorobenzene	ND	5.0	ug/kg	2.0
1,2-Dichlorobenzene	ND	5.0	ug/kg	2.0
n-Butylbenzene	ND	5.0	ug/kg	2.0
1,2-Dibromo-3-chloro-propane	ND	10	ug/kg	3.0
1,2,4-Trichloro-benzene	ND	5.0	ug/kg	2.0
Hexachlorobutadiene	ND	5.0	ug/kg	2.0
1,2,3-Trichlorobenzene	ND	5.0	ug/kg	2.0
t-Butanol	ND	100	ug/kg	50
Isopropyl ether	ND	10	ug/kg	1.0
Tert-amyl methyl ether	ND	10	ug/kg	2.0
Tert-butyl ethyl ether	ND	10	ug/kg	1.0

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Bromofluorobenzene	108	(70 - 130)
1,2-Dichloroethane-d4	104	(60 - 140)
Toluene-d8	101	(70 - 130)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-240-10

GC Semivolatiles

Lot-Sample #...:	E0J250140-023	**Work Order #...:**	DNP2R1AC	**Matrix.....:**	SOLID
Date Sampled...:	10/24/00 11:05	**Date Received..:**	10/24/00 16:00	**MS Run #.....:**	0301185
Prep Date.....:	10/26/00	**Analysis Date..:**	11/11/00		
Prep Batch #...:	0300530	**Analysis Time..:**	18:39		
Dilution Factor:	1				
% Moisture.....:		**Analyst ID.....:**	356074	**Instrument ID..:**	G01
		Method.....:	SW846 8015B		

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
C8-C9	ND	10	mg/kg	5.0
C10-C11	ND	10	mg/kg	5.0
C12-C13	ND	10	mg/kg	5.0
C14-C15	ND	10	mg/kg	5.0
C16-C17	ND	10	mg/kg	5.0
C18-C19	ND	10	mg/kg	5.0
C20-C23	ND	10	mg/kg	5.0
C24-C27	ND	10	mg/kg	5.0
C28-C31	ND	10	mg/kg	5.0
C32-C35	ND	10	mg/kg	5.0
C36-C39	ND	10	mg/kg	5.0
C40+	ND	10	mg/kg	5.0
Total Carbon Chain Range	ND	10	mg/kg	5.0

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Benzo(a)pyrene	83	(60 - 130)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-240-10

GC Volatiles

Lot-Sample #...:	E0J250140-023	**Work Order #...:**	DNP2R1AD	**Matrix.....:**	SOLID
Date Sampled...:	10/24/00 11:05	**Date Received..:**	10/24/00 16:00	**MS Run #.....:**	0307256
Prep Date.....:	10/26/00	**Analysis Date..:**	10/26/00		
Prep Batch #...:	0304505	**Analysis Time..:**	08:34		
Dilution Factor:	1				
% Moisture.....:		**Analyst ID.....:**	001464	**Instrument ID..:**	G16
		Method.....:	SW846 8015B		

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
C6-C8	ND	1.0	mg/kg	0.10

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
a,a,a-Trifluorotoluene (TFT)	94	(60 - 130)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-240-10

GC/MS Volatiles

Lot-Sample #...:	E0J250140-023	**Work Order #...:**	DNP2R1AA	**Matrix.....:**	SOLID
Date Sampled...:	10/24/00 11:05	**Date Received..:**	10/24/00 16:00	**MS Run #.....:**	0307231
Prep Date.....:	11/01/00	**Analysis Date..:**	11/02/00		
Prep Batch #...:	0307482	**Analysis Time..:**	03:50		
Dilution Factor:	1				
% Moisture.....:		**Analyst ID.....:**	015590	**Instrument ID..:**	MSG
		Method.....:	SW846 8260B		

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Dichlorodifluoromethane	ND	10	ug/kg	1.0
Chloromethane	ND	10	ug/kg	3.0
Vinyl chloride	ND	10	ug/kg	2.0
Bromomethane	ND	10	ug/kg	2.0
Chloroethane	ND	10	ug/kg	2.0
Trichlorofluoromethane	ND	10	ug/kg	2.0
Acrolein	ND	100	ug/kg	30
1,1-Dichloroethene	ND	5.0	ug/kg	2.0
Iodomethane	ND	10	ug/kg	5.0
Acetone	ND	25	ug/kg	15
Carbon disulfide	ND	5.0	ug/kg	2.0
Methylene chloride	ND	5.0	ug/kg	3.0
trans-1,2-Dichloroethene	ND	5.0	ug/kg	2.0
Acrylonitrile	ND	50	ug/kg	30
Methyl tert-butyl ether	ND	5.0	ug/kg	1.0
1,1-Dichloroethane	ND	5.0	ug/kg	1.0
Vinyl acetate	ND	10	ug/kg	5.0
2,2-Dichloropropane	ND	5.0	ug/kg	2.0
cis-1,2-Dichloroethene	ND	5.0	ug/kg	2.0
2-Butanone	ND	25	ug/kg	15
Bromochloromethane	ND	5.0	ug/kg	1.0
Chloroform	ND	5.0	ug/kg	1.0
Tetrahydrofuran	ND	20	ug/kg	10
1,1,1-Trichloroethane	ND	5.0	ug/kg	1.0
1,1-Dichloropropene	ND	5.0	ug/kg	1.0
Carbon tetrachloride	ND	5.0	ug/kg	1.0
Benzene	ND	5.0	ug/kg	2.0
1,2-Dichloroethane	ND	5.0	ug/kg	1.0
Trichloroethene	ND	5.0	ug/kg	2.0
1,2-Dichloropropane	ND	5.0	ug/kg	1.0
Bromodichloromethane	ND	5.0	ug/kg	1.0
2-Chloroethyl vinyl ether	ND	10	ug/kg	5.0
cis-1,3-Dichloropropene	ND	5.0	ug/kg	1.0
4-Methyl-2-pentanone	ND	25	ug/kg	10
Toluene	ND	5.0	ug/kg	2.0
trans-1,3-Dichloropropene	ND	5.0	ug/kg	3.0
1,1,2-Trichloroethane	ND	5.0	ug/kg	3.0

(Continued on next page)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-240-10

GC/MS Volatiles

Lot-Sample #...: E0J250140-023 **Work Order #...:** DNP2R1AA **Matrix.....:** SOLID

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Tetrachloroethene	ND	5.0	ug/kg	2.0
2-Hexanone	ND	25	ug/kg	10
Dibromochloromethane	ND	5.0	ug/kg	5.0
1,2-Dibromoethane	ND	5.0	ug/kg	3.0
Chlorobenzene	ND	5.0	ug/kg	2.0
Ethylbenzene	ND	5.0	ug/kg	2.0
Xylenes (total)	ND	5.0	ug/kg	3.0
Styrene	ND	10	ug/kg	2.0
Bromoform	ND	5.0	ug/kg	3.0
Isopropylbenzene	ND	5.0	ug/kg	2.0
p-Isopropyltoluene	ND	5.0	ug/kg	2.0
Bromobenzene	ND	5.0	ug/kg	2.0
1,1,1,2-Tetrachloroethane	ND	5.0	ug/kg	3.0
1,1,2,2-Tetrachloroethane	ND	5.0	ug/kg	3.0
1,2,3-Trichloropropane	ND	5.0	ug/kg	3.0
n-Propylbenzene	ND	5.0	ug/kg	2.0
2-Chlorotoluene	ND	5.0	ug/kg	2.0
4-Chlorotoluene	ND	5.0	ug/kg	2.0
1,3,5-Trimethylbenzene	ND	5.0	ug/kg	2.0
tert-Butylbenzene	ND	5.0	ug/kg	2.0
1,2,4-Trimethylbenzene	ND	5.0	ug/kg	2.0
sec-Butylbenzene	ND	5.0	ug/kg	2.0
1,3-Dichlorobenzene	ND	5.0	ug/kg	2.0
1,4-Dichlorobenzene	ND	5.0	ug/kg	2.0
1,2-Dichlorobenzene	ND	5.0	ug/kg	2.0
n-Butylbenzene	ND	5.0	ug/kg	2.0
1,2-Dibromo-3-chloro-propane	ND	10	ug/kg	3.0
1,2,4-Trichloro-benzene	ND	5.0	ug/kg	2.0
Hexachlorobutadiene	ND	5.0	ug/kg	2.0
1,2,3-Trichlorobenzene	ND	5.0	ug/kg	2.0
t-Butanol	ND	100	ug/kg	50
Isopropyl ether	ND	10	ug/kg	1.0
Tert-amyl methyl ether	ND	10	ug/kg	2.0
Tert-butyl ethyl ether	ND	10	ug/kg	1.0

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Bromofluorobenzene	108	(70 - 130)
1,2-Dichloroethane-d4	101	(60 - 140)
Toluene-d8	102	(70 - 130)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-240-15

GC Semivolatiles

Lot-Sample #...:	E0J250140-024	**Work Order #...:**	DNP2V1AC	**Matrix.....:**	SOLID
Date Sampled...:	10/24/00 11:30	**Date Received..:**	10/24/00 16:00	**MS Run #.....:**	0301185
Prep Date.....:	10/26/00	**Analysis Date..:**	11/11/00		
Prep Batch #...:	0300530	**Analysis Time..:**	19:09		
Dilution Factor:	1				
% Moisture.....:		**Analyst ID.....:**	356074	**Instrument ID..:**	G01
		Method.....:	SW846 8015B		

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
C8-C9	ND	10	mg/kg	5.0
C10-C11	ND	10	mg/kg	5.0
C12-C13	ND	10	mg/kg	5.0
C14-C15	ND	10	mg/kg	5.0
C16-C17	ND	10	mg/kg	5.0
C18-C19	ND	10	mg/kg	5.0
C20-C23	ND	10	mg/kg	5.0
C24-C27	ND	10	mg/kg	5.0
C28-C31	ND	10	mg/kg	5.0
C32-C35	ND	10	mg/kg	5.0
C36-C39	ND	10	mg/kg	5.0
C40+	ND	10	mg/kg	5.0
Total Carbon Chain Range	ND	10	mg/kg	5.0

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Benzo(a)pyrene	88	(60 - 130)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-240-15

GC Volatiles

Lot-Sample #...:	E0J250140-024	**Work Order #...:**	DNP2V1AD	**Matrix.....:**	SOLID
Date Sampled...:	10/24/00 11:30	**Date Received..:**	10/24/00 16:00	**MS Run #.....:**	0307256
Prep Date.....:	10/26/00	**Analysis Date..:**	10/26/00		
Prep Batch #...:	0304505	**Analysis Time..:**	09:02		
Dilution Factor:	1				
% Moisture.....:		**Analyst ID.....:**	001464	**Instrument ID..:**	G16
		Method.....:	SW846 8015B		

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
C6-C8	ND	1.0	mg/kg	0.10

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
a,a,a-Trifluorotoluene (TFT)	96	(60 - 130)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-240-15

GC/MS Volatiles

Lot-Sample #...:	E0J250140-024	**Work Order #...:**	DNP2V1AA	**Matrix.....:**	SOLID
Date Sampled...:	10/24/00 11:30	**Date Received..:**	10/24/00 16:00	**MS Run #.....:**	0307231
Prep Date.....:	11/01/00	**Analysis Date..:**	11/02/00		
Prep Batch #...:	0307482	**Analysis Time..:**	04:23		
Dilution Factor:	1				
% Moisture.....:		**Analyst ID.....:**	015590	**Instrument ID..:**	MSG
		Method.....:	SW846 8260B		

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Dichlorodifluoromethane	ND	10	ug/kg	1.0
Chloromethane	ND	10	ug/kg	3.0
Vinyl chloride	ND	10	ug/kg	2.0
Bromomethane	ND	10	ug/kg	2.0
Chloroethane	ND	10	ug/kg	2.0
Trichlorofluoromethane	ND	10	ug/kg	2.0
Acrolein	ND	100	ug/kg	30
1,1-Dichloroethene	ND	5.0	ug/kg	2.0
Iodomethane	ND	10	ug/kg	5.0
Acetone	ND	25	ug/kg	15
Carbon disulfide	ND	5.0	ug/kg	2.0
Methylene chloride	ND	5.0	ug/kg	3.0
trans-1,2-Dichloroethene	ND	5.0	ug/kg	2.0
Acrylonitrile	ND	50	ug/kg	30
Methyl tert-butyl ether	ND	5.0	ug/kg	1.0
1,1-Dichloroethane	ND	5.0	ug/kg	1.0
Vinyl acetate	ND	10	ug/kg	5.0
2,2-Dichloropropane	ND	5.0	ug/kg	2.0
cis-1,2-Dichloroethene	ND	5.0	ug/kg	2.0
2-Butanone	ND	25	ug/kg	15
Bromochloromethane	ND	5.0	ug/kg	1.0
Chloroform	ND	5.0	ug/kg	1.0
Tetrahydrofuran	ND	20	ug/kg	10
1,1,1-Trichloroethane	ND	5.0	ug/kg	1.0
1,1-Dichloropropene	ND	5.0	ug/kg	1.0
Carbon tetrachloride	ND	5.0	ug/kg	1.0
Benzene	ND	5.0	ug/kg	2.0
1,2-Dichloroethane	ND	5.0	ug/kg	1.0
Trichloroethene	ND	5.0	ug/kg	2.0
1,2-Dichloropropane	ND	5.0	ug/kg	1.0
Bromodichloromethane	ND	5.0	ug/kg	1.0
2-Chloroethyl vinyl ether	ND	10	ug/kg	5.0
cis-1,3-Dichloropropene	ND	5.0	ug/kg	1.0
4-Methyl-2-pentanone	ND	25	ug/kg	10
Toluene	ND	5.0	ug/kg	2.0
trans-1,3-Dichloropropene	ND	5.0	ug/kg	3.0
1,1,2-Trichloroethane	ND	5.0	ug/kg	3.0

(Continued on next page)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-240-15

GC/MS Volatiles

Lot-Sample #...: E0J250140-024 **Work Order #...:** DNP2V1AA **Matrix.....:** SOLID

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Tetrachloroethene	ND	5.0	ug/kg	2.0
2-Hexanone	ND	25	ug/kg	10
Dibromochloromethane	ND	5.0	ug/kg	5.0
1,2-Dibromoethane	ND	5.0	ug/kg	3.0
Chlorobenzene	ND	5.0	ug/kg	2.0
Ethylbenzene	ND	5.0	ug/kg	2.0
Xylenes (total)	ND	5.0	ug/kg	3.0
Styrene	ND	10	ug/kg	2.0
Bromoform	ND	5.0	ug/kg	3.0
Isopropylbenzene	ND	5.0	ug/kg	2.0
p-Isopropyltoluene	ND	5.0	ug/kg	2.0
Bromobenzene	ND	5.0	ug/kg	2.0
1,1,1,2-Tetrachloroethane	ND	5.0	ug/kg	3.0
1,1,2,2-Tetrachloroethane	ND	5.0	ug/kg	3.0
1,2,3-Trichloropropane	ND	5.0	ug/kg	3.0
n-Propylbenzene	ND	5.0	ug/kg	2.0
2-Chlorotoluene	ND	5.0	ug/kg	2.0
4-Chlorotoluene	ND	5.0	ug/kg	2.0
1,3,5-Trimethylbenzene	ND	5.0	ug/kg	2.0
tert-Butylbenzene	ND	5.0	ug/kg	2.0
1,2,4-Trimethylbenzene	ND	5.0	ug/kg	2.0
sec-Butylbenzene	ND	5.0	ug/kg	2.0
1,3-Dichlorobenzene	ND	5.0	ug/kg	2.0
1,4-Dichlorobenzene	ND	5.0	ug/kg	2.0
1,2-Dichlorobenzene	ND	5.0	ug/kg	2.0
n-Butylbenzene	ND	5.0	ug/kg	2.0
1,2-Dibromo-3-chloro-propane	ND	10	ug/kg	3.0
1,2,4-Trichloro-benzene	ND	5.0	ug/kg	2.0
Hexachlorobutadiene	ND	5.0	ug/kg	2.0
1,2,3-Trichlorobenzene	ND	5.0	ug/kg	2.0
t-Butanol	ND	100	ug/kg	50
Isopropyl ether	ND	10	ug/kg	1.0
Tert-amyl methyl ether	ND	10	ug/kg	2.0
Tert-butyl ethyl ether	ND	10	ug/kg	1.0

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Bromofluorobenzene	101	(70 - 130)
1,2-Dichloroethane-d4	99	(60 - 140)
Toluene-d8	99	(70 - 130)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-241-5

GC Semivolatiles

Lot-Sample #...:	E0J250140-025	**Work Order #...:**	DNP2X1AD	**Matrix.....:**	SOLID
Date Sampled...:	10/24/00 13:30	**Date Received..:**	10/24/00 16:00	**MS Run #.....:**	0301185
Prep Date.....:	10/26/00	**Analysis Date..:**	11/11/00		
Prep Batch #...:	0300530	**Analysis Time..:**	19:39		
Dilution Factor:	1				
% Moisture.....:		**Analyst ID.....:**	356074	**Instrument ID..:**	G01
		Method.....:	SW846 8015B		

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
C8-C9	ND	10	mg/kg	5.0
C10-C11	ND	10	mg/kg	5.0
C12-C13	ND	10	mg/kg	5.0
C14-C15	ND	10	mg/kg	5.0
C16-C17	ND	10	mg/kg	5.0
C18-C19	ND	10	mg/kg	5.0
C20-C23	ND	10	mg/kg	5.0
C24-C27	ND	10	mg/kg	5.0
C28-C31	ND	10	mg/kg	5.0
C32-C35	ND	10	mg/kg	5.0
C36-C39	ND	10	mg/kg	5.0
C40+	ND	10	mg/kg	5.0
Total Carbon Chain Range	**5.8 J**	**10**	**mg/kg**	**5.0**

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Benzo(a)pyrene	93	(60 - 130)

NOTE(S):

J Estimated result. Result is less than RL.

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-241-5

GC Volatiles

Lot-Sample #...:	E0J250140-025	**Work Order #...:**	DNP2X1AE	**Matrix.....:**	SOLID
Date Sampled...:	10/24/00 13:30	**Date Received..:**	10/24/00 16:00	**MS Run #.....:**	0307256
Prep Date.....:	10/26/00	**Analysis Date..:**	10/26/00		
Prep Batch #...:	0304505	**Analysis Time..:**	09:31		
Dilution Factor:	1				
% Moisture.....:		**Analyst ID.....:**	001464	**Instrument ID..:**	G16
		Method.....:	SW846 8015B		

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
C6-C8	ND	1.0	mg/kg	0.10

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
a,a,a-Trifluorotoluene (TFT)	95	(60 - 130)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-241-5

GC/MS Volatiles

Lot-Sample #...:	E0J250140-025	**Work Order #...:**	DNP2X1AC	**Matrix.....:**	SOLID
Date Sampled...:	10/24/00 13:30	**Date Received..:**	10/24/00 16:00	**MS Run #.....:**	0307231
Prep Date.....:	11/01/00	**Analysis Date..:**	11/02/00		
Prep Batch #...:	0307482	**Analysis Time..:**	04:55		
Dilution Factor:	1				
% Moisture.....:		**Analyst ID.....:**	015590	**Instrument ID..:**	MSG
		Method.....:	SW846 8260B		

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Dichlorodifluoromethane	ND	10	ug/kg	1.0
Chloromethane	ND	10	ug/kg	3.0
Vinyl chloride	ND	10	ug/kg	2.0
Bromomethane	ND	10	ug/kg	2.0
Chloroethane	ND	10	ug/kg	2.0
Trichlorofluoromethane	ND	10	ug/kg	2.0
Acrolein	ND	100	ug/kg	30
1,1-Dichloroethene	ND	5.0	ug/kg	2.0
Iodomethane	ND	10	ug/kg	5.0
Acetone	ND	25	ug/kg	15
Carbon disulfide	ND	5.0	ug/kg	2.0
Methylene chloride	ND	5.0	ug/kg	3.0
trans-1,2-Dichloroethene	ND	5.0	ug/kg	2.0
Acrylonitrile	ND	50	ug/kg	30
Methyl tert-butyl ether	ND	5.0	ug/kg	1.0
1,1-Dichloroethane	ND	5.0	ug/kg	1.0
Vinyl acetate	ND	10	ug/kg	5.0
2,2-Dichloropropane	ND	5.0	ug/kg	2.0
cis-1,2-Dichloroethene	ND	5.0	ug/kg	2.0
2-Butanone	ND	25	ug/kg	15
Bromochloromethane	ND	5.0	ug/kg	1.0
Chloroform	ND	5.0	ug/kg	1.0
Tetrahydrofuran	ND	20	ug/kg	10
1,1,1-Trichloroethane	ND	5.0	ug/kg	1.0
1,1-Dichloropropene	ND	5.0	ug/kg	1.0
Carbon tetrachloride	ND	5.0	ug/kg	1.0
Benzene	ND	5.0	ug/kg	2.0
1,2-Dichloroethane	ND	5.0	ug/kg	1.0
Trichloroethene	**6.7**	**5.0**	**ug/kg**	**2.0**
1,2-Dichloropropane	ND	5.0	ug/kg	1.0
Bromodichloromethane	ND	5.0	ug/kg	1.0
2-Chloroethyl vinyl ether	ND	10	ug/kg	5.0
cis-1,3-Dichloropropene	ND	5.0	ug/kg	1.0
4-Methyl-2-pentanone	ND	25	ug/kg	10
Toluene	ND	5.0	ug/kg	2.0
trans-1,3-Dichloropropene	ND	5.0	ug/kg	3.0
1,1,2-Trichloroethane	ND	5.0	ug/kg	3.0

(Continued on next page)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-241-5

GC/MS Volatiles

Lot-Sample #...: E0J250140-025 **Work Order #...:** DNP2X1AC **Matrix.....:** SOLID

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Tetrachloroethene	ND	5.0	ug/kg	2.0
2-Hexanone	ND	25	ug/kg	10
Dibromochloromethane	ND	5.0	ug/kg	5.0
1,2-Dibromoethane	ND	5.0	ug/kg	3.0
Chlorobenzene	ND	5.0	ug/kg	2.0
Ethylbenzene	ND	5.0	ug/kg	2.0
Xylenes (total)	ND	5.0	ug/kg	3.0
Styrene	ND	10	ug/kg	2.0
Bromoform	ND	5.0	ug/kg	3.0
Isopropylbenzene	ND	5.0	ug/kg	2.0
p-Isopropyltoluene	ND	5.0	ug/kg	2.0
Bromobenzene	ND	5.0	ug/kg	2.0
1,1,1,2-Tetrachloroethane	ND	5.0	ug/kg	3.0
1,1,2,2-Tetrachloroethane	ND	5.0	ug/kg	3.0
1,2,3-Trichloropropane	ND	5.0	ug/kg	3.0
n-Propylbenzene	ND	5.0	ug/kg	2.0
2-Chlorotoluene	ND	5.0	ug/kg	2.0
4-Chlorotoluene	ND	5.0	ug/kg	2.0
1,3,5-Trimethylbenzene	ND	5.0	ug/kg	2.0
tert-Butylbenzene	ND	5.0	ug/kg	2.0
1,2,4-Trimethylbenzene	ND	5.0	ug/kg	2.0
sec-Butylbenzene	ND	5.0	ug/kg	2.0
1,3-Dichlorobenzene	ND	5.0	ug/kg	2.0
1,4-Dichlorobenzene	ND	5.0	ug/kg	2.0
1,2-Dichlorobenzene	ND	5.0	ug/kg	2.0
n-Butylbenzene	ND	5.0	ug/kg	2.0
1,2-Dibromo-3-chloro-propane	ND	10	ug/kg	3.0
1,2,4-Trichloro-benzene	ND	5.0	ug/kg	2.0
Hexachlorobutadiene	ND	5.0	ug/kg	2.0
1,2,3-Trichlorobenzene	ND	5.0	ug/kg	2.0
t-Butanol	ND	100	ug/kg	50
Isopropyl ether	ND	10	ug/kg	1.0
Tert-amyl methyl ether	ND	10	ug/kg	2.0
Tert-butyl ethyl ether	ND	10	ug/kg	1.0

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Bromofluorobenzene	102	(70 - 130)
1,2-Dichloroethane-d4	106	(60 - 140)
Toluene-d8	102	(70 - 130)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-241-10

GC Semivolatiles

Lot-Sample #...:	E0J250140-026	**Work Order #...:**	DNP211AC	**Matrix.....:**	SOLID
Date Sampled...:	10/24/00 13:35	**Date Received..:**	10/24/00 16:00	**MS Run #.....:**	0301185
Prep Date.....:	10/26/00	**Analysis Date..:**	11/11/00		
Prep Batch #...:	0300530	**Analysis Time..:**	20:10		
Dilution Factor:	1				
% Moisture.....:		**Analyst ID.....:**	356074	**Instrument ID..:**	G01
		Method.....:	SW846 8015B		

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
C8-C9	ND	10	mg/kg	5.0
C10-C11	ND	10	mg/kg	5.0
C12-C13	ND	10	mg/kg	5.0
C14-C15	ND	10	mg/kg	5.0
C16-C17	ND	10	mg/kg	5.0
C18-C19	**5.1 J**	**10**	**mg/kg**	**5.0**
C20-C23	ND	10	mg/kg	5.0
C24-C27	ND	10	mg/kg	5.0
C28-C31	ND	10	mg/kg	5.0
C32-C35	ND	10	mg/kg	5.0
C36-C39	ND	10	mg/kg	5.0
C40+	ND	10	mg/kg	5.0
Total Carbon Chain Range	**9.5 J**	**10**	**mg/kg**	**5.0**

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Benzo(a)pyrene	86	(60 - 130)

NOTE(S):

J Estimated result. Result is less than RL.

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-241-10

GC Volatiles

Lot-Sample #...:	E0J250140-026	**Work Order #...:**	DNP211AD	**Matrix.....:**	SOLID
Date Sampled...:	10/24/00 13:35	**Date Received..:**	10/24/00 16:00	**MS Run #.....:**	0307256
Prep Date.....:	10/26/00	**Analysis Date..:**	10/26/00		
Prep Batch #...:	0304505	**Analysis Time..:**	09:59		
Dilution Factor:	1				
% Moisture.....:		**Analyst ID.....:**	001464	**Instrument ID..:**	G16
		Method.....:	SW846 8015B		

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
C6-C8	ND	1.0	mg/kg	0.10

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
a,a,a-Trifluorotoluene (TFT)	95	(60 - 130)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-241-10

GC/MS Volatiles

Lot-Sample #...: E0J250140-026 **Work Order #...:** DNP211AA **Matrix.....:** SOLID
Date Sampled...: 10/24/00 13:35 **Date Received..:** 10/24/00 16:00 **MS Run #.....:** 0307231
Prep Date.....: 11/01/00 **Analysis Date..:** 11/02/00
Prep Batch #...: 0307482 **Analysis Time..:** 05:28
Dilution Factor: 1
% Moisture.....: **Analyst ID.....:** 015590 **Instrument ID..:** MSG
Method.....: SW846 8260B

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Dichlorodifluoromethane	ND	10	ug/kg	1.0
Chloromethane	ND	10	ug/kg	3.0
Vinyl chloride	ND	10	ug/kg	2.0
Bromomethane	ND	10	ug/kg	2.0
Chloroethane	ND	10	ug/kg	2.0
Trichlorofluoromethane	ND	10	ug/kg	2.0
Acrolein	ND	100	ug/kg	30
1,1-Dichloroethene	ND	5.0	ug/kg	2.0
Iodomethane	ND	10	ug/kg	5.0
Acetone	ND	25	ug/kg	15
Carbon disulfide	ND	5.0	ug/kg	2.0
Methylene chloride	ND	5.0	ug/kg	3.0
trans-1,2-Dichloroethene	ND	5.0	ug/kg	2.0
Acrylonitrile	ND	50	ug/kg	30
Methyl tert-butyl ether	ND	5.0	ug/kg	1.0
1,1-Dichloroethane	ND	5.0	ug/kg	1.0
Vinyl acetate	ND	10	ug/kg	5.0
2,2-Dichloropropane	ND	5.0	ug/kg	2.0
cis-1,2-Dichloroethene	ND	5.0	ug/kg	2.0
2-Butanone	ND	25	ug/kg	15
Bromochloromethane	ND	5.0	ug/kg	1.0
Chloroform	ND	5.0	ug/kg	1.0
Tetrahydrofuran	ND	20	ug/kg	10
1,1,1-Trichloroethane	ND	5.0	ug/kg	1.0
1,1-Dichloropropene	ND	5.0	ug/kg	1.0
Carbon tetrachloride	ND	5.0	ug/kg	1.0
Benzene	ND	5.0	ug/kg	2.0
1,2-Dichloroethane	ND	5.0	ug/kg	1.0
Trichloroethene	ND	5.0	ug/kg	2.0
1,2-Dichloropropane	ND	5.0	ug/kg	1.0
Bromodichloromethane	ND	5.0	ug/kg	1.0
2-Chloroethyl vinyl ether	ND	10	ug/kg	5.0
cis-1,3-Dichloropropene	ND	5.0	ug/kg	1.0
4-Methyl-2-pentanone	ND	25	ug/kg	10
Toluene	ND	5.0	ug/kg	2.0
trans-1,3-Dichloropropene	ND	5.0	ug/kg	3.0
1,1,2-Trichloroethane	ND	5.0	ug/kg	3.0

(Continued on next page)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-241-10

GC/MS Volatiles

Lot-Sample #...: E0J250140-026 **Work Order #...:** DNP211AA **Matrix.....:** SOLID

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Tetrachloroethene	ND	5.0	ug/kg	2.0
2-Hexanone	ND	25	ug/kg	10
Dibromochloromethane	ND	5.0	ug/kg	5.0
1,2-Dibromoethane	ND	5.0	ug/kg	3.0
Chlorobenzene	ND	5.0	ug/kg	2.0
Ethylbenzene	ND	5.0	ug/kg	2.0
Xylenes (total)	ND	5.0	ug/kg	3.0
Styrene	ND	10	ug/kg	2.0
Bromoform	ND	5.0	ug/kg	3.0
Isopropylbenzene	ND	5.0	ug/kg	2.0
p-Isopropyltoluene	ND	5.0	ug/kg	2.0
Bromobenzene	ND	5.0	ug/kg	2.0
1,1,1,2-Tetrachloroethane	ND	5.0	ug/kg	3.0
1,1,2,2-Tetrachloroethane	ND	5.0	ug/kg	3.0
1,2,3-Trichloropropane	ND	5.0	ug/kg	3.0
n-Propylbenzene	ND	5.0	ug/kg	2.0
2-Chlorotoluene	ND	5.0	ug/kg	2.0
4-Chlorotoluene	ND	5.0	ug/kg	2.0
1,3,5-Trimethylbenzene	ND	5.0	ug/kg	2.0
tert-Butylbenzene	ND	5.0	ug/kg	2.0
1,2,4-Trimethylbenzene	ND	5.0	ug/kg	2.0
sec-Butylbenzene	ND	5.0	ug/kg	2.0
1,3-Dichlorobenzene	ND	5.0	ug/kg	2.0
1,4-Dichlorobenzene	ND	5.0	ug/kg	2.0
1,2-Dichlorobenzene	ND	5.0	ug/kg	2.0
n-Butylbenzene	ND	5.0	ug/kg	2.0
1,2-Dibromo-3-chloro-propane	ND	10	ug/kg	3.0
1,2,4-Trichloro-benzene	ND	5.0	ug/kg	2.0
Hexachlorobutadiene	ND	5.0	ug/kg	2.0
1,2,3-Trichlorobenzene	ND	5.0	ug/kg	2.0
t-Butanol	ND	100	ug/kg	50
Isopropyl ether	ND	10	ug/kg	1.0
Tert-amyl methyl ether	ND	10	ug/kg	2.0
Tert-butyl ethyl ether	ND	10	ug/kg	1.0

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Bromofluorobenzene	101	(70 - 130)
1,2-Dichloroethane-d4	109	(60 - 140)
Toluene-d8	104	(70 - 130)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-241-5

GC Semivolatiles

Lot-Sample #...:	E0J250140-027	**Work Order #...:**	DNP221AC	**Matrix.....:**	SOLID
Date Sampled...:	10/24/00 13:40	**Date Received..:**	10/24/00 16:00	**MS Run #.....:**	0301185
Prep Date.....:	10/26/00	**Analysis Date..:**	11/11/00		
Prep Batch #...:	0300530	**Analysis Time..:**	20:39		
Dilution Factor:	1				
% Moisture.....:		**Analyst ID.....:**	356074	**Instrument ID..:**	G01
		Method.....:	SW846 8015B		

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
C8-C9	ND	10	mg/kg	5.0
C10-C11	ND	10	mg/kg	5.0
C12-C13	ND	10	mg/kg	5.0
C14-C15	ND	10	mg/kg	5.0
C16-C17	ND	10	mg/kg	5.0
C18-C19	ND	10	mg/kg	5.0
C20-C23	ND	10	mg/kg	5.0
C24-C27	ND	10	mg/kg	5.0
C28-C31	ND	10	mg/kg	5.0
C32-C35	ND	10	mg/kg	5.0
C36-C39	ND	10	mg/kg	5.0
C40+	ND	10	mg/kg	5.0
Total Carbon Chain Range	ND	10	mg/kg	5.0

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Benzo(a)pyrene	92	(60 - 130)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-241-5

GC Volatiles

Lot-Sample #...:	E0J250140-027	**Work Order #...:**	DNP221AD	**Matrix.....:**	SOLID
Date Sampled...:	10/24/00 13:40	**Date Received..:**	10/24/00 16:00	**MS Run #.....:**	0307256
Prep Date.....:	10/26/00	**Analysis Date..:**	10/26/00		
Prep Batch #...:	0304505	**Analysis Time..:**	10:28		
Dilution Factor:	1				
% Moisture.....:		**Analyst ID.....:**	001464	**Instrument ID..:**	G16
		Method.....:	SW846 8015B		

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
C6-C8	ND	1.0	mg/kg	0.10

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
a,a,a-Trifluorotoluene (TFT)	96	(60 - 130)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-241-5

GC/MS Volatiles

Lot-Sample #...: E0J250140-027 **Work Order #...:** DNP221AA **Matrix.....:** SOLID
Date Sampled...: 10/24/00 13:40 **Date Received..:** 10/24/00 16:00 **MS Run #.....:** 0307231
Prep Date.....: 11/01/00 **Analysis Date..:** 11/02/00
Prep Batch #...: 0307482 **Analysis Time..:** 06:01
Dilution Factor: 1
% Moisture.....: **Analyst ID.....:** 015590 **Instrument ID..:** MSG
Method.....: SW846 8260B

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Dichlorodifluoromethane	ND	10	ug/kg	1.0
Chloromethane	ND	10	ug/kg	3.0
Vinyl chloride	ND	10	ug/kg	2.0
Bromomethane	ND	10	ug/kg	2.0
Chloroethane	ND	10	ug/kg	2.0
Trichlorofluoromethane	ND	10	ug/kg	2.0
Acrolein	ND	100	ug/kg	30
1,1-Dichloroethene	ND	5.0	ug/kg	2.0
Iodomethane	ND	10	ug/kg	5.0
Acetone	ND	25	ug/kg	15
Carbon disulfide	ND	5.0	ug/kg	2.0
Methylene chloride	ND	5.0	ug/kg	3.0
trans-1,2-Dichloroethene	ND	5.0	ug/kg	2.0
Acrylonitrile	ND	50	ug/kg	30
Methyl tert-butyl ether	ND	5.0	ug/kg	1.0
1,1-Dichloroethane	ND	5.0	ug/kg	1.0
Vinyl acetate	ND	10	ug/kg	5.0
2,2-Dichloropropane	ND	5.0	ug/kg	2.0
cis-1,2-Dichloroethene	ND	5.0	ug/kg	2.0
2-Butanone	ND	25	ug/kg	15
Bromochloromethane	ND	5.0	ug/kg	1.0
Chloroform	ND	5.0	ug/kg	1.0
Tetrahydrofuran	ND	20	ug/kg	10
1,1,1-Trichloroethane	ND	5.0	ug/kg	1.0
1,1-Dichloropropene	ND	5.0	ug/kg	1.0
Carbon tetrachloride	ND	5.0	ug/kg	1.0
Benzene	ND	5.0	ug/kg	2.0
1,2-Dichloroethane	ND	5.0	ug/kg	1.0
Trichloroethene	ND	5.0	ug/kg	2.0
1,2-Dichloropropane	ND	5.0	ug/kg	1.0
Bromodichloromethane	ND	5.0	ug/kg	1.0
2-Chloroethyl vinyl ether	ND	10	ug/kg	5.0
cis-1,3-Dichloropropene	ND	5.0	ug/kg	1.0
4-Methyl-2-pentanone	ND	25	ug/kg	10
Toluene	ND	5.0	ug/kg	2.0
trans-1,3-Dichloropropene	ND	5.0	ug/kg	3.0
1,1,2-Trichloroethane	ND	5.0	ug/kg	3.0

(Continued on next page)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-241-5

GC/MS Volatiles

Lot-Sample #...: E0J250140-027 **Work Order #...:** DNP221AA **Matrix.....:** SOLID

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Tetrachloroethene	ND	5.0	ug/kg	2.0
2-Hexanone	ND	25	ug/kg	10
Dibromochloromethane	ND	5.0	ug/kg	5.0
1,2-Dibromoethane	ND	5.0	ug/kg	3.0
Chlorobenzene	ND	5.0	ug/kg	2.0
Ethylbenzene	ND	5.0	ug/kg	2.0
Xylenes (total)	ND	5.0	ug/kg	3.0
Styrene	ND	10	ug/kg	2.0
Bromoform	ND	5.0	ug/kg	3.0
Isopropylbenzene	ND	5.0	ug/kg	2.0
p-Isopropyltoluene	ND	5.0	ug/kg	2.0
Bromobenzene	ND	5.0	ug/kg	2.0
1,1,1,2-Tetrachloroethane	ND	5.0	ug/kg	3.0
1,1,2,2-Tetrachloroethane	ND	5.0	ug/kg	3.0
1,2,3-Trichloropropane	ND	5.0	ug/kg	3.0
n-Propylbenzene	ND	5.0	ug/kg	2.0
2-Chlorotoluene	ND	5.0	ug/kg	2.0
4-Chlorotoluene	ND	5.0	ug/kg	2.0
1,3,5-Trimethylbenzene	ND	5.0	ug/kg	2.0
tert-Butylbenzene	ND	5.0	ug/kg	2.0
1,2,4-Trimethylbenzene	ND	5.0	ug/kg	2.0
sec-Butylbenzene	ND	5.0	ug/kg	2.0
1,3-Dichlorobenzene	ND	5.0	ug/kg	2.0
1,4-Dichlorobenzene	ND	5.0	ug/kg	2.0
1,2-Dichlorobenzene	ND	5.0	ug/kg	2.0
n-Butylbenzene	ND	5.0	ug/kg	2.0
1,2-Dibromo-3-chloro-propane	ND	10	ug/kg	3.0
1,2,4-Trichloro-benzene	ND	5.0	ug/kg	2.0
Hexachlorobutadiene	ND	5.0	ug/kg	2.0
1,2,3-Trichlorobenzene	ND	5.0	ug/kg	2.0
t-Butanol	ND	100	ug/kg	50
Isopropyl ether	ND	10	ug/kg	1.0
Tert-amyl methyl ether	ND	10	ug/kg	2.0
Tert-butyl ethyl ether	ND	10	ug/kg	1.0

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Bromofluorobenzene	107	(70 - 130)
1,2-Dichloroethane-d4	105	(60 - 140)
Toluene-d8	100	(70 - 130)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-242-5

GC Semivolatiles

Lot-Sample #...:	E0J250140-028	Work Order #...:	DNP241AD	Matrix.....:	SOLID
Date Sampled...:	10/24/00 13:50	Date Received..:	10/24/00 16:00	MS Run #.....:	0301185
Prep Date.....:	10/26/00	Analysis Date..:	11/13/00		
Prep Batch #...:	0300530	Analysis Time..:	15:35		
Dilution Factor:	50				
% Moisture.....:		Analyst ID.....:	356074	Instrument ID..:	G01
		Method.....:	SW846 8015B		

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
C8-C9	ND	500	mg/kg	250
C10-C11	ND	500	mg/kg	250
C12-C13	970	500	mg/kg	250
C14-C15	2100	500	mg/kg	250
C16-C17	2600	500	mg/kg	250
C18-C19	2200	500	mg/kg	250
C20-C23	1400	500	mg/kg	250
C24-C27	1100	500	mg/kg	250
C28-C31	1100	500	mg/kg	250
C32-C35	1100	500	mg/kg	250
C36-C39	1200	500	mg/kg	250
C40+	3000	500	mg/kg	250
Total Carbon Chain Range	17000	500	mg/kg	250

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Benzo(a)pyrene	0.0 SRD,*	(60 - 130)

NOTE(S):

SRD The surrogate recovery was not calculated because the extract was diluted beyond the ability to quantitate a recovery.

* Surrogate recovery is outside stated control limits.

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-242-5

GC Volatiles

Lot-Sample #...:	E0J250140-028	Work Order #...:	DNP241AE	Matrix.....:	SOLID
Date Sampled...:	10/24/00 13:50	Date Received..:	10/24/00 16:00	MS Run #.....:	0307256
Prep Date.....:	10/26/00	Analysis Date..:	10/26/00		
Prep Batch #...:	0304505	Analysis Time..:	11:25		
Dilution Factor:	1				
% Moisture.....:		Analyst ID.....:	001464	Instrument ID..:	G16
		Method.....:	SW846 8015B		

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
C6-C8	0.59 J	1.0	mg/kg	0.10

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
a,a,a-Trifluorotoluene (TFT)	92	(60 - 130)

NOTE(S):

J Estimated result. Result is less than RL.

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-242-5

GC/MS Volatiles

Lot-Sample #...: E0J250140-028 **Work Order #...:** DNP241AC **Matrix.....:** SOLID
Date Sampled...: 10/24/00 13:50 **Date Received..:** 10/24/00 16:00 **MS Run #.....:** 0311255
Prep Date.....: 11/03/00 **Analysis Date..:** 11/03/00
Prep Batch #...: 0311589 **Analysis Time..:** 18:32
Dilution Factor: 1
% Moisture.....: **Analyst ID.....:** 015590 **Instrument ID..:** MSG
Method.....: SW846 8260B

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Dichlorodifluoromethane	ND	500	ug/kg	170
Chloromethane	ND	500	ug/kg	200
Vinyl chloride	ND	500	ug/kg	150
Bromomethane	ND	500	ug/kg	250
Chloroethane	ND	500	ug/kg	250
Trichlorofluoromethane	**280 J**	**500**	**ug/kg**	**70**
Acrolein	ND	5000	ug/kg	2000
1,1-Dichloroethene	ND	250	ug/kg	120
Iodomethane	ND	500	ug/kg	250
Acetone	**610 J**	**1200**	**ug/kg**	**400**
Carbon disulfide	ND	250	ug/kg	100
Methylene chloride	**91 J**	**250**	**ug/kg**	**50**
trans-1,2-Dichloroethene	ND	250	ug/kg	120
Acrylonitrile	ND	2500	ug/kg	2000
Methyl tert-butyl ether	ND	250	ug/kg	100
1,1-Dichloroethane	ND	250	ug/kg	100
Vinyl acetate	ND	500	ug/kg	250
2,2-Dichloropropane	ND	250	ug/kg	60
cis-1,2-Dichloroethene	ND	250	ug/kg	100
2-Butanone	**890 J**	**1200**	**ug/kg**	**500**
Bromochloromethane	ND	250	ug/kg	75
Chloroform	ND	250	ug/kg	70
Tetrahydrofuran	ND	1000	ug/kg	500
1,1,1-Trichloroethane	ND	250	ug/kg	70
1,1-Dichloropropene	ND	250	ug/kg	100
Carbon tetrachloride	ND	250	ug/kg	60
Benzene	ND	250	ug/kg	100
1,2-Dichloroethane	ND	250	ug/kg	70
Trichloroethene	ND	250	ug/kg	60
1,2-Dichloropropane	ND	250	ug/kg	100
Bromodichloromethane	ND	250	ug/kg	100
2-Chloroethyl vinyl ether	ND	500	ug/kg	250
cis-1,3-Dichloropropene	ND	250	ug/kg	100
4-Methyl-2-pentanone	ND	1200	ug/kg	400
Toluene	**81 J**	**250**	**ug/kg**	**60**
trans-1,3-Dichloropropene	ND	250	ug/kg	70
1,1,2-Trichloroethane	ND	250	ug/kg	100

(Continued on next page)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-242-5

GC/MS Volatiles

Lot-Sample #...: E0J250140-028 **Work Order #...:** DNP241AC **Matrix.....:** SOLID

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Tetrachloroethene	ND	250	ug/kg	80
2-Hexanone	ND	1200	ug/kg	300
Dibromochloromethane	ND	250	ug/kg	100
1,2-Dibromoethane	ND	250	ug/kg	70
Chlorobenzene	ND	250	ug/kg	100
Ethylbenzene	**1500**	**250**	**ug/kg**	**70**
Xylenes (total)	**14000**	**250**	**ug/kg**	**170**
Styrene	ND	500	ug/kg	100
Bromoform	ND	250	ug/kg	100
Isopropylbenzene	**160 J**	**250**	**ug/kg**	**120**
p-Isopropyltoluene	**210 J**	**250**	**ug/kg**	**70**
Bromobenzene	ND	250	ug/kg	70
1,1,1,2-Tetrachloroethane	ND	250	ug/kg	50
1,1,2,2-Tetrachloroethane	ND	250	ug/kg	100
1,2,3-Trichloropropane	ND	250	ug/kg	110
n-Propylbenzene	ND	250	ug/kg	110
2-Chlorotoluene	ND	250	ug/kg	70
4-Chlorotoluene	ND	250	ug/kg	70
1,3,5-Trimethylbenzene	**140 J**	**250**	**ug/kg**	**120**
tert-Butylbenzene	ND	250	ug/kg	70
1,2,4-Trimethylbenzene	**380**	**250**	**ug/kg**	**70**
sec-Butylbenzene	ND	250	ug/kg	70
1,3-Dichlorobenzene	ND	250	ug/kg	70
1,4-Dichlorobenzene	ND	250	ug/kg	100
1,2-Dichlorobenzene	ND	250	ug/kg	100
n-Butylbenzene	**170 J**	**250**	**ug/kg**	**70**
1,2-Dibromo-3-chloro-propane	ND	500	ug/kg	150
1,2,4-Trichloro-benzene	ND	250	ug/kg	70
Hexachlorobutadiene	ND	250	ug/kg	70
1,2,3-Trichlorobenzene	ND	250	ug/kg	70
t-Butanol	ND	5000	ug/kg	2500
Isopropyl ether	ND	500	ug/kg	100
Tert-amyl methyl ether	ND	500	ug/kg	100
Tert-butyl ethyl ether	ND	500	ug/kg	100

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Bromofluorobenzene	67	(60 - 140)
1,2-Dichloroethane-d4	73	(60 - 140)
Toluene-d8	70	(60 - 140)

NOTE(S):

J Estimated result. Result is less than RL.

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-242-10

GC/MS Volatiles

Lot-Sample #...:	E0J250140-029	**Work Order #...:**	DNP251AA	**Matrix.....:**	SOLID
Date Sampled...:	10/24/00 14:05	**Date Received..:**	10/24/00 16:00	**MS Run #.....:**	0307231
Prep Date.....:	11/01/00	**Analysis Date..:**	11/02/00		
Prep Batch #...:	0307482	**Analysis Time..:**	06:34		
Dilution Factor:	1				
% Moisture.....:		**Analyst ID.....:**	015590	**Instrument ID..:**	MSG
		Method.....:	SW846 8260B		

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Dichlorodifluoromethane	ND	10	ug/kg	1.0
Chloromethane	ND	10	ug/kg	3.0
Vinyl chloride	ND	10	ug/kg	2.0
Bromomethane	ND	10	ug/kg	2.0
Chloroethane	ND	10	ug/kg	2.0
Trichlorofluoromethane	ND	10	ug/kg	2.0
Acrolein	ND	100	ug/kg	30
1,1-Dichloroethene	ND	5.0	ug/kg	2.0
Iodomethane	ND	10	ug/kg	5.0
Acetone	ND	25	ug/kg	15
Carbon disulfide	ND	5.0	ug/kg	2.0
Methylene chloride	ND	5.0	ug/kg	3.0
trans-1,2-Dichloroethene	ND	5.0	ug/kg	2.0
Acrylonitrile	ND	50	ug/kg	30
Methyl tert-butyl ether	ND	5.0	ug/kg	1.0
1,1-Dichloroethane	ND	5.0	ug/kg	1.0
Vinyl acetate	ND	10	ug/kg	5.0
2,2-Dichloropropane	ND	5.0	ug/kg	2.0
cis-1,2-Dichloroethene	ND	5.0	ug/kg	2.0
2-Butanone	ND	25	ug/kg	15
Bromochloromethane	ND	5.0	ug/kg	1.0
Chloroform	ND	5.0	ug/kg	1.0
Tetrahydrofuran	ND	20	ug/kg	10
1,1,1-Trichloroethane	ND	5.0	ug/kg	1.0
1,1-Dichloropropene	ND	5.0	ug/kg	1.0
Carbon tetrachloride	ND	5.0	ug/kg	1.0
Benzene	ND	5.0	ug/kg	2.0
1,2-Dichloroethane	ND	5.0	ug/kg	1.0
Trichloroethene	ND	5.0	ug/kg	2.0
1,2-Dichloropropane	ND	5.0	ug/kg	1.0
Bromodichloromethane	ND	5.0	ug/kg	1.0
2-Chloroethyl vinyl ether	ND	10	ug/kg	5.0
cis-1,3-Dichloropropene	ND	5.0	ug/kg	1.0
4-Methyl-2-pentanone	ND	25	ug/kg	10
Toluene	ND	5.0	ug/kg	2.0
trans-1,3-Dichloropropene	ND	5.0	ug/kg	3.0
1,1,2-Trichloroethane	ND	5.0	ug/kg	3.0

(Continued on next page)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-242-10

GC/MS Volatiles

Lot-Sample #...: E0J250140-029 **Work Order #...:** DNP251AA **Matrix.....:** SOLID

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Tetrachloroethene	ND	5.0	ug/kg	2.0
2-Hexanone	ND	25	ug/kg	10
Dibromochloromethane	ND	5.0	ug/kg	5.0
1,2-Dibromoethane	ND	5.0	ug/kg	3.0
Chlorobenzene	ND	5.0	ug/kg	2.0
Ethylbenzene	ND	5.0	ug/kg	2.0
Xylenes (total)	ND	5.0	ug/kg	3.0
Styrene	ND	10	ug/kg	2.0
Bromoform	ND	5.0	ug/kg	3.0
Isopropylbenzene	ND	5.0	ug/kg	2.0
p-Isopropyltoluene	ND	5.0	ug/kg	2.0
Bromobenzene	ND	5.0	ug/kg	2.0
1,1,1,2-Tetrachloroethane	ND	5.0	ug/kg	3.0
1,1,2,2-Tetrachloroethane	ND	5.0	ug/kg	3.0
1,2,3-Trichloropropane	ND	5.0	ug/kg	3.0
n-Propylbenzene	ND	5.0	ug/kg	2.0
2-Chlorotoluene	ND	5.0	ug/kg	2.0
4-Chlorotoluene	ND	5.0	ug/kg	2.0
1,3,5-Trimethylbenzene	ND	5.0	ug/kg	2.0
tert-Butylbenzene	ND	5.0	ug/kg	2.0
1,2,4-Trimethylbenzene	ND	5.0	ug/kg	2.0
sec-Butylbenzene	ND	5.0	ug/kg	2.0
1,3-Dichlorobenzene	ND	5.0	ug/kg	2.0
1,4-Dichlorobenzene	ND	5.0	ug/kg	2.0
1,2-Dichlorobenzene	ND	5.0	ug/kg	2.0
n-Butylbenzene	ND	5.0	ug/kg	2.0
1,2-Dibromo-3-chloro-propane	ND	10	ug/kg	3.0
1,2,4-Trichloro-benzene	ND	5.0	ug/kg	2.0
Hexachlorobutadiene	ND	5.0	ug/kg	2.0
1,2,3-Trichlorobenzene	ND	5.0	ug/kg	2.0
t-Butanol	ND	100	ug/kg	50
Isopropyl ether	ND	10	ug/kg	1.0
Tert-amyl methyl ether	ND	10	ug/kg	2.0
Tert-butyl ethyl ether	ND	10	ug/kg	1.0

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Bromofluorobenzene	102	(70 - 130)
1,2-Dichloroethane-d4	94	(60 - 140)
Toluene-d8	102	(70 - 130)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-243-5

GC Semivolatiles

Lot-Sample #...:	E0J250140-030	Work Order #...:	DNP271AD	Matrix.....:	SOLID
Date Sampled...:	10/24/00 14:20	Date Received..:	10/24/00 16:00	MS Run #.....:	0301185
Prep Date.....:	10/26/00	Analysis Date..:	11/14/00		
Prep Batch #...:	0300530	Analysis Time..:	12:11		
Dilution Factor:	1				
% Moisture.....:		Analyst ID.....:	356074	Instrument ID..:	G01
		Method.....:	SW846 8015B		

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
C8-C9	ND	10	mg/kg	5.0
C10-C11	ND	10	mg/kg	5.0
C12-C13	ND	10	mg/kg	5.0
C14-C15	ND	10	mg/kg	5.0
C16-C17	ND	10	mg/kg	5.0
C18-C19	ND	10	mg/kg	5.0
C20-C23	**6.8 J**	**10**	**mg/kg**	**5.0**
C24-C27	**9.8 J**	**10**	**mg/kg**	**5.0**
C28-C31	**11**	**10**	**mg/kg**	**5.0**
C32-C35	**9.9 J**	**10**	**mg/kg**	**5.0**
C36-C39	**13**	**10**	**mg/kg**	**5.0**
C40+	ND	10	mg/kg	5.0
Total Carbon Chain Range	**57**	**10**	**mg/kg**	**5.0**

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Benzo(a)pyrene	82	(60 - 130)

NOTE(S):

J Estimated result. Result is less than RL.

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-243-5

GC Volatiles

Lot-Sample #...:	E0J250140-030	**Work Order #...:**	DNP271AE	**Matrix.....:**	SOLID
Date Sampled...:	10/24/00 14:20	**Date Received..:**	10/24/00 16:00	**MS Run #.....:**	0307256
Prep Date.....:	10/26/00	**Analysis Date..:**	10/26/00		
Prep Batch #...:	0304505	**Analysis Time..:**	10:56		
Dilution Factor:	1				
% Moisture.....:		**Analyst ID.....:**	001464	**Instrument ID..:**	G16
		Method.....:	SW846 8015B		

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
C6-C8	ND	1.0	mg/kg	0.10

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
a,a,a-Trifluorotoluene (TFT)	96	(60 - 130)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-243-5

GC/MS Volatiles

Lot-Sample #...:	E0J250140-030	**Work Order #...:**	DNP271AC	**Matrix.....:**	SOLID
Date Sampled...:	10/24/00 14:20	**Date Received..:**	10/24/00 16:00	**MS Run #.....:**	0307231
Prep Date.....:	11/01/00	**Analysis Date..:**	11/02/00		
Prep Batch #...:	0307482	**Analysis Time..:**	07:07		
Dilution Factor:	1				
% Moisture.....:		**Analyst ID.....:**	015590	**Instrument ID..:**	MSG
		Method.....:	SW846 8260B		

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Dichlorodifluoromethane	ND	10	ug/kg	1.0
Chloromethane	ND	10	ug/kg	3.0
Vinyl chloride	ND	10	ug/kg	2.0
Bromomethane	ND	10	ug/kg	2.0
Chloroethane	ND	10	ug/kg	2.0
Trichlorofluoromethane	ND	10	ug/kg	2.0
Acrolein	ND	100	ug/kg	30
1,1-Dichloroethene	ND	5.0	ug/kg	2.0
Iodomethane	ND	10	ug/kg	5.0
Acetone	ND	25	ug/kg	15
Carbon disulfide	ND	5.0	ug/kg	2.0
Methylene chloride	ND	5.0	ug/kg	3.0
trans-1,2-Dichloroethene	ND	5.0	ug/kg	2.0
Acrylonitrile	ND	50	ug/kg	30
Methyl tert-butyl ether	ND	5.0	ug/kg	1.0
1,1-Dichloroethane	ND	5.0	ug/kg	1.0
Vinyl acetate	ND	10	ug/kg	5.0
2,2-Dichloropropane	ND	5.0	ug/kg	2.0
cis-1,2-Dichloroethene	ND	5.0	ug/kg	2.0
2-Butanone	ND	25	ug/kg	15
Bromochloromethane	ND	5.0	ug/kg	1.0
Chloroform	ND	5.0	ug/kg	1.0
Tetrahydrofuran	ND	20	ug/kg	10
1,1,1-Trichloroethane	ND	5.0	ug/kg	1.0
1,1-Dichloropropene	ND	5.0	ug/kg	1.0
Carbon tetrachloride	ND	5.0	ug/kg	1.0
Benzene	ND	5.0	ug/kg	2.0
1,2-Dichloroethane	ND	5.0	ug/kg	1.0
Trichloroethene	**16**	**5.0**	**ug/kg**	**2.0**
1,2-Dichloropropane	ND	5.0	ug/kg	1.0
Bromodichloromethane	ND	5.0	ug/kg	1.0
2-Chloroethyl vinyl ether	ND	10	ug/kg	5.0
cis-1,3-Dichloropropene	ND	5.0	ug/kg	1.0
4-Methyl-2-pentanone	ND	25	ug/kg	10
Toluene	ND	5.0	ug/kg	2.0
trans-1,3-Dichloropropene	ND	5.0	ug/kg	3.0
1,1,2-Trichloroethane	ND	5.0	ug/kg	3.0

(Continued on next page)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-243-5

GC/MS Volatiles

Lot-Sample #...: E0J250140-030 **Work Order #...:** DNP271AC **Matrix.....:** SOLID

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Tetrachloroethene	ND	5.0	ug/kg	2.0
2-Hexanone	ND	25	ug/kg	10
Dibromochloromethane	ND	5.0	ug/kg	5.0
1,2-Dibromoethane	ND	5.0	ug/kg	3.0
Chlorobenzene	ND	5.0	ug/kg	2.0
Ethylbenzene	ND	5.0	ug/kg	2.0
Xylenes (total)	ND	5.0	ug/kg	3.0
Styrene	ND	10	ug/kg	2.0
Bromoform	ND	5.0	ug/kg	3.0
Isopropylbenzene	ND	5.0	ug/kg	2.0
p-Isopropyltoluene	ND	5.0	ug/kg	2.0
Bromobenzene	ND	5.0	ug/kg	2.0
1,1,1,2-Tetrachloroethane	ND	5.0	ug/kg	3.0
1,1,2,2-Tetrachloroethane	ND	5.0	ug/kg	3.0
1,2,3-Trichloropropane	ND	5.0	ug/kg	3.0
n-Propylbenzene	ND	5.0	ug/kg	2.0
2-Chlorotoluene	ND	5.0	ug/kg	2.0
4-Chlorotoluene	ND	5.0	ug/kg	2.0
1,3,5-Trimethylbenzene	ND	5.0	ug/kg	2.0
tert-Butylbenzene	ND	5.0	ug/kg	2.0
1,2,4-Trimethylbenzene	ND	5.0	ug/kg	2.0
sec-Butylbenzene	ND	5.0	ug/kg	2.0
1,3-Dichlorobenzene	ND	5.0	ug/kg	2.0
1,4-Dichlorobenzene	ND	5.0	ug/kg	2.0
1,2-Dichlorobenzene	ND	5.0	ug/kg	2.0
n-Butylbenzene	ND	5.0	ug/kg	2.0
1,2-Dibromo-3-chloro-propane	ND	10	ug/kg	3.0
1,2,4-Trichloro-benzene	ND	5.0	ug/kg	2.0
Hexachlorobutadiene	ND	5.0	ug/kg	2.0
1,2,3-Trichlorobenzene	ND	5.0	ug/kg	2.0
t-Butanol	ND	100	ug/kg	50
Isopropyl ether	ND	10	ug/kg	1.0
Tert-amyl methyl ether	ND	10	ug/kg	2.0
Tert-butyl ethyl ether	ND	10	ug/kg	1.0

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Bromofluorobenzene	112	(70 - 130)
1,2-Dichloroethane-d4	108	(60 - 140)
Toluene-d8	104	(70 - 130)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-243-10

GC Semivolatiles

Lot-Sample #...:	E0J250140-031	Work Order #...:	DNP3F1AC	Matrix.....:	SOLID
Date Sampled...:	10/24/00 14:30	Date Received..:	10/24/00 16:00	MS Run #.....:	0301185
Prep Date.....:	10/26/00	Analysis Date..:	11/13/00		
Prep Batch #...:	0300530	Analysis Time..:	19:00		
Dilution Factor:	10				
% Moisture.....:		Analyst ID.....:	356074	Instrument ID..:	G01
		Method.....:	SW846 8015B		

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
C8-C9	ND	100	mg/kg	50
C10-C11	ND	100	mg/kg	50
C12-C13	ND	100	mg/kg	50
C14-C15	ND	100	mg/kg	50
C16-C17	ND	100	mg/kg	50
C18-C19	ND	100	mg/kg	50
C20-C23	**92 J**	**100**	**mg/kg**	**50**
C24-C27	**160**	**100**	**mg/kg**	**50**
C28-C31	**210**	**100**	**mg/kg**	**50**
C32-C35	**200**	**100**	**mg/kg**	**50**
C36-C39	**220**	**100**	**mg/kg**	**50**
C40+	**530**	**100**	**mg/kg**	**50**
Total Carbon Chain Range	**1500**	**100**	**mg/kg**	**50**

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Benzo(a)pyrene	91	(60 - 130)

NOTE(S):

J Estimated result. Result is less than RL.

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-243-10

GC Volatiles

Lot-Sample #...:	E0J250140-031	**Work Order #...:**	DNP3F1AD	**Matrix.....:**	SOLID
Date Sampled...:	10/24/00 14:30	**Date Received..:**	10/24/00 16:00	**MS Run #.....:**	0307256
Prep Date.....:	10/26/00	**Analysis Date..:**	10/26/00		
Prep Batch #...:	0304505	**Analysis Time..:**	15:12		
Dilution Factor:	1				
% Moisture.....:		**Analyst ID.....:**	001464	**Instrument ID..:**	G16
		Method.....:	SW846 8015B		

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
C6-C8	ND	1.0	mg/kg	0.10

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
a,a,a-Trifluorotoluene (TFT)	94	(60 - 130)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-243-10

GC/MS Volatiles

Lot-Sample #...:	E0J250140-031	**Work Order #...:**	DNP3F1AA	**Matrix.....:**	SOLID
Date Sampled...:	10/24/00 14:30	**Date Received..:**	10/24/00 16:00	**MS Run #.....:**	0307231
Prep Date.....:	11/01/00	**Analysis Date..:**	11/02/00		
Prep Batch #...:	0307482	**Analysis Time..:**	07:39		
Dilution Factor:	1				
% Moisture.....:		**Analyst ID.....:**	015590	**Instrument ID..:**	MSG
		Method.....:	SW846 8260B		

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Dichlorodifluoromethane	ND	10	ug/kg	1.0
Chloromethane	ND	10	ug/kg	3.0
Vinyl chloride	ND	10	ug/kg	2.0
Bromomethane	ND	10	ug/kg	2.0
Chloroethane	ND	10	ug/kg	2.0
Trichlorofluoromethane	ND	10	ug/kg	2.0
Acrolein	ND	100	ug/kg	30
1,1-Dichloroethene	ND	5.0	ug/kg	2.0
Iodomethane	ND	10	ug/kg	5.0
Acetone	ND	25	ug/kg	15
Carbon disulfide	ND	5.0	ug/kg	2.0
Methylene chloride	ND	5.0	ug/kg	3.0
trans-1,2-Dichloroethene	ND	5.0	ug/kg	2.0
Acrylonitrile	ND	50	ug/kg	30
Methyl tert-butyl ether	ND	5.0	ug/kg	1.0
1,1-Dichloroethane	ND	5.0	ug/kg	1.0
Vinyl acetate	ND	10	ug/kg	5.0
2,2-Dichloropropane	ND	5.0	ug/kg	2.0
cis-1,2-Dichloroethene	ND	5.0	ug/kg	2.0
2-Butanone	ND	25	ug/kg	15
Bromochloromethane	ND	5.0	ug/kg	1.0
Chloroform	ND	5.0	ug/kg	1.0
Tetrahydrofuran	ND	20	ug/kg	10
1,1,1-Trichloroethane	ND	5.0	ug/kg	1.0
1,1-Dichloropropene	ND	5.0	ug/kg	1.0
Carbon tetrachloride	ND	5.0	ug/kg	1.0
Benzene	ND	5.0	ug/kg	2.0
1,2-Dichloroethane	ND	5.0	ug/kg	1.0
Trichloroethene	**3.9 J**	**5.0**	**ug/kg**	**2.0**
1,2-Dichloropropane	ND	5.0	ug/kg	1.0
Bromodichloromethane	ND	5.0	ug/kg	1.0
2-Chloroethyl vinyl ether	ND	10	ug/kg	5.0
cis-1,3-Dichloropropene	ND	5.0	ug/kg	1.0
4-Methyl-2-pentanone	ND	25	ug/kg	10
Toluene	ND	5.0	ug/kg	2.0
trans-1,3-Dichloropropene	ND	5.0	ug/kg	3.0
1,1,2-Trichloroethane	ND	5.0	ug/kg	3.0

(Continued on next page)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-243-10

GC/MS Volatiles

Lot-Sample #...: E0J250140-031 **Work Order #...:** DNP3F1AA **Matrix.....:** SOLID

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Tetrachloroethene	ND	5.0	ug/kg	2.0
2-Hexanone	ND	25	ug/kg	10
Dibromochloromethane	ND	5.0	ug/kg	5.0
1,2-Dibromoethane	ND	5.0	ug/kg	3.0
Chlorobenzene	ND	5.0	ug/kg	2.0
Ethylbenzene	ND	5.0	ug/kg	2.0
Xylenes (total)	ND	5.0	ug/kg	3.0
Styrene	ND	10	ug/kg	2.0
Bromoform	ND	5.0	ug/kg	3.0
Isopropylbenzene	ND	5.0	ug/kg	2.0
p-Isopropyltoluene	ND	5.0	ug/kg	2.0
Bromobenzene	ND	5.0	ug/kg	2.0
1,1,1,2-Tetrachloroethane	ND	5.0	ug/kg	3.0
1,1,2,2-Tetrachloroethane	ND	5.0	ug/kg	3.0
1,2,3-Trichloropropane	ND	5.0	ug/kg	3.0
n-Propylbenzene	ND	5.0	ug/kg	2.0
2-Chlorotoluene	ND	5.0	ug/kg	2.0
4-Chlorotoluene	ND	5.0	ug/kg	2.0
1,3,5-Trimethylbenzene	ND	5.0	ug/kg	2.0
tert-Butylbenzene	ND	5.0	ug/kg	2.0
1,2,4-Trimethylbenzene	ND	5.0	ug/kg	2.0
sec-Butylbenzene	ND	5.0	ug/kg	2.0
1,3-Dichlorobenzene	ND	5.0	ug/kg	2.0
1,4-Dichlorobenzene	ND	5.0	ug/kg	2.0
1,2-Dichlorobenzene	ND	5.0	ug/kg	2.0
n-Butylbenzene	ND	5.0	ug/kg	2.0
1,2-Dibromo-3-chloro-propane	ND	10	ug/kg	3.0
1,2,4-Trichloro-benzene	ND	5.0	ug/kg	2.0
Hexachlorobutadiene	ND	5.0	ug/kg	2.0
1,2,3-Trichlorobenzene	ND	5.0	ug/kg	2.0
t-Butanol	ND	100	ug/kg	50
Isopropyl ether	ND	10	ug/kg	1.0
Tert-amyl methyl ether	ND	10	ug/kg	2.0
Tert-butyl ethyl ether	ND	10	ug/kg	1.0

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Bromofluorobenzene	106	(70 - 130)
1,2-Dichloroethane-d4	106	(60 - 140)
Toluene-d8	101	(70 - 130)

NOTE(S):

J Estimated result. Result is less than RL.

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-243-15

GC Semivolatiles

Lot-Sample #...:	E0J250140-032	**Work Order #...:**	DNP3G1AC	**Matrix.....:**	SOLID
Date Sampled...:	10/24/00 14:45	**Date Received..:**	10/24/00 16:00	**MS Run #.....:**	0301185
Prep Date.....:	10/26/00	**Analysis Date..:**	11/12/00		
Prep Batch #...:	0300530	**Analysis Time..:**	01:11		
Dilution Factor:	1				
% Moisture.....:		**Analyst ID.....:**	356074	**Instrument ID..:**	G01
		Method.....:	SW846 8015B		

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
C8-C9	ND	10	mg/kg	5.0
C10-C11	ND	10	mg/kg	5.0
C12-C13	ND	10	mg/kg	5.0
C14-C15	ND	10	mg/kg	5.0
C16-C17	ND	10	mg/kg	5.0
C18-C19	ND	10	mg/kg	5.0
C20-C23	ND	10	mg/kg	5.0
C24-C27	ND	10	mg/kg	5.0
C28-C31	ND	10	mg/kg	5.0
C32-C35	ND	10	mg/kg	5.0
C36-C39	ND	10	mg/kg	5.0
C40+	ND	10	mg/kg	5.0
Total Carbon Chain Range	ND	10	mg/kg	5.0

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Benzo(a)pyrene	87	(60 - 130)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-243-15

GC Volatiles

Lot-Sample #...:	E0J250140-032	Work Order #...:	DNP3G1AD	Matrix.....:	SOLID
Date Sampled...:	10/24/00 14:45	Date Received..:	10/24/00 16:00	MS Run #.....:	0307256
Prep Date.....:	10/26/00	Analysis Date..:	10/26/00		
Prep Batch #...:	0304505	Analysis Time..:	12:50		
Dilution Factor:	1				
% Moisture.....:		Analyst ID.....:	001464	Instrument ID..:	G16
		Method.....:	SW846 8015B		

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
C6-C8	ND	1.0	mg/kg	0.10

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
a,a,a-Trifluorotoluene (TFT)	95	(60 - 130)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-243-15

GC/MS Volatiles

Lot-Sample #...: E0J250140-032 **Work Order #...:** DNP3G1AA **Matrix.....:** SOLID
Date Sampled...: 10/24/00 14:45 **Date Received..:** 10/24/00 16:00 **MS Run #.....:** 0307294
Prep Date.....: 11/02/00 **Analysis Date..:** 11/02/00
Prep Batch #...: 0307562 **Analysis Time..:** 11:09
Dilution Factor: 1
% Moisture.....: **Analyst ID.....:** 999998 **Instrument ID..:** MSG
Method.....: SW846 8260B

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Dichlorodifluoromethane	ND	10	ug/kg	1.0
Chloromethane	ND	10	ug/kg	3.0
Vinyl chloride	ND	10	ug/kg	2.0
Bromomethane	ND	10	ug/kg	2.0
Chloroethane	ND	10	ug/kg	2.0
Trichlorofluoromethane	ND	10	ug/kg	2.0
Acrolein	ND	100	ug/kg	30
1,1-Dichloroethene	ND	5.0	ug/kg	2.0
Iodomethane	ND	10	ug/kg	5.0
Acetone	ND	25	ug/kg	15
Carbon disulfide	ND	5.0	ug/kg	2.0
Methylene chloride	ND	5.0	ug/kg	3.0
trans-1,2-Dichloroethene	ND	5.0	ug/kg	2.0
Acrylonitrile	ND	50	ug/kg	30
Methyl tert-butyl ether	ND	5.0	ug/kg	1.0
1,1-Dichloroethane	ND	5.0	ug/kg	1.0
Vinyl acetate	ND	10	ug/kg	5.0
2,2-Dichloropropane	ND	5.0	ug/kg	2.0
cis-1,2-Dichloroethene	ND	5.0	ug/kg	2.0
2-Butanone	ND	25	ug/kg	15
Bromochloromethane	ND	5.0	ug/kg	1.0
Chloroform	ND	5.0	ug/kg	1.0
Tetrahydrofuran	ND	20	ug/kg	10
1,1,1-Trichloroethane	ND	5.0	ug/kg	1.0
1,1-Dichloropropene	ND	5.0	ug/kg	1.0
Carbon tetrachloride	ND	5.0	ug/kg	1.0
Benzene	ND	5.0	ug/kg	2.0
1,2-Dichloroethane	ND	5.0	ug/kg	1.0
Trichloroethene	ND	5.0	ug/kg	2.0
1,2-Dichloropropane	ND	5.0	ug/kg	1.0
Bromodichloromethane	ND	5.0	ug/kg	1.0
2-Chloroethyl vinyl ether	ND	10	ug/kg	5.0
cis-1,3-Dichloropropene	ND	5.0	ug/kg	1.0
4-Methyl-2-pentanone	ND	25	ug/kg	10
Toluene	ND	5.0	ug/kg	2.0
trans-1,3-Dichloropropene	ND	5.0	ug/kg	3.0
1,1,2-Trichloroethane	ND	5.0	ug/kg	3.0

(Continued on next page)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-243-15

GC/MS Volatiles

Lot-Sample #...: E0J250140-032 Work Order #...: DNP3G1AA Matrix.....: SOLID

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Tetrachloroethene	ND	5.0	ug/kg	2.0
2-Hexanone	ND	25	ug/kg	10
Dibromochloromethane	ND	5.0	ug/kg	5.0
1,2-Dibromoethane	ND	5.0	ug/kg	3.0
Chlorobenzene	ND	5.0	ug/kg	2.0
Ethylbenzene	ND	5.0	ug/kg	2.0
Xylenes (total)	ND	5.0	ug/kg	3.0
Styrene	ND	10	ug/kg	2.0
Bromoform	ND	5.0	ug/kg	3.0
Isopropylbenzene	ND	5.0	ug/kg	2.0
p-Isopropyltoluene	ND	5.0	ug/kg	2.0
Bromobenzene	ND	5.0	ug/kg	2.0
1,1,1,2-Tetrachloroethane	ND	5.0	ug/kg	3.0
1,1,2,2-Tetrachloroethane	ND	5.0	ug/kg	3.0
1,2,3-Trichloropropane	ND	5.0	ug/kg	3.0
n-Propylbenzene	ND	5.0	ug/kg	2.0
2-Chlorotoluene	ND	5.0	ug/kg	2.0
4-Chlorotoluene	ND	5.0	ug/kg	2.0
1,3,5-Trimethylbenzene	ND	5.0	ug/kg	2.0
tert-Butylbenzene	ND	5.0	ug/kg	2.0
1,2,4-Trimethylbenzene	ND	5.0	ug/kg	2.0
sec-Butylbenzene	ND	5.0	ug/kg	2.0
1,3-Dichlorobenzene	ND	5.0	ug/kg	2.0
1,4-Dichlorobenzene	ND	5.0	ug/kg	2.0
1,2-Dichlorobenzene	ND	5.0	ug/kg	2.0
n-Butylbenzene	ND	5.0	ug/kg	2.0
1,2-Dibromo-3-chloro-propane	ND	10	ug/kg	3.0
1,2,4-Trichloro-benzene	ND	5.0	ug/kg	2.0
Hexachlorobutadiene	ND	5.0	ug/kg	2.0
1,2,3-Trichlorobenzene	ND	5.0	ug/kg	2.0
t-Butanol	ND	100	ug/kg	50
Isopropyl ether	ND	10	ug/kg	1.0
Tert-amyl methyl ether	ND	10	ug/kg	2.0
Tert-butyl ethyl ether	ND	10	ug/kg	1.0

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Bromofluorobenzene	106	(70 - 130)
1,2-Dichloroethane-d4	95	(60 - 140)
Toluene-d8	100	(70 - 130)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-246-2

GC Semivolatiles

Lot-Sample #...:	E0J250140-033	**Work Order #...:**	DNP3L1AA	**Matrix.....:**	SOLID
Date Sampled...:	10/24/00 15:00	**Date Received..:**	10/24/00 16:00	**MS Run #.....:**	0300273
Prep Date.....:	10/26/00	**Analysis Date..:**	10/30/00		
Prep Batch #...:	0300523	**Analysis Time..:**	13:24		
Dilution Factor:	1				
% Moisture.....:		**Analyst ID.....:**	018568	**Instrument ID..:**	G9A
		Method.....:	SW846 8082		

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Aroclor 1016	ND	33	ug/kg	10
Aroclor 1221	ND	33	ug/kg	10
Aroclor 1232	ND	33	ug/kg	10
Aroclor 1242	ND	33	ug/kg	10
Aroclor 1248	ND	33	ug/kg	10
Aroclor 1254	**230**	**33**	**ug/kg**	**10**
Aroclor 1260	ND	33	ug/kg	10

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Decachlorobiphenyl	204 *	(60 - 140)
Tetrachloro-m-xylene	252 *	(60 - 140)

NOTE(S):

* Surrogate recovery is outside stated control limits.

Matrix interference with both surrogates.

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-245-1

GC Semivolatiles

Lot-Sample #...:	E0J250140-034	Work Order #...:	DNP3N1AA	Matrix.....:	SOLID
Date Sampled...:	10/24/00 15:17	Date Received..:	10/24/00 16:00	MS Run #.....:	0301185
Prep Date.....:	10/26/00	Analysis Date..:	11/13/00		
Prep Batch #...:	0300530	Analysis Time..:	20:01		
Dilution Factor:	100				
% Moisture.....:		Analyst ID.....:	356074	Instrument ID..:	G01
		Method.....:	SW846 8015B		

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
C8-C9	ND	1000	mg/kg	500
C10-C11	ND	1000	mg/kg	500
C12-C13	ND	1000	mg/kg	500
C14-C15	ND	1000	mg/kg	500
C16-C17	ND	1000	mg/kg	500
C18-C19	**500 J**	**1000**	**mg/kg**	**500**
C20-C23	**1100**	**1000**	**mg/kg**	**500**
C24-C27	**1900**	**1000**	**mg/kg**	**500**
C28-C31	**2300**	**1000**	**mg/kg**	**500**
C32-C35	**2200**	**1000**	**mg/kg**	**500**
C36-C39	**4700**	**1000**	**mg/kg**	**500**
C40+	ND	1000	mg/kg	500
Total Carbon Chain Range	**14000**	**1000**	**mg/kg**	**500**

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Benzo(a)pyrene	0.0 SRD,*	(60 - 130)

NOTE(S):

SRD The surrogate recovery was not calculated because the extract was diluted beyond the ability to quantitate a recovery.

* Surrogate recovery is outside stated control limits.

J Estimated result. Result is less than RL.

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-245-1

GC Volatiles

Lot-Sample #...:	E0J250140-034	**Work Order #...:**	DNP3N1AC	**Matrix.....:**	SOLID
Date Sampled...:	10/24/00 15:17	**Date Received..:**	10/24/00 16:00	**MS Run #.....:**	0307256
Prep Date.....:	10/26/00	**Analysis Date..:**	10/26/00		
Prep Batch #...:	0304505	**Analysis Time..:**	13:19		
Dilution Factor:	1				
% Moisture.....:		**Analyst ID.....:**	001464	**Instrument ID..:**	G16
		Method.....:	SW846 8015B		

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
C6-C8	ND	1.0	mg/kg	0.10

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
a,a,a-Trifluorotoluene (TFT)	95	(60 - 130)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-245-5

GC Semivolatiles

Lot-Sample #...:	E0J250140-035	**Work Order #...:**	DNP3W1AA	**Matrix.....:**	SOLID
Date Sampled...:	10/24/00 15:19	**Date Received..:**	10/24/00 16:00	**MS Run #.....:**	0301185
Prep Date.....:	10/26/00	**Analysis Date..:**	11/13/00		
Prep Batch #...:	0300530	**Analysis Time..:**	21:01		
Dilution Factor:	1				
% Moisture.....:		**Analyst ID.....:**	356074	**Instrument ID..:**	G01
		Method.....:	SW846 8015B		

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
C8-C9	ND	10	mg/kg	5.0
C10-C11	ND	10	mg/kg	5.0
C12-C13	ND	10	mg/kg	5.0
C14-C15	ND	10	mg/kg	5.0
C16-C17	ND	10	mg/kg	5.0
C18-C19	ND	10	mg/kg	5.0
C20-C23	ND	10	mg/kg	5.0
C24-C27	**5.1 J**	**10**	**mg/kg**	**5.0**
C28-C31	**5.6 J**	**10**	**mg/kg**	**5.0**
C32-C35	**6.3 J**	**10**	**mg/kg**	**5.0**
C36-C39	**8.0 J**	**10**	**mg/kg**	**5.0**
C40+	ND	10	mg/kg	5.0
Total Carbon Chain Range	**35**	**10**	**mg/kg**	**5.0**

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Benzo(a)pyrene	91	(60 - 130)

NOTE(S):

J Estimated result. Result is less than RL.

PROBABLE CARRYOVER.

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-245-5

GC Volatiles

Lot-Sample #...:	E0J250140-035	**Work Order #...:**	DNP3W1AC	**Matrix.....:**	SOLID
Date Sampled...:	10/24/00 15:19	**Date Received..:**	10/24/00 16:00	**MS Run #.....:**	0307256
Prep Date.....:	10/26/00	**Analysis Date..:**	10/26/00		
Prep Batch #...:	0304505	**Analysis Time..:**	13:47		
Dilution Factor:	1				
% Moisture.....:		**Analyst ID.....:**	001464	**Instrument ID..:**	G16
		Method.....:	SW846 8015B		

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
C6-C8	ND	1.0	mg/kg	0.10

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
a,a,a-Trifluorotoluene (TFT)	98	(60 - 130)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-10/24 rinsate

GC/MS Volatiles

Lot-Sample #...: E0J250140-037 **Work Order #...:** DNP321AA **Matrix.....:** WATER
Date Sampled...: 10/24/00 15:45 **Date Received..:** 10/24/00 16:00 **MS Run #.....:** 0303005
Prep Date.....: 10/27/00 **Analysis Date..:** 10/28/00
Prep Batch #...: 0303095 **Analysis Time..:** 01:19
Dilution Factor: 1
Analyst ID.....: 015590 **Instrument ID..:** MSC
Method.....: SW846 8260B

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Acetone	ND	10	ug/L	3.0
Benzene	ND	1.0	ug/L	0.30
Bromobenzene	ND	1.0	ug/L	0.30
1-Bromo-2-chloroethane	ND	1.0	ug/L	0.50
Bromochloromethane	ND	1.0	ug/L	0.30
Bromoform	ND	1.0	ug/L	0.30
Bromomethane	ND	2.0	ug/L	1.0
2-Butanone	ND	5.0	ug/L	3.0
n-Butylbenzene	ND	1.0	ug/L	0.30
sec-Butylbenzene	ND	1.0	ug/L	0.30
tert-Butylbenzene	ND	1.0	ug/L	0.20
Carbon disulfide	ND	1.0	ug/L	0.30
Carbon tetrachloride	ND	1.0	ug/L	0.30
Chlorobenzene	ND	1.0	ug/L	0.30
Dibromochloromethane	ND	1.0	ug/L	0.30
Bromodichloromethane	ND	1.0	ug/L	0.30
Chloroethane	ND	2.0	ug/L	0.30
Chloroform	ND	1.0	ug/L	0.20
Chloromethane	ND	2.0	ug/L	0.30
2-Chlorotoluene	ND	1.0	ug/L	0.30
4-Chlorotoluene	ND	1.0	ug/L	0.30
1,2-Dibromo-3-chloro-propane	ND	2.0	ug/L	0.60
1,2-Dibromoethane	ND	1.0	ug/L	0.30
Dibromomethane	ND	1.0	ug/L	0.30
1,2-Dichlorobenzene	ND	1.0	ug/L	0.20
1,3-Dichlorobenzene	ND	1.0	ug/L	0.20
1,4-Dichlorobenzene	ND	1.0	ug/L	0.30
Dichlorodifluoromethane	ND	2.0	ug/L	0.40
1,1-Dichloroethane	ND	1.0	ug/L	0.20
1,2-Dichloroethane	ND	1.0	ug/L	0.20
1,1-Dichloroethene	ND	1.0	ug/L	0.20
cis-1,2-Dichloroethene	ND	1.0	ug/L	0.30
trans-1,2-Dichloroethene	ND	1.0	ug/L	0.20
1,2-Dichloropropane	ND	1.0	ug/L	0.20
1,3-Dichloropropane	ND	1.0	ug/L	0.40
2,2-Dichloropropane	ND	1.0	ug/L	0.30

(Continued on next page)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-10/24 rinsate

GC/MS Volatiles

Lot-Sample #...: E0J250140-037 **Work Order #...:** DNP321AA **Matrix.....:** WATER

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
1,1-Dichloropropene	ND	1.0	ug/L	0.30
cis-1,3-Dichloropropene	ND	1.0	ug/L	0.30
trans-1,3-Dichloropropene	ND	1.0	ug/L	0.50
Ethylbenzene	ND	1.0	ug/L	0.20
Hexachlorobutadiene	ND	1.0	ug/L	0.30
2-Hexanone	ND	5.0	ug/L	2.0
Isopropylbenzene	ND	1.0	ug/L	0.20
p-Isopropyltoluene	ND	1.0	ug/L	0.20
Methylene chloride	ND	1.0	ug/L	0.20
4-Methyl-2-pentanone	ND	5.0	ug/L	2.0
Methyl tert-butyl ether	ND	1.0	ug/L	0.50
Naphthalene	ND	1.0	ug/L	0.40
n-Propylbenzene	ND	1.0	ug/L	0.40
Styrene	ND	1.0	ug/L	0.30
1,1,1,2-Tetrachloroethane	ND	1.0	ug/L	0.30
1,1,2,2-Tetrachloroethane	ND	1.0	ug/L	0.30
Tetrachloroethene	ND	1.0	ug/L	0.70
Toluene	ND	1.0	ug/L	0.30
1,2,3-Trichlorobenzene	ND	1.0	ug/L	0.40
1,2,4-Trichloro-benzene	ND	1.0	ug/L	0.30
1,1,1-Trichloroethane	ND	1.0	ug/L	0.20
1,1,2-Trichloroethane	ND	1.0	ug/L	0.30
Trichloroethene	ND	1.0	ug/L	0.30
Trichlorofluoromethane	ND	2.0	ug/L	0.20
1,2,3-Trichloropropane	ND	1.0	ug/L	0.30
1,1,2-Trichlorotrifluoro-ethane	ND	1.0	ug/L	0.20
1,2,4-Trimethylbenzene	ND	1.0	ug/L	0.20
1,3,5-Trimethylbenzene	ND	1.0	ug/L	0.20
Vinyl chloride	ND	2.0	ug/L	0.30
m-Xylene & p-Xylene	ND	1.0	ug/L	0.50
o-Xylene	ND	1.0	ug/L	0.20
Xylenes (total)	ND	1.0	ug/L	0.50
Tert-amyl methyl ether	ND	2.0	ug/L	0.50
Tert-butyl ethyl ether	ND	2.0	ug/L	0.50
t-Butanol	ND	25	ug/L	6.0
Isopropyl ether	ND	2.0	ug/L	0.50
Acrolein	ND	20	ug/L	12
Iodomethane	ND	5.0	ug/L	1.0
Acrylonitrile	ND	20	ug/L	10
Vinyl acetate	ND	5.0	ug/L	1.0
Tetrahydrofuran	ND	10	ug/L	2.0

(Continued on next page)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-10/24 rinsate

GC/MS Volatiles

Lot-Sample #...: E0J250140-037 **Work Order #...:** DNP321AA **Matrix.....:** WATER

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
2-Chloroethyl vinyl ether	ND	5.0	ug/L	2.0

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Bromofluorobenzene	94	(75 - 120)
1,2-Dichloroethane-d4	110	(65 - 130)
Toluene-d8	98	(80 - 130)

KENNEDY/JENKS CONSULTANTS

C-2-226-5

GC/MS Volatiles

Lot-Sample #: E0J250140-001 **Work Order #:** DNPXX1AA **Matrix:** SOLID

MASS SPECTROMETER/DATA SYSTEM (MSDS) TENTATIVELY IDENTIFIED COMPOUNDS

PARAMETER	CAS #	ESTIMATED RESULT	RETENTION TIME	UNITS
None				ug/kg

KENNEDY/JENKS CONSULTANTS

C-2-226-10

GC/MS Volatiles

Lot-Sample #: E0J250140-002 **Work Order #:** DNPX91AA **Matrix:** SOLID

MASS SPECTROMETER/DATA SYSTEM (MSDS) TENTATIVELY IDENTIFIED COMPOUNDS

PARAMETER	CAS #	ESTIMATED RESULT	RETENTION TIME	UNITS
None				ug/kg

KENNEDY/JENKS CONSULTANTS

C-2-226-15

GC/MS Volatiles

Lot-Sample #: E0J250140-003 **Work Order #:** DNP0C1AA **Matrix:** SOLID

MASS SPECTROMETER/DATA SYSTEM (MSDS) TENTATIVELY IDENTIFIED COMPOUNDS

PARAMETER	CAS #	ESTIMATED RESULT	RETENTION TIME	UNITS
None				ug/kg

KENNEDY/JENKS CONSULTANTS

C-2-227-10

GC/MS Volatiles

Lot-Sample #: E0J250140-004 **Work Order #:** DNP0F1AA **Matrix:** SOLID

MASS SPECTROMETER/DATA SYSTEM (MSDS) TENTATIVELY IDENTIFIED COMPOUNDS

PARAMETER	CAS #	ESTIMATED RESULT	RETENTION TIME	UNITS
None				ug/kg

KENNEDY/JENKS CONSULTANTS

C-2-227-15

GC/MS Volatiles

Lot-Sample #: E0J250140-005 **Work Order #:** DNP0G1AA **Matrix:** SOLID

MASS SPECTROMETER/DATA SYSTEM (MSDS) TENTATIVELY IDENTIFIED COMPOUNDS

PARAMETER	CAS #	ESTIMATED RESULT	RETENTION TIME	UNITS
None				ug/kg

KENNEDY/JENKS CONSULTANTS

C-2-228-5

GC/MS Volatiles

Lot-Sample #: E0J250140-006 **Work Order #:** DNP031AC **Matrix:** SOLID

MASS SPECTROMETER/DATA SYSTEM (MSDS) TENTATIVELY IDENTIFIED COMPOUNDS

PARAMETER	CAS #	ESTIMATED RESULT	RETENTION TIME	UNITS
None				ug/kg

KENNEDY/JENKS CONSULTANTS

C-2-228-10

GC/MS Volatiles

Lot-Sample #: E0J250140-007 **Work Order #:** DNP1A1AA **Matrix:** SOLID

MASS SPECTROMETER/DATA SYSTEM (MSDS) TENTATIVELY IDENTIFIED COMPOUNDS

PARAMETER	CAS #	ESTIMATED RESULT	RETENTION TIME	UNITS
None				ug/kg

KENNEDY/JENKS CONSULTANTS

C-2-228-15

GC/MS Volatiles

Lot-Sample #: E0J250140-008 **Work Order #:** DNP1D1AA **Matrix:** SOLID

MASS SPECTROMETER/DATA SYSTEM (MSDS) TENTATIVELY IDENTIFIED COMPOUNDS

PARAMETER	CAS #	ESTIMATED RESULT	RETENTION TIME	UNITS
None				ug/kg

KENNEDY/JENKS CONSULTANTS

C-2-229-5

GC/MS Volatiles

Lot-Sample #: E0J250140-009 **Work Order #:** DNP1E1AC **Matrix:** SOLID

MASS SPECTROMETER/DATA SYSTEM (MSDS) TENTATIVELY IDENTIFIED COMPOUNDS

PARAMETER	CAS #	ESTIMATED RESULT	RETENTION TIME	UNITS
None				ug/kg

KENNEDY/JENKS CONSULTANTS

C-2-229-10

GC/MS Volatiles

Lot-Sample #: E0J250140-010 **Work Order #:** DNP1F1AA **Matrix:** SOLID

MASS SPECTROMETER/DATA SYSTEM (MSDS) TENTATIVELY IDENTIFIED COMPOUNDS

PARAMETER	CAS #	ESTIMATED RESULT	RETENTION TIME	UNITS
None				ug/kg

KENNEDY/JENKS CONSULTANTS

C-2-236-5

GC/MS Volatiles

Lot-Sample #: E0J250140-011 **Work Order #:** DNP1H1AC **Matrix:** SOLID

MASS SPECTROMETER/DATA SYSTEM (MSDS) TENTATIVELY IDENTIFIED COMPOUNDS

PARAMETER	CAS #	ESTIMATED RESULT	RETENTION TIME	UNITS
None				ug/kg

KENNEDY/JENKS CONSULTANTS

C-2-236-10

GC/MS Volatiles

Lot-Sample #: E0J250140-012 **Work Order #:** DNP1T1AA **Matrix:** SOLID

MASS SPECTROMETER/DATA SYSTEM (MSDS) TENTATIVELY IDENTIFIED COMPOUNDS

PARAMETER	CAS #	ESTIMATED RESULT	RETENTION TIME	UNITS
None				ug/kg

KENNEDY/JENKS CONSULTANTS

C-2-236-15

GC/MS Volatiles

Lot-Sample #: E0J250140-013 **Work Order #:** DNP191AA **Matrix:** SOLID

MASS SPECTROMETER/DATA SYSTEM (MSDS) TENTATIVELY IDENTIFIED COMPOUNDS

PARAMETER	CAS #	ESTIMATED RESULT	RETENTION TIME	UNITS
None				ug/kg

KENNEDY/JENKS CONSULTANTS

C-2-237-5

GC/MS Volatiles

Lot-Sample #: E0J250140-014 **Work Order #:** DNP2C1AC **Matrix:** SOLID

MASS SPECTROMETER/DATA SYSTEM (MSDS) TENTATIVELY IDENTIFIED COMPOUNDS

PARAMETER	CAS #	ESTIMATED RESULT	RETENTION TIME	UNITS
None				ug/kg

KENNEDY/JENKS CONSULTANTS

C-2-237-10

GC/MS Volatiles

Lot-Sample #: E0J250140-015 **Work Order #:** DNP2E1AA **Matrix:** SOLID

MASS SPECTROMETER/DATA SYSTEM (MSDS) TENTATIVELY IDENTIFIED COMPOUNDS

PARAMETER	CAS #	ESTIMATED RESULT	RETENTION TIME	UNITS
None				ug/kg

KENNEDY/JENKS CONSULTANTS

C-2-237-15

GC/MS Volatiles

Lot-Sample #: E0J250140-016 **Work Order #:** DNP2G1AA **Matrix:** SOLID

MASS SPECTROMETER/DATA SYSTEM (MSDS) TENTATIVELY IDENTIFIED COMPOUNDS

PARAMETER	CAS #	ESTIMATED RESULT	RETENTION TIME	UNITS
None				ug/kg

KENNEDY/JENKS CONSULTANTS

C-2-238-5

GC/MS Volatiles

Lot-Sample #: E0J250140-017 **Work Order #:** DNP2H1AC **Matrix:** SOLID

MASS SPECTROMETER/DATA SYSTEM (MSDS) TENTATIVELY IDENTIFIED COMPOUNDS

PARAMETER	CAS #	ESTIMATED RESULT	RETENTION TIME	UNITS
None				ug/kg

KENNEDY/JENKS CONSULTANTS

C-2-238-10

GC/MS Volatiles

Lot-Sample #: E0J250140-018 **Work Order #:** DNP2J1AA **Matrix:** SOLID

MASS SPECTROMETER/DATA SYSTEM (MSDS) TENTATIVELY IDENTIFIED COMPOUNDS

PARAMETER	CAS #	ESTIMATED RESULT	RETENTION TIME	UNITS
None				ug/kg

KENNEDY/JENKS CONSULTANTS

C-2-238-15

GC/MS Volatiles

Lot-Sample #: E0J250140-019 **Work Order #:** DNP2K1AA **Matrix:** SOLID

MASS SPECTROMETER/DATA SYSTEM (MSDS) TENTATIVELY IDENTIFIED COMPOUNDS

PARAMETER	CAS #	ESTIMATED RESULT	RETENTION TIME	UNITS
None				ug/kg

KENNEDY/JENKS CONSULTANTS

C-2-239-5

GC/MS Volatiles

Lot-Sample #: E0J250140-020 **Work Order #:** DNP2L1AC **Matrix:** SOLID

MASS SPECTROMETER/DATA SYSTEM (MSDS) TENTATIVELY IDENTIFIED COMPOUNDS

PARAMETER	CAS #	ESTIMATED RESULT	RETENTION TIME	UNITS
None				ug/kg

KENNEDY/JENKS CONSULTANTS

C-2-239-10

GC/MS Volatiles

Lot-Sample #: E0J250140-021 **Work Order #:** DNP2M1AA **Matrix:** SOLID

MASS SPECTROMETER/DATA SYSTEM (MSDS) TENTATIVELY IDENTIFIED COMPOUNDS

PARAMETER	CAS #	ESTIMATED RESULT	RETENTION TIME	UNITS
None				ug/kg

KENNEDY/JENKS CONSULTANTS

C-2-240-5

GC/MS Volatiles

Lot-Sample #: E0J250140-022 **Work Order #:** DNP2Q1AC **Matrix:** SOLID

MASS SPECTROMETER/DATA SYSTEM (MSDS) TENTATIVELY IDENTIFIED COMPOUNDS

PARAMETER	CAS #	ESTIMATED RESULT	RETENTION TIME	UNITS
None				ug/kg

KENNEDY/JENKS CONSULTANTS

C-2-240-10

GC/MS Volatiles

Lot-Sample #: E0J250140-023 **Work Order #:** DNP2R1AA **Matrix:** SOLID

MASS SPECTROMETER/DATA SYSTEM (MSDS) TENTATIVELY IDENTIFIED COMPOUNDS

PARAMETER	CAS #	ESTIMATED RESULT	RETENTION TIME	UNITS
None				ug/kg

KENNEDY/JENKS CONSULTANTS

C-2-240-15

GC/MS Volatiles

Lot-Sample #: E0J250140-024 **Work Order #:** DNP2V1AA **Matrix:** SOLID

MASS SPECTROMETER/DATA SYSTEM (MSDS) TENTATIVELY IDENTIFIED COMPOUNDS

PARAMETER	CAS #	ESTIMATED RESULT	RETENTION TIME	UNITS
None				ug/kg

KENNEDY/JENKS CONSULTANTS

C-2-241-5

GC/MS Volatiles

Lot-Sample #: E0J250140-025 **Work Order #:** DNP2X1AC **Matrix:** SOLID

MASS SPECTROMETER/DATA SYSTEM (MSDS) TENTATIVELY IDENTIFIED COMPOUNDS

PARAMETER	CAS #	ESTIMATED RESULT	RETENTION TIME	UNITS
None				ug/kg

KENNEDY/JENKS CONSULTANTS

C-2-241-10

GC/MS Volatiles

Lot-Sample #: E0J250140-026 **Work Order #:** DNP211AA **Matrix:** SOLID

MASS SPECTROMETER/DATA SYSTEM (MSDS) TENTATIVELY IDENTIFIED COMPOUNDS

PARAMETER	CAS #	ESTIMATED RESULT		RETENTION TIME	UNITS
Unknown Hydrocarbon		5.5	M		ug/kg
Unknown Alkane		13	M		ug/kg
Unknown Hydrocarbon		6.6	M	23.685	ug/kg

NOTE(S):

M: Result was measured against nearest internal standard assuming a response factor of 1.

KENNEDY/JENKS CONSULTANTS

C-2-241-5

GC/MS Volatiles

Lot-Sample #: E0J250140-027 **Work Order #:** DNP221AA **Matrix:** SOLID

MASS SPECTROMETER/DATA SYSTEM (MSDS) TENTATIVELY IDENTIFIED COMPOUNDS

PARAMETER	CAS #	ESTIMATED RESULT		RETENTION TIME	UNITS
Unknown Alkane		15	M		ug/kg

NOTE(S):

M: Result was measured against nearest internal standard assuming a response factor of 1.

KENNEDY/JENKS CONSULTANTS

C-2-242-5

GC/MS Volatiles

Lot-Sample #: E0J250140-028 **Work Order #:** DNP241AC **Matrix:** SOLID

MASS SPECTROMETER/DATA SYSTEM (MSDS) TENTATIVELY IDENTIFIED COMPOUNDS

PARAMETER	CAS #	ESTIMATED RESULT		RETENTION TIME	UNITS
Unknown hydrocarbon		930	M		ug/kg
Unknown aromatic		690	M		ug/kg

NOTE(S):

M: Result was measured against nearest internal standard assuming a response factor of 1.

KENNEDY/JENKS CONSULTANTS

C-2-242-10

GC/MS Volatiles

Lot-Sample #: E0J250140-029 **Work Order #:** DNP251AA **Matrix:** SOLID

MASS SPECTROMETER/DATA SYSTEM (MSDS) TENTATIVELY IDENTIFIED COMPOUNDS

PARAMETER	CAS #	ESTIMATED RESULT		RETENTION TIME	UNITS
Unknown Hydrocarbon		7.3	M		ug/kg

NOTE(S):

M: Result was measured against nearest internal standard assuming a response factor of 1.

KENNEDY/JENKS CONSULTANTS

C-2-243-5

GC/MS Volatiles

Lot-Sample #: E0J250140-030 **Work Order #:** DNP271AC **Matrix:** SOLID

MASS SPECTROMETER/DATA SYSTEM (MSDS) TENTATIVELY IDENTIFIED COMPOUNDS

PARAMETER	CAS #	ESTIMATED RESULT	RETENTION TIME	UNITS
None				ug/kg

KENNEDY/JENKS CONSULTANTS

C-2-243-10

GC/MS Volatiles

Lot-Sample #: E0J250140-031 **Work Order #:** DNP3F1AA **Matrix:** SOLID

MASS SPECTROMETER/DATA SYSTEM (MSDS) TENTATIVELY IDENTIFIED COMPOUNDS

PARAMETER	CAS #	ESTIMATED RESULT	RETENTION TIME	UNITS
None				ug/kg

KENNEDY/JENKS CONSULTANTS

C-2-243-15

GC/MS Volatiles

Lot-Sample #: E0J250140-032 **Work Order #:** DNP3G1AA **Matrix:** SOLID

MASS SPECTROMETER/DATA SYSTEM (MSDS) TENTATIVELY IDENTIFIED COMPOUNDS

PARAMETER	CAS #	ESTIMATED RESULT	RETENTION TIME	UNITS
None				ug/kg

KENNEDY/JENKS CONSULTANTS

C-2-10/24 rinsate

GC/MS Volatiles

Lot-Sample #: E0J250140-037 **Work Order #:** DNP321AA **Matrix:** WATER

MASS SPECTROMETER/DATA SYSTEM (MSDS) TENTATIVELY IDENTIFIED COMPOUNDS

PARAMETER	CAS #	ESTIMATED RESULT	RETENTION TIME	UNITS
None				ug/L

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-226-5

TOTAL Metals

Lot-Sample #...: E0J250140-001 Matrix.....: SOLID
Date Sampled...: 10/23/00 09:20 Date Received..: 10/24/00 16:00
% Moisture.....:

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD	PREPARATION-ANALYSIS DATE	WORK ORDER #
Prep Batch #...: 0300522						
Aluminum	30200	20.0	mg/kg	SW846 6010B	10/27-11/02/00	DNPXX1AE
		Dilution Factor: 1		Analysis Time..: 00:41	Analyst ID.....: 003119	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 8.0	
Arsenic	4.0	1.0	mg/kg	SW846 6010B	10/27-11/02/00	DNPXX1AF
		Dilution Factor: 1		Analysis Time..: 00:41	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.40	
Antimony	0.70 B	6.0	mg/kg	SW846 6010B	10/27-11/02/00	DNPXX1AG
		Dilution Factor: 1		Analysis Time..: 00:41	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.20	
Barium	243	2.0	mg/kg	SW846 6010B	10/27-11/02/00	DNPXX1AH
		Dilution Factor: 1		Analysis Time..: 00:41	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.10	
Cadmium	0.82	0.50	mg/kg	SW846 6010B	10/27-11/02/00	DNPXX1AJ
		Dilution Factor: 1		Analysis Time..: 00:41	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.050	
Chromium	31.6	1.0	mg/kg	SW846 6010B	10/27-11/02/00	DNPXX1AK
		Dilution Factor: 1		Analysis Time..: 00:41	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.10	
Beryllium	0.87	0.50	mg/kg	SW846 6010B	10/27-11/02/00	DNPXX1AL
		Dilution Factor: 1		Analysis Time..: 00:41	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.050	
Lead	6.4	0.50	mg/kg	SW846 6010B	10/27-11/02/00	DNPXX1AM
		Dilution Factor: 1		Analysis Time..: 00:41	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.30	
Selenium	ND	0.50	mg/kg	SW846 6010B	10/27-11/02/00	DNPXX1AN
		Dilution Factor: 1		Analysis Time..: 00:41	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.40	

(Continued on next page)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-226-5

TOTAL Metals

Lot-Sample #...: E0J250140-001 Matrix.....: SOLID

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD	PREPARATION-ANALYSIS DATE	WORK ORDER #
Silver	ND	1.0	mg/kg	SW846 6010B	10/27-11/02/00	DNPXX1AP
		Dilution Factor: 1		Analysis Time..: 00:41	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.10	
Cobalt	11.3	5.0	mg/kg	SW846 6010B	10/27-11/02/00	DNPXX1AQ
		Dilution Factor: 1		Analysis Time..: 00:41	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.10	
Copper	18.1	2.5	mg/kg	SW846 6010B	10/27-11/02/00	DNPXX1AR
		Dilution Factor: 1		Analysis Time..: 00:41	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.40	
Molybdenum	1.0 B	4.0	mg/kg	SW846 6010B	10/27-11/02/00	DNPXX1AT
		Dilution Factor: 1		Analysis Time..: 00:41	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.30	
Nickel	23.2	4.0	mg/kg	SW846 6010B	10/27-11/02/00	DNPXX1AU
		Dilution Factor: 1		Analysis Time..: 00:41	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.30	
Thallium	1.6	1.0	mg/kg	SW846 6010B	10/27-11/02/00	DNPXX1AV
		Dilution Factor: 1		Analysis Time..: 00:41	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.50	
Vanadium	59.5	5.0	mg/kg	SW846 6010B	10/27-11/02/00	DNPXX1AW
		Dilution Factor: 1		Analysis Time..: 00:41	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.10	
Zinc	58.0	2.0	mg/kg	SW846 6010B	10/27-11/02/00	DNPXX1AX
		Dilution Factor: 1		Analysis Time..: 00:41	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 1.0	
Prep Batch #...: 0300542						
Mercury	0.074 B	0.10	mg/kg	SW846 7471A	10/27-10/31/00	DNPXX1A0
		Dilution Factor: 1		Analysis Time..: 15:00	Analyst ID.....: 0210885	
		Instrument ID..: M04		MS Run #.....: 0300277	MDL.....: 0.020	

NOTE(S):

B Estimated result. Result is less than RL.

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-228-5

TOTAL Metals

Lot-Sample #...: E0J250140-006 Matrix.....: SOLID
Date Sampled...: 10/23/00 11:16 Date Received..: 10/24/00 16:00
% Moisture.....:

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD	PREPARATION-ANALYSIS DATE	WORK ORDER #
Prep Batch #...: 0300522						
Aluminum	28900	20.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP031AF
		Dilution Factor: 1		Analysis Time..: 01:11	Analyst ID.....: 003119	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 8.0	
Arsenic	3.5	1.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP031AG
		Dilution Factor: 1		Analysis Time..: 01:11	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.40	
Antimony	0.45 B	6.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP031AH
		Dilution Factor: 1		Analysis Time..: 01:11	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.20	
Barium	231	2.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP031AJ
		Dilution Factor: 1		Analysis Time..: 01:11	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.10	
Cadmium	0.78	0.50	mg/kg	SW846 6010B	10/27-11/02/00	DNP031AK
		Dilution Factor: 1		Analysis Time..: 01:11	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.050	
Chromium	30.4	1.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP031AL
		Dilution Factor: 1		Analysis Time..: 01:11	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.10	
Beryllium	0.83	0.50	mg/kg	SW846 6010B	10/27-11/02/00	DNP031AM
		Dilution Factor: 1		Analysis Time..: 01:11	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.050	
Lead	6.3	0.50	mg/kg	SW846 6010B	10/27-11/02/00	DNP031AN
		Dilution Factor: 1		Analysis Time..: 01:11	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.30	
Selenium	ND	0.50	mg/kg	SW846 6010B	10/27-11/02/00	DNP031AP
		Dilution Factor: 1		Analysis Time..: 01:11	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.40	

(Continued on next page)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-228-5

TOTAL Metals

Lot-Sample #...: E0J250140-006 Matrix.....: SOLID

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD	PREPARATION-ANALYSIS DATE	WORK ORDER #
Silver	ND	1.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP031AQ
		Dilution Factor: 1		Analysis Time..: 01:11	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.10	
Cobalt	11.1	5.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP031AR
		Dilution Factor: 1		Analysis Time..: 01:11	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.10	
Copper	18.6	2.5	mg/kg	SW846 6010B	10/27-11/02/00	DNP031AT
		Dilution Factor: 1		Analysis Time..: 01:11	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.40	
Molybdenum	1.2 B	4.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP031AU
		Dilution Factor: 1		Analysis Time..: 01:11	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.30	
Nickel	21.2	4.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP031AV
		Dilution Factor: 1		Analysis Time..: 01:11	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.30	
Thallium	1.2	1.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP031AW
		Dilution Factor: 1		Analysis Time..: 01:11	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.50	
Vanadium	57.0	5.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP031AX
		Dilution Factor: 1		Analysis Time..: 01:11	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.10	
Zinc	54.5	2.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP031A0
		Dilution Factor: 1		Analysis Time..: 01:11	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 1.0	
Prep Batch #...: 0300542						
Mercury	0.025 B	0.10	mg/kg	SW846 7471A	10/27-10/31/00	DNP031AA
		Dilution Factor: 1		Analysis Time..: 15:05	Analyst ID.....: 0210885	
		Instrument ID..: M04		MS Run #.....: 0300277	MDL.....: 0.020	

NOTE(S):

B Estimated result. Result is less than RL.

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-229-5

TOTAL Metals

Lot-Sample #...: E0J250140-009 Matrix.....: SOLID
Date Sampled...: 10/23/00 12:27 Date Received..: 10/24/00 16:00
% Moisture.....:

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD	PREPARATION-ANALYSIS DATE	WORK ORDER #
Prep Batch #...: 0300522						
Aluminum	32800	20.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP1E1AF
		Dilution Factor: 1		Analysis Time..: 01:19	Analyst ID.....: 003119	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 8.0	
Arsenic	3.8	1.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP1E1AG
		Dilution Factor: 1		Analysis Time..: 01:19	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.40	
Antimony	0.25 B	6.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP1E1AH
		Dilution Factor: 1		Analysis Time..: 01:19	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.20	
Barium	218	2.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP1E1AJ
		Dilution Factor: 1		Analysis Time..: 01:19	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.10	
Cadmium	0.84	0.50	mg/kg	SW846 6010B	10/27-11/02/00	DNP1E1AK
		Dilution Factor: 1		Analysis Time..: 01:19	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.050	
Chromium	33.8	1.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP1E1AL
		Dilution Factor: 1		Analysis Time..: 01:19	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.10	
Beryllium	0.87	0.50	mg/kg	SW846 6010B	10/27-11/02/00	DNP1E1AM
		Dilution Factor: 1		Analysis Time..: 01:19	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.050	
Lead	6.7	0.50	mg/kg	SW846 6010B	10/27-11/02/00	DNP1E1AN
		Dilution Factor: 1		Analysis Time..: 01:19	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.30	
Selenium	ND	0.50	mg/kg	SW846 6010B	10/27-11/02/00	DNP1E1AP
		Dilution Factor: 1		Analysis Time..: 01:19	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.40	

(Continued on next page)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-229-5

TOTAL Metals

Lot-Sample #...: E0J250140-009 Matrix.....: SOLID

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD	PREPARATION-ANALYSIS DATE	WORK ORDER #
Silver	ND	1.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP1E1AQ
		Dilution Factor: 1		Analysis Time..: 01:19	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.10	
Cobalt	11.4	5.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP1E1AR
		Dilution Factor: 1		Analysis Time..: 01:19	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.10	
Copper	20.3	2.5	mg/kg	SW846 6010B	10/27-11/02/00	DNP1E1AT
		Dilution Factor: 1		Analysis Time..: 01:19	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.40	
Molybdenum	1.4 B	4.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP1E1AU
		Dilution Factor: 1		Analysis Time..: 01:19	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.30	
Nickel	25.3	4.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP1E1AV
		Dilution Factor: 1		Analysis Time..: 01:19	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.30	
Thallium	0.74 B	1.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP1E1AW
		Dilution Factor: 1		Analysis Time..: 01:19	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.50	
Vanadium	62.9	5.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP1E1AX
		Dilution Factor: 1		Analysis Time..: 01:19	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.10	
Zinc	63.8	2.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP1E1A0
		Dilution Factor: 1		Analysis Time..: 01:19	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 1.0	
Prep Batch #...: 0300542						
Mercury	0.033 B	0.10	mg/kg	SW846 7471A	10/27-10/31/00	DNP1E1AA
		Dilution Factor: 1		Analysis Time..: 15:07	Analyst ID.....: 0210885	
		Instrument ID..: M04		MS Run #.....: 0300277	MDL.....: 0.020	

NOTE(S):

B Estimated result. Result is less than RL.

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-236-5

TOTAL Metals

Lot-Sample #...: E0J250140-011 Matrix.....: SOLID
Date Sampled...: 10/24/00 08:45 Date Received..: 10/24/00 16:00
% Moisture.....:

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD	PREPARATION-ANALYSIS DATE	WORK ORDER #
Prep Batch #...: 0300522						
Aluminum	17400	20.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP1H1AF
		Dilution Factor: 1		Analysis Time..: 01:41	Analyst ID.....: 003119	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 8.0	
Arsenic	2.0	1.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP1H1AG
		Dilution Factor: 1		Analysis Time..: 01:41	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.40	
Antimony	0.46 B	6.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP1H1AH
		Dilution Factor: 1		Analysis Time..: 01:41	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.20	
Barium	98.4	2.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP1H1AJ
		Dilution Factor: 1		Analysis Time..: 01:41	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.10	
Cadmium	0.36 B	0.50	mg/kg	SW846 6010B	10/27-11/02/00	DNP1H1AK
		Dilution Factor: 1		Analysis Time..: 01:41	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.050	
Chromium	17.8	1.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP1H1AL
		Dilution Factor: 1		Analysis Time..: 01:41	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.10	
Beryllium	0.47 B	0.50	mg/kg	SW846 6010B	10/27-11/02/00	DNP1H1AM
		Dilution Factor: 1		Analysis Time..: 01:41	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.050	
Lead	3.8	0.50	mg/kg	SW846 6010B	10/27-11/02/00	DNP1H1AN
		Dilution Factor: 1		Analysis Time..: 01:41	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.30	
Selenium	ND	0.50	mg/kg	SW846 6010B	10/27-11/02/00	DNP1H1AP
		Dilution Factor: 1		Analysis Time..: 01:41	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.40	

(Continued on next page)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-236-5

TOTAL Metals

Lot-Sample #...: E0J250140-011 Matrix.....: SOLID

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD	PREPARATION-ANALYSIS DATE	WORK ORDER #
Silver	ND	1.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP1H1AQ
		Dilution Factor: 1		Analysis Time..: 01:41	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.10	
Cobalt	6.7	5.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP1H1AR
		Dilution Factor: 1		Analysis Time..: 01:41	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.10	
Copper	11.0	2.5	mg/kg	SW846 6010B	10/27-11/02/00	DNP1H1AT
		Dilution Factor: 1		Analysis Time..: 01:41	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.40	
Molybdenum	0.67 B	4.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP1H1AU
		Dilution Factor: 1		Analysis Time..: 01:41	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.30	
Nickel	13.0	4.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP1H1AV
		Dilution Factor: 1		Analysis Time..: 01:41	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.30	
Thallium	0.59 B	1.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP1H1AW
		Dilution Factor: 1		Analysis Time..: 01:41	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.50	
Vanadium	33.1	5.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP1H1AX
		Dilution Factor: 1		Analysis Time..: 01:41	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.10	
Zinc	33.5	2.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP1H1A0
		Dilution Factor: 1		Analysis Time..: 01:41	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 1.0	
Prep Batch #...: 0300542						
Mercury	0.041 B	0.10	mg/kg	SW846 7471A	10/27-10/31/00	DNP1H1AA
		Dilution Factor: 1		Analysis Time..: 15:08	Analyst ID.....: 0210885	
		Instrument ID..: M04		MS Run #.....: 0300277	MDL.....: 0.020	

NOTE(S):

B Estimated result. Result is less than RL.

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-237-5

TOTAL Metals

Lot-Sample #...: E0J250140-014 Matrix.....: SOLID
Date Sampled...: 10/24/00 09:20 Date Received..: 10/24/00 16:00
% Moisture.....:

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD	PREPARATION-ANALYSIS DATE	WORK ORDER #
Prep Batch #...: 0300522						
Aluminum	34300	20.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP2C1AF
		Dilution Factor: 1		Analysis Time..: 01:49	Analyst ID.....: 003119	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 8.0	
Arsenic	3.0	1.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP2C1AG
		Dilution Factor: 1		Analysis Time..: 01:49	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.40	
Antimony	0.40 B	6.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP2C1AH
		Dilution Factor: 1		Analysis Time..: 01:49	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.20	
Barium	221	2.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP2C1AJ
		Dilution Factor: 1		Analysis Time..: 01:49	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.10	
Cadmium	0.83	0.50	mg/kg	SW846 6010B	10/27-11/02/00	DNP2C1AK
		Dilution Factor: 1		Analysis Time..: 01:49	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.050	
Chromium	34.6	1.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP2C1AL
		Dilution Factor: 1		Analysis Time..: 01:49	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.10	
Beryllium	0.98	0.50	mg/kg	SW846 6010B	10/27-11/02/00	DNP2C1AM
		Dilution Factor: 1		Analysis Time..: 01:49	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.050	
Lead	6.5	0.50	mg/kg	SW846 6010B	10/27-11/02/00	DNP2C1AN
		Dilution Factor: 1		Analysis Time..: 01:49	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.30	
Selenium	ND	0.50	mg/kg	SW846 6010B	10/27-11/02/00	DNP2C1AP
		Dilution Factor: 1		Analysis Time..: 01:49	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.40	

(Continued on next page)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-237-5

TOTAL Metals

Lot-Sample #...: E0J250140-014 Matrix.....: SOLID

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD	PREPARATION-ANALYSIS DATE	WORK ORDER #
Silver	ND	1.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP2C1AQ
		Dilution Factor: 1		Analysis Time..: 01:49	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.10	
Cobalt	11.0	5.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP2C1AR
		Dilution Factor: 1		Analysis Time..: 01:49	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.10	
Copper	34.6	2.5	mg/kg	SW846 6010B	10/27-11/02/00	DNP2C1AT
		Dilution Factor: 1		Analysis Time..: 01:49	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.40	
Molybdenum	1.2 B	4.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP2C1AU
		Dilution Factor: 1		Analysis Time..: 01:49	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.30	
Nickel	22.6	4.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP2C1AV
		Dilution Factor: 1		Analysis Time..: 01:49	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.30	
Thallium	ND	1.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP2C1AW
		Dilution Factor: 1		Analysis Time..: 01:49	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.50	
Vanadium	62.1	5.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP2C1AX
		Dilution Factor: 1		Analysis Time..: 01:49	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.10	
Zinc	61.1	2.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP2C1A0
		Dilution Factor: 1		Analysis Time..: 01:49	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 1.0	
Prep Batch #...: 0300542						
Mercury	0.025 B	0.10	mg/kg	SW846 7471A	10/27-10/31/00	DNP2C1AA
		Dilution Factor: 1		Analysis Time..: 15:10	Analyst ID.....: 0210885	
		Instrument ID..: M04		MS Run #.....: 0300277	MDL.....: 0.020	

NOTE(S):

B Estimated result. Result is less than RL.

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-238-5

TOTAL Metals

Lot-Sample #...: E0J250140-017 Matrix.....: SOLID
Date Sampled...: 10/24/00 10:10 Date Received..: 10/24/00 16:00
% Moisture.....:

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD	PREPARATION-ANALYSIS DATE	WORK ORDER #
Prep Batch #...: 0300522						
Aluminum	33600	20.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP2H1AF
		Dilution Factor: 1		Analysis Time..: 01:55	Analyst ID.....: 003119	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 8.0	
Arsenic	3.8	1.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP2H1AG
		Dilution Factor: 1		Analysis Time..: 01:55	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.40	
Antimony	ND	6.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP2H1AH
		Dilution Factor: 1		Analysis Time..: 01:55	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.20	
Barium	192	2.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP2H1AJ
		Dilution Factor: 1		Analysis Time..: 01:55	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.10	
Cadmium	0.78	0.50	mg/kg	SW846 6010B	10/27-11/02/00	DNP2H1AK
		Dilution Factor: 1		Analysis Time..: 01:55	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.050	
Chromium	33.7	1.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP2H1AL
		Dilution Factor: 1		Analysis Time..: 01:55	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.10	
Beryllium	0.92	0.50	mg/kg	SW846 6010B	10/27-11/02/00	DNP2H1AM
		Dilution Factor: 1		Analysis Time..: 01:55	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.050	
Lead	6.5	0.50	mg/kg	SW846 6010B	10/27-11/02/00	DNP2H1AN
		Dilution Factor: 1		Analysis Time..: 01:55	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.30	
Selenium	ND	0.50	mg/kg	SW846 6010B	10/27-11/02/00	DNP2H1AP
		Dilution Factor: 1		Analysis Time..: 01:55	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.40	

(Continued on next page)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-238-5

TOTAL Metals

Lot-Sample #...: E0J250140-017 Matrix.....: SOLID

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD	PREPARATION-ANALYSIS DATE	WORK ORDER #
Silver	ND	1.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP2H1AQ
		Dilution Factor: 1		Analysis Time..: 01:55	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.10	
Cobalt	10.0	5.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP2H1AR
		Dilution Factor: 1		Analysis Time..: 01:55	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.10	
Copper	18.9	2.5	mg/kg	SW846 6010B	10/27-11/02/00	DNP2H1AT
		Dilution Factor: 1		Analysis Time..: 01:55	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.40	
Molybdenum	1.3 B	4.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP2H1AU
		Dilution Factor: 1		Analysis Time..: 01:55	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.30	
Nickel	20.9	4.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP2H1AV
		Dilution Factor: 1		Analysis Time..: 01:55	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.30	
Thallium	0.71 B	1.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP2H1AW
		Dilution Factor: 1		Analysis Time..: 01:55	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.50	
Vanadium	62.8	5.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP2H1AX
		Dilution Factor: 1		Analysis Time..: 01:55	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.10	
Zinc	58.7	2.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP2H1A0
		Dilution Factor: 1		Analysis Time..: 01:55	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 1.0	

Prep Batch #...: 0300542

Mercury	ND	0.10	mg/kg	SW846 7471A	10/27-10/31/00	DNP2H1AA
		Dilution Factor: 1		Analysis Time..: 15:15	Analyst ID.....: 0210885	
		Instrument ID..: M04		MS Run #.....: 0300277	MDL.....: 0.020	

NOTE(S):

B Estimated result. Result is less than RL.

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-239-5

TOTAL Metals

Lot-Sample #...: E0J250140-020 Matrix.....: SOLID
Date Sampled...: 10/24/00 Date Received..: 10/24/00 16:00
% Moisture.....:

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD	PREPARATION-ANALYSIS DATE	WORK ORDER #
Prep Batch #...: 0300522						
Aluminum	25700	20.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP2L1AF
		Dilution Factor: 1		Analysis Time..: 02:01	Analyst ID.....: 003119	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 8.0	
Arsenic	3.8	1.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP2L1AG
		Dilution Factor: 1		Analysis Time..: 02:01	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.40	
Antimony	0.46 B	6.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP2L1AH
		Dilution Factor: 1		Analysis Time..: 02:01	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.20	
Barium	202	2.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP2L1AJ
		Dilution Factor: 1		Analysis Time..: 02:01	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.10	
Cadmium	0.72	0.50	mg/kg	SW846 6010B	10/27-11/02/00	DNP2L1AK
		Dilution Factor: 1		Analysis Time..: 02:01	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.050	
Chromium	28.2	1.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP2L1AL
		Dilution Factor: 1		Analysis Time..: 02:01	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.10	
Beryllium	0.70	0.50	mg/kg	SW846 6010B	10/27-11/02/00	DNP2L1AM
		Dilution Factor: 1		Analysis Time..: 02:01	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.050	
Lead	6.2	0.50	mg/kg	SW846 6010B	10/27-11/02/00	DNP2L1AN
		Dilution Factor: 1		Analysis Time..: 02:01	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.30	
Selenium	ND	0.50	mg/kg	SW846 6010B	10/27-11/02/00	DNP2L1AP
		Dilution Factor: 1		Analysis Time..: 02:01	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.40	

(Continued on next page)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-239-5

TOTAL Metals

Lot-Sample #...: E0J250140-020 Matrix.....: SOLID

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD	PREPARATION-ANALYSIS DATE	WORK ORDER #
Silver	ND	1.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP2L1AQ
		Dilution Factor: 1		Analysis Time..: 02:01	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.10	
Cobalt	11.2	5.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP2L1AR
		Dilution Factor: 1		Analysis Time..: 02:01	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.10	
Copper	20.9	2.5	mg/kg	SW846 6010B	10/27-11/02/00	DNP2L1AT
		Dilution Factor: 1		Analysis Time..: 02:01	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.40	
Molybdenum	1.1 B	4.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP2L1AU
		Dilution Factor: 1		Analysis Time..: 02:01	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.30	
Nickel	20.1	4.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP2L1AV
		Dilution Factor: 1		Analysis Time..: 02:01	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.30	
Thallium	1.2	1.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP2L1AW
		Dilution Factor: 1		Analysis Time..: 02:01	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.50	
Vanadium	54.9	5.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP2L1AX
		Dilution Factor: 1		Analysis Time..: 02:01	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.10	
Zinc	59.7	2.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP2L1A0
		Dilution Factor: 1		Analysis Time..: 02:01	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 1.0	
Prep Batch #...: 0300542						
Mercury	0.030 B	0.10	mg/kg	SW846 7471A	10/27-10/31/00	DNP2L1AA
		Dilution Factor: 1		Analysis Time..: 15:17	Analyst ID.....: 0210885	
		Instrument ID..: M04		MS Run #.....: 0300277	MDL.....: 0.020	

NOTE(S):

B Estimated result. Result is less than RL.

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-240-5

TOTAL Metals

Lot-Sample #...: E0J250140-022 Matrix.....: SOLID
Date Sampled...: 10/24/00 10:55 Date Received..: 10/24/00 16:00
% Moisture.....:

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD	PREPARATION-ANALYSIS DATE	WORK ORDER #
Prep Batch #...: 0300522						
Aluminum	17700	20.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP2Q1AF
		Dilution Factor: 1		Analysis Time..: 02:09	Analyst ID.....: 003119	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 8.0	
Arsenic	1.7	1.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP2Q1AG
		Dilution Factor: 1		Analysis Time..: 02:09	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.40	
Antimony	0.64 B	6.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP2Q1AH
		Dilution Factor: 1		Analysis Time..: 02:09	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.20	
Barium	108	2.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP2Q1AJ
		Dilution Factor: 1		Analysis Time..: 02:09	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.10	
Cadmium	0.32 B	0.50	mg/kg	SW846 6010B	10/27-11/02/00	DNP2Q1AK
		Dilution Factor: 1		Analysis Time..: 02:09	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.050	
Chromium	17.9	1.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP2Q1AL
		Dilution Factor: 1		Analysis Time..: 02:09	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.10	
Beryllium	0.49 B	0.50	mg/kg	SW846 6010B	10/27-11/02/00	DNP2Q1AM
		Dilution Factor: 1		Analysis Time..: 02:09	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.050	
Lead	3.3	0.50	mg/kg	SW846 6010B	10/27-11/02/00	DNP2Q1AN
		Dilution Factor: 1		Analysis Time..: 02:09	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.30	
Selenium	ND	0.50	mg/kg	SW846 6010B	10/27-11/02/00	DNP2Q1AP
		Dilution Factor: 1		Analysis Time..: 02:09	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.40	

(Continued on next page)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-240-5

TOTAL Metals

Lot-Sample #...: E0J250140-022 Matrix.....: SOLID

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD	PREPARATION-ANALYSIS DATE	WORK ORDER #
Silver	ND	1.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP2Q1AQ
		Dilution Factor: 1		Analysis Time..: 02:09	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.10	
Cobalt	6.1	5.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP2Q1AR
		Dilution Factor: 1		Analysis Time..: 02:09	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.10	
Copper	9.4	2.5	mg/kg	SW846 6010B	10/27-11/02/00	DNP2Q1AT
		Dilution Factor: 1		Analysis Time..: 02:09	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.40	
Molybdenum	0.66 B	4.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP2Q1AU
		Dilution Factor: 1		Analysis Time..: 02:09	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.30	
Nickel	10.9	4.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP2Q1AV
		Dilution Factor: 1		Analysis Time..: 02:09	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.30	
Thallium	ND	1.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP2Q1AW
		Dilution Factor: 1		Analysis Time..: 02:09	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.50	
Vanadium	33.1	5.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP2Q1AX
		Dilution Factor: 1		Analysis Time..: 02:09	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.10	
Zinc	29.4	2.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP2Q1A0
		Dilution Factor: 1		Analysis Time..: 02:09	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 1.0	
Prep Batch #...: 0300542						
Mercury	0.039 B	0.10	mg/kg	SW846 7471A	10/27-10/31/00	DNP2Q1AA
		Dilution Factor: 1		Analysis Time..: 15:19	Analyst ID.....: 0210885	
		Instrument ID..: M04		MS Run #.....: 0300277	MDL.....: 0.020	

NOTE(S):

B Estimated result. Result is less than RL.

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-241-5

TOTAL Metals

Lot-Sample #...: E0J250140-025 Matrix.....: SOLID
Date Sampled...: 10/24/00 13:30 Date Received..: 10/24/00 16:00
% Moisture.....:

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD	PREPARATION-ANALYSIS DATE	WORK ORDER #
Prep Batch #...: 0300522						
Arsenic	3.3	1.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP2X1AG
		Dilution Factor: 1		Analysis Time..: 02:17	Analyst ID.....: 003119	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.40	
Aluminum	27900	20.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP2X1AF
		Dilution Factor: 1		Analysis Time..: 02:17	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 8.0	
Antimony	0.51 B	6.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP2X1AH
		Dilution Factor: 1		Analysis Time..: 02:17	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.20	
Barium	132	2.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP2X1AJ
		Dilution Factor: 1		Analysis Time..: 02:17	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.10	
Cadmium	0.65	0.50	mg/kg	SW846 6010B	10/27-11/02/00	DNP2X1AK
		Dilution Factor: 1		Analysis Time..: 02:17	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.050	
Chromium	29.2	1.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP2X1AL
		Dilution Factor: 1		Analysis Time..: 02:17	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.10	
Beryllium	0.82	0.50	mg/kg	SW846 6010B	10/27-11/02/00	DNP2X1AM
		Dilution Factor: 1		Analysis Time..: 02:17	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.050	
Lead	6.0	0.50	mg/kg	SW846 6010B	10/27-11/02/00	DNP2X1AN
		Dilution Factor: 1		Analysis Time..: 02:17	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.30	
Selenium	ND	0.50	mg/kg	SW846 6010B	10/27-11/02/00	DNP2X1AP
		Dilution Factor: 1		Analysis Time..: 02:17	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.40	

(Continued on next page)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-241-5

TOTAL Metals

Lot-Sample #...: E0J250140-025 Matrix.....: SOLID

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD	PREPARATION-ANALYSIS DATE	WORK ORDER #
Silver	ND	1.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP2X1AQ
		Dilution Factor: 1		Analysis Time..: 02:17	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.10	
Cobalt	10.4	5.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP2X1AR
		Dilution Factor: 1		Analysis Time..: 02:17	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.10	
Copper	16.4	2.5	mg/kg	SW846 6010B	10/27-11/02/00	DNP2X1AT
		Dilution Factor: 1		Analysis Time..: 02:17	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.40	
Molybdenum	0.97 B	4.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP2X1AU
		Dilution Factor: 1		Analysis Time..: 02:17	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.30	
Nickel	20.6	4.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP2X1AV
		Dilution Factor: 1		Analysis Time..: 02:17	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.30	
Thallium	ND	1.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP2X1AW
		Dilution Factor: 1		Analysis Time..: 02:17	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.50	
Vanadium	52.9	5.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP2X1AX
		Dilution Factor: 1		Analysis Time..: 02:17	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.10	
Zinc	50.9	2.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP2X1A0
		Dilution Factor: 1		Analysis Time..: 02:17	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 1.0	

Prep Batch #...: 0300542

Mercury	ND	0.10	mg/kg	SW846 7471A	10/27-10/31/00	DNP2X1AA
		Dilution Factor: 1		Analysis Time..: 15:21	Analyst ID.....: 0210885	
		Instrument ID..: M04		MS Run #.....: 0300277	MDL.....: 0.020	

NOTE(S):

B Estimated result. Result is less than RL.

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-242-5

TOTAL Metals

Lot-Sample #...: E0J250140-028 Matrix.....: SOLID
Date Sampled...: 10/24/00 13:50 Date Received..: 10/24/00 16:00
% Moisture.....:

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD	PREPARATION-ANALYSIS DATE	WORK ORDER #
Prep Batch #...: 0300522						
Aluminum	5500	20.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP241AF
		Dilution Factor: 1		Analysis Time..: 02:25	Analyst ID.....: 003119	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 8.0	
Arsenic	2.9	1.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP241AG
		Dilution Factor: 1		Analysis Time..: 02:25	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.40	
Antimony	2.3 B	6.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP241AH
		Dilution Factor: 1		Analysis Time..: 02:25	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.20	
Barium	875	2.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP241AJ
		Dilution Factor: 1		Analysis Time..: 02:25	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.10	
Cadmium	10	0.50	mg/kg	SW846 6010B	10/27-11/02/00	DNP241AK
		Dilution Factor: 1		Analysis Time..: 02:25	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.050	
Chromium	71.0	1.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP241AL
		Dilution Factor: 1		Analysis Time..: 02:25	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.10	
Beryllium	0.14 B	0.50	mg/kg	SW846 6010B	10/27-11/02/00	DNP241AM
		Dilution Factor: 1		Analysis Time..: 02:25	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.050	
Lead	1790	0.50	mg/kg	SW846 6010B	10/27-11/02/00	DNP241AN
		Dilution Factor: 1		Analysis Time..: 02:25	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.30	
Selenium	ND	0.50	mg/kg	SW846 6010B	10/27-11/02/00	DNP241AP
		Dilution Factor: 1		Analysis Time..: 02:25	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.40	

(Continued on next page)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-242-5

TOTAL Metals

Lot-Sample #...: E0J250140-028 Matrix.....: SOLID

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD	PREPARATION-ANALYSIS DATE	WORK ORDER #
Silver	0.27 B	1.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP241AQ
		Dilution Factor: 1		Analysis Time..: 02:25	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.10	
Cobalt	10.7	5.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP241AR
		Dilution Factor: 1		Analysis Time..: 02:25	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.10	
Copper	116	2.5	mg/kg	SW846 6010B	10/27-11/02/00	DNP241AT
		Dilution Factor: 1		Analysis Time..: 02:25	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.40	
Molybdenum	5.5	4.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP241AU
		Dilution Factor: 1		Analysis Time..: 02:25	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.30	
Nickel	37.4	4.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP241AV
		Dilution Factor: 1		Analysis Time..: 02:25	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.30	
Thallium	ND	1.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP241AW
		Dilution Factor: 1		Analysis Time..: 02:25	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.50	
Vanadium	32.2	5.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP241AX
		Dilution Factor: 1		Analysis Time..: 02:25	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.10	
Zinc	1460	10.0	mg/kg	SW846 6010B	10/27-11/03/00	DNP241A0
		Dilution Factor: 5		Analysis Time..: 02:55	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 1.0	
Prep Batch #...: 0300542						
Mercury	0.13	0.10	mg/kg	SW846 7471A	10/27-10/31/00	DNP241AA
		Dilution Factor: 1		Analysis Time..: 15:23	Analyst ID.....: 0210885	
		Instrument ID..: M04		MS Run #.....: 0300277	MDL.....: 0.020	

NOTE(S):

B Estimated result. Result is less than RL.

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-243-5

TOTAL Metals

Lot-Sample #...: E0J250140-030 Matrix.....: SOLID
Date Sampled...: 10/24/00 14:20 Date Received..: 10/24/00 16:00
% Moisture.....:

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD	PREPARATION-ANALYSIS DATE	WORK ORDER #
Prep Batch #...: 0300522						
Aluminum	22600	20.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP271AF
		Dilution Factor: 1		Analysis Time..: 02:33	Analyst ID.....: 003119	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 8.0	
Arsenic	3.7	1.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP271AG
		Dilution Factor: 1		Analysis Time..: 02:33	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.40	
Antimony	ND	6.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP271AH
		Dilution Factor: 1		Analysis Time..: 02:33	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.20	
Barium	178	2.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP271AJ
		Dilution Factor: 1		Analysis Time..: 02:33	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.10	
Cadmium	13.2	0.50	mg/kg	SW846 6010B	10/27-11/02/00	DNP271AK
		Dilution Factor: 1		Analysis Time..: 02:33	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.050	
Chromium	31.0	1.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP271AL
		Dilution Factor: 1		Analysis Time..: 02:33	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.10	
Beryllium	0.66	0.50	mg/kg	SW846 6010B	10/27-11/02/00	DNP271AM
		Dilution Factor: 1		Analysis Time..: 02:33	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.050	
Lead	79.0	0.50	mg/kg	SW846 6010B	10/27-11/02/00	DNP271AN
		Dilution Factor: 1		Analysis Time..: 02:33	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.30	
Selenium	ND	0.50	mg/kg	SW846 6010B	10/27-11/02/00	DNP271AP
		Dilution Factor: 1		Analysis Time..: 02:33	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.40	

(Continued on next page)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-243-5

TOTAL Metals

Lot-Sample #...: E0J250140-030 Matrix.....: SOLID

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD	PREPARATION-ANALYSIS DATE	WORK ORDER #
Silver	ND	1.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP271AQ
		Dilution Factor: 1		Analysis Time..: 02:33	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.10	
Cobalt	13.0	5.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP271AR
		Dilution Factor: 1		Analysis Time..: 02:33	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.10	
Copper	26.6	2.5	mg/kg	SW846 6010B	10/27-11/02/00	DNP271AT
		Dilution Factor: 1		Analysis Time..: 02:33	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.40	
Molybdenum	1.1 B	4.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP271AU
		Dilution Factor: 1		Analysis Time..: 02:33	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.30	
Nickel	21.9	4.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP271AV
		Dilution Factor: 1		Analysis Time..: 02:33	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.30	
Thallium	0.83 B	1.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP271AW
		Dilution Factor: 1		Analysis Time..: 02:33	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.50	
Vanadium	50.5	5.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP271AX
		Dilution Factor: 1		Analysis Time..: 02:33	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.10	
Zinc	325	2.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP271A0
		Dilution Factor: 1		Analysis Time..: 02:33	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 1.0	
Prep Batch #...: 0300542						
Mercury	0.030 B	0.10	mg/kg	SW846 7471A	10/27-10/31/00	DNP271AA
		Dilution Factor: 1		Analysis Time..: 15:25	Analyst ID.....: 0210885	
		Instrument ID..: M04		MS Run #.....: 0300277	MDL.....: 0.020	

NOTE(S):

B Estimated result. Result is less than RL.

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-245-1

TOTAL Metals

Lot-Sample #...: E0J250140-034 Matrix.....: SOLID
Date Sampled...: 10/24/00 15:17 Date Received..: 10/24/00 16:00
% Moisture.....:

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD	PREPARATION-ANALYSIS DATE	WORK ORDER #
Prep Batch #...: 0300522						
Aluminum	5600	20.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP3N1AD
		Dilution Factor: 1		Analysis Time..: 02:41	Analyst ID.....: 003119	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 8.0	
Arsenic	1.3	1.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP3N1AE
		Dilution Factor: 1		Analysis Time..: 02:41	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.40	
Antimony	ND	6.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP3N1AF
		Dilution Factor: 1		Analysis Time..: 02:41	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.20	
Barium	115	2.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP3N1AG
		Dilution Factor: 1		Analysis Time..: 02:41	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.10	
Cadmium	1.0	0.50	mg/kg	SW846 6010B	10/27-11/02/00	DNP3N1AH
		Dilution Factor: 1		Analysis Time..: 02:41	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.050	
Chromium	29.3	1.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP3N1AJ
		Dilution Factor: 1		Analysis Time..: 02:41	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.10	
Beryllium	0.12 B	0.50	mg/kg	SW846 6010B	10/27-11/02/00	DNP3N1AK
		Dilution Factor: 1		Analysis Time..: 02:41	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.050	
Lead	235	0.50	mg/kg	SW846 6010B	10/27-11/02/00	DNP3N1AL
		Dilution Factor: 1		Analysis Time..: 02:41	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.30	
Selenium	0.66	0.50	mg/kg	SW846 6010B	10/27-11/02/00	DNP3N1AM
		Dilution Factor: 1		Analysis Time..: 02:41	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.40	

(Continued on next page)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-245-1

TOTAL Metals

Lot-Sample #...: E0J250140-034 Matrix.....: SOLID

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD	PREPARATION-ANALYSIS DATE	WORK ORDER #
Silver	0.46 B	1.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP3N1AN
		Dilution Factor: 1		Analysis Time..: 02:41	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.10	
Cobalt	13.2	5.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP3N1AP
		Dilution Factor: 1		Analysis Time..: 02:41	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.10	
Copper	28.3	2.5	mg/kg	SW846 6010B	10/27-11/02/00	DNP3N1AQ
		Dilution Factor: 1		Analysis Time..: 02:41	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.40	
Molybdenum	5.9	4.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP3N1AR
		Dilution Factor: 1		Analysis Time..: 02:41	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.30	
Nickel	15.3	4.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP3N1AT
		Dilution Factor: 1		Analysis Time..: 02:41	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.30	
Thallium	ND	1.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP3N1AU
		Dilution Factor: 1		Analysis Time..: 02:41	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.50	
Vanadium	28.0	5.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP3N1AV
		Dilution Factor: 1		Analysis Time..: 02:41	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.10	
Zinc	200	2.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP3N1AW
		Dilution Factor: 1		Analysis Time..: 02:41	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 1.0	

Prep Batch #...: 0300542

Mercury	0.024 B	0.10	mg/kg	SW846 7471A	10/27-10/31/00	DNP3N1AX
		Dilution Factor: 1		Analysis Time..: 15:27	Analyst ID.....: 0210885	
		Instrument ID..: M04		MS Run #.....: 0300277	MDL.....: 0.020	

NOTE(S):

B Estimated result. Result is less than RL.

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-245-5

TOTAL Metals

Lot-Sample #...: E0J250140-035 Matrix.....: SOLID
Date Sampled...: 10/24/00 15:19 Date Received..: 10/24/00 16:00
% Moisture.....:

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD	PREPARATION-ANALYSIS DATE	WORK ORDER #
Prep Batch #...: 0300522						
Aluminum	34200	20.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP3W1AD
		Dilution Factor: 1		Analysis Time..: 02:49	Analyst ID.....: 003119	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 8.0	
Arsenic	3.4	1.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP3W1AE
		Dilution Factor: 1		Analysis Time..: 02:49	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.40	
Antimony	0.73 B	6.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP3W1AF
		Dilution Factor: 1		Analysis Time..: 02:49	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.20	
Barium	163	2.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP3W1AG
		Dilution Factor: 1		Analysis Time..: 02:49	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.10	
Cadmium	0.70	0.50	mg/kg	SW846 6010B	10/27-11/02/00	DNP3W1AH
		Dilution Factor: 1		Analysis Time..: 02:49	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.050	
Chromium	33.3	1.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP3W1AJ
		Dilution Factor: 1		Analysis Time..: 02:49	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.10	
Beryllium	0.89	0.50	mg/kg	SW846 6010B	10/27-11/02/00	DNP3W1AK
		Dilution Factor: 1		Analysis Time..: 02:49	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.050	
Lead	7.8	0.50	mg/kg	SW846 6010B	10/27-11/02/00	DNP3W1AL
		Dilution Factor: 1		Analysis Time..: 02:49	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.30	
Selenium	ND	0.50	mg/kg	SW846 6010B	10/27-11/02/00	DNP3W1AM
		Dilution Factor: 1		Analysis Time..: 02:49	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.40	

(Continued on next page)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-245-5

TOTAL Metals

Lot-Sample #...: E0J250140-035 Matrix.....: SOLID

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD	PREPARATION-ANALYSIS DATE	WORK ORDER #
Silver	ND	1.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP3W1AN
		Dilution Factor: 1		Analysis Time..: 02:49	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.10	
Cobalt	11.8	5.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP3W1AP
		Dilution Factor: 1		Analysis Time..: 02:49	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.10	
Copper	19.9	2.5	mg/kg	SW846 6010B	10/27-11/02/00	DNP3W1AQ
		Dilution Factor: 1		Analysis Time..: 02:49	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.40	
Molybdenum	1.2 B	4.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP3W1AR
		Dilution Factor: 1		Analysis Time..: 02:49	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.30	
Nickel	17.7	4.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP3W1AT
		Dilution Factor: 1		Analysis Time..: 02:49	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.30	
Thallium	ND	1.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP3W1AU
		Dilution Factor: 1		Analysis Time..: 02:49	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.50	
Vanadium	57.7	5.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP3W1AV
		Dilution Factor: 1		Analysis Time..: 02:49	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.10	
Zinc	61.7	2.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP3W1AW
		Dilution Factor: 1		Analysis Time..: 02:49	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 1.0	

Prep Batch #...: 0300542

Mercury	0.026 B	0.10	mg/kg	SW846 7471A	10/27-10/31/00	DNP3W1AX
		Dilution Factor: 1		Analysis Time..: 15:29	Analyst ID.....: 0210885	
		Instrument ID..: M04		MS Run #.....: 0300277	MDL.....: 0.020	

NOTE(S):

B Estimated result. Result is less than RL.

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-245-10

TOTAL Metals

Lot-Sample #...: E0J250140-036 Matrix.....: SOLID
Date Sampled...: 10/24/00 15:30 Date Received..: 10/24/00 16:00
% Moisture.....:

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD	PREPARATION-ANALYSIS DATE	WORK ORDER #
Prep Batch #...: 0300522						
Aluminum	16800	20.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP3X1AA
		Dilution Factor: 1		Analysis Time..: 03:14	Analyst ID.....: 003119	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 8.0	
Arsenic	3.8	1.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP3X1AC
		Dilution Factor: 1		Analysis Time..: 03:14	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.40	
Antimony	0.30 B	6.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP3X1AD
		Dilution Factor: 1		Analysis Time..: 03:14	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.20	
Barium	73.4	2.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP3X1AE
		Dilution Factor: 1		Analysis Time..: 03:14	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.10	
Cadmium	0.69	0.50	mg/kg	SW846 6010B	10/27-11/02/00	DNP3X1AF
		Dilution Factor: 1		Analysis Time..: 03:14	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.050	
Chromium	22.0	1.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP3X1AG
		Dilution Factor: 1		Analysis Time..: 03:14	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.10	
Beryllium	0.45 B	0.50	mg/kg	SW846 6010B	10/27-11/02/00	DNP3X1AH
		Dilution Factor: 1		Analysis Time..: 03:14	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.050	
Lead	3.8	0.50	mg/kg	SW846 6010B	10/27-11/02/00	DNP3X1AJ
		Dilution Factor: 1		Analysis Time..: 03:14	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.30	
Selenium	ND	0.50	mg/kg	SW846 6010B	10/27-11/02/00	DNP3X1AK
		Dilution Factor: 1		Analysis Time..: 03:14	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.40	

(Continued on next page)

KENNEDY/JENKS CONSULTANTS

Client Sample ID: C-2-245-10

TOTAL Metals

Lot-Sample #...: E0J250140-036 Matrix.....: SOLID

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD	PREPARATION-ANALYSIS DATE	WORK ORDER #
Silver	ND	1.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP3X1AL
		Dilution Factor: 1		Analysis Time..: 03:14	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.10	
Cobalt	6.8	5.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP3X1AM
		Dilution Factor: 1		Analysis Time..: 03:14	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.10	
Copper	25.1	2.5	mg/kg	SW846 6010B	10/27-11/02/00	DNP3X1AN
		Dilution Factor: 1		Analysis Time..: 03:14	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.40	
Molybdenum	1.3 B	4.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP3X1AP
		Dilution Factor: 1		Analysis Time..: 03:14	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.30	
Nickel	14.7	4.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP3X1AQ
		Dilution Factor: 1		Analysis Time..: 03:14	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.30	
Thallium	ND	1.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP3X1AR
		Dilution Factor: 1		Analysis Time..: 03:14	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.50	
Vanadium	41.7	5.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP3X1AT
		Dilution Factor: 1		Analysis Time..: 03:14	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 0.10	
Zinc	43.5	2.0	mg/kg	SW846 6010B	10/27-11/02/00	DNP3X1AU
		Dilution Factor: 1		Analysis Time..: 03:14	Analyst ID.....: 0031195	
		Instrument ID..: M01		MS Run #.....: 0300275	MDL.....: 1.0	
Prep Batch #...: 0300542						
Mercury	0.050 B	0.10	mg/kg	SW846 7471A	10/27-10/31/00	DNP3X1AV
		Dilution Factor: 1		Analysis Time..: 15:31	Analyst ID.....: 0210885	
		Instrument ID..: M04		MS Run #.....: 0300277	MDL.....: 0.020	

NOTE(S):

B Estimated result. Result is less than RL.

QC DATA ASSOCIATION SUMMARY

E0J250140

Sample Preparation and Analysis Control Numbers

SAMPLE#	MATRIX	ANALYTICAL METHOD	LEACH BATCH #	PREP BATCH #	MS RUN#
001	SOLID	SW846 8015B		0300527	0301179
	SOLID	SW846 8015B		0304504	0307245
	SOLID	SW846 7471A		0300542	0300277
	SOLID	SW846 8260B		0307439	0307213
	SOLID	SW846 6010B		0300522	0300275
002	SOLID	SW846 8015B		0300527	0301179
	SOLID	SW846 8015B		0304504	0307245
	SOLID	SW846 8260B		0307439	0307213
003	SOLID	SW846 8015B		0300527	0301179
	SOLID	SW846 8015B		0304504	0307245
	SOLID	SW846 8260B		0307439	0307213
004	SOLID	SW846 8015B		0300527	0301179
	SOLID	SW846 8015B		0304504	0307245
	SOLID	SW846 8260B		0307439	0307213
005	SOLID	SW846 8015B		0300527	0301179
	SOLID	SW846 8015B		0304504	0307245
	SOLID	SW846 8260B		0307439	0307213
006	SOLID	SW846 8015B		0300527	0301179
	SOLID	SW846 8015B		0304504	0307245
	SOLID	SW846 7471A		0300542	0300277
	SOLID	SW846 8260B		0307439	0307213
	SOLID	SW846 6010B		0300522	0300275
007	SOLID	SW846 8015B		0300527	0301179
	SOLID	SW846 8015B		0304504	0307245
	SOLID	SW846 8260B		0307439	0307213
008	SOLID	SW846 8015B		0300527	0301179
	SOLID	SW846 8015B		0304504	0307245
	SOLID	SW846 8260B		0307439	0307213
009	SOLID	SW846 8015B		0300527	0301179
	SOLID	SW846 8015B		0304504	0307245
	SOLID	SW846 7471A		0300542	0300277
	SOLID	SW846 8260B		0307439	0307213
	SOLID	SW846 6010B		0300522	0300275

(Continued on next page)

QC DATA ASSOCIATION SUMMARY

E0J250140

Sample Preparation and Analysis Control Numbers

SAMPLE#	MATRIX	ANALYTICAL METHOD	LEACH BATCH #	PREP BATCH #	MS RUN#
010	SOLID	SW846 8015B		0300527	0301179
	SOLID	SW846 8015B		0304504	0307245
	SOLID	SW846 8260B		0307439	0307213
011	SOLID	SW846 8015B		0300527	0301179
	SOLID	SW846 8015B		0304504	0307245
	SOLID	SW846 7471A		0300542	0300277
	SOLID	SW846 8260B		0307439	0307213
	SOLID	SW846 6010B		0300522	0300275
012	SOLID	SW846 8015B		0300527	0301179
	SOLID	SW846 8015B		0304504	0307245
	SOLID	SW846 8260B		0307439	0307213
013	SOLID	SW846 8015B		0300527	0301179
	SOLID	SW846 8015B		0304504	0307245
	SOLID	SW846 8260B		0307439	0307213
014	SOLID	SW846 8015B		0300527	0301179
	SOLID	SW846 8015B		0304504	0307245
	SOLID	SW846 7471A		0300542	0300277
	SOLID	SW846 8260B		0307439	0307213
	SOLID	SW846 6010B		0300522	0300275
015	SOLID	SW846 8015B		0300527	0301179
	SOLID	SW846 8015B		0304504	0307245
	SOLID	SW846 8260B		0307439	0307213
016	SOLID	SW846 8015B		0300527	0301179
	SOLID	SW846 8015B		0304504	0307245
	SOLID	SW846 8260B		0307482	0307231
017	SOLID	SW846 8015B		0300527	0301179
	SOLID	SW846 8015B		0304504	0307245
	SOLID	SW846 7471A		0300542	0300277
	SOLID	SW846 8260B		0307482	0307231
	SOLID	SW846 6010B		0300522	0300275
018	SOLID	SW846 8015B		0300527	0301179
	SOLID	SW846 8015B		0304504	0307245
	SOLID	SW846 8260B		0307482	0307231

(Continued on next page)

QC DATA ASSOCIATION SUMMARY

E0J250140

Sample Preparation and Analysis Control Numbers

SAMPLE#	MATRIX	ANALYTICAL METHOD	LEACH BATCH #	PREP BATCH #	MS RUN#
019	SOLID	SW846 8015B		0300527	0301179
	SOLID	SW846 8015B		0304504	0307245
	SOLID	SW846 8260B		0307482	0307231
020	SOLID	SW846 8015B		0300527	0301179
	SOLID	SW846 8015B		0304504	0307245
	SOLID	SW846 7471A		0300542	0300277
	SOLID	SW846 8260B		0307482	0307231
	SOLID	SW846 6010B		0300522	0300275
021	SOLID	SW846 8260B		0307482	0307231
022	SOLID	SW846 8015B		0300530	0301185
	SOLID	SW846 8015B		0304505	0307256
	SOLID	SW846 7471A		0300542	0300277
	SOLID	SW846 8260B		0307482	0307231
	SOLID	SW846 6010B		0300522	0300275
023	SOLID	SW846 8015B		0300530	0301185
	SOLID	SW846 8015B		0304505	0307256
	SOLID	SW846 8260B		0307482	0307231
024	SOLID	SW846 8015B		0300530	0301185
	SOLID	SW846 8015B		0304505	0307256
	SOLID	SW846 8260B		0307482	0307231
025	SOLID	SW846 8015B		0300530	0301185
	SOLID	SW846 8015B		0304505	0307256
	SOLID	SW846 7471A		0300542	0300277
	SOLID	SW846 8260B		0307482	0307231
	SOLID	SW846 6010B		0300522	0300275
026	SOLID	SW846 8015B		0300530	0301185
	SOLID	SW846 8015B		0304505	0307256
	SOLID	SW846 8260B		0307482	0307231
027	SOLID	SW846 8015B		0300530	0301185
	SOLID	SW846 8015B		0304505	0307256
	SOLID	SW846 8260B		0307482	0307231
028	SOLID	SW846 8015B		0300530	0301185
	SOLID	SW846 8015B		0304505	0307256
	SOLID	SW846 7471A		0300542	0300277
	SOLID	SW846 8260B		0311589	0311255

(Continued on next page)

QC DATA ASSOCIATION SUMMARY

E0J250140

Sample Preparation and Analysis Control Numbers

SAMPLE#	MATRIX	ANALYTICAL METHOD	LEACH BATCH #	PREP BATCH #	MS RUN#
028	SOLID	SW846 6010B		0300522	0300275
029	SOLID	SW846 8260B		0307482	0307231
030	SOLID	SW846 8015B		0300530	0301185
	SOLID	SW846 8015B		0304505	0307256
	SOLID	SW846 7471A		0300542	0300277
	SOLID	SW846 8260B		0307482	0307231
	SOLID	SW846 6010B		0300522	0300275
031	SOLID	SW846 8015B		0300530	0301185
	SOLID	SW846 8015B		0304505	0307256
	SOLID	SW846 8260B		0307482	0307231
032	SOLID	SW846 8015B		0300530	0301185
	SOLID	SW846 8015B		0304505	0307256
	SOLID	SW846 8260B		0307562	0307294
033	SOLID	SW846 8082		0300523	0300273
034	SOLID	SW846 8015B		0300530	0301185
	SOLID	SW846 8015B		0304505	0307256
	SOLID	SW846 7471A		0300542	0300277
	SOLID	SW846 6010B		0300522	0300275
035	SOLID	SW846 8015B		0300530	0301185
	SOLID	SW846 8015B		0304505	0307256
	SOLID	SW846 7471A		0300542	0300277
	SOLID	SW846 6010B		0300522	0300275
036	SOLID	SW846 7471A		0300542	0300277
	SOLID	SW846 6010B		0300522	0300275
037	WATER	SW846 8260B		0303095	0303005

KENNEDY/JENKS CONSULTANTS

Method Blank Report

GC/MS Volatiles

Lot-Sample #: E0J290000-095 B **Work Order #:** DN17X1AA **Matrix:** WATER

MASS SPECTROMETER/DATA SYSTEM (MSDS) TENTATIVELY IDENTIFIED COMPOUNDS

PARAMETER	CAS #	ESTIMATED RESULT	RETENTION TIME	UNITS
None				ug/L

KENNEDY/JENKS CONSULTANTS

Method Blank Report

GC/MS Volatiles

Lot-Sample #: E0K020000-439 B **Work Order #:** DN9G91AA **Matrix:** SOLID

MASS SPECTROMETER/DATA SYSTEM (MSDS) TENTATIVELY IDENTIFIED COMPOUNDS

PARAMETER	CAS #	ESTIMATED RESULT	RETENTION TIME	UNITS
None				ug/kg

KENNEDY/JENKS CONSULTANTS

Method Blank Report

GC/MS Volatiles

Lot-Sample #: E0K020000-482 B **Work Order #:** DN9LH1AA **Matrix:** SOLID

MASS SPECTROMETER/DATA SYSTEM (MSDS) TENTATIVELY IDENTIFIED COMPOUNDS

PARAMETER	CAS #	ESTIMATED RESULT	RETENTION TIME	UNITS
None				ug/kg

KENNEDY/JENKS CONSULTANTS

Method Blank Report

GC/MS Volatiles

Lot-Sample #: E0K020000-562 B **Work Order #:** DN9VH1AA **Matrix:** SOLID

MASS SPECTROMETER/DATA SYSTEM (MSDS) TENTATIVELY IDENTIFIED COMPOUNDS

PARAMETER	CAS #	ESTIMATED RESULT	RETENTION TIME	UNITS
None				ug/kg

KENNEDY/JENKS CONSULTANTS

Method Blank Report

GC/MS Volatiles

Lot-Sample #: E0K060000-589 B **Work Order #:** DPFD81AA **Matrix:** SOLID

MASS SPECTROMETER/DATA SYSTEM (MSDS) TENTATIVELY IDENTIFIED COMPOUNDS

PARAMETER	CAS #	ESTIMATED RESULT	RETENTION TIME	UNITS
None				ug/kg

METHOD BLANK REPORT

GC Semivolatiles

Client Lot #...: E0J250140
MB Lot-Sample #: E0J260000-523
Work Order #...: DNWH01AA
Matrix.....: SOLID
Prep Date.....: 10/26/00
Analysis Time..: 14:00
Analysis Date..: 10/29/00
Prep Batch #...: 0300523
Instrument ID..: G9A
Dilution Factor: 1
Analyst ID.....: 018568

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD
Aroclor 1016	ND	33	ug/kg	SW846 8082
Aroclor 1221	ND	33	ug/kg	SW846 8082
Aroclor 1232	ND	33	ug/kg	SW846 8082
Aroclor 1242	ND	33	ug/kg	SW846 8082
Aroclor 1248	ND	33	ug/kg	SW846 8082
Aroclor 1254	ND	33	ug/kg	SW846 8082
Aroclor 1260	ND	33	ug/kg	SW846 8082

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Decachlorobiphenyl	108	(60 - 140)
Tetrachloro-m-xylene	97	(60 - 140)

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

METHOD BLANK REPORT

GC Semivolatiles

Client Lot #...: E0J250140
MB Lot-Sample #: E0J260000-527
Analysis Date..: 11/12/00
Dilution Factor: 1

Work Order #...: DNX741AA
Prep Date.....: 10/26/00
Prep Batch #...: 0300527
Analyst ID.....: 356074

Matrix.....: SOLID
Analysis Time..: 04:42
Instrument ID..: G01

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD
C8-C9	ND	10	mg/kg	SW846 8015B
C10-C11	ND	10	mg/kg	SW846 8015B
C12-C13	ND	10	mg/kg	SW846 8015B
C14-C15	ND	10	mg/kg	SW846 8015B
C16-C17	ND	10	mg/kg	SW846 8015B
C18-C19	ND	10	mg/kg	SW846 8015B
C20-C23	ND	10	mg/kg	SW846 8015B
C24-C27	ND	10	mg/kg	SW846 8015B
C28-C31	ND	10	mg/kg	SW846 8015B
C32-C35	ND	10	mg/kg	SW846 8015B
C36-C39	ND	10	mg/kg	SW846 8015B
C40+	ND	10	mg/kg	SW846 8015B
Total Carbon Chain Range	ND	10	mg/kg	SW846 8015B

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Benzo(a)pyrene	105	(60 - 130)

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

METHOD BLANK REPORT

GC Semivolatiles

Client Lot #...: E0J250140
MB Lot-Sample #: E0J260000-530

Analysis Date..: 11/11/00
Dilution Factor: 1

Work Order #...: DNX8M1AA

Prep Date.....: 10/26/00
Prep Batch #...: 0300530

Analyst ID.....: 356074

Matrix.....: SOLID

Analysis Time..: 17:09
Instrument ID..: G01

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD
C8-C9	ND	10	mg/kg	SW846 8015B
C10-C11	ND	10	mg/kg	SW846 8015B
C12-C13	ND	10	mg/kg	SW846 8015B
C14-C15	ND	10	mg/kg	SW846 8015B
C16-C17	ND	10	mg/kg	SW846 8015B
C18-C19	ND	10	mg/kg	SW846 8015B
C20-C23	ND	10	mg/kg	SW846 8015B
C24-C27	ND	10	mg/kg	SW846 8015B
C28-C31	ND	10	mg/kg	SW846 8015B
C32-C35	ND	10	mg/kg	SW846 8015B
C36-C39	ND	10	mg/kg	SW846 8015B
C40+	ND	10	mg/kg	SW846 8015B
Total Carbon Chain Range	ND	10	mg/kg	SW846 8015B

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Benzo(a)pyrene	109	(60 - 130)

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

METHOD BLANK REPORT

GC/MS Volatiles

Client Lot #...: E0J250140
MB Lot-Sample #: E0J290000-095

Analysis Date..: 10/27/00
Dilution Factor: 1

Work Order #...: DN17X1AA

Prep Date.....: 10/27/00
Prep Batch #...: 0303095

Analyst ID.....: 015590

Matrix.....: WATER

Analysis Time..: 18:53
Instrument ID..: MSC

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD
Acetone	ND	10	ug/L	SW846 8260B
Benzene	ND	1.0	ug/L	SW846 8260B
Bromobenzene	ND	1.0	ug/L	SW846 8260B
1-Bromo-2-chloroethane	ND	1.0	ug/L	SW846 8260B
Bromochloromethane	ND	1.0	ug/L	SW846 8260B
Bromoform	ND	1.0	ug/L	SW846 8260B
Bromomethane	ND	2.0	ug/L	SW846 8260B
2-Butanone	ND	5.0	ug/L	SW846 8260B
n-Butylbenzene	ND	1.0	ug/L	SW846 8260B
sec-Butylbenzene	ND	1.0	ug/L	SW846 8260B
tert-Butylbenzene	ND	1.0	ug/L	SW846 8260B
Carbon disulfide	ND	1.0	ug/L	SW846 8260B
arbon tetrachloride	ND	1.0	ug/L	SW846 8260B
hlorobenzene	ND	1.0	ug/L	SW846 8260B
Dibromochloromethane	ND	1.0	ug/L	SW846 8260B
Bromodichloromethane	ND	1.0	ug/L	SW846 8260B
Chloroethane	ND	2.0	ug/L	SW846 8260B
Chloroform	ND	1.0	ug/L	SW846 8260B
Chloromethane	ND	2.0	ug/L	SW846 8260B
2-Chlorotoluene	ND	1.0	ug/L	SW846 8260B
4-Chlorotoluene	ND	1.0	ug/L	SW846 8260B
1,2-Dibromo-3-chloro-propane	ND	2.0	ug/L	SW846 8260B
1,2-Dibromoethane	ND	1.0	ug/L	SW846 8260B
Dibromomethane	ND	1.0	ug/L	SW846 8260B
1,2-Dichlorobenzene	ND	1.0	ug/L	SW846 8260B
1,3-Dichlorobenzene	ND	1.0	ug/L	SW846 8260B
1,4-Dichlorobenzene	ND	1.0	ug/L	SW846 8260B
Dichlorodifluoromethane	ND	2.0	ug/L	SW846 8260B
1,1-Dichloroethane	ND	1.0	ug/L	SW846 8260B
1,2-Dichloroethane	ND	1.0	ug/L	SW846 8260B
1,1-Dichloroethene	ND	1.0	ug/L	SW846 8260B
cis-1,2-Dichloroethene	ND	1.0	ug/L	SW846 8260B
trans-1,2-Dichloroethene	ND	1.0	ug/L	SW846 8260B
1,2-Dichloropropane	ND	1.0	ug/L	SW846 8260B
1,3-Dichloropropane	ND	1.0	ug/L	SW846 8260B
2,2-Dichloropropane	ND	1.0	ug/L	SW846 8260B
1,1-Dichloropropene	ND	1.0	ug/L	SW846 8260B
is-1,3-Dichloropropene	ND	1.0	ug/L	SW846 8260B
trans-1,3-Dichloropropene	ND	1.0	ug/L	SW846 8260B

(Continued on next page)

METHOD BLANK REPORT

GC/MS Volatiles

Client Lot #...: E0J250140 **Work Order #...:** DN17X1AA **Matrix.....:** WATER

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD
Ethylbenzene	ND	1.0	ug/L	SW846 8260B
Hexachlorobutadiene	ND	1.0	ug/L	SW846 8260B
2-Hexanone	ND	5.0	ug/L	SW846 8260B
Isopropylbenzene	ND	1.0	ug/L	SW846 8260B
p-Isopropyltoluene	ND	1.0	ug/L	SW846 8260B
Methylene chloride	ND	1.0	ug/L	SW846 8260B
4-Methyl-2-pentanone	ND	5.0	ug/L	SW846 8260B
Methyl tert-butyl ether	ND	1.0	ug/L	SW846 8260B
Naphthalene	ND	1.0	ug/L	SW846 8260B
n-Propylbenzene	ND	1.0	ug/L	SW846 8260B
Styrene	ND	1.0	ug/L	SW846 8260B
1,1,1,2-Tetrachloroethane	ND	1.0	ug/L	SW846 8260B
1,1,2,2-Tetrachloroethane	ND	1.0	ug/L	SW846 8260B
Tetrachloroethene	ND	1.0	ug/L	SW846 8260B
Toluene	ND	1.0	ug/L	SW846 8260B
1,2,3-Trichlorobenzene	ND	1.0	ug/L	SW846 8260B
1,2,4-Trichloro-benzene	ND	1.0	ug/L	SW846 8260B
1,1,1-Trichloroethane	ND	1.0	ug/L	SW846 8260B
1,1,2-Trichloroethane	ND	1.0	ug/L	SW846 8260B
Trichloroethene	ND	1.0	ug/L	SW846 8260B
Trichlorofluoromethane	ND	2.0	ug/L	SW846 8260B
1,2,3-Trichloropropane	ND	1.0	ug/L	SW846 8260B
1,1,2-Trichlorotrifluoro-ethane	ND	1.0	ug/L	SW846 8260B
1,2,4-Trimethylbenzene	ND	1.0	ug/L	SW846 8260B
1,3,5-Trimethylbenzene	ND	1.0	ug/L	SW846 8260B
Vinyl chloride	ND	2.0	ug/L	SW846 8260B
m-Xylene & p-Xylene	ND	1.0	ug/L	SW846 8260B
o-Xylene	ND	1.0	ug/L	SW846 8260B
Xylenes (total)	ND	1.0	ug/L	SW846 8260B
Tert-amyl methyl ether	ND	2.0	ug/L	SW846 8260B
Tert-butyl ethyl ether	ND	2.0	ug/L	SW846 8260B
t-Butanol	ND	25	ug/L	SW846 8260B
Isopropyl ether	ND	2.0	ug/L	SW846 8260B
Acrolein	ND	20	ug/L	SW846 8260B
Iodomethane	ND	5.0	ug/L	SW846 8260B
Acrylonitrile	ND	20	ug/L	SW846 8260B
Vinyl acetate	ND	5.0	ug/L	SW846 8260B
Tetrahydrofuran	ND	10	ug/L	SW846 8260B
2-Chloroethyl vinyl ether	ND	5.0	ug/L	SW846 8260B

JRROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Bromofluorobenzene	99	(75 - 120)

(Continued on next page)

METHOD BLANK REPORT

GC/MS Volatiles

Client Lot #...: E0J250140 **Work Order #...:** DN17X1AA **Matrix.....:** WATER

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD
1,2-Dichloroethane-d4	100	(65 - 130)		
Toluene-d8	101	(80 - 130)		

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

METHOD BLANK REPORT

GC/MS Volatiles

Client Lot #...: E0J250140 **Work Order #...:** DN9G91AA **Matrix.....:** SOLID
MB Lot-Sample #: E0K020000-439

Prep Date.....: 11/01/00 **Analysis Time..:** 22:05
Analysis Date..: 11/01/00 **Prep Batch #...:** 0307439 **Instrument ID..:** MSD
Dilution Factor: 1

Analyst ID.....: 015590

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD
Dichlorodifluoromethane	ND	10	ug/kg	SW846 8260B
Chloromethane	ND	10	ug/kg	SW846 8260B
Vinyl chloride	ND	10	ug/kg	SW846 8260B
Bromomethane	ND	10	ug/kg	SW846 8260B
Chloroethane	ND	10	ug/kg	SW846 8260B
Trichlorofluoromethane	ND	10	ug/kg	SW846 8260B
Acrolein	ND	100	ug/kg	SW846 8260B
1,1-Dichloroethene	ND	5.0	ug/kg	SW846 8260B
Iodomethane	ND	10	ug/kg	SW846 8260B
Acetone	ND	25	ug/kg	SW846 8260B
Carbon disulfide	ND	5.0	ug/kg	SW846 8260B
Methylene chloride	ND	5.0	ug/kg	SW846 8260B
rans-1,2-Dichloroethene	ND	5.0	ug/kg	SW846 8260B
.crylonitrile	ND	50	ug/kg	SW846 8260B
Methyl tert-butyl ether	ND	5.0	ug/kg	SW846 8260B
1,1-Dichloroethane	ND	5.0	ug/kg	SW846 8260B
Vinyl acetate	ND	10	ug/kg	SW846 8260B
2,2-Dichloropropane	ND	5.0	ug/kg	SW846 8260B
cis-1,2-Dichloroethene	ND	5.0	ug/kg	SW846 8260B
2-Butanone	ND	25	ug/kg	SW846 8260B
Bromochloromethane	ND	5.0	ug/kg	SW846 8260B
Chloroform	ND	5.0	ug/kg	SW846 8260B
Tetrahydrofuran	ND	20	ug/kg	SW846 8260B
1,1,1-Trichloroethane	ND	5.0	ug/kg	SW846 8260B
1,1-Dichloropropene	ND	5.0	ug/kg	SW846 8260B
Carbon tetrachloride	ND	5.0	ug/kg	SW846 8260B
Benzene	ND	5.0	ug/kg	SW846 8260B
1,2-Dichloroethane	ND	5.0	ug/kg	SW846 8260B
Trichloroethene	ND	5.0	ug/kg	SW846 8260B
1,2-Dichloropropane	ND	5.0	ug/kg	SW846 8260B
Bromodichloromethane	ND	5.0	ug/kg	SW846 8260B
2-Chloroethyl vinyl ether	ND	10	ug/kg	SW846 8260B
cis-1,3-Dichloropropene	ND	5.0	ug/kg	SW846 8260B
4-Methyl-2-pentanone	ND	25	ug/kg	SW846 8260B
Toluene	**3.1 J**	**5.0**	**ug/kg**	**SW846 8260B**
trans-1,3-Dichloropropene	ND	5.0	ug/kg	SW846 8260B
1,1,2-Trichloroethane	ND	5.0	ug/kg	SW846 8260B
Tetrachloroethene	ND	5.0	ug/kg	SW846 8260B
-Hexanone	ND	25	ug/kg	SW846 8260B
Dibromochloromethane	ND	5.0	ug/kg	SW846 8260B

(Continued on next page)

METHOD BLANK REPORT

GC/MS Volatiles

Client Lot #...: E0J250140 **Work Order #...:** DN9G91AA **Matrix.....:** SOLID

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD
1,2-Dibromoethane	ND	5.0	ug/kg	SW846 8260B
Chlorobenzene	ND	5.0	ug/kg	SW846 8260B
Ethylbenzene	ND	5.0	ug/kg	SW846 8260B
Xylenes (total)	ND	5.0	ug/kg	SW846 8260B
Styrene	ND	10	ug/kg	SW846 8260B
Bromoform	ND	5.0	ug/kg	SW846 8260B
Isopropylbenzene	ND	5.0	ug/kg	SW846 8260B
p-Isopropyltoluene	ND	5.0	ug/kg	SW846 8260B
Bromobenzene	ND	5.0	ug/kg	SW846 8260B
1,1,1,2-Tetrachloroethane	ND	5.0	ug/kg	SW846 8260B
1,1,2,2-Tetrachloroethane	ND	5.0	ug/kg	SW846 8260B
1,2,3-Trichloropropane	ND	5.0	ug/kg	SW846 8260B
n-Propylbenzene	ND	5.0	ug/kg	SW846 8260B
2-Chlorotoluene	ND	5.0	ug/kg	SW846 8260B
4-Chlorotoluene	ND	5.0	ug/kg	SW846 8260B
1,3,5-Trimethylbenzene	ND	5.0	ug/kg	SW846 8260B
tert-Butylbenzene	ND	5.0	ug/kg	SW846 8260B
1,2,4-Trimethylbenzene	ND	5.0	ug/kg	SW846 8260B
sec-Butylbenzene	ND	5.0	ug/kg	SW846 8260B
1,3-Dichlorobenzene	ND	5.0	ug/kg	SW846 8260B
1,4-Dichlorobenzene	ND	5.0	ug/kg	SW846 8260B
1,2-Dichlorobenzene	ND	5.0	ug/kg	SW846 8260B
n-Butylbenzene	ND	5.0	ug/kg	SW846 8260B
1,2-Dibromo-3-chloro-propane	ND	10	ug/kg	SW846 8260B
1,2,4-Trichloro-benzene	ND	5.0	ug/kg	SW846 8260B
Hexachlorobutadiene	ND	5.0	ug/kg	SW846 8260B
1,2,3-Trichlorobenzene	ND	5.0	ug/kg	SW846 8260B
t-Butanol	ND	100	ug/kg	SW846 8260B
Isopropyl ether	ND	10	ug/kg	SW846 8260B
Tert-amyl methyl ether	ND	10	ug/kg	SW846 8260B
Tert-butyl ethyl ether	ND	10	ug/kg	SW846 8260B

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Bromofluorobenzene	86	(70 - 130)
1,2-Dichloroethane-d4	82	(60 - 140)
Toluene-d8	98	(70 - 130)

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

J Estimated result. Result is less than RL.

METHOD BLANK REPORT

GC/MS Volatiles

Client Lot #...: E0J250140 **Work Order #...:** DN9LH1AA **Matrix.....:** SOLID
MB Lot-Sample #: E0K020000-482

Prep Date.....: 11/01/00 **Analysis Time..:** 22:21
Analysis Date..: 11/01/00 **Prep Batch #...:** 0307482 **Instrument ID..:** MSG
Dilution Factor: 1

Analyst ID.....: 015590

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD
Dichlorodifluoromethane	ND	10	ug/kg	SW846 8260B
Chloromethane	ND	10	ug/kg	SW846 8260B
Vinyl chloride	ND	10	ug/kg	SW846 8260B
Bromomethane	ND	10	ug/kg	SW846 8260B
Chloroethane	ND	10	ug/kg	SW846 8260B
Trichlorofluoromethane	ND	10	ug/kg	SW846 8260B
Acrolein	ND	100	ug/kg	SW846 8260B
1,1-Dichloroethene	ND	5.0	ug/kg	SW846 8260B
Iodomethane	ND	10	ug/kg	SW846 8260B
Acetone	ND	25	ug/kg	SW846 8260B
Carbon disulfide	ND	5.0	ug/kg	SW846 8260B
Methylene chloride	ND	5.0	ug/kg	SW846 8260B
rans-1,2-Dichloroethene	ND	5.0	ug/kg	SW846 8260B
Acrylonitrile	ND	50	ug/kg	SW846 8260B
Methyl tert-butyl ether	ND	5.0	ug/kg	SW846 8260B
1,1-Dichloroethane	ND	5.0	ug/kg	SW846 8260B
Vinyl acetate	ND	10	ug/kg	SW846 8260B
2,2-Dichloropropane	ND	5.0	ug/kg	SW846 8260B
cis-1,2-Dichloroethene	ND	5.0	ug/kg	SW846 8260B
2-Butanone	ND	25	ug/kg	SW846 8260B
Bromochloromethane	ND	5.0	ug/kg	SW846 8260B
Chloroform	ND	5.0	ug/kg	SW846 8260B
Tetrahydrofuran	ND	20	ug/kg	SW846 8260B
1,1,1-Trichloroethane	ND	5.0	ug/kg	SW846 8260B
1,1-Dichloropropene	ND	5.0	ug/kg	SW846 8260B
Carbon tetrachloride	ND	5.0	ug/kg	SW846 8260B
Benzene	ND	5.0	ug/kg	SW846 8260B
1,2-Dichloroethane	ND	5.0	ug/kg	SW846 8260B
Trichloroethene	ND	5.0	ug/kg	SW846 8260B
1,2-Dichloropropane	ND	5.0	ug/kg	SW846 8260B
Bromodichloromethane	ND	5.0	ug/kg	SW846 8260B
2-Chloroethyl vinyl ether	ND	10	ug/kg	SW846 8260B
cis-1,3-Dichloropropene	ND	5.0	ug/kg	SW846 8260B
4-Methyl-2-pentanone	ND	25	ug/kg	SW846 8260B
Toluene	ND	5.0	ug/kg	SW846 8260B
trans-1,3-Dichloropropene	ND	5.0	ug/kg	SW846 8260B
1,1,2-Trichloroethane	ND	5.0	ug/kg	SW846 8260B
Tetrachloroethene	ND	5.0	ug/kg	SW846 8260B
-Hexanone	ND	25	ug/kg	SW846 8260B
Dibromochloromethane	ND	5.0	ug/kg	SW846 8260B

(Continued on next page)

METHOD BLANK REPORT

GC/MS Volatiles

Client Lot #...: E0J250140 **Work Order #...:** DN9LH1AA **Matrix.....:** SOLID

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD
1,2-Dibromoethane	ND	5.0	ug/kg	SW846 8260B
Chlorobenzene	ND	5.0	ug/kg	SW846 8260B
Ethylbenzene	ND	5.0	ug/kg	SW846 8260B
Xylenes (total)	ND	5.0	ug/kg	SW846 8260B
Styrene	ND	10	ug/kg	SW846 8260B
Bromoform	ND	5.0	ug/kg	SW846 8260B
Isopropylbenzene	ND	5.0	ug/kg	SW846 8260B
p-Isopropyltoluene	ND	5.0	ug/kg	SW846 8260B
Bromobenzene	ND	5.0	ug/kg	SW846 8260B
1,1,1,2-Tetrachloroethane	ND	5.0	ug/kg	SW846 8260B
1,1,2,2-Tetrachloroethane	ND	5.0	ug/kg	SW846 8260B
1,2,3-Trichloropropane	ND	5.0	ug/kg	SW846 8260B
n-Propylbenzene	ND	5.0	ug/kg	SW846 8260B
2-Chlorotoluene	ND	5.0	ug/kg	SW846 8260B
4-Chlorotoluene	ND	5.0	ug/kg	SW846 8260B
1,3,5-Trimethylbenzene	ND	5.0	ug/kg	SW846 8260B
tert-Butylbenzene	ND	5.0	ug/kg	SW846 8260B
1,2,4-Trimethylbenzene	ND	5.0	ug/kg	SW846 8260B
sec-Butylbenzene	ND	5.0	ug/kg	SW846 8260B
1,3-Dichlorobenzene	ND	5.0	ug/kg	SW846 8260B
1,4-Dichlorobenzene	ND	5.0	ug/kg	SW846 8260B
1,2-Dichlorobenzene	ND	5.0	ug/kg	SW846 8260B
n-Butylbenzene	ND	5.0	ug/kg	SW846 8260B
1,2-Dibromo-3-chloro-propane	ND	10	ug/kg	SW846 8260B
1,2,4-Trichloro-benzene	ND	5.0	ug/kg	SW846 8260B
Hexachlorobutadiene	ND	5.0	ug/kg	SW846 8260B
1,2,3-Trichlorobenzene	ND	5.0	ug/kg	SW846 8260B
t-Butanol	ND	100	ug/kg	SW846 8260B
Isopropyl ether	ND	10	ug/kg	SW846 8260B
Tert-amyl methyl ether	ND	10	ug/kg	SW846 8260B
Tert-butyl ethyl ether	ND	10	ug/kg	SW846 8260B

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Bromofluorobenzene	108	(70 - 130)
1,2-Dichloroethane-d4	97	(60 - 140)
Toluene-d8	101	(70 - 130)

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

METHOD BLANK REPORT

GC Volatiles

Client Lot #...: E0J250140
MB Lot-Sample #: E0J300000-504

Analysis Date..: 10/25/00
Dilution Factor: 1

Work Order #...: DN9MK1AA

Prep Date.....: 10/25/00
Prep Batch #...: 0304504

Analyst ID.....: 001464

Matrix.....: SOLID

Analysis Time..: 18:44
Instrument ID..: G16

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD
C6-C8	ND	1.0	mg/kg	SW846 8015B

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
a,a,a-Trifluorotoluene (TFT)	100	(60 - 130)

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

METHOD BLANK REPORT

GC Volatiles

Client Lot #...: E0J250140
MB Lot-Sample #: E0J300000-505

Work Order #...: DN9M81AA

Matrix.....: SOLID

Prep Date.....: 10/26/00

Analysis Time..: 07:08

Analysis Date..: 10/26/00

Prep Batch #...: 0304505

Instrument ID..: G16

Dilution Factor: 1

Analyst ID.....: 001464

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD
C6-C8	ND	1.0	mg/kg	SW846 8015B

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
a,a,a-Trifluorotoluene (TFT)	95	(60 - 130)

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

METHOD BLANK REPORT

GC/MS Volatiles

Client Lot #...: E0J250140
MB Lot-Sample #: E0K020000-562

Work Order #...: DN9VH1AA

Matrix.....: SOLID

Prep Date.....: 11/02/00

Analysis Time..: 10:36

Analysis Date..: 11/02/00

Prep Batch #...: 0307562

Instrument ID..: MSG

Dilution Factor: 1

Analyst ID.....: 999998

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD
Dichlorodifluoromethane	ND	10	ug/kg	SW846 8260B
Chloromethane	ND	10	ug/kg	SW846 8260B
Vinyl chloride	ND	10	ug/kg	SW846 8260B
Bromomethane	ND	10	ug/kg	SW846 8260B
Chloroethane	ND	10	ug/kg	SW846 8260B
Trichlorofluoromethane	ND	10	ug/kg	SW846 8260B
Acrolein	ND	100	ug/kg	SW846 8260B
1,1-Dichloroethene	ND	5.0	ug/kg	SW846 8260B
Iodomethane	ND	10	ug/kg	SW846 8260B
Acetone	ND	25	ug/kg	SW846 8260B
Carbon disulfide	ND	5.0	ug/kg	SW846 8260B
Methylene chloride	ND	5.0	ug/kg	SW846 8260B
rans-1,2-Dichloroethene	ND	5.0	ug/kg	SW846 8260B
Acrylonitrile	ND	50	ug/kg	SW846 8260B
Methyl tert-butyl ether	ND	5.0	ug/kg	SW846 8260B
1,1-Dichloroethane	ND	5.0	ug/kg	SW846 8260B
Vinyl acetate	ND	10	ug/kg	SW846 8260B
2,2-Dichloropropane	ND	5.0	ug/kg	SW846 8260B
cis-1,2-Dichloroethene	ND	5.0	ug/kg	SW846 8260B
2-Butanone	ND	25	ug/kg	SW846 8260B
Bromochloromethane	ND	5.0	ug/kg	SW846 8260B
Chloroform	ND	5.0	ug/kg	SW846 8260B
Tetrahydrofuran	ND	20	ug/kg	SW846 8260B
1,1,1-Trichloroethane	ND	5.0	ug/kg	SW846 8260B
1,1-Dichloropropene	ND	5.0	ug/kg	SW846 8260B
Carbon tetrachloride	ND	5.0	ug/kg	SW846 8260B
Benzene	ND	5.0	ug/kg	SW846 8260B
1,2-Dichloroethane	ND	5.0	ug/kg	SW846 8260B
Trichloroethene	ND	5.0	ug/kg	SW846 8260B
1,2-Dichloropropane	ND	5.0	ug/kg	SW846 8260B
Bromodichloromethane	ND	5.0	ug/kg	SW846 8260B
2-Chloroethyl vinyl ether	ND	10	ug/kg	SW846 8260B
cis-1,3-Dichloropropene	ND	5.0	ug/kg	SW846 8260B
4-Methyl-2-pentanone	ND	25	ug/kg	SW846 8260B
Toluene	ND	5.0	ug/kg	SW846 8260B
trans-1,3-Dichloropropene	ND	5.0	ug/kg	SW846 8260B
1,1,2-Trichloroethane	ND	5.0	ug/kg	SW846 8260B
Tetrachloroethene	ND	5.0	ug/kg	SW846 8260B
-Hexanone	ND	25	ug/kg	SW846 8260B
Dibromochloromethane	ND	5.0	ug/kg	SW846 8260B

(Continued on next page)

METHOD BLANK REPORT

GC/MS Volatiles

Client Lot #...: E0J250140 **Work Order #...:** DN9VH1AA **Matrix.....:** SOLID

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD
1,2-Dibromoethane	ND	5.0	ug/kg	SW846 8260B
Chlorobenzene	ND	5.0	ug/kg	SW846 8260B
Ethylbenzene	ND	5.0	ug/kg	SW846 8260B
Xylenes (total)	ND	5.0	ug/kg	SW846 8260B
Styrene	ND	10	ug/kg	SW846 8260B
Bromoform	ND	5.0	ug/kg	SW846 8260B
Isopropylbenzene	ND	5.0	ug/kg	SW846 8260B
p-Isopropyltoluene	ND	5.0	ug/kg	SW846 8260B
Bromobenzene	ND	5.0	ug/kg	SW846 8260B
1,1,1,2-Tetrachloroethane	ND	5.0	ug/kg	SW846 8260B
1,1,2,2-Tetrachloroethane	ND	5.0	ug/kg	SW846 8260B
1,2,3-Trichloropropane	ND	5.0	ug/kg	SW846 8260B
n-Propylbenzene	ND	5.0	ug/kg	SW846 8260B
2-Chlorotoluene	ND	5.0	ug/kg	SW846 8260B
4-Chlorotoluene	ND	5.0	ug/kg	SW846 8260B
1,3,5-Trimethylbenzene	ND	5.0	ug/kg	SW846 8260B
tert-Butylbenzene	ND	5.0	ug/kg	SW846 8260B
,2,4-Trimethylbenzene	ND	5.0	ug/kg	SW846 8260B
sec-Butylbenzene	ND	5.0	ug/kg	SW846 8260B
1,3-Dichlorobenzene	ND	5.0	ug/kg	SW846 8260B
1,4-Dichlorobenzene	ND	5.0	ug/kg	SW846 8260B
1,2-Dichlorobenzene	ND	5.0	ug/kg	SW846 8260B
n-Butylbenzene	ND	5.0	ug/kg	SW846 8260B
1,2-Dibromo-3-chloro-propane	ND	10	ug/kg	SW846 8260B
1,2,4-Trichloro-benzene	ND	5.0	ug/kg	SW846 8260B
Hexachlorobutadiene	ND	5.0	ug/kg	SW846 8260B
1,2,3-Trichlorobenzene	ND	5.0	ug/kg	SW846 8260B
t-Butanol	ND	100	ug/kg	SW846 8260B
Isopropyl ether	ND	10	ug/kg	SW846 8260B
Tert-amyl methyl ether	ND	10	ug/kg	SW846 8260B
Tert-butyl ethyl ether	ND	10	ug/kg	SW846 8260B

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Bromofluorobenzene	106	(70 - 130)
1,2-Dichloroethane-d4	98	(60 - 140)
Toluene-d8	103	(70 - 130)

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

METHOD BLANK REPORT

GC/MS Volatiles

Client Lot #...: E0J250140 **Work Order #...:** DPFD81AA **Matrix.....:** SOLID
MB Lot-Sample #: E0K060000-589

Prep Date.....: 11/03/00 **Analysis Time..:** 12:49
Analysis Date..: 11/03/00 **Prep Batch #...:** 0311589 **Instrument ID..:** MSG
Dilution Factor: 1

Analyst ID.....: 015590

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD
Dichlorodifluoromethane	ND	500	ug/kg	SW846 8260B
Chloromethane	ND	500	ug/kg	SW846 8260B
Vinyl chloride	ND	500	ug/kg	SW846 8260B
Bromomethane	ND	500	ug/kg	SW846 8260B
Chloroethane	ND	500	ug/kg	SW846 8260B
Trichlorofluoromethane	ND	500	ug/kg	SW846 8260B
Acrolein	ND	5000	ug/kg	SW846 8260B
1,1-Dichloroethene	ND	250	ug/kg	SW846 8260B
Iodomethane	ND	500	ug/kg	SW846 8260B
Acetone	ND	1200	ug/kg	SW846 8260B
Carbon disulfide	ND	250	ug/kg	SW846 8260B
Methylene chloride	ND	250	ug/kg	SW846 8260B
rans-1,2-Dichloroethene	ND	250	ug/kg	SW846 8260B
crylonitrile	ND	2500	ug/kg	SW846 8260B
Methyl tert-butyl ether	ND	250	ug/kg	SW846 8260B
1,1-Dichloroethane	ND	250	ug/kg	SW846 8260B
Vinyl acetate	ND	500	ug/kg	SW846 8260B
2,2-Dichloropropane	ND	250	ug/kg	SW846 8260B
cis-1,2-Dichloroethene	ND	250	ug/kg	SW846 8260B
2-Butanone	**900 J**	**1200**	**ug/kg**	**SW846 8260B**
Bromochloromethane	ND	250	ug/kg	SW846 8260B
Chloroform	ND	250	ug/kg	SW846 8260B
Tetrahydrofuran	ND	1000	ug/kg	SW846 8260B
1,1,1-Trichloroethane	ND	250	ug/kg	SW846 8260B
1,1-Dichloropropene	ND	250	ug/kg	SW846 8260B
Carbon tetrachloride	ND	250	ug/kg	SW846 8260B
Benzene	ND	250	ug/kg	SW846 8260B
1,2-Dichloroethane	ND	250	ug/kg	SW846 8260B
Trichloroethene	ND	250	ug/kg	SW846 8260B
1,2-Dichloropropane	ND	250	ug/kg	SW846 8260B
Bromodichloromethane	ND	250	ug/kg	SW846 8260B
2-Chloroethyl vinyl ether	ND	500	ug/kg	SW846 8260B
cis-1,3-Dichloropropene	ND	250	ug/kg	SW846 8260B
4-Methyl-2-pentanone	ND	1200	ug/kg	SW846 8260B
Toluene	ND	250	ug/kg	SW846 8260B
trans-1,3-Dichloropropene	ND	250	ug/kg	SW846 8260B
1,1,2-Trichloroethane	ND	250	ug/kg	SW846 8260B
Tetrachloroethene	ND	250	ug/kg	SW846 8260B
-Hexanone	ND	1200	ug/kg	SW846 8260B
Dibromochloromethane	ND	250	ug/kg	SW846 8260B

(Continued on next page)

METHOD BLANK REPORT

GC/MS Volatiles

Client Lot #...: E0J250140 **Work Order #...:** DPFD81AA **Matrix.....:** SOLID

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD
1,2-Dibromoethane	ND	250	ug/kg	SW846 8260B
Chlorobenzene	ND	250	ug/kg	SW846 8260B
Ethylbenzene	ND	250	ug/kg	SW846 8260B
Xylenes (total)	ND	250	ug/kg	SW846 8260B
Styrene	ND	500	ug/kg	SW846 8260B
Bromoform	ND	250	ug/kg	SW846 8260B
Isopropylbenzene	ND	250	ug/kg	SW846 8260B
p-Isopropyltoluene	ND	250	ug/kg	SW846 8260B
Bromobenzene	ND	250	ug/kg	SW846 8260B
1,1,1,2-Tetrachloroethane	ND	250	ug/kg	SW846 8260B
1,1,2,2-Tetrachloroethane	ND	250	ug/kg	SW846 8260B
1,2,3-Trichloropropane	ND	250	ug/kg	SW846 8260B
n-Propylbenzene	ND	250	ug/kg	SW846 8260B
2-Chlorotoluene	ND	250	ug/kg	SW846 8260B
4-Chlorotoluene	ND	250	ug/kg	SW846 8260B
1,3,5-Trimethylbenzene	ND	250	ug/kg	SW846 8260B
tert-Butylbenzene	ND	250	ug/kg	SW846 8260B
1,2,4-Trimethylbenzene	ND	250	ug/kg	SW846 8260B
sec-Butylbenzene	ND	250	ug/kg	SW846 8260B
1,3-Dichlorobenzene	ND	250	ug/kg	SW846 8260B
1,4-Dichlorobenzene	ND	250	ug/kg	SW846 8260B
1,2-Dichlorobenzene	ND	250	ug/kg	SW846 8260B
n-Butylbenzene	ND	250	ug/kg	SW846 8260B
1,2-Dibromo-3-chloro-propane	ND	500	ug/kg	SW846 8260B
1,2,4-Trichloro-benzene	ND	250	ug/kg	SW846 8260B
Hexachlorobutadiene	ND	250	ug/kg	SW846 8260B
1,2,3-Trichlorobenzene	ND	250	ug/kg	SW846 8260B
t-Butanol	ND	5000	ug/kg	SW846 8260B
Isopropyl ether	ND	500	ug/kg	SW846 8260B
Tert-amyl methyl ether	ND	500	ug/kg	SW846 8260B
Tert-butyl ethyl ether	ND	500	ug/kg	SW846 8260B

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Bromofluorobenzene	110	(60 - 140)
1,2-Dichloroethane-d4	100	(60 - 140)
Toluene-d8	100	(60 - 140)

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

I Estimated result. Result is less than RL.

METHOD BLANK REPORT

TOTAL Metals

Client Lot #...: E0J250140 **Matrix.....:** SOLID

MB Lot-Sample #: E0J260000-522 **Prep Batch #...:** 0300522

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD	PREPARATION-ANALYSIS DATE	WORK ORDER #
Aluminum	ND	20.0	mg/kg	SW846 6010B	10/27-11/02/00	DNWH41AA
		Dilution Factor: 1				
		Analysis Time..: 00:27		Analyst ID.....: 003119	Instrument ID..: M01	
Arsenic	ND	1.0	mg/kg	SW846 6010B	10/27-11/02/00	DNWH41AC
		Dilution Factor: 1				
		Analysis Time..: 00:27		Analyst ID.....: 003119	Instrument ID..: M01	
Antimony	**0.49 B**	**6.0**	**mg/kg**	**SW846 6010B**	**10/27-11/02/00**	**DNWH41AD**
		Dilution Factor: 1				
		Analysis Time..: 00:27		Analyst ID.....: 003119	Instrument ID..: M01	
Barium	ND	2.0	mg/kg	SW846 6010B	10/27-11/02/00	DNWH41AE
		Dilution Factor: 1				
		Analysis Time..: 00:27		Analyst ID.....: 003119	Instrument ID..: M01	
Cadmium	ND	0.50	mg/kg	SW846 6010B	10/27-11/02/00	DNWH41AF
		Dilution Factor: 1				
		Analysis Time..: 00:27		Analyst ID.....: 003119	Instrument ID..: M01	
Chromium	**0.17 B**	**1.0**	**mg/kg**	**SW846 6010B**	**10/27-11/02/00**	**DNWH41AG**
		Dilution Factor: 1				
		Analysis Time..: 00:27		Analyst ID.....: 003119	Instrument ID..: M01	
Beryllium	ND	0.50	mg/kg	SW846 6010B	10/27-11/02/00	DNWH41AH
		Dilution Factor: 1				
		Analysis Time..: 00:27		Analyst ID.....: 003119	Instrument ID..: M01	
Lead	ND	0.50	mg/kg	SW846 6010B	10/27-11/02/00	DNWH41AJ
		Dilution Factor: 1				
		Analysis Time..: 00:27		Analyst ID.....: 003119	Instrument ID..: M01	
Selenium	ND	0.50	mg/kg	SW846 6010B	10/27-11/02/00	DNWH41AK
		Dilution Factor: 1				
		Analysis Time..: 00:27		Analyst ID.....: 003119	Instrument ID..: M01	
Silver	ND	1.0	mg/kg	SW846 6010B	10/27-11/02/00	DNWH41AL
		Dilution Factor: 1				
		Analysis Time..: 00:27		Analyst ID.....: 003119	Instrument ID..: M01	
Cobalt	ND	5.0	mg/kg	SW846 6010B	10/27-11/02/00	DNWH41AM
		Dilution Factor: 1				
		Analysis Time..: 00:27		Analyst ID.....: 003119	Instrument ID..: M01	

(Continued on next page)

METHOD BLANK REPORT

TOTAL Metals

Client Lot #...: E0J250140 **Matrix.....:** SOLID

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD	PREPARATION-ANALYSIS DATE	WORK ORDER #
Copper	ND	2.5	mg/kg	SW846 6010B	10/27-11/02/00	DNWH41AN
		Dilution Factor: 1				
		Analysis Time..: 00:27		Analyst ID.....: 003119	Instrument ID..: M01	
Molybdenum	ND	4.0	mg/kg	SW846 6010B	10/27-11/02/00	DNWH41AP
		Dilution Factor: 1				
		Analysis Time..: 00:27		Analyst ID.....: 003119	Instrument ID..: M01	
Nickel	ND	4.0	mg/kg	SW846 6010B	10/27-11/02/00	DNWH41AQ
		Dilution Factor: 1				
		Analysis Time..: 00:27		Analyst ID.....: 003119	Instrument ID..: M01	
Thallium	ND	1.0	mg/kg	SW846 6010B	10/27-11/02/00	DNWH41AR
		Dilution Factor: 1				
		Analysis Time..: 00:27		Analyst ID.....: 003119	Instrument ID..: M01	
Vanadium	ND	5.0	mg/kg	SW846 6010B	10/27-11/02/00	DNWH41AT
		Dilution Factor: 1				
		Analysis Time..: 00:27		Analyst ID.....: 003119	Instrument ID..: M01	
Zinc	ND	2.0	mg/kg	SW846 6010B	10/27-11/02/00	DNWH41AU
		Dilution Factor: 1				
		Analysis Time..: 00:27		Analyst ID.....: 003119	Instrument ID..: M01	

MB Lot-Sample #: E0J260000-542 **Prep Batch #...:** 0300542

Mercury	ND	0.10	mg/kg	SW846 7471A	10/27-10/31/00	DNWH91AA
		Dilution Factor: 1				
		Analysis Time..: 14:56		Analyst ID.....: 021088	Instrument ID..: M04	

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

B Estimated result. Result is less than RL.

LABORATORY CONTROL SAMPLE DATA REPORT

GC Semivolatiles

Client Lot #...: E0J250140 **Work Order #...:** DNWH01AC **Matrix.....:** SOLID
LCS Lot-Sample#: E0J260000-523
Prep Date.....: 10/26/00 **Analysis Date..:** 10/29/00
Prep Batch #...: 0300523 **Analysis Time..:** 14:40
Dilution Factor: 1 **Instrument ID..:** G9A
Analyst ID.....: 018568

PARAMETER	SPIKE AMOUNT	MEASURED AMOUNT	UNITS	PERCENT RECOVERY	METHOD
Aroclor 1016	**333**	**333**	**ug/kg**	**100**	**SW846 8082**
Aroclor 1260	**333**	**324**	**ug/kg**	**97**	**SW846 8082**

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Decachlorobiphenyl	108	(60 - 140)
Tetrachloro-m-xylene	108	(60 - 140)

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

Bold print denotes control parameters

LABORATORY CONTROL SAMPLE DATA REPORT

GC Semivolatiles

Client Lot #...: E0J250140 Work Order #...: DNX741AC Matrix.....: SOLID
LCS Lot-Sample#: E0J260000-527
Prep Date.....: 10/26/00 Analysis Date..: 11/12/00
Prep Batch #...: 0300527 Analysis Time..: 05:12
Dilution Factor: 1 Instrument ID..: G01
Analyst ID.....: 356074

PARAMETER	SPIKE AMOUNT	MEASURED AMOUNT	UNITS	PERCENT RECOVERY	METHOD
TPH (as Diesel)	**250**	**245**	**mg/kg**	**98**	**SW846 8015B**

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Benzo(a)pyrene	96	(60 - 130)

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

Bold print denotes control parameters

LABORATORY CONTROL SAMPLE DATA REPORT

GC Semivolatiles

Client Lot #...: E0J250140 **Work Order #...:** DNX8M1AC **Matrix.....:** SOLID
LCS Lot-Sample#: E0J260000-530
Prep Date.....: 10/26/00 **Analysis Date..:** 11/11/00
Prep Batch #...: 0300530 **Analysis Time..:** 17:39
Dilution Factor: 1 **Instrument ID..:** G01
Analyst ID.....: 356074

PARAMETER	SPIKE AMOUNT	MEASURED AMOUNT	UNITS	PERCENT RECOVERY	METHOD
TPH (as Diesel)	**250**	**231**	**mg/kg**	**92**	**SW846 8015B**

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Benzo(a)pyrene	99	(60 - 130)

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

Bold print denotes control parameters

LABORATORY CONTROL SAMPLE DATA REPORT

GC/MS Volatiles

Client Lot #...: E0J250140 Work Order #...: DN17X1AC Matrix.....: WATER
LCS Lot-Sample#: E0J290000-095
Prep Date.....: 10/27/00 Analysis Date..: 10/27/00
Prep Batch #...: 0303095 Analysis Time..: 18:23
Dilution Factor: 1 Instrument ID..: MSC
Analyst ID.....: 015590

PARAMETER	SPIKE AMOUNT	MEASURED AMOUNT	UNITS	PERCENT RECOVERY	METHOD
Benzene	**10.0**	**8.67**	**ug/L**	**87**	**SW846 8260B**
Chlorobenzene	**10.0**	**8.54**	**ug/L**	**85**	**SW846 8260B**
1,1-Dichloroethene	**10.0**	**8.57**	**ug/L**	**86**	**SW846 8260B**
Toluene	**10.0**	**8.93**	**ug/L**	**89**	**SW846 8260B**
Trichloroethene	**10.0**	**8.82**	**ug/L**	**88**	**SW846 8260B**

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Bromofluorobenzene	102	(75 - 120)
1,2-Dichloroethane-d4	93	(65 - 130)
Toluene-d8	105	(80 - 130)

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

Bold print denotes control parameters

LABORATORY CONTROL SAMPLE DATA REPORT

GC/MS Volatiles

Client Lot #...: E0J250140 Work Order #...: DN9G91AC Matrix.....: SOLID
LCS Lot-Sample#: E0K020000-439
Prep Date.....: 11/01/00 Analysis Date..: 11/01/00
Prep Batch #...: 0307439 Analysis Time..: 21:34
Dilution Factor: 1 Instrument ID..: MSD
Analyst ID.....: 015590

PARAMETER	SPIKE AMOUNT	MEASURED AMOUNT	UNITS	PERCENT RECOVERY	METHOD
1,1-Dichloroethene	**50.0**	**53.5**	**ug/kg**	**107**	**SW846 8260B**
Benzene	**50.0**	**51.2**	**ug/kg**	**102**	**SW846 8260B**
Trichloroethene	**50.0**	**58.9**	**ug/kg**	**118**	**SW846 8260B**
Toluene	**50.0**	**53.9**	**ug/kg**	**108**	**SW846 8260B**
Chlorobenzene	**50.0**	**52.7**	**ug/kg**	**105**	**SW846 8260B**

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Bromofluorobenzene	90	(70 - 130)
1,2-Dichloroethane-d4	88	(60 - 140)
Toluene-d8	105	(70 - 130)

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

Bold print denotes control parameters

LABORATORY CONTROL SAMPLE DATA REPORT

GC/MS Volatiles

Client Lot #...: E0J250140 Work Order #...: DN9LH1AC Matrix.....: SOLID
LCS Lot-Sample#: E0K020000-482
Prep Date.....: 11/01/00 Analysis Date..: 11/01/00
Prep Batch #...: 0307482 Analysis Time..: 21:48
Dilution Factor: 1 Instrument ID..: MSG
Analyst ID.....: 015590

PARAMETER	SPIKE AMOUNT	MEASURED AMOUNT	UNITS	PERCENT RECOVERY	METHOD
1,1-Dichloroethene	**50.0**	**60.7**	**ug/kg**	**121**	**SW846 8260B**
Benzene	**50.0**	**57.2**	**ug/kg**	**114**	**SW846 8260B**
Trichloroethene	**50.0**	**64.6**	**ug/kg**	**129**	**SW846 8260B**
Toluene	**50.0**	**55.7**	**ug/kg**	**111**	**SW846 8260B**
Chlorobenzene	**50.0**	**53.8**	**ug/kg**	**108**	**SW846 8260B**

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Bromofluorobenzene	104	(70 - 130)
1,2-Dichloroethane-d4	101	(60 - 140)
Toluene-d8	107	(70 - 130)

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

Bold print denotes control parameters

LABORATORY CONTROL SAMPLE DATA REPORT

GC Volatiles

Client Lot #...: E0J250140 Work Order #...: DN9MK1AC Matrix.....: SOLID
LCS Lot-Sample#: E0J300000-504
Prep Date.....: 10/25/00 Analysis Date..: 10/25/00
Prep Batch #...: 0304504 Analysis Time..: 18:12
Dilution Factor: 1 Instrument ID..: G16
Analyst ID.....: 001464

PARAMETER	SPIKE AMOUNT	MEASURED AMOUNT	UNITS	PERCENT RECOVERY	METHOD
TPH (as Gasoline)	**5.00**	**5.98**	**mg/kg**	**120**	**SW846 8015B**

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
a,a,a-Trifluorotoluene (TFT)	124	(60 - 130)

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

Bold print denotes control parameters

LABORATORY CONTROL SAMPLE DATA REPORT

GC Volatiles

Client Lot #...: E0J250140 **Work Order #...:** DN9M81AC **Matrix.....:** SOLID
LCS Lot-Sample#: E0J300000-505
Prep Date.....: 10/26/00 **Analysis Date..:** 10/26/00
Prep Batch #...: 0304505 **Analysis Time..:** 06:40
Dilution Factor: 1 **Instrument ID..:** G16
Analyst ID.....: 001464

PARAMETER	SPIKE AMOUNT	MEASURED AMOUNT	UNITS	PERCENT RECOVERY	METHOD
TPH (as Gasoline)	**5.00**	**4.78**	**mg/kg**	**96**	**SW846 8015B**

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
a,a,a-Trifluorotoluene (TFT)	88	(60 - 130)

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

Bold print denotes control parameters

LABORATORY CONTROL SAMPLE DATA REPORT

GC/MS Volatiles

Client Lot #...: E0J250140 Work Order #...: DN9VH1AC Matrix.....: SOLID
LCS Lot-Sample#: E0K020000-562
Prep Date.....: 11/02/00 Analysis Date..: 11/02/00
Prep Batch #...: 0307562 Analysis Time..: 10:03
Dilution Factor: 1 Instrument ID..: MSG
Analyst ID.....: 999998

PARAMETER	SPIKE AMOUNT	MEASURED AMOUNT	UNITS	PERCENT RECOVERY	METHOD
1,1-Dichloroethene	**50.0**	**59.2**	**ug/kg**	**118**	**SW846 8260B**
Benzene	**50.0**	**54.5**	**ug/kg**	**109**	**SW846 8260B**
Trichloroethene	**50.0**	**59.2**	**ug/kg**	**118**	**SW846 8260B**
Toluene	**50.0**	**55.0**	**ug/kg**	**110**	**SW846 8260B**
Chlorobenzene	**50.0**	**50.6**	**ug/kg**	**101**	**SW846 8260B**

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Bromofluorobenzene	105	(70 - 130)
1,2-Dichloroethane-d4	102	(60 - 140)
Toluene-d8	110	(70 - 130)

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

Bold print denotes control parameters

LABORATORY CONTROL SAMPLE DATA REPORT

GC/MS Volatiles

Client Lot #...: E0J250140 Work Order #...: DPFD81AC Matrix.....: SOLID
LCS Lot-Sample#: E0K060000-589
Prep Date.....: 11/03/00 Analysis Date..: 11/03/00
Prep Batch #...: 0311589 Analysis Time..: 12:13
Dilution Factor: 1 Instrument ID..: MSG
Analyst ID.....: 015590

PARAMETER	SPIKE AMOUNT	MEASURED AMOUNT	UNITS	PERCENT RECOVERY	METHOD
1,1-Dichloroethene	2500	2780	ug/kg	111	SW846 8260B
Benzene	2500	2840	ug/kg	113	SW846 8260B
Trichloroethene	2500	2620	ug/kg	105	SW846 8260B
Toluene	2500	2630	ug/kg	105	SW846 8260B
Chlorobenzene	2500	2600	ug/kg	104	SW846 8260B

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Bromofluorobenzene	115	(60 - 140)
1,2-Dichloroethane-d4	105	(60 - 140)
Toluene-d8	103	(60 - 140)

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

Bold print denotes control parameters

LABORATORY CONTROL SAMPLE DATA REPORT

TOTAL Metals

Client Lot #...: E0J250140 **Matrix.....:** SOLID

PARAMETER	SPIKE AMOUNT	MEASURED AMOUNT	UNITS	PERCNT RECVRY	METHOD	PREPARATION-ANALYSIS DATE	WORK ORDER #
LCS Lot-Sample#: E0J260000-522 **Prep Batch #...:** 0300522							
Aluminum	200	196	mg/kg	98	SW846 6010B	10/27-11/02/00	DNWH41AV
			Dilution Factor: 1				
			Analysis Time..: 00:33		Analyst ID.....: 003119	Instrument ID..: M01	
Arsenic	200	192	mg/kg	96	SW846 6010B	10/27-11/02/00	DNWH41AW
			Dilution Factor: 1				
			Analysis Time..: 00:33		Analyst ID.....: 003119	Instrument ID..: M01	
Antimony	50.0	49.4	mg/kg	99	SW846 6010B	10/27-11/02/00	DNWH41AX
			Dilution Factor: 1				
			Analysis Time..: 00:33		Analyst ID.....: 003119	Instrument ID..: M01	
Barium	200	206	mg/kg	103	SW846 6010B	10/27-11/02/00	DNWH41A0
			Dilution Factor: 1				
			Analysis Time..: 00:33		Analyst ID.....: 003119	Instrument ID..: M01	
Cadmium	5.00	5.23	mg/kg	105	SW846 6010B	10/27-11/02/00	DNWH41A1
			Dilution Factor: 1				
			Analysis Time..: 00:33		Analyst ID.....: 003119	Instrument ID..: M01	
Chromium	20.0	21.5	mg/kg	108	SW846 6010B	10/27-11/02/00	DNWH41A2
			Dilution Factor: 1				
			Analysis Time..: 00:33		Analyst ID.....: 003119	Instrument ID..: M01	
Beryllium	5.00	5.02	mg/kg	100	SW846 6010B	10/27-11/02/00	DNWH41A3
			Dilution Factor: 1				
			Analysis Time..: 00:33		Analyst ID.....: 003119	Instrument ID..: M01	
Lead	50.0	49.9	mg/kg	100	SW846 6010B	10/27-11/02/00	DNWH41A4
			Dilution Factor: 1				
			Analysis Time..: 00:33		Analyst ID.....: 003119	Instrument ID..: M01	
Selenium	200	190	mg/kg	95	SW846 6010B	10/27-11/02/00	DNWH41A5
			Dilution Factor: 1				
			Analysis Time..: 00:33		Analyst ID.....: 003119	Instrument ID..: M01	
Silver	5.00	4.63	mg/kg	93	SW846 6010B	10/27-11/02/00	DNWH41A6
			Dilution Factor: 1				
			Analysis Time..: 00:33		Analyst ID.....: 003119	Instrument ID..: M01	

(Continued on next page)

LABORATORY CONTROL SAMPLE DATA REPORT

TOTAL Metals

Client Lot #...: E0J250140 **Matrix.....:** SOLID

PARAMETER	SPIKE AMOUNT	MEASURED AMOUNT	UNITS	PERCNT RECVRY	METHOD	PREPARATION-ANALYSIS DATE	WORK ORDER #
Cobalt	50.0	53.2	mg/kg	106	SW846 6010B	10/27-11/02/00	DNWH41A7
			Dilution Factor: 1				
			Analysis Time..: 00:33		Analyst ID.....: 003119	Instrument ID..: M01	
Copper	25.0	25.7	mg/kg	103	SW846 6010B	10/27-11/02/00	DNWH41A8
			Dilution Factor: 1				
			Analysis Time..: 00:33		Analyst ID.....: 003119	Instrument ID..: M01	
Molybdenum	100	100	mg/kg	100	SW846 6010B	10/27-11/02/00	DNWH41A9
			Dilution Factor: 1				
			Analysis Time..: 00:33		Analyst ID.....: 003119	Instrument ID..: M01	
Nickel	50.0	52.6	mg/kg	105	SW846 6010B	10/27-11/02/00	DNWH41CA
			Dilution Factor: 1				
			Analysis Time..: 00:33		Analyst ID.....: 003119	Instrument ID..: M01	
Thallium	200	202	mg/kg	101	SW846 6010B	10/27-11/02/00	DNWH41CC
			Dilution Factor: 1				
			Analysis Time..: 00:33		Analyst ID.....: 003119	Instrument ID..: M01	
Vanadium	50.0	51.0	mg/kg	102	SW846 6010B	10/27-11/02/00	DNWH41CD
			Dilution Factor: 1				
			Analysis Time..: 00:33		Analyst ID.....: 003119	Instrument ID..: M01	
Zinc	50.0	50.1	mg/kg	100	SW846 6010B	10/27-11/02/00	DNWH41CE
			Dilution Factor: 1				
			Analysis Time..: 00:33		Analyst ID.....: 003119	Instrument ID..: M01	

LCS Lot-Sample#: E0J260000-542 **Prep Batch #...:** 0300542

Mercury	0.833	0.795	mg/kg	95	SW846 7471A	10/27-10/31/00	DNWH91AC
			Dilution Factor: 1				
			Analysis Time..: 14:58		Analyst ID.....: 021088	Instrument ID..: M04	

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

LABORATORY CONTROL SAMPLE EVALUATION REPORT

GC Semivolatiles

Client Lot #...: E0J250140 **Work Order #...:** DNWH01AC **Matrix.....:** SOLID
LCS Lot-Sample#: E0J260000-523
Prep Date.....: 10/26/00 **Analysis Date..:** 10/29/00
Prep Batch #...: 0300523 **Analysis Time..:** 14:40
Dilution Factor: 1 **Instrument ID..:** G9A
Analyst ID.....: 018568

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	METHOD
Aroclor 1016	**100**	**(65 - 130)**	**SW846 8082**
Aroclor 1260	**97**	**(70 - 130)**	**SW846 8082**

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Decachlorobiphenyl	108	(60 - 140)
Tetrachloro-m-xylene	108	(60 - 140)

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

Bold print denotes control parameters

LABORATORY CONTROL SAMPLE EVALUATION REPORT

GC Semivolatiles

Client Lot #...: E0J250140 Work Order #...: DNX741AC Matrix.....: SOLID
LCS Lot-Sample#: E0J260000-527
Prep Date.....: 10/26/00 Analysis Date..: 11/12/00
Prep Batch #...: 0300527 Analysis Time..: 05:12
Dilution Factor: 1 Instrument ID..: G01
Analyst ID.....: 356074

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	METHOD
TPH (as Diesel)	**98**	**(60 - 130)**	**SW846 8015B**

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Benzo(a)pyrene	96	(60 - 130)

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

Bold print denotes control parameters

LABORATORY CONTROL SAMPLE EVALUATION REPORT

GC Semivolatiles

Client Lot #...: E0J250140 **Work Order #...:** DNX8M1AC **Matrix.....:** SOLID
LCS Lot-Sample#: E0J260000-530
Prep Date.....: 10/26/00 **Analysis Date..:** 11/11/00
Prep Batch #...: 0300530 **Analysis Time..:** 17:39
Dilution Factor: 1 **Instrument ID..:** G01
Analyst ID.....: 356074

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	METHOD
TPH (as Diesel)	**92**	**(60 - 130)**	**SW846 8015B**

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Benzo(a)pyrene	99	(60 - 130)

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

Bold print denotes control parameters

LABORATORY CONTROL SAMPLE EVALUATION REPORT

GC/MS Volatiles

Client Lot #...: E0J250140 Work Order #...: DN17X1AC Matrix.....: WATER
LCS Lot-Sample#: E0J290000-095
Prep Date.....: 10/27/00 Analysis Date..: 10/27/00
Prep Batch #...: 0303095 Analysis Time..: 18:23
Dilution Factor: 1 Instrument ID..: MSC
Analyst ID.....: 015590

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	METHOD
Benzene	**87**	**(75 - 120)**	**SW846 8260B**
Chlorobenzene	**85**	**(80 - 120)**	**SW846 8260B**
1,1-Dichloroethene	**86**	**(70 - 130)**	**SW846 8260B**
Toluene	**89**	**(80 - 120)**	**SW846 8260B**
Trichloroethene	**88**	**(75 - 130)**	**SW846 8260B**

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Bromofluorobenzene	102	(75 - 120)
1,2-Dichloroethane-d4	93	(65 - 130)
Toluene-d8	105	(80 - 130)

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

Bold print denotes control parameters

LABORATORY CONTROL SAMPLE EVALUATION REPORT

GC/MS Volatiles

Client Lot #...: E0J250140 Work Order #...: DN9G91AC Matrix.....: SOLID
LCS Lot-Sample#: E0K020000-439
Prep Date.....: 11/01/00 Analysis Date..: 11/01/00
Prep Batch #...: 0307439 Analysis Time..: 21:34
Dilution Factor: 1 Instrument ID..: MSD
Analyst ID.....: 015590

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	METHOD
1,1-Dichloroethene	**107**	**(60 - 150)**	**SW846 8260B**
Benzene	**102**	**(70 - 140)**	**SW846 8260B**
Trichloroethene	**118**	**(70 - 130)**	**SW846 8260B**
Toluene	**108**	**(70 - 130)**	**SW846 8260B**
Chlorobenzene	**105**	**(70 - 130)**	**SW846 8260B**

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Bromofluorobenzene	90	(70 - 130)
1,2-Dichloroethane-d4	88	(60 - 140)
Toluene-d8	105	(70 - 130)

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

Bold print denotes control parameters

LABORATORY CONTROL SAMPLE EVALUATION REPORT

GC/MS Volatiles

Client Lot #...: E0J250140 Work Order #...: DN9LH1AC Matrix.....: SOLID
LCS Lot-Sample#: E0K020000-482
Prep Date.....: 11/01/00 Analysis Date..: 11/01/00
Prep Batch #...: 0307482 Analysis Time..: 21:48
Dilution Factor: 1 Instrument ID..: MSG
Analyst ID.....: 015590

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	METHOD
1,1-Dichloroethene	**121**	**(60 - 150)**	**SW846 8260B**
Benzene	**114**	**(70 - 140)**	**SW846 8260B**
Trichloroethene	**129**	**(70 - 130)**	**SW846 8260B**
Toluene	**111**	**(70 - 130)**	**SW846 8260B**
Chlorobenzene	**108**	**(70 - 130)**	**SW846 8260B**

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Bromofluorobenzene	104	(70 - 130)
1,2-Dichloroethane-d4	101	(60 - 140)
Toluene-d8	107	(70 - 130)

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

Bold print denotes control parameters

LABORATORY CONTROL SAMPLE EVALUATION REPORT

GC Volatiles

Client Lot #...: E0J250140 **Work Order #...:** DN9MK1AC **Matrix.....:** SOLID
LCS Lot-Sample#: E0J300000-504
Prep Date.....: 10/25/00 **Analysis Date..:** 10/25/00
Prep Batch #...: 0304504 **Analysis Time..:** 18:12
Dilution Factor: 1 **Instrument ID..:** G16
Analyst ID.....: 001464

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	METHOD
TPH (as Gasoline)	**120**	**(80 - 140)**	**SW846 8015B**

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
a,a,a-Trifluorotoluene (TFT)	124	(60 - 130)

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

Bold print denotes control parameters

LABORATORY CONTROL SAMPLE EVALUATION REPORT

GC Volatiles

Client Lot #...: E0J250140 **Work Order #...:** DN9M81AC **Matrix.....:** SOLID
LCS Lot-Sample#: E0J300000-505
Prep Date.....: 10/26/00 **Analysis Date..:** 10/26/00
Prep Batch #...: 0304505 **Analysis Time..:** 06:40
Dilution Factor: 1 **Instrument ID..:** G16
Analyst ID.....: 001464

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	METHOD
TPH (as Gasoline)	**96**	**(80 - 140)**	**SW846 8015B**

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
a,a,a-Trifluorotoluene (TFT)	88	(60 - 130)

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

Bold print denotes control parameters

LABORATORY CONTROL SAMPLE EVALUATION REPORT

GC/MS Volatiles

Client Lot #...: E0J250140 Work Order #...: DN9VH1AC Matrix.....: SOLID
LCS Lot-Sample#: E0K020000-562
Prep Date.....: 11/02/00 Analysis Date..: 11/02/00
Prep Batch #...: 0307562 Analysis Time..: 10:03
Dilution Factor: 1 Instrument ID..: MSG
Analyst ID.....: 999998

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	METHOD
1,1-Dichloroethene	**118**	**(60 - 150)**	**SW846 8260B**
Benzene	**109**	**(70 - 140)**	**SW846 8260B**
Trichloroethene	**118**	**(70 - 130)**	**SW846 8260B**
Toluene	**110**	**(70 - 130)**	**SW846 8260B**
Chlorobenzene	**101**	**(70 - 130)**	**SW846 8260B**

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Bromofluorobenzene	105	(70 - 130)
1,2-Dichloroethane-d4	102	(60 - 140)
Toluene-d8	110	(70 - 130)

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

Bold print denotes control parameters

LABORATORY CONTROL SAMPLE EVALUATION REPORT

GC/MS Volatiles

Client Lot #...: E0J250140 Work Order #...: DPFD81AC Matrix.....: SOLID
LCS Lot-Sample#: E0K060000-589
Prep Date.....: 11/03/00 Analysis Date..: 11/03/00
Prep Batch #...: 0311589 Analysis Time..: 12:13
Dilution Factor: 1 Instrument ID..: MSG
Analyst ID.....: 015590

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	METHOD
1,1-Dichloroethene	**111**	**(60 - 140)**	**SW846 8260B**
Benzene	**113**	**(60 - 130)**	**SW846 8260B**
Trichloroethene	**105**	**(60 - 140)**	**SW846 8260B**
Toluene	**105**	**(60 - 130)**	**SW846 8260B**
Chlorobenzene	**104**	**(60 - 130)**	**SW846 8260B**

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Bromofluorobenzene	115	(60 - 140)
1,2-Dichloroethane-d4	105	(60 - 140)
Toluene-d8	103	(60 - 140)

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

Bold print denotes control parameters

LABORATORY CONTROL SAMPLE EVALUATION REPORT

TOTAL Metals

Client Lot #...: E0J250140 **Matrix.....:** SOLID

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	METHOD	PREPARATION-ANALYSIS DATE	WORK ORDER #
LCS Lot-Sample#: E0J260000-522 **Prep Batch #...:** 0300522					
Aluminum	98	(80 - 120)	SW846 6010B	10/27-11/02/00	DNWH41AV
		Dilution Factor: 1			
		Analysis Time..: 00:33	Analyst ID.....: 003119	Instrument ID..: M01	
Arsenic	96	(75 - 115)	SW846 6010B	10/27-11/02/00	DNWH41AW
		Dilution Factor: 1			
		Analysis Time..: 00:33	Analyst ID.....: 003119	Instrument ID..: M01	
Antimony	99	(75 - 115)	SW846 6010B	10/27-11/02/00	DNWH41AX
		Dilution Factor: 1			
		Analysis Time..: 00:33	Analyst ID.....: 003119	Instrument ID..: M01	
Barium	103	(80 - 120)	SW846 6010B	10/27-11/02/00	DNWH41A0
		Dilution Factor: 1			
		Analysis Time..: 00:33	Analyst ID.....: 003119	Instrument ID..: M01	
Cadmium	105	(80 - 120)	SW846 6010B	10/27-11/02/00	DNWH41A1
		Dilution Factor: 1			
		Analysis Time..: 00:33	Analyst ID.....: 003119	Instrument ID..: M01	
Chromium	108	(85 - 120)	SW846 6010B	10/27-11/02/00	DNWH41A2
		Dilution Factor: 1			
		Analysis Time..: 00:33	Analyst ID.....: 003119	Instrument ID..: M01	
Beryllium	100	(80 - 120)	SW846 6010B	10/27-11/02/00	DNWH41A3
		Dilution Factor: 1			
		Analysis Time..: 00:33	Analyst ID.....: 003119	Instrument ID..: M01	
Lead	100	(80 - 120)	SW846 6010B	10/27-11/02/00	DNWH41A4
		Dilution Factor: 1			
		Analysis Time..: 00:33	Analyst ID.....: 003119	Instrument ID..: M01	
Selenium	95	(70 - 115)	SW846 6010B	10/27-11/02/00	DNWH41A5
		Dilution Factor: 1			
		Analysis Time..: 00:33	Analyst ID.....: 003119	Instrument ID..: M01	
Silver	93	(80 - 120)	SW846 6010B	10/27-11/02/00	DNWH41A6
		Dilution Factor: 1			
		Analysis Time..: 00:33	Analyst ID.....: 003119	Instrument ID..: M01	

(Continued on next page)

LABORATORY CONTROL SAMPLE EVALUATION REPORT

TOTAL Metals

Client Lot #...: E0J250140 **Matrix.....:** SOLID

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	METHOD	PREPARATION-ANALYSIS DATE	WORK ORDER #
Cobalt	106	(80 - 120)	SW846 6010B	10/27-11/02/00	DNWH41A7
		Dilution Factor: 1			
		Analysis Time..: 00:33	Analyst ID.....: 003119	Instrument ID..: M01	
Copper	103	(80 - 120)	SW846 6010B	10/27-11/02/00	DNWH41A8
		Dilution Factor: 1			
		Analysis Time..: 00:33	Analyst ID.....: 003119	Instrument ID..: M01	
Molybdenum	100	(80 - 120)	SW846 6010B	10/27-11/02/00	DNWH41A9
		Dilution Factor: 1			
		Analysis Time..: 00:33	Analyst ID.....: 003119	Instrument ID..: M01	
Nickel	105	(80 - 120)	SW846 6010B	10/27-11/02/00	DNWH41CA
		Dilution Factor: 1			
		Analysis Time..: 00:33	Analyst ID.....: 003119	Instrument ID..: M01	
Thallium	101	(75 - 120)	SW846 6010B	10/27-11/02/00	DNWH41CC
		Dilution Factor: 1			
		Analysis Time..: 00:33	Analyst ID.....: 003119	Instrument ID..: M01	
Vanadium	102	(80 - 120)	SW846 6010B	10/27-11/02/00	DNWH41CD
		Dilution Factor: 1			
		Analysis Time..: 00:33	Analyst ID.....: 003119	Instrument ID..: M01	
Zinc	100	(80 - 120)	SW846 6010B	10/27-11/02/00	DNWH41CE
		Dilution Factor: 1			
		Analysis Time..: 00:33	Analyst ID.....: 003119	Instrument ID..: M01	

LCS Lot-Sample#: E0J260000-542 **Prep Batch #...:** 0300542

Mercury	95	(85 - 115)	SW846 7471A	10/27-10/31/00	DNWH91AC
		Dilution Factor: 1			
		Analysis Time..: 14:58	Analyst ID.....: 021088	Instrument ID..: M04	

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

MATRIX SPIKE SAMPLE DATA REPORT

GC/MS Volatiles

Client Lot #...:	E0J250140	Work Order #...:	DNN411AC-MS	Matrix.....:	WATER
MS Lot-Sample #:	E0J240279-001		DNN411AD-MSD		
Date Sampled...:	10/24/00 07:30	Date Received..:	10/24/00 16:50	MS Run #.....:	0303005
Prep Date.....:	10/27/00	Analysis Date..:	10/28/00		
Prep Batch #...:	0303095	Analysis Time..:	04:47		
Dilution Factor:	1	Analyst ID.....:	015590	Instrument ID..:	MSC

PARAMETER	SAMPLE AMOUNT	SPIKE AMT	MEASRD AMOUNT	UNITS	PERCENT RECOVERY	RPD	METHOD
Benzene	ND	10.0	8.71	ug/L	87		SW846 8260B
	ND	10.0	8.80	ug/L	88	1.0	SW846 8260B
Chlorobenzene	ND	10.0	8.54	ug/L	85		SW846 8260B
	ND	10.0	8.65	ug/L	86	1.3	SW846 8260B
1,1-Dichloroethene	ND	10.0	8.62	ug/L	86		SW846 8260B
	ND	10.0	8.53	ug/L	85	1.0	SW846 8260B
Toluene	ND	10.0	8.67	ug/L	87		SW846 8260B
	ND	10.0	9.15	ug/L	92	5.4	SW846 8260B
Trichloroethene	ND	10.0	9.39	ug/L	94		SW846 8260B
	ND	10.0	9.17	ug/L	92	2.4	SW846 8260B

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Bromofluorobenzene	107	(75 - 120)
	107	(75 - 120)
1,2-Dichloroethane-d4	117	(65 - 130)
	117	(65 - 130)
Toluene-d8	101	(80 - 130)
	107	(80 - 130)

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

Bold print denotes control parameters

MATRIX SPIKE SAMPLE DATA REPORT

TOTAL Metals

Client Lot #...: E0J250140 **Matrix.....:** SOLID
Date Sampled...: 10/23/00 09:20 **Date Received..:** 10/24/00 16:00

PARAMETER	SAMPLE AMOUNT	SPIKE AMT	MEASURED AMOUNT	UNITS	PERCNT RECVRY	RPD	METHOD	PREPARATION-ANALYSIS DATE	WORK ORDER #
MS Lot-Sample #: E0J250140-001 **Prep Batch #...:** 0300522									
Aluminum									
	30200	200	34200 NC	mg/kg			SW846 6010B	10/27-11/02/00	DNPXX1A1
	30200	200	31200 NC	mg/kg			SW846 6010B	10/27-11/02/00	DNPXX1A2
			Dilution Factor: 1						
			Analysis Time..: 00:55		Instrument ID..: M01			Analyst ID.....: 003119	
			MS Run #.....: 0300275						
Arsenic									
	4.0	200	177	mg/kg	86		SW846 6010B	10/27-11/02/00	DNPXX1A3
	4.0	200	179	mg/kg	87	1.3	SW846 6010B	10/27-11/02/00	DNPXX1A4
			Dilution Factor: 1						
			Analysis Time..: 00:55		Instrument ID..: M01			Analyst ID.....: 003119	
			MS Run #.....: 0300275						
Antimony									
	0.70	50.0	13.0 N	mg/kg	25		SW846 6010B	10/27-11/02/00	DNPXX1A5
	0.70	50.0	13.4 N	mg/kg	25	3.3	SW846 6010B	10/27-11/02/00	DNPXX1A6
			Dilution Factor: 1						
			Analysis Time..: 00:55		Instrument ID..: M01			Analyst ID.....: 003119	
			MS Run #.....: 0300275						
Barium									
	243	200	392 N	mg/kg	75		SW846 6010B	10/27-11/02/00	DNPXX1A7
	243	200	311 N	mg/kg	34	23	SW846 6010B	10/27-11/02/00	DNPXX1A8
			Dilution Factor: 1						
			Analysis Time..: 00:55		Instrument ID..: M01			Analyst ID.....: 003119	
			MS Run #.....: 0300275						
Cadmium									
	0.82	5.00	5.69	mg/kg	97		SW846 6010B	10/27-11/02/00	DNPXX1A9
	0.82	5.00	5.70	mg/kg	98	0.08	SW846 6010B	10/27-11/02/00	DNPXX1CA
			Dilution Factor: 1						
			Analysis Time..: 00:55		Instrument ID..: M01			Analyst ID.....: 003119	
			MS Run #.....: 0300275						
Chromium									
	31.6	20.0	52.5	mg/kg	104		SW846 6010B	10/27-11/02/00	DNPXX1CC
	31.6	20.0	50.9	mg/kg	96	3.2	SW846 6010B	10/27-11/02/00	DNPXX1CD
			Dilution Factor: 1						
			Analysis Time..: 00:55		Instrument ID..: M01			Analyst ID.....: 003119	
			MS Run #.....: 0300275						

(Continued on next page)

MATRIX SPIKE SAMPLE DATA REPORT

TOTAL Metals

Client Lot #...: E0J250140 **Matrix.....:** SOLID
Date Sampled...: 10/23/00 09:20 **Date Received..:** 10/24/00 16:00

PARAMETER	SAMPLE AMOUNT	SPIKE AMT	MEASURED AMOUNT	UNITS	PERCNT RECVRY	RPD	METHOD	PREPARATION-ANALYSIS DATE	WORK ORDER #
Beryllium									
	0.87	5.00	5.62	mg/kg	95		SW846 6010B	10/27-11/02/00	DNPXX1CE
	0.87	5.00	5.68	mg/kg	96	0.97	SW846 6010B	10/27-11/02/00	DNPXX1CF
				Dilution Factor: 1					
				Analysis Time..: 00:55	Instrument ID..: M01			Analyst ID.....: 003119	
				MS Run #.....: 0300275					
Lead									
	6.4	50.0	52.6	mg/kg	92		SW846 6010B	10/27-11/02/00	DNPXX1CG
	6.4	50.0	53.5	mg/kg	94	1.7	SW846 6010B	10/27-11/02/00	DNPXX1CH
				Dilution Factor: 1					
				Analysis Time..: 00:55	Instrument ID..: M01			Analyst ID.....: 003119	
				MS Run #.....: 0300275					
Selenium									
	ND	200	173	mg/kg	87		SW846 6010B	10/27-11/02/00	DNPXX1CJ
	ND	200	177	mg/kg	89	2.3	SW846 6010B	10/27-11/02/00	DNPXX1CK
				Dilution Factor: 1					
				Analysis Time..: 00:55	Instrument ID..: M01			Analyst ID.....: 003119	
				MS Run #.....: 0300275					
Silver									
	ND	5.00	4.01	mg/kg	80		SW846 6010B	10/27-11/02/00	DNPXX1CL
	ND	5.00	4.13	mg/kg	83	3.0	SW846 6010B	10/27-11/02/00	DNPXX1CM
				Dilution Factor: 1					
				Analysis Time..: 00:55	Instrument ID..: M01			Analyst ID.....: 003119	
				MS Run #.....: 0300275					
Cobalt									
	11.3	50.0	60.1	mg/kg	97		SW846 6010B	10/27-11/02/00	DNPXX1CN
	11.3	50.0	61.1	mg/kg	99	1.6	SW846 6010B	10/27-11/02/00	DNPXX1CP
				Dilution Factor: 1					
				Analysis Time..: 00:55	Instrument ID..: M01			Analyst ID.....: 003119	
				MS Run #.....: 0300275					
Copper									
	18.1	25.0	44.1	mg/kg	104		SW846 6010B	10/27-11/02/00	DNPXX1CQ
	18.1	25.0	43.1	mg/kg	100	2.2	SW846 6010B	10/27-11/02/00	DNPXX1CR
				Dilution Factor: 1					
				Analysis Time..: 00:55	Instrument ID..: M01			Analyst ID.....: 003119	
				MS Run #.....: 0300275					
Molybdenum									
	1.0	100	83.4	mg/kg	82		SW846 6010B	10/27-11/02/00	DNPXX1CT
	1.0	100	85.1	mg/kg	84	2.0	SW846 6010B	10/27-11/02/00	DNPXX1CU
				Dilution Factor: 1					
				Analysis Time..: 00:55	Instrument ID..: M01			Analyst ID.....: 003119	
				MS Run #.....: 0300275					

MATRIX SPIKE SAMPLE DATA REPORT

TOTAL Metals

Client Lot #...: E0J250140 **Matrix.....:** SOLID
Date Sampled...: 10/23/00 09:20 **Date Received..:** 10/24/00 16:00

PARAMETER	SAMPLE AMOUNT	SPIKE AMT	MEASURED AMOUNT	UNITS	PERCNT RECVRY	RPD	METHOD	PREPARATION-ANALYSIS DATE	WORK ORDER #
Nickel									
	23.2	50.0	72.6	mg/kg	99		SW846 6010B	10/27-11/02/00	DNPXX1CV
	23.2	50.0	72.0	mg/kg	98	0.86	SW846 6010B	10/27-11/02/00	DNPXX1CW
				Dilution Factor: 1					
				Analysis Time..: 00:55	Instrument ID..: M01			Analyst ID.....: 003119	
				MS Run #.....: 0300275					
Thallium									
	1.6	200	190	mg/kg	94		SW846 6010B	10/27-11/02/00	DNPXX1CX
	1.6	200	194	mg/kg	96	2.1	SW846 6010B	10/27-11/02/00	DNPXX1C0
				Dilution Factor: 1					
				Analysis Time..: 00:55	Instrument ID..: M01			Analyst ID.....: 003119	
				MS Run #.....: 0300275					
Vanadium									
	59.5	50.0	110	mg/kg	102		SW846 6010B	10/27-11/02/00	DNPXX1C1
	59.5	50.0	107	mg/kg	94	3.5	SW846 6010B	10/27-11/02/00	DNPXX1C2
				Dilution Factor: 1					
				Analysis Time..: 00:55	Instrument ID..: M01			Analyst ID.....: 003119	
				MS Run #.....: 0300275					
Zinc									
	58.0	50.0	107	mg/kg	98		SW846 6010B	10/27-11/02/00	DNPXX1C3
	58.0	50.0	105	mg/kg	93	2.1	SW846 6010B	10/27-11/02/00	DNPXX1C4
				Dilution Factor: 1					
				Analysis Time..: 00:55	Instrument ID..: M01			Analyst ID.....: 003119	
				MS Run #.....: 0300275					

MS Lot-Sample #: E0J250140-001 **Prep Batch #...:** 0300542

Mercury									
	0.074	0.167	0.228	mg/kg	93		SW846 7471A	10/27-10/31/00	DNPXX1C5
	0.074	0.167	0.227	mg/kg	92	0.73	SW846 7471A	10/27-10/31/00	DNPXX1C6
				Dilution Factor: 1					
				Analysis Time..: 15:01	Instrument ID..: M04			Analyst ID.....: 021088	
				MS Run #.....: 0300277					

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

NC The recovery and/or RPD were not calculated.

N Spiked analyte recovery is outside stated control limits.

MATRIX SPIKE SAMPLE DATA REPORT

GC Semivolatiles

Client Lot #...:	E0J250140	Work Order #...:	DNPXX1C7-MS	Matrix.....:	SOLID
MS Lot-Sample #:	E0J250140-001		DNPXX1C8-MSD		
Date Sampled...:	10/23/00 09:20	Date Received..:	10/24/00 16:00	MS Run #.....:	0301179
Prep Date.....:	10/26/00	Analysis Date..:	11/12/00		
Prep Batch #...:	0300527	Analysis Time..:	07:43		
Dilution Factor:	1	% Moisture.....:		Analyst ID.....:	356074
Instrument ID..:	G01				

PARAMETER	SAMPLE AMOUNT	SPIKE AMT	MEASRD AMOUNT	UNITS	PERCENT RECOVERY	RPD	METHOD
TPH (as Diesel)	**ND**	**250**	**254**	**mg/kg**	**102**		**SW846 8015B**
	ND	**250**	**225**	**mg/kg**	**90**	**12**	**SW846 8015B**

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Benzo(a)pyrene	101	(60 - 130)
	91	(60 - 130)

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

Bold print denotes control parameters

MATRIX SPIKE SAMPLE DATA REPORT

GC Volatiles

Client Lot #...:	E0J250140	**Work Order #...:**	DNPXX1C9-MS	**Matrix.....:**	SOLID
MS Lot-Sample #:	E0J250140-001		DNPXX1DA-MSD		
Date Sampled...:	10/23/00 09:20	**Date Received..:**	10/24/00 16:00	**MS Run #.....:**	0307245
Prep Date.....:	10/25/00	**Analysis Date..:**	10/26/00		
Prep Batch #...:	0304504	**Analysis Time..:**	05:43		
Dilution Factor:	1	**% Moisture.....:**		**Analyst ID.....:**	001464
Instrument ID..:	G16				

PARAMETER	SAMPLE AMOUNT	SPIKE AMT	MEASRD AMOUNT	UNITS	PERCENT RECOVERY	RPD	METHOD
TPH (as Gasoline)		**5.00**	**5.01**	**mg/kg**	**100**		**SW846 8015B**
		5.00	**4.65**	**mg/kg**	**93**	**7.3**	**SW846 8015B**

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
a,a,a-Trifluorotoluene (TFT)	111	(60 - 130)
	109	(60 - 130)

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

Bold print denotes control parameters

MATRIX SPIKE SAMPLE DATA REPORT

GC/MS Volatiles

Client Lot #...:	E0J250140	Work Order #...:	DNP0G1AE-MS	Matrix.....:	SOLID
MS Lot-Sample #:	E0J250140-005		DNP0G1AF-MSD		
Date Sampled...:	10/23/00 10:52	Date Received..:	10/24/00 16:00	MS Run #.....:	0307213
Prep Date.....:	11/01/00	Analysis Date..:	11/01/00		
Prep Batch #...:	0307439	Analysis Time..:	23:08		
Dilution Factor:	1	% Moisture.....:		Analyst ID.....:	015590
Instrument ID..:	MSD				

PARAMETER	SAMPLE AMOUNT	SPIKE AMT	MEASRD AMOUNT	UNITS	PERCENT RECOVERY	RPD	METHOD
1,1-Dichloroethene	ND	50.0	49.3	ug/kg	99		SW846 8260B
	ND	50.0	51.2	ug/kg	102	3.8	SW846 8260B
Benzene	ND	50.0	47.7	ug/kg	95		SW846 8260B
	ND	50.0	49.2	ug/kg	98	3.3	SW846 8260B
Trichloroethene	ND	50.0	54.8	ug/kg	110		SW846 8260B
	ND	50.0	57.6	ug/kg	115	5.0	SW846 8260B
Toluene	ND	50.0	48.0	ug/kg	96		SW846 8260B
	ND	50.0	50.4	ug/kg	101	4.8	SW846 8260B
Chlorobenzene	ND	50.0	49.7	ug/kg	99		SW846 8260B
	ND	50.0	51.3	ug/kg	103	3.2	SW846 8260B

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Bromofluorobenzene	90	(70 - 130)
	89	(70 - 130)
1,2-Dichloroethane-d4	85	(60 - 140)
	86	(60 - 140)
Toluene-d8	103	(70 - 130)
	103	(70 - 130)

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

Bold print denotes control parameters

MATRIX SPIKE SAMPLE DATA REPORT

GC/MS Volatiles

Client Lot #...:	E0J250140	Work Order #...:	DNP2M1AC-MS	Matrix.....:	SOLID
MS Lot-Sample #:	E0J250140-021		DNP2M1AD-MSD		
Date Sampled...:	10/24/00 10:45	Date Received..:	10/24/00 16:00	MS Run #.....:	0307231
Prep Date.....:	11/01/00	Analysis Date..:	11/01/00		
Prep Batch #...:	0307482	Analysis Time..:	23:27		
Dilution Factor:	1	% Moisture.....:		Analyst ID.....:	015590
Instrument ID..:	MSG				

PARAMETER	SAMPLE AMOUNT	SPIKE AMT	MEASRD AMOUNT	UNITS	PERCENT RECOVERY	RPD	METHOD
1,1-Dichloroethene	ND	50.0	61.0	ug/kg	122		SW846 8260B
	ND	50.0	60.8	ug/kg	122	0.23	SW846 8260B
Benzene	ND	50.0	56.3	ug/kg	113		SW846 8260B
	ND	50.0	56.8	ug/kg	114	0.74	SW846 8260B
Trichloroethene	20	50.0	53.9	ug/kg	69 a		SW846 8260B
	20	50.0	56.1	ug/kg	73	4.1	SW846 8260B
Toluene	ND	50.0	54.1	ug/kg	108		SW846 8260B
	ND	50.0	53.0	ug/kg	106	2.0	SW846 8260B
Chlorobenzene	ND	50.0	53.0	ug/kg	106		SW846 8260B
	ND	50.0	52.5	ug/kg	105	0.87	SW846 8260B

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Bromofluorobenzene	114	(70 - 130)
	105	(70 - 130)
1,2-Dichloroethane-d4	111	(60 - 140)
	107	(60 - 140)
Toluene-d8	112	(70 - 130)
	102	(70 - 130)

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

Bold print denotes control parameters

a Spiked analyte recovery is outside stated control limits.

MATRIX SPIKE SAMPLE DATA REPORT

GC Volatiles

Client Lot #...:	E0J250140	**Work Order #...:**	DNP3W1A0-MS	**Matrix.....:**	SOLID
MS Lot-Sample #:	E0J250140-035		DNP3W1A1-MSD		
Date Sampled...:	10/24/00 15:19	**Date Received..:**	10/24/00 16:00	**MS Run #.....:**	0307256
Prep Date.....:	10/26/00	**Analysis Date..:**	10/26/00		
Prep Batch #...:	0304505	**Analysis Time..:**	14:16		
Dilution Factor:	1	**% Moisture.....:**		**Analyst ID.....:**	001464
Instrument ID..:	G16				

PARAMETER	SAMPLE AMOUNT	SPIKE AMT	MEASRD AMOUNT	UNITS	PERCENT RECOVERY	RPD	METHOD
TPH (as Gasoline)		**5.00**	**5.17**	**mg/kg**	**103**		**SW846 8015B**
		5.00	**5.02**	**mg/kg**	**100**	**2.9**	**SW846 8015B**

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
a,a,a-Trifluorotoluene (TFT)	113	(60 - 130)
	116	(60 - 130)

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

Bold print denotes control parameters

MATRIX SPIKE SAMPLE DATA REPORT

GC Semivolatiles

Client Lot #...:	E0J250140	**Work Order #...:**	DNRCV1A2-MS	**Matrix.....:**	SOLID
MS Lot-Sample #:	E0J250275-002		DNRCV1A3-MSD		
Date Sampled...:	10/25/00 08:09	**Date Received..:**	10/25/00 17:05	**MS Run #.....:**	0300273
Prep Date.....:	10/26/00	**Analysis Date..:**	10/29/00		
Prep Batch #...:	0300523	**Analysis Time..:**	18:39		
Dilution Factor:	1	**% Moisture.....:**	100	**Analyst ID.....:**	018568
Instrument ID..:	G9A				

PARAMETER	SAMPLE AMOUNT	SPIKE AMT	MEASRD AMOUNT	UNITS	PERCENT RECOVERY	RPD	METHOD
Aroclor 1016	**ND**	**333**	**344**	**ug/kg**	**103**		**SW846 8082**
	ND	**333**	**348**	**ug/kg**	**104**	**1.2**	**SW846 8082**
Aroclor 1260	**ND**	**333**	**306**	**ug/kg**	**92**		**SW846 8082**
	ND	**333**	**312**	**ug/kg**	**93**	**1.7**	**SW846 8082**

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Decachlorobiphenyl	98	(60 - 140)
	97	(60 - 140)
Tetrachloro-m-xylene	147 *	(60 - 140)
	145 *	(60 - 140)

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

Bold print denotes control parameters

* Surrogate recovery is outside stated control limits.

MATRIX SPIKE SAMPLE DATA REPORT

GC Semivolatiles

Client Lot #...:	E0J250140	**Work Order #...:**	DNRCV1A4-MS	**Matrix.....:**	SOLID
MS Lot-Sample #:	E0J250275-002		DNRCV1A5-MSD		
Date Sampled...:	10/25/00 08:09	**Date Received..:**	10/25/00 17:05	**MS Run #.....:**	0301185
Prep Date.....:	10/26/00	**Analysis Date..:**	11/12/00		
Prep Batch #...:	0300530	**Analysis Time..:**	03:42		
Dilution Factor:	1	**% Moisture.....:**	100	**Analyst ID.....:**	356074
Instrument ID..:	G01				

PARAMETER	SAMPLE AMOUNT	SPIKE AMT	MEASRD AMOUNT	UNITS	PERCENT RECOVERY	RPD	METHOD
TPH (as Diesel)		**250**	**231**	**mg/kg**	**92**		**SW846 8015B**
		250	**213**	**mg/kg**	**85**	**7.9**	**SW846 8015B**

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Benzo(a)pyrene	93	(60 - 130)
	86	(60 - 130)

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

Bold print denotes control parameters

MATRIX SPIKE SAMPLE DATA REPORT

GC/MS Volatiles

Client Lot #...:	E0J250140	Work Order #...:	DNRC71A1-MS	Matrix.....:	SOLID
MS Lot-Sample #:	E0J250275-004		DNRC71A2-MSD		
Date Sampled...:	10/25/00 08:50	Date Received..:	10/25/00 17:05	MS Run #.....:	0307294
Prep Date.....:	11/02/00	Analysis Date..:	11/02/00		
Prep Batch #...:	0307562	Analysis Time..:	14:26		
Dilution Factor:	1	% Moisture.....:	100	Analyst ID.....:	999998
Instrument ID..:	MSG				

PARAMETER	SAMPLE AMOUNT	SPIKE AMT	MEASRD AMOUNT	UNITS	PERCENT RECOVERY	RPD	METHOD
1,1-Dichloroethene	ND	50.0	59.8	ug/kg	120		SW846 8260B
	ND	50.0	57.6	ug/kg	115	3.7	SW846 8260B
Benzene	ND	50.0	52.4	ug/kg	105		SW846 8260B
	ND	50.0	51.7	ug/kg	103	1.4	SW846 8260B
Trichloroethene	ND	50.0	51.7	ug/kg	103		SW846 8260B
	ND	50.0	50.9	ug/kg	102	1.6	SW846 8260B
Toluene	ND	50.0	52.6	ug/kg	105		SW846 8260B
	ND	50.0	48.8	ug/kg	98	7.5	SW846 8260B
Chlorobenzene	ND	50.0	49.3	ug/kg	99		SW846 8260B
	ND	50.0	46.4	ug/kg	93	6.1	SW846 8260B

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Bromofluorobenzene	109	(70 - 130)
	113	(70 - 130)
1,2-Dichloroethane-d4	106	(60 - 140)
	104	(60 - 140)
Toluene-d8	107	(70 - 130)
	104	(70 - 130)

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

Bold print denotes control parameters

MATRIX SPIKE SAMPLE DATA REPORT

GC/MS Volatiles

Client Lot #...:	E0J250140	Work Order #...:	DNWA11A3-MS	Matrix.....:	SOLID
MS Lot-Sample #:	E0J260321-009		DNWA11A4-MSD		
Date Sampled...:	10/26/00 10:05	Date Received..:	10/26/00 16:40	MS Run #.....:	0311255
Prep Date.....:	11/03/00	Analysis Date..:	11/03/00		
Prep Batch #...:	0311589	Analysis Time..:	16:20		
Dilution Factor:	1	% Moisture.....:	100	Analyst ID.....:	015590
Instrument ID..:	MSG				

PARAMETER	SAMPLE AMOUNT	SPIKE AMT	MEASRD AMOUNT	UNITS	PERCENT RECOVERY	RPD	METHOD
1,1-Dichloroethene	ND	2500	2550	ug/kg	102		SW846 8260B
	ND	2500	2410	ug/kg	97	5.4	SW846 8260B
Benzene	ND	2500	2540	ug/kg	102		SW846 8260B
	ND	2500	2460	ug/kg	98	3.4	SW846 8260B
Trichloroethene	120	2500	2390	ug/kg	91		SW846 8260B
	120	2500	2340	ug/kg	89	2.3	SW846 8260B
Toluene	ND	2500	2470	ug/kg	99		SW846 8260B
	ND	2500	2280	ug/kg	91	8.2	SW846 8260B
Chlorobenzene	ND	2500	2330	ug/kg	93		SW846 8260B
	ND	2500	2250	ug/kg	90	3.4	SW846 8260B

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Bromofluorobenzene	102	(60 - 140)
	98	(60 - 140)
1,2-Dichloroethane-d4	93	(60 - 140)
	93	(60 - 140)
Toluene-d8	99	(60 - 140)
	93	(60 - 140)

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

Bold print denotes control parameters

MATRIX SPIKE SAMPLE EVALUATION REPORT

GC/MS Volatiles

Client Lot #...:	E0J250140	**Work Order #...:**	DNN411AC-MS	**Matrix.....:**	WATER
MS Lot-Sample #:	E0J240279-001		DNN411AD-MSD		
Date Sampled...:	10/24/00 07:30	**Date Received..:**	10/24/00 16:50	**MS Run #.....:**	0303005
Prep Date.....:	10/27/00	**Analysis Date..:**	10/28/00		
Prep Batch #...:	0303095	**Analysis Time..:**	04:47		
Dilution Factor:	1	**Analyst ID.....:**	015590	**Instrument ID..:**	MSC

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	RPD	RPD LIMITS	METHOD
Benzene	**87**	**(75 - 120)**			**SW846 8260B**
	88	**(75 - 120)**	**1.0**	**(0-25)**	**SW846 8260B**
Chlorobenzene	**85**	**(80 - 120)**			**SW846 8260B**
	86	**(80 - 120)**	**1.3**	**(0-25)**	**SW846 8260B**
1,1-Dichloroethene	**86**	**(70 - 130)**			**SW846 8260B**
	85	**(70 - 130)**	**1.0**	**(0-25)**	**SW846 8260B**
Toluene	**87**	**(80 - 120)**			**SW846 8260B**
	92	**(80 - 120)**	**5.4**	**(0-25)**	**SW846 8260B**
Trichloroethene	**94**	**(75 - 130)**			**SW846 8260B**
	92	**(75 - 130)**	**2.4**	**(0-25)**	**SW846 8260B**

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Bromofluorobenzene	107	(75 - 120)
	107	(75 - 120)
1,2-Dichloroethane-d4	117	(65 - 130)
	117	(65 - 130)
Toluene-d8	101	(80 - 130)
	107	(80 - 130)

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

Bold print denotes control parameters

MATRIX SPIKE SAMPLE EVALUATION REPORT

TOTAL Metals

Client Lot #...: E0J250140 **Matrix.....:** SOLID
Date Sampled...: 10/23/00 09:20 **Date Received..:** 10/24/00 16:00

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	RPD	RPD LIMITS	METHOD	PREPARATION-ANALYSIS DATE	WORK ORDER #
MS Lot-Sample #: E0J250140-001 **Prep Batch #...:** 0300522							
Aluminum	NC	(80 - 120)			SW846 6010B	10/27-11/02/00	DNPXX1A1
	NC	(80 - 120)		(0-25)	SW846 6010B	10/27-11/02/00	DNPXX1A2
		Dilution Factor: 1					
		Analysis Time..: 00:55			Instrument ID..: M01	Analyst ID.....: 003119	
		MS Run #.....: 0300275					
Arsenic	86	(75 - 115)			SW846 6010B	10/27-11/02/00	DNPXX1A3
	87	(75 - 115)	1.3	(0-25)	SW846 6010B	10/27-11/02/00	DNPXX1A4
		Dilution Factor: 1					
		Analysis Time..: 00:55			Instrument ID..: M01	Analyst ID.....: 003119	
		MS Run #.....: 0300275					
Antimony	25 N	(75 - 115)			SW846 6010B	10/27-11/02/00	DNPXX1A5
	25 N	(75 - 115)	3.3	(0-25)	SW846 6010B	10/27-11/02/00	DNPXX1A6
		Dilution Factor: 1					
		Analysis Time..: 00:55			Instrument ID..: M01	Analyst ID.....: 003119	
		MS Run #.....: 0300275					
Barium	75 N	(80 - 120)			SW846 6010B	10/27-11/02/00	DNPXX1A7
	34 N	(80 - 120)	23	(0-25)	SW846 6010B	10/27-11/02/00	DNPXX1A8
		Dilution Factor: 1					
		Analysis Time..: 00:55			Instrument ID..: M01	Analyst ID.....: 003119	
		MS Run #.....: 0300275					
Cadmium	97	(80 - 120)			SW846 6010B	10/27-11/02/00	DNPXX1A9
	98	(80 - 120)	0.08	(0-25)	SW846 6010B	10/27-11/02/00	DNPXX1CA
		Dilution Factor: 1					
		Analysis Time..: 00:55			Instrument ID..: M01	Analyst ID.....: 003119	
		MS Run #.....: 0300275					
Chromium	104	(85 - 120)			SW846 6010B	10/27-11/02/00	DNPXX1CC
	96	(85 - 120)	3.2	(0-25)	SW846 6010B	10/27-11/02/00	DNPXX1CD
		Dilution Factor: 1					
		Analysis Time..: 00:55			Instrument ID..: M01	Analyst ID.....: 003119	
		MS Run #.....: 0300275					
Beryllium	95	(80 - 120)			SW846 6010B	10/27-11/02/00	DNPXX1CE
	96	(80 - 120)	0.97	(0-25)	SW846 6010B	10/27-11/02/00	DNPXX1CF
		Dilution Factor: 1					
		Analysis Time..: 00:55			Instrument ID..: M01	Analyst ID.....: 003119	
		MS Run #.....: 0300275					

(Continued on next page)

MATRIX SPIKE SAMPLE EVALUATION REPORT

TOTAL Metals

Client Lot #...: E0J250140 **Matrix.....:** SOLID
Date Sampled...: 10/23/00 09:20 **Date Received..:** 10/24/00 16:00

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	RPD	RPD LIMITS	METHOD	PREPARATION-ANALYSIS DATE	WORK ORDER #
Lead	92	(80 - 120)			SW846 6010B	10/27-11/02/00	DNPXX1CG
	94	(80 - 120)	1.7	(0-25)	SW846 6010B	10/27-11/02/00	DNPXX1CH
		Dilution Factor: 1					
		Analysis Time..: 00:55			Instrument ID..: M01	Analyst ID.....: 003119	
		MS Run #.....: 0300275					
Selenium	87	(70 - 115)			SW846 6010B	10/27-11/02/00	DNPXX1CJ
	89	(70 - 115)	2.3	(0-25)	SW846 6010B	10/27-11/02/00	DNPXX1CK
		Dilution Factor: 1					
		Analysis Time..: 00:55			Instrument ID..: M01	Analyst ID.....: 003119	
		MS Run #.....: 0300275					
Silver	80	(80 - 120)			SW846 6010B	10/27-11/02/00	DNPXX1CL
	83	(80 - 120)	3.0	(0-25)	SW846 6010B	10/27-11/02/00	DNPXX1CM
		Dilution Factor: 1					
		Analysis Time..: 00:55			Instrument ID..: M01	Analyst ID.....: 003119	
		MS Run #.....: 0300275					
Cobalt	97	(80 - 120)			SW846 6010B	10/27-11/02/00	DNPXX1CN
	99	(80 - 120)	1.6	(0-25)	SW846 6010B	10/27-11/02/00	DNPXX1CP
		Dilution Factor: 1					
		Analysis Time..: 00:55			Instrument ID..: M01	Analyst ID.....: 003119	
		MS Run #.....: 0300275					
Copper	104	(80 - 120)			SW846 6010B	10/27-11/02/00	DNPXX1CQ
	100	(80 - 120)	2.2	(0-25)	SW846 6010B	10/27-11/02/00	DNPXX1CR
		Dilution Factor: 1					
		Analysis Time..: 00:55			Instrument ID..: M01	Analyst ID.....: 003119	
		MS Run #.....: 0300275					
Molybdenum	82	(80 - 120)			SW846 6010B	10/27-11/02/00	DNPXX1CT
	84	(80 - 120)	2.0	(0-25)	SW846 6010B	10/27-11/02/00	DNPXX1CU
		Dilution Factor: 1					
		Analysis Time..: 00:55			Instrument ID..: M01	Analyst ID.....: 003119	
		MS Run #.....: 0300275					
Nickel	99	(80 - 120)			SW846 6010B	10/27-11/02/00	DNPXX1CV
	98	(80 - 120)	0.86	(0-25)	SW846 6010B	10/27-11/02/00	DNPXX1CW
		Dilution Factor: 1					
		Analysis Time..: 00:55			Instrument ID..: M01	Analyst ID.....: 003119	
		MS Run #.....: 0300275					
Thallium	94	(75 - 120)			SW846 6010B	10/27-11/02/00	DNPXX1CX
	96	(75 - 120)	2.1	(0-25)	SW846 6010B	10/27-11/02/00	DNPXX1C0
		Dilution Factor: 1					
		Analysis Time..: 00:55			Instrument ID..: M01	Analyst ID.....: 003119	
		MS Run #.....: 0300275					

(Continued on next page)

MATRIX SPIKE SAMPLE EVALUATION REPORT

TOTAL Metals

Client Lot #...: E0J250140 **Matrix.....:** SOLID
Date Sampled...: 10/23/00 09:20 **Date Received..:** 10/24/00 16:00

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	RPD	RPD LIMITS	METHOD	PREPARATION-ANALYSIS DATE	WORK ORDER #
Vanadium	102	(80 - 120)			SW846 6010B	10/27-11/02/00	DNPXX1C1
	94	(80 - 120)	3.5	(0-25)	SW846 6010B	10/27-11/02/00	DNPXX1C2

Dilution Factor: 1
Analysis Time..: 00:55 Instrument ID..: M01 Analyst ID.....: 003119
MS Run #.....: 0300275

Zinc	98	(80 - 120)			SW846 6010B	10/27-11/02/00	DNPXX1C3
	93	(80 - 120)	2.1	(0-25)	SW846 6010B	10/27-11/02/00	DNPXX1C4

Dilution Factor: 1
Analysis Time..: 00:55 Instrument ID..: M01 Analyst ID.....: 003119
MS Run #.....: 0300275

MS Lot-Sample #: E0J250140-001 **Prep Batch #...:** 0300542

Mercury	93	(80 - 120)			SW846 7471A	10/27-10/31/00	DNPXX1C5
	92	(80 - 120)	0.73	(0-20)	SW846 7471A	10/27-10/31/00	DNPXX1C6

Dilution Factor: 1
Analysis Time..: 15:01 Instrument ID..: M04 Analyst ID.....: 021088
MS Run #.....: 0300277

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

NC The recovery and/or RPD were not calculated.

N Spiked analyte recovery is outside stated control limits.

MATRIX SPIKE SAMPLE EVALUATION REPORT

GC Semivolatiles

Client Lot #...:	E0J250140	Work Order #...:	DNPXX1C7-MS	Matrix.....:	SOLID
MS Lot-Sample #:	E0J250140-001		DNPXX1C8-MSD		
Date Sampled...:	10/23/00 09:20	Date Received..:	10/24/00 16:00	MS Run #.....:	0301179
Prep Date.....:	10/26/00	Analysis Date..:	11/12/00		
Prep Batch #...:	0300527	Analysis Time..:	07:43		
Dilution Factor:	1	% Moisture.....:		Analyst ID.....:	356074
Instrument ID..:	G01				

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	RPD	RPD LIMITS	METHOD
TPH (as Diesel)	**102**	**(60 - 130)**			**SW846 8015B**
	90	**(60 - 130)**	**12**	**(0-35)**	**SW846 8015B**

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Benzo(a)pyrene	101	(60 - 130)
	91	(60 - 130)

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

Bold print denotes control parameters

MATRIX SPIKE SAMPLE EVALUATION REPORT

GC Volatiles

Client Lot #...:	E0J250140	**Work Order #...:**	DNPXX1C9-MS	**Matrix.....:**	SOLID
MS Lot-Sample #:	E0J250140-001		DNPXX1DA-MSD		
Date Sampled...:	10/23/00 09:20	**Date Received..:**	10/24/00 16:00	**MS Run #.....:**	0307245
Prep Date.....:	10/25/00	**Analysis Date..:**	10/26/00		
Prep Batch #...:	0304504	**Analysis Time..:**	05:43		
Dilution Factor:	1	**% Moisture.....:**		**Analyst ID.....:**	001464
Instrument ID..:	G16				

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	RPD	RPD LIMITS	METHOD
TPH (as Gasoline)	**100**	**(80 - 140)**			**SW846 8015B**
	93	**(80 - 140)**	**7.3**	**(0-40)**	**SW846 8015B**

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
a,a,a-Trifluorotoluene (TFT)	111	(60 - 130)
	109	(60 - 130)

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

Bold print denotes control parameters

MATRIX SPIKE SAMPLE EVALUATION REPORT

GC/MS Volatiles

Client Lot #...:	E0J250140	Work Order #...:	DNP0G1AE-MS	Matrix.....:	SOLID
MS Lot-Sample #:	E0J250140-005		DNP0G1AF-MSD		
Date Sampled...:	10/23/00 10:52	Date Received..:	10/24/00 16:00	MS Run #.....:	0307213
Prep Date.....:	11/01/00	Analysis Date..:	11/01/00		
Prep Batch #...:	0307439	Analysis Time..:	23:08		
Dilution Factor:	1	% Moisture.....:		Analyst ID.....:	015590
Instrument ID..:	MSD				

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	RPD	RPD LIMITS	METHOD
1,1-Dichloroethene	**99**	**(60 - 150)**			**SW846 8260B**
	102	**(60 - 150)**	**3.8**	**(0-30)**	**SW846 8260B**
Benzene	**95**	**(70 - 140)**			**SW846 8260B**
	98	**(70 - 140)**	**3.3**	**(0-30)**	**SW846 8260B**
Trichloroethene	**110**	**(70 - 130)**			**SW846 8260B**
	115	**(70 - 130)**	**5.0**	**(0-30)**	**SW846 8260B**
Toluene	**96**	**(70 - 130)**			**SW846 8260B**
	101	**(70 - 130)**	**4.8**	**(0-30)**	**SW846 8260B**
Chlorobenzene	**99**	**(70 - 130)**			**SW846 8260B**
	103	**(70 - 130)**	**3.2**	**(0-30)**	**SW846 8260B**

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Bromofluorobenzene	90	(70 - 130)
	89	(70 - 130)
1,2-Dichloroethane-d4	85	(60 - 140)
	86	(60 - 140)
Toluene-d8	103	(70 - 130)
	103	(70 - 130)

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

Bold print denotes control parameters

MATRIX SPIKE SAMPLE EVALUATION REPORT

GC/MS Volatiles

Client Lot #...:	E0J250140	Work Order #...:	DNP2M1AC-MS	Matrix.....:	SOLID
MS Lot-Sample #:	E0J250140-021		DNP2M1AD-MSD		
Date Sampled...:	10/24/00 10:45	Date Received..:	10/24/00 16:00	MS Run #.....:	0307231
Prep Date.....:	11/01/00	Analysis Date..:	11/01/00		
Prep Batch #...:	0307482	Analysis Time..:	23:27		
Dilution Factor:	1	% Moisture.....:		Analyst ID.....:	015590
Instrument ID..:	MSG				

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	RPD	RPD LIMITS	METHOD
1,1-Dichloroethene	122	(60 - 150)			SW846 8260B
	122	(60 - 150)	0.23	(0-30)	SW846 8260B
Benzene	113	(70 - 140)			SW846 8260B
	114	(70 - 140)	0.74	(0-30)	SW846 8260B
Trichloroethene	69 a	(70 - 130)			SW846 8260B
	73	(70 - 130)	4.1	(0-30)	SW846 8260B
Toluene	108	(70 - 130)			SW846 8260B
	106	(70 - 130)	2.0	(0-30)	SW846 8260B
Chlorobenzene	106	(70 - 130)			SW846 8260B
	105	(70 - 130)	0.87	(0-30)	SW846 8260B

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Bromofluorobenzene	114	(70 - 130)
	105	(70 - 130)
1,2-Dichloroethane-d4	111	(60 - 140)
	107	(60 - 140)
Toluene-d8	112	(70 - 130)
	102	(70 - 130)

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

Bold print denotes control parameters

a Spiked analyte recovery is outside stated control limits.

MATRIX SPIKE SAMPLE EVALUATION REPORT

GC Volatiles

Client Lot #...:	E0J250140	**Work Order #...:**	DNP3W1A0-MS	**Matrix.....:**	SOLID
MS Lot-Sample #:	E0J250140-035		DNP3W1A1-MSD		
Date Sampled...:	10/24/00 15:19	**Date Received..:**	10/24/00 16:00	**MS Run #.....:**	0307256
Prep Date.....:	10/26/00	**Analysis Date..:**	10/26/00		
Prep Batch #...:	0304505	**Analysis Time..:**	14:16		
Dilution Factor:	1	**% Moisture.....:**		**Analyst ID.....:**	001464
Instrument ID..:	G16				

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	RPD	RPD LIMITS	METHOD
TPH (as Gasoline)	**103**	**(80 - 140)**			**SW846 8015B**
	100	**(80 - 140)**	**2.9**	**(0-40)**	**SW846 8015B**

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
a,a,a-Trifluorotoluene (TFT)	113	(60 - 130)
	116	(60 - 130)

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

Bold print denotes control parameters

MATRIX SPIKE SAMPLE EVALUATION REPORT

GC Semivolatiles

Client Lot #...:	E0J250140	**Work Order #...:**	DNRCV1A2-MS	**Matrix.....:**	SOLID
MS Lot-Sample #:	E0J250275-002		DNRCV1A3-MSD		
Date Sampled...:	10/25/00 08:09	**Date Received..:**	10/25/00 17:05	**MS Run #.....:**	0300273
Prep Date.....:	10/26/00	**Analysis Date..:**	10/29/00		
Prep Batch #...:	0300523	**Analysis Time..:**	18:39		
Dilution Factor:	1	**% Moisture.....:**	100	**Analyst ID.....:**	018568
Instrument ID..:	G9A				

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	RPD	RPD LIMITS	METHOD
Aroclor 1016	**103**	**(65 - 130)**			**SW846 8082**
	104	**(65 - 130)**	**1.2**	**(0-30)**	**SW846 8082**
Aroclor 1260	**92**	**(70 - 130)**			**SW846 8082**
	93	**(70 - 130)**	**1.7**	**(0-30)**	**SW846 8082**

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Decachlorobiphenyl	98	(60 - 140)
	97	(60 - 140)
Tetrachloro-m-xylene	147 *	(60 - 140)
	145 *	(60 - 140)

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

Bold print denotes control parameters

* Surrogate recovery is outside stated control limits.

MATRIX SPIKE SAMPLE EVALUATION REPORT

GC Semivolatiles

Client Lot #...:	E0J250140	**Work Order #...:**	DNRCV1A4-MS	**Matrix.....:**	SOLID
MS Lot-Sample #:	E0J250275-002		DNRCV1A5-MSD		
Date Sampled...:	10/25/00 08:09	**Date Received..:**	10/25/00 17:05	**MS Run #.....:**	0301185
Prep Date.....:	10/26/00	**Analysis Date..:**	11/12/00		
Prep Batch #...:	0300530	**Analysis Time..:**	03:42		
Dilution Factor:	1	**% Moisture.....:**	100	**Analyst ID.....:**	356074
Instrument ID..:	G01				

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	RPD	RPD LIMITS	METHOD
TPH (as Diesel)	**92**	**(60 - 130)**			**SW846 8015B**
	85	**(60 - 130)**	**7.9**	**(0-35)**	**SW846 8015B**

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Benzo(a)pyrene	93	(60 - 130)
	86	(60 - 130)

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

Bold print denotes control parameters

MATRIX SPIKE SAMPLE EVALUATION REPORT

GC/MS Volatiles

Client Lot #...:	E0J250140	Work Order #...:	DNRC71A1-MS	Matrix.....:	SOLID
MS Lot-Sample #:	E0J250275-004		DNRC71A2-MSD		
Date Sampled...:	10/25/00 08:50	Date Received..:	10/25/00 17:05	MS Run #.....:	0307294
Prep Date.....:	11/02/00	Analysis Date..:	11/02/00		
Prep Batch #...:	0307562	Analysis Time..:	14:26		
Dilution Factor:	1	% Moisture.....:	100	Analyst ID.....:	999998
Instrument ID..:	MSG				

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	RPD	RPD LIMITS	METHOD
1,1-Dichloroethene	**120**	**(60 - 150)**			**SW846 8260B**
	115	**(60 - 150)**	**3.7**	**(0-30)**	**SW846 8260B**
Benzene	**105**	**(70 - 140)**			**SW846 8260B**
	103	**(70 - 140)**	**1.4**	**(0-30)**	**SW846 8260B**
Trichloroethene	**103**	**(70 - 130)**			**SW846 8260B**
	102	**(70 - 130)**	**1.6**	**(0-30)**	**SW846 8260B**
Toluene	**105**	**(70 - 130)**			**SW846 8260B**
	98	**(70 - 130)**	**7.5**	**(0-30)**	**SW846 8260B**
Chlorobenzene	**99**	**(70 - 130)**			**SW846 8260B**
	93	**(70 - 130)**	**6.1**	**(0-30)**	**SW846 8260B**

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Bromofluorobenzene	109	(70 - 130)
	113	(70 - 130)
1,2-Dichloroethane-d4	106	(60 - 140)
	104	(60 - 140)
Toluene-d8	107	(70 - 130)
	104	(70 - 130)

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

Bold print denotes control parameters

MATRIX SPIKE SAMPLE EVALUATION REPORT

GC/MS Volatiles

Client Lot #...:	E0J250140	Work Order #...:	DNWA11A3-MS	Matrix.....:	SOLID
MS Lot-Sample #:	E0J260321-009		DNWA11A4-MSD		
Date Sampled...:	10/26/00 10:05	Date Received..:	10/26/00 16:40	MS Run #.....:	0311255
Prep Date.....:	11/03/00	Analysis Date..:	11/03/00		
Prep Batch #...:	0311589	Analysis Time..:	16:20		
Dilution Factor:	1	% Moisture.....:	100	Analyst ID.....:	015590
Instrument ID..:	MSG				

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	RPD	RPD LIMITS	METHOD
1,1-Dichloroethene	**102**	**(60 - 140)**			**SW846 8260B**
	97	**(60 - 140)**	**5.4**	**(0-35)**	**SW846 8260B**
Benzene	**102**	**(60 - 130)**			**SW846 8260B**
	98	**(60 - 130)**	**3.4**	**(0-35)**	**SW846 8260B**
Trichloroethene	**91**	**(60 - 140)**			**SW846 8260B**
	89	**(60 - 140)**	**2.3**	**(0-35)**	**SW846 8260B**
Toluene	**99**	**(60 - 130)**			**SW846 8260B**
	91	**(60 - 130)**	**8.2**	**(0-35)**	**SW846 8260B**
Chlorobenzene	**93**	**(60 - 130)**			**SW846 8260B**
	90	**(60 - 130)**	**3.4**	**(0-35)**	**SW846 8260B**

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Bromofluorobenzene	102	(60 - 140)
	98	(60 - 140)
1,2-Dichloroethane-d4	93	(60 - 140)
	93	(60 - 140)
Toluene-d8	99	(60 - 140)
	93	(60 - 140)

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

Bold print denotes control parameters