TABLES

Table 1

Summary of Parcel C Former USTs

Boeing Realty Corporation Former C-6 Facility, Parcel C

Los Angeles, California

Boeing UST Number	Nearest Building	Tank Capacity (gallons)	Reported Content	Closure Activities	Reference	Status
1T	20	12,000	gasoline	Thee confirmation samples were ND for TPH and VOCs. Lead was detected at a maximum concentration of 5.1 mg/kg, which was below the regulatory clean-up level.	WCC, 1987c; T&T, 1999	Request for closure submitted to LARWQCB
2T	20	4,000	gasoline	TPH was detected at 10 and 15 feet bgs at concentrations of 170 and 24,000 mg/kg, respectively. TPH was not detected in the soil sample collected from 20 feet bgs. Impacted soil was overexcavated to a depth of approximately 17 feet bgs.	WCC, 1987c	Request for closure submitted to LARWQCB
3T	20	4,000	gasoline	TPH was not detected in soil samples collected at 10, 15 and 20 feet bgs.	WCC, 1987c	Request for closure submitted to LARWQCB
4T	20	500	waste oil tank	42 mg/kg of TPH were detected which was below the regulatory clean-up level.	WCC, 1987c	Request for closure submitted to LARWQCB
5T	20	8,500	waste coolant	Excavated and backfilled; After removal of 5T, 6T and 7T, UST 88-01 was placed here. See UST 88-01 details below.	WCC, 1987c	Request for closure submitted to LARWQCB
6T	20	8,500	waste coolant	Excavated and backfilled; After removal of 5T, 6T and 7T, UST 88-01 was placed here. See UST 88-01 details below.	WCC, 1987c	Request for closure submitted to LARWQCB
7T	20	8,500	waste coolant	Excavated and backfilled; After removal of 5T, 6T and 7T, UST 88-01 was placed here. See UST 88-01 details below.	WCC, 1987c	Request for closure submitted to LARWQCB
8T	20	10,000	waste coolant	Five confirmation samples were collect: four of the samples were ND for TPH and one sample had a TPH concentration of 160 mg/kg which is below the regulatory clean-up level.	WCC, 1988a	Request for closure submitted to LARWQCB
11T	1	7,500	hydraulic oil	Excavated and backfilled; Soil boring 2BB-1-38 was drilled in 1997 and low concentrations of TPH (<50 mg/kg) were detected at depths up to 50 feet bgs. The residual TPH concentrations were below the regulatory clean-up level.	WCC, 1987c; Maness, 1994	Request for closure submitted to LARWQCB
12T	1	7,500	hydraulic oil	Excavated and backfilled; Soil boring 2BB-1-38 was drilled in 1997 and low concentrations of TPH (<50 mg/kg) were detected at depths up to 50 feet bgs. The residual TPH concentrations were below the regulatory clean-up level.	WCC, 1987c; Maness, 1994	Request for closure submitted to LARWQCB
13T	1	500	hydraulic oil	TPH impacted soil removed and excavation was backfilled; No additional investigation necessary.	WCC, 1987c; Maness, 1994	Request for closure submitted to LARWQCB
14T	1	500	hydraulic oil	TPH impacted soil removed and excavation was backfilled; No additional investigation necessary.	WCC, 1987c; Maness, 1994	Request for closure submitted to LARWQCB
15T	36	3,000	waste solvent	TCE and MEK were detected at depths to 60 feet bgs.	Emcon 1992	Part of ongoing remediation project (Bldg. 1/36 Area)
16T	36	5,000	TCA	TCE and MEK were detected at depths to 60 feet bgs.	Emcon, 1992	Part of ongoing remediation project (Bldg. 1/36 Area)
17T	36	5,000	TCA	TCE and MEK were detected at depths to 60 feet bgs.	Emcon, 1992	Part of ongoing remediation project (Bldg. 1/36 Area)
18T	36	5,000	methylene chloride & isopropyl alcohol	TCE and MEK were detected at depths to 60 feet bgs.	Emcon, 1992	Part of ongoing remediation project (Bldg. 1/36 Area)
19T	41	50,000	fuel oil	52 mg/kg of TRPH was detected which was below the regulatory clean-up level	WCC, 1987c; Maness, 1994	Request for closure submitted to LARWQCB

See notes on page 2

Table 1

Summary of Parcel C Former USTs

Boeing Realty Corporation Former C-6 Facility, Parcel C

Los Angeles, California

Boeing UST Number	Nearest Building	Tank Capacity (gallons)	Reported Content	Closure Activities	Reference	Status
20T	41	50,000	fuel oil	Three confirmation soil samples were reported to be ND for TPH, TRPH, BTEX and lead.	WCC, 1987c; Maness, 1994	Request for closure submitted to LARWQCB
27T	2	300-550	gasoline	Four confirmation soil samples were reported to be ND for TPH and VOCs.	Crosby & Overton, 1988a, 1988b; TetraTech 1994	Request for closure submitted to LARWQCB
28T	2	300-550	gasoline	Five confirmation soil samples were reported to be ND for TPH and VOCs.	Crosby & Overton, 1988a, 1988b; TetraTech 1994	Request for closure submitted to LARWQCB
29T	2	300-550	gasoline	Two soil borings were drilled in November 2001 to further assess TPH; TPH was not detected in the soil.	Haley & Aldrich, Inc, 2002	Request for closure submitted to LARWQCB
30T	2	300-550	gasoline	TPH and benzene were not detected in the one confirmation soil sample; however, toluene, xylene and ethylbenzene were reported at concentrations of 29,1 and 1 µg/kg, respectively.	Crosby & Overton, 1988a	Request for closure submitted to LARWQCB
31T	2	300-550	gasoline	Three confirmation soil samples were reported to be ND for TPH and VOCs.	Crosby & Overton, 1988a, 1988b; TetraTech 1994	Request for closure submitted to LARWQCB
32T	2	130	gasoline	Overexcavated to 14 feet bgs and confirmation sample was ND.	Crosby & Overton, 1988a, 1988b	Request for closure submitted to LARWQCB
37T	1 (adj.)	130	diesel	Overexcavated to 18 feet bgs. Trace levels of TPH (< 0.25 mg/kg) in sidewalls and bottom samples.	Crosby & Overton, 1988a, 1988b	Request for closure submitted to LARWQCB
88-01	20 (adj.)	6,000	unleaded gasoline	Placed in location previously occupied by 5T, 6T, 7T; subsequently removed. Two soil samples were collected from the bottom of the excavation and TPH was ND. Total xylenes, toluene and MTBE were detected at concentrations of 15, 8.7 and 390 µg/kg.	American Integrated, 2000	Request for closure submitted to LARWQCB

Notes:
LARWQCB = Los Angeles Regional Water Quality Control Board
WCC = Woodward Clyde Consultants
T&T = T&T Environmental
Maness = Maness Environmental, Inc.
Emcon = Emcon Associates
(adj.) = adjacent to building
mg/kg = milligrams per kilogram
TPH = Total petroleum hydrocarbons
TRPH = Total recoverable petroleum hydrocarbons
VOCs = Volatile organic compounds
MTBE = Methyl tertiary butyl ether
TCE = Trichloroethene
TCA = Trichloroethane
MEK = Methyl ethyl ketone
bgs = below ground surface

QA/QC by: _____
Date: _____

See notes on page 2

Table 2
Field Action Levels for Soil
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Chemical	CAS No.	Industrial Soil FAL (mg/kg)	Basis
Aluminum*	7429-90-5	5.4E+04	Background
Antimony	7440-36-0	1.4E+01	SSL
Arsenic	7440-38-2	8.0E+00	Background
Barium	7440-39-3	6.3E+02	SSL
Beryllium	7440-41-7	3.1E+02	SSL
Cadmium	7440-43-9	2.7E+01	SSL
Chromium*	7440-47-3	7.6E+01	SSL
Cobalt*	7440-48-4	2.8E+01	Background
Copper*	7440-50-8	8.0E+01	Background
Lead*	7439-92-1	2.4E+01	Background
Mercury	7487-94-7	1.1E+01	SSL
Molybdenum*	7439-98-7	1.2E+01	RDL
Nickel*	7440-02-0	1.9E+03	SSL
Selenium	7782-49-2	1.0E+01	SSL
Silver	7440-22-4	3.1E+01	SSL
Thallium*	7440-28-0	2.1E+00	SSL
Vanadium	7440-62-2	4.8E+03	Noncancer PRG
Zinc	7440-66-6	4.2E+03	SSL
Hexavalent Chromium	18540-29-9	3.8E+01	SSL
Aroclor-1016	12674-11-2	3.4E+00	SSL
Aroclor-1221	11104-28-2	3.7E-02	SSL
Aroclor-1232	11141-16-5	3.3E-02	RDL
Aroclor-1242	53469-21-9	1.1E-01	SSL
Aroclor-1248	12672-29-6	1.7E+00	SSL
Aroclor-1254	11097-69-1	6.7E-01	SSL
Aroclor-1260	11096-82-5	9.8E-01	SSL
Acenaphthene	83-32-9	2.3E+02	SSL
Acenaphthylene	208-96-8	1.5E+03	SSL
Anthracene	120-12-7	5.3E+03	SSL
Benzo(a)Anthracene	56-55-3	2.4E+00	SSL
Benzo(a)Pyrene	50-32-8	4.7E-01	Cancer PRG
Benzo(b)Fluoranthene	205-99-2	4.7E+00	Cancer PRG
Benzo(g,h,I)Perylene	191-24-2	2.0E+01	SSL
Benzo(k)Fluoranthene	207-08-9	4.7E+02	Cancer PRG
Chrysene	218-01-9	2.4E+03	SSL
Dibenzo(a,h)Anthracene	53-70-3	1.6E-01	Cancer PRG
Fluoranthene	206-44-0	6.3E+03	SSL
Fluorene	86-73-7	2.4E+02	SSL
Indeno(1,2,3-c,d)Pyrene	193-39-5	4.7E+00	Cancer PRG
Naphthalene	91-20-3	2.0E+01	SSL
Phenanthrene	85-01-8	1.5E+03	SSL
Pyrene	129-00-0	1.5E+03	SSL
1,2,4-Trichlorobenzene	120-82-1	1.4E+01	SSL
1,2-Dichlorobenzene	95-50-1	3.5E+01	SSL
1,3-Dichlorobenzene	541-73-1	3.5E-01	SSL
1,4-Dichlorobenzene	106-46-7	3.3E-01	RDL
2,4,5-Trichlorophenol	95-95-4	3.0E+02	SSL
2,4,6-Trichlorophenol	88-06-2	3.3E-01	RDL
2,4-Dichlorophenol	120-83-2	1.3E+00	SSL
2,4-Dimethylphenol	105-67-9	1.0E+01	SSL
2,4-Dinitrophenol	51-28-5	1.6E+00	RDL
2,4-Dinitrotoluene	121-14-2	7.2E-01	SSL
2,6-Dinitrotoluene	606-20-2	3.3E-01	RDL
2-Chloronaphthalene	91-58-7	1.0E+02	SSL
2-Chlorophenol	95-57-8	2.0E+00	SSL
2-Methylnaphthalene	91-57-6	2.0E+01	SSL
2-Methylphenol	95-48-7	2.0E+01	SSL
2-Nitroaniline	88-74-4	1.6E+00	RDL
2-Nitrophenol	88-75-5	2.2E+00	SSL
3,3-Dichlorobenzidine	91-94-1	1.6E+00	RDL
3-Nitroaniline	99-09-2	1.6E+00	RDL
4,6-Dinitro-2-Methylphenol	534-52-1	1.6E+00	RDL
4-Bromophenylphenyl Ether	101-55-3	3.3E-01	RDL

Table 2
Field Action Levels for Soil
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Chemical	CAS No.	Industrial Soil FAL (mg/kg)	Basis
4-Chloro-3-Methylphenol	59-50-7	2.0E+00	SSL
4-Chloroaniline	106-47-8	1.3E+00	SSL
4-Chlorophenyl-Phenyl Ether	7005-72-3	3.3E-01	RDL
4-Methylphenol	106-44-5	1.7E+00	SSL
4-Nitroaniline	100-01-6	1.6E+00	RDL
4-Nitrophenol	100-02-7	2.2E+00	SSL
Aniline	62-53-3	6.6E-01	RDL
Benzidine	92-87-5	6.6E-01	RDL
Benzoic Acid	65-85-0	8.8E+02	SSL
Benzyl Alcohol	100-51-6	8.5E+01	SSL
Bis(2-Chloroethoxy)Methane	111-91-1	3.3E-01	RDL
Bis(2-Chloroethyl)Ether	111-44-4	3.3E-01	RDL
Bis(2-Chloroisopropyl)Ether	108-60-1	3.3E-01	RDL
Bis(2-Ethylhexyl)Phthalate	117-81-7	3.8E+01	Cancer PRG
Butylbenzylphthalate	85-68-7	9.0E+02	SSL
Dibenzofuran	132-64-9	2.3E+01	SSL
Diethylphthalate	84-66-2	8.6E+04	SSL
Dimethyphthalate	131-4-3	3.3E-01	RDL
Di-n-Butylphthalate	84-74-2	2.0E+03	SSL
Di-n-Octylphthalate	117-84-0	5.9E+03	Noncancer PRG
Hexachlorobenzene	118-74-1	3.3E-01	RDL
Hexachlorobutadiene	87-68-3	2.0E+00	SSL
Hexachlorocyclopentadiene	77-47-4	4.0E+02	SSL
Hexachloroethane	67-72-1	1.0E+00	SSL
Isophorone	78-59-1	5.0E-01	SSL
Nitrobenzene	98-95-3	3.3E-01	RDL
N-Nitrosodimethylamine	62-75-9	3.3E-01	RDL
N-Nitroso-Di-n-Propylamine	621-64-7	3.3E-01	RDL
N-Nitrosodiphenylamine	86-30-6	1.0E+00	SSL
Pentachlorophenol	87-86-5	1.6E+00	RDL
Phenol	108-95-2	1.6E+02	SSL
1,1,1,2-Tetrachloroethane	630-20-6	5.0E-03	RDL
1,1,1-Trichloroethane	71-55-6	1.8E+02	SSL
1,1,2,2-Tetrachloroethane	79-34-5	5.0E-03	RDL
1,1,2-Trichloroethane	79-00-5	1.4E-02	SSL
1,1-Dichloroethane	75-34-3	1.5E+01	SSL
1,1-Dichloroethene	75-35-4	5.0E-03	RDL
1,1-Dichloropropene	563-58-6	5.0E-03	RDL
1,2,3-Trichlorobenzene	87-61-6	1.4E+01	SSL
1,2,3-Trichloropropane	96-18-4	5.0E-03	RDL
1,2,4-Trichlorobenzene	120-82-1	1.4E+01	SSL
1,2,4-Trimethylbenzene	95-63-6	5.7E+01	Noncancer PRG
1,2-Dibromo-3-Chloropropane	96-12-8	1.0E-02	RDL
1,2-Dibromoethane	106-93-4	5.0E-03	RDL
1,2-Dichlorobenzene	95-50-1	3.5E+01	SSL
1,2-Dichloroethane	107-06-2	5.0E-03	RDL
1,2-Dichloropropane	78-87-5	5.0E-03	RDL
1,3,5-Trimethylbenzene	108-67-8	2.3E+01	Noncancer PRG
1,3-Dichlorobenzene	541-73-1	3.5E-01	SSL
1,4-Dichlorobenzene	106-46-7	1.2E-02	SSL
1,4-Dioxane	123-91-1	2.5E-01	RDL
2,2-Dichloropropane	594-20-7	5.0E-03	RDL
2-Butanone(MEK)	78-93-3	6.8E+01	SSL
2-Chloroethylvinyl Ether	110-75-8	1.0E-02	RDL
2-Chlorotoluene	95-49-8	4.6E+00	SSL
2-Hexanone	591-78-6	1.6E+01	SSL
2,2-Dichloropropane	594-20-7	5.0E-03	RDL
4-Chlorotoluene	106-43-4	4.6E+00	SSL
4-Methyl-2-Pentanone (MIBK)	108-10-1	1.6E+01	SSL
Acetone	67-64-1	1.1E+01	SSL
Acetonitrile	75-05-8	7.4E-01	SSL
Acrolein	107-02-8	1.1E-01	Noncancer PRG
Acrylonitrile	107-13-1	1.0E-01	RDL

Table 2
Field Action Levels for Soil
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Chemical	CAS No.	Industrial Soil FAL (mg/kg)	Basis
Benzene	71-43-2	1.3E-02	SSL
Bromobenzene	108-86-1	5.5E+00	SSL
Bromochloromethane	74-97-5	5.0E-03	RDL
Bromodichloromethane	75-27-4	5.0E-03	RDL
Bromoform	75-25-2	8.0E-01	SSL
Bromomethane	74-83-9	1.8E-01	SSL
Carbon Disulfide	75-15-0	6.1E+00	Noncancer PRG
Carbon Tetrachloride	56-23-5	5.0E-03	RDL
Chlorobenzene	108-90-7	5.5E+00	SSL
Chloroethane	75-00-3	3.5E-02	SSL
Chloroform	67-66-3	5.0E-03	RDL
Chloromethane	74-87-3	1.4E-02	SSL
Cis-1,2-Dichloroethene	156-59-2	1.2E-01	SSL
Cis-1,3-Dichloropropene	10061-01-5	5.0E-03	RDL
Dibromochloromethane	124-48-1	5.0E-03	RDL
Dichlorodifluoromethane (Freon 12)	75-71-8	4.2E+01	SSL
Ethylbenzene	100-41-4	2.7E+01	SSL
Hexachlorobutadiene	87-68-3	5.7E-03	SSL
Iodomethane	74-88-4	1.0E-02	RDL
Isopropylbenzene	98-82-8	1.7E+02	Noncancer PRG
Isopropyl Ether (DIPE)	108-20-3	4.1E+01	SSL
Methylene Chloride	75-09-2	5.7E-02	SSL
Methyl-T-Butyl Ether (MTBE)	1634-04-4	4.1E+01	SSL
N-Butylbenzene	104-51-8	2.2E+01	SSL
N-Propylbenzene	103-65-1	2.2E+01	SSL
P-Isopropyl Toluene	99-87-6	5.3E+02	SSL
Sec-Butylbenzene	135-9-88	1.7E+01	SSL
Styrene	100-42-5	1.6E+02	SSL
T-Butanol	75-65-0	4.6E+01	SSL
T-Butylbenzene	98-06-6	1.7E+01	SSL
Tert-Amyl Methyl Ether (TAME)	994-05-8	4.1E+01	SSL
Tert-Butyl Ethyl Ether (Etbe)	637-92-3	4.1E+01	SSL
Tetrachloroethene (PCE)	127-18-4	2.3E-02	SSL
Tetrahydrofuran	109-99-9	3.2E+02	Cancer PRG
Toluene	108-88-3	3.8E+01	SSL
Trans-1,2-Dichloroethene	156-60-5	3.0E+00	SSL
Trans-1,3-Dichloropropene	10061-02-6	5.0E-03	RDL
Trichloroethene (TCE)	79-01-6	2.7E-02	SSL
Trichlorofluoromethane	75-69-4	6.8E+01	SSL
Vinyl Acetate	108-05-4	1.1E+02	SSL
Vinyl Chloride	75-01-4	1.0E-02	RDL
Xylenes (Total)	1330-20-7	5.3E+02	SSL
Perchlorate	7601-90-3	5.0E-02	RDL
Sodium Cyanide	143-33-9	4.0E+01	SSL
Gasoline/naptha	n.a.	5.6E+03	Residual saturation
Kerosene/JP-4	n.a.	7.8E+03	Residual saturation
Diesel #2	n.a.	1.0E+04	Residual saturation
Fuel Oil	n.a.	1.4E+04	Residual saturation

Notes:
*FAL revised to match Parcel C background levels
SSL = Soil Screening Level
RDL = Reporting Detection Limit
PRG = Preliminary Remediation Goal
mg/kg = milligrams per kilogram

QA/QC by: _____
Date: _____

Table 3
Soil Gas Screening Concentrations
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Chemical	CAS No.	Commercial/Light Industrial (mg/m^3 or µg/l)
Trichloroethlyene (TCE)	79-01-6	2,970
Tetrachloroethylene (PCE)	127-18-4	1,550
Methylene Chloride	75-09-2	6,690
1,1,1-Trichloroethane (1,1,1-TCA)	71-55-6	958,000
1,1-Dichloroethylene (1,1-DCE)	75-35-4	145
cis-1,2-Dichloroethylene (cis 1,2-DCE)	156-59-2	34,800
trans-1,2-Dichloroethylene (trans-1,2-DCE)	156-60-5	72,600
Vinyl Chloride	75-01-4	78.9
1,1 - Dichloroethane (1,1-DCA)	75-34-3	5,550
1,1,2 - TCA	79-00-5	527
Benzene	71-43-2	266
Chloroform	67-66-3	1,230
Ethylbenzene	100-41-4	1,960,000
Methyl Ethyl Ketone (MEK)	78-93-3	401,000
Methyl tertiary butyl ether (MTBE)	1634-04-4	7,410,000
Naphthalene	91-20-3	11,400
Toluene	108-88-3	255,000
Trichlorofluoromethane (Freon 11)	75-69-4	592,000
Xylenes	1330-20-7	736,000
1,2-Dichloroethane (1,2-DCA,EDC)	107-06-2	335
Dichlorodifluoromethane	75-71-8	184,000
Carbon tetrachloride	75-71-8	200

Notes:
mg/m^3 = milligrams per cubic meter
µg/l = micrograms per liter

QA/QC by: _____
Date: _____

Table 4
Summary of Soil Stockpile Management
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Stockpile	Approx. Volume	Location of Source Material	Chemical Constituents	Material Disposition	Reference
SP-1	~60 cy	Build-1-A-4 Build-1-D-3 Build-1-J-4 Build-2-O-9 Build-2-T-20 Build-2-U-9 Build-2-X-11 Build-20-L-23	TPH, VOCs, PAHs	Treat and/or dispose at off-site facility. Soil transported to off-site facility in September 2001.	Haley & Aldrich Tech Memo: Stockpile Placement/ Disposition Evaluation, Stockpiles SP-1 Through SP-11, July 19, 2001.
SP-2	~150 cy	Build-2-AK-13	TPH, PCBs, PAHs, SVOCs, VOCs, Metals	Risk screening showed soil to be acceptable for reuse on-site, outside of Building 2 area. Soil reused on-site.	Haley & Aldrich Tech Memo: Stockpile Placement/ Disposition Evaluation, Stockpiles SP-1 Through SP-11, July 19, 2001.
SP-3	~80 cy	Build-2-AK-17	TPH, PCBs, PAHs, SVOCs, VOCs, Metals	Treat and/or dispose at off-site facility. Soil transported to off-site facility in September 2001.	Haley & Aldrich Tech Memo: Stockpile Placement/ Disposition Evaluation, Stockpiles SP-1 Through SP-11, July 19, 2001.
SP-4	~200 cy	Build-20-M-23 Build-20-L-23 Build-20-Q-23 Build-20-R-23	TPH, PCBs, PAHs, SVOCs, Metals	Treat and/or dispose at off-site facility. Soil transported to off-site facility in September 2001.	Haley & Aldrich Tech Memo: Stockpile Placement/ Disposition Evaluation, Stockpiles SP-1 Through SP-11, July 19, 2001.
SP-5	~1,500 cy	Build-2-AF-16 Build-2-AF-17 Build-2-AG-16	TPH, PAHs, Metals	Risk screening showed soil to be acceptable for reuse on-site, outside of Building 1 and 2 areas. Soil placed in Building 66 area as backfill.	Haley & Aldrich Tech Memo: Stockpile Placement/ Disposition Evaluation, Stockpiles SP-1 Through SP-11, July 19, 2001.
SP-6	NA concrete + soil	Build-2-O-14	Metals	Hauled off-site for disposal in May 2001.	Haley & Aldrich Tech Memo: Stockpile Placement/ Disposition Evaluation, Stockpiles SP-1 Through SP-11, July 19, 2001.
SP-7	~200 cy	Build-2-V-14 Build-2-T-18	TPH, PCBs, SVOCs, VOCs, Metals	Treat and/or dispose at off-site facility. Soil transported to off-site facility in September 2001.	Haley & Aldrich Tech Memo: Stockpile Placement/ Disposition Evaluation, Stockpiles SP-1 Through SP-11, July 19, 2001.
SP-8	~50 cy	Build-2-AD-14	TPH, PCBs, PAHs, SVOCs, VOCs, Metals	Treat and/or dispose at off-site facility. Soil transported to off-site facility in September 2001.	Haley & Aldrich Tech Memo: Stockpile Placement/ Disposition Evaluation, Stockpiles SP-1 Through SP-11, July 19, 2001.
SP-9	~500 cy	Build-2-AN-23 Build-2-AN-20 Build-2-AN-19 Build-2-W-11 Build-2-X-11 Build-2-Z-20 Build-2-AA-20 Build-2-AB-20 Build-2-AD-20 Build-2-P-21	TPH, PCBs, PAHs, SVOCs, VOCs, Metals	Treat and/or dispose at off-site facility. Soil transported to off-site facility in September 2001.	Haley & Aldrich Tech Memo: Stockpile Placement/ Disposition Evaluation, Stockpiles SP-1 Through SP-11, July 19, 2001.

BOE-C6-0182418

Table 4
Summary of Soil Stockpile Management
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Stockpile	Approx. Volume	Location of Source Material	Chemical Constituents	Material Disposition	Reference
SP-10A	~2,500 cy	Build-2-M-9 through Build-2-M-17	TPH, PAHs, VOCs, Metals	Pile Segregated: 1,150 cy appropriate for reuse anywhere in Parcel C, 1,350 cy transported to off-site facility in August 2001.	Technical Memorandum, Stockpile Placement/ Disposition Evaluation, Stockpiles SP-1 Through SP-11, July 19, 2001, Haley & Aldrich, Inc.
SP-10B	~2,500 cy	Build-2-M-9 through Build-2-M-17	TPH, PAHs, VOCs, Metals	Pile Segregated: 150 cy appropriate for reuse anywhere in Parcel C, 2,415 cy transported to off-site facility in August 2001.	Haley & Aldrich Tech Memo: Stockpile Placement/ Disposition Evaluation, Stockpiles SP-1 Through SP-11, July 19, 2001.
SP-11	~20 cy	Build-1-M-10	TPH, PAHs, VOCs, Metals	Treat and/or dispose at off-site facility. Soil transported to off-site facility in September 2001.	Haley & Aldrich Tech Memo: Stockpile Placement/ Disposition Evaluation, Stockpiles SP-1 Through SP-11, July 19, 2001.
SP-12	~1,050 cy	Build-2-T-20	TPH, PAHs, VOCs, Metals	Pile Segregated: 750 cy acceptable for reuse in Building 1 area: reused in Building 1 area in August 2001, 300 cy transported to off-site facility in September 2001.	Haley & Aldrich Tech Memo: Stockpile Placement/ Disposition Evaluation, Stockpiles SP-12 and SP-14, August 1, 2001.
SP-13	~10 cy	Parcels A and C (drill cuttings)		Acceptable for re-use anywhere on Parcel C. Placed in Former Building 1 and 32 areas.	Haley & Aldrich Tech Memo: Stockpile Placement/ Disposition Evaluation Stockpiles SP-13, SP-15, SP-16, August 29, 2001.
SP-14	~250 cy	Build-2-T-20	TPH, PAHs, VOCs, Metals	Treat and/or dispose at off-site facility. Soil transported to off-site facility in September 2001.	Haley & Aldrich Tech Memo: Stockpile Placement/ Disposition Evaluation, Stockpiles SP-12 and SP-14, August 1, 2001.
SP-15	~50 cy	Build-2-AK-11		Acceptable for re-use anywhere on Parcel C. Placed in former Building 1 area.	Haley & Aldrich Tech Memo: Stockpile Placement/ Disposition Evaluation Stockpiles SP-13, SP-15, SP-16, August 29, 2001.
SP-16	~50 cy	Build-2-AK-14	TPH, VOCs, SVOCs, PAHs, Metals	Acceptable for re-use on-site outside of Building 2 area. Placed in former Building 1 area.	Haley & Aldrich Tech Memo: Stockpile Placement/ Disposition Evaluation Stockpiles SP-13, SP-15, SP-16, August 29, 2001.
SP-17	~40 cy	Build-1-C-13	PAHs	Treat and/or dispose at off-site facility. Soil transported to off-site facility in September 2001.	Haley & Aldrich Tech Memo: Stockpile Placement/ Disposition Evaluation, October 17, 2001.
SP-18	~50 cy	Build-32-4	VOCs	Treat and/or dispose at off-site facility. Soil transported to off-site facility in September 2001.	Haley & Aldrich Tech Memo: Stockpile Placement/ Disposition Evaluation, October 17, 2001.
SP-19	~5,000 cy	Build-1-21 through 1-23 Build-1-H-8 Build-1-E-8 Build-32-2BB-5-20 Build-66-66-9	Metals	Treat and/or dispose at off-site facility. Soil transported to off-site facility in October-November 2001.	Haley & Aldrich Tech Memo: Stockpile Placement/ Disposition Evaluation, October 17, 2001.
SP-20	~15 cy	Drill Cuttings Bldg 2		Acceptable for re-use anywhere on Parcel C. Placed in former Building 66 area.	Haley & Aldrich Tech Memo: Stockpile Placement/Disposition Evaluation, November 30, 2001

BOE-C6-0182419

Table 4
Summary of Soil Stockpile Management
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Stockpile	Approx. Volume	Location of Source Material	Chemical Constituents	Material Disposition	Reference
SP-10A	~2,500 cy	Build-2-M-9 through Build-2-M-17	TPH, PAHs, VOCs, Metals	Pile Segregated: 1,150 cy appropriate for reuse anywhere in Parcel C, 1,350 cy transported to off-site facility in August 2001.	Technical Memorandum, Stockpile Placement/ Disposition Evaluation, Stockpiles SP-1 Through SP-11, July 19, 2001, Haley & Aldrich, Inc.
SP-10B	~2,500 cy	Build-2-M-9 through Build-2-M-17	TPH, PAHs, VOCs, Metals	Pile Segregated: 150 cy appropriate for reuse anywhere in Parcel C, 2,415 cy transported to off-site facility in August 2001.	Haley & Aldrich Tech Memo: Stockpile Placement/ Disposition Evaluation, Stockpiles SP-1 Through SP-11, July 19, 2001.
SP-11	~20 cy	Build-1-M-10	TPH, PAHs, VOCs, Metals	Treat and/or dispose at off-site facility. Soil transported to off-site facility in September 2001.	Haley & Aldrich Tech Memo: Stockpile Placement/ Disposition Evaluation, Stockpiles SP-1 Through SP-11, July 19, 2001.
SP-12	~1,050 cy	Build-2-T-20	TPH, PAHs, VOCs, Metals	Pile Segregated: 750 cy acceptable for reuse in Building 1 area: reused in Building 1 area in August 2001, 300 cy transported to off-site facility in September 2001.	Haley & Aldrich Tech Memo: Stockpile Placement/ Disposition Evaluation, Stockpiles SP-12 and SP-14, August 1, 2001.
SP-13	~10 cy	Parcels A and C (drill cuttings)		Acceptable for re-use anywhere on Parcel C. Placed in Former Building 1 and 32 areas.	Haley & Aldrich Tech Memo: Stockpile Placement/ Disposition Evaluation Stockpiles SP-13, SP-15, SP-16, August 29, 2001.
SP-14	~250 cy	Build-2-T-20	TPH, PAHs, VOCs, Metals	Treat and/or dispose at off-site facility. Soil transported to off-site facility in September 2001.	Haley & Aldrich Tech Memo: Stockpile Placement/ Disposition Evaluation, Stockpiles SP-12 and SP-14, August 1, 2001.
SP-15	~50 cy	Build-2-AK-11		Acceptable for re-use anywhere on Parcel C. Placed in former Building 1 area.	Haley & Aldrich Tech Memo: Stockpile Placement/ Disposition Evaluation Stockpiles SP-13, SP-15, SP-16, August 29, 2001.
SP-16	~50 cy	Build-2-AK-14	TPH, VOCs, SVOCs, PAHs, Metals	Acceptable for re-use on-site outside of Building 2 area. Placed in former Building 1 area.	Haley & Aldrich Tech Memo: Stockpile Placement/ Disposition Evaluation Stockpiles SP-13, SP-15, SP-16, August 29, 2001.
SP-17	~40 cy	Build-1-C-13	PAHs	Treat and/or dispose at off-site facility. Soil transported to off-site facility in September 2001.	Haley & Aldrich Tech Memo: Stockpile Placement/ Disposition Evaluation, October 17, 2001.
SP-18	~50 cy	Build-32-4	VOCs	Treat and/or dispose at off-site facility. Soil transported to off-site facility in September 2001.	Haley & Aldrich Tech Memo: Stockpile Placement/ Disposition Evaluation, October 17, 2001.
SP-19	~5,000 cy	Build-1-21 through 1-23 Build-1-H-8 Build-1-E-8 Build-32-2BB-5-20 Build-66-66-9	Metals	Treat and/or dispose at off-site facility. Soil transported to off-site facility in October-November 2001.	Haley & Aldrich Tech Memo: Stockpile Placement/ Disposition Evaluation, October 17, 2001.
SP-20	~15 cy	Drill Cuttings Bldg 2		Acceptable for re-use anywhere on Parcel C. Placed in former Building 66 area.	Haley & Aldrich Tech Memo: Stockpile Placement/Disposition Evaluation, November 30, 2001

BOE-C6-0182420

Table 4
Summary of Soil Stockpile Management
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Stockpile	Approx. Volume	Location of Source Material	Chemical Constituents	Material Disposition	Reference
SP-21	~20 cy	Drill Cuttings Parcel D		Acceptable for re-use on-site outside of Building 2 area. Placed in former Building 1 area.	Haley & Aldrich Tech Memo: Stockpile Placement/Disposition Evaluation, November 30, 2001
SP-22	~5 cy	Build-1-B-15	Metals, PAHs	Treat and/or dispose at off-site facility. Soil transported to off-site facility in November 2001.	Haley & Aldrich Tech Memo: Stockpile Placement/ Disposition Evaluation, March 2002.
SP-23	~10 cy	Drill Cuttings Bldg 1	VOCs	Treat and/or dispose at off-site facility. Soil transported to off-site facility in February 2002.	Haley & Aldrich Tech Memo: Stockpile Placement/ Disposition Evaluation, March 2002.
SP-24	~40 cy	Build-1-B-15	Metals, PAHs	Acceptable for re-use anywhere on Parcel C. Placed in former Building 1 area.	Haley & Aldrich Tech Memo: Stockpile Placement/ Disposition Evaluation, March 2002.

Note: cy = cubic yards.

QA/QC by: _____
Date: _____

BOE-C6-0182421

Table 5
Summary of Sources and Quality of Imported Soil
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Source	Historical Land Use	Location	Estimated Source Volume (cy)*	Reference
Parcel B	Industrial	Shallow soil (0 to 12 feet bgs) from Parcel B	4,000	Haley & Aldrich Tech Memo: Import Soil Evaluation Use of Parcel B Soil as Import to Parcel C, February 15, 2001.
Source F	Residential	166th and Falda, Torrance, CA	4,000-5,000	Haley & Aldrich Tech Memo: Import Soil Evaluation Use of Soil Sources F and G as Import to Parcel C, March 6, 2001.
Source G	Sidewalk construction	Ocean Boulevard between Pacific Coast Highway and Lomita, Torrance, CA	4,000	Haley & Aldrich Tech Memo: Import Soil Evaluation Use of Soil Sources F and G as Import to Parcel C, March 6, 2001.
Source H	Residential	7th Avenue and Catalina, Los Angeles, CA	14,000	Haley & Aldrich Tech Memo: Import Soil Evaluation Use of Soil Sources H and N as Import to Parcel C, April 11, 2001.
Source I	Freeway construction	Caltrans right-of-way at the northbound Interstate 405 on-ramp at Imperial Highway, Los Angeles, CA	12,000	Haley & Aldrich Tech Memo: Import Soil Evaluation Use of Soil Sources I and J as Import to Parcel C, March 30, 2001.
Source J	Freeway construction	Caltrans right-of-way at the northbound Interstate 405 off-ramp at El Segundo, Los Angeles, CA	28,000	Haley & Aldrich Tech Memo: Import Soil Evaluation Use of Soil Sources I and J as Import to Parcel C, March 30, 2001.
Source K2	Unknown	Stockpiled soil, corner of Wisconsin Avenue and Alameda Street, Los Angeles, CA	500	Haley & Aldrich Tech Memo: Import Soil Evaluation Use of Soil Source K2 as Import to Parcel C, April 30, 2001.
Source N	St. John's Hospital	Santa Monica, CA	1,800	Haley & Aldrich Tech Memo: Import Soil Evaluation Use of Soil Sources H and N as Import to Parcel C, Aprill 11, 2001.
Source P	Parking lot and movie studio	Parking lot, 10270 Constellation Boulevard, Los Angeles, CA	120,000	Haley & Aldrich Tech Memo: Import Soil Evaluation Use of Soil Source P as Import to Parcel C, June 15, 2001.
Source V	Residential	2313-2323 Beverly Glen Boulevard, Los Angeles	6,000	Haley & Aldrich Tech Memo: Import Soil Evaluation Use of Soil Source V as Import to Parcel C, August 3, 2001.
Source W	Residential/ commercial/ industrial	Between Harbor College Library and Harbor Regional Park Golf Course	25,000	Haley & Aldrich Tech Memo: Import Soil Evaluation Use of Soil Source W as Import to Parcel C, August 3, 2001.
Source Y	Los Angeles County Wastewater Treatment Plant	Figueroa Street and Sepulveda Boulevard, Los Angeles, CA	10,000	Haley & Aldrich Tech Memo: Import Soil Evaluation Use of Soil Source Y as Import to Parcel C, September 4, 2001.
Source AA	UCLA Health Sciences Complex	Charles E. Young Drive South, UCLA Campus	20,000	Haley & Aldrich Tech Memo: Import Soil Evaluation Use of Soil Source AA as Import to Parcel C, December 2001.
Source CC	Apartment Complex	Corner of Manitoba and Pershing Drive, Los Angeles, CA	30,000	Haley & Aldrich Tech Memo: Import Soil Evaluation Use of Soil Source CC as Import to Parcel C, January 2002.
Parcel B (II)	Industrial	Shallow soil (0 to 12 feet bgs) from Parcel B	9,000	Haley & Aldrich Tech Memo: Import Soil Evaluation Use of Parcel B as Import to Parcel C, March 2002.

Notes:
cy = cubic yards
*Profile sampling based on grading contractor's estimated volume. Actual imported volumes may vary.

QA/QC by: _____
Date: _____

Table 6
Summary of Environmental Features and Soil Investigation Results
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Feature Number	Description	Location	Soil Boring	Sample Depths (ft)						Analytical Program							Results
				1	5	10	15	20	>20	Vapor	TPH	VOCs	Metals	PCBs	pH	Other	
Building 1																	
3	Coolant reclamation system	East of Building 1	C-1-26	✓	✓	✓					✓		✓				**Organic Chemicals** No detectable concentrations of TPH were found in soil samples. **Inorganic Chemicals** No metals were detected above their respective FALs.
5	Chrome removal tank	East of Building 1	C-1-27	✓	✓	✓					✓	✓	✓			Cr(6)	**Organic Chemicals** No detectable concentrations of VOCs or TPH were found in soil samples. **Inorganic Chemicals** No metals (including hexavalent chromium) were detected above their respective FALs.
6	Waste coolant tank	East of Building 1	C-1-49	✓	✓	✓	✓				✓	✓	✓				**Organic Chemicals** No detectable concentrations of VOCs or TPH were found in soil samples. **Inorganic Chemicals** No metals were detected above their respective FALs.
7	Fuel tanks	NW quadrant of Building 1	C-1-6	✓	✓	✓					✓						**Organic Chemicals** No detectable concentrations of TPH were found in soil samples. **Inorganic Chemicals** Not tested
7A	Fuel tanks	NW quadrant of Building 1	C-1-10	✓	✓	✓					✓						**Organic Chemicals** 60 mg/kg of TPH was detected at 2 feet. No other detectable concentrations of TPH were found in soil samples. **Inorganic Chemicals** Not tested

BOE-C6-0182423

Table 6
Summary of Environmental Features and Soil Investigation Results
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Feature Number	Description	Location	Soil Boring	Sample Depths (ft)						Analytical Program							Results
				1	5	10	15	20	>20	Vapor	TPH	VOCs	Metals	PCBs	pH	Other	
8	Aboveground storage tank—use unknown	Basement—NW quadrant of Building 1	C-1-33	✓	✓	✓					✓	✓	✓			SVOCs	**Organic Chemicals** TCE and TPH were encountered in a 1 foot sample at concentrations of 5.2 µg/kg and 31 mg/kg, respectively. No detectable concentrations of SVOCs were found in soil samples. **Inorganic Chemicals** No metals were detected above their respective FALs.
9	Lead burner	SE quadrant of Building 1	C-1-42	✓	✓	✓						✓	✓			SVOCs	**Organic Chemicals** No detectable concentrations of VOCs, SVOCs, or TPH were found in soil samples. **Inorganic Chemicals** No metals were detected above their respective FALs.
42	Paint Stripping	Basement—SE quadrant of Building 1	TMW-8, 42 and D17	✓	✓	✓				✓		✓	✓				**Organic Chemicals** TCE was detected at 10 feet bgs at a concentration of 3.2 µg/kg. **Inorganic Chemicals** No metals were detected above their respective FALs. **Soil Vapor** Vapor sample D17 had a 1,1-DCE concentration of 3 µg/l of vapor.
43	Machine shop	SE quadrant of Building 1	C-1-28; 43	✓	✓	✓				✓	✓	✓	✓				**Organic Chemicals** TCE was encountered in a 1 foot sample at a concentration of 9.9 µg/kg. TPH was encountered at 5 feet bgs at a concentration of 9.9 mg/kg. **Inorganic Chemicals** No metals were detected above their respective FALs. **Soil Vapor** A TCE concentration of 55 µg/l of vapor was detected at 10 feet bgs.
A2	Aboveground storage tanks	North of Building 1	C-1-4 and C-1-5	✓	✓	✓					✓			✓			**Organic Chemicals** No detectable concentrations of TPH or PCBs

BOE-C6-0182424

Table 6
Summary of Environmental Features and Soil Investigation Results
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Feature Number	Description	Location	Soil Boring	Sample Depths (ft)						Analytical Program							Results
				1	5	10	15	20	>20	Vapor	TPH	VOCs	Metals	PCBs	pH	Other	
A3	Aboveground degreaser tanks	NW quadrant of Building 1	C-1-12 and C-1-13	✓	✓	✓						✓	✓			SVOCs	**Organic Chemicals** No detectable concentrations of VOCs or TPH were found in soil samples. Low concentrations of SVOCs (chrysene, pyrene, and fluoranthene) were detected. **Inorganic Chemicals** No metals were detected above their respective FALs.
A14	Degreaser	SW quadrant of Building 1	C-1-39, A-14	✓	✓	✓	✓			✓	✓	✓	✓				**Organic Chemicals** No detectable concentrations of VOCs or TPH were found in soil samples. **Inorganic Chemicals** No metals were detected above their respective FALs. **Soil Vapor** VOCs were not detected.
A22	Old chemical mill	West of Building 1	C-1-38	✓	✓	✓					✓	✓	✓				**Organic Chemicals** No detectable concentrations of VOCs or TPH were found in soil samples. **Inorganic Chemicals** No metals were detected above their respective FALs.
A23	TCE aboveground storage tank	NW quadrant of Building 1	C-1-30	✓	✓	✓				✓		✓	✓				**Organic Chemicals** No detectable concentrations of VOCs or TPH were found in soil samples except for a 1 foot sample containing 24 µg/kg of TCE. **Inorganic Chemicals** No metals were detected above their respective FALs. **Soil Vapor** On vapor sample collected at 10' bgs was reported to have a 1,1-DCE concentration of 2 µg/l of vapor.

BOE-C6-0182425

Table 6
Summary of Environmental Features and Soil Investigation Results
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Feature Number	Description	Location	Soil Boring	Sample Depths (ft)						Analytical Program							Results
				1	5	10	15	20	>20	Vapor	TPH	VOCs	Metals	PCBs	pH	Other	
A24	Two process aboveground storage tanks	SE quadrant of Building 1	C-1-29	✓	✓	✓						✓	✓				**Organic Chemicals** No detectable concentrations of VOCs or TPH were found in soil samples except for a 1 foot sample containing 6.3 µg/kg of TCE. **Inorganic Chemicals** No metals were detected above their respective FALs.
D2	Drain	East of Building 1	C-1-22	✓	✓	✓							✓				**Inorganic Chemicals** Arsenic concentrations were encountered at 1 and 5 feet bgs at concentrations of 33 and 19 mg/kg, respectively. No metals were detected above their respective FALs.
D6	Drain	South of Building 1	C-1-52	✓	✓	✓					✓		✓		✓		**Organic Chemicals** No detectable concentrations of TPH were found in soil samples. **Inorganic Chemicals** No metals were detected above their respective FALs.
D7	Drain	South of Building 1	C-1-53		✓	✓						✓	✓		✓		**Organic Chemicals** No detectable concentrations of VOCs were found in soil samples. **Inorganic Chemicals** No metals were detected above their respective FALs.
D8	Drain	South of Building 1	C-1-54	✓	✓	✓						✓	✓		✓		**Organic Chemicals** No detectable concentrations of VOCs were found in soil samples. **Inorganic Chemicals** No metals were detected above their respective FALs.

BOE-C6-0182426

Table 6
Summary of Environmental Features and Soil Investigation Results
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Feature Number	Description	Location	Soil Boring	Sample Depths (ft)						Analytical Program							Results
				1	5	10	15	20	>20	Vapor	TPH	VOCs	Metals	PCBs	pH	Other	
F1	Bermed area in chemical mill	NE quadrant of Building 1	C-1-21	✓	✓	✓					✓	✓	✓			SVOCs, Cr(6)	**Organic Chemicals** TPH was encountered in a 1 foot sample at a concentration of 200 mg/kg. No detectable concentrations of VOCs or SVOCs were found in soil samples. **Inorganic Chemicals** Arsenic was encountered in a 1 foot sample at a concentration of 20 mg/kg. No other metals were detected above their respective FALs.
F2	Machine foundations	NE quadrant of Building 1	C-1-14 and C-1-15	✓	✓	✓				✓	✓						**Organic Chemicals** TPH was found at 3 and 5-feet bgs at concentrations of 3,800 and 11,000 mg/kg, respectively. **Inorganic Chemicals** Not tested. **Soil Vapor** Two vapor samples were collected and reported to have toluene concentrations of 2 µg/l of vapor.
F3	Machine pit	SE quadrant of Building 1	C-1-48		✓	✓	✓			✓	✓						**Organic Chemicals** TPH was ND at 15 feet bgs (fill at 5 and 10 feet bgs). **Soil Vapor** VOCs were not detected.
F4	Machine foundation	NE quadrant of Building 1	C-1-47		✓	✓	✓				✓						**Organic Chemicals** No detectable concentrations of TPH were found in soil samples. **Inorganic Chemicals** Not tested.
F5	Aluminum chemical mill	South of Building 1	C-1-55	✓	✓	✓							✓		✓		**Organic Chemicals** Not tested. **Inorganic Chemicals** No metals were detected above their respective FALs.
F6	Anodizing system	South of Building 1	C-1-46	✓	✓	✓						✓	✓		✓		**Organic Chemicals** Not tested. **Inorganic Chemicals** Lead was encountered in a 1 foot sample at a concentration of 45 mg/kg. No other metals were detected above their respective FALs.

BOE-C6-0182427

Table 6
Summary of Environmental Features and Soil Investigation Results
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Feature Number	Description	Location	Soil Boring	Sample Depths (ft)						Analytical Program							Results
				1	5	10	15	20	>20	Vapor	TPH	VOCs	Metals	PCBs	pH	Other	
F7	Titanium processing system	NW quadrant of Building 1	C-1-56, C-1-57 and C-1-58		✓	✓	✓					✓	✓		✓	SVOCs	**Organic Chemicals** No detectable concentrations of VOCs or SVOCs were found in soil samples. **Inorganic Chemicals** No metals were detected above their respective FALs.
F8	Fuel oil pump house	NW quadrant of Building 1	C-1-8 and C-1-9	✓	✓	✓					✓					SVOCs	**Organic Chemicals** SVOCs were detected in all samples, however the only SVOC that exceeded FALs was the 1 foot sample at C-1-9 containing 6,100 µg/kg of benzo(a) pyrene. TPH was detected at 1, 2 and 10 feet bgs at concentrations of 28, 29 and 40 mg/kg, respectively. **Inorganic Chemicals** Not tested.
F25	Router with conveyor	NE quadrant of Building 1	C-1-19	✓	✓						✓		✓				**Organic Chemicals** TPH was encountered in a 1 foot sample at a concentration of 63 mg/kg. **Inorganic Chemicals** No metals were detected above their respective FALs.
P20	Paint Booths	NE quadrant of Building 1	PD-3, P20-1, and P20-2	✓	✓	✓	✓	✓	✓			✓	✓				**Organic Chemicals** TCE was encountered at 5, 10, 15, 30 and 40 feet bgs at concentrations of 28, 10, 2.2, 7 and 2.9 µg/kg, respectively. PCE was also encountered at 5 and 20 feet bgs at concentrations of 8.6 and 2.6 µg/kg, respectively. **Inorganic Chemicals** No metals were detected above their respective FALs

BOE-C6-0182428

Table 6
Summary of Environmental Features and Soil Investigation Results
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Feature Number	Description	Location	Soil Boring	Sample Depths (ft)						Analytical Program							Results
				1	5	10	15	20	>20	Vapor	TPH	VOCs	Metals	PCBs	pH	Other	
S2	Paint mixing chamber	East of Building 1	R-7, C-1-23, S2	✓	✓	✓				✓		✓	✓				**Organic Chemicals** PCE, TCE, and 1,1-DCE were encountered in the 5, 10, 15, 20, and 24 feet bgs in R-7. TCE was encountered at these depths in concentrations of 6.3, 3.6, 30, 5, and 6.9 µg/kg, respectively. **Inorganic Chemicals** Arsenic was encountered in a 1 foot sample at a concentration of 270 mg/kg in C-1-23. No other metals were detected above their respective FALs. **Soil Vapor** One soil vapor sample collected at 10 feet bgs had a PCE concentration of 25, TCE concentration of 9, and a 1,1-DCE concentration of 67 µg/l of vapor.
S3	Clarifier/ Anodizing Paint Machine	SE quadrant of Building 1	S3-2							✓							**Soil Vapor** One soil vapor sample had a 1,1-DCE concentration of 79, m,p-xylene concentration of 3 and toluene concentration of 7 µg/l of vapor.
S5	Tar settling basin, hot presses, drop hammer pits	SW quadrant of Building 1	C-1-43, C-1-44, and C-1-45	✓				✓	✓		✓	✓	✓			SVOCs	**Organic Chemicals** No detectable concentrations of VOCs, SVOCs, or TPH were found in soil samples. **Inorganic Chemicals** No metals were detected above their respective FALs.
S10A	Aluminum cleaning system (3 tanks, 1 clarifier)	SW quadrant of Building 1	C-1-34		✓	✓	✓	✓				✓	✓				**Organic Chemicals** No detectable concentrations of VOCs or TPH were found in soil samples. **Inorganic Chemicals** Arsenic was encountered at 5 feet bgs at a concentration of 8.2 mg/kg. No other metals were detected above their respective FALs.
S11	Support cavity	South of Building 1	C-1-50		✓	✓							✓		✓		**Organic Chemicals** Not tested. **Inorganic Chemicals** No metals were detected above their respective FALs.

BOE-C6-0182429

Table 6
Summary of Environmental Features and Soil Investigation Results
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Feature Number	Description	Location	Soil Boring	Sample Depths (ft)						Analytical Program							Results
				1	5	10	15	20	>20	Vapor	TPH	VOCs	Metals	PCBs	pH	Other	
S12	Support cavity	South of Building 1	C-1-51		✓	✓							✓		✓		**Organic Chemicals** Not tested. **Inorganic Chemicals** No metals were detected above their respective FALs.
S43	Aluminum anodizing system (tanks, clarifier, degreaser)	NW quadrant of Building 1	C-1-32		✓	✓	✓	✓				✓	✓		✓		**Organic Chemicals** PCE and TCE were detected at 4 feet bgs at concentrations of 7.5 and 13 µg/kg, respectively. **Inorganic Chemicals** Arsenic was encountered at 4 feet bgs at a concentration of 8.2 mg/kg. No other metals were detected above their respective FALs.
S52	Pit	NE quadrant of Building 1	C-1-24	✓	✓	✓					✓						**Organic Chemicals** TPH was encountered in a 1 foot sample at a concentration of 62 µg/kg.
S57	Pit	NE quadrant of Building 1	C-1-25	✓	✓	✓					✓						**Organic Chemicals** No detectable concentrations of TPH were found in soil samples. **Inorganic Chemicals** Not tested.
S59	Pit	NW quadrant of Building 1	C-1-57		✓	✓	✓					✓	✓			SVOCs	**Organic Chemicals** No detectable concentrations of VOCs or SVOCs were found in soil samples. **Inorganic Chemicals** No metals were detected above their respective FALs.
S60	Pit in aluminum cleaning area	SW quadrant of Building 1	C-1-35		✓	✓						✓	✓				**Organic Chemicals** No detectable concentrations of VOCs were found in soil samples. **Inorganic Chemicals** No metals were detected above their respective FALs.

BOE-C6-0182430

Table 6
Summary of Environmental Features and Soil Investigation Results
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Feature Number	Description	Location	Soil Boring	Sample Depths (ft)						Analytical Program							Results
				1	5	10	15	20	>20	Vapor	TPH	VOCs	Metals	PCBs	pH	Other	
S61	Pit in heat treat furnace area	SW quadrant of Building 1	C-1-36	✓	✓	✓	✓	✓				✓	✓			SVOCs, Cr(6)	**Organic Chemicals** TCE was detected at 5 feet at a concentration of 3.4 µg/kg. No detectable concentrations of any other VOCs or SVOCs were found in soil samples. **Inorganic Chemicals** No metals were detected above their respective FALs.
T2	Power substation	Basement—NW quadrant of Building 1	C-1-37	✓							✓			✓			**Organic Chemicals** TPH was encountered in a 1 foot sample at a concentration of 83 mg/kg. No detectable concentrations of PCBs were found in soil samples. **Inorganic Chemicals** Not tested.
U2*	130 gal. diesel UST	North of Building 1	C-1-1			✓	✓	✓			✓						**Organic Chemicals** TPH was encountered 10 feet bgs at a concentration of 28 mg/kg. **Inorganic Chemicals** Not tested.
U5*	Four 7,500 gal. fuel oil USTs	NW quadrant of Building 1	C-1-16 and C-1-17			✓	✓	✓			✓	✓	✓				**Organic Chemicals** 1,1-DCE was encountered at 20 feet bgs at a concentration of 4.2 µg/kg. No detectable concentrations of TPH were found in soil samples. **Inorganic Chemicals** No metals were detected above their respective FALs.
U17*	UST in heat treat area	SW quadrant of Building 1	C-1-40 Labeled C-1-140				✓	✓			✓	✓	✓	✓		SVOCs, PAHs	**Organic Chemicals** TPH was detected at 15 and 20 feet bgs at concentrations of 540 and 8,600 mg/kg, respectively. VOCs, SVOCs and PAHs were not detected above their respective FALS. PCBs were not detected. **Inorganic Chemicals** No metals were detected above their respective FALs.

BOE-C6-0182431

Table 6
Summary of Environmental Features and Soil Investigation Results
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Feature Number	Description	Location	Soil Boring	Sample Depths (ft)						Analytical Program							Results
				1	5	10	15	20	>20	Vapor	TPH	VOCs	Metals	PCBs	pH	Other	
U18*	UST in heat treat area	SW quadrant of Building 1	C-1-41 Labeled C-1-141				✓	✓			✓	✓	✓			SVOCs, PAHs	**Organic Chemicals** No detectable concentrations of VOCs, SVOCs, PAHs or TPH. **Inorganic Chemicals** No metals were detected above their respective FALs.
U20	300-550 gallon gasoline UST west of utility/ maintenance area (37T)	North of Building 1	C-1-3			✓	✓	✓			✓	✓	✓			SVOCs	**Organic Chemicals** VOCs detected as follows: at 10 feet, 4.8 µg/kg of TCE, at 15 feet, 8.8 µg/kg of 1,1-DCE and at 20 feet, 9.2 µg/kg of TCE. No detectable concentrations of SVOCs or TPH. **Inorganic Chemicals** No metals were detected above their respective FALs.
U22*	UST in punch press area	NE quadrant of Building 1	C-1-18			✓	✓	✓			✓	✓	✓			SVOCs	**Organic Chemicals** No detectable concentrations of VOCs, SVOCs or TPH. **Inorganic Chemicals** No metals were detected above their respective FALs.
U23*	UST in punch press area	NE quadrant of Building 1	C-1-20			✓	✓	✓			✓	✓	✓			SVOCs	**Organic Chemicals** No detectable concentrations of VOCs, SVOCs, or TPH. **Inorganic Chemicals** No metals were detected above their respective FALs.
U24*	UST in degreaser tank area	NW quadrant of Building 1	C-1-11			✓	✓	✓			✓	✓	✓			SVOCs	**Organic Chemicals** No detectable concentrations of VOCs, SVOCs, or TPH. **Inorganic Chemicals** No metals were detected above their respective FALs.

BOE-C6-0182432

Table 6
Summary of Environmental Features and Soil Investigation Results
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Feature Number	Description	Location	Soil Boring	Sample Depths (ft)						Analytical Program							Results
				1	5	10	15	20	>20	Vapor	TPH	VOCs	Metals	PCBs	pH	Other	
U25*	UST in aluminum anodizing area	NW quadrant of Building 1	C-1-31				✓	✓			✓	✓	✓			SVOCs, PAHs, Cr(VI)	**Organic Chemicals** No detectable concentrations of VOCs, SVOCs, PAHs or TPH were found in soil samples. **Inorganic Chemicals** Chromium was encountered at 15 and 20 feet bgs at concentrations of 306 mg/kg and 664 mg/kg, respectively. At 20 feet bgs, 491 mg/kg of hexavalent chromium was also detected.
OA	Open Areas	Building 1 area	Various							✓							**Soil Vapor** Ten shallow vapor samples were collected and reported to have total VOC concentrations less than 30 µg/l.
Building 2																	
17	UST	SW quadrant of Building 2	C-2-307 and C-2-331		✓	✓	✓	✓			✓	✓	✓	✓		SVOCs	**Organic Chemicals** TPH was detected at a concentration of 25 mg/kg at 10 feet bgs. Chloroform was detected at a concentration of 7.4 µg/kg at15 feet bgs. No detectable concentrations of SVOCs or PCBs. **Inorganic Chemicals** No metals were detected above their respective FALs.
20	Zyglo inspection area	NE quadrant of Building 2	C-2-84 and C-2-85		✓	✓					✓	✓	✓				**Organic Chemicals** TCE was encountered at 10 feet bgs at a concentration of 4.4 µg/kg and a TPH concentration of 5.2 mg/kg was detected at 5 feet bgs. **Inorganic Chemicals** No metals were detected above their respective FALs.
21	Oil interceptors	NE quadrant of Building 2	C-2-83		✓	✓					✓	✓	✓				**Organic Chemicals** No detectable concentrations of VOCs and TPH were found in soil samples. **Inorganic Chemicals** No metals were detected above their respective FALs.

BOE-C6-0182433

Table 6
Summary of Environmental Features and Soil Investigation Results
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Feature Number	Description	Location	Soil Boring	Sample Depths (ft)						Analytical Program							Results
				1	5	10	15	20	>20	Vapor	TPH	VOCs	Metals	PCBs	pH	Other	
22	Anodizing system- 8 tanks and wet sump	NW quadrant of Building 2	C-2-251 and 22		✓	✓	✓			✓	✓	✓	✓				**Organic Chemicals** No detectable concentrations of VOCs or TPH were found in soil samples except at 5 feet bgs where a PCE concentration of 28 µg/kg was reported. **Inorganic Chemicals** No metals were detected above their respective FALs. **Soil Vapor** Total VOC concentration of 16 µg/l of vapor at 12 feet bgs and 2 µg/l of vapor at 20 feet bgs.
23	Reclamation system (3 coolant tanks)	NW quadrant of Building 2	C-2-245, C-2-247, and C-2-248	✓	✓	✓					✓		✓				**Organic Chemicals** TPH was detected in a 1 foot sample at a concentration of 14,000 mg/kg. Lesser concentrations of TPH were also found in C-2-247 and 248 (<150 mg/kg). **Inorganic Chemicals** No metals were detected above their respective FALs.
24	120 gallon gasoline tank	NW quadrant of Building 2	C-2-145			✓	✓	✓			✓	✓					**Organic Chemicals** A TPH concentration of 5.9 mg/kg was detected at 6 feet bgs. No detectable concentrations of VOCs were reported.
25	Fluorescent penetrant inspection system	NW quadrant of Building 2	C-2-39, C-2-40, and C-2-41	✓	✓	✓						✓	✓				**Organic Chemicals** TCE was encountered in C-2-39 and C-2-41 at 1.5 feet bgs at concentrations of 29 and 3.2 µg/kg, respectively. **Inorganic Chemicals** No metals were detected above their respective FALs
26	Anodizing system	NW quadrant of Building 2	C-2-272 and C-2-275		✓	✓					✓	✓	✓				**Organic Chemicals** TPH was detected at concentrations up to 31 mg/kg at 5 feet bgs and up to 96 mg/kg at 10 feet bgs. MTBE was detected in C-2-275 at 10 feet bgs at a concentration of 1.4 µg/kg. **Inorganic Chemicals** No metals were detected above their respective FALs.

BOE-C6-0182434

Table 6
Summary of Environmental Features and Soil Investigation Results
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Feature Number	Description	Location	Soil Boring	Sample Depths (ft)						Analytical Program							Results
				1	5	10	15	20	>20	Vapor	TPH	VOCs	Metals	PCBs	pH	Other	
27	Hazardous waste storage area	NW quadrant of Building 2	C-2-279 and 27		✓	✓				✓	✓	✓	✓	✓			**Organic Chemicals** No detectable concentrations of VOCs, TPH or PCBs were found in soil samples. **Inorganic Chemicals** No metals were detected above their respective FALs **Soil Vapor** Toluene concentration of 3 µg/l of vapor at 10 feet bgs.
28	Catch basin	NW quadrant of Building 2	C-2-280 and 28		✓	✓				✓	✓	✓	✓	✓			**Organic Chemicals** TPH was detected at a concentration of 6.5 mg/kg at 5 feet bgs. No detectable concentrations of VOCs or PCBs were found in soil samples. **Inorganic Chemicals** No metals were detected above their respective FALs **Soil Vapor** VOCs were not detected at 10 feet bgs.
31	Photo lab	NW quadrant of Building 2	C-2-292 and 31	✓	✓	✓				✓	✓	✓	✓		✓		**Organic Chemicals** TCE was found at 1, 5, and 10 feet bgs at concentrations of 52 µg/kg, 12 µg/kg, and 17 µg/kg, respectively. TPH was not detected. **Inorganic Chemicals** No metals were detected above their respective FALs. **Soil Vapor** 1,1-DCE concentration of 31 g/l or vapor at 10 feet bgs and VOCs were not detected at 20 feet bgs.
33	Chromium alloy building	NE quadrant of Building 2	C-2-108		✓	✓						✓	✓				**Organic Chemicals** No detectable concentrations of VOCs were found in soil samples. **Inorganic Chemicals** No metals were detected above their respective FALs.

BOE-C6-0182435

Table 6
Summary of Environmental Features and Soil Investigation Results
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Feature Number	Description	Location	Soil Boring	Sample Depths (ft)						Analytical Program							Results
				1	5	10	15	20	>20	Vapor	TPH	VOCs	Metals	PCBs	pH	Other	
34	Firing range shed	SE quadrant of Building 2	C-2-328		✓	✓	✓				✓	✓	✓			SVOCs, PAHs	**Organic Chemicals** Methylene chloride was encountered at 5, 10 and 15 feet bgs at concentrations of 5.3, 6.1 and 3.9 µg/kg, respectively. No detectable concentrations of SVOCs, PAHs or TPH were found in soil samples. **Inorganic Chemicals** No metals were detected above their respective FALs.
35	Quality assurance lab	NW quadrant of Building 2	C-2-300		✓	✓					✓	✓	✓				**Organic Chemicals** TCE was encountered at 10 feet bgs at a concentration of 14 µg/kg. TPH was not detected. **Inorganic Chemicals** No metals were detected above their respective FALs.
36	Sealant preparation room	SW quadrant of Building 2	C-2-329	✓	✓	✓					✓	✓	✓				**Organic Chemicals** Methylene chloride was encountered in the 1 and 5 feet bgs at concentrations of 5.3 µg/kg and 10 µg/kg, respectively. TPH was not detected. **Inorganic Chemicals** No metals were detected above their respective FALs.
38	Oil quench and furnace area	SW quadrant of Building 2	C-2-195	✓	✓	✓					✓						**Organic Chemicals** No detectable concentrations of TPH were detected in soil.
42	Tool grinding	NE quadrant of Building 2	C-2-34, C-2-35, C-2-36, C-2-37, and C-2-38	✓	✓	✓					✓	✓	✓				**Organic Chemicals** TCE was encountered in at 1.5 and 10 feet bgs at concentrations of 13 and 6.8 µg/kg, respectively. TPH was detected at 1.5 and 5 feet bgs at concentrations up to 9.7 mg/kg. **Inorganic Chemicals** No metals were detected above their respective FALs.

BOE-C6-0182436

Table 6
Summary of Environmental Features and Soil Investigation Results
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Feature Number	Description	Location	Soil Boring	Sample Depths (ft)						Analytical Program							Results
				1	5	10	15	20	>20	Vapor	TPH	VOCs	Metals	PCBs	pH	Other	
43	Turret, lathes	NE quadrant of Building 2	C-2-7, C-2-12, C-2-13, C-2-136, C-2-137, C-2-138, P21, Q20, R21	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓				**Organic Chemicals** TCE was encountered at 1 and 5 feet bgs at concentrations of 4.9 and 13 µg/kg. TPH was encountered in a 1 foot sample at a concentration of 51 mg/kg. **Inorganic Chemicals** Cooper was encountered at 3 and 20 feet concentrations of 269 and 95.5 mg/kg., respectively. **Soil Vapor** VOCs were not detected in three vapor samples from 10 feet bgs.
44	Autoscrew machine	NE quadrant of Building 2	C-2-9 and C-2-10	✓	✓	✓					✓	✓	✓				**Organic Chemicals** TCE was detected at 10 feet bgs at a concentration of and 2.2 µg/kg. TPH was detected at 1 and 5 feet bgs at concentrations of 5.5 and 29 mg/kg, respectively. **Inorganic Chemicals** No metals were detected above their respective FALs.
45	Autoscrew machine	NE quadrant of Building 2	C-2-11		✓	✓					✓	✓	✓				**Organic Chemicals** No detectable concentrations of VOCs or TPH were found in soil samples. **Inorganic Chemicals** No metals were detected above their respective FALs.
46	Calibration lab	NW quadrant of Building 2	C-2-285		✓							✓	✓				**Organic Chemicals** No detectable concentrations of VOCs were found in soil samples. **Inorganic Chemicals** No metals were detected above their respective FALs.
46A	Chrome plating system	NW quadrant of Building 2	C-2-276 and C-2-277		✓	✓	✓						✓			Cr(6)	**Organic Chemicals** No results. **Inorganic Chemicals** No metals were detected above their respective FALs.

BOE-C6-0182437

Table 6
Summary of Environmental Features and Soil Investigation Results
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Feature Number	Description	Location	Soil Boring	Sample Depths (ft)						Analytical Program							Results
				1	5	10	15	20	>20	Vapor	TPH	VOCs	Metals	PCBs	pH	Other	
47	Grinders	NW quadrant of Building 2	C-2-79		✓	✓					✓	✓	✓				**Organic Chemicals** TCE was detected at 10 feet bgs at a concentration of 2.8 µg/kg. TPH was detected at 5 feet bgs at a concentration of 6.1 mg/kg. **Inorganic Chemicals** No metals were detected above their respective FALs.
48	Drills	NW quadrant of Building 2	C-2-75, C-2-76, C-2-78 and 48	✓	✓	✓				✓	✓	✓	✓				**Organic Chemicals** TCE was detected at 1, 5 and 10 feet bgs at concentrations of 16, 4.5 and 35 µg/kg , respectively. TPH was detected at 5 feet bgs at a concentration of 5.7 mg/kg. **Inorganic Chemicals** Copper was detected in a 1 foot sample at a concentration of 86.4 mg/kg (C-2-76). **Soil Vapor** VOCs were not detected at 10 feet bgs.
49	Mills	NW quadrant of Building 2	C-2-47, C-2-48, and C-2-78	✓	✓	✓					✓	✓	✓				**Organic Chemicals** TPH was detected at 1.5 and 5 feet bgs at concentrations of 5.6 and 6.7 mg/kg, respectively. No detectable concentrations of VOCs were detected in soil. **Inorganic Chemicals** No metals were detected above their respective FALs.
50	Deburring	NW quadrant of Building 2	C-2-74	✓	✓						✓	✓	✓				**Organic Chemicals** TCE was detected at 1 and 5 feet bgs at concentrations of 3.3 and 22 µg/kg, respectively. No detectable concentrations of TPH were detected. **Inorganic Chemicals** No metals were detected above their respective FALs.

BOE-C6-0182438

Table 6
Summary of Environmental Features and Soil Investigation Results
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Feature Number	Description	Location	Soil Boring	Sample Depths (ft)						Analytical Program							Results
				1	5	10	15	20	>20	Vapor	TPH	VOCs	Metals	PCBs	pH	Other	
51	Tail Milling	NW quadrant of Building 2	C-2-71, C-2-72, and C-2-73	✓	✓	✓	✓	✓	✓		✓	✓	✓				**Organic Chemicals** TCE was detected from 5 to 60 feet bgs at a maximum concentration of 180 µg/kg at 20 feet bgs. No TPH was detected in soil. **Inorganic Chemicals** Cobalt was encountered at 5 feet bgs at a concentration of 124 mg/kg (C-2-71).
52	Small casting and forging storage	NW quadrant of Building 2	C-2-45, C-2-46 and 52	✓	✓	✓				✓	✓	✓	✓				**Organic Chemicals** TCE was detected at 1.5 feet bgs at a concentration of 17 µg/kg and TPH was detected at 5 feet bgs at a concentration of 5 mg/kg. **Inorganic Chemicals** No metals were detected above their respective FALs. **Soil Vapor** Vapor samples were collected at 12 and 20 feet bgs and had TCE concentrations of 275 and 95 µg/l of vapor, respectively.
53	VCC mills	NW quadrant of Building 2	C-2-23 thru 27	✓	✓	✓	✓	✓	✓		✓	✓	✓				**Organic Chemicals** TCE was detected from 5 to 60 feet bgs at a maximum concentration of 400 µg/kg at 25 feet bgs. TPH was not detected. **Inorganic Chemicals** No metals were detected above their respective FALs.
54A	Mills	NW quadrant of Building 2	C-2-15 thru 18	✓	✓	✓					✓	✓	✓				**Organic Chemicals** TCE was detected from 1 to 10 feet bgs at concentrations up to 37 µg/kg. Low concentrations (<10 mg/kg) of TPH were detected from 1 to 10 feet bgs. **Inorganic Chemicals** No metals were detected above their respective FALs.

BOE-C6-0182439

Table 6
Summary of Environmental Features and Soil Investigation Results
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Feature Number	Description	Location	Soil Boring	Sample Depths (ft)						Analytical Program							Results
				1	5	10	15	20	>20	Vapor	TPH	VOCs	Metals	PCBs	pH	Other	
56	Burr & blend	NE quadrant of Building 2	C-2-49, C-2-50 and C-2-51	✓	✓	✓					✓	✓	✓				**Organic Chemicals** No detectable concentrations of VOCs or TPH were found in soil samples. **Inorganic Chemicals** No metals were detected above their respective FALs.
57	Slab milling	NE quadrant of Building 2	C-2-8	✓	✓						✓	✓	✓				**Organic Chemicals** No detectable concentrations of VOCs or TPH were found in soil samples. **Inorganic Chemicals** No metals were detected above their respective FALs.
58	Drill routers	NE quadrant of Building 2	C-2-4, C-2-5, C-2-260, and C-2-262	✓	✓	✓					✓	✓	✓				**Organic Chemicals** TCE and TPH were detected at 1 foot bgs at concentrations of 7.5 µg/kg and 7.9 mg/kg, respectively. **Inorganic Chemicals** No metals were detected above their respective FALs.
59	Degreaser area	NW quadrant of Building 2	C-2-139	✓	✓	✓					✓	✓	✓				**Organic Chemicals** Acetone, TCE and TPH were detected at 2 feet bgs at concentrations of 26 µg/kg, 11 µg/kg and 390 mg/kg, respectively. **Inorganic Chemicals** No metals were detected above their respective FALs.
60	Chrome impacted soils	NW quadrant of Building 2	C-2-144	✓	✓	✓	✓						✓			Cr(6)	**Inorganic Chemicals** No metals were detected above their respective FALs. No detectable concentrations of hexavalent chromium were detected.
65	Compressor room	NE quadrant of Building 2	C-2-317	✓	✓						✓						**Organic Chemicals** TPH was detected at 1 and 5 feet bgs at concentrations of 1,700 and 3,100 mg/kg, respectively. **Inorganic Chemicals** Not analyzed.

BOE-C6-0182440

Table 6
Summary of Environmental Features and Soil Investigation Results
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Feature Number	Description	Location	Soil Boring	Sample Depths (ft)						Analytical Program							Results
				1	5	10	15	20	>20	Vapor	TPH	VOCs	Metals	PCBs	pH	Other	
67	Firing and testing area	SE quadrant of Building 2	C-2-327		✓	✓	✓				✓	✓	✓			SVOCs, PAHs	**Organic Chemicals** No detectable concentrations of SVOCs, PAHs or TPH were found in soil samples. Methylene chloride was detected at 15 feet bgs at a concentration of 4.9 µg/kg. **Inorganic Chemicals** No metals were detected above their respective FALs.
A7	Aboveground storage tank	NW quadrant of Building 2	C-2-310 and A7	✓	✓					✓	✓	✓	✓				**Organic Chemicals** TPH was detected at 5 feet bgs at a concentration of 5.6 mg/kg. VOCs were not detected. **Inorganic Chemicals** No metals were detected above their respective FALs. **Soil Vapor** VOCs were not detected at 10 and 20 feet bgs.
A8	Aboveground settling tank	NW quadrant of Building 2	C-2-311	✓	✓	✓					✓	✓	✓				**Organic Chemicals** TCE was detected at 1, 5 and 10 feet bgs at concentrations of 28, 20 and 2.2 µg/kg, respectively. TPH was not detected. **Inorganic Chemicals** No metals were detected above their respective FALs.
A9	Aboveground waste solvent tank	NW quadrant of Building 2	TMW-03		✓	✓	✓	✓	✓			✓	✓				**Organic Chemicals** TCE was detected at 3, 5, 10, 20, 30, 40 and 50 feet bgs at concentrations of 49, 48, 48, 250, 24, 92 and 49 µg/kg, respectively. **Inorganic Chemicals** No metals were detected above their respective FALs.
A10	Location of aboveground storage tank	SE quadrant of Building 2	C-2-193	✓	✓	✓					✓	✓					**Organic Chemicals** No detectable concentrations of VOCs or TPH were found in soil samples. **Inorganic Chemicals** Not tested.
A11	Aboveground storage tank	NW quadrant of Building 2	A11							✓		✓					**Soil Vapor** VOCs not detected at 10 feet bgs.

BOE-C6-0182441

Table 6
Summary of Environmental Features and Soil Investigation Results
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Feature Number	Description	Location	Soil Boring	Sample Depths (ft)						Analytical Program							Results
				1	5	10	15	20	>20	Vapor	TPH	VOCs	Metals	PCBs	pH	Other	
A12	Aboveground tank, may contain cyanide	NW quadrant of Building 2	C-2-302	✓	✓	✓						✓	✓		✓	Cyanide	**Organic Chemicals** TCE was detected at 1, 5 and 10 feet bgs at concentrations of 5.7, 12 and 3.2 µg/kg, respectively. Acetone was also detected at 1 foot at a concentration of 26 µg/kg. **Inorganic Chemicals** No metals were detected above their respective FALs, including Cyanide.
A13	Gasoline tank	SW quadrant of Building 2	C-2-202	✓	✓	✓					✓					MTBE, Lead	**Organic Chemicals** TPH and MTBE were not detected. **Inorganic Chemicals** Lead was not detected above its respective FAL.
A16	Paint stripper tanks	NE quadrant of Building 2	C-2-94, C-2-96 and A16	✓	✓	✓				✓		✓	✓				**Organic Chemicals** No detectable concentrations of VOCs were found in soil samples. **Inorganic Chemicals** No metals were detected above their respective FALs. **Soil Vapor** VOCs were not detected at 10 feet bgs.
A17	Chromium acid tank	NE quadrant of Building 2	C-2-95	✓	✓	✓						✓	✓		✓		**Organic Chemicals** No detectable concentrations of VOCs were found in soil samples. **Inorganic Chemicals** No metals were detected above their respective FALs.
A18	Degreaser	NE quadrant of Building 2	A18							✓							**Soil Vapor** VOCs were not detected at 10 feet bgs.
A19	Aluminum process area (11 tanks)	NW quadrant of Building 2	C-2-146	✓	✓	✓						✓	✓		✓		**Organic Chemicals** TCE was detected at 1 foot bgs at a concentration of 4.3 µg/kg. **Inorganic Chemicals** No metals were detected above their respective FALs, including hexavalent chromium.

BOE-C6-0182442

Table 6
Summary of Environmental Features and Soil Investigation Results
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Feature Number	Description	Location	Soil Boring	Sample Depths (ft)						Analytical Program							Results
				1	5	10	15	20	>20	Vapor	TPH	VOCs	Metals	PCBs	pH	Other	
A20	Aboveground storage tank	NW quadrant of Building 2	C-2-299		✓	✓					✓	✓					**Organic Chemicals** TCE was at 10 feet bgs at a concentration of 5.6 µg/kg. TPH was not detected.
A21	Metal dipping tanks	NW quadrant of Building 2	C-2-159	✓	✓	✓						✓	✓		✓		**Organic Chemicals** TCE was detected at 1, 5 and 10 feet bgs at concentrations of 21, 3.8 and 2.7 µg/kg. **Inorganic Chemicals** No metals were detected above their respective FALs.
A24	Tank	NW quadrant of Building 2	C-2-154		✓	✓	✓				✓	✓	✓	✓		SVOCs	**Organic Chemicals** TCE was detected in the 5, 10 and 15 feet samples at concentrations of 71, 110 and 57 µg/kg, respectively. 1,1,1-TCA, 1,1-DCA, 1,2-DCA, 1,1-DCE and di-n-butyl phthalate were also detected at low concentrations. TPH was not detected. Aroclor-1260 was detected at 5 feet bgs at a concentration of 10 µg/kg. **Inorganic Chemicals** No metals were detected above their respective FALs.
A25	Tank	SE quadrant of Building 2	C-2-57	✓	✓	✓						✓					**Organic Chemicals** Acetone was encountered at 10 feet bgs at a concentration of 22 µg/kg. **Inorganic Chemicals** No metals were analyzed.
A26	Aboveground tank	SE quadrant of Building 2	C-2-155		✓	✓						✓	✓				**Organic Chemicals** Tetrahydrofuran was encountered at 10 feet bgs at a concentration of 24 µg/kg. **Inorganic Chemicals** No metals were detected above their respective FALs.

BOE-C6-0182443

Table 6
Summary of Environmental Features and Soil Investigation Results
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Feature Number	Description	Location	Soil Boring	Sample Depths (ft)						Analytical Program							Results
				1	5	10	15	20	>20	Vapor	TPH	VOCs	Metals	PCBs	pH	Other	
C2	Manhole	NE quadrant of Building 2	C-2-318		✓	✓	✓				✓	✓	✓				**Organic Chemicals** TPH and TCE were detected at 10 feet bgs at concentrations of 54 mg/kg and 2.2 µg/kg, respectively. **Inorganic Chemicals** No metals were detected above their respective FALs.
C3	Storm drain	NW quadrant of Building 2	C-2-221, C-2-224, C-2-290, C-2-306, C-2-348, C-2-349, PD-5 and PD-6		✓	✓	✓			✓	✓	✓	✓				**Organic Chemicals** TCE was encountered at 10 and 15 feet bgs at concentrations of 43 µg/kg and 30 µg/kg, respectively (C-2-349). Low concentrations of TPH, acetone and TCE were detected in the other soil borings at 5, 10 and 15 feet bgs. **Inorganic Chemicals** No metals were detected above their respective FALs. **Soil Vapor** Vapor samples were collected at 10 and 20 feet bgs and no detectable VOC concentrations were reported.
C4	Manhole and conduit	SE quadrant of Building 2	C-2-188		✓							✓	✓				**Organic Chemicals** VOCs were not detected. **Inorganic Chemicals** No metals were detected above their respective FALs.
C5	Manhole	NW quadrant of Building 2	C-2-344 and C-2-351		✓	✓	✓				✓	✓	✓				**Organic Chemicals** TCE was detected from 5 to 15 feet bgs at a maximum concentration of 72 µg/kg at 5 feet bgs. Low concentrations of acetone (34 µg/kg), methylene chloride (3.4 µg/kg) and TPH (6.4 mg/kg) were also detected. **Inorganic Chemicals** No metals were detected above their respective FALs.

BOE-C6-0182444

Table 6
Summary of Environmental Features and Soil Investigation Results
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Feature Number	Description	Location	Soil Boring	Sample Depths (ft)						Analytical Program							Results
				1	5	10	15	20	>20	Vapor	TPH	VOCs	Metals	PCBs	pH	Other	
C6	Manhole	SW quadrant of Building 2	C-2-196		✓	✓	✓				✓	✓	✓				**Organic Chemicals** TCE was detected at 5 feet bgs at a concentration of 7.5 µg/kg. TPH was not detected. **Inorganic Chemicals** No metals were detected above their respective FALs.
D9	Storm Drain	NE quadrant of Building 2	C-2-100		✓	✓	✓				✓	✓	✓				**Organic Chemicals** No detectable concentrations of VOCs or TPH were found in soil samples. **Inorganic Chemicals** No metals were detected above their respective FALs.
D10	Drain	NE quadrant of Building 2	C-2-99		✓	✓	✓				✓	✓	✓				**Organic Chemicals** Acetone was detected at 5 feet bgs at a concentration of 15 µg/kg. TPH was not detected. **Inorganic Chemicals** No metals were detected above their respective FALs.
D11	Drain	NW quadrant of Building 2	C-2-281		✓	✓	✓				✓	✓	✓	✓			**Organic Chemicals** TPH was detected at 5 and 15 feet bgs at concentrations of 2,400 and 240 mg/kg, respectively. Aroclor 1260 was detected at 5 and 15 feet bgs at concentrations of 2,400 and 290 µg/kg. TCE was also detected at 15 feet bgs at a concentration of 10 µg/kg. **Inorganic Chemicals** No metals were detected above their respective FALs.
D12	Storm drain	SE quadrant of Building 2	C-2-187		✓	✓	✓				✓	✓	✓				**Organic Chemicals** No detectable concentrations of VOCs or TPH were found in soil samples. **Inorganic Chemicals** No metals were detected above their respective FALs.

BOE-C6-0182445

Table 6
Summary of Environmental Features and Soil Investigation Results
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Feature Number	Description	Location	Soil Boring	Sample Depths (ft)						Analytical Program							Results
				1	5	10	15	20	>20	Vapor	TPH	VOCs	Metals	PCBs	pH	Other	
D13	Storm drain	NW quadrant of Building 2	C-2-219, C-2-223, and PD-11		✓	✓	✓			✓	✓	✓	✓				**Organic Chemicals** TCE was detected at 5, 10 and 15 feet bgs at concentrations of 53, 3.5 and 12 µg/kg. Acetone was detected at 15 feet bgs at a concentration of 14 µg/kg. TPH was not detected. **Inorganic Chemicals** No metals were detected above their respective FALs. **Soil Vapor** 1,1-DCE concentration of 5 µg/l of vapor at 10 feet bgs.
D14	Storm drain	NW quadrant of Building 2	C-2-304		✓	✓	✓				✓	✓	✓				**Organic Chemicals** TCE was detected in a 5, 10 and 15 feet bgs at concentrations of 4.5, 3.3 and 6.8 µg/kg. **Inorganic Chemicals** No metals were detected above their respective FALs.
D15	Storm drain	SW quadrant of Building 2	C-2-204 and C-2-205		✓	✓	✓				✓	✓	✓				**Organic Chemicals** TCE, 1,1-DCA and cis-1,2-DCE were detected at 5 feet bgs at concentrations of 12, 3.6 and 8.6 µg/kg, respectively. TPH was not detected. **Inorganic Chemicals** No metals were detected above their respective FALs.
D18	Drain with oil stains	NW quadrant of Building 2	C-2-298		✓	✓	✓				✓	✓	✓				**Organic Chemicals** TCE was detected at 10 and 15 feet bgs with concentrations of 4.1 and 14 µg/kg, respectively. TPH was not detected. **Inorganic Chemicals** No metals were detected above their respective FALs.

BOE-C6-0182446

Table 6
Summary of Environmental Features and Soil Investigation Results
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Feature Number	Description	Location	Soil Boring	Sample Depths (ft)						Analytical Program							Results
				1	5	10	15	20	>20	Vapor	TPH	VOCs	Metals	PCBs	pH	Other	
D19	Drain with oil staining in compressor room	NE quadrant of Building 2	C-2-320		✓	✓	✓				✓			✓		SVOCs	**Organic Chemicals** TPH, Aroclor 1254 and Aroclor 1260 were detected at 5 feet bgs at concentrations of 3,200 mg/kg, 90 µg/kg and 100 µg/kg. Fluoranthene, phenanthene and pyrene were also detected at this depth at concentrations of 870, 870 and 1,400 µg/kg, respectively.
F6	Anodizing Process System	Exterior to north of Building 2	F6							✓							**Soil Vapor** VOCs were not detected at 10 feet bgs.
F10	Spar mills (coolant tanks)	NE quadrant of Building 2	C-2-1	✓		✓					✓	✓	✓				**Organic Chemicals** TPH was detected at 1 foot bgs at a concentration of 5.4 mg/kg. VOCs were not detected. **Inorganic Chemicals** No metals were detected above their respective FALs.
F11	Flexible machining system	NW quadrant of Building 2	C-2-19 thru 21, C-2-225, 233, 235, 239, 242, 244, and F11-1		✓	✓					✓	✓	✓				**Organic Chemicals** TCE was detected at concentrations ranging from 2 to 33 µg/kg. TPH was detected at low concentrations (<10 mg/kg), and boring C-2-242 had a concentration of 17,000 mg/kg at 5 feet bgs. This sample also had several VOCs that were below their respective FALs. **Inorganic Chemicals** Lead was encountered at 5 feet bgs in C-2-242 at a concentration of 1,790 mg/kg.
F12	Cadmium plating system	NW quadrant of Building 2	C-2-312 and C-2-314		✓	✓	✓	✓	✓		✓	✓	✓			Cyanide	**Organic Chemicals** TCE was detected at 15 and 20 feet bgs at concentrations of 3.9 and 3.1 µg/kg, respectively. TPH was not detected. **Inorganic Chemicals** No metals were detected above their respective FALs.

BOE-C6-0182447

Table 6
Summary of Environmental Features and Soil Investigation Results
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Feature Number	Description	Location	Soil Boring	Sample Depths (ft)						Analytical Program							Results
				1	5	10	15	20	>20	Vapor	TPH	VOCs	Metals	PCBs	pH	Other	
F14	Titanium, pickle system tank area	NW quadrant of Building 2	C-2-156 and C-2-157	✓	✓	✓						✓	✓		✓		**Organic Chemicals** TCE was detected at 1 foot bgs in C-2-156 and C-2-157 containing 240 and 190 µg/kg, respectively. Low concentrations (<5 µg/kg) were also detected at 5 and 10 feet bgs. **Inorganic Chemicals** Lead was encountered in a 1 foot sample of C-2-157 containing 93.7 mg/kg.
F15	Six paint stripping tanks	SE quadrant of Building 2	C-2-181 and C-2-182	✓	✓	✓				✓		✓	✓		✓		**Organic Chemicals** 1,2-DCA was detected at 1 foot bgs at a concentration of 1.7 µg/kg. **Inorganic Chemicals** No metals were detected above their respective FALs. **Soil Vapor** VOCs were not detected at 10 feet bgs.
F16	Machine foundation	NW quadrant of Building 2	C-2-211	✓	✓	✓	✓	✓	✓		✓	✓	✓				**Organic Chemicals** TCE was detected at 5, 10, 15, 20, 40, 50 and 60 feet bgs at concentrations of 87, 76, 170, 6.6, 49, 7 and 2.5 µg/kg. Low concentrations of 1,2-DCA and 1,1,2-TCA were also detected. No detectable concentrations of TPH were detected in soil. **Inorganic Chemicals** No metals were detected above their respective FALs.
F18	Cd, Cu, & Ni plating system	SW quadrant of Building 2	C-2-199	✓	✓	✓					✓	✓	✓				**Organic Chemicals** TCE was encountered at .5, 10 and 15 feet bgs at concentrations of 110, 16 and 34 µg/kg, respectively. No detectable concentrations of TPH were found in soil. **Inorganic Chemicals** No metals were detected above their respective FALs.
F19	Hydraulic tank / oil heat exchanger	SW quadrant of Building 2	C-2-166	✓	✓	✓					✓						**Organic Chemicals** TPH was not detected.

BOE-C6-0182448

Table 6
Summary of Environmental Features and Soil Investigation Results
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Feature Number	Description	Location	Soil Boring	Sample Depths (ft)						Analytical Program							Results
				1	5	10	15	20	>20	Vapor	TPH	VOCs	Metals	PCBs	pH	Other	
F20	Degreaser	SW quadrant of Building 2	C-2-163 and F20	✓	✓	✓				✓	✓	✓					**Organic Chemicals** Acetone and PCE were detected at 1 foot bgs at concentrations of 35 and 3.6 µg/kg. Chloroform, PCE, TCE and carbon tetrachloride were detected at 5 feet bgs at concentrations of 15, 90, 10 and 1.8 µg/kg. TPH was detected at 1 and 5 feet bgs at concentrations of 310 and 11,000 mg/kg, respectively. **Inorganic Chemicals** No metals were detected above their respective FALs. **Soil Vapor** VOCs were not detected at 10 feet bgs.
F22	Swaging and deep drain presses	NE quadrant of Building 2	C-2-103 and C-2-104		✓	✓					✓	✓	✓				**Organic Chemicals** TPH was detected at 5 feet bgs at a concentration of 6.1 mg/kg. Low concentrations of VOCs (<FALs) were also detected. **Inorganic Chemicals** No metals were detected above their respective FALs.
F28	Unknown equipment foundation	NE quadrant of Building 2	C-2-3 and C-2-265	✓	✓	✓					✓	✓	✓				**Organic Chemicals** TPH was detected at 5 feet bgs at a concentration of 13 mg/kg. Low concentrations (< 2 µg/kg) of MTBE were detected at 1 and 10 feet bgs. **Inorganic Chemicals** No metals were detected above their respective FALs.
F29	Unknown equipment foundation	NE quadrant of Building 2	C-2-258, C-2-259 C-2-261, and P18		✓	✓				✓	✓	✓	✓			SVOCs	**Organic Chemicals** TPH was encountered at 5 feet bgs at a concentration of 30 mg/kg. No detectable concentrations of SVOCs or VOCs were found in soil samples. **Inorganic Chemicals** No metals were detected above their respective FALs. **Soil Vapor** VOCs were not detected at 10 feet bgs.

BOE-C6-0182449

Table 6
Summary of Environmental Features and Soil Investigation Results
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Feature Number	Description	Location	Soil Boring	Sample Depths (ft)						Analytical Program							Results
				1	5	10	15	20	>20	Vapor	TPH	VOCs	Metals	PCBs	pH	Other	
F30	Unknown equipment foundation	NE quadrant of Building 2	C-2-6 and C-2-271	✓	✓						✓	✓	✓				**Organic Chemicals** TPH was detected at 1 and 5 feet bgs at concentrations of 21 and 26 mg/kg, respectively. Low concentrations of VOCs were found in soil samples (< 15 µg/kg). **Inorganic Chemicals** No metals were detected above their respective FALs.
F31	Equipment foundation	NW quadrant of Building 2	C-2-141 and C-2-143		✓	✓	✓	✓	✓		✓	✓	✓				**Organic Chemicals** TCE was detected at 25, 50 and 60 feet bgs at concentrations of 160, 450 and 19 µg/kg, respectively. TPH was detected at 10 feet bgs at a concentration of 62 mg/kg. Methylene chloride (3.3 µg/kg) was detected at 5 feet bgs. **Inorganic Chemicals** No metals were detected above their respective FALs.
F32	Unknown equipment foundation	NW quadrant of Building 2	C-2-160		✓	✓	✓	✓	✓		✓	✓	✓				**Organic Chemicals** TCE was detected at 10, 20, 25, 30, 40, 50 and 60 feet bgs at concentrations of 41, 77, 110, 120, 49, 24 and 83 µg/kg, respectively. TPH was not detected. **Inorganic Chemicals** No metals were detected above their respective FALs.
F33	Equipment foundation	SW quadrant of Building 2	C-2-161 and C-2-162	✓	✓	✓					✓	✓	✓				**Organic Chemicals** TPH was detected at 1 and 5 feet bgs at concentrations of 30 mg/kg and 19 mg/kg, respectively. VOCs were not detected. **Inorganic Chemicals** No metals were detected above their respective FALs.
F34	Old furnace system	NE quadrant of Building 2	C-2-53 and C-2-54		✓	✓					✓	✓					**Organic Chemicals** No detectable concentrations of VOCs or TPH were found in soil samples.

BOE-C6-0182450

Table 6
Summary of Environmental Features and Soil Investigation Results
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Feature Number	Description	Location	Soil Boring	Sample Depths (ft)						Analytical Program							Results
				1	5	10	15	20	>20	Vapor	TPH	VOCs	Metals	PCBs	pH	Other	
P2	Paint spray booth	NE quadrant of Building 2	C-2-93 and P2		✓	✓				✓		✓	✓				**Organic Chemicals** No detectable concentrations of VOCs were found in soil samples. **Inorganic Chemicals** No metals were detected above their respective FALs. **Soil Vapor** VOCs were not detected at 10 feet bgs.
P3	Paint spray booth	NE quadrant of Building 2	C-2-97, C-2-98 and P3		✓	✓				✓		✓	✓				**Organic Chemicals** No detectable concentrations of VOCs were found in soil samples. **Inorganic Chemicals** No metals were detected above their respective FALs. **Soil Vapor** VOCs were not detected at 10 feet bgs.
P4	Metalizing spray booth	NW quadrant of Building 2	C-2-32		✓	✓						✓	✓				**Organic Chemicals** TCE was encountered at 10 feet bgs at a concentration of 5.1 µg/kg. **Inorganic Chemicals** No metals were detected above their respective FALs.
P5	Paint spray booth	NW quadrant of Building 2	C-2-249 and P5		✓	✓						✓	✓				**Organic Chemicals** TPH was not detected. **Inorganic Chemicals** No metals were detected above their respective FALs. **Soil Vapor** A PCE concentration of 22 µg/l of vapor was detected at 10 feet bgs.
P6	Paint spray booth	NW quadrant of Building 2	C-2-250		✓	✓						✓	✓				**Organic Chemicals** TPH was not detected. **Inorganic Chemicals** No metals were detected above their respective FALs.

BOE-C6-0182451

Table 6
Summary of Environmental Features and Soil Investigation Results
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Feature Number	Description	Location	Soil Boring	Sample Depths (ft)						Analytical Program							Results
				1	5	10	15	20	>20	Vapor	TPH	VOCs	Metals	PCBs	pH	Other	
P7	Paint spray booth	NW quadrant of Building 2	C-2-273 and P7		✓	✓				✓		✓	✓				**Organic Chemicals** TCE was encountered at 5 feet bgs at a concentration of 5.7 µg/kg. **Inorganic Chemicals** No metals were detected above their respective FALs. **Soil Vapor** VOCs were not detected at 10 feet bgs.
P8	Paint spray booth	NE quadrant of Building 2	C-2-107		✓	✓				✓		✓	✓				**Organic Chemicals** No detectable concentrations of VOCs were found in soil samples. **Inorganic Chemicals** No metals were detected above their respective FALs. **Soil Vapor** VOCs were not detected at 10 feet bgs.
P9	Paint spray booth	SE quadrant of Building 2	C-2-114 and P9		✓	✓				✓		✓	✓				**Inorganic Chemicals** Chloroform was encountered at 10 feet bgs at a concentration of 2.7 µg/kg. **Inorganic Chemicals** No metals were detected above their respective FALs. **Soil Vapor** VOCs were not detected at 10 feet bgs.
P11	Paint spray booth	SE quadrant of Building 2	C-2-134, C-2-135, P11-1 and P11-2		✓	✓				✓		✓	✓				**Organic Chemicals** Chloroform was detected at 5 and 10 feet bgs at concentrations of 1.9 and 1.6 µg/kg, respectively. **Inorganic Chemicals** No metals were detected above their respective FALs. **Soil Vapor** VOCs were not detected at 10 feet bgs.

BOE-C6-0182452

Table 6
Summary of Environmental Features and Soil Investigation Results
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Feature Number	Description	Location	Soil Boring	Sample Depths (ft)						Analytical Program							Results
				1	5	10	15	20	>20	Vapor	TPH	VOCs	Metals	PCBs	pH	Other	
P12	Paint spray booth	NW quadrant of Building 2	C-2-155		✓	✓						✓	✓				**Organic Chemicals** Tetrahydrofuran was detected at 10 feet bgs at a concentration of 24 µg/kg. **Inorganic Chemicals** No metals were detected above their respective FALs.
P13	Paint spray booth	SW quadrant of Building 2	C-2-194		✓	✓						✓	✓				**Organic Chemicals** No detectable concentrations of VOCs. **Inorganic Chemicals** No metals were detected above their respective FALs.
P14	Paint spray booth	SW quadrant of Building 2	C-2-126 and P14		✓	✓				✓		✓	✓				**Organic Chemicals** No detectable concentrations of VOCs. **Inorganic Chemicals** No metals were detected above their respective FALs. **Soil Vapor** VOCs were not detected at 10 feet bgs.
P15	Paint spray booth	SW quadrant of Building 2	C-2-127 and P15		✓	✓				✓		✓	✓				**Organic Chemicals** Acetone was detected at 5 and 10 feet bgs at concentrations of 10 and 17 µg/kg, respectively. **Inorganic Chemicals** No metals were detected above their respective FALs. **Soil Vapor** VOCs were not detected at 10 feet bgs.
P16	Paint spray booth	SW quadrant of Building 2	C-2-176 and P16		✓	✓				✓		✓	✓				**Organic Chemicals** Acetone was detected at 10 feet bgs at a concentration of 13 µg/kg. **Inorganic Chemicals** No metals were detected above their respective FALs. **Soil Vapor** VOCs were not detected at 10 feet bgs.

BOE-C6-0182453

Table 6
Summary of Environmental Features and Soil Investigation Results
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Feature Number	Description	Location	Soil Boring	Sample Depths (ft)						Analytical Program							Results
				1	5	10	15	20	>20	Vapor	TPH	VOCs	Metals	PCBs	pH	Other	
P17	Paint spray booth	SW quadrant of Building 2	C-2-130		✓	✓						✓	✓				**Organic Chemicals** No detectable concentrations of VOCs. **Inorganic Chemicals** No metals were detected above their respective FALs.
S14	Degreaser pit	NE quadrant of Building 2	C-2-2		✓	✓	✓				✓	✓	✓				**Organic Chemicals** No detectable concentrations of VOCs or TPH were found in soil samples. **Inorganic Chemicals** No metals were detected above their respective FALs.
S15	Degreaser pit	NE quadrant of Building 2	C-2-89, C-2-90, C-2-91, C-2-92 and S15		✓	✓	✓			✓	✓	✓	✓				**Organic Chemicals** TPH, 1,2-DCA, and TCE were detected at 5 feet bgs at concentrations of 7.6 mg/kg, 1.1 mg/kg and 2.9 µg/kg, respectively. **Inorganic Chemicals** Lead was detected at 5 feet bgs at a concentration of 17.5 mg/kg. **Soil Vapor** VOCs were not detected at 10 feet bgs.
S16	Pit	NE quadrant of Building 2	S16							✓							**Soil Vapor** VOCs were not detected at 10 feet bgs.
S17	Clarifier pit	NW quadrant of Building 2	C-2-31		✓	✓	✓				✓	✓	✓				**Organic Chemicals** TCE was detected at 15 feet bgs at a concentration of 2.1 µg/kg. TPH was detected at 5, 10, and 15 feet bgs at concentrations of 5.2, 7.8, and 7.9 mg/kg, respectively. **Inorganic Chemicals** No metals were detected above their respective FALs.

BOE-C6-0182454

Table 6
Summary of Environmental Features and Soil Investigation Results
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Feature Number	Description	Location	Soil Boring	Sample Depths (ft)						Analytical Program							Results
				1	5	10	15	20	>20	Vapor	TPH	VOCs	Metals	PCBs	pH	Other	
S18	9 Sumps	NW quadrant of Building 2	C-2-227, 232, 234, 236, 237, 238, 240, 241, and 243		✓	✓	✓				✓	✓	✓				**Organic Chemicals** TCE was detected at 5 feet bgs in C-2-234, C-2-236, C-2-237, C-2-238, C-2-240 C-2-241and C-2-243 at concentrations of 9.1, 32, 54, 20, 48, 6.7 and 16 µg/kg, respectively. TPH was detected in low concentrations in C-2-232, C-2-236, C-2-237, C-2-238, and C-2-241 and in C-2-243 at 1,500 mg/kg. **Inorganic Chemicals** Lead was detected at 5 feet bgs in C-2-243 at a concentration of 79 mg/kg.
S19	4 Sumps	NW quadrant of Building 2	C-2-226, C-2-228, C-2-229, C-2-230		✓	✓	✓				✓	✓	✓				**Organic Chemicals** TCE was encountered at 5 feet bgs in C-2-226, C-2-228, C-2-229, and C-2-230 at concentrations of 32, 59, 120, and 2.4 µg/kg, respectively. Small concentrations of other VOCs were also detected in these samples at concentrations below the FALs. TPH was detected at 5 feet bgs in C-2-229 at a concentration of 1,500 mg/kg. **Inorganic Chemicals** No metals were detected above their respective FALs
S20	Covered pit	NW quadrant of Building 2	C-2-231		✓	✓	✓				✓	✓	✓				**Organic Chemicals** TCE was detected at 5, 10 and 15 feet bgs at concentrations of 4.5, 3.3, and 3.9 µg/kg, respectively. TPH was detected at 5 feet bgs at a concentration of 6.2 mg/kg. **Inorganic Chemicals** No metals were detected above their respective FALs.
S21	Sump	NW quadrant of Building 2	C-2-254			✓	✓	✓			✓	✓	✓				**Organic Chemicals** No detectable concentrations of VOCs or TPH were detected in soil. **Inorganic Chemicals** No metals were detected above their respective FALs.

BOE-C6-0182455

Table 6
Summary of Environmental Features and Soil Investigation Results
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Feature Number	Description	Location	Soil Boring	Sample Depths (ft)						Analytical Program							Results
				1	5	10	15	20	>20	Vapor	TPH	VOCs	Metals	PCBs	pH	Other	
S22	Clarifier	NW quadrant of Building 2	C-2-316, S22		✓	✓	✓			✓	✓	✓	✓			Cr(6)	**Organic Chemicals** Detectable concentrations of VOCs or TPH were detected in soil, including the following concentrations at 5 feet bgs: 24 µg/kg of 1,1-DCA, 140 µg/kg of cis-1,2-DCE and 14,000 mg/kg of TPH. At 10 feet bgs, 5.9 µg/kg of cis-1,2-DCE and 21 µg/kg of TCE were reported. **Inorganic Chemicals** No metals were detected above their respective FALs, including hexavalent chromium. **Soil Vapor** VOCs not detected at 10 feet bgs.
S23	Covered pit, possible clarifier	NW quadrant of Building 2	C-2-282		✓	✓	✓				✓	✓	✓				**Organic Chemicals** TPH was detected at 5, 10, and 15 feet bgs at concentrations of 19, 14, and 14 mg/kg, respectively. Acetone was detected at 15 feet bgs at a concentration of 65 µg/kg. **Inorganic Chemicals** No metals were detected above their respective FALs.
S24	Clarifier	NW quadrant of Building 2	C-2-315		✓	✓	✓	✓	✓		✓	✓	✓		✓	Cyanide	**Organic Chemicals** TCE was encountered at 5, 10, 15, 20 and 30 feet bgs at concentrations of 2.5, 4.5, 11, 72 and 19 µg/kg, respectively. Small concentrations of 1,1,1-TCA and cis-1,2-DCE were also detected in concentrations below the FALs. No detectable concentrations of TPH were detected in soil. **Inorganic Chemicals** Lead was detected at 15 feet bgs at a concentration of 9.4 mg/kg.

BOE-C6-0182456

Table 6
Summary of Environmental Features and Soil Investigation Results
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Feature Number	Description	Location	Soil Boring	Sample Depths (ft)						Analytical Program							Results
				1	5	10	15	20	>20	Vapor	TPH	VOCs	Metals	PCBs	pH	Other	
S25	Clarifier pits/settling basins	NW quadrant of Building 2	C-2-313 and S25		✓	✓	✓			✓	✓	✓	✓		✓	Cyanide	**Organic Chemicals** No detectable concentrations of VOCs or TPH were detected in soil. **Inorganic Chemicals** No metals were detected above their respective FALs. **Soil Vapor** VOCs were not detected at 12 and 20 feet bgs.
S26	Oil quench/cooler pit	NW quadrant of Building 2	C-2-152 and PD-9		✓	✓	✓			✓	✓	✓	✓				**Organic Chemicals** TCE was encountered at 5 feet bgs at a concentration of 6.7 µg/kg. No detectable concentrations of TPH were detected in soil. **Inorganic Chemicals** No metals were detected above their respective FALs. **Soil Vapor** No VOCs were detected at 10 and 20 feet bgs.
S27	4 pits centered on conduit	SE quadrant of Building 2	C-2-183, C-2-184, C-2-185 and C-2-186		✓	✓	✓				✓	✓	✓				**Organic Chemicals** TPH was encountered at 5 and 10 feet bgs in C-2-186 at concentrations of 1,700 mg/kg and 1,000 mg/kg, respectively. 1,2-DCA was detected at 10 feet bgs at a concentration of 1.6 µg/kg. **Inorganic Chemicals** No metals were detected above their respective FALs.
S28	Covered pit	SE quadrant of Building 2	C-2-112		✓	✓	✓				✓	✓	✓				**Organic Chemicals** No detectable concentrations of VOCs or TPH were found in soil samples. **Inorganic Chemicals** No metals were detected above their respective FALs.

BOE-C6-0182457

Table 6
Summary of Environmental Features and Soil Investigation Results
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Feature Number	Description	Location	Soil Boring	Sample Depths (ft)						Analytical Program							Results
				1	5	10	15	20	>20	Vapor	TPH	VOCs	Metals	PCBs	pH	Other	
S29	Metalworking machines	SE quadrant of Building 2	C-2-61 thru 65 and C-2-67 thru 69	✓	✓	✓	✓					✓	✓				**Organic Chemicals** Chloroform was detected at 10 feet bgs in C-2-65 at a concentration of 12 µg/kg and nearly every other sample below the FALs. **Inorganic Chemicals** Lead was detected in the 1 foot samples of C-2-62, C-2-64, and C-2-68 at concentrations of 14.7, 16.1, and 11.7 mg/kg, respectively.
S30	Lead furnace/pit	SE quadrant of Building 2	C-2-66		✓	✓	✓				✓		✓				**Organic Chemicals** No detectable concentrations of TPH were found in soil samples. **Inorganic Chemicals** No metals were detected above their respective FALs.
S31	Pit	NW quadrant of Building 2	C-2-346			✓	✓				✓	✓	✓			Cr(6)	**Organic Chemicals** No detectable concentrations of VOCs or TPH were found in soil. **Inorganic Chemicals** Metals results were not found on paper or in the database.
S32	Chromate dip tank area	NW quadrant of Building 2	C-2-218		✓	✓	✓				✓	✓	✓				**Organic Chemicals** Acetone was detected at 10 and 15 feet bgs at concentrations of 16 and 15 µg/kg, respectively. No detectable concentrations of TPH were found in soil. **Inorganic Chemicals** No metals were detected above their respective FALs.
S33	Pipe casing	NW quadrant of Building 2	C-2-147		✓	✓	✓				✓	✓	✓				**Organic Chemicals** No detectable concentrations of VOCs were found in soil. TPH was detected at 15 feet bgs at a concentration of 5 mg/kg. **Inorganic Chemicals** No metals were detected above their respective FALs.

BOE-C6-0182458

Table 6
Summary of Environmental Features and Soil Investigation Results
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Feature Number	Description	Location	Soil Boring	Sample Depths (ft)						Analytical Program							Results
				1	5	10	15	20	>20	Vapor	TPH	VOCs	Metals	PCBs	pH	Other	
S34	Bermed area and pit	NW quadrant of Building 2	C-2-153		✓						✓	✓	✓				**Organic Chemicals** TCE was detected at 5 feet bgs at a concentration of 27 µg/kg. No detectable concentrations of TPH were found in soil. **Inorganic Chemicals** No metals were detected above their respective FALs.
S35	Sump or clarifier	NW quadrant of Building 2	C-2-303		✓	✓	✓				✓	✓	✓				**Organic Chemicals** TCE was found at 5, 10 and 15 feet bgs at concentrations of 9.0 µg/kg, 8.2 µg/kg and 6.3 µg/kg, respectively. No detectable concentrations of TPH were found in soil. **Inorganic Chemicals** No metals were detected above their respective FALs.
S36	Pit	NW quadrant of Building 2	C-2-301		✓	✓	✓				✓	✓	✓				**Organic Chemicals** TCE was found at 5 and 15 feet bgs at concentrations of 32 µg/kg and 13 µg/kg, respectively. No detectable concentrations of TPH were found in soil. **Inorganic Chemicals** No metals were detected above their respective FALs.
S37	Pits	SW quadrant of Building 2	C-2-207, 330, 333 thru 338, S37-1 and S37-2					✓	✓	✓	✓	✓	✓	✓		SVOCs	**Organic Chemicals** TPH was detected at 35 feet at a maximum concentration of 1,500 mg/kg. Aroclor 1248 and Aroclor 1260 were detected at maximum concentrations of 50 and 210 µg/kg, respectively. Low concentrations of VOCs (<FALs) were also detected. 1,1,2,2 –TCA was detected at 35 feet bgs at a concentration of 240 µg/kg. **Inorganic Chemicals** No metals were detected above their respective FALs. **Soil Vapor** VOCs were not detected at 10 feet bgs; however, a TCE concentration of 20 µg/l of vapor was reported at 20 feet bgs.

BOE-C6-0182459

Table 6
Summary of Environmental Features and Soil Investigation Results
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Feature Number	Description	Location	Soil Boring	Sample Depths (ft)						Analytical Program							Results
				1	5	10	15	20	>20	Vapor	TPH	VOCs	Metals	PCBs	pH	Other	
S37A	Pits	SW quadrant of Building 2	C-2-208 and S37A	✓		✓	✓	✓		✓	✓	✓	✓	✓			**Organic Chemicals** Acetone was detected at a maximum concentration of 91 µg/kg. Low concentrations (<14 µg/kg) of other VOCs were detected. No detectable concentrations of TPH and PCBs were found. **Inorganic Chemicals** No metals were detected above their respective FALs. **Soil Vapor** VOCs were not detected at 10 feet bgs.
S38	Sump	SW quadrant of Building 2	C-2-117 and S38		✓	✓	✓			✓	✓	✓	✓				**Organic Chemicals** No detectable concentrations of VOCs and TPH. **Inorganic Chemicals** No metals were detected above their respective FALs. **Soil Vapor** VOCs were not detected at 10 feet bgs.
S39	26 ft. vertical degreaser	SW quadrant of Building 2	C-2-335						✓		✓	✓	✓	✓			**Organic Chemicals** TPH and Aroclor 1260 were detected at 35 feet bgs at concentrations of 36 mg/kg and 19 µg/kg, respectively. No detectable concentrations of VOCs were found in soil. **Inorganic Chemicals** No metals were detected above their respective FALs.
S47	Sump	NW quadrant of Building 2	C-2-253		✓	✓	✓				✓	✓	✓				**Organic Chemicals** TCE was encountered at 5 feet bgs at a concentration of 23 µg/kg. No detectable concentrations of TPH were found in soil. **Inorganic Chemicals** No metals were detected above their respective FALs.

BOE-C6-0182460

Table 6
Summary of Environmental Features and Soil Investigation Results
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Feature Number	Description	Location	Soil Boring	Sample Depths (ft)						Analytical Program							Results
				1	5	10	15	20	>20	Vapor	TPH	VOCs	Metals	PCBs	pH	Other	
S48	Clarifier	NW quadrant of Building 2	C-2-297		✓	✓	✓				✓	✓	✓				**Organic Chemicals** TCE was encountered at 5 and 15 feet bgs at concentrations of 8.2 µg/kg and 19 µg/kg, respectively. No detectable concentrations of TPH were found in soil. **Inorganic Chemicals** No metals were detected above their respective FALs.
S65	Dip tanks and metal shaving area	NE quadrant of Building 2	C-2-266		✓	✓	✓				✓	✓	✓				**Organic Chemicals** MTBE was detected at 10 feet bgs at a concentration of 1.1 µg/kg. No detectable concentrations of TPH were found in soil samples. **Inorganic Chemicals** No metals were detected above their respective FALs.
S66	Concrete patchwork, possibly a pit	NW quadrant of Building 2	C-2-14		✓	✓	✓				✓	✓	✓				**Organic Chemicals** TPH was detected at low concentrations (<10 mg/kg) at 5 and 10 feet bgs. TCE was detected at 10 feet bgs at a concentration of 2.7 µg/kg. **Inorganic Chemicals** No metals were detected above their respective FALs.
S67	Clarifier	NW quadrant of Building 2	C-2-150 and PD-8		✓	✓	✓			✓	✓	✓	✓				**Organic Chemicals** No detectable concentrations of VOCs or TPH were found in soil. **Inorganic Chemicals** No metals were detected above their respective FALs. **Soil Vapor** VOCs were not detected in the vapor samples collected at 10 and 20 feet bgs.
S68	Concrete patch, possibly a pit	SE quadrant of Building 2	C-2-116		✓	✓	✓				✓	✓	✓				**Organic Chemicals** No detectable concentrations of VOCs or TPH were found in soil samples. **Inorganic Chemicals** No metals were detected above their respective FALs.

BOE-C6-0182461

Table 6
Summary of Environmental Features and Soil Investigation Results
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Feature Number	Description	Location	Soil Boring	Sample Depths (ft)						Analytical Program							Results
				1	5	10	15	20	>20	Vapor	TPH	VOCs	Metals	PCBs	pH	Other	
S69	Cd, Cu, & Ni plating tank area	NW quadrant of Building 2	C-2-340, C-2-341, C-2-342, C-2-343, S69-1 and S69-2		✓	✓	✓			✓		✓	✓		✓	Cyanide	**Organic Chemicals** Acetone was detected at concentrations ranging from 19 to 25 µg/kg. TCE was detected at low concentrations (5 µg/kg). **Inorganic Chemicals** No metals were detected above their respective FALs. **Soil Vapor** VOCS were not detected in the two vapor samples from 10 feet bgs and one sample from 20 feet bgs.
T1	Power substation	SW quadrant of Building 2	C-2-206	✓										✓			**Organic Chemicals** PCBs were not detected.
T3	Transformer	NW quadrant of Building 2	C-2-252	✓										✓			**Organic Chemicals** PCBs were not detected.
T4	Transformer	NW quadrant of Building 2	C-2-269	✓										✓			**Organic Chemicals** Aroclor 1260 was detected in soil at 2 feet bgs at a concentration of 250 µg/kg.
T5	Transformer	NW quadrant of Building 2	C-2-270	✓										✓			**Organic Chemicals** Aroclor 1260 was detected in soil at 2 feet bgs at a concentration of 770 µg/kg.
T6	Transformer	NW quadrant of Building 2	C-2-286	✓										✓			**Organic Chemicals** Aroclor 1260 was detected in soil at 2 feet bgs at a concentration of 430 µg/kg.
T7	Transformer	NW quadrant of Building 2	C-2-287	✓										✓			**Organic Chemicals** No detectable concentrations of PCBs were found in soil.
T8	Transformer	SW quadrant of Building 2	C-2-210	✓										✓			**Organic Chemicals** Aroclor 1260 was encountered at 2 feet bgs at a concentration of 150 µg/kg.
T9	Transformer	SW quadrant of Building 2	C-2-118	✓										✓			**Organic Chemicals** No detectable concentrations of PCBs.
T10	Transformer	SW quadrant of Building 2	C-2-124	✓										✓			**Organic Chemicals** No detectable concentrations of PCBs.

BOE-C6-0182462

Table 6
Summary of Environmental Features and Soil Investigation Results
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Feature Number	Description	Location	Soil Boring	Sample Depths (ft)						Analytical Program							Results
				1	5	10	15	20	>20	Vapor	TPH	VOCs	Metals	PCBs	pH	Other	
T11	Transformer	SW quadrant of Building 2															Soil samples not collected at this location. No evidence of impact during assessment confirmation.
T12	Transformer	SW quadrant of Building 2															Soil samples not collected at this location. No evidence of impact during assessment confirmation.
T13	Transformer	SE quadrant of Building 2	C-2-56	✓										✓			**Organic Chemicals** Aroclor 1260 was detected at 2 feet bgs at a concentration of 13 µg/kg.
T16	Transformer	NW quadrant of Building 2	C-2-44	✓										✓			**Organic Chemicals** No detectable concentrations of PCBs were found in soil.
T17	Transformer	NW quadrant of Building 2	C-2-222	✓										✓			**Organic Chemicals** Aroclor 1260 was detected at 2 feet bgs at a concentration of 13 µg/kg.
T18	Transformer	NW quadrant of Building 2	C-2-291	✓										✓			**Organic Chemicals** Aroclor 1260 was detected at 2 feet bgs at a concentration of 180 µg/kg.
T19	Transformer	NW quadrant of Building 2	C-2-288	✓										✓			**Organic Chemicals** No detectable concentrations of PCBs were found in soil.
T20	Transformer	NW quadrant of Building 2	C-2-289	✓										✓			**Organic Chemicals** Aroclor 1260 was detected in soil at 2 feet bgs at a concentration of 930 µg/kg.
T21	Transformer	NW quadrant of Building 2	C-2-246	✓										✓			**Organic Chemicals** Aroclor 1254 was detected in soil at 2 feet bgs at a concentration of 230 µg/kg.
U10	300-550 gallon gasoline UST (30T)	NW quadrant of Building 2	C-2-305			✓	✓	✓			✓	✓	✓				**Organic Chemicals** No detectable concentrations of VOCs or TPH were found in soil. **Inorganic Chemicals** No metals were detected above their respective FALs.

BOE-C6-0182463

Table 6
Summary of Environmental Features and Soil Investigation Results
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Feature Number	Description	Location	Soil Boring	Sample Depths (ft)						Analytical Program							Results
				1	5	10	15	20	>20	Vapor	TPH	VOCs	Metals	PCBs	pH	Other	
U11*	UST-unknown contents	SE quadrant of Building 2	C-2-189		✓	✓	✓				✓	✓	✓				**Organic Chemicals** No detectable concentrations of VOCs or TPH were found in soil samples. **Inorganic Chemicals** No metals were detected above their respective FALs.
U12	300-550 gallon gasoline UST (29T)	NW quadrant of Building 2	C-2-217			✓	✓	✓			✓	✓	✓				**Organic Chemicals** Acetone was detected at concentrations up to 16 µg/kg. No detectable concentrations of TPH were found in soil. **Inorganic Chemicals** No metals were detected above their respective FALs.
U13	300-550 gallon gasoline UST (28T)	SW quadrant of Building 2	C-2-209			✓	✓	✓			✓	✓	✓	✓			**Organic Chemicals** Acetone and dichlorodifluoromethane were detected at low concentrations (< 12 and 5 µg/kg, respectively). No detectable concentrations of PCBs. **Inorganic Chemicals** No metals were detected above their respective FALs.
U15	300-550 gallon gasoline UST (27T)	SW quadrant of Building 2	C-2-173			✓	✓	✓			✓	✓	✓	✓			**Organic Chemicals** Acetone was detected at 15 and 20 feet bgs at concentrations of 8.2 and 12 µg/kg, respectively. No detectable concentrations of PCBs. **Inorganic Chemicals** No metals were detected above their respective FALs.
OA	Open Areas	Throughout Building 2	Various							✓							**Soil Vapor** Thirty-six vapor samples were collected. Four samples were reported to have total VOCs greater than 50 µg/l or vapor.
Building 3																	

BOE-C6-0182464

Table 6
Summary of Environmental Features and Soil Investigation Results
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Feature Number	Description	Location	Soil Boring	Sample Depths (ft)						Analytical Program							Results
				1	5	10	15	20	>20	Vapor	TPH	VOCs	Metals	PCBs	pH	Other	
18	Chemical lab	SW quadrant of Building 3	C-3-1		✓	✓					✓	✓	✓			SVOCs	**Organic Chemicals** No detectable concentrations of VOCs, TPH and SVOCs. **Inorganic Chemicals** No metals were detected above their respective FALs.
P1	Paint lab	SW quadrant of Building 3	C-3-2	✓	✓	✓						✓	✓			SVOCs	**Organic Chemicals** No detectable concentrations of TPH or SVOCs. Chloroform was detected at 10 feet bgs at a concentration of 1.8 µg/kg. **Inorganic Chemicals** No metals were detected above their respective FALs.
T14	Transformer	NW quadrant of Building 3	C-3-4		✓						✓			✓			**Organic Chemicals** No detectable concentrations of TPH and PCBs.
U16	300-550 gallon gasoline UST (33T)	West of Building 3	C-3-3			✓	✓	✓			✓	✓					**Organic Chemicals** No detectable concentrations of VOCs and TPH.
OA	Open Areas	Throughout Building 3	C-31, D-23							✓							**Soil Vapor** C-31 was collected at 10 feet bgs and ND. Vapor samples were collected from D-23 at 10 feet and 20 feet bgs and were reported to have total VOC concentrations of 47 and 32µg/l or vapor, respectively.
Building 20																	
14	Battery storage area	Building 20	C-20-2	✓	✓						✓		✓		✓		**Organic Chemicals** No detectable concentrations of TPH. **Inorganic Chemicals** No metals were detected above their respective FALs.

BOE-C6-0182465

Table 6
Summary of Environmental Features and Soil Investigation Results
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Feature Number	Description	Location	Soil Boring	Sample Depths (ft)						Analytical Program							Results
				1	5	10	15	20	>20	Vapor	TPH	VOCs	Metals	PCBs	pH	Other	
55	Automobile maintenance	Building 20	C-20-5 and C-20-6	✓	✓						✓	✓	✓				**Organic Chemicals** TPH was encountered at 5 feet bgs in C-20-5 at a concentration of 16 mg/kg. **Inorganic Chemicals** No metals were detected above their respective FALs.
A4	Aboveground fuel storage tank	North of Building 20	C-20-1	✓	✓	✓					✓						**Organic Chemicals** TPH was encountered in the 1 foot sample at a concentration of 730 mg/kg.
S8	Clarifier	NE quadrant of Building 20	2BB-5-12	✓	✓	✓	✓	✓	✓			✓		✓		✓	**Organic Chemicals** TRPH was encountered in the 1 foot and 23-feet samples at concentrations of 32 and mg/kg, respectively.
S9	Pit	NE quadrant of Building 20	C-20-3	✓	✓	✓					✓	✓				SVOCs	**Organic Chemicals** No detectable concentrations of VOCs, SVOCs or TPH.
U14*	Hydraulic lift	NW quadrant of Building 20	C-20-4		✓	✓	✓				✓						**Organic Chemicals** No detectable concentrations of VOCs or SVOCs. TPH was detected at 15 feet bgs at a concentration of 25 mg/kg.
OA	Open Areas	Throughout Building 20	C-13 and C-10							✓							**Soil Vapor** No detectable concentrations of VOCs.
Building 29																	
C029S	Step-out sample locations for reported PCE occurrence	Exterior to the east of Building 29	C029S01, C029S02, C029S03, C029S04		✓	✓	✓	✓	✓	✓		✓					**Organic Chemicals** Low concentrations (< 6 µg/kg) of TCE, and 1,1-DCA were detected at depths ranging from 15 to 30 feet bgs. **Soil Vapor** No detectable concentrations of VOCs.

BOE-C6-0182466

Table 6
Summary of Environmental Features and Soil Investigation Results
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Feature Number	Description	Location	Soil Boring	Sample Depths (ft)						Analytical Program							Results
				1	5	10	15	20	>20	Vapor	TPH	VOCs	Metals	PCBs	pH	Other	
S7	Clarifier	Northern portion of Building 29	C-32-6			✓	✓	✓		✓	✓	✓	✓				**Organic Chemicals** No detectable concentrations of VOCs or TPH. **Inorganic Chemicals** No metals were detected above their respective FALs. **Soil Vapor** One vapor sample had a total VOC concentration of 7 µg/l of vapor.
OA	Open Areas	Throughout Building 29	E8, F12							✓							**Soil Vapor** E8 had a toluene concentration of 2 µg/l of vapor. F12 had no detectable concentrations of VOCs.
Building 32																	
2BB-5-20	Step-out sample locations due to arsenic in previous boring 2BB-5-20	Exterior to the north of Building 32	C-32-1, C-32-9, C32S01 and C32S02	✓	✓	✓					✓		✓				**Organic Chemicals** TPH was not detected. **Inorganic Chemicals** Lead was detected at 1 and 5 feet bgs at concentrations of 13 and 8.5 mg/kg, respectively.
10	Waste transfer area	North of Building 32	C-32-4, 10	✓	✓	✓				✓	✓	✓	✓				**Organic Chemicals** TCE, 1,1,1-TCA and 1,1-DCA were detected in a 1 foot sample at concentrations of 2,100, 300 and 96 µg/kg, respectively. TPH was encountered in a 1 foot sample at 2,000 mg/kg. **Inorganic Chemicals** Lead was detected at 1 foot bgs at a concentration of 23 mg/kg. **Soil Vapor** No detectable concentrations of VOCs.

BOE-C6-0182467

Table 6
Summary of Environmental Features and Soil Investigation Results
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Feature Number	Description	Location	Soil Boring	Sample Depths (ft)						Analytical Program							Results
				1	5	10	15	20	>20	Vapor	TPH	VOCs	Metals	PCBs	pH	Other	
11	Paint area (10,000 gal. waste tanks)	North of Building 32	C-32-5, 11		✓	✓	✓	✓		✓		✓	✓				**Organic Chemicals** TCE and PCE were encountered at 4 feet bgs at concentrations of 41 µg/kg and 6.7 mg/kg, respectively. **Inorganic Chemicals** No metals were detected above their respective FALs. **Soil Vapor** Total VOC concentration of 6 µg/l of vapor.
12	Plant services paint storage area	North of Building 32	C-32-7, 12		✓	✓	✓	✓		✓		✓	✓				**Organic Chemicals** No detectable concentrations of VOCs. **Inorganic Chemicals** No metals were detected above their respective FALs. **Soil Vapor** TCE concentration of 3 µg/l of vapor.
D3	Drain	North of Building 32	C-32-3	✓	✓	✓					✓	✓	✓				**Organic Chemicals** TPH was encountered in a 1 foot sample at a concentration of 1,500 mg/kg. No detectable concentrations of VOCs were found in soil. **Inorganic Chemicals** Lead was detected at 5 feet bgs at a concentration of 12 mg/kg.
S6	Covered pit	North of Building 32	C-32-2		✓	✓					✓	✓	✓				**Organic Chemicals** No detectable concentrations of VOCs or TPH. **Inorganic Chemicals** Lead was detected at 5 feet bgs at a concentration of 8.5 mg/kg.
U6	10,000 gal. waste coolant UST (8T)	North of Building 32	C-32-8			✓	✓	✓				✓	✓				**Organic Chemicals** TCE was encountered at 10 feet bgs at a concentration of 5.3 µg/kg. **Inorganic Chemicals** No metals were detected above their respective FALs.

BOE-C6-0182468

Table 6
Summary of Environmental Features and Soil Investigation Results
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Feature Number	Description	Location	Soil Boring	Sample Depths (ft)						Analytical Program							Results
				1	5	10	15	20	>20	Vapor	TPH	VOCs	Metals	PCBs	pH	Other	
U7*	10,000 gal. UST	West of Building 32	C-32-10			✓	✓	✓			✓	✓					**Organic Chemicals** No detectable concentrations of VOCs or TPH. **Inorganic Chemicals** Not tested.
X1, X2	Step-out for previous boring, 2BB-5-20	Outside NE corner of Building 32	C-32-1 and C-32-9	✓	✓						✓	✓	✓				**Organic Chemicals** No detectable concentrations of VOCs or TPH **Inorganic Chemicals** Lead was detected at 1 and 5 feet bgs at concentrations of 13 and 8.5 mg/kg, respectively.
OA	Open Areas	Throughout Building 32	G12, G8							✓							**Soil Vapor** No detectable concentrations of VOCs.
Building 33																	
OA	Open Areas	Throughout Building 33	J2							✓							**Soil Vapor** Total VOC concentration of 6 µg/l of vapor.
Building 40																	
OA	Open Areas	Throughout Building 40	Q14							✓							**Soil Vapor** TCE concentration of 4 µg/l of vapor.
Building 58																	
OA	Open Areas	Throughout Building 58	B7							✓							**Soil Vapor** Total VOC concentration of 7 µg/l of vapor.
Building 66																	

BOE-C6-0182469

Table 6
Summary of Environmental Features and Soil Investigation Results
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Feature Number	Description	Location	Soil Boring	Sample Depths (ft)						Analytical Program							Results
				1	5	10	15	20	>20	Vapor	TPH	VOCs	Metals	PCBs	pH	Other	
F35	Equipment foundation	Building 66	C-66-13 and C-66-14	✓	✓	✓					✓	✓	✓				**Organic Chemicals** TPH was detected at 1 and 5 feet bgs at concentrations of 20 and 44 mg/kg, respectively. Acetone (22 µg/kg) was detected at 5 feet bgs. **Inorganic Chemicals** Arsenic was encountered at 5 feet bgs in C-66-13 at a concentration of 10.5 mg/kg.
F36	Equipment foundation	Building 66	C-66-11 and C-66-12	✓	✓	✓					✓	✓	✓				**Organic Chemicals** TPH was detected at 1 and 5 feet bgs at concentrations of 6.1 and 10 mg/kg, respectively in C-66-11. TPH and acetone were detected in C-66-12 at 5 feet bgs at concentrations of 8.3 mg/kg and 37 µg/kg, respectively. **Inorganic Chemicals** Chromium was detected at 1 foot bgs at a concentration of 57.3 mg/kg. Lead was detected at 1 and 5 feet bgs at concentrations of 13.4 and 12.9 mg/kg, respectively. Arsenic was detected at 5 feet bgs at a concentration of 13.3 mg/kg.
OA	Open Areas	Throughout Building 66	16 borings in vicinity - Building 66							✓							**Soil Vapor** Thirteen vapor points had no detectable concentrations of VOCs. Three vapor points (U24, W15, and X41) had total VOC concentrations of 7, 2 and 6 µg/l of vapor, respectively.

*Feature was tentatively classified as a UST. Upon further review, it was determined not to be a UST as defined under California law.

QA/QC by: _____
Date: _____

BOE-C6-0182470

I. Technical Holding Times

Technical holding time requirements were not provided and therefore not reviewed.

The chain-of-custodies were reviewed for documentation of cooler temperatures. All cooler temperatures met validation criteria.

II. Calibration

a. Initial Calibration

Initial calibration data were not reviewed for Tier I.

IV. Continuing Calibration

Continuing calibration data were not reviewed for Tier I.

III. Blanks

Method blanks data were not provided and therefore not reviewed.

IV. Accuracy and Precision Data

a. Matrix Spike/(Matrix Spike) Duplicates

Matrix spike (MS) and matrix spike duplicate (MSD) analyses were reviewed for each matrix as applicable. Percent recoveries (%R) and relative percent differences (RPD) were within QC limits.

b. Laboratory Control Samples

Laboratory control sample analysis data were not provided and therefore not reviewed.

V. Sample Result Verification

Sample result verification data were not reviewed for Tier 1.

VI. Overall Assessment of Data

Data flags are summarized at the end of this report.

VII. Field Duplicates

No field duplicates were identified in this SDG.

VIII. Field Blanks

No field blanks were identified in this SDG.

Boeing Redevelopment Corp., C-6 Site
Hexavalent Chromium - Data Qualification Summary - SDG KJC10307

No Sample Data Qualified in this SDG

Boeing Redevelopment Corp., C-6 Site
Hexavalent Chromium - Laboratory Blank Data Qualification Summary - SDG KJC10307

No Sample Data Qualified in this SDG

Table 7
Volatile Organic Compounds in Soil Vapor (µg/l)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Vapor Point	Sample Name	Sample Depth (feet)	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,2-Trichloro-trifluoroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	Benzene	Carbon tetrachloride	Chloroethane	Chloroform	cis-1,2-Dichloroethene	Dichlorodifluoromethane	Ethylbenzene	meta- and para-Xylene	Methylene chloride	ortho-Xylene	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	Trichloroethene	Trichlorofluoromethane	Vinyl chloride
10	10 10'	10	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
11	11 10'	10	< 1	2	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	4	< 1
12	12 10'	10	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
22	22 12' DF-1	12	< 1		< 1	< 1	< 1	6		< 1	< 1	< 1	< 1	2	8	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	3	< 1	< 1
22	22 12' DF-5	12	< 5		< 5	< 5	< 5	< 5		< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5
22	22 20' DF-1	20	< 1		< 1	< 1	< 1	< 1		< 1	< 1	< 1	< 1	< 1	2	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
27	27 10'	10	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	3	< 1	< 1	< 1	< 1
28	28 10'	10	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
31	31 10'	10	< 20	< 20	< 20	< 20	< 20	< 20	36	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20
31	31 20'	20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20
42	42 10'	10	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
43	43 10'	10	< 1	< 1	< 1	< 1	< 1	< 1		< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	55	< 1	< 1
48	48 10'	10	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20
52	52 12' DF-20	12	< 20	< 20	< 20	< 20	< 20	< 20	38	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	275	< 20	< 20
52	52 20' DF-2	20	< 2	< 2	< 2	< 2	< 2	< 2	12	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2
52	52 20' DF-2.5	20	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	95	< 2.5	< 2.5
A11	A11 10'	10	< 1	< 1	< 1	< 1	< 1	< 1		< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1		< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
A14	A14-10	10	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
A16	A16 10'	10	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
A18	A18-10	10	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
A23	A23 10'	10	< 1	< 1	< 1	< 1	< 1	< 1	2	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
A7	A7 10' DF-2	10	< 2	< 2	< 2	< 2	< 2	< 2		< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2
A7	A7 20' DF-2.5	20	< 2.5		< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5
B7	B7 10'	10	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	4	< 1	3	< 1	< 1	< 1
BLD32G8	BLD32G8 10'	10	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
C029S02	C029S02 10'	10	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
C029S03	C029S03 10'	10	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
C029S04	C029S04 10'	10	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
C209S01	C209S01 10'	10	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
C27	C27 10' DF-1	10	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	2	< 1
C27	C27 10' DF-20	10	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20
D17	D17 10'	10	< 1	< 1	< 1	< 1	< 1	< 1	3	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
D18	D18 10'	10	< 2	< 2	< 2	< 2	< 2	< 2		< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2
D23	D23 12' DF-20	12	< 20	< 20	< 20	< 20	< 20	< 20	47	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20
D23	D23 20' DF-2.5	20	< 2.5	24	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	8	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5
D23	D23 20' DF-20	20	< 20	< 20	< 20	< 20	< 20	< 20		< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20		< 20	< 20
E8	E8 10'	10	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	2	< 1	< 1	< 1	< 1
F12	F12 10'	10	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
F15	F15 10'	10	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
F20	F20 10'	10	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
F2-1	F2-1 10'	10	< 1	< 1	< 1	< 1	< 1	< 1	8	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	2	< 1	< 1	< 1	< 1
F2-2	F2-2 10'	10	< 1	< 1	< 1	< 1	< 1	< 1	11	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	2	< 1	< 1	< 1	< 1
F28	F28 10' DF-5	10	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	17	< 5	< 5
F28	F28 20' DF-1	20	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
F28	F28 20' DF-20	20	< 20	< 20	< 20	< 20	< 20	< 20	118	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20
F3	F3 10'	10	< 1	< 1	< 1	< 1	< 1	< 1		< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1		< 1	< 1
F35	F35 10'	10	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
G12	G12 10'	10	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1

See notes on page 4

Table 7
Volatile Organic Compounds in Soil Vapor (µg/l)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Vapor Point	Sample Name	Sample Depth (feet)	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,2-Trichloro-trifluoroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	Benzene	Carbon tetrachloride	Chloroethane	Chloroform	cis-1,2-Dichloroethene	Dichlorodifluoromethane	Ethylbenzene	meta- and para-Xylene	Methylene chloride	ortho-Xylene	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	Trichloroethene	Trichlorofluoromethane	Vinyl chloride
H23	H23 12' DF-2.5	12	< 2.5	6	< 2.5	< 2.5	< 2.5	3	53	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5
H23	H23 12' DF-20	12	< 20	< 20	< 20	< 20	< 20	< 20	59	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20		< 20	< 20
I13	I13 10'	10	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	5	< 1	< 1
I29	I29 10' DF-1	10	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
I29	I29 10' DF-40	10	< 40	< 40	< 40	< 40	< 40	< 40	< 40	< 40	< 40	< 40	< 40	< 40	< 40	< 40	< 40	< 40	< 40	< 40	< 40	< 40	< 40	93	< 40	< 40
J2	J2 10'	10	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	2	< 1	< 1	< 1	4	< 1	< 1	< 1	< 1
J41	J41 10'	10	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	3	< 1	< 1	< 1	< 1	< 1	< 1	2	< 1	< 1	< 1	< 1	< 1
J6	J6 10'	10	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	3	< 1	< 1
K14	K14 10'	10	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
K35	K35 10'	10	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
L5	L5 10'	10	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	3	< 1	22	< 1	< 1
M10	M10 2'	2	< 1	< 1	< 1	< 1	< 1	< 1	18	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	11	< 1	< 1
M25	M25 10' DF-1	10	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
M25	M25 10' DF-20	10	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20
M3	M3 10'	10	< 1	< 1	< 1	< 1	< 1	< 1	21.6	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
M31	M31 10'	10	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
M37	M37 10'	10	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
M41	M41 10'	10	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
N4	N4 10'	10	< 1	2	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	2	< 1	< 1	< 1	4	< 1	9	< 1	< 1
N7	N7 7'	7	< 1	< 1	< 1	< 1	< 1	< 1	73	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	19	< 1	< 1
O10	O10 10'	10	< 1	< 1	< 1	< 1	< 1	< 1		< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1			< 1
O11	O11 10'	10	< 1	< 1	< 1	< 1	< 1	< 1		< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1			< 1
O29	O29-10	10	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
P11-1	P11-1 10'	10	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
P11-2	P11-2 10'	10	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
P13	P13 10'	10	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
P13	P13 20'	20	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	2	< 1	< 1
P14	P14 10'	10	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1		< 1		< 1	< 1	< 1	< 1	< 1	< 1
P15	P15 10'	10	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1		< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
P16	P16 10'	10	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
P18	P18 10'	10	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
P2	P2 10'	10	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
P21	P21 10'	10	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
P24	P24 10'	10	< 1	< 1	< 1	< 1	< 1	< 1		< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1		< 1	< 1
P3	P3 10'	10	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
P7	P7 10'	10	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20
P8	P8-10	10	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
P9	P9 10'	10	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
PD 11	PD 11 10'	10	< 1	< 1	< 1	< 1	< 1	< 1	5	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
PD10	PD10 10' DF-1	10	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
PD10	PD10 20' DF-1	20	< 1	< 1	< 1	< 1	< 1	< 1	19	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
PD10	PD10 20' DF-10	20	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	261	< 10	< 10
PD12	PD12 10'	10	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1		< 1	< 1
PD12	PD12 20'	20	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
PD13	PD13 10'	10	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
PD13	PD13 20'	20	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	6	< 1	< 1
PD15	PD15 10'	10	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	23	< 1	< 1
PD15	PD15 20'	20	< 1	< 1	< 1	< 1	< 1	< 1	15	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	19	< 1	< 1

See notes on page 4

Table 7
Volatile Organic Compounds in Soil Vapor (µg/l)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Vapor Point	Sample Name	Sample Depth (feet)	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,2-Trichloro-trifluoroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	Benzene	Carbon tetrachloride	Chloroethane	Chloroform	cis-1,2-Dichloroethene	Dichlorodifluoromethane	Ethylbenzene	meta- and para-Xylene	Methylene chloride	ortho-Xylene	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	Trichloroethene	Trichlorofluoromethane	Vinyl chloride
PD4	PD4 12'	12	< 20	< 20	< 20	< 20	< 20	< 20	38	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20
PD4	PD4 20'	20	< 20	< 20	< 20	< 20	< 20	< 20		< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20
PD5	PD5-10 DF-1	10	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
PD5	PD5-10 DF-20	10	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20
PD5	PD5-20 DF-20	20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20		< 20	< 20	< 20
PD6	PD6-10	10	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
PD6	PD6-20	20	< 1	< 1	< 1	< 1	< 1	< 1		< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
PD7	PD7 10'	10	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2
PD7	PD7 20'	20	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2
PD8	PD8-10	10	< 40	< 40	< 40	< 40	< 40	< 40	< 40	< 40	< 40	< 40	< 40	< 40	< 40	< 40	< 40	< 40	< 40	< 40	< 40	< 40	< 40	< 40	< 40	< 40	< 40
PD8	PD8-20	20	< 40	< 40	< 40	< 40	< 40	< 40	< 40	< 40	< 40	< 40	< 40	< 40	< 40	< 40	< 40	< 40	< 40	< 40	< 40	< 40	< 40	< 40	< 40	< 40	< 40
PD9	PD9-10 DF-1	10	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
PD9	PD9-10 DF-40	10	< 40	< 40	< 40	< 40	< 40	< 40		< 40	< 40	< 40	< 40	< 40	< 40	< 40	< 40	< 40	< 40	< 40	< 40	< 40	< 40	< 40	< 40	< 40	< 40
PD9	PD9-20 DF-40	20	< 40	< 40	< 40	< 40	< 40	< 40	< 40	< 40	< 40	< 40	< 40	< 40	< 40	< 40	< 40	< 40	< 40	< 40	< 40	< 40	< 40	< 40	< 40	< 40	< 40
Q14	Q14 10'	10	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	4	< 1	< 1
Q16	Q16 10'	10	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	4	< 1	< 1
Q20	Q20 10'	10	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1		< 1	< 1
Q21	Q21 10'	10	< 1	< 1	< 1	< 1	< 1	< 1		< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1		< 1	< 1	< 1		< 1	< 1	< 1	< 1
Q31	Q31 10'	10	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
R21	R21 10'	10	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
R25	R25 10'	10	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
S15	S15 10'	10	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
S16	S16-10	10	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
S2	S2 10'	10	< 1	< 1	< 1	< 1	< 1	< 1	67	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	25	< 1	< 1	9	< 1	< 1
S22	S22 10'	10	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20
S25	S25 12' DF-20	12	< 20	< 20	< 20	< 20	< 20	< 20		< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20
S25	S25 20' DF-5	20	< 5	< 5	< 5	< 5	< 5	< 5		< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5
S26	S26 10'	10	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
S32	S32 10'	10	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	7	< 1	< 1	< 1	< 1	< 1	< 1	< 1
S3-2	S3-2 10'	10	< 1	< 1	< 1	< 1	< 1	< 1	79	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	3	< 1	< 1	< 1	7	< 1	< 1	< 1
S37-1	S37-1 10'	10	< 1	< 1	< 1	< 1	< 1	< 1	3	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
S37-1	S37-1 20'	20	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	20	< 1	< 1
S37-2	S37-2 10'	10	< 1	< 1	< 1	< 1	< 1	< 1		< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
S37A	S37A 10'	10	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
S38	S38 10'	10	< 1	< 1	< 1	< 1	< 1	< 1		< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
S39	S39 10'	10	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1		< 1	< 1	< 1		< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
S41	S41 10'	10	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1		< 1	< 1	< 1	< 1	< 1	< 1
S67	S67-10	10	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
S67	S67-20	20	< 1		< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
S69-1	S69-1 10' DF-2	10	< 2		< 2	< 2	< 2			< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2
S69-1	S69-1 10' DF-20	10	< 20		< 20	< 20	< 20	< 20		< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20		< 20	< 20
S69-1	S69-1 20' DF-1	20	< 1	< 1	< 1		< 1		< 1		< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
S69-1	S69-1 20' DF-5	20	< 5		< 5	< 5	< 5	< 5		< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5		< 5	< 5
S69-2	S69-2 10'	10	< 20		< 20	< 20	< 20	< 20		< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20	< 20		< 20	< 20
S7	S7 10'	10	< 1	< 1	< 1	< 1	< 1	< 1	2	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	3	< 1	< 1	2	< 1
SG 22	SG 22-10	10	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	1.4	< 1	< 1	< 1	< 1	< 1
SG 26	SG 26-10	10	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1		< 1	< 1
SG 56	SG 56-10	10	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1

See notes on page 4

Table 7
Volatile Organic Compounds in Soil Vapor (µg/l)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Vapor Point	Sample Name	Sample Depth (feet)	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,2-Trichloro-trifluoroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,2-Dichloroethane	Benzene	Carbon tetrachloride	Chloroethane	Chloroform	cis-1,2-Dichloroethene	Dichlorodifluoromethane	Ethylbenzene	meta- and para-Xylene	Methylene chloride	ortho-Xylene	Tetrachloroethene	Toluene	trans-1,2-Dichloroethene	Trichloroethene	Trichlorofluoromethane	Vinyl chloride
SG B22	SG B22-10	10	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
SG C10	SG C10-10	10	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
SG C13	SG C13-10	10	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
SG C31	SG C31-10	10	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
SG F6	SG F6-10	10	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
SG I16	SG I16-10	10	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
SG I18	SG I18-10	10	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
SG L19	SG L19-10	10	< 1	< 1	< 1	< 1	< 1	< 1		< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
SG P5	SG P5-10	10	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	23	< 1	< 1
SG T41	SG T41-10	10	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
SG V41	SG V41-10	10	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
U18	U18 10'	10	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
U24	U24 10'	10	< 1	< 1	< 1	< 1	< 1	< 1	5	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
U29	U29 10'	10	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	2	< 1	< 1
V20	V20 10'	10	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
V27	V27 10'	10	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
V33	V33 10'	10	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
V38	V38 10'	10	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
W15	W15 10'	10	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	2	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
W21	W21 10'	10	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
W30	W30 10'	10	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
W35	W35 10'	10	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
X41	X41 10'	10	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
Y21	Y21 10'	10	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	6	< 1	< 1	< 1	< 1	< 1	< 1	< 1
Y27	Y27 10'	10	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1
Y37	Y37 10'	10	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1

Notes:
All concentrations reported in µg/l.
Blanks = Data not available or sample not analyzed

QA/QC by: _____
_____
_____
Date: _____

See notes on page 4

Table 8
Volatile Organic Compounds in Soil Samples (µg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Object Name	Sample Name	Sample Depth (feet)	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloro-1,2,2-trifluoroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-chloropropane	1,2-Dichlorobenzene	1,2-Dichloroethane	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	1,4-Dioxane	2,2-Dichloropropane	2-Butanone	2-Chloroethylvinylether	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene	4-Isopropyltoluene	4-Methyl-2-pentanone	Acetone	Acrolein	Acrylonitrile	Benzene	Benzene, 1-methylethyl-	Bromobenzene	Bromochloromethane	Bromodichloromethane	Bromoform	Bromomethane	Carbon disulfide	Carbon tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane
01-01	1-1-1_P_1_031897_1	1														<10	<5			<10		<10				<25									<5				<5			<5		<5	<10
01-01	1-1-1_P_1_032097_1	1	<5	<5	<5	<5	<5	<5	<5								<5																												
01-01	1-1-4_P_4_031897_1	4		<5	<5	<5	<5	<5	<5							<10	<5	<5		<10		<10				<25									<5				<5			<5		<5	<10
01-01	1-1-4_P_4_031997_1	4	<5	<5	<5	<5	<5	<5	<5								<5																												
01-01	1-1-10_P_10_031897_1	10		<5	<5	<5	<5	<5	<5							<10	<5	<5		<10		<10				<25									<5				<5			<5		<5	<10
01-01	1-1-10_P_10_031997_1	10	<5	<5	<5	<5	<5	<5	<5								<5																												
01-02	1-2-1_P_1_031897_1	1	<5	<5	<5	<5	<5	<5	<5								<5																												
01-02	1-2-4_P_4_031897_1	4	<5	<5	<5	<5	<5	<5	<5								<5																												
01-02	1-2-10_P_10_031897_1	10	<5	<5	<5	<5	<5	<5	<5								<5																												
01-2A	1-2A-1_P_1_031497_1	1	<5	<5	<5	<5	<5	<5	<5								<5																												
01-2A	1-2A-4_P_4_031497_1	4	<5	<5	<5	<5	<5	<5	<5								<5																												
01-2A	1-2A-10_P_10_031397_1	10		<5	<5		<5	<5	<5							<10	<5	<5		<10		<10				<25									<5				<5			<5		<5	<10
01-2A	1-2A-10_P_10_031497_1	10	<5	<5	<5	<5	<5	<5	<5								<5																												
01-03	1-3-2_P_2_031397_1	2	<5	<5	<5	<5	<5	<5	55								<5																												
01-03	1-3-4_P_4_031397_1	4	<5	<5	<5	<5	<5	<5	53								<5																												
01-03	1_3_10	10	<5	<5	<5		<5	<5	13	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
01-03	1-3-10_P_10_031497_1	10	<5	<5	<5	<5	<5	<5	57								<5																												
01-03	1-3-15_P_15_031797_1	15	<5	<5	<5	<5	<5	<5	61								<5																												
01-03	1_3_20	20	<5	<5	<5		<5	<5	14	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
01-03	1-3-20_P_20_031797_1	20	<5	<5	<5	<5	<5	<5	39								<5																												
01-03	1_3_25	25	<25	<25	<25		<25	<25	220	<25	<25	<25	<25	<25	<50	<25	<25	<25	<25	<25		<25		<25	<120	<50	<25	<120	<25	<25	<120	<120	<500	<250	<25	<25	<25	<25	<25	<25	<50	<25	<25	<25	<25	<50
01-03	1-3-25_P_25_031797_1	25	<5	<5	<5	<5	<5	<5	45								<5																												
01-03	1_3_30	30	<5	3.7J	<5		<5	<5	78	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
01-03	1_3_40	40	<5	<5	<5		<5	<5	17	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
01-03	1_3_50	50	<5	21	<5		<5	6.9	66	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
01-04	1-4-1_P_1_030397_1	1	<5	<5	<5	<5	<5	<5	<5								<5																												
01-04	1-4-4_P_4_030397_1	4	<5	<5	<5	<5	<5	<5	53								<5																												
01-04	1-4-10_P_10_030397_1	10	<5	<5	<5	<5	<5	<5	6								<5																												
01-04	1-4-20_P_20_030397_1	20	<5	<5	<5	<5	<5	<5	<5								<5																												
01-04	1-4-30_P_30_030397_1	30	<5	<5	<5	<5	<5	<5	30								<5																												
01-04	1-4-40_P_40_030497_1	40	<5	<5	<5	<5	<5	<5	30								<5																												
01-04	1-4-50_P_50_030397_1	50	<5	<5	<5	<5	<5	<5	130								<5																												
01-05	1-5-0.5_P_0.5_022897_1	0.5		<5	<5		<5	<5	<5							<10	<5	<5		<10		<10				<25									<5				<5			<5		<5	<10
01-05	1-5-0.5_P_0.5_030197_1	0.5	<5	<5	<5	<5	<5	<5	<5								<5																												
01-05	1-5-4_P_4_030197_1	4	<5	<5	<5	<5	<5	<5	<5								<5																												
01-05	1-5-10_P_10_030197_1	10	<5	<5	<5	<5	<5	<5	<5								<5																												
01-05	1-5-20_P_20_030197_1	20	<5	<5	<5	<5	<5	<5	17								<5																												
01-05	1-5-30_P_30_030197_1	30	<5	<5	<5	<5	<5	<5	10								<5																												
01-05	1-5-40_P_40_030197_1	40	<5	<5	<5	<5	<5	<5	58								<5																												
01-05	1-5-50_P_50_030197_1	50	<5	<5	<5	<5	<5	<5	5								<5																												
01-06	1_6_10	10	<5	<5	<5		<5	<5	8.3	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
01-06	1_6_20	20	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
01-06	1_6_25	25	<5	<5	<5		<5	2J	7.5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
01-06	1_6_30	30	<5	5.2	<5		<5	<5	25	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
01-06	1_6_40	40	<5	66	<5		<5	24	260	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
01-06	1_6_50	50	<5	3J	<5		<5	<5	4.7J	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
01-06	1_6_60	60	<5	73	<5		<5	21	120	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
01-10	1-10-1_P_1_031197_1	1	<5	<5	<5	<5	<5	<5	<5								<5																												
01-10	1-10-4_P_4_031197_1	4	<5	<5	<5	<5	<5	<5	<5								<5																												
01-10	1-10-10_P_10_031197_1	10	<5	<5	<5	<5	<5	<5	<5								<5																												
01-14	1-14-1_P_1_031897_1	1	<5	<5	<5	<5	<5	<5	<5								<5																												
01-14	1-14-4_P_4_031897_1	4	<5	<5	<5	<5	<5	<5	<5								<5																												
01-14	1-14-10_P_10_031897_1	10	<5	<5	<5	<5	<5	<5	<5								<5																												
01-14	1-14-15_P_15_031897_1	15	<5	<5	<5	<5	<5	<5	<5								<5																												
01-14	1-14-20_P_20_031897_1	20	<5	<5	<5	<5	<5	<5	<5								<5																												
01-14	1-14-25_P_25_031897_1	25	<5	<5	<5	<5	<5	<5	<5								<5																												
01-15	1-15-1_P_1_031897_1	1	<5	<5	<5	<5	<5	<5	<5								<5																												
01-15	1-15-4_P_4_031897_1	4	<5	<5	<5	<5	<5	<5	<5								<5																												
01-15	1-15-10_P_10_031897_1	10	<5	<5	<5	<5	<5	<5	<5								<5																												
01-15	1-15-15_P_15_031897_1	15	<5	<5	<5	<5	<5	<5	<5								<5																												
01-15	1-15-20_P_20_031897_1	20	<5	<5	<5	<5	<5	<5	<5								<5																												
01-15	1-15-25_P_25_031897_1	25	<5	<5	<5	<5	<5	<5	<5								<5																												
01-16	1-16-1_P_1_031697_1	1	<5	<5	<5	<5	<5	<5	<5								<5																												
01-16	1-16-4_P_4_031697_1	4	<5	<5	<5	<5	<5	<5	<5								<5																												
01-16	1-16-10_P_10_031697_1	10	<5	<5	<5	<5	<5	<5	<5								<5																												
01-16	1-16-15_P_15_031697_1	15	<5	<5	<5	<5	<5	<5	<5								<5																												
01-16	1-16-20_P_20_031697_1	20	<5	<5	<5	<5	<5	<5	<5								<5																												
01-16	1-16-25_P_25_031697_1	25	<5	<5	<5	<5	<5	<5	<5								<5																												
01-17	1-17-1_P_1_031797_1	1	<5	<5	<5	<5	<5	<5	<5								<5																												
01-17	1-17-4_P_4_031797_1	4	<5	<5	<5	<5	<5	<5	<5								<5																												
01-17	1-17-10_P_10_031797_1	10	<5	<5	<5	<5	<5	<5	<5								<5																												
01-17	1-17-15_P_15_031797_1	15	<5	<5	<5	<5	<5	<5	<5								<5																												
01-17	1-17-20_P_20_031797_1	20	<5	<5	<5	<5	<5	<5	<5								<5																												
01-17	1-17-25_P_25_031897_1	25	<5	<5	<5	<5	<5	<5	<5								<5																												
01-18	1-18-1_P_1_030697_1	1	<5	<5	<5	<5	<5	<5	<5								<5																												
01-18	1-18-4_P_4_030697_1	4	<5	<5	<5	<5	<5	<5	<5								<5																												
01-18	1-18-10_P_10_030697_1	10	<5	<5	<5	<5	<5	<5	<5								<5																												
01-18	1-18-15_P_15_030697_1	15	<5	<5	<5	<5	<5	<5	<5								<5																												
01-18	1-18-20_P_20_030697_1	20	<5	<5	<5	<5	<5	<5	<5								<5																												
01-18	1-18-25_P_25_030697_1	25	<5	<5	<5	<5	<5	<5	<5								<5																												

See notes on page 54

Table 8
Volatile Organic Compounds in Soil Samples (µg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Object Name	Sample Name	Sample Depth (feet)	Chloroform	Chloromethane	cis-1,2-Dichloroethene	cis-1,3-Dichloropropene	Dibromomethane	Dichlorodifluoromethane	Dichlorofluoromethane	Dichloromethane	Ethylbenzene	Ethylene dibromide	Hexachlorobutadiene	Iodomethane	Isopropyl ether	MTBE	Naphthalene	n-Butylbenzene	n-Propylbenzene	sec-Butylbenzene	Styrene	t-Butanol	Tert-amyl methyl ether	Tert-butyl ethyl ether	tert-Butylbenzene	Tetrachloroethene	Tetrahydrofuran	Toluene	trans-1,2-Dichloroethene	trans-1,3-Dichloropropene	Trichloroethene	Trichlorofluoromethane	Vinyl Acetate	Vinyl chloride	m/p-xylene	o-Xylene	Xylenes (total)
01-01	1-1-1_P_1_031897_1	1	<5	<10		<5				<25	<5																										
01-01	1-1-1_P_1_032097_1	1	<5		<5					<5	<5															<5		<5	<5	<20	43	<25		<10			<5
01-01	1-1-4_P_4_031897_1	4	<5	<10		<5				<25	<5																				6				<5	<5	
01-01	1-1-4_P_4_031997_1	4	<5		<5					<5	<5															<5		<5	<5	<20	<5	<25		<10			<5
01-01	1-1-10_P_10_031897_1	10	<5	<10		<5				<25	<5															<5		<5	<5		13				<5	<5	
01-01	1-1-10_P_10_031997_1	10	<5		<5					<5	<5															<5		<5	<5	<20	9.8	<25		<10			<5
01-02	1-2-1_P_1_031897_1	1	<5		<5					<5	<5															<5		<5	<5		8				<5	<5	
01-02	1-2-4_P_4_031897_1	4	<5		<5					<5	<5															<5		<5	<5		<5				<5	<5	
01-02	1-2-10_P_10_031897_1	10	<5		<5					<5	<5															<5		<5	<5		<5				<5	<5	
01-2A	1-2A-1_P_1_031497_1	1	<5		<5					<5	<5															<5		<5	<5		<5				<5	<5	
01-2A	1-2A-4_P_4_031497_1	4	<5		<5					<5	<5															<5		<5	<5		26				<5	<5	
01-2A	1-2A-10_P_10_031397_1	10	<5	<10		<5				<25	<5															<5		<5	<5		52				<5	<5	
01-2A	1-2A-10_P_10_031497_1	10	<5		<5					<5	<5															<5		<5	<5	<20	<5	<25		<10			<5
01-03	1-3-2_P_2_031397_1	2	<5		<5					<5	<5															<5		<5	<5		<5				<5	<5	
01-03	1-3-4_P_4_031397_1	4	<5		<5					<5	<5															<5		<5	<5		10				<5	<5	
01-03	1_3_10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10					<5		<5	<5		9				<5	<5	
01-03	1-3-10_P_10_031497_1	10	<5		<5					<5	<5															<5	<20	<5	<5	<5	12	<10	<10	<10			<5
01-03	1-3-15_P_15_031797_1	15	<5		<5					<5	<5															<5		<5	<5		10				<5	<5	
01-03	1_3_20	20	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10					<5		<5	<5		10				<5	<5	
01-03	1-3-20_P_20_031797_1	20	<5		<5					<5	<5															<5	<20	<5	<5	<5	15	<10	<10	<10			<5
01-03	1_3_25	25	<25	<50	<25	<25		<50		<25	<25	<25	<25	<50		<25		<25	<25	<25	<50					<25		<25	<25		8				<5	<5	
01-03	1-3-25_P_25_031797_1	25	<5		<5					<5	<5															<25	<25	<100	<25	<25	190	<50	<50	<50			<25
01-03	1_3_30	30	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10					<5		<5	<5		9				<5	<5	
01-03	1_3_40	40	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10					<5	<20	<5	<5	<5	97	<10	<10	<10			<5
01-03	1_3_50	50	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10					<5	<20	<5	<5	<5	23	<10	<10	<10			<5
01-03	1_3_60	60	<5	<10	2.3J	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10					<5	<20	<5	<5	<5	6.3	<10	<10	<10			<5
01-04	1-4-1_P_1_030397_1	1	<5		<5					<5	<5															<5		<5	<5		60	<10	<10	<10			<5
01-04	1-4-4_P_4_030397_1	4	<5		11					<5	<5															<5		<5	<5		<5				<5	<5	
01-04	1-4-10_P_10_030397_1	10	<5		6					<5	<5															<5		<5	<5		6				<5	<5	
01-04	1-4-20_P_20_030397_1	20	<5		23					<5	<5															<5		<5	<5		<5				<5	<5	
01-04	1-4-30_P_30_030397_1	30	<5		32					<5	<5															<5		<5	<5		<5				<5	<5	
01-04	1-4-40_P_40_030497_1	40	<5		7					<5	<5															<5		<5	<5		18				<5	<5	
01-04	1-4-50_P_50_030397_1	50	<5		9					<5	<5															<5		<5	<5		15				<5	<5	
01-05	1-5-0.5_P_0.5_022897_1	0.5	<5	<10		<5				<25	<5															<5		<5	<5		48				<5	<5	
01-05	1-5-0.5_P_0.5_030197_1	0.5	<5		<5					<5	<5															<5		<5	<5	<20	<5	<25		<10			<5
01-05	1-5-4_P_4_030197_1	4	<5		<5					<5	<5															<5		<5	<5		<5				<5	<5	
01-05	1-5-10_P_10_030197_1	10	<5		<5					<5	<5															<5		<5	<5		<5				<5	<5	
01-05	1-5-20_P_20_030197_1	20	<5		<5					<5	<5															<5		<5	<5		<5				<5	<5	
01-05	1-5-30_P_30_030197_1	30	<5		<5					<5	<5															<5		<5	<5		10				<5	<5	
01-05	1-5-40_P_40_030197_1	40	<5		<5					<5	<5															<5		<5	<5		9				<5	<5	
01-05	1-5-50_P_50_030197_1	50	<5		<5					<5	<5															<5		<5	<5		24				<5	<5	
01-06	1_6_10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10					<5		<5	<5		<5				<5	<5	
01-06	1_6_20	20	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10					<5	<20	<5	<5	<5	22	<10	<10	<10			<5
01-06	1_6_25	25	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10					<5	<20	<5	<5	<5	6.8	<10	<10	<10			<5
01-06	1_6_30	30	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10					<5	<20	<5	<5	<5	42	<10	<10	<10			<5
01-06	1_6_40	40	3.6J	<10	6.2	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10					<5	<20	<5	<5	<5	37	<10	<10	<10			<5
01-06	1_6_50	50	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10					<5	<20	<5	4.2J	<5	350	<10	<10	<10			<5
01-06	1_6_60	60	3.1J	<10	6.4	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10					<5	<20	<5	<5	<5	14	<10	<10	<10			<5
01-10	1-10-1_P_1_031197_1	1	<5		<5					<5	<5															<5	<20	<5	2.1J	<5	180	<10	<10	<10			<5
01-10	1-10-4_P_4_031197_1	4	<5		<5					<5	<5															<5		<5	<5		<5				<5	<5	
01-10	1-10-10_P_10_031197_1	10	<5		<5					<5	<5															<5		<5	<5		<5				<5	<5	
01-14	1-14-1_P_1_031897_1	1	<5		<5					<5	<5															<5		<5	<5		<5				<5	<5	
01-14	1-14-4_P_4_031897_1	4	<5		<5					<5	<5															<5		<5	<5		<5				<5	<5	
01-14	1-14-10_P_10_031897_1	10	<5		<5					<5	<5															<5		<5	<5		<5				<5	<5	
01-14	1-14-15_P_15_031897_1	15	<5		<5					<5	<5															<5		<5	<5		<5				<5	<5	
01-14	1-14-20_P_20_031897_1	20	<5		<5					<5	<5															<5		<5	<5		<5				<5	<5	
01-14	1-14-25_P_25_031897_1	25	<5		<5					<5	<5															<5		<5	<5		<5				<5	<5	
01-15	1-15-1_P_1_031897_1	1	<5		<5					<5	<5															<5		<5	<5		<5				<5	<5	
01-15	1-15-4_P_4_031897_1	4	<5		<5					<5	<5															<5		<5	<5		<5				<5	<5	
01-15	1-15-10_P_10_031897_1	10	<5		<5					<5	<5															<5		<5	<5		<5				<5	<5	
01-15	1-15-15_P_15_031897_1	15	<5		<5					<5	<5															<5		<5	<5		<5				<5	<5	
01-15	1-15-20_P_20_031897_1	20	<5		<5					<5	<5															<5		<5	<5		<5				<5	<5	
01-15	1-15-25_P_25_031897_1	25	<5		<5					<5	<5															<5		<5	<5		<5				<5	<5	
01-16	1-16-1_P_1_031897_1	1	<5		<5					<5	<5															<5		<5	<5		<5				<5	<5	
01-16	1-16-4_P_4_031897_1	4	<5		<5					<5	<5															<5		<5	<5		<5				<5	<5	
01-16	1-16-10_P_10_031897_1	10	<5		<5					<5	<5															<5		<5	<5		<5				<5	<5	
01-16	1-16-15_P_15_031897_1	15	<5		<5					<5	<5															<5		<5	<5		<5				<5	<5	
01-16	1-16-20_P_20_031897_1	20	<5		<5					<5	<5															<5		<5	<5		<5				<5	<5	
01-16	1-16-25_P_25_031897_1	25	<5		<5					<5	<5															<5		<5	<5		<5				<5	<5	
01-17	1-17-1_P_1_031797_1	1	<5		<5					<5	<5															<5		<5	<5		<5				<5	<5	
01-17	1-17-4_P_4_031797_1	4	<5		<5					<5	<5															<5		<5	<5		<5				<5	<5	
01-17	1-17-10_P_10_031797_1	10	<5		<5					<5	<5															<5		<5	<5		<5				<5	<5	
01-17	1-17-15_P_15_031797_1	15	<5		<5					<5	<5															<5		<5	<5		<5				<5	<5	
01-17	1-17-20_P_20_031797_1	20	<5		<5					<5	<5															<5		<5	<5		<5				<5	<5	
01-17	1-17-25_P_25_031897_1	25	<5		<5					<5	<5															<5		<5	<5		<5				<5	<5	
01-18	1-18-1_P_1_030697_1	1	<5		<5					<5	<5															<5		<5	<5		<5				<5	<5	
01-18	1-18-4_P_4_030697_1	4	<5		<5					<5	<5															<5		<5	<5		<5				<5	<5	
01-18	1-18-10_P_10_030697_1	10	<5		<5					<5	<5															<5		<5	<5		<5				<5	<5	
01-18	1-18-15_P_15_030697_1	15	<5		<5					<5	<5															<5		<5	<5		<5				<5	<5	
01-18	1-18-20_P_20_030697_1	20	<5		<5					<5	<5															<5		<5	<5		<5				<5	<5	
01-18	1-18-25_P_25_030697_1	25	<5		<5					<5	<5															<5		<5	<5		<5				<5	<5	

See notes on page 54

Table 8
Volatile Organic Compounds in Soil Samples (µg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Object Name	Sample Name	Sample Depth (feet)	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloro-1,2,2-trifluoroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-chloropropane	1,2-Dichlorobenzene	1,2-Dichloroethane	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	1,4-Dioxane	2,2-Dichloropropane	2-Butanone	2-Chloroethylvinylether	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene	4-Isopropyltoluene	4-Methyl-2-pentanone	Acetone	Acrolein	Acrylonitrile	Benzene	Benzene, 1-methylethyl-	Bromobenzene	Bromochloromethane	Bromodichloromethane	Bromoform	Bromomethane	Carbon disulfide	Carbon tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane
01-19	1-19-1_P_1_030897_1	1	<5	<5	<5	<5	<5	<5	17								<5																<5								<5			
01-19	1-19-4_P_4_030897_1	4	<5	<5	<5	<5	<5	<5	19								<5																<5								<5			
01-19	1-19-10_P_10_030897_1	10	<5	<5	<5	<5	<5	<5	<5								<5																<5								<5			
01-19	1-19-15_P_15_030897_1	15	<5	<5	<5	<5	<5	<5	<5								<5																<5								<5			
01-19	1-19-20_P_20_030897_1	20	<5	<5	<5	<5	<5	<5	<5								<5																<5								<5			
01-19	1-19-25_P_25_030897_1	25	<5	<5	<5	<5	<5	<5	9								<5																<5								<5			
01-20	1-20-1_P_1_030897_1	1	<5	<5	<5	<5	<5	<5	7								<5																<5								<5			
01-20	1-20-4_P_4_030897_1	4	<5	<5	<5	<5	<5	<5	8								<5																<5								<5			
01-20	1-20-10_P_10_030797_1	10		<5	<5		<5	<5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<10	<5	<5	<2.5	<10	<2.5	<10		<2.5		<25	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<5	<5	<5	<5	<5	<5	<10
01-20	1-20-10_P_10_030897_1	10	<5	<5	<5	<5	<5	<5	220								<5																<5								<5			
01-20	1-20-15_P_15_030897_1	15	<5	<5	<5	<5	<5	<5	8								<5																<5								<5			
01-20	1-20-20_P_20_030897_1	20	<5	<5	<5	<5	<5	<5	<5								<5																<5								<5			
01-20	1-20-25_P_25_030897_1	25	<5	<5	<5	<5	<5	<5	89								<5																<5								<5			
01-26	26_5'	5	<5	<5	<5		<5	<5	<5	<5	<5	<5					<5																<5								<5			
01-26	26_10'	10	<5	<5	<5		<5	<5	<5	<5	<5	<5			<10	<5	<5						<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
01-31	1_31_1_20	20	<5	<5	<5		<5	<5	<5	<5	<5	<5			<10	<5	<5	<5	<5				<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
01-31	1_31_1_25	25	<5	<5	<5		<5	<5	<5	4.8J	<5	<5			<10	<5	<5	<5	<5				<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
01-31	1_31_1_30	30	<5	<5	<5		<5	<5	<5	7.5	<5	<5			<10	<5	<5	<5	<5				<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
02-06	2-6-1_P_1_031397_1	1	<5	<5	<5	<5	<5	<5	<5								<5																<5								<5			
02-06	2-6-4_P_4_031397_1	4	<5	<5	<5	<5	<5	<5	<5								<5																<5								<5			
02-06	2-6-10_P_10_031397_1	10	<5	<5	<5	<5	<5	<5	<5								<5																<5								<5			
02-12	2-12-1_D_1_031397	1	<5	<5	<5	<5	<5	<5	<5								<5																<5								<5			
02-12	2-12-1_P_1_031397_1	1	<5	<5	<5	<5	<5	<5	<5								<5																<5								<5			
02-12	2-12-4_P_4_031397_1	4	<5	<5	<5	<5	<5	<5	<5								<5																<5								<5			
02-12	2-12-10_P_10_031397_1	10	<5	<5	<5	<5	<5	<5	<5							<10	<5	<5		<10		<10				<25									<5								<5			
02-33	2-33-1_P_1_031897_1	1	<5	<5	<5	<5	<5	<5	<5								<5																<5						<5	<5	<5				<5	<5	<5	<10
02-33	2-33-4_P_4_031897_1	4	<5	<5	<5	<5	<5	<5	<5								<5																<5								<5			
02-33	2-33-10_P_10_031897_1	10	<5	<5	<5	<5	<5	<5	<5								<5																<5								<5			
02-33	2-33-15_P_15_031897_1	15	<5	<5	<5	<5	<5	<5	<5								<5																<5								<5			
02-33	2_33_20	20	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5		<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
02-33	2-33-20_P_20_031897_1	20	<5	<5	<5	<5	<5	<5	<5								<5																<5								<5			
02-33	2_33_25	25	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5		<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
02-33	2-33-25_P_25_031897_1	25	<5	<5	<5	<5	<5	<5	<5								<5																<5								<5			
02-33	2_33_30	30	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5		<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
02-33	2_33_40	40	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5		<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
02-33	2_33_50	50	<5	8.2	<5		<5	4.2J	45	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5		<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
02-33	2_33_60	60	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5		<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
02-35	2-35-1_P_1_031897_1	1	<5	<5	<5	<5	<5	<5	<5								<5																<5								<5			
02-35	2-35-4_P_4_031897_1	4	<5	<5	<5	<5	<5	<5	<5								<5																<5								<5			
02-35	2-35-10_P_10_031897_1	10	<5	<5	<5	<5	<5	<5	<5								<5																<5								<5			
02-35	2-35-15_P_15_031897_1	15	<5	<5	<5	<5	<5	<5	<5								<5																<5								<5			
02-35	2-35-20_P_20_031897_1	20	<5	<5	<5	<5	<5	<5	<5								<5																<5								<5			
02-35	2-35-25_P_25_031897_1	25	<5	<5	<5	<5	<5	<5	<5								<5																<5								<5			
02-199	2_199_5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5		<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
02-199	2_199_10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5		<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
02-199	2_199_15	15	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5		<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
02-211	2_211_5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5		<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
02-211	2_211_10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5		<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
02-211	2_211_15	15	<5	2.8J	<5		<5	<5	6.2	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5		<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
03-0-1	3_0_1_30	30	<5	<5	<5		<5	<5	4J	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5		<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
03-0-1	3_0_1_40	40	<5	<5	<5		<5	<5	110	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5		<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
03-0-1	3_0_1_50	50	<5	<5	<5		<5	<5	75	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5		<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
03-0-1	3_0_1_60	60	<5	<5	<5		<5	<5	40	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5		<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
04-01	4-1-1_P_1_031897_1	1	<5	<5	<5	<5	<5	<5	<5								<5																<5								<5			
04-01	4-1-4_P_4_031897_1	4		<5	<5		<5	<5	<5							<10	<5	<5		<10		<10				<25									<5								<5			
04-01	4-1-4_P_4_031997_1	4	<5	<5	<5	<5	<5	<5	<5							<10	<5	<5		<10		<10				<25									<5								<5			
04-01	4-1-10_P_10_031897_1	10		<5	<5		<5	<5	<5								<5																<5								<5			
04-01	4-1-10_P_10_031997_1	10	<5	<5	<5	<5	<5	<5	<5							<10	<5	<5		<10		<10				<25									<5								<5			
04-02	4-2-1_P_1_031897_1	1		<5	<5		<5	<5	<5								<5																<5								<5			
04-02	4-2-1_P_1_031997_1	1	<5	<5	<5	<5	<5	<5	<5							<10	<5	<5		<10		<10				<25									<5								<5			
04-02	4-2-4_P_4_031897_1	4		<5	<5		<5	<5	<5								<5																<5								<5			
04-02	4-2-4_P_4_031997_1	4	<5	<5	<5	<5	<5	<5	<5							<10	<5	<5		<10		<10				<25									<5								<5			
04-02	4-2-10_P_10_031897_1	10		<5	<5		<5	<5	<5								<5																<5								<5			
04-02	4-2-10_P_10_031997_1	10	<5	<5	<5	<5	<5	<5	<5							<10	<5	<5		<10		<10				<25									<5								<5			
04-03	4-3-1_P_1_030997_1	1	<5	<5	<5	<5	<5	<5	<5								<5																<5								<5			
04-03	4-3-4_P_4_030997_1	4	<5	<5	<5	<5	<5	<5	<5								<5																<5								<5			
04-03	4-3-10_P_10_030997_1	10	<5	<5	<5	<5	<5	<5	<5								<5																<5								<5			
04-03	4-3-20_P_20_030997_1	20	<5	<5	<5	<5	<5	<5	<5								<5																<5								<5			
04-03	4-3-30_P_30_030797_1	30		<5	<5		<5	<5	<5								<5																<5								<5			
04-03	4-3-30_P_30_030997_1	30	<5	<5	<5	<5	<5	<5	<5							<10	<5	<5		<10		<10				<25									<5								<5			
04-03	4-3-40_P_40_030997_1	40	<5	<5	<5	<5	<5	<5	<5								<5																<5								<5			
04-03	4-3-50_P_50_030997_1	50	<5	<5	<5	<5	<5	<5	<5								<5																<5								<5			
04-04	4-4-1_P_1_031897_1	1		<5	<5		<5	<5	<5								<5																<5								<5			
04-04	4-4-1_P_1_031997_1	1	<5	<5	<5	<5	<5	<5	<5							<10	<5	<5		<10		<10				<25									<5								<5			
04-04	4-4-4_P_4_031897_1	4		<5	<5		<5	<5	<5								<5																<5								<5			
04-04	4-4-4_P_4_031997_1	4	<5	<5	<5	<5	<5	<5	<5							<10	<5	<5		<10		<10				<25									<5								<5			
04-04	4-4-10_P_10_031897_1	10		<5	<5		<5	<5	<5								<5																<5								<5			
04-04	4-4-10_P_10_031997_1	10	<5	<5	<5	<5	<5	<5	<5							<10	<5	<5		<10		<10				<25									<5								<5			
04-05	4-5-1_P_1_031897_1	1		<5	<5		<5	<5	<5								<5																<5								<5			
04-05	4-5-1_P_1_031997_1	1	<5	<5	<5	<5	<5	<5	<5							<10	<5	<5		<10		<10				<25									<5								<5			
04-05	4-5-4_P_4_031897_1	4		<5	<5		<5	<5	<5								<5																<5								<5			

See notes on page 54

Table 8
Volatile Organic Compounds in Soil Samples (µg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Object Name	Sample Name	Sample Depth (feet)	Chloroform	Chloromethane	cis-1,2-Dichloroethene	cis-1,3-Dichloropropene	Dibromomethane	Dichlorodifluoromethane	Dichlorofluoromethane	Dichloromethane	Ethylbenzene	Ethylene dibromide	Hexachlorobutadiene	Iodomethane	Isopropyl ether	MTBE	Naphthalene	n-Butylbenzene	n-Propylbenzene	sec-Butylbenzene	Styrene	t-Butanol	Tert-amyl methyl ether	Tert-butyl ethyl ether	tert-Butylbenzene	Tetrachloroethene	Tetrahydrofuran	Toluene	trans-1,2-Dichloroethene	trans-1,3-Dichloropropene	Trichloroethene	Trichlorofluoromethane	Vinyl Acetate	Vinyl chloride	m/p-xylene	o-Xylene	Xylenes (total)
01-19	1-19-1_P_1_030897_1	1	<5		<5					<5	<5															10		<5			<5				<5	<5	
01-19	1-19-4_P_4_030897_1	4	<5		<5					<5	<5															<5		<5			<5				<5	<5	
01-19	1-19-10_P_10_030897_1	10	<5		<5					<5	<5															<5		<5			<5				<5	<5	
01-19	1-19-15_P_15_030897_1	15	<5		<5					<5	<5															<5		<5			<5				<5	<5	
01-19	1-19-20_P_20_030897_1	20	<5		<5					<5	<5															<5		<5			<5				<5	<5	
01-19	1-19-25_P_25_030897_1	25	<5		<5					<5	<5															<5		<5			<5				<5	<5	
01-20	1-20-1_P_1_030897_1	1	<5		<5					<5	<5															<5		<5			<5				<5	<5	
01-20	1-20-4_P_4_030597_1	4	<5		<5					<5	<5															<5		<5			<5				<5	<5	
01-20	1-20-10_P_10_030797_1	10	<5	<10	<2.5	<5	<2.5		<2.5	<25	<5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<5		<5			<5				<5	<5	
01-20	1-20-10_P_10_030897_1	10	<5		<5					<5	<5															<5		<5			<5				<5	<5	
01-20	1-20-15_P_15_030897_1	15	<5		<5					<5	<5															<5		<5			<5				<5	<5	
01-20	1-20-20_P_20_030897_1	20	<5		<5					<5	<5															<5		<5			<5				<5	<5	
01-20	1-20-25_P_25_030897_1	25	<5		<5					<5	<5															<5		<5			<5				<5	<5	
01-26	26_5'	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10				<5	<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<20				<5	<5	
01-26	26_10'	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10				<5	<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<20	<5	2J	<10	<10	<10		<5
01-31	1_31_1_20	20	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10				<5	<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<20	<5	7.5	<10	<10	<10		<5
01-31	1_31_1_25	25	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10				<5	<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<20	<5	2.8J	<10	<10	<10		<5
01-31	1_31_1_30	30	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10				<5	<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<20	<5	27	<10	<10	<10		<5
02-06	2-6-1_P_1_031397_1	1	<5		<5					<5	<5															<5		<5			<5				<5	<5	
02-06	2-6-4_P_4_031397_1	4	<5		<5					<5	<5															<5		<5			<5				<5	<5	
02-06	2-6-10_P_10_031397_1	10	<5		<5					<5	<5															<5		<5			<5				<5	<5	
02-12	2-12-1_D_1_031397	1	<5		<5					<5	<5															<5		<5			<5				<5	<5	
02-12	2-12-1_P_1_031397_1	1	<5		<5					<5	<5															<5		<5			<5				<5	<5	
02-12	2-12-4_P_4_031397_1	4	<5		<5					<5	<5															<5		<5			<5				<5	<5	
02-12	2-12-10_P_10_031397_1	10	<5	<10	<5	<5				<5	<5															<5		<5			<5				<5	<5	
02-33	2-33-1_P_1_031897_1	1	<5		<5					<5	<5															<5		<5		<20	<5		<10		<5	<5	<5
02-33	2-33-4_P_4_031897_1	4	<5		<5					<5	<5															<5		<5			<5				<5	<5	
02-33	2-33-10_P_10_031897_1	10	<5		<5					<5	<5															<5		<5			<5				<5	<5	
02-33	2-33-15_P_15_031897_1	15	<5		<5					<5	<5															<5		<5			<5				<5	<5	
02-33	2_33_20	20	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<5	<10				<5	4.7J	<20	<5	<5	<5	<20	<5	51	<10	<10	<10		<5
02-33	2-33-20_P_20_031897_1	20	<5		<5					<5	<5															<5		<5			<5				<5	<5	
02-33	2_33_25	25	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<20	<5	39	<10	<10	<10		<5
02-33	2-33-25_P_25_031897_1	25	<5		<5					<5	<5															<5		<5			<5				<5	<5	
02-33	2_33_30	30	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<5	<10				<5	7.8	<20	<5	<5	<5	<20	<5	110	<10	<10	<10		<5
02-33	2_33_40	40	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<20	<5	5	<10	<10	<10		<5
02-33	2_33_50	50	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<20	<5	60	<10	<10	<10		<5
02-33	2_33_60	60	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<20	<5	49	<10	<10	<10		<5
02-35	2-35-1_P_1_031897_1	1	<5		<5					<5	<5															<5		<5			<5				<5	<5	
02-35	2-35-4_P_4_031897_1	4	<5		<5					<5	<5															<5		<5			<5				<5	<5	
02-35	2-35-10_P_10_031897_1	10	<5		<5					<5	<5															<5		<5			<5				<5	<5	
02-35	2-35-15_P_15_031897_1	15	<5		<5					<5	<5															<5		<5			<5				<5	<5	
02-35	2-35-20_P_20_031897_1	20	<5		<5					<5	<5															<5		<5			<5				<5	<5	
02-35	2-35-25_P_25_031897_1	25	<5		<5					<5	<5															<5		<5			<5				<5	<5	
02-199	2_199_5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	110	<10	<10	<10			<5
02-199	2_199_10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	16	<10	<10	<10			<5
02-199	2_199_15	15	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	34	<10	<10	<10			<5
02-211	2_211_5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	87	<10	<10	<10			<5
02-211	2_211_10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	76	<10	<10	<10			<5
02-211	2_211_15	15	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	170	<10	<10	<10			<5
03-0-1	3_0_1_30	30	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	11	<10	<10	<10			<5
03-0-1	3_0_1_40	40	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	110	<10	<10	<10			<5
03-0-1	3_0_1_50	50	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	92	<10	<10	<10			<5
03-0-1	3_0_1_60	60	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	49	<10	<10	<10			<5
04-01	4-1-1_P_1_031897_1	1	<5	<10	<5	<5				<5	<5															<5		<5		<5	<5		<10	<5	<5	<5	
04-01	4-1-4_P_4_031897_1	4	<5	<10		<5				<25	<5															<5		<5		<5	<5		<10	<5	<5	<5	
04-01	4-1-4_P_4_031997_1	4	<5		<5					<5	<5															<5		<5		<5	<5		<10	<5	<5	<5	
04-01	4-1-10_P_10_031897_1	10	<5	<10		<5				<25	<5															<5		<5		<5	<5		<10	<5	<5	<5	
04-01	4-1-10_P_10_031997_1	10	<5		<5					<5	<5															<5		<5		<5	<5		<10	<5	<5	<5	
04-02	4-2-1_P_1_031897_1	1	<5	<10		<5				<25	<5															<5		<5		<5	<5		<10	<5	<5	<5	
04-02	4-2-1_P_1_031997_1	1	<5		<5					<5	<5															<5		<5		<5	<5		<10	<5	<5	<5	
04-02	4-2-4_P_4_031897_1	4	<5	<10		<5				<25	<5															<5		<5		<5	<5		<10	<5	<5	<5	
04-02	4-2-4_P_4_031997_1	4	<5		<5					<5	<5															<5		<5		<5	<5		<10	<5	<5	<5	
04-02	4-2-10_P_10_031897_1	10	<5	<10		<5				<25	<5															<5		<5		<5	<5		<10	<5	<5	<5	
04-02	4-2-10_P_10_031997_1	10	<5		<5					<5	<5															<5		<5		<5	<5		<10	<5	<5	<5	
04-03	4-3-1_P_1_030997_1	1	<5		<5					<5	<5															<5		<5			<5				<5	<5	
04-03	4-3-4_P_4_030997_1	4	<5		<5					<5	<5															<5		<5			<5				<5	<5	
04-03	4-3-10_P_10_030997_1	10	<5		<5					<5	<5															<5		<5			<5				<5	<5	
04-03	4-3-20_P_20_030997_1	20	<5		<5					<5	<5															<5		<5			<5				<5	<5	
04-03	4-3-30_P_30_030797_1	30	<5	<10		<5				<25	<5															<5		<5			<5				<5	<5	
04-03	4-3-30_P_30_030997_1	30	<5		<5					<5	<5															<5		<5		<20	<5		<10		<5	<5	<5
04-03	4-3-40_P_40_030997_1	40	<5		<5					<5	<5															<5		<5			<5				<5	<5	
04-03	4-3-50_P_50_030997_1	50	<5		<5					<5	<5															<5		<5			<5				<5	<5	
04-04	4-4-1_P_1_031897_1	1	<5	<10		<5				<25	<5															<5		<5			<5				<5	<5	
04-04	4-4-1_P_1_031997_1	1	<5		<5					<5	<5															<5		<5		<5	<5		<10	<5	<5	<5	
04-04	4-4-4_P_4_031897_1	4	<5	<10		<5				<25	<5															<5		<5		<5	<5		<10	<5	<5	<5	
04-04	4-4-4_P_4_031997_1	4	<5		<5					<5	<5															<5		<5		<5	<5		<10	<5	<5	<5	
04-04	4-4-10_P_10_031897_1	10	<5	<10		<5				<25	<5															<5		<5		<5	<5		<10	<5	<5	<5	
04-04	4-4-10_P_10_031997_1	10	<5		<5					<5	<5															<5		<5		<5	<5		<10	<5	<5	<5	
04-05	4-5-1_P_1_031897_1	1	<5	<10		<5				<25	<5															<5		<5		<5	<5		<10	<5	<5	<5	
04-05	4-5-1_P_1_031997_1	1	<5		<5					<5	<5															<5		<5		<5	<5		<10	<5	<5	<5	
04-05	4-5-4_P_4_031897_1	4	<5	<10		<5				<25	<5															<5		<5		<5	<5		<10	<5	<5	<5	

See notes on page 54

Table 8
Volatile Organic Compounds in Soil Samples (µg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Object Name	Sample Name	Sample Depth (feet)	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloro-1,2,2-trifluoroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-chloropropane	1,2-Dichlorobenzene	1,2-Dichloroethane	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	1,4-Dioxane	2,2-Dichloropropane	2-Butanone	2-Chloroethylvinylether	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene	4-Isopropyltoluene	4-Methyl-2-pentanone	Acetone	Acrolein	Acrylonitrile	Benzene	Benzene, 1-methylethyl-	Bromobenzene	Bromochloromethane	Bromodichloromethane	Bromoform	Bromomethane	Carbon disulfide	Carbon tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane
04-05	4-5-4_P_4_031997_1	4	<5	<5	<5	<5	<5	<5	<5								<5																	<5								<5			
04-05	4-5-10_P_10_031997_1	10														<10	<5	<5	<5	<10	<10		<25											<5								<5	<5	<5	<10
04-05	4-5-10_P_10_031997_1	10	<5	<5	<5	<5	<5	<5	<5								<5																	<5								<5			
05-10	5-10-1_P_1_031897_1	1														<10	<5	<5	<5	<10	<10		<25											<5								<5	<5	<5	<10
05-10	5-10-1_P_1_032097_1	1	<5	<5	<5	<5	<5	<5	<5								<5																	<5								<5			
05-10	5-10-4_P_4_031897_1	4														<10	<5	<5	<5	<10	<10		<25											<5								<5	<5	<5	<10
05-10	5-10-4_P_4_032097_1	4	<5	<5	<5	<5	<5	<5	<5								<5																	<5								<5			
05-10	5-10-10_P_10_031897_1	10														<10	<5	<5	<5	<10	<10		<25											<5								<5	<5	<5	<10
05-10	5-10-10_P_10_032097_1	10	<5	<5	<5	<5	<5	<5	<5								<5																	<5								<5			
05-12	5-12-1_P_1_031897_1	1														<10	<5	<5	<5	<10	<10		<25											<5								<5	<5	<5	<10
05-12	5-12-1_P_1_032097_1	1	<5	<5	<5	<5	<5	<5	<5								<5																	<5								<5			
05-12	5-12-4_P_4_031897_1	4														<10	<5	<5	<5	<10	<10		<25											<5								<5	<5	<5	<10
05-12	5-12-4_P_4_032097_1	4	<5	<5	<5	<5	<5	<5	<5								<5																	<5								<5			
05-12	5-12-10_P_10_031897_1	10														<10	<5	<5	<5	<10	<10		<25											<5								<5	<5	<5	<10
05-12	5-12-10_P_10_032097_1	10	<5	<5	<5	<5	<5	<5	<5								<5																	<5								<5			
05-29	5-29-4_P_4_040897_1	4		<5	<5	<5	<5	<5	<5							<10	<5	<5	<5	<10	<10		<25											<5				<5	<5	<5	<5	<5	<5	<5	<10
2BB-1-1	2BB-1-1-1_P_1_050697_1	1		<5	<5	<5	<5	<5	<5							<10	<5	<5	<5	<10	<10		<25											<5				<5	<5	<5	<5	<5	<5	<5	<10
2BB-1-1	2BB-1-1-4_P_4_050697_1	4		<5	<5	<5	<5	<5	<5							<10	<5	<5	<5	<10	<10		<25											<5				<5	<5	<5	<5	<5	<5	<5	<10
2BB-1-1	2BB-1-1-10_P_10_050697_1	10		<5	<5	<5	<5	<5	<5							<10	<5	<5	<5	<10	<10		<25											<5				<5	<5	<5	<5	<5	<5	<5	<10
2BB-1-1	2BB-1-1-15_P_15_050697_1	15		<5	<5	<5	<5	<5	<5							<10	<5	<5	<5	<10	<10		<25											<5				<5	<5	<5	<5	<5	<5	<5	<10
2BB-1-1	2BB-1-1-20_P_20_050697_1	20		<5	<5	<5	<5	<5	<5							<10	<5	<5	<5	<10	<10		<25											<5				<5	<5	<5	<5	<5	<5	<5	<10
2BB-1-1	2BB-1-1-25_P_25_050697_1	25		<5	<5	<5	<5	<5	<5							<10	<5	<5	<5	<10	<10		<25											<5				<5	<5	<5	<5	<5	<5	<5	<10
2BB-1-1A	2BB-1-1A-1_P_1_050697_1	1		<5	<5	<5	<5	<5	<5							<10	<5	<5	<5	<10	<10		<25											<5				<5	<5	<5	<5	<5	<5	<5	<10
2BB-1-1A	2BB-1-1A-4_P_4_050697_1	4		<5	<5	<5	<5	<5	<5							<10	<5	<5	<5	<10	<10		<25											<5				<5	<5	<5	<5	<5	<5	<5	<10
2BB-1-1A	2BB-1-1A-10_P_10_050697_1	10		<5	<5	<5	<5	<5	<5							<10	<5	<5	<5	<10	<10		<25											<5				<5	<5	<5	<5	<5	<5	<5	<10
2BB-1-2	2BB-1-2-1_P_1_050697_1	1		<5	<5	<5	<5	<5	<5							<10	<5	<5	<5	<10	<10		<25											<5				<5	<5	<5	<5	<5	<5	<5	<10
2BB-1-2	2BB-1-2-4_P_4_050697_1	4		<5	<5	<5	<5	<5	<5							<10	<5	<5	<5	<10	<10		<25											<5				<5	<5	<5	<5	<5	<5	<5	<10
2BB-1-2	2BB-1-2-10_P_10_050697_1	10		<5	<5	<5	<5	<5	<5							<10	<5	<5	<5	<10	<10		<25											<5				<5	<5	<5	<5	<5	<5	<5	<10
2BB-1-3	2BB-1-3-4_P_4_040997_1	4	<5	<5	<5	<5	<5	<5	**5.3**							<5	<5	<5	<5	<5	<5													<5				<5	<5	<5	<5	<5	<5	<5	<5
2BB-1-4	2BB-1-4-1_P_1_041797_1	1	<5	<5	<5	<5	<5	<5	<5							<5	<5	<5	<5	<5	<5													<5				<5	<5	<5	<5	<5	<5	<5	<5
2BB-1-4	2BB-1-4-4_P_4_041797_1	4	<5	<5	<5	<5	<5	<5	**6.5**							<5	<5	<5	<5	<5	<5													<5				<5	<5	<5	<5	<5	<5	<5	<5
2BB-1-4	2BB-1-4-10_P_10_041797_1	10	<5	<5	<5	<5	<5	<5	**14**							<5	<5	<5	<5	<5	<5													<5				<5	<5	<5	<5	<5	<5	<5	<5
2BB-1-4	2BB-1-4-20_P_20_041797_1	20	<5	<5	<5	<5	<5	<5	**39**							<5	<5	<5	<5	<5	<5													<5				<5	<5	<5	<5	<5	<5	<5	<5
2BB-1-4	2BB-1-4-30_P_30_041797_1	30	<5	<5	<5	<5	<5	<5	**59**							<5	<5	<5	<5	<5	<5													<5				<5	<5	<5	<5	<5	<5	<5	<5
2BB-1-4	2BB-1-4-40_P_40_041797_1	40	<5	<5	<5	<5	<5	<5	**82**							<5	<5	<5	<5	<5	<5													<5				<5	<5	<5	<5	<5	<5	<5	<5
2BB-1-4	2BB-1-4-50_P_50_041797_1	50	<5	**5.9**	<5	<5	<5	<5	**98**							<5	<5	<5	<5	<5	<5													<5				<5	<5	<5	<5	<5	<5	<5	<5
2BB-1-5	2BB-1-5-1_P_1_041797_1	1	<5	<5	<5	<5	<5	<5	<5							<5	<5	<5	<5	<5	<5		<25											<5				<5	<5	<5	<5	<5	<5	<5	<5
2BB-1-5	2BB-1-5-4_P_4_041797_1	4	<5	<5	<5	<5	<5	<5	<5							<5	<5	<5	<5	<5	<5													<5				<5	<5	<5	<5	<5	<5	<5	<5
2BB-1-5	2BB-1-5-10_P_10_041797_1	10	<5	<5	<5	<5	<5	<5	**5.8**							<5	<5	<5	<5	<5	<5													<5				<5	<5	<5	<5	<5	<5	<5	<5
2BB-1-5	2BB-1-5-20_P_20_041797_1	20	<5	<5	<5	<5	<5	<5	**27**							<5	<5	<5	<5	<5	<5													<5				<5	<5	<5	<5	<5	<5	<5	<5
2BB-1-5	2BB-1-5-30_P_30_041797_1	30	<5	<5	<5	<5	<5	<5	**44**							<5	<5	<5	<5	<5	<5													<5				<5	<5	<5	<5	<5	<5	<5	<5
2BB-1-5	2BB-1-5-40_P_40_041797_1	40	<5	<5	<5	<5	<5	<5	**180**	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<5	<5	<5	<5	<2.5	<5	<5	<2.5	<5	<2.5	<5	<2.5	<2.5					<5	<2.5	<2.5	<2.5	<5	<5	<5	<5	<5	<5	<5	<5
2BB-1-5	2BB-1-5-50_P_50_041797_1	50	<5	<5	<5	<5	<5	<5	**25**							<5	<5	<5	<5	<5	<5													<5				<5	<5	<5	<5	<5	<5	<5	<5
2BB-1-14	2BB-1-14-1_P_1_050597_1	1		<5	<5	<5	<5	<5	<5							<10	<5	<5	<5	<10	<10		<25											<5				<5	<5	<5	<5	<5	<5	<5	<10
2BB-1-14	2BB-1-14-4_P_4_050597_1	4		<5	<5	<5	<5	<5	<5							<10	<5	<5	<5	<10	<10		<25											<5				<5	<5	<5	<5	<5	<5	<5	<10
2BB-1-14	2BB-1-14-10_P_10_050597_1	10		<5	<5	<5	<5	<5	<5							<10	<5	<5	<5	<10	<10		<25											<5				<5	<5	<5	<5	<5	<5	<5	<10
2BB-1-14	2BB-1-14-15_P_15_050597_1	15		<5	<5	<5	<5	<5	<5							<10	<5	<5	<5	<10	<10		<25											<5				<5	<5	<5	<5	<5	<5	<5	<10
2BB-1-14	2BB-1-14-20_P_20_050597_1	20		<5	<5	<5	<5	<5	<5							<10	<5	<5	<5	<10	<10		<25											<5				<5	<5	<5	<5	<5	<5	<5	<10
2BB-1-14	2BB-1-14-25_P_25_050597_1	25		<5	<5	<5	<5	<5	<5							<10	<5	<5	<5	<10	<10		<25											<5				<5	<5	<5	<5	<5	<5	<5	<10
2BB-1-15	2BB-1-15-1_P_1_050597_1	1		<5	<5	<5	<5	<5	<5							<10	<5	<5	<5	<10	<10		<25											<5				<5	<5	<5	<5	<5	<5	<5	<10
2BB-1-15	2BB-1-15-4_P_4_050597_1	4		<5	<5	<5	<5	<5	<5							<10	<5	<5	<5	<10	<10		<25											<5				<5	<5	<5	<5	<5	<5	<5	<10
2BB-1-15	2BB-1-15-10_P_10_050597_1	10		<5	<5	<5	<5	<5	<5							<10	<5	<5	<5	<10	<10		<25											<5				<5	<5	<5	<5	<5	<5	<5	<10
2BB-1-15	2BB-1-15-15_P_15_050597_1	15		<5	<5	<5	<5	<5	<5							<10	<5	<5	<5	<10	<10		<25											<5				<5	<5	<5	<5	<5	<5	<5	<10
2BB-1-15	2BB-1-15-20_P_20_050597_1	20		<5	<5	<5	<5	<5	<5							<10	<5	<5	<5	<10	<10		<25											<5				<5	<5	<5	<5	<5	<5	<5	<10
2BB-1-15	2BB-1-15-25_P_25_050597_1	25		<5	<5	<5	<5	<5	<5							<10	<5	<5	<5	<10	<10		<25											<5				<5	<5	<5	<5	<5	<5	<5	<10
2BB-1-16	2BB-1-16-1_P_1_050597_1	1		<5	<5	<5	<5	<5	<5							<10	<5	<5	<5	<10	<10		<25											<5				<5	<5	<5	<5	<5	<5	<5	<10
2BB-1-16	2BB-1-16-4_P_4_050597_1	4		<5	<5	<5	<5	<5	<5							<10	<5	<5	<5	<10	<10		<25											<5				<5	<5	<5	<5	<5	<5	<5	<10
2BB-1-16	2BB-1-16-10_P_10_050597_1	10		<5	<5	<5	<5	<5	<5							<10	<5	<5	<5	<10	<10		<25											<5				<5	<5	<5	<5	<5	<5	<5	<10
2BB-1-16	2BB-1-16-15_P_15_050597_1	15		<5	<5	<5	<5	<5	<5							<10	<5	<5	<5	<10	<10		<25											<5				<5	<5	<5	<5	<5	<5	<5	<10
2BB-1-16	2BB-1-16-20_P_20_050597_1	20		<5	<5	<5	<5	<5	<5							<10	<5	<5	<5	<10	<10		<25											<5				<5	<5	<5	<5	<5	<5	<5	<10
2BB-1-16	2BB-1-16-25_P_25_050597_1	25		<5	<5	<5	<5	<5	<5							<10	<5	<5	<5	<10	<10		<25											<5				<5	<5	<5	<5	<5	<5	<5	<10
2BB-1-17	2BB-1-17-1_P_1_050597_1	1		<5	<5	<5	<5	<5	<5							<10	<5	<5	<5	<10	<10		<25											<5				<5	<5	<5	<5	<5	<5	<5	<10
2BB-1-17	2BB-1-17-4_P_4_050597_1	4		<5	<5	<5	<5	<5	<5							<10	<5	<5	<5	<10	<10		<25											<5				<5	<5	<5	<5	<5	<5	<5	<10
2BB-1-17	2BB-1-17-10_P_10_050597_1	10		<5	<5	<5	<5	<5	<5							<10	<5	<5	<5	<10	<10		<25											<5				<5	<5	<5	<5	<5	<5	<5	<10
2BB-1-17	2BB-1-17-15_P_15_050597_1	15		<5	<5	<5	<5	<5	<5							<10	<5	<5	<5	<10	<10		<25											<5				<5	<5	<5	<5	<5	<5	<5	<10
2BB-1-17	2BB-1-17-20_P_20_050597_1	20		<5	<5	<5	<5	<5	<5							<10	<5	<5	<5	<10	<10		<25											<5				<5	<5	<5	<5	<5	<5	<5	<10
2BB-1-17	2BB-1-17-25_P_25_050597_1	25		<5	<5	<5	<5	<5	<5							<10	<5	<5	<5	<10	<10		<25											<5				<5	<5	<5	<5	<5	<5	<5	<10
2BB-1-18	2BB-1-18-1_P_1_041697_1	1	<5	<5	<5	<5	<5	<5	<5							<5	<5	<5	<5	<5	<5		<25											<5				<5	<5	<5	<5	<5	<5	<5	<5
2BB-1-18	2BB-1-18-4_P_4_041697_1	4	<5	<5	<5	<5	<5	<5	<5							<5	<5	<5	<5	<5	<5													<5				<5	<5	<5	<5	<5	<5	<5	<5
2BB-1-18	2BB-1-18-10_P_10_041697_1	10	<5	<5	<5	<5	<5	<5	<5							<5	<5	<5	<5	<5	<5													<5				<5	<5	<5	<5	<5	<5	<5	<5
2BB-1-18	2BB-1-18-15_P_15_041697_1	15	<5	<5	<5	<5	<5	<5	**10**							<5	<5	<5	<5	<5	<5													<5				<5	<5	<5	<5	<5	<5	<5	<5
2BB-1-18	2BB-1-18-20_P_20_041697_1	20	<5	<5	<5	<5	<5	<5	<5							<5	<5	<5	<5	<5	<5													<5				<5	<5	<5	<5	<5	<5	<5	<5
2BB-1-18	2BB-1-18-25_P_25_041697_1	25	<5	<5	<5	<5	<5	<5	**25**							<5	<5	<5	<5	<5	<5													<5				<5	<5	<5	<5	<5	<5	<5	<5
2BB-1-19	2BB-1-19-1_P_1_040197_1	1	<5	<5	<5	<5	<5	<5	<5							<5	<5	<5	<5	<5	<5													<5				<5	<5	<5	<5	<5	<5	<5	<5
2BB-1-19	2BB-1-19-4_P_4_040197_1	4	<5	<5	<5	<5	<5	<5	**28**							<5	<5	<5	<5	<5	<5													<5				<5	<5	<5	<5	<5	<5	<5	<5
2BB-1-19	2BB-1-19-10_P_10_040197_1	10	<5	<5	<5	<5	<5	<5	<5							<5	<5	<5	<5	<5	<5													<5				<5	<5	<5	<5	<5	<5	<5	<5
2BB-1-19	2BB-1-19-15_P_15_040197_1	15	<5	<5	<5	<5	<5	<5	<5							<5	<5	<5	<5	<5	<5													<5				<5	<5	<5	<5	<5	<5	<5	<5
2BB-1-19	2BB-1-19-20_P_20_040197_1	20	<5	<5	<5	<5	<5	<5	<5							<5	<5	<5	<5	<5	<5													<5				<5	<5	<5	<5	<5	<5	<5	<5
2BB-1-19	2BB-1-19-25_P_25_040197_1	25	<5	<5	<5	<5	<5	<5	<5							<5	<5	<5	<5	<5	<5													<5				<5	<5	<5	<5	<5	<5	<5	<5
2BB-1-20	2BB-1-20-1_P_1_040197_1	1	<5	<5	<5	<5	<5	<5	**9.3**							<5	<5	<5	<5	<5	<5													<5				<5	<5	<5	<5	<5	<5	<5	<5
2BB-1-20	2BB-1-20-4_P_4_040197_1	4	<5	<5	<5	<5	<5	<5	**60**							<5	<5	<5	<5	<5	<5													<5				<5	<5	<5	<5	<5	<5	<5	<5

See notes on page 54

Table 8
Volatile Organic Compounds in Soil Samples (µg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Object Name	Sample Name	Sample Depth (feet)	Chloroform	Chloromethane	cis-1,2-Dichloroethene	cis-1,3-Dichloropropene	Dibromomethane	Dichlorodifluoromethane	Dichlorofluoromethane	Dichloromethane	Ethylbenzene	Ethylene dibromide	Hexachlorobutadiene	Iodomethane	Isopropyl ether	MTBE	Naphthalene	n-Butylbenzene	n-Propylbenzene	sec-Butylbenzene	Styrene	t-Butanol	Tert-amyl methyl ether	Tert-butyl ethyl ether	tert-Butylbenzene	Tetrachloroethene	Tetrahydrofuran	Toluene	trans-1,2-Dichloroethene	trans-1,3-Dichloropropene	Trichloroethene	Trichlorofluoromethane	Vinyl Acetate	Vinyl chloride	m/p-xylene	o-Xylene	Xylenes (total)
04-05	4-5-4_P_4_031997_1	4	<5		<5					<5	<5															<5		<5			<5				<5	<5	
04-05	4-5-10_P_10_031897_1	10	<5	<10		<5				<25	<5															<5		<5	<5	<20	<5	<25		<10			<5
04-05	4-5-10_P_10_031997_1	10	<5		<5					<5	<5															<5		<5			<5				<5	<5	
05-10	5-10-1_P_1_031897_1	1	<5	<10		<5				<25	<5															<5		<5	<5	<20	<5	<25		<10			<5
05-10	5-10-1_P_1_032097_1	1	<5		<5					<5	<5															<5		<5			<5				<5	<5	
05-10	5-10-4_P_4_031897_1	4	<5	<10		<5				<25	<5															<5		<5	<5	<20	<5	<25		<10			<5
05-10	5-10-4_P_4_032097_1	4	<5		<5					<5	<5															<5		<5			<5				<5	<5	
05-10	5-10-10_P_10_031897_1	10	<5	<10		<5				<25	<5															<5		<5	<5	<20	<5	<25		<10			<5
05-10	5-10-10_P_10_032097_1	10	<5		<5					<5	<5															<5		<5			<5				<5	<5	
05-12	5-12-1_P_1_031897_1	1	<5	<10		<5				<25	<5															<5		<5	<5	<20	<5	<25		<10			<5
05-12	5-12-1_P_1_032097_1	1	<5		<5					<5	<5															<5		<5			<5				<5	<5	
05-12	5-12-4_P_4_031897_1	4	<5	<10		<5				<25	<5															<5		<5	<5	<20	<5	<25		<10			<5
05-12	5-12-4_P_4_032097_1	4	<5		<5					<5	<5															<5		<5			<5				<5	<5	
05-12	5-12-10_P_10_031897_1	10	<5	<10		<5				<25	<5															<5		<5	<5	<20	<5	<25		<10			<5
05-12	5-12-10_P_10_032097_1	10	<5		<5					<5	<5															<5		<5			<5				<5	<5	
05-29	5-29-4_P_4_040897_1	4	<5	<10		<5				<25	<5															<5		<5			<5				<5	<5	
2BB-1-1	2BB-1-1-1_P_1_050697_1	1	<5	<10		<5				<25	<5															<5		<5	<5	<20	<5	<25		<10			<5
2BB-1-1	2BB-1-1-4_P_4_050697_1	4	<5	<10		<5				<25	<5															<5		<5	<5	<20	<5	<25		<10			<5
2BB-1-1	2BB-1-1-10_P_10_050697_1	10	<5	<10		<5				<25	<5															<5		<5	<5	<20	<5	<25		<10			<5
2BB-1-1	2BB-1-1-15_P_15_050697_1	15	<5	<10		<5				<25	<5															<5		<5	<5	<20	<5	<25		<10			<5
2BB-1-1	2BB-1-1-20_P_20_050697_1	20	<5	<10		<5				<25	<5															<5		<5	<5	<20	<5	<25		<10			<5
2BB-1-1	2BB-1-1-25_P_25_050697_1	25	<5	<10		<5				<25	<5															<5		<5	<5	<20	<5	<25		<10			<5
2BB-1-1A	2BB-1-1A-1_P_1_050697_1	1	<5	<10		<5				<25	<5															<5		<5	<5	<20	<5	<25		<10			<5
2BB-1-1A	2BB-1-1A-4_P_4_050697_1	4	<5	<10		<5				<25	<5															<5		<5	<5	<20	**19**	<25		<10			<5
2BB-1-1A	2BB-1-1A-10_P_10_050697_1	10	<5	<10		<5				<25	<5															<5		<5	<5	<20	<5	<25		<10			<5
2BB-1-2	2BB-1-2-1_P_1_050697_1	1	<5	<10		<5				<25	<5															<5		<5	<5	<20	<5	<25		<10			<5
2BB-1-2	2BB-1-2-4_P_4_050697_1	4	<5	<10		<5				<25	<5															<5		<5	<5	<20	**12**	<25		<10			**5.3**
2BB-1-2	2BB-1-2-10_P_10_050697_1	10	<5	<10		<5				<25	<5															<5		<5	<5	<20	<5	<25		<10			<5
2BB-1-3	2BB-1-3-4_P_4_040997_1	4	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<20	<5	<25		<10			<5
2BB-1-4	2BB-1-4-1_P_1_041797_1	1	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	<5	<5		<5	<5	<5	
2BB-1-4	2BB-1-4-4_P_4_041797_1	4	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	<5	<5		<5	<5	<5	
2BB-1-4	2BB-1-4-10_P_10_041797_1	10	<5	<5	**8.1**	<5		<5		<5	<5															<5		<5	<5	<5	<5	<5		<5	<5	<5	
2BB-1-4	2BB-1-4-20_P_20_041797_1	20	<5	<5	**56**	<5		<5		<5	<5															<5		<5	<5	<5	**7.4**	<5		<5	<5	<5	
2BB-1-4	2BB-1-4-30_P_30_041797_1	30	<5	<5	**45**	<5		<5		<5	<5															<5		<5	<5	<5	**27**	<5		<5	<5	<5	
2BB-1-4	2BB-1-4-40_P_40_041797_1	40	<5	<5	**16**	<5		<5		<5	<5															<5		<5	<5	<5	**52**	<5		<5	<5	<5	
2BB-1-4	2BB-1-4-50_P_50_041797_1	50	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	**48**	<5		<5	<5	<5	
2BB-1-5	2BB-1-5-1_P_1_041797_1	1	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	**54**	<5		<5	<5	<5	
2BB-1-5	2BB-1-5-4_P_4_041797_1	4	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	<5	<5		<5	<5	<5	<5
2BB-1-5	2BB-1-5-10_P_10_041797_1	10	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	<5	<5		<5	<5	<5	
2BB-1-5	2BB-1-5-20_P_20_041797_1	20	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	<5	<5		<5	<5	<5	
2BB-1-5	2BB-1-5-30_P_30_041797_1	30	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	**9.4**	<5		<5	<5	<5	
2BB-1-5	2BB-1-5-40_P_40_041797_1	40	<5	<5	<5	<5	<2.5	<5	<2.5	<5	<5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5			<2.5			<5		<5	<5	<5	**12**	<5		<5	<5	<5	
2BB-1-5	2BB-1-5-50_P_50_041797_1	50	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	**33**	<5	<5	<5	<5	<5	<2.5
2BB-1-14	2BB-1-14-1_P_1_050597_1	1	<5	<10		<5				<25	<5															<5		<5	<5	<5	**11**	<5		<5	<5	<5	
2BB-1-14	2BB-1-14-4_P_4_050597_1	4	<5	<10		<5				<25	<5															<5		<5	<5	<20	<5	<25		<10			<5
2BB-1-14	2BB-1-14-10_P_10_050597_1	10	<5	<10		<5				<25	<5															<5		<5	<5	<20	<5	<25		<10			<5
2BB-1-14	2BB-1-14-15_P_15_050597_1	15	<5	<10		<5				<25	<5															<5		<5	<5	<20	<5	<25		<10			<5
2BB-1-14	2BB-1-14-20_P_20_050597_1	20	<5	<10		<5				<25	<5															<5		<5	<5	<20	<5	<25		<10			<5
2BB-1-14	2BB-1-14-25_P_25_050597_1	25	<5	<10		<5				<25	<5															<5		<5	<5	<20	<5	<25		<10			<5
2BB-1-15	2BB-1-15-1_P_1_050597_1	1	<5	<10		<5				<25	<5															<5		<5	<5	<20	<5	<25		<10			<5
2BB-1-15	2BB-1-15-4_P_4_050597_1	4	<5	<10		<5				<25	<5															<5		<5	<5	<20	<5	<25		<10			<5
2BB-1-15	2BB-1-15-10_P_10_050597_1	10	<5	<10		<5				<25	<5															<5		<5	<5	<20	<5	<25		<10			<5
2BB-1-15	2BB-1-15-15_P_15_050597_1	15	<5	<10		<5				<25	<5															<5		<5	<5	<20	<5	<25		<10			<5
2BB-1-15	2BB-1-15-20_P_20_050597_1	20	<5	<10		<5				<25	<5															<5		<5	<5	<20	<5	<25		<10			<5
2BB-1-15	2BB-1-15-25_P_25_050597_1	25	<5	<10		<5				<25	<5															<5		<5	<5	<20	<5	<25		<10			<5
2BB-1-16	2BB-1-16-1_P_1_050597_1	1	<5	<10		<5				<25	<5															<5		<5	<5	<20	<5	<25		<10			<5
2BB-1-16	2BB-1-16-4_P_4_050597_1	4	<5	<10		<5				<25	<5															<5		<5	<5	<20	<5	<25		<10			<5
2BB-1-16	2BB-1-16-10_P_10_050597_1	10	<5	<10		<5				<25	<5															<5		<5	<5	<20	<5	<25		<10			<5
2BB-1-16	2BB-1-16-15_P_15_050597_1	15	<5	<10		<5				<25	<5															<5		<5	<5	<20	<5	<25		<10			<5
2BB-1-16	2BB-1-16-20_P_20_050597_1	20	<5	<10		<5				<25	<5															<5		<5	<5	<20	<5	<25		<10			<5
2BB-1-16	2BB-1-16-25_P_25_050597_1	25	<5	<10		<5				<25	<5															<5		<5	<5	<20	<5	<25		<10			<5
2BB-1-17	2BB-1-17-1_P_1_050597_1	1	<5	<10		<5				<25	<5															<5		<5	<5	<20	<5	<25		<10			<5
2BB-1-17	2BB-1-17-4_P_4_050597_1	4	<5	<10		<5				<25	<5															<5		<5	<5	<20	<5	<25		<10			<5
2BB-1-17	2BB-1-17-10_P_10_050597_1	10	<5	<10		<5				<25	<5															<5		<5	<5	<20	<5	<25		<10			<5
2BB-1-17	2BB-1-17-15_P_15_050597_1	15	<5	<10		<5				<25	<5															<5		<5	<5	<20	<5	<25		<10			<5
2BB-1-17	2BB-1-17-20_P_20_050597_1	20	<5	<10		<5				<25	<5															<5		<5	<5	<20	<5	<25		<10			<5
2BB-1-17	2BB-1-17-25_P_25_050597_1	25	<5	<10		<5				<25	<5															<5		<5	<5	<20	<5	<25		<10			<5
2BB-1-18	2BB-1-18-1_P_1_041697_1	1	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
2BB-1-18	2BB-1-18-4_P_4_041697_1	4	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	<5	<5		<5	<5	<5	
2BB-1-18	2BB-1-18-10_P_10_041697_1	10	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	<5	<5		<5	<5	<5	
2BB-1-18	2BB-1-18-15_P_15_041697_1	15	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	<5	<5		<5	<5	<5	
2BB-1-18	2BB-1-18-20_P_20_041697_1	20	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	<5	<5		<5	<5	<5	
2BB-1-18	2BB-1-18-25_P_25_041697_1	25	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	<5	<5		<5	<5	<5	
2BB-1-19	2BB-1-19-1_P_1_040197_1	1	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	**12**	<5		<5	<5	<5	
2BB-1-19	2BB-1-19-4_P_4_040197_1	4	<5	<5	<5	<5		<5		<5	<5															**22**	<5	<5	<5	<5	<5	<5		<5	<5	<5	
2BB-1-19	2BB-1-19-10_P_10_040197_1	10	<5	<5	<5	<5		<5		<5	<5															**25**	<5	<5	<5	<5	**8.9**	<5		<5	<5	<5	
2BB-1-19	2BB-1-19-15_P_15_040197_1	15	<5	<5	<5	<5		<5		<5	<5															<5	<5	<5	<5	<5	<5	<5		<5	<5	<5	
2BB-1-19	2BB-1-19-20_P_20_040197_1	20	<5	<5	<5	<5		<5		<5	<5															<5	<5	<5	<5	<5	<5	<5		<5	<5	<5	
2BB-1-19	2BB-1-19-25_P_25_040197_1	25	<5	<5	<5	<5		<5		<5	<5															<5	<5	<5	<5	<5	<5	<5		<5	<5	<5	
2BB-1-20	2BB-1-20-1_P_1_040197_1	1	<5	<5	<5	<5		<5		<5	<5															<5	<5	<5	<5	<5	<5	<5		<5	<5	<5	
2BB-1-20	2BB-1-20-4_P_4_040197_1	4	<5	<5	<5	<5		<5		<5	<5															<5	<5	<5	<5	<5	<5	<5		<5	<5	<5	

See notes on page 54

Table 8
Volatile Organic Compounds in Soil Samples (µg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Object Name	Sample Name	Sample Depth (feet)	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloro-1,2,2-trifluoroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-chloropropane	1,2-Dichlorobenzene	1,2-Dichloroethane	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	1,4-Dioxane	2,2-Dichloropropane	2-Butanone	2-Chloroethylvinylether	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene	4-Isopropyltoluene	4-Methyl-2-pentanone	Acetone	Acrolein	Acrylonitrile	Benzene	Benzene, 1-methylethyl-	Bromobenzene	Bromochloromethane	Bromodichloromethane	Bromoform	Bromomethane	Carbon disulfide	Carbon tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane
2BB-1-20	2BB-1-20-10_P_10_040197_1	10	<5	<5	<5		<5	<5	30							<5	<5	<5		<5		<5													<5							<5	<5	<5	<5	<5
2BB-1-20	2BB-1-20-15_P_15_040197_1	15	<5	<5	<5		<5	<5	9.4							<5	<5	<5		<5		<5													<5							<5	<5	<5	<5	<5
2BB-1-20	2BB-1-20-20_P_20_040197_1	20	<5	<5	<5		<5	<5	18							<5	<5	<5		<5		<5													<5							<5	<5	<5	<5	<5
2BB-1-20	2BB-1-20-25_P_25_040197_1	25	<5	<5	<5		<5	<5	320	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<5	<5	<5	<2.5	<5	<2.5	<5		<2.5		<5	<2.5		<2.5	<2.5				<5	<2.5	<2.5	<2.5	<5	<5	<5	<5	<5	<5	<5	<5
2BB-1-38	2BB-1-38-1_P_1_042597_1	1		<5	<5		<5	<5	<5							<10	<5	<5		<10		<10				<25									<5							<5	<5	<5	<5	<10
2BB-1-38	2BB-1-38-4_P_4_042597_1	4		<5	<5		<5	<5	9.7							<10	<5	<5		<10		<10				<25									<5							<5	<5	<5	<5	<10
2BB-1-38	2BB-1-38-10_P_10_042597_1	10		<5	<5		<5	<5	<5							<10	<5	<5		<10		<10				<25									<5							<5	<5	<5	<5	<10
2BB-1-38	2BB-1-38-30_P_30_042597_1	30		<5	<5		<5	<5	<5							<10	<5	<5		<10		<10				<25									<5							<5	<5	<5	<5	<10
2BB-1-38	2BB-1-38-40_P_40_042597_1	40		<5	<5		<5	<5	<5							<10	<5	<5		<10		<10				<25									<5							<5	<5	<5	<5	<10
2BB-1-38	2BB-1-38-50_P_50_042597_1	50		<5	<5		<5	<5	<5							<10	<5	<5		<10		<10				<25									<5							<5	<5	<5	<5	<10
2BB-4-1	2BB-4-1-1_P_1_041697_1	1	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5													<5							<5	<5	<5	<5	<5
2BB-4-1	2BB-4-1-4_P_4_041697_1	4	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5													<5							<5	<5	<5	<5	<5
2BB-4-1	2BB-4-1-10_P_10_041697_1	10	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5													<5							<5	<5	<5	<5	<5
2BB-4-2	2BB-4-2-1_P_1_041697_1	1	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5													<5							<5	<5	<5	<5	<5
2BB-4-2	2BB-4-2-4_P_4_041697_1	4	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5													<5							<5	<5	<5	<5	<5
2BB-4-2	2BB-4-2-10_P_10_041697_1	10	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5													<5							<5	<5	<5	<5	<5
2BB-4-3	2BB-4-3-1_P_1_041697_1	1	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5													<5							<5	<5	<5	<5	<5
2BB-4-3	2BB-4-3A-1_P_1_042497_1	1	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5				<25									<5							<5	<5	<5	<5	<5
2BB-4-3	2BB-4-3-4_P_4_041697_1	4	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5													<5							<5	<5	<5	<5	<5
2BB-4-3	2BB-4-3A-4_P_4_042497_1	4	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5				<25									<5							<5	<5	<5	<5	<5
2BB-4-3	2BB-4-3-10_P_10_041697_1	10	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5													<5							<5	<5	<5	<5	<5
2BB-4-3	2BB-4-3A-10_P_10_042497_1	10	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5													<5							<5	<5	<5	<5	<5
2BB-4-3	2BB-4-3A-20_P_20_042497_1	20	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5													<5							<5	<5	<5	<5	<5
2BB-4-3	2BB-4-3A-30_P_30_042497_1	30	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5													<5							<5	<5	<5	<5	<5
2BB-4-3	2BB-4-3A-40_P_40_042497_1	40	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5													<5							<5	<5	<5	<5	<5
2BB-4-3	2BB-4-3A-50_P_50_042497_1	50	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5													<5							<5	<5	<5	<5	<5
2BB-4-4	2BB-4-4-1_P_1_041697_1	1	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5													<5							<5	<5	<5	<5	<5
2BB-4-4	2BB-4-4-4_P_4_041697_1	4	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5													<5							<5	<5	<5	<5	<5
2BB-4-4	2BB-4-4-10_P_10_041697_1	10	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5													<5							<5	<5	<5	<5	<5
2BB-4-5	2BB-4-5-1_P_1_041697_1	1	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5													<5							<5	<5	<5	<5	<5
2BB-4-5	2BB-4-5-4_P_4_041697_1	4	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5													<5							<5	<5	<5	<5	<5
2BB-4-5	2BB-4-5-10_P_10_041697_1	10	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5													<5							<5	<5	<5	<5	<5
2BB-5-10	2BB-5-10-1_P_1_042397_1	1	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5													<5							<5	<5	<5	<5	<5
2BB-5-10	2BB-5-10-1_P_1_050697_1	1		<5	<5		<5	<5	<5							<10	<5	<5		<10		<10				<25									<5							<5	<5	<5	<5	<10
2BB-5-10	2BB-5-10-4_P_4_042397_1	4	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5													<5							<5	<5	<5	<5	<5
2BB-5-10	2BB-5-10-4_P_4_050697_1	4		<5	<5		<5	<5	<5							<10	<5	<5		<10		<10				<25									<5							<5	<5	<5	<5	<10
2BB-5-10	2BB-5-10-10_P_10_042397_1	10	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5													<5							<5	<5	<5	<5	<5
2BB-5-10	2BB-5-10-10_P_10_050697_1	10		<5	<5		<5	<5	<5							<10	<5	<5		<10		<10				<25									<5							<5	<5	<5	<5	<10
2BB-5-11	2BB-5-11-1_P_1_042297_1	1	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5													<5							<5	<5	<5	<5	<5
2BB-5-11	2BB-5-11-4_P_4_042297_1	4	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5				<25									<5							<5	<5	<5	<5	<5
2BB-5-11	2BB-5-11-10_P_10_042297_1	10	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5													<5							<5	<5	<5	<5	<5
2BB-5-11	2BB-5-11-15_P_15_042297_1	15	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5													<5							<5	<5	<5	<5	<5
2BB-5-11	2BB-5-11-20_P_20_042297_1	20	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5													<5							<5	<5	<5	<5	<5
2BB-5-11	2BB-5-11-25_P_25_042297_1	25	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5													<5							<5	<5	<5	<5	<5
2BB-5-12	2BB-5-12-1_P_1_042397_1	1	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5													<5							<5	<5	<5	<5	<5
2BB-5-12	2BB-5-12-1_P_1_050697_1	1		<5	<5		<5	<5	<5							<10	<5	<5		<10		<10				<25									<5							<5	<5	<5	<5	<10
2BB-5-12	2BB-5-12-4_P_4_042397_1	4	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5													<5							<5	<5	<5	<5	<5
2BB-5-12	2BB-5-12-4_P_4_050697_1	4		<5	<5		<5	<5	<5							<10	<5	<5		<10		<10				<25									<5							<5	<5	<5	<5	<10
2BB-5-12	2BB-5-12-10_P_10_042397_1	10	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5													<5							<5	<5	<5	<5	<5
2BB-5-12	2BB-5-12-10_P_10_050697_1	10		<5	<5		<5	<5	<5							<10	<5	<5		<10		<10				<25									<5							<5	<5	<5	<5	<10
2BB-5-12	2BB-5-12-15_P_15_050697_1	15		<5	<5		<5	<5	<5							<10	<5	<5		<10		<10				<25									<5							<5	<5	<5	<5	<10
2BB-5-12	2BB-5-12-20_P_20_050697_1	20		<5	<5		<5	<5	<5							<10	<5	<5		<10		<10				<25									<5							<5	<5	<5	<5	<10
2BB-5-12	2BB-5-12-25_P_25_050697_1	25		<5	<5		<5	<5	<5							<10	<5	<5		<10		<10				<25									<5							<5	<5	<5	<5	<10
2BB-5-13	2BB-5-13-1_P_1_042297_1	1	<5	<5	<5		<5	<5	<5	<2.5	3.9	<2.5	4	2.9	<5	<5	<5	<5	<2.5	<5	<2.5	<5		<2.5		<5	<2.5		<2.5	<2.5				<5	<2.5	<2.5	<2.5	<5	<5	<5	<5	<5	<5	<5	<5
2BB-5-13	2BB-5-13-4_P_4_042297_1	4	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5													<5							<5	<5	<5	<5	<5
2BB-5-13	2BB-5-13-10_P_10_042297_1	10	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5													<5							<5	<5	<5	<5	<5
2BB-5-13	2BB-5-13-15_P_15_042297_1	15	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5													<5							<5	<5	<5	<5	<5
2BB-5-13	2BB-5-13-20_P_20_042297_1	20	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5													<5							<5	<5	<5	<5	<5
2BB-5-13	2BB-5-13-25_P_25_042297_1	25	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5													<5							<5	<5	<5	<5	<5
2BB-5-14	2BB-5-14-1**_P_1_042297_1	1	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5													<5							<5	<5	<5	<5	<5
2BB-5-14	2BB-5-14-4_P_4_042297_1	4	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5													<5							<5	<5	<5	<5	<5
2BB-5-14	2BB-5-14-10_P_10_042297_1	10	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5													<5							<5	<5	<5	<5	<5
2BB-5-14	2BB-5-14-15_P_15_042297_1	15	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5													<5							<5	<5	<5	<5	<5
2BB-5-14	2BB-5-14-20_P_20_042297_1	20	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5													<5							<5	<5	<5	<5	<5
2BB-5-14	2BB-5-14-25_P_25_042297_1	25	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5				<25									<5							<5	<5	<5	<5	<5
2BB-5-16	2BB-5-16-1_P_1_042397_1	1	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5				<25									<5							<5	<5	<5	<5	<5
2BB-5-16	2BB-5-16-4_P_4_042397_1	4	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5													<5							<5	<5	<5	<5	<5
2BB-5-16	2BB-5-16-7_P_7_042397_1	7	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5													<5							<5	<5	<5	<5	<5
2BB-5-16	2BB-5-16-10_P_10_042397_1	10	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5													<5							<5	<5	<5	<5	<5
2BB-5-16	2BB-5-16-15_P_15_042397_1	15	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5													<5							<5	<5	<5	<5	<5
2BB-5-16	2BB-5-16-20_P_20_042397_1	20	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5													<5							<5	<5	<5	<5	<5
2BB-5-16	2BB-5-16-25_P_25_042397_1	25	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5													<5							<5	<5	<5	<5	<5
2BB-5-17	2BB-5-17-1_P_1_042197_1	1	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5													<5							<5	<5	<5	<5	<5
2BB-5-17	2BB-5-17-4_P_4_042197_1	4	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5													<5							<5	<5	<5	<5	<5
2BB-5-18	2BB-5-18-5_P_5_042197_1	5																																												
2BB-5-18	2BB-5-18-6_P_6_042197_1	6	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5													<5							<5	<5	<5	<5	<5
2BB-5-18	2BB-5-18-10_P_10_042197_1	10	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5													<5							<5	<5	<5	<5	<5
2BB-5-18	2BB-5-18-15_P_15_042197_1	15	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5													<5							<5	<5	<5	<5	<5
2BB-5-18	2BB-5-18-20_P_20_042197_1	20	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5				<25									<5							<5	<5	<5	<5	<5
2BB-5-18	2BB-5-18-25_P_25_042197_1	25	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5													<5							<5	<5	<5	<5	<5
2BB-5-19	2BB-5-19-4_P_4_042297_1	4	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5													<5							<5	<5	<5	<5	<5

See notes on page 54

Table 8
Volatile Organic Compounds in Soil Samples (µg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Object Name	Sample Name	Sample Depth (feet)	Chloroform	Chloromethane	cis-1,2-Dichloroethene	cis-1,3-Dichloropropene	Dibromomethane	Dichlorodifluoromethane	Dichlorofluoromethane	Dichloromethane	Ethylbenzene	Ethylene dibromide	Hexachlorobutadiene	Iodomethane	Isopropyl ether	MTBE	Naphthalene	n-Butylbenzene	n-Propylbenzene	sec-Butylbenzene	Styrene	t-Butanol	Tert-amyl methyl ether	Tert-butyl ethyl ether	tert-Butylbenzene	Tetrachloroethene	Tetrahydrofuran	Toluene	trans-1,2-Dichloroethene	trans-1,3-Dichloropropene	Trichloroethene	Trichlorofluoromethane	Vinyl Acetate	Vinyl chloride	m/p-xylene	o-Xylene	Xylenes (total)
2BB-1-20	2BB-1-20-10_P_10_040197_1	10	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5							
2BB-1-20	2BB-1-20-15_P_15_040197_1	15	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5							
2BB-1-20	2BB-1-20-20_P_20_040197_1	20	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5							
2BB-1-20	2BB-1-20-25_P_25_040197_1	25	<5	<5	<5	<5	<2.5	<5	<2.5	<5	<5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<5		<5	<5	<5	9.9	<5		<5			
2BB-1-38	2BB-1-38-1_P_1_042597_1	1	<5	<10		<5				<25	<5															<5		<5	<5	<5	5.1	<5		<5			
2BB-1-38	2BB-1-38-4_P_4_042597_1	4	<5	<10		<5				<25	<5															<5		<5	<5	<5	100	<5	<5	<5			<2.5
2BB-1-38	2BB-1-38-10_P_10_042697_1	10	<5	<10		<5				<25	<5															<5		<5	<5	<5	<20	<5	<25	<10			<5
2BB-1-38	2BB-1-38-30_P_30_042597_1	30	<5	<10		<5				<25	<5															<5		<5	<5	<5	<20	<5	<25	<10			<5
2BB-1-38	2BB-1-38-40_P_40_042597_1	40	<5	<10		<5				<25	<5															<5		<5	<5	<5	<20	<5	<25	<10			<5
2BB-1-38	2BB-1-38-50_P_50_042597_1	50	<5	<10		<5				<25	<5															<5		<5	<5	<5	<20	<5	<25	<10			<5
2BB-4-1	2BB-4-1-1_P_1_041697_1	1	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	<20	<5	<25	<10			<5
2BB-4-1	2BB-4-1-4_P_4_041697_1	4	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	<5	<5		<5	<5		
2BB-4-1	2BB-4-1-10_P_10_041697_1	10	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	<5	<5		<5	<5		
2BB-4-2	2BB-4-2-1_P_1_041697_1	1	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	<5	<5		<5	<5		
2BB-4-2	2BB-4-2-4_P_4_041697_1	4	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	<5	<5		<5	<5		
2BB-4-2	2BB-4-2-10_P_10_041697_1	10	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	<5	<5		<5	<5		
2BB-4-3	2BB-4-3-1_P_1_041697_1	1	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	<5	<5		<5	<5		
2BB-4-3	2BB-4-3A-1_P_1_042497_1	1	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	<5	<5		<5	<5		<5
2BB-4-3	2BB-4-3-4_P_4_041697_1	4	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	<5	<5		<5	<5		
2BB-4-3	2BB-4-3A-4_P_4_042497_1	4	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	<5	<5		<5	<5		
2BB-4-3	2BB-4-3-10_P_10_041697_1	10	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	<5	<5		<5	<5		<5
2BB-4-3	2BB-4-3A-10_P_10_042497_1	10	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	<5	<5		<5	<5		
2BB-4-3	2BB-4-3A-20_P_20_042497_1	20	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	<5	<5		<5	<5		
2BB-4-3	2BB-4-3A-30_P_30_042497_1	30	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	<5	<5		<5	<5		
2BB-4-3	2BB-4-3A-40_P_40_042497_1	40	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	<5	<5		<5	<5		
2BB-4-3	2BB-4-3A-50_P_50_042497_1	50	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	<5	<5		<5	<5		
2BB-4-4	2BB-4-4-1_P_1_041697_1	1	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	<5	<5		<5	<5		
2BB-4-4	2BB-4-4-4_P_4_041697_1	4	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	<5	<5		<5	<5		
2BB-4-4	2BB-4-4-10_P_10_041697_1	10	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	<5	<5		<5	<5		
2BB-4-5	2BB-4-5-1_P_1_041697_1	1	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	<5	<5		<5	<5		
2BB-4-5	2BB-4-5-4_P_4_041697_1	4	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	<5	<5		<5	<5		
2BB-4-5	2BB-4-5-10_P_10_041697_1	10	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	<5	<5		<5	<5		
2BB-5-10	2BB-5-10-1_P_1_042397_1	1	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	<5	<5		<5	<5		
2BB-5-10	2BB-5-10-1_P_1_050697_1	1	<5	<10		<5				<25	<5															<5		<5	<5	<5	<5	<5		<5	<5		
2BB-5-10	2BB-5-10-4_P_4_042397_1	4	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	<20	<5	<25	<10			<5
2BB-5-10	2BB-5-10-4_P_4_050697_1	4	<5	<10		<5				<25	<5															<5		<5	<5	<5	<5	<5	<5	<5			
2BB-5-10	2BB-5-10-10_P_10_042397_1	10	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	<20	<5	<25	<10			<5
2BB-5-10	2BB-5-10-10_P_10_050697_1	10	<5	<10		<5				<25	<5															<5		<5	<5	<5	<5	<5	<5	<5			
2BB-5-11	2BB-5-11-1_P_1_042297_1	1	<5	<5	<5	<5		<5		<5	<5					<10										<5		<5	<5	<5	<20	<5	<25	<10			<5
2BB-5-11	2BB-5-11-4_P_4_042297_1	4	<5	<5	<5	<5		<5		<5	<5					<10										<5		<5	<5	<5	<5	<5	<5	<5			
2BB-5-11	2BB-5-11-10_P_10_042297_1	10	<5	<5	<5	<5		<5		<5	<5					<10										<5		<5	<5	<5	<5	<5	<5	<5			
2BB-5-11	2BB-5-11-15_P_15_042297_1	15	<5	<5	<5	<5		<5		<5	<5					<10										<5		<5	<5	<5	<5	<5	<5	<5			
2BB-5-11	2BB-5-11-20_P_20_042297_1	20	<5	<5	<5	<5		<5		<5	<5					<10										<5		<5	<5	<5	<5	<5	<5	<5			
2BB-5-11	2BB-5-11-25_P_25_042297_1	25	<5	<5	<5	<5		<5		<5	<5					<10										<5		<5	<5	<5	<5	<5	<5	<5			
2BB-5-12	2BB-5-12-1_P_1_042397_1	1	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	<5	<5		<5	<5		
2BB-5-12	2BB-5-12-1_P_1_050697_1	1	<5	<10		<5				<25	<5															<5		<5	<5	<5	<5	<5	<5	<5			
2BB-5-12	2BB-5-12-4_P_4_042397_1	4	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	<20	<5	<25	<10			<5
2BB-5-12	2BB-5-12-4_P_4_050697_1	4	<5	<10		<5				<25	<5															<5		<5	<5	<5	<5	<5	<5	<5			
2BB-5-12	2BB-5-12-10_P_10_042397_1	10	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	<20	<5	<25	<10			<5
2BB-5-12	2BB-5-12-10_P_10_050697_1	10	<5	<10		<5				<25	<5															<5		<5	<5	<5	<5	<5	<5	<5			
2BB-5-12	2BB-5-12-15_P_15_050697_1	15	<5	<10		<5				<25	<5															<5		<5	<5	<5	<20	<5	<25	<10			<5
2BB-5-12	2BB-5-12-20_P_20_050697_1	20	<5	<10		<5				<25	<5															<5		<5	<5	<5	<20	<5	<25	<10			<5
2BB-5-12	2BB-5-12-25_P_25_050697_1	25	<5	<10		<5				<25	<5															<5		<5	<5	<5	<20	<5	<25	<10			<5
2BB-5-13	2BB-5-13-1_P_1_042297_1	1	<5	<5	<5	<5	<2.5	<5	<2.5	<5	11000	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<5		1200	<5	<5	<5	<5	<5	<5	75000	44000	3.3
2BB-5-13	2BB-5-13-4_P_4_042297_1	4	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	<5	<5		<5	6.4	<5	
2BB-5-13	2BB-5-13-10_P_10_042297_1	10	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	<5	<5		<5	<5		
2BB-5-13	2BB-5-13-15_P_15_042297_1	15	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	<5	<5		<5	<5		
2BB-5-13	2BB-5-13-20_P_20_042297_1	20	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	<5	<5		<5	<5		
2BB-5-13	2BB-5-13-25_P_25_042297_1	25	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	<5	<5		<5	<5		
2BB-5-14	2BB-5-14-1** _P_1_042297_1	1	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	<5	<5		<5	<5		
2BB-5-14	2BB-5-14-4_P_4_042297_1	4	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	<5	<5		<5	<5		
2BB-5-14	2BB-5-14-10_P_10_042297_1	10	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	<5	<5		<5	<5		
2BB-5-14	2BB-5-14-15_P_15_042297_1	15	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	<5	<5		<5	<5		
2BB-5-14	2BB-5-14-20_P_20_042297_1	20	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	<5	<5		<5	<5		
2BB-5-14	2BB-5-14-25_P_25_042297_1	25	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	<5	<5		<5	<5		
2BB-5-16	2BB-5-16-1_P_1_042397_1	1	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	<5	<5		<5	<5		<5
2BB-5-16	2BB-5-16-4_P_4_042397_1	4	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	<5	<5		<5	<5		<5
2BB-5-16	2BB-5-16-7_P_7_042397_1	7	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	<5	<5		<5	<5		
2BB-5-16	2BB-5-16-10_P_10_042397_1	10	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	<5	<5		<5	<5		
2BB-5-16	2BB-5-16-15_P_15_042397_1	15	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	<5	<5		<5	<5		
2BB-5-16	2BB-5-16-20_P_20_042397_1	20	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	<5	<5		<5	<5		
2BB-5-16	2BB-5-16-25_P_25_042397_1	25	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	<5	<5		<5	<5		
2BB-5-17	2BB-5-17-1_P_1_042197_1	1	<5	<5	<5	<5		<5		<5	<5					<10										<5		<5	<5	<5	<5	<5		<5	<5		
2BB-5-17	2BB-5-17-4_P_4_042197_1	4	<5	<5	<5	<5		<5		<5	<5					<10										<5		<5	<5	<5	<5	<5		<5	<5		
2BB-5-18	2BB-5-18-5_P_5_042197_1	5														<10																					
2BB-5-18	2BB-5-18-6_P_6_042197_1	6	<5	<5	<5	<5		<5		<5	<5																										
2BB-5-18	2BB-5-18-10_P_10_042197_1	10	<5	<5	<5	<5		<5		<5	<5					<10										<5	<5	<5	<5	<5	<5	<5		<5	<5		
2BB-5-18	2BB-5-18-15_P_15_042197_1	15	<5	<5	<5	<5		<5		<5	<5					<10										<5	<5	<5	<5	<5	<5	<5		<5	<5		
2BB-5-18	2BB-5-18-20_P_20_042197_1	20	<5	<5	<5	<5		<5		<5	<5					<10										<5	<5	<5	<5	<5	<5	<5		<5	<5		
2BB-5-18	2BB-5-18-25_P_25_042197_1	25	<5	<5	<5	<5		<5		<5	<5					<10										<5	<5	<5	<5	<5	<5	<5		<5	<5		<5
2BB-5-19	2BB-5-19-4_P_4_042297_1	4	<5	<5	<5	<5		<5		<5	<5															<5	<5	<5	<5	<5	<5	<5		<5	<5		

See notes on page 54

Table 8
Volatile Organic Compounds in Soil Samples (µg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Object Name	Sample Name	Sample Depth (feet)	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloro-1,2,2-trifluoroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-chloropropane	1,2-Dichlorobenzene	1,2-Dichloroethane	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	1,4-Dioxane	2,2-Dichloropropane	2-Butanone	2-Chloroethylvinylether	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene	4-Isopropyltoluene	4-Methyl-2-pentanone	Acetone	Acrolein	Acrylonitrile	Benzene	Benzene, 1-methylethyl-	Bromobenzene	Bromochloromethane	Bromodichloromethane	Bromoform	Bromomethane	Carbon disulfide	Carbon tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane
2BB-5-19	2BB-5-19-10_P_10_042297_1	10	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5												<5			<5	<5	<5		<5	<5	<5	<5
2BB-5-19	2BB-5-19-15_P_15_042297_1	15	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5												<5			<5	<5	<5		<5	<5	<5	<5
2BB-5-19	2BB-5-19-20_P_20_042297_1	20	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5												<5			<5	<5	<5		<5	<5	<5	<5
2BB-5-19	2BB-5-19-25_P_25_042297_1	25	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5												<5			<5	<5	<5		<5	<5	<5	<5
2BB-5-20	2BB-5-20-1_P_1_041797_1	1	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5												<5			<5	<5	<5		<5	<5	<5	<5
2BB-5-20	2BB-5-20-4_P_4_041797_1	4	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5												<5			<5	<5	<5		<5	<5	<5	<5
2BB-5-20	2BB-5-20-10_P_10_041797_1	10	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5												<5			<5	<5	<5		<5	<5	<5	<5
2BB-5-20	2BB-5-20-20_P_20_041797_1	20	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5				<25								<5			<5	<5	<5		<5	<5	<5	<5
2BB-5-20	2BB-5-20-30_P_30_041797_1	30	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5												<5			<5	<5	<5		<5	<5	<5	<5
2BB-5-20	2BB-5-20-40_P_40_041797_1	40	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5												<5			<5	<5	<5		<5	<5	<5	<5
2BB-5-20	2BB-5-20-50_P_50_041797_1	50	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5												<5			<5	<5	<5		<5	<5	<5	<5
2BB-5-21	2BB-5-21-1_P_1_050797_1	1		<100	<100		<100	<100	<100							<200	<100	<100		<200		<200				<500								<100			<100	<100	<100		<100	<100	<100	<200
2BB-5-21	2BB-5-21-4_P_4_050797_1	4		<5	<5		<5	<5	<5							<10	<5	<5		<10		<10				<25								<5			<5	<5	<5		<5	<5	<5	<10
2BB-5-21	2BB-5-21-10_P_10_050797_1	10		<5	<5		<5	<5	<5							<10	<5	<5		<10		<10				<25								<5			<5	<5	<5		<5	<5	<5	<10
2BB-5-21	2BB-5-21-15_P_15_050797_1	15		<5	<5		<5	<5	<5							<10	<5	<5		<10		<10				<25								<5			<5	<5	<5		<5	<5	<5	<10
2BB-5-21	2BB-5-21-20_P_20_050797_1	20		<5	<5		<5	<5	<5							<10	<5	<5		<10		<10				<25								<5			<5	<5	<5		<5	<5	<5	<10
2BB-5-21	2BB-5-21-25_P_25_050797_1	25		<5	<5		<5	<5	<5							<10	<5	<5		<10		<10				<25								<5			<5	<5	<5		<5	<5	<5	<10
2BB-5-22	2BB-5-22-1_P_1_050797_1	1		<5	<5		<5	<5	<5							<10	<5	<5		<10		<10				<25								<5			<5	<5	<5		<5	<5	<5	<10
2BB-5-22	2BB-5-22-4_P_4_050797_1	4		<5	<5		<5	<5	<5							<10	<5	<5		<10		<10				<25								<5			<5	<5	<5		<5	<5	<5	<10
2BB-5-22	2BB-5-22-10_P_10_050797_1	10		<5	<5		<5	<5	<5							<10	<5	<5		<10		<10				<25								<5			<5	<5	<5		<5	<5	<5	<10
2BB-5-22	2BB-5-22-15_P_15_050797_1	15		<5	<5		<5	<5	<5							<10	<5	<5		<10		<10				<25								<5			<5	<5	<5		<5	<5	<5	<10
2BB-5-22	2BB-5-22-20_P_20_050797_1	20		<5	<5		<5	<5	5.8							<10	<5	<5		<10		<10				<25								<5			<5	<5	<5		<5	<5	<5	<10
2BB-5-22	2BB-5-22-25_P_25_050797_1	25		<5	<5		<5	<5	50							<10	<5	<5		<10		<10				<25								<5			<5	<5	<5		<5	<5	<5	<10
2BB-5-26	2BB-5-26-1_P_1_040997_1	1	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5												<5			<5	<5	<5		<5	<5	<5	<5
2BB-5-26	2BB-5-26-4_P_4_040997_1	4	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5												<5			<5	<5	<5		<5	<5	<5	<5
2BB-5-26	2BB-5-26-10_P_10_040997_1	10	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5												<5			<5	<5	<5		<5	<5	<5	<5
2BB-5-27	2BB-5-27-1_P_1_041097_1	1	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5												<5			<5	<5	<5		<5	<5	<5	<5
2BB-5-27	2BB-5-27-4_P_4_041097_1	4	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5												<5			<5	<5	<5		<5	<5	<5	<5
2BB-5-27	2BB-5-27-10_P_10_041097_1	10	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5												<5			<5	<5	<5		<5	<5	<5	<5
2BB-5-28	2BB-5-28-1_P_1_040997_1	1	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5												<5			<5	<5	<5		<5	<5	<5	<5
2BB-5-28	2BB-5-28-4_P_4_040997_1	4	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5												<5			<5	<5	<5		<5	<5	<5	<5
2BB-5-28	2BB-5-28-10_P_10_040997_1	10	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5												<5			<5	<5	<5		<5	<5	<5	<5
2BB-5-29	2BB-5-29-1_P_1_040997_1	1	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5												<5			<5	<5	<5		<5	<5	<5	<5
2BB-5-29	2BB-5-29-4_P_4_040997_1	4	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5												<5			<5	<5	<5		<5	<5	<5	<5
2BB-5-29	2BB-5-29-10_P_10_040997_1	10	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5												<5			<5	<5	<5		<5	<5	<5	<5
2BB-5-31	2BB-5-31-4_P_4_040997_1	4	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5												<5			<5	<5	<5		<5	<5	<5	<5
2BB-5-31	2BB-5-31-10_P_10_040997_1	10	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5												<5			<5	<5	<5		<5	<5	<5	<5
2BB-5-32	2BB-5-32-1_P_1_040997_1	1	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5												<5			<5	<5	<5		<5	<5	<5	<5
2BB-5-32	2BB-5-32-4_P_4_040997_1	4	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5												<5			<5	<5	<5		<5	<5	<5	<5
2BB-5-32	2BB-5-32-10_P_10_040997_1	10	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5												<5			<5	<5	<5		<5	<5	<5	<5
2BB-5-33	2BB-5-33-1_P_1_041097_1	1	<5	<5	<5		<5	<5	40							<5	<5	<5		<5		<5												<5			<5	<5	<5		<5	<5	<5	<5
2BB-5-33	2BB-5-33-4_P_4_040997_1	4		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5
2BB-5-33	2BB-5-33-4_P_4_041097_1	4	<5	<5	<5		<5	<5	69	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
2BB-5-33	2BB-5-33-10_P_10_040997_1	10		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5
2BB-5-33	2BB-5-33-10_P_10_041097_1	10	<5	<5	<5		<5	<5	63	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
2BB-5-34	2BB-5-34-1_P_1_041097_1	1	<5	<5	<5		<5	<5	13							<5	<5	<5		<5		<5												<5			<5	<5	<5		<5	<5	<5	<5
2BB-5-34	2BB-5-34-4_P_4_041097_1	4	<5	<5	<5		<5	<5	27							<5	<5	<5		<5		<5												<5			<5	<5	<5		<5	<5	<5	<5
2BB-5-34	2BB-5-34-10_P_10_041097_1	10	<5	<5	<5		<5	<5	20							<5	<5	<5		<5		<5												<5			<5	<5	<5		<5	<5	<5	<5
2BB-5-35	2BB-5-35-1_P_1_041097_1	1	<5	<5	<5		<5	<5	7.3							<5	<5	<5		<5		<5												<5			<5	<5	<5		<5	<5	<5	<5
2BB-5-35	2BB-5-35-4_P_4_041097_1	4	<5	<5	<5		<5	<5	18							<5	<5	<5		<5		<5												<5			<5	<5	<5		<5	<5	<5	<5
2BB-5-35	2BB-5-35-10_P_10_041097_1	10	<5	<5	<5		<5	<5	30							<5	<5	<5		<5		<5												<5			<5	<5	<5		<5	<5	<5	<5
2BB-5-36	2BB-5-36-1_P_1_041097_1	1	<5	<5	<5		<5	<5	13							<5	<5	<5		<5		<5												<5			<5	<5	<5		<5	<5	<5	<5
2BB-5-36	2BB-5-36-4_P_4_041097_1	4	<5	<5	<5		<5	<5	5.6							<5	<5	<5		<5		<5												<5			<5	<5	<5		<5	<5	<5	<5
2BB-5-36	2BB-5-36-10_P_10_041097_1	10	<5	<5	<5		<5	<5	20							<5	<5	<5		<5		<5												<5			<5	<5	<5		<5	<5	<5	<5
2BB-5-39	2BB-5-39-1_P_1_041097_1	1	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5												<5			<5	<5	<5		<5	<5	<5	<5
2BB-5-39	2BB-5-39-4_P_4_041097_1	4	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5												<5			<5	<5	<5		<5	<5	<5	<5
2BB-5-39	2BB-5-39-10_P_10_041097_1	10	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5												<5			<5	<5	<5		<5	<5	<5	<5
2BB-5-40	2BB-5-40-1_P_1_041097_1	1	<5	<5	<5		<5	<5	5.5							<5	<5	<5		<5		<5												<5			<5	<5	<5		<5	<5	<5	<5
2BB-5-40	2BB-5-40-4_P_4_041097_1	4	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5												<5			<5	<5	<5		<5	<5	<5	<5
2BB-5-40	2BB-5-40-10_P_10_041097_1	10	<5	<5	<5		<5	<5	35							<5	<5	<5		<5		<5												<5			<5	<5	<5		<5	<5	<5	<5
2BB-5-41	2BB-5-41-1_P_1_040997_1	1		<5	<5		<5	<5	<5							<10	<5	<5		<10		<10				<25								<5			<5	<5	<5		<5	<5	<5	<10
2BB-5-41	2BB-5-41-1_P_1_041097_1	1	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5												<5			<5	<5	<5		<5	<5	<5	<5
2BB-5-41	2BB-5-41-4_P_4_041097_1	4	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5												<5			<5	<5	<5		<5	<5	<5	<5
2BB-5-41	2BB-5-41-10_P_10_041097_1	10	<5	<5	<5		<5	<5	15							<5	<5	<5		<5		<5												<5			<5	<5	<5		<5	<5	<5	<5
2BB-5-42	2BB-5-42-1_P_1_041097_1	1	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5												<5			<5	<5	<5		<5	<5	<5	<5
2BB-5-42	2BB-5-42-4_P_4_041097_1	4	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5												<5			<5	<5	<5		<5	<5	<5	<5
2BB-5-42	2BB-5-42-10_P_10_041097_1	10	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5												<5			<5	<5	<5		<5	<5	<5	<5
2BB-5-43	2BB-5-43-1_P_1_041097_1	1	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5												<5			<5	<5	<5		<5	<5	<5	<5
2BB-5-43	2BB-5-43-4_P_4_041097_1	4	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5												<5			<5	<5	<5		<5	<5	<5	<5
2BB-5-43	2BB-5-43-10_P_10_041097_1	10	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5												<5			<5	<5	<5		<5	<5	<5	<5
2BB-5-44	2BB-5-44-1_P_1_042197_1	1	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5				<25								<5			<5	<5	<5		<5	<5	<5	<5
2BB-5-44	2BB-5-44-4_P_4_042197_1	4	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5												<5			<5	<5	<5		<5	<5	<5	<5
2BB-5-44	2BB-5-44-10_P_10_042197_1	10	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5												<5			<5	<5	<5		<5	<5	<5	<5
2BB-5-45	2BB-5-45-1_P_1_042197_1	1	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5												<5			<5	<5	<5		<5	<5	<5	<5
2BB-5-45	2BB-5-45-4_P_4_042197_1	4	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5												<5			<5	<5	<5		<5	<5	<5	<5
2BB-5-45	2BB-5-45-10_P_10_042197_1	10	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5												<5			<5	<5	<5		<5	<5	<5	<5
2BB-5-46	2BB-5-46-1_P_1_042197_1	1	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5				<25								<5			<5	<5	<5		<5	<5	<5	<5
2BB-5-47	2BB-5-47-1_P_1_042197_1	1	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5												<5			<5	<5	<5		<5	<5	<5	<5
2BB-5-47	2BB-5-47-4_P_4_042197_1	4	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5												<5			<5	<5	<5		<5	<5	<5	<5
2BB-5-47	2BB-5-47-10_P_10_042197_1	10	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5												<5			<5	<5	<5		<5	<5	<5	<5
2BB-5-48	2BB-5-48-1_P_1_042197_1	1	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5												<5			<5	<5	<5		<5	<5	<5	<5

See notes on page 54

Table 8
Volatile Organic Compounds in Soil Samples (µg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Object Name	Sample Name	Sample Depth (feet)	Chloroform	Chloromethane	cis-1,2-Dichloroethene	cis-1,3-Dichloropropene	Dibromomethane	Dichlorodifluoromethane	Dichlorofluoromethane	Dichloromethane	Ethylbenzene	Ethylene dibromide	Hexachlorobutadiene	Iodomethane	Isopropyl ether	MTBE	Naphthalene	n-Butylbenzene	n-Propylbenzene	sec-Butylbenzene	Styrene	t-Butanol	Tert-amyl methyl ether	Tert-butyl ethyl ether	tert-Butylbenzene	Tetrachloroethene	Tetrahydrofuran	Toluene	trans-1,2-Dichloroethene	trans-1,3-Dichloropropene	Trichloroethene	Trichlorofluoromethane	Vinyl Acetate	Vinyl chloride	m/p-xylene	o-Xylene	Xylenes (total)
2BB-5-19	2BB-5-19-10_P_10_042297_1	10	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	<5	<5		<5	<5	<5	
2BB-5-19	2BB-5-19-15_P_15_042297_1	15	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	<5	<5		<5	<5	<5	
2BB-5-19	2BB-5-19-20_P_20_042297_1	20	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	<5	<5		<5	<5	<5	
2BB-5-19	2BB-5-19-25_P_25_042297_1	25	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	<5	<5		<5	<5	<5	
2BB-5-20	2BB-5-20-1_P_1_041797_1	1	<5	<5	<5	<5		<5		<5	**13**															<5		<5	<5	<5	<5	<5		<5	<5	<5	
2BB-5-20	2BB-5-20-4_P_4_041797_1	4	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	<5	<5		<5	**54**	**21**	
2BB-5-20	2BB-5-20-10_P_10_041797_1	10	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	<5	<5		<5	<5	<5	
2BB-5-20	2BB-5-20-20_P_20_041797_1	20	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	<5	<5		<5	<5	<5	
2BB-5-20	2BB-5-20-30_P_30_041797_1	30	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	<5	<5		<5	<5	<5	<5
2BB-5-20	2BB-5-20-40_P_40_041797_1	40	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	<5	<5		<5	<5	<5	
2BB-5-20	2BB-5-20-50_P_50_041797_1	50	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	<5	<5		<5	<5	<5	
2BB-5-21	2BB-5-21-1_P_1_050797_1	1	<100	<200		<100				<500	<100															<5		<5	<5	<5	<5	<5		<5	**26**	<5	
2BB-5-21	2BB-5-21-4_P_4_050797_1	4	<5	<10		<5				<25	<5															**1200**		<100	<100	<400	<100	<500		<200			<100
2BB-5-21	2BB-5-21-10_P_10_050797_1	10	<5	<10		<5				<25	<5															**160**		<5	<5	<20	**12**	<25		<10			<5
2BB-5-21	2BB-5-21-15_P_15_050797_1	15	<5	<10		<5				<25	<5															**12**		<5	<5	<20	**5.4**	<25		<10			<5
2BB-5-21	2BB-5-21-20_P_20_050797_1	20	<5	<10		<5				<25	<5															<5		<5	<5	<20	<5	<25		<10			<5
2BB-5-21	2BB-5-21-25_P_25_050797_1	25	<5	<10		<5				<25	<5															**5.6**		<5	<5	<20	<5	<25		<10			<5
2BB-5-22	2BB-5-22-1_P_1_050797_1	1	<5	<10		<5				<25	<5															<5		<5	<5	<20	<5	<25		<10			<5
2BB-5-22	2BB-5-22-4_P_4_050797_1	4	<5	<10		<5				<25	<5															**32**		<5	<5	<20	**11**	<25		<10			<5
2BB-5-22	2BB-5-22-10_P_10_050797_1	10	<5	<10		<5				<25	<5															**53**		<5	<5	<20	**17**	<25		<10			<5
2BB-5-22	2BB-5-22-15_P_15_050797_1	15	<5	<10		<5				<25	<5															<5		<5	<5	<20	<5	<25		<10			<5
2BB-5-22	2BB-5-22-20_P_20_050797_1	20	<5	<10		<5				<25	<5															**22**		<5	<5	<20	**44**	<25		<10			<5
2BB-5-22	2BB-5-22-25_P_25_050797_1	25	<5	<10		<5				<25	<5															**9.9**		<5	<5	<20	**25**	<25		<10			<5
2BB-5-26	2BB-5-26-1_P_1_040997_1	1	<5	<5	<5	<5		<5		<5	<5															**30**		<5	<5	<20	**53**	<25		<10			<5
2BB-5-26	2BB-5-26-4_P_4_040997_1	4	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	<5	<5		<5	<5	<5	
2BB-5-26	2BB-5-26-10_P_10_040997_1	10	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	**9.2**	<5		<5	<5	<5	
2BB-5-27	2BB-5-27-1_P_1_041097_1	1	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	**7.5**	<5		<5	<5	<5	
2BB-5-27	2BB-5-27-4_P_4_041097_1	4	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	<5	<5		<5	<5	<5	
2BB-5-27	2BB-5-27-10_P_10_041097_1	10	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	<5	<5		<5	<5	<5	
2BB-5-28	2BB-5-28-1_P_1_040997_1	1	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	**8.3**	<5		<5	<5	<5	
2BB-5-28	2BB-5-28-4_P_4_040997_1	4	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	<5	<5		<5	<5	<5	
2BB-5-28	2BB-5-28-10_P_10_040997_1	10	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	<5	<5		<5	<5	<5	
2BB-5-29	2BB-5-29-1_P_1_040997_1	1	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	<5	<5		<5	<5	<5	
2BB-5-29	2BB-5-29-4_P_4_040997_1	4	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	<5	<5		<5	<5	<5	
2BB-5-29	2BB-5-29-10_P_10_040997_1	10	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	<5	<5		<5	<5	<5	
2BB-5-31	2BB-5-31-4_P_4_040997_1	4	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	<5	<5		<5	<5	<5	
2BB-5-31	2BB-5-31-10_P_10_040997_1	10	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	<5	<5		<5	<5	<5	
2BB-5-32	2BB-5-32-1_P_1_040997_1	1	<5	<5	<5	<5		<5		<5	<5					21TR										<5		<5	<5	<5	<5	<5		<5	<5	<5	
2BB-5-32	2BB-5-32-4_P_4_040997_1	4	<5	<5	<5	<5		<5		<5	<5					7.8TR										<5		<5	<5	<5	<5	<5		<5	<5	<5	
2BB-5-32	2BB-5-32-10_P_10_040997_1	10	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	**6.2**	<5		<5	<5	<5	
2BB-5-33	2BB-5-33-1_P_1_041097_1	1	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	<5	<5		<5	<5	<5	
2BB-5-33	2BB-5-33-4_P_4_040997_1	4	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<5	<2.5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<5	<2.5	<2.5	<2.5	<2.5	**85**	<5	<5	<2.5			
2BB-5-33	2BB-5-33-4_P_4_041097_1	4	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	<5	<5		<5	<5	<5	
2BB-5-33	2BB-5-33-10_P_10_040997_1	10	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<5	<2.5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<5	<2.5	<2.5	<2.5	<2.5	**150**	<5	<5	<2.5			<2.5
2BB-5-33	2BB-5-33-10_P_10_041097_1	10	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	**8.6**	<5		<5	<5	<5	
2BB-5-34	2BB-5-34-1_P_1_041097_1	1	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	**150**	<5		<5	<5	<5	
2BB-5-34	2BB-5-34-4_P_4_041097_1	4	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	**32**	<5		<5	<5	<5	
2BB-5-34	2BB-5-34-10_P_10_041097_1	10	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	**76**	<5		<5	<5	<5	
2BB-5-35	2BB-5-35-1_P_1_041097_1	1	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	**69**	<5		<5	<5	<5	
2BB-5-35	2BB-5-35-4_P_4_041097_1	4	<5	<5	<5	<5		<5		<5	<5															**5**		<5	<5	<5	**49**	<5		<5	<5	<5	
2BB-5-35	2BB-5-35-10_P_10_041097_1	10	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	**45**	<5		<5	<5	<5	
2BB-5-36	2BB-5-36-1_P_1_041097_1	1	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	**110**	<5		<5	<5	<5	
2BB-5-36	2BB-5-36-4_P_4_041097_1	4	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	**58**	<5		<5	<5	<5	
2BB-5-36	2BB-5-36-10_P_10_041097_1	10	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	**25**	<5		<5	<5	<5	
2BB-5-39	2BB-5-39-1_P_1_041097_1	1	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	**71**	<5		<5	<5	<5	
2BB-5-39	2BB-5-39-4_P_4_041097_1	4	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	**11**	<5		<5	<5	<5	
2BB-5-39	2BB-5-39-10_P_10_041097_1	10	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	**9.8**	<5		<5	<5	<5	
2BB-5-40	2BB-5-40-1_P_1_041097_1	1	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	**39**	<5		<5	<5	<5	
2BB-5-40	2BB-5-40-4_P_4_041097_1	4	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	**18**	<5		<5	<5	<5	
2BB-5-40	2BB-5-40-10_P_10_041097_1	10	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	**8.9**	<5		<5	<5	<5	
2BB-5-41	2BB-5-41-1_P_1_040997_1	1	<5	<10		<5				<25	<5															**7.3**		<5	<5	<5	**110**	<5		<5	<5	<5	
2BB-5-41	2BB-5-41-1_P_1_041097_1	1	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<20	<5	<25		<10			<5
2BB-5-41	2BB-5-41-4_P_4_041097_1	4	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	<5	<5		<5	<5	<5	
2BB-5-41	2BB-5-41-10_P_10_041097_1	10	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	<5	<5		<5	<5	<5	
2BB-5-42	2BB-5-42-1_P_1_041097_1	1	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	**22**	<5		<5	<5	<5	
2BB-5-42	2BB-5-42-4_P_4_041097_1	4	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	<5	<5		<5	<5	<5	
2BB-5-42	2BB-5-42-10_P_10_041097_1	10	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	<5	<5		<5	<5	<5	
2BB-5-43	2BB-5-43-1_P_1_041097_1	1	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	**5.2**	<5		<5	<5	<5	
2BB-5-43	2BB-5-43-4_P_4_041097_1	4	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	<5	<5		<5	<5	<5	
2BB-5-43	2BB-5-43-10_P_10_041097_1	10	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	<5	<5		<5	<5	<5	
2BB-5-44	2BB-5-44-1_P_1_042197_1	1	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	**7.4**	<5		<5	<5	<5	
2BB-5-44	2BB-5-44-4_P_4_042197_1	4	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	<5	<5		<5	<5	<5	<5
2BB-5-44	2BB-5-44-10_P_10_042197_1	10	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	<5	<5		<5	<5	<5	
2BB-5-45	2BB-5-45-1_P_1_042197_1	1	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	<5	<5		<5	<5	<5	
2BB-5-45	2BB-5-45-4_P_4_042197_1	4	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	**7.5**	<5		<5	<5	<5	
2BB-5-45	2BB-5-45-10_P_10_042197_1	10	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	<5	<5		<5	<5	<5	
2BB-5-46	2BB-5-46-1_P_1_042197_1	1	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	<5	<5		<5	<5	<5	
2BB-5-47	2BB-5-47-1_P_1_042197_1	1	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	<5	<5		<5	<5	<5	<5
2BB-5-47	2BB-5-47-4_P_4_042197_1	4	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	<5	<5		<5	<5	<5	
2BB-5-47	2BB-5-47-10_P_10_042197_1	10	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	<5	<5		<5	<5	<5	
2BB-5-48	2BB-5-48-1_P_1_042197_1	1	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	<5	<5		<5	<5	<5	

See notes on page 54

Table 8
Volatile Organic Compounds in Soil Samples (µg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Object Name	Sample Name	Sample Depth (feet)	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloro-1,2,2-trifluoroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-chloropropane	1,2-Dichlorobenzene	1,2-Dichloroethane	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	1,4-Dioxane	2,2-Dichloropropane	2-Butanone	2-Chloroethylvinylether	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene	4-Isopropyltoluene	4-Methyl-2-pentanone	Acetone	Acrolein	Acrylonitrile	Benzene	Benzene, 1-methylethyl-	Bromobenzene	Bromochloromethane	Bromodichloromethane	Bromoform	Bromomethane	Carbon disulfide	Carbon tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane
2BB-5-48	2BB-5-48-4_P_4_042197_1	4	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5													<5	<5	<5	<5	<5	<5		<5	<5	<5	<5
2BB-5-48	2BB-5-48-10_P_10_042197_1	10	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5													<5	<5	<5	<5	<5	<5		<5	<5	<5	<5
2BB-36-1	2BB-36-1-10_P_10_040197_1	10	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5													<5	<5	<5	<5	<5	<5		<5	<5	<5	<5
2BB-36-1	2BB-36-1-15_P_15_040197_1	15	<5	<5	<5		<5	<5	5.7							<5	<5	<5		<5		<5													<5	<5	<5	<5	<5	<5		<5	<5	<5	<5
2BB-36-1	2BB-36-1-20_P_20_040197_1	20	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5													<5	<5	<5	<5	<5	<5		<5	<5	<5	<5
2BB-36-1	2BB-36-1-25_P_25_040197_1	25	<5	<5	<5		<5	<5	25							<5	<5	<5		<5		<5													<5	<5	<5	<5	<5	<5		<5	<5	<5	<5
2BB-36-2	2BB-36-2-4_P_4_040197_1	4	<5	23	<5		<5	<5	<5							<5	<5	<5		<5		<5													<5	<5	<5	<5	<5	<5		<5	<5	<5	<5
2BB-36-2	2BB-36-2-10_P_10_040197_1	10	<5	<5	<5		<5	<5	8.2							<5	<5	<5		<5		<5													<5	<5	<5	<5	<5	<5		<5	<5	<5	<5
2BB-36-2	2BB-36-2-15_P_15_040197_1	15	<5	<5	<5		<5	<5	28							<5	<5	<5		<5		<5													<5	<5	<5	<5	<5	<5		<5	<5	<5	<5
2BB-36-2	2BB-36-2-20_P_20_040197_1	20	<5	<5	<5		<5	<5	31							<5	<5	<5		<5		<5													<5	<5	<5	<5	<5	<5		<5	<5	<5	<5
2BB-36-2	2BB-36-2-25_P_25_040197_1	25	<5	27	<5		<5	30	380	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<5	<5	<5	<2.5	<5	<2.5	<5	<5	<2.5		<5	<2.5		<2.5	<2.5					<5	<2.5	<2.5	<2.5	<5	<5	<5	<5	<5	<5	<5	<5
2BB-36-3	2BB-36-3-1_P_1_040197_1	1	<5	15	<5		<5	<5	16							<5	<5	<5		<5		<5													<5	<5	<5	<5	<5	<5		<5	<5	<5	<5
2BB-36-3	2BB-36-3-5_P_5_040197_1	5	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5													<5	<5	<5	<5	<5	<5		<5	<5	<5	<5
2BB-36-3	2BB-36-3-10_P_10_040197_1	10	<5	5.2	<5		<5	<5	10							<5	<5	<5		<5		<5													<5	<5	<5	<5	<5	<5		<5	<5	<5	<5
2BB-36-3	2BB-36-3-15_P_15_040197_1	15	<5	<5	<5		<5	<5	11							<5	<5	<5		<5		<5													<5	<5	<5	<5	<5	<5		<5	<5	<5	<5
2BB-36-3	2BB-36-3-20_P_20_040197_1	20	<5	<5	<5		<5	<5	12							<5	<5	<5		<5		<5													<5	<5	<5	<5	<5	<5		<5	<5	<5	<5
2BB-36-3	2BB-36-3-25_P_25_040197_1	25	<5	<5	<5		<5	<5	14							<5	<5	<5		<5		<5													<5	<5	<5	<5	<5	<5		<5	<5	<5	<5
2BB-36-4	2BB-36-4-4_P_4_040297_1	4	<5	<5	<5		<5	<5	78							<5	<5	<5		<5		<5													<5	<5	<5	<5	<5	<5		<5	<5	<5	<5
2BB-36-4	2BB-36-4-10_P_10_040297_1	10	<5	<5	<5		<5	<5	75							<5	<5	<5		<5		<5													<5	<5	<5	<5	<5	<5		<5	<5	<5	<5
2BB-36-4	2BB-36-4-15_P_15_040297_1	15	<5	<5	<5		<5	<5	23							<5	<5	<5		<5		<5													<5	<5	<5	<5	<5	<5		<5	<5	<5	<5
2BB-36-4	2BB-36-4-20_P_20_040297_1	20	<5	<5	<5		<5	<5	59							<5	<5	<5		<5		<5													<5	<5	<5	<5	<5	<5		<5	<5	<5	<5
2BB-36-4	2BB-36-4-25_P_25_040297_1	25	<5	<5	<5		<5	<5	10							<5	<5	<5		<5		<5													<5	<5	<5	<5	<5	<5		<5	<5	<5	<5
2BB-36-5	2BB-36-5-4_P_4_040197_1	4	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5													<5	<5	<5	<5	<5	<5		<5	<5	<5	<5
2BB-36-5	2BB-36-5-10_P_10_040297_1	10	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5													<5	<5	<5	<5	<5	<5		<5	<5	<5	<5
2BB-36-6	2BB-36-6-1_P_1_040297_1	1	<5	18	<5		<5	<5	5.9							<5	<5	<5		<5		<5													<5	<5	<5	<5	<5	<5		<5	<5	<5	<5
2BB-36-6	2BB-36-6-4_P_4_040297_1	4	<5	30	<5		<5	<5	<5							<5	<5	<5		<5		<5													<5	<5	<5	<5	<5	<5		<5	<5	<5	<5
2BB-36-6	2BB-36-6-10_P_10_040297_1	10	<5	12	<5		<5	<5	<5							<5	<5	<5		<5		<5													<5	<5	<5	<5	<5	<5		<5	<5	<5	<5
2BB-36-6	2BB-36-6-15_P_15_040297_1	15	<5	13	<5		<5	<5	28	<5	<1000	<1000	<1000	<1000	<1000	<2000	<5	<5	<5	<5	<1000	<5	<1000	<5	<1000	TR	<2000	<1000		<1000	<1000		TR			<5	<1000	<1000	<1000	<5	<5	<5	<5	<2000	<5	<5	<5	<5
2BB-36-6	2BB-36-6-20_P_20_040297_1	20	<5	17	<5		<5	<5	36	15	<2500	<2500	<2500	<2500	<2500	<5000	<5	<5	<5	<5	<2500	<5	<2500	<5	<2500	TR	<5000	<2500		<2500	<2500		TR			<5	<2500	<2500	<2500	<5	<5	<5	<5	<2500	<5	<5	<5	<5
2BB-36-6	2BB-36-6-25_P_25_040297_1	25	<5	<5	<5		<5	<5	44	34	<2500	<2500	<2500	<2500	<2500	<5000	<5	<5	<5	<5	<2500	<5	<2500	<5	<2500	TR	<5000	<2500		<2500	<2500		TR			<5	<2500	<2500	<2500	<5	<5	<5	<5	<2500	<5	<5	<5	<5
2BB-36-6	2BB-36-6-30_P_30_040297_1	30	<5	14	<5		<5	<5	19	<5	<2500	<2500	<2500	<2500	<2500	<5000	<5	<5	<5	<5	<2500	<5	<2500	<5	<2500	TR	<5000	<2500		<2500	<2500		TR			<5	<2500	<2500	<2500	<5	<5	<5	<5	<2500	<5	<5	<5	<5
2BB-36-6	2BB-36-6-35_P_35_040297_1	35	<5	38	<5		<5	<5	29	12	<2500	<2500	<2500	<2500	<2500	<5000	<5	<5	<5	<5	<2500	<5	<2500	<5	<2500	TR	<5000	<2500		<2500	<2500	<5	TR			<5	<2500	<2500	<2500	<5	<5	<5	<5	<2500	<5	<5	<5	<5
2BB-36-7	2BB-36-7-1_P_1_040297_1	1	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5													<5	<5	<5	<5	<5	<5		<5	<5	<5	<5
2BB-36-7	2BB-36-7-4_P_4_040297_1	4	<5	<5	<5		<5	<5	5.3							<5	<5	<5		<5		<5													<5	<5	<5	<5	<5	<5		<5	<5	<5	<5
2BB-36-7	2BB-36-7-10_P_10_040297_1	10	<5	<5	<5		<5	<5	85							<5	<5	<5		<5		<5													<5	<5	<5	<5	<5	<5		<5	<5	<5	<5
2BB-36-7	2BB-36-7-15_P_15_040297_1	15	<5	<5	<5		<5	5.1	290	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<5	<5	<5	<2.5	<5	<2.5	<5	<2.5		<5	<2.5		<2.5	<2.5					<5	<2.5	<2.5	<2.5	<5	<5	<5	<5	<5	<5	<5	<5
2BB-36-7	2BB-36-7-20_P_20_040297_1	20	<5	<5	<5		<5	<5	26							<5	<5	<5		<5		<5													<5											
2BB-36-7	2BB-36-7-25_P_25_040297_1	25	<5	23	<5		<5	18	760	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<5	<5	<5	<2.5	<5	<2.5	<5	<2.5		<5	<2.5		<2.5	<2.5					<5	<2.5	<2.5	<2.5	<5	<5	<5	<5	<5	<5	<5	<5
2BB-36-8	2BB-36-8-1_P_1_040497_1	1	<5	<5	<5		<5	<5	73							<5	<5	<5		<5		<5													<5	<5	<5	<5	<5	<5		<5	<5	<5	<5
2BB-36-8	2BB-36-8-4_P_4_040497_1	4	<5	<5	<5		<5	<5	130	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<5	<5	<5	<2.5	<5	<2.5	<5	<2.5		<5	<2.5		<2.5	<2.5					<5	<2.5	<2.5	<2.5	<5	<5	<5	<5	<5	<5	<5	<5
2BB-36-8	2BB-36-8-10_P_10_040497_1	10	<5	<5	<5		<5	<5	21							<5	<5	<5		<5		<5													<5											
2BB-36-8	2BB-36-8-15_P_15_040497_1	15	<5	<5	<5		<5	<5	27							<5	<5	<5		<5		<5													<5											
2BB-36-8	2BB-36-8-20_P_20_040497_1	20	<5	<5	<5		<5	<5	24							<5	<5	<5		<5		<5													<5											
2BB-36-8	2BB-36-8-25_P_25_040497_1	25	<5	11	<5		<5	11	470	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<5	<5	<5	<2.5	<5	<2.5	<5	<2.5		<5	<2.5		<2.5	<2.5					<5	<2.5	<2.5	<2.5	<5	<5	<5	<5	<5	<5	<5	<5
2BB-36-9	2BB-36-9-10	10	<5	<5	<5		<5	1.5J	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
2BB-36-9	2BB-36-9-20	20	<5	12	<5		<5	13	100	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5		<5	45	<10	<5	<25	<5	<5	11J	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
2BB-36-9	2BB-36-9-20_P_20_041097_1	20		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5
2BB-36-9	2BB-36-9-25	25	<5	7.5	<5		<5	14	19	<5	<5	<5	<5	<5	<10	<5	2.5J	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
2BB-36-9	2BB-36-9-25_P_25_041097_1	25		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5
2BB-36-9	2BB-36-9-30	30	<5	1.2J	<5		<5	4.2J	<5	<5	<5	<5	<5	<5	<10	<5	4.7J	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
2BB-36-9	2BB-36-9-40	40	<25	81	<25		<25	40	28	<25	<25	<25	<25	<25	<50	<25	19J	<25	<25	<25		<25			<25	<120	<50	<25	<120	<25	<25	<120	<120	<500	<250	<25	<25	<25	<25	<25	<25	<50	<25	<25	<25	<50
2BB-36-9	2BB_36_9_50	50	<5	150	<5		20	30	16	<5	<5	<5	<5	<5	<10	<5	45	<5	<5	<5		<5			<5	<25	<10	<5	<25	<5	<5	120	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
2BB-36-9	2BB_36_9_60	60	<250	1700	<250		<250	180J	520	<250	<250	<250	<250	<250	<500	<250	150J	<250	<250	<250		<250			<250	2700	<500	<250	<1200	<250	<250	440J	<1200	<5000	<2500	<250	<250	<250	<250	<250	<250	<500	<250	<250	<250	<500
2BB-36-10	2BB-36-10-10_P_10_041097_1	10		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5
2BB-36-11	2BB-36-11-10	10	<5	4.1J	<5		<5	1.4J	80	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
2BB-36-11	2BB-36-11-20	20	<5	8	<5		<5	3.9J	77	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
2BB-36-11	36-11-20_P_20_041097_1	20		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5
2BB-36-11	2BB-36-11-25	25	<5	15	<5		<5	5.9	110	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
2BB-36-11	2BB-36-11-30	30	<5	34	<5		<5	9.7	140	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
2BB-36-11	2BB-36-11-40	40	<25	140	<25		<25	24J	73	<25	<25	<25	<25	<25	<50	<25	<25	<25	<25	<25		<25			<25	<120	<50	<25	<120	<25	<25	<120	<120	<500	<250	<25	<25	<25	<25	<25	<25	<50	<25	<25	<25	<50
2BB-36-11	2BB-36-11-50	50	<25	160	<25		45	18J	<25	<25	<25	<25	<25	<25	<50	<25	94	<25	<25	<25		<25			<25	86J	<50	<25	<120	<25	<25	390	<120	<500	<250	<25	<25	<25	<25	<25	<25	<50	<25	<25	<25	<50
2BB-36-11	2BB-36-11-60	60	<1000	5900	<1000		<1000	<1000	550J	<1000	<1000	<1000	<1000	<1000	<2000	<1000	<1000	<1000	<1000	<1000		<1000			<1000	240000	<2000	<1000	<5000	<1000	<1000	100000	2800J	<20000	<10000	<1000	<1000	<1000	<1000	<1000	<1000	<2000	<1000	<1000	<1000	<1000	<2000
2BB-36-12	36-12-15_P_15_041097_1	15		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5
2BB-36-12	36-12-20_P_20_041097_1	20		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5
2BB-36-13	2BB-36-13-1.5_P_1.5_042497_1	1.5	<5	23	<5		<5	<5	<5							<5	<5	<5		<5		<5													<5											
2BB-36-13	2BB-36-13-2.0_P_2_042497_1	2		23	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5
2BB-36-13	2BB-36-13-4.5_P_4.5_042497_1	4.5	<5	160	<5		<5	<5	17							<5	<5	<5		<5		<5													<5											
2BB-36-13	2BB-36-13-5.0_P_5_042497_1	5		250	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5
2BB-36-13	2BB-36-13-9.0_P_9_042497_1	9		280	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5
2BB-36-13	2BB-36-13-9.5_P_9.5_042497_1	9.5	<5	930	<5		<5	6.3	59							<5	<5	<5		<5		<5													<5											
2BB-36-13	2BB-36-13-19.0_P_19_042497_1	19		25000	<2500		<2500	<2500	<2500	<2500	<2500	<2500	<2500	<2500	<5000	<2500	<2500	<2500	<2500	<2500	<2500	<2500	<2500		<2500	573000	<5000	<2500		<2500	<2500					<2500	<2500	<2500	<2500	<2500	<2500	<2500	<2500	<2500	<2500	<2500
2BB-36-13	2BB-36-13-19.5_P_19.5_042497_1	19.5	<5	33000	<5		<5	6300	5400																	290000TR										1200											
2BB-36-13	2BB-36-13-29.0_P_29_042497_1	29		<5000	<5000		<5000	<5000	<5000	<5000	<5000	<5000	<5000	<5000	<10000	<5000	<5000	<5000	<5000	<5000	<5000	<5000	<5000		<5000	1700000	<10000	<5000		<5000	<5000					<5000	<5000	<5000	<5000	<5000	<5000	<10000	<5000	<5000	<5000	<5000
2BB-36-13	2BB-36-13-29.5_P_29.5_042497_1	29.5	<5	<5	<5		<5	<5	<5																	350000TR										<5											
2BB-36-13	2BB-36-13-39.0_P_39_042497_1	39		<2500	<2500		<2500	<2500	<2500	<2500	<2500	<2500	<2500	<2500	<5000	<2500	<2500	<2500	<2500	<2500	<2500	<2500	<2500		<2500	680000	<5000	<2500		<2500	<2500					<2500	<2500	<2500	<2500	<2500	<2500	<2500	<2500	<2500	<2500	<2500
2BB-36-13	2BB-36-13-39.5_P_39.5_042497_1	39.5	<5	2100	<5		<5	<5	<5																	350000TR										<5											
2BB-36-13	2BB-36-13-49.0_P_49_042497_1	49		770	<400		<400	<400	<400	<400	<400	<400	<800	<400	<400	<400	<400	<400	<400	<400	<400	<400	<400		<400	57000	<800	<400		<400	<400					<400	<400	<400	<400	<400	<400	<800	<400	<400	<400	<400
2BB-36-13	2BB-36-13-49.5_P_49.5_042497_1	49.5	<5	1400	<5		<5	140	140																	14000TR										<5											
2BB-36-14	2BB-36-14-4_P_4_042597_1	4		<25	<25		<25	<25	28							<50	<25	<25		<50		<50				<125										<25											
2BB-36-14	2BB-36-14-10_P_10_042597_1	10		<5	<5		<5	<5	<5							<10	<5	<5		<10		<10				<25										<5											
2BB-36-14	2BB-36-14-20_P_20_042597_1	20		<5	<5		<5	<5	<5							<10	<5	<5		<10		<10				<25										<5											

See notes on page 54

Table 8
Volatile Organic Compounds in Soil Samples (µg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Object Name	Sample Name	Sample Depth (feet)	Chloroform	Chloromethane	cis-1,2-Dichloroethene	cis-1,3-Dichloropropene	Dibromomethane	Dichlorodifluoromethane	Dichlorofluoromethane	Dichloromethane	Ethylbenzene	Ethylene dibromide	Hexachlorobutadiene	Iodomethane	Isopropyl ether	MTBE	Naphthalene	n-Butylbenzene	n-Propylbenzene	sec-Butylbenzene	Styrene	t-Butanol	Tert-amyl methyl ether	Tert-butyl ethyl ether	tert-Butylbenzene	Tetrachloroethene	Tetrahydrofuran	Toluene	trans-1,2-Dichloroethene	trans-1,3-Dichloropropene	Trichloroethene	Trichlorofluoromethane	Vinyl Acetate	Vinyl chloride	m/p-xylene	o-Xylene	Xylenes (total)
2BB-5-48	2BB-5-48-4_P_4_042197_1	4	<5	<5	<5	<5		<5		<5	<5															<5		<5									
2BB-5-48	2BB-5-48-10_P_10_042197_1	10	<5	<5	<5	<5		<5		<5	<5															<5		<5									
2BB-36-1	2BB-36-1-10_P_10_040197_1	10	<5	<5	<5	<5		<5		<5	<5															<5		<5									
2BB-36-1	2BB-36-1-15_P_15_040197_1	15	<5	<5	<5	<5		<5		<5	<5															<5		<5									
2BB-36-1	2BB-36-1-20_P_20_040197_1	20	<5	<5	<5	<5		<5		<5	<5															<5		**9.1**									
2BB-36-1	2BB-36-1-25_P_25_040197_1	25	<5	<5	<5	<5		<5		<5	<5															<5		<5									
2BB-36-2	2BB-36-2-4_P_4_040197_1	4	<5	<5	<5	<5		<5		<5	<5															<5		**24**									
2BB-36-2	2BB-36-2-10_P_10_040197_1	10	<5	<5	<5	<5		<5		<5	<5															<5		**7**									
2BB-36-2	2BB-36-2-15_P_15_040197_1	15	<5	<5	**5.2**	<5		<5		<5	<5															<5		**12**									
2BB-36-2	2BB-36-2-20_P_20_040197_1	20	<5	<5	**7.7**	<5		<5		<5	<5															<5		**15**									
2BB-36-2	2BB-36-2-25_P_25_040197_1	25	<5	<5	**120**	<5	<2.5	<5	<2.5	<5	<5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<5		**19**									
2BB-36-3	2BB-36-3-1_P_1_040197_1	1	<5	<5	<5	<5		<5		<5	<5															<5		**420**	<5		<5					<2.5	
2BB-36-3	2BB-36-3-5_P_5_040197_1	5	<5	<5	<5	<5		<5		<5	<5															<5		<5									
2BB-36-3	2BB-36-3-10_P_10_040197_1	10	<5	<5	<5	<5		<5		<5	<5															<5		<5									
2BB-36-3	2BB-36-3-15_P_15_040197_1	15	<5	<5	<5	<5		<5		<5	<5															<5		<5									
2BB-36-3	2BB-36-3-20_P_20_040197_1	20	<5	<5	<5	<5		<5		<5	<5															<5		<5									
2BB-36-3	2BB-36-3-25_P_25_040197_1	25	<5	<5	<5	<5		<5		<5	<5															<5		<5									
2BB-36-4	2BB-36-4-4_P_4_040297_1	4	<5	<5	<5	<5		<5		<5	<5															<5		<5									
2BB-36-4	2BB-36-4-10_P_10_040297_1	10	<5	<5	<5	<5		<5		<5	<5															<5		**18**									
2BB-36-4	2BB-36-4-15_P_15_040297_1	15	<5	<5	<5	<5		<5		<5	<5															<5		**14**									
2BB-36-4	2BB-36-4-20_P_20_040297_1	20	<5	<5	<5	<5		<5		<5	<5															<5		<5									
2BB-36-4	2BB-36-4-25_P_25_040297_1	25	<5	<5	<5	<5		<5		<5	<5															<5		**6**									
2BB-36-5	2BB-36-5-4_P_4_040197_1	4	<5	<5	<5	<5		<5		<5	<5															<5		<5									
2BB-36-5	2BB-36-5-10_P_10_040297_1	10	<5	<5	<5	<5		<5		<5	<5															<5		**12**									
2BB-36-6	2BB-36-6-1_P_1_040297_1	1	<5	<5	<5	<5		<5		<5	<5															<5		<5									
2BB-36-6	2BB-36-6-4_P_4_040297_1	4	<5	<5	<5	<5		<5		<5	<5															<5		**12**									
2BB-36-6	2BB-36-6-10_P_10_040297_1	10	<5	<5	<5	<5		<5		<5	<5															<5		**7.9**									
2BB-36-6	2BB-36-6-15_P_15_040297_1	15	<5	<5	<5	<5	<1000	<5	<1000	<5	<5	<1000	<1000				<1000	<1000	<1000	<1000	<1000				<1000	<5		<5									
2BB-36-6	2BB-36-6-20_P_20_040297_1	20	<5	<5	<5	<5	<2500	<5	<2500	<5	**13**	<2500	<2500				<2500	<2500	<2500	<2500	<2500				<2500	<5		**210**									
2BB-36-6	2BB-36-6-25_P_25_040297_1	25	<5	<5	<5	<5	<2500	<5	<2500	<5	**16**	<2500	<2500				<2500	<2500	<2500	<2500	<2500				<2500	<5		**630**									
2BB-36-6	2BB-36-6-30_P_30_040297_1	30	<5	<5	<5	<5	<2500	<5	<2500	<5	<5	<2500	<2500				<2500	<2500	<2500	<2500	<2500				<2500	<5		**620**									
2BB-36-6	2BB-36-6-35_P_35_040297_1	35	<5	<5	<5	<5	<2500	<5	<2500	<5	<5	<2500	<2500				<2500	<2500	<2500	<2500	<2500				<2500	<5		**450**									
2BB-36-7	2BB-36-7-1_P_1_040297_1	1	<5	<5	<5	<5		<5		<5	<5															<5		**840**	<5		<5						
2BB-36-7	2BB-36-7-4_P_4_040297_1	4	<5	<5	<5	<5		<5		<5	<5															<5		<5									
2BB-36-7	2BB-36-7-10_P_10_040297_1	10	<5	<5	<5	<5		<5		<5	<5															<5		<5									
2BB-36-7	2BB-36-7-15_P_15_040297_1	15	<5	<5	**24**	<5	<2.5	<5	<2.5	<5	<5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<5		**60**									
2BB-36-7	2BB-36-7-20_P_20_040297_1	20	<5	<5	<5	<5		<5		<5	<5															<5		**430**	<5	<5	<5					<2.5	
2BB-36-7	2BB-36-7-25_P_25_040297_1	25	<5	<5	**83**	<5	<2.5	<5	<2.5	<5	<5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<5		**27**									
2BB-36-8	2BB-36-8-1_P_1_040497_1	1	<5	<5	<5	<5		<5		<5	<5															<5		**57**	<5		<5					<2.5	
2BB-36-8	2BB-36-8-4_P_4_040497_1	4	<5	<5	<5	<5	<2.5	<5	<2.5	<5	<5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<5		**990**	<5	<5	<5					<2.5	
2BB-36-8	2BB-36-8-10_P_10_040497_1	10	<5	<5	<5	<5		<5		<5	<5															<5		**83**	<5		<5						
2BB-36-8	2BB-36-8-15_P_15_040497_1	15	<5	<5	<5	<5		<5		<5	<5															<5		**260**	<5	<5	<5					<2.5	
2BB-36-8	2BB-36-8-20_P_20_040497_1	20	<5	<5	<5	<5		<5		<5	<5															<5		**33**	<5		<5						
2BB-36-8	2BB-36-8-25_P_25_040497_1	25	<5	<5	**30**	<5	<2.5	<5	<2.5	<5	<5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<5		**37**	<5		<5						
2BB-36-9	2BB-36-9-10	10	<5	<10	<5	<5		<10		<5	<5															<5		**44**	<5		<5						
2BB-36-9	2BB-36-9-20	20	**2.2J**	<10	**4.9J**	<5		<10		<5	<5	<5	<5	<10	<5			<5	<5	<5	<10				<5	<5	<20	<5	**970**	<5	<5	<5	<5	<5			<2.5	
2BB-36-9	2BB-36-9-20_P_20_041097_1	20	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<5	<5	<5	<5	<10	<5			<5	<5	<5	<10				<5	<5	<20	<5	**18**	<10	<10	<10					<5	
2BB-36-9	2BB-36-9-25	25	**1.9J**	<10	**4.3J**	<5		<10		<5	<2.5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5	<20	**2.2J**	<5	<5	<10	<10	<10			<2.5	
2BB-36-9	2BB-36-9-25_P_25_041097_1	25	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<5	<5	<5	<5	<10	<5			<5	<5	<5	<10				<5	<5	**13J**	<5	<5	<5	**200**	<10	<10	<10			<5	
2BB-36-9	2BB-36-9-30	30	<5	<10	<5	<5		<10		<5	<2.5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<5		<5	<5	<5	**69**	<10	<10	<10			<2.5	
2BB-36-9	2BB-36-9-40	40	<25	<50	<25	<25		<50		<25	<5	<5	<5	<10	<5			<5	<5	<5	<10				<5	<25	<20	<25	<25	<25	**3.4**	<5	<5	<2.5			<2.5	
2BB-36-9	2BB_36_9_50	50	**3.8J**	<10	**12**	<5		<10		**7.5**	<5	<5	<5	<10	<5			<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**16**	<10	<10	<10			<5	
2BB-36-9	2BB_36_9_60	60	<250	<500	<250	<250		<500		<250	<250	<250	<250	<500	<250			<250	<250	<250	<500				<250	<250	<1000	<250	<250	<250	**670**	<500	<500	<500			<250	
2BB-36-10	2BB-36-10-10_P_10_041097_1	10	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<5	<2.5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5	<20	<2.5	<2.5	<2.5	<2.5	<5	<5	<2.5			<2.5	
2BB-36-11	2BB-36-11-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<5			<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**41**	<10	<10	<10			<5	
2BB-36-11	2BB-36-11-20	20	<5	<10	**3.4J**	<5		<10		<5	<5	<5	<5	<10	<5			<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**78**	<10	<10	<10			<5	
2BB-36-11	36-11-20_P_20_041097_1	20	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<5	<2.5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	**26**	<5	<5	<2.5			<2.5	
2BB-36-11	2BB-36-11-25	25	**1.9J**	<10	**5.5**	<5		<10		<5	<5	<5	<5	<10	<5			<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**100**	<10	<10	<10			<5	
2BB-36-11	2BB-36-11-30	30	**3.1J**	<10	**9.5**	<5		<10		<5	<5	<5	<5	<10	<5			<5	<5	<5	<10				<5	<5	<20	**2.5J**	<5	<5	**130**	<10	<10	<10			<5	
2BB-36-11	2BB-36-11-40	40	**6.6J**	<50	**22J**	<25		<50		<25	<25	<25	<25	<50	<25			<25	<25	<25	<50				<25	<25	<100	**33**	<25	<25	**62**	<50	<50	<50			<25	
2BB-36-11	2BB-36-11-50	50	<25	<50	**17J**	<25		<50		<25	<25	<25	<25	<50	<25			<25	<25	<25	<50				<25	<25	<100	**7100**	<1000	<1000	**1200**	<2000	<2000	<2000			<1000	
2BB-36-11	2BB-36-11-60	60	<1000	<2000	<1000	<1000		<2000		<1000	<1000	<1000	<1000	<2000	<1000			<1000	<1000	<1000	<2000				<1000	<1000	<4000	<1000	<1000	<1000	**5.9**	<5	<5	<2.5			<2.5	
2BB-36-12	36-12-15_P_15_041097_1	15	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<5	<2.5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	**5.9**	<5	<5	<2.5			<2.5	
2BB-36-12	36-12-20_P_20_041097_1	20	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<5	<2.5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<5		<5	<5	<5	<5	<5	<5	<5		<5		
2BB-36-13	2BB-36-13-1.5_P_1.5_042497_1	1.5	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	<5	<5	<5	<5	<5	<5	
2BB-36-13	2BB-36-13-2.0_P_2_042497_1	2	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<5	<2.5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	**3.6**	<2.5	<5	<2.5			<2.5	
2BB-36-13	2BB-36-13-4.5_P_4.5_042497_1	4.5	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	<5	<5	<5	<5	<5	<5	
2BB-36-13	2BB-36-13-5.0_P_5_042497_1	5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<5	<2.5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	**7.6**	<5	<5	<2.5			<2.5	
2BB-36-13	2BB-36-13-9.0_P_9_042497_1	9	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<5	**17**	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	**18**	<5	<5	<2.5			**2.9**	
2BB-36-13	2BB-36-13-9.5_P_9.5_042497_1	9.5	<5	<5	<5	<5		<5		<5	<5															<5		**32**	<2.5	<2.5	**18**	<5	<5	<2.5			**22**	
2BB-36-13	2BB-36-13-19.0_P_19_042497_1	19	<2500	<2500	<2500	<2500	<2500		<2500	<5000	**220000**	<2500	<2500				<2500	<2500	<2500	<2500	<2500				<2500	<5		**9.5**	<5	<5	**130**	<5		<5	**9.2**	<5		
2BB-36-13	2BB-36-13-19.5_P_19.5_042497_1	19.5	<5	<5	**1600**	<5		<5		<5	**370000**															<2500	<2500	**1000000**	<2500	<2500	**42000**	<5000	<5000	<2500			**1100000**	
2BB-36-13	2BB-36-13-29.0_P_29_042497_1	29	<5000	<5000	<5000	<5000	<5000		<5000	<10000	<5000	<5000	<5000				<5000	<5000	<5000	<5000	<5000				<5000	<5		**3700000**	<5	<5	**97000**	<5		<5	**2300000**	**690000**		
2BB-36-13	2BB-36-13-29.5_P_29.5_042497_1	29.5	<5	<5	<5	<5		<5		<5	**1600**															<5000	<5000	<5000	<5000	<5000	<5000	<10000	<10000	<5000			<5000	
2BB-36-13	2BB-36-13-39.0_P_39_042497_1	39	<2500	<2500	<2500	<2500	<2500		<2500	<5000	<2500	<2500	<2500				<2500	<2500	<2500	<2500	<2500				<2500	<5		**33000**	<5	<5	**940**	<5		<5	**9600**	**3800**		
2BB-36-13	2BB-36-13-39.5_P_39.5_042497_1	39.5	<5	<5	<5	<5		<5		<5	<5															<2500	<2500	**15000**	<2500	<2500	<2500	<5000	<5000	<2500			<2500	
2BB-36-13	2BB-36-13-49.0_P_49_042497_1	49	<400	<400	<400	<400	<400		<400	<800	<400	<400	<400				<400	<400	<400	<400	<400				<400	<5		**26000**	<5	<5	**1600**	<5		<5	**800**	**330**		
2BB-36-13	2BB-36-13-49.5_P_49.5_042497_1	49.5	<5	<5	<5	<5		<5		<5	<5															<400	<400	**3600**	<400	<400	<400	<800	<800	<400			<400	
2BB-36-14	2BB-36-14-4_P_4_042597_1	4	<25	<50		<25				<125	<25															<5		**5900**	<5	<5	**550**	<5		<5	**180**	<5		
2BB-36-14	2BB-36-14-10_P_10_042597_1	10	<5	<10		<5				<25	<5															<25		<25	<25	<25	<100	**230**	<125		<50			<25	
2BB-36-14	2BB-36-14-20_P_20_042597_1	20	<5	<10		<5				<25	<5															<5		<5	<5	<5	<20	**23**	<25		<10			<5	
																										<5		<5	<5	<5	<20	**46**	<25		<10			<5	

See notes on page 54

Table 8
Volatile Organic Compounds in Soil Samples (µg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Object Name	Sample Name	Sample Depth (feet)	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloro-1,2,2-trifluoroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropane	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-chloropropane	1,2-Dichlorobenzene	1,2-Dichloroethane	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	1,4-Dioxane	2,2-Dichloropropane	2-Butanone	2-Chloroethylvinylether	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene	4-Isopropyltoluene	4-Methyl-2-pentanone	Acetone	Acrolein	Acrylonitrile	Benzene	Benzene, 1-methylethyl-	Bromobenzene	Bromochloromethane	Bromodichloromethane	Bromoform	Bromomethane	Carbon disulfide	Carbon tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane
2BB-36-14	2BB-36-14-30_P_30_042597_1	30		<5	<5		<5	<5	<5							<10	<5	<5		<10		<10				<25									<5							<5	<5	<5	<5	<10
2BB-36-14	2BB-36-14-40_P_40_042597_1	40		**43**	<25		<25	<25	**110**							<10	<25	<25		<50		<50				<125									<25							<25	<25	<25	<50
2BB-36-14	2BB-36-14-50_P_50_042597_1	50		<5	<5		<5	<5	<5							<10	<5	<5		<10		<10				<25									<5							<5	<5	<5	<10
2BB-36-15	2BB-36-15-4_P_4_042397_1	4	<5	<5	<5		<5	<5	**120**							<5	<5	<5		<5		<5													<5							<5	<5	<5	<5
2BB-36-15	2BB-36-15-10_P_10_042397_1	10	<5	<5	<5		<5	<5	**32**							<5	<5	<5		<5		<5													<5							<5	<5	<5	<5
2BB-36-15	2BB-36-15-15_P_15_042397_1	15	<5	<5	<5		<5	<5	**92**							<5	<5	<5		<5		<5													<5							<5	<5	<5	<5
2BB-36-15	2BB-36-15-20_P_20_042397_1	20	<5	<5	<5		<5	<5	**21**							<5	<5	<5		<5		<5													<5							<5	<5	<5	<5
2BB-36-15	2BB-36-15-25_P_25_042397_1	25	<5	<5	<5		<5	<5	**78**							<5	<5	<5		<5		<5													<5							<5	<5	<5	<5
2BB-36-16	2BB-36-16-1_P_1_042297_1	1	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5													<5							<5	<5	<5	<5
2BB-36-16	2BB-36-16-4_P_4_042297_1	4	<5	<5	<5		<5	<5	**5.7**							<5	<5	<5		<5		<5													<5							<5	<5	<5	<5
2BB-36-16	2BB-36-16-10_P_10_042297_1	10	<5	<5	<5		<5	<5	**12**							<5	<5	<5		<5		<5													<5							<5	<5	<5	<5
2BB-36-16	2BB-36-16-15_P_15_042297_1	15	<5	<5	<5		<5	<5	**24**							<5	<5	<5		<5		<5													<5							<5	<5	<5	<5
2BB-36-16	2BB-36-16-20_P_20_042297_1	20	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5													<5							<5	<5	<5	<5
2BB-36-16	2BB-36-16-25_P_25_042297_1	25	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5													<5							<5	<5	<5	<5
2BB-36-17	2BB-36-17-1_P_1_042497_1	1	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5													<5							<5	<5	<5	<5
2BB-36-17	2BB-36-17-4_P_4_042497_1	4	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5													<5							<5	<5	<5	<5
2BB-36-17	2BB-36-17-10_P_10_042497_1	10	<5	<5	<5		<5	<5	**36**							<5	<5	<5		<5		<5													<5							<5	<5	<5	<5
2BB-36-17	2BB-36-17-15_P_15_042497_1	15	<5	<5	<5		<5	<5	**22**							<5	<5	<5		<5		<5													<5							<5	<5	<5	<5
2BB-36-17	2BB-36-17-20_P_20_042497_1	20	<5	<5	<5		<5	<5	**83**							<5	<5	<5		<5		<5													<5							<5	<5	<5	<5
2BB-36-17	2BB-36-17-25_P_25_042497_1	25	<5	<5	<5		<5	<5	**16**							<5	<5	<5		<5		<5													<5							<5	<5	<5	<5
2BB-NW-10	2BB-SA-NW-10-4_P_4_040397_1	4	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5													<5							<5	<5	<5	<5
2BB-NW-10	2BB-SA-NW-10-10_P_10_040397_1	10	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5													<5							<5	<5	<5	<5
2BB-NW-9	2BB-SA-NW-9-4_P_4_040397_1	4	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5													<5							<5	<5	<5	<5
2BB-NW-9	2BB-SA-NW-9-10_P_10_040397_1	10	<5	<5	<5		<5	<5	<5							<5	<5	<5		<5		<5				<25									<5							<5	<5	<5	<5
AK-14-1	AK_14_1	12	<5	<5	<5		<5	<5	<5	<5					<10	<5	<5	<5	<5	<5		<5				<25									<5							<5	<5	<5	<5
AK-14-2	AK_14_2	12	<5	<5	<5		<5	<5	<5	<5					<10	<5	<5	<5	<5	<5		<5				<25									<5							<5	<5	<5	<10
AK-14-3	AK_14_3	12	<25	<25	<25		<25	<25	<25	<25	<25	<25	<25	**290**	<50	<25	<25	<25	<25	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
AK-14-4	AK_14_4	13	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	**6500**	<10	<5	<5	<5	**92**	<5		<5		<5	<25	<120	<50	<25	<120	<25	**49**	<120	<120	<500	<500	<25	**10J**	<25	<5	<25	<10	<5	<5	<5	<5	<50
AK-14-5	AK_14_5	13	<250	<250	<250		<250	<250	<250	<250	<250	<250	<250	**6500**	<500	<250	<250	<250	**2300**	<250		<250		<250	<1200	<500	<250	<1200	<250	**1800**	<1200	<1200	<5000	<5000	<250	**530**	<250	<250	<250	<500	<250	<250	<250	<250	<500
B-03K-1	3K-1_P_10_032596_1	10		<5	<5		<5	<5	<5							<5	<5	<5		<5		<5				<25									<5							<5	<5	<5	<5
B-03K-1	3K-1_P_15_032596_1	15		<5	<5		<5	<5	<5							<5	<5	<5		<5		<5				<25									<5							<5	<5	<5	<5
B-03K-2	3K-2_P_10_032696_1	10	<5	<5	<5		<5	<5	**8**							<5	<5	<5		<5		<5				<25									<5							<5	<5	<5	<5
B-03K-2	3K-2_P_15_032696_1	15	<5	<5	<5		<5	<5	<5							<5																													
B-03K-2	3K-2_P_20_032696_1	20	<5	<5	<5		<5	<5	<5							<5																													
B-03K-2	3K-2_P_25_032696_1	25	<5	<5	<5		<5	<5	<5							<5																													
B-03-N-2	3N-2_P_10_032596_1	10	<5	<5	<5		<5	<5	<5							<5																													
B-03-N-2	3N-2_P_15_032596_1	15	<5	<5	<5		<5	<5	<5							<5																													
B-04	4_P_5.5_032796_1	5.5	<5	<5	<5		<5	<5	<5							<5																													
B-04	4_P_10.5_032796_1	10.5	<5	<5	<5		<5	<5	<5							<5																													
B-09	9A_P_5_040196_1	5	<5	<5	<5		<5	<5	<5							<5																													
B-09	9A_P_10_040196_1	10	<5	<5	<5		**6.4**	<5	<5							<5																													
B-14B	14_P_5_040196_1	5	<5	<5	<5		<5	<5	<5							<5																													
B-14B	14_P_10_040196_1	10	<5	<5	<5		<5	<5	<5							<5																													
B-15-TB	15TB-3-3_P_10_082487_1	10		**570**	<5	<5	<5	<5	**18**						<5	<5	<5	<5	<5		<5		<5	**14**	**810**	<50		<30			**840**	<50	<50	<50	<5				<5	<5	<30	<5	<5	<5	<5	<30
B-15-TB	15TB-4-3_P_15_082487_1	15		**27**	<5	<5	<5	<5	**18**						<5	<5	<5	<5	<5		<5		<5	**14**	**160**	<50		<30			**840**	<50	<50	<50	<5				<5	<5	<30	<5	<5	<5	<5	<30
B-15-TB	15TB-5-3_P_20_082487_1	20		**38**	<5	<5	<5	<5	**18**						<5	<5	<5	<5	<5		<5		<5	**14**	**1800**	<50		<30			**840**	<50	<50	<50	<5				<5	<5	<30	<5	<5	<5	<5	<30
B-16	16_P_5_040296_1	5	<5	<5	<5		<5	<5	<5							<5																													
B-16	16_P_10_040296_1	10	<5	<5	<5		<5	<5	<5							<5																													
B-17	17_P_5_040196_1	5	<5	<5	<5		<5	<5	<5							<5																													
B-17	17_P_10_040196_1	10	<5	<5	<5		<5	<5	**30**							<5																													
B-17	17_P_15_040196_1	15	<5	<5	<5		<5	<5	<5							<5																													
B-17	17_P_20_040196_1	20	<5	<5	<5		<5	<5	<5							<5																													
B-17	17_P_25_040196_1	25	<5	<5	<5		<5	<5	**162**							<5																													
B-17-TB	17TB-2-3_P_5_082487_1	5		<5	<5	<5	<5	<5	<5						<5	<5	<5	<5	<5		<5		<5	<5	<50	<50		<30			<30	<50	<50	<50	<5				<5	<5	<30	<5	<5	<5	<5	<30
B-17-TB	17TB-3-3_P_10_082487_1	10		**36**	<5	<5	<5	<5	<5						<5	<5	<5	<5	<5		<5		<5	<5	<50	<50		<30			<30	<50	<50	<50	<5				<5	<5	<30	<5	<5	<5	<5	<30
B-17-TB	17TB-5-3_P_20_082487_1	20		**13**	<5	<5	<5	<5	<5						<5	<5	<5	<5	<5		<5		<5	**14**	<50	<50		<30			<30	<50	<50	<50	<5				<5	<5	<30	<5	<5	<5	<5	<30
B-17-TB	17TB-7-3_P_30_082487_1	30		**13**	<5	<5	<5	<5	<5						<5	<5	<5	<5	<5		<5		<5	**14**	**810**	<50		<30			**840**	<50	<50	<50	<5				<5	<5	<30	<5	<5	<5	<5	<30
B-22	B_22_5'	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5	<5		<25	<10	<5	<25	<5	<5	<25	**22J**	<100	<50	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
B-22	B_22_10'	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	**22J**	<100	<50	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
B36-GS-2	B36-GS-2-2'_P_2_032697_1	2		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	**3.2**	<5	<2.5	<2.5	<2.5	**2.9**	<2.5	<2.5	<2.5		<2.5		<5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5
B36-GS-3	B36-GS-3-10'_P_10_091797_1	10		<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5
B36-GS-4	B36-GS-4-12'_P_12_091797_1	12		<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5
B36-GS-5	B36-GS-5-12'_P_12_091797_1	12		<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5
B36-GS-6	B36-GS-6-5'_P_5_091797_1	5		<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5
B36-GS-7	B36-GS-7-10'_P_10_091797_1	10		<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5
B36-GS-8	B36-GS-8-12'_P_12_091797_1	12		<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5
B36-GS-9	B36-GS-9-12'_P_12_091797_1	12		<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5
B36-GS10	B36-GS10-10'_P_3_091797_1	10		<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5
B36-GS-11	B36-GS-11-12'_P_3_091797_1	12		<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5
B36-GS-12	B36-GS-12-5'_P_3_091797_1	5		<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5
B36-GS-13	B36-GS-13-12'_P_12_091797_1	12		<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5
B36-GS-14	B36-GS-14-5'_P_5_091797_1	5		<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5
B36-GS-15	B36-GS-15-10'_P_10_091797_1	10		<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5
B36-GS-16	B36-GS-16-12'_P_12_091797_1	12		<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5
B36-GS-17	B36-GS-17-12'_P_12_091797_1	12		<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5
B36-GS-18	B36-GS-18-5'_P_5_091797_1	5		<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5
B36-GS-19	B36-GS-19-2'_P_2_091797_1	2		<2.5			<2.5	**3.7**	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5
B36-GS-20	B36-GS-20-2'_P_2_091797_1	2		<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5
B36-GS-21	B36-GS-21-2'_P_2_091797_1	2		<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5
B36-GS-22	B36-GS-22-3'_P_3_091797_1	3		<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5
B36-GS-23	B36-GS-23-4'_P_4_091797_1	4		<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5

See notes on page 54

Table 8
Volatile Organic Compounds in Soil Samples (µg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Object Name	Sample Name	Sample Depth (feet)	Chloroform	Chloromethane	cis-1,2-Dichloroethene	cis-1,3-Dichloropropene	Dibromomethane	Dichlorodifluoromethane	Dichlorofluoromethane	Dichloromethane	Ethylbenzene	Ethylene dibromide	Hexachlorobutadiene	Iodomethane	Isopropyl ether	MTBE	Naphthalene	n-Butylbenzene	n-Propylbenzene	sec-Butylbenzene	Styrene	t-Butanol	Tert-amyl methyl ether	Tert-butyl ethyl ether	tert-Butylbenzene	Tetrachloroethene	Tetrahydrofuran	Toluene	trans-1,2-Dichloroethene	trans-1,3-Dichloropropene	Trichloroethene	Trichlorofluoromethane	Vinyl Acetate	Vinyl chloride	m/p-xylene	o-Xylene	Xylenes (total)
2BB-36-14	2BB-36-14-30_P_30_042597_1	30	<5	<10		<5				<25	<5															<5		<5	<5	<20	89	<25		<10			<5
2BB-36-14	2BB-36-14-40_P_40_042597_1	40	<25	<50		<25				<125	<25															<25		<25	<25	<100	390	<125		<50			<25
2BB-36-14	2BB-36-14-50_P_50_042597_1	50	<5	<10		<5				<25	<5															<5		<5	<5	<20	<5	<25		<10			<5
2BB-36-15	2BB-36-15-4_P_4_042397_1	4	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	170	<5		<5	<5	<5	
2BB-36-15	2BB-36-15-10_P_10_042397_1	10	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	33	<5		<5	<5	<5	
2BB-36-15	2BB-36-15-15_P_15_042397_1	15	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	89	<5		<5	<5	<5	
2BB-36-15	2BB-36-15-20_P_20_042397_1	20	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	35	<5		<5	<5	<5	
2BB-36-15	2BB-36-15-25_P_25_042397_1	25	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	78	<5		<5	<5	<5	
2BB-36-16	2BB-36-16-1_P_1_042297_1	1	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	9.1	<5		<5	<5	<5	
2BB-36-16	2BB-36-16-4_P_4_042297_1	4	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	20	<5		<5	<5	<5	
2BB-36-16	2BB-36-16-10_P_10_042297_1	10	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	21	<5		<5	<5	<5	
2BB-36-16	2BB-36-16-15_P_15_042297_1	15	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	42	<5		<5	<5	<5	
2BB-36-16	2BB-36-16-20_P_20_042297_1	20	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	<5	<5		<5	<5	<5	
2BB-36-16	2BB-36-16-25_P_25_042297_1	25	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	12	<5		<5	<5	<5	
2BB-36-17	2BB-36-17-1_P_1_042497_1	1	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	<5	<5		<5	<5	<5	
2BB-36-17	2BB-36-17-4_P_4_042497_1	4	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	28	<5		<5	<5	<5	
2BB-36-17	2BB-36-17-10_P_10_042497_1	10	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	6.9	<5		<5	<5	<5	
2BB-36-17	2BB-36-17-15_P_15_042497_1	15	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	43	<5		<5	<5	<5	
2BB-36-17	2BB-36-17-20_P_20_042497_1	20	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	7.4	<5		<5	<5	<5	
2BB-36-17	2BB-36-17-25_P_25_042497_1	25	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	<5	<5		<5	<5	<5	
2BB-NW-10	2BB-SA-NW-10-4_P_4_040397_1	4	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	10	<5		<5	<5	<5	
2BB-NW-10	2BB-SA-NW-10-10_P_10_040397_1	10	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	<5	<5		<5	<5	<5	
2BB-NW-9	2BB-SA-NW-9-4_P_4_040397_1	4	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	10	<5		<5	<5	<5	
2BB-NW-9	2BB-SA-NW-9-10_P_10_040397_1	10	<5	<5	<5	<5		<5		<5	<5															<5		<5	<5	<5	<5	<5		<5	<5	<5	
AK-14-1	AK_14_1	12	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10		<5	<5
AK-14-2	AK_14_2	12	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10		<5	<5
AK-14-3	AK_14_3	12	<25	<50	<25	<25		<50		<25	13J	<25	<25	<50	<50	<25		84	36	44	<50	<500	<50	<50	34	<25	<100	<25	<25	<25	<25	<50	<50	<50		73	
AK-14-4	AK_14_4	13	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10		<5	<5
AK-14-5	AK_14_5	13	<250	<500	<250	<250		<500		<250	1600	<250	<250	<500	<500	<250		1300	1300	1000	<500	<5000	<500	<500	<250	<250	<1000	99J	<250	<250	<250	<500	<500	<500		8100	
B-03K-1	3K-1_P_10_032596_1	10	<5	<5		<5				<5	<5															<5		<5	<5	<5	<5	<5		<5			<5
B-03K-1	3K-1_P_15_032596_1	15	<5	<5		<5				<5	<5															<5		<5	<5	<5	<5	<5		<5			<5
B-03K-2	3K-2_P_10_032696_1	10	<5		<5					<5	<5															<5		<5	<5		97	<5		<5			
B-03K-2	3K-2_P_15_032696_1	15	<5		<5					<5	<5															<5		<5	<5		15.3				<5	<5	
B-03K-2	3K-2_P_20_032696_1	20	<5		<5					<5	<5															<5		<5	<5		8.4				<5	<5	
B-03K-2	3K-2_P_25_032696_1	25	<5		<5					<5	<5															<5		<5	<5		38.2				<5	<5	
B-03-N-2	3N-2_P_10_032596_1	10	<5		<5					<5	<5															<5		<5	<5		<5				<5	<5	
B-03-N-2	3N-2_P_15_032596_1	15	<5		<5					<5	<5															<5		<5	<5		<5				<5	<5	
B-04	4_P_5.5_032796_1	5.5	<5		<5					<5	<5															<5		<5	<5		<5				<5	<5	
B-04	4_P_10.5_032796_1	10.5	<5		<5					<5	<5															<5		<5	<5		<5				<5	<5	
B-09	9A_P_5_040196_1	5	<5		<5					<5	<5															<5		<5	<5		<5				<5	<5	
B-09	9A_P_10_040196_1	10	<5		<5					<5	<5															<5		<5	<5		<5				<5	<5	
B-14B	14_P_5_040196_1	5	<5		<5					<5	<5															<5		<5	<5		10.8				<5	<5	
B-14B	14_P_10_040196_1	10	<5		<5					<5	<5															<5		<5	<5		<5				<5	<5	
B-15-TB	15TB-3-3_P_10_082487_1	10	<5	<30		<5				<50	11	<5														<5		<5	<5	<5	<5	<5	<30	<30			
B-15-TB	15TB-4-3_P_15_082487_1	15	<5	<30		<5				<50	41	<5										<5				<5	<5	56	<5	<5	<5	<5	<30	<30			110
B-15-TB	15TB-5-3_P_20_082487_1	20	<5	<30		<5				<50	180	<5										<5				<5	<5	870	<5	<5	10	<5	<30	<30			460
B-16	16_P_5_040296_1	5	<5		<5					<5	<5											<5				<5	<5	6300	<5	<5	94	<5	<30	<30			1300
B-16	16_P_10_040296_1	10	<5		<5					<5	<5															<5		<5	<5		<5				<5	<5	
B-17	17_P_5_040196_1	5	<5							<5	<5															<5		<5	<5		<5				<5	<5	
B-17	17_P_10_040196_1	10	<5		<5					<5	<5															<5		<5	<5		<5				<5	<5	
B-17	17_P_15_040196_1	15	<5		<5					<5	<5															<5		<5	<5		95				<5	<5	
B-17	17_P_20_040196_1	20	<5		<5					<5	<5															<5		<5	<5		7.1				<5	<5	
B-17	17_P_25_040196_1	25	<5		19.2					<5	<5															<5		<5	<5		10.3				<5	<5	
B-17-TB	17TB-2-3_P_5_082487_1	5	<5	<30		<5				<50	<5	<5														<5		<5	<5		272				<5	<5	
B-17-TB	17TB-3-3_P_10_082487_1	10	<5	<30		<5				<50	<5	<5										<5				<5	<5	<5	<5	<5	<5	<5	<30	<30			<5
B-17-TB	17TB-5-3_P_20_082487_1	20	<5	<30		<5				<50	<5	<5										<5				<5	<5	8	<5	<5	<5	<5	<30	<30			<5
B-17-TB	17TB-7-3_P_30_082487_1	30	<5	<30		<5				<50	<5	<5										<5				<5	<5	7	<5	<5	<5	<5	<30	<30			<5
B-22	B_22_5'	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5			<5	<5	<5	<10				<5	<5	7	<5	<5	<5	<5	<30	<30			<5
B-22	B_22_10'	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5			<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
B36-GS-2	B36-GS-2-2'_P_2_032697_1	2	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<5	98	<2.5	<2.5													<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
B36-GS-3	B36-GS-3-10'_P_10_091797_1	10	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<5	<2.5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5					<2.5	<2.5	63	<2.5	<2.5	<2.5	<5	<5	<2.5			380
B36-GS-4	B36-GS-4-12'_P_12_091797_1	12	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<5	<2.5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<5	<2.5			<2.5
B36-GS-5	B36-GS-5-12'_P_12_091797_1	12	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<5	<2.5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<5	<2.5			<2.5
B36-GS-6	B36-GS-6-5'_P_5_091797_1	5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<5	<2.5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5					<2.5	<2.5	3.7	<2.5	<2.5	<2.5	<5	<5	<2.5			<2.5
B36-GS-7	B36-GS-7-10'_P_10_091797_1	10	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<5	<2.5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<5	<2.5			<2.5
B36-GS-8	B36-GS-8-12'_P_12_091797_1	12	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<5	<2.5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<5	<2.5			<2.5
B36-GS-9	B36-GS-9-12'_P_12_091797_1	12	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<5	<2.5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	2.9	<5	<5	<2.5			<2.5
B36-GS10	B36-GS10-10'_P_3_091797_1	10	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<5	<2.5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	3.7	<5	<5	<2.5			<2.5
B36-GS-11	B36-GS-11-12'_P_3_091797_1	12	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<5	<2.5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	4	<5	<5	<2.5			<2.5
B36-GS-12	B36-GS-12-5'_P_3_091797_1	5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<5	<2.5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	4	<5	<5	<2.5			<2.5
B36-GS-13	B36-GS-13-12'_P_12_091797_1	12	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<5	<2.5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<5	<2.5			<2.5
B36-GS-14	B36-GS-14-5'_P_5_091797_1	5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<5	<2.5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	7.2	<5	<5	<2.5			<2.5
B36-GS-15	B36-GS-15-10'_P_10_091797_1	10	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<5	<2.5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	3	<5	<5	<2.5			<2.5
B36-GS-16	B36-GS-16-12'_P_12_091797_1	12	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<5	<2.5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<5	<2.5			<2.5
B36-GS-17	B36-GS-17-12'_P_12_091797_1	12	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<5	<2.5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<5	<2.5			<2.5
B36-GS-18	B36-GS-18-5'_P_5_091797_1	5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<5	<2.5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	3.3	<5	<5	<2.5			<2.5
B36-GS-19	B36-GS-19-2'_P_2_091797_1	2	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<5	<2.5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<5	<2.5			<2.5
B36-GS-20	B36-GS-20-2'_P_2_091797_1	2	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<5	<2.5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	7.7	<5	130	32			10
B36-GS-21	B36-GS-21-2'_P_2_091797_1	2	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<5	<2.5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	6.4	<5	<5	<2.5			<2.5
B36-GS-22	B36-GS-22-3'_P_3_091797_1	3	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<5	<2.5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<5	<2.5			<2.5
B36-GS-23	B36-GS-23-4'_P_4_091797_1	4	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<5	<2.5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<5	<2.5			<2.5

See notes on page 54

Table 8
Volatile Organic Compounds in Soil Samples (µg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Object Name	Sample Name	Sample Depth (feet)	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloro-1,2,2-trifluoroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-chloropropane	1,2-Dichlorobenzene	1,2-Dichloroethane	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	1,4-Dioxane	2,2-Dichloropropane	2-Butanone	2-Chloroethylvinylether	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene	4-Isopropyltoluene	4-Methyl-2-pentanone	Acetone	Acrolein	Acrylonitrile	Benzene	Benzene, 1-methylethyl-	Bromobenzene	Bromochloromethane	Bromodichloromethane	Bromoform	Bromomethane	Carbon disulfide	Carbon tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane
B36-GS-24	B36-GS-24-5'_P_3_091797_1	5		<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5
B36-GS-25	B36-GS-25-5'_P_5_091797_1	5		<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5
B-37-1	37-1_P_10_011188_1	10																																<0.1												
B37-C32-4_5	B37-C32-4.5_P_4.5_022497_1	4.5	<5	<5	<5		<5	<5	**5.2**	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5		<5		<5		<5	<5					<5	<5	<5	<5	<5	<5	<5		<5	<5	<5	<5
B37-CS-2	B37-CS-2_P_2_032597_1	2		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5
B37-G36-3	B37-G36-3ft_P_3_022697_1	3	<5	<5	<5		<5	<5	**20**	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5		<5	<5	<5		<5	<5					<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
B37-GS-107-3	B37-GS-107-3'_P_3_032697_1	3		<2.5	<2.5		<2.5	<2.5	**48**	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5
B37-GS-110-3	B37-GS-110-3'_P_3_032697_1	3		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5
B37-GS-13	B37-GS-13_P_2_020397_1	2	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5		<5	<5	<5		<5	<5					<5	<5	<5	<5	<5	<5	<5		<5	<5	<5	<5
B37-GS-183C-10	B37-GS-183C-10_P_10_050797_1	10		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5
B37-GS-2	B37-GS-2_P_0_011597_1	0	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5		<5		<5		<5	<5					<5	<5	<5	<5	<5	<5	<5		<5	<5	<5	<5
B37-GS-28	B37-GS-28_P_2-5_021297_1	2.5	<5	<5	<5		<5	<5	**81**	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5		<5		<5		<5	<5					<5	<5	<5	<5	<5	<5	<5		<5	<5	<5	<5
B37-GS-31	B37-GS-31_P_3_021297_1	3	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5		<5		<5		<5	<5					<5	<5	<5	<5	<5	<5	<5		<5	<5	<5	<5
B37-GS-32	B37-GS-32_P_3_021397_1	3	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5		<5		<5		<5	<5					<5	<5	<5	<5	<5	<5	<5		<5	<5	<5	<5
B37-GS-37	B37-GS-37_P_1_021797_1	1	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5		<5		<5		<5	<5					<5	<5	<5	<5	<5	<5	<5		<5	<5	<5	<5
B37-GS-39	B37-GS-39_P_2_021797_1	2	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5		<5		<5		<5	<5					<5	<5	<5	<5	<5	<5	<5		<5	<5	<5	<5
B37-GS-74-2	B37-GS-74-2ft_P_2_031097_1	2	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5		<5		<5		<5	<5					<5	<5	<5	<5	<5	<5	<5		<5	<5	<5	<5
B37-GS-203	B37-GS-203-12'_P_12_101497_1	12		<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5
B37-GS-211	B37-GS-211-6'_P_6_102997_1	6		<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5
B37-GS-212	B37-GS-212-10'_P_10_102997_1	10		<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5
B37-GS-213	B37-GS-213-8'_P_8_102997_1	8		<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5
B37-GS-214	B37-GS-214-6'_P_6_103097_1	6		<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5
B37-J36-3	B37-J36-3ft_P_3_022697_1	3	<5	<5	<5		<5	<5	**16**	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5		<5		<5		<5	<5					<5	<5	<5	<5	<5	<5	<5		<5	<5	<5	<5
B40-GS-1	B40-GS-1-1'_P_1_092497_1	1		<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5
B41-GS-1	B41-GS-1-1'_P_1_092497_1	1		<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5
B41-GS-2	B41-GS-2-2'_P_3_092497_1	3		<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5
B41-GS-3	B41-GS-3-2'_P_2_092997_1	2		<2.5			<2.5	<2.5	**7.5**	<2.5	<2.5	<2.5	<2.5	**170**	<5	<2.5	<2.5	<2.5	**65**	<2.5	<2.5	<2.5	<2.5		<2.5	<5	<2.5		<2.5	<2.5					<2.5	**15**	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5
B41-GS-4	B41-GS-4-3'_P_3_092997_1	3		<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5
B41-GS-5	B41-GS-5-1'_P_1_092997_1	1		<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	**380**	<5	<2.5	<2.5	<2.5	**120**	<2.5	<2.5	<2.5	<2.5		<2.5	<5	<2.5		<2.5	<2.5					<2.5	**62**	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5
B41-GS-6	B41-GS-6-1'_P_1_092997_1	1		<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5
B-301	30-1_P_10_032696_1	10	<5	<5	<5		<5	<5	**5**								<5																		<5							<5	<5		<5
B-301	30-1_P_15_032696_1	15	<5	<5	<5		<5	<5	<5								<5																		<5							<5	<5		<5
B-301	30-1_P_20_032696_1	20	<5	<5	<5		<5	<5	<5								<5																		<5							<5	<5		<5
B-301	30-1_P_25_032696_1	25	<5	<5	<5		<5	<5	<5								<5																		<5							<5	<5		<5
B-302	30-2_P_10_032696_1	10	<5	<5	<5		<5	<5	**51**								<5																		<5							<5	<5		<5
B-302	30-2_P_15_032696_1	15	<5	<5	<5		<5	<5	**34.6**								<5																		<5							<5	<5		<5
B-302	30-2_P_20_032696_1	20	<5	<5	<5		<5	<5	**76.6**								<5																		<5							<5	<5		<5
B-302	30-2_P_25_032696_1	25	<5	<5	<5		<5	<5	**20.7**								<5																		<5							<5	<5		<5
Bldg_1_B15_16	Bldg_1_B15_092701_16	16	<5	<5	<5		<5	<5	<5	<5	<5	<5	<10	<5	**1.2J**	<5	<5	<5	<5		<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
Bldg-2-T-20-B27 Center	Bldg_2_T_20_071901_B27 Center	27	<620	**930**	<620		<620	<620	<620	<620	<620	<620	**1400**	<1200	<620	<620	<620	**440J**	<620		<620	<620	<3100	<1200	<620	<3100	<620	**510J**	<3100	<3100	<12000	<12000	<620	<620	<620	<620	<620	<620	<1200	<620	<620	<620	<620	<1200
Bldg-2-T-20-B27 East	Bldg_2_T_20_071901_B27 East	27	<500	**3000**	<500		<500	<500	<500	<500	<500	**330J**	<500	**4800**	<1000	<500	<500	<500	**1500**		<500	<500	<2500	<1000	<500	<2500	<500	**1300**	<2500	<2500	<10000	<10000	<500	**280J**	<500	<500	<500	<500	<1000	<500	<500	<500	<500	<1000
Bldg-2-T-20-B29 West	Bldg_2_T_20_071901_B29 West	29	<1000	**6300**	<1000		<1000	<1000	<1000	<1000	<1000	<1000	**6700**	<2000	<1000	<1000	<1000	**2200**	<1000		<1000	<1000	<5000	<2000	<1000	<5000	<1000	**1700**	<5000	<5000	<20000	<20000	<1000	<1000	<1000	<1000	<1000	<1000	<2000	<1000	<1000	<1000	<1000	<2000
BLDG-32-4-E-1	BLDG_32_4_E_1	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5		<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
BLDG-32-4-E-2	BLDG_32_4_E_2	4	<5	<5	<5		<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5		<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
BLDG-32-4-E-3	BLDG_32_4_E_3	1	<5	**1.8J**	<5		<5	**5**	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5		<5	<5	<25	<10	<5	<25	<5	<5	<25	**31**	<100	<100	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
BLDG-32-4-E-4	BLDG_32_4_E_4	1	<5	<5	<5		<5	**16**	<5	<5	<5	<5	<10	**5.3**	<10	<5	<5	<5	<5		<5	<5	**16J**	<10	<5	<25	<5	<5	<25	**61**	<100	<100	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
BLDG-32-4-E-5	BLDG_32_4_E_5	1	<5	<5	<5		<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5		<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
BLDG-32-4-E-6	BLDG_32_4_E_6	1	<5	<5	<5		<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5		<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
BUILD-1-1-22-1	BUILD_1_1_22_1	1	<5	<5	<5		<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5		<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
BUILD-1-1-22-2	BUILD_1_1_22_2	1	<5	<5	<5		<5	<5	**8.8**	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5		<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
BUILD-1-1-22-3	BUILD_1_1_22_3	1	<5	<5	<5		<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5		<5	<5	<25	<10	<5	<25	<5	<5	<25	**27**	<100	<100	<5	<5	<5	<5	<5	<5	<5	<10	**7.1**	<5	<5	<5	<10
BUILD-1-1-22-4	BUILD_1_1_22_4	7	<5	<5	<5		<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5		<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
BUILD-1-1-22-9	BUILD_1_1_22_9	1	<5	<5	<5		<5	<5	<5	<5	<5	<5	<10	<5	**2.4J**	<5	<5	<5	<5		<5	<5	<25	<10	<5	<25	<5	<5	<25	**21J**	<100	<100	<5	<5	<5	<5	<5	<5	<5	<10	**4.2J**	<5	<5	<5	<10
BUILD-1-A-4-1	Build-1-A-4-112900-1	5	<25	<25	<25		<25	<25	<25	<25	<25	<25	<50	<25	<25	<25	<25	<25	<25		<25	<25	**250**	<50	<25	<120	<25	<25	<120	**4300**	<500	<250	<25	<25	<25	<25	<25	<25	<50	<25	<25	<25	<25	<50
BUILD-1-A-4-2	Build-1-A-4-120100-2	5	<500	**270J**	<500		<500	<500	<500	<500	<500	<500	**910**	<1000	<500	<500	<500	**810**	<500		<500	<500	**3500B**	<1000	<500	<2500	<500	<500	<2500	**1600J**	<10000	<5000	<500	**1800**	<500	<500	<500	<500	<1000	<500	<500	<500	<500	<1000
BUILD-1-A-12-1	Build_1_A_12_051801_1	5	<5	**5.8**	<5		<5	**4.6J**	**2.8J**	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5		<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
Build_1_B_15_3	Build_1_B_15_100501_3	12	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5		<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
Build_1_B_15_4	Build_1_B_15_100501_4	12	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5		<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
Build_1_B_15_5	Build_1_B_15_100501_5	12	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5		<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
BUILD-1-B-15-10	BUILD_1_B_15_092701_10	10	<5	<5	<5		<5	<5	**120**	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5		<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
BUILD-1-D-3-1	Build-1-D-3-120400-1	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5		<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
BUILD-1-D-3-2	Build_1_D_3_050401_2	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5		<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
BUILD-1-E-10-1	Build-1-E-10-112800-1	0.5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5		<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
BUILD-1-H-4-1	Build-1-H-4-121500-1	0.5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5		<5	<5	<25	<10	<5	<25	<5	<5	<25	**69**	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
BUILD-1-J-4-1	Build-1-J-4-121500-1	4	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5		<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
BUILD-1-J-4-2	Build-1-J-4-121500-2	6	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5		<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
BUILD-1-J-4-3	Build-1-J-4-121500-3	4	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5		<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
BUILD-1-M-14-1	BUILD_1_M_14_041801_1	3	<250	<250	<250		<250	<250	<250	<250	<250	<250	<250	<250	<500	<250	<250	<250	<250		<250	<250	<1200	<500	<250	<1200	<250	210J G	<1200	<1200	<5000	<2500	<250	120J G	<250	<250	<250	<250	<500	<250	<250	<250	<250	<500
BUILD-1-M-14-3	Build_1_M_14_050101_3	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	**94**	<10	<5	<5	<5	**17**	<5		<5	<5	<25	<10	<5	<25	<5	<5	<25	**16J**	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
BUILD-1-M-16-1	Build_1_M_16_041801_1	3	<250	<250	<250		<250	<250	<250	<250	<250	<250	<250	<250	<500	<250	<250	<250	<250		<250	<250	<1200	<500	<250	<1200	<250	<250	<1200	<1200	<5000	<2500	<250	<250	<250	<250	<250	<250	<500	<250	<250	<250	<250	<500
BUILD-1-N-15-1	BUILD_1_N_15_040901_1	1	<5	<5	<5		<5	<5	<5	<5	<5	<5	**18**	<10	<5	<5	<5	**4.7J**	<5		<5	<5	<25	<10	<5	<25	<5	**17**	<25	**22J**	<100	<50	<5	**9.5**	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
BUILD-1-N-15-2	BUILD_1_N_15_040901_2	6	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
BUILD-2-0-14-1	BUILD_2_0_14_041601_01	1	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
BUILD-2-0-19-1	Build_2_0_19_042401_1	32	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
BUILD-2-2-20-4	Build_2_2_20_052301_4	7	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5	<5	**120**	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
BUILD-2-2-20-5	Build_2_2_20_052301_5	7	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5	<5	**160**	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
BUILD-2-AA-20-1	BUILD_2_AA_20_040301_1	2	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<10	<5

Table 8
Volatile Organic Compounds in Soil Samples (µg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Object Name	Sample Name	Sample Depth (feet)	Chloroform	Chloromethane	cis-1,2-Dichloroethene	cis-1,3-Dichloropropene	Dibromomethane	Dichlorodifluoromethane	Dichlorofluoromethane	Dichloromethane	Ethylbenzene	Ethylene dibromide	Hexachlorobutadiene	Iodomethane	Isopropyl ether	MTBE	Naphthalene	n-Butylbenzene	n-Propylbenzene	sec-Butylbenzene	Styrene	t-Butanol	Tert-amyl methyl ether	Tert-butyl ethyl ether	tert-Butylbenzene	Tetrachloroethene	Tetrahydrofuran	Toluene	trans-1,2-Dichloroethene	trans-1,3-Dichloropropene	Trichloroethene	Trichlorofluoromethane	Vinyl Acetate	Vinyl chloride	m/p-xylene	o-Xylene	Xylenes (total)
B36-GS-24	B36-GS-24-5'_P_3_091797_1	5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<5	<2.5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<5	<5	<2.5			<2.5
B36-GS-25	B36-GS-25-5'_P_5_091797_1	5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<5	<2.5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<5	<5	<2.5			<2.5
B-37-1	37-1_P_10_011198_1	10									2																	<0.1									5
B37-C32-4_5	B37-C32-4_5_P_4_5_022497_1	4.5	<5	<5	<5	<5	<5	<5		<5	<5	<5	<5				<5	<5	<5	<5	<5				<5	13		<5	<5	19	<5			<5	<5		
B37-CS-2	B37-CS-2_P_2_032597_1	2	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<5	<2.5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<5	<5	<2.5			<2.5
B37-G36-3	B37-G36-3ft_P_3_022697_1	3	<5	<5	<5	<5	<5	<5		<5	<5	<5	<5				<5	<5	<5	<5	<5				<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<5		
B37-GS-107-3	B37-GS-107-3'_P_3_032697_1	3	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<5	<2.5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<5	<5	<2.5			<2.5
B37-GS-110-3	B37-GS-110-3'_P_3_032697_1	3	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<5	<2.5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<5	<5	<2.5			<2.5
B37-GS-13	B37-GS-13_P_2_020397_1	2	<5	<5	<5	<5	<5	<5		<5	<5	<5	<5				<5	<5	<5	<5	<5				<5	<5		<5	<5	16	<5	<5	<5	<2.5			<2.5
B37-GS-183C-10	B37-GS-183C-10_P_10_050797_1	10	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<5	<2.5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<5	<5	<2.5	<5	<5	<2.5
B37-GS-2	B37-GS-2_P_0_011597_1	0	<5	<5	<5	<5	<5	<5		<5	<5	<5	<5				<5	<5	<5	<5	<5				<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<5		
B37-GS-28	B37-GS-28_P_2.5_021297_1	2.5	<5	<5	<5	<5	<5	<5		<5	<5	<5	<5				<5	<5	<5	<5	<5				<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<5		
B37-GS-31	B37-GS-31_P_3_021297_1	3	<5	<5	<5	<5	<5	<5		<5	<5	<5	<5				<5	<5	<5	<5	<5				<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<5		
B37-GS-32	B37-GS-32_P_3_021397_1	3	<5	<5	<5	<5	<5	<5		<5	<5	<5	<5				<5	<5	<5	<5	<5				<5	<5		<5	<5	200	<5			<5	<5		
B37-GS-37	B37-GS-37_P_1_021797_1	1	<5	<5	<5	<5	<5	<5		<5	<5	<5	<5				<5	<5	<5	<5	<5				<5	<5		<5	<5	100	<5			<5	<5		
B37-GS-39	B37-GS-39_P_2_021797_1	2	<5	<5	<5	<5	<5	<5		<5	<5	<5	<5				<5	<5	<5	<5	<5				<5	<5		<5	<5	7.3	<5			<5	<5		
B37-GS-74-2	B37-GS-74-2ft_P_2_031097_1	2	<5	<5	<5	<5	<5	<5		<5	<5	<5	<5				<5	<5	<5	<5	<5				<5	<5		<5	<5	8.3	<5			<5	<5		
B37-GS-203	B37-GS-203-12'_P_12_101497_1	12	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<5	<2.5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<5	<5	<2.5			<2.5
B37-GS-211	B37-GS-211-8'_P_8_102997_1	8	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<5	<2.5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<5	<5	<2.5			<2.5
B37-GS-212	B37-GS-212-10'_P_10_102997_1	10	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<5	<2.5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<5	<5	<2.5			<2.5
B37-GS-213	B37-GS-213-8'_P_8_102997_1	8	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<5	<2.5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<5	<5	<2.5			<2.5
B37-GS-214	B37-GS-214-6'_P_6_103097_1	6	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<5	<2.5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<5	<5	<2.5			<2.5
B37-J36-3	B37-J36-3ft_P_3_022697_1	3	<5	<5	<5	<5	<5	<5		<5	<2.5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	3.2		<2.5	<2.5	<2.5	<2.5	<5	<5	<2.5			<2.5
B40-GS-1	B40-GS-1-1'_P_1_092497_1	1	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		5.4	<5	<5	<5				<5	<5	<5	<5	<5				<5	<5		<5	<5	40	<5	<5	<5	<2.5			<2.5
B41-GS-1	B41-GS-1-1'_P_1_092497_1	1	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<5	<2.5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<5	<5	<2.5	<5	<5		
B41-GS-2	B41-GS-2-2'_P_3_092497_1	3	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<5	<2.5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<5	<5	<2.5			<2.5
B41-GS-3	B41-GS-3-2'_P_2_092997_1	2	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<5	<2.5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<5	<5	<2.5			<2.5
B41-GS-4	B41-GS-4-3'_P_3_092997_1	3	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<5	7.2	<2.5	<2.5				47	20	24	21	<2.5				<2.5	<2.5		2.7	<2.5	<2.5	<2.5	33	<5	<2.5			<2.5
B41-GS-5	B41-GS-5-1'_P_1_092997_1	1	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<5	<2.5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<5	<5	<2.5			34
B41-GS-6	B41-GS-6-1'_P_1_092997_1	1	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<5	85	<2.5	<2.5				960	160	150	120	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<5	<5	<2.5			<2.5
B-301	30-1_P_10_032696_1	10	<5		<5					<5	<2.5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<5	<5	<2.5			61
B-301	30-1_P_15_032696_1	15	<5		<5					<5	<5																										<2.5
B-301	3O-1_P_20_032696_1	20	<5		<5					<5	<5																	7.2								
B-301	3O-1_P_25_032696_1	25	<5		<5					<5	<5																	<5								
B-302	30-2_P_10_032696_1	10	<5		<5					<5	<5																	13.5						<5	<5	
B-302	30-2_P_15_032696_1	15	<5		<5					<5	<5																	10						<5	<5	
B-302	3O-2_P_20_032696_1	20	<5		<5					<5	<5																	121						<5	<5	
B-302	30-2_P_25_032696_1	25	<5		<5					<5	<5																	81						<5	<5	
Bldg_1_B15_16	Bldg_1_B15_092701_16	16	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5												242						<5	<5	
Bldg-2-T-20-B27 Center	Bldg_2_T_20_071901_B27 Center	27	<620	<1200	<620	<620		<1200		<620	<620	<620	<620	<1200	<1200	<620	<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
Bldg-2-T-20-B27 East	Bldg_2_T_20_071901_B27 East	27	<500	<1000	<500	<500		<1000		<500	370J	<500	<500	<1000	<1000	<500	470J	<620	210J	<1200	<1200	<1200	<1200	<620	<620	<620	<2500	<620	<620	<620	16000	<1200	<1200	<1200			<620
Bldg-2-T-20-B29 West	Bldg_2_T_20_071901_B29 West	29	<1000	<2000	630J	<1000		<2000		<1000	360J	<1000	<1000	<2000	<2000	<1000	1200	680	500	<1000	<10000	<1000	<1000	<500	200J	<2000	<500	<500	<500	38000	<1000	<1000	<1000			410J
BLDG-32-4-E-1	BLDG_32_4_E_1	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5	2100	820J	690J	<2000	<20000	<2000	<2000	<1000	440J	<4000	<1000	<1000	<1000	77000	<2000	<2000	<2000			<1000
BLDG-32-4-E-2	BLDG_32_4_E_2	4	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5	<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
BLDG-32-4-E-3	BLDG_32_4_E_3	1	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5	<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	20	<10	<10	<10			<5
BLDG-32-4-E-4	BLDG_32_4_E_4	1	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5	<5	<5	<5	<10	<100	<10	<10	<5	15	<20	<5	<5	<5	150	<10	<10	<10			<5
BLDG-32-4-E-5	BLDG_32_4_E_5	1	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5	<5	<5	<5	<10	<100	<10	<10	<5	4.6J	<20	7.7	<5	<5	120	<10	<10	<10			<5
BLDG-32-4-E-6	BLDG_32_4_E_6	1	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5	<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	11	<10	<10	<10			<5
BUILD-1-1-22-1	BUILD_1_1_22_1	1	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5	<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	5.6	<10	<10	<10			<5
BUILD-1-1-22-2	BUILD_1_1_22_2	1	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5	<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
BUILD-1-1-22-3	BUILD_1_1_22_3	1	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5	<5	<5	<5	<10	<100	<10	<10	<5	5.4	<20	<5	<5	<5	11	<10	<10	<10			<5
BUILD-1-1-22-4	BUILD_1_1_22_4	7	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5	<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
BUILD-1-1-22-9	BUILD_1_1_22_9	1	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5	<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
BUILD-1-A-4-1	Build-1-A-4-112900-1	5	<25	<50	<25	<25		<50		<25	<25	<25	<25	<50		<25	<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
BUILD-1-A-4-2	Build-1-A-4-120100-2	5	<500	<1000	<500	<500		<1000		<500	32000	<500	<500	<1000		<500	<25	<25	<25	<50				<25	<25	<100	<25	<25	<25	<25	<50	<50	<50			80
BUILD-1-A-12-1	Build_1_A_12_051801_1	5	<5	<10	2.8J	<5		<10		<5	<5	<5	<5	<10		<5	<500	780	<500	<1000				<500	<500	<2000	5200	<500	<500	<500	<1000	<1000	<1000			740000D
Build_1_B_15_3	Build_1_B_15_100501_3	12	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5	<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	7.6	<10	<10	<10			<5
Build_1_B_15_4	Build_1_B_15_100501_4	12	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5	<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
Build_1_B_15_5	Build_1_B_15_100501_5	12	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5	<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
BUILD-1-B-15-10	BUILD_1_B_15_092701_10	10	<5	<10	<5	<5		<10		3.2J	<5	<5	<5	<10		<5	<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
BUILD-1-D-3-1	Build-1-D-3-120400-1	5	<5	<10	<5	<5		<10		<5	2.3J	<5	<5	<10	<10	<5	<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	90	<10	<10	<10			<5
BUILD-1-D-3-2	Build_1_D_3_050401_2	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5	<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	36	<10	<10	<10			13
BUILD-1-E-10-1	Build-1-E-10-112800-1	0.5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5	<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
BUILD-1-H-4-1	Build-1-H-4-121500-1	0.5	<5	<10	<5	<5		<10		6.2	<5	<5	<5	<10		<5	<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			13
BUILD-1-J-4-1	Build-1-J-4-121500-1	4	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5	<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
BUILD-1-J-4-2	Build-1-J-4-121500-2	6	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5	<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
BUILD-1-J-4-3	Build-1-J-4-121500-3	4	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5	<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	6.2	<10	<10	<10			<5
BUILD-1-M-14-1	BUILD_1_M_14_041801_1	3	<250	<500	<250	<250		<500		<250	300G	<250	<250	<500		<250	930G	420G	250G	<500				<250	<250	<1000	<250	<250	<250	<250	<500	<500	<500			<250
BUILD-1-M-14-3	Build_1_M_14_050101_3	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5	21	7	<5	<10				<5	<5	<20	<5	<5	<5	12	<10	<10	<10			<5
BUILD-1-M-16-1	BUILD_1_M_16_041801_1	3	<250	<500	<250	<250		<500		<250	<250	<250	<250	<500		<250	160J	<250	<250	<500				<250	<250	<1000	<250	<250	<250	<250	<500	<500	<500			<250
BUILD-1-N-15-1	BUILD_1_N_15_040901_1	1	<5	<10	<5	<5		<10		<5	48	<5	<5	<10		<5	54	53	12	<10				<5	<5	<20	<5	<5	<5	3.4J	<10	<10	<10			13
BUILD-1-N-15-2	BUILD_1_N_15_040901_2	6	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5	<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
BUILD-2-0-14-1	BUILD_2_0_14_041601_01	1	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5	<5	<5	<5	<10				<5	14	<20	<5	<5	<5	<5	<10	<10	<10			<5
BUILD-2-0-19-1	Build_2_0_19_042401_1	32	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5	<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
BUILD-2-2-20-4	Build_2_2_20_052301_4	7	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5	<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
BUILD-2-2-20-5	Build_2_2_20_052301_5	7	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5	<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
BUILD-2-AA-20-1	BUILD_2_AA_20_040301_1	2	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5	<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
BUILD-2-AA-20-2	Build_2_AA_20_050401_2	4	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5	<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	46	<10	<10	<10			<5
BUILD-2-AB-20-1	Build_2_AB_20_020901_01	0	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5	13	<5	4.8J	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			9.2
BUILD-2-AB-20-2	BUILD_2_AB_20_040301_2	2	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5	<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	20	<10	<10	<10			<5
BUILD-2-AC-1	BUILD_2_AC_031401_1	7	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5	<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5

See notes on page 54

Table 8
Volatile Organic Compounds in Soil Samples (µg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Object Name	Sample Name	Sample Depth (feet)	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloro-1,2,2-trifluoroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-chloropropane	1,2-Dichlorobenzene	1,2-Dichloroethane	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	1,4-Dioxane	2,2-Dichloropropane	2-Butanone	2-Chloroethylvinylether	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene	4-Isopropyltoluene	4-Methyl-2-pentanone	Acetone	Acrolein	Acrylonitrile	Benzene	Benzene, 1-methylethyl-	Bromobenzene	Bromochloromethane	Bromodichloromethane	Bromoform	Bromomethane	Carbon disulfide	Carbon tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane
BUILD-2-AC-20-2	BUILD_2_AC_20_040301_2	2	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<10
Build-2-AD-14-1	Build_2_AD_14_042601_1	3	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	**19**	<10	<5	<5	<5	<5	**12**	<5	<5	<5	<25	<10	<5	<25	<5	<5	**15**	<25	**34**	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<10
Build-2-AD-14-2	Build_2_AD_14_042601_2	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<10
Build-2-AD-14-3	Build_2_AD_14_042601_3	3	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<10
Build-2-AD-14-4	Build_2_AD_14_042601_4	3	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<10
BUILD-2-AD-20-1	BUILD_2_AD_20_040301_1	2	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<10
Build-2-AD-20-2	Build_2_AD_20_050401_2	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<10
BUILD-2-AE-13-1	Build -2-AE-13-030901-1	0.5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<10
BUILD-2-AF-16-1	BUILD_2_AF_16_040301_1	1	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<10
BUILD-2-AF-17-1	Build_2_AF_17_020901_01	1	<25	<25	<25		<25	<25	<25	<25	<25	<25	<25	<25	<50	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<10
BUILD-2-AF-17-2	BUILD_2_AF_17_032901_2	13	<250	<250	<250		<250	<250	<250	<250	<250	<250	<250	<250	<500	<250	<250	<250	<250	<250	<250	<250	<250	<250	<25	<120	<50	<25	<120	<25	<25	<120	**140**	<500	<250	<25	**20J**	<25	<25	<25	<25	<50	<25	<25	<50
BUILD-2-AF-17-3	BUILD_2_AF_17_032901_3	17	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<250	<1200	<500	<250	<1200	<250	<250	<1200	<1200	<5000	<2500	<250	<250	<250	<250	<250	<250	<500	<250	<250	<500
BUILD-2-AF-17-4	BUILD_2_AF_17_032901_4	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<10
BUILD-2-AF-18	BUILD_2_AF_18_032901_1	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<10
BUILD-2-AG-14-1	Build_2_AG_14_020901_01	1	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<10
BUILD-2-AG-16-1	Build_2_AG_16_020901_01	1	<25	<25	<25		<25	<25	<25	<25	<25	<25	<25	<25	<50	<25	<25	<25	<25	<25	<25	<25	<25	<25	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<10
BUILD-2-AG-17-1	BUILD_2_AG_17_032901_1	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<120	<50	<25	<120	<25	24J G	<120	91J G	<500	<250	<25	<25	<25	<25	<25	<25	<50	<25	<25	<50
BUILD-2-AG-20-1	BUILD_2_AG_20_040301_1	2	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<10
BUILD-2-AH-20-1	BUILD_2_AH_20_040301_1	2	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<10
BUILD-2-AI-20-1	BUILD_2_AI_20_040301_1	2	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<10
BUILD-2-AJ-20-1	BUILD_2_AJ_20_040301_1	2	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<10
BUILD-2-AK-11-1	BLDG2_AK_11_1	2	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<10
BUILD-2-AK-11-2	BLDG2_AK_11_2	3	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	**230**	<10	<5	<5	<5	<5	**73**	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<10
BUILD-2-AK-11-3	BLDG2_AK_11_3	2	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	**6.6**	<25	<25	<100	<100	<5	**2.1J**	<5	<5	<5	<5	<10	<5	<5	<10
BUILD-2-AK-11-4	BLDG2_AK_11_4	2	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	**26**	<10	<5	<5	<5	<5	**22**	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<10
BUILD-2-AK-11-5	BLDG2_AK_11_5	3	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	**25**	<10	<5	<5	<5	<5	**8.6**	<5	<5	<5	<5	<25	<10	<5	<25	<5	**3.8J**	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<10
BUILD-2-AK-13	Build_2_AK_13_021901	3	<25	<25	<25		<25	<25	<25	<25	<25	<25	<25	<25	**1100**	<50	<25	<25	<25	<25	**310**	<25	<25	<25	<25	<120	<50	<25	<120	<25	<25	<120	<25	<100	<100	<25	<25	<25	<25	<25	<25	<50	<25	<25	<50
BUILD-2-AK-16	BUILD_2_AK_16_032701_3	3	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<10
BUILD-2-AK-17-1	Build_2_AK_17_021501_1	1	<250	<250	<250		<250	<250	<250	<250	<250	<250	<250	<250	**3300**	<500	<250	<250	<250	<250	**1700**	<250	<250	<250	<250	<1200	<500	<250	<1200	<250	**1300**	<1200	<1200	<5000	<2500	<250	**230J**	<250	<250	<250	<250	<500	<250	<250	<500
BUILD-2-AK-17-2	BUILD_2_AK_17_032701_2	9	<250	<250	<250		<250	<250	<250	<250	<250	<250	<250	<250	**8600**	<500	<250	<250	<250	<250	**3100**	<250	<250	<250	<250	<1200	<500	<250	<1200	<250	<250	<1200	<1200	<5000	<2500	<250	**590**	<250	<250	<250	<250	<500	<250	<250	<500
BUILD-2-AK-17-4	BUILD_2_AK_17_032701_4	4	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	**4.8J**	<5	<5	<5	<5	<25	<10	<5	<25	<5	**2.7J**	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<10
BUILD-2-AK-17-5	BUILD_2_AK_17_032701_5	4	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<10
BUILD-2-AK-17-6	BUILD_2_AK_17_032701_6	3	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	**2.6J**	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<10
BUILD-2-AK-20-1	BUILD_2_AK_20_040301_1	2	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<10
BUILD-2-AN-19-1	BUILD_2_AN_19_051001_1	0	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<10
BUILD-2-AN-20-1	BUILD_2_AN_20_051001_1	1.5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	**33**	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<10
BUILD-2-AN-23-1	Build_2_AN_23_051001_1	1.5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	**32**	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<10
BUILD-2-M-10-6	Build_2_M_10_052501_6	26	<25	<25	<25		<25	<25	<25	<25	<25	<25	<25	<25	**400**	<50	<25	<25	<25	<25	**150**	<25	<25	<25	<25	<120	<50	<25	<120	<25	<25	<120	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<10
BUILD-2-M-10-7	Build_2_M_10_052901_7	30	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<10
BUILD-2-M-10-8	BUILD_2_M_10_053101_8	22	<250	<250	<250		<250	<250	<250	<250	<250	<250	<250	<250	**12000**	<500	<250	<250	<250	<250	**6200**	<250	<250	<250	<250	<1200	<500	<250	<1200	<250	**320**	<1200	<1200	<5000	<2500	<250	<250	<250	<250	<250	<250	<500	<250	<250	<500
BUILD-2-N-10-10	BUILD_2_N_10_053101_10	27	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<10
BUILD-2-N-10-11	BUILD_2_N_10_053101_11	27	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<10
BUILD-2-N-10-9	BUILD_2_N_10_053101_9	27	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<10
BUILD-2-O-9-1	BUILD-2-O-9-011001-1	3	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<10
BUILD-2-O-9-2	BUILD_2_O_9_050101_2	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	**20J**	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<10
BUILD-2-T-18-1	BUILD_2_T_18_011501_1	1	<6200	<6200	<6200		<6200	<6200	<6200	<6200	<6200	<6200	<6200	<6200	**5500J**	<12000	<6200	<6200	<6200	<6200	<6200	<6200	<6200	<6200	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<10
BUILD-2-T-18-2	BUILD_2_T_18_050101_2	5.5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<6200	<31000	<12000	<6200	<31000	<6200	**18000**	<31000	<31000	<120000	<62000	<6200	<6200	<6200	<6200	<6200	<6200	<12000	<6200	<6200	<12000
BUILD-2-T-20-1	BUILD-2-T-20-010901-1	1	<5	<5	<5		<5	**32**	<5	<5	<5	<5	<5	<5	**9.7**	<10	<5	<5	<5	<5	**3.2J**	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	**24J**	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<10
BUILD-2-T-20-2	BUILD_2_T_20_050101_2	18	<250	**160J**	<250		<250	<250	<250	<250	<250	<250	<250	<250	**15000**	<500	<250	<250	<250	<250	**5700**	<250	<250	<250	<250	<1200	<500	<250	<1200	<250	**260**	<1200	<1200	<5000	<2500	<250	**140J**	<250	<250	<250	<250	<500	<250	<250	<500
BUILD-2-T-20-B16	BUILD_2_T20_071301_B16	16	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<10
BUILD-2-T-20-B20	BUILD_2_T20_071301_B20	20	<25	<25	<25		<25	<25	<25	<25	<25	<25	<25	<25	**13J**	<50	<25	<25	<25	<25	**22J**	<25	<25	<25	<25	<120	<50	<25	<120	<25	**26**	<120	<120	<500	<500	<25	<25	<25	<25	<25	<25	<50	<25	<25	<50
BUILD-2-T-20-B21	BUILD_2_T20_071301_B21	21	<250	**810**	<250		<250	<250	<250	<250	<250	<250	<250	<250	**5800**	<500	<250	<250	<250	<250	**1300**	<250	<250	<250	<250	<1200	<500	<250	<1200	<250	<250	<1200	<1200	<5000	<2500	<250	**280**	<250	<250	<250	<250	<500	<250	<250	<500
BUILD-2-T-20-B24	BUILD_2_T20_071301_B24	24	<620	**2400**	<620		<620	<620	<620	<620	<620	<620	<620	<620	**6100**	<1200	<620	<620	<620	<620	**1900**	<620	<620	<620	<620	<3100	<1200	<620	<3100	<620	<620	<3100	<3100	<12000	<12000	<620	**410J**	<620	<620	<620	<620	<1200	<620	<620	<620	<620	<1200
BUILD-2-T-20-E12	BUILD_2_T20_071301_E12	12	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<10
BUILD-2-T-20-E19	BUILD_2_T20_071301_E19	19	<25	<25	<25		<25	<25	<25	<25	<25	<25	<25	<25	<25	<50	<25	<25	<25	<25	<25	<25	<25	<25	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<10
BUILD-2-T-20-N	BUILD_2_T20_071301_N19	19	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<25	<120	<50	<25	<120	<25	**11J**	<120	<120	<500	<500	<25	**16J**	<25	<25	<25	<25	<50	<25	<25	<50
BUILD-2-T-20-S	BUILD_2_T20_071301_S13	13	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<10
BUILD-2-T-20-W15	BUILD_2_T20_071301_W15	15	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<10
BUILD-2-T-20-W17	BUILD_2_T20_071301_W17	17	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<10
BUILD-2-T-21-10	BUILD_2_T_21_071201_10	10	<25	<25	<25		<25	<25	<25	<25	<25	<25	<25	<25	**510**	<50	<25	<25	<25	<25	**38**	<25	<25	<25	<5	<25	<10	<5	<25	<5	<5	<25	**37**	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<10
BUILD-2-U-9-1	Build_2_U_9_122700_1	0	<250	<250	<250		<250	<250	<250	<250	<250	<250	<250	<250	**1200**	<500	<250	<250	<250	<250	**370**	<250	<250	<250	<25	<120	<50	<25	<120	<25	**180**	<120	<120	<500	<500	<25	**33**	<25	<25	<25	<25	<50	<25	<25	<50
BUILD-2-V-14-1	Build_2_V_14_042501_1	1	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<250	<1200	<500	<250	<1200	<250	**360**	<1200	**970J B**	<5000	<2500	<250	<250	<250	<250	<250	<250	<500	<250	<250	<500
BUILD-2-V-14-2	Build_2_V_14_042501_2	4	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<10
BUILD-2-V-20-1	BUILD_2_V_20_040301_1	2	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<10
BUILD-2-W-11-1	Build_2_W_11_050401_1	2	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	**3J**	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<10
BUILD-2-W-11-2	BUILD_2_W_11_050901_2	4.5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	**36**	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<10
BUILD-2-W-11-3	Build_2_W_11_050901_3	8	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<10
BUILD-2-W-20-1	BUILD_2_W_20_040301_1	2	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<10
BUILD-2-X-11-1	BUILD-2-X-11-010901-1	0.5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<10
BUILD-2-X-20-1	BUILD_2_X_20_040301_1	2	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<10
BUILD-2-Y-20-1	BUILD_2_Y_20_040301_1	2	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<10
BUILD-2-Y-20-2	BUILD_2_Y_20_050101_2	2.5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<10
BUILD-2-Z-20-1	BUILD_2_Z_20_040301_1	1	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<10
BUILD-2-Z-20-2	BUILD_2_Z_20_050101_2	2	<5

Table 8
Volatile Organic Compounds in Soil Samples (µg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Object Name	Sample Name	Sample Depth (feet)	Chloroform	Chloromethane	cis-1,2-Dichloroethene	cis-1,3-Dichloropropene	Dibromomethane	Dichlorodifluoromethane	Dichlorofluoromethane	Dichloromethane	Ethylbenzene	Ethylene dibromide	Hexachlorobutadiene	Iodomethane	Isopropyl ether	MTBE	Naphthalene	n-Butylbenzene	n-Propylbenzene	sec-Butylbenzene	Styrene	t-Butanol	Tert-amyl methyl ether	Tert-butyl ethyl ether	tert-Butylbenzene	Tetrachloroethene	Tetrahydrofuran	Toluene	trans-1,2-Dichloroethene	trans-1,3-Dichloropropene	Trichloroethene	Trichlorofluoromethane	Vinyl Acetate	Vinyl chloride	m/p-xylene	o-Xylene	Xylenes (total)
BUILD-2-AC-20-2	BUILD_2_AC_20_040301_2	2	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	10	<10	<10	<10			<5
Build-2-AD-14-1	Build_2_AD_14_042601_1	3	<5	<10	<5	<5		<10		<5	2.2J	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			3.3J
Build-2-AD-14-2	Build_2_AD_14_042601_2	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
Build-2-AD-14-3	Build_2_AD_14_042601_3	3	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
Build-2-AD-14-4	Build_2_AD_14_042601_4	3	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
BUILD-2-AD-20-1	BUILD_2_AD_20_040301_1	2	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	190	<10	<10	<10			<5
Build-2-AD-20-2	Build_2_AD_20_050401_2	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
BUILD-2-AE-13-1	Build -2-AE-13-030901-1	0.5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
BUILD-2-AF-16-1	BUILD_2_AF_16_040301_1	1	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
BUILD-2-AF-17-1	Build_2_AF_17_020901_01	1	<25	<50	<25	<25		<50		<25	<25	<25	<25	<50		<25		110	40	190	<50				<25	<25	<100	<25	<25	<25	<25	<50	<50	<50			<25
BUILD-2-AF-17-2	BUILD_2_AF_17_032901_2	13	<250	<500	<250	<250		<500		<250	<250	<250	<250	<500		<250		<250	<250	<250	<500				<250	<250	<1000	<250	<250	<250	<250	<500	<500	<500			<250
BUILD-2-AF-17-3	BUILD_2_AF_17_032901_3	17	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
BUILD-2-AF-17-4	BUILD_2_AF_17_032901_4	10	<5	<10	3J	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
BUILD-2-AF-18	BUILD_2_AF_18_032901_1	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
BUILD-2-AG-14-1	Build_2_AG_14_020901_01	1	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
BUILD-2-AG-16-1	Build_2_AG_16_020901_01	1	<25	<50	<25	<25		<50		<25	<25	<25	<25	<50		<25		26G	<25	26G	<50				<25	<25	<100	<25	<25	<25	<25	<50	<50	<50			<25
BUILD-2-AG-17-1	BUILD_2_AG_17_032901_1	6	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
BUILD-2-AG-20-1	BUILD_2_AG_20_040301_1	2	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	2.1J	<10	<10	<10			<5
BUILD-2-AH-20-1	BUILD_2_AH_20_040301_1	2	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	2.4J	<10	<10	<10			<5
BUILD-2-AI-20-1	BUILD_2_AI_20_040301_1	2	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
BUILD-2-AJ-20-1	BUILD_2_AJ_20_040301_1	2	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
BUILD-2-AK-11-1	BLDG2_AK_11_1	2	8.1	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	9.7	<20	<5	<5	<5	2.4J	<10	<10	<10			<5
BUILD-2-AK-11-2	BLDG2_AK_11_2	3	1.3J	<10	<5	<5		<10		<5	10	<5	<5	<10	<10	<5		33	13	<5	<10	<100	<10	<10	<5	2.4J	<20	3.2J	<5	<5	<5	<10	<10	<10			74
BUILD-2-AK-11-3	BLDG2_AK_11_3	2	1.4J	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
BUILD-2-AK-11-4	BLDG2_AK_11_4	2	1.1J	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		13	<5	<5	<10	<100	<10	<10	<5	2.5J	<20	<5	<5	<5	<5	<10	<10	<10			7.1
BUILD-2-AK-11-5	BLDG2_AK_11_5	3	1.3J	<10	<5	<5		<10		<5	2J	<5	<5	<10	<10	2.9J		<5	<5	<5	<10	<100	<10	<10	<5	2.5J	<20	<5	<5	<5	<5	<10	<10	<10			17
BUILD-2-AK-13	Build_2_AK_13_021901	3	<25	<50	<25	<25		<50		<25	43	<25	<25	<50		<25		190	68	<25	<50				<25	<25	<100	13J	<25	<25	<25	<50	<50	<50			390
BUILD-2-AK-16	BUILD_2_AK_16_032701_3	3	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
BUILD-2-AK-17-1	Build_2_AK_17_021501_1	1	<250	<500	<250	<250		<500		<250	420	<250	<250	<500		<250		1800	590	820	<500				<250	<250	<1000	95J	<250	<250	<250	<500	<500	<500			2400
BUILD-2-AK-17-2	BUILD_2_AK_17_032701_2	9	<250	<500	<250	<250		<500		<250	1000	<250	<250	<500		<250		2500	1400	1500	<500				990	<250	<1000	<250	<250	<250	<250	<500	<500	<500			3900
BUILD-2-AK-17-4	BUILD_2_AK_17_032701_4	4	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		2.6J	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
BUILD-2-AK-17-5	BUILD_2_AK_17_032701_5	4	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
BUILD-2-AK-17-6	BUILD_2_AK_17_032701_6	3	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
BUILD-2-AK-20-1	BUILD_2_AK_20_040301_1	2	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
BUILD-2-AN-19-1	BUILD_2_AN_19_051001_1	0	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
BUILD-2-AN-20-1	BUILD_2_AN_20_051001_1	1.5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
BUILD-2-AN-23-1	Build_2_AN_23_051001_1	1.5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
BUILD-2-M-10-6	Build_2_M_10_052501_6	26	<25	<50	<25	<25		<50		<25	13J	<25	<25	<50		<25		100	19J	<25	<50				<25	<25	<100	<25	<25	<25	42	<50	<50	<50			110
BUILD-2-M-10-7	Build_2_M_10_052901_7	30	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		9.4	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
BUILD-2-M-10-8	BUILD_2_M_10_053101_8	22	<250	<500	<250	<250		<500		<250	360	<250	<250	<500		<250		4100	820	<250	<500				<250	<250	<1000	<250	<250	<250	2900	<500	<500	<500			3700
BUILD-2-N-10-10	BUILD_2_N_10_053101_10	27	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
BUILD-2-N-10-11	BUILD_2_N_10_053101_11	27	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
BUILD-2-N-10-9	BUILD_2_N_10_053101_9	27	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	2.7J	<10	<10	<10			<5
BUILD-2-O-9-1	BUILD-2-O-9-011001-1	3	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
BUILD-2-O-9-2	BUILD_2_O_9_050101_2	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
BUILD-2-T-18-1	BUILD_2_T_18_011501_1	1	<6200	<12000	110000	<6200		<12000		<6200	<6200	<6200	<6200	<12000		<6200		1900J	<6200	<6200	<12000				<6200	45000	<25000	8000	<6200	<6200	490000	<12000	<12000	<12000			<6200
BUILD-2-T-18-2	BUILD_2_T_18_050101_2	5.5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
BUILD-2-T-20-1	BUILD-2-T-20-010901-1	1	<5	<10	34	<5		<10		<5	<5	<5	<5	<10		<5		3.7J	<5	<5	<10				<5	<5	<20	12	<5	<5	70	<10	<10	<10			<5
BUILD-2-T-20-2	BUILD_2_T_20_050101_2	18	<250	<500	1000	<250		<500		<250	200J	<250	<250	<500		<250		<250	910	<250	<500				<250	220J	<1000	<250	<250	<250	19000	<500	<500	<500			1900
BUILD-2-T-20-B16	BUILD_2_T20_071301_B16	16	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	3.1J	<10	<10	<10			<5
BUILD-2-T-20-B20	BUILD_2_T20_071301_B20	20	<25	<50	46	<25		<50		<25	<25	<25	<25	<50	<50	<25		77	22J	10J	<50	<500	<50	<50	<25	21J	<100	<25	<25	<25	1500	<50	<50	<50			<25
BUILD-2-T-20-B21	BUILD_2_T20_071301_B21	21	<250	<500	470	<250		<500		<250	620	<250	<250	<500	<500	<250		1700	710	510	<500	<5000	<500	<500	<250	<250	<1000	<250	<250	<250	12000	<500	<500	<500			510
BUILD-2-T-20-B24	BUILD_2_T20_071301_B24	24	<620	<1200	<620	<620		<1200		<620	610J	<620	<620	<1200	<1200	<620		1600	920	620	<1200	<12000	<1200	<1200	<620	<620	<2500	<620	<620	<620	35000	<1200	<1200	<1200			<620
BUILD-2-T-20-E12	BUILD_2_T20_071301_E12	12	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
BUILD-2-T-20-E19	BUILD_2_T20_071301_E19	19	<25	<50	14J	<25		<50		<25	<25	<25	<25	<50	<50	<25		63	27	47	<50	<500	<50	<50	<25	<25	<100	<25	<25	<25	82	<50	<50	<50			<25
BUILD-2-T-20-N	BUILD_2_T20_071301_N19	19	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
BUILD-2-T-20-S	BUILD_2_T20_071301_S13	13	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
BUILD-2-T-20-W15	BUILD_2_T20_071301_W15	15	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	9.7	<10	<10	<10			<5
BUILD-2-T-20-W17	BUILD_2_T20_071301_W17	17	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
BUILD-2-T-21-10	BUILD_2_T_21_071201_10	10	<25	<50	<25	<25		<50		<25	<25	<25	<25	<50	<50	<25		150	27	130	<50	<500	<50	<50	<25	<25	<100	<25	<25	<25	<25	<50	<50	<50			<25
BUILD-2-U-9-1	Build_2_U_9_122700_1	0	<250	<500	<250	<250		<500		<250	73J	<250	<250	<500		<250		530	150J	170J	<500				<250	<250	<1000	<250	<250	<250	<250	<500	<500	<500			570
BUILD-2-V-14-1	Build_2_V_14_042501_1	1	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	75	<10	<10	<10			<5
BUILD-2-V-14-2	Build_2_V_14_042501_2	4	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
BUILD-2-V-20-1	BUILD_2_V_20_040301_1	2	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
BUILD-2-W-11-1	Build_2_W_11_050401_1	2	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		4.3J	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
BUILD-2-W-11-2	BUILD_2_W_11_050901_2	4.5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
BUILD-2-W-11-3	Build_2_W_11_050901_3	8	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	6.9	<10	<10	<10			<5
BUILD-2-W-20-1	BUILD_2_W_20_040301_1	2	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	3.6J	<10	<10	<10			<5
BUILD-2-X-11-1	BUILD-2-X-11-010901-1	0.5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
BUILD-2-X-20-1	BUILD_2_X_20_040301_1	2	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
BUILD-2-Y-20-1	BUILD_2_Y_20_040301_1	2	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	92	<10	<10	<10			<5
BUILD-2-Y-20-2	BUILD_2_Y_20_050101_2	2.5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	4.3J	<10	<10	<10			<5
BUILD-2-Z-20-1	BUILD_2_Z_20_040301_1	1	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	38	<10	<10	<10			<5
BUILD-2-Z-20-2	BUILD_2_Z_20_050101_2	2	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	54	<10	<10	<10			<5
Build-2-Z-20-3	Build_2_Z_20_051701_3	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	200	<10	<10	<10			<5
BUILD-3-P-23-1	BUILD_3_P_23_040901_1	2	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
BUILD-3-P-23-2	BUILD_3_P_23_040901_2	4	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
BUILD-3-Q-23-1	BUILD_3_Q_23_040901_1	2	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
BUILD-3-Q-23-2	BUILD_3_Q_23_040901_2	4	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
BUILD-3-R-23-1	BUILD_3_R_23_040901_1	2	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
BUILD-3-R-23-2	BUILD_3_R_23_040901_2	4	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	4J	<10	<10	<10			<5

See notes on page 54

Table 8
Volatile Organic Compounds in Soil Samples (µg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Object Name	Sample Name	Sample Depth (feet)	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloro-1,2,2-trifluoroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-chloropropane	1,2-Dichlorobenzene	1,2-Dichloroethane	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	1,4-Dioxane	2,2-Dichloropropane	2-Butanone	2-Chloroethylvinylether	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene	4-Isopropyltoluene	4-Methyl-2-pentanone	Acetone	Acrolein	Acrylonitrile	Benzene	Benzene, 1-methylethyl-	Bromobenzene	Bromochloromethane	Bromodichloromethane	Bromoform	Bromomethane	Carbon disulfide	Carbon tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane
BUILD-20-5-17-1	Build-20-5-17-120400-1	1	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	31	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-1-11	C-1-11-10	10		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
C-1-11	C-1-11-15	15		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
C-1-11	C-1-11-20	20		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
C-1-12	C-1-12-1	1		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
C-1-12	C-1-12-5	5		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
C-1-12	C-1-12-10	10		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
C-1-13	C-1-13-2	2		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
C-1-13	C-1-13-5	5		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
C-1-13	C-1-13-10	10		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
C-2-15	C-2-15-1	1	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-15	C-2-15-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-1-16	C-1-16-10	10		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
C-1-16	C-1-16-15	15		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
C-1-16	C-1-16-20	20		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
C-1-17	C-1-17-10	10		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
C-1-17	C-1-17-18	18		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
C-1-17	C-1-17-20	20		<2.5	<2.5		**4.2**	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
C-1-18	C-1-18-10	10		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
C-1-18	C-1-18-15	15		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
C-1-18	C-1-18-20	20		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
C-1-20	C-1-20-10	10		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
C-1-20	C-1-20-15	15		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
C-1-20	C-1-20-20	20		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
C-1-21	C-1-21-1	1		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
C-1-21	C-1-21-5	5		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
C-1-21	C-1-21-8	8		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
C-1-23	C-1-23-1	1		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
C-1-23	C-1-23-5	5		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
C-1-23	C-1-23-10	10		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
C-1-27	C-1-27-1	1		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
C-1-27	C-1-27-5	5		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
C-1-27	C-1-27-10	10		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
C-1-28	C-1-28-1	1		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
C-1-28	C-1-28-5	5		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
C-1-28	C-1-28-10	10		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
C-1-29	C-1-29-1	1		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
C-1-29	C-1-29-5	5		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
C-1-29	C-1-29-10	10		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
C-1-3	C-1-3-10	10		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
C-1-3	C-1-3-15	15		<2.5	<2.5		**8.8**	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
C-1-3	C-1-3-20	20		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
C-1-30	C-1-30-1	1		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
C-1-30	C-1-30-5	5		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
C-1-30	C-1-30-10	10		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
C-1-31	C_1_31_15	15	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-1-31	C_1_31_20	20	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-1-32	C-1-32-4	4		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
C-1-33	C-1-33-1	1		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
C-1-33	C-1-33-5	5		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
C-1-33	C-1-33-10	10		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
C-1-34	C-1-34-5	5		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
C-1-34	C_1_34_10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-1-34	C_1_34_15	15	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-1-34	C_1_34_20	20	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-1-35	C-1-35-1	1		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
C-1-35	C-1-35-5	5		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
C-1-36	C-1-36-1	1		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
C-1-36	C-1-36-5	5		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
C-1-36	C-1-36-10	10		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
C-1-36	C-1-36-15	15		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
C-1-36	C-1-36-20	20		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
C-1-38	C-1-38-1	1		<2.5	<2.5		<2.5	<2.5

Table 8
Volatile Organic Compounds in Soil Samples (µg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Object Name	Sample Name	Sample Depth (feet)	Chloroform	Chloromethane	cis-1,2-Dichloroethene	cis-1,3-Dichloropropene	Dibromomethane	Dichlorodifluoromethane	Dichlorofluoromethane	Dichloromethane	Ethylbenzene	Ethylene dibromide	Hexachlorobutadiene	Iodomethane	Isopropyl ether	MTBE	Naphthalene	n-Butylbenzene	n-Propylbenzene	sec-Butylbenzene	Styrene	t-Butanol	Tert-amyl methyl ether	Tert-butyl ethyl ether	tert-Butylbenzene	Tetrachloroethene	Tetrahydrofuran	Toluene	trans-1,2-Dichloroethene	trans-1,3-Dichloropropene	Trichloroethene	Trichlorofluoromethane	Vinyl Acetate	Vinyl chloride	m/p-xylene	o-Xylene	Xylenes (total)
BUILD-20-5-17-1	Build-20-5-17-120400-1	1	<5	<10	<5	<5		<10		<5	9.7	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	3.8J	<5	<5	<5	<10	<10	<10			86
C-1-11	C-1-11-10	10	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5							<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5
C-1-11	C-1-11-15	15	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5
C-1-11	C-1-11-20	20	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5
C-1-12	C-1-12-1	1	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5
C-1-12	C-1-12-5	5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5
C-1-12	C-1-12-10	10	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5
C-1-13	C-1-13-2	2	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5
C-1-13	C-1-13-5	5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5
C-1-13	C-1-13-10	10	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5
C-2-15	C-2-15-1	1	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-15	C-2-15-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	11	<10	<10	<10			<5
C-1-16	C-1-16-10	10	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5
C-1-16	C-1-16-15	15	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5
C-1-16	C-1-16-20	20	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5
C-1-17	C-1-17-10	10	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5
C-1-17	C-1-17-18	18	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5
C-1-17	C-1-17-20	20	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5
C-1-18	C-1-18-10	10	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5
C-1-18	C-1-18-15	15	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5
C-1-18	C-1-18-20	20	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5
C-1-20	C-1-20-10	10	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5
C-1-20	C-1-20-15	15	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5
C-1-20	C-1-20-20	20	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5
C-1-21	C-1-21-1	1	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5
C-1-21	C-1-21-5	5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5
C-1-21	C-1-21-8	8	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5
C-1-23	C-1-23-1	1	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5
C-1-23	C-1-23-5	5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5
C-1-23	C-1-23-10	10	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	6.3		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5
C-1-27	C-1-27-1	1	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	13		<2.5	<2.5	<2.5	11	<2.5	<2.5	<2.5		<2.5
C-1-27	C-1-27-5	5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5
C-1-27	C-1-27-10	10	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5
C-1-28	C-1-28-1	1	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5
C-1-28	C-1-28-5	5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	9.9	<2.5	<2.5	<2.5		<2.5
C-1-28	C-1-28-10	10	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	24	<2.5	<2.5	<2.5		<2.5
C-1-29	C-1-29-1	1	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5
C-1-29	C-1-29-5	5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	6.3	<2.5	<2.5	<2.5		<2.5
C-1-29	C-1-29-10	10	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5
C-1-3	C-1-3-10	10	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5
C-1-3	C-1-3-15	15	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	4.8	<2.5	<2.5	<2.5		<2.5
C-1-3	C-1-3-20	20	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5	<2.5	<2.5			<5	<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5
C-1-30	C-1-30-1	1	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	9.2	<2.5	<2.5	<2.5		<2.5
C-1-30	C-1-30-5	5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	24	<2.5	<2.5	<2.5		<2.5
C-1-30	C-1-30-10	10	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5
C-1-31	C_1_31_15	15	<5	<10	<5	<5		<10		<5	<5	<5	<5			<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-1-31	C_1_31_20	20	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-1-32	C-1-32-4	4	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	7.5		<2.5	<2.5	<2.5	13	<2.5	<2.5	<2.5		<2.5
C-1-33	C-1-33-1	1	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	5.2	<2.5	<2.5	<2.5		<2.5
C-1-33	C-1-33-5	5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5
C-1-33	C-1-33-10	10	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5
C-1-34	C-1-34-5	5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	3.4	<2.5	<2.5	<2.5		<2.5
C-1-34	C_1_34_10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-1-34	C_1_34_15	15	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-1-34	C_1_34_20	20	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-1-35	C-1-35-1	1	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5
C-1-35	C-1-35-5	5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5
C-1-36	C-1-36-1	1	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5
C-1-36	C-1-36-5	5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5
C-1-36	C-1-36-10	10	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	3.4	<2.5	<2.5	<2.5		<2.5
C-1-36	C-1-36-15	15	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5
C-1-36	C-1-36-20	20	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5
C-1-38	C-1-38-1	1	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5
C-1-38	C-1-38-5	5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5
C-1-38	C-1-38-10	10	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5
C-1-39	C-1-39-1	1	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5
C-1-39	C-1-39-5	5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5
C-1-39	C-1-39-10	10	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5
C-1-39	C-1-39-15	15	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5
C-1-39	C-1-39-20	20	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5
C-1-42	C-1-42-1	1	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5
C-1-42	C-1-42-5	5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5
C-1-42	C-1-42-10	10	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5
C-1-43	C-1-43-20	20	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5
C-1-43	C-1-43-24	24	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5
C-1-44	C_1_44_20	20	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-1-44	C_1_44_25	25	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-1-44	C_1_44_30	30	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-1-45	C-1-45-20	20	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5
C-1-45	C-1-45-25	25	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5
C-1-45	C-1-45-28	28	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5

See notes on page 54

Table 8
Volatile Organic Compounds in Soil Samples (µg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Object Name	Sample Name	Sample Depth (feet)	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloro-1,2,2-trifluoroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropane	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-chloropropane	1,2-Dichlorobenzene	1,2-Dichloroethane	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	1,4-Dioxane	2,2-Dichloropropane	2-Butanone	2-Chloroethylvinylether	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene	4-Isopropyltoluene	4-Methyl-2-pentanone	Acetone	Acrolein	Acrylonitrile	Benzene	Benzene, 1-methylethyl-	Bromobenzene	Bromochloromethane	Bromodichloromethane	Bromoform	Bromomethane	Carbon disulfide	Carbon tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane
C-1-46	C-1-46-1	1		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<2.5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
C-1-49	C-1-49-1	1		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<2.5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
C-1-49	C-1-49-5	5		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<2.5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
C-1-49	C-1-49-10	10		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<2.5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
C-1-49	C-1-49-15	15		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<2.5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
C-1-53	C-1-53-5	5		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<2.5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
C-1-53	C-1-53-10	10		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<2.5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
C-1-54	C-1-54-1	1		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<2.5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
C-1-54	C-1-54-5	5		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<2.5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
C-1-54	C-1-54-10	10		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<2.5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
C-1-56	C-1-56-5	5		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<2.5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
C-1-56	C-1-56-10	10		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<2.5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
C-1-56	C-1-56-15	15		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<2.5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
C-1-57	C-1-57-5	5		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<2.5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
C-1-57	C-1-57-10	10		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<2.5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
C-1-57	C-1-57-15	15		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<2.5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
C-1-58	C-1-58-5	5		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<2.5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
C-1-58	C-1-58-10	10		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<2.5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
C-1-58	C-1-58-15	15		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<2.5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
C-1-7	C-1-7-1	1		<2.5	<2.5		<2.5	<2.5	**29**	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<2.5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
C-1-7	C-1-7-5	5		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<2.5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
C-1-140	C_1_140_15	15	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	**68**	<10	<5	<5	<5	**23**	<5		<5		<5	<25	<10	<5	<25	<5	**21**	<25	**63**	<100	<50												
C-1-140	C_1_140_20	20	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50												
C-1-141	C_1_141_15	15	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50												
C-1-141	C_1_141_20	20	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50												
C-1-K-14	C-1-K-14-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50												
C-1-K-14	C-1-K-14-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50												
C-1-O-10	C-1-O-10-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50												
C-1-O-10	C-1-O-10-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50												
C-1-O-10	C-1-O-10-15	15	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50												
C-1-O-10	C-1-O-10-20	20	<5	<5	<5		<5	<5	**2.1J**	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50												
C-1-O-10	C-1-O-10-30	30	<5	<5	<5		<5	<5	**14**	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50												
C-1-O-11	C-1-O-11-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50												
C-1-O-11	C-1-O-11-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50												
C-2-1	C-2-1-1	1	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50												
C-2-1	C-2-1-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100												
C-2-1	C-2-1-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100												
C-2-2	C_2_2_5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100												
C-2-2	C_2_2_10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50												
C-2-2	C_2_2_15	15	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50												
C-2-3	C-2-3-1	1	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100												
C-2-3	C-2-3-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100												
C-2-4	C-2-4-1	1	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100												
C-2-4	C-2-4-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100												
C-2-5	C-2-5-1	1	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100												
C-2-5	C-2-5-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100												
C-2-6	C-2-6-1	1	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100												
C-2-6	C-2-6-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100												
C-2-7	C-2-7-1	1	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100												
C-2-7	C-2-7-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100												
C-2-8	C-2-8-1	1	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100												
C-2-8	C-2-8-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100												
C-2-9	C-2-9-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100												
C-2-9	C-2-9-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100												
C-2-10	C-2-10-1	1	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100												
C-2-10	C-2-10-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100												
C-2-11	C-2-11-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100												
C-2-11	C-2-11-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100												
C-2-12	C-2-12-3	3	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100												
C-2-13	C-2-13-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100												
C-2-13	C-2-13-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100												
C-2-14	C-2-14-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100												
C-2-14	C-2-14-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100												
C-2-14	C-2-14-15	15	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100												
C-2-16	C-2-16-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100												
C-2-16	C-2-16-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100												
C-2-17	C-2-17-1	1	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100												
C-2-17	C-2-17-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100												
C-2-18	C-2-18-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100												
C-2-18	C-2-18-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100												
C-2-19	C-2-19-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100												
C-2-19	C-2-19-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100												
C-2-20	C_2_20_5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50												
C-2-20	C_2_20_10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50												
C-2-21	C-2-21-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100												
C-2-21	C-2-21-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100												
C-2-22	C-2-22-1	1	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100												
C-2-22	C-2-22-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100												
C-2-23	C_2_23_5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50												
C-2-23	C_2_23_10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50												
C-2-24	C_2_24_5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50												

See notes on page 54

Table 8
Volatile Organic Compounds in Soil Samples (µg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Object Name	Sample Name	Sample Depth (feet)	Chloroform	Chloromethane	cis-1,2-Dichloroethene	cis-1,3-Dichloropropene	Dibromomethane	Dichlorodifluoromethane	Dichlorofluoromethane	Dichloromethane	Ethylbenzene	Ethylene dibromide	Hexachlorobutadiene	Iodomethane	Isopropyl ether	MTBE	Naphthalene	n-Butylbenzene	n-Propylbenzene	sec-Butylbenzene	Styrene	t-Butanol	Tert-amyl methyl ether	Tert-butyl ethyl ether	tert-Butylbenzene	Tetrachloroethene	Tetrahydrofuran	Toluene	trans-1,2-Dichloroethene	trans-1,3-Dichloropropene	Trichloroethene	Trichlorofluoromethane	Vinyl Acetate	Vinyl chloride	m/p-xylene	o-Xylene	Xylenes (total)
C-1-46	C-1-46-1	1	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5			<2.5
C-1-49	C-1-49-1	1	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5			<2.5
C-1-49	C-1-49-5	5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5			<2.5
C-1-49	C-1-49-10	10	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5			<2.5
C-1-49	C-1-49-15	15	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5			<2.5
C-1-53	C-1-53-5	5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5			<2.5
C-1-53	C-1-53-10	10	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5			<2.5
C-1-54	C-1-54-1	1	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5			<2.5
C-1-54	C-1-54-5	5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5			<2.5
C-1-54	C-1-54-10	10	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5			<2.5
C-1-56	C-1-56-5	5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5			<2.5
C-1-56	C-1-56-10	10	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5			<2.5
C-1-56	C-1-56-15	15	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5			<2.5
C-1-57	C-1-57-5	5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5			<2.5
C-1-57	C-1-57-10	10	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5			<2.5
C-1-57	C-1-57-15	15	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5			<2.5
C-1-58	C-1-58-5	5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5			<2.5
C-1-58	C-1-58-10	10	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5			<2.5
C-1-58	C-1-58-15	15	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5			<2.5
C-1-7	C-1-7-1	1	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	**95**	<2.5	<2.5	<2.5			<2.5
C-1-7	C-1-7-5	5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	**39**	<2.5	<2.5	<2.5			<2.5
C-1-140	C_1_140_15	15	<5	<10	<5	<5		<10		**3.7J**	<5	<5	<5	<10		<5		**22**	**12**	**11**	<10				<5	**3.2J**	<20	**2.4J**	<5	<5	**5.7**	<10	<10	<10			**3.3J**
C-1-140	C_1_140_20	20	<5	<10	<5	<5		<10		**3.3J**	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-1-141	C_1_141_15	15	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-1-141	C_1_141_20	20	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-1-K-14	C-1-K-14-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-1-K-14	C-1-K-14-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-1-O-10	C-1-O-10-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-1-O-10	C-1-O-10-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-1-O-10	C-1-O-10-15	15	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-1-O-10	C-1-O-10-20	20	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**4.8J**	<10	<10	<10			<5
C-1-O-10	C-1-O-10-30	30	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**27**	<10	<10	<10			<5
C-1-O-11	C-1-O-11-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-1-O-11	C-1-O-11-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**3.9J**	<10	<10	<10			<5
C-2-1	C-2-1-1	1	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-1	C-2-1-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-1	C-2-1-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-2	C_2_2_5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-2	C_2_2_10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-2	C_2_2_15	15	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-3	C-2-3-1	1	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-3	C-2-3-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-4	C-2-4-1	1	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	**7.5**	<10	<10	<10			<5
C-2-4	C-2-4-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-5	C-2-5-1	1	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-5	C-2-5-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-6	C-2-6-1	1	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	**4.2J**	<10	<10	<10			<5
C-2-6	C-2-6-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-7	C-2-7-1	1	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-7	C-2-7-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-8	C-2-8-1	1	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-8	C-2-8-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-9	C-2-9-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-9	C-2-9-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	**2.2J**	<10	<10	<10			<5
C-2-10	C-2-10-1	1	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-10	C-2-10-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-11	C-2-11-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-11	C-2-11-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-12	C-2-12-3	3	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	**2.9J**	<10	<10	<10			<5
C-2-13	C-2-13-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	**13**	<10	<10	<10			<5
C-2-13	C-2-13-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-14	C-2-14-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-14	C-2-14-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	**2.7J**	<10	<10	<10			<5
C-2-14	C-2-14-15	15	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-16	C-2-16-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	**9.2**	<10	<10	<10			<5
C-2-16	C-2-16-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	**26**	<10	<10	<10			<5
C-2-17	C-2-17-1	1	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	**37**	<10	<10	<10			<5
C-2-17	C-2-17-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-18	C-2-18-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	**11**	<10	<10	<10			<5
C-2-18	C-2-18-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	**6.8**	<10	<10	<10			<5
C-2-19	C-2-19-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	**6.5**	<10	<10	<10			<5
C-2-19	C-2-19-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	**2.3J**	<10	<10	<10			<5
C-2-20	C_2_20_5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**20**	<10	<10	<10			<5
C-2-20	C_2_20_10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**23**	<10	<10	<10			<5
C-2-21	C-2-21-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	**18**	<10	<10	<10			<5
C-2-21	C-2-21-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-22	C-2-22-1	1	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	**69**	<10	<10	<10			<5
C-2-22	C-2-22-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	**14**	<10	<10	<10			<5
C-2-23	C_2_23_5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**5.3**	<10	<10	<10			<5
C-2-23	C_2_23_10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**9.7**	<10	<10	<10			<5
C-2-24	C_2_24_5	5	<5	<10	<5	<5		<10		**3.3J**	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**2.5J**	<10	<10	<10			<5

See notes on page 54

Table 8
Volatile Organic Compounds in Soil Samples (µg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Object Name	Sample Name	Sample Depth (feet)	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloro-1,2,2-trifluoroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-chloropropane	1,2-Dichlorobenzene	1,2-Dichloroethane	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	1,4-Dioxane	2,2-Dichloropropane	2-Butanone	2-Chloroethylvinylether	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene	4-Isopropyltoluene	4-Methyl-2-pentanone	Acetone	Acrolein	Acrylonitrile	Benzene	Benzene, 1-methylethyl-	Bromobenzene	Bromochloromethane	Bromodichloromethane	Bromoform	Bromomethane	Carbon disulfide	Carbon tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane
C-2-25	C_2_25_5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-25	C_2_25_10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-26	C_2_26_5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-26	C_2_26_10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	17J	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-26	C_2_26_20	20	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-26	C_2_26_25	25	<5	<5	<5		<5	<5	3.9J	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-26	C_2_26_30	30	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-26	C_2_26_40	40	<5	<5	<5		<5	<5	3.7J	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-26	C_2_26_50	50	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-26	C_2_26_60	60	<5	<5	<5		<5	<5	3.4J	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-28	C-2-28-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-28	C-2-28-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-29	C-2-29-1	1	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-29	C-2-29-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-26-1	C_2_26_1_10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-26-1	C_2_26_1_20	20	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-26-1	C_2_26_1_25	25	<5	<5	<5		<5	<5	3.7J	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-26-1	C_2_26_1_30	30	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-26-1	C_2_26_1_40	40	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-26-1	C_2_26_1_50	50	<25	<25	<25		<25	<5	<25	<25	<25	<25	<25	<25	<50	<25	<25	<25	<25	<25		<25		<25	<120	<50	<25	<120	<25	<25	<120	<120	<500	<250	<25	<25	<25	<25	<25	<25	<50	<25	<25	<25	<25	<50
C-2-26-1	C_2_26_1_60	60	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-26-2	C_2_26_2_10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-26-2	C_2_26_2_20	20	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-26-2	C_2_26_2_25	25	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-26-2	C_2_26_2_30	30	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-26-2	C_2_26_2_40	40	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-26-2	C_2_26_2_50	50	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-26-2	C_2_26_2_60	60	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-27	C-2-27-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-27	C-2-27-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-30	C-2-30-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-30	C-2-30-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-31	C-2-31-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-31	C-2-31-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-31	C-2-31-15	15	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-32	C-2-32-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-32	C-2-32-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-33	C-2-33-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-33	C-2-33-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-34	C-2-34-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-34	C-2-34-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-35	C-2-35-1.5	1.5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-35	C-2-35-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-36	C-2-36-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-36	C-2-36-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-37	C-2-37-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-37	C-2-37-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-38	C-2-38-1.5	1.5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-38	C-2-38-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-39	C-2-39-1.5	1.5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-39	C-2-39-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-40	C-2-40-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-40	C-2-40-8	8	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-41	C-2-41-1.5	1.5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-41	C-2-41-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-42	C-2-42-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-42	C-2-42-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-43	C-2-43-1.5	1.5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-43	C-2-43-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-45	C-2-45-1.5	1.5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-45	C-2-45-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-46	C-2-46-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-46	C-2-46-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-47	C-2-47-1.5	1.5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-47	C-2-47-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-48	C-2-48-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-48	C-2-48-8	8	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-49	C-2-49-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-49	C-2-49-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-50	C-2-50-1	1	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-50	C-2-50-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-51	C-2-51-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-51	C-2-51-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-52	C-2-52-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-52	C-2-52-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-53	C-2-53-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-53	C-2-53-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-54	C-2-54-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-55	C-2-55-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-55	C-2-55-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-57	C-2-57-1	1	<5	<5	<5		<5	<5	<5

Table 8
Volatile Organic Compounds in Soil Samples (µg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Object Name	Sample Name	Sample Depth (feet)	Chloroform	Chloromethane	cis-1,2-Dichloroethene	cis-1,3-Dichloropropene	Dibromomethane	Dichlorodifluoromethane	Dichlorofluoromethane	Dichloromethane	Ethylbenzene	Ethylene dibromide	Hexachlorobutadiene	Iodomethane	Isopropyl ether	MTBE	Naphthalene	n-Butylbenzene	n-Propylbenzene	sec-Butylbenzene	Styrene	t-Butanol	Tert-amyl methyl ether	Tert-butyl ethyl ether	tert-Butylbenzene	Tetrachloroethene	Tetrahydrofuran	Toluene	trans-1,2-Dichloroethene	trans-1,3-Dichloropropene	Trichloroethene	Trichlorofluoromethane	Vinyl Acetate	Vinyl chloride	m/p-xylene	o-Xylene	Xylenes (total)
C-2-25	C_2_25_5	5	<5	<10	<5	<5		<10		5.9	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	6.3	<10	<10	<10			<5
C-2-25	C_2_25_10	10	<5	<10	<5	<5		<10		3.8J	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	50	<10	<10	<10			<5
C-2-26	C_2_26_5	5	<5	<10	<5	<5		<10		4.4J	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	7.1	<10	<10	<10			<5
C-2-26	C_2_26_10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	49	<10	<10	<10			<5
C-2-26	C_2_26_20	20	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	61	<10	<10	<10			<5
C-2-26	C_2_26_25	25	2J	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	400	<10	<10	<10			<5
C-2-26	C_2_26_30	30	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	140	<10	<10	<10			<5
C-2-26	C_2_26_40	40	1.2J	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	280	<10	<10	<10			<5
C-2-26	C_2_26_50	50	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	2.1J	<20	<5	<5	<5	280	<10	<10	<10			<5
C-2-26	C_2_26_60	60	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	240	<10	<10	<10			<5
C-2-28	C-2-28-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	300	<10	<10	<10			<5
C-2-28	C-2-28-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-29	C-2-29-1	1	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-29	C-2-29-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	3.6J	<20	<5	<5	<5	14	<10	<10	<10			<5
C-2-26-1	C_2_26_1_10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	2.5J	<10	<10	<10			<5
C-2-26-1	C_2_26_1_20	20	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	12	<10	<10	<10			<5
C-2-26-1	C_2_26_1_25	25	1.7J	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	37	<10	<10	<10			<5
C-2-26-1	C_2_26_1_30	30	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	2.8J	<20	<5	<5	<5	160	<10	<10	<10			<5
C-2-26-1	C_2_26_1_40	40	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	7.2	<10	<10	<10			<5
C-2-26-1	C_2_26_1_50	50	<25	<50	<25	<25		<50		<25	<25	<25	<25	<50		<25		<25	<25	<25	<50				<25	<25	<100	<25	<25	<25	200	<50	<50	<50			<25
C-2-26-1	C_2_26_1_60	60	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	20	<10	<10	<10			<5
C-2-26-2	C_2_26_2_10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	9.8	<10	<10	<10			<5
C-2-26-2	C_2_26_2_20	20	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	37	<10	<10	<10			<5
C-2-26-2	C_2_26_2_25	25	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	2.9J	<10	<10	<10			<5
C-2-26-2	C_2_26_2_30	30	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	3.5J	<10	<10	<10			<5
C-2-26-2	C_2_26_2_40	40	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-26-2	C_2_26_2_50	50	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	130	<10	<10	<10			<5
C-2-26-2	C_2_26_2_60	60	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	59	<10	<10	<10			<5
C-2-27	C-2-27-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	4.1J	<10	<10	<10			<5
C-2-27	C-2-27-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-30	C-2-30-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	7.7	<10	<10	<10			<5
C-2-30	C-2-30-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	21	<10	<10	<10			<5
C-2-31	C-2-31-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-31	C-2-31-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-31	C-2-31-15	15	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-32	C-2-32-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	2.1J	<10	<10	<10			<5
C-2-32	C-2-32-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-33	C-2-33-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	5.1	<10	<10	<10			<5
C-2-33	C-2-33-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	4.8J	<20	<5	<5	<5	3.5J	<10	<10	<10			<5
C-2-34	C-2-34-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-34	C-2-34-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-35	C-2-35-1.5	1.5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-35	C-2-35-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-36	C-2-36-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-36	C-2-36-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-37	C-2-37-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-37	C-2-37-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-38	C-2-38-1.5	1.5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	6.8	<10	<10	<10			<5
C-2-38	C-2-38-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	13	<10	<10	<10			<5
C-2-39	C-2-39-1.5	1.5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-39	C-2-39-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	29	<10	<10	<10			<5
C-2-40	C-2-40-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-40	C-2-40-8	8	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-41	C-2-41-1.5	1.5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-41	C-2-41-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	3.2J	<10	<10	<10			<5
C-2-42	C-2-42-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-42	C-2-42-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-43	C-2-43-1.5	1.5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	2.7J	<10	<10	<10			<5
C-2-43	C-2-43-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-45	C-2-45-1.5	1.5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-45	C-2-45-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	17	<10	<10	<10			<5
C-2-46	C-2-46-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-46	C-2-46-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-47	C-2-47-1.5	1.5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-47	C-2-47-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-48	C-2-48-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-48	C-2-48-8	8	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	3.2J	<10	<10	<10			<5
C-2-49	C-2-49-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-49	C-2-49-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-50	C-2-50-1	1	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-50	C-2-50-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-51	C-2-51-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-51	C-2-51-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-52	C-2-52-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-52	C-2-52-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-53	C-2-53-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-53	C-2-53-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-54	C-2-54-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-55	C-2-55-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-55	C-2-55-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-57	C-2-57-1	1	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5

See notes on page 54

Table 8
Volatile Organic Compounds in Soil Samples (µg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Object Name	Sample Name	Sample Depth (feet)	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloro-1,2,2-trifluoroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-chloropropane	1,2-Dichlorobenzene	1,2-Dichloroethane	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	1,4-Dioxane	2,2-Dichloropropane	2-Butanone	2-Chloroethylvinylether	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene	4-Isopropyltoluene	4-Methyl-2-pentanone	Acetone	Acrolein	Acrylonitrile	Benzene	Benzene, 1-methylethyl-	Bromobenzene	Bromochloromethane	Bromodichloromethane	Bromoform	Bromomethane	Carbon disulfide	Carbon tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane
C-2-57	C-2-57-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-57	C-2-57-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-58	C-2-58-1.5	1.5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	22J	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-58	C-2-58-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-59	C-2-59-1	1	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-59	C-2-59-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-60	C-2-60-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-60	C-2-60-7	7	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-61	C-2-61-1	1	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-61	C-2-61-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-61	C-2-61-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-61	C-2-61-15	15	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-62	C-2-62-1	1	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-62	C-2-62-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-62	C-2-62-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-63	C-2-63-1.5	1.5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-63	C-2-63-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-63	C-2-63-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-63	C-2-63-15	15	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-64	C-2-64-1	1	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-64	C-2-64-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-64	C-2-64-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-64	C-2-64-15	15	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-65	C-2-65-1	1	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-65	C-2-65-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-65	C-2-65-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-65	C-2-65-15	15	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-67	C-2-67-1	1	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-67	C-2-67-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-67	C-2-67-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-67	C-2-67-15	15	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-68	C-2-68-1	1	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-68	C-2-68-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-68	C-2-68-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-68	C-2-68-15	15	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-69	C-2-69-1	1	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-69	C-2-69-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-69	C-2-69-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-69	C-2-69-15	15	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-70	C-2-70-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-70	C-2-70-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-71	C-2-71-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-71	C-2-71-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-72	C-2-72-1	1	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-72	C-2-72-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-72	C_2_72_10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-72	C_2_72_20	20	<5	<5	<5		<5	1.6J	2.1J	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-72	C_2_72_25	25	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-72	C_2_72_30	30	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-72	C_2_72_40	40	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-72	C_2_72_50	50	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-72	C_2_72_60	60	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-73	C-2-73-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-73	C-2-73-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-74	C-2-74-1	1	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-74	C-2-74-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-75	C-2-75-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-75	C-2-75-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-76	C-2-76-1	1	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-76	C-2-76-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-77	C-2-77-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-77	C-2-77-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-78	C-2-78-1	1	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-78	C-2-78-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-79	C-2-79-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-79	C-2-79-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-80	C-2-80-1	1	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-80	C-2-80-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-81	C-2-81-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-81	C-2-81-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-82	C-2-82-1	1	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-82	C-2-82-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-83	C-2-83-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-83	C-2-83-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-84	C-2-84-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-84	C-2-84-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-85	C-2-85-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-85	C-2-85-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-86	C-2-86-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-86	C-2-86-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-87	C-2-87-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5

Table 8
Volatile Organic Compounds in Soil Samples (µg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Object Name	Sample Name	Sample Depth (feet)	Chloroform	Chloromethane	cis-1,2-Dichloroethene	cis-1,3-Dichloropropene	Dibromomethane	Dichlorodifluoromethane	Dichlorofluoromethane	Dichloromethane	Ethylbenzene	Ethylene dibromide	Hexachlorobutadiene	Iodomethane	Isopropyl ether	MTBE	Naphthalene	n-Butylbenzene	n-Propylbenzene	sec-Butylbenzene	Styrene	t-Butanol	Tert-amyl methyl ether	Tert-butyl ethyl ether	tert-Butylbenzene	Tetrachloroethene	Tetrahydrofuran	Toluene	trans-1,2-Dichloroethene	trans-1,3-Dichloropropene	Trichloroethene	Trichlorofluoromethane	Vinyl Acetate	Vinyl chloride	m/p-xylene	o-Xylene	Xylenes (total)
C-2-57	C-2-57-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-57	C-2-57-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-58	C-2-58-1.5	1.5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-58	C-2-58-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-59	C-2-59-1	1	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-59	C-2-59-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-60	C-2-60-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-60	C-2-60-7	7	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-61	C-2-61-1	1	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-61	C-2-61-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-61	C-2-61-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-61	C-2-61-15	15	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-62	C-2-62-1	1	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-62	C-2-62-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-62	C-2-62-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-63	C-2-63-1.5	1.5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-63	C-2-63-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-63	C-2-63-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-63	C-2-63-15	15	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-64	C-2-64-1	1	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-64	C-2-64-5	5	**2.1J**	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-64	C-2-64-10	10	**3.2J**	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-64	C-2-64-15	15	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-65	C-2-65-1	1	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-65	C-2-65-5	5	**2.4J**	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-65	C-2-65-10	10	**12**	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-65	C-2-65-15	15	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-67	C-2-67-1	1	**3.4J**	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-67	C-2-67-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-67	C-2-67-10	10	**2.9J**	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-67	C-2-67-15	15	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-68	C-2-68-1	1	**2.8J**	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-68	C-2-68-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-68	C-2-68-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-68	C-2-68-15	15	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-69	C-2-69-1	1	**4.2J**	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	**8.5**	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-69	C-2-69-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-69	C-2-69-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-69	C-2-69-15	15	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-70	C-2-70-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-70	C-2-70-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-71	C-2-71-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-71	C-2-71-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-72	C-2-72-1	1	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	**8.6**	<10	<10	<10			<5
C-2-72	C-2-72-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-72	C_2_72_10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10						<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-72	C_2_72_20	20	<5	<10	**3.2J**	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10						<20	<5	<5	<5	**74**	<10	<10	<10			<5
C-2-72	C_2_72_25	25	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10						<20	<5	<5	<5	**180**	<10	<10	<10			<5
C-2-72	C_2_72_30	30	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10						<20	<5	<5	<5	**14**	<10	<10	<10			<5
C-2-72	C_2_72_40	40	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10						<20	<5	<5	<5	**21**	<10	<10	<10			<5
C-2-72	C_2_72_50	50	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10						<20	<5	<5	<5	**2.9J**	<10	<10	<10			<5
C-2-72	C_2_72_60	60	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10						<20	<5	<5	<5	**140**	<10	<10	<10			<5
C-2-73	C-2-73-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	**68**	<10	<10	<10			<5
C-2-73	C-2-73-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	**19**	<10	<10	<10			<5
C-2-74	C-2-74-1	1	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	**4J**	<10	<10	<10			<5
C-2-74	C-2-74-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	**3.3J**	<10	<10	<10			<5
C-2-75	C-2-75-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	**22**	<10	<10	<10			<5
C-2-75	C-2-75-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	**4.5J**	<10	<10	<10			<5
C-2-76	C-2-76-1	1	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	**35**	<10	<10	<10			<5
C-2-76	C-2-76-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	**3J**	<5	<5	<5	**16**	<10	<10	<10			<5
C-2-77	C-2-77-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-77	C-2-77-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-78	C-2-78-1	1	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-78	C-2-78-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-79	C-2-79-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-79	C-2-79-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-80	C-2-80-1	1	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	**2.8J**	<10	<10	<10			<5
C-2-80	C-2-80-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	**10**	<10	<10	<10			<5
C-2-81	C-2-81-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-81	C-2-81-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-82	C-2-82-1	1	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	**17**	<10	<10	<10			<5
C-2-82	C-2-82-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-83	C-2-83-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-83	C-2-83-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-84	C-2-84-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-84	C-2-84-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-85	C-2-85-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-85	C-2-85-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-86	C-2-86-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	**4.4J**	<10	<10	<10			<5
C-2-86	C-2-86-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-87	C-2-87-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5

See notes on page 54

Table 8
Volatile Organic Compounds in Soil Samples (µg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Object Name	Sample Name	Sample Depth (feet)	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloro-1,2,2-trifluoroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-chloropropane	1,2-Dichlorobenzene	1,2-Dichloroethane	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	1,4-Dioxane	2,2-Dichloropropane	2-Butanone	2-Chloroethylvinylether	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene	4-Isopropyltoluene	4-Methyl-2-pentanone	Acetone	Acrolein	Acrylonitrile	Benzene	Benzene, 1-methylethyl-	Bromobenzene	Bromochloromethane	Bromodichloromethane	Bromoform	Bromomethane	Carbon disulfide	Carbon tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane
C-2-87	C-2-87-10	10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-88	C-2-88-1	1	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-88	C-2-88-5	5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	1.1J	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-89	C-2-89-5	5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-89	C-2-89-10	10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-90	C-2-90-5	5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-90	C-2-90-10	10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-90	C-2-90-15	15	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-91	C-2-91-5	5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-91	C-2-91-10	10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-91	C-2-91-15	15	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-92	C-2-92-5	5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-92	C-2-92-10	10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-92	C-2-92-15	15	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-93	C-2-93-5	5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-93	C-2-93-10	10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-94	C-2-94-1	1	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-94	C-2-94-5	5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-94	C-2-94-10	10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-95	C-2-95-1	1	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-95	C-2-95-5	5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-95	C-2-95-10	10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-96	C-2-96-1	1	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-96	C-2-96-5	5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-96	C-2-96-10	10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-97	C-2-97-5	5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-97	C-2-97-10	10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-98	C-2-98-5	5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-98	C-2-98-10	10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-99	C-2-99-5	5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-99	C-2-99-10	10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	15J B	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-99	C-2-99-15	15	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-100	C-2-100-5	5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-100	C-2-100-10	10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-100	C-2-100-15	15	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-101	C-2-101-1	1	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-101	C-2-101-5	5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-102	C-2-102-5	5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-103	C-2-103-5	5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-103	C-2-103-10	10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	1.4J	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-104	C-2-104-5	5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	15J B	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-104	C-2-104-10	10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-105	C-2-105-5	5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-106	C-2-106-1	1	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-106	C-2-106-5	5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-107	C-2-107-5	5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-107	C-2-107-10	10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-108	C-2-108-5	5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-108	C-2-108-10	10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-109	C-2-109-5	5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-109	C-2-109-10	10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-110	C-2-110-1	1	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-110	C-2-110-5	5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-111	C-2-111-5	5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-111	C-2-111-10	10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-112	C-2-112-5	5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-112	C-2-112-10	10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-113	C-2-113-5	5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-113	C-2-113-10	10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-114	C-2-114-5	5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-114	C-2-114-10	10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-115	C-2-115-1'	1	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-115	C-2-115-5	5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-115	C-2-115-10	10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-116	C-2-116-5'	5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-116	C-2-116-10	10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-116	C-2-116-15'	15	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-117	C-2-117-5	5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-117	C-2-117-10	10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-117	C-2-117-15	15	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-119	C-2-119-5	5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-119	C-2-119-10	10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-120	C-2-120-5'	5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-120	C-2-120-1'	10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-121	C-2-121-5	5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-121	C-2-121-10	10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-122	C-2-122-1	1	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-122

Table 8
Volatile Organic Compounds in Soil Samples (µg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Object Name	Sample Name	Sample Depth (feet)	Chloroform	Chloromethane	cis-1,2-Dichloroethene	cis-1,3-Dichloropropene	Dibromomethane	Dichlorodifluoromethane	Dichlorofluoromethane	Dichloromethane	Ethylbenzene	Ethylene dibromide	Hexachlorobutadiene	Iodomethane	Isopropyl ether	MTBE	Naphthalene	n-Butylbenzene	n-Propylbenzene	sec-Butylbenzene	Styrene	t-Butanol	Tert-amyl methyl ether	Tert-butyl ethyl ether	tert-Butylbenzene	Tetrachloroethene	Tetrahydrofuran	Toluene	trans-1,2-Dichloroethene	trans-1,3-Dichloropropene	Trichloroethene	Trichlorofluoromethane	Vinyl Acetate	Vinyl chloride	m/p-xylene	o-Xylene	Xylenes (total)
C-2-87	C-2-87-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-88	C-2-88-1	1	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-88	C-2-88-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-89	C-2-89-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-89	C-2-89-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-90	C-2-90-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-90	C-2-90-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-90	C-2-90-15	15	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-91	C-2-91-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-91	C-2-91-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	**2.9J**	<5	<10	<10	<10			<5
C-2-91	C-2-91-15	15	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-92	C-2-92-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-92	C-2-92-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-92	C-2-92-15	15	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-93	C-2-93-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-93	C-2-93-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-94	C-2-94-1	1	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-94	C-2-94-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-94	C-2-94-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-95	C-2-95-1	1	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-95	C-2-95-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-95	C-2-95-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-96	C-2-96-1	1	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-96	C-2-96-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-96	C-2-96-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-97	C-2-97-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-97	C-2-97-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-98	C-2-98-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-98	C-2-98-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-99	C-2-99-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-99	C-2-99-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-99	C-2-99-15	15	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-100	C-2-100-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-100	C-2-100-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-100	C-2-100-15	15	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-101	C-2-101-1	1	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-101	C-2-101-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-102	C-2-102-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-103	C-2-103-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-103	C-2-103-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	**4J**	<10	<10	<10	<10			<5
C-2-104	C-2-104-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-104	C-2-104-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	**4.7J**	<10	<10	<10	<10			<5
C-2-105	C-2-105-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-106	C-2-106-1	1	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-106	C-2-106-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-107	C-2-107-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-107	C-2-107-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-108	C-2-108-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-108	C-2-108-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-109	C-2-109-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-109	C-2-109-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-110	C-2-110-1	1	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-110	C-2-110-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-111	C-2-111-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-111	C-2-111-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-112	C-2-112-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-112	C-2-112-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-113	C-2-113-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-113	C-2-113-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-114	C-2-114-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-114	C-2-114-10	10	**2.7J**	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-115	C-2-115-1'	1	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-115	C-2-115-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-115	C-2-115-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-116	C-2-116-5'	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-116	C-2-116-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-116	C-2-116-15'	15	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-117	C-2-117-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-117	C-2-117-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-117	C-2-117-15	15	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-119	C-2-119-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-119	C-2-119-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-120	C-2-120-5'	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-120	C-2-120-1'	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**4.2J**	<10	<10	<10			<5
C-2-121	C-2-121-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-121	C-2-121-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-122	C-2-122-1	1	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-122	C-2-122-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-123	C-2-123-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-123	C-2-123-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-125	C-2-125-1	1	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5

See notes on page 54

Table 8
Volatile Organic Compounds In Soil Samples (µg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Object Name	Sample Name	Sample Depth (feet)	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloro-1,2,2-trifluoroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropane	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-chloropropane	1,2-Dichlorobenzene	1,2-Dichloroethane	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	1,4-Dioxane	2,2-Dichloropropane	2-Butanone	2-Chloroethylvinylether	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene	4-Isopropyltoluene	4-Methyl-2-pentanone	Acetone	Acrolein	Acrylonitrile	Benzene	Benzene, 1-methylethyl-	Bromobenzene	Bromochloromethane	Bromodichloromethane	Bromoform	Bromomethane	Carbon disulfide	Carbon tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane
C-2-125	C-2-125-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-126	C-2-126-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-126	C-2-126-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-127	C-2-127-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	**10J B**	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-127	C-2-127-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	**17J B**	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-128	C-2-128-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-128	C-2-128-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-129	C-2-129-1	1	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-129	C-2-129-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-130	C-2-130-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-130	C-2-130-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-131	C-2-131-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-131	C-2-131-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-132	C-2-132-1	1	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-132	C-2-132-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-133	C-2-133-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-133	C-2-133-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-134	C-2-134-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-134	C-2-134-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-135	C-2-135-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-135	C-2-135-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-136	C-2-136-1	1	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-136	C-2-136-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-137	C-2-137-1	1	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-137	C-2-137-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-138	C-2-138-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-138	C-2-138-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-139	C-2-139-2	2	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	**26**	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-139	C-2-139-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-139	C-2-139-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-140	C-2-140-1	1	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-140	C-2-140-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-141	C-2-141-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	**18J**	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-141	C-2-141-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	**16J**	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-142	C-2-142-1	1	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-142	C-2-142-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-143	C-2-143-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-143	C-2-143-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-143	C_2_143_20	20	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-143	C_2_143_25	25	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-143	C_2_143_30	30	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-143	C_2_143_40	40	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-143	C_2_143_50	50	<25	<25	<25		<25	<25	<25	<25	<25	<25	<25	<25	<50	<25	<25	<25	<25	<25	<25	<25	<25	<25	<120	<50	<25	<120	<25	<25	<120	<120	<500	<250	<25	<25	<25	<25	<25	<25	<50	<25	<25	<25	<25	<50
C-2-143	C_2_143_60	60	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-145	C-2-145-6	6	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-146	C-2-146-1	1	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-146	C-2-146-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-146	C-2-146-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-147	C-2-147-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-147	C-2-147-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-147	C-2-147-15	15	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-148	C-2-148-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-148	C-2-148-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-149	2-149-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-149	2-149-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-149	C_2_149_20	20	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-149	C_2_149_25	25	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-149	C_2_149_30	30	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-149	C_2_149_40	40	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-149	C_2_149_50	50	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-149	C_2_149_60	60	<5	<5	<5		<5	**2.4J**	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-150	C-2-150-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-150	C-2-150-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-150	C-2-150-15	15	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-151	C-2-151-1	1	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-151	C-2-151-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-152	C-2-152-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-152	C-2-152-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-152	C-2-152-15	15	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-153	C-2-153-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-154	C_2_154_5	5	<5	**9.8**	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-154	C_2_154_10	10	<5	**17**	<5		**3.8J**	**3J**	**3.7J**	<5	<5	<5	<5	<5	<10	<5	**4.6J**	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-154	C_2_154_15	15	<5	**4.4J**	<5		**14**	<5	<5	<5	<5	<5	<5	<5	<10	<5	**6.4**	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-155	C-2-155-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-155	C-2-155-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-156	C-2-156-1	1	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-156	C-2-156-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-156	C-2-156-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-157	C-2-157-1	1

Table 8
Volatile Organic Compounds in Soil Samples (µg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Object Name	Sample Name	Sample Depth (feet)	Chloroform	Chloromethane	cis-1,2-Dichloroethene	cis-1,3-Dichloropropene	Dibromomethane	Dichlorodifluoromethane	Dichlorofluoromethane	Dichloromethane	Ethylbenzene	Ethylene dibromide	Hexachlorobutadiene	Iodomethane	Isopropyl ether	MTBE	Naphthalene	n-Butylbenzene	n-Propylbenzene	sec-Butylbenzene	Styrene	t-Butanol	Tert-amyl methyl ether	Tert-butyl ethyl ether	tert-Butylbenzene	Tetrachloroethene	Tetrahydrofuran	Toluene	trans-1,2-Dichloroethene	trans-1,3-Dichloropropene	Trichloroethene	Trichlorofluoromethane	Vinyl Acetate	Vinyl chloride	m/p-xylene	o-Xylene	Xylenes (total)
C-2-125	C-2-125-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-126	C-2-126-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-126	C-2-126-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-127	C-2-127-5	5	<5	<5	<5	<5		<5		<10	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5		<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-127	C-2-127-10	10	<5	<5	<5	<5		<5		<10	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5		<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-128	C-2-128-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-128	C-2-128-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-129	C-2-129-1	1	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-129	C-2-129-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-130	C-2-130-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-130	C-2-130-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-131	C-2-131-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-131	C-2-131-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-132	C-2-132-1	1	2.1J	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-132	C-2-132-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-133	C-2-133-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-133	C-2-133-10	10	1.4J	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-134	C-2-134-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-134	C-2-134-10	10	1.6J	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-135	C-2-135-5	5	1.9J	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-135	C-2-135-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-136	C-2-136-1	1	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-136	C-2-136-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	4.9J	<10	<10	<10			<5
C-2-137	C-2-137-1	1	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-137	C-2-137-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	2.4J	<10	<10	<10			<5
C-2-138	C-2-138-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-138	C-2-138-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-139	C-2-139-2	2	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-139	C-2-139-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	11	<10	<10	<10			<5
C-2-139	C-2-139-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-140	C-2-140-1	1	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-140	C-2-140-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	22	<10	<10	<10			<5
C-2-141	C-2-141-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-141	C-2-141-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-142	C-2-142-1	1	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	2.1J	<10	<10	<10			<5
C-2-142	C-2-142-5	5	<5	<10	<5	<5		<10		4J	<5	<5	<5	<10	<10	<5		<5	<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	100	<10	<10	<10			<5
C-2-143	C-2-143-5	5	<5	<10	<5	<5		<10		3.3J	<5	<5	<5	<10	<10	<5		<5	<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-143	C-2-143-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-143	C_2_143_20	20	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-143	C_2_143_25	25	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	79	<10	<10	<10			<5
C-2-143	C_2_143_30	30	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	160	<10	<10	<10			<5
C-2-143	C_2_143_40	40	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-143	C_2_143_50	50	<25	<50	<25	<25		<50		<25	<25	<25	<25	<50		<25		<25	<25	<25	<50				<25	<25	<100	<25	<25	<25	<25	<5	<10	<10	<10			<5
C-2-143	C_2_143_60	60	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-145	C-2-145-6	6	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	450	<50	<50	<50			<25
C-2-146	C-2-146-1	1	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	19	<10	<10	<10			<5
C-2-146	C-2-146-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-146	C-2-146-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	4.3J	<10	<10	<10			<5
C-2-147	C-2-147-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-147	C-2-147-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-147	C-2-147-15	15	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-148	C-2-148-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-148	C-2-148-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-149	2-149-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-149	2-149-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	42	<10	<10	<10			<5
C-2-149	C_2_149_20	20	1.9J	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-149	C_2_149_25	25	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	120	<10	<10	<10			<5
C-2-149	C_2_149_30	30	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	46	<10	<10	<10			<5
C-2-149	C_2_149_40	40	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	110	<10	<10	<10			<5
C-2-149	C_2_149_50	50	1.2J	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	5.4	<10	<10	<10			<5
C-2-149	C_2_149_60	60	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	110	<10	<10	<10			<5
C-2-150	C-2-150-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	150	<10	<10	<10			<5
C-2-150	C-2-150-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-150	C-2-150-15	15	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-151	C-2-151-1	1	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-151	C-2-151-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	57	<10	<10	<10			<5
C-2-152	C-2-152-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-152	C-2-152-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	6.7	<10	<10	<10			<5
C-2-152	C-2-152-15	15	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	2.2J	<10	<10	<10			<5
C-2-153	C-2-153-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-154	C_2_154_5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	27	<10	<10	<10			<5
C-2-154	C_2_154_10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	71	<10	<10	<10			<5
C-2-154	C_2_154_15	15	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	110	<10	<10	<10			<5
C-2-155	C-2-155-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	57	<10	<10	<10			<5
C-2-155	C-2-155-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-156	C-2-156-1	1	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<5	<10				<5	<5	24	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-156	C-2-156-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	240	<10	<10	<10			<5
C-2-156	C-2-156-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	2.5J	<10	<10	<10			<5
C-2-157	C-2-157-1	1	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	2.7J	<10	<10	<10			<5
C-2-157	C-2-157-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	190	<10	<10	<10			<5
C-2-157	C-2-157-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	3.3J	<10	<10	<10			<5

See notes on page 54

Table 8
Volatile Organic Compounds in Soil Samples (µg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Object Name	Sample Name	Sample Depth (feet)	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloro-1,2,2-trifluoroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-chloropropane	1,2-Dichlorobenzene	1,2-Dichloroethane	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	1,4-Dioxane	2,2-Dichloropropane	2-Butanone	2-Chloroethylvinylether	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene	4-Isopropyltoluene	4-Methyl-2-pentanone	Acetone	Acrolein	Acrylonitrile	Benzene	Benzene, 1-methylethyl-	Bromobenzene	Bromochloromethane	Bromodichloromethane	Bromoform	Bromomethane	Carbon disulfide	Carbon tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane
C-2-159	C-2-159-1	1	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-159	C-2-159-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-159	C-2-159-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-160	C_2_160_5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-160	C_2_160_10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-160	C_2_160_20	20	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-160	C_2_160_25	25	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-160	C_2_160_30	30	<25	<25	<25		<25	<25	<25	<25	<25	<25	<25	<25	<50	<25	<25	<25	<25	<25		<25		<25	<120	<50	<25	<120	<25	<25	<120	<120	<500	<250	<25	<25	<25	<25	<25	<25	<50	<25	<25	<25	<25	<50
C-2-160	C_2_160_40	40	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-160	C_2_160_50	50	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-160	C_2_160_60	60	<5	<5	<5		<5	<5	3.6J	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-161	C_2_161_5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-161	C_2_161_10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-162	C-2-162-1	1	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-162	C-2-162-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-162	C-2-162-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-163	C-2-163-1	1	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-163	C-2-163-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	35	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	1.8J	<5	<5	<10
C-2-163	C-2-163-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-164	C-2-164-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-164	C-2-164-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-165	C_2_165_5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-165	C-2-165-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-165	C_2_165_10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	9.2J B	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-165	C-2-165-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-167	C-2-167-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	12J B	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-167	C-2-167-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	19J B	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-168	C-2-168-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	11J B	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-168	C-2-168-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	9.5J B	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-169	C-2-169-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	11J B	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-169	C-2-169-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	23J B	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-170	C-2-170-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	16J B	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-170	C-2-170-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	15J B	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-171	C-2-171-1	1	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	12J B	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-171	C-2-171-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	8.4J B	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-172	C-2-172-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	14J B	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-172	C-2-172-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	11J B	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-173	C_2_173_10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	12J B	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-173	C-2-173-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-173	C_2_173_15	15	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	12J B	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-173	C-2-173-15	15	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-173	C_2_173_20	20	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	8.2J B	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-173	C-2-173-20	20	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	12J B	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-174	C_2_174_1	1	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-174	C-2-174-1	1	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-174	C_2_174_5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-174	C-2-174-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-175	C_2_175_5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	17J B	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-175	C-2-175-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-175	C_2_175_10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	15J B	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-175	C-2-175-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-176	C_2_176_5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	11J B	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-176	C-2-176-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-176	C_2_176_10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	17J B	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-176	C-2-176-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-177	C_2_177_1	1	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	13J B	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-177	C-2-177-1	1	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-177	C_2_177_5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	6.5J B	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-177	C-2-177-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-178	C_2_178_5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	12J B	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-178	C-2-178-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-178	C_2_178_10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	11J B	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-178	C-2-178-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-179	C_2_179_5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	10J B	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-179	C-2-179-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-180	C_2_180_5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	9.4J B	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-180	C-2-180-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-180	C_2_180_10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	9.9J B	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-180	C-2-180-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-181	C-2-181-1	1	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	1.7J	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	13J B	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-181	C-2-181-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-181	C-2-181-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-182	C_2_182_1	1	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	1.8J	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-182	C_2_182_5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-182	C_2_182_10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-183	C-2-183-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-183	C-2-183-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	1.6J	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-183	C-2-183-15	15	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-184	C-2-184-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-184	C-2-184-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-184	C-2-184-15	15	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5

Table 8
Volatile Organic Compounds in Soil Samples (µg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Object Name	Sample Name	Sample Depth (feet)	Chloroform	Chloromethane	cis-1,2-Dichloroethene	cis-1,3-Dichloropropene	Dibromomethane	Dichlorodifluoromethane	Dichlorofluoromethane	Dichloromethane	Ethylbenzene	Ethylene dibromide	Hexachlorobutadiene	Iodomethane	Isopropyl ether	MTBE	Naphthalene	n-Butylbenzene	n-Propylbenzene	sec-Butylbenzene	Styrene	t-Butanol	Tert-amyl methyl ether	Tert-butyl ethyl ether	tert-Butylbenzene	Tetrachloroethene	Tetrahydrofuran	Toluene	trans-1,2-Dichloroethene	trans-1,3-Dichloropropene	Trichloroethene	Trichlorofluoromethane	Vinyl Acetate	Vinyl chloride	m/p-xylene	o-Xylene	Xylenes (total)
C-2-159	C-2-159-1	1	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**21**	<10	<10	<10			<5
C-2-159	C-2-159-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**3.8J**	<10	<10	<10			<5
C-2-159	C-2-159-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**2.7J**	<10	<10	<10			<5
C-2-160	C_2_160_5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-160	C_2_160_10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**41**	<10	<10	<10			<5
C-2-160	C_2_160_20	20	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**77**	<10	<10	<10			<5
C-2-160	C_2_160_25	25	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**110**	<10	<10	<10			<5
C-2-160	C_2_160_30	30	<25	<50	<25	<25		<50		<25	<25	<25	<25	<50		<25		<25	<25	<25	<50				<25	<25	<100	<25	<25	<25	**120**	<50	<50	<50			<25
C-2-160	C_2_160_40	40	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**49**	<10	<10	<10			<5
C-2-160	C_2_160_50	50	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**24**	<10	<10	<10			<5
C-2-160	C_2_160_60	60	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**83**	<10	<10	<10			<5
C-2-161	C_2_161_5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-161	C_2_161_10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-162	C-2-162-1	1	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-162	C-2-162-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-162	C-2-162-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-163	C-2-163-1	1	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	**3.8J**	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-163	C-2-163-5	5	**15**	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	**90**	<20	<5	<5	<5	**10**	<10	<10	<10			<5
C-2-163	C-2-163-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-164	C-2-164-5	5	**1.7J**	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	**3.4J**	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-164	C-2-164-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-165	C_2_165_5	5	**1.8J**	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-165	C-2-165-5	5	<5	<5	<5	<5		<5		<10	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5		<5	<5	<5	<5	<10	<10	<10			<5
C-2-165	C_2_165_10	10	**2.9J**	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-165	C-2-165-10	10	<5	<5	<5	<5		<5		<10	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5		<5	<5	<5	<5	<10	<10	<10			<5
C-2-167	C-2-167-5	5	<5	<5	<5	<5		<5		<10	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5		<5	<5	<5	<5	<10	<10	<10			<5
C-2-167	C-2-167-10	10	<5	<5	<5	<5		<5		<10	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5		<5	<5	<5	<5	<10	<10	<10			<5
C-2-168	C-2-168-5	5	<5	<5	<5	<5		<5		<10	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5		<5	<5	<5	<5	<10	<10	<10			<5
C-2-168	C-2-168-10	10	<5	<5	<5	<5		<5		<10	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5		<5	<5	<5	<5	<10	<10	<10			<5
C-2-169	C-2-169-5	5	<5	<5	<5	<5		<5		<10	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5		<5	<5	<5	<5	<10	<10	<10			<5
C-2-169	C-2-169-10	10	<5	<5	<5	<5		<5		<10	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5		<5	<5	<5	<5	<10	<10	<10			<5
C-2-170	C-2-170-5	5	<5	<5	<5	<5		<5		<10	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5		<5	<5	<5	<5	<10	<10	<10			<5
C-2-170	C-2-170-10	10	<5	<5	<5	<5		<5		<10	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5		<5	<5	<5	<5	<10	<10	<10			<5
C-2-171	C-2-171-1	1	<5	<5	<5	<5		<5		<10	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5		<5	<5	<5	<5	<10	<10	<10			<5
C-2-171	C-2-171-5	5	<5	<5	<5	<5		<5		<10	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5		<5	<5	<5	<5	<10	<10	<10			<5
C-2-172	C-2-172-5	5	<5	<5	<5	<5		<5		<10	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5		<5	<5	<5	<5	<10	<10	<10			<5
C-2-172	C-2-172-10	10	<5	<5	<5	<5		<5		<10	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5		<5	<5	<5	<5	<10	<10	<10			<5
C-2-173	C_2_173_10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-173	C-2-173-10	10	<5	<5	<5	<5		<5		<10	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-173	C_2_173_15	15	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-173	C-2-173-15	15	<5	<5	<5	<5		<5		<10	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-173	C_2_173_20	20	**1.1J**	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-173	C-2-173-20	20	<5	<5	<5	<5		<5		<10	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5		<5	<5	<5	<5	<10	<10	<10			<5
C-2-174	C_2_174_1	1	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-174	C-2-174-1	1	<5	<5	<5	<5		<5		<10	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5		<5	<5	<5	<5	<10	<10	<10			<5
C-2-174	C_2_174_5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			**2.2J**
C-2-174	C-2-174-5	5	<5	<5	<5	<5		<5		<10	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5		<5	<5	<5	<5	<10	<10	<10			<5
C-2-175	C_2_175_5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-175	C-2-175-5	5	<5	<5	<5	<5		<5		<10	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5		<5	<5	<5	<5	<10	<10	<10			<5
C-2-175	C_2_175_10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-175	C-2-175-10	10	<5	<5	<5	<5		<5		<10	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5		<5	<5	<5	<5	<10	<10	<10			<5
C-2-176	C_2_176_5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-176	C-2-176-5	5	<5	<5	<5	<5		<5		<10	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5		<5	<5	<5	<5	<10	<10	<10			<5
C-2-176	C_2_176_10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-176	C-2-176-10	10	<5	<5	<5	<5		<5		<10	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5		<5	<5	<5	<5	<10	<10	<10			<5
C-2-177	C_2_177_1	1	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-177	C-2-177-1	1	<5	<5	<5	<5		<5		<10	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5		<5	<5	<5	<5	<10	<10	<10			<5
C-2-177	C_2_177_5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-177	C-2-177-5	5	<5	<5	<5	<5		<5		<10	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5		<5	<5	<5	<5	<10	<10	<10			<5
C-2-178	C_2_178_5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-178	C-2-178-5	5	<5	<5	<5	<5		<5		<10	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5		<5	<5	<5	<5	<10	<10	<10			<5
C-2-178	C_2_178_10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-178	C-2-178-10	10	<5	<5	<5	<5		<5		<10	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5		<5	<5	<5	<5	<10	<10	<10			<5
C-2-179	C_2_179_5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-179	C-2-179-5	5	<5	<5	<5	<5		<5		<10	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5		<5	<5	<5	<5	<10	<10	<10			<5
C-2-180	C_2_180_5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-180	C-2-180-5	5	<5	<5	<5	<5		<5		<10	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5		<5	<5	<5	<5	<10	<10	<10			<5
C-2-180	C_2_180_10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-180	C-2-180-10	10	<5	<5	<5	<5		<5		<10	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5		<5	<5	<5	<5	<10	<10	<10			<5
C-2-181	C-2-181-1	1	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-181	C-2-181-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-181	C-2-181-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-182	C_2_182_1	1	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-182	C_2_182_5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-182	C_2_182_10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-183	C-2-183-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-183	C-2-183-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-183	C-2-183-15	15	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-184	C-2-184-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-184	C-2-184-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-184	C-2-184-15	15	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5

See notes on page 54

Table 8
Volatile Organic Compounds in Soil Samples (µg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Object Name	Sample Name	Sample Depth (feet)	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloro-1,2,2-trifluoroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-chloropropane	1,2-Dichlorobenzene	1,2-Dichloroethane	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	1,4-Dioxane	2,2-Dichloropropane	2-Butanone	2-Chloroethylvinylether	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene	4-Isopropyltoluene	4-Methyl-2-pentanone	Acetone	Acrolein	Acrylonitrile	Benzene	Benzene, 1-methylethyl-	Bromobenzene	Bromochloromethane	Bromodichloromethane	Bromoform	Bromomethane	Carbon disulfide	Carbon tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane
C-2-185	C-2-185-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-185	C-2-185-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-186	C-2-186-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-186	C-2-186-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-186	C-2-186-15	15	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-186	C_2_186_20	20	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-186	C_2_186_30	30	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-187	C-2-187-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-187	C-2-187-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-187	C-2-187-15	15	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-188	C-2-188-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-189	C-2-189-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-189	C-2-189-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-189	C-2-189-15	15	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-190	C-2-190-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-190	C-2-190-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-191	C-2-191-1	1	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-191	C-2-191-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-192	C-2-192-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-193	C-2-193-1	1	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-193	C-2-193-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-193	C-2-193-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-194	C-2-194-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-194	C-2-194-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-196	C-2-196-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-196	C-2-196-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-196	C-2-196-15	15	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-197	C-2-197-1	1	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-197	C-2-197-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-198	C-2-198-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-198	C-2-198-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-199	C_2_199_10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-199	C_2_199_20	20	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-199	C_2_199_25	25	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-199	C_2_199_30	30	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-199	C_2_199_40	40	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-199	C_2_199_50	50	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-199	C_2_199_60	60	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-200	C-2-200-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-200	C-2-200-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-201	C-2-201-2	2	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	**4.4J**	<5	<5	<25	**58B**	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-201	C-2-201-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-201	C-2-201-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-202	C-2-202-1	1																																												
C-2-202	C-2-202-5	5																																											
C-2-202	C-2-202-10	10																																											
C-2-204	C-2-204-5	5	<5	<5	<5		<5	**3.6J**	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-204	C-2-204-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-204	C-2-204-15	15	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-205	C-2-205-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-205	C-2-205-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-205	C-2-205-15	15	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-207	C-2-207-20	20	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	**9.4J B**	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-207	C-2-207-28	28	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	**12J B**	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-208	C-2-208-2	2	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	**13J**	<10	<5	<25	<5	<5	<25	**91B**	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-208	C-2-208-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	**12J B**	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-208	C-2-208-15	15	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	**16J B**	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-208	C-2-208-20	20	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	**7.7J B**	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-209	C-2-209-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	**9.6J B**	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-209	C-2-209-15	15	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	**11J B**	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-209	C-2-209-20	20	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<250	<5	<25	<10	<5	<25	<5	<5	<25	**9.7J B**	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-211	C_2_211_20	20	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	**1.6J**	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-211	C_2_211_25	25	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-211	C_2_211_30	30	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-211	C_2_211_40	40	<5	<5	<5		**4.6J**	<5	<5	<5	<5	<5	<5	<5	<10	<5	**2.7J**	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-211	C_2_211_50	50	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-211	C_2_211_60	60	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-212	C-2-212-1	1	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	**15J B**	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-212	C-2-212-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	**13J B**	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-213	C-2-213-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	**17J B**	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-213	C-2-213-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	**13J B**	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-214	C-2-214-1	1	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	**15J B**	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-214	C-2-214-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	**19J B**	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-215	C-2-215-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	**17J B**	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-215	C-2-215-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	**14J B**	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-216	C-2-216-1	1	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	**18J B**	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-216	C-2-216-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	**15J B**	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-217	C-2-217-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	**16J B**	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-217	C-2-217-15	15	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	**8.3J B**	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-217	C-2-217-20	20	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	**8.7J B**	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-218	C-2-218-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	**13J B**	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10

Table 8
Volatile Organic Compounds in Soil Samples (µg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Object Name	Sample Name	Sample Depth (feet)	Chloroform	Chloromethane	cis-1,2-Dichloroethene	cis-1,3-Dichloropropene	Dibromomethane	Dichlorodifluoromethane	Dichlorofluoromethane	Dichloromethane	Ethylbenzene	Ethylene dibromide	Hexachlorobutadiene	Iodomethane	Isopropyl ether	MTBE	Naphthalene	n-Butylbenzene	n-Propylbenzene	sec-Butylbenzene	Styrene	t-Butanol	Tert-amyl methyl ether	Tert-butyl ethyl ether	tert-Butylbenzene	Tetrachloroethene	Tetrahydrofuran	Toluene	trans-1,2-Dichloroethene	trans-1,3-Dichloropropene	Trichloroethene	Trichlorofluoromethane	Vinyl Acetate	Vinyl chloride	m/p-xylene	o-Xylene	Xylenes (total)
C-2-185	C-2-185-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-185	C-2-185-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-186	C-2-186-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-186	C-2-186-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-186	C-2-186-15	15	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-186	C_2_186_20	20	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-186	C_2_186_30	30	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-187	C-2-187-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-187	C-2-187-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-187	C-2-187-15	15	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-188	C-2-188-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-189	C-2-189-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-189	C-2-189-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-189	C-2-189-15	15	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-190	C-2-190-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-190	C-2-190-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-191	C-2-191-1	1	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-191	C-2-191-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-192	C-2-192-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-193	C-2-193-1	1	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-193	C-2-193-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-193	C-2-193-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-194	C-2-194-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-194	C-2-194-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-196	C-2-196-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	**7.5**	<10	<10	<10			<5
C-2-196	C-2-196-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-196	C-2-196-15	15	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-197	C-2-197-1	1	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	**17**	<10	<10	<10			<5
C-2-197	C-2-197-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-198	C-2-198-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-198	C-2-198-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-199	C_2_199_10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	**45**	<10	<10	<10			<5
C-2-199	C_2_199_20	20	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	**2.5J**	<10	<10	<10			<5
C-2-199	C_2_199_25	25	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	**2.3J**	<10	<10	<10			<5
C-2-199	C_2_199_30	30	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-199	C_2_199_40	40	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	**3.4J**	<10	<10	<10			<5
C-2-199	C_2_199_50	50	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	**5.6**	<10	<10	<10			<5
C-2-199	C_2_199_60	60	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	**5.3**	<10	<10	<10			<5
C-2-200	C-2-200-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	**47**	<10	<10	<10			<5
C-2-200	C-2-200-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	**5.7**	<10	<10	<10			<5
C-2-201	C-2-201-2	2	<5	<5	**10**	<5		<5		<10	<5	<5	<5	<10	<10	<5		**4J**	<5	**13**	<10	<100	<10	<10	**2.8J**	<5		**0.82J**	<5	<5	<5	<10	<10	<10			**1.3J**
C-2-201	C-2-201-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-201	C-2-201-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-202	C-2-202-1	1														<5																					
C-2-202	C-2-202-5	5														<5																					
C-2-202	C-2-202-10	10														<5																					
C-2-204	C-2-204-5	5	<5	<10	**8.6**	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	**12**	<10	<10	<10			<5
C-2-204	C-2-204-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-204	C-2-204-15	15	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-205	C-2-205-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-205	C-2-205-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-205	C-2-205-15	15	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-207	C-2-207-20	20	<5	<5	<5	<5		<5		<10	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5		<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-207	C-2-207-28	28	<5	<5	<5	<5		<5		<10	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5		<5	<5	<5	**5.9**	<10	<10	<10			<5
C-2-208	C-2-208-2	2	<5	<5	<5	<5		<5		<10	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5		**0.65J**	<5	<5	<5	<5	<10	<10	<10			**0.96J**
C-2-208	C-2-208-10	10	<5	<5	<5	<5		<5		<10	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5		<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-208	C-2-208-15	15	<5	<5	<5	<5		<5		<10	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5		<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-208	C-2-208-20	20	<5	<5	<5	<5		**1.2J**		<10	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5		<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-209	C-2-209-10	10	<5	<5	<5	<5		**3.3J**		<10	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5		<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-209	C-2-209-15	15	<5	<5	<5	<5		**1.2J**		<10	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5		<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-209	C-2-209-20	20	<5	<5	<5	<5	<5	**4.2J**		<10	<5	<5	<5	<10	<10	<5	<5	<5	<5	<5	<10	<100	<10	<10	<5	<5		<5	<5	<5	<5	<5	<10	<10	<10	<5	<5	<5
C-2-211	C_2_211_20	20	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	**6.6**	<10	<10	<10			<5
C-2-211	C_2_211_25	25	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-211	C_2_211_30	30	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-211	C_2_211_40	40	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	**49**	<10	<10	<10			<5
C-2-211	C_2_211_50	50	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	**7**	<10	<10	<10			<5
C-2-211	C_2_211_60	60	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	**2.5J**	<10	<10	<10			<5
C-2-212	C-2-212-1	1	<5	<5	<5	<5		<5		<10	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5		<5	<5	<5	**3.6J**	<10	<10	<10			<5
C-2-212	C-2-212-5	5	<5	<5	<5	<5		<5		<10	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5		<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-213	C-2-213-5	5	<5	<5	<5	<5		<5		<10	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5		<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-213	C-2-213-10	10	<5	<5	<5	<5		<5		<10	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5		<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-214	C-2-214-1	1	<5	<5	<5	<5		<5		<10	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5		<5	<5	<5	**4.2J**	<10	<10	<10			<5
C-2-214	C-2-214-5	5	<5	<5	<5	<5		<5		<10	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5		<5	<5	<5	**6.9**	<10	<10	<10			<5
C-2-215	C-2-215-5	5	<5	<5	<5	<5		<5		<10	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5		<5	<5	<5	**6.5**	<10	<10	<10			<5
C-2-215	C-2-215-10	10	<5	<5	<5	<5		<5		<10	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5		<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-216	C-2-216-1	1	<5	<5	<5	<5		<5		<10	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5		<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-216	C-2-216-5	5	<5	<5	<5	<5		<5		<10	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5		<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-217	C-2-217-10	10	<5	<5	<5	<5		<5		<10	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5		<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-217	C-2-217-15	15	<5	<5	<5	<5		<5		<10	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5		<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-217	C-2-217-20	20	<5	<5	<5	<5		<5		<10	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5		<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-218	C-2-218-5	5	<5	<5	<5	<5		<5		<10	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5		<5	<5	<5	<5	<5	<10	<10	<10			<5

See notes on page 54

Table 8
Volatile Organic Compounds in Soil Samples (µg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Object Name	Sample Name	Sample Depth (feet)	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloro-1,2,2-trifluoroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-chloropropane	1,2-Dichlorobenzene	1,2-Dichloroethane	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	1,4-Dioxane	2,2-Dichloropropane	2-Butanone	2-Chloroethylvinylether	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene	4-Isopropyltoluene	4-Methyl-2-pentanone	Acetone	Acrolein	Acrylonitrile	Benzene	Benzene, 1-methylethyl-	Bromobenzene	Bromochloromethane	Bromodichloromethane	Bromoform	Bromomethane	Carbon disulfide	Carbon tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane
C-2-218	C-2-218-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	**16J B**	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-218	C-2-218-15	15	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	**15J B**	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-219	C-2-219-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	**12J B**	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-219	C-2-219-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	**11J B**	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-219	C-2-219-15	15	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	**14J B**	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-219	C_2_219_20	20	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-219	C_2_219_25	25	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-219	C_2_219_30	30	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-219	C_2_219_40	40	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-219	C_2_219_50	50	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-219	C_2_219_60	60	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-220	C-2-220-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	**13J B**	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-220	C-2-220-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	**13J B**	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-221	C-2-221-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	**14J B**	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-221	C-2-221-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	**12J B**	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-221	C-2-221-15	15	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	**12J B**	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-223	C_2_223_5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-223	C_2_223_10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-223	C_2_223_15	15	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-224	C_2_224_5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-224	C-2-224-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	**9.1J B**	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-224	C_2_224_10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-224	C-2-224-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-224	C-2-224-15	15	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	**14J B**	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-225	C_2_225_5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-225	C_2_225_10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-226	C-2-226-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-226	C-2-226-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-226	C-2-226-15	15	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-227	C-2-227-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-227	C-2-227-15	15	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-228	C-2-228-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-228	C-2-228-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-228	C-2-228-15	15	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-229	C-2-229-5	5	<5	**1.3J**	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-229	C-2-229-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-229	C-2-229-15	15	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-230	C_2_230_5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-230	C_2_230_10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-230	C_2_230_15	15	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-231	C_2_231_5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-231	C_2_231_10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-231	C_2_231_15	15	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-232	C-2-232-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-232	C-2-232-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-232	C-2-232-15	15	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-233	C-2-233-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-233	C-2-233-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-234	C-2-234-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-234	C-2-234-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-234	C-2-234-15	15	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-235	C-2-235-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-235	C-2-235-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-236	C-2-236-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-236	C-2-236-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-236	C-2-236-15	15	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-237	C-2-237-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-237	C-2-237-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-237	C-2-237-15	15	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-238	C-2-238-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-238	C-2-238-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-238	C-2-238-15	15	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-239	C-2-239-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-239	C-2-239-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-240	C-2-240-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-240	C-2-240-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-240	C-2-240-15	15	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-241	C-2-241-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-241	C-2-241-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-242	C-2-242-5	5	<250	<250	<250		<250	<250	<250	<250	<250	<250	<250	**380**	<500	<250	<250	<250	**140J**	<250	<250	<250	**880J**	<500	<250	<1200	<250	**210J**	<1200	**610J**	<5000	<2500	<250	**160J**	<250	<250	<250	<250	<500	<250	<250	<250	<250	<500
C-2-242	C-2-242-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-243	C-2-243-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-243	C-2-243-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-243	C-2-243-15	15	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-251	C-2-251-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-251	C-2-251-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-251	C-2-251-15	15	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-253	C-2-253-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-253	C-2-253-10

Table 8
Volatile Organic Compounds in Soil Samples (µg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Object Name	Sample Name	Sample Depth (feet)	Chloroform	Chloromethane	cis-1,2-Dichloroethene	cis-1,3-Dichloropropene	Dibromomethane	Dichlorodifluoromethane	Dichlorofluoromethane	Dichloromethane	Ethylbenzene	Ethylene dibromide	Hexachlorobutadiene	Iodomethane	Isopropyl ether	MTBE	Naphthalene	n-Butylbenzene	n-Propylbenzene	sec-Butylbenzene	Styrene	t-Butanol	Tert-amyl methyl ether	Tert-butyl ethyl ether	tert-Butylbenzene	Tetrachloroethene	Tetrahydrofuran	Toluene	trans-1,2-Dichloroethene	trans-1,3-Dichloropropene	Trichloroethene	Trichlorofluoromethane	Vinyl Acetate	Vinyl chloride	m/p-xylene	o-Xylene	Xylenes (total)
C-2-218	C-2-218-10	10	<5	<5	<5	<5	<5	<5		<10	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5		<5	<5	<5	<5	<10	<10	<10			<5
C-2-218	C-2-218-15	15	<5	<5	<5	<5	<5	<5		<10	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5		<5	<5	<5	<5	<10	<10	<10			<5
C-2-219	C-2-219-5	5	<5	<5	<5	<5	<5	<5		<10	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5		<5	<5	<5	<5	<10	<10	<10			<5
C-2-219	C-2-219-10	10	<5	<5	<5	<5	<5	<5		<10	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5		<5	<5	<5	<5	<10	<10	<10			<5
C-2-219	C-2-219-15	15	<5	<5	<5	<5	<5	<5		<10	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5		<5	<5	<5	<5	<10	<10	<10			<5
C-2-219	C_2_219_20	20	<5	<10	<5	<5	<10	<5		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	45	<10	<10	<10			<5
C-2-219	C_2_219_25	25	<5	<10	<5	<5	<10	<5		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	14	<10	<10	<10			<5
C-2-219	C_2_219_30	30	<5	<10	<5	<5	<10	<5		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	4.2J	<10	<10	<10			<5
C-2-219	C_2_219_40	40	<5	<10	<5	<5	<10	<5		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-219	C_2_219_50	50	<5	<10	<5	<5	<10	<5		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	3.6J	<10	<10	<10			<5
C-2-219	C_2_219_60	60	<5	<10	<5	<5	<10	<5		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-220	C-2-220-5	5	<5	<5	<5	<5	<5	<5		<10	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5		<5	<5	<5	<5	<10	<10	<10			<5
C-2-220	C-2-220-10	10	<5	<5	<5	<5	<5	<5		<10	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5		<5	<5	<5	<5	<10	<10	<10			<5
C-2-221	C-2-221-5	5	<5	<5	<5	<5	<5	<5		<10	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5		<5	<5	<5	<5	<10	<10	<10			<5
C-2-221	C-2-221-10	10	<5	<5	<5	<5	<5	<5		<10	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5		<5	<5	<5	<5	<10	<10	<10			<5
C-2-221	C-2-221-15	15	<5	<5	<5	<5	<5	<5		<10	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5		<5	<5	<5	<5	<10	<10	<10			<5
C-2-223	C_2_223_5	5	<5	<10	<5	<5	<10	<5		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	53	<10	<10	<10			<5
C-2-223	C_2_223_10	10	<5	<10	<5	<5	<10	<5		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	3.5J	<10	<10	<10			<5
C-2-223	C_2_223_15	15	<5	<10	<5	<5	<10	<5		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	12	<10	<10	<10			<5
C-2-224	C_2_224_5	5	<5	<10	<5	<5	<10	<5		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	22	<10	<10	<10			<5
C-2-224	C-2-224-5	5	<5	<5	<5	<5	<5	<5		<10	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5		<5	<5	<5	<5	<10	<10	<10			<5
C-2-224	C_2_224_10	10	<5	<10	<5	<5	<10	<5		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-224	C-2-224-10	10	<5	<10	<5	<5	<10	<5		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-224	C-2-224-15	15	<5	<5	<5	<5	<5	<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-225	C_2_225_5	5	<5	<10	<5	<5	<10	<5		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-225	C_2_225_10	10	<5	<10	<5	<5	<10	<5		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	2J	<10	<10	<10			<5
C-2-226	C-2-226-5	5	<5	<10	<5	<5	<10	<5		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	32	<10	<10	<10			<5
C-2-226	C-2-226-10	10	<5	<10	<5	<5	<10	<5		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-226	C-2-226-15	15	<5	<10	<5	<5	<10	<5		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	11	<10	<10	<10			<5
C-2-227	C-2-227-10	10	<5	<10	<5	<5	<10	<5		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-227	C-2-227-15	15	<5	<10	<5	<5	<10	<5		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-228	C-2-228-5	5	<5	<10	<5	<5	<10	<5		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	59	<10	<10	<10			<5
C-2-228	C-2-228-10	10	<5	<10	<5	<5	<10	<5		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-228	C-2-228-15	15	<5	<10	<5	<5	<10	<5		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	2.9J	<10	<10	<10			<5
C-2-229	C-2-229-5	5	<5	<10	<5	<5	<10	<5		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	2.6J	<20	<5	<5	<5	<5	120	<10	<10	<10			<5
C-2-229	C-2-229-10	10	<5	<10	<5	<5	<10	<5		<5	<5	<5	<5	<10	<10	1.1J		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-229	C-2-229-15	15	<5	<10	<5	<5	<10	<5		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	2.6J	<10	<10	<10			<5
C-2-230	C_2_230_5	5	<5	<10	<5	<5	<10	<5		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	2.4J	<10	<10	<10			<5
C-2-230	C_2_230_10	10	<5	<10	<5	<5	<10	<5		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	5.3	<10	<10	<10			<5
C-2-230	C_2_230_15	15	<5	<10	<5	<5	<10	<5		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-231	C_2_231_5	5	<5	<10	<5	<5	<10	<5		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	4.5J	<10	<10	<10			<5
C-2-231	C_2_231_10	10	<5	<10	<5	<5	<10	<5		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	3.3J	<10	<10	<10			<5
C-2-231	C_2_231_15	15	<5	<10	<5	<5	<10	<5		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	3.9J	<10	<10	<10			<5
C-2-232	C-2-232-5	5	<5	<10	<5	<5	<10	<5		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	12	<10	<10	<10			<5
C-2-232	C-2-232-10	10	<5	<10	<5	<5	<10	<5		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-232	C-2-232-15	15	<5	<10	<5	<5	<10	<5		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-233	C-2-233-5	5	<5	<10	<5	<5	<10	<5		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-233	C-2-233-10	10	<5	<10	<5	<5	<10	<5		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-234	C-2-234-5	5	<5	<10	<5	<5	<10	<5		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	9.1	<10	<10	<10			<5
C-2-234	C-2-234-10	10	<5	<10	<5	<5	<10	<5		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-234	C-2-234-15	15	<5	<10	<5	<5	<10	<5		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-235	C-2-235-5	5	<5	<10	<5	<5	<10	<5		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	33	<10	<10	<10			<5
C-2-235	C-2-235-10	10	<5	<10	<5	<5	<10	<5		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-236	C-2-236-5	5	<5	<10	<5	<5	<10	<5		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	32	<10	<10	<10			<5
C-2-236	C-2-236-10	10	<5	<10	<5	<5	<10	<5		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	5	<10	<10	<10			<5
C-2-236	C-2-236-15	15	<5	<10	<5	<5	<10	<5		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-237	C-2-237-5	5	<5	<10	<5	<5	<10	<5		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	54	<10	<10	<10			<5
C-2-237	C-2-237-10	10	<5	<10	<5	<5	<10	<5		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	5.6	<10	<10	<10			<5
C-2-237	C-2-237-15	15	<5	<10	<5	<5	<10	<5		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-238	C-2-238-5	5	<5	<10	<5	<5	<10	<5		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	20	<10	<10	<10			<5
C-2-238	C-2-238-10	10	<5	<10	<5	<5	<10	<5		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-238	C-2-238-15	15	<5	<10	<5	<5	<10	<5		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-239	C-2-239-5	5	<5	<10	<5	<5	<10	<5		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	13	<10	<10	<10			<5
C-2-239	C-2-239-10	10	<5	<10	<5	<5	<10	<5		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	20	<10	<10	<10			<5
C-2-240	C-2-240-5	5	<5	<10	<5	<5	<10	<5		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	48	<10	<10	<10			<5
C-2-240	C-2-240-10	10	<5	<10	<5	<5	<10	<5		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-240	C-2-240-15	15	<5	<10	<5	<5	<10	<5		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-241	C-2-241-5	5	<5	<10	<5	<5	<10	<5		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	6.7	<10	<10	<10			<5
C-2-241	C-2-241-10	10	<5	<10	<5	<5	<10	<5		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-242	C-2-242-5	5	<250	<500	<250	<250	<500	91J		1500	<250	<250	<500	<500	<250	170J		<250	<250	<500	<5000	<500	<500	<250	<250	<1000	81J	<250	<250	<250	280J	<500	<500			14000
C-2-242	C-2-242-10	10	<5	<10	<5	<5	<10	<5		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-243	C-2-243-5	5	<5	<10	<5	<5	<10	<5		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	16	<10	<10	<10			<5
C-2-243	C-2-243-10	10	<5	<10	<5	<5	<10	<5		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	3.9J	<10	<10	<10			<5
C-2-243	C-2-243-15	15	<5	<10	<5	<5	<10	<5		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-251	C-2-251-5	5	<5	<10	<5	<5	<10	<5		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	28	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-251	C-2-251-10	10	<5	<10	<5	<5	<10	<5		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-251	C-2-251-15	15	<5	<10	<5	<5	<10	<5		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-253	C-2-253-5	5	<5	<10	<5	<5	<10	<5		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	23	<10	<10	<10			<5
C-2-253	C-2-253-10	10	<5	<10	<5	<5	<10	<5		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-253	C-2-253-15	15	<5	<10	<5	<5	<10	<5		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-254	C_2_254_5	5	<5	<10	<5	<5	<10	<5		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5

See notes on page 54

Table 8
Volatile Organic Compounds in Soil Samples (µg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Object Name	Sample Name	Sample Depth (feet)	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloro-1,2,2-trifluoroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-chloropropane	1,2-Dichlorobenzene	1,2-Dichloroethane	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	1,4-Dioxane	2,2-Dichloropropane	2-Butanone	2-Chloroethylvinylether	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene	4-Isopropyltoluene	4-Methyl-2-pentanone	Acetone	Acrolein	Acrylonitrile	Benzene	Benzene, 1-methylethyl-	Bromobenzene	Bromochloromethane	Bromodichloromethane	Bromoform	Bromomethane	Carbon disulfide	Carbon tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane
C-2-254	C_2_254_10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-254	C_2_254_15	15	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-255	C-2-255-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-255	C-2-255-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-255	C_2_255_20	20	<5	<5	<5		<5	<5	**2.6J**	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-255	C_2_255_25	25	<5	**1.1J**	<5		<5	<5	**3.1J**	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-255	C_2_255_30	30	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-255	C_2_255_40	40	<5	**2.6J**	<5		<5	<5	**6.7**	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-255	C_2_255_50	50	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-255	C_2_255_60	60	<5	<5	<5		<5	<5	**8.1**	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-256	C-2-256-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-256	C-2-256-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-257	C-2-257-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-257	C-2-257-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-257	C-2-257-15	15	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-258	C_2_258_5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-258	C_2_258_10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-259	C-2-259-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-259	C-2-259-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-260	C-2-260-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-260	C-2-260-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-261	C-2-261-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-261	C-2-261-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-262	C-2-262-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-262	C-2-262-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-263	C-2-263-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-263	C-2-263-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-265	C_2_265_1'	1	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-265	C_2_265_5'	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-266	C_2_266_5'	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-266	C_2_266_10'	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-267	C_2_267_1'	1	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	**17J**	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-267	C_2_267_5'	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	**34**	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-268	C_2_268_1'	1	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-268	C_2_268_5'	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-271	C_2_271_1'	1	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-271	C_2_271_5'	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	**15J**	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-272	C_2_272_5'	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-272	C_2_272_10'	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-273	C_2_273_5'	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-273	C_2_273_10'	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-274	C_2_274_5'	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	**22J**	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-274	C_2_274_10'	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	**28**	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-275	C_2_275_5'	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-275	C_2_275_10'	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-278	C-2-278-5'	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-278	C-2-278-15'	15	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-279	C-2-279-5'	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-279	C-2-279-15'	15	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-280	C-2-280-5'	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-280	C-2-280-10'	15	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-281	C-2-281-5'	5	<25	<25	<25		<25	<25	<25	<25	<25	<25	<25	**14J**	<50	<25	<25	<25	<25	<25	<25	<25	<25	<25	<120	<50	<25	<120	<25	<25	<120	<120	<500	<250	<25	<25	<25	<25	<25	<25	<50	<25	<25	<25	<25	<50
C-2-281	C-2-281-10'	15	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-281	C-2-281-15'	15	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-282	C-2-282-5'	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-282	C-2-282-10'	15	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-282	C-2-282-15'	15	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	**65**	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-283	C-2-283-5'	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-283	C-2-283-10'	15	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-284	C-2-284-5'	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-284	C-2-284-10'	15	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-285	C-2-285-5'	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-290	C-2-290-5'	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-290	C-2-290-10'	15	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-290	C-2-290-15'	16	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-292	C_2_292_1	1	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-292	C_2_292_5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-292	C_2_292_10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-293	C_2_293_5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-293	C_2_293_10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-294	C_2_294_5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-294	C_2_294_10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-295	C_2_295_5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-295	C_2_295_10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-296	C_2_296_5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-296	C_2_296_10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-297	C_2_297_5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-297	C_2_297_10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-297	C_2_297_15	16	<5	<5

Table 8
Volatile Organic Compounds in Soil Samples (µg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Object Name	Sample Name	Sample Depth (feet)	Chloroform	Chloromethane	cis-1,2-Dichloroethene	cis-1,3-Dichloropropene	Dibromomethane	Dichlorodifluoromethane	Dichlorofluoromethane	Dichloromethane	Ethylbenzene	Ethylene dibromide	Hexachlorobutadiene	Iodomethane	Isopropyl ether	MTBE	Naphthalene	n-Butylbenzene	n-Propylbenzene	sec-Butylbenzene	Styrene	t-Butanol	Tert-amyl methyl ether	Tert-butyl ethyl ether	tert-Butylbenzene	Tetrachloroethene	Tetrahydrofuran	Toluene	trans-1,2-Dichloroethene	trans-1,3-Dichloropropene	Trichloroethene	Trichlorofluoromethane	Vinyl Acetate	Vinyl chloride	m/p-xylene	o-Xylene	Xylenes (total)
C-2-254	C_2_254_10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-254	C_2_254_15	15	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-255	C-2-255-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	**27**	<10	<10	<10			**3.7J**
C-2-255	C-2-255-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	**38**	<10	<10	<10			<5
C-2-255	C_2_255_20	20	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	**52**	<10	<10	<10			<5
C-2-255	C_2_255_25	25	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	**73**	<10	<10	<10			<5
C-2-255	C_2_255_30	30	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	**7.3**	<10	<10	<10			<5
C-2-255	C_2_255_40	40	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	**140**	<10	<10	<10			<5
C-2-255	C_2_255_50	50	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	**37**	<10	<10	<10			<5
C-2-255	C_2_255_60	60	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	**83**	<10	<10	<10			<5
C-2-256	C-2-256-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-256	C-2-256-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-257	C-2-257-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-257	C-2-257-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-257	C-2-257-15	15	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-258	C_2_258_5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-258	C_2_258_10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-259	C-2-259-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-259	C-2-259-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-260	C-2-260-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-260	C-2-260-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-261	C-2-261-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-261	C-2-261-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-262	C-2-262-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-262	C-2-262-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-263	C-2-263-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-263	C-2-263-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	**2.4J**	<10	<10	<10			<5
C-2-265	C_2_265_1'	1	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		**1.7J**		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-265	C_2_265_5'	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-266	C_2_266_5'	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-266	C_2_266_10'	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		**1.1J**		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-267	C_2_267_1'	1	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-267	C_2_267_5'	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		**1.4J**		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-268	C_2_268_1'	1	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		**1.4J**		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	**3.3J**	<10	<10	<10			<5
C-2-268	C_2_268_5'	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-271	C_2_271_1'	1	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		**1.6J**		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	**33**	<10	<10	<10			**3J**
C-2-271	C_2_271_5'	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-272	C_2_272_5'	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	**13**	<10	<10	<10			<5
C-2-272	C_2_272_10'	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-273	C_2_273_5'	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	**5.7**	<10	<10	<10			<5
C-2-273	C_2_273_10'	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-274	C_2_274_5'	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		**1.5J**		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-274	C_2_274_10'	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-275	C_2_275_5'	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-275	C_2_275_10'	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		**1.4J**		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-278	C-2-278-5'	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-278	C-2-278-10'	15	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-279	C-2-279-5'	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-279	C-2-279-10'	15	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-280	C-2-280-5'	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-280	C-2-280-10'	15	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-281	C-2-281-5'	5	<25	<50	<25	<25		<50		<25	<25	<25	<25	<50		<25		**10J**	<25	<25	<50				<25	<25	<100	<25	<25	<25	<25	<50	<50	<50			<25
C-2-281	C-2-281-10'	15	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-281	C-2-281-15'	15	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	**10**	<10	<10	<10			<5
C-2-282	C-2-282-5'	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-282	C-2-282-10'	15	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-282	C-2-282-15'	15	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-283	C-2-283-5'	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	**16**	<10	<10	<10			<5
C-2-283	C-2-283-10'	15	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-284	C-2-284-5'	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	**19**	<10	<10	<10			<5
C-2-284	C-2-284-10'	15	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-285	C-2-285-5'	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-290	C-2-290-5'	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	**4J**	<10	<10	<10			<5
C-2-290	C-2-290-10'	15	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-290	C-2-290-15'	15	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-292	C_2_292_1	1	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	**52**	<10	<10	<10			<5
C-2-292	C_2_292_5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	**12**	<10	<10	<10			<5
C-2-292	C_2_292_10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	**17**	<10	<10	<10			<5
C-2-293	C_2_293_5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-293	C_2_293_10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	**10**	<10	<10	<10			<5
C-2-294	C_2_294_5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-294	C_2_294_10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-295	C_2_295_5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	**3.8J**	<10	<10	<10			<5
C-2-295	C_2_295_10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	**8.9**	<10	<10	<10			<5
C-2-296	C_2_296_5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	**4.5J**	<10	<10	<10			<5
C-2-296	C_2_296_10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	**8.4**	<10	<10	<10			<5
C-2-297	C_2_297_5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	**8.2**	<10	<10	<10			<5
C-2-297	C_2_297_10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-297	C_2_297_15	15	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	**19**	<10	<10	<10			<5
C-2-298	C_2_298_5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-298	C_2_298_10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	**4.1J**	<10	<10	<10			<5

See notes on page 54

Table 8
Volatile Organic Compounds in Soil Samples (µg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Object Name	Sample Name	Sample Depth (feet)	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloro-1,2,2-trifluoroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropane	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-chloropropane	1,2-Dichlorobenzene	1,2-Dichloroethane	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	1,4-Dioxane	2,2-Dichloropropane	2-Butanone	2-Chloroethylvinylether	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene	4-Isopropyltoluene	4-Methyl-2-pentanone	Acetone	Acrolein	Acrylonitrile	Benzene	Benzene, 1-methylethyl-	Bromobenzene	Bromochloromethane	Bromodichloromethane	Bromoform	Bromomethane	Carbon disulfide	Carbon tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane
C-2-298	C_2_298_15	15	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-299	C_2_299_5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-299	C_2_299_10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-300	C_2_300_5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-300	C_2_300_10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-301	C_2_301_5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-301	C_2_301_10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-301	C_2_301_15	15	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-302	C_2_302_1	1	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	**28**	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-302	C_2_302_5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-302	C_2_302_10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-303	C_2_303_5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-303	C_2_303_10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-303	C_2_303_15	15	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-304	C_2_304_5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-304	C_2_304_10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-304	C_2_304_15	15	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-305	C_2_305_10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-305	C_2_305_15	15	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-305	C_2_305_20	20	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-306	C_2_306_5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-306	C_2_306_10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-306	C_2_306_15	15	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-307	C_2_307_5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-307	C_2_307_10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-307	C_2_307_15	15	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-308	C_2_308_5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-308	C_2_308_10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-309	C_2_309_5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-309	C_2_309_10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-310	C_2_310_1	1	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-310	C_2_310_5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-311	C_2_311_1	1	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-311	C_2_311_5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-311	C_2_311_10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-312	C_2_312_1	1	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-312	C_2_312_5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-312	C_2_312_10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-313	C_2_313_5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-313	C_2_313_10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-313	C_2_313_15	15	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-314	C_2_314_5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-314	C_2_314_10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-314	C_2_314_15	15	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-314	C_2_314_20	20	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-314	C_2_314_30	30	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-315	C_2_315_30	30	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-316	C_2_316_5	5	<5	<5	<5		<5	**24**	<5	<5	<5	<5	**86**	<10	<5	<5	<5	**32**	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	**31**	<25	**150**	<100	<50	<5	**2.3J**	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-316	C_2_316_10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-318	C_2_318_5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-318	C_2_318_10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-318	C_2_318_15	15	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-319	C_2_319_5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-319	C_2_319_10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-319	C_2_319_15	15	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-321	C_2_321_5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-322	C_2_322_1	1	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-322	C_2_322_5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-323	C-2-323-1	1	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-323	C_2_323_5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-323	C-2-323-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-323	C_2_323_10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-324	C_2_324_1	1	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-324	C_2_324_5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-325	C_2_325_5'	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-326	C_2_326_5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-326	C_2_326_10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-327	C_2_327_5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-327	C_2_327_10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-327	C_2_327_15	15	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-328	C_2_328_5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-328	C_2_328_10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-328	C_2_328_15	15	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-330	C_2_330_20	20	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-330	C_2_330_30	30	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-330	C_2_330_40	40	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-331	C_2_331_10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-331	C_2_331_15	15	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-331	C_2_331_20	20	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-332	C_2_332_5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5

Table 8
Volatile Organic Compounds in Soil Samples (µg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Object Name	Sample Name	Sample Depth (feet)	Chloroform	Chloromethane	cis-1,2-Dichloroethene	cis-1,3-Dichloropropene	Dibromomethane	Dichlorodifluoromethane	Dichlorofluoromethane	Dichloromethane	Ethylbenzene	Ethylene dibromide	Hexachlorobutadiene	Iodomethane	Isopropyl ether	MTBE	Naphthalene	n-Butylbenzene	n-Propylbenzene	sec-Butylbenzene	Styrene	t-Butanol	Tert-amyl methyl ether	Tert-butyl ethyl ether	tert-Butylbenzene	Tetrachloroethene	Tetrahydrofuran	Toluene	trans-1,2-Dichloroethene	trans-1,3-Dichloropropene	Trichloroethene	Trichlorofluoromethane	Vinyl Acetate	Vinyl chloride	m/p-xylene	o-Xylene	Xylenes (total)
C-2-298	C_2_298_15	15	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**14**	<10	<10	<10			<5
C-2-299	C_2_299_5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-299	C_2_299_10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**5.6**	<10	<10	<10			<5
C-2-300	C_2_300_5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-300	C_2_300_10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**14**	<10	<10	<10			<5
C-2-301	C_2_301_5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**32**	<10	<10	<10			<5
C-2-301	C_2_301_10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-301	C_2_301_15	15	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**13**	<10	<10	<10			<5
C-2-302	C_2_302_1	1	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**5.7**	<10	<10	<10			<5
C-2-302	C_2_302_5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**12**	<10	<10	<10			<5
C-2-302	C_2_302_10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**3.2J**	<10	<10	<10			<5
C-2-303	C_2_303_5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**9**	<10	<10	<10			<5
C-2-303	C_2_303_10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**8.2**	<10	<10	<10			<5
C-2-303	C_2_303_15	15	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**6.3**	<10	<10	<10			<5
C-2-304	C_2_304_5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**4.5J**	<10	<10	<10			<5
C-2-304	C_2_304_10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**3.3J**	<10	<10	<10			<5
C-2-304	C_2_304_15	15	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**6.8**	<10	<10	<10			<5
C-2-305	C_2_305_10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-305	C_2_305_15	15	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-305	C_2_305_20	20	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-306	C_2_306_5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**3.9J**	<10	<10	<10			<5
C-2-306	C_2_306_10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**5.4**	<10	<10	<10			<5
C-2-306	C_2_306_15	15	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**3J**	<10	<10	<10			<5
C-2-307	C_2_307_5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-307	C_2_307_10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-307	C_2_307_15	15	**7.4**	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-308	C_2_308_5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-308	C_2_308_10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-309	C_2_309_5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**31**	<10	<10	<10			<5
C-2-309	C_2_309_10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-310	C_2_310_1	1	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-310	C_2_310_5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**6.9**	<10	<10	<10			<5
C-2-311	C_2_311_1	1	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**28**	<10	<10	<10			<5
C-2-311	C_2_311_5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**20**	<10	<10	<10			<5
C-2-311	C_2_311_10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**2.2J**	<10	<10	<10			<5
C-2-312	C_2_312_1	1	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**21**	<10	<10	<10			<5
C-2-312	C_2_312_5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-312	C_2_312_10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-313	C_2_313_5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-313	C_2_313_10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-313	C_2_313_15	15	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-314	C_2_314_5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-314	C_2_314_10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-314	C_2_314_15	15	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**3.9J**	<10	<10	<10			<5
C-2-314	C_2_314_20	20	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**3.1J**	<10	<10	<10			<5
C-2-314	C_2_314_30	30	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-315	C_2_315_30	30	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**19**	<10	<10	<10			<5
C-2-316	C_2_316_5	5	<5	<10	**140**	<5		<10		<5	**7.6**	<5	<5	<10		<5		**16**	**7.3**	<5	<10				<5	<5	<20	**8.3**	<5	<5	<5	<10	<10	<10			**52**
C-2-316	C_2_316_10	10	<5	<10	**5.9**	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**21**	<10	<10	<10			<5
C-2-318	C_2_318_5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-318	C_2_318_10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**2J**	<10	<10	<10			<5
C-2-318	C_2_318_15	15	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-319	C_2_319_5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-319	C_2_319_10	10	<5	<10	<5	<5		<10		**4.2J**	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-319	C_2_319_15	15	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**2.7J**	<10	<10	<10			<5
C-2-321	C_2_321_5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-322	C_2_322_1	1	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-322	C_2_322_5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**9.2**	<10	<10	<10			<5
C-2-323	C-2-323-1	1	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-323	C_2_323_5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-323	C-2-323-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-323	C_2_323_10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-324	C_2_324_1	1	**13**	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	**3.9J**	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-324	C_2_324_5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-325	C_2_325_5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-326	C_2_326_5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-326	C_2_326_10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-327	C_2_327_5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-327	C_2_327_10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-327	C_2_327_15	15	<5	<10	<5	<5		<10		**4.9J**	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-328	C_2_328_5	5	<5	<10	<5	<5		<10		**5.3**	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-328	C_2_328_10	10	<5	<10	<5	<5		<10		**6.1**	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-328	C_2_328_15	15	<5	<10	<5	<5		<10		**3.9J**	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-330	C_2_330_20	20	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-330	C_2_330_30	30	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-330	C_2_330_40	40	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-331	C_2_331_10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-331	C_2_331_15	15	**2J**	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-331	C_2_331_20	20	**3.2J**	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-332	C_2_332_5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-332	C_2_332_10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5

See notes on page 54

Table 8
Volatile Organic Compounds in Soil Samples (µg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Object Name	Sample Name	Sample Depth (feet)	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloro-1,2,2-trifluoroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-chloropropane	1,2-Dichlorobenzene	1,2-Dichloroethane	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	1,4-Dioxane	2,2-Dichloropropane	2-Butanone	2-Chloroethylvinylether	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene	4-Isopropyltoluene	4-Methyl-2-pentanone	Acetone	Acrolein	Acrylonitrile	Benzene	Benzene, 1-methylethyl-	Bromobenzene	Bromochloromethane	Bromodichloromethane	Bromoform	Bromomethane	Carbon disulfide	Carbon tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane
C-2-333	C_2_333_35	35	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-333	C_2_333_40	40	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-334	C_2_334_35	35	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-334	C_2_334_40	40	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-335	C_2_335_35	35	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-335	C_2_335_40	40	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-336	C_2_336_35	35	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-336	C_2_336_40	40	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-337	C_2_337_35	35	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	56	<10	<5	14J	<5	<5	<25	250	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-337	C_2_337_40	40	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-338	C_2_338_35	35	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-338	C_2_338_40	40	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-339	C_2_339_35	35	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	39	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-339	C_2_339_40	40	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-340	C_2_340_5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-340	C_2_340_10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	22J	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-340	C_2_340_15	15	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	23J	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-341	C_2_341_5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-341	C_2_341_10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	19J	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-341	C_2_341_15	15	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-342	C_2_342_5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-342	C_2_342_10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-342	C_2_342_15	15	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-343	C_2_343_5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-343	C_2_343_10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-343	C_2_343_15	15	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-344	C_2_344_5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	34	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-344	C_2_344_10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	22J	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-344	C_2_344_15	15	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-346	C_2_346_10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-346	C_2_346_15	15	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-347	C_2_347_5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-347	C_2_347_10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-347	C_2_347_15	15	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-348	C_2_348_10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-348	C_2_348_15	15	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-349	C_2_349_10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-349	C_2_349_15	15	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-351	C_2_351_5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-351	C_2_351_10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-351	C_2_351_15	15	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-352	C_2_352_20	20	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-352	C_2_352_25	25	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-352	C_2_352_30	30	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-352	C_2_352_40	40	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-2-352	C_2_352_50	50	<25	<25	<25		<25	<25	<25	<25	<25	<25	<25	<25	<50	<25	<25	<25	<25	<25		<25		<25	<120	<50	<25	<120	<25	<25	<120	<120	<500	<250	<25	<25	<25	<25	<25	<25	<50	<25	<25	<25	<25	<50
C-2-352	C_2_352_60	60	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-3-1	C_3_1_5'	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-3-1	C_3_1_10'	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-3-2	C_3_2_1.5'	1.5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-3-2	C_3_2_5'	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-3-2	C_3_2_10'	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-3-3	C_3_3_10'	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-3-3	C_3_3_15	15	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-3-3	C_3_3_20	20	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C6-CB15-S2	C6-CB15-S2_P_0.25_042098_1	0.25		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<5	<2.5		<2.5	<2.5						<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5
C6-CB6-S1	C6-CB6-S1_P_0.25_042098_1	0.25		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<5	<2.5		<2.5	<2.5						<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5
C-9	C-9-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-9	C-9-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-9	C-9-15	15	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-20-3	C-20-3-1	1		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<2.5	<2.5		<2.5	<2.5						<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
C-20-3	C-20-3-5	5		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<2.5	<2.5		<2.5	<2.5						<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
C-20-3	C-20-3-10	10		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<2.5	<2.5		<2.5	<2.5						<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
C-20-4	C-20-4-5	5		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<2.5	<2.5		<2.5	<2.5						<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
C-20-4	C-20-4-10	10		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<2.5	<2.5		<2.5	<2.5						<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
C-20-4	C-20-4-15	15		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<2.5	<2.5		<2.5	<2.5						<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
C-20-5	C-20-5-1	1		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<2.5	<2.5		<2.5	<2.5						<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
C-20-5	C-20-5-5	5		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<2.5	<2.5		<2.5	<2.5						<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
C-20-6	C-20-6-1	1		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<2.5	<2.5		<2.5	<2.5						<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
C-20-6	C-20-6-5	5		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<2.5	<2.5		<2.5	<2.5						<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
C-29-E-8	C-29-E-8-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-29-E-8	C-29-E-8-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C29S01	C29S01_5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C29S01	C29S01_10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C29S01	C29S01_15	15	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C29S01	C29S01_20	20	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C29S01	C29S01_30	30	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10

Table 8
Volatile Organic Compounds in Soil Samples (µg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Object Name	Sample Name	Sample Depth (feet)	Chloroform	Chloromethane	cis-1,2-Dichloroethene	cis-1,3-Dichloropropene	Dibromomethane	Dichlorodifluoromethane	Dichlorofluoromethane	Dichloromethane	Ethylbenzene	Ethylene dibromide	Hexachlorobutadiene	Iodomethane	Isopropyl ether	MTBE	Naphthalene	n-Butylbenzene	n-Propylbenzene	sec-Butylbenzene	Styrene	t-Butanol	Tert-amyl methyl ether	Tert-butyl ethyl ether	tert-Butylbenzene	Tetrachloroethene	Tetrahydrofuran	Toluene	trans-1,2-Dichloroethene	trans-1,3-Dichloropropene	Trichloroethene	Trichlorofluoromethane	Vinyl Acetate	Vinyl chloride	m/p-xylene	o-Xylene	Xylenes (total)
C-2-333	C_2_333_35	35	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-2-333	C_2_333_40	40	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	**5.5**	<10	<10	<10			<5
C-2-334	C_2_334_35	35	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-334	C_2_334_40	40	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-335	C_2_335_35	35	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-335	C_2_335_40	40	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-336	C_2_336_35	35	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-336	C_2_336_40	40	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-337	C_2_337_35	35	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	**26**	<10	<10	<10			<5
C-2-337	C_2_337_40	40	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-338	C_2_338_35	35	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-338	C_2_338_40	40	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-339	C_2_339_35	35	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-339	C_2_339_40	40	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-340	C_2_340_5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-340	C_2_340_10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-340	C_2_340_15	15	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	**5**	<10	<10	<10			<5
C-2-341	C_2_341_5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-341	C_2_341_10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-341	C_2_341_15	15	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	**4.1J**	<10	<10	<10			<5
C-2-342	C_2_342_5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-342	C_2_342_10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-342	C_2_342_15	15	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-343	C_2_343_5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-343	C_2_343_10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-343	C_2_343_15	15	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-344	C_2_344_5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-344	C_2_344_10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-344	C_2_344_15	15	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	**29**	<10	<10	<10			<5
C-2-346	C_2_346_10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-346	C_2_346_15	15	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-347	C_2_347_5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-347	C_2_347_10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-347	C_2_347_15	15	<5	<10	<5	<5		<10		**3.8J**	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	**2.3J**	<10	<10	<10			<5
C-2-348	C_2_348_10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-348	C_2_348_15	15	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-2-349	C_2_349_10	10	<5	<10	<5	<5		<10		**3.5J**	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	**43**	<10	<10	<10			<5
C-2-349	C_2_349_15	15	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	**30**	<10	<10	<10			<5
C-2-351	C_2_351_5	5	<5	<10	<5	<5		<10		**3J**	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	**26**	<10	<10	<10			<5
C-2-351	C_2_351_10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	**4J**	<10	<10	<10			<5
C-2-351	C_2_351_15	15	<5	<10	<5	<5		<10		**3.4J**	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	**69**	<10	<10	<10			<5
C-2-352	C_2_352_20	20	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	**160**	<10	<10	<10			<5
C-2-352	C_2_352_25	25	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	**72**	<10	<10	<10			<5
C-2-352	C_2_352_30	30	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	**45**	<10	<10	<10			<5
C-2-352	C_2_352_40	40	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	**18**	<10	<10	<10			<5
C-2-352	C_2_352_50	50	<25	<50	<25	<25		<50		<25	<25	<25	<25	<50		<25		<25	<25	<25	<50				<25	<25	<100	<25	<25	<25	<25	**480**	<50	<50	<50			<25
C-2-352	C_2_352_60	60	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	**9.7**	<10	<10	<10			<5
C-3-1	C_3_1_5'	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-3-1	C_3_1_10'	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-3-2	C_3_2_1.5'	1.5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-3-2	C_3_2_5'	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-3-2	C_3_2_10'	10	**1.8J**	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-3-3	C_3_3_10'	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-3-3	C_3_3_15	15	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-3-3	C_3_3_20	20	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C6-CB15-S2	C6-CB15-S2_P_0.25_042098_1	0.25	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5					<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<5	<5	<2.5			<2.5
C6-CB6-S1	C6-CB6-S1_P_0.25_042098_1	0.25	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5					<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<5	<5	<2.5			<2.5
C-9	C-9-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-9	C-9-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-9	C-9-15	15	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-20-3	C-20-3-1	1	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5					<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5			<2.5
C-20-3	C-20-3-5	5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5					<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5			<2.5
C-20-3	C-20-3-10	10	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5					<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5			<2.5
C-20-4	C-20-4-5	5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5					<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5			<2.5
C-20-4	C-20-4-10	10	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5					<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5			<2.5
C-20-4	C-20-4-15	15	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5					<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5			<2.5
C-20-5	C-20-5-1	1	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5					<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5			<2.5
C-20-5	C-20-5-5	5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5					<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5			<2.5
C-20-6	C-20-6-1	1	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5					<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5			<2.5
C-20-6	C-20-6-5	5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5					<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5			<2.5
C-29-E-8	C-29-E-8-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C-29-E-8	C-29-E-8-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C29S01	C29S01_5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C29S01	C29S01_10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C29S01	C29S01_15	15	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C29S01	C29S01_20	20	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C29S01	C29S01_30	30	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C29S02	C29S02_5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C29S02	C29S02_10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C29S02	C29S02_15	15	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5
C29S02	C29S02_20	20	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10	<10			<5

See notes on page 54

Table 8
Volatile Organic Compounds in Soil Samples (µg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Object Name	Sample Name	Sample Depth (feet)	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloro-1,2,2-trifluoroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-chloropropane	1,2-Dichlorobenzene	1,2-Dichloroethane	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	1,4-Dioxane	2,2-Dichloropropane	2-Butanone	2-Chloroethylvinylether	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene	4-Isopropyltoluene	4-Methyl-2-pentanone	Acetone	Acrolein	Acrylonitrile	Benzene	Benzene, 1-methylethyl-	Bromobenzene	Bromochloromethane	Bromodichloromethane	Bromoform	Bromomethane	Carbon disulfide	Carbon tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane
C29S02	C29S02_30	30	<5	<5	<5		<5	<5	<5	<5					<10	<5																													
C29S03	C29S03_5	5	<5	<5	<5		<5	<5	<5	<5					<10	<5																													
C29S03	C29S03_10	10	<5	<5	<5		<5	<5	<5	<5					<10	<5																													
C29S03	C29S03_15	15	<5	<5	<5		<5	<5	<5	<5					<10	<5																													
C29S03	C29S03_20	20	<5	<5	<5		<5	<5	<5	<5					<10	<5																													
C29S03	C29S03_30	30	<5	<5	<5		<5	<5	<5	<5					<10	<5																													
C29S04	C29S04_5	5	<5	<5	<5		<5	<5	<5	<5					<10	<5																													
C29S04	C29S04_10	10	<5	<5	<5		<5	<5	<5	<5					<10	<5																													
C29S04	C29S04_15	15	<5	<5	<5		<5	**3.4J**	<5	<5					<10	<5																													
C29S04	C29S04_20	20	<5	<5	<5		<5	**1.8J**	<5	<5					<10	<5																													
C29S04	C29S04_30	30	<5	<5	<5		<5	**1.6J**	<5	<5					<10	<5																													
C-31	C_31_5'	5	<5	<5	<5		<5	<5	<5	<5					<10	<5																													
C-31	C_31_10'	10	<5	<5	<5		<5	<5	<5	<5					<10	<5																													
C-32-1	C-32-10-10	10		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
C-32-1	C-32-10-15	15		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
C-32-1	C-32-10-20	20		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
C-32-2	C-32-2-5	5		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
C-32-2	C-32-2-10	10		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
C-32-3	C-32-3-1	1		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
C-32-3	C-32-3-5	5		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
C-32-3	C-32-3-10	10		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
C-32-4	C-32-4-1	1		**300**	<2.5		<2.5	**96**	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
C-32-4	C-32-4-5	5		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
C-32-4	C-32-4-10	10		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
C-32-5	C-32-5-4'	4		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
C-32-5	C-32-5-10'	10		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
C-32-5	C-32-5-15	15		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
C-32-5	C-32-5-20	20		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
C-32-6	C-32-6-10	10		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
C-32-6	C-32-6-15	15		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
C-32-6	C-32-6-20	20		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
C-32-7	C-32-7-5	5		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
C-32-7	C-32-7-10	10		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
C-32-7	C-32-7-15	15		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
C-32-7	C-32-7-20	20		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
C-32-8	C-32-8-10	10		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
C-32-8	C-32-8-15	15		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
C-32-8	C-32-8-20	20		<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5
C-329	C_329_1	1	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-329	C_329_5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-32-G-12	C-32-G-12-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-32-G-12	C-32-G-12-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-66-1	C-66-1-1	1	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-66-1	C-66-1-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-66-2	C-66-2-1	1	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-66-2	C-66-2-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-66-2	C-66-2-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-66-3	C-66-3-1	1	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-66-3	C-66-3-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-66-4	C-66-4-1	1	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-66-4	C-66-4-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-66-4	C-66-4-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-66-5	C-66-5-1	1	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-66-5	C-66-5-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-66-6	C-66-6-1	1	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-66-6	C-66-6-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-66-6	C-66-6-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-66-7	C-66-7-1	1	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-66-7	C-66-7-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-66-8	C-66-8-1'	1	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-66-8	C-66-8-5'	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-66-8	C-6-8/24	24																																													
C-66-8	C-6-8/30	30																																												
C-66-9	C-66-9-1	1	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-66-9	C-66-9-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-66-9	C-66-9-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-66-10	C-66-10-1	1	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-66-10	C-66-10-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	**22J**	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-66-11	C-66-11-1	1	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-66-11	C-66-11-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-66-11	C-66-11-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-66-12	C-66-12-1	1	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-66-12	C-66-12-5"	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	**37**	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-66-13	C-66-13-1	1	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-66-13	C-66-13-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	**22J**	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-66-13	C-66-13-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-66-14	C-66-14-1	1	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-66-14	C-66-14-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-66-15	C-66-15-1	1	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-66-15	C-66-15-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
C-66-15	C-66-15-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10

See notes on page 54

Table 8
Volatile Organic Compounds in Soil Samples (µg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Object Name	Sample Name	Sample Depth (feet)	Chloroform	Chloromethane	cis-1,2-Dichloroethene	cis-1,3-Dichloropropene	Dibromomethane	Dichlorodifluoromethane	Dichlorofluoromethane	Dichloromethane	Ethylbenzene	Ethylene dibromide	Hexachlorobutadiene	Iodomethane	Isopropyl ether	MTBE	Naphthalene	n-Butylbenzene	n-Propylbenzene	sec-Butylbenzene	Styrene	t-Butanol	Tert-amyl methyl ether	Tert-butyl ethyl ether	tert-Butylbenzene	Tetrachloroethene	Tetrahydrofuran	Toluene	trans-1,2-Dichloroethene	trans-1,3-Dichloropropene	Trichloroethene	Trichlorofluoromethane	Vinyl Acetate	Vinyl chloride	m/p-xylene	o-Xylene	Xylenes (total)
C29S02	C29S02_30	30	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**5.5**	<10	<10	<10			<5
C29S03	C29S03_5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C29S03	C29S03_10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C29S03	C29S03_15	15	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C29S03	C29S03_20	20	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**2.7J**	<10	<10	<10			<5
C29S03	C29S03_30	30	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C29S04	C29S04_5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C29S04	C29S04_10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C29S04	C29S04_15	15	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**8.8**	<10	<10	<10			<5
C29S04	C29S04_20	20	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**4.5J**	<10	<10	<10			<5
C29S04	C29S04_30	30	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**5.1**	<10	<10	<10			<5
C-31	C_31_5'	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-31	C_31_10'	10	**3.7J**	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-32-1	C-32-10-10	10	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5			<2.5
C-32-1	C-32-10-15	15	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5			<2.5
C-32-1	C-32-10-20	20	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5			<2.5
C-32-2	C-32-2-5	5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5			<2.5
C-32-2	C-32-2-10	10	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5			<2.5
C-32-3	C-32-3-1	1	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5			<2.5
C-32-3	C-32-3-5	5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5			<2.5
C-32-3	C-32-3-10	10	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5			<2.5
C-32-4	C-32-4-1	1	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		**79**	<2.5	**2100**	<2.5	<2.5	<2.5	<2.5			<2.5
C-32-4	C-32-4-5	5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5			<2.5
C-32-4	C-32-4-10	10	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5			<2.5
C-32-5	C-32-5-4'	4	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		**6.7**	<2.5	<2.5	<2.5	**41**	<2.5	<2.5			<2.5
C-32-5	C-32-5-10'	10	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5			<2.5
C-32-5	C-32-5-15	15	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5			<2.5
C-32-5	C-32-5-20	20	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5			<2.5
C-32-6	C-32-6-10	10	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5			<2.5
C-32-6	C-32-6-15	15	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5			<2.5
C-32-6	C-32-6-20	20	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.6	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5			<2.5
C-32-7	C-32-7-5	5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5			<2.5
C-32-7	C-32-7-10	10	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5			<2.5
C-32-7	C-32-7-15	15	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5			<2.5
C-32-7	C-32-7-20	20	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5			<2.5
C-32-8	C-32-8-10	10	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	**5.3**	<2.5	<2.5	<2.5			<2.5
C-32-8	C-32-8-15	15	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5			<2.5
C-32-8	C-32-8-20	20	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<2.5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5			<2.5
C-329	C_329_1	1	<5	<10	<5	<5		<10		**5.3**	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			**3J**
C-329	C_329_5	5	<5	<10	<5	<5		<10		**10**	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-32-G-12	C-32-G-12-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-32-G-12	C-32-G-12-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-66-1	C-66-1-1	1	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-66-1	C-66-1-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-66-2	C-66-2-1	1	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-66-2	C-66-2-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-66-2	C-66-2-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-66-3	C-66-3-1	1	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-66-3	C-66-3-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-66-4	C-66-4-1	1	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-66-4	C-66-4-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-66-4	C-66-4-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-66-5	C-66-5-1	1	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-66-5	C-66-5-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-66-6	C-66-6-1	1	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-66-6	C-66-6-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-66-6	C-66-6-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-66-7	C-66-7-1	1	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-66-7	C-66-7-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-66-8	C-66-8-1'	1	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-66-8	C-66-8-5'	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-66-8	C-6-8/24	24																																			
C-66-8	C-6-8/30	30																																			
C-66-9	C-66-9-1	1	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-66-9	C-66-9-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-66-9	C-66-9-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-66-10	C-66-10-1	1	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-66-10	C-66-10-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-66-11	C-66-11-1	1	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-66-11	C-66-11-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-66-11	C-66-11-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-66-12	C-66-12	1	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-66-12	C-66-12-5"	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-66-13	C-66-13-1	1	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-66-13	C-66-13-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-66-13	C-66-13-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-66-14	C-66-14-1	1	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-66-14	C-66-14-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-66-15	C-66-15-1	1	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-66-15	C-66-15-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
C-66-15	C-66-15-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5

See notes on page 54

Table 8
Volatile Organic Compounds in Soil Samples (µg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Object Name	Sample Name	Sample Depth (feet)	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloro-1,2,2-trifluoroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-chloropropane	1,2-Dichlorobenzene	1,2-Dichloroethane	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	1,4-Dioxane	2,2-Dichloropropane	2-Butanone	2-Chloroethylvinylether	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene	4-Isopropyltoluene	4-Methyl-2-pentanone	Acetone	Acrolein	Acrylonitrile	Benzene	Benzene, 1-methylethyl-	Bromobenzene	Bromochloromethane	Bromodichloromethane	Bromoform	Bromomethane	Carbon disulfide	Carbon tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane
CI-GS-1C	CI-GS-1C-1.5'_P_1.5_081397_1	1.5		<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5			<2.5	<2.5						<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5
D-15	D_15_5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
D-15	D-15-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
D-15	D_15_15	15	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
D-29	D-29-15	15	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
D-29	D-29-30	30	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
D-29	D-29-40	40	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
D-29	D-29-60	60	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
D-41	D_41_5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
D-41	D_41_10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
F11-1	F11_1_5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
F11-1	F11_1_10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
F20-1	F20_1_10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
F20-1	F20_1_20	20	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
F20-1	F20_1_25	25	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
F20-1	F20_1_30	30	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
F20-1	F20_1_40	40	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
F20-2	F20_2_10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
F20-2	F20_2_20	20	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
F20-2	F20_2_25	25	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
F20-2	F20_2_30	30	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
F20-3	F20_3_10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
F20-3	F20_3_20	20	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
F20-3	F20_3_25	25	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
F20-3	F20_3_30	30	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
F20-4	F20_4_10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
F20-4	F20_4_20	20	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
F20-4	F20_4_25	25	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
F20-4	F20_4_30	30	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
F20-5	F20_5_10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
F20-5	F20_5_20	20	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
F20-5	F20_5_25	25	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
F20-5	F20_5_30	30	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
F20-5	F20_5_40	40	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
F20-5	F20_5_50	50	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
F20-5	F20_5_60	60	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
F25-10	F25_10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
F25-5	F25_5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
G8	G8-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
G8	G8-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
I-16	I_16_5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
I-16	I_16_10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
I-25	I-25-15	15	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
I-25	I-25-30	30	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
I-25	I-25-40	40	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
I-25	I-25-60	60	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
I-34	I-34-5'	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
I-34	I-34-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
I-34	I-34-15	15	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
I-34	I-34-30	30	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
I-34	I-34-40	40	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
I-34	I-34-60	60	<5	<5	<5		<5	<5	**4.4J**	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
I-40	I_40_5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
I-40	I_40_10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
I-40	I_40_15	15	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
J-2	J_2_5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
J-2	J_2_10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
J-2	J_2_15	15	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
J-6	J_6_5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
J-6	J_6_10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
J-6	J_6_15	15	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
L-5	L_5_5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
L-5	L_5_10	10	<5	<5	<5		<5	<5	**23**	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
L-5	L_5_15	15	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
L-5	L_5_20	20	<5	<5	<5		<5	<5	**2.7J**	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
L-5	L_5_30	30	<5	**1.7J**	<5		<5	**1.4J**	**21**	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
M-5	M_5_5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
M-5	M_5_10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
M-5	M_5_15	15	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
M-5	M_5_20	20	<5	<5	<5		<5	<5	**3.8J**	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
M-5	M_5_30	30	<5	<5	<5		<5	<5	**6.5**	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
M-10	M_10_061601_13	12	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
M-10	M_10_061601_14	12	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
M-10	M_10_061601_19	12	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
M-10	M_10_061601_17	14	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
M-10	M_10_061601_12	25	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
M-10	M_10_061601_18	25	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
M-10	M_10_061601_15	26	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
M-10	M_10_061601_16	26	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
N-2	N-2-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
N-2	N-2-10	10	<5	<5	<5		<5	<5	**4.2J**	<5	<5	<5	<5	<5	<10	<5	<5	<5

Table 8
Volatile Organic Compounds in Soil Samples (µg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Object Name	Sample Name	Sample Depth (feet)	Chloroform	Chloromethane	cis-1,2-Dichloroethene	cis-1,3-Dichloropropene	Dibromomethane	Dichlorodifluoromethane	Dichlorofluoromethane	Dichloromethane	Ethylbenzene	Ethylene dibromide	Hexachlorobutadiene	Iodomethane	Isopropyl ether	MTBE	Naphthalene	n-Butylbenzene	n-Propylbenzene	sec-Butylbenzene	Styrene	t-Butanol	Tert-amyl methyl ether	Tert-butyl ethyl ether	tert-Butylbenzene	Tetrachloroethene	Tetrahydrofuran	Toluene	trans-1,2-Dichloroethene	trans-1,3-Dichloropropene	Trichloroethene	Trichlorofluoromethane	Vinyl Acetate	Vinyl chloride	m/p-xylene	o-Xylene	Xylenes (total)
CI-GS-1C	CI-GS-1C-1.5'_P_1.5_081397_1	1.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<5	<2.5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<5	<5	<2.5			<2.5
D-15	D_15_5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
D-15	D-15-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
D-15	D_15_15	15	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
D-29	D-29-15	15	<5	<10	<5	<5		<10		**24**	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	**38**	<10	<10			<5
D-29	D-29-30	30	<5	<10	<5	<5		<10		**10**	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10			<5
D-29	D-29-40	40	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10			<5
D-29	D-29-60	60	<5	<10	**3.4J**	<5		<10		**11**	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	**16**	<10	<10			<5
D-41	D_41_5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10			<5
D-41	D_41_10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10			<5
F11-1	F11_1_5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10			<5
F11-1	F11_1_10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10			<5
F20-1	F20_1_10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	**13**	<10	<10			<5
F20-1	F20_1_20	20	**2.8J**	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10			<5
F20-1	F20_1_25	25	**8**	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10			<5
F20-1	F20_1_30	30	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10			<5
F20-1	F20_1_40	40	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10			<5
F20-2	F20_2_10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10			<5
F20-2	F20_2_20	20	**7.5**	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10			<5
F20-2	F20_2_25	25	**9.2**	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10			<5
F20-2	F20_2_30	30	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10			<5
F20-3	F20_3_10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10			<5
F20-3	F20_3_20	20	**8.9**	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10			<5
F20-3	F20_3_25	25	**2.1J**	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10			<5
F20-3	F20_3_30	30	**3J**	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10			<5
F20-4	F20_4_10	10	**2.1J**	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10			<5
F20-4	F20_4_20	20	**2.3J**	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10			<5
F20-4	F20_4_25	25	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10			<5
F20-4	F20_4_30	30	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10			<5
F20-5	F20_5_10	10	**2.3J**	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10			<5
F20-5	F20_5_20	20	**5.2**	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10			<5
F20-5	F20_5_25	25	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10			<5
F20-5	F20_5_30	30	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10			<5
F20-5	F20_5_40	40	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10			<5
F20-5	F20_5_50	50	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10			<5
F20-5	F20_5_60	60	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10			<5
F25-10	F25_10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	**24**	<10	<10			<5
F25-5	F25_5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	**62**	<10	<10			<5
G8	G8-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10			<5
G8	G8-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10			<5
I-16	I_16_5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10			<5
I-16	I_16_10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10			<5
I-25	I-25-15	15	<5	<10	<5	<5		<10		**11**	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	**7.5**	<10	<10			<5
I-25	I-25-30	30	<5	<10	<5	<5		<10		**8.8**	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10			<5
I-25	I-25-40	40	<5	<10	<5	<5		<10		**6.9**	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10			<5
I-25	I-25-60	60	<5	<10	<5	<5		<10		**6.8**	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10			<5
I-34	I-34-5'	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10			<5
I-34	I-34-10	10	<5	<10	<5	<5		<10		**16**	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10			<5
I-34	I-34-15	15	<5	<10	<5	<5		<10		**8.9**	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	**3.5J**	<10	<10			<5
I-34	I-34-30	30	<5	<10	<5	<5		<10		**12**	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10			<5
I-34	I-34-40	40	<5	<10	<5	<5		<10		**17**	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10			<5
I-34	I-34-60	60	**7.9**	<10	<5	<5		<10		**5.1**	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	**340**	<10	<10			<5
I-40	I_40_5	5	<5	<10	<5	<5		<10		**12**	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	**12**	<20	<5	<5	<5	<5	<5	<10	<10			<5
I-40	I_40_10	10	**1.2J**	<10	<5	<5		<10		**7.5**	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10			<5
I-40	I_40_15	15	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10			<5
J-2	J_2_5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10			<5
J-2	J_2_10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10			<5
J-2	J_2_15	15	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10			<5
J-6	J_6_5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	**3.7J**	<10	<10			<5
J-6	J_6_10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10			<5
J-6	J_6_15	15	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10			<5
L-5	L_5_5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	**2.4J**	<10	<10			<5
L-5	L_5_10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	**19**	<10	<10			<5
L-5	L_5_15	15	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	**7.3**	<10	<10			<5
L-5	L_5_20	20	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	**7.5**	<10	<10			<5
L-5	L_5_30	30	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	**59**	<10	<10			<5
M-5	M_5_5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<5	<10	<10			<5
M-5	M_5_10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	**7.2**	<10	<10			<5
M-5	M_5_15	15	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	**2.8J**	<10	<10			<5
M-5	M_5_20	20	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	**14**	<10	<10			<5
M-5	M_5_30	30	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	**28**	<10	<10			<5
M-10	M_10_061801_13	12	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10			<5
M-10	M_10_061801_14	12	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10			<5
M-10	M_10_061801_19	12	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10			<5
M-10	M_10_061801_17	14	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	**2.2J**	<10	<10			<5
M-10	M_10_061801_12	25	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10			<5
M-10	M_10_061801_18	25	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10			<5
M-10	M_10_061801_15	26	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<5	<10	<10			<5
M-10	M_10_061801_16	26	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	**4.3J**	<10	<10			<5
N-2	N-2-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	**21**	<10	<10			<5
N-2	N-2-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	**9.1**	<10	<10			<5

See notes on page 54

Table 8
Volatile Organic Compounds in Soil Samples (µg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Object Name	Sample Name	Sample Depth (feet)	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloro-1,2,2-trifluoroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropane	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-chloropropane	1,2-Dichlorobenzene	1,2-Dichloroethane	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	1,4-Dioxane	2,2-Dichloropropane	2-Butanone	2-Chloroethylvinylether	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene	4-Isopropyltoluene	4-Methyl-2-pentanone	Acetone	Acrolein	Acrylonitrile	Benzene	Benzene, 1-methylethyl-	Bromobenzene	Bromochloromethane	Bromodichloromethane	Bromoform	Bromomethane	Carbon disulfide	Carbon tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane
N-2	N-2-15	15	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
N-2	N-2-20	20	<5	<5	<5		<5	<5	<5	**14**	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
N-2	N-2-30	30	<5	**6.9**	<5		<5	**5.4**	**210**	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
N-2	N-2-40	40	<5	**3.1J**	<5		<5	<5	**22**	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
N-4	N_4_5	5	<5	<5	<5		<5	<5	**6**	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
N-4	N_4_10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
N-4	N_4_15	15	<5	<5	<5		<5	**2.6J**	**6.4**	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
N-4	N_4_20	20	<5	<5	<5		<5	**2.4J**	**4.7J**	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
N-4	N_4_30	30	<5	**5.4**	<5		<5	**9.4**	**22**	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
N-14	N_14_5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
N-14	N_14_10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
N-14	N_14_15	15	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
NW-7	SA-NW-7-1_P_1_030697_1	1	<5	<5	<5	<5	<5	<5	<5																																		<5				
NW-7	SA-NW-7-4_P_4_030697_1	4	<5	<5	<5	<5	<5	<5	**14**																																		<5				
NW-7	SA-NW-7-10_P_10_030697_1	10	<5	<5	<5	<5	<5	<5	<5																																		<5				
O-5	O-5-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
O-5	O-5-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
O-5	O-5-15	15	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
O-5	O-5-20	20	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
O-5	O-5-30	30	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
O-5	O-5-40	40	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
OA1-GS-64	OA1-GS-64-7'_P_7_072897_1	7		<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<25	<5	<2.5	<25	<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<5
OA1-GS-65	OA1-GS-65-2'_P_2_072897_1	2		<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5	<25	<5	<2.5	<25	<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<5
P20-1	P_20_1_5	5	<5	<5	<5		<5	<5	**3J**	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
P20-1	P_20_1_10	10	<5	<5	<5		<5	<5	**5**	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
P20-1	P_20_1_15	15	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
P20-2	P_20_2_5	5	<5	<5	<5		<5	<5	**3.1J**	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
P20-2	P_20_2_10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
P20-2	P_20_2_15	15	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
PD-1	PD_1_20	20	<5	<5	<5		<5	<5	**14**	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
PD-1	PD_1_30	30	<5	**1J**	<5		<5	<5	**36**	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
PD-2	PD_2_20	20	<5	<5	<5		<5	<5	**35**	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
PD-2	PD_2_30	30	<5	**2.4J**	<5		<5	<5	**100**	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
PD-2	PD_2_40	40	<25	<25	<25		<25	<25	**58**	<25	<25	<25	<25	<25	<50	<25	<25	<25	<25	<25		<25		<25	<25	<120	<50	<25	<120	<25	<25	<25	<120	<120	<500	<250	<25	<25	<25	<25	<25	<25	<50	<25	<25	<25	<50
PD-2	PD_2_50	50	<5	**1.7J**	<5		<5	<5	**100**	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
PD-2	PD_2_60	60	<25	<25	<25		<25	<25	**73**	<25	<25	<25	<25	<25	<50	<25	<25	<25	<25	<25		<25		<25	<25	<120	<50	<25	<120	<25	<25	<25	<120	<120	<500	<250	<25	<25	<25	<25	<25	<25	<50	<25	<25	<25	<50
PD-3	PD-3-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
PD-3	PD-3-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
PD-3	PD-3-15	15	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
PD-3	PD-3-20	20	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
PD-3	PD-3-30	30	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
PD-3	PD-3-40	40	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
PD-14	PD_14_5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
PD-14	PD_14_10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
PD-14	PD_14_15	15	<5	**3.3J**	<5		**4.4J**	**9.4**	**36**	<5	<5	<5	<5	<5	<10	<5	**1.7J**	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
PD-14	PD_14_20	20	<5	**9.2**	<5		**6.1**	**22**	**96**	<5	<5	<5	<5	<5	<10	<5	**2.9J**	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
PD-14	PD_14_30	30	<5	**23**	<5		**18**	**39**	**110**	<5	<5	<5	<5	<5	<10	<5	**5.1**	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
PD-14	PD-14-40	40	<5	**35**	<5		**30**	**73**	**110**	<5	<5	<5	<5	<5	<10	<5	**7.7**	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
PD-16	PD_16_5	5	<5	**1.1J**	<5		<5	<5	**3J**	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
PD-16	PD_16_10	10	<5	**2.1J**	<5		<5	**4.8J**	**25**	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
PD-16	PD_16_15	15	<5	**9.7**	<5		**3.6J**	**18**	**88**	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
PD-16	PD_16_20	20	<5	**11**	<5		<5	**19**	**110**	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
PD-16	PD_16_30	30	<5	**33**	<5		**11**	**62**	**230**	<5	<5	<5	<5	<5	<10	<5	**2.8J**	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	**2.4J**	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
PD-16	PD_16_40	40	<5	**120**	<5		**12**	**71**	**180**	<5	<5	<5	<5	<5	<10	<5	**4.7J**	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	**3.6J**	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
PD-16	PD_16_50	50	<5	**5.2**	<5		**3.4J**	<5	<5	<5	<5	<5	<5	<5	<10	<5	**3J**	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
PD-16	PD_16_60	60	<5	**39**	<5		**5.1**	**11**	**7.9**	<5	<5	<5	<5	<5	<10	<5	**4J**	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
PD-16	PD_16_70	70	<25	**110**	<25		<25	**55**	**140**	<25	<25	<25	<25	<25	<50	<25	**15J**	<25	<25	<25		<25		<25	<25	**590**	<50	<25	<120	<25	<25	<120	<120	<500	<250	<25	<25	<25	<25	<25	<25	<50	<25	**11J**	<25	<25	<50
PD-20	PD20-7'	7	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
PD-20	PD20-10'	10	<5	<5	<5		<5	<5	**30**	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
PD-20	PD20-15'	15	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
PD-20	PD20-20'	20	<5	<5	<5		<5	<5	**30**	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
PD-20	PD20-30'	30	<5	<5	<5		<5	<5	**14**	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
PD-20	PD20-40'	40	<5	**4.5J**	<5		<5	**4.1J**	**230**	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
PD-20	PD20-50'	50	<5	**22**	<5		<5	**8**	**330**	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
PD-20	PD20-60'	60	<25	**63**	<25		<25	<25	**29**	<25	<25	<25	<25	<25	<50	<25	<25	<25	<25	<25		<25		<25	<25	<120	<50	<25	<120	<25	<25	<120	<120	<500	<250	<25	<25	<25	<25	<25	<25	<50	<25	<25	<25	<50
PD-21	PD21-5'	5	<5	<5	<5		<5	<5	**6**	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
PD-21	PD21-10'	10	<5	<5	<5		<5	<5	**4J**	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
PD-21	PD21-15'	15	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
PD-21	PD21-20'	20	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
PD-21	PD21-30'	30	<5	<5	<5		<5	<5	**4.1J**	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
PD-21	PD21-40'	40	<5	**58**	<5		<5	**16**	**230**	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
PD-21	PD21-50'	50	<5	**280**	<5		<5	**17**	**25**	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
PD-21	PD21-60'	60	<25	**120**	<25		<25	**17J**	**110**	<25	<25	<25	<25	<25	<50	<25	<25	<25	<25	<25		<25		<25	<25	<120	<50	<25	<120	<25	<25	**140**	<120	<500	<250	<25	<25	<25	<25	<25	<25	<50	<25	<25	<25	<50
PD-22	PD22-5'	5	<5	<5	<5		<5	<5	**19**	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
PD-22	PD22-10'	10	<5	<5	<5		<5	<5	**8.3**	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
PD-22	PD22-15'	15	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
PD-22	PD22-20'	20	<5	<5	<5		<5	<5	**6**	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
PD-22	PD22-30'	30	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
PD-22	PD22-40'	40	<5	**71**	<5		<5	**45**	**390**	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	**2.5J**	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<10
PD-22	PD22-50'	50	<25	**360**	<25		<25	**36**	**190**	<25	<25	<25	<25	<25	<50	<25	<25	<25	<25	<25		<25		<25	<25	<120	<50	<25	<120	<25	<25	<120	<120	<500	<250	<25	<25	<25	<25	<25	<25	<50	<25	<25	<25	<50
PD-22	PD22-60'	60	<25	**89**	<25		<25	**36**	**100**	<25	<25	<25	<25	<25	<50	<25	<25	<25	<25	<25		<25		<25	<25	<120	<50	<25	<120	<25	<25	**5000**	<120	<500	<250	**14J**	<25	<25	<25	<25	<25	<50	<25	<25	<25	<50

See notes on page 54

Table 8
Volatile Organic Compounds in Soil Samples (µg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Object Name	Sample Name	Sample Depth (feet)	Chloroform	Chloromethane	cis-1,2-Dichloroethene	cis-1,3-Dichloropropene	Dibromomethane	Dichlorodifluoromethane	Dichlorofluoromethane	Dichloromethane	Ethylbenzene	Ethylene dibromide	Hexachlorobutadiene	Iodomethane	Isopropyl ether	MTBE	Naphthalene	n-Butylbenzene	n-Propylbenzene	sec-Butylbenzene	Styrene	t-Butanol	Tert-amyl methyl ether	Tert-butyl ethyl ether	tert-Butylbenzene	Tetrachloroethene	Tetrahydrofuran	Toluene	trans-1,2-Dichloroethene	trans-1,3-Dichloropropene	Trichloroethene	Trichlorofluoromethane	Vinyl Acetate	Vinyl chloride	m/p-xylene	o-Xylene	Xylenes (total)
N-2	N-2-15	15	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**3.4J**	<10	<10	<10			<5
N-2	N-2-20	20	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	**2.3J**	<5	**180**	<10	<10	<10			<5
N-2	N-2-30	30	<5	<10	**2.5J**	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**22**	<10	<10	<10			<5
N-2	N-2-40	40	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**68**	<10	<10	<10			<5
N-4	N_4_5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**33**	<10	<10	<10			<5
N-4	N_4_10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**29**	<10	<10	<10			<5
N-4	N_4_15	15	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**92**	<10	<10	<10			<5
N-4	N_4_20	20	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
N-4	N_4_30	30	**1.4J**	<10	**2.6J**	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
N-14	N_14_5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
N-14	N_14_10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
N-14	N_14_15	15	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
NW-7	SA-NW-7-1_P_1_030697_1	1	<5		<5					<5	<5															<5				<5					<5		
NW-7	SA-NW-7-4_P_4_030697_1	4	<5		<5					<5	<5															<5				**18**					<5		
NW-7	SA-NW-7-10_P_10_030697_1	10	<5		<5					<5	<5															<5				<5					<5		
O-5	O-5-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**50**	<10	<10	<10			<5
O-5	O-5-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
O-5	O-5-15	15	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**2.8J**	<10	<10	<10			<5
O-5	O-5-20	20	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**6.8**	<10	<10	<10			<5
O-5	O-5-30	30	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**12**	<10	<10	<10			<5
O-5	O-5-40	40	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
OA1-GS-64	OA1-GS-64-7'_P_7_072897_1	7	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<5	<2.5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<5	<5	<2.5			<2.5
OA1-GS-65	OA1-GS-65-2'_P_2_072897_1	2	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<5	<2.5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<5	<5	<2.5			<2.5
P20-1	P_20_1_5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	**8.6**	<20	<5	<5	<5	**28**	<10	<10	<10			<5
P20-1	P_20_1_10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**10**	<10	<10	<10			<5
P20-1	P_20_1_15	15	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**2.2J**	<10	<10	<10			<5
P20-2	P_20_2_5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**4.3J**	<10	<10	<10			<5
P20-2	P_20_2_10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
P20-2	P_20_2_15	15	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
PD-1	PD_1_20	20	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**19**	<10	<10	<10			<5
PD-1	PD_1_30	30	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**41**	<10	<10	<10			<5
PD-2	PD_2_20	20	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**41**	<10	<10	<10			<5
PD-2	PD_2_30	30	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**180**	<10	<10	<10			<5
PD-2	PD_2_40	40	<25	<50	<25	<25		<50		<25	<25	<25	<25	<50		<25		<25	<25	<25	<50				<25	<25	<100	<25	<25	<25	**150**	<50	<50	<50			<25
PD-2	PD_2_50	50	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**83**	<10	<10	<10			<5
PD-2	PD_2_60	60	<25	<50	<25	<25		<50		<25	<25	<25	<25	<50		<25		<25	<25	<25	<50				<25	<25	<100	<25	<25	<25	**160**	<50	<50	<50			<25
PD-3	PD-3-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	**2.4J**	<20	<5	<5	<5	**2.4J**	<10	<10	<10			<5
PD-3	PD-3-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
PD-3	PD-3-15	15	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**8.5**	<10	<10	<10			<5
PD-3	PD-3-20	20	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	**2.6J**	<20	<5	<5	<5	**11**	<10	<10	<10			<5
PD-3	PD-3-30	30	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**7**	<10	<10	<10			<5
PD-3	PD-3-40	40	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**2.9J**	<10	<10	<10			<5
PD-14	PD_14_5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
PD-14	PD_14_10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
PD-14	PD_14_15	15	<5	<10	**21**	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**26**	<10	<10	<10			<5
PD-14	PD_14_20	20	**1.4J**	<10	**44**	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**47**	<10	<10	<10			<5
PD-14	PD_14_30	30	**2.2J**	<10	**89**	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**72**	<10	<10	<10			<5
PD-14	PD-14-40	40	**3.2J**	<10	**140**	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**110**	<10	<10	<10			<5
PD-16	PD_16_5	5	<5	<10	**9**	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**21**	<10	<10	<10			<5
PD-16	PD_16_10	10	<5	<10	**24**	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**41**	<10	<10	<10			<5
PD-16	PD_16_15	15	<5	<10	**81**	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**110**	<10	<10	<10			<5
PD-16	PD_16_20	20	<5	<10	**74**	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**77**	<10	<10	<10			<5
PD-16	PD_16_30	30	**1.4J**	<10	**280**	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**170**	<10	<10	<10			<5
PD-16	PD_16_40	40	**1.8J**	<10	**180**	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**120**	<10	<10	<10			<5
PD-16	PD_16_50	50	<5	<10	**4.3J**	<5		<10		**54**	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	**27**	<5	<5	**7.5**	<10	<10	<10			**14**
PD-16	PD_16_60	60	<5	<10	**3.4J**	<5		<10		**51**	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	**110**	<5	<5	**14**	<10	<10	<10			**19**
PD-16	PD_16_70	70	<25	<50	**17J**	<25		<50		**47**	<25	<25	<25	<50		<25		<25	<25	<25	<50				<25	<25	<100	**430**	<25	<25	**100**	<50	<50	<50			**35**
PD-20	PD20-7'	7	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
PD-20	PD20-10'	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**18**	<10	<10	<10			<5
PD-20	PD20-15'	15	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
PD-20	PD20-20'	20	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**19**	<10	<10	<10			<5
PD-20	PD20-30'	30	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**14**	<10	<10	<10			<5
PD-20	PD20-40'	40	**3.1J**	<10	**2.7J**	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	**7.3**	<5	**170**	<10	<10	<10			<5
PD-20	PD20-50'	50	**4.9J**	<10	**3.5J**	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	**11**	<5	**200**	<10	<10	<10			<5
PD-20	PD20-60'	60	<25	<50	<25	<25		<50		<25	<25	<25	<25	<50		<25		<25	<25	<25	<50				<25	<25	<100	**31**	<25	<25	**12J**	<50	<50	<50			<25
PD-21	PD21-5'	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**5.8**	<10	<10	<10			<5
PD-21	PD21-10'	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**5.5**	<10	<10	<10			<5
PD-21	PD21-15'	15	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
PD-21	PD21-20'	20	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**4.1J**	<10	<10	<10			<5
PD-21	PD21-30'	30	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**8**	<10	<10	<10			<5
PD-21	PD21-40'	40	**7.1**	<10	**5.9**	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	**8.4**	<5	**200**	<10	<10	<10			<5
PD-21	PD21-50'	50	**4.8J**	<10	**2.3J**	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	**79**	<5	<5	**29**	<10	<10	<10			<5
PD-21	PD21-60'	60	<25	<50	<25	<25		<50		<25	<25	<25	<25	<50		<25		<25	<25	<25	<50				<25	<25	<100	**460**	<25	<25	**60**	<50	<50	<50			<25
PD-22	PD22-5'	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**15**	<10	<10	<10			<5
PD-22	PD22-10'	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**9.8**	<10	<10	<10			<5
PD-22	PD22-15'	15	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
PD-22	PD22-20'	20	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**13**	<10	<10	<10			<5
PD-22	PD22-30'	30	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**2J**	<10	<10	<10			<5
PD-22	PD22-40'	40	**16**	<10	**15**	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	**15**	<5	**350**	<10	<10	<10			<5
PD-22	PD22-50'	50	**7.8J**	<50	<25	<25		<50		<25	<25	<25	<25	<50		<25		<25	<25	<25	<50				<25	<25	<100	**470**	<25	<25	**110**	<50	<50	<50			<25
PD-22	PD22-60'	60	**5.1J**	<50	**19J**	<25		<50		<25	<25	<25	<25	<50		<25		<25	<25	<25	<50				<25	<25	<100	**1600**	<25	<25	**84**	<50	<50	<50			<25

See notes on page 54

Table 8
Volatile Organic Compounds in Soil Samples (µg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Object Name	Sample Name	Sample Depth (feet)	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloro-1,2,2-trifluoroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-chloropropane	1,2-Dichlorobenzene	1,2-Dichloroethane	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	1,4-Dioxane	2,2-Dichloropropane	2-Butanone	2-Chloroethylvinylether	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene	4-Isopropyltoluene	4-Methyl-2-pentanone	Acetone	Acrolein	Acrylonitrile	Benzene	Benzene, 1-methylethyl-	Bromobenzene	Bromochloromethane	Bromodichloromethane	Bromoform	Bromomethane	Carbon disulfide	Carbon tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane
PD-23	PD_23_10	10	<5	<5	<5		<5	<5	8.1	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
PD-23	PD_23_20	20	<5	<5	<5		<5	<5	7.6	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
PD-23	PD_23_25	25	<5	<5	<5		<5	<5	110	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
PD-23	PD_23_30	30	<5	<5	<5		<5	<5	41	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
PD-23	PD_23_40	40	<5	22	<5		<5	3.3J	180	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
PD-23	PD_23_50	50	<25	560	<25		<25	20J	780	<25	<25	<25	<25	<25	<50	<25	<25	<25	<25	<25	<25	<25	<25	<25	<120	<50	<25	<120	<25	<25	<120	<120	<500	<250	<25	<25	<25	<25	<25	<50	<25	<25	<25	<25	<50
PD-23	PD_23_60	60	<5	78	<5		<5	4.9J	13	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
PD-25	PD_25_10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
PD-25	PD_25_20	20	<5	<5	<5		<5	<5	38	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
PD-25	PD_25_25	25	<5	<5	<5		<5	<5	200	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
PD-25	PD_25_30	30	<5	<5	<5		<5	<5	46	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
PD-25	PD_25_40	40	<25	11J	<25		<25	17J	840	<25	<25	<25	<25	<25	<50	<25	<25	<25	<25	<25	<25	<25	<25	<25	<120	<50	<25	<120	<25	<25	<120	<120	<500	<250	<25	<25	<25	<25	<25	<50	<25	<25	<25	<25	<50
PD-25	PD_25_50	50	<5	2J	<5		<5	<5	17	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
PD-26	PD_26_10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
PD-26	PD_26_20	20	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
PD-26	PD_26_25	25	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
PD-26	PD_26_30	30	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
PD-26	PD_26_40	40	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
PD-26	PD_26_50	50	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
PD-26	PD_26_60	60	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
PD-27	PD_27_10	10	<5	2.9J	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
PD-27	PD_27_20	20	<5	5.5	<5		<5	<5	12	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
PD-27	PD_27_25	25	<5	4.2J	<5		<5	<5	5.9	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
PD-27	PD_27_30	30	<5	55	<5		<5	10	37	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
PD-27	PD_27_40	40	<10000	12000	<10000		<10000	<10000	<10000	<10000	<10000	<10000	<10000	<10000	<20000	<10000	<10000	<10000	<10000	<10000	<10000	<10000	<10000	<10000	<50000	<20000	<10000	<50000	<10000	<10000	160000	<50000	<200000	<100000	<10000	<10000	<10000	<10000	<10000	<20000	<10000	<10000	<10000	<10000	<20000
PD-27	PD_27_50	50	<50000	1600000	<50000		<50000	<50000	<50000	<50000	<50000	<50000	<50000	<50000	<100000	<50000	<50000	<50000	<50000	<50000	<50000	<50000	<50000	<50000	590000	<100000	<50000	<250000	<50000	<50000	650000	<250000	1000000	<500000	<50000	<50000	<50000	<50000	<50000	<100000	<50000	<50000	<50000	<50000	<100000
PD-27	PD_27_60	60	<120000	5200000	<120000		<120000	<120000	<120000	<120000	<120000	<120000	<120000	<120000	<250000	<120000	<120000	<120000	<120000	<120000	<120000	<120000	<120000	<120000	8700000	<250000	<120000	<620000	<120000	<120000	1300000	<620000	2500000	1200000	<120000	<120000	<120000	<120000	<120000	<250000	<120000	<120000	<120000	<120000	<250000
PD-28	PD_28_10	10	<5	<5	<5		<5	<5	14	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
PD-28	PD_28_20	20	<5	<5	<5		<5	<5	15	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
PD-28	PD_28_25	25	<5	4.3J	<5		<5	8.6	90	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
PD-28	PD_28_30	30	<5	9.7	<5		<5	18	100	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
PD-28	PD_28_40	40	<5	27	<5		<5	41	78	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
PD-28	PD_28_50	50	<5	75	<5		<5	41	59	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
PD-28	PD_28_60	60	<5	150	<5		<5	35	84	<5	<5	<5	<5	<5	<10	<5	4.4J	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
PD-29	PD_29_20	20	<5	7	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
PD-29	PD_29_25	25	<5	2.9J	<5		<5	2.5J	9.1	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
PD-29	PD_29_30	30	<5	4.6J	<5		<5	3J	13	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
PD-29	PD_29_40	40	<5	28	<5		<5	14	320	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
PD-29	PD_29_50	50	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
PD-29	PD_29_60	60	<25	160	<25		<25	48	730	<25	<25	<25	<25	<25	<50	<25	<25	<25	<25	<25	<25	<25	<25	<25	<120	<50	<25	<120	<25	<25	<120	<120	<500	<250	<25	<25	<25	<25	<25	<50	<25	<25	<25	<25	<50
PD-30	PD_30_20	20	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
PD-30	PD_30_25	25	<5	2.7J	<5		<5	<5	54	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
PD-30	PD_30_30	30	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
PD-30	PD_30_40	40	<5	<5	<5		<5	<5	2.5J	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
PD-30	PD_30_50	50	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
PD-30	PD_30_60	60	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
PD-32	PD32_10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
PD-32	PD32_20	20	<5	<5	<5		<5	<5	3.9J	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
PD-32	PD32_25	25	<5	<5	<5		<5	<5	20	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
PD-32	PD32_30	30	<5	<5	<5		<5	<5	13	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
PD-32	PD32_40	40	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
PD-32	PD32_50	50	<5	<5	<5		<5	<5	17	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
PD-32	PD32_60	60	<5	<5	<5		<5	<5	6	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
PD-34-S1	PD_34_S1 10.0_11.5	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
PD-34-S2	PD_34_S2 20.0_21.5	20	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
PD-34-S2	PD_34_S2 25.0_26.5	25	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
PD-34-S4	PD_34_S4 30.0_31.5	30	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
PD-34-S5	PD_34_S5 40.0_41.5	40	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	2.5J	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
PD-34-S6	PD_34_S6 50.0_51.5	50	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
PD-34-S7	PD_34_S7 60.0_61.5	60	<5	<5	<5		<5	<5	13	<5	<5	<5	<5	<5	<10	<5	2.1J	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
PD-35-S1	PD_35_S1 10.0_11.5	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
PD-35-S2	PD_35_S2 20.0_21.5	20	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
PD-35-S3	PD_35_S3 25.0_26.5	25	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
PD-35-S4	PD_35_S4 30.0_31.5	30	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
PD-35-S5	PD_35_S5 40.0_41.5	40	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
PD-35-S6	PD_35_S6 50.0_51.5	50	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
PD-35-S7	PD_35_S7 60.0_61.5	60	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
PD-36/51	PD_36/51 10_11.5	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
PD-36/52	PD_36/52 20_21.5	20	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
PD-36/53	PD_36/53 25_26.5	25	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
PD-36/54	PD_36/54 30_31.5	30	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
PD-36/55	PD_36/55 40_41.5	40	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
PD-36/56	PD_36/56 50_51.5	50	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
PD-36/57	PD_36/57 60_61.5	60	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
PD-37-S1	PD_37_S1 10_11.5	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
PD-37-S2	PD_37_S2 20_21.5	20	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
PD-37-S3	PD_37_S3 25_26.5	25	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
PD-37-S4	PD_37_S4 30_31.5	30	<5	<5	<5		<5	<5	3.3J	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
PD-37-S5	PD_37_S5 40_41.5	40	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5

Table 8
Volatile Organic Compounds in Soil Samples (µg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Object Name	Sample Name	Sample Depth (feet)	Chloroform	Chloromethane	cis-1,2-Dichloroethene	cis-1,3-Dichloropropene	Dibromomethane	Dichlorodifluoromethane	Dichlorofluoromethane	Dichloromethane	Ethylbenzene	Ethylene dibromide	Hexachlorobutadiene	Iodomethane	Isopropyl ether	MTBE	Naphthalene	n-Butylbenzene	n-Propylbenzene	sec-Butylbenzene	Styrene	t-Butanol	Tert-amyl methyl ether	Tert-butyl ethyl ether	tert-Butylbenzene	Tetrachloroethene	Tetrahydrofuran	Toluene	trans-1,2-Dichloroethene	trans-1,3-Dichloropropene	Trichloroethene	Trichlorofluoromethane	Vinyl Acetate	Vinyl chloride	m/p-xylene	o-Xylene	Xylenes (total)
PD-23	PD_23_10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**3J**	<10	<10	<10			<5
PD-23	PD_23_20	20	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**4.6J**	<10	<10	<10			<5
PD-23	PD_23_25	25	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**31**	<10	<10	<10			<5
PD-23	PD_23_30	30	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**20**	<10	<10	<10			<5
PD-23	PD_23_40	40	<5	<10	**2.3J**	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	**5.8**	<5	**83**	<10	<10	<10			<5
PD-23	PD_23_50	50	<25	<50	<25	<25		<50		<25	<25	<25	<25	<50		<25		<25	<25	<25	<50				<25	<25	<100	<25	**19J**	<25	**240**	<50	<50	<50			<25
PD-23	PD_23_60	60	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	**17**	<5	<5	**11**	<10	<10	<10			<5
PD-25	PD_25_10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**24**	<10	<10	<10			<5
PD-25	PD_25_20	20	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**91**	<10	<10	<10			<5
PD-25	PD_25_25	25	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**380**	<10	<10	<10			<5
PD-25	PD_25_30	30	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**120**	<10	<10	<10			<5
PD-25	PD_25_40	40	<25	<50	<25	<25		<50		<25	<25	<25	<25	<50		<25		<25	<25	<25	<50				<25	<25	<100	<25	<25	<25	**1500**	<50	<50	<50			<25
PD-25	PD_25_50	50	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**41**	<10	<10	<10			<5
PD-26	PD_26_10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
PD-26	PD_26_20	20	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**18**	<10	<10	<10			<5
PD-26	PD_26_25	25	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**23**	<10	<10	<10			<5
PD-26	PD_26_30	30	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
PD-26	PD_26_40	40	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**9.9**	<10	<10	<10			<5
PD-26	PD_26_50	50	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**5.2**	<10	<10	<10			<5
PD-26	PD_26_60	60	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**27**	<10	<10	<10			<5
PD-27	PD_27_10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**2.6J**	<10	<10	<10			<5
PD-27	PD_27_20	20	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**5.4**	<10	<10	<10			<5
PD-27	PD_27_25	25	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**4.1J**	<10	<10	<10			<5
PD-27	PD_27_30	30	<5	<10	**3.1J**	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	**59**	<5	<5	**23**	<10	<10	<10			<5
PD-27	PD_27_40	40	<10000	<20000	<10000	<10000		<20000		<10000	<10000	<10000	<10000	<20000		<10000		<10000	<10000	<10000	<20000				<10000	<10000	<40000	**360000**	<10000	<10000	<10000	<20000	<20000	<20000			<10000
PD-27	PD_27_50	50	<50000	<100000	<50000	<50000		<100000		<50000	<50000	<50000	<50000	<100000		<50000		<50000	<50000	<50000	<100000				<50000	<50000	<200000	**970000**	<50000	<50000	<50000	<100000	<100000	<100000			<50000
PD-27	PD_27_60	60	<120000	<250000	<120000	<120000		<250000		<120000	<120000	<120000	<120000	<250000		<120000		<120000	<120000	<120000	<250000				<120000	<120000	<500000	**1400000**	<120000	<120000	**36000J**	<250000	<250000	<250000			<120000
PD-28	PD_28_10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**21**	<10	<10	<10			<5
PD-28	PD_28_20	20	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**17**	<10	<10	<10			<5
PD-28	PD_28_25	25	<5	<10	**11**	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**97**	<10	<10	<10			<5
PD-28	PD_28_30	30	**1.3J**	<10	**21**	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**120**	<10	<10	<10			<5
PD-28	PD_28_40	40	**2.8J**	<10	**37**	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	**3J**	<5	**190**	<10	<10	<10			<5
PD-28	PD_28_50	50	**3.1J**	<10	**25**	<5		<10		**15**	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	**3.2J**	<5	**110**	<10	<10	<10			<5
PD-28	PD_28_60	60	**2.3J**	<10	**18**	<5		<10		**24**	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	**2.2J**	<5	**130**	<10	<10	<10			<5
PD-29	PD_29_20	20	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	**3.5J**	<5	<5	**21**	<10	<10	<10			<5
PD-29	PD_29_25	25	**1.9J**	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**59**	<10	<10	<10			<5
PD-29	PD_29_30	30	**2.2J**	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	**2.1J**	<5	<5	**67**	<10	<10	<10			<5
PD-29	PD_29_40	40	**8.9**	<10	**7.4**	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	**4.2J**	<5	**400**	<10	<10	<10			<5
PD-29	PD_29_50	50	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**9.6**	<10	<10	<10			<5
PD-29	PD_29_60	60	**31**	<50	**34**	<25		<50		<25	<25	<25	<25	<50		<25		<25	<25	<25	<50				<25	<25	<100	<25	**17J**	<25	**870**	<50	<50	<50			<25
PD-30	PD_30_20	20	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
PD-30	PD_30_25	25	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**48**	<10	<10	<10			<5
PD-30	PD_30_30	30	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**6.7**	<10	<10	<10			<5
PD-30	PD_30_40	40	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**21**	<10	<10	<10			<5
PD-30	PD_30_50	50	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**6.6**	<10	<10	<10			<5
PD-30	PD_30_60	60	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**3.5J**	<10	<10	<10			<5
PD-32	PD32_10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**3.2J**	<10	<10	<10			<5
PD-32	PD32_20	20	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**13**	<10	<10	<10			<5
PD-32	PD32_25	25	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**38**	<10	<10	<10			<5
PD-32	PD32_30	30	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**22**	<10	<10	<10			<5
PD-32	PD32_40	40	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
PD-32	PD32_50	50	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**27**	<10	<10	<10			<5
PD-32	PD32_60	60	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	**14**	<10	<10	<10			<5
PD-34-S1	PD_34_S1 10.0_11.5	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	**19**	<10	<10	<10			<5
PD-34-S2	PD_34_S2 20.0_21.5	20	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
PD-34-S2	PD_34_S2 25.0_26.5	25	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	**62**	<10	<10	<10			<5
PD-34-S4	PD_34_S4 30.0_31.5	30	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	**12**	<10	<10	<10			<5
PD-34-S5	PD_34_S5 40.0_41.5	40	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	**83**	<10	<10	<10			<5
PD-34-S6	PD_34_S6 50.0_51.5	50	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	**14**	<10	<10	<10			<5
PD-34-S7	PD_34_S7 60.0_61.5	60	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	**150**	<10	<10	<10			<5
PD-35-S1	PD_35_S1 10.0_11.5	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	**10**	<10	<10	<10			<5
PD-35-S2	PD_35_S2 20.0_21.5	20	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	**17**	<10	<10	<10			<5
PD-35-S3	PD_35_S3 25.0_26.5	25	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	**9.9**	<10	<10	<10			<5
PD-35-S4	PD_35_S4 30.0_31.5	30	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	**5.2**	<10	<10	<10			<5
PD-35-S5	PD_35_S5 40.0_41.5	40	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	**21**	<10	<10	<10			<5
PD-35-S6	PD_35_S6 50.0_51.5	50	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	**3.2J**	<10	<10	<10			<5
PD-35-S7	PD_35_S7 60.0_61.5	60	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
PD-36/51	PD_36/51 10_11.5	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	**2.7J**	<10	<10	<10			<5
PD-36/52	PD_36/52 20_21.5	20	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
PD-36/53	PD_36/53 25_26.5	25	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	**20**	<10	<10	<10			<5
PD-36/54	PD_36/54 30_31.5	30	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	**55**	<10	<10	<10			<5
PD-36/55	PD_36/55 40_41.5	40	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	**54**	<10	<10	<10			<5
PD-36/56	PD_36/56 50_51.5	50	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	**11**	<10	<10	<10			<5
PD-36/57	PD_36/57 60_61.5	60	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	**100**	<10	<10	<10			<5
PD-37-S1	PD_37_S1 10_11.5	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	**9.3**	<10	<10	<10			<5
PD-37-S2	PD_37_S2 20_21.5	20	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
PD-37-S3	PD_37_S3 25_26.5	25	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	**7.7**	<10	<10	<10			<5
PD-37-S4	PD_37_S4 30_31.5	30	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	**35**	<10	<10	<10			<5
PD-37-S5	PD_37_S5 40_41.5	40	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	**20**	<10	<10	<10			<5
PD-37-S6	PD_37_S6 50_51.5	50	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	**120**	<10	<10	<10			<5
PD-37-S7	PD_37_S7 60_61.5	60	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	**5**	<10	<10	<10			<5

See notes on page 54

Table 8
Volatile Organic Compounds in Soil Samples (µg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Object Name	Sample Name	Sample Depth (feet)	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloro-1,2,2-trifluoroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-chloropropane	1,2-Dichlorobenzene	1,2-Dichloroethane	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	1,4-Dioxane	2,2-Dichloropropane	2-Butanone	2-Chloroethylvinylether	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene	4-Isopropyltoluene	4-Methyl-2-pentanone	Acetone	Acrolein	Acrylonitrile	Benzene	Benzene, 1-methylethyl-	Bromobenzene	Bromochloromethane	Bromodichloromethane	Bromoform	Bromomethane	Carbon disulfide	Carbon tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane
PD-38-S1	PD_38_S1 10.0_11.5	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
PD-38-S2	PD_38_S2 20.0_21.5	20	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
PD-38-S3	PD_38_S3 25.0_26.5	25	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
PD-38-S4	PD_38_S4 30.0_31.5	30	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
PD-38-S5	PD_38_S5 40.0_41.5	40	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
PD-38-S6	PD_38_S6 50.0_51.5	50	<5	**1.6J**	<5		<5	<5	**3.2J**	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
PD-38-S7	PD_38_S7 60.0_61.5	60	<5	**1.9J**	<5		<5	<5	**8.7**	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
PD-39	PD_39_10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
PD-39	PD_39_20	20	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	**2.1J**	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
PD-39	PD_39_25	25	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
PD-39	PD_39_30	30	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	**1.6J**	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
PD-39	PD_39_40	40	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
PD-39	PD_39_50	50	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
PD-39	PD_39_60	60	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
PD-40	PD_40_10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
PD-40	PD_40_25	25	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
PD-40	PD_40_30	30	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
PD-40	PD_40_40	40	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
PD-40	PD_40_50	50	<5	<5	<5		<5	<5	**2.6J**	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<100	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
PD-40	PD_40_60	60	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
Q-13	Q-13-5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
Q-13	Q-13-10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
Q-13	Q-13-15	15	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
Q-16	Q_16_5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
Q-16	Q_16_10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
Q-16	Q_16_15	15	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
R-7	R_7_5	5	<5	<5	<5		<5	<5	**11**	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
R-7	R_7_10	10	<5	<5	<5		<5	<5	**6.2**	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
R-7	R_7_15	15	<5	<5	<5		<5	<5	**24**	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
R-7	R_7_20	20	<5	<5	<5		<5	<5	**5.2**	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
R-7	R_7_24	24	<5	<5	<5		<5	<5	**3.8J**	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
S24	S24_10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
S24	S24_20	20	<5	<5	<5		<5	**4.2J**	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
S24	S24_30	30	<250	**300**	<250		<250	**110J**	<250	<250	<250	<250	<250	**2700**	<500	<250	<250	<250	**390**	<250	<250	<250		<250	<1200	<500	<250	<1200	<250	**940**	<1200	<1200	<5000	<2500	<250	**270**	<250	<250	<250	<250	<500	<250	<250	<250	<250	<500
S24-2	S24_2_10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
S24-2	S24_2_20	20	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
S24-2	S24_2_30	30	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
S24-3	S24_3_10	10	<250	**360**	<250		<250	<250	<250	<250	<250	<250	<250	**10000**	<500	<250	<250	<250	**3400**	<250	<250	<250		<250	<1200	<500	<250	<1200	<250	**790**	<1200	<1200	<5000	<2500	<250	**270**	<250	<250	<250	<250	<500	<250	<250	<250	<250	<500
S24-3	S24_3_20	20	<250	**240J**	<250		<250	<250	<250	<250	<250	<250	<250	**5200**	<500	<250	<250	<250	**1200**	<250	<250	<250		<250	<1200	<500	<250	<1200	<250	<250	<1200	<1200	<5000	<2500	<250	<250	<250	<250	<250	<250	<500	<250	<250	<250	<250	<500
S24-3	S24_3_25	25	<500	**730**	<500		<500	<500	<500	<500	<500	<500	<500	<500	<1000	<500	<500	<500	<500	<500	<500	<500		<500	<2500	<1000	<500	<2500	<500	<500	<2500	<2500	<10000	<5000	<500	<500	<500	<500	<500	<500	<1000	<500	<500	<500	<500	<1000
S24-3	S24_3_30	30	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
S24-3	S24_3_40	40	<5	**19**	<5		<5	**10**	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
S24-3	S24_3_50	50	<25	<25	<25		<25	**6.6J**	<25	<25	<25	<25	<25	<25	<50	<25	<25	<25	<25	<25		<25		<25	<120	<50	<25	<120	<25	<25	<120	<120	<500	<250	<25	<25	<25	<25	<25	<25	<50	<25	<25	<25	<25	<50
S24-3	S24_3_60	60	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
S24-4	S24_4_10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
S24-4	S24_4_20	20	<5	**4.4J**	<5		<5	**2.7J**	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
S24-4	S24_4_25	25	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
S24-4	S24_4_30	30	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
S24-4	S24_4_40	40	<5	**2.7J**	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
S24-4	S24_4_50	50	<5	**2.6J**	<5		<5	**2J**	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
S24-4	S24_4_62	62	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
S24-5	S24_5_5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
S24-5	S24_5_20	20	<5	**5.1**	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
S24-5	S24_5_25	25	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
S24-5	S24_5_30	30	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
S24-5	S24_5_40	40	<5	**3.3J**	<5		<5	**4.3J**	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
S24-5	S24_5_50	50	<2500	**820J**	<2500		<2500	<2500	<2500	<2500	<2500	<2500	<2500	**1500J**	<5000	<2500	<2500	<2500	<2500	<2500	<2500	<2500		<2500	<12000	<5000	<2500	<12000	<2500	<2500	<12000	<12000	<50000	<25000	<2500	<2500	<2500	<2500	<2500	<2500	<5000	<2500	<2500	<2500	<2500	<5000
S24-5	S24_5_60	60	<25	<25	<25		<25	<25	<25	<25	<25	<25	<25	<25	<50	<25	<25	<25	<25	<25	<25	<25		<25	<120	<50	<25	<120	<25	<25	<120	<120	<500	<250	<25	<25	<25	<25	<25	<25	<50	<25	<25	<25	<25	<50
S24-6	S24_6_10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
S24-6	S24_6_20	20	<5	**5**	<5		<5	**3.3J**	**2.3J**	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
S24-6	S24_6_25	25	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
S24-6	S24_6_30	30	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
S24-6	S24_6_40	40	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
S24-6	S24_6_50	50	<5	<5	<5		<5	**2.7J**	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
S24-6	S24_6_60	60	<5000	<5000	<5000		<5000	<5000	<5000	<5000	<5000	<5000	<5000	**4000J**	<10000	<5000	<5000	<5000	<5000	<5000	<5000	<5000		<5000	<25000	<10000	<5000	<25000	<5000	<5000	<25000	<25000	<100000	<50000	<5000	<5000	<5000	<5000	<5000	<5000	<10000	<5000	<5000	<5000	<5000	<10000
S24-7	S24_7_10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
S24-7	S24_7_20	20	<5	**1J**	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
S24-7	S24_7_25	25	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
S24-7	S24_7_30	30	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
S24-7	S24_7_40	40	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
S24-7	S24_7_50	50	<5	**2J**	<5		<5	**2.8J**	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
S24-7	S24_7_60	60	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<5	<5		<5	<26	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
TMW-01	TMW-01-03-S6289_P_3_062898_1	3		<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5
TMW-01	TMW-01-05-S6289_P_5_062898_1	5		<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5
TMW-01	TMW-01-10-S6289_P_10_062898_1	10		<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5
TMW-01	TMW-01-20-S6289_P_20_062898_1	20		<2.5			<2.5	<2.5	**4.2**	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5
TMW-01	TMW-01-30-S6289_P_30_062898_1	30		<2.5			<2.5	<2.5	**9.2**	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5
TMW-01	TMW-01-40-S6289_P_40_062898_1	40		<2.5			<2.5	<2.5	**9**	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5

Table 8
Volatile Organic Compounds in Soil Samples (µg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Object Name	Sample Name	Sample Depth (feet)	Chloroform	Chloromethane	cis-1,2-Dichloroethene	cis-1,3-Dichloropropene	Dibromomethane	Dichlorodifluoromethane	Dichlorofluoromethane	Dichloromethane	Ethylbenzene	Ethylene dibromide	Hexachlorobutadiene	Iodomethane	Isopropyl ether	MTBE	Naphthalene	n-Butylbenzene	n-Propylbenzene	sec-Butylbenzene	Styrene	t-Butanol	Tert-amyl methyl ether	Tert-butyl ethyl ether	tert-Butylbenzene	Tetrachloroethene	Tetrahydrofuran	Toluene	trans-1,2-Dichloroethene	trans-1,3-Dichloropropene	Trichloroethene	Trichlorofluoromethane	Vinyl Acetate	Vinyl chloride	m/p-xylene	o-Xylene	Xylenes (total)
PD-38-S1	PD_38_S1 10.0_11.5	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	30	<10	<10	<10			<5
PD-38-S2	PD_38_S2 20.0_21.5	20	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	100	<10	<10	<10			<5
PD-38-S3	PD_38_S3 25.0_26.5	25	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	5.8	<10	<10	<10			<5
PD-38-S4	PD_38_S4 30.0_31.5	30	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	2.3J	<10	<10	<10			<5
PD-38-S5	PD_38_S5 40.0_41.5	40	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
PD-38-S6	PD_38_S6 50.0_51.5	50	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	140	<10	<10	<10			<5
PD-38-S7	PD_38_S7 60.0_61.5	60	1.3J	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	380	<10	<10	<10			<5
PD-39	PD_39_10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	29	<10	<10	<10			<5
PD-39	PD_39_20	20	1.4J	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	130	<10	<10	<10			<5
PD-39	PD_39_25	25	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	15	<10	<10	<10			<5
PD-39	PD_39_30	30	1.1J	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	56	<10	<10	<10			<5
PD-39	PD_39_40	40	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	3.3J	<10	<10	<10			<5
PD-39	PD_39_50	50	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	28	<10	<10	<10			<5
PD-39	PD_39_60	60	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
PD-40	PD_40_10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	5.9	<10	<10	<10			<5
PD-40	PD_40_25	25	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	100	<10	<10	<10			<5
PD-40	PD_40_30	30	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	10	<10	<10	<10			<5
PD-40	PD_40_40	40	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	18	<10	<10	<10			<5
PD-40	PD_40_50	50	1.7J	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	400	<10	<10	<10			<5
PD-40	PD_40_60	60	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<10	<5		<5	<5	<5	<10	<100	<10	<10	<5	<5	<20	<5	<5	<5	180	<10	<10	<10			<5
Q-13	Q-13-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10					<5	<20	<5	<5	<5	<5	<5	<10	<10			<5
Q-13	Q-13-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10					<5	<20	<5	<5	<5	<5	<5	<10	<10			<5
Q-13	Q-13-15	15	<5	<10	<5	<5		<10		4J	<5	<5	<5	<10		<5		<5	<5	<5	<10					<5	<20	<5	<5	<5	<5	<5	<10	<10			<5
Q-16	Q_16_5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10					<5	<20	<5	<5	<5	<5	<5	<10	<10			<5
Q-16	Q_16_10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10					<5	<20	<5	<5	<5	<5	<5	<10	<10			<5
Q-16	Q_16_15	15	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10					<5	<20	<5	<5	<5	<5	<5	<10	<10			<5
R-7	R_7_5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10					9.9	<5	<20	<5	<5	<5	6.3	<10	<10			17
R-7	R_7_10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10					<5	5.7	<20	<5	<5	<5	3.6J	<10	<10			<5
R-7	R_7_15	15	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10					<5	43	<20	<5	<5	<5	30	<10	<10			<5
R-7	R_7_20	20	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10					<5	8.6	<20	<5	<5	<5	5	<10	<10			<5
R-7	R_7_24	24	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10					<5	5.6	<20	<5	<5	<5	6.9	<10	<10			<5
S24	S24_10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10					<5	<5	<20	<5	<5	<5	<5	<10	<10			<5
S24	S24_20	20	<5	<10	24	<5		<10		<5	<5	<5	<5	<10		<5		21	13	9.8	<10					9.9	<5	<20	<5	<5	<5	200	<10	<10			17
S24	S24_30	30	<250	<500	1200	<250		<500		<250	260	<250	<250	<500		<250		1300	500	710	<500					<250	<250	<1000	<250	<250	<250	12000	<500	<500	<500			490
S24-2	S24_2_10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10					<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
S24-2	S24_2_20	20	<5	<10	7.4	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10					<5	<5	<20	<5	<5	<5	28	<10	<10	<10			<5
S24-2	S24_2_30	30	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10					<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
S24-3	S24_3_10	10	<250	<500	2200	<250		<500		<250	620	<250	<250	<500		<250		3100	1100	<250	<500					<250	<250	<1000	370	<250	<250	4000	<500	<500	<500			880
S24-3	S24_3_20	20	<250	<500	310	<250		<500		<250	450	<250	<250	<500		<250		1400	340	<250	<500					<250	<250	<1000	<250	<250	<250	11000	<500	<500	<500			370
S24-3	S24_3_25	25	<500	<1000	260J	<500		<1000		<500	<500	<500	<500	<1000		<500		<500	<500	<500	<1000					<500	<500	<2000	<500	<500	<500	24000	<1000	<1000	<1000			<500
S24-3	S24_3_30	30	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10					<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
S24-3	S24_3_40	40	2.3J	<10	16	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10					<5	<5	<20	<5	<5	<5	220	<10	<10	<10			<5
S24-3	S24_3_50	50	<25	<50	<25	<25		<50		<25	<25	<25	<25	<50		<25		<25	<25	<25	<50					<25	<25	<100	<25	<25	<25	450	<50	<50	<50			<25
S24-3	S24_3_60	60	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10					<5	<5	<20	<5	<5	<5	180	<10	<10	<10			<5
S24-4	S24_4_10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10					<5	<5	<20	<5	<5	<5	100	<10	<10	<10			<5
S24-4	S24_4_20	20	<5	<10	4.1J	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10					<5	<5	<20	<5	<5	<5	20	<10	<10	<10			<5
S24-4	S24_4_25	25	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10					<5	<5	<20	<5	<5	<5	19	<10	<10	<10			<5
S24-4	S24_4_30	30	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10					<5	<5	<20	<5	<5	<5	52	<10	<10	<10			<5
S24-4	S24_4_40	40	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10					<5	<5	<20	<5	<5	<5	150	<10	<10	<10			<5
S24-4	S24_4_50	50	<5	<10	2.1J	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10					<5	<5	<20	<5	<5	<5	190	<10	<10	<10			<5
S24-4	S24_4_62	62	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10					<5	<5	<20	<5	<5	<5	11	<10	<10	<10			<5
S24-5	S24_5_5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10					<5	<5	<20	<5	<5	<5	58	<10	<10	<10			<5
S24-5	S24_5_20	20	<5	<10	5.9	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10					<5	<5	<20	<5	<5	<5	3.8J	<10	<10	<10			<5
S24-5	S24_5_25	25	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10					<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
S24-5	S24_5_30	30	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10					<5	<5	<20	<5	<5	<5	64	<10	<10	<10			<5
S24-5	S24_5_40	40	<5	<10	6.2	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10					<5	<5	<20	<5	<5	<5	310	<50	<50	<50			<25
S24-5	S24_5_50	50	<2500	<5000	<2500	<2500		<5000		<2500	<2500	<2500	<2500	<5000		<2500		<2500	<2500	<2500	<5000					<2500	<2500	<10000	<2500	<2500	<2500	82000	<5000	<5000	<5000			<2500
S24-5	S24_5_60	60	<25	<50	<25	<25		<50		<25	<25	<25	<25	<50		<25		<25	<25	<25	<50					<25	<25	<100	<25	<25	<25	310	<50	<50	<50			<25
S24-6	S24_6_10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10					<5	<5	<20	<5	<5	<5	9.3	<10	<10	<10			<5
S24-6	S24_6_20	20	<5	<10	7.6	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10					<5	<5	<20	<5	<5	<5	140	<10	<10	<10			<5
S24-6	S24_6_25	25	<5	<10	2.8J	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10					<5	<5	<20	<5	<5	<5	48	<10	<10	<10			<5
S24-6	S24_6_30	30	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10					<5	<5	<20	<5	<5	<5	28	<10	<10	<10			<5
S24-6	S24_6_40	40	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10					<5	<5	<20	<5	<5	<5	7.6	<10	<10	<10			<5
S24-6	S24_6_50	50	<5	<10	5.8	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10					<5	<5	<20	<5	<5	<5	100	<10	<10	<10			<5
S24-6	S24_6_60	60	<5000	<10000	<5000	<5000		<10000		<5000	<5000	<5000	<5000	<10000		<5000		1900J	<5000	<5000	<10000					<5000	<5000	<20000	<5000	<5000	<5000	340000	<10000	<10000	<10000			<5000
S24-7	S24_7_10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10					<5	<5	<20	<5	<5	<5	2.4J	<10	<10	<10			<5
S24-7	S24_7_20	20	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10					<5	<5	<20	<5	<5	<5	42	<10	<10	<10			<5
S24-7	S24_7_25	25	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10					<5	<5	<20	<5	<5	<5	4.7J	<10	<10	<10			<5
S24-7	S24_7_30	30	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10					<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
S24-7	S24_7_40	40	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10					<5	<5	<20	<5	<5	<5	3.3J	<10	<10	<10			<5
S24-7	S24_7_50	50	1.1J	<10	3J	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10					<5	<5	<20	<5	<5	<5	69	<10	<10	<10			<5
S24-7	S24_7_60	60	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10		<5		<5	<5	<5	<10					<5	<5	<20	<5	<5	<5	36	<10	<10	<10			<5
TMW-01	TMW-01-03-S6289_P_3_062898_1	3	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<5	<2.5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5					<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<5	<5	<2.5			<2.5
TMW-01	TMW-01-05-S6289_P_5_062898_1	5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<5	<2.5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5					<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<5	<5	<2.5			<2.5
TMW-01	TMW-01-10-S6289_P_10_062898_1	10	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<5	<2.5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5					<2.5	<2.5		<2.5	<2.5	<2.5	11	<5	<5	<2.5			<2.5
TMW-01	TMW-01-20-S6289_P_20_062898_1	20	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<5	<2.5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5					<2.5	<2.5		<2.5	<2.5	<2.5	24	<5	<5	<2.5			<2.5
TMW-01	TMW-01-30-S6289_P_30_062898_1	30	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<5	<2.5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5					<2.5	<2.5		<2.5	<2.5	<2.5	55	<5	<5	<2.5			<2.5
TMW-01	TMW-01-40-S6289_P_40_062898_1	40	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<5	<2.5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5					<2.5	<2.5		<2.5	<2.5	<2.5	36	<5	<5	<2.5			<2.5
TMW-01	TMW-01-50-S6289_P_50_062898_1	50	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<5	<2.5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5					<2.5	<2.5		<2.5	<2.5	<2.5	15	<5	<5	<2.5			<2.5
TMW-01	TMW-01-66-S6289_P_66_062898_1	66	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<5	<2.5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5					<2.5	<2.5		<2.5	<2.5	<2.5	17	<5	<5	<2.5			<2.5
TMW-02	TMW-2-1-S062898_P_1_062898_1	1	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<5	<2.5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5					<2.5	<2.5		<2.5	<2.5	<2.5	17	<5	<5	<2.5			<2.5

See notes on page 54

Table 8
Volatile Organic Compounds in Soil Samples (µg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Object Name	Sample Name	Sample Depth (feet)	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloro-1,2,2-trifluoroethane	1,1,2-Trichloroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-chloropropane	1,2-Dichlorobenzene	1,2-Dichloroethane	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	1,4-Dioxane	2,2-Dichloropropane	2-Butanone	2-Chloroethylvinylether	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene	4-Isopropyltoluene	4-Methyl-2-pentanone	Acetone	Acrolein	Acrylonitrile	Benzene	Benzene, 1-methylethyl-	Bromobenzene	Bromochloromethane	Bromodichloromethane	Bromoform	Bromomethane	Carbon disulfide	Carbon tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane
TMW-02	TMW-2-5-S062898_P_5_062898_1	5			<2.5																																								
TMW-02	TMW-2-50-S06289_P_50_062898_1	50		69			<2.5	16	82	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5
TMW-02	TMW-2-66-S06289_P_66_062898_1	66		54			<2.5	57	340	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5
TMW-03	TMW-03-03-S0721_P_3_072198_1	3	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5
TMW-03	TMW-03-66-S0721_P_3_072198_1	3	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5
TMW-03	TMW-03-05-S0721_P_5_072198_1	5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5
TMW-03	TMW-03-10-S0721_P_10_072198_1	10	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5
TMW-03	TMW-03-20-S0721_P_20_072198_1	20		7.1	<2.5		<2.5	2.9	9.9	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5
TMW-03	TMW-03-30-S0721_P_30_072198_1	30	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5
TMW-03	TMW-03-40-S0721_P_40_072198_1	40	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5
TMW-03	TMW-03-50-S0721_P_50_072198_1	50	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5
TMW-04	TMW-04-01-S6309_P_1_063098_1	1	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5
TMW-04	TMW-04-05-S6309_P_5_063098_1	5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5
TMW-04	TMW-04-10-S6309_P_10_063098_1	10	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5
TMW-04	TMW-04-20-S6309_P_20_063098_1	20	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5
TMW-04	TMW-04-30-S6309_P_30_063098_1	30	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5
TMW-04	TMW-04-40-S6309_P_40_063098_1	40	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5
TMW-04	TMW-04-50-S0630_P_50_063098_1	50	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5
TMW-04	TMW-04-65-S0630_P_65_063098_1	65	<2.5	<2.5			<2.5	<2.5	16	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5
TMW-05	TMW-05-01-S7029_P_1_070298_1	1	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5
TMW-05	TMW-05-05-S7029_P_5_070298_1	5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5
TMW-05	TMW-05-10-S7029_P_10_070298_1	10	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5
TMW-05	TMW-05-20-S7029_P_20_070298_1	20	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5
TMW-05	TMW-05-30-S7029_P_30_070298_1	30	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5
TMW-05	TMW-05-40-S7029_P_40_070298_1	40	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5
TMW-05	TMW-05-50-S7029_P_50_070298_1	50	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5
TMW-05	TMW-05-65-S7029_P_65_070298_1	65	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5
TMW-06	TMW-06-01-S7019_P_1_070198_1	1	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5
TMW-06	TMW-06-05-S7019_P_5_070198_1	5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5
TMW-06	TMW-06-10-S7019_P_10_070198_1	10	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5
TMW-06	TMW-06-20-S7019_P_20_070198_1	20	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5
TMW-06	TMW-06-30-S7019_P_30_070198_1	30	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5
TMW-06	TMW-06-40-S7019_P_40_070198_1	40	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.6	<2.5
TMW-06	TMW-06-50-S7019_P_50_070198_1	50	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5
TMW-07	TMW-07-01-S6299_P_1_062998_1	1	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5
TMW-07	TMW-07-05-S6299_P_5_062998_1	5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5
TMW-07	TMW-07-10-S6299_P_10_062998_1	10	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5
TMW-07	TMW-07-20-S6299_P_20_062998_1	20	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5
TMW-07	TMW-07-30-S6299_P_30_062998_1	30	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5
TMW-07	TMW-07-40-S6299_P_40_062998_1	40	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5
TMW-07	TMW-07-50-S6299_P_50_062998_1	50	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5
TMW-07	TMW-07-65-S6299_P_65_062998_1	65	<2.5	<2.5			<2.5	<2.5	6.7	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5
TMW-08	TMW-08-01-S6299_P_1_062998_1	1	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5
TMW-08	TMW-08-05-S6299_P_5_062998_1	5	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5
TMW-08	TMW-08-10-S6299_P_10_062998_1	10	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5
TMW-08	TMW-08-20-S6299_P_20_062998_1	20	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5
TMW-08	TMW-08-30-S6299_P_30_062998_1	30	<2.5	<2.5			<2.5	<2.5	3.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5
TMW-08	TMW-08-40-S6299_P_40_062998_1	40	<2.5	<2.5			<2.5	<2.5	2.8	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5
TMW-08	TMW-08-50-S6299_P_50_062998_1	50	<2.5	<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5
TMW-08	TMW-08-65-S6299_P_65_062998_1	65	<2.5	<2.5			<2.5	<2.5	23	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5
TMW-09	TMW-9-1-S063098_P_1_063098_1	1	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5
TMW-09	TMW-9-5-S063098_P_1_063098_1	1			<2.5																																								
TMW-09	TMW-9-20-S06309_P_20_063098_1	20		<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5
TMW-09	TMW-9-30-S06309_P_30_063098_1	30		<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5
TMW-09	TMW-9-50_P_50_063098_1	50		<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5
U-4	U_4_10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
U-4	U_4_15	15	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
U-4	U_4_20	20	<5	<5	<5		<5	<5	14	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
WELL-2-OC1	WELL-2-OC1_P_0_072498_1	0		<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5
WL-GS-12	WL-GS-12-Z'_P_2_100197_1	2		<2.5			<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<2.5		<5	<2.5		<2.5	<2.5					<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	14	<2.5	<2.5	<2.5	<2.5	<2.5
X-40	X_40_5	5	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
X-40	X_40_10	10	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
X-40	X_40_15	15	<5	<5	<5		<5	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5		<5	<5	<25	<10	<5	<25	<5	<5	<25	<25	<100	<50	<5	<5	<5	<5	<5	<5	<5	<10	<5	<5	<5	<5	<10
Y-21	Y-21-5	5	<5	<5	<5		<5	<5	<5	<5

Table 8
Volatile Organic Compounds in Soil Samples (µg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Object Name	Sample Name	Sample Depth (feet)	Chloroform	Chloromethane	cis-1,2-Dichloroethene	cis-1,3-Dichloropropene	Dibromomethane	Dichlorodifluoromethane	Dichlorofluoromethane	Dichloromethane	Ethylbenzene	Ethylene dibromide	Hexachlorobutadiene	Iodomethane	Isopropyl ether	MTBE	Naphthalene	n-Butylbenzene	n-Propylbenzene	sec-Butylbenzene	Styrene	t-Butanol	Tert-amyl methyl ether	Tert-butyl ethyl ether	tert-Butylbenzene	Tetrachloroethene	Tetrahydrofuran	Toluene	trans-1,2-Dichloroethene	trans-1,3-Dichloropropene	Trichloroethene	Trichlorofluoromethane	Vinyl Acetate	Vinyl chloride	m/p-xylene	o-Xylene	Xylenes (total)
TMW-02	TMW-2-5-S062898_P_5_062898_1	5																																			
TMW-02	TMW-2-50-S06289_P_50_062898_1	50	5.7	<2.5	9.5	<2.5	<2.5	<2.5		<5	<2.5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	2.7	<2.5	230	<5	<5	<2.5			<2.5
TMW-02	TMW-2-66-S06289_P_66_062898_1	66	<2.5	<2.5	39	<2.5	<2.5	<2.5		<5	<2.5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	1000	<5	<5	<2.5			<2.5
TMW-03	TMW-03-03-S0721_P_3_072198_1	3	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<5	<2.5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	49	<5	<5	<2.5			<2.5
TMW-03	TMW-03-66-S0721_P_3_072198_1	3	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<5	<2.5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	49	<5	<5	<2.5			<2.5
TMW-03	TMW-03-05-S0721_P_5_072198_1	5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<5	<2.5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	49	<5	<5	<2.5			<2.5
TMW-03	TMW-03-10-S0721_P_10_072198_1	10	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<5	<2.5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	48	<5	<5	<2.5			<2.5
TMW-03	TMW-03-20-S0721_P_20_072198_1	20	<2.5	<2.5	4.9	<2.5	<2.5	<2.5		<5	<2.5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	48	<5	<5	<2.5			<2.5
TMW-03	TMW-03-30-S0721_P_30_072198_1	30	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<5	<2.5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	250	<5	<5	<2.5			<2.5
TMW-03	TMW-03-40-S0721_P_40_072198_1	40	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<5	<2.5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	24	<5	<5	<2.5			<2.5
TMW-03	TMW-03-50-S0721_P_50_072198_1	50	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<5	<2.5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	30	<5	<5	<2.5			<2.5
TMW-04	TMW-04-01-S6309_P_1_063098_1	1	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<5	<2.5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	92	<5	<5	<2.5			<2.5
TMW-04	TMW-04-05-S6309_P_5_063098_1	5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<5	<2.5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<5	<5	<2.5			<2.5
TMW-04	TMW-04-10-S6309_P_10_063098_1	10	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<5	<2.5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	8.6	<5	<5	<2.5			<2.5
TMW-04	TMW-04-20-S6309_P_20_063098_1	20	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<5	<2.5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	9	<5	<5	<2.5			<2.5
TMW-04	TMW-04-30-S6309_P_30_063098_1	30	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<5	<2.5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	19	<5	<5	<2.5			<2.5
TMW-04	TMW-04-40-S6309_P_40_063098_1	40	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<5	<2.5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	7	<5	<5	<2.5			<2.5
TMW-04	TMW-04-50-S0630_P_50_063098_1	50	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<5	<2.5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	51	<5	<5	<2.5			<2.5
TMW-04	TMW-04-65-S0630_P_65_063098_1	65	21	<2.5	<2.5	<2.5	<2.5	<2.5		<5	<2.5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	240	<5	<5	<2.5			<2.5
TMW-05	TMW-05-01-S7029_P_1_070298_1	1	<2.5	<2.5	2.7	<2.5	<2.5	<2.5		<5	<2.5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	91	<5	<5	<2.5			<2.5
TMW-05	TMW-05-05-S7029_P_5_070298_1	5	<2.5	<2.5	4	<2.5	<2.5	<2.5		<5	<2.5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	91	<5	<5	<2.5			<2.5
TMW-05	TMW-05-10-S7029_P_10_070298_1	10	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<5	<2.5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	56	<5	<5	<2.5			<2.5
TMW-05	TMW-05-20-S7029_P_20_070298_1	20	<2.5	<2.5	3.5	<2.5	<2.5	<2.5		<5	<2.5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	180	<5	<5	<2.5			<2.5
TMW-05	TMW-05-30-S7029_P_30_070298_1	30	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<5	<2.5	<2.5	<2.5				2.9	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	30	<5	<5	<2.5			<2.5
TMW-05	TMW-05-40-S7029_P_40_070298_1	40	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<5	<2.5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	320	<5	<5	<2.5			<2.5
TMW-05	TMW-05-50-S7029_P_50_070298_1	50	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<5	<2.5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	9.9	<5	<5	<2.5			<2.5
TMW-05	TMW-05-65-S7029_P_65_070298_1	65	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<5	<2.5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	910	<5	<5	<2.5			<2.5
TMW-06	TMW-06-01-S7019_P_1_070198_1	1	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<5	<2.5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<5	<5	<2.5			<2.5
TMW-06	TMW-06-05-S7019_P_5_070198_1	5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<5	<2.5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<5	<5	<2.5			<2.5
TMW-06	TMW-06-10-S7019_P_10_070198_1	10	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<5	<2.5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<5	<5	<2.5			<2.5
TMW-06	TMW-06-20-S7019_P_20_070198_1	20	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<5	<2.5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	2.9	<5	<5	<2.5			<2.5
TMW-06	TMW-06-30-S7019_P_30_070198_1	30	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<5	<2.5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	9.8	<5	<5	<2.5			<2.5
TMW-06	TMW-06-40-S7019_P_40_070198_1	40	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<5	<2.5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	8.8	<5	<5	<2.5			<2.5
TMW-06	TMW-06-50-S7019_P_50_070198_1	50	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<5	<2.5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<5	<5	<2.5			<2.5
TMW-07	TMW-07-01-S6299_P_1_062998_1	1	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<5	<2.5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<5	<5	<2.5			<2.5
TMW-07	TMW-07-05-S6299_P_5_062998_1	5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<5	<2.5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	3	<5	<5	<2.5			<2.5
TMW-07	TMW-07-10-S6299_P_10_062998_1	10	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<5	<2.5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	13	<5	<5	<2.5			<2.5
TMW-07	TMW-07-20-S6299_P_20_062998_1	20	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<5	<2.5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	38	<5	<5	<2.5			<2.5
TMW-07	TMW-07-30-S6299_P_30_062998_1	30	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<5	<2.5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	35	<5	<5	<2.5			<2.5
TMW-07	TMW-07-40-S6299_P_40_062998_1	40	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<5	<2.5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	100	<5	<5	<2.5			<2.5
TMW-07	TMW-07-50-S6299_P_50_062998_1	50	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<5	<2.5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	50	<5	<5	<2.5			<2.5
TMW-07	TMW-07-65-S6299_P_65_062998_1	65	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<5	<2.5	<2.5	<2.5				4.2	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	380	<5	<5	<2.5			<2.5
TMW-08	TMW-08-01-S6299_P_1_062998_1	1	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<5	<2.5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<5	<5	<2.5			<2.5
TMW-08	TMW-08-05-S6299_P_5_062998_1	5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<5	<2.5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<5	<5	<2.5			<2.5
TMW-08	TMW-08-10-S6299_P_10_062998_1	10	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<5	<2.5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	3.4	<5	<5	<2.5			<2.5
TMW-08	TMW-08-20-S6299_P_20_062998_1	20	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<5	<2.5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	5.6	<5	<5	<2.5			<2.5
TMW-08	TMW-08-30-S6299_P_30_062998_1	30	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<5	<2.5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	13	<5	<5	<2.5			<2.5
TMW-08	TMW-08-40-S6299_P_40_062998_1	40	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<5	<2.5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	12	<5	<5	<2.5			<2.5
TMW-08	TMW-08-50-S6299_P_50_062998_1	50	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<5	<2.5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	14	<5	<5	<2.5			<2.5
TMW-08	TMW-08-65-S6299_P_65_062998_1	65	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<5	<2.5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	210	<5	<5	<2.5			<2.5
TMW-09	TMW-9-1-S063098_P_1_063098_1	1	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<5	<2.5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	14	<5	<5	<2.5			<2.5
TMW-09	TMW-9-5-S063098_P_1_063098_1	1																																			
TMW-09	TMW-9-20-S06309_P_20_063098_1	20	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<5	<2.5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	32	<5	<5	<2.5			<2.5
TMW-09	TMW-9-30-S06309_P_30_063098_1	30	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<5	<2.5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	8.5	<5	<5	<2.5			<2.5
TMW-09	TMW-9-50_P_50_063098_1	50	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<5	<2.5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	73	<5	<5	<2.5			<2.5
U-4	U_4_10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<5		<5	<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	2.5J	<10	<10	<10			<5
U-4	U_4_15	15	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<5		<5	<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	3J	<10	<10	<10			<5
U-4	U_4_20	20	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<5		<5	<5	<5	<5	<10				<5	2.5J	<20	<5	<5	<5	24	<10	<10	<10			<5
WELL-2-OC1	WELL-2-OC1_P_0_072498_1	0	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<5	<2.5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<5	<5	<2.5			<2.5
WL-GS-12	WL-GS-12-2'_P_2_100197_1	2	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5		<5	<2.5	<2.5	<2.5				<2.5	<2.5	<2.5	<2.5	<2.5				<2.5	<2.5		<2.5	<2.5	<2.5	<2.5	<5	<5	<2.5			<2.5
X-40	X_40_5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<5		<5	<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
X-40	X_40_10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<5		<5	<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
X-40	X_40_15	15	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<5		<5	<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
Y-21	Y-21-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<5		<5	<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
Y-21	Y-21-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<5		<5	<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
Y-21	Y-21-15	15	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<5		<5	<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
Y-27	Y-27-5	5	<5	<10	<5	<5		<10		5.9	<5	<5	<5	<10	<5		<5	<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
Y-27	Y-27-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<5		<5	<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
Y-27	Y-27-15	15	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<5		<5	<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
Y-37	Y-37-5	5	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<5		<5	<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
Y-37	Y-37-10	10	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<5		<5	<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5
Y-37	Y-37-15	15	<5	<10	<5	<5		<10		<5	<5	<5	<5	<10	<5		<5	<5	<5	<5	<10				<5	<5	<20	<5	<5	<5	<5	<10	<10	<10			<5

Notes:
All concentrations in µg/kg
J = Estimated concentration
Bold = Detected concentrations
Blank = Data not available or sample not analyzed

QA/QC by:_____
Date:____

See notes on page 54

Table 9
Inorganic Compounds in Soil Samples (mg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Object Name	Sample Name	Sample Depth (feet)	Aluminum	Antimony	Arsenic	Barium	Beryllium	Cadmium	Chromium	Chromium (VI)	Cobalt	Copper	Lead	Mercury	Molybdenum	Nickel	Selenium	Silver	Thallium	Vanadium	Zinc
01-01	1-1-1_P_1_031897_1	1		<5	<1	77	<0.1	<0.1	14	<0.5	5.5	8.9	<1	<0.01	<0.5	7.5	<1	<0.1	<5	17	31
01-01	1-1-4_P_4_031897_1	4		<5	<1	110	<0.1	<0.1	29	<0.5	7	7.7	<1	<0.01	<0.5	11	<1	<0.1	<5	27	38
01-01	1-1-10_P_10_031897_1	10		<5	<1	130	<0.1	<0.1	36	<0.5	9.2	17	<1	<0.01	<0.5	19	<1	<0.1	<5	33	59
01-02	1-2-4_P_4_031897_1	4		<5	<1	110	<0.1	<0.1	34	<0.5	7.9	12	<1	<0.01	<0.5	13	<1	<0.1	<5	32	53
01-02	1-2-1 5_P_5_031897_1	5		<5	<1	60	<0.1	<0.1	12	<0.5	5.2	6.3	<1	<0.01	<0.5	5.5	<1	<0.1	<5	15	19
01-02	1-2-10_P_10_031897_1	10		<5	<1	160	<0.1	<0.1	36	<0.5	8.8	20	<1	<0.01	<0.5	19	<1	<0.1	<5	41	61
1-2A	1-2A-1_P_1_031397_1	1		<5	<1	110	<0.1	<0.1	18	<0.5	6.6	11	<1	<0.01	<0.5	8.7	<1	<0.1	<5	23	38
1-2A	1-2A-4_P_4_031397_1	4		<5	<1	69	<0.1	<0.1	23	<0.5	6.3	7.4	<1	<0.01	<0.5	8.1	<1	<0.1	<5	23	31
1-2A	1-2A-10_P_10_031397_1	10		<5	<1	110	<0.1	<0.1	27	<0.5	7.4	8.9	<1	<0.01	<0.5	13	<1	<0.1	<5	30	96
01-03	1-3-2_P_2_031397_1	2		<5	<1	81	<0.1	<0.1	28	<0.5	6.4	7.7	<1	<0.01	<0.5	8.7	<1	<0.1	<5	29	33
01-03	1-3-4_P_4_031397_1	4		<5	<1	97	<0.1	<0.1	26	<0.5	6.6	9	<1	<0.01	<0.5	11	<1	<0.1	<5	32	41
01-03	1-3-10_P_10_031397_1	10		<5	<1	91	<0.1	<0.1	32	<0.5	6.6	11	<1	<0.01	<0.5	15	<1	<0.1	<5	30	48
01-03	1-3-15_P_15_031797_1	15		<5	<1	200	<0.1	<0.1	30	<0.5	7.1	14	<1	<0.01	<0.5	15	<1	<0.1	<5	31	47
01-03	1-3-20_P_20_031797_1	20		<5	<1	150	<0.1	<0.1	33	<0.5	10	20	<1	<0.01	<0.5	15	<1	<0.1	<5	43	67
01-03	1-3-25_P_25_031797_1	25		<5	<1	100	<0.1	<0.1	24	<0.5	8.9	13	<1	<0.01	<0.5	12	<1	<0.1	<5	33	48
01-04	1-4-1_P_1_030397_1	1		<5	6.1	90	<0.1	<0.1	46	<0.5	8.8	23	<1	<0.01	<0.5	23	<1	<0.1	<5	43	55
01-04	1-4-4_P_4_030397_1	4		<5	<1	110	<0.1	<0.1	28	<0.5	10	15	<1	<0.01	<0.5	10	<1	<0.1	<5	30	35
01-04	1-4-10_P_10_030397_1	10		<5	<1	95	<0.1	<0.1	21	<0.5	8.3	13	<1	<0.01	<0.5	9.9	<1	<0.1	<5	24	38
01-04	1-4-20_P_20_030397_1	20		<5	<1	97	<0.1	<0.1	24	<0.5	8.6	18	<1	<0.01	<0.5	12	<1	<0.1	<5	30	44
01-04	1-4-30_P_30_030397_1	30		<5	<1	130	<0.1	<0.1	38	<0.5	10	31	<1	<0.01	<0.5	21	<1	<0.1	<5	34	65
01-04	1-4-40_P_40_030397_1	40		<5	<1	71	<0.1	<0.1	19	<0.5	4.9	13	<1	<0.01	<0.5	8.3	<1	<0.1	<5	21	37
01-04	1-4-50_P_50_030397_1	50		<5	5.9	37	<0.1	<0.1	18	<0.5	4.2	8.2	<1	<0.01	<0.5	6.6	<1	<0.1	<5	17	25
01-05	1-5-2_P_2_022897_1	2		<5	<1	81	<0.1	<0.1	22	<0.5	6.4	12	<1	<0.01	<0.5	12	<1	<0.1	<5	27	29
01-05	1-5-4_P_4_022897_1	4		<5	<1	98	<0.1	<0.1	28	<0.5	7.5	9.4	<1	<0.01	<0.5	7.8	<1	<0.1	<5	35	31
01-05	1-5-10_P_10_022897_1	10		<5	<1	91	<0.1	<0.1	30	<0.5	8.3	14	<1	<0.01	<0.5	14	<1	<0.1	<5	30	45
01-05	1-5-20_P_20_022897_1	20		<5	<1	90	<0.1	<0.1	20	<0.5	6.7	13	<1	<0.01	<0.5	9.5	<1	<0.1	<5	23	40
01-05	1-5-30_P_30_022897_1	30		<5	<1	140	<0.1	<0.1	37	<0.5	11	26	<1	<0.01	<0.5	21	<1	<0.1	<5	36	65
01-05	1-5-40_P_40_022897_1	40		<5	4.8	120	<0.1	<0.1	24	<0.5	7.9	16	<1	<0.01	<0.5	13	<1	<0.1	<5	27	43
01-05	1-5-50_P_50_022897_1	50		<5	6.9	34	<0.1	<0.1	11	<0.5	3.6	7.3	<1	<0.01	<0.5	6.1	<1	<0.1	<5	11	21
01-10	1-10-1_P_1_031097_1	1		<5	<1	89	<0.1	<0.1	21	<0.5	7.2	8.6	<1	<0.01	<0.5	7.9	<1	<0.1	<5	25	29
01-10	1-10-4_P_4_031097_1	4		<5	<1	100	<0.1	<0.1	27	<0.5	8.5	8.8	<1	<0.01	<0.5	9.6	<1	<0.1	<5	31	33
01-10	1-10-10_P_10_031097_1	10		<5	<1	130	<0.1	<0.1	28	<0.5	9.1	19	<1	<0.01	<0.5	17	<1	<0.1	<5	36	48
01-14	1-14-1_P_1_031797_1	1		<5	<1	110	<0.1	<0.1	26	<0.5	7.6	8.5	<1	<0.01	<0.5	7.9	<1	<0.1	<5	31	34
01-14	1-14-4_P_4_031797_1	4		<5	<1	100	<0.1	<0.1	21	<0.5	6.3	5.5	<1	<0.01	<0.5	9.8	<1	<0.1	<5	21	39
01-14	1-14-10_P_10_031797_1	10		<5	<1	120	<0.1	<0.1	25	<0.5	8.3	12	<1	<0.01	<0.5	12	<1	<0.1	<5	<0.5	46
01-14	1-14-15_P_15_031797_1	15		<5	<1	100	<0.1	<0.1	21	<0.5	7	9.7	<1	<0.01	<0.5	9.1	<1	<0.1	<5	27	50
01-14	1-14-20_P_20_031797_1	20		<5	<1	130	<0.1	<0.1	28	<0.5	6.3	11	<1	<0.01	<0.5	11	<1	<0.1	<5	35	57
01-14	1-14-25_P_25_031797_1	25		<5	<1	140	<0.1	<0.1	25	<0.5	8.8	19	<1	<0.01	<0.5	13	<1	<0.1	<5	33	60
01-15	1-15-1_P_1_031897_1	1		<5	<1	76	<0.1	<0.1	15	<0.5	5.9	7.2	<1	<0.01	<0.5	6.9	<1	<0.1	<5	17	25
01-15	1-15-4_P_4_031897_1	4		<5	<1	110	<0.1	<0.1	25	<0.5	7.9	8.7	<1	<0.01	<0.5	15	<1	<0.1	<5	29	41
01-15	1-15-10_P_10_031897_1	10		<5	<1	83	<0.1	<0.1	31	<0.5	8.4	18	<1	<0.01	<0.5	17	<1	<0.1	<5	30	55
01-15	1-15-15_P_15_031897_1	15		<5	<1	120	<0.1	<0.1	31	<0.5	8	17	<1	<0.01	<0.5	15	<1	<0.1	<5	34	53
01-15	1-15-20_P_20_031897_1	20		<5	<1	88	<0.1	<0.1	26	<0.5	6.6	14	<1	<0.01	<0.5	11	<1	<0.1	<5	31	51
01-15	1-15-25_P_25_031897_1	25		<5	<1	120	<0.1	<0.1	25	<0.5	9.5	21	<1	<0.01	<0.5	16	<1	<0.1	<5	23	54
01-16	1-16-1_P_1_031797_1	1		<5	<1	84	<0.1	<0.1	22	<0.5	6.7	7.1	<1	<0.01	<0.5	7.5	<1	<0.1	<5	31	31
01-16	1-16-5_P_5_031797_1	5		<5	<1	120	<0.1	<0.1	25	<0.5	7.2	7	<1	<0.01	<0.5	10	<1	<0.1	<5	32	40
01-16	1-16-10_P_10_031797_1	10		<5	<1	72	<0.1	<0.1	22	<0.5	6.9	13	<1	<0.01	<0.5	12	<1	<0.1	<5	28	45
01-16	1-16-15_P_15_031797_1	15		<5	<1	84	<0.1	<0.1	21	<0.5	6	6.7	<1	<0.01	<0.5	8.4	<1	<0.1	<5	23	40
01-16	1-16-20_P_20_031797_1	20		<5	<1	110	<0.1	<0.1	32	<0.5	8.2	17	<1	<0.01	<0.5	12	<1	<0.1	<5	40	69
01-16	1-16-25_P_25_031797_1	25		<5	<1	140	<0.1	<0.1	34	<0.5	9.7	21	<1	<0.01	<0.5	18	<1	<0.1	<5	36	72
01-17	1-17-1_P_1_031797_1	1		<5	<1	85	<0.1	<0.1	23	<0.5	9.5	9.1	<1	<0.01	<0.5	8.8	<1	<0.1	<5	28	33
01-17	1-17-4_P_4_031797_1	4		<5	<1	66	<0.1	<0.1	20	<0.5	7	8.5	<1	<0.01	<0.5	10	<1	<0.1	<5	29	40
01-17	1-17-10_P_10_031797_1	10		<5	<1	80	<0.1	<0.1	24	<0.5	6.4	13	<1	<0.01	<0.5	11	<1	<0.1	<5	30	38
01-17	1-17-15_P_15_031797_1	15		<5	<1	120	<0.1	<0.1	21	<0.5	7.5	15	<1	<0.01	<0.5	9.5	<1	<0.1	<5	25	51
01-17	1-17-20_P_20_031797_1	20		<5	<1	150	<0.1	<0.1	32	<0.5	9.6	18	<1	<0.01	<0.5	13	<1	<0.1	<5	33	69
01-17	1-17-25_P_25_031797_1	25		<5	<1	120	<0.1	<0.1	34	<0.5	8.5	18	<1	<0.01	<0.5	13	<1	<0.1	<5	44	60
01-18	1-18-1_P_1_030697_1	1		<5	<1	100	<0.1	<0.1	26	<0.5	8.4	15	<1	<0.01	<0.5	13	<1	<0.1	<5	24	44

See notes on page 28

BOE-C6-0182531

Table 9
Inorganic Compounds in Soil Samples (mg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Object Name	Sample Name	Sample Depth (feet)	Aluminum	Antimony	Arsenic	Barium	Beryllium	Cadmium	Chromium	Chromium (VI)	Cobalt	Copper	Lead	Mercury	Molybdenum	Nickel	Selenium	Silver	Thallium	Vanadium	Zinc
01-18	1-18-4_P_4_030697_1	4		<5	<1	83	<0.1	<0.1	25	<0.5	8.4	10	<1	<0.01	<0.5	9.6	<1	<0.1	<5	27	32
01-18	1-18-10_P_10_030697_1	10		<5	<1	74	<0.1	<0.1	25	<0.5	8.3	10	<1	<0.01	<0.5	11	<1	<0.1	<5	27	42
01-18	1-18-15_P_15_030697_1	15		<5	<1	100	<0.1	<0.1	29	<0.5	9.3	17	<1	<0.01	<0.5	14	<1	<0.1	<5	31	48
01-18	1-18-20_P_20_030697_1	20		<5	<1	120	<0.1	<0.1	29	<0.5	9.3	20	<1	<0.01	<0.5	14	<1	<0.1	<5	31	57
01-18	1-18-25_P_25_030697_1	25		<5	<1	94	<0.1	<0.1	21	<0.5	7.3	13	<1	<0.01	<0.5	10	<1	<0.1	<5	25	38
01-19	1-19-1_P_1_030797_1	1		<5	<1	78	<0.1	<0.1	10	<0.5	6.5	10	<1	<0.01	<0.5	9.8	<1	<0.1	<5	24	28
01-19	1-19-4_P_4_030797_1	4		<5	<1	78	<0.1	<0.1	13	<0.5	5.3	7.5	<1	<0.01	<0.5	6.5	<1	<0.1	<5	22	25
01-19	1-19-10_P_10_030797_1	10		<5	<1	78	<0.1	<0.1	9.1		6.2	11	<1	<0.01	<0.5	9.6	<1	<0.1	<5	20	36
01-19	1-19-15_P_15_030797_1	15		<5	<1	140	<0.1	<0.1	13	<0.5	6.5	17	<1	<0.01	<0.5	13	<1	<0.1	<5	31	43
01-19	1-19-20_P_20_030797_1	20		<5	<1	110	<0.1	<0.1	13	<0.5	6.3	18	<1	<0.01	<0.5	12	<1	<0.1	<5	32	52
01-19	1-19-25_P_25_030797_1	25		<5	<1	110	<0.1	<0.1	12	<0.5	6.2	15	<1	<0.01	<0.5	11	<1	<0.1	<5	28	47
01-20	1-20-1_P_1_030797_1	1		<5	<1	87	<0.1	<0.1	13	<0.5	62	14	<1	<0.01	<0.5	12	<1	<0.1	<5	27	43
01-20	1-20-4_P_4_030797_1	4		<5	<1	96	<0.1	<0.1	13	<0.5	6	13	<1	<0.01	<0.5	10	<1	<0.1	<5	27	37
01-20	1-20-10_P_10_030797_1	10		<5	<1	100	<0.1	<0.1	16	<0.5	7.9	20	<1	<0.01	<0.5	16	<1	<0.1	<5	32	49
01-20	1-20-15_P_15_030797_1	15		<5	<1	12	<0.1	<0.1	13	<0.5	6.9	15	<1	<0.01	<0.5	6.9	<1	<0.1	<5	29	42
01-20	1-20-20_P_20_030797_1	20		<5	<1	86	<0.1	<0.1	10	<0.5	6.9	15	<1	<0.01	<0.5	12	<1	<0.1	<5	29	42
01-20	1-20-25_P_25_030797_1	25		<5	<1	97	<0.1	<0.1	11	<0.5	6.3	15	<1	<0.01	<0.5	9.6	<1	<0.1	<5	27	44
01-26	26_5'	5	26300	0.59B	3.9	137	0.68	0.49B	25.7		12.1	20.9	5.3	0.057B	1.1B	17.8	<0.5	<1	1.5	59.2	58.4
01-26	26_10'	10	29500	0.83B	5.5	317	0.78	0.77	40.6		11.2	32.8	6.4	0.061B	1.6B	24.5	<0.5	<1	1.4	73.2	73.5
01-31	1_31_2_20	20	20500	<6	3.1	157	0.6	<0.5	23.7		11	35.3	5.7	0.038B	<4	17	<0.5	<1	0.59B	53	75.9
01-31	1_31_3_20	20	21700	<6	3	174	0.63	<0.5	26		12	31	5.6	0.031B	0.48B	18.3	<0.5	<1	0.84B	56.8	78.8
01-31	1_31_2_25	25	34200	<6	5	224	1.1	<0.5	45.3		17.3	49	10.7	0.036B	0.46B	33	<0.5	<1	1.4	80.3	112
01-31	1_31_3_25	25	29000	<6	4.8	205	0.9	<0.5	38.8		13.6	47.8	8.4	0.096B	0.63B	28.4	<0.5	<1	1	73.5	99.1
01-31	1_31_2_30	30	19100	<6	6.3	259	0.56	<0.5	26.3		9	30	5.6	0.032B	0.45B	19.2	<0.5	<1	1.1	65.1	63
01-31	1_31_3_30	30	17800	<6	6.1	162	0.5	<0.5	25.3		10.4	28.6	4.9	0.15	0.91B	20.7	<0.5	<1	0.97B	61.4	63.1
01-31	1_31_1_40	40	10700	<6	6.6	78.9	0.33B	<0.5	17.5		5	10.4	2.9	<0.1	0.42B	11.2	<0.5	<1	<1	34.2	36.7
01-31	1_31_2_40	40	8360	<6	4	69.4	0.26B	<0.5	14.9		5.7	12.8	2.6	<0.1	0.62B	10.2	<0.5	<1	<1	30.3	34.2
01-31	1_31_3_40	40	8590	<6	6.8	64.5	0.27B	<0.5	15.3		4.8B	14.9	2.6	<0.1	0.92B	10.2	<0.5	<1	<1	33.2	38.1
01-31	1_31_1_50	50	19200	<6	29.6	212	0.83	<0.5	36.7		11.5	37	10	0.026B	2.3B	21.7	0.41B	<1	0.9B	93	62.1
01-31	1_31_2_50	50	13300	<6	10.1	79.8	0.36B	<0.5	21.7		8	20.3	4.9	0.038B	0.81B	16.2	<0.5	<1	0.51B	46.2	52.8
01-31	1_31_3_50	50	19200	<6	10.9	120	0.57	<0.5	31.7		12.6	37.4	7.2	0.059B	0.53B	28.3	<0.5	<1	1	60.3	87.7
01-31	1_31_1_60	60	12400	<6	3.4	60.2	0.43B	<0.5	22		9.1	23.6	4.1	0.027B	0.31B	19.6	0.42B	<1	0.61B	39.5	58.8
01-31	1_31_2_60	60	9350	<6	1.8	60.4	0.27B	<0.5	19.6		7.4	15.2	3.2	0.025B	<4	15.1	<0.5	<1	0.58B	29.4	41.2
01-31	1_31_3_60	60	13200	<6	3.1	66.1	0.39B	<0.5	23.2		8.8	22.2	4.4	0.033B	0.41B	19.7	0.52	<1	<1	42.3	50.8
02-06	2-6-1_P_1_031297_1	1		<5	<1	140	<0.1	<0.1	27	<0.5	8.2	15	<1	<0.01	<0.5	14	<1	<0.1	<5	29	40
02-06	2-6-4_P_4_031297_1	4		<5	<1	160	<0.1	<0.1	23	<0.5	7.2	18	<1	<0.01	<0.5	13	<1	<0.1	<5	29	43
02-06	2-6-10_P_10_031297_1	10		<5	<1	140	<0.1	<0.1	28	<0.5	8.1	21	<1	<0.01	<0.5	14	<1	<0.1	<5	31	50
02-12	2-12-1_P_1_031397_1	1		<5	<1	110	<0.1	<0.1	23	<0.5	6.9	10	<1	<0.01	<0.5	11	<1	<0.1	<5	22	32
02-12	2-12-4_P_4_031397_1	4		<5	<1	140	<0.1	<0.1	27	<0.5	7.9	10	<1	<0.01	<0.5	10	<1	<0.1	<5	33	48
02-12	2-12-10_P_10_031397_1	10		<5	<1	120	<0.1	<0.1	27	<0.5	7.7	14	<1	<0.01	<0.5	13	<1	<0.1	<5	30	51
04-01	4-1-1_P_1_031897_1	1		<5	<1	130	<0.1	<0.1	24	<0.5	9.1	17	<1	<0.01	<0.5	14	<1	<0.1	<5	32	85
04-01	4-1-4_P_4_031897_1	4		<5	<1	130	<0.1	<0.1	27	<0.5	8.6	16	<1	<0.01	<0.5	14	<1	<0.1	<5	35	46
04-01	4-1-10_P_10_031897_1	10		<5	<1	110	<0.1	<0.1	28	<0.5	6.9	18	<1	<0.01	<0.5	12	<1	<0.1	<5	35	46
04-02	4-2-1_P_1_031897_1	1		<5	<1	110	<0.1	<0.1	22	<0.5	7.3	11	<1	<0.01	<0.5	11	<1	<0.1	<5	29	32
04-02	4-2-4_P_4_031897_1	4		<5	<1	110	<0.1	<0.1	28	<0.5	6.6	11	<1	<0.01	<0.5	10	<1	<0.1	<5	29	42
04-02	4-2-10_P_10_031897_1	10		<5	<1	130	<0.1	<0.1	25	<0.5	7.9	15	<1	<0.01	<0.5	13	<1	<0.1	<5	27	49
04-03	4-3-1_P_1_030797_1	1		<5	<1	95	<0.1	<0.1	12	<0.5	6.2	15	<1	<0.01	<0.5	11	<1	<0.1	<5	28	57
04-03	4-3-4_P_4_030797_1	4		<5	<1	110	<0.1	<0.1	13	<0.5	7.1	13	<1	<0.01	<0.5	11	<1	<0.1	<5	28	39
04-03	4-3-10_P_10_030797_1	10		<5	<1	110	<0.1	<0.1	13	<0.5	5.8	17	<1	<0.01	<0.5	13	<1	<0.1	<5	26	42
04-03	4-3-20_P_20_030797_1	20		<5	<1	91	<0.1	<0.1	14	<0.5	6.5	18	<1	<0.01	<0.5	11	<1	<0.1	<5	32	45
04-03	4-3-30_P_30_030797_1	30		<5	<1	110	<0.1	<0.1	12	<0.5	5.2	15	<1	<0.01	<0.5	9.9	<1	<0.1	<5	30	44
04-03	4-3-40_P_40_030797_1	40		<5	<1	110	<0.1	<0.1	17	<0.5	6.9	25	<1	<0.01	<0.5	17	<1	<0.1	<5	38	59
04-03	4-3-50_P_50_030797_1	50		<5	<1	64	<0.1	<0.1	17	<0.5	7.1	20	<1	<0.01	<0.5	13	<1	<0.1	<5	47	48
04-04	4-4-1_P_1_031897_1	1		<5	<1	90	<0.1	<0.1	22	<0.5	6.7	7.9	<1	<0.01	<0.5	8.6	<1	<0.1	<5	25	29
04-04	4-4-4_P_4_031897_1	4		<5	<1	100	<0.1	<0.1	26	<0.5	6.8	8.9	<1	<0.01	<0.5	12	<1	<0.1	<5	34	41
04-04	4-4-10_P_10_031897_1	10		<5	<1	130	<0.1	<0.1	23	<0.5	7.3	13	<1	<0.01	<0.5	13	<1	<0.1	<5	26	34
04-05	4-5-1_P_1_031897_1	1		<5	<1	88	<0.1	<0.1	25	<0.5	6.5	10	<1	<0.01	<0.5	9.2	<1	<0.1	<5	27	35
04-05	4-5-4_P_4_031897_1	4		<5	<1	65	<0.1	<0.1	23	<0.5	5.6	8.4	<1	<0.01	<0.5	8.6	<1	<0.1	<5	23	34
04-05	4-5-10_P_10_031897_1	10		<5	<1	100	<0.1	<0.1	26	<0.5	8.5	15	<1	<0.01	<0.5	14	<1	<0.1	<5	32	38
05-26	5-26-1_P_1_040897_1	1		<5	<1	110	<0.1	<0.1	32	<0.5	9	18	<1	<0.01	<0.5	15	<1	<0.1	<5	38	52
05-26	5-26-4_P_4_040897_1	4		<5	<1	110	<0.1	<0.1	35	<0.5	9.1	20	<1	<0.01	<0.5	18	<1	<0.1	<5	40	58
05-26	5-26-10_P_10_040897_1	10		<5	<1	34	<0.1	<0.1	7		2.1	6.1	<1	<0.01	<0.5	5.8	<1	<0.1	<5	8.6	12
05-28	5-28-1_P_1_040897_1	1		<5	<1	120	<0.1	<0.1	33	<0.5	8	18	<1	<0.01	<0.5	13	<1	<0.1	<5	40	60
05-28	5-28-4_P_4_040897_1	4		<5	<1	130	<0.1	<0.1	33	<0.5	7.6	17	<1	<0.01	<0.5	13	<1	<0.1	<5	39	59
05-28	5-28-10_P_10_040897_1	10		<5	<1	120	<0.1	<0.1	30	<0.5	8.2	16	<1	<0.01	<0.5	14	<1	<0.1	<5	33	52
05-29	5-29-1_P_1_040897_1	1		<5	<1	120	<0.1	<0.1	29	<0.5	7.9	17	<1	<0.01	<0.5	13	<1	<0.1	<5	35	56
05-29	5-29-4_P_4_040897_1	4		<5	<1	110	<0.1	<0.1	28	<0.5	7.2	18	<1	<0.01	<0.5	15	<1	<0.1	<5	33	47

See notes on page 28

BOE-C6-0182532

Table 9
Inorganic Compounds in Soil Samples (mg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Object Name	Sample Name	Sample Depth (feet)	Aluminum	Antimony	Arsenic	Barium	Beryllium	Cadmium	Chromium	Chromium (VI)	Cobalt	Copper	Lead	Mercury	Molybdenum	Nickel	Selenium	Silver	Thallium	Vanadium	Zinc
05-29	5-29-10_P_10_040897_1	10		<5	<1	150	<0.1	<0.1	35	<0.5	8.6	16	<1	<0.01	<0.5	16	<1	<0.1	<5	38	57
05-31	5-31-4_P_4_040897_1	4		<5	<1	97	<0.1	<0.1	19	<0.5	5.4	9.2	<1	<0.01	<0.5	8.9	<1	<0.1	<5	25	3.9
05-31	5-31-10_P_10_040897_1	10		<5	<1	67	<0.1	<0.1	15	<0.5	4.5	4.4	<1	<0.01	<0.5	8.3	<1	<0.1	<5	23	25
05-32	5-32-1_P_1_040897_1	1		<5	<1	46	<0.1	<0.1	5		2.2	0.9	<1	<0.01	<0.5	3.3	<1	<0.1	<5	9.3	10
05-32	5-32-4_P_4_040897_1	4		<5	<1	150	<0.1	<0.1	38	<0.5	9.1	22	<1	<0.01	<0.5	17	<1	<0.1	<5	43	65
05-32	5-32-10_P_10_040897_1	10		<5	<1	110	<0.1	<0.1	30	<0.5	8.4	12	<1	<0.01	<0.5	15	<1	<0.1	<5	34	47
05-35	5-35-4_P_4_040997_1	4		<5	<1	96	<0.1	<0.1	26	<0.5	7.2	7.8	<1	<0.01	<0.5	13	<1	<0.1	<5	27	41
05-39	5-39-1_P_1_040997_1	1		<5	<1	100	<0.1	<0.1	27	<0.5	7.7	11	<1	<0.01	<0.5	15	<1	<0.1	<5	28	39
05-39	5-39-4_P_4_040997_1	4		<5	<1	120	<0.1	<0.1	34	<0.5	8	14	<1	<0.01	<0.5	14	<1	<0.1	<5	33	46
05-39	5-39-10_P_10_040997_1	10		<5	<1	110	<0.1	<0.1	29	<0.5	7.5	14	<1	<0.01	<0.5	14	<1	<0.1	<5	32	50
05-43	5-43-1_P_1_040997_1	1		<5	<1	60	<0.1	<0.1	16	<0.5	4.5	4.6	<1	<0.01	<0.5	8.3	<1	<0.1	<5	19	26
05-43	5-43-4_P_4_040997_1	4		<5	<1	95	<0.1	<0.1	18	<0.5	6.3	9.4	<1	<0.01	<0.5	11	<1	<0.1	<5	16	31
05-43	5-43-10_P_10_040997_1	10		<5	<1	140	<0.1	<0.1	30	<0.5	8.1	15	<1	<0.01	<0.5	14	<1	<0.1	<5	35	57
2-199	2_199_5	5	28800	<6	3.5	187	0.83	<0.5	30.2		11.2	20.7	6.2	0.034B	<4	22.3	<0.5	<1	1.6	59.8	56.1
2-199	2_199_10	10	22500	<6	4.5	142	0.65	<0.5	29.1		11.1	30.9	6.1	0.049B	<4	21.5	<0.5	<1	1.4	58.7	63.7
2-199	2_199_15	15	26600	<6	5.1	178	0.77	<0.5	31.6		15.9	34	7.8	0.07B	<4	22.4	<0.5	<1	1.5	70.3	85.3
2-211	2_211_5	5	23900	<6	4.1	172	0.69	<0.5	27.7		12.5	28.4	6.5	0.047B	<4	20.2	<0.5	<1	1	60.2	69.9
2-211	2_211_10	10	22100	<6	4.4	120	0.66	<0.5	26.5		12	28.5	6.2	0.054B	<4	20.5	<0.5	<1	1	56.4	64.7
2-211	2_211_15	15	25700	<6	4.1	151	0.73	<0.5	29.3		14.1	33.2	6.4	0.054B	<4	21.9	<0.5	<1	1.2	66.2	79.5
2BB-1-1	2BB-1-1-1_P_1_050697_1	1		<5	<1	120	<0.1	<0.1	22	<0.5	8.6	12	<1	<0.01	<0.5	11	<1	<0.1	<5	30	39
2BB-1-1	2BB-1-1-4_P_4_050697_1	4		<5	<1	95	<0.1	<0.1	21	<0.5	7.8	9.2	<1	<0.01	<0.5	8.1	<1	<0.1	<5	28	31
2BB-1-1	2BB-1-1-10_P_10_050697_1	10		<5	<1	110	<0.1	<0.1	29	<0.5	8.1	18	<1	<0.01	<0.5	17	<1	<0.1	<5	34	46
2BB-1-1	2BB-1-1-15_P_15_050697_1	15		<5	<1	120	<0.1	<0.1	28	<0.5	8.4	16	<1	<0.01	<0.5	13	<1	<0.1	<5	31	45
2BB-1-1	2BB-1-1-20_P_20_050697_1	20		<5	<1	120	<0.1	<0.1	25	<0.5	8.4	16	<1	<0.01	<0.5	13	<1	<0.1	<5	30	49
2BB-1-1	2BB-1-1-25_P_25_050697_1	25		<5	<1	110	<0.1	<0.1	22	<0.5	7.2	16	<1	<0.01	<0.5	11	<1	<0.1	<5	28	46
2BB-1-1A	2BB-1-1A-1_P_1_050697_1	1		<5	<1	160	<0.1	<0.1	28	<0.5	9.5	19	<1	<0.01	<0.5	14	<1	<0.1	<5	34	55
2BB-1-1A	2BB-1-1A-4_P_4_050697_1	4		<5	<1	95	<0.1	<0.1	24	<0.5	9	23	<1	<0.01	<0.5	12	<1	<0.1	<5	29	32
2BB-1-1A	2BB-1-1A-10_P_10_050697_1	10		<5	<1	88	<0.1	<0.1	19	<0.5	7.8	11	<1	<0.01	<0.5	11	<1	<0.1	<5	26	39
2BB-1-2	2BB-1-2-1_P_1_050697_1	1		<5	<1	130	<0.1	<0.1	29	<0.5	9.4	17	<1	<0.01	<0.5	15	<1	<0.1	<5	35	58
2BB-1-2	2BB-1-2-4_P_4_050697_1	4		<5	<1	97	<0.1	<0.1	26	<0.5	7.2	8.1	<1	<0.01	<0.5	9.1	<1	<0.1	<5	29	36
2BB-1-2	2BB-1-2-10_P_10_050697_1	10		<5	<1	97	<0.1	<0.1	21	<0.5	7.3	10	<1	<0.01	<0.5	9.7	<1	<0.1	<5	24	39
2BB-1-3	2BB-1-3-4_P_4_040997_1	4		<5	<1	86	<0.1	<0.1	19	<0.5	7	7.4	<1	<0.01	<0.5	8.6	<1	<0.1	<5	27	24
2BB-1-4	2BB-1-4-1_P_1_041797_1	1		<5	<1	81	<0.1	<0.1	21	<0.5	6.3	9.7	<1	<0.01	<0.5	7.5	<1	<0.1	<5	26	26
2BB-1-4	2BB-1-4-4_P_4_041797_1	4		<5	<1	110	<0.1	<0.1	24	<0.5	8.1	11	<1	<0.01	<0.5	10	<1	<0.1	<5	27	32
2BB-1-4	2BB-1-4-10_P_10_041797_1	10		<5	<1	82	<0.1	<0.1	21	<0.5	6.3	8.2	<1	<0.01	<0.5	9.2	<1	<0.1	<5	23	37
2BB-1-4	2BB-1-4-20_P_20_041797_1	20		<5	<1	89	<0.1	<0.1	16	<0.5	6.5	12	<1	<0.01	<0.5	9	<1	<0.1	<5	21	35
2BB-1-4	2BB-1-4-30_P_30_041797_1	30		<5	<1	110	<0.1	<0.1	32	<0.5	8.9	22	<1	<0.01	<0.5	17	<1	<0.1	<5	35	58
2BB-1-4	2BB-1-4-40_P_40_041797_1	40		<5	<1	91	<0.1	<0.1	18	<0.5	7.1	12	<1	<0.01	<0.5	9.7	<1	<0.1	<5	21	38
2BB-1-4	2BB-1-4-50_P_50_041797_1	50		<5	<1	31	<0.1	<0.1	12	<0.5	3.4	6.9	<1	<0.01	<0.5	5.9	<1	<0.1	<5	12	21
2BB-1-5	2BB-1-5-1_P_1_041797_1	1		<5	<1	73	<0.1	<0.1	18	<0.5	8	7.9	<1	<0.01	<0.5	7.5	<1	<0.1	<5	25	23
2BB-1-5	2BB-1-5-4_P_4_041797_1	4		<5	14	86	<0.1	<0.1	25	<0.5	6.1	10	<1	<0.01	<0.5	13	<1	<0.1	<5	27	37
2BB-1-5	2BB-1-5-10_P_10_041797_1	10		<5	<1	94	<0.1	<0.1	26	<0.5	8.4	15	<1	<0.01	<0.5	13	<1	<0.1	<5	31	47
2BB-1-5	2BB-1-5-20_P_20_041797_1	20		<5	<1	140	<0.1	<0.1	29	<0.5	10	19	<1	<0.01	<0.5	15	<1	<0.1	<5	35	61
2BB-1-5	2BB-1-5-30_P_30_041797_1	30		<5	<1	140	<0.1	<0.1	29	<0.5	8.7	24	<1	<0.01	<0.5	15	<1	<0.1	<5	34	24
2BB-1-5	2BB-1-5-40_P_40_041797_1	40		<5	<1	120	<0.1	<0.1	32	<0.5	9.4	22	<1	<0.01	<0.5	17	<1	<0.1	<5	37	61
2BB-1-5	2BB-1-5-50_P_50_041797_1	50		<5	<1	59	<0.1	<0.1	23	<0.5	5.1	10	<1	<0.01	<0.5	10	<1	<0.1	<5	22	35
2BB-1-14	2BB-1-14-1_P_1_050597_1	1		<5	<1	110	<0.1	<0.1	27	<0.5	7.4	13	<1	<0.01	<0.5	12	<1	<0.1	<5	30	42
2BB-1-14	2BB-1-14-4_P_4_050597_1	4		<5	<1	93	<0.1	<0.1	17	<0.5	6.2	4.9	<1	<0.01	<0.5	5.5	<1	<0.1	<5	24	24
2BB-1-14	2BB-1-14-10_P_10_050597_1	10		<5	<1	71	<0.1	<0.1	18	<0.5	5.6	11	<1	<0.01	<0.5	9.1	<1	<0.1	<5	20	32
2BB-1-14	2BB-1-14-15_P_15_050597_1	15		<5	<1	89	<0.1	<0.1	21	<0.5	5.7	9.9	<1	<0.01	<0.5	8.8	<1	<0.1	<5	23	37
2BB-1-14	2BB-1-14-20_P_20_050597_1	20		<5	<1	120	<0.1	<0.1	26	<0.5	7	15	<1	<0.01	<0.5	12	<1	<0.1	<5	30	47
2BB-1-14	2BB-1-14-25_P_25_050597_1	25		<5	<1	130	<0.1	<0.1	27	<0.5	9	18	<1	<0.01	<0.5	12	<1	<0.1	<5	25	51
2BB-1-15	2BB-1-15-1_P_1_050597_1	1		<5	<1	73	<0.1	<0.1	17	<0.5	6.1	6.3	<1	<0.01	<0.5	6.4	<1	<0.1	<5	22	22
2BB-1-15	2BB-1-15-4_P_4_050597_1	4		<5	<1	110	<0.1	<0.1	32	<0.5	7.2	8.7	<1	<0.01	<0.5	13	<1	<0.1	<5	33	41
2BB-1-15	2BB-1-15-10_P_10_050597_1	10		<5	<1	82	<0.1	<0.1	19	<0.5	6.8	10	<1	<0.01	<0.5	9.4	<1	<0.1	<5	22	34
2BB-1-15	2BB-1-15-15_P_15_050597_1	15		<5	<1	81	<0.1	<0.1	22	<0.5	6.4	12	<1	<0.01	<0.5	11	<1	<0.1	<5	24	35
2BB-1-15	2BB-1-15-20_P_20_050597_1	20		<5	<1	120	<0.1	<0.1	28	<0.5	6.8	15	<1	<0.01	<0.5	11	<1	<0.1	<5	30	47
2BB-1-15	2BB-1-15-25_P_25_050597_1	25		<5	<1	110	<0.1	<0.1	28	<0.5	7.7	16	<1	<0.01	<0.5	12	<1	<0.1	<5	33	46
2BB-1-16	2BB-1-16-1_P_1_050597_1	1		<5	<1	79	<0.1	<0.1	20	<0.5	5.9	6.7	<1	<0.01	<0.5	6.8	<1	<0.1	<5	21	26
2BB-1-16	2BB-1-16-4_P_4_050597_1	4		<5	<1	98	<0.1	<0.1	29	<0.5	5.7	8.8	<1	<0.01	<0.5	8.5	<1	<0.1	<5	25	42
2BB-1-16	2BB-1-16-10_P_10_050597_1	10		<5	<1	94	<0.1	<0.1	30	<0.5	8.4	19	<1	<0.01	<0.5	14	<1	<0.1	<5	31	48
2BB-1-16	2BB-1-16-15_P_15_050597_1	15		<5	<1	80	<0.1	<0.1	19	<0.5	6.3	9.5	<1	<0.01	<0.5	9.6	<1	<0.1	<5	21	33
2BB-1-16	2BB-1-16-20_P_20_050597_1	20		<5	<1	94	<0.1	<0.1	28	<0.5	7.3	15	<1	<0.01	<0.5	11	<1	<0.1	<5	28	46
2BB-1-16	2BB-1-16-25_P_25_050597_1	25		<5	<1	100	<0.1	<0.1	32	<0.5	8.6	17	<1	<0.01	<0.5	13	<1	<0.1	<5	26	55
2BB-1-17	2BB-1-17-1_P_1_050597_1	1		<5	<1	80	<0.1	<0.1	18	<0.5	7.4	7.3	<1	<0.01	<0.5	6.1	<1	<0.1	<5	24	24
2BB-1-17	2BB-1-17-4_P_4_050597_1	4		<5	<1	86	<0.1	<0.1	19	<0.5	6.7	7.8	<1	<0.01	<0.5	8.9	<1	<0.1	<5	20	30
2BB-1-17	2BB-1-17-10_P_10_050597_1	10		<5	<1	86	<0.1	<0.1	29	<0.5	8.5	19	<1	<0.01	<0.5	15	<1	<0.1	<5	30	47

See notes on page 28

BOE-C6-0182533

Table 9
Inorganic Compounds in Soil Samples (mg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Object Name	Sample Name	Sample Depth (feet)	Aluminum	Antimony	Arsenic	Barium	Beryllium	Cadmium	Chromium	Chromium (VI)	Cobalt	Copper	Lead	Mercury	Molybdenum	Nickel	Selenium	Silver	Thallium	Vanadium	Zinc
2BB-1-17	2BB-1-17-15_P_15_050597_1	15		<5	<1	94	<0.1	<0.1	22	<0.5	6.1	8.5	<1	<0.01	<0.5	8.5	<1	<0.1	<5	24	40
2BB-1-17	2BB-1-17-20_P_20_050597_1	20		<5	<1	110	<0.1	<0.1	19	<0.5	7.7	14	<1	<0.01	<0.5	9.4	<1	<0.1	<5	25	39
2BB-1-17	2BB-1-17-25_P_25_050597_1	25		<5	<1	130	<0.1	<0.1	33	<0.5	9.5	19	<1	<0.01	<0.5	13	<1	<0.1	<5	31	54
2BB-1-18	2BB-1-18-1_P_1_041697_1	1		<5	<1	120	<0.1	<0.1	25	<0.5	8.2	12	<1	<0.01	<0.5	17	<1	<0.1	<5	19	39
2BB-1-18	2BB-1-18-4_P_4_041697_1	4		<5	<1	86	<0.1	<0.1	20	<0.5	6.8	10	<1	<0.01	<0.5	7.3	<1	<0.1	<5	23	27
2BB-1-18	2BB-1-18-10_P_10_041697_1	10		<5	<1	120	<0.1	<0.1	38	<0.5	10	17	<1	<0.01	<0.5	15	<1	<0.1	<5	37	59
2BB-1-18	2BB-1-18-15_P_15_041697_1	15		<5	<1	110	<0.1	<0.1	25	<0.5	7.1	14	<1	<0.01	<0.5	14	<1	<0.1	<5	27	44
2BB-1-18	2BB-1-18-20_P_20_041697_1	20		<5	<1	140	<0.1	<0.1	33	<0.5	9.6	17	<1	<0.01	<0.5	19	<1	<0.1	<5	35	65
2BB-1-18	2BB-1-18-25_P_25_041697_1	25		<5	<1	120	<0.1	<0.1	25	<0.5	7.4	16	<1	<0.01	<0.5	12	<1	<0.1	<5	32	47
2BB-1-19	2BB-1-19-1_P_1_040197_1	1		<5	90	110	<0.1	<0.1	21	<0.5	10	11	<1	<0.01	<0.5	10	<1	<0.1	<5	26	37
2BB-1-19	2BB-1-19-4_P_4_040197_1	4		<5	<1	94	<0.1	<0.1	28	<0.5	6.8	8.9	<1	<0.01	<0.5	8.7	<1	<0.1	<5	29	35
2BB-1-19	2BB-1-19-10_P_10_040197_1	10		<5	<1	84	<0.1	<0.1	20	<0.5	8.8	13	<1	<0.01	<0.5	14	<1	<0.1	<5	27	36
2BB-1-19	2BB-1-19-15_P_15_040197_1	15		<5	<1	94	<0.1	<0.1	25	<0.5	6.6	12	<1	<0.01	<0.5	12	<1	<0.1	<5	26	39
2BB-1-19	2BB-1-19-20_P_20_040197_1	20		<5	<1	120	<0.1	<0.1	29	<0.5	8.1	13	<1	<0.01	<0.5	11	<1	<0.1	<5	33	50
2BB-1-19	2BB-1-19-25_P_25_040197_1	25		<5	<1	130	<0.1	<0.1	33	<0.5	8.6	17	<1	<0.01	<0.5	15	<1	<0.1	<5	36	50
2BB-1-20	2BB-1-20-1_P_1_040197_1	1		<5	<1	110	<0.1	<0.1	29	<0.5	9.1	17	<1	<0.01	<0.5	14	<1	<0.1	<5	32	43
2BB-1-20	2BB-1-20-4_P_4_040197_1	4		<5	<1	110	<0.1	<0.1	29	<0.5	10	9.7	<1	<0.01	<0.5	12	<1	<0.1	<5	34	35
2BB-1-20	2BB-1-20-10_P_10_040197_1	10		<5	<1	100	<0.1	<0.1	31	<0.5	8.5	20	<1	<0.01	<0.5	18	<1	<0.1	<5	35	50
2BB-1-20	2BB-1-20-15_P_15_040197_1	15		<5	<1	96	<0.1	<0.1	29	<0.5	7.1	14	<1	<0.01	<0.5	13	<1	<0.1	<5	34	42
2BB-1-20	2BB-1-20-20_P_20_040197_1	20		<5	<1	120	<0.1	<0.1	34	<0.5	9.8	20	<1	<0.01	<0.5	14	<1	<0.1	<5	36	58
2BB-1-20	2BB-1-20-25_P_25_040197_1	25		<5	<1	83	<0.1	<0.1	22	<0.5	6.9	14	<1	<0.01	<0.5	11	<1	<0.1	<5	26	38
2BB-1-38	2BB-1-38-1_P_1_042597_1	1		<5	150	96	<0.1	5	20	<0.5	7.3	13	<1	<0.01	<0.5	8.2	<1	<0.1	<5	26	31
2BB-1-38	2BB-1-38-4_P_4_042597_1	4		<5	<1	75	<0.1	<0.1	20	<0.5	6.1	8.1	<1	<0.01	<0.5	7.3	<1	<0.1	<5	24	27
2BB-1-38	2BB-1-38-10_P_10_042597_1	10		<5	<1	71	<0.1	<0.1	20	<0.5	6.5	12	<1	<0.01	<0.5	11	<1	<0.1	<5	21	39
2BB-1-38	2BB-1-38-20_P_20_042597_1	20		<5	<1	120	<0.1	<0.1	24	<0.5	8.3	15	<1	<0.01	<0.5	13	<1	<0.1	<5	25	53
2BB-1-38	2BB-1-38-30_P_30_042597_1	30		<5	<1	110	<0.1	<0.1	25	<0.5	15	19	<1	<0.01	<0.5	15	<1	<0.1	<5	31	51
2BB-1-38	2BB-1-38-40_P_40_042597_1	40		<5	<1	55	<0.1	<0.1	8.9		3.2	4.1	<1	<0.01	<0.5	4.1	<1	<0.1	<5	12	22
2BB-1-38	2BB-1-38-50_P_50_042597_1	50		<5	<1	36	<0.1	<0.1	12	<0.5	2.9	5.5	<1	<0.01	<0.5	4.7	<1	<0.1	<5	15	26
2BB-4-1	2BB-4-1-1_P_1_041697_1	1		<5	<1	99	<0.1	<0.1	27	<0.5	7.2	15	<1	<0.01	<0.5	11	<1	<0.1	<5	27	46
2BB-4-1	2BB-4-1-4_P_4_041697_1	4		<5	<1	110	<0.1	<0.1	25	<0.5	7.3	29	<1	<0.01	<0.5	11	<1	<0.1	<5	29	46
2BB-4-1	2BB-4-1-10_P_10_041697_1	10		<5	<1	80	<0.1	<0.1	20	<0.5	5.4	12	<1	<0.01	<0.5	9.2	<1	<0.1	<5	22	35
2BB-4-2	2BB-4-2-1_P_1_041697_1	1		<5	<1	100	<0.1	<0.1	31	<0.5	7.8	16	<1	<0.01	<0.5	12	<1	<0.1	<5	32	47
2BB-4-2	2BB-4-2-4_P_4_041697_1	4		<5	<1	100	<0.1	<0.1	31	<0.5	8	16	<1	<0.01	<0.5	14	<1	<0.1	<5	32	48
2BB-4-2	2BB-4-2-10_P_10_041697_1	10		<5	<1	84	<0.1	<0.1	22	<0.5	7.6	15	<1	<0.01	<0.5	12	<1	<0.1	<5	27	43
2BB-4-3	2BB-4-3-1_P_1_041697_1	1		<5	<1	47	<0.1	<0.1	24	<0.5	4.8	6.4	<1	<0.01	<0.5	10	<1	<0.1	<5	22	39
2BB-4-3	2BB-4-3A-1_P_1_042497_1	1		<5	<1	71	<0.1	<0.1	27	<0.5	5.4	9.8	<1	<0.01	<0.5	8.8	<1	<0.1	<5	23	33
2BB-4-3	2BB-4-3-4_P_4_041697_1	4		<5	<1	110	<0.1	<0.1	34	<0.5	7.9	9	<1	<0.01	<0.5	14	<1	<0.1	<5	33	38
2BB-4-3	2BB-4-3A-4_P_4_042497_1	4		<5	<1	88	<0.1	<0.1	26	<0.5	4.9	8	<1	<0.01	<0.5	8.9	<1	<0.1	<5	26	32
2BB-4-3	2BB-4-3-10_P_10_041697_1	10		<5	<1	99	<0.1	<0.1	30	<0.5	8	21	<1	<0.01	<0.5	15	<1	<0.1	<5	33	50
2BB-4-3	2BB-4-3A-10_P_10_042497_1	10		<5	<1	94	<0.1	<0.1	21	<0.5	6.3	14	<1	<0.01	<0.5	13	<1	<0.1	<5	23	36
2BB-4-3	2BB-4-3A-20_P_20_042497_1	20		<5	<1	160	<0.1	<0.1	26	<0.5	7.8	18	<1	<0.01	<0.5	12	<1	<0.1	<5	31	45
2BB-4-3	2BB-4-3A-30_P_30_042497_1	30		<5	<1	120	<0.1	<0.1	25	<0.5	6.7	15	<1	<0.01	<0.5	12	<1	<0.1	<5	30	39
2BB-4-3	2BB-4-3A-40_P_40_042497_1	40		<5	<1	120	<0.1	<0.1	30	<0.5	7.9	19	<1	<0.01	<0.5	14	<1	<0.1	<5	39	49
2BB-4-3	2BB-4-3A-50_P_50_042497_1	50		<5	<1	26	<0.1	<0.1	12	<0.5	5.6	3.8	<1	<0.01	<0.5	5.6	<1	<0.1	<5	21	15
2BB-4-4	2BB-4-4-1_P_1_041697_1	1		<5	<1	110	<0.1	<0.1	27	<0.5	7.3	15	<1	<0.01	<0.5	12	<1	<0.1	<5	28	41
2BB-4-4	2BB-4-4-4_P_4_041697_1	4		<5	<1	86	<0.1	<0.1	25	<0.5	6.2	12	<1	<0.01	<0.5	11	<1	<0.1	<5	27	39
2BB-4-4	2BB-4-4-10_P_10_041697_1	10		<5	<1	79	<0.1	<0.1	19	<0.5	5.6	8.7	<1	<0.01	<0.5	7.9	<1	<0.1	<5	20	37
2BB-4-5	2BB-4-5-1_P_1_041697_1	1		<5	<1	110	<0.1	<0.1	27	<0.5	7.1	14	<1	<0.01	<0.5	12	<1	<0.1	<5	27	46
2BB-4-5	2BB-4-5-4_P_4_041697_1	4		<5	<1	81	<0.1	<0.1	27	<0.5	6.7	14	<1	<0.01	<0.5	11	<1	<0.1	<5	28	39
2BB-4-5	2BB-4-5-10_P_10_041697_1	10		<5	<1	120	<0.1	<0.1	35	<0.5	6.6	14	<1	<0.01	<0.5	13	<1	<0.1	<5	27	41
2BB-5-10	2BB-5-10-1_P_1_042397_1	1		<5	<1	110	<0.1	<0.1	25	<0.5	7.1	12	<1	<0.01	<0.5	11	<1	<0.1	<5	25	39
2BB-5-10	2BB-5-10-1_P_1_050697_1	1		<5	<1	110	<0.1	<0.1	21	<0.5	7.6	12	<1	<0.01	<0.5	10	<1	<0.1	<5	29	39
2BB-5-10	2BB-5-10-4_P_4_042397_1	4		<5	<1	74	<0.1	<0.1	18	<0.5	7.2	8.1	<1	<0.01	<0.5	10	<1	<0.1	<5	20	27
2BB-5-10	2BB-5-10-4_P_4_050697_1	4		<5	<1	150	<0.1	<0.1	20	<0.5	8.8	11	<1	<0.01	<0.5	13	<1	<0.1	<5	23	35
2BB-5-10	2BB-5-10-10_P_10_042397_1	10		<5	<1	120	<0.1	<0.1	20	<0.5	6.8	13	<1	<0.01	<0.5	14	<1	<0.1	<5	25	36
2BB-5-10	2BB-5-10-10_P_10_050697_1	10		<5	<1	140	<0.1	<0.1	29	<0.5	9.2	21	<1	<0.01	<0.5	16	<1	<0.1	<5	34	56
2BB-5-11	2BB-5-11-1_P_1_042297_1	1		<5	<1	120	<0.1	<0.1	24	<0.5	8.1	15	<1	<0.01	<0.5	13	<1	<0.1	<5	32	42
2BB-5-11	2BB-5-11-4_P_4_042297_1	4		<5	<1	120	<0.1	<0.1	29	<0.5	8.5	13	<1	<0.01	<0.5	13	<1	<0.1	<5	28	41
2BB-5-11	2BB-5-11-10_P_10_042297_1	10		<5	<1	160	<0.1	<0.1	36	<0.5	8.9	21	<1	<0.01	<0.5	17	<1	<0.1	<5	42	66
2BB-5-11	2BB-5-11-15_P_15_042297_1	15		<5	<1	130	<0.1	<0.1	28	<0.5	7.4	13	<1	<0.01	<0.5	11	<1	<0.1	<5	36	57
2BB-5-11	2BB-5-11-20_P_20_042297_1	20		<5	<1	140	<0.1	<0.1	32	<0.5	8.7	19	<1	<0.01	<0.5	13	<1	<0.1	<5	40	60
2BB-5-11	2BB-5-11-25_P_25_042297_1	25		<5	<1	180	<0.1	<0.1	46	<0.5	11	37	<1	<0.01	<0.5	21	<1	<0.1	<5	52	86
2BB-5-16	2BB-5-16-1_P_1_042397_1	1		<5	<1	77	<0.1	<0.1	14	<0.5	5.5	9.6	<1	<0.01	<0.5	7.9	<1	<0.1	<5	21	27
2BB-5-16	2BB-5-16-4_P_4_042397_1	4		<5	<1	96	<0.1	<0.1	24	<0.5	6.2	15	<1	<0.01	<0.5	11	<1	<0.1	<5	26	38
2BB-5-16	2BB-5-16-7_P_7_042397_1	7		<5	<1	98	<0.1	<0.1	23	<0.5	6.3	14	<1	<0.01	<0.5	14	<1	<0.1	<5	25	39
2BB-5-16	2BB-5-16-10_P_10_042397_1	10		<5	<1	78	<0.1	<0.1	17	<0.5	4.7	11	<1	<0.01	<0.5	8.9	<1	<0.1	<5	18	30
2BB-5-16	2BB-5-16-15_P_15_042397_1	15		<5	<1	96	<0.1	<0.1	23	<0.5	6.1	12	<1	<0.01	<0.5	12	<1	<0.1	<5	26	40

See notes on page 28

BOE-C6-0182534

Table 9
Inorganic Compounds in Soil Samples (mg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Object Name	Sample Name	Sample Depth (feet)	Aluminum	Antimony	Arsenic	Barium	Beryllium	Cadmium	Chromium	Chromium (VI)	Cobalt	Copper	Lead	Mercury	Molybdenum	Nickel	Selenium	Silver	Thallium	Vanadium	Zinc
2BB-5-16	2BB-5-16-20_P_20_042397_1	20		<5	<1	110	<0.1	<0.1	25	<0.5	8	18	<1	<0.01	<0.5	14	<1	<0.1	<5	22	48
2BB-5-16	2BB-5-16-25_P_25_042397_1	25		<5	<1	50	<0.1	<0.1	12	<0.5	3.1	6.4	<1	<0.01	<0.5	5.3	<1	<0.1	<5	17	20
2BB-5-19	2BB-5-19-4_P_4_042297_1	4		<5	<1	83	<0.1	<0.1	23	<0.5	7.1	9.6	<1	<0.01	<0.5	10	<1	<0.1	<5	22	33
2BB-5-19	2BB-5-19-10_P_10_042297_1	10		<5	<1	110	<0.1	<0.1	34	<0.5	9.1	19	<1	<0.01	<0.5	18	<1	<0.1	<5	38	55
2BB-5-19	2BB-5-19-15_P_15_042297_1	15		<5	<1	130	<0.1	<0.1	30	<0.5	8.3	18	<1	<0.01	<0.5	13	<1	<0.1	<5	34	56
2BB-5-19	2BB-5-19-20_P_20_042297_1	20		<5	<1	130	<0.1	<0.1	30	<0.5	8	19	<1	<0.01	<0.5	13	<1	<0.1	<5	38	56
2BB-5-19	2BB-5-19-25_P_25_042297_1	25		<5	<1	200	<0.1	<0.1	50	<0.5	12	39	<1	<0.01	<0.5	26	<1	<0.1	<5	66	88
2BB-5-20	2BB-5-20-1_P_1_041797_1	1		<5	170	61	<0.1	6.7	18	<0.5	8	15	2.8	<0.01	<0.5	21	<1	<0.1	<5	29	36
2BB-5-20	2BB-5-20-4_P_4_041797_1	4		<5	<1	140	<0.1	<0.1	29	<0.5	8	14	<1	<0.01	<0.5	13	<1	<0.1	<5	38	47
2BB-5-20	2BB-5-20-10_P_10_041797_1	10		<5	<1	150	<0.1	<0.1	26	<0.5	8.7	16	<1	<0.01	<0.5	14	<1	<0.1	<5	30	45
2BB-5-20	2BB-5-20-20_P_20_041797_1	20		<5	<1	130	<0.1	<0.1	29	<0.5	8.3	16	<1	<0.01	<0.5	14	<1	<0.1	<5	36	56
2BB-5-20	2BB-5-20-30_P_30_041797_1	30		<5	<1	56	<0.1	<0.1	15	<0.5	3.9	7.8	<1	<0.01	<0.5	7.4	<1	<0.1	<5	17	27
2BB-5-20	2BB-5-20-40_P_40_041797_1	40		<5	<1	70	<0.1	<0.1	6		3.5	5	<1	<0.01	<0.5	4.9	<1	<0.1	<5	12	10
2BB-5-20	2BB-5-20-50_P_50_041797_1	50		<5	<1	110	<0.1	<0.1	59	<0.5	6.5	29	<1	<0.01	<0.5	15	<1	<0.1	<5	58	56
2BB-5-21	2BB-5-21-1_P_1_050797_1	1		<5	<1	77	<0.1	<0.1	23	<0.5	5.8	10	<1	<0.01	<0.5	10	<1	<0.1	<5	24	35
2BB-5-21	2BB-5-21-4_P_4_050797_1	4		<5	<1	73	<0.1	<0.1	27	<0.5	7.5	9.6	<1	<0.01	<0.5	8.6	<1	<0.1	<5	28	34
2BB-5-21	2BB-5-21-10_P_10_050797_1	10		<5	<1	74	<0.1	<0.1	22	<0.5	7.1	13	<1	<0.01	<0.5	12	<1	<0.1	<5	26	41
2BB-5-21	2BB-5-21-15_P_15_050797_1	15		<5	<1	86	<0.1	<0.1	26	<0.5	6.6	15	<1	<0.01	<0.5	12	<1	<0.1	<5	31	45
2BB-5-21	2BB-5-21-20_P_20_050797_1	20		<5	<1	130	<0.1	<0.1	31	<0.5	7.7	15	<1	<0.01	<0.5	13	<1	<0.1	<5	35	58
2BB-5-21	2BB-5-21-25_P_25_050797_1	25		<5	<1	100	<0.1	<0.1	26	<0.5	8	15	<1	<0.01	<0.5	13	<1	<0.1	<5	32	48
2BB-5-22	2BB-5-22-1_P_1_050797_1	1		<5	<1	97	<0.1	<0.1	25	<0.5	7.2	10	44	<0.01	<0.5	11	<1	<0.1	<5	31	43
2BB-5-22	2BB-5-22-4_P_4_050797_1	4		<5	<1	91	<0.1	<0.1	27	<0.5	6.8	11	<1	<0.01	<0.5	9.7	<1	<0.1	<5	32	37
2BB-5-22	2BB-5-22-10_P_10_050797_1	10		<5	<1	80	<0.1	<0.1	24	<0.5	7.5	13	<1	<0.01	<0.5	13	<1	<0.1	<5	24	43
2BB-5-22	2BB-5-22-15_P_15_050797_1	15		<5	<1	100	<0.1	<0.1	27	<0.5	7.1	15	<1	<0.01	<0.5	12	<1	<0.1	<5	30	45
2BB-5-22	2BB-5-22-20_P_20_050797_1	20		<5	<1	120	<0.1	<0.1	27	<0.5	8	17	<1	<0.01	<0.5	13	<1	<0.1	<5	35	55
2BB-5-22	2BB-5-22-25_P_25_050797_1	25		<5	<1	89	<0.1	<0.1	27	<0.5	6.3	14	<1	<0.01	<0.5	12	<1	<0.1	<5	29	44
2BB-5-23	2BB-5-23-1_P_1_041197_1	1		<5	<1	80	<0.1	<0.1	19	<0.5	7.3	15	<1	<0.01	<0.5	11	<1	<0.1	<5	24	36
2BB-5-23	2BB-5-23-4_P_4_041197_1	4		<5	<1	82	<0.1	<0.1	23	<0.5	6.9	7.8	<1	<0.01	<0.5	12	<1	<0.1	<5	27	31
2BB-5-23	2BB-5-23-10_P_10_041197_1	10		<5	<1	100	<0.1	<0.1	27	<0.5	7.5	18	<1	<0.01	<0.5	14	<1	<0.1	<5	28	47
2BB-5-23	2BB-5-23-15_P_15_041197_1	15		<5	<1	94	<0.1	<0.1	22	<0.5	6	11	<1	<0.01	<0.5	9.5	<1	<0.1	<5	24	39
2BB-5-23	2BB-5-23-20_P_20_041197_1	20		<5	<1	110	<0.1	<0.1	23	<0.5	6.1	15	<1	<0.01	<0.5	9.9	<1	<0.1	<5	27	43
2BB-5-23	2BB-5-23-25_P_25_041197_1	25		<5	<1	160	<0.1	<0.1	33	<0.5	8.5	24	<1	<0.01	<0.5	17	<1	<0.1	<5	30	63
2BB-5-27	2BB-5-27-1_P_1_040997_1	1		<5	<1	120	<0.1	<0.1	31	<0.5	8.1	10	<1	<0.01	<0.5	15	<1	<0.1	<5	33	48
2BB-5-27	2BB-5-27-4_P_4_040997_1	4		<5	<1	100	<0.1	<0.1	21	<0.5	5.8	7.9	<1	<0.01	<0.5	8.9	<1	<0.1	<5	22	37
2BB-5-27	2BB-5-27-10_P_10_040997_1	10		<5	<1	130	<0.1	<0.1	32	<0.5	8	13	<1	<0.01	<0.5	14	<1	<0.1	<5	37	53
2BB-5-30	2BB-5-30-1_P_1_041097_1	1		<5	<1	100	<0.1	<0.1	28	<0.5	6.8	12	<1	<0.01	<0.5	14	<1	<0.1	<5	25	47
2BB-5-30	2BB-5-30-4_P_4_041097_1	4		<5	<1	77	<0.1	<0.1	17	<0.5	5.5	6.8	<1	<0.01	<0.5	8.7	<1	<0.1	<5	16	31
2BB-5-30	2BB-5-30-10_P_10_041097_1	10		<5	<1	130	<0.1	<0.1	34	<0.5	8.8	15	<1	<0.01	<0.5	16	<1	<0.1	<5	34	66
2BB-5-33	2BB-5-33-1_P_1_040997_1	1		<5	<1	120	<0.1	<0.1	22	<0.5	7.3	9.5	<1	<0.01	<0.5	13	<1	<0.1	<5	25	37
2BB-5-33	2BB-5-33-4_P_4_040997_1	4		<5	<1	130	<0.1	<0.1	28	<0.5	7.7	16	<1	<0.01	<0.5	14	<1	<0.1	<5	29	46
2BB-5-33	2BB-5-33-10_P_10_040997_1	10		<5	<1	100	<0.1	<0.1	22	<0.5	6.6	12	<1	<0.01	<0.5	10	<1	<0.1	<5	26	42
2BB-5-34	2BB-5-34-1_P_1_040997_1	1		<5	<1	64	<0.1	<0.1	17	<0.5	5.7	2.9	<1	<0.01	<0.5	10	<1	<0.1	<5	19	32
2BB-5-34	2BB-5-34-4_P_4_040997_1	4		<5	<1	73	<0.1	<0.1	15	<0.5	4.6	5.2	<1	<0.01	<0.5	8.8	<1	<0.1	<5	20	23
2BB-5-34	2BB-5-34-10_P_10_040997_1	10		<5	<1	120	<0.1	<0.1	30	<0.5	8.4	16	<1	<0.01	<0.5	13	<1	<0.1	<5	34	54
2BB-5-35	2BB-5-35-1_P_1_040997_1	1		<5	<1	74	<0.1	<0.1	16	<0.5	6.5	13	<1	<0.01	<0.5	11	<1	<0.1	<5	18	36
2BB-5-35	2BB-5-35-10_P_10_040997_1	10		<5	<1	160	<0.1	<0.1	35	<0.5	10	20	<1	<0.01	<0.5	16	<1	<0.1	<5	36	59
2BB-5-36	2BB-5-36-1_P_1_040997_1	1		<5	<1	81	<0.1	<0.1	22	<0.5	6.3	8.5	<1	<0.01	<0.5	12	<1	<0.1	<5	24	33
2BB-5-36	2BB-5-36-4_P_4_040997_1	4		<5	<1	100	<0.1	<0.1	25	<0.5	7.3	13	<1	<0.01	<0.5	14	<1	<0.1	<5	27	38
2BB-5-36	2BB-5-36-10_P_10_040997_1	10		<5	<1	130	<0.1	<0.1	25	<0.5	7.9	17	<1	<0.01	<0.5	14	<1	<0.1	<5	31	47
2BB-5-37	2BB-5-37-1_P_1_041097_1	1		<5	<1	90	<0.1	<0.1	14	<0.5	5.5	5.9	<1	<0.01	<0.5	8.5	<1	<0.1	<5	16	29
2BB-5-37	2BB-5-37-4_P_4_041097_1	4		<5	<1	77	<0.1	<0.1	16	<0.5	4.3	7.3	<1	<0.01	<0.5	7.1	<1	<0.1	<5	15	29
2BB-5-37	2BB-5-37-10_P_10_041097_1	10		<5	<1	68	<0.1	<0.1	11	<0.5	4.3	8.1	<1	<0.01	<0.5	6.4	<1	<0.1	<5	14	28
2BB-5-38	2BB-5-38-1_P_1_041097_1	1		<5	<1	65	<0.1	<0.1	18	<0.5	10	6.4	<1	<0.01	<0.5	<0.5	<1	<0.1	<5	18	30
2BB-5-38	2BB-5-38-4_P_4_041097_1	4		<5	<1	88	<0.1	<0.1	17	<0.5	6.1	7.3	<1	<0.01	<0.5	10	<1	<0.1	<5	15	34
2BB-5-38	2BB-5-38-10_P_10_041097_1	10		<5	<1	80	<0.1	<0.1	18	<0.5	5.7	10	<1	<0.01	<0.5	9.6	<1	<0.1	<5	22	35
2BB-5-40	2BB-5-40-1_P_1_040997_1	1		<5	<1	100	<0.1	<0.1	25	<0.5	8.1	9.3	<1	<0.01	<0.5	15	<1	<0.1	<5	28	40
2BB-5-40	2BB-5-40-4_P_4_040997_1	4		<5	<1	76	<0.1	<0.1	15	<0.5	5.3	5.8	<1	<0.01	<0.5	9.4	<1	<0.1	<5	17	24
2BB-5-40	2BB-5-40-10_P_10_040997_1	10		<5	<1	150	<0.1	<0.1	31	<0.5	8.6	15	<1	<0.01	<0.5	13	<1	<0.1	<5	30	53
2BB-5-41	2BB-5-41-1_P_1_040997_1	1		<5	<1	64	<0.1	<0.1	21	<0.5	5.7	9.1	<1	<0.01	<0.5	12	<1	<0.1	<5	23	32
2BB-5-41	2BB-5-41-4_P_4_040997_1	4		<5	<1	100	<0.1	<0.1	30	<0.5	7.3	13	<1	<0.01	<0.5	15	<1	<0.1	<5	32	44
2BB-5-41	2BB-5-41-10_P_10_040997_1	10		<5	<1	100	<0.1	<0.1	27	<0.5	7.3	14	<1	<0.01	<0.5	13	<1	<0.1	<5	29	48
2BB-5-42	2BB-5-42-1_P_1_040997_1	1		<5	<1	94	<0.1	<0.1	30	<0.5	8.8	16	<1	<0.01	<0.5	16	<1	<0.1	<5	27	49
2BB-5-42	2BB-5-42-4_P_4_040997_1	4		<5	<1	82	<0.1	<0.1	17	<0.5	4.5	5.1	<1	<0.01	<0.5	9	<1	<0.1	<5	22	24
2BB-5-42	2BB-5-42-10_P_10_040997_1	10		<5	<1	130	<0.1	<0.1	25	<0.5	7.6	14	<1	<0.01	<0.5	12	<1	<0.1	<5	28	51
2BB-5-44	2BB-5-44-1_P_1_042197_1	1		<5	<1	86	<0.1	<0.1	20	<0.5	7.4	8.6	<1	<0.01	<0.5	12	<1	<0.1	<5	28	36
2BB-5-44	2BB-5-44-4_P_4_042197_1	4		<5	<1	150	<0.1	<0.1	29	<0.5	8.5	13	<1	<0.01	<0.5	14	<1	<0.1	<5	35	37
2BB-5-44	2BB-5-44-10_P_10_042197_1	10		<5	<1	94	<0.1	<0.1	34	<0.5	8.7	20	<1	<0.01	<0.5	16	<1	<0.1	<5	35	49

See notes on page 28

BOE-C6-0182535

Table 9
Inorganic Compounds in Soil Samples (mg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Object Name	Sample Name	Sample Depth (feet)	Aluminum	Antimony	Arsenic	Barium	Beryllium	Cadmium	Chromium	Chromium (VI)	Cobalt	Copper	Lead	Mercury	Molybdenum	Nickel	Selenium	Silver	Thallium	Vanadium	Zinc
2BB-5-45	2BB-5-45-1_P_1_042197_1	1		<5	<1	120	<0.1	<0.1	35	<0.5	7.9	8	<1	<0.01	<0.5	13	<1	<0.1	<5	37	43
2BB-5-45	2BB-5-45-4_P_4_042197_1	4		<5	<1	120	<0.1	<0.1	29	<0.5	6.8	8.1	<1	<0.01	<0.5	13	<1	<0.1	<5	36	51
2BB-5-45	2BB-5-45-10_P_10_042197_1	10		<5	<1	110	<0.1	<0.1	24	<0.5	7.2	11	<1	<0.01	<0.5	12	<1	<0.1	<5	28	44
2BB-5-46	2BB-5-46-1_P_1_042197_1	1		<5	<1	99	<0.1	<0.1	26	<0.5	6.9	8.4	<1	<0.01	<0.5	10	<1	<0.1	<5	28	45
2BB-5-47	2BB-5-47-1_P_1_042197_1	1		<5	<1	110	<0.1	<0.1	20	<0.5	7.2	7.6	<1	<0.01	<0.5	7.2	<1	<0.1	<5	23	36
2BB-5-47	2BB-5-47-4_P_4_042197_1	4		<5	<1	100	<0.1	<0.1	29	<0.5	7.4	6.8	<1	<0.01	<0.5	8.8	<1	<0.1	<5	31	41
2BB-5-47	2BB-5-47-10_P_10_042197_1	10		<5	<1	120	<0.1	<0.1	24	<0.5	8.6	13	<1	<0.01	<0.5	16	<1	<0.1	<5	32	49
2BB-5-48	2BB-5-48-1_P_1_042197_1	1		<5	<1	130	<0.1	<0.1	41	<0.5	9.2	8.5	<1	<0.01	<0.5	16	<1	<0.1	<5	39	55
2BB-5-48	2BB-5-48-4_P_4_042197_1	4		<5	<1	91	<0.1	<0.1	27	<0.5	6.3	8.5	<1	<0.01	<0.5	9.8	<1	<0.1	<5	29	41
2BB-5-48	2BB-5-48-10_P_10_042197_1	10		<5	<1	95	<0.1	<0.1	28	<0.5	7.1	9	<1	<0.01	<0.5	12	<1	<0.1	<5	29	51
2BB-NW-10	2BB-SA-NW-10-1_P_1_040397_1	1		<5	<1	110	<0.1	<0.1	28	<0.5	7.1	8.1	<1	<0.01	<0.5	12	<1	<0.1	<5	32	42
2BB-NW-10	2BB-SA-NW-10-4_P_4_040397_1	4		<5	<1	120	<0.1	<0.1	31	<0.5	8.9	7.3	<1	<0.01	<0.5	8.8	<1	<0.1	<5	38	38
2BB-NW-9	2BB-SA-NW-9-4_P_4_040397_1	4		<5	<1	130	<0.1	<0.1	25	<0.5	11	8.5	<1	<0.01	<0.5	10	<1	<0.1	<5	30	32
2BB-NW-9	2BB-SA-NW-9-10_P_10_040397_1	10		<5	<1	140	<0.1	<0.1	28	<0.5	8.4	16	<1	<0.01	<0.5	14	<1	<0.1	<5	32	46
B-03K-1	3K-1_P_10_032596_1	10		<1	<10	179	0.83	<0.2	37.5	<0.1	19.6	39.9	8	0.042	<4	30.9	<0.5	<0.5	<0.5	<200	75.5	81
B-03K-1	3K-1_P_15_032596_1	15		<1	<10	164	0.59	<0.2	26	<0.1	16.8	23.4	5.5	0.062	<4	19	<0.5	<0.5	<0.5	<200	55.6	73.1
B-03K-2	3K-2_P_10_032696_1	10		<1	<10	252	0.92	<0.2	39.1	<0.1	18.7	35.4	8.3	0.045	<4	28	<0.5	<0.5	<0.5	<200	74.8	81.1
B-03K-2	3K-2_P_15_032696_1	15		<1	<10	155	0.78	<0.2	31.3	<0.1	16.8	27.3	7.2	<0.04	<4	23.1	<0.5	<0.5	<0.5	<200	58.6	72.9
B-03-N-2	3N-2_P_10_032596_1	10		<1	<10	191	0.66	<0.2	31.3	<0.1	19	30.8	6.6	<0.04	<4	24.8	0.9	<0.5	<200	63	80.5
B-03-N-2	3N-2_P_15_032596_1	15		<1	<10	144	0.55	<0.2	27.3	<0.1	14.7	24.9	5.2	0.042	<4	18.6	<0.5	<0.5	<0.5	<200	55.1	62.9
B-04	4_P_5_032796_1	5		<1	<10	177	0.72	<0.2	28.8	<0.1	13.6	17.9	6.5	<0.04	<4	19.6	<0.5	<0.5	<0.5	<200	51.7	63.8
B-04	4_P_10_032796_1	10		<1	<10	106	0.72	<0.2	31.9	<0.1	15.5	26.1	5.8	<0.04	<4	20.3	<0.5	<0.5	<0.5	<200	58.8	74.7
B-17	17_P_5_040196_1	5		<1	<10	192	0.81	<0.2	31.4	<0.1	16.8	27.4	7.3	0.04	<4	20	<0.5	<0.5	<0.5	<200	53.2	60.9
B-17	17_P_10_040196_1	10		<1	<10	131	0.69	<0.2	35	<0.1	19.1	33.7	7	<0.04	<4	19.7	<0.5	<0.5	<0.5	<200	56.9	69.4
B-22	B_22_5'	5	30500	1.3B	4.7	222	0.79	0.28B	34.5		12.8	27.3	5.6	0.047B	2.1B	25.9	0.41B	<1	<1	66.4	74.2
B-22	B_22_10'	10	23400	1.4B	5.8	167	0.64	0.25B	28.6		12.1	27.4	5.3	0.022B	1.6B	22.7	0.69	<1	0.93B	63.5	64.1
B36-GS-1	B36-GS-1-3'_P_3_032697_1	3		<5	<1	110	<0.1	<0.1	22	<0.5	8	8.8	<1	<0.01	<0.5	7.8	<1	<0.1	<5	33	24
B36-GS-2	B36-GS-2-2'_P_2_032697_1	2		<5	<1	88	<0.1	<0.1	23	<0.5	8.1	7.7	<1	<0.01	<0.5	6.9	<1	<0.1	<5	34	23
B36-GS-3	B36-GS-3-10'_P_10_091797_1	10		<5	<1	180	<0.1	<0.1	26	<0.5	7.7	12	<1	<0.01	<0.5	13	<1	<0.1	<5	26	43
B36-GS-4	B36-GS-4-12'_P_12_091797_1	12		<5	9.4	92	<0.1	<0.1	31	<0.5	9.7	18	<1	<0.01	<0.5	17	<1	<0.1	<5	30	52
B36-GS-5	B36-GS-5-12'_P_12_091797_1	12		<5	<1	110	<0.1	<0.1	39	<0.5	9.9	22	<1	<0.01	<0.5	18	<1	<0.1	<5	39	58
B36-GS-6	B36-GS-6-5'_P_5_091797_1	5		<5	<1	86	<0.1	<0.1	21	<0.5	6.6	12	<1	<0.01	<0.5	9	<1	<0.1	<5	22	33
B36-GS-7	B36-GS-7-10'_P_10_091797_1	10		<5	<1	120	<0.1	<0.1	29	<0.5	8.9	16	<1	<0.01	<0.5	15	<1	<0.1	<5	29	49
B36-GS-8	B36-GS-8-12'_P_12_091797_1	12		<5	<1	100	<0.1	<0.1	29	<0.5	8.9	16	<1	<0.01	<0.5	16	<1	<0.1	<5	27	46
B36-GS-9	B36-GS-9-12'_P_12_091797_1	12		<5	<1	100	<0.1	<0.1	28	<0.5	8.6	16	<1	<0.01	<0.5	16	<1	<0.1	<5	21	48
B36-GS10	B36-GS10-10'_P_3_091797_1	10		<5	<1	110	<0.1	<0.1	31	<0.5	9.6	17	<1	<0.01	<0.5	14	<1	<0.1	<5	31	52
B36-GS-11	B36-GS-11-12'_P_3_091797_1	12		<5	<1	320	<0.1	<0.1	30	<0.5	8.7	18	<1	<0.01	<0.5	16	<1	<0.1	<5	27	48
B36-GS-12	B36-GS-12-5'_P_3_091797_1	5		<5	<1	89	<0.1	<0.1	23	<0.5	8.1	10	<1	<0.01	<0.5	10	<1	<0.1	<5	25	34
B36-GS-13	B36-GS-13-12'_P_12_091797_1	12		<5	<1	120	<0.1	<0.1	33	<0.5	9.9	18	<1	<0.01	<0.5	16	<1	<0.1	<5	29	49
B36-GS-14	B36-GS-14-5'_P_5_091797_1	5		<5	<1	83	<0.1	<0.1	18	<0.5	6.2	8	<1	<0.01	<0.5	7.4	<1	<0.1	<5	20	28
B36-GS-15	B36-GS-15-10'_P_10_091797_1	10		<5	<1	97	<0.1	<0.1	30	<0.5	7.1	12	<1	<0.01	<0.5	12	<1	<0.1	<5	31	43
B36-GS-16	B36-GS-16-12'_P_12_091797_1	12		<5	<1	110	<0.1	<0.1	30	<0.5	7.9	18	<1	<0.01	<0.5	15	<1	<0.1	<5	29	44
B36-GS-17	B36-GS-17-12'_P_12_091797_1	12		<5	<1	130	<0.1	<0.1	32	<0.5	10	21	<1	<0.01	<0.5	16	<1	<0.1	<5	33	51
B36-GS-18	B36-GS-18-5'_P_5_091797_1	5		<5	<1	100	<0.1	<0.1	26	<0.5	7.9	12	<1	<0.01	<0.5	10	<1	<0.1	<5	28	36
B36-GS-19	B36-GS-19-2'_P_2_091797_1	2		<5	<1	89	<0.1	<0.1	21	<0.5	7.1	8.5	<1	<0.01	<0.5	7	<1	<0.1	<5	23	38
B36-GS-20	B36-GS-20-2'_P_2_091797_1	2		<5	<1	79	<0.1	<0.1	17	<0.5	7.5	7.3	<1	<0.01	<0.5	8.2	<1	<0.1	<5	15	22
B36-GS-21	B36-GS-21-2'_P_2_091797_1	2		<5	<1	110	<0.1	<0.1	28	<0.5	9.6	12	<1	<0.01	<0.5	14	<1	<0.1	<5	24	45
B36-GS-22	B36-GS-22-3'_P_3_091797_1	3		<5	<1	85	<0.1	<0.1	23	<0.5	7	7.3	<1	<0.01	<0.5	6.7	<1	<0.1	<5	26	34
B36-GS-23	B36-GS-23-4'_P_4_091797_1	4		<5	<1	78	<0.1	<0.1	23	<0.5	6.3	9.7	<1	<0.01	<0.5	9.3	<1	<0.1	<5	24	31
B36-GS-24	B36-GS-24-5'_P_3_091797_1	5		<5	<1	87	<0.1	<0.1	23	<0.5	7	12	<1	<0.01	<0.5	9.4	<1	<0.1	<5	23	35
B36-GS-25	B36-GS-25-5'_P_5_091797_1	5		<5	17	80	<0.1	<0.1	23	<0.5	6.5	12	7.4	<0.01	<0.5	10	<1	<0.1	<5	24	57
B37-C32-4_5	B37-C32-4.5_P_4.5_022497_1	4.5		<0.5	<0.11	116	<0.06	0.087	17.1		15.2	21.6	3.95	<0.2	<2.5	11.8	<5	<5	<0.5	39.3	47.4
B37-CS-2	B37-CS-2_P_2_032597_1	2		<5	<1	69	<0.1	<0.1	14	<0.5	2.4	7.9	<1	<0.01	<0.5	7	<1	<0.1	<5	11	31
B37-G36-3	B37-G36-3ft_P_3_022697_1	3		<0.5	<0.11	89.7	<0.06	<0.05	14		8.5	13.4	4.02	<0.2	<2.5	10.2	<5	<5	<0.5	30.4	40.6
B37-GS-2	B37-GS-2_P_0_011597_1	0		<0.5	<0.11	187	<0.06	1.78	13.1		11	27.8	12.4	<0.2	<2.5	12.7	<5	<5	<0.5	28.2	57.8
B37-GS-13	B37-GS-13_P_2_020397_1	2		<0.5	<0.11	111	<0.06	0.475	17.4		9.59	14.8	5.11	<0.2	<2.5	12.5	<5	<5	<0.5	39.8	45.8
B37-GS-14	B37-GS-14_P_1.5_020397_1	1.5		<0.5	<0.11	88.3	<0.06	0.416	12.4		7.86	12.4	5.42	<0.2	<2.5	7.98	<5	<5	<0.5	27.9	31.9
B37-GS-28	B37-GS-28_P_2.5_021297_1	2.5		<0.5	<0.11	85.2	<0.06	<0.05	12.5		6.65	11.2	3.13	<0.2	<2.5	8.96	<5	<5	<0.5	29.5	35.8
B37-GS-29	B37-GS-29_P_2_021297_1	2		<0.5	<0.11	62.6	<0.06	<0.05	7.93		4.54	8.74	2.37	<0.2	<2.5	<5	<5	<5	<0.5	17.3	18.7
B37-GS-30	B37-GS-30_P_1.5_021297_1	1.5		<0.5	<0.11	70	<0.06	<0.05	10.4		5.46	10.4	2.92	<0.2	<2.5	6.74	<5	<5	<0.5	22.4	25.4
B37-GS-31	B37-GS-31_P_3_021297_1	3		<0.5	<0.11	69.6	<0.06	<0.05	10.6		6.76	10.9	2.62	<0.2	<2.5	6.99	<5	<5	<0.5	23.5	23
B37-GS-32	B37-GS-32_P_3_021397_1	3		<0.5	<0.11	72.9	<0.06	<0.05	11		5.76	12	2.73	<0.2	<2.5	6.82	<5	<5	<0.5	22.8	24.4
B37-GS-36	B37-GS-36_P_2_021797_1	2		<0.5	<0.11	94.8	<0.06	<0.05	12.3		8.86	13.2	4.43	<0.2	<2.5	7.86	<5	<5	<0.5	27.5	30
B37-GS-37	B37-GS-37_P_1_021797_1	1		<0.5	<0.11	109	<0.06	<0.05	17.8		8.5	14.8	4.12	<0.2	<2.5	13.3	<5	<5	<0.5	40.4	45.3
B37-GS-38	B37-GS-38_P_2_021797_1	2		<0.5	<0.11	84	<0.06	<0.05	15.9		8.03	15.7	3.43	<0.2	<2.5	11	<5	<5	<0.5	36.1	39.7
B37-GS-39	B37-GS-39_P_2_021797_1	2		<0.5	<0.11	104	<0.06	<0.05	14.7		7.39	12.8	3.82	<0.2	<2.5	7.87	<5	<5	<0.5	33	32.3
B37-GS-74-2	B37-GS-74-2ft_P_2_031097_1	2		<0.5	<0.11	111	<0.06	0.13	16.3		8.98	15.3	4.79	<0.2	<2.5	11.1	<5	<5	<0.5	35.6	45.1

See notes on page 28

BOE-C6-0182536

Table 9
Inorganic Compounds in Soil Samples (mg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Object Name	Sample Name	Sample Depth (feet)	Aluminum	Antimony	Arsenic	Barium	Beryllium	Cadmium	Chromium	Chromium (VI)	Cobalt	Copper	Lead	Mercury	Molybdenum	Nickel	Selenium	Silver	Thallium	Vanadium	Zinc
B37-GS-107-3	B37-GS-107-3'_P_3_032697_1	3		<5	<1	100	<0.1	<0.1	19	<0.5	7.2	7.1	<1	<0.01	<0.5	7.8	<1	<0.1	<5	25	22
B37-GS-108-3	B37-GS-108-3'_P_3_032697_1	3		<5	<1	90	<0.1	<0.1	18	<0.5	6.1	7.4	<1	<0.01	<0.5	6.4	<1	<0.1	<5	20	24
B37-GS-109-3	B37-GS-109-3'_P_3_032697_1	3		<5	<1	80	<0.1	<0.1	16	<0.5	5.5	6.8	<1	<0.01	<0.5	7.5	<1	<0.1	<5	23	22
B37-GS-110-3	B37-GS-110-3'_P_3_032697_1	3		<5	<1	74	<0.1	<0.1	18	<0.5	5.7	6.5	<1	<0.01	<0.5	6.4	<1	<0.1	<5	22	23
B37-GS-111-3	B37-GS-111-3'_P_3_032697_1	3		<5	<1	78	<0.1	<0.1	17	<0.5	5.9	7.5	<1	<0.01	<0.5	6.7	<1	<0.1	<5	24	25
B37-GS-183C-10	B37-GS-183C-10_P_10_050797_1	10		<5	<1	140	<0.1	<0.1	27	<0.5	10	17	<1	<0.01	<0.5	15	<1	<0.1	<5	36	54
B37-GS-203	B37-GS-203-12'_P_12_101497_1	12		<5	<1	<0.1	<0.1	<0.1	<0.05	<0.5	<0.5	<0.1	<1	<0.01	<0.5	<0.5	<1	<0.1	<5	<0.5	<0.1
B37-GS-211	B37-GS-211-8'_P_8_102997_1	8		<5	9.4	140	<0.1	<0.1	38	<0.5	4.9	15	<1	<0.01	<0.5	12	<1	<0.1	<5	35	53
B37-GS-212	B37-GS-212-10'_P_10_102997_1	10		<5	9.6	110	<0.1	<0.1	30	<0.5	9.2	13	<1	<0.01	<0.5	13	<1	<0.1	<5	30	50
B37-GS-213	B37-GS-213-8'_P_8_102997_1	8		<5	7.9	64	<0.1	<0.1	23	<0.5	6.6	8.5	<1	<0.01	<0.5	12	<1	<0.1	<5	23	38
B37-GS-214	B37-GS-214-6'_P_6_103097_1	6		<5	10	110	<0.1	<0.1	32	<0.5	7.6	12	<1	<0.01	<0.5	13	<1	<0.1	<5	33	41
B37-J36-3	B37-J36-3ft_P_3_022697_1	3		<0.5	<0.11	107	<0.06	<0.05	18.8		10.6	14.9	4.74	<0.2	<2.5	12.8	<5	<5	<0.5	40.2	49
B40-GS-1	B40-GS-1-1'_P_1_092497_1	1		<5	<1	100	<0.1	<0.1	26	<0.5	7.4	13	<1	<0.01	<0.5	11	<1	<0.1	<5	30	38
B41-GS-1	B41-GS-1-1'_P_1_092497_1	1		<5	49	76	<0.1	<0.1	22	<0.5	6.9	17	11	<0.01	<0.5	9.6	<1	<0.1	<5	28	44
B41-GS-2	B41-GS-2-2'_P_3_092497_1	3		<5	13	68	<0.1	<0.1	20	<0.5	6.2	10	<1	<0.01	<0.5	7	<1	<0.1	<5	28	23
B41-GS-3	B41-GS-3-2'_P_2_092997_1	2		<5	12	69	<0.1	<0.1	21	<0.5	4.7	16	3.6	<0.01	<0.5	8.8	<1	<0.1	<5	24	73
B41-GS-4	B41-GS-4-3'_P_3_092997_1	3		<5	36	78	<0.1	<0.1	27	<0.5	6.3	13	3	<0.01	2.4	13	<1	<0.1	<5	31	40
B41-GS-5	B41-GS-5-1'_P_1_092997_1	1		<5	350	93	<0.1	8.9	24	<0.5	8	15	7.1	<0.01	<0.5	14	<1	<0.1	<5	27	42
B41-GS-6	B41-GS-6-1'_P_1_092997_1	1		<5	51	85	<0.1	1.2	18	<0.5	5.8	8.4	<1	<0.01	<0.5	7.1	<1	<0.1	<5	24	31
B-301	30-1_P_10_032696_1	10		<1	<10	147	0.71	<0.2	29.8	<0.1	16.5	28.3	6.8	<0.04	<4	20.3	<0.5	<0.5	<200	57.6	71.7
B-301	30-1_P_15_032696_1	15		<1	<10	167	0.67	<0.2	29.3	<0.1	15.7	26.8	6.9	0.048	<4	21.6	<0.5	<0.5	<200	56.2	66.8
B-302	30-2_P_10_032696_1	10		<1	<10	135	0.63	<0.2	28.7	<0.1	14.6	24	6.9	<0.04	<4	18.4	<0.5	<0.5	<200	51	52.6
B-302	30-2_P_15_032696_1	15		<1	<10	159	0.71	<0.2	30.6	<0.1	17	37.8	7.5	0.04	<4	22.6	<0.5	<0.5	<200	61.2	73.1
Bldg_1_B_15_16	Bldg_1_B15_092701_16	16	24100	0.77B	4.6	175	0.67	0.24B	30.3		12.9	34.4	97.1	0.060B	0.83B	31.9	<0.5	<1	<1	72.6	87.7
Build_1_B_15_3	Build_1_B_15_100501_3	12	NA	NA	4	NA	NA	NA	NA	NA	NA	NA	7.5	NA	NA	NA	NA	NA	NA	NA	NA
Build_1_B_15_4	Build_1_B_15_100501_4	12	NA	NA	7.1	NA	NA	NA	NA	NA	NA	NA	9.7	NA	NA	NA	NA	NA	NA	NA	NA
Build_1_B_15_5	Build_1_B_15_100501_5	12	NA	NA	5.7	NA	NA	NA	NA	NA	NA	NA	6.6	NA	NA	NA	NA	NA	NA	NA	NA
BUILD-1-1-21-1	BUILD_1_1_21_1	1			12.7																
BUILD-1-1-21-2	BUILD_1_1_21_2	1			5.8																
BUILD-1-1-21-3	BUILD_1_1_21_3	1			4.4																
BUILD-1-1-21-4	BUILD_1_1_21_4	1			3.3																
BUILD-1-1-21-5	BUILD_1_1_21_5	1			31.4																
BUILD-1-1-21-6	BUILD_1_1_21_6	1			77.2																
	Build_1_1_21_15_1	1			6.0																
	Build_1_1_21_16_4	4			3.4																
	Build_1_1_21_17_4	4			3.0																
BUILD-1-1-22-1	BUILD_1_1_22_1	1	8180	<6	33.2	136	0.26B	0.37B	18.2		7.6	12.9	15.4	0.024B	2B	19.9	0.75	<1	<1	43.7	57.6
BUILD-1-1-22-10	BUILD_1_1_22_10	7			3.5																
BUILD-1-1-22-13	Build_1_1_22_13	1			16.9																
BUILD-1-1-22-14	Build_1_1_22_14	4			5.6																
BUILD-1-1-22-15	Bldg_1_1_22_15	1.5			37.4																
BUILD-1-1-22-16	Bldg_1_1_22_16	1			34.3																
BUILD-1-1-22-17	Bldg_1_1_22_17	1			66																
BUILD-1-1-22-2	BUILD_1_1_22_2	1	7610	<6	15.5	189	0.25B	0.82	27		8.2	16.1	12.8	0.024B	3B	22.9	0.88	<1	<1	49.7	55.6
BUILD-1-1-22-3	BUILD_1_1_22_3	1	26100	<6	13	148	0.74	0.2B	31.5		12.5	29.7	6	<0.1	0.94B	22.4	0.68	<1	<1	67.3	70.4
BUILD-1-1-22-4	BUILD_1_1_22_4	7	29400	<6	4.2	284	0.74	<0.5	35.3		9.8	20.7	5.3	0.073B	<4	18.4	0.45B	<1	<1	63.7	62.6
Build-1-1-22-7	BUILD_1_1_22_7	1			8.2																
BUILD-1-1-22-8	BUILD_1_1_22_8	7			3.2																
BUILD-1-1-22-9	BUILD_1_1_22_9	1	23900	<6	54.8	160	0.74	0.55	29.2		12.6	27	5	0.049B	0.44B	23.6	0.76	<1	<1	64	71.6
BUILD-1-1-23-1	BUILD_1_1_23_1	1			24.9																
BUILD-1-1-23-10	Bldg_1_1_23_10	1			10																
BUILD-1-1-23-11	Bldg_1_1_23_11	1			11.2																
BUILD-1-1-23-12	Bldg_1_1_23_12	1			7.2																
BUILD-1-1-23-13	Bldg_1_1_23_13	5			8.3																
	Bldg_1_1_23_14_4	4			4.2																
BUILD-1-1-23-2	BUILD_1_1_23_2	1			7.8																
BUILD-1-1-23-3	BUILD_1_1_23_3	1			29.3																
BUILD-1-1-23-4	BUILD_1_1_23_4	1			5.4																
BUILD-1-1-23-5	BUILD_1_1_23_5	1			9.2																
BUILD-1-1-23-6	BUILD_1_1_23_6	1			12.2																
BUILD-1-1-23-7	BUILD_1_1_23_7	1			10.2																
BUILD-1-1-23-8	BUILD_1_1_23_8	1			9.1																
BUILD-1-1-23-9	Build_1_1_23_9	1			4.9																
BUILD-1-1-24-10	Bldg_1_1_24_10	1			6.9																
BUILD-1-1-24-11	Bldg_1_1_24_11	1			4.4																
BUILD-1-1-24-12	Bldg_1_1_24_12	1			5.4																
BUILD-1-1-24-7	Bldg_1_1_24_7	1			5.9																

See notes on page 28

BOE-C6-0182537

Table 9
Inorganic Compounds in Soil Samples (mg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Object Name	Sample Name	Sample Depth (feet)	Aluminum	Antimony	Arsenic	Barium	Beryllium	Cadmium	Chromium	Chromium (VI)	Cobalt	Copper	Lead	Mercury	Molybdenum	Nickel	Selenium	Silver	Thallium	Vanadium	Zinc
BUILD-1-1-24-8	Bldg_1_1_24_8	1			4.3																
BUILD-1-1-24-9	Bldg_1_1_24_9	1			48.2																
BUILD-1-2BB-1-38-1	Bldg_1_2BB_1_38_1	1.5			13.7																
BUILD-1-2BB-1-38-2	Bldg_1_2BB_1_38_2	1			380																
BUILD-1-2BB-1-38-3	Bldg_1_2BB_1_38_3	1			3.7																
BUILD-1-A-4-1	Build-1-A-4-112900-1	5	30400	<6	3.8	139	0.81	0.32B	29.3		12.4	33.9	2.6	0.044B	0.57B	21.9	<0.5	<1	2.3	70.9	83.6
BUILD-1-A-4-2	Build-1-A-4-120100-2	5	26500	<6	3.1	149	0.77	0.24B	26		13.7	35.6	2.9	0.031B	0.94B	18	0.64	<1	1.9	54	81.8
BUILD-1-B-15-10	BUILD_1_B_15_092701_10	10	68.5	1.4B	27.2	11.2	<0.5	<0.5	18.2		9.5	43.9	29.6	0.41	8.9	188	8.1	<1	1.7	282	10.1
BUILD-1-E-10-1	Build-1-E-10-112800-1	0.5	14900	<6	4.9	74.1	0.31B	<0.5	23.6		7.4	16.9	15.2	<0.1	0.75B	11.8	0.5	<1	1.5	46.5	49.7
BUILD-1-E-8-1	Build_1_E_8_060101_1	4			3.6																
BUILD-1-E-8-10	BUILD_1_E_8_062601_10	1			38.4																
BUILD-1-E-8-11	BUILD_1_E_8_062601_11	6			3.1																
BUILD-1-E-8-12	BUILD_1_E_8_062601_12	1			25.1																
BUILD-1-E-8-13	BUILD_1_E_8_062601_13	6			4																
BUILD-1-E-8-14	BUILD_1_E_8_062601_14	6			4																
BUILD-1-E-8-17	BUILD_1_E_8_062601_17	1			8.4																
BUILD-1-E-8-18	BUILD_1_E_8_062601_18	6			3.7																
BUILD-1-E-8-19	BUILD_1_E_8_062601_19	1			5.2																
BUILD-1-E-8-2	Build_1_E_8_060101_2	1			33.9																
BUILD-1-E-8-20	BUILD_1_E_8_062601_20	6			3.1																
BUILD-1-E-8-21	BUILD_1_E_8_062601_21	6			4.4																
BUILD-1-E-8-22	Build_1_E_8_062701_22	1			244																
BUILD-1-E-8-29	BUILD_1_E_8_071201_29	1			16																
BUILD-1-E-8-3	Build_1_E_8_060101_3	4			25.7																
BUILD-1-E-8-30	BUILD_1_E_8_071201_30	5			7.4																
BUILD-1-E-8-31	BUILD_1_E_8_071201_31	1			4.3																
BUILD-1-E-8-32	BUILD_1_E_8_071201_32	5			3.1																
BUILD-1-E-8-4	Build_1_E_8_060101_4	1			35.8																
BUILD-1-E-8-5	Build_1_E_8_060101_5	4			12.7																
BUILD-1-E-8-6	BUILD_1_E_8_062501_6	1			4.5																
BUILD-1-E-8-7	BUILD_1_E_8_062501_7	1			44.6																
BUILD-1-E-8-8	BUILD_1_E_8_062601_8	1			140																
BUILD-1-E-8-9	BUILD_1_E_8_062601_9	6			3.1																
BUILD-1-H-4-1	Build-1-H-4-121500-1	0.5	18800	0.33B	5.9	121	0.54	0.54	21		8.9	82.1	12	0.21	1.3B	14.7	<0.5	<1	0.56B	43.7	56.1
BUILD-1-H-8-1	Build_1_H_8_060101_1	4			2.8																
BUILD-1-H-8-10	BUILD_1_H_8_062801_10	1			9.3																
BUILD-1-H-8-11	Bldg_1_H_8_073101_11	1.5			5.8																
BUILD-1-H-8-12	Bldg_1_H_8_073101_12	1			351																
BUILD-1-H-8-2	Build_1_H_8_060101_2	1			11.8																
BUILD-1-H-8-3	Build_1_H_8_060101_3	4			3.9																
BUILD-1-H-8-4	Build_1_H_8_060101_4	1			5.3																
BUILD-1-H-8-5	Build_1_H_8_060101_5	4			2.6																
BUILD-1-H-8-6	Build_1_H_8_070501_6	1			3.3																
BUILD-1-H-8-7	Build_1_H_8_070501_7	1			4.1																
BUILD-1-H-8-8	BUILD_1_H_8_062801_8	1			4.4																
BUILD-1-H-8-9	BUILD_1_H_8_062801_9	1			4.9																
BUILD-1-J-4-1	Build-1-j-4-121500-1	4	23600	0.48B	3.8	141	0.63	0.4B	25.3		9.3	34.7	4.4	0.063B	1.3B	16	<0.5	<1	0.85B	52.1	74.5
BUILD-1-J-4-2	Build-1-J-4-121500-2	6	23200	0.36B	4	141	0.66	0.51	25.8		11	57.6	6.5	0.036B	1.5B	18.3	<0.5	<1	0.6B	54.1	83.3
BUILD-1-J-4-3	Build-1-J-4-121500-3	4	26100	0.48B	4.2	152	0.69	0.51	28.7		9.9	28.3	4.8	0.073B	1.7B	18.5	<0.5	<1	0.68B	61.8	81.1
BUILD-1-N-15-1	BUILD_1_N_15_040901_1	1	20400	0.32B	4.3	131	0.6	0.53	24.3		9.5	46.8	11.2	0.036B	0.93B	17.4	<0.5	<1	0.77B	51	66.7
BUILD-1-N-15-2	BUILD_1_N_15_040901_2	6	30800	<6	5	272	0.94	1.3	31.8		12.7	32.2	6.6	<0.1	1.4B	15.6	<0.5	<1	0.83B	55.9	111
BUILD-2-0-14-1	BUILD_2_0_14_041601_01	1	16300	2.4B	3.9	146	0.48B	0.54	597	569	9.5	55.4	30.1	0.079B	2B	13.8	<0.5	<1	<1	43.5	86.6
BUILD-2-0-19-1	Build_2_0_19_042401_1	32	25200	1.1B	6	192	0.72	0.95	32.1		12.8	31.2	8.3	0.044B	1.4B	23	<0.5	<1	1.9	63	82
BUILD-2-AA-20-1	BUILD_2_AA_20_040301_1	2	22600	0.23B	5.5	149	0.66	0.73	28.5		10.2	69.1	19.3	0.03B	0.95B	18.7	<0.5	<1	1.3	51.3	112
BUILD-2-AB-20-1	Build_2_AB_20_020901_01	0	12600	<6	3.8	91.1	0.46B	0.15B	16.2		8.9	45.9	14.2	0.026B	0.56B	11.4	<0.5	<1	<1	32.9	55.9
BUILD-2-AB-20-2	BUILD_2_AB_20_040301_2	2	14300	<6	6.3	133	0.37B	0.56	20.4		8.3	50	11.2	0.1	0.9B	12.7	<0.5	<1	0.75B	45.4	75.2
BUILD-2-AC-1	BUILD_2_AC_031401_1	7	32600	<6	4.5	190	0.91	<0.5	33.8		12.9	26.9	5.4	0.069B	0.88B	24.4	<0.5	<1	1.9	70.4	71
Build-2-AC-16-1	Build_2_AC_16_042601_1	0.5	17200	0.46B	3.2	154	0.6	0.5	21.7		10.3	22.2	6.2	0.028B	0.68B	16.1	<0.5	<1	1.6	41	53.5
Build-2-AC-16-2	Build_2_AC_16_042601_2	0.5	20000	1.3B	4.5	143	0.67	0.8	26.4		11.6	31.2	12.6	0.039B	1.3B	17.5	<0.5	0.45B	3	48.6	65.5
BUILD-2-AC-20-2	BUILD_2_AC_20_040301_2	2	16800	<6	3.3	96	0.56	0.46B	22.5		11.2	30.4	5.6	<0.1	0.81B	12.7	<0.5	<1	<1	46.9	45.6
Build-2-AD-14-1	Build_2_AD_14_042601_1	3	30000	0.31B	5.7	179	0.81	1	31.1		12.9	35	10.6	0.041B	1.3B	21.5	<0.5	<1	2.2	63.1	70.6
Build-2-AD-14-2	Build_2_AD_14_042601_2	5	25000	0.41B	3.2	121	0.71	0.71	26.9		9.8	26.6	8.4	0.025B	0.91B	16.8	<0.5	<1	0.94B	50.5	65.7
Build-2-AD-14-3	Build_2_AD_14_042601_3	3	33100	<6	3.6	136	0.92	0.87	33.6		11.8	49.2	8.3	<0.1	1.2B	18.7	<0.5	<1	1.7	58.5	93.8
Build-2-AD-14-4	Build_2_AD_14_042601_4	3	20100	0.49B	3.1	109	0.59	0.58	22.5		8.4	20.7	11.3	0.024B	0.9B	14.3	<0.5	<1	1.4	44.7	52.7
BUILD-2-AD-20-1	BUILD_2_AD_20_040301_1	2	16100	0.32B	3.6	139	0.53	0.57	20.4		11.8	32.3	10.9	<0.1	0.79B	15	<0.5	<1	1.1	42.2	57.7
BUILD-2-AE-13-1	Build -2-AE-13-030901-1	0.5	24800	<6	5.2	168	0.82	<0.5	29.1		12.5	39.9	6.3	<0.1	0.49B	20.6	<0.5	<1	0.91B	58.1	71.2
BUILD-2-AF-16-1	BUILD_2_AF_16_040301_1	1	26400	<6	4.9	149	0.73	0.96	31.1		14.1	47.1	6.8	0.039B	1.6B	24.5	<0.5	<1	1	66.5	104

See notes on page 28

BOE-C6-0182538

Table 9
Inorganic Compounds in Soil Samples (mg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Object Name	Sample Name	Sample Depth (feet)	Aluminum	Antimony	Arsenic	Barium	Beryllium	Cadmium	Chromium	Chromium (VI)	Cobalt	Copper	Lead	Mercury	Molybdenum	Nickel	Selenium	Silver	Thallium	Vanadium	Zinc
BUILD-2-AF-17-1	Build_2_AF_17_020901_01	1	19300	<6	3.2	141	0.64	<0.5	25.8		11.1	33	7.2	0.02B	0.67B	15.3	<0.5	<1	<1	46.8	59.3
BUILD-2-AF-17-2	BUILD_2_AF_17_032901_2	13	26700	2.3B	5.1	151	0.62	0.43B	34.4		12.3	50.3	6.3	0.055B	1.2B	22.4	<0.5	<1	0.83B	61.1	76.5
BUILD-2-AF-17-3	BUILD_2_AF_17_032901_3	17	23800	1.9B	4	157	0.58	0.48B	25.8		10.2	28.6	5.3	0.046B	1.1B	17.5	<0.5	<1	0.81B	54.4	65.9
BUILD-2-AF-17-4	BUILD_2_AF_17_032901_4	10	24100	2.1B	5.9	122	0.6	0.45B	27.9		10	33.8	5.4	0.021B	1.3B	19.8	<0.5	<1	0.85B	60.1	63.1
BUILD-2-AF-18	BUILD_2_AF_18_032901_1	10	29300	2.4B	4.8	128	0.7	0.46B	31.7		12.3	28	6.7	0.058B	1.3B	22.2	<0.5	<1	1.2	63.3	67.7
BUILD-2-AG-14-1	Build_2_AG_14_020901_01	1	26000	<6	3.9	163	0.79	0.11B	28.8		12.6	31.4	6	0.04B	0.86B	20.7	<0.5	<1	<1	59	69.6
BUILD-2-AG-16-1	Build_2_AG_16_020901_01	1	14300	<6	2.8	108	0.51	<0.5	18.3		9.1	95.3	4.6	<0.1	0.68B	11.8	<0.5	<1	<1	38.3	72.1
BUILD-2-AG-17-1	BUILD_2_AG_17_032901_1	5	37100	2.1B	4.4	129	0.74	0.34B	33.5		10.1	25.6	7.3	0.022B	1.3B	19.4	<0.5	<1	0.62B	66.5	64
BUILD-2-AG-20-1	BUILD_2_AG_20_040301_1	2	28400	0.21B	4.2	162	0.83	0.57	29.5		10.5	32.7	6.1	0.037B	0.87B	21	<0.5	<1	1.4	59.2	60.8
BUILD-2-AH-20-1	BUILD_2_AH_20_040301_1	2	35800	<6	4.8	331	0.98	0.86	34.6		15.1	56.5	7.9	0.025B	1.1B	23.7	<0.5	<1	0.73B	67.9	84.8
BUILD-2-AI-20-1	BUILD_2_AI_20_040301_1	2	38000	<6	5	150	1	0.63	36.3		11.9	31	5.8	0.07B	0.98B	27	<0.5	<1	0.91B	71.4	72.4
BUILD-2-AJ-20-1	BUILD_2_AJ_20_040301_1	2	17300	<6	3.5	82.6	0.55	0.41B	20.9		9.1	23	5.6	<0.1	0.67B	14.2	<0.5	<1	0.92B	40.2	44.2
BUILD-2-AK-11-1	BLDG2_AK_11_1	2	13300	0.93B	2.9	104	0.51	0.25B	16.8		8.7	15.4	4.7	0.026B	<4	12.7	<0.5	<1	<1	36.2	33.8
BUILD-2-AK-11-2	BLDG2_AK_11_2	3	15300	<6	3.2	116	0.58	0.45B	19.2		11.1	18.3	7.9	<0.1	<4	13.5	<0.5	<1	<1	41.6	43.7
BUILD-2-AK-11-3	BLDG2_AK_11_3	2	13000	<6	2.7	128	0.49B	0.35B	16.6		9	15.5	5.5	<0.1	0.44B	11.3	<0.5	<1	<1	34.9	34.8
BUILD-2-AK-11-4	BLDG2_AK_11_4	2	17600	<6	3.7	128	0.58	0.55	21		9.8	21.9	22.2	0.022B	0.38B	14.3	<0.5	<1	<1	41.4	63.2
BUILD-2-AK-11-5	BLDG2_AK_11_5	3	13900	<6	2.6	106	0.49B	0.39B	16.8		9.5	13.9	5.4	<0.1	<4	10.8	<0.5	<1	<1	36.6	33.8
BUILD-2-AK-13	Build_2_AK_13_021901	3	19800	<6	4.2	137	0.64	0.17B	23.9		8.7	29.3	14.6	0.022B	0.42B	16.4	0.42B	<1	<1	48.3	61.2
BUILD-2-AK-16	BUILD_2_AK_16_032701_3	3	26200	<6	4.1	183	0.82	0.44B	30.1		10.9	23.6	6.6	<0.1	0.93B	19.1	0.44B	<1	<1	60.2	60.4
BUILD-2-AK-17-1	Build_2_AK_17_021501_1	1	20600	<6	4.1	167	0.63	0.62	23.6		9.6	37.4	28.5	0.033B	0.35B	17.6	<0.5	<1	<1	48.1	89.1
BUILD-2-AK-17-2	BUILD_2_AK_17_032701_2	9	22600	0.43B	5.3	157	0.69	0.44B	29.9		11.6	35.4	6.2	0.037B	1.1B	21.3	0.8	<1	0.54B	60.7	71.6
BUILD-2-AK-17-4	BUILD_2_AK_17_032701_4	4	28200	<6	5	218	0.86	0.73	31.3		12	47.5	7.4	0.032B	0.68B	22.2	<0.5	<1	<1	66.3	87.5
BUILD-2-AK-17-5	BUILD_2_AK_17_032701_5	4	22400	<6	3.6	158	0.7	0.36B	26.1		10.6	23.4	5.6	<0.1	0.71B	18.8	<0.5	<1	0.63B	51.5	53.4
BUILD-2-AK-17-6	BUILD_2_AK_17_032701_6	3	26200	<6	3.9	193	0.82	0.43B	29.8		11	19.9	6.2	<0.1	0.6B	20.4	0.57	<1	<1	58.1	53.7
BUILD-2-AK-20-1	BUILD_2_AK_20_040301_1	2	30500	0.47B	3.9	219	0.88	0.62	32		11.5	36.4	6.8	0.033B	0.8B	22.5	<0.5	<1	0.86B	61.1	69.5
BUILD-2-AN-18-1	Build_2_AN_18_052401_1	1.5	17400	<6	2.9	141	0.54	<0.5	19.8		9.9	15.5	5	<0.1	<4	13.7	<0.5	<1	0.83B	40.2	36.9
BUILD-2-AN-19-1	BUILD_2_AN_19_051001_1	0	21800	<6	32	152	0.66	<0.5	25.8		11.2	45.1	29.2	0.043B	<4	18.7	0.48B	<1	0.9B	50.6	66.2
BUILD-2-AN-19-2	Build_2_AN_19_052401_2	0	27200	0.2B	4.5	184	0.72	<0.5	28.1		11.2	27.3	5.8	0.026B	<4	21.1	<0.5	<1	1.3	63.6	67.8
BUILD-2-AN-20-1	BUILD_2_AN_20_051001_1	1.5	19300	<6	72.9	141	0.57	<0.5	21.8		9.9	48.1	13.2	0.024B	<4	15.3	<0.5	<1	0.97B	42.5	103
BUILD-2-AN-20-2	Build_2_AN_20_052401_2	3	25400	<6	4.3	246	0.66	<0.5	26.4		11.5	29.7	5.6	<0.1	<4	20.2	<0.5	<1	1.4	59.9	68.6
BUILD-2-AN-21-1	Build_2_AN_21_052401_1	3	28100	<6	3.9	254	0.84	<0.5	29.7		11.1	20.6	5.7	0.027B	<4	21.1	<0.5	<1	0.85B	55.2	53
BUILD-2-AN-23-1	Build_2_AN_23_051001_1	1.5	19200	0.28B	83.5	140	0.6	0.57	23		10.4	40.3	16.3	0.042B	1.2B	17.9	0.56	<1	1.4	44.4	66.6
BUILD-2-AN-23-2	BUILD_2_AN_23_051001_2	3.5	26900	<6	3.1	197	0.88	<0.5	30.4		12.4	22.1	6.7	<0.1	<4	22	0.47B	<1	0.88B	54.6	51.5
BUILD-2-M-10-7	Build_2_M_10_052901_7	30	26800	<6	5	186	0.75	0.9	28.9		12.5	45.3	8.2	0.055B	0.82B	20.7	0.42B	<1	<1	63.6	92.9
BUILD-2-M-10-8	BUILD_2_M_10_053101_8	22	24000	<6	4.6	176	0.72	0.93	27.9		13.5	41.9	6	0.047B	<4	20.4	0.82	<1	<1	64.7	83.4
BUILD-2-N-10-10	BUILD_2_N_10_053101_10	27	18400	<6	4.2	142	0.59	0.64	21.8		10.7	23.8	4.1	0.041B	<4	14.5	0.59	<1	<1	51.7	64
BUILD-2-N-10-11	BUILD_2_N_10_053101_11	27	16700	<6	3.2	131	0.55	0.68	19.8		9.5	29.2	3.7	0.053B	<4	12.9	0.83	<1	<1	48.8	61.6
BUILD-2-N-10-9	BUILD_2_N_10_053101_9	27	25000	<6	4.3	184	0.78	0.91	29.8		13.5	42.4	5.7	0.058B	0.33B	21	0.62	<1	<1	70.3	84.5
Build-2-O-14-2	Build_2_O_14_042601_2	2	22200	1.3B	9.3	139	0.57	1.2	187	3.8	10.2	27	34.5	0.044B	2.3B	20.5	<0.5	<1	1.5	47	90.5
Build-2-O-14-3	Build_2_O_14_042601_3	2	28500	0.63B	4.6	145	0.77	1	31.2		25	29.9	8.2	<0.1	1.9B	17.8	<0.5	<1	2.4	55.6	92.9
Build-2-O-14-4	Build_2_O_14_042601_4	2	26100	0.73B	8.7	142	0.7	1.8	39.6		11.9	56.9	14.5	0.025B	2.9B	21.4	<0.5	<1	1.8	56.9	100
BUILD-2-O-14-5	Build_2_O_14_052210_5	5	22000	<6	3.7	107	0.56	0.33B	35.8	2.5	10.8	21.8	6.4	0.021B	0.48B	13.4	0.4B	<1	0.9B	39.7	74.2
BUILD-2-O-9-1	BUILD-2-O-9-011001-1	3	14700	0.36B	2.3	113	0.48B	<0.5	18.3		8.4	75.5	6.7	0.031B	0.9B	12.3	<0.5	<1	<1	33.2	64.5
Build-2-P-21-1	Build_2_P_21_060101_1	5											6.1								
Build-2-P-21-10	Build_2_P_21_060101_10	5											6.7								
Build-2-P-21-11	Build_2_P_21_060101_11	10											5.2								
Build-2-P-21-2	Build_2_P_21_060101_2	10											5.3								
Build-2-P-21-3	Build_2_P_21_060101_3	1											5.9								
Build-2-P-21-4	Build_2_P_21_060101_4	5											5.7								
Build-2-P-21-5	Build_2_P_21_060101_5	10											5								
Build-2-P-21-6	Build_2_P_21_060101_6	1											5.4								
Build-2-P-21-7	Build_2_P_21_060101_7	5											6.9								
Build-2-P-21-8	Build_2_P_21_060101_8	10											4.6								
Build-2-P-21-9	Build_2_P_21_060101_9	1											8.4								
BUILD-2-T-18-1	BUILD_2_T_18_011501_1	1	19100	13.3	3.7	135	0.79	5.1	1560	<0.1	16.4	384	104	0.2	38.5	51.1	<0.5	0.93B	<1	42.7	204
BUILD-2-T-18-2	BUILD_2_T_18_050101_2	5.5	27800	0.21B	5.4	150	0.78	0.68	34		13.1	30.7	7	0.042B	1.2B	27.4	<0.5	<1	1.2	67.1	72.9
BUILD-2-T-20-1	BUILD_2_T_20_012001_1	1								<0.1											
BUILD-2-T-20-1	BUILD-2-T-20-010901-1	1	24200	2B	3.3	124	0.7	20.8	158		10	27.7	51.5	0.027B	2B	22.4	<0.5	<1	0.59B	48.7	216
BUILD-2-T-20-2	BUILD_2_T_20_050101_2	18	23200	<6	4.2	142	0.64	0.58	27.7		11.6	33.8	6.1	0.029B	0.9B	19.9	<0.5	<1	1.4	59.7	76
BUILD-2-T-21-10	BUILD_2_T_21_071201_10	10	27400	<6	4.8	197	0.89	0.81	32.2		14.9	38.7	8.2	0.036B	0.54B	23.3	1.2	<1	<1	68.4	96.1
BUILD-2-V-14-1	Build_2_V_14_042501_1	1	74700	1.1B G	7.7	130	1.1	2.5	16.7		7.4B G	198	65.7	0.27	2.6B G	72.8	<1	0.55B G	<2	48	193
BUILD-2-V-14-2	Build_2_V_14_042501_2	4	32200	0.62B	4.6	171	0.88	0.8	34.6		12.1	47.3	6.2	0.057B	1.1B	23.8	<0.5	<1	1.4	67.8	82.5
BUILD-2-V-20-1	BUILD_2_V_20_040301_1	2	31000	0.34B	4.2	144	0.85	0.63	32.1		10.6	31.1	6.5	0.052B	0.86B	22.3	<0.5	<1	0.78B	65.8	74.2
BUILD-2-W-11-1	Build_2_W_11_050401_1	2	21500	<6	3	111	0.58	0.38B	22.1		8.6	21.3	5.6	0.024B	0.81B	14.4	0.88	<1	1.7	44.4	48.3
BUILD-2-W-11-2	BUILD_2_W_11_050901_2	4.5	21000	0.36B	4.3	124	0.61	0.51	25.8		10.9	27.8	5.7	0.04B	1.4B	17.9	<0.5	<1	1.1	52.5	65.4
BUILD-2-W-11-3	Build_2_W_11_050901_3	8	24100	0.21B	5.8	145	0.74	0.71	31		17.3	33.4	6.2	0.048B	1.8B	24.3	<0.5	<1	2	65	69.7
BUILD-2-W-20-1	BUILD_2_W_20_040301_1	2	28100	<6	4	154	0.81	0.57	29.2		10.4	79.9	5.9	0.078B	1B	20.9	<0.5	<1	1.1	59.3	88.9

See notes on page 28

BOE-C6-0182539

Table 9
Inorganic Compounds in Soil Samples (mg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Object Name	Sample Name	Sample Depth (feet)	Aluminum	Antimony	Arsenic	Barium	Beryllium	Cadmium	Chromium	Chromium (VI)	Cobalt	Copper	Lead	Mercury	Molybdenum	Nickel	Selenium	Silver	Thallium	Vanadium	Zinc
BUILD-2-X-11-1	BUILD_2X_11_010901_1	0.5								<0.1											
BUILD-2-X-11-1	BUILD-2-X-11-010901-1	0.5	19200	1.1B	3	148	0.64	2.1	66		8.6	23.5	8.6	0.038B	1.4B	20	<0.5	<1	<1	43.3	649
BUILD-2-X-20-1	BUILD_2_X_20_040301_1	2	27600	<6	4.1	161	0.75	0.63	29.2		10.3	59	5.7	0.15	1.1B	21.1	<0.5	<1	0.71B	60.4	88.5
BUILD-2-Y-20-1	BUILD_2_Y_20_040301_1	2	32400	0.25B	3.8	165	0.93	0.56	32.7		10	46.9	6.5	0.064B	0.74B	21.7	<0.5	<1	0.94B	62.5	69.1
BUILD-2-Z-20-1	BUILD_2_Z_20_040301_1	1	28500	<6	4.2	195	0.8	0.64	29.9		10.3	73.7	15	0.045B	0.93B	20.2	<0.5	<1	0.94B	58	89.1
BUILD-32-2-BB-5-20-1	BUILD_32_2_BB_5_20_1	1			9.4																
BUILD-32-2-BB-5-20-2	BUILD_32_2_BB_5_20_2	1			26.3																
BUILD-32-2-BB-5-20-3	BUILD_32_2_BB_5_20_3	1			25.7																
BUILD-32-2-BB-5-20-4	BUILD_32_2_BB_5_20_4	1			11.9																
BUILD-32-2-BB-5-20-5	BUILD_32_2_BB_5_20_5	1			6.5																
BUILD-32-2-BB-5-20-6	BUILD_32_2_BB_5_20_6	1			5																
BUILD-32-2-BB-5-20-7	BUILD_32_2_BB_5_20_7	1			4.5																
BUILD-32-2-BB-5-20-8	BUILD_32_2_BB_5_20_8	1			4.4																
BUILD-32-2-BB-5-20-9	BUILD_32_2_BB_5_20_9	1			5.1																
BUILD-32-2-BB-5-20-10	Build_32_2_BB5_20_10	1			20.6																
BUILD-32-2-2-BB-5-20-11	Bldg_32_2_2_BB_5_20_11	1			155																
BUILD-32-2-2-BB-5-20-12	Bldg_32_2_2_BB_5_20_12	1			5.3																
BUILD-3-P-23-1	BUILD_3_P_23_040901_1	2	24300	0.54B	3.6	151	0.63	0.63	27.1		9.9	38.4	6.1	0.026B	1.2B	18.6	<0.5	<1	0.69B	56.4	63.9
BUILD-3-P-23-2	BUILD_3_P_23_040901_2	4	27200	0.59B	4.6	187	0.75	0.66	31.1		12	46	22.1	0.03B	1.1B	21.7	<0.5	<1	1.4	62.2	77.1
Build-3-Q-23	Build_3_Q_23_051701_3	5											8.2								
BUILD-3-Q-23-1	BUILD_3_Q_23_040901_1	2	24700	0.55B	4.4	229	0.68	0.56	27.8		10.9	62.5	9.8	0.038B	0.91B	19.5	<0.5	<1	0.67B	57.4	75.2
BUILD-3-Q-23-2	BUILD_3_Q_23_040901_2	4	25300	0.64B	4.1	210	0.72	0.54	27.2		10.6	58.6	7.4	0.043B	0.9B	19.7	<0.5	<1	<1	55	80.5
BUILD-3-R-23-1	BUILD_3_R_23_040901_1	2	25700	0.26B	5.7	151	0.72	0.61	29.4		11.1	34.6	10.3	0.051B	1B	21.1	<0.5	<1	0.92B	58.9	267
BUILD-3-R-23-2	BUILD_3_R_23_040901_2	4	20200	<6	3.6	112	0.61	0.44B	24.3		10.1	32.6	8.7	0.022B	0.83B	15.9	<0.5	<1	0.65B	45.9	58.5
BUILD-20-L-23-2	BUILD_20_L_23_032101_2	9	14500	<6	11.3	207	0.45B	1.2	28.3		8.7	22.1	10.7	0.05B	5	21.6	<0.5	<1	0.67B	57.8	63.1
BUILD-20-L-23-6	BUILD_20_L_23_032101_6	4	25300	<6	4.2	174	0.79	<0.5	29.5		12.2	26.4	6.6	0.03B	1B	20.7	<0.5	<1	1	58.9	65.9
BUILD-20-L-23-9	Build_20_L_23_051101_9	7	25200	<6	3.9	176	0.74	<0.5	28.7		13.9	25.4	6.2	<0.1	<4	21.9	<0.5	<1	0.86B	56.7	65.6
BUILD-20-M-23-1	BUILD_20_M_23_032101_1	4	7000	<6	3.1	67	0.22B	<0.5	12.8		2.9B	6.9	1.5	0.022B	1.3B	11	0.55	<1	<1	21.2	23.8
BUILD-20-M-23-3	BUILD_20_M_23_032101_3	4	24600	<6	4.1	196	0.79	<0.5	29.3		12.8	27.8	12	0.044B	0.53B	20.5	<0.5	<1	1.7	56.2	70.7
BUILD-20-M-23-4	BUILD_20_M_23_032101_4	4	7750	<6	3.3	185	0.25B	0.46B	16.2		4.9B	16.1	3.1	<0.1	1.9B	12.7	<0.5	<1	<1	34	39.6
BUILD-20-M-23-5	BUILD_20_M_23_032101_5	4	22600	<6	5	162	0.71	0.11B	28.7		12.2	30.7	9.3	0.027B	1.2B	22.3	<0.5	<1	1.2	60.8	75.9
BUILD-20-M-23-7	BUILD_20_M_23_032201_7	7	17300	<6	10.8	174	0.52	0.72	39.7	<0.1	12.4	26.1	9.4	0.024B	2.8B	22.4	<0.5	<1	<1	68.6	70.5
BUILD-20-M-23-8	Build_20_M_23_050301_8	6	23500	1.1B	5.5	176	0.63	0.76	28.4		11.3	29.3	5.7	0.031B	1.3B	21.1	<0.5	<1	2.1	60.7	68.8
BUILD-66-66-9-1	BUILD_66_66_9_1	5			9.8																
BUILD-66-66-9-2	BUILD_66_66_9_2	5			3.4																
BUILD-66-66-9-3	BUILD_66_66_9_3	5			2.6																
BUILD-66-66-9-4	Bldg_66_66_9_4	5			4.4																
BUILD-66-66-9-5	Bldg_66_66_9_5	5			4.5																
BUILD-66-66-9-6	BUILD_66_66_9_6	10			6.3																
C-1-3	C-1-3-10	10		<5	4.7	140	0.77	<0.5	28		13	34	8.4	<0.1	<1	23	<5	<0.5	<5	53	75
C-1-3	C-1-3-15	15		<5	3.4	130	0.53	<0.5	20		9.7	18	5.3	<0.1	<1	14	<5	<0.5	<5	44	54
C-1-3	C-1-3-20	20		<5	4.6	130	0.52	<0.5	23		10	26	5.9	<0.1	<1	16	<5	<0.5	<5	47	60
C-1-7	C-1-7-1	1		<5	2.6	120	0.56	<0.5	19		8.7	94	10	<0.1	<1	12	<5	<0.5	<5	40	45
C-1-7	C-1-7-5	5		<5	1.7	93	<0.5	<0.5	14		7.8	14	4.5	<0.1	<1	18	<5	<0.5	<5	49	60
C-1-11	C-1-11-10	10		<5	3.2	140	0.58	<0.5	24		11	25	6.4	<0.1	<1	20	<5	<0.5	<5	46	61
C-1-11	C-1-11-15	15		<5	5.3	150	0.5	<0.5	22		10	26	5.8	<0.1	<1	16	<5	<0.5	<5	48	59
C-1-11	C-1-11-20	20		<5	2.9	150	0.54	<0.5	22		11	26	6.3	<0.1	<1	15	<5	<0.5	<5	49	69
C-1-12	C-1-12-1	1		<5	3.2	150	0.55	<0.5	20		9.5	20	16	<0.1	<1	14	<5	<0.5	<5	39	61
C-1-12	C-1-12-5	5		<5	2.7	120	0.56	<0.5	21		8.5	17	6.2	<0.1	<1	13	<5	<0.5	<5	41	47
C-1-12	C-1-12-10	10		<5	4.3	160	0.67	<0.5	26		12	34	7.6	<0.1	<1	22	<5	<0.5	<5	55	70
C-1-13	C-1-13-2	2		<5	2.4	87	<0.5	<0.5	13		7.7	16	8.6	<0.1	<1	7.4	<5	<0.5	<5	26	33
C-1-13	C-1-13-5	5		<5	3.7	190	0.7	<0.5	28		13	29	7.5	<0.1	<1	18	<5	<0.5	<5	52	67
C-1-13	C-1-13-10	10		<5	4.7	150	0.67	<0.5	28		11	32	7.5	<0.1	<1	23	<5	<0.5	<5	56	67
C-1-16	C-1-16-10	10		<5	3.5	120	0.64	<0.5	24		13	29	7.5	<0.1	<1	18	<5	<0.5	<5	52	67
C-1-16	C-1-16-15	15		<5	4.1	140	0.6	<0.5	24		11	27	6.8	<0.1	<1	18	<5	<0.5	<5	51	63
C-1-16	C-1-16-20	20		<5	2.6	140	<0.5	<0.5	19		8.5	21	5.5	<0.1	<1	13	<5	<0.5	<5	43	59
C-1-17	C-1-17-10	10		<5	2.5	90	<0.5	<0.5	22		7.4	17	5.2	<0.1	<1	13	<5	<0.5	<5	36	48
C-1-17	C-1-17-18	18		<5	4.3	110	0.62	<0.5	25		11	30	7.2	<0.1	<1	19	<5	<0.5	<5	51	62
C-1-17	C-1-17-20	20		<5	2.6	110	<0.5	<0.5	33		7.4	16	4.5	<0.1	<1	11	<5	<0.5	<5	37	50
C-1-18	C-1-18-10	10		<5	3.3	130	0.6	<0.5	24		10	25	6.7	<0.1	<1	17	<5	<0.5	<5	49	61
C-1-18	C-1-18-15	15		<5	3.8	120	<0.5	<0.5	20		8.5	23	5.5	<0.1	<1	15	<5	<0.5	<5	42	53
C-1-18	C-1-18-20	20		<5	2.7	120	<0.5	<0.5	20		8.8	25	6.2	<0.1	<1	14	<5	<0.5	<5	45	60
C-1-19	C-1-19-1	1		<5	2.6	120	0.53	<0.5	20		8.5	40	11	<0.1	<1	13	<5	<0.5	<5	43	48
C-1-19	C-1-19-5	5		<5	1.5	140	0.69	<0.5	27		5.5	19	5.9	0.13	<1	11	<5	<0.5	<5	38	47
C-1-20	C-1-20-10	10		<5	3.8	140	0.69	<0.5	29		11	29	7.5	<0.1	<1	20	<5	<0.5	<5	58	68
C-1-20	C-1-20-15	15		<5	3.8	220	0.66	<0.5	31		11	34	<1	<0.1	<1	<0.5	<5	<0.5	<5	<0.5	<0.5
C-1-20	C-1-20-20	20		<5	2.6	120	0.53	<0.5	20		8.5	40	11	<0.1	<1	13	<5	<0.5	<5	43	48

See notes on page 28

BOE-C6-0182540

Table 9
Inorganic Compounds in Soil Samples (mg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Object Name	Sample Name	Sample Depth (feet)	Aluminum	Antimony	Arsenic	Barium	Beryllium	Cadmium	Chromium	Chromium (VI)	Cobalt	Copper	Lead	Mercury	Molybdenum	Nickel	Selenium	Silver	Thallium	Vanadium	Zinc
C-1-21	C-1-21-1	1		<5	20	110	<0.5	<0.5	22	<0.5	9.7	26	9.2	0.28	<1	15	<5	<0.5	<5	41	47
C-1-21	C-1-21-5	5		<5	1.7	81	<0.5	<0.5	16	<0.5	11	29	7.5	<0.1	<1	20	<5	<0.5	<5	58	68
C-1-21	C-1-21-8	8		<5	3.1	140	0.68	<0.5	28	<0.5	10	18	6.6	<0.1	<1	20	<5	<0.5	<5	55	57
C-1-22	C-1-22-1	1		<5	33	96	<0.5	<0.5	15		7.8	20	9.1	<0.1	1.3	36	<5	<0.5	<5	22	51
C-1-22	C-1-22-5	5		<5	19	120	0.5	<0.5	20		12	38	9.2	0.28	<1	15	<5	<0.5	<5	41	47
C-1-22	C-1-22-10	10		<5	2.9	130	0.62	<0.5	25		11	26	7.3	<0.1	<1	17	<5	<0.5	<5	51	63
C-1-23	C-1-23-1	1		<5	270	120	0.54	1.2	20		8.6	19	7.1	<0.1	<1	14	<5	<0.5	<5	42	47
C-1-23	C-1-23-5	5		<5	2.2	97	<0.5	<0.5	19		10	14	5.9	<0.1	<1	9.9	<5	<0.5	<5	40	39
C-1-23	C-1-23-10	10		<5	3.1	110	0.68	<0.5	27		11	27	7.6	<0.1	<1	19	<5	<0.5	<5	51	68
C-1-26	C-1-26-1	1		<5	3.5	140	<0.5	<0.5	20		6.1	18	6.9	0.14	2.4	14	<5	<0.5	<5	29	44
C-1-26	C-1-26-5	5		<5	1.5	100	0.56	<0.5	20		8.5	14	5.8	<0.1	<1	9.8	<5	<0.5	<5	41	39
C-1-26	C-1-26-10	10		<5	2.6	96	0.56	<0.5	25		10	21	5.9	<0.1	<1	9.9	<5	<0.5	<5	40	39
C-1-27	C-1-27-1	1		<5	2.4	140	<0.5	1.1	16	<0.5	11	18	2.8	<0.1	4.6	18	<5	<0.5	<5	32	40
C-1-27	C-1-27-5	5		<5	3.5	120	0.56	<0.5	22	<0.5	10	22	8.2	<0.1	<1	16	<5	<0.5	<5	46	59
C-1-27	C-1-27-10	10		<5	2.7	110	<0.5	<0.5	19	<0.5	8.9	17	5.9	<0.1	<1	9.9	<5	<0.5	<5	40	39
C-1-28	C-1-28-1	1		<5	2.4	140	<0.5	1.1	16		11	18	2.8	<0.1	4.6	18	<5	<0.5	<5	32	40
C-1-28	C-1-28-5	5		<5	2.8	100	0.62	<0.5	24		8.5	17	6.3	<0.1	<1	11	<5	<0.5	<5	45	44
C-1-28	C-1-28-10	10		<5	5.6	140	0.75	<0.5	31		12	35	8.4	<0.1	<1	24	<5	<0.5	<5	62	72
C-1-29	C-1-29-1	1		<5	3.1	110	0.5	<0.5	18		8.2	31	9.7	<0.1	<1	12	<5	<0.5	<5	38	46
C-1-29	C-1-29-5	5		<5	3.6	120	0.66	<0.5	25		9.6	19	6.6	0.11	<1	17	<5	<0.5	<5	53	58
C-1-29	C-1-29-10	10		<5	4.1	140	0.73	<0.5	30		12	37	8.2	<0.1	<1	21	<5	<0.5	<5	57	72
C-1-30	C-1-30-1	1		<5	1.8	93	<0.5	<0.5	14		7.2	14	4.6	<0.1	<1	7.7	<5	<0.5	<5	29	28
C-1-30	C-1-30-5	5		<5	2.8	140	0.71	<0.5	24		9.6	19	6.1	<0.1	<1	14	<5	<0.5	<5	50	54
C-1-30	C-1-30-10	10		<5	3.4	130	0.61	<0.5	27		11	29	8.2	<0.1	<1	21	<5	<0.5	<5	57	72
C-1-31	C_1_31_15	15	27400	1.8B	7.1	176	0.72	0.7	306		13.4	34.8	7	0.049B	1.6B	30.2	<0.5	<1	1.9	64.8	74.9
C-1-31	C_1_31_20	20	27000	3.1B	4.8	193	0.79	0.88	664	491	14.1	33.8	7.5	0.062B	1.6B	23.7	<0.5	<1	2.1	72	84
C-1-32	C-1-32-4	4		<5	8.2	160	0.64	<0.5	26		9.3	29	13	0.25	1.4	19	<5	<0.5	<5	46	62
C-1-33	C-1-33-1	1		<5	2.2	96	<0.5	<0.5	23		6.7	15	6.7	<0.1	<1	10	<5	<0.5	<5	34	53
C-1-33	C-1-33-5	5		<5	2.9	120	0.54	<0.5	21		8.2	18	5.6	<0.1	<1	13	<5	<0.5	<5	45	52
C-1-33	C-1-33-10	10		<5	3.5	130	0.54	<0.5	21		9.6	24	6.1	<0.1	<1	16	<5	<0.5	<5	43	56
C-1-34	C-1-34-5	5		<5	8.2	160	0.59	<0.5	25		11	30	8.4	<0.1	1.6	19	<5	<0.5	<5	46	56
C-1-34	C_1_34_10	10	11000	<6	3.6	106	0.29B	0.44B	20.5		5.9	23.8	7.7	0.02B	<4	17.4	<0.5	<1	<1	45.3	53.8
C-1-34	C_1_34_15	15	20200	<6	3.6	154	0.58	0.45B	23.3		11.3	23.6	4.6	0.07B	<4	17.1	<0.5	<1	<1	55.5	66.3
C-1-35	C-1-35-1	1		<5	3.1	50	<0.5	<0.5	510		8.2	13	5.1	<0.1	<1	11	<5	<0.5	<5	39	39
C-1-35	C-1-35-5	5		<5	6.4	130	<0.5	0.65	33		8.2	27	17	<0.1	2.8	19	<5	<0.5	<5	50	56
C-1-36	C-1-36-1	1		<5	3.3	140	0.53	<0.5	44	<0.5	8.9	23	10	<0.1	<1	15	<5	<0.5	<5	43	
C-1-36	C-1-36-5	5		<5	2.6	110	0.55	<0.5	21	<0.5	7.9	16	7.2	<0.1	<1	11	<5	<0.5	<5	42	
C-1-36	C-1-36-10	10		<5	2.9	99	0.54	<0.5	19	<0.5	8.5	16	7.4	<0.1	<1	11	<5	<0.5	<5	41	
C-1-36	C-1-36-15	15		<5	4.6	130	0.51	<0.5	21	<0.5	9.1	23	5.7	<0.1	<1	16	<5	<0.5	<5	46	
C-1-36	C-1-36-20	20		<5	2.9	130	<0.5	<0.5	19	<0.5	7.9	21	4.9	<0.1	<1	14	<5	<0.5	<5	46	
C-1-38	C-1-38-1	1		<5	2.4	80	0.78	<0.5	25		9.6	15	6.5	<0.1	<1	14	<5	<0.5	<5	51	
C-1-38	C-1-38-5	5		<5	3.5	110	0.62	<0.5	22		9.9	20	6.6	<0.1	<1	17	<5	<0.5	<5	48	
C-1-38	C-1-38-10	10		<5	3.9	130	0.6	<0.5	27		11	28	5.7	<0.1	<1	16	<5	<0.5	<5	46	
C-1-39	C-1-39-1	1		<5	1.1	21	<0.5	<0.5	4.8		1.1	2.1	8.3	<0.1	<1	<1	14	<5	<0.5	<5	46
C-1-39	C-1-39-5	5		<5	1.9	91	0.52	<0.5	19		8.5	12	5.7	<0.1	<1	8.9	<5	<0.5	<5	39	37
C-1-39	C-1-39-10	10		<5	3.4	130	0.6	<0.5	24		11	27	6.9	<0.1	<1	18	<5	<0.5	<5	51	66
C-1-39	C-1-39-15	15		<5	4.4	150	0.56	<0.5	23		9.6	28	6.6	<0.1	<1	18	<5	<0.5	<5	49	63
C-1-39	C-1-39-20	20		<5	3.4	150	0.6	<0.5	22		10	32	7.1	<0.1	<1	16	<5	<0.5	<5	48	71
C-1-42	C-1-42-1	1		<5	2.1	34	<0.5	<0.5	8.8		1.6	4.9	7.7	<0.1	1.8	4.3	<5	<0.5	<5	11	19
C-1-42	C-1-42-5	5		<5	2.7	100	<0.5	<0.5	23		10	18	6.7	<0.1	<1	13	<5	<0.5	<5	49	55
C-1-42	C-1-42-10	10		<5	3.2	180	0.54	<0.5	20		8.8	19	5.5	<0.1	<1	15	<5	<0.5	<5	42	51
C-1-43	C-1-43-20	20		<5	2.4	150	0.57	<0.5	22		10	29	7.7	<0.1	1.8	4.3	<5	<0.5	<5	11	19
C-1-43	C-1-43-24	24		<5	2.8	140	0.5	<0.5	20		10	18	6.7	<0.1	<1	13	<5	<0.5	<5	49	55
C-1-44	C_1_44_20	20	20200	0.4B	3.9	156	0.54	0.79	27.1		10.8	25.3	5	0.043B	2.4B	17.6	<0.5	<1	1.8	55.2	65.2
C-1-44	C_1_44_25	25	23500	0.2B	3.4	174	0.65	0.72	25.3		11.4	31.8	6	0.047B	1.4B	18.4	<0.5	<1	1.3	58.7	73.1
C-1-44	C_1_44_30	30	35800	0.51B	4.9	219	0.94	1.5	48.5		13.7	45.9	7.7	0.042B	1.7B	27.2	<0.5	<1	1.1	78.4	99.3
C-1-45	C_1_45_1	1	27100	<6	5.1	173	0.79	0.79	36.7		13.2	33.7	8.1	0.041B	0.41B	22.9	<0.5	<1	<1	67	83.7
C-1-45	C-1-45-20	20		<5	2.5	120	<0.5	<0.5	18		7.8	20	4.8	<0.1	<1	13	<5	<0.5	<5	43	55
C-1-45	C-1-45-25	25		<5	3.7	130	<0.5	<0.5	21		9.4	17	5.9	<0.1	<1	16	<5	<0.5	<5	48	60
C-1-45	C-1-45-28	28		<5	3.7	200	0.79	0.58	27		11	40	9.1	0.16	<1	20	<5	<0.5	<5	57	82
C-1-46	C-1-46-1	1		<5	3.6	100	<0.5	<0.5	28		6.2	17	45	<0.1	<1	10	<5	<0.5	<5	35	54
C-1-49	C-1-49-1	1		<5	6.3	59	<0.5	<0.5	9.7		3.1	14	7.9	<0.1	<1	13	<5	<0.5	<5	43	55
C-1-49	C-1-49-5	5		<5	2.3	97	0.6	<0.5	21		9.2	15	6.4	<0.1	<1	11	<5	<0.5	<5	45	44
C-1-49	C-1-49-10	10		<5	3.1	110	0.59	0.57	24		8.4	49	6.3	<0.1	<1	16	<5	<0.5	<5	50	55
C-1-49	C-1-49-15	15		<5	3.7	110	0.63	<0.5	28		9.4	25	6.4	<0.1	<1	18	<5	<0.5	<5	51	60
C-1-50	C-1-50-5	5		<5	6.3	59	<0.5	<0.5	9.7		3.1	14	7.9	<0.1	<1	13	<5	<0.5	<5	43	55
C-1-50	C-1-50-10	10		<5	3.8	140	0.7	<0.5	27		8.6	20	6.8	<0.1	<1	19	<5	<0.5	<5	54	56

See notes on page 28

BOE-C6-0182541

Table 9
Inorganic Compounds in Soil Samples (mg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Object Name	Sample Name	Sample Depth (feet)	Aluminum	Antimony	Arsenic	Barium	Beryllium	Cadmium	Chromium	Chromium (VI)	Cobalt	Copper	Lead	Mercury	Molybdenum	Nickel	Selenium	Silver	Thallium	Vanadium	Zinc
C-1-51	C-1-51-5	5		<5	1.7	92	<0.5	<0.5	16		6.8	14	6.3	<0.1	<1	16	<5	<0.5	<5	50	55
C-1-51	C-1-51-10	10		<5	3.3	110	0.58	<0.5	22		8.5	18	5.9	<0.1	<1	17	<5	<0.5	<5	49	52
C-1-52	C-1-52-1	1		<5	3.3	150	0.64	<0.5	22		7.2	19	5.7	<0.1	<1	16	<5	<0.5	<5	49	54
C-1-52	C-1-52-5	5		<5	2.2	98	0.51	<0.5	19		7.5	16	6.9	<0.1	<1	12	<5	<0.5	<5	40	44
C-1-53	C-1-53-5	5		<5	1.8	99	0.62	<0.5	20		19	15	6.7	<0.1	<1	11	<5	1.6	<5	45	45
C-1-53	C-1-53-10	10		<5	3.2	140	0.58	<0.5	21		7.5	17	5.6	<0.1	1.3	15	<5	<0.5	<5	47	51
C-1-54	C-1-54-1	1		<5	3.3	150	0.64	<0.5	22		7.2	19	5.7	<0.1	<1	16	<5	<0.5	<5	49	54
C-1-54	C-1-54-5	5		<5	2.1	120	0.64	<0.5	21		7.9	15	5.6	<0.1	<1	12	<5	0.51	<5	45	48
C-1-54	C-1-54-10	10		<5	3.7	130	0.62	<0.5	23		8.6	21	6.3	<0.1	<1	16	<5	<0.5	<5	53	57
C-1-55	C-1-55-1	1		<5	2.7	130	0.56	<0.5	22		8.1	19	17	<0.1	<1	14	<5	<0.5	<5	46	54
C-1-55	C-1-55-5	5		<5	1.8	96	<0.5	<0.5	17		7.3	14	5.5	<0.1	<1	9.7	<5	<0.5	<5	36	37
C-1-55	C-1-55-10	10		<5	2.3	96	0.5	<0.5	24		19	15	6.7	<0.1	<1	11	<5	1.6	<5	45	45
C-1-56	C-1-56-5	5		<5	2.8	110	0.58	<0.5	23		14	18	5.3	<0.1	<1	15	<5	1.2	<5	48	53
C-1-56	C-1-56-10	10		<5	2.8	130	0.5	<0.5	21		8.3	21	5.7	<0.1	<1	15	<5	<0.5	<5	42	53
C-1-56	C-1-56-15	15		<5	3.8	150	0.56	<0.5	24		9.6	28	6.3	<0.1	<1	19	<5	<0.5	<5	51	60
C-1-57	C-1-57-5	5		<5	2.8	130	0.55	<0.5	20		11	21	5.5	0.11	<1	14	<5	<0.5	<5	42	59
C-1-57	C-1-57-10	10		<5	3.3	130	0.63	<0.5	27		10	28	6.9	<0.1	<1	22	<5	1.2	<5	51	75
C-1-57	C-1-57-15	15		<5	2.9	100	<0.5	<0.5	21		8.4	25	5.6	<0.1	<1	16	<5	<0.5	<5	43	53
C-1-58	C-1-58-5	5		<5	2.7	130	0.62	<0.5	22		13	18	6.4	<0.1	<1	11	<5	<0.5	<5	42	58
C-1-58	C-1-58-10	10		<5	2.1	110	<0.5	<0.5	18		7.5	20	6.9	<0.1	<1	22	<5	1.2	<5	51	75
C-1-58	C-1-58-15	15		<5	3.6	110	0.58	<0.5	23		9.4	31	6.4	<0.1	<1	20	<5	<0.5	<5	46	63
C-1-140	C_1_140_15	15	23700	0.41B	5.1	117	0.64	0.62	29.2		10.4	29.9	5.2	0.04B	1.1B	23.1	<0.5	<1	1.4	60.9	64
C-1-140	C_1_140_20	20	25000	0.56B	5	134	0.68	0.77	28.1		13.6	29.6	6	0.026B	1.4B	22.3	<0.5	<1	1.4	60.8	73.4
C-1-141	C_1_141_15	15	20500	0.48B	5.7	160	0.55	0.65	25.9		11.4	26	5.4	0.05B	1.5B	20	<0.5	<1	0.91B	59.5	64.9
C-1-141	C_1_141_20	20	22400	0.62B	4.1	152	0.64	0.88	26.8		11.5	25.4	5.7	0.048B	1.6B	18.7	<0.5	<1	1.4	60.4	74.9
C-1-K-14	C-1-K-14-5	5	39400	1.8B	4.6	142	0.9	0.26B	31.2		13.9	22.1	8	0.029B	1.6B	17.2	<0.5	<1	0.6B	64.6	56
C-1-K-14	C_1_K_14_10	10								<0.1											
C-1-K-14	C-1-K-14-10	10	35400	1.8B	4.5	168	0.8	0.3B	38.3		12.8	20.6	6.2	0.094B	1.4B	24.5	<0.5	<1	1.1	66.3	65.9
C-1-O-10	C-1-O-10-5	5	27200	2.2B	4.6	148	0.62	0.46B	29.3		12	25.8	7.3	0.031B	1.1B	26.5	<0.5	<1	0.86B	59.1	61.6
C-1-O-10	C-1-O-10-10	10	33300	2.4B	5.8	159	0.77	0.55	37.7		14.5	32.8	8.2	0.048B	1.4B	34.8	<0.5	<1	1.2	75.6	77.6
C-1-O-11	C-1-O-11-5	5	19300	1.7B	7.1	158	0.52	0.33B	26.9		8.6	20	13.4	0.051B	1.3B	22.7	<0.5	<1	<1	52.3	59.3
C-1-O-11	C-1-O-11-10	10	22600	1.8B	3.5	137	0.54	0.32B	24		9.1	19.8	7.1	0.038B	1.1B	15.2	<0.5	<1	1.3	45.1	50.9
C-2-1	C-2-1-1	1	22800	<6	2.4	114	0.6	<0.5	29.2		10.2	20.4	4.7	0.036B	<4	16	0.53	<1	<1	54.3	57.6
C-2-1	C-2-1-5	5	21400	<6	2.3	163	0.63	<0.5	24.6		8.7	14.9	4.2	<0.1	<4	14.7	<0.5	<1	<1	44.7	50.1
C-2-2	C_2_2_5	5	17600	0.83B	2.7	101	0.55	0.37B	20.7		8.2	15.5	5.1	<0.1	1B	11.9	<0.5	<1	0.65B	42.5	40.8
C-2-3	C-2-3-1	1	22900	<6	3.3	201	0.69	<0.5	27.6		12.2	19.6	6.6	0.023B	<4	19.7	<0.5	<1	<1	54.2	62.7
C-2-3	C-2-3-5	5	21000	<6	2.9	110	0.54	<0.5	24		11.1	17.7	5.2	0.044B	<4	14.9	0.75	<1	<1	52.3	55.2
C-2-4	C-2-4-1	1	18200	<6	3	145	0.56	<0.5	23.2		11	19.5	9.8	<0.1	<4	15.7	<0.5	<1	<1	46	53.3
C-2-4	C-2-4-5	5	28900	<6	3.9	141	0.84	<0.5	33.3		13.8	22.8	6.6	0.043B	<4	26	<0.5	<1	<1	72.8	74.2
C-2-5	C-2-5-1	1	12300	<6	1.8	89.5	0.34B	<0.5	17		7.3	14.3	4.8	<0.1	<4	9.5	0.67	<1	<1	32.7	39.9
C-2-5	C-2-5-5	5	21100	<6	2.2	124	0.59	<0.5	24.5		9.7	16.2	5	<0.1	<4	14.1	0.42B	<1	0.54B	46.3	51.4
C-2-6	C-2-6-1	1	13100	<6	1.8	95.9	0.4B	<0.5	18.1		8.9	20.7	3.9	<0.1	<4	11.2	0.42B	<1	<1	36.3	37.5
C-2-6	C-2-6-5	5	27000	<6	3.6	152	0.75	<0.5	31.8		13.7	21	6	0.084B	<4	21.8	<0.5	<1	<1	65.7	67.9
C-2-7	C-2-7-1	1	18200	<6	2.8	122	0.51	<0.5	22.2		10.1	16.5	7.1	<0.1	<4	13.7	<0.5	<1	<1	44.2	49.5
C-2-7	C-2-7-5	5	20100	<6	2.5	118	0.53	<0.5	24.4		9.3	14.5	4.4	0.025B	<4	13.4	<0.5	<1	<1	46.6	47.7
C-2-8	C-2-8-1	1	21300	<6	2.7	119	0.57	<0.5	25.9		10.6	18.4	5.3	0.043B	<4	16.2	<0.5	<1	<1	53.8	55.7
C-2-8	C-2-8-5	5	22500	<6	2.4	105	0.61	<0.5	22		12.6	17.1	5.1	<0.1	<4	16.7	0.53	<1	<1	48	50.5
C-2-9	C-2-9-5	5	20000	<6	3.7	121	0.51	<0.5	21		9.5	17.5	12.3	0.025B	0.52B	13	<0.5	<1	1.2	45.3	46.9
C-2-10	C-2-10-1	1	24200	<6	2.6	131	0.59	<0.5	24.2		10.4	20.8	4.6	0.038B	0.83B	16.6	<0.5	<1	<1	56.4	54.8
C-2-10	C-2-10-5	5	17600	0.28B	1.5	109	0.48B	<0.5	20.3		8	20	4.2	0.029B	0.91B	11.7	<0.5	<1	1	41	39.5
C-2-11	C-2-11-5	5	28900	<6	2.1	140	0.73	<0.5	27.5		9	18.9	5.3	0.027B	0.83B	15.7	<0.5	<1	<1	53.6	52.8
C-2-12	C-2-12-3	3	19900	<6	3.7	95.6	0.46B	<0.5	20.6		8.1	269	6.7	0.027B	0.87B	15.5	<0.5	<1	<1	38.9	48.7
C-2-12	C_2_12_5	5										30.3									
C-2-12	C_2_12_10	10										36.9									
C-2-12	C_2_12_20	20										92.5									
C-2-12	C_2_12_25	25										47.4									
C-2-12	C_2_12_30	30										39.1									
C-2-12	C_2_12_40	40										8									
C-2-12	C_2_12_50	50										11.7									
C-2-12-1	C_2_12_1_25	25										49.1									
C-2-12-1	C_2_12_1_30	30										24.1									
C-2-12-1	C_2_12_1_40	40										7.9									
C-2-12-1	C_2_12_1_50	50										5.5									
C-2-12-2	C_2_12_2_25	25										44.2									
C-2-12-2	C_2_12_2_30	30										28.1									
C-2-12-2	C_2_12_2_40	40										10.6									
C-2-12-2	C_2_12_2_50	50										32.1									

See notes on page 28

BOE-C6-0182542

Table 9
Inorganic Compounds in Soil Samples (mg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Object Name	Sample Name	Sample Depth (feet)	Aluminum	Antimony	Arsenic	Barium	Beryllium	Cadmium	Chromium	Chromium (VI)	Cobalt	Copper	Lead	Mercury	Molybdenum	Nickel	Selenium	Silver	Thallium	Vanadium	Zinc
C-2-12-3	C_2_12_3_25	25										45.2									
C-2-12-3	C_2_12_3_30	30										40.5									
C-2-12-3	C_2_12_3_40	40										7.6									
C-2-12-3	C_2_12_3_50	50										31.3									
C-2-13	C-2-13-5	5	33600	<6	2.9	134	0.87	<0.5	30		10.4	20	6.1	<0.1	0.74B	16.7	<0.5	<1	1.2	59.4	58.5
C-2-14	C-2-14-5	5	32100	<6	2.4	168	0.81	<0.5	28.6		15.3	20.9	6.8	0.11	0.57B	17.1	<0.5	<1	0.62B	64.7	59.3
C-2-15	C-2-15-1	1	27100	<6	1.8	139	0.74	<0.5	27.1		10.1	17.7	5.5	<0.1	0.57B	14.4	<0.5	<1	0.92B	51.6	45.8
C-2-15	C-2-15-5	5	29200	<6	3.2	182	0.68	<0.5	30.4		12.4	26.7	6	0.035B	0.58B	20.9	<0.5	<1	0.99B	63.4	68.8
C-2-16	C-2-16-5	5	34300	<6	2.6	168	0.93	<0.5	34.2		10.2	16.2	5.5	0.036B	0.71B	20	<0.5	<1	<1	63.9	54
C-2-17	C-2-17-1	1	14500	<6	3.1	109	0.42B	<0.5	18		9.5	23.5	9.1	<0.1	0.54B	11.8	<0.5	<1	<1	36.2	40.4
C-2-17	C-2-17-5	5	30400	<6	3.2	118	0.97	<0.5	30.9		12.7	23	6.4	0.11	0.46B	24.7	<0.5	<1	1.5	68.2	68.7
C-2-18	C-2-18-5	5	35500	<6	2.5	136	0.93	<0.5	35.2		10.4	19.9	6.2	0.074B	0.52B	23	<0.5	<1	0.74B	66.6	62.5
C-2-19	C-2-19-5	5	33100	<6	2.7	240	0.88	<0.5	34		12.8	19.8	6.1	0.049B	0.82B	23.5	<0.5	<1	1.2	63.3	60.6
C-2-20	C_2_20_5	5	29500	0.6B	4.3	167	0.77	0.68	30.1		9.9	22.6	7.7	0.039B	1.3B	19	<0.5	<1	1.6	58.1	59.1
C-2-21	C-2-21-5	5	32800	<6	3	258	0.84	<0.5	32.8		11.2	18.3	5.9	0.041B	0.38B	21.3	<0.5	<1	0.78B	62.3	57.4
C-2-22	C-2-22-1	1	16000	<6	3	129	0.46B	<0.5	19.3		10.9	22.9	9	<0.1	0.82B	13.5	<0.5	<1	1.5	39.1	45.3
C-2-22	C-2-22-5	5	33100	<6	3	232	0.96	<0.5	34.4		11.1	16.8	5.6	0.037B	0.38B	21.3	<0.5	<1	1.1	62.3	57.2
C-2-23	C_2_23_5	5	27500	0.26B	3.7	156	0.74	0.55	28.9		10.7	19.6	5.9	0.036B	1.1B	19.5	<0.5	<1	0.76B	56.4	58.1
C-2-24	C_2_24_5	5	24700	0.56B	3.8	120	0.65	0.59	26.8		10.7	23	5.6	0.037B	1.1B	18.1	<0.5	<1	1.3	57.8	66.8
C-2-25	C_2_25_5	5	22200	0.61B	3.8	180	0.57	0.54	22.7		10	18.8	5.1	0.037B	0.94B	17.3	<0.5	<1	1.3	54.8	57.1
C-2-26	C_2_26_5	5	35400	0.64B	4.9	152	0.9	0.77	36.1		15.6	22	6.8	0.089B	1.2B	24.9	<0.5	<1	1.4	75.2	73.8
C-2-26	C_2_26_10	10	19200	0.73B	4.3	133	0.54	0.72	24		10.6	24.6	5.2	0.032B	1.3B	23.9	<0.5	<1	1.7	53.5	54.9
C-2-27	C-2-27-5	5	23500	<6	2.4	141	0.7	<0.5	25.2		14.8	16	5.7	0.035B	0.88B	14	<0.5	<1	0.52B	53.3	50
C-2-28	C-2-28-5	5	27800	<6	3	154	0.82	<0.5	27		12.9	17.3	6.5	0.037B	1.2B	17.8	<0.5	<1	0.74B	53	55.9
C-2-29	C-2-29-1	1	17100	<6	2.1	140	0.54	<0.5	21		10.3	17.6	5.7	<0.1	0.72B	12.3	<0.5	<1	0.84B	44.2	42
C-2-29	C-2-29-5	5	27100	<6	1.9	123	0.77	<0.5	28		8	17.9	5.7	<0.1	0.68B	13.9	<0.5	<1	<1	50.8	51.2
C-2-30	C-2-30-5	5	30300	<6	2.3	161	0.89	<0.5	33.7		12.6	25.7	6.7	<0.1	0.76B	18.4	<0.5	<1	0.78B	66.2	56
C-2-31	C-2-31-5	5	21500	<6	3.3	133	0.67	0.17B	24.1		10.5	19.2	6.4	<0.1	1.1B	15.1	<0.5	<1	0.86B	48.3	60.6
C-2-32	C-2-32-5	5	24400	<6	2.1	156	0.72	<0.5	25.7		11.9	20.7	6.8	<0.1	0.84B	16.6	<0.5	<1	1	49.8	64.8
C-2-33	C-2-33-5	5	20700	<6	3.1	205	0.74	0.26B	26		10.7	21.8	6.6	<0.1	1.1B	14.4	<0.5	<1	0.66B	51.9	68.7
C-2-34	C-2-34-5	5	24000	0.24B	3.5	141	0.62	<0.5	25.6		10.5	22.9	5	0.042B	0.9B	17.9	<0.5	<1	1.9	56.2	58.7
C-2-35	C-2-35-1.5	1.5	22300	<6	2.3	119	0.61	<0.5	24.5		9.9	20.7	4.9	0.031B	0.93B	17.5	<0.5	<1	1.1	51.2	55.5
C-2-35	C-2-35-5	5	18600	<6	1.6	112	0.55	<0.5	22.6		9.2	31.4	5	<0.1	1.3B	13.3	<0.5	<1	0.79B	43.6	46.1
C-2-36	C-2-36-5	5	20400	0.38B	1.8	101	0.49B	<0.5	21.2		9.3	22.8	4.8	0.029B	0.69B	13	<0.5	<1	<1	47.1	46.5
C-2-37	C-2-37-5	5	19500	<6	1.5	102	0.54	<0.5	21.3		8.8	20.7	4.5	<0.1	0.89B	12.9	<0.5	<1	0.93B	43	45.2
C-2-38	C-2-38-1.5	1.5	14200	<6	1.6	104	0.43B	<0.5	17.4		8.1	36.6	4.1	<0.1	0.82B	11	<0.5	<1	0.52B	35.1	37.3
C-2-38	C-2-38-5	5	23100	<6	2.5	98.8	0.69	0.3B	22.5		9.4	16	5.3	0.045B	0.84B	12.9	<0.5	<1	0.6B	48.4	46
C-2-39	C-2-39-1.5	1.5	14100	<6	3.7	106	0.47B	0.28B	17.4		9.4	20.1	14	<0.1	0.85B	11.1	<0.5	<1	<1	35	47.4
C-2-39	C-2-39-5	5	25000	<6	1.9	133	0.69	<0.5	22.6		8.7	17.6	5.6	0.054B	0.86B	12.9	<0.5	<1	<1	50.1	45.4
C-2-40	C-2-40-5	5	21800	<6	1.6	149	0.61	0.1B	20.5		10.2	30.8	4.8	<0.1	0.77B	12	<0.5	<1	<1	46.8	44
C-2-41	C-2-41-1.5	1.5	20300	<6	1.9	142	0.57	<0.5	22.5		9.8	21.2	6.6	0.032B	0.63B	14.4	<0.5	<1	<1	46.8	48.7
C-2-41	C-2-41-5	5	22600	<6	2.7	130	0.58	0.11B	21.8		9.8	18.8	4.8	0.043B	0.81B	15.8	<0.5	<1	<1	55.2	51.2
C-2-42	C-2-42-5	5	30100	<6	2.2	97.4	0.74	0.27B	28.8		10.6	20.8	5.3	0.063B	0.42B	19.3	<0.5	<1	<1	65.6	60.9
C-2-43	C-2-43-1.5	1.5	12000	<6	3.5	99	0.41B	<0.5	15.4		10.4	25	14.7	0.13	0.51B	9.2	<0.5	<1	<1	31.8	37.6
C-2-43	C-2-43-5	5	24500	<6	3.2	188	0.63	<0.5	25.4		10.9	31.4	5.8	0.028B	0.74B	18.9	<0.5	<1	0.64B	58.6	66.6
C-2-45	C-2-45-1.5	1.5	24000	0.23B	1.7	96.5	0.74	<0.5	23.5		8.8	13.2	5.1	<0.1	0.67B	11.5	<0.5	<1	<1	48.2	37.2
C-2-45	C-2-45-5	5	23600	<6	3	153	0.6	<0.5	24.7		9.7	20.2	4.5	0.044B	0.33B	17.8	<0.5	<1	1	56.8	56.5
C-2-46	C-2-46-5	5	22100	<6	1.8	158	0.56	<0.5	22.7		10.4	19.8	4.8	0.032B	0.6B	16.7	<0.5	<1	<1	52.4	55.8
C-2-47	C-2-47-1.5	1.5	20500	<6	1.6	110	0.6	<0.5	21.7		10.4	16.1	5.1	<0.1	0.65B	11.4	<0.5	<1	<1	46.1	36.3
C-2-47	C-2-47-5	5	30200	<6	3.8	164	0.82	0.12B	29.7		11.8	23.9	6.3	0.031B	0.66B	22.3	<0.5	<1	0.54B	66.3	66.9
C-2-48	C-2-48-5	5	25800	<6	4.4	184	0.74	0.47B	28.4		11.2	19.2	5.6	0.056B	0.74B	22.4	<0.5	<1	1.8	60.3	61.6
C-2-49	C-2-49-5	5	24700	<6	2.8	161	0.68	0.3B	25.4		9.2	17.1	5.4	0.047B	0.72B	14.2	<0.5	<1	1.3	49	51.2
C-2-50	C-2-50-1	1	16700	0.46B	3.8	96.2	0.53	0.19B	19.6		8.8	14.8	6.9	<0.1	0.98B	12	<0.5	<1	<1	39.9	42.8
C-2-50	C-2-50-5	5	23900	<6	3.2	142	0.71	0.23B	22.6		11.4	15.8	4.9	0.042B	0.96B	13.9	<0.5	<1	0.67B	50.5	51
C-2-51	C-2-51-5	5	22200	<6	3	104	0.66	0.2B	22.7		10.5	16.7	4.6	0.032B	0.72B	13.9	0.45B	<1	0.79B	50.6	50.5
C-2-52	C-2-52-5	5	32000	<6	4.2	184	0.95	0.46B	36.6		12	20.6	6.8	0.05B	1.4B	17.9	<0.5	<1	<1	66	63.6
C-2-55	C-2-55-5	5	28800	<6	3.6	184	0.86	0.34B	32.8		11.7	16.7	5.1	0.041B	0.88B	19.4	<0.5	<1	<1	55.8	56.6
C-2-58	C-2-58-1.5	1.5	20600	<6	3.4	119	0.59	0.26B	22.4		10.6	21	9.3	<0.1	0.76B	14.6	<0.5	<1	0.6B	46.4	49.7
C-2-58	C-2-58-5	5	19100	<6	3	109	0.62	0.19B	22.6		10.1	15.9	5.2	<0.1	1.1B	12.9	<0.5	<1	0.76B	45.7	43
C-2-59	C-2-59-1	1	25300	<6	3.4	188	0.75	0.26B	26.3		10.7	16.6	5.5	0.026B	1.4B	14.6	<0.5	<1	<1	53.6	53.1
C-2-59	C-2-59-5	5	20300	<6	3.3	121	0.58	0.32B	21.7		9.5	16.8	6.6	0.034B	0.73B	12.9	<0.5	<1	<1	44.9	47.8
C-2-60	C-2-60-5	5	13700	0.23B	2.6	155	0.46B	0.24B	17.3		9.1	14.7	4.2	<0.1	0.6B	11	0.64	<1	0.5B	35.5	33.2
C-2-61	C-2-61-1	1	27200	<6	4.2	134	0.74	0.55	30.4		12.4	21.2	6.1	0.052B	0.96B	18.9	<0.5	<1	<1	62.7	63.1
C-2-61	C-2-61-5	5	19500	<6	3.5	105	0.59	0.21B	22.1		9.6	15	5	<0.1	1B	12.7	0.51	<1	0.7B	43.9	40.2
C-2-62	C-2-62-1	1	20900	<6	2.7	120	0.59	0.36B	22.7		9.5	21.2	14.7	<0.1	1B	13.9	<0.5	<1	<1	47.1	48.1
C-2-62	C-2-62-5	5	27300	<6	3.3	120	0.78	0.32B	27.1		13.6	29.3	6	<0.1	1.5B	14.4	<0.5	<1	0.8B	56.1	50
C-2-63	C-2-63-1.5	1.5	13800	0.21B	1.9	78.3	0.47B	<0.5	17.4		8.3	14.1	4.3	<0.1	0.64B	10.8	<0.5	<1	<1	35.9	33.5

See notes on page 28

BOE-C6-0182543

Table 9
Inorganic Compounds in Soil Samples (mg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Object Name	Sample Name	Sample Depth (feet)	Aluminum	Antimony	Arsenic	Barium	Beryllium	Cadmium	Chromium	Chromium (VI)	Cobalt	Copper	Lead	Mercury	Molybdenum	Nickel	Selenium	Silver	Thallium	Vanadium	Zinc
C-2-63	C-2-63-5	5	24800	<6	3.2	135	0.76	<0.5	26.7		8.6	16.5	5.5	<0.1	0.71B	13.8	<0.5	<1	1.1	53	49.4
C-2-64	C-2-64-1	1	19000	0.46B	5.3	152	0.63	<0.5	23.6		10.4	21.4	16.1	<0.1	1B	17.9	<0.5	<1	<1	46.1	49.6
C-2-64	C-2-64-5	5	22400	0.27B	2.4	159	0.66	<0.5	26.9		10	13.6	5.4	<0.1	0.51B	13.5	<0.5	<1	0.72B	50.4	43.7
C-2-65	C-2-65-1	1	21700	<6	2.9	236	0.73	<0.5	28		10.4	17.6	5.9	<0.1	0.58B	19.5	<0.5	<1	<1	52.4	48
C-2-65	C-2-65-5	5	18900	<6	2.4	131	0.69	<0.5	22.2		12.7	13.8	5.1	<0.1	0.75B	12.6	<0.5	<1	<1	46.4	41.6
C-2-66	C-2-66-5	5	21900	0.36B	2.9	104	0.72	<0.5	25.9		10.1	14.8	5.9	0.025B	0.66B	12.8	<0.5	<1	<1	52.3	43
C-2-67	C-2-67-1	1	11400	<6	2.1	82.8	0.44B	<0.5	16.6		9.3	14.1	4.4	<0.1	0.4B	11.1	<0.5	<1	<1	33.7	30.8
C-2-67	C-2-67-5	5	20100	<6	2.3	122	0.62	<0.5	23		10.7	12.6	5.3	<0.1	0.39B	12.5	<0.5	<1	0.94B	48.2	39.2
C-2-68	C-2-68-1	1	10600	0.33B	1.3	99.8	0.4B	<0.5	15.7		7.5	14.8	11.7	<0.1	0.86B	9.3	<0.5	<1	<1	30.7	41.9
C-2-68	C-2-68-5	5	19100	<6	2.6	97.5	0.63	<0.5	22.3		11.3	13	5.4	<0.1	0.68B	13	<0.5	<1	0.72B	47.7	40.2
C-2-69	C-2-69-1	1	21800	<6	4.7	140	0.67	0.18B	26.7		10	22.7	5.8	0.021B	0.65B	17.3	<0.5	<1	0.66B	53.1	61.6
C-2-69	C-2-69-5	5	20900	<6	2.4	166	0.72	<0.5	26		17.3	12.3	7.1	0.023B	0.74B	16.6	<0.5	<1	0.69B	53.7	41.9
C-2-70	C-2-70-5	5	13100	0.25B	2.3	98.8	0.49B	<0.5	17.6		10.5	14.8	4.5	<0.1	0.53B	11.3	<0.5	<1	0.92B	36.6	32.5
C-2-71	C-2-71-5	5	10800	0.45B	1.9	121	0.38B	<0.5	14.4		124	13.3	6.3	0.039B	0.4B	9.8	<0.5	<1	<1	29.8	37.5
C-2-72	C-2-72-1	1	11400	0.44B	1.9	113	0.45B	<0.5	16.5		9.7	13.3	4.3	0.041B	0.89B	11.5	<0.5	<1	<1	34.3	30.3
C-2-72	C-2-72-5	5	25500	0.23B	3.1	145	0.75	<0.5	28.2		11	22.1	6.1	0.055B	0.58B	20.6	<0.5	<1	<1	59.1	63.3
C-2-72	C_2_72_10	10	15600	0.71B	4.5	111	0.42B	0.86	20.4		7.8	18.5	4.2	0.055B	0.84B	14.2	<0.5	<1	1.3	42.6	47.4
C-2-73	C-2-73-5	5	22600	0.2B	4.8	175	0.77	<0.5	29.1		14.9	31.2	7	0.028B	1.3B	26	<0.5	<1	<1	61.4	64.7
C-2-74	C-2-74-1	1	8320	0.24B	1.9	89.8	0.38B	<0.5	13.5		8.7	11.5	3.9	0.068B	0.64B	9.5	<0.5	<1	0.9B	30	25
C-2-74	C-2-74-5	5	16600	<6	2.5	139	0.45B	<0.5	18.6		9.3	15.1	4.5	<0.1	0.34B	15.8	<0.5	<1	<1	43.2	48.4
C-2-75	C-2-75-5	5	23700	<6	4	104	0.78	<0.5	28		10.4	48.6	5.7	0.033B	0.63B	17.7	<0.5	<1	<1	58.6	57.9
C-2-76	C-2-76-1	1	9710	0.36B	3.8	95.4	0.37B	<0.5	15.6		5.6	86.4	18.8	0.097B	0.64B	9.6	<0.5	<1	<1	28.8	49.4
C-2-76	C-2-76-5	5	23500	<6	4.1	152	0.7	<0.5	27.9		11.9	19.9	5.5	0.047B	0.42B	21.8	<0.5	<1	<1	57.8	62.4
C-2-77	C-2-77-5	5	25700	<6	4.4	110	0.77	<0.5	29.2		12.4	20.6	6.1	0.051B	0.5B	23.5	<0.5	<1	<1	62.4	65.8
C-2-78	C-2-78-1	1	12200	<6	2	92.3	0.44B	<0.5	17.3		9.6	14.8	4.4	<0.1	0.52B	10.9	<0.5	<1	<1	36.6	31.1
C-2-78	C-2-78-5	5	25300	<6	4.8	101	0.8	<0.5	29		12.7	23.3	6.3	0.06B	0.73B	25.9	<0.5	<1	<1	63.4	64
C-2-79	C-2-79-5	5	24200	<6	3.6	139	0.68	<0.5	28.7		11	18.6	5.4	0.061B	0.38B	20.8	<0.5	<1	<1	57.8	59.8
C-2-80	C-2-80-1	1	11100	<6	2.1	101	0.4B	<0.5	15.8		9	15	4.6	<0.1	0.4B	10.4	<0.5	<1	<1	33	32.5
C-2-80	C-2-80-5	5	27300	<6	4.2	163	0.78	<0.5	34.5		10.6	20.6	5.7	0.11	<4	22.5	<0.5	<1	<1	63.8	64.9
C-2-81	C-2-81-5	5	26200	<6	4.3	194	0.78	<0.5	31.3		14.8	21.3	6.8	0.11	0.61B	24.6	<0.5	<1	<1	64	67.1
C-2-82	C-2-82-1	1	9620	<6	2.7	105	0.38B	<0.5	15.6		8.3	15	6.5	0.023B	0.47B	9.8	<0.5	<1	<1	31.6	32.8
C-2-82	C-2-82-5	5	23000	<6	3.2	142	0.71	<0.5	22.9		16.6	17.9	5.2	0.061B	0.49B	16.6	<0.5	<1	0.51B	53.9	56.9
C-2-83	C-2-83-5	5	20200	<6	2.7	107	0.61	<0.5	20.8		9.7	16.6	4.2	0.048B	0.66B	12.6	<0.5	<1	<1	47	47.1
C-2-84	C-2-84-5	5	23000	<6	3.1	128	0.61	<0.5	24.3		8.7	15	5	0.066B	0.35B	13.3	<0.5	<1	<1	51.4	49.3
C-2-85	C-2-85-5	5	28700	<6	4.7	153	0.8	<0.5	33.5		10.7	19.2	6.1	0.061B	0.56B	16.2	<0.5	<1	<1	62.7	58.6
C-2-86	C-2-86-5	5	20400	<6	2.9	118	0.58	<0.5	21.7		9.4	14.5	4.3	<0.1	0.48B	13	<0.5	<1	0.52B	46.6	48.2
C-2-87	C-2-87-5	5	27000	<6	4.2	112	0.8	<0.5	29.5		17	18.7	6.6	0.041B	0.54B	23.4	<0.5	<1	<1	64.2	62.1
C-2-88	C-2-88-1	1	14700	<6	2.6	98.9	0.46B	<0.5	18.4		9.4	14.3	4.7	0.028B	0.33B	12.3	<0.5	<1	<1	38.8	39
C-2-88	C-2-88-5	5	22400	<6	3.4	134	0.66	<0.5	22		9.7	16.2	4.7	0.071B	<4	13.5	<0.5	<1	<1	49.8	49.9
C-2-89	C-2-89-5	5	28200	<6	3.5	137	0.62	<0.5	33.1		14.6	19.1	6.4	0.051B	<4	19.4	<0.5	<1	1.1	61.2	58.8
C-2-90	C-2-90-5	5	27400	<6	2.8	113	0.73	<0.5	23.1		9.6	15.8	5.4	0.038B	<4	17	<0.5	<1	<1	47.9	47.9
C-2-91	C-2-91-5	5	20500	<6	4	106	0.57	<0.5	24.3		12.4	21.9	17.5	<0.1	<4	16	<0.5	<1	0.77B	43	51
C-2-92	C-2-92-5	5	24900	<6	3.2	124	0.62	<0.5	27.2		11.6	18.6	4.9	0.038B	<4	18.2	<0.5	<1	<1	56.5	58.2
C-2-93	C-2-93-5	5	31600	<6	2.9	128	0.78	<0.5	28.7		13.7	20.2	5.8	<0.1	<4	16.8	<0.5	<1	0.58B	57.8	59.5
C-2-94	C-2-94-1	1	13100	<6	1.9	77.7	0.37B	<0.5	14.9		6.9	13.8	13.3	<0.1	<4	10.2	<0.5	<1	<1	30.2	54.5
C-2-94	C-2-94-5	5	27600	<6	2.9	135	0.67	<0.5	26		10.2	21.8	5	0.13	<4	15.8	<0.5	<1	0.88B	49	53.3
C-2-95	C-2-95-1	1	26300	<6	3	140	0.72	<0.5	37.4		10.5	19.1	7.1	0.034B	<4	21.8	<0.5	<1	<1	51.7	53.6
C-2-95	C-2-95-5	5	26600	<6	2.4	129	0.65	<0.5	25.7		12	17.5	5	<0.1	<4	16.3	<0.5	<1	<1	50.9	53.7
C-2-95	C-2-95-10	10	25300	<6	3.8	168	0.7	<0.5	29.8		13	27.3	5.7	<0.1	<4	20.1	<0.5	<1	0.93B	59.3	70.6
C-2-96	C-2-96-1	1	14000	<6	1.5	88.2	0.39B	<0.5	16.9		7.4	23.9	5	<0.1	0.35B	10.5	<0.5	<1	<1	33	39.9
C-2-96	C-2-96-5	5	26700	<6	3.4	131	0.64	<0.5	27.6		11.3	22.7	5.3	0.058B	<4	17.1	<0.5	<1	<1	53.4	55
C-2-97	C-2-97-5	5	26400	<6	3.1	130	0.64	<0.5	23.7		12.7	18.4	5.1	0.029B	<4	15.9	<0.5	<1	0.54B	52.3	55.5
C-2-98	C-2-98-5	5	36000	<6	3.7	166	0.89	<0.5	36		19.1	24.4	7.5	0.071B	<4	22.4	<0.5	<1	1.1	67.8	71.6
C-2-99	C-2-99-5	5	8270	<6	1.3	70.1	0.3B	<0.5	10.9		5.4	9	2.5	<0.1	0.35B	6.8	<0.5	<1	0.63B	22.6	21.7
C-2-99	C-2-99-10	10	22300	<6	3.6	135	0.7	<0.5	24.1		10.6	20.2	5.1	0.023B	0.63B	18.5	<0.5	<1	0.94B	55	59.5
C-2-99	C-2-99-15	15	20200	<6	4.1	122	0.6	<0.5	24.8		10.9	23.4	4.6	0.056B	0.79B	18.8	<0.5	<1	0.82B	52.4	56.5
C-2-100	C-2-100-5	5	29200	<6	4.6	151	0.86	<0.5	33.4		10.9	20.3	5.1	0.04B	0.87B	22.9	<0.5	<1	1.1	64.4	64.1
C-2-100	C-2-100-10	10	22900	<6	3.8	102	0.64	<0.5	26.4		10.5	23.6	5.1	0.068B	0.5B	17.8	<0.5	<1	<1	55.5	59.3
C-2-100	C-2-100-15	15	22000	<6	4.4	118	0.63	0.12B	28.6		11.3	26.1	4.7	0.034B	0.69B	18.8	<0.5	<1	0.58B	56.9	65.3
C-2-101	C-2-101-1	1	30500	<6	3.4	177	1.1	<0.5	36.8		11.1	17.5	5.6	0.048B	<4	21.8	<0.5	<1	1.1	64	62.2
C-2-101	C-2-101-5	5	23300	<6	3.8	138	0.73	<0.5	26.9		11.3	21.2	6.6	0.1	0.63B	20.4	<0.5	<1	0.92B	54.9	61.4
C-2-102	C-2-102-5	5	23000	<6	3.7	166	0.69	<0.5	26.3		11.2	21.8	5.4	0.031B	0.85B	20.5	<0.5	<1	1.1	53.3	61.3
C-2-103	C-2-103-5	5	25700	<6	7.6	125	0.82	<0.5	29.8		13.1	19.6	10.9	0.059B	0.66B	18.9	<0.5	<1	1.1	58	61
C-2-103	C-2-103-10	10	23600	<6	4	181	0.7	<0.5	29.1		12.4	31	5.8	<0.1	0.69B	22.1	<0.5	<1	0.59B	58.2	71
C-2-104	C-2-104-5	5	23900	<6	3.8	149	0.7	0.49B	25.8		10.8	20.6	5.6	0.035B	0.87B	19.6	<0.5	<1	0.87B	53.9	57.9
C-2-104	C-2-104-10	10	26000	0.25B	3.7	153	0.71	0.63	28.1		10.8	22.2	5.3	0.034B	1.3B	20.9	<0.5	<1	0.94B	56	63.3
C-2-105	C-2-105-5	5	19200	<6	3.2	114	0.59	<0.5	21.2		13.2	19.2	5.6	<0.1	0.91B	14.2	<0.5	<1	0.82B	41.8	53.2

See notes on page 28

BOE-C6-0182544

Table 9
Inorganic Compounds in Soil Samples (mg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Object Name	Sample Name	Sample Depth (feet)	Aluminum	Antimony	Arsenic	Barium	Beryllium	Cadmium	Chromium	Chromium (VI)	Cobalt	Copper	Lead	Mercury	Molybdenum	Nickel	Selenium	Silver	Thallium	Vanadium	Zinc
C-2-106	C-2-106-1	1	26600	<6	2.7	145	0.68	<0.5	20.9		18.1	16.9	5.3	0.024B	0.59B	15.2	0.53	<1	<1	47	48.9
C-2-106	C-2-106-5	5	29700	<6	4.1	165	0.9	<0.5	31.5		14.8	27	6.8	0.036B	0.8B	30	<0.5	<1	1.2	64.2	74.3
C-2-107	C-2-107-5	5	25800	<6	3.2	122	0.74	<0.5	24.2		11.5	19.2	5.4	0.044B	0.37B	14.8	<0.5	<1	1.2	53.1	52.9
C-2-108	C-2-108-5	5	27500	<6	3	184	0.8	<0.5	27.4		12.9	17.3	6	0.046B	0.54B	16.8	<0.5	<1	0.91B	57.9	56
C-2-109	C-2-109-5	5	37200	<6	9.1	407	1.1	<0.5	30.6		33.1	21.6	8.6	<0.1	2.2B	18	<0.5	<1	1.7	74.7	68.1
C-2-110	C-2-110-1	1	20600	<6	2.6	110	0.6	<0.5	30.4		9.8	17	40.4	<0.1	0.36B	13.4	<0.5	<1	0.9B	45.5	46.2
C-2-110	C-2-110-5	5	23600	<6	3	114	0.76	<0.5	26.5		12	21.2	6.9	<0.1	0.66B	12.9	<0.5	<1	<1	47.4	55.2
C-2-111	C-2-111-5	5	18700	<6	2.6	102	0.59	<0.5	20.9		9.1	16	4.9	0.04B	0.49B	11.9	<0.5	<1	<1	43.5	40.5
C-2-112	C-2-112-5	5	16400	<6	3.1	110	0.48B	<0.5	23.9		9.5	13.5	4.7	<0.1	1.5B	13.7	<0.5	<1	<1	43	44.3
C-2-113	C-2-113-5	5	22300	0.48B	2.8	122	0.6	<0.5	23.9		11.7	16.1	4.8	0.027B	0.61B	16.2	<0.5	<1	1.1	51.9	53.5
C-2-114	C-2-114-5	5	18000	<6	2.7	107	0.54	<0.5	19.7		9.3	14.9	4.6	<0.1	0.56B	11.5	<0.5	<1	0.76B	41.5	36
C-2-115	C-2-115-1'	1	14300	<6	2	99.8	0.43B	<0.5	17.3		8.6	14.1	6.9	<0.1	0.55B	10.3	<0.5	<1	0.76B	35	36.9
C-2-115	C-2-115-5	5	32600	<6	2.7	146	0.84	<0.5	33		28.1	18.7	6.4	0.046B	<4	20.6	<0.5	<1	1.3	61.4	59.9
C-2-116	C-2-116-5'	5	20500	0.49B	2.6	100	0.6	<0.5	23.1		11.1	14.6	5.1	<0.1	0.73B	14	<0.5	<1	0.81B	46	41.8
C-2-117	C-2-117-5	5	32900	<6	3.6	140	0.92	0.64	34		13.3	19.1	6.9	0.038B	0.97B	20.8	<0.5	<1	1.6	63.3	62.1
C-2-119	C-2-119-5	5	26400	<6	3.7	201	0.73	0.44B	27.6		12.9	14.4	6.4	<0.1	1.1B	15.5	<0.5	<1	0.66B	55.2	52.9
C-2-120	C-2-120-5'	5	17100	0.21B	2.6	282	0.52	<0.5	20.5		10.4	16.3	4.4	<0.1	0.58B	14.6	<0.5	<1	0.9B	41.4	42.8
C-2-120	C-2-120-1'	10	18500	<6	2.2	122	0.56	<0.5	20.8		9.8	16	5	0.039B	0.46B	13.8	<0.5	<1	1.3	42.8	41.5
C-2-121	C-2-121-5	5	26900	<6	3.5	213	0.74	0.79	29.5		13.1	25.7	6.3	0.036B	0.33B	23.4	0.67	<1	0.51B	64.1	73.5
C-2-122	C-2-122-1	1	19700	<6	2.2	105	0.62	0.17B	22.4		9.6	15.8	5.6	0.023B	0.35B	13.1	0.74	<1	<1	45.9	44.3
C-2-122	C-2-122-5	5	26900	<6	3.5	157	0.81	0.5	30.5		11.3	19.7	6	0.047B	0.65B	24.4	1.1	<1	<1	62.9	60.9
C-2-123	C-2-123-5	5	11700	<6	2	84.4	0.4B	0.23B	17.1		5.3	12.2	4.3	<0.1	0.97B	8.7	<0.5	<1	<1	35.5	29.4
C-2-125	C-2-125-1	1	21900	0.27B	4.2	167	0.68	<0.5	26.6		12.5	23.2	312	<0.1	0.5B	19.3	<0.5	<1	0.58B	49	114
C-2-125	C-2-125-5	5	23300	0.42B	3.5	174	0.69	<0.5	25.8		11	18.4	5.4	0.034B	0.65B	18.7	<0.5	<1	<1	52.4	49.3
C-2-126	C-2-126-5	5	24700	0.46B	4	288	0.66	<0.5	27.5		9.4	17.5	4.8	0.068B	0.65B	19	<0.5	<1	1.6	55	58.3
C-2-127	C-2-127-5	5	20400	0.58B	3.1	138	0.66	<0.5	24.8		10.7	17.2	4.8	<0.1	1.5B	18.2	<0.5	<1	0.96B	47.4	46
C-2-128	C-2-128-5	5	22700	<6	3.1	156	0.61	<0.5	25.1		10.2	18.5	5.1	0.025B	0.42B	18.9	<0.5	<1	0.76B	54.4	58.6
C-2-129	C-2-129-1	1	21600	0.64B	4.8	157	0.66	<0.5	25.9		12.2	22.3	12.4	0.023B	0.63B	17.7	<0.5	<1	0.79B	52.1	57.3
C-2-129	C-2-129-5	5	17600	0.5B	2.8	172	0.56	<0.5	21.1		9.9	17	4.8	<0.1	0.5B	15.3	<0.5	<1	<1	42.6	39.7
C-2-130	C-2-130-5	5	27700	<6	3.6	166	0.81	0.63	30		15.3	17.5	6.7	<0.1	1.2B	18	<0.5	<1	0.87B	60.1	56
C-2-131	C-2-131-5	5	16400	<6	2.6	108	0.55	0.39B	20.2		10.7	16.6	4.8	<0.1	0.78B	12.1	<0.5	<1	<1	42.5	37.9
C-2-132	C-2-132-1	1	15800	<6	2	112	0.52	0.36B	19.2		9.3	16.4	4.8	0.032B	1B	11.6	0.46B	<1	<1	38.2	39.9
C-2-132	C-2-132-5	5	22600	<6	3.4	102	0.65	0.35B	22.4		9.6	16.5	5.1	<0.1	1.3B	12.7	<0.5	<1	0.53B	48.6	44.2
C-2-133	C-2-133-5	5	26800	<6	2.4	143	0.73	0.46B	32.5		8.7	15.6	4.6	0.057B	1.2B	13.6	<0.5	<1	0.96B	51.2	50.9
C-2-134	C-2-134-5	5	30100	<6	4	159	0.77	0.52	28.2		19.2	18.8	6.4	<0.1	1.4B	17.8	<0.5	<1	0.85B	60.7	55.7
C-2-135	C-2-135-5	5	15500	<6	2	99.7	0.49B	0.35B	18.8		9.4	15.6	4.4	<0.1	1.1B	11.1	<0.5	<1	<1	38.3	36.3
C-2-136	C-2-136-1	1	20000	<6	3.5	151	0.59	0.58	24.1		87.7	20.3	10.8	0.028B	1.6B	15	<0.5	<1	0.5B	46.7	85.2
C-2-136	C-2-136-5	5	25600	<6	3.4	115	0.66	0.48B	26.8		15.2	17.9	5.4	0.023B	1.4B	22.4	<0.5	<1	1.3	58.6	57.3
C-2-137	C-2-137-1	1	35400	<6	4.3	144	0.96	0.7	41.7		13.9	23.9	7	0.062B	1.5B	27.8	<0.5	<1	<1	73.4	77.6
C-2-137	C-2-137-5	5	31700	<6	3.6	163	0.87	0.62	29.1		14.8	22.8	6.2	0.026B	1B	18.2	<0.5	<1	<1	67.1	66.2
C-2-138	C-2-138-5	5	28100	<6	3	140	0.76	0.51	24.7		11.2	19.2	5.3	0.028B	1.2B	14.9	<0.5	<1	<1	58.2	57.7
C-2-139	C-2-139-2	2	11400	0.26B	2.2	103	0.39B	0.32B	17.1		7.8	19.8	10.3	0.022B	0.36B	10.4	<0.5	<1	<1	29.5	54.9
C-2-139	C-2-139-5	5	30100	0.26B	3.4	205	0.86	0.15B	34.8		12.4	23.7	6.3	0.053B	<4	21.9	<0.5	<1	0.79B	64.6	71.3
C-2-139	C-2-139-10	10	20800	<6	4.6	147	0.61	0.22B	29.3		12.5	28.9	6.9	0.062B	0.39B	23.2	<0.5	<1	<1	57.4	69.9
C-2-140	C-2-140-1	1	13800	0.25B	5.1	112	0.48B	0.31B	19.3		12	29.7	12.7	<0.1	0.45B	12.7	<0.5	<1	1	37.1	65.2
C-2-140	C-2-140-5	5	23600	<6	3.8	121	0.67	<0.5	25.8		10.1	18.1	4.7	<0.1	<4	20.6	<0.5	<1	<1	54.1	63.2
C-2-141	C-2-141-5	5	25100	<6	5.1	237	0.71	0.25B	33.6		11.9	21.8	6.7	0.11	0.83B	21.1	<0.5	<1	0.9B	60.7	70.7
C-2-141	C-2-141-10	10	27300	0.34B	6.2	204	0.85	0.51	35.3		15.8	38.4	7.7	0.032B	0.79B	30.3	<0.5	<1	<1	71.3	80
C-2-142	C-2-142-1	1	13100	0.4B	3.7	112	0.47B	0.41B	21.6		9.3	19.3	12.6	<0.1	0.61B	11.5	<0.5	<1	<1	35.9	75.4
C-2-142	C-2-142-5	5	25100	0.39B	4.5	152	0.78	<0.5	28.4		12.3	19.1	6.1	0.04B	0.36B	21.4	<0.5	<1	<1	62.8	65.8
C-2-143	C-2-143-5	5	25800	<6	4.1	104	0.77	<0.5	28		12.9	19	6.4	0.079B	<4	22.1	<0.5	<1	0.7B	62.1	61.5
C-2-143	C-2-143-10	10	24900	<6	5.9	130	0.76	0.22B	31.9		13.6	33.7	6.8	0.032B	0.76B	26.7	<0.5	<1	<1	67.6	71.3
C-2-144	C-2-144-1	1	23500	0.47B	4	149	0.72	<0.5	28	<0.1	12	18.4	6.2	<0.1	0.42B	17.7	<0.5	<1	0.78B	56.3	57.9
C-2-144	C-2-144-5	5	23800	<6	4.1	135	0.69	<0.5	25.8	<0.1	12.5	17.4	5.5	0.047B	0.46B	20.2	<0.5	<1	0.72B	59.9	59
C-2-144	C-2-144-10	10	27300	0.53B	5.9	150	0.85	0.3B	37.5	<0.1	13.1	34.5	6.6	0.048B	0.69B	26.1	<0.5	<1	0.75B	73.2	80.5
C-2-144	C-2-144-15	15	22200	0.38B	5.9	171	0.69	0.13B	30	<0.1	13.1	30.5	6.9	0.028B	0.36B	24.5	<0.5	<1	0.82B	58.4	69.6
C-2-146	C-2-146-1	1	21800	<6	3.8	162	0.72	0.13B	26	<0.1	12	22.1	7.1	0.04B	0.46B	19.5	<0.5	<1	0.56B	51.9	62.8
C-2-146	C-2-146-5	5	28100	0.42B	4	181	0.92	<0.5	32.3	<0.1	12.2	18.2	6.2	0.039B	<4	20.4	<0.5	<1	0.81B	61.9	56
C-2-147	C-2-147-5	5	22700	<6	3.5	184	0.7	0.21B	27.3		10.5	17.7	5.4	0.04B	<4	18.5	<0.5	<1	0.97B	50.3	49.6
C-2-148	C-2-148-5	5	27800	<6	4.3	185	0.84	<0.5	32.6		12.9	20.7	6.7	0.035B	0.59B	24.1	<0.5	<1	<1	64.7	67.8
C-2-149	2-149-5	5	30100	<6	4.1	160	0.83	0.5	35.1		10.3	22.3	5.7	0.079B	1.3B	22.9	<0.5	<1	<1	63.7	64.8
C-2-150	C-2-150-5	5	20600	0.35B	3	168	0.6	<0.5	24.1		11.3	17.9	5	<0.1	<4	18.2	<0.5	<1	0.59B	53.6	58.7
C-2-151	C-2-151-1	1	8470	0.55B	1.5	88.2	0.35B	<0.5	12.3		6.3	9.9	3.4	<0.1	<4	8	<0.5	<1	<1	25.4	26.3
C-2-151	C-2-151-5	5	22600	<6	3.3	172	0.66	<0.5	26		10.9	19	5	0.022B	0.43B	18.6	<0.5	<1	0.89B	59	62.9
C-2-152	C-2-152-5	5	23300	<6	3.9	174	0.77	<0.5	26.4		10.4	19	5.3	0.031B	<4	17.7	<0.5	<1	0.6B	56	53.8
C-2-153	C-2-153-5	5	18900	0.38B	4	131	0.63	<0.5	23.7		11	23.3	10.9	0.033B	<4	17.1	<0.5	<1	0.64B	47.3	61.6
C-2-154	C_2_154_5	5	15400	0.28B	4.5	110	0.47B	0.35B	18.8		10.3	19	11.1	0.035B	1.1B	12.3	<0.5	<1	1.2	36.6	37.3

See notes on page 28

BOE-C6-0182545

Table 9
Inorganic Compounds in Soil Samples (mg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Object Name	Sample Name	Sample Depth (feet)	Aluminum	Antimony	Arsenic	Barium	Beryllium	Cadmium	Chromium	Chromium (VI)	Cobalt	Copper	Lead	Mercury	Molybdenum	Nickel	Selenium	Silver	Thallium	Vanadium	Zinc
C-2-154	C_2_154_10	10	26300	0.6B	4.5	152	0.67	0.53	29.3		11.3	25.9	7.2	0.029B	1.6B	20.5	<0.5	<1	1.6	57.2	65.5
C-2-154	C_2_154_15	15	25700	0.7B	4.2	153	0.66	0.95	27.2		11.8	30.2	5.9	0.047B	1.6B	20.4	<0.5	<1	1.6	61	72.7
C-2-155	C-2-155-5	5	24400	<6	4.4	217	0.76	<0.5	30.1		14.2	28.2	6.9	<0.1	0.86B	23.7	<0.5	<1	0.6B	64.2	71.5
C-2-156	C-2-156-1	1	17300	0.46B	3.1	115	0.58	<0.5	22.3		10.6	21	15.5	0.028B	<4	15.5	<0.5	<1	<1	44.1	173
C-2-156	C-2-156-5	5	27900	<6	4.7	206	0.85	<0.5	32.3		13	27.9	6.8	0.036B	0.43B	23.4	<0.5	<1	0.67B	64	75.1
C-2-156	C-2-156-10	10	18000	0.4B	5.1	130	0.54	<0.5	25.8		10.9	24.2	4.6	0.023B	<4	20.7	<0.5	<1	0.84B	52.8	56.7
C-2-157	C-2-157-1	1	22400	<6	3.1	134	0.72	<0.5	25.9		11.1	18.3	93.7	0.054B	0.38B	16.4	<0.5	<1	<1	49.9	57.9
C-2-157	C-2-157-5	5	25600	<6	4.1	213	0.77	<0.5	31.7		10.3	21.3	6.9	0.038B	0.57B	20.5	<0.5	<1	<1	58.8	68
C-2-157	C-2-157-10	10	23400	<6	4.2	114	0.7	<0.5	30.5		12.1	27	5.5	0.028B	0.66B	20.7	<0.5	<1	0.82B	61.3	66.1
C-2-159	C-2-159-1	1	27300	<6	4.2	130	0.9	<0.5	31		12.1	17.8	6.3	0.11	<4	23.9	<0.5	<1	<1	62.4	57
C-2-159	C-2-159-5	5	23700	<6	3.6	152	0.78	<0.5	27.7		11.6	20.6	6.3	0.036B	0.32B	19.8	<0.5	<1	1.1	56.5	56.9
C-2-159	C-2-159-10	10	21600	0.21B	5	150	0.66	0.12B	27		11.4	27	5.7	0.031B	0.46B	20.2	<0.5	<1	0.8B	57.4	63.1
C-2-160	C_2_160_5	5	20300	0.32B	3.2	115	0.52	0.61	23.7		9.8	22.1	5.3	0.027B	1.1B	16.7	<0.5	<1	1.6	53.1	64.8
C-2-160	C_2_160_10	10	25600	0.68B	4.6	163	0.68	0.67	30.4		10.8	27.3	5.9	0.048B	1.4B	20.1	<0.5	<1	1.6	59.2	71.2
C-2-161	C_2_161_5	5	29000	0.47B	5.2	208	0.76	0.51	33.6		11	27	6.4	0.039B	1.6B	25.9	<0.5	<1	1	65.9	64.3
C-2-162	C-2-162-1	1	16700	0.42B	5.2	154	0.57	0.2B	23.6		12.7	31.4	23.5	0.033B	0.32B	15.8	<0.5	<1	<1	42.2	71.6
C-2-162	C-2-162-5	5	25700	<6	4.1	201	0.76	0.13B	29.5		11.8	21.5	8	0.075B	0.41B	21.2	<0.5	<1	<1	58.1	65.6
C-2-164	C-2-164-5	5	25100	<6	4	187	0.77	0.17B	27.6		10.6	19.7	5.8	0.045B	<4	21.2	<0.5	<1	<1	56.6	55.9
C-2-165	C_2_165_5	5	22300	0.21B	3.1	160	0.7	0.33B	23.1		9.2	13.5	4.6	0.035B	1.1B	17.6	<0.5	<1	0.92B	45.6	41.4
C-2-165	C-2-165-5	5	24800	0.39B	3.6	177	0.76	<0.5	27.4		12.6	17.5	6.1	<0.1	<4	21.4	0.61	<1	<1	55.3	51.9
C-2-167	C-2-167-5	5	14100	0.26B	2.8	124	0.47B	<0.5	17.9		10.1	15.2	4.8	<0.1	0.38B	11.9	0.65	<1	<1	38.6	34.7
C-2-168	C-2-168-5	5	30300	0.32B	4.3	181	0.94	<0.5	32.5		14.7	16.3	7.5	0.051B	<4	20.7	0.69	<1	<1	68.6	60.6
C-2-169	C-2-169-5	5	35800	0.42B	4.8	179	1.2	<0.5	42.5		9.2	22.2	6.1	0.089B	<4	19.4	0.92	<1	<1	61.5	63.9
C-2-170	C-2-170-5	5	27900	0.25B	3.6	96.7	0.84	<0.5	30.2		12.2	16.2	6.2	0.037B	<4	18.7	0.5	<1	<1	61.2	55.8
C-2-171	C-2-171-1	1	11800	0.28B	2.4	96.7	0.4B	<0.5	15.5		8.7	15.5	13.8	<0.1	<4	9.6	0.62	<1	<1	31.9	49.2
C-2-171	C-2-171-5	5	23400	<6	3.5	133	0.68	<0.5	24.4		8.9	15.1	5.1	<0.1	<4	13.5	0.69	<1	<1	48.1	44.9
C-2-172	C-2-172-5	5	22900	0.48B	4	129	0.66	<0.5	24.5		8.9	15.4	5.4	<0.1	0.35B	12.9	0.48B	<1	<1	48.8	44.5
C-2-173	C_2_173_10	10	18200	0.53B	5	140	0.53	0.4B	22.4		10	23.2	4.6	0.041B	1.2B	19.7	<0.5	<1	0.68B	50.3	56.3
C-2-173	C-2-173-10	10	17100	0.8B	5.5	137	0.51	<0.5	23.9		10.2	24.8	4.5	<0.1	<4	19.1	0.96	<1	<1	51.2	53.5
C-2-173	C_2_173_15	15	26900	0.41B	6	187	0.76	0.68	29.5		13.5	30.6	6.1	0.043B	1.8B	20.7	<0.5	<1	0.75B	66.1	79.7
C-2-173	C-2-173-15	15	21700	<6	4.9	166	0.59	<0.5	24.3		11.3	27	5.6	0.037B	<4	17.7	<0.5	<1	<1	57.3	70.1
C-2-173	C_2_173_20	20	24100	0.59B	3.8	162	0.68	0.63	27		12.3	28.2	5.8	0.072B	1.7B	21.1	<0.5	<1	1.2	58.9	72.1
C-2-173	C-2-173-20	20	23800	0.38B	5.4	161	0.69	<0.5	27.4		12	31	6	0.069B	0.32B	20.5	0.78	<1	<1	60.7	76.5
C-2-174	C_2_174_1	1	17800	0.47B	3.4	128	0.57	0.46B	20.6		11.3	20.6	25	0.023B	0.94B	17.6	<0.5	<1	<1	43.8	69.2
C-2-174	C-2-174-1	1	14600	0.62B	3.7	127	0.48B	<0.5	19.9		9	18.4	12.7	0.023B	<4	13.9	0.88	<1	<1	37.9	77.2
C-2-174	C_2_174_5	5	28100	0.57B	4.3	210	0.77	0.57	30.2		12.4	26.5	5.9	0.046B	1.7B	23.1	<0.5	<1	<1	64.5	74.5
C-2-174	C-2-174-5	5	21700	0.21B	3.9	186	0.64	<0.5	24.1		10.5	18.2	5.3	0.03B	<4	18.3	0.68	<1	<1	49.3	50.4
C-2-175	C_2_175_5	5	25500	0.48B	4.4	213	0.72	0.45B	28.4		12.5	25	5.9	<0.1	1.6B	23.4	<0.5	<1	0.87B	59.8	67
C-2-175	C-2-175-5	5	21900	0.86B	4.2	175	0.62	<0.5	25.4		11.7	23.7	5.7	<0.1	<4	21.2	1	<1	<1	52.2	63.7
C-2-176	C_2_176_5	5	25300	0.58B	3.7	165	0.74	0.4B	27.5		10.6	20.2	5.3	0.021B	1.4B	20.3	<0.5	<1	0.66B	55.1	56.6
C-2-176	C-2-176-5	5	22300	<6	3.7	196	0.62	<0.5	25.7		12.4	20.9	5.6	0.024B	0.33B	20.4	0.58	<1	<1	53.2	69.3
C-2-177	C_2_177_1	1	16800	0.49B	5.9	133	0.56	0.39B	20.4		10.1	21.8	19.3	<0.1	1.2B	14.6	<0.5	<1	0.84B	40.9	50.5
C-2-177	C-2-177-1	1	25700	<6	4.1	191	0.77	<0.5	28.6		9.9	16.9	6	0.026B	1.1B	19.1	0.94	<1	<1	53.6	53.4
C-2-177	C_2_177_5	5	27700	0.64B	4.3	210	0.83	0.48B	33.3		10.8	23.5	5.8	0.035B	1.5B	25	<0.5	<1	1.1	62.3	63.9
C-2-177	C-2-177-5	5	24100	<6	3.6	250	0.7	0.18B	27.3		10.6	18.8	5.5	0.04B	<4	20.8	<0.5	<1	<1	51.2	50.9
C-2-178	C_2_178_5	5	25100	0.54B	4.9	135	0.74	0.49B	29.8		12.1	27.3	5.9	0.031B	1.5B	22.5	<0.5	<1	0.96B	60.7	71.2
C-2-178	C-2-178-5	5	25600	0.26B	4.2	233	0.69	<0.5	28		11.1	20.5	5.6	<0.1	<4	22.6	<0.5	<1	<1	55.9	61.3
C-2-179	C_2_179_5	5	24600	0.88B	4.4	185	0.73	0.46B	27.3		11.7	22.6	10	0.04B	1.4B	21.3	<0.5	<1	0.93B	53.5	56.9
C-2-179	C-2-179-5	5	20100	0.37B	3.8	151	0.6	<0.5	24.1		10.5	21.6	9.2	<0.1	<4	19.1	0.74	<1	<1	47.8	53.7
C-2-180	C_2_180_5	5	19600	0.56B	3	191	0.63	0.35B	22.6		10.9	16.1	5.4	<0.1	1.1B	18.2	<0.5	<1	1.1	42.5	42.5
C-2-180	C-2-180-5	5	24600	0.57B	4	268	0.76	<0.5	27.3		10.7	17.8	5.5	0.048B	<4	20.6	0.41B	<1	<1	53.4	49.5
C-2-181	C-2-181-1	1	21900	0.61B	3.4	257	0.62	<0.5	34.4		10.4	21.1	5.3	<0.1	<4	17.4	0.53	<1	<1	47.4	72.1
C-2-181	C-2-181-5	5	30200	0.63B	3.4	161	0.74	<0.5	78.6		8.3	20.5	5.1	0.1	<4	19	0.58	<1	<1	52.6	59.1
C-2-182	C_2_182_1	1	22400	<6	3.5	137	0.66	<0.5	25.5		10.5	20	11.5	0.19	<4	15.8	<0.5	<1	<1	51.6	56.7
C-2-182	C_2_182_5	5	22600	0.23B	2.9	121	0.66	0.35B	23.8		9.2	15.5	5.1	0.024B	0.88B	12.2	<0.5	<1	1.2	47	41.8
C-2-183	C-2-183-5	5	3010	0.38B	3.2	178	0.11B	<0.5	7.2		1.7B	9.5	1.5	<0.1	1.3B	5.7	8.7	<1	<1	12.5	20.5
C-2-184	C-2-184-5	5	17800	0.41B	2.8	135	0.44B	<0.5	21		9.3	14.4	4.1	0.036B	<4	13.1	0.57	<1	<1	43.5	44.3
C-2-185	C-2-185-5	5	17300	0.38B	4.6	151	0.46B	<0.5	26.4		8.1	20.4	5.1	0.031B	0.95B	16.7	1.5	<1	<1	41.9	52.1
C-2-186	C-2-186-5	5	17900	0.21B	3.3	131	0.49B	<0.5	19.7		7.9	15.3	3.7	0.026B	<4	11.5	0.48B	<1	<1	45.8	44
C-2-187	C-2-187-5	5	19200	0.64B	2.6	105	0.58	0.37B	21.3		8.1	13.4	5	0.043B	0.93B	11.3	<0.5	<1	0.65B	43.6	39.8
C-2-188	C-2-188-5	5	19800	<6	3.2	130	0.57	<0.5	21.7		8.7	17.2	5	<0.1	<4	13.2	1.8	<1	<1	46.2	44.6
C-2-189	C-2-189-5	5	21000	0.39B	2.7	118	0.58	<0.5	24.1		9	15	4.9	0.044B	0.42B	12.6	1.4	<1	<1	46.3	41.6
C-2-189	C-2-189-10	10	23900	0.26B	3.1	176	0.74	<0.5	27.5		13.7	23.8	7.2	0.063B	0.47B	22.6	0.71	<1	<1	56.7	67.4
C-2-189	C-2-189-15	15	25300	0.3B	5.8	171	0.69	<0.5	36		12.7	34.6	6.6	0.069B	0.47B	24.6	0.64	<1	<1	66.3	72
C-2-190	C-2-190-5	5	26100	0.63B	4.3	218	0.73	<0.5	28.6		10	18.5	5.7	0.028B	<4	19.2	0.92	<1	<1	56.5	54.5
C-2-191	C-2-191-1	1	27900	<6	5.6	170	0.78	<0.5	35.3		17.6	34.2	7.2	0.026B	<4	23.2	1.1	<1	<1	71	78.7
C-2-191	C-2-191-5	5	24000	0.36B	3.9	100	0.72	<0.5	26.5		10	13.5	5.2	0.046B	0.31B	18.4	0.62	<1	<1	47.3	50.4

See notes on page 28

BOE-C6-0182546

Table 9
Inorganic Compounds in Soil Samples (mg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Object Name	Sample Name	Sample Depth (feet)	Aluminum	Antimony	Arsenic	Barium	Beryllium	Cadmium	Chromium	Chromium (VI)	Cobalt	Copper	Lead	Mercury	Molybdenum	Nickel	Selenium	Silver	Thallium	Vanadium	Zinc
C-2-192	C-2-192-5	5	29600	0.25B	2.6	167	0.76	<0.5	35.7		8.8	14.8	6.3	0.075B	0.49B	13.8	1	<1	<1	48.2	53.1
C-2-194	C-2-194-5	5	14900	<6	1.9	112	0.52	0.25B	18.9		9.9	16.2	4.4	<0.1	0.5B	11.7	1.2	<1	<1	38.9	36.7
C-2-196	C-2-196-5	5	20400	<6	3.1	141	0.63	0.42B	24.4		11.1	23	7.9	<0.1	<4	15.6	0.85	<1	<1	49.6	53.4
C-2-197	C-2-197-1	1	16400	<6	4.9	139	0.56	0.3B	20.4		10.2	21.7	17.9	<0.1	0.64B	14.9	1.1	<1	<1	40.3	49.5
C-2-197	C-2-197-5	5	22100	<6	3.1	192	0.69	0.44B	26.1		11.5	20.2	5.4	<0.1	<4	19.1	0.98	<1	<1	53.2	55.9
C-2-198	C-2-198-5	5	26000	<6	3.2	212	0.76	0.51	30		12.4	24.7	6.1	0.042B	0.72B	20.9	1.1	<1	<1	60.2	66.6
C-2-199	C_2_199_10	10	24800	<6	4.2	193	0.66	0.66	34.2		11.3	28.3	5	0.037B	0.5B	20.6	<0.5	<1	<1	63.3	68.9
C-2-200	C-2-200-5	5	21800	<6	2.5	171	0.69	0.49B	26.3		13.1	19.1	6	<0.1	0.56B	18.2	0.64	<1	0.72B	51.1	49.8
C-2-201	C-2-201-5	5	29700	<6	2.6	212	0.88	0.46B	33.2		10	21	6.4	<0.1	0.59B	17.8	1.2	<1	<1	56.6	68.1
C-2-202	C-2-202-1	1											7.1								
C-2-202	C-2-202-5	5											6.5								
C-2-202	C-2-202-10	10											6								
C-2-204	C-2-204-5	5	28700	<6	2.6	216	0.81	0.64	30		11	20.4	6.1	0.056B	0.46B	18.6	0.93	<1	<1	56.8	64.4
C-2-205	C-2-205-5	5	28100	<6	3.3	192	0.82	0.51	31.7		10.6	19.1	6.6	0.03B	0.47B	17.4	1.7	<1	<1	56.3	60.9
C-2-207	C-2-207-20	20	23500	0.91B	5.1	138	0.65	0.42B	28.5		11	30.6	5.2	0.062B	2B	21.2	<0.5	<1	1.8	60.6	72.6
C-2-207	C-2-207-28	28	16800	0.64B	6.4	121	0.44B	0.12B	24.4		7.2	16	3.9	0.036B	1.9B	18.4	<0.5	<1	1.6	45.3	49.7
C-2-208	C-2-208-10	10	19000	0.82B	4.4	104	0.52	0.18B	24.9		7.5	20.5	4	0.024B	1.4B	16.6	<0.5	<1	1.5	46.4	52.4
C-2-208	C-2-208-15	15	26900	0.25B	5.4	187	0.81	0.45B	28.5		16.1	33.1	9	0.045B	2.1B	24	<0.5	<1	2.4	61.1	84.7
C-2-208	C-2-208-20	20	25300	1B	5	143	0.73	0.39B	28.5		11.8	32	6.4	0.04B	2.2B	22	<0.5	<1	1.5	61	74.3
C-2-209	C-2-209-10	10	18100	0.84B	4.6	111	0.48B	0.19B	22.7		11	22.5	4.5	<0.1	1.6B	19.8	<0.5	<1	1.5	53.4	54.6
C-2-209	C-2-209-15	15	29600	1.3B	5.3	168	0.81	0.38B	32.9		13.4	34	6.1	0.043B	1.9B	23.6	<0.5	<1	1.9	64.5	84.5
C-2-209	C-2-209-20	20	26700	0.95B	5.4	167	0.76	0.37B	31.4		13.1	34.2	6.7	0.042B	2.4B	23.5	<0.5	<1	2	66.5	80.2
C-2-212	C-2-212-1	1	23300	0.54B	3	96.9	0.71	<0.5	22.9		10.4	15.5	5.2	<0.1	1.2B	13.2	<0.5	<1	1.2	47.9	43.2
C-2-212	C-2-212-5	5	30000	0.59B	3.3	114	0.85	<0.5	29.8		8.5	16.6	5.4	0.068B	1.5B	16.7	<0.5	<1	1.9	54.5	57.2
C-2-213	C-2-213-5	5	34800	0.75B	5.8	128	0.9	0.18B	35.4		11.7	23	5.1	<0.1	2B	21.9	<0.5	<1	2.2	71.3	76.6
C-2-214	C-2-214-1	1	20000	0.5B	3.4	138	0.58	0.13B	22		9.5	15.6	5.1	<0.1	1.4B	14.1	<0.5	<1	1.1	46	46.4
C-2-214	C-2-214-5	5	31300	0.72B	4.8	255	0.85	0.16B	33.9		12.1	22.6	6	0.034B	1.8B	24.4	<0.5	<1	1.7	65.9	70.4
C-2-215	C-2-215-5	5	27000	0.8B	4.3	165	0.77	0.18B	28.7		11.8	18.7	6	<0.1	1.7B	21.2	<0.5	<1	1.9	57.8	55.1
C-2-216	C-2-216-1	1	14300	0.54B	2.8	119	0.51	0.1B	18.8		9.2	14.5	5.5	<0.1	1B	12.2	<0.5	<1	1.3	40.4	41.4
C-2-216	C-2-216-5	5	11400	0.64B	3.2	125	0.41B	0.18B	16.5		17.1	15.5	5.1	<0.1	1.3B	12.7	<0.5	<1	1.7	41.4	36.8
C-2-217	C-2-217-10	10	27800	1.3B	4.6	210	0.79	0.24B	33.3		13.7	32.2	6.6	0.048B	1.8B	24.2	<0.5	<1	1.5	66.2	80.3
C-2-217	C-2-217-15	15	25900	0.89B	4.9	187	0.73	0.15B	29.6		13.3	31.3	6.9	0.076B	1.7B	23.9	<0.5	<1	1.3	59.3	71.7
C-2-217	C-2-217-20	20	31000	1B	5.8	198	0.85	0.23B	35.4		14.4	38.6	7.9	0.093B	2B	25.7	<0.5	<1	1.6	74.1	89.5
C-2-218	C-2-218-5	5	26000	0.96B	3.9	201	0.82	0.18B	32.5	0.13	12.3	24.2	6.1	0.06B	1.8B	23	<0.5	<1	1.6	57.5	73.6
C-2-219	C-2-219-5	5	24400	0.82B	3.5	142	0.72	<0.5	27.9		12.4	19.9	5.5	<0.1	1.4B	19.4	<0.5	<1	2	55.5	55
C-2-219	C-2-219-10	10	20900	0.65B	4.9	121	0.62	<0.5	28.2		9.4	27.2	4.2	0.037B	1.4B	21.7	<0.5	<1	1.3	57.7	57.2
C-2-219	C-2-219-15	15	28000	1.3B	4.4	177	0.77	0.27B	31.4		13	29.6	6	0.041B	1.8B	21.6	<0.5	<1	1.3	61.6	85.9
C-2-220	C-2-220-5	5	32000	0.79B	3.2	215	0.98	0.27B	34		15.8	30.6	6.3	0.024B	1.6B	23.9	<0.5	<1	1.5	58.2	77
C-2-221	C-2-221-5	5	21300	0.95B	3	147	0.65	<0.5	23.8		8.5	16	4.7	0.045B	1.3B	16.9	<0.5	<1	1.1	46.1	47.7
C-2-223	C_2_223_5	5	24000	<6	4.2	173	0.65	0.36B	28.8		12.3	27.6	5.4	0.036B	0.3B	20.5	<0.5	<1	<1	60.4	71.9
C-2-223	C_2_223_10	10	18900	<6	6.1	165	0.51	0.91	28.2		10	25.2	4.9	0.07B	<4	17.7	<0.5	<1	<1	51.7	59.5
C-2-223	C_2_223_15	15	28100	<6	4.3	171	0.75	0.98	34		13.3	36.1	6.1	0.044B	0.57B	23.2	<0.5	<1	<1	72.5	86.4
C-2-224	C_2_224_5	5	22200	0.48B	4	144	0.6	0.66	25.3		9.6	33.1	15.1	0.032B	2.3B	16.5	<0.5	<1	1.3	48.2	57.1
C-2-224	C-2-224-5	5	17900	0.82B	2.9	153	0.53	<0.5	20.4		8.3	16	3.8	<0.1	1.2B	15.1	<0.5	<1	1.1	41.9	46.5
C-2-224	C-2-224-10	10	20500	0.94B	4.3	148	0.63	0.78	28		11.6	30.3	5.9	0.045B	1.1B	23.2	<0.5	<1	<1	54.6	69.2
C-2-224	C-2-224-15	15	19900	0.64B	5.1	129	0.55	0.11B	25.3		11.5	24.7	4.8	0.083B	1.4B	19.8	<0.5	<1	1.3	53.6	65.8
C-2-225	C_2_225_5	5	23100	0.52B	3.9	147	0.61	0.56	24.4		10.8	21.1	5.2	0.027B	1.2B	17.4	<0.5	<1	1.2	58.6	59.5
C-2-226	C-2-226-5	5	30200	0.7B	4	243	0.87	0.82	31.6		11.3	18.1	6.4	0.074B	1B	23.2	<0.5	<1	1.6	59.5	58
C-2-228	C-2-228-5	5	28900	0.45B	3.5	231	0.83	0.78	30.4		11.1	18.6	6.3	0.025B	1.2B	21.2	<0.5	<1	1.2	57	54.5
C-2-229	C-2-229-5	5	32800	0.25B	3.8	218	0.87	0.84	33.8		11.4	20.3	6.7	0.033B	1.4B	25.3	<0.5	<1	0.74B	62.9	63.8
C-2-230	C_2_230_5	5	28100	0.51B	4.2	204	0.69	0.89	29		9.8	22	5.5	0.062B	1.1B	19.1	<0.5	<1	0.97B	62.2	65.9
C-2-231	C_2_231_5	5	25100	0.61B	3.7	244	0.61	0.63	25.5		9	19.2	5.1	0.039B	1B	17.6	<0.5	<1	0.94B	58.3	63
C-2-232	C-2-232-5	5	22100	0.86B	2.9	166	0.84	<0.5	27.2		12.8	15.5	6	0.038B	1.2B	21.7	<0.5	<1	1.6	51.7	48.9
C-2-233	C-2-233-5	5	18600	0.86B	4	194	0.56	0.18B	22.4		10.5	24.1	4.7	<0.1	1.5B	17.3	<0.5	<1	0.55B	47.6	61.2
C-2-234	C-2-234-5	5	24500	0.55B	3.3	141	0.89	<0.5	29.1		12.9	15	5.5	0.021B	1.4B	22.4	<0.5	<1	1.4	55.4	48.3
C-2-235	C-2-235-5	5	20200	0.76B	3.1	162	0.7	0.1B	24.5		11.2	15.7	5.1	<0.1	1.1B	21.2	<0.5	<1	1.4	48	44.5
C-2-236	C-2-236-5	5	17400	0.46B	2	98.4	0.47B	0.36B	17.8		6.7	11	3.8	0.041B	0.67B	13	<0.5	<1	0.59B	33.1	33.5
C-2-237	C-2-237-5	5	34300	0.4B	3	221	0.98	0.83	34.6		11	34.6	6.5	0.025B	1.2B	22.6	<0.5	<1	<1	62.1	61.1
C-2-238	C-2-238-5	5	33600	<6	3.8	192	0.92	0.78	33.7		10	18.9	6.5	<0.1	1.3B	20.9	<0.5	<1	0.71B	62.8	58.7
C-2-239	C-2-239-5	5	25700	0.46B	3.8	202	0.7	0.72	28.2		11.2	20.9	6.2	0.03B	1.1B	20.1	<0.5	<1	1.2	54.9	59.7
C-2-240	C-2-240-5	5	17700	0.64B	1.7	108	0.49B	0.32B	17.9		6.1	9.4	3.3	0.039B	0.66B	10.9	<0.5	<1	<1	33.1	29.4
C-2-241	C-2-241-5	5	27900	0.51B	3.3	132	0.82	0.65	29.2		10.4	16.4	6	<0.1	0.97B	20.6	<0.5	<1	<1	52.9	50.9
C-2-242	C-2-242-5	5	5500	2.3B	2.9	875	0.14B	10	71		10.7	116	1790	0.13	5.5	37.4	<0.5	0.27B	<1	32.2	1460
C-2-243	C-2-243-5	5	22600	<6	3.7	178	0.66	13.2	31		13	26.6	79	0.03B	1.1B	21.9	<0.5	<1	0.83B	50.5	325
C-2-245	C-2-245-1	1	5600	<6	1.3	115	0.12B	1	29.3		13.2	28.3	235	0.024B	5.9	15.3	0.66	0.46B	<1	28	200
C-2-245	C-2-245-5	5	34200	0.73B	3.4	163	0.89	0.7	33.3		11.8	19.9	7.8	0.026B	1.2B	17.7	<0.5	<1	<1	57.7	61.7
C-2-245	C-2-245-10	10	16800	0.3B	3.8	73.4	0.45B	0.69	22		6.8	25.1	3.8	0.05B	1.3B	14.7	<0.5	<1	<1	41.7	43.5

See notes on page 28

BOE-C6-0182547

Table 9
Inorganic Compounds in Soil Samples (mg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Object Name	Sample Name	Sample Depth (feet)	Aluminum	Antimony	Arsenic	Barium	Beryllium	Cadmium	Chromium	Chromium (VI)	Cobalt	Copper	Lead	Mercury	Molybdenum	Nickel	Selenium	Silver	Thallium	Vanadium	Zinc
C-2-247	C-2-247-1	1	26600	0.97B	4.4	178	0.71	0.76	30.1		11	24.5	7.1	<0.1	1.4B	21.6	<0.5	<1	1.3	59.2	63
C-2-247	C-2-247-5	5	18300	0.35B	3	118	0.57	0.65	21.9		10.7	16.8	5.4	<0.1	1B	13.7	<0.5	<1	<1	44.4	42.4
C-2-248	C-2-248-1	1	14600	0.57B	1.9	102	0.4B	0.47B	17.2		5.5	14.6	4.5	<0.1	0.75B	9.6	<0.5	<1	<1	33.6	45.3
C-2-248	C-2-248-5	5	18100	0.57B	3.2	196	0.57	0.77	21.9		9.3	17	5.2	0.024B	0.7B	12.7	<0.5	<1	<1	40	47.9
C-2-249	C-2-249-5	5	30200	0.86B	3.6	167	0.75	1.2	27.6		11.7	27.1	7	<0.1	1.5B	17.7	<0.5	<1	<1	54.6	88.3
C-2-249	C-2-249-10	10	29900	0.88B	5.9	204	0.88	2.2	28.8		15.7	34	6.8	<0.1	2.5B	19.3	<0.5	<1	1	65.5	87.6
C-2-250	C-2-250-5	5	37500	0.73B	5.2	204	0.97	1.6	31		13.4	34.8	6.8	<0.1	2.5B	20.7	<0.5	<1	<1	59.1	104
C-2-250	C-2-250-10	10	34900	0.36B	5.1	102	0.81	1	27.2		14.3	31.9	5.9	<0.1	2.1B	19.7	<0.5	<1	<1	61.5	97.2
C-2-251	C-2-251-5	5	35100	0.77B	4.6	146	0.84	0.87	29		12.6	25.5	7.8	<0.1	1.4B	20.5	<0.5	<1	<1	53	80.4
C-2-253	C-2-253-5	5	24700	0.72B	2.8	109	0.68	0.64	26.3		10.9	16	5.1	0.031B	0.69B	18.5	<0.5	<1	<1	51.3	46.7
C-2-254	C_2_254_5	5	24300	0.24B	3.7	214	0.6	0.74	25.3		10	19.9	5.2	<0.1	1.3B	18.3	<0.5	<1	1.2	56.7	62.1
C-2-255	C-2-255-5	5	26600	0.34B	4.6	178	0.71	0.9	30.2		13.8	41.2	8.6	<0.1	1.4B	23.2	<0.5	<1	<1	63.2	68.9
C-2-256	C-2-256-5	5	33000	0.71B	4	181	0.87	0.87	32.9		12	19.8	6.6	<0.1	0.9B	24.3	<0.5	<1	<1	64.6	58.6
C-2-257	C-2-257-5	5	39000	0.96B	4	164	0.86	0.78	31.9		15.1	23.5	7	<0.1	0.94B	18.4	<0.5	<1	0.67B	65.9	66.6
C-2-258	C_2_258_5	5	18100	0.28B	4.8	139	0.55	0.5	21.4		9.8	17.1	13.5	0.083B	0.92B	13.9	<0.5	<1	0.9B	42.9	50.1
C-2-259	C-2-259-5	5	30500	0.7B	4.6	131	0.81	0.79	30.2		13.4	19.7	6.5	0.033B	0.97B	24.7	<0.5	<1	<1	67.2	65.3
C-2-260	C-2-260-5	5	38300	0.86B	4.7	183	0.93	0.8	38.4		10.7	19.6	6.9	0.053B	1.2B	19.9	<0.5	<1	<1	68.8	67.9
C-2-261	C-2-261-5	5	25200	0.74B	2.7	126	0.69	0.5	23.1		12.2	13.8	5.2	<0.1	0.67B	13	<0.5	<1	<1	48.9	45.5
C-2-262	C-2-262-5	5	23500	0.25B	3.5	131	0.62	0.82	23		9.3	18.2	5.3	<0.1	0.82B	15.3	<0.5	<1	<1	44	55.9
C-2-263	C-2-263-5	5	30200	0.56B	4.4	222	0.8	0.77	31.8		11.7	26.2	6.5	<0.1	1.2B	23.4	<0.5	<1	<1	65.8	72.5
C-2-265	C_2_265_1'	1	16100	0.24B	3.3	112	0.58	0.52	21.4		20	17.5	7.9	<0.1	1.3B	13.5	<0.5	<1	0.89B	43.9	46.3
C-2-265	C_2_265_5'	5	20000	<6	3	112	0.6	0.48B	19.9		7.8	15.9	4.2	0.067B	1.4B	13.2	<0.5	<1	0.54B	47.8	51.4
C-2-266	C_2_266_5'	5	19400	0.26B	2.5	118	0.57	0.41B	19.3		12.5	14.9	4.8	<0.1	1.3B	11.6	<0.5	<1	0.55B	42.9	45.8
C-2-267	C_2_267_1'	1	17200	0.24B	2.6	110	0.58	0.44B	19.2		8.1	13.7	4.4	0.031B	1.1B	14.5	<0.5	<1	0.9B	39.4	42.9
C-2-267	C_2_267_5'	5	19000	0.25B	2.8	101	0.59	0.39B	18.4		9.1	15.5	4.5	0.034B	1.1B	12	<0.5	<1	0.58B	42.3	41.2
C-2-268	C_2_268_1'	1	17500	<6	3.1	123	0.6	0.51	22.5		13.9	18.4	5.5	<0.1	1.4B	13.7	<0.5	<1	0.8B	45.9	48.4
C-2-268	C_2_268_5'	5	19200	0.3B	3.3	121	0.57	0.5	22.8		12.5	16.7	5.4	0.037B	2.8B	14.1	<0.5	<1	0.8B	45.8	59.8
C-2-271	C_2_271_1'	1	12200	0.4B	2.7	106	0.46B	0.51	16.4		9.4	17.6	7.2	<0.1	1.1B	11.4	<0.5	<1	0.75B	33.3	38
C-2-271	C_2_271_5'	5	20600	0.22B	2.9	110	0.62	0.41B	21.2		7.4	16.8	4.5	0.031B	1.2B	11.5	<0.5	<1	<1	45.2	42.5
C-2-272	C_2_272_5'	5	18900	0.35B	3	114	0.62	0.69	28.5		9.5	24.1	18.4	0.097B	1.3B	13.4	<0.5	<1	<1	45.9	87.6
C-2-272	C_2_272_10'	10	25500	<6	4.8	216	0.77	0.71	27.5		13.6	27.7	6.3	0.043B	2.2B	23.7	<0.5	<1	0.71B	60.1	70.6
C-2-273	C_2_273_5'	5	22800	0.38B	2.6	119	0.61	0.2B	27.2		4.6B	14.2	4.1	0.16	0.81B	11.2	<0.5	<1	0.95B	40.3	41.7
C-2-274	C_2_274_5'	5	23300	<6	3.6	124	0.66	0.19B	23.3		9.9	22.1	5.7	0.049B	1.3B	13.9	<0.5	<1	0.67B	55.2	50.2
C-2-275	C_2_275_5'	5	14700	<6	3	109	0.47B	0.17B	17		11.8	12.9	4.5	<0.1	0.85B	11.7	<0.5	<1	1.1	44.4	34.9
C-2-275	C_2_275_10'	10	21800	0.86B	3.9	152	0.71	0.3B	23		10.7	19.8	5.1	0.051B	1.2B	17.6	<0.5	<1	1.6	51.9	58.7
C-2-276	C_2_276_5'	5	21400	0.59B	3.5	159	0.57	0.35B	24	<0.1	9.8	19.5	5.2	0.033B	1.3B	18.2	<0.5	<1	1.2	50	59.7
C-2-276	C_2_276_10'	10	22900	0.32B	4.7	126	0.66	0.48B	27.6	<0.1	11.3	27.7	5.2	0.049B	1.5B	20.6	<0.5	<1	0.97B	57.8	64.6
C-2-276	C_2_276_15'	15	25300	0.33B	4.9	164	0.71	0.55	25.4	<0.1	11.4	24.2	5.2	0.083B	1.5B	19	<0.5	<1	1.6	55.8	70.1
C-2-277	C_2_277_5'	5	19200	0.5B	4	115	0.59	0.58	46.6	<0.1	16.5	20.4	9.6	0.13	5.3	16.8	<0.5	<1	1.1	52.7	90.5
C-2-277	C_2_277_10'	10	21300	0.46B	4.4	137	0.61	0.42B	23.3	<0.1	9.6	21.4	4.5	0.052B	1.1B	17.5	<0.5	<1	0.66B	51.4	53.9
C-2-277	C_2_277_15'	15	17700	0.57B	4.5	138	0.5	0.41B	20.9	0.56	9.4	20.1	3.9	0.035B	1B	15.1	<0.5	<1	1	47.2	57.7
C-2-278	C-2-278-5'	5	25700	0.69B	4	133	0.75	0.46B	26.6		10.6	18.8	4.6	0.032B	1.6B	21.5	<0.5	<1	1	55.3	59.6
C-2-278	C-2-278-10'	15	28000	0.84B	5.6	153	0.78	0.7	31.9		12.4	35	5.8	0.046B	2B	23.7	<0.5	<1	1	69.4	74.7
C-2-279	C-2-279-5'	5	33500	0.4B	4.1	134	0.87	0.56	33.3		10.6	20.3	5.3	0.068B	1.7B	24.9	<0.5	<1	1.2	65.1	65.2
C-2-279	C-2-279-10'	15	31600	0.45B	6.1	229	0.86	0.86	38.7		15.2	37.1	6.9	0.043B	2.1B	28.6	<0.5	<1	1.1	77.6	83.6
C-2-280	C-2-280-5'	5	21800	0.49B	3	140	0.54	0.32B	24.6		12.2	15.9	4.8	0.065B	1.4B	17.4	<0.5	<1	0.62B	50.1	50.2
C-2-280	C-2-280-10'	15	33900	0.55B	6	159	0.92	0.7	39.3		14.3	34.5	7	0.073B	2.1B	28.5	<0.5	<1	0.77B	79	80
C-2-281	C-2-281-5'	5	23800	0.38B	2.8	133	0.62	0.58	24.8		10.2	18.9	11.1	0.072B	1.4B	18.3	<0.5	<1	0.5B	56.2	95.6
C-2-281	C-2-281-10'	15	29600	0.73B	5	169	0.8	0.76	35.8		13.6	33.2	6.2	0.047B	1.8B	25.8	<0.5	<1	0.75B	71.2	79.6
C-2-281	C-2-281-15'	15	25900	0.56B	5.5	140	0.72	0.58	29.1		12.5	28.3	5.7	0.055B	1.7B	20.4	<0.5	<1	0.64B	63.3	69.2
C-2-282	C-2-282-5'	5	29300	0.22B	3.4	111	0.84	0.4B	30.7		8.3	16.1	4.4	0.04B	1.4B	17.2	<0.5	<1	0.63B	57.1	49.9
C-2-283	C-2-283-5'	5	29500	0.27B	3.8	175	0.86	0.44B	29.6		10.2	15.8	5.1	0.039B	1.4B	21.3	<0.5	<1	0.77B	57.4	50.4
C-2-284	C-2-284-5'	5	27200	0.28B	3.2	176	0.78	0.51	28.4		11	18.7	5.5	<0.1	1.2B	19.1	<0.5	<1	0.69B	50.8	54.9
C-2-285	C-2-285-5'	5	26100	0.47B	3.8	184	0.69	0.48B	26.3		11.3	23.6	5.3	0.036B	1.5B	19.3	<0.5	<1	0.85B	57.7	65.8
C-2-290	C-2-290-5'	5	24600	0.39B	2.8	90.2	0.69	0.33B	25.5		6.5	15.6	4.7	0.045B	1.2B	13.1	<0.5	<1	<1	47.5	45
C-2-292	C_2_292_1	1	30300	0.39B	3.8	154	0.93	0.51	31.1		12.7	15.9	5.4	0.046B	1.5B	20.4	<0.5	<1	1.2	59.1	49.7
C-2-292	C_2_292_5	5	27600	0.47B	4.4	294	0.74	0.59	29.7		8.2	19.4	4.7	0.1	1.6B	20.3	<0.5	<1	0.76B	58.6	56.1
C-2-293	C_2_293_5	5	24700	0.88B	4	186	0.7	0.57	29.3		12.3	26.3	5.9	0.036B	1.7B	20.9	<0.5	<1	<1	57.2	67.7
C-2-294	C_2_294_5	5	22300	0.44B	3.8	173	0.62	0.4B	23.7		9.6	18.7	4.5	<0.1	1.4B	18.3	<0.5	<1	0.69B	55.6	58.8
C-2-295	C_2_295_5	5	22100	0.35B	3.9	150	0.59	0.68	24.4		10.3	29.4	18.6	0.025B	0.98B	16.3	<0.5	<1	1.5	48.5	59.8
C-2-296	C_2_296_5	5	28800	0.51B	5.9	142	0.77	0.96	33.1		11.5	34.6	6.4	0.022B	1.4B	23.3	<0.5	<1	1.8	70.4	69.8
C-2-297	C_2_297_5	5	17600	0.41B	3.1	115	0.56	0.47B	21.7		10.8	17.1	14.2	0.035B	1.2B	14.7	<0.5	<1	<1	41.3	48
C-2-298	C_2_298_5	5	33000	0.52B	4.3	271	0.88	0.46B	33.8		10	21.5	7.5	<0.1	1.7B	18.5	<0.5	<1	0.99B	60.5	59.8
C-2-298	C_2_298_10	10	14800	<6	2.4	71.8	0.34B	0.36B	14.5		9.9	14.2	2.8	0.033B	0.99B	10.1	<0.5	<1	<1	31.1	38.9
C-2-298	C_2_298_15	15	26900	0.54B	4.3	139	0.9	0.78	28.5		13.2	28.2	5.3	0.066B	1.9B	20.1	<0.5	<1	0.91B	57.6	83.9
C-2-300	C_2_300_5	5	17100	0.26B	2.2	70.6	0.4B	0.28B	15.6		7.6	11	3.8	0.022B	0.66B	8.6	<0.5	<1	1.1	35.8	31.3
C-2-301	C_2_301_5	5	31100	0.74B	4.2	224	0.81	0.48B	34.4		13.1	25.3	6.1	0.057B	2.1B	24.3	<0.5	<1	0.75B	64.5	70.1

See notes on page 28

BOE-C6-0182548

Table 9
Inorganic Compounds in Soil Samples (mg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Object Name	Sample Name	Sample Depth (feet)	Aluminum	Antimony	Arsenic	Barium	Beryllium	Cadmium	Chromium	Chromium (VI)	Cobalt	Copper	Lead	Mercury	Molybdenum	Nickel	Selenium	Silver	Thallium	Vanadium	Zinc
C-2-302	C_2_302_1	1	20800	0.56B	4.4	139	0.67	0.4B	25.2		13.5	23.4	21.3	0.03B	1.3B	16.6	<0.5	<1	1	53.2	57.2
C-2-302	C_2_302_5	5	35900	0.71B	4	144	0.92	0.43B	33.3		10.2	25.9	6.2	0.03B	2B	20.8	<0.5	<1	1.2	63.5	69.6
C-2-303	C_2_303_5	5	24600	0.54B	3.8	244	0.72	0.42B	26.7		10.7	17.5	4.8	0.031B	1.5B	20.7	<0.5	<1	1	51.6	55
C-2-304	C_2_304_5	5	23300	0.72B	3.8	129	0.64	0.41B	25.4		11.3	22.5	4.8	<0.1	1.5B	18.5	<0.5	<1	0.69B	56.9	68
C-2-304	C_2_304_10	10	23400	0.32B	4	286	0.63	0.48B	28		10.3	24.2	4.6	0.059B	1.6B	19.6	<0.5	<1	0.65B	57.2	64.6
C-2-304	C_2_304_15	15	24500	0.61B	4.1	152	0.69	0.61	28.4		11.2	27	4.8	0.052B	1.6B	20.1	<0.5	<1	0.87B	58.6	75.8
C-2-305	C_2_305_10	10	9710	0.21B	2.3	60.1	0.28B	0.17B	13.2		5	11.8	2.5	0.02B	0.85B	10.7	<0.5	<1	<1	26.7	26
C-2-305	C_2_305_15	15	27000	0.87B	5.2	181	0.79	0.83	32.9		14.1	31.4	10.4	0.054B	2B	23.6	<0.5	<1	1.4	71.2	86.5
C-2-305	C_2_305_20	20	21600	0.72B	4.5	150	0.59	0.57	27.1		11.4	26.8	5	0.05B	1.6B	18.8	<0.5	<1	0.91B	59.4	66.8
C-2-306	C_2_306_5	5	5670	0.83B	1	20	0.13B	<0.5	6.5		1.6B	3.7	0.78	0.091B	0.39B	3.8B	<0.5	<1	<1	13.6	11.2
C-2-307	C_2_307_5	5	26700	0.54B	4.8	150	0.69	0.64	31.1		12.5	28.9	6.4	0.028B	1.5B	22.6	<0.5	<1	1.5	63.4	65.8
C-2-307	C_2_307_10	10	20200	0.25B	5.5	215	0.52	0.55	28.7		11.1	22.4	12.7	0.039B	1.6B	17.8	<0.5	<1	1.2	51.5	59.2
C-2-307	C_2_307_15	15	27600	0.67B	4.4	146	0.68	0.64	30.8		11.8	32.9	5.9	0.057B	1.8B	21.9	<0.5	<1	1.6	66.2	77.8
C-2-308	C_2_308_5	5	28300	1B	4.1	162	0.84	0.15B	30		11	15.4	5.4	0.044B	1.9B	21.9	<0.5	<1	1.1	58.6	53.3
C-2-309	C_2_309_5	5	25600	0.85B	3.8	184	0.78	0.2B	27.2		10.1	17.4	5.4	0.034B	1.2B	20.2	<0.5	<1	1.2	54	49.6
C-2-310	C_2_310_1	1	27000	0.84B	4.9	165	0.74	0.26B	30.8		11.4	26.6	5.9	0.066B	1.6B	21	<0.5	<1	1.4	64.5	67.4
C-2-310	C_2_310_5	5	28300	0.78B	4.6	170	0.81	0.26B	30.5		12	28.5	8.8	0.039B	1.4B	22.8	<0.5	<1	1.5	61.8	62.7
C-2-311	C_2_311_1	1	25000	0.99B	4.2	174	0.74	0.28B	26.8		12	24	49.4	0.32	1.2B	21.7	<0.5	<1	1.8	55.9	55.6
C-2-311	C_2_311_5	5	23500	0.73B	3.6	126	0.7	0.2B	25.4		11.1	23.8	6.7	0.024B	1.1B	18.1	<0.5	<1	1.1	52	53.9
C-2-312	C_2_312_1	1	33900	0.7B	4.6	132	0.95	52.9	35.2		12.1	19.4	6.3	0.038B	1.7B	23.9	<0.5	<1	1.7	69.2	62.8
C-2-312	C_2_312_5	5	27500	0.62B	4.6	160	0.73	0.34B	28.1		11.7	21.2	5.4	0.035B	1.4B	21.9	<0.5	<1	1.1	62.9	66.4
C-2-312	C_2_312_10	10	29700	1B	6.7	190	0.83	2	39.4		14.5	36.3	6.7	0.04B	2.4B	27.9	<0.5	<1	1.4	74.6	81.6
C-2-313	C_2_313_5	5	29200	1.1B	5	114	0.79	0.25B	30.3		11.5	21.9	5.5	0.035B	1.4B	21.8	<0.5	<1	1.7	68.1	68.3
C-2-313	C_2_313_10	10	27600	0.95B	5.2	170	0.75	0.39B	35		12.5	30.9	6	0.037B	1.6B	24.8	<0.5	<1	1.2	66.2	73.4
C-2-313	C_2_313_15	15	22100	0.75B	4	155	0.58	0.76	26.3		10.9	25.6	4.6	0.041B	1.4B	18.3	<0.5	<1	1.2	57.9	69.7
C-2-314	C_2_314_5	5	23500	0.47B	4	136	0.68	0.31B	25.9		11.4	22.4	5.3	0.063B	1.4B	18.9	<0.5	<1	1.8	55.5	64
C-2-314	C_2_314_10	10	23800	0.96B	5.3	128	0.66	0.36B	29.1		12	29.7	5.4	0.068B	1.6B	22.3	<0.5	<1	1.2	61.1	71.4
C-2-314	C_2_314_15	15	22600	0.98B	4.4	115	0.6	0.33B	24.4		9.9	25.2	4.6	0.04B	1.4B	17.2	<0.5	<1	0.98B	52.7	62.7
C-2-314	C_2_314_20	20	18300	0.55B	3.4	108	0.51	0.26B	21.7		9.5	22.2	4	0.047B	1.4B	16.3	<0.5	<1	1.5	47	58.3
C-2-314	C_2_314_30	30	11000	0.71B	3.9	69.1	0.31B	0.17B	16.4		3.9B	11.3	2.3	<0.1	1.2B	9.4	<0.5	<1	0.78B	38	31.1
C-2-316	C_2_316_5	5	25000	0.73B	3.7	105	0.62	0.12B	28.9	<0.1	7.7	11.2	3.2	0.093B	1.2B	13.4	<0.5	<1	1.2	41.4	39.6
C-2-316	C_2_316_10	10	26500	1.1B	4.7	180	0.72	0.26B	29.4	<0.1	14.4	22.6	6.1	0.058B	1.5B	22.5	<0.5	<1	1.5	62.3	67.3
C-2-318	C_2_318_5	5	23200	0.36B	3.3	134	0.67	0.33B	25.4		12.4	20.8	6	0.034B	1.4B	19.1	<0.5	<1	0.87B	50.9	52.7
C-2-319	C_2_319_5	5	22600	0.61B	3.9	138	0.67	0.3B	25.7		10.8	21	5.4	0.046B	1.4B	17.4	<0.5	<1	1.3	53.4	54.9
C-2-321	C_2_321_5	5	12200	0.29B	2.5	96.1	0.44B	0.23B	16		9.1	13.8	4.8	<0.1	0.87B	10.5	<0.5	<1	1	33	32.3
C-2-322	C_2_322_1	1	24800	0.3B	3.4	177	0.75	0.32B	27.3		10.1	18.1	5.2	0.03B	1.3B	18	<0.5	<1	1.5	53.2	56.9
C-2-322	C_2_322_5	5	13400	0.43B	2.5	144	0.48B	0.31B	17.8		10.7	15.8	5.6	<0.1	1.2B	13.3	<0.5	<1	1.2	36.7	37.3
C-2-323	C-2-323-1	1	31100	0.46B	6	203	0.83	0.37B	35		15.3	35.3	6.6	0.079B	3.1B	24.8	<0.5	<1	1.6	75	89.2
C-2-323	C_2_323_5	5	11700	0.36B	2.3	97.8	0.42B	0.25B	15.8		9.3	14	4.9	<0.1	1B	10.8	<0.5	<1	0.87B	32.8	33.1
C-2-323	C-2-323-5	5	38300	<6	4.8	138	1	0.11B	36.4		11.2	22.8	5.4	<0.1	1.6B	22.8	<0.5	<1	1.2	65.1	71.4
C-2-323	C_2_323_10	10	21700	1B	5.4	259	0.64	0.35B	27.2		11.9	27.6	4.8	<0.1	1.7B	23.5	<0.5	<1	1.2	61.6	60.9
C-2-324	C_2_324_1	1	12000	0.24B	2.7	86.1	0.42B	0.34B	15.3		8.3	15.8	21.9	0.057B	0.97B	10.1	<0.5	<1	0.73B	31.6	60.4
C-2-324	C_2_324_5	5	17000	0.56B	3.4	132	0.49B	0.35B	19.4		9.1	19.4	3.3	0.025B	1.3B	14.5	<0.5	<1	1.1	47.5	60.1
C-2-325	C_2_325_5'	5	22900	0.26B	3.9	117	0.68	0.59	25.8		10.7	19.6	6.2	0.038B	1.2B	17.9	<0.5	<1	0.98B	51.1	57.1
C-2-326	C_2_326_5	5	33700	0.47B	4.3	229	0.82	0.13B	27.3		14.4	25.1	6.6	0.061B	1.5B	18.3	<0.5	<1	1.5	57	59.3
C-2-327	C_2_327_5	5	21000	0.28B	2.5	132	0.63	<0.5	24.2		13.2	11.1	4.6	<0.1	0.97B	14	<0.5	<1	1.1	45.5	36.9
C-2-327	C_2_327_10	10	24400	0.41B	3.1	150	0.62	<0.5	24.8		11.5	18.9	4.5	0.031B	1.3B	17.2	<0.5	<1	1.3	54.7	61.2
C-2-327	C_2_327_15	15	29200	0.68B	5.5	175	0.78	0.22B	35.2		13.7	35.7	5.7	0.052B	1.8B	26.2	<0.5	<1	1.4	72.7	80.2
C-2-328	C_2_328_5	5	27800	0.56B	4.1	153	0.71	<0.5	27.7		11.1	19.5	4.8	0.048B	1.5B	20.2	<0.5	<1	1.4	60.2	64.5
C-2-328	C_2_328_10	10	33200	0.74B	4.8	186	0.85	<0.5	32.6		13.8	29.6	7	0.065B	1.8B	22.7	<0.5	<1	1.4	67.8	75.6
C-2-328	C_2_328_15	15	27700	1.1B	5.6	182	0.74	0.24B	33.5		14	34.7	5.9	0.057B	1.9B	27.1	<0.5	<1	1.5	70.5	76.4
C-2-330	C_2_330_20	20	19000	0.8B	4	132	0.57	0.17B	22.7		11.2	21.4	5.9	0.035B	1.8B	16.3	<0.5	<1	1.1	48.9	57.2
C-2-330	C_2_330_30	30	10700	0.63B	4.8	63.6	0.32B	<0.5	17.4		4.1B	8.9	2.8	0.024B	1.2B	10.3	<0.5	<1	0.77B	33.4	32.4
C-2-330	C_2_330_40	40	9080	0.27B	5	45.9	0.28B	<0.5	15.2		5.7	7	2.3	0.027B	0.89B	10.5	<0.5	<1	0.51B	27.7	31.9
C-2-331	C_2_331_10	10	17900	0.82B	4.6	112	0.52	0.15B	21.9		10.3	21.1	4.3	0.029B	1.2B	18.5	<0.5	<1	0.63B	50.3	51.9
C-2-331	C_2_331_15	15	18900	0.87B	3.5	126	0.55	0.16B	20.8		9.8	19.9	4.3	0.037B	1.3B	15.8	<0.5	<1	0.68B	50.8	62
C-2-331	C_2_331_20	20	19000	0.97B	3.7	135	0.54	0.21B	22.5		9.6	21.7	4.2	0.044B	1.6B	15.2	<0.5	<1	<1	50.8	65.5
C-2-332	C_2_332_5	5	30800	0.98B	4.6	211	0.83	0.11B	32.7		11.2	23.4	5.4	0.034B	1.7B	23.4	<0.5	<1	1.2	69.1	69.9
C-2-333	C_2_333_35	35	10700	<6	6.1	61.7	0.33B	0.32B	18.2		5.4	16.3	5.3	0.024B	0.91B	11.9	<0.5	<1	<1	31.3	47.8
C-2-333	C_2_333_40	40	11300	<6	6.4	45.6	0.36B	0.28B	19.4		5.5	9.9	3.7	0.029B	0.82B	12.8	<0.5	<1	0.58B	34.5	37.9
C-2-334	C_2_334_35	35	12000	<6	5.6	66.6	0.36B	0.35B	19.2		6	12	4.9	0.024B	0.84B	12.8	<0.5	<1	<1	35.5	45.9
C-2-334	C_2_334_40	40	10600	<6	5.3	45.5	0.31B	0.25B	17.8		7.2	8	7.1	<0.1	0.88B	10.9	<0.5	<1	<1	31.4	33
C-2-335	C_2_335_35	35	13100	<6	5.7	85.2	0.36B	0.34B	21.6		5.5	11.9	7	0.037B	1B	12.7	<0.5	<1	<1	38.7	43.3
C-2-335	C_2_335_40	40	8330	<6	5.4	42.1	0.28B	0.23B	16.6		5.1	7	10.6	<0.1	0.91B	10.8	<0.5	<1	0.71B	27	30.8
C-2-336	C_2_336_35	35	8360	0.24B	5.6	51.9	0.27B	0.2B	13.9		5.1	6.4	3.5	0.024B	0.78B	10.4	<0.5	1D	<1	29.6	28.1
C-2-336	C_2_336_40	40	6750	<6	4.6	33	0.22B	0.17B	12.3		4B	4.9	2.3	<0.1	0.34B	8.3	<0.5	<1	<1	22.8	23.5
C-2-337	C_2_337_35	35	14800	<6	6.7	113	0.42B	0.92	22.4		7.6	23.6	31.3	0.039B	1.3B	15.5	<0.5	<1	<1	37.8	101

See notes on page 28

BOE-C6-0182549

Table 9
Inorganic Compounds in Soil Samples (mg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Object Name	Sample Name	Sample Depth (feet)	Aluminum	Antimony	Arsenic	Barium	Beryllium	Cadmium	Chromium	Chromium (VI)	Cobalt	Copper	Lead	Mercury	Molybdenum	Nickel	Selenium	Silver	Thallium	Vanadium	Zinc
C-2-337	C_2_337_40	40	5890	<6	3.8	30.9	0.28	0.16B	11.5		3.5B	4.5	2.1	<0.1	0.58B	7.2	<0.5	<1	<1	19.2	20.6
C-2-338	C_2_338_35	35	6060	<6	4.6	40	0.28	0.16B	23.7		3.6B	4.6	2.1	<0.1	0.42B	7.1	<0.5	<1	<1	23	20.1
C-2-338	C_2_338_40	40	7650	<6	6.4	51.1	0.25B	0.19B	14.1		4.6B	6.3	2.7	<0.1	0.7B	9	<0.5	<1	<1	25.6	26.7
C-2-339	C_2_339_35	35	12700	<6	6.2	94.6	0.36B	0.55	21.3		5.8	13.9	21.2	0.027B	1.2B	12.6	<0.5	<1	<1	38.7	49.7
C-2-339	C_2_339_40	40	9170	<6	5.3	54.8	0.28B	0.2B	15.7		4.7B	7.2	3.1	<0.1	0.68B	10	<0.5	<1	<1	28.3	28.4
C-2-340	C_2_340_5	5	27400	1.3B	4.8	175	0.75	<0.5	34.7		10.7	27.1	5.1	0.028B	1.8B	22.3	<0.5	<1	1.5	66.9	64.9
C-2-340	C_2_340_10	10	23700	1.4B	4.1	154	0.66	<0.5	28.9		11.9	27.5	5	0.051B	1.4B	22.2	<0.5	<1	1.5	57.4	66.8
C-2-340	C_2_340_15	15	29100	1.4B	4.1	189	0.79	0.26B	30.7		13.6	30.3	6.5	0.036B	1.7B	22.2	<0.5	<1	1.5	66.8	82.5
C-2-341	C_2_341_5	5	37600	1.9B	6.2	224	1	0.56	42.6	<0.1	18.6	40.5	9.8	0.035B	2.2B	34.3	<0.5	<1	1.5	87.3	91
C-2-341	C_2_341_10	10	22600	1.5B	4.3	229	0.61	<0.5	26.2		10.3	23	4.3	0.046B	1.2B	18.9	<0.5	<1	1.2	55.8	58.7
C-2-341	C_2_341_15	15	27400	1.3B	4.3	201	0.76	0.25B	30.3		13.7	33.6	5.3	0.057B	2B	23.5	<0.5	<1	1.3	67.6	77.9
C-2-342	C_2_342_5	5	7360	1.1B	3.5	66.2	0.24B	<0.5	10.8		6.5	12.7	2.9	0.027B	0.38B	8.2	<0.5	<1	0.57B	25.9	25.4
C-2-342	C_2_342_10	10	26200	1.3B	4.8	178	0.71	0.11B	30.7		12.4	25.4	5.1	0.078B	1.5B	21.8	<0.5	<1	1.6	63.2	67.2
C-2-342	C_2_342_15	15	27000	1.5B	4.7	172	0.72	<0.5	30.3		13.3	31.3	5.6	0.04B	1.6B	21.8	<0.5	<1	0.89B	67.9	77.5
C-2-343	C_2_343_5	5	28000	1.2B	5.8	136	0.74	<0.5	31.7		12.6	33.8	5.4	0.046B	2.1B	25.5	<0.5	<1	1.4	70.1	68.2
C-2-343	C_2_343_10	10	23900	1.4B	4.9	199	0.65	<0.5	28.2		11.6	26.4	4.9	0.038B	1.4B	21	<0.5	<1	1.2	60.5	65.3
C-2-343	C_2_343_15	15	25100	1.3B	4.9	171	0.68	0.14B	28		12.6	29.1	4.8	0.048B	1.8B	20.7	<0.5	<1	1.4	64	73.1
C-2-344	C_2_344_5	5	28800	0.86B	4.6	232	0.76	0.28B	30.8		13	24.9	5.6	0.043B	1.7B	22.9	0.58	<1	0.92B	65.2	68
C-2-347	C_2_347_5	5	23100	<6	3	126	0.67	0.41B	26.6		9.1	17.7	1020	0.02B	1.1B	14.8	<0.5	<1	0.59B	47.5	51.7
C-2-347	C_2_347_10	10											7.2								
C-2-347	C_2_347_20	20											6								
C-2-351	C_2_351_5	5	24900	<6	3.7	161	0.76	0.5	27.8		11	20.2	6	0.023B	0.95B	20.3	<0.5	<1	0.88B	53.1	56.4
C-3-1	C_3_1_5'	5	26300	1.7B	5.1	169	0.69	<0.5	34.5		11.3	30.1	5.1	0.026B	2.1B	23.7	<0.5	<1	1.5	66	63.2
C-3-1	C_3_1_10'	10	22100	1.1B	4.4	134	0.58	<0.5	26.1		10.7	23.1	4.3	0.04B	1.6B	20.1	<0.5	<1	1.6	60.1	57.8
C-3-2	C_3_2_1.5'	1.5	31300	1.1B	4.5	193	0.81	<0.5	32.4		12.3	23.7	7.2	0.023B	1.4B	22.6	<0.5	<1	1.3	62.5	61
C-3-2	C_3_2_5'	5	25700	1.5B	3.9	175	0.66	<0.5	28.4		10.7	23.3	5	0.025B	1.2B	20.1	<0.5	<1	1.7	58.5	62.9
C-3-2	C_3_2_10'	10	24100	1.7B	4.9	198	0.62	<0.5	29.6		11.1	26	5	0.038B	1.5B	21.9	0.4B	<1	1.1	64.2	61.1
C6-CB15-S2	C6-CB15-S2_P_0.25_042098_1	0.25		<5	<1	180	0.55	<0.1	20	<0.5	9.3	<0.1	3.7	<0.01	<0.5	15	<1	<0.1	<5	41	54
C6-CB6-S1	C6-CB6-S1_P_0.25_042098_1	0.25		<5	3	140	0.6	<0.1	22	<0.5	11	23	4.7	0.23	<0.5	17	<1	<0.1	<5	47	54
C-9	C-9-5	5	34000	0.9B	6.5	273	0.89	0.27B	42.7	<0.1	16	38.1	6.2	0.031B	2.3B	32.4	<0.5	<1	2.3	83.6	88.1
C-9	C-9-10	10	31800	0.99B	8.2	244	0.87	0.28B	38.1	<0.1	16.5	42.4	7.6	0.03B	3.6B	31.2	<0.5	<1	1.5	80.9	90.6
C-9	C-9-15	15	23800	0.45B	4.3	203	0.64	0.24B	26		10.7	26.8	5	0.053B	1.5B	18.5	<0.5	<1	1.1	57	68.7
C-20-2	C-20-2-1	1		<5	2.1	130	0.55	<0.5	21		9.9	27	5.9	<0.1	<1	16	<5	<0.5	<5	45	66
C-20-2	C-20-2-5	5		<5	1.9	180	0.65	<0.5	21		9.7	17	6.4	<0.1	<1	15	<5	<0.5	<5	37	45
C-20-5	C-20-5-1	1		<5	3.9	150	0.64	<0.5	24		11	27	18	<0.1	<1	18	<5	<0.5	<5	49	67
C-20-5	C-20-5-5	5		<5	2.5	220	0.71	<0.5	23		14	19	9.3	<0.1	<1	16	<5	<0.5	<5	45	62
C-20-6	C-20-6-1	1		<5	3.4	170	0.68	<0.5	25		11	26	9.8	<0.1	<1	18	<5	<0.5	<5	49	60
C-20-6	C-20-6-5	5		<5	2.9	180	0.75	<0.5	14		12	25	8.9	<0.1	<1	17	<5	<0.5	<5	52	53
C-29-E-8	C-29-E-8-5	5	29600	2.6B	4.5	188	0.69	0.37B	30.2		11.6	22.3	8.6	0.043B	1.2B	21.5	<0.5	<1	0.57B	59.7	64.3
C-29-E-8	C_29_E_8_10	10								<0.1											
C-29-E-8	C-29-E-8-10	10	31300	2.5B	6.1	194	0.76	0.56	38.4		14.2	35.6	8	0.045B	2.4B	29.6	<0.5	<1	1.6	72.5	77.6
C-31	C_31_5'	5	31400	1.2B	6	186	0.8	<0.5	37.8		12.9	32	6	<0.1	1.4B	27	<0.5	<1	1.5	76.7	70
C-31	C_31_10'	10	25900	1.4B	5.5	179	0.68	<0.5	31.8		11.6	26.5	4.8	0.039B	1.4B	22	<0.5	<1	1.2	64.7	69.8
C-32-1	C-32-1-1	1		<5	4.9	120	0.53	0.63	20		8.9	17	7.1	0.17	1.7	14	<5	<0.5	<5	40	50
C-32-1	C-32-1-5	5		<5	5.4	130	0.55	0.89	25		10	22	8.5	0.6	4.2	17	<5	<0.5	<5	46	64
C-32-2	C-32-2-5	5		<5	5.4	130	0.55	0.89	25		10	22	8.5	0.6	4.2	17	<5	<0.5	<5	46	64
C-32-2	C-32-2-10	10		<5	4.1	130	0.68	<0.5	25		12	33	7.2	<0.1	<1	21	<5	<0.5	<5	56	70
C-32-3	C-32-3-1	1		<5	3.7	63	<0.5	3.7	24		5.8	31	5.2	<0.1	12	31	<5	<0.5	<5	79	55
C-32-3	C-32-3-5	5		<5	4.8	330	1.1	<0.5	43		19	40	12	<0.1	<1	32	<5	<0.5	<5	95	110
C-32-3	C-32-3-10	10		<5	3.9	150	0.53	<0.5	21		9.3	49	6.1	<0.1	<1	16	<5	<0.5	<5	47	60
C-32-4	C-32-4-1	1		<5	3.6	96	<0.5	<0.5	35		6.5	33	23	<0.1	5.1	15	<5	<0.5	<5	33	56
C-32-4	C-32-4-5	5		<5	2.8	160	0.5	<0.5	18		7.9	16	6.1	<0.1	<1	13	<5	<0.5	<5	43	50
C-32-4	C-32-4-10	10		<5	3.7	850	<0.5	0.64	19		8.2	24	4.8	<0.1	<1	14	<5	<0.5	<5	43	51
C-32-5	C-32-5-4'	4		<5	2.5	130	0.66	<0.5	22		8.4	16	6.1	<0.1	<1	16	<5	<0.5	<5	43	48
C-32-5	C-32-5-10'	10		<5	4.1	160	0.65	<0.5	27		12	34	7.2	<0.1	<1	22	<5	<0.5	<5	58	72
C-32-5	C-32-5-15	15		<5	2.5	110	<0.5	<0.5	19		8.9	19	4.8	<0.1	<1	12	<5	<0.5	<5	43	60
C-32-5	C-32-5-20	20		<5	2.7	170	0.53	<0.5	20		9.4	26	5.5	<0.1	<1	15	<5	<0.5	<5	45	62
C-32-6	C-32-6-10	10		<5	3.5	150	0.64	<0.5	24		11	30	7.2	<0.1	<1	18	<5	<0.5	<5	50	69
C-32-6	C-32-6-15	15		<5	3.3	88	<0.5	<0.5	16		7.4	20	4.7	<0.1	<1	13	<5	<0.5	<5	36	45
C-32-6	C-32-6-20	20		<5	4.1	130	0.56	<0.5	22		10	28	6.4	<0.1	<1	18	<5	<0.5	<5	50	64
C-32-7	C-32-7-5	5		<5	1.5	200	0.78	0.6	24		13	29	6.1	<0.1	<1	13	<5	<0.5	<5	36	72
C-32-7	C-32-7-10	10		<5	3.2	120	0.7	<0.5	26		12	35	7.3	<0.1	<1	21	<5	<0.5	<5	53	78
C-32-7	C-32-7-15	15		<5	3.3	88	<0.5	<0.5	16		7.4	20	4.7	<0.1	<1	13	<5	<0.5	<5	36	45
C-32-7	C-32-7-20	20		<5	2.3	160	0.61	<0.5	23		11	29	6.4	<0.1	<1	18	<5	<0.5	<5	50	64
C-32-8	C-32-8-10	10		<5	2.3	110	0.57	<0.5	26		10	30	5.9	<0.1	<1	19	<5	<0.5	<5	44	70
C-32-8	C-32-8-15	15		<5	2.1	130	0.55	<0.5	21		9.9	27	5.9	<0.1	<1	16	<5	<0.5	<5	45	66
C-32-8	C-32-8-20	20		<5	2.1	130	0.5	<0.5	24		9.4	25	5.2	<0.1	<1	15	<5	<0.5	<5	41	60

See notes on page 28

BOE-C6-0182550

Table 9
Inorganic Compounds in Soil Samples (mg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Object Name	Sample Name	Sample Depth (feet)	Aluminum	Antimony	Arsenic	Barium	Beryllium	Cadmium	Chromium	Chromium (VI)	Cobalt	Copper	Lead	Mercury	Molybdenum	Nickel	Selenium	Silver	Thallium	Vanadium	Zinc
C-32-9	C-32-9-1	1		<5	3.9	110	<0.5	<0.5	17		8.5	20	13	<0.1	<1	11	<5	<0.5	<5	33	42
C-32-9	C-32-9-5	5		<5	2.9	150	0.64	<0.5	24		10	30	5.9	<0.1	<1	19	<5	<0.5	<5	44	70
C-32-9	C-32-9-10	10		<5	2.1	130	0.55	<0.5	21		9.9	27	5.9	<0.1	<1	16	<5	<0.5	<5	45	66
C-32-9	C-32-9-15	15		<5	2.1	150	0.56	<0.5	21		10	26	5.5	<0.1	<1	15	<5	<0.5	<5	48	69
C-32-9	C-32-9-20	20		<5	2.8	140	0.5	<0.5	19		9.1	25	5.4	<0.1	<1	14	<5	<0.5	<5	44	59
C-32-G-12	C-32-G-12-5	5	33000	1.8B	4.3	133	0.81	0.28B	33.2		10.2	19.9	6.8	0.058B	1.5B	21.2	<0.5	<1	<1	64	59.1
C-32-G-12	C-32-G-12-10	10	29000	2.1B	6.5	220	0.73	0.49B	32.2		12.9	32.9	6.9	0.043B	1.9B	24.7	<0.5	<1	1.7	67	70.9
C32S01	C32S01_5	5	34300	0.53B	4.7	175	0.92	0.86	33.6		16.6	24.9	7.2	0.035B	1.4B	22.9	<0.5	<1	1.5	66.5	80.1
C32S01	C32S01_10	10	30000	0.38B	5.4	142	0.78	0.92	38.2		13.7	39.3	7	0.035B	1.6B	28	<0.5	<1	1.5	73.7	84.3
C-32-S-02	C-32-S-02-5	5	22400	1.6B	3.3	229	0.56	0.32B	22.6		11.6	18	5.4	<0.1	0.77B	16.8	<0.5	<1	1.1	45.3	44.4
C-32-S-02	C-32-S-02-10	10	27300	2.6B	4.3	142	0.64	0.54	29.4		12.1	30.1	6.2	0.026B	1.4B	22.2	<0.5	<1	1.3	59.6	76.3
C-66-1	C-66-1-1	1	14700	<6	3.2	72.9	0.45B	<0.5	24.6		8.3	13.5	4.1	<0.1	1.1B	14.6	0.58	<1	<1	41.7	51.6
C-66-1	C-66-1-5	5	12900	<6	3.6	74.1	0.38B	<0.5	22.2		7.2	10.7	4.4	0.022B	0.38B	13	<0.5	<1	<1	35.5	47
C-66-2	C-66-2-1	1	16800	<6	2.7	59.6	0.53	<0.5	29.8		11.2	15.8	3	0.026B	0.76B	23.8	0.52	<1	<1	43.7	57.8
C-66-2	C-66-2-5	5	22700	<6	4	178	0.66	<0.5	28.1		13.4	27.6	13.3	0.031B	0.49B	19.6	0.42B	<1	<1	58.4	73.8
C-66-3	C-66-3-1	1	13400	<6	3.6	64.4	0.44B	<0.5	24.4		7.9	11	3.8	<0.1	0.74B	13.1	0.67	<1	<1	39	49
C-66-3	C-66-3-5	5	21100	<6	4.2	189	0.64	<0.5	29.3		10.7	24.1	10.4	0.028B	<4	16.9	<0.5	<1	<1	54.6	65.9
C-66-4	C-66-4-1	1	10300	<6	2.9	67.7	0.29B	<0.5	18.9		6.8	11.6	3	<0.1	0.36B	11.7	0.56	<1	<1	30.9	41.3
C-66-4	C-66-4-5	5	28200	<6	8.5	165	1.8	5.7	36.3		14.9	1100	239	0.5	2.8B	132	<0.5	<1	<1	148	87.4
C-66-4	C_66_4_10	10			4.2							12.3	4.3								
C-66-4	C_66_4_20	20			2.9							18.2	4.7								
C-66-4-1	C_66_4_1_1	1			3							22.2	3.1								
C-66-4-1	C_66_4_1_5	5			4.3							24.6	7								
C-66-4-1	C_66_4_1_10	10			4.1							26.3	6.7								
C-66-4-1	C_66_4_1_20	20			4.8							43.4	6.7								
C-66-4-2	C_66_4_2_1	1			3.9							12.9	3.8								
C-66-4-2	C_66_4_2_5	5			4							28.6	6.5								
C-66-4-2	C_66_4_2_10	10			4.6							46.9	8								
C-66-4-2	C_66_4_2_20	20			4.9							30.2	5.8								
C-66-4-3	C_66_4_3_1	1			2.8							8.5	2.4								
C-66-4-3	C_66_4_3_5	5			4							25.3	6.1								
C-66-4-3	C_66_4_3_10	10			4.5							31.9	8.1								
C-66-4-3	C_66_4_3_20	20			5.4							34.4	6.6								
C-66-5	C-66-5-1	1	12300	<6	4	64.9	0.35B	<0.5	24.8		8	12.3	4.4	<0.1	0.44B	14.5	<0.5	<1	<1	40.6	50.8
C-66-5	C-66-5-5	5	21100	<6	23.5	184	0.62	<0.5	27.1		12.1	35.1	27.3	0.033B	<4	19.2	0.44B	<1	<1	52.7	78.9
C-66-5	C_66_5_10	10			4.5								7								
C-66-5	C_66_5_20	20			5.3								7.3								
C-66-5-1	C_66_5_1_1	1			3.4								3.8								
C-66-5-1	C_66_5_1_5	5			3								5.4								
C-66-5-1	C_66_5_1_10	10			5.5								8.3								
C-66-5-1	C_66_5_1_20	20			4.8								6.7								
C-66-5-2	C_66_5_2_1	1			3.7								3.7								
C-66-5-2	C_66_5_2_5	5			5.6								5.3								
C-66-5-2	C_66_5_2_10	10			3.2								6.6								
C-66-5-3	C_66_5_3_1	1			3.3								3.6								
C-66-5-3	C_66_5_3_5	5			4.2								5.2								
C-66-5-3	C_66_5_3_10	10			3								6.7								
C-66-5-3	C_66_5_3_20	20			4.6								7								
C-66-6	C-66-6-1	1	10900	<6	2.4	53.1	0.29B	<0.5	25.1		7.5	10.4	2.7	<0.1	0.34B	13.9	0.51	<1	<1	34.4	46.8
C-66-6	C-66-6-5	5	13200	<6	5.6	236	0.36B	0.35B	27.1		8.2	23.1	17.7	0.034B	0.77B	23.9	0.74	<1	<1	49.2	98.5
C-66-7	C-66-7-1	1	14200	<6	4.5	73.2	0.4B	<0.5	27.3		13	14.2	5.6	<0.1	0.63B	17.2	<0.5	<1	<1	43.5	58.9
C-66-7	C-66-7-5	5	9760	<6	3.7	47.7	0.25B	<0.5	19.2		6.6	8.6	2.7	<0.1	<4	12.7	0.44B	<1	<1	31.8	41.5
C-66-8	C-66-8-1'	1	14000	<6	4	63.7	0.44B	<0.5	27.2		7	12.8	3.9	<0.1	1.2B	15.4	<0.5	<1	<1	41.8	51.6
C-66-8	C-66-8-5'	5	11900	<6	2.4	64	0.34B	<0.5	21.5		6.6	9.3	3.3	<0.1	0.38B	13.3	<0.5	<1	<1	34.9	43.7
C-66-9	C-66-9-1	1	12500	<6	4.1	61.8	0.35B	<0.5	25.2		8.1	13.1	3.9	<0.1	0.4B	14.9	0.61	<1	0.55B	38.7	52.2
C-66-9	C-66-9-5	5	25500	<6	160	256	0.72	<0.5	37.6		15.8	22.5	11.4	0.032B	<4	24.8	<0.5	<1	<1	63.2	74.1
C-66-9	C_66_9_10	10			3.4																
C-66-9	C_66_9_20	20			4.5																
C-66-9-1	C_66_9_1_1	1			4.9																
C-66-9-1	C_66_9_1_5	5			4.1																
C-66-9-1	C_66_9_1_10	10			2.8																
C-66-9-1	C_66_9_1_20	20			5.1																
C-66-9-2	C_66_9_2_1	1			3.2																
C-66-9-2	C_66_9_2_5	5			2.2																
C-66-9-2	C_66_9_2_10	10			4																

See notes on page 28

BOE-C6-0182551

Table 9
Inorganic Compounds in Soil Samples (mg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Object Name	Sample Name	Sample Depth (feet)	Aluminum	Antimony	Arsenic	Barium	Beryllium	Cadmium	Chromium	Chromium (VI)	Cobalt	Copper	Lead	Mercury	Molybdenum	Nickel	Selenium	Silver	Thallium	Vanadium	Zinc
C-66-9-2	C_66_9_2_20	20			5.9																
C-66-9-3	C_66_9_3_1	1			3.7																
C-66-9-3	C_66_9_3_5	5			4																
C-66-9-3	C_66_9_3_10	10			3.9																
C-66-9-3	C_66_9_3_20	20			5.8																
C-66-10	C-66-10-1	1	11600	<6	2.8	54.3	0.34B	<0.5	25		7.3	11.7	2.9	<0.1	0.49B	13.6	<0.5	<1	0.66B	36.8	48.4
C-66-10	C-66-10-5	5	19100	<6	5.2	136	0.58	<0.5	25.1		10.7	23.7	8.1	0.04B	0.59B	16.8	<0.5	<1	<1	48.9	58.9
C-66-11	C-66-11-1	1	12700	<6	3.5	67.7	0.4B	<0.5	23.2		8.3	12.6	3.4	<0.1	0.72B	14.2	0.74	<1	<1	37.4	47.8
C-66-11	C-66-11-5	5	19400	<6	13.3	137	0.58	<0.5	27.3		11.2	23.5	10.1	0.028B	<4	17.8	<0.5	<1	<1	51	67.1
C-66-12	C-66-12	1	15500	0.48B	4.1	80.7	0.43B	0.28B	57.3		9	96.1	13.4	0.024B	3.2B	53.7	<0.5	<1	1.3	41.3	123
C-66-12	C-66-12-5"	5	23300	<6	3.3	143	0.63	0.18B	29.7		10.5	29.1	12.9	0.035B	0.6B	21.1	<0.5	<1	0.79B	58.8	75.5
C-66-13	C-66-13-1	1	12000	<6	4.3	66	0.38B	<0.5	24		7.7	14.3	4.5	<0.1	1.3B	13.9	<0.5	<1	<1	40.4	50.2
C-66-13	C-66-13-5	5	8720	<6	10.5	485	0.2B	0.1B	42.4		12.7	18.4	3.2	0.031B	1.6B	24.3	<0.5	<1	<1	55.4	51.6
C-66-14	C-66-14-1	1	10400	<6	3.3	72.9	0.32B	<0.5	20.4		6.8	9.4	3.4	<0.1	0.64B	12.7	<0.5	<1	<1	34.3	44.8
C-66-14	C-66-14-5	5	16900	<6	2.4	108	0.49B	<0.5	21.6		9.8	14.5	3.3	0.041B	<4	14.2	<0.5	<1	<1	46.6	47.4
C-66-15	C-66-15-1	1	9130	<6	2.3	69.6	0.24B	<0.5	17.4		5.9	8	3.6	<0.1	0.69B	11.1	<0.5	<1	<1	28.2	39.9
C-66-15	C-66-15-5	5	21500	<6	3.9	139	0.63	<0.5	28.6		11.6	23.7	6.9	0.04B	<4	16.7	0.41B	<1	<1	52.7	62.3
C-329	C_329_1	1	26800	0.76B	5.5	157	0.71	0.14B	34.8		11.7	30.5	4.8	0.051B	1.8B	23.1	<0.5	<1	1.3	66.8	74
C-329	C_329_5	5	25000	0.52B	4	165	0.67	0.16B	26.3		11.4	21.2	5.5	0.036B	1.5B	19.7	<0.5	<1	1.8	54.6	60.1
CI-GS-1C	CI-GS-1C-1.5'_P_1.5_081397_1	1.5		<5	<1	<0.1	<0.1	<0.1	<0.05	<0.5	<0.5	<0.1	<1	<0.01	<0.5	<0.5	<1	<0.1	<5	<0.5	<0.1
D-15	D_15_5	5	30200	0.8B	4.3	215	0.79	<0.5	30.8		12.5	23.1	5.3	0.12	1.7B	22	<0.5	<1	1.8	65.1	66.3
D-15	D-15-10	10	22800	0.38B	5	158	0.61	0.15B	26.4		11.3	25.8	4.7	0.038B	1.5B	20.8	<0.5	<1	1.6	57.4	64.6
D-15	D_15_15	15	34900	0.72B	5.8	236	1	0.34B	36.8		16.8	38	8	0.088B	2.6B	26.5	<0.5	<1	2.2	83.6	97.1
D-29	D-29-5	5	21900	<6	4.2	145	0.66	<0.5	23.5		11	20.3	8.9	0.038B	0.9B	17	<0.5	<1	0.71B	48.9	55.2
D-41	D_41_5	5	22500	0.23B	2.8	139	0.61	0.5	25.5		9.3	16.5	5.1	<0.1	0.73B	15.1	<0.5	<1	1.2	47.1	42.8
D-41	D_41_10	10	19700	<6	3.6	137	0.52	0.6	23.3		8.9	21.8	4.8	0.043B	1B	17.1	<0.5	<1	1.5	49.5	53.3
F11-1	F11_1_5	5	25100	0.65B	3.8	186	0.64	0.62	26.9		10.4	21.3	5.3	0.028B	1.1B	17.9	<0.5	<1	1	59.1	64.1
F11-1	F11_1_10	10	24600	0.76B	5.2	354	0.65	0.7	30.9		11.2	30.3	5.5	0.033B	1.2B	21.3	<0.5	<1	0.69B	64.1	67.1
F25-10	F25_10	10	24100	0.45B	4.2	185	0.68	2	36		10.8	28.3	334	0.071B	1.2B	18.2	<0.5	<1	1.2	55.4	127
F25-5	F25_5	5	24800	<6	3.5	123	0.72	0.39B	28.1		10.9	13.8	6.3	<0.1	0.92B	15.2	<0.5	<1	1.2	55.9	44.4
G8	G8-5	5	34700	<6	4.5	141	0.97	0.66	36.8		11.4	22.3	6.6	0.07B	1B	32.7	<0.5	<1	0.84B	69.6	67.3
G8	G8-10	10	28500	<6	5.1	176	0.78	0.9	33.6		13.3	37.5	6.6	0.038B	1.5B	25.4	<0.5	<1	1.6	69.3	84.4
I-16	I_16_5	5	25400	0.27B	3.5	151	0.68	0.7	26.6		11.3	19.2	5.8	0.029B	1.4B	17.9	0.52	<1	2.1	53.9	53.9
I-16	I_16_10	10	19600	0.57B	3.9	131	0.52	0.65	24.3		9.9	24.1	5.1	0.057B	1.4B	18.5	<0.5	<1	1.8	50.7	56.7
I-25	I-25-5	5	27400	<6	5.9	166	0.81	<0.5	32.8		13.2	34.7	7.1	0.042B	1.3B	26.9	<0.5	<1	0.68B	70.6	73
I-25	I-25-10	10	20800	<6	6	137	0.64	0.2B	26.9		11.2	26.7	5.7	0.041B	0.86B	19.9	<0.5	<1	<1	55.3	67.6
I-34	I-34-5	5	25600	<6	3.9	117	0.76	<0.5	29.7		12.3	22	5.7	0.052B	0.93B	19.1	<0.5	<1	<1	57.9	62.6
I-34	I-34-5'	5	24100	<6	3.4	108	0.73	<0.5	28.3		9.3	23.6	6	0.048B	0.69B	20	<0.5	<1	<1	57.9	68.5
I-40	I_40_5	5	23300	0.7B	3.6	170	0.69	0.16B	25.7		12.3	20.6	6.1	<0.1	1.5B	19.7	<0.5	<1	1.5	52.2	49.3
I-40	I_40_10	10	29700	0.58B	5.1	133	0.82	0.12B	33.4		13.6	26.8	6.5	0.041B	2.1B	25.9	<0.5	<1	1	68.2	74.2
I-40	I_40_15	15	26900	0.99B	6.2	156	0.75	0.16B	34.9		12.5	30.8	5.7	0.046B	2.5B	23.8	<0.5	<1	1.9	65.8	75.5
J-2	J_2_5	5	15100	0.3B	3	174	0.54	0.54	19.6		19.6	15.1	6.2	<0.1	1.3B	15	<0.5	<1	1.4	47.7	39.3
J-2	J_2_10	10	23300	0.59B	3.9	149	0.68	0.34B	24.8		14.2	23.4	4.9	<0.1	1.5B	28	<0.5	<1	1.1	55.3	64.1
J-2	J_2_15	15	26300	<6	4.3	162	0.74	0.43B	31.2		12.1	30.1	5.2	0.047B	1.8B	21.8	<0.5	<1	<1	60.2	74.8
J-6	J_6_5	5	21000	<6	3.4	131	0.63	0.29B	23.3		9.9	20.8	6.7	0.048B	1.4B	16	<0.5	<1	0.78B	49.3	53
J-6	J_6_10	10	23100	0.52B	3.5	127	0.61	0.44B	24.1		14.1	22.9	4.6	0.025B	1.9B	22.1	<0.5	<1	0.92B	51.9	66.5
J-6	J_6_15	15	27300	0.65B	4.4	177	0.8	0.56	37.3		14	36.6	6.3	0.054B	2.2B	28.3	<0.5	<1	1.5	63.4	77.4
L-5	L_5_5	5	20000	<6	3.3	135	0.61	0.27B	22.7		10.7	18.1	19.9	0.033B	1.4B	15.5	<0.5	<1	<1	47.6	48.3
L-5	L_5_10	10	24100	<6	3.7	193	0.7	0.36B	25.3		9.6	17.8	4.9	0.03B	1.8B	20.3	<0.5	<1	1.1	53	60.4
L-5	L_5_15	15	30000	<6	6.1	181	0.9	0.72	38.9		16.7	41.1	7.3	0.043B	2.4B	32.7	<0.5	<1	1.6	76.7	86.6
L-5	L_5_20	20	19900	0.41B	3.9	173	0.59	0.3B	23.3		11.1	24.4	4.4	0.045B	1.6B	17.2	<0.5	<1	1.3	53.8	73.4
L-5	L_5_30	30	29400	<6	7	226	0.93	1.8	40.8		16.7	45	8.6	0.081B	3.1B	35.8	<0.5	<1	1.7	75.4	97.9
N-4	N_4_5	5	12000	0.26B	2.2	95.3	0.44B	0.23B	16.9		8.4	13.8	4.2	<0.1	0.93B	9.7	<0.5	<1	1.1	34.2	30.2
N-4	N_4_10	10	25100	0.38B	3.8	173	0.69	0.27B	26.3		12.7	19.8	5.1	0.045B	1.4B	19.5	<0.5	<1	1.5	58.7	61.9
N-4	N_4_15	15	28700	0.84B	5.6	197	0.87	0.47B	36		15.8	36.8	7.2	0.051B	2.1B	30.2	<0.5	<1	1.5	70.7	83.2
N-4	N_4_20	20	25900	0.41B	4.9	187	0.81	0.61	29.9		13.4	32	6.8	0.14	1.8B	22.3	<0.5	<1	1.2	61.5	86.5
N-4	N_4_30	30	28100	0.75B	4	201	0.91	0.78	32.3		14.2	33.5	6.4	0.043B	1.9B	23.3	<0.5	<1	1.1	61.6	91.4
N-14	N_14_5	5	22900	0.55B	3.5	132	0.61	<0.5	25.9		9.8	16.8	6.4	0.05B	1.3B	17.3	<0.5	<1	0.54B	50.5	53.2
N-14	N_14_10	10	23800	0.93B	4.2	205	0.67	0.19B	37		12.2	29.7	5.3	0.08B	1.6B	24.8	<0.5	<1	0.64B	57.8	66.8
N-14	N_14_15	15	21200	0.78B	4	161	0.57	<0.5	25.2		11.9	25.5	4.7	0.049B	1.3B	20.5	<0.5	<1	0.83B	50.7	65.8
NW-7	SA-NW-7-1_P_1_030597_1	1		<5	<1	71	<0.1	<0.1	17	<0.5	6.3	7.4	<1	<0.01	<0.5	5.8	<1	<0.1	<5	21	22
NW-7	SA-NW-7-4_P_4_030597_1	4		<5	<1	53	<0.1	<0.1	18	<0.5	5.6	6.1	<1	<0.01	<0.5	7.9	<1	<0.1	<5	19	22
NW-7	SA-NW-7-10_P_10_030597_1	10		<5	<1	100	<0.1	<0.1	26	<0.5	8.3	17	<1	<0.01	<0.5	12	<1	<0.1	<5	25	49
OA1-GS-64	OA1-GS-64-7'_P_7_072897_1	7		<5	<1	77	<0.1	<0.1	27	<0.5	7	9.8	<1	<0.01	<0.5	11	<1	<0.1	<5	32	40
OA1-GS-65	OA1-GS-65-2'_P_2_072897_1	2		<5	<1	52	<0.1	<0.1	16	<0.5	5.3	7.1	<1	<0.01	<0.5	5.5	<1	<0.1	<5	23	19
P20-1	P_20_1_5	5	13100	0.44B	2.5	105	0.47B	0.23B	18		9.7	15.3	4.4	<0.1	0.93B	11.3	0.44B	<1	1.6	36.4	34.1
P20-1	P_20_1_10	10	29300	0.51B	5.2	136	0.88	0.5	35.2		14.2	31.5	6.6	0.035B	2B	26	<0.5	<1	1.8	68.7	81

See notes on page 28

BOE-C6-0182552

Table 9
Inorganic Compounds in Soil Samples (mg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Object Name	Sample Name	Sample Depth (feet)	Aluminum	Antimony	Arsenic	Barium	Beryllium	Cadmium	Chromium	Chromium (VI)	Cobalt	Copper	Lead	Mercury	Molybdenum	Nickel	Selenium	Silver	Thallium	Vanadium	Zinc
P20-1	P_20_1_15	15	23300	0.68B	4.8	145	0.73	0.44B	28.1		13.9	28	5.7	0.059B	1.6B	23.1	<0.5	<1	0.89B	55.9	69.8
P20-2	P_20_2_5	5	17700	0.35B	2.7	85.1	0.57	0.19B	21.9		8.3	14.6	5	<0.1	1B	11.2	<0.5	<1	1.2	43.9	38.7
P20-2	P_20_2_10	10	29900	0.91B	5	155	0.88	0.67	38.5		14	32.4	7	0.051B	2.2B	26.7	<0.5	<1	1.8	71.7	82.2
P20-2	P_20_2_15	15	21100	0.82B	5	157	0.61	0.44B	26.3		12	27.4	4.9	0.059B	1.7B	21.5	<0.5	<1	1.2	58.7	65
PD-41	PD_41_1	1			3.3																
PD-41	PD_41_3	3			4.6																
PD-42	PD_42_1	1			18.4																
PD-42	PD_42_3	3			20.2																
PD-43	PD_43_1	1			4.1																
PD-43	PD_43_3	3			10																
PD-44	PD_44_1	1			10.8																
PD-44	PD_44_3	3			38.6																
PD-45	PD_45_1	1			7.7																
PD-45	PD_45_3	3			3.9																
PD-46	PD_46_1	1			5.4																
PD-46	PD_46_3	3			4.5																
PD-47	PD_47_1	1			264																
PD-47	PD_47_3	3			3.9																
PD-48	PD_48_1	1			5.3																
PD-48	PD_48_3	3			13																
PD-49	PD_49_1	1			28.6																
PD-49	PD_49_3	3			46.7																
PD-50	PD_50_1	1			8.5																
PD-50	PD_50_3	3			4.9																
PD-51	PD_51_1	1			9.4																
PD-51	PD_51_3	3			10.8																
PD-52	PD_52_1	1			10.8																
PD-52	PD_52_3	3			10																
PD-53	PD_53_1	1			4.6																
PD-53	PD_53_3	3			6.3																
PD-54	PD_54_1	1			7.4																
PD-54	PD_54_3	3			11.7																
PD-55	PD_55_1	1			4.7																
PD-55	PD_55_3	3			18.4																
PD-56	PD_56_1	1			8.7																
PD-56	PD_56_3	3			8.1																
PD-57	PD_57_1	1			238																
PD-57	PD_57_3	3			9.4																
PD-58	PD_58_1	1			10.1																
PD-58	PD_58_3	3			2.4																
PD-59	PD_59_1	1			9.3																
PD-59	PD_59_3	3			3.1																
PD-60	PD_60_1	1			11.7																
PD-60	PD_60_3	3			3.2																
PD-61	PD_61_1	1			232																
PD-61	PD_61_3	3			2.7																
PD-62	PD_62_1	1			5																
PD-62	PD_62_3	3			2.6																
PD-63	PD_63_1	1			6.6																
PD-63	PD_63_3	3			12.2																
PD-64	PD_64_1	1			12																
PD-64	PD_64_3	3			2.9																
PD-65	PD_65_1	1			10.4																
PD-65	PD_65_3	3			4.1																
PD-66	PD_66_1	1			3.5																
PD-66	PD_66_3	3			18																
PD-67	PD_67_1	1			7.1																
PD-67	PD_67_3	3			4.1																
PD-68	PD_68_1	1			358																
PD-68	PD_68_3	3			3.2																
PD-69	PD_69_1	1			4.4																
PD-69	PD_69_3	3			3.1																
PD-70	PD_70_1	1			3240																
PD-70	PD_70_3	3			2.4																
PD-71	PD_71_1	1			423																
PD-71	PD_71_3	3			3																
PD-72	PD_72_1	1			3.1																

See notes on page 28

BOE-C6-0182553

Table 9
Inorganic Compounds in Soil Samples (mg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Object Name	Sample Name	Sample Depth (feet)	Aluminum	Antimony	Arsenic	Barium	Beryllium	Cadmium	Chromium	Chromium (VI)	Cobalt	Copper	Lead	Mercury	Molybdenum	Nickel	Selenium	Silver	Thallium	Vanadium	Zinc
PD-72	PD_72_3	3			2.3																
PD-73	PD_73_1	1			3.4																
PD-73	PD_73_3	3			2.3																
PD-74	PD_74_1	1			530																
PD-74	PD_74_3	3			5.8																
PD-75	PD_75_1	1			610																
PD-75	PD_75_3	3			3.7																
PD-76	PD_76_1	1			363																
PD-76	PD_76_3	3			5																
PD-77	PD_77_1	1			7.9																
PD-77	PD_77_3	3			6.9																
PD-78	PD_78_1	1			7.7																
PD-78	PD_78_3	3			8																
PD-79	PD_79_1	1			2.7																
PD-79	PD_79_3	3			5.2																
PD-80	PD_80_1	1			5.6																
PD-80	PD_80_3	3			4.8																
PD-81	PD_81_1	1			6.5																
PD-81	PD_81_3	3			1.8																
PD-82	PD_82_1	1			7.3																
PD-82	PD_82_3	3			2.7																
PD-83	PD_83_1	1			5.1																
PD-83	PD_83_3	3			4.1																
PD-84	PD_84_1	1			9.2																
PD-84	PD_84_3	3			3.6																
PD-85	PD_85_1	1			2.6																
PD-85	PD_85_3	3			3																
PD-86	PD_86_1	1			11.7																
PD-86	PD_86_3	3			4.5																
PD-87	PD_87_1	1			4																
PD-87	PD_87_3	3			3.2																
PD-88	PD_88_1	1			4.3																
PD-88	PD_88_3	3			2.8																
PD-89	PD_89_1	1			18.8																
PD-89	PD_89_3	3			2.5																
PD-90	PD_90_1	1			2.7																
PD-90	PD_90_3	3			4.6																
PD-91	PD_91_1	1			17.8																
PD-91	PD_91_3	3			4.4																
PD-92	PD_92_1	1			6.3																
PD-92	PD_92_3	3			10																
PD-93	PD_93_1	1			4.5																
PD-93	PD_93_3	3			4.7																
PD-94	PD_94_1	1			5.9																
PD-94	PD_94_3	3			13.2																
PD-95	PD_95_1	1			6.6																
PD-95	PD_95_3	3			10																
PD-107	PD_107_1	1			8.5																
PD-107	PD_107_3	3			3.3																
PD-108	PD_108_1	1			4.5																
PD-108	PD_108_3	3			20.6																
PD-109	PD_109_1	1			135																
PD-109	PD_109_3	3			4.1																
PD-110	PD_110_1	1			6.3																
PD-110	PD_110_3	3			7.7																
PD-111	PD_111_1	1			10.2																
PD-111	PD_111_3	3			11.8																
PD-112	PD_112_1	1			4.9																
PD-112	PD_112_3	3			4.8																
PD-113	PD_113_1	1			18.5																
PD-113	PD_113_3	3			4.8																
PD-114	PD_114_1	1			14.8																
PD-114	PD_114_3	3			38.9																
PD-115	PD_115_1	1			4.7																
PD-115	PD_115_3	3			5.4																
PD-116	PD_116_1	1			6.1																
PD-116	PD_116_3	3			2.8																

See notes on page 28

BOE-C6-0182554

Table 9
Inorganic Compounds in Soil Samples (mg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Object Name	Sample Name	Sample Depth (feet)	Aluminum	Antimony	Arsenic	Barium	Beryllium	Cadmium	Chromium	Chromium (VI)	Cobalt	Copper	Lead	Mercury	Molybdenum	Nickel	Selenium	Silver	Thallium	Vanadium	Zinc
PD-117	PD_117_1	1			27.2																
PD-117	PD_117_3	3			2.3																
PD-118	PD_118_1	1			245																
PD-118	PD_118_3	3			2.6																
PD-119	PD_119_1	1			214																
PD-119	PD_119_3	3			2.3																
PD-120	PD_120_1	1			11.9																
PD-120	PD_120_3	3			2.2																
PD-121	PD_121_1	1			342																
PD-121	PD_121_3	3			5.8																
PD-122	PD_122_1	1			106																
PD-122	PD_122_3	3			2																
PD-123	PD_123_1	1			6.8																
PD-123	PD_123_3	3			2.2																
PD-124	PD_124_1	1			77.6																
PD-124	PD_124_3	3			2.7																
PD-125	PD_125_1	1			5																
PD-125	PD_125_3	3			3																
PD-126	PD_126_1	1			4.3																
PD-126	PD_126_3	3			4.3																
PD-127	PD_127_1	1			4.1																
PD-127	PD_127_3	3			2.9																
PD-128	PD_128_1	1			294																
PD-128	PD_128_3	3			2.8																
PD-129	PD_129_1	1			6.1																
PD-129	PD_129_3	3			4.5																
PD-130	PD_130_1	1			4.5																
PD-130	PD_130_3	3			2.7																
PD-131	PD_131_1	1			2.8																
PD-131	PD_131_3	3			4.8																
PD-132	PD_132_1	1			822																
PD-132	PD_132_3	3			3																
PD-133	PD_133_1	1			10.1																
PD-133	PD_133_3	3			10.1																
PD-134	PD_134_1	1			4.7																
PD-134	PD_134_3	3			3.2																
PD-142B	PD_142B_1	1			4.1																
PD-142B	PD_142B_3	3			4.9																
PD-143	PD_143_1	1			5.5																
PD-143	PD_143_3	3			5.5																
PD-144	PD_144_1	1			3.8																
PD-144	PD_144_3	3			4.3																
PD-145	PD_145_1	1			2.5																
PD-145	PD_145_3	3			2.6																
PD-146	PD-146_1	1			3.7																
PD-146	PD_146_2	2			3																
PD-146	PD_146_3	3			2.6																
PD-147	PD_147_1	1			2.7																
PD-147	PD_147_3	3			2.4																
PD-148	PD_148_1	1			5.6																
PD-148	PD_148_3	3			3.2																
PD-149	PD_149_1	1			57.8																
PD-149	PD_149_3	3			3.6																
PD-150	PD_150_1	1			3.5																
PD-150	PD_150_3	3			2.7																
PD-151	PD_151_1	1			4.2																
PD-151	PD_151-3	3			7.3																
PD-152	PD_152_1	1			4.5																
PD-152	PD_152_3	3			5.7																
PD-153	PD_153_1	1			12.2																
PD-153	PD_153_3	3			4.1																
PD-154	PD_154_1	1			9																
PD-155	PD_155_1	1			169																
PD-155	PD_155_4	4			2.9																
PD-156	PD_156_1	1			190																
PD-156	PD_156_4	4			3																
PD-157	PD_157_1	1			10.3																

See notes on page 28

BOE-C6-0182555

Table 9
Inorganic Compounds in Soil Samples (mg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Object Name	Sample Name	Sample Depth (feet)	Aluminum	Antimony	Arsenic	Barium	Beryllium	Cadmium	Chromium	Chromium (VI)	Cobalt	Copper	Lead	Mercury	Molybdenum	Nickel	Selenium	Silver	Thallium	Vanadium	Zinc
PD-157	PD_157_4	4			8.5																
PD-158	PD_158_4	4			7.2																
PD-159	PD_159_4	4			7.4																
PD-160	PD_160_4	4			3.7																
PD-161	PD_161_1	1			9.9																
PD-161	PD_161_3	3			2.9																
PD-162	PD_162_4	4			3.4																
PD-163	PD_163_4	4			5.8																
PD-169	PD_169_1	1			4.5																
PD-169	PD_169_3	3			3.9																
PD-170	PD_170_1	1			3.6																
PD-170	PD_170_3	3			2.8																
PD-171	PD_171_1	1			3.6																
PD-171	PD_171_3	3			3.8																
PD-172	PD_172_1	1			39.4																
PD-172	PD_172_3	3			4.1																
PD-173	PD_173_1	1			6.3																
PD-173	PD_173_3	3			9.8																
PD-174	PD_174_1	1			10																
PD-174	PD_174_3	3			4.8																
PD-175	PD_175_1	1			8.2																
PD-175	PD_175_3	3			4.8																
PD-176	PD_176_1	1			5.3																
PD-176	PD_176_3	3			3.7																
PD-177	PD_177_1	1			36.1																
PD-177	PD_177_3	3			3.7																
PD-178	PD_178_1	1			31																
PD-178	PD_178_3	3			3.2																
PD-179	PD_179_1	1			31.6																
PD-179	PD_179_3	3			3.2																
PD-180	PD_180_1	1			26.5																
PD-180	PD_180_3	3			43.5																
PD-181	PD_181_1	1			8.1																
PD-181	PD_181_3	3			3.9																
PD-182	PD_182_1	1			2.4																
PD-182	PD_182_3	3			4.7																
PD-183	PD_183_1	1			17																
PD-183	PD_183_3	3			4.4																
PD-184	PD_184_1	1			23																
PD-184	PD_184_3	3			7.3																
PD-185	PD_185_1	1			5																
PD-185	PD_185_3	3			6.5																
PD-186	PD_186_1	1			24																
PD-186	PD_186_3	3			4.9																
PD-187	PD_187_1	1			17																
PD-187	PD_187_3	3			2.8																
PD-188	PD_188_1	1			27																
PD-188	PD_188_3	3			3.2																
PD-189	PD_189_1	1			5.6																
PD-189	PD_189_3	3			3.5																
PD-190	PD_190_1	1			76																
PD-190	PD_190_3	3			2.8																
	PD_191_1	1			5.3																
	PD_191_3	3			4.2																
	PD_192_1	1			3.9																
	PD_192_3	3			3.7																
	PD_193_1	1			884																
	PD_193_3	3			3.6																
	PD_194_1	1			242																
	PD_194_3	3			2.6																
	PD_195_1	1			126																
	PD_195_3	3			2.8																
	PD_196_1	1			4.0																
	PD_196_3	3			2.6																
	PD_197_1	1			24.4																
	PD_197_3	3			3.3																
	PD_198_1	1			6.5																

See notes on page 28

BOE-C6-0182556

Table 9
Inorganic Compounds in Soil Samples (mg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Object Name	Sample Name	Sample Depth (feet)	Aluminum	Antimony	Arsenic	Barium	Beryllium	Cadmium	Chromium	Chromium (VI)	Cobalt	Copper	Lead	Mercury	Molybdenum	Nickel	Selenium	Silver	Thallium	Vanadium	Zinc
	PD_198_3	3			19.9																
	PD_199_1	1			29.6																
	PD_199_3	3			2.5																
	PD_200_1	1			7.0																
	PD_200_3	3			2.5																
	PD_201_1	1			74.2																
	PD_201_3	3			2.3																
	PD_202_1	1			345																
	PD_202_3	3			2.8																
	PD_203_1	1			154																
	PD_203_3	3			2.3																
	PD_204_1	1			48.9																
	PD_204_3	3			3.1																
	PD_205_1	1			36.7																
	PD_205_3	3			2.1																
	PD_206_1	1			13.6																
	PD_206_3	3			2.8																
	PD_207_1	1			47.6																
	PD_207_3	3			2.7																
PD-208	PD_208_1	1			5																
PD-208	PD_208_3	3			5.3																
PD-209	PD_209_1	1			4.9																
PD-209	PD_209_3	3			3.9																
PD-210	PD_210_1	1			5.1																
PD-210	PD_210_3	3			3.3																
PD-227	PD_227_1	1			3.7																
PD-227	PD_227_4	4			2.9																
Q-13	Q-13-5	5	25100	0.82B	4.4	139	0.67	0.54	26.7		11.8	18.7	6	0.023B	1.6B	17	<0.5	<1	1.6	55.5	56.3
Q-13	Q-13-10	10	23400	0.49B	3.9	123	0.63	<0.5	26.3		11.1	17.9	4.4	0.041B	2.4B	18.1	<0.5	<1	1.9	55.4	55.9
Q-13	Q-13-15	15	20200	0.35B	5.4	128	0.57	0.11B	25.8		10.4	22.6	4.2	0.058B	1.3B	18.5	<0.5	<1	1.1	56.9	54.8
Q-16	Q_16_5	5	23500	0.35B	3.1	97.7	0.7	<0.5	22.2		9.9	15.5	5	<0.1	1.4B	12.6	<0.5	<1	<1	46.9	44.6
Q-16	Q_16_10	10	26300	0.8B	4.1	115	0.69	<0.5	27.3		9.8	19	4.8	0.049B	1.5B	20.4	<0.5	<1	0.9B	60.1	62.2
Q-16	Q_16_15	15	29400	1.3B	5.4	184	0.85	0.26B	34.3		16.4	35.6	7.1	0.041B	2.3B	28.1	<0.5	<1	1	72.4	78.5
S5-6	S5_6_051701_1	1								1540											
S32_1	S32_1_10	10	19100	<6	4.6	123	0.54	0.53	23.5	<0.1	10.3	26	5.2	0.035B	1B	20.5	<0.5	<1	0.85B	53.5	60.4
S32_1	S32_1_15	15	25600	0.26B	4.9	170	0.73	0.69	29.1	<0.1	11.9	31	6.5	0.042B	1.4B	23.2	<0.5	<1	1.1	61	79.5
S32_1	S32_1_20	20	23000	<6	4.5	169	0.68	0.74	37.9	0.069B	10.4	31.9	6.5	0.042B	1.8B	25.2	<0.5	<1	0.8B	59.7	65.4
S32_2	S32_2_5	5	20600	<6	3.1	123	0.55	0.49B	23.7	<0.1	8.1	19.1	4.7	0.067B	1.1B	14	<0.5	<1	0.84B	49.2	53.8
S32_2	S32_2_10	10	31700	0.39B	4.9	198	0.91	1	33.1	0.085B	13.6	40	8	0.055B	1.4B	23.9	<0.5	<1	1.1	69	91.5
S32_2	S32_2_15	15	23200	<6	5.2	177	0.64	0.73	29.8	<0.1	12.2	31.5	6.1	0.033B	1.5B	21.3	<0.5	<1	1.2	60.8	75.8
S32_2	S32_2_20	20	13300	<6	4	88.2	0.4B	0.38B	19.5	<0.1	6.1	16	3.7	0.025B	0.95B	14.1	<0.5	<1	0.66B	39.5	37.7
S32_3	S32_3_11	11	24900	<6	4.5	194	0.69	0.68	29.1	<0.1	11.2	26.8	6.1	0.041B	1.3B	19.9	<0.5	<1	0.99B	55.7	74.8
S32_3	S32_3_15	15	25600	<6	4.6	175	0.74	0.92	30.6	<0.1	12.8	32	6.5	0.062B	1.5B	22.7	<0.5	<1	1.1	66.1	80.4
S32_3	S32_3_20	20	23400	<6	4.5	150	0.66	0.82	29.5	0.47	11.8	31.2	5.8	0.04B	1.5B	20.5	<0.5	<1	0.71B	59.7	74.4
S32_4	S32_4_11	11	24400	0.33B	5.3	164	0.7	0.82	30.8	<0.1	13.1	33.2	6.8	0.026B	1.6B	23.7	<0.5	<1	0.8B	63.8	73.5
S32_4	S32_4_15	15	29100	0.36B	5.5	196	0.88	1.2	33.6	<0.1	14.6	36.5	8.5	0.066B	1.7B	23.9	<0.5	<1	1.4	68	99.2
S32_4	S32_4_20	20	22800	<6	5.2	173	0.65	0.88	29.2	<0.1	12.5	32.7	6.1	0.038B	1.6B	22.4	<0.5	<1	1.2	62.9	78.1
TMW-01	TMW-01-03-S6289_P_3_062898_1	3		<5	3.1	130	0.59	<0.1	21	<0.5	11	19	5.9	<0.01	<0.5	15	<1	<0.1	<5	46	47
TMW-01	TMW-01-05-S6289_P_5_062898_1	5		<5	3.2	130	0.6	<0.1	22	<0.5	11	23	7.8	<0.01	<0.5	16	<1	<0.1	<5	47	50
TMW-01	TMW-01-10-S6289_P_10_062898_1	10		<5	4.9	130	0.79	<0.1	29	<0.5	16	34	5.8	<0.01	<0.5	25	<1	<0.1	<5	60	72
TMW-01	TMW-01-20-S6289_P_20_062898_1	20		<5	2.9	160	0.64	<0.1	23	<0.5	13	32	4.2	<0.01	<0.5	20	<1	<0.1	<5	53	70
TMW-01	TMW-01-30-S6289_P_30_062898_1	30		<5	4.2	160	0.52	<0.1	21	<0.5	12	29	4.2	<0.01	<0.5	20	<1	<0.1	<5	52	58
TMW-01	TMW-01-40-S6289_P_40_062898_1	40		<5	3.9	54	<0.1	<0.1	13	<0.5	5.3	6.1	2.1	<0.01	<0.5	9.4	<1	<0.1	<5	24	25
TMW-01	TMW-01-50-S6289_P_50_062898_1	50		<5	17	85	<0.1	<0.1	19	<0.5	10	21	3.6	<0.01	<0.5	17	<1	<0.1	<5	51	48
TMW-01	TMW-01-66-S6289_P_66_062898_1	66		<5	<1	66	<0.1	<0.1	20	<0.5	8.6	23	4.4	<0.01	<0.5	16	<1	<0.1	<5	33	45
TMW-02	TMW-2-1-S062898_P_1_062898_1	1		<5	3.4	120	0.58	<0.1	20	<0.5	11	20	5.2	<0.01	<0.5	16	<1	<0.1	<5	47	47
TMW-02	TMW-2-50-S06289_P_50_062898_1	50		<5	12	33	<0.1	<0.1	9.8	<0.5	4	6.5	1.4	<0.01	<0.5	6	<1	<0.1	<5	16	25
TMW-02	TMW-2-66-S06289_P_66_062898_1	66		<5	2.4	90	0.58	<0.1	24	<0.5	12	36	7.7	<0.01	<0.5	24	<1	<0.1	<5	49	60
TMW-03	TMW-03-03-S0721_P_3_072198_1	3		<5	2.7	150	0.57	<0.1	21	<0.5	11	18	3.9	<0.01	<0.5	17	<1	<0.1	<5	49	53
TMW-03	TMW-03-66-S0721_P_3_072198_1	3		<5	2.7	150	0.57	<0.1	21	<0.5	11	18	3.9	<0.01	<0.5	17	<1	<0.1	<5	49	53
TMW-03	TMW-03-05-S0721_P_5_072198_1	5		<5	3.5	130	0.56	<0.1	21	<0.5	11	22	4.5	<0.01	<0.5	17	<1	<0.1	<5	47	53
TMW-03	TMW-03-10-S0721_P_10_072198_1	10		<5	4	210	0.53	<0.1	20	<0.5	11	24	3.8	<0.01	<0.5	17	<1	<0.1	<5	47	56
TMW-03	TMW-03-20-S0721_P_20_072198_1	20		<5	2.9	150	0.69	<0.1	24	<0.5	11	29	5.6	<0.01	<0.5	20	<1	<0.1	<5	44	64
TMW-03	TMW-03-30-S0721_P_30_072198_1	30		<5	2.8	19	<0.1	<0.1	6.4	<0.5	2.8	7.9	1.3	<0.01	<0.5	4.7	<1	<0.1	<5	12	18
TMW-03	TMW-03-40-S0721_P_40_072198_1	40		<5	3.1	15	<0.1	<0.1	6.2	<0.5	2.8	6.1	1.1	<0.01	<0.5	4.7	<1	<0.1	<5	12	17
TMW-03	TMW-03-50-S0721_P_50_072198_1	50		<5	9.6	51	<0.1	<0.1	14	<0.5	7.7	14	3.3	<0.01	<0.5	13	<1	<0.1	<5	33	39
TMW-04	TMW-04-01-S6309_P_1_063098_1	1		<5	2.4	110	0.58	<0.1	19	<0.5	12	17	4.3	<0.01	<0.5	11	<1	<0.1	<5	44	40

See notes on page 28

BOE-C6-0182557

Table 9
Inorganic Compounds in Soil Samples (mg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Object Name	Sample Name	Sample Depth (feet)	Aluminum	Antimony	Arsenic	Barium	Beryllium	Cadmium	Chromium	Chromium (VI)	Cobalt	Copper	Lead	Mercury	Molybdenum	Nickel	Selenium	Silver	Thallium	Vanadium	Zinc
TMW-04	TMW-04-05-S6309_P_5_063098_1	5		<5	3.5	130	0.67	<0.1	23	<0.5	12	29	4.6	0.009	<0.5	18	<1	<0.1	<5	52	58
TMW-04	TMW-04-10-S6309_P_10_063098_1	10		<5	2.5	130	<0.1	<0.1	23	<0.5	11	21	3.9	<0.01	<0.5	16	<1	<0.1	<5	43	56
TMW-04	TMW-04-20-S6309_P_20_063098_1	20		<5	3.7	150	0.56	<0.1	23	<0.5	13	28	4.4	<0.01	<0.5	19	<1	<0.1	<5	51	62
TMW-04	TMW-04-30-S6309_P_30_063098_1	30		<5	3.6	120	<0.1	<0.1	16	<0.5	8.5	19	3	<0.01	<0.5	15	<1	<0.1	<5	41	47
TMW-04	TMW-04-40-S6309_P_40_063098_1	40		<5	4.9	56	<0.1	<0.1	11	<0.5	4.7	8.1	2.1	<0.01	<0.5	8.6	<1	<0.1	<5	24	28
TMW-04	TMW-04-50-S0630_P_50_063098_1	50		<5	12	180	<0.1	<0.1	30	<0.5	9	40	6	<0.01	1.7	16	<1	<0.1	<5	53	56
TMW-04	TMW-04-65-S0630_P_65_063098_1	65		<5	3.3	75	<0.1	<0.1	24	<0.5	12	34	6.5	<0.01	<0.5	25	<1	<0.1	<5	44	58
TMW-05	TMW-05-01-S7029_P_1_070298_1	1		<5	7.7	220	1.3	0.31	39	<0.5	21	29	11	<0.01	1.5	32	<1	4.2	<5	75	74
TMW-05	TMW-05-05-S7029_P_5_070298_1	5		<5	9.4	240	1.1	0.24	41	<0.5	23	44	9.7	<0.01	<0.5	32	<1	<0.1	<5	92	110
TMW-05	TMW-05-10-S7029_P_10_070298_1	10		<5	8.1	210	0.94	0.33	41	<0.5	22	48	8.9	<0.01	<0.5	32	<1	<0.1	<5	89	110
TMW-05	TMW-05-20-S7029_P_20_070298_1	20		<5	9.2	220	0.94	0.66	38	<0.5	18	41	9.4	<0.01	<0.5	29	<1	<0.1	<5	78	96
TMW-05	TMW-05-30-S7029_P_30_070298_1	30		<5	11	90	0.28	0.14	24	<0.5	11	35	4.6	<0.01	<0.5	15	<1	<0.1	<5	47	87
TMW-05	TMW-05-40-S7029_P_40_070298_1	40		<5	2.9	19	<0.1	<0.1	7.4	<0.5	3.3	7	1.4	<0.01	<0.5	5.8	<1	6.1	<5	14	23
TMW-05	TMW-05-50-S7029_P_50_070298_1	50		<5	16	260	1	0.11	46	<0.5	26	81	12	<0.01	<0.5	41	<1	<0.1	<5	77	140
TMW-05	TMW-05-65-S7029_P_65_070298_1	65		<5	5.9	160	0.6	<0.1	34	<0.5	20	45	11	<0.01	<0.5	29	<1	<0.1	<5	72	83
TMW-06	TMW-06-01-S7019_P_1_070198_1	1		<5	<1	68	<0.1	<0.1	12	<0.5	6.5	12	3.4	<0.01	<0.5	7.1	<1	<0.1	<5	23	33
TMW-06	TMW-06-05-S7019_P_5_070198_1	5		<5	2.7	83	0.8	<0.1	19	<0.5	10	34	4.3	<0.01	<0.5	13	<1	<0.1	<5	43	56
TMW-06	TMW-06-10-S7019_P_10_070198_1	10		<5	2.8	94	0.51	<0.1	18	<0.5	11	23	4.1	<0.01	<0.5	17	<1	<0.1	<5	41	57
TMW-06	TMW-06-20-S7019_P_20_070198_1	20		<5	2.7	110	0.63	<0.1	20	<0.5	11	26	3.8	<0.01	<0.5	18	<1	<0.1	<5	46	67
TMW-06	TMW-06-30-S7019_P_30_070198_1	30		<5	1.9	100	0.53	<0.1	16	<0.5	7.8	16	3.2	<0.01	<0.5	13	<1	<0.1	<5	30	49
TMW-06	TMW-06-40-S7019_P_40_070198_1	40		<5	4	570	<0.1	0.91	7	<0.5	8.7	10	4.1	<0.01	4	15	<1	<0.1	<5	28	19
TMW-06	TMW-06-50-S7019_P_50_070198_1	50		<5	11	64	<0.1	<0.1	16	<0.5	8	18	3.4	<0.01	<0.5	19	<1	<0.1	<5	32	54
TMW-07	TMW-07-01-S6299_P_1_062998_1	1		<5	3.6	120	<0.1	<0.1	18	<0.5	12	18	16	<0.01	<0.5	15	<1	<0.1	<5	41	54
TMW-07	TMW-07-05-S6299_P_5_062998_1	5		<5	4.5	150	0.82	<0.1	29	<0.5	15	19	5.2	<0.01	<0.5	23	<1	<0.1	<5	66	62
TMW-07	TMW-07-10-S6299_P_10_062998_1	10		<5	5.7	180	0.71	<0.1	28	<0.5	14	33	5.3	<0.01	<0.5	25	<1	<0.1	<5	63	68
TMW-07	TMW-07-20-S6299_P_20_062998_1	20		<5	3.7	160	<0.1	<0.1	24	<0.5	14	30	4.9	<0.01	<0.5	20	<1	<0.1	<5	56	78
TMW-07	TMW-07-30-S6299_P_30_062998_1	30		<5	8	180	0.68	<0.1	28	<0.5	16	37	6.1	<0.01	<0.5	26	<1	<0.1	<5	73	75
TMW-07	TMW-07-40-S6299_P_40_062998_1	40		<5	9.3	230	0.74	<0.1	28	<0.5	17	38	4.8	<0.01	<0.5	26	<1	<0.1	<5	64	86
TMW-07	TMW-07-50-S6299_P_50_062998_1	50		<5	13	29	<0.1	<0.1	9.5	<0.5	3.7	3.1	1.6	<0.01	<0.5	6.1	<1	<0.1	<5	16	20
TMW-07	TMW-07-65-S6299_P_65_062998_1	65		<5	2.1	54	<0.1	<0.1	21	<0.5	11	22	3.5	<0.01	<0.5	23	<1	<0.1	<5	40	52
TMW-08	TMW-08-01-S6299_P_1_062998_1	1		<5	2.6	96	<0.1	<0.1	18	<0.5	9.3	15	4.2	<0.01	<0.5	11	<1	<0.1	<5	40	36
TMW-08	TMW-08-05-S6299_P_5_062998_1	5		<5	2.4	120	0.51	<0.1	17	<0.5	11	12	3.2	<0.01	<0.5	13	<1	<0.1	<5	45	46
TMW-08	TMW-08-10-S6299_P_10_062998_1	10		<5	6.1	150	0.81	<0.1	30	<0.5	15	32	5.9	<0.01	<0.5	26	<1	<0.1	<5	66	71
TMW-08	TMW-08-20-S6299_P_20_062998_1	20		<5	4.2	150	0.57	<0.1	22	<0.5	13	26	3.9	<0.01	<0.5	19	<1	<0.1	<5	56	65
TMW-08	TMW-08-30-S6299_P_30_062998_1	30		<5	6.6	180	0.64	<0.1	25	<0.5	13	33	5.2	<0.01	<0.5	23	<1	<0.1	<5	67	70
TMW-08	TMW-08-40-S6299_P_40_062998_1	40		<5	3.5	130	0.54	<0.1	22	<0.5	10	23	3.1	<0.01	<0.5	17	<1	<0.1	<5	41	68
TMW-08	TMW-08-50-S6299_P_50_062998_1	50		<5	16	36	<0.1	<0.1	11	<0.5	4.4	4.1	1.9	<0.01	<0.5	7.6	<1	<0.1	<5	20	24
TMW-08	TMW-08-65-S6299_P_65_062998_1	65		<5	3.1	58	<0.1	<0.1	19	<0.5	10	20	2.5	<0.01	<0.5	20	<1	<0.1	<5	32	57
TMW-09	TMW-9-1-S063098_P_1_063098_1	1		<5	2.1	120	<0.1	<0.1	15	<0.5	9.5	16	4	<0.01	<0.5	10	<1	<0.1	<5	32	32
TMW-09	TMW-9-20-S06309_P_20_063098_1	20		<5	8.4	200	0.72	0.81	31	<0.5	14	41	6.6	<0.01	1.1	29	<1	<0.1	<5	74	73
TMW-09	TMW-9-30-S06309_P_30_063098_1	30		<5	4.5	45	<0.1	<0.1	12	<0.5	4.8	6.1	1.7	<0.01	<0.5	8.5	<1	<0.1	<5	24	30
TMW-09	TMW-9-50_P_50_063098_1	50		<5	8.7	190	<0.1	<0.1	24	<0.5	11	31	5.9	<0.01	<0.5	24	<1	<0.1	<5	35	74
U-4	U_4_10	10	26000	0.35B	3.8	127	0.67	0.61	26.1		10.5	21.7	5.5	0.047B	1.7B	19.5	<0.5	<1	1.9	59.5	61
U-4	U_4_15	15	29200	0.52B	6.1	150	0.78	0.98	34.9		12.5	86	9.5	0.041B	1.7B	25.3	<0.5	<1	2.2	73.9	101
U-4	U_4_20	20	23500	0.9B	6.8	131	0.65	0.92	27		10.9	27.9	5.9	0.078B	1.6B	19.5	<0.5	0.68B	3.3	56.7	62.7
WELL-2-OC1	WELL-2-OC1_P_0_072498_1	0		<5	5.3	21	<0.1	<0.1	11	<0.5	3.4	93	8.9	<0.01	<0.5	25	<1	<0.1	<5	9	63
WL-GS-12	WL-GS-12-2'_P_2_100197_1	2		<5	<1	110	<0.1	<0.1	24	<0.5	6.8	10	<1	<0.01	<0.5	8.8	<1	<0.1	<5	41	39
X-40	X_40_5	5	32500	1.1B	4.2	101	0.9	<0.5	34.7		11.9	22	5.4	0.043B	1.6B	23.4	<0.5	<1	0.96B	65.7	66.5
X-40	X_40_10	10	29100	1B	4	173	0.76	0.2B	30.3		13.4	27.2	5.8	0.045B	1.6B	22.4	<0.5	<1	0.65B	62.8	74.9
X-40	X_40_15	15	26000	<6	4.6	222	0.71	0.31B	27.8		11.7	28.4	4.9	0.057B	1.4B	20.1	<0.5	<1	<1	59.2	74.6
Y-21	Y-21-5	5	43300	0.85B	5.8	181	1.1	<0.5	44	<0.1	14.4	24.6	6.7	0.072B	2.6B	23.3	<0.5	<1	1.2	84.6	78.7
Y-21	Y-21-10	10	22000	0.55B	3.9	126	0.67	0.14B	25.9		12.6	22.6	5.1	0.03B	1.4B	19.8	<0.5	<1	1.2	56.9	62.6
Y-21	Y-21-15	15	26200	0.79B	5.2	173	0.7	0.17B	33.2		14.1	28.1	6.1	0.044B	1.5B	24.1	<0.5	<1	1.5	67.2	71.6
Y-27	Y-27-5	5	35700	0.94B	6	194	0.94	0.13B	36.9		13.3	22.8	6.7	0.071B	1.7B	26.1	<0.5	<1	1.6	73.6	73.1
Y-27	Y-27-10	10	34300	0.95B	6.9	169	0.96	0.38B	44	<0.1	16.6	42.9	7.1	0.046B	2.6B	31.4	<0.5	<1	1.9	84.8	89.5
Y-27	Y-27-15	15	29300	1.1B	5.5	208	0.79	0.3B	34.7		13.8	34	5.6	0.095B	2.4B	23.2	<0.5	<1	1.3	69.7	83
Y-37	Y-37-5	5	32600	0.79B	5.2	146	0.86	0.32B	37.3		14.2	33	6.6	0.045B	1.9B	26.3	<0.5	<1	1.4	74.1	79.5
Y-37	Y-37-10	10	31500	0.87B	6.4	158	0.86	0.4B	37.2		14.9	37.7	7	0.04B	2.8B	29.6	<0.5	<1	1.9	78.7	80.7
Y-37	Y-37-15	15	33100	1.4B	6	219	0.87	0.17B	36.7		15.7	39.6	6.1	0.05B	3.2B	26	<0.5	<1	2.1	80.5	96.8

Notes:
All concentrations reported in mg/kg
B = Estimated concentration
Bold = Detected concentration
Blank = Data not available or sample not analyzed

QA/QC by:_____
Date:_____

See notes on page 28

BOE-C6-0182558

Table 10
Total Petroleum Hydrocarbons in Soil Samples (mg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

			Summary				Carbon Chain Range											
Object Name	Sample Name	Sample Depth (feet)	Gasoline Range (C6-C11)	Diesel Range (C12-C23)	Heavy Hydro-carbons (>C23)	Total	C6-C8	C8-C9	C10-C11	C12-C13	C14-C15	C16-C17	C18-C19	C20-C23	C24-C27	C28-C31	C32-C35	C36-C39	C40+
01-03	1_3_10	10				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
01-03	1_3_20	20				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
01-03	1_3_25	25				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
01-03	1_3_30	30				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
01-03	1_3_40	40				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
01-03	1_3_50	50				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
01-03	1_3_60	60	<1			<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
01-04	1-4-1_P_1_030397_1	1	<5	<5		<5													
01-04	1-4-4_D_4_030397	4	<5	<5		<5													
01-04	1-4-4_P_4_030397_1	4	<5	<5		<5													
01-04	1-4-10_D_10_030397	10	<5	42		42													
01-04	1-4-10_P_10_030397_1	10	<5	44		44													
01-04	1-4-20_P_20_030397_1	20	<5	<5		<5													
01-05	1-5-6in_P_0.5_030397_1	0.5	<5	<5		<5													
01-06	1_6_10	10	0.11J B			<10	0.11J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
01-06	1_6_20	20	<1			<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
01-06	1_6_25	25				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
01-06	1_6_30	30				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
01-06	1_6_40	40				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
01-06	1_6_50	50				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
01-06	1_6_60	60				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
01-31	1_31_1_20	20				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
01-31	1_31_1_25	25				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
01-31	1_31_1_30	30				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
02-12	2-12-4_P_4_031397_1	4	<5	<5		<5													
02-33	2-33-1_D_1_031897	1	<5	<5		<5													
02-33	2-33-1_P_1_031897_1	1	<5	<5		<5													
02-33	2_33_20	20				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
02-33	2_33_25	25				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
02-33	2_33_30	30				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
02-33	2_33_40	40				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
02-33	2_33_50	50				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
02-33	2_33_60	60				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
2-199	2_199_5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
2-199	2_199_10	10				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
2-199	2_199_15	15				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
2-211	2_211_5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
2-211	2_211_10	10				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
2-211	2_211_15	15				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
04-01	4-1-1_P_1_031897_1	1	<5	<5		<5													
04-01	4-1-4_P_4_031897_1	4	<5	<5		<5													
04-02	4-2-1_P_1_031897_1	1	<5	<5		<5													
29_T_1	29_T_1_10	10				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
29_T_1	29_T_1_15	15				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
29_T_1	29_T_1_20	20				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
29_T_2	29_T_2_10	10				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
29_T_2	29_T_2_15	15				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
29_T_2	29_T_2_20	20				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
2BB-1-1	2BB-1-1-20_P_20_050697_1	20	<5			<8													
2BB-1-1A	2BB-1-1A-1_P_1_050697_1	1	<5			<8													
2BB-1-1A	2BB-1-1A-4_P_4_050697_1	4	<5			<8													
2BB-1-4	2BB-1-4-1_P_1_041797_1	1		<10	74	74													
2BB-1-5	2BB-1-5-1_P_1_041797_1	1		<10	<10	<10													
2BB-1-14	2BB-1-14-1_P_1_050597_1	1	<5			15													
2BB-1-14	2BB-1-14-4_P_4_050597_1	4	<5			<8													
2BB-1-14	2BB-1-14-15_P_15_050597_1	15	<5			<8													
2BB-1-15	2BB-1-15-1_P_1_050597_1	1	<5			35													
2BB-1-15	2BB-1-15-4_P_4_050597_1	4	<5			12													
2BB-1-15	2BB-1-15-25_P_25_050597_1	25	<5			<8													
2BB-1-16	2BB-1-16-10_P_10_050597_1	10	<5			<8													

See notes on page 22

BOE-C6-0182559

Table 10
Total Petroleum Hydrocarbons in Soil Samples (mg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

			Summary				Carbon Chain Range												
Object Name	Sample Name	Sample Depth (feet)	Gasoline Range (C6-C11)	Diesel Range (C12-C23)	Heavy Hydro-carbons (>C23)	Total	C6-C8	C8-C9	C10-C11	C12-C13	C14-C15	C16-C17	C18-C19	C20-C23	C24-C27	C28-C31	C32-C35	C36-C39	C40+
2BB-1-16	2BB-1-16-20_P_20_050597_1	20	<5			<8													
2BB-1-19	2BB-1-19-1_P_1_040197_1	1		<10	2200	2200													
2BB-1-19	2BB-1-19-4_P_4_040197_1	4		<10	<10	<10													
2BB-1-20	2BB-1-20-4_P_4_040197_1	4		<10	1800	1800													
2BB-1-20	2BB-1-20-10_P_10_040197_1	10		<10	<10	<10													
2BB-1-38	2BB-1-38-4_P_4_042597_1	4	<5			<8													
2BB-1-38	2BB-1-38-10_P_10_042597_1	10	<5			<8													
2BB-1-38	2BB-1-38-20_P_20_042597_1	20	<5			<8													
2BB-4-1	2BB-4-1-10_P_10_041697_1	10		<10	<10	<10													
2BB-4-2	2BB-4-2-1_P_1_041697_1	1		<10	250	250													
2BB-4-2	2BB-4-2-4_P_4_041697_1	4		<10	210	210													
2BB-4-3	2BB-4-3-1_P_1_041697_1	1		<10	330	330													
2BB-4-4	2BB-4-4-1_P_1_041697_1	1		<10	19	19													
2BB-4-5	2BB-4-5-1_P_1_041697_1	1		<10	13	13													
2BB-4-5	2BB-4-5-4_P_4_041697_1	4		<10	40	40													
2BB-5-10	2BB-5-10-1_P_1_050697_1	1	<5			<8													
2BB-5-10	2BB-5-10-4_P_4_050697_1	4	<5			11													
2BB-5-12	2BB-5-12-1_P_1_050697_1	1	<5			32													
2BB-5-12	2BB-5-12-10_P_10_050697_1	10	<5			<8													
2BB-5-12	2BB-5-12-20_P_20_050697_1	20	<5			<8													
2BB-5-13	2BB-5-13-1_P_1_042297_1	1		<10	<10	<10													
2BB-5-14	2BB-5-14-1**_P_1_042297_1	1		<10	<10	<10													
2BB-5-16	2BB-5-16-1_P_1_042397_1	1		<10	200	200													
2BB-5-16	2BB-5-16-4_P_4_042397_1	4		<10	140	140													
2BB-5-16	2BB-5-16-7_P_7_042397_1	7		18000	<10	18000													
2BB-5-16	2BB-5-16-10_P_10_042397_1	10		15000	<10	15000													
2BB-5-17	2BB-5-17-1_P_1_042197_1	1		<10	250	250													
2BB-5-17	2BB-5-17-4_P_4_042197_1	4		<10	1200	1200													
2BB-5-20	2BB-5-20-1_P_1_041797_1	1		<10	5900	5900													
2BB-5-44	2BB-5-44-1_P_1_042197_1	1		<10	<10	<10													
2BB-5-44	2BB-5-44-4_P_4_042197_1	4		<10	<10	<10													
2BB-5-45	2BB-5-45-4_P_4_042197_1	4		<10	98	98													
2BB-5-48	2BB-5-48-1_P_1_042197_1	1		<10	46	46													
2BB-5-48	2BB-5-48-4_P_4_042197_1	4		<10	50	50													
2BB-36-2	2BB-36-2-4_P_4_040197_1	4		<10	<10	<10													
2BB-36-3	2BB-36-3-5_P_5_040197_1	5		<10	<10	<10													
2BB-36-6	2BB-36-6-4_P_4_040297_1	4		<10	70	70													
2BB-36-6	2BB-36-6-10_P_10_040297_1	10		<10	<10	<10													
2BB-36-6	2BB-36-6-25_P_25_040297_1	25		<10	<10	<10													
2BB-36-6	2BB-36-6-30_P_30_040297_1	30		<10	<10	<10													
2BB-36-6	2BB-36-6-35_P_35_040297_1	35		<10	<10	<10													
2BB-36-9	2BB-36-9-10	10		<10		<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
2BB-36-9	2BB-36-9-20	20				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
2BB-36-9	2BB-36-9-25	25	0.25J			<10	0.25J	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
2BB-36-9	2BB-36-9-30	30	0.41J			<10	0.41J	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
2BB-36-9	2BB-36-9-40	40	0.84J			<10	0.84J	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
2BB-36-9	2BB_36_9_50	50	1.3			<10	1.3	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
2BB-36-9	2BB_36_9_60	60	16			<10	16	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
2BB-36-10	2BB-36-10-10_P_10_041197_1	10		<10	<10	<10													
2BB-36-11	2BB-36-11-10	10				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
2BB-36-11	2BB-36-11-20	20	0.16J			<10	0.16J	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
2BB-36-11	2BB-36-11-25	25				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
2BB-36-11	2BB-36-11-25_P_25_041497_1	25		<10	<10	<10													
2BB-36-11	2BB-36-11-30	30				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
2BB-36-11	2BB-36-11-40	40	0.4J			<10	0.4J	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
2BB-36-11	2BB-36-11-50	50	0.94J			<10	0.94J	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
2BB-36-11	2BB-36-11-60	60	98			<10	98	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
2BB-36-13	2BB-36-13-1.5_P_1.5_042497_1	1.5		<10	1300	1300													
2BB-36-13	2BB-36-13-4.5_P_4.5_042497_1	4.5		<10	18	18													
2BB-36-13	2BB-36-13-9.5_P_9.5_042497_1	9.5		<10	240	240													

See notes on page 22

BOE-C6-0182560

Table 10
Total Petroleum Hydrocarbons in Soil Samples (mg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

			Summary				Carbon Chain Range												
Object Name	Sample Name	Sample Depth (feet)	Gasoline Range (C6-C11)	Diesel Range (C12-C23)	Heavy Hydro-carbons (>C23)	Total	C6-C8	C8-C9	C10-C11	C12-C13	C14-C15	C16-C17	C18-C19	C20-C23	C24-C27	C28-C31	C32-C35	C36-C39	C40+
2BB-36-13	2BB-36-13-19.5_P_19.5_042497_1	19.5		3700	110	3810													
2BB-36-13	2BB-36-13-29.5_P_29.5_042497_1	29.5		25	<10	25													
2BB-36-13	2BB-36-13-39.5_P_39.5_042497_1	39.5		<10	<10	<10													
2BB-36-14	2BB-36-14-4_P_4_042597_1	4	<5			<8													
2BB-36-14	2BB-36-14-10_P_10_042597_1	10	<5			<8													
2BB-36-14	2BB-36-14-20_P_20_042597_1	20	<5			<8													
2BB-36-14	2BB-36-14-30_P_30_042597_1	30	<5			<8													
2BB-36-15	2BB-36-15-4_P_4_042397_1	4		<10	<10	<10													
2BB-36-16	2BB-36-16-1_P_1_042297_1	1		<10	14	14													
2BB-36-17	2BB-36-17-10_P_10_042497_1	10		<10	50	50													
3-0-1	3_0_1_30	30				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
3-0-1	3_0_1_40	40	0.2J			<10	0.2J	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
3-0-1	3_0_1_50	50	0.14J		<10	<10	0.14J	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
3-0-1	3_0_1_60	60				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
AK-14-1	AK_14_1	12	10	288	9.1J	310	<1	<10	10	40	74	86	58	30	9.1J	<10	<10	<10	<10
AK-14-2	AK_14_2	12				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
AK-14-3	AK_14_3	12	14	295	6.5J	320	<1	<10	14	48	76	88	57	26	6.5J	<10	<10	<10	<10
AK-14-4	AK_14_4	13		621	152	780	<1	<20	<20	27	94	180	190	130	58	38	38	18J	<20
AK-14-5	AK_14_5	13	1029.8	9440	93J	1100	9.8	210	810	1700	2700	2700	1700	640	93J	<100	<100	<100	<100
B-22	B_22_5'	5	0.21J B			<10	0.21J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
B-22	B_22_10'	10	0.18J B			<10	0.18J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
B-37-1	37-1_P_10_011188_1	10				140													
B37-GS-214	B37-GS-214-6'_P_6_103097_1	6		<8	17000	17000					2500				17000				
B41-GS-3	B41-GS-3-2'_P_2_092997_1	2		<8		<8													
B41-GS-4	B41-GS-4-3'_P_3_092997_1	3		<8		<8													
B41-GS-5	B41-GS-5-1'_P_1_092997_1	1		<8	160	160					3800				160				
B41-GS-6	B41-GS-6-1'_P_1_092997_1	1		<8		<8													
Bldg_1_B15_16	Bldg_1_B15_092701_16	16	0.17JB	8.5J	45.6	62	0.17JB	<10	<10	<10	<10	<10	<10	8.5J	13	9.1J	9.6J	6.7J	7.2J
Bldg-2-AK-14	Bldg_2_AK_14_072501_1	12	1286.3	14000	450	14000	6.3	280	1000	2000	3200	3300	2100	1100	320	130J	<200	<200	<200
Bldg-2-T-20-B27 Center	Bldg_2_T_20_071901_B27 Center	27	234	5620	670	6600	14	<200	220	660	1400	1800	1200	560	320	220	130J	<200	<200
Bldg-2-T-20-B27 East	Bldg_2_T_20_071901_B27 East	27	389	9380	1260	11000	19	<200	370	1200	2200	3000	2000	980	550	370	240	100J	<200
Bldg-2-T-20-B29 West	Bldg_2_T_20_071901_B29 West	29	510	13100	1610	15000	20	<200	490	1700	3100	3900	2700	1700	820	510	280	<200	<200
Build_32_M_17	Build_32_M_17_041701_1	3			12.4	20	<1	<10	<10	<10	<10	<10	<10	<10	<10	6.8J	5.6J	<10	<10
Build_32_M_18	Build_32_M_18_041701_1	3	0.13J	<10		<10	0.13J	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
BUILD-1-1-22-1	BUILD_1_1_22_1	1		136	4430	4500	<1	<50	<50	<50	<50	<50	40J	96	180	410	510	730	2600
BUILD-1-1-22-2	BUILD_1_1_22_2	1		177	1396	1600	<1	<50	<50	<50	<50	36J	56	85	96	180	190	260	670
BUILD-1-1-22-3	BUILD_1_1_22_3	1		6.3J	372.6	380	<1	<10	<10	<10	<10	<10	<10	6.3J	9.6J	28	40	65	230
BUILD-1-1-22-4	BUILD_1_1_22_4	7		<10		<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
BUILD-1-1-22-9	BUILD_1_1_22_9	1	0.17J			<10	0.17J	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
BUILD-1-A-12-1	Build_1_A_12_051801_1	5	0.21J	29	122	160	0.21J	<10	<10	<10	<10	<10	9.2J	20	20	25	24	28	25
BUILD-1-A-4-1	Build-1-A-4-112900-1	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
BUILD-1-A-4-2	Build-1-A-4-120100-2	5	325	250		260	75	250	<20	<20	<20	<20	<20	<20	<20	<20	<20	<20	<20
BUILD-1-B-15-10	BUILD_1_B_15_092701_10	10	0.13J	<10		5.7J	0.13J	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
BUILD-1-D-3-1	Build-1-D-3-120400-1	5		1400	7500	9400	<1	<500	<500	<500	<500	<500	<500	1400	3200	2900	1400	<500	<500
BUILD-1-D-3-2	Build_1_D_3_050401_2	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
BUILD-1-M-10-1	BUILD_1_M_10_041901_1	6	210	5280	1430	6900	<20	<100	210	970	1500	1100	840	870	440	250	180	230	330
BUILD-1-M-10-3	BUILD_1_M_10_050201_3	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
BUILD-1-M-10-4	BUILD_1_M_10_050201_4	10				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
BUILD-1-M-10-5	BUILD_1_M_10_050201_5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
BUILD-1-M-11-1	BUILD_1_M_11_041901_1	3				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
BUILD-1-M-11-2	BUILD_1_M_11_041901_2	6				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
BUILD-1-M-12-1	BUILD_1_M_12_041801_1	3	250	5290	1140	6700	<20	<200	250	1100	1500	1300	760	630	340	240	250	310	<200
BUILD-1-M-12-2	BUILD_1_M_12_041801_2	6	230	4850	1670	6700	<10	<100	230	1100	1600	1100	630	420	280	280	330	410	370
BUILD-1-M-12-3	BUILD_1_M_12_050201_3	6			11	23	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	11
BUILD-1-M-12-4	BUILD_1_M_12_050201_4	13				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
BUILD-1-M-12-5	BUILD_1_M_12_050201_5	6				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
BUILD-1-M-13-1	BUILD_1_M_13_041801_1	3	75J	2490	2250	4800	<10	<100	75J	420	710	620	400	340	350	410	410	430	650
BUILD-1-M-13-2	BUILD_1_M_13_041801_2	6				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
BUILD-1-M-14-1	BUILD_1_M_14_041801_1	3	740	16200	5810	23000	<40	<200	740	3800	5400	3600	2200	1200	770	940	1200	1100	1800
BUILD-1-M-14-2	BUILD_1_M_14_041801_2	6	310	5860	2330	8500	<20	<100	310	1500	1900	1200	780	480	350	380	460	360	780

See notes on page 22

BOE-C6-0182561

Table 10
Total Petroleum Hydrocarbons in Soil Samples (mg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

			Summary				Carbon Chain Range											
Object Name	Sample Name	Sample Depth (feet)	Gasoline Range (C6-C11)	Diesel Range (C12-C23)	Heavy Hydro-carbons (>C23)	Total	C6-C8	C8-C9	C10-C11	C12-C13	C14-C15	C16-C17	C18-C19	C20-C23	C24-C27	C28-C31	C32-C35	C36-C39	C40+
BUILD-1-M-14-3	Build_1_M_14_050101_3	10	60J	2300	432	2800	<1	<100	60J	210	600	520	470	500	290	90J	52J	<100	<100
BUILD-1-M-14-4	BUILD_1_M_14_050201_4	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
BUILD-1-M-14-5	BUILD_1_M_14_050201_5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
BUILD-1-M-16-1	Build_1_M_16_041801_1	3	67J	2500	352	3000	0.24J	<100	67J	470	670	500	480	380	190	83J	79J	<100	<100
BUILD-1-M-16-2	Build_1_M_16_041801_2	6	17	620	159	800	0.26J	<10	17	110	200	140	100	70	45	26	29	22	37
BUILD-1-M-16-3	BUILD_1_M_16_050301_3	21	770	12800	1320	15000	1.5B	<200	770	3300	3100	2600	2200	1600	790	340	190J	<200	<200
BUILD-1-M-16-4	BUILD_1_M_16_050301_4	10				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
BUILD-1-M-16-5	BUILD_1_M_16_050301_5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
BUILD-1-N-15-1	BUILD_1_N_15_040901_1	1		295	64.9	360	<1	<10	<10	66	99	64	43	23	15	15	17	12	5.9J
BUILD-1-N-15-2	BUILD_1_N_15_040901_2	6				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
BUILD-2-0-14-1	BUILD_2_0_14_041601_01	1			26.4	38	<1	<10	<10	<10	<10	<10	<10	<10	<10	9.1J	6.1J	5.9J	5.3J
BUILD-2-0-19-1	Build_2_0_19_042401_1	32		<10	6.7	39	<1	<10	<10	<10	<10	<10	<10	<10	<10	6.7J	<10	<10	<10
BUILD-20-L-23-2	BUILD_20_L_23_032101_2	9	12	228	282	530	<1	<10	12	24	40	56	54	54	34	46	50	52	100
BUILD-20-L-23-6	BUILD_20_L_23_032101_6	4				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
BUILD-20-L-23-9	Build_20_L_23_051101_9	7		788	1150	1900	<1	<20	<20	<20	38	180	300	270	140	160	170	200	480
BUILD-20-L-23-10	Build_20_L_23_052301_10	10		47	149	200	<1	<10	<10	<10	5.4J	12	14	16	15	23	42	29	40
BUILD-20-M-23-1	BUILD_20_M_23_032101_1	4	84J	2460	3100	5600	0.29J B	<100	84J	340	650	640	480	350	330	450	670	650	1000
BUILD-20-M-23-3	BUILD_20_M_23_032101_3	4				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
BUILD-20-M-23-4	BUILD_20_M_23_032101_4	4		891	1200	2200	<1	<50	<50	31J	71	150	260	410	360	280	270	190	100
BUILD-20-M-23-5	BUILD_20_M_23_032101_5	4				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
BUILD-20-M-23-7	BUILD_20_M_23_032201_7	7	6.4J	86	441	540	<1	<10	6.4J	11	14	18	19	24	37	70	88	96	150
BUILD-20-M-23-8	Build_20_M_23_050301_8	6				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
BUILD-2-AA-20-1	BUILD_2_AA_20_040301_1	2				8.6J	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
BUILD-2-AB-20-1	Build_2_AB_20_020901_01	0		161	26	220	<1	<10	<10	5.7J	25	58	54	24	9J	10	10	10	17
BUILD-2-AB-20-2	BUILD_2_AB_20_040301_2	2				8.6J	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
BUILD-2-AB-20-2A	Build_2_AB_20_051701_2A	5	0.1J			<10	0.1J	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
BUILD-2-AC-1	BUILD_2_AC_031401_1	7				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
BUILD-2-AC-20-2	BUILD_2_AC_20_040301_2	2				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
Build-2-AD-14-1	Build_2_AD_14_042601_1	3	300	5350	3240	8900	<1	<200	300	1500	1600	1100	540	610	410	580	540	510	1200
Build-2-AD-14-2	Build_2_AD_14_042601_2	5		36.9	92	130	<1	<10	<10	<10	8.9J	9.6J	8.4J	10	10	14	15	14	39
Build-2-AD-14-3	Build_2_AD_14_042601_3	3				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
Build-2-AD-14-4	Build_2_AD_14_042601_4	3		71	438	510	<1	<10	<10	<10	11	18	20	22	28	59	66	75	210
BUILD-2-AD-20-1	BUILD_2_AD_20_040301_1	2				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
BUILD-2-AE-13-1	Build -2-AE-13-030901-1	0.5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
BUILD-2-AF-16-1	BUILD_2_AF_16_040301_1	1		<10		<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
BUILD-2-AF-17-1	Build_2_AF_17_020901_01	1	183.8	3220	680	4100	3.8	<50	180	500	860	890	640	330	160	140	150	100	130
BUILD-2-AF-17-2	BUILD_2_AF_17_032901_2	13	123	2000	531	2300	39J	<50	84	260	350	500	390	140	100	110	110	71	140
BUILD-2-AF-17-3	BUILD_2_AF_17_032901_3	17				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
BUILD-2-AF-17-4	BUILD_2_AF_17_032901_4	10				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
BUILD-2-AF-18	BUILD_2_AF_18_032901_1	10				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
BUILD-2-AG-14-1	Build_2_AG_14_020901_01	1		90	920	1000	<1	<20	<20	<20	<20	11J	23	67	130	200	210	210	170
BUILD-2-AG-14-2	Build_2_AG_14_052301_2	10				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
BUILD-2-AG-16-1	Build_2_AG_16_020901_01	1	35	827	194	1100	<1	<20	35	120	190	260	180	77	42	40	37	31	44
BUILD-2-AG-17-1	BUILD_2_AG_17_032901_1	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
BUILD-2-AG-20-1	BUILD_2_AG_20_040301_1	2				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
BUILD-2-AH-20-1	BUILD_2_AH_20_040301_1	2				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
BUILD-2-AI-20-1	BUILD_2_AI_20_040301_1	2				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
BUILD-2-AJ-20-1	BUILD_2_AJ_20_040301_1	2				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
BUILD-2-AK-11-1	BLDG2_AK_11_1	2		145	602	760	<1	<10	<10	<10	17	48	50	30	34	88	120	160	200
BUILD-2-AK-11-2	BLDG2_AK_11_2	3		144	549	690	<1	<20	<20	<20	18J	49	50	27	39	80	120	160	150
BUILD-2-AK-11-3	BLDG2_AK_11_3	2				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
BUILD-2-AK-11-4	BLDG2_AK_11_4	2	18J	1078	314	1400	<1	<20	18J	190	380	280	160	68	47	63	70	78	56
BUILD-2-AK-11-5	BLDG2_AK_11_5	3		311	143	460	<1	<10	<10	46	120	78	48	19	16	23	32	37	35
BUILD-2-AK-13	Build_2_AK_13_021901	3	9.5J	571	120	700	<1	<10	9.5J	110	200	150	83	28	21	26	32	29	12
BUILD-2-AK-13-2	Build_2_AK_13_051401_2	3				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
BUILD-2-AK-16	BUILD_2_AK_16_032701_3	3				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
BUILD-2-AK-17-1	Build_2_AK_17_021501_1	1	1245	12590	190	14000	15	130J	1100	2500	3500	3400	2300	890	190J	<200	<200	<200	<200
BUILD-2-AK-17-2	BUILD_2_AK_17_032701_2	9	1233.6	15000	1270	15000	3.6	130J	1100	2400	3100	3400	2300	1300	390	280	230	370	<200
BUILD-2-AK-17-4	BUILD_2_AK_17_032701_4	4	26	546	43	630	<1	<20	26	85	130	160	110	61	18J	14J	11J	<20	<20
BUILD-2-AK-17-5	BUILD_2_AK_17_032701_5	4				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10

See notes on page 22

BOE-C6-0182562

Table 10
Total Petroleum Hydrocarbons in Soil Samples (mg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

			Summary				*Carbon Chain Range*											
Object Name	Sample Name	Sample Depth (feet)	Gasoline Range (C6-C11)	Diesel Range (C12-C23)	Heavy Hydro-carbons (>C23)	Total	C6-C8	C8-C9	C10-C11	C12-C13	C14-C15	C16-C17	C18-C19	C20-C23	C24-C27	C28-C31	C32-C35	C36-C39	C40+
BUILD-2-AK-17-6	BUILD_2_AK_17_032701_6	3				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
BUILD-2-AK-20-1	BUILD_2_AK_20_040301_1	2				6.2J	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
BUILD-2-AN-14-3	Build_2_AN_14_052301_3	0.5		<10		<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
BUILD-2-AN-19-1	BUILD_2_AN_19_051001_1	0			89	100	<1	<10	<10	<10	<10	<10	<10	6J	14	32	28	15	<10
BUILD-2-AN-20-1	BUILD_2_AN_20_051001_1	1.5		14	77.5	96	<1	<10	<10	<10	<10	<10	5.3J	9.2J	15	29	25	8.5J	<10
BUILD-2-AN-23-1	Build_2_AN_23_051001_1	1.5		34	22	68	<1	<10	<10	<10	<10	<10	13	21	11	11	<10	<10	<10
BUILD-2-M-9-1	Build_2_M_9_041701_1	3				12	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
BUILD-2-M-9-2	Build_2_M_9_041701_2	6				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
BUILD-2-M-10-6	Build_2_M_10_052501_6	26		84	6.2J	98	<1	<10	<10	12	24	21	14	13	6.2J	<10	<10	<10	<10
BUILD-2-M-10-7	Build_2_M_10_052901_7	30	6.1J	326	53.5	390	<1	<10	6.1J	42	82	81	59	62	34	13	6.5J	<10	<10
BUILD-2-M-10-8	BUILD_2_M_10_053101_8	22	650	13100	1220	15000	0.28J	<500	650	2400	3600	2800	2200	2100	890	330J	<500	<500	<500
BUILD-2-N-10-9	BUILD_2_N_10_053101_9	27				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
BUILD-2-N-10-10	BUILD_2_N_10_053101_10	27				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
BUILD-2-N-10-11	BUILD_2_N_10_053101_11	27				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
BUILD-2-N-16-6	Build_2_N_16_052210_6	27				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
BUILD-2-O-9-1	BUILD-2-O-9-011001-1	3	0.23J B			12	0.23J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
BUILD-2-O-9-2	BUILD_2_O_9_050101_2	5				13	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
BUILD-2-T-18-1	BUILD_2_T_18_011501_1	1	780	3430	3490	7600	320	<500	460J	330J	410J	620	870	1200	1400	1100	670	320J	<500
BUILD-2-T-18-2	BUILD_2_T_18_050101_2	5.5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
BUILD-2-T-20-1	BUILD-2-T-20-010901-1	1	2B	2780	20700	24000	2B	<500	<500	<500	520	650	680	930	3400	4900	5800	3200	3400
BUILD-2-T-20-2	BUILD_2_T_20_050101_2	18	483	9000	1770	11000	13	<200	470	1200	2500	1900	1600	1800	1000	400	240	130J	<200
BUILD-2-T-20-B16	BUILD_2_T20_071301_B16	16				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
BUILD-2-T-20-B20	BUILD_2_T20_071301_B20	20	21	710	102	860	0.29J B	<20	21	110	170	170	140	120	56	29	17J	<20	<20
BUILD-2-T-20-B21	BUILD_2_T20_071301_B21	21	507	12500	2330	15000	17	<200	490	1800	3100	3700	2600	1300	620	390	390	340	590
BUILD-2-T-20-B24	BUILD_2_T20_071301_B24	24	355	9900	3330	14000	25	<200	330	1300	2500	3100	2100	900	410	360	500	760	1300
BUILD-2-T-20-E12	BUILD_2_T20_071301_E12	12		<10		<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
BUILD-2-T-20-E19	BUILD_2_T20_071301_E19	19		1136	204	1500	<1	<100	<100	130	270	390	270	76J	<100	<100	<100	74J	130
BUILD-2-T-20-N	BUILD_2_T20_071301_N19	19				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
BUILD-2-T-20-S	BUILD_2_T20_071301_S13	13				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
BUILD-2-T-20-W15	BUILD_2_T20_071301_W15	15				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
BUILD-2-T-20-W17	BUILD_2_T20_071301_W17	17		1880	278	2200	<1	<100	<100	130	450	630	490	180	88J	61J	61J	68J	<100
BUILD-2-T-21-10	BUILD_2_T_21_071201_10	10	261	8700	1650	8600	0.94J	<200	260	950	1500	2200	1500	570	320	320	340	340	330
BUILD-2-U-9-1	Build_2_U_9_122700_1	0	250	7500		6100	<10	<200	250	1200	1600	1600	1000	360	<200	<200	<200	<200	<200
BUILD-2-V-14-1	Build_2_V_14_042501_1	1		200	122	330	<1	<10	<10	21	53	59	46	21	10	13	14	20	65
BUILD-2-V-14-2	Build_2_V_14_042501_2	4				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
BUILD-2-V-20-1	BUILD_2_V_20_040301_1	2				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
BUILD-2-W-11-1	Build_2_W_11_050401_1	2	131	4230	1900	6300	0.58J	<100	130	700	1100	920	720	790	690	580	490	140	<100
BUILD-2-W-11-2	BUILD_2_W_11_050901_2	4.5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
BUILD-2-W-11-3	Build_2_W_11_050901_3	8		69	270.2	390	<1	<10	<10	<10	7.7J	15	19	27	52	80	79	53	6.2J
BUILD-2-W-20-1	BUILD_2_W_20_040301_1	2				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
BUILD-2-X-11-1	BUILD-2-X-11-010901-1	0.5	0.23J B	242	601	850	0.23J B	<50	<50	<50	25J	70	81	66	70	91	100	130	210
BUILD-2-X-11-2	BUILD_2_X_11_043001_2	2		<10		<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
BUILD-2-X-20-1	BUILD_2_X_20_040301_1	2				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
BUILD-2-Y-20-1	BUILD_2_Y_20_040301_1	2				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
BUILD-2-Z-20-1	BUILD_2_Z_20_040301_1	1				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
BUILD-32-M-18	BUILD_32_M_18_050301_2	11			19.9	27	<1	<10	<10	<10	<10	<10	<10	<10	<10	6.4J	5.3J	<10	8.2J
BUILD-3-P-23-1	BUILD_3_P_23_040901_1	2		<10		<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
BUILD-3-P-23-2	BUILD_3_P_23_040901_2	4				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
BUILD-3-Q-23-1	BUILD_3_Q_23_040901_1	2				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
BUILD-3-Q-23-2	BUILD_3_Q_23_040901_2	4				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
BUILD-3-R-23-1	BUILD_3_R_23_040901_1	2		40.2	248	290	<1	<10	<10	<10	8.6J	11	9.6J	11	23	38	52	47	88
BUILD-3-R-23-2	BUILD_3_R_23_040901_2	4				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-1-1	C-1-1-10	10	<8	6.7	21	28													
C-1-1	C-1-1-15	15	<8	<8	<8	<8													
C-1-1	C-1-1-20	20	<8	<8	<8	<8													
C-1-2	C-1-2-5	5	<8	3.2	100	100													
C-1-2	C-1-2-10	10	<8	<8	<8	<8													
C-1-3	C-1-3-10	10	<8	<8	<8	<8													
C-1-3	C-1-3-15	15	<8	<8	<8	<8													
C-1-3	C-1-3-20	20	<8	<8	<8	<8													

See notes on page 22

BOE-C6-0182563

Table 10
Total Petroleum Hydrocarbons in Soil Samples (mg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

			Summary				*Carbon Chain Range*												
Object Name	Sample Name	Sample Depth (feet)	Gasoline Range (C6-C11)	Diesel Range (C12-C23)	Heavy Hydro-carbons (>C23)	Total	C6-C8	C8-C9	C10-C11	C12-C13	C14-C15	C16-C17	C18-C19	C20-C23	C24-C27	C28-C31	C32-C35	C36-C39	C40+
C-1-4	C_1_4_10	10				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-1-5	C-1-5-1	1	<8	<8	<8	<8													
C-1-5	C-1-5-5	5	<8	<8	<8	<8													
C-1-5	C-1-5-10	10	<8	<8	<8	<8													
C-1-6	C-1-6-5	5	<8	<8	<8	<8													
C-1-6	C-1-6-10	10	<8	<8	<8	<8													
C-1-7	C-1-7-1	1	<8	<8	<8	<8													
C-1-7	C-1-7-5	5	<8	<8	<8	<8													
C-1-8	C-1-8-2'	2	<8	16	13	29													
C-1-8	C-1-8-5	5	<8	<8	<8	<8													
C-1-8	C-1-8-10	10	<8	<8	<8	<8													
C-1-9	C-1-9-1	1	<8	10	18	28													
C-1-9	C-1-9-5	5	<8	<8	<8	<8													
C-1-9	C-1-9-10	10	<8	<8	20	20													
C-1-10	C-1-10-2	2	<8	6.8	53	60													
C-1-10	C-1-10-5	5	<8	<8	<8	<8													
C-1-10	C-1-10-10	10	<8	<8	<8	<8													
C-1-11	C-1-11-10	10	<8	<8	<8	<8													
C-1-11	C-1-11-15	15	<8	<8	<8	<8													
C-1-11	C-1-11-20	20	<8	<8	<8	<8													
C-1-14	C-1-14-3	3	<8	<8	<8	<8													
C-1-14	C-1-14-6	6	<8	<8	<8	<8													
C-1-15	C-1-15-3	3	30	590	3200	3800													
C-1-15	C-1-15-5	5	<8	1200	9800	11000													
C-1-15	C-1-15-10	10	<8	<8	<8	<8													
C-1-16	C-1-16-10	10	<8	<8	<8	<8													
C-1-16	C-1-16-15	15	<8	<8	<8	<8													
C-1-16	C-1-16-20	20	<8	<8	<8	<8													
C-1-17	C-1-17-10	10	<8	<8	<8	<8													
C-1-17	C-1-17-18	18	<8	<8	<8	<8													
C-1-17	C-1-17-20	20	<8	<8	<8	<8													
C-1-18	C-1-18-10	10	<8	<8	<8	<8													
C-1-18	C-1-18-15	15	<8	<8	<8	<8													
C-1-18	C-1-18-20	20	<8	<8	<8	<8													
C-1-19	C-1-19-1	1	<8	33	30	63													
C-1-19	C-1-19-5	5	<8	<8	<8	<8													
C-1-20	C-1-20-10	10	<8	<8	<8	<8													
C-1-20	C-1-20-15	15	<8	<8	<8	<8													
C-1-20	C-1-20-20	20	<8	<8	<8	<8													
C-1-21	C-1-21-1	1	<8	49	150	200													
C-1-21	C-1-21-5	5	<8	<8	<8	<8													
C-1-21	C-1-21-8	8	<8	<8	<8	<8													
C-1-24	C-1-24-1	1	<8	35	27	62													
C-1-24	C-1-24-5	5	<8	<8	<8	<8													
C-1-24	C-1-24-10	10	<8	<8	<8	<8													
C-1-25	C-1-25-1	1	<8	<8	<8	<8													
C-1-25	C-1-25-5	5	<8	<8	<8	<8													
C-1-25	C-1-25-10	10	<8	<8	<8	<8													
C-1-26	C-1-26-1	1	<8	64	620	680													
C-1-26	C-1-26-5	5	<8	5.8	16	22													
C-1-26	C-1-26-10	10	<8	<8	<8	<8													
C-1-27	C-1-27-1	1	<8	<8	<8	<8													
C-1-27	C-1-27-5	5	<8	<8	<8	<8													
C-1-27	C-1-27-10	10	<8	<8	<8	<8													
C-1-28	C-1-28-1	1	<8	<8	<8	<8													
C-1-28	C-1-28-5	5	<8	<8	9.9	9.9													
C-1-28	C-1-28-10	10	<8	<8	<8	<8													
C-1-31	C_1_31_15	15				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-1-31	C_1_31_20	20				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-1-33	C-1-33-1	1	<8	7.9	23	31													

See notes on page 22

BOE-C6-0182564

Table 10
Total Petroleum Hydrocarbons in Soil Samples (mg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

			Summary				Carbon Chain Range												
Object Name	Sample Name	Sample Depth (feet)	Gasoline Range (C6-C11)	Diesel Range (C12-C23)	Heavy Hydro-carbons (>C23)	Total	C6-C8	C8-C9	C10-C11	C12-C13	C14-C15	C16-C17	C18-C19	C20-C23	C24-C27	C28-C31	C32-C35	C36-C39	C40+
C-1-33	C-1-33-5	5	<8	<8	<8	<8													
C-1-33	C-1-33-10	10	<8	<8	<8	<8													
C-1-37	C-1-37-1	1	<8	15	68	83													
C-1-38	C-1-38-1	1	<8	<8	<8	<8													
C-1-38	C-1-38-5	5	<8	<8	<8	<8													
C-1-38	C-1-38-10	10	<8	<8	<8	<8													
C-1-39	C-1-39-1	1	<8	<8	<8	<8													
C-1-39	C-1-39-5	5	<8	<8	<8	<8													
C-1-39	C-1-39-10	10	<8	<8	<8	<8													
C-1-39	C-1-39-15	15	<8	<8	<8	<8													
C-1-39	C-1-39-20	20	<8	<8	<8	<8													
C-1-43	C-1-43-20	20	<8	<8	<8	<8													
C-1-43	C-1-43-24	24	<8	<8	<8	<8													
C-1-44	C_1_44_20	20				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-1-44	C_1_44_25	25				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-1-44	C_1_44_30	30				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-1-45	C-1-45-20	20	<8	<8	<8	<8													
C-1-45	C-1-45-25	25	<8	<8	<8	<8													
C-1-45	C-1-45-28	28	<8	<8	<8	<8													
C-1-47	C-1-47-5	5	<8	<8	<8	<8													
C-1-47	C-1-47-10	10	<8	<8	<8	<8													
C-1-47	C-1-47-15	15	<8	<8	<8	<8													
C-1-48	C_1_48_15	15				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-1-49	C-1-49-1	1	<8	<8	<8	<8													
C-1-49	C-1-49-5	5	<8	<8	<8	<8													
C-1-49	C-1-49-10	10	<8	5.7	2.1	7.8													
C-1-49	C-1-49-15	15	<8	<8	<8	<8													
C-1-52	C-1-52-1	1	<8	<8	<8	<8													
C-1-52	C-1-52-5	5	<8	<8	<8	<8													
C-1-140	C_1_140_15	15		1460	7150	8600	<1	<200	<200	<200	<200	<200	160J	1300	3400	2500	900	350	<200
C-1-140	C_1_140_20	20		77	484	570	<1	<20	<20	<20	<20	<20	<20	77	190	250	44	<20	<20
C-1-141	C_1_141_15	15				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-1-141	C_1_141_20	20				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-1-K-14	C-1-K-14-5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-1-K-14	C-1-K-14-10	10				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-1-O-10	C-1-O-10-5	5		15	55	65	<1	<10	<10	<10	<10	<10	<10	<10	10	12	11	7J	15
C-1-O-10	C-1-O-10-10	10				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-1-O-10	C-1-O-10-15	15				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-1-O-10	C-1-O-10-20	20				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-1-O-10	C-1-O-10-30	30				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-1-O-11	C-1-O-11-5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-1-O-11	C-1-O-11-10	10		20	202	230	<1	<10	<10	<10	<10	<10	5.2J	15	45	58	45	21	33
C-2-1	C-2-1-1	1				5.4J	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-1	C-2-1-5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-2	C_2_2_5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-2	C_2_2_10	10				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-2	C_2_2_15	15				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-3	C-2-3-1	1		<10		<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-3	C-2-3-5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-4	C-2-4-1	1				7.9J	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-4	C-2-4-5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-5	C-2-5-1	1				5.2J	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-5	C-2-5-5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-6	C-2-6-1	1				5.6J	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-6	C-2-6-5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-7	C-2-7-1	1				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-7	C-2-7-5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-8	C-2-8-1	1				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-8	C-2-8-5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-9	C-2-9-5	5		10		29	<1	<10	<10	<10	<10	<10	10	<10	<10	<10	<10	<10	<10

See notes on page 22

BOE-C6-0182565

Table 10
Total Petroleum Hydrocarbons in Soil Samples (mg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

			Summary				*Carbon Chain Range*											
Object Name	Sample Name	Sample Depth (feet)	Gasoline Range (C6-C11)	Diesel Range (C12-C23)	Heavy Hydro-carbons (>C23)	Total	C6-C8	C8-C9	C10-C11	C12-C13	C14-C15	C16-C17	C18-C19	C20-C23	C24-C27	C28-C31	C32-C35	C36-C39	C40+
C-2-10	C-2-10-1	1				5.5J	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-10	C-2-10-5	5				6.9J	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-11	C-2-11-5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-12	C-2-12-3	3				8.3J	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-13	C-2-13-5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-14	C-2-14-5	5				6.9J	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-14	C-2-14-10	10				6.3J	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-14	C-2-14-15	15				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-15	C-2-15-1	1				6.9J	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-15	C-2-15-5	5				5.7J	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-16	C-2-16-5	5				6.5J	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-17	C-2-17-1	1				7.3J	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-17	C-2-17-5	5				6.6J	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-18	C-2-18-5	5				8.4J	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-19	C-2-19-5	5				6.7J	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-20	C_2_20_5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-21	C-2-21-5	5				5.1J	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-22	C-2-22-1	1				5.6J	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-22	C-2-22-5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-23	C_2_23_5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-24	C_2_24_5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-25	C_2_25_5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-26	C_2_26_5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-26	C_2_26_10	10				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-26	C_2_26_20	20				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-26	C_2_26_25	25	0.22J			<10	0.22J	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-26	C_2_26_30	30				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-26	C_2_26_40	40	0.21J			<10	0.21J	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-26	C_2_26_50	50	0.21J			<10	0.21J	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-26	C_2_26_60	60	0.26J			<10	0.26J	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-26-1	C_2_26_1_10	10				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-26-1	C_2_26_1_20	20				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-26-1	C_2_26_1_25	25				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-26-1	C_2_26_1_30	30				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-26-1	C_2_26_1_40	40				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-26-1	C_2_26_1_50	50				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-26-1	C_2_26_1_60	60				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-262	C-2-262-5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-26-2	C_2_26_2_10	10				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-26-2	C_2_26_2_20	20				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-26-2	C_2_26_2_25	25				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-26-2	C_2_26_2_30	30				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-26-2	C_2_26_2_40	40	0.15J			<10	0.15J	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-26-2	C_2_26_2_50	50				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-26-2	C_2_26_2_60	60				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-27	C-2-27-5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-28	C-2-28-5	5		5.1J		11	<1	<10	<10	<10	<10	<10	5.1J	<10	<10	<10	<10	<10	<10
C-2-29	C-2-29-1	1				8.5J	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-29	C-2-29-5	5				8.9J	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-30	C-2-30-5	5				8.6J	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-31	C-2-31-5	5				5.2J	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-31	C-2-31-10	10				7.8J	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-31	C-2-31-15	15				7.9J	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-33	C-2-33-5	5				6.7J	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-34	C-2-34-5	5	0.17J B		<10	9.7J	0.17J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-35	C-2-35-1.5	1.5	0.17J B			5.2J	0.17J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-35	C-2-35-5	5	0.16J B			<10	0.16J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-36	C-2-36-5	5	0.16J B			<10	0.16J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-37	C-2-37-5	5	0.19J B			<10	0.19J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-38	C-2-38-1.5	1.5	0.15J B			6.5J	0.15J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10

See notes on page 22

BOE-C6-0182566

Table 10
Total Petroleum Hydrocarbons in Soil Samples (mg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

			Summary				*Carbon Chain Range*												
Object Name	Sample Name	Sample Depth (feet)	Gasoline Range (C6-C11)	Diesel Range (C12-C23)	Heavy Hydro-carbons (>C23)	Total	C6-C8	C8-C9	C10-C11	C12-C13	C14-C15	C16-C17	C18-C19	C20-C23	C24-C27	C28-C31	C32-C35	C36-C39	C40+
C-2-38	C-2-38-5	5	0.17J B			6.4J	0.17J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-42	C-2-42-5	5	0.32J B			<10	0.32J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-43	C-2-43-1.5	1.5	0.15J B			<10	0.15J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-43	C-2-43-5	5	0.16J B			<10	0.16J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-45	C-2-45-1.5	1.5	0.17J B			<10	0.17J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-45	C-2-45-5	5	0.15J B			<10	0.15J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-46	C-2-46-5	5	0.16J B			5J	0.16J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-47	C-2-47-1.5	1.5	0.18J B			5.6J	0.18J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-47	C-2-47-5	5	0.33J B			6.7J	0.33J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-48	C-2-48-5	5	0.27J B			<10	0.27J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-49	C-2-49-5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-50	C-2-50-1	1				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-50	C-2-50-5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-51	C-2-51-5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-52	C-2-52-5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-53	C-2-53-5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-53	C-2-53-10	10				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-54	C-2-54-5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-55	C-2-55-5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-58	C-2-58-1.5	1.5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-58	C-2-58-5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-59	C-2-59-1	1				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-59	C-2-59-5	5		<10		<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-60	C-2-60-5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-62	C-2-62-1	1				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-62	C-2-62-5	5				5.2J	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-66	C-2-66-5	5	0.16J B			<10	0.16J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-66	C-2-66-10	10	0.16J B			<10	0.16J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-66	C-2-66-15	15	0.15J B			<10	0.15J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-70	C-2-70-5	5	0.15J B			<10	0.15J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-70	C-2-70-10	10	0.15J B			<10	0.15J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-71	C-2-71-5	5	0.18J B			<10	0.18J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-72	C-2-72-1	1	0.16J B			<10	0.16J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-72	C-2-72-5	5	0.3J B			<10	0.3J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-72	C_2_72_10	10				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-72	C_2_72_20	20	0.2J			<10	0.2J	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-72	C_2_72_25	25				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-72	C_2_72_30	30				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-72	C_2_72_40	40				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-72	C_2_72_50	50	0.7J			<10	0.7J	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-72	C_2_72_60	60	0.12J			<10	0.12J	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-73	C-2-73-5	5	0.28J B			<10	0.28J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-74	C-2-74-1	1	0.17J B			<10	0.17J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-74	C-2-74-5	5	0.18J B			<10	0.18J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-75	C-2-75-5	5	0.18J B			<10	0.18J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-76	C-2-76-1	1	0.18J B			<10	0.18J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-76	C-2-76-5	5	0.16J B			5.7J	0.16J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-77	C-2-77-5	5	0.17J B			<10	0.17J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-78	C-2-78-1	1	0.15J B			<10	0.15J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-78	C-2-78-5	5	0.16J B			<10	0.16J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-79	C-2-79-5	5	0.16J B			6.1J	0.16J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-80	C-2-80-1	1	0.17J B			5.8J	0.17J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-80	C-2-80-5	5	0.16J B			7.4J	0.16J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-81	C-2-81-5	5	0.17J B			6.4J	0.17J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-82	C-2-82-1	1	0.26J B			<10	0.26J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-82	C-2-82-5	5	0.17J B			<10	0.17J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-83	C-2-83-5	5	0.17J B			<10	0.17J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-84	C-2-84-5	5	0.16J B			<10	0.16J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-85	C-2-85-5	5	0.15J B			5.2J	0.15J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-86	C-2-86-5	5	0.16J B			<10	0.16J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10

See notes on page 22

BOE-C6-0182567

Table 10
Total Petroleum Hydrocarbons in Soil Samples (mg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

			Summary				*Carbon Chain Range*												
Object Name	Sample Name	Sample Depth (feet)	Gasoline Range (C6-C11)	Diesel Range (C12-C23)	Heavy Hydro-carbons (>C23)	Total	C6-C8	C8-C9	C10-C11	C12-C13	C14-C15	C16-C17	C18-C19	C20-C23	C24-C27	C28-C31	C32-C35	C36-C39	C40+
C-2-87	C-2-87-5	5	0.16J B			5.8J	0.16J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-88	C-2-88-1	1	0.16J B			7.4J	0.16J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-88	C-2-88-5	5	0.16J B			5.3J	0.16J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-89	C-2-89-5	5		<10	6.9	7.6J	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	6.9J	<10	<10
C-2-89	C-2-89-10	10	0.18J B			<10	0.18J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-90	C-2-90-5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-90	C-2-90-10	10	0.17J B			<10	0.17J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-90	C-2-90-15	15	0.16J B			<10	0.16J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-91	C-2-91-5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-91	C-2-91-10	10	0.17J B			<10	0.17J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-91	C-2-91-15	15	0.17J B			<10	0.17J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-92	C-2-92-5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-92	C-2-92-10	10	0.17J B			<10	0.17J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-92	C-2-92-15	15	0.17J B			<10	0.17J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-99	C-2-99-5	5	0.16J B			<10	0.16J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-99	C-2-99-10	10	0.15J B			5.4J	0.15J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-99	C-2-99-15	15	0.16J B			<10	0.16J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-100	C-2-100-5	5	0.18J B			<10	0.18J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-100	C-2-100-10	10	0.17J B			<10	0.17J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-100	C-2-100-15	15	0.18J B			<10	0.18J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-101	C-2-101-1	1	0.19J B			5.2J	0.19J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-101	C-2-101-5	5	0.18J B			<10	0.18J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-102	C-2-102-5	5	0.16J B			<10	0.16J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-103	C-2-103-5	5	0.2J B			6.1J	0.2J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-103	C-2-103-10	10	0.17J B			<10	0.17J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-104	C-2-104-5	5	0.27J B			<10	0.27J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-104	C-2-104-10	10	0.27J B			<10	0.27J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-105	C-2-105-5	5	0.17J B			<10	0.17J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-106	C-2-106-1	1	0.16J B			<10	0.16J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-106	C-2-106-5	5	0.17J B			<10	0.17J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-109	C-2-109-5	5	0.18J B			<10	0.18J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-110	C-2-110-1	1	0.17J B			6J	0.17J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-110	C-2-110-5	5	0.15J B			<10	0.15J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-111	C-2-111-5	5	0.18J B			<10	0.18J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-112	C-2-112-5	5	0.18J B			<10	0.18J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-112	C-2-112-10	10	0.17J B			<10	0.17J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-113	C-2-113-5	5	0.17J B			<10	0.17J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-115	C-2-115-1'	1	0.17J B		6.7	52	0.17J B	<10	37	<10	<10	<10	<10	<10	6.7J	<10	<10	<10	<10
C-2-115	C-2-115-5	5	0.18J B			<10	0.18J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-116	C-2-116-5'	5	0.18J B			<10	0.18J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-116	C-2-116-10	10	0.16J B			<10	0.16J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-116	C-2-116-15'	15	0.17J B			<10	0.17J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-117	C-2-117-5	5	0.28J B			<10	0.28J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-117	C-2-117-10	10	0.27J B			<10	0.27J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-117	C-2-117-15	15	0.27J B			<10	0.27J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-119	C-2-119-5	5	0.26J B			<10	0.26J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-120	C-2-120-5'	5	0.16J B			<10	0.16J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-120	C-2-120-1'	10	0.17J B			8.1J	0.17J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-121	C-2-121-5	5	0.28J B			<10	0.28J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-122	C-2-122-1	1	0.27J B			<10	0.27J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-122	C-2-122-5	5	0.27J B			<10	0.27J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-123	C-2-123-5	5	0.26J B			<10	0.26J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-125	C-2-125-1	1	0.17J B			<10	0.17J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-125	C-2-125-5	5	0.17J B			<10	0.17J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-128	C-2-128-5	5	0.18J B			<10	0.18J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-129	C-2-129-1	1	0.18J B	5.2J		<10	0.18J B	<10	<10	<10	<10	<10	5.2J	<10	<10	<10	<10	<10	<10
C-2-129	C-2-129-5	5	0.17J B			<10	0.17J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-131	C-2-131-5	5	0.26J B			<10	0.26J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-132	C-2-132-1	1	0.26J B			<10	0.26J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-132	C-2-132-5	5	0.26J B			<10	0.26J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10

See notes on page 22

BOE-C6-0182568

Table 10
Total Petroleum Hydrocarbons in Soil Samples (mg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

			Summary				Carbon Chain Range											
Object Name	Sample Name	Sample Depth (feet)	Gasoline Range (C6-C11)	Diesel Range (C12-C23)	Heavy Hydro-carbons (>C23)	Total	C6-C8	C8-C9	C10-C11	C12-C13	C14-C15	C16-C17	C18-C19	C20-C23	C24-C27	C28-C31	C32-C35	C36-C39	C40+
C-2-133	C-2-133-5	5	0.27J B			<10	0.27J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-136	C-2-136-1	1	0.24J B		34.5	51	0.24J B	<10	<10	<10	<10	<10	<10	<10	8J	11	9.8J	5.7J	<10
C-2-136	C-2-136-5	5	0.25J B			<10	0.25J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-137	C-2-137-1	1	0.26J B			<10	0.26J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-137	C-2-137-5	5	0.26J B			<10	0.26J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-138	C-2-138-5	5	0.26J B			<10	0.26J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-139	C-2-139-2	2		161	203	390	<1	<50	<50	<50	<50	60	55	46J	69	81	53	<50	<50
C-2-139	C-2-139-5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-139	C-2-139-10	10				6J	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-140	C-2-140-1	1		288	1679	2000	<1	<100	<100	<100	<100	<100	68J	220	470	1000	69J	140	<100
C-2-140	C-2-140-5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-141	C-2-141-5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-141	C-2-141-10	10		5.5J	50.8	62	<1	<10	<10	<10	<10	<10	<10	5.5J	13	16	13	8.8J	<10
C-2-142	C-2-142-1	1				39	<1	<10	<10	<10	<10	<10	<10	<10	8J	10	7.6J	5.2J	<10
C-2-142	C-2-142-5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-143	C-2-143-5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-143	C-2-143-10	10				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-143	C_2_143_20	20				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-143	C_2_143_25	25				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-143	C_2_143_30	30		<10	<10	<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-143	C_2_143_40	40				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-143	C_2_143_50	50				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-143	C_2_143_60	60				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-145	C-2-145-6	6				5.9J	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-147	C-2-147-5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-147	C-2-147-10	10				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-147	C-2-147-15	15				5J	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-148	C-2-148-5	5				5.6J	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-149	2-149-5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-149	C_2_149_20	20				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-149	C_2_149_25	25	0.29J			<10	0.29J	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-149	C_2_149_30	30	0.3J			<10	0.3J	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-149	C_2_149_40	40				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-149	C_2_149_50	50	0.2J			<10	0.2J	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-149	C_2_149_60	60				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-150	C-2-150-5	5	0.28J B			<10	0.28J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-150	C-2-150-10	10	0.21J B			<10	0.21J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-151	C-2-151-1	1	0.2J B		12.5	25	0.2J B	<10	<10	<10	<10	<10	<10	<10	<10	6.9J	5.6J	<10	<10
C-2-151	C-2-151-5	5	0.28J B			<10	0.28J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-152	C-2-152-5	5	0.24J B			<10	0.24J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-152	C-2-152-10	10	0.23J B			<10	0.23J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-152	C-2-152-15	15	0.23J B			<10	0.23J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-153	C-2-153-5	5	0.3J B			<10	0.3J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-154	C_2_154_5	5		42.5		52	<1	<10	<10	<10	<10	<10	14	19	9.5J	<10	<10	<10	<10
C-2-154	C_2_154_10	10				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-154	C_2_154_15	15				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-160	C_2_160_5	5		<10		<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-160	C_2_160_10	10				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-160	C_2_160_20	20	0.21J			<10	0.21J	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-160	C_2_160_25	25				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-160	C_2_160_30	30	0.15J			<10	0.15J	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-160	C_2_160_40	40	0.11J			<10	0.11J	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-160	C_2_160_50	50				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-160	C_2_160_60	60				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-161	C_2_161_5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-161	C_2_161_10	10				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-162	C-2-162-1	1	0.27J B		23	30	0.27J B	<10	<10	<10	<10	<10	<10	<10	5.9J	11	<10	6.1J	<10
C-2-162	C-2-162-5	5	0.25J B		8.4	19	0.25J B	<10	<10	<10	<10	<10	<10	<10	<10	8.4J	<10	<10	<10
C-2-163	C-2-163-1	1	0.28J B	31J	261	310	0.28J B	<250	<250	<250	<250	<250	<250	<250	31J	36J	65J	61J	99J	<250
C-2-163	C-2-163-5	5	0.32J B		10330	11000	0.32J B	<100000	<100000	<100000	<100000	<100000	<100000	<100000	730J	1300J	2600J	5700J	<100000

See notes on page 22

BOE-C6-0182569

Table 10
Total Petroleum Hydrocarbons in Soil Samples (mg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

			Summary				Carbon Chain Range												
Object Name	Sample Name	Sample Depth (feet)	Gasoline Range (C6-C11)	Diesel Range (C12-C23)	Heavy Hydro-carbons (>C23)	Total	C6-C8	C8-C9	C10-C11	C12-C13	C14-C15	C16-C17	C18-C19	C20-C23	C24-C27	C28-C31	C32-C35	C36-C39	C40+
C-2-164	C-2-164-5	5	0.25J B		246.4	250	0.25J B	<10	<10	<10	<10	<10	7.2J	<10	<10	6.4J	<10	110	130
C-2-165	C_2_165_5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-165	C-2-165-5	5	0.28J B			<10	0.28J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-166	C-2-166-1	1	0.26J B			<10	0.26J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-166	C-2-166-5	5	0.27J B			<10	0.27J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-166	C-2-166-10	10	0.3J B			<10	0.3J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-167	C-2-167-5	5	0.27J B			<10	0.27J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-168	C-2-168-5	5	0.27J B			<10	0.27J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-169	C-2-169-5	5	0.25J B	8.1J		9.3J	0.25J B	<10	<10	<10	<10	<10	8.1J	<10	<10	<10	<10	<10	<10
C-2-170	C-2-170-5	5	0.26J B			<10	0.26J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-171	C-2-171-1	1	0.26J B			<10	0.26J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-171	C-2-171-5	5	0.26J B			<10	0.26J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-172	C-2-172-5	5	0.26J B			<10	0.26J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-174	C_2_174_1	1				5.3J	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-174	C-2-174-1	1	0.28J B			9.4J	0.28J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-174	C_2_174_5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-174	C-2-174-5	5	0.26J B			5.2J	0.26J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-175	C_2_175_5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-175	C-2-175-5	5	0.25J B			<10	0.25J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-177	C_2_177_1	1				5.3J	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-177	C-2-177-1	1	0.26J B			12	0.26J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-177	C_2_177_5	5				5.9J	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-177	C-2-177-5	5	0.26J B			6.2J	0.26J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-178	C_2_178_5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-178	C-2-178-5	5	0.26J B			<10	0.26J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-179	C_2_179_5	5				5.3J	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-179	C-2-179-5	5	0.26J B			<10	0.26J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-180	C_2_180_5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-180	C-2-180-5	5	0.26J B			<10	0.26J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-183	C-2-183-5	5				5.5J	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-183	C-2-183-10	10				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-183	C-2-183-15	15				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-184	C-2-184-5	5	0.25J B			5.7J	0.25J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-184	C-2-184-10	10				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-184	C-2-184-15	15				5J	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-185	C-2-185-5	5				6.5J	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-185	C-2-185-10	10				5J	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-186	C-2-186-5	5		1119	560	1700	<1	<100	<100	79J	170	130	320	420	320	240	<100	<100	<100
C-2-186	C-2-186-10	10		693	300	1000	<1	<50	<50	52	96	75	200	270	160	100	40J	<50	<50
C-2-186	C-2-186-15	15				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-186	C_2_186_20	20				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-186	C_2_186_30	30				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-187	C-2-187-5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-187	C-2-187-10	10				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-187	C-2-187-15	15				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-189	C-2-189-5	5	0.24J B			<10	0.24J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-189	C-2-189-10	10				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-189	C-2-189-15	15				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-190	C-2-190-5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-191	C-2-191-1	1				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-191	C-2-191-5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-192	C-2-192-5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-193	C-2-193-1	1				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-193	C-2-193-5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-195	C-2-195-1	1	0.27J B			<10	0.27J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-195	C-2-195-5	5	0.29J B			<10	0.29J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-195	C-2-195-10	10	0.26J B			<10	0.26J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-196	C-2-196-5	5	0.28J B			<10	0.28J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-196	C-2-196-10	10	0.28J B			<10	0.28J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-196	C-2-196-15	15	0.27J B			<10	0.27J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10

See notes on page 22

BOE-C6-0182570

Table 10
Total Petroleum Hydrocarbons in Soil Samples (mg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

			Summary				Carbon Chain Range											
Object Name	Sample Name	Sample Depth (feet)	Gasoline Range (C6-C11)	Diesel Range (C12-C23)	Heavy Hydro-carbons (>C23)	Total	C6-C8	C8-C9	C10-C11	C12-C13	C14-C15	C16-C17	C18-C19	C20-C23	C24-C27	C28-C31	C32-C35	C36-C39	C40+
C-2-197	C-2-197-1	1	0.26J B			<10	0.26J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-197	C-2-197-5	5	0.28J B			<10	0.28J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-198	C-2-198-5	5	0.28J B			<10	0.28J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-199	C_2_199_10	10				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-200	C-2-200-5	5	0.23J B			<10	0.23J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-201	C-2-201-5	5	0.27J B			<10	0.27J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-202	C-2-202-1	1	0.26J B			<10	0.26J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-202	C-2-202-5	5	0.26J B			<10	0.26J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-202	C-2-202-10	10	0.24J B			<10	0.24J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-204	C-2-204-5	5	0.23J B			<10	0.23J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-204	C-2-204-10	10	0.24J B			<10	0.24J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-204	C-2-204-15	15	0.26J B			<10	0.26J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-205	C-2-205-5	5	0.27J B			<10	0.27J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-205	C-2-205-10	10	0.3J B			<10	0.3J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-205	C-2-205-15	15	0.27J B			<10	0.27J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-207	C-2-207-20	20				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-207	C-2-207-28	28				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-208	C-2-208-10	10				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-208	C-2-208-15	15				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-208	C-2-208-20	20				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-212	C-2-212-1	1				5.5J	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-212	C-2-212-5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-213	C-2-213-5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-214	C-2-214-1	1				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-214	C-2-214-5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-215	C-2-215-5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-216	C-2-216-1	1				5.3J	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-216	C-2-216-5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-217	C-2-217-10	10	0.3J B			<10	0.3J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-217	C-2-217-15	15	0.3J B			<10	0.3J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-217	C-2-217-20	20	0.3J B			<10	0.3J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-218	C-2-218-5	5	0.26J B			<10	0.26J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-218	C-2-218-10	10	0.24J B			<10	0.24J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-218	C-2-218-15	15	0.31J B			<10	0.31J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-219	C-2-219-5	5	0.32J B			<10	0.32J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-219	C-2-219-10	10	0.31J B			<10	0.31J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-219	C-2-219-15	15	0.29J B			<10	0.29J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-220	C-2-220-5	5		18.6	78	110	<1	<10	<10	<10	<10	<10	8.7J	9.9J	15	17	24	22	<10
C-2-221	C-2-221-5	5	0.22J B			<10	0.22J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-221	C-2-221-10	10	0.26J B			<10	0.26J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-221	C-2-221-15	15	0.27J B			<10	0.27J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-223	C_2_223_5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-223	C_2_223_10	10				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-223	C_2_223_15	15				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-224	C_2_224_5	5				16	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-224	C-2-224-5	5	0.25J B			<10	0.25J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-224	C-2-224-10	10	0.3J B			<10	0.3J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-224	C-2-224-15	15	0.32J B			<10	0.32J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-225	C_2_225_5	5		<10		<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-226	C-2-226-5	5		<10		<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-226	C-2-226-10	10				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-226	C-2-226-15	15				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-227	C-2-227-10	10				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-227	C-2-227-15	15				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-228	C-2-228-5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-228	C-2-228-10	10				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-228	C-2-228-15	15				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-229	C-2-229-5	5		133	1320	1500	<1	<100	<100	<100	<100	<100	60J	73J	450	340	310	220	<100
C-2-229	C-2-229-10	10				5.9J	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-229	C-2-229-15	15	0.35J B			<10	0.35J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10

See notes on page 22

BOE-C6-0182571

Table 10
Total Petroleum Hydrocarbons in Soil Samples (mg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

			Summary				Carbon Chain Range											
Object Name	Sample Name	Sample Depth (feet)	Gasoline Range (C6-C11)	Diesel Range (C12-C23)	Heavy Hydro-carbons (>C23)	Total	C6-C8	C8-C9	C10-C11	C12-C13	C14-C15	C16-C17	C18-C19	C20-C23	C24-C27	C28-C31	C32-C35	C36-C39	C40+
C-2-230	C_2_230_5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-230	C_2_230_10	10				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-230	C_2_230_15	15				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-231	C_2_231_5	5				6.2J	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-231	C_2_231_10	10				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-231	C_2_231_15	15				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-232	C-2-232-5	5	0.23J B			9.1J	0.23J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-232	C-2-232-10	10	0.21J B			<10	0.21J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-232	C-2-232-15	15	0.26J B			<10	0.26J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-233	C-2-233-5	5	0.23J B			<10	0.23J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-234	C-2-234-5	5	0.24J B			<10	0.24J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-234	C-2-234-10	10	0.25J B			<10	0.25J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-234	C-2-234-15	15	0.26J B			<10	0.26J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-235	C-2-235-5	5	0.23J B			5.2J	0.23J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-236	C-2-236-5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-236	C-2-236-10	10				6.9J	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-236	C-2-236-15	15				7.1J	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-237	C-2-237-5	5		6.1J		8.9J	<1	<10	<10	<10	<10	<10	6.1J	<10	<10	<10	<10	<10	<10
C-2-237	C-2-237-10	10		23	124	160	<1	<10	<10	<10	<10	<10	10	13	19	24	20	22	39
C-2-237	C-2-237-15	15		5J		8.2J	<1	<10	<10	<10	<10	<10	5J	<10	<10	<10	<10	<10	<10
C-2-238	C-2-238-5	5				6.6J	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-238	C-2-238-10	10			54.2	65	<1	<10	<10	<10	<10	<10	<10	<10	5.7J	6.3J	7.2J	17	18
C-2-238	C-2-238-15	15		8.2J	77.8	100	<1	<10	<10	<10	<10	<10	8.2J	10	14	16	15	25	7.8J
C-2-239	C-2-239-5	5				6J	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-240	C-2-240-5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-240	C-2-240-10	10				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-240	C-2-240-15	15				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-241	C-2-241-5	5				5.8J	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-241	C-2-241-10	10		5.1J		9.5J	<1	<10	<10	<10	<10	<10	5.1J	<10	<10	<10	<10	<10	<10
C-2-242	C-2-242-5	5	0.59J	9270	7500	17000	0.59J	<500	<500	970	2100	2600	2200	1400	1100	1100	1100	1200	3000
C-2-243	C-2-243-5	5		6.8J	43.7	57	<1	<10	<10	<10	<10	<10	<10	<10	6.8J	9.8J	11	9.9J	13	<10
C-2-243	C-2-243-10	10		92J	1320	1500	<1	<100	<100	<100	<100	<100	<100	92J	160	210	200	220	530
C-2-243	C-2-243-15	15				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-245	C-2-245-1	1		1600	11100	14000	<1	<1000	<1000	<1000	<1000	<1000	500J	1100	1900	2300	2200	4700	<1000
C-2-245	C-2-245-5	5			25	35	<1	<10	<10	<10	<10	<10	<10	<10	5.1J	5.6J	6.3J	8J	<10
C-2-247	C-2-247-1	1	0.26J B		<10	59	0.26J B	<10	<10	<10	<10	<10	<10	<10	7.6J	10	16	<10	<10
C-2-247	C-2-247-5	5	0.26J B			<10	0.26J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-247	C-2-247-10	10	0.25J B	26.4	82.1	120	0.25J B	<10	<10	<10	<10	5.9J	8.5J	12	16	27	33	6.1J	<10
C-2-248	C-2-248-1	1	0.26J B		18.4	40	0.26J B	<10	<10	<10	<10	<10	<10	<10	7.4J	11	<10	<10	<10
C-2-248	C-2-248-5	5	0.24J B			<10	0.24J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-248	C-2-248-10	10	0.25J B			6.5J	0.25J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-249	C-2-249-5	5	0.25J B			<10	0.25J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-250	C-2-250-5	5	0.26J B			<10	0.26J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-251	C-2-251-5	5	0.25J B			<10	0.25J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-251	C-2-251-10	10	0.24J B			<10	0.24J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-251	C-2-251-15	15	0.25J B			<10	0.25J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-253	C-2-253-5	5	0.24J B			<10	0.24J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-253	C-2-253-10	10	0.28J B			<10	0.28J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-253	C-2-253-15	15	0.25J B			<10	0.25J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-254	C_2_254_5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-254	C_2_254_10	10				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-254	C_2_254_15	15				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-255	C-2-255-5	5	6J	124	55	190	0.26J B	<10	6J	18	30	33	26	17	14	18	23	<10	<10
C-2-255	C_2_255_20	20				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-255	C_2_255_25	25				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-255	C_2_255_30	30				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-255	C_2_255_40	40				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-255	C_2_255_50	50				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-255	C_2_255_60	60				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-256	C-2-256-5	5	0.25J B	78.2	144	230	0.25J B	<10	<10	6.2J	8J	17	21	26	29	36	50	29	<10

See notes on page 22

BOE-C6-0182572

Table 10
Total Petroleum Hydrocarbons in Soil Samples (mg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

			Summary				*Carbon Chain Range*												
Object Name	Sample Name	Sample Depth (feet)	Gasoline Range (C6-C11)	Diesel Range (C12-C23)	Heavy Hydro-carbons (>C23)	Total	C6-C8	C8-C9	C10-C11	C12-C13	C14-C15	C16-C17	C18-C19	C20-C23	C24-C27	C28-C31	C32-C35	C36-C39	C40+
C-2-257	C-2-257-5	5	0.25J B			<10	0.25J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-257	C-2-257-10	10				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-257	C-2-257-15	15				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-258	C_2_258_5	5			14	30	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	14
C-2-259	C-2-259-5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-260	C-2-260-5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-261	C-2-261-5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-263	C-2-263-5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-265	C_2_265_1'	1				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-265	C_2_265_5'	5		11		13	<1	<10	<10	<10	<10	<10	<10	11	<10	<10	<10	<10	<10
C-2-266	C_2_266_5'	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-267	C_2_267_1'	1		23		24	<1	<10	<10	<10	<10	<10	<10	23	<10	<10	<10	<10	<10
C-2-267	C_2_267_5'	5		27		30	<1	<10	<10	<10	<10	<10	<10	27	<10	<10	<10	<10	<10
C-2-268	C_2_268_1'	1		21		23	<1	<10	<10	<10	<10	<10	<10	21	<10	<10	<10	<10	<10
C-2-268	C_2_268_5'	5		22		24	<1	<10	<10	<10	<10	<10	<10	22	<10	<10	<10	<10	<10
C-2-271	C_2_271_1'	1		17		21	<1	<10	<10	<10	<10	<10	<10	17	<10	<10	<10	<10	<10
C-2-271	C_2_271_5'	5		23		26	<1	<10	<10	<10	<10	<10	<10	23	<10	<10	<10	<10	<10
C-2-272	C_2_272_5'	5		39.9	37.5	80	<1	<10	<10	<10	5.4J	7.6J	8.9J	18	15	10	7.1J	5.4J	<10
C-2-272	C_2_272_10'	10		29		31	<1	<10	<10	<10	<10	<10	<10	29	<10	<10	<10	<10	<10
C-2-274	C_2_274_5'	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-275	C_2_275_5'	5		13		14	<1	<10	<10	<10	<10	<10	<10	13	<10	<10	<10	<10	<10
C-2-275	C_2_275_10'	10		8.6J		9.6J	<1	<10	<10	<10	<10	<10	<10	8.6J	<10	<10	<10	<10	<10
C-2-278	C-2-278-5'	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-278	C-2-278-10'	15				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-279	C-2-279-5'	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-279	C-2-279-10'	15				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-280	C-2-280-5'	5			6.2	6.5J	<1	<10	<10	<10	<10	<10	<10	<10	6.2J	<10	<10	<10	<10
C-2-280	C-2-280-10'	15				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-281	C-2-281-5'	5		1770	330	2400	<1	<200	<200	180J	430	480	420	260	200	130J	<200	<200	<200
C-2-281	C-2-281-10'	15			6.6	<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	6.6J	<10	<10	<10
C-2-281	C-2-281-15'	15		69.9	166	240	<1	<10	<10	<10	8.9J	19	23	19	42	39	30	20	35
C-2-282	C-2-282-5'	5			18	19	<1	<10	<10	<10	<10	<10	<10	<10	18	<10	<10	<10	<10
C-2-282	C-2-282-10'	15			12	14	<1	<10	<10	<10	<10	<10	<10	<10	12	<10	<10	<10	<10
C-2-282	C-2-282-15'	15			12	14	<1	<10	<10	<10	<10	<10	<10	<10	12	<10	<10	<10	<10
C-2-283	C-2-283-5'	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-284	C-2-284-5'	5			19	22	<1	<10	<10	<10	<10	<10	<10	<10	19	<10	<10	<10	<10
C-2-290	C-2-290-5'	5			8.6	11	<1	<10	<10	<10	<10	<10	<10	<10	8.6J	<10	<10	<10	<10
C-2-290	C-2-290-10'	15				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-290	C-2-290-15'	15			7	8.1J	<1	<10	<10	<10	<10	<10	<10	<10	7J	<10	<10	<10	<10
C-2-292	C_2_292_1	1				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-292	C_2_292_5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-293	C_2_293_5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-294	C_2_294_5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-295	C_2_295_5	5			11.2	26	<1	<10	<10	<10	<10	<10	<10	<10	6.1J	5.1J	<10	<10	<10
C-2-296	C_2_296_5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-297	C_2_297_5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-297	C_2_297_10	10				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-297	C_2_297_15	15				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-298	C_2_298_5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-298	C_2_298_10	10				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-298	C_2_298_15	15				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-299	C_2_299_5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-299	C_2_299_10	10				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-300	C_2_300_5	5		<10		<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-301	C_2_301_5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-301	C_2_301_10	10				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-301	C_2_301_15	15				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-302	C_2_302_10	10				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-303	C_2_303_5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-303	C_2_303_10	10				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10

See notes on page 22

BOE-C6-0182573

Table 10
Total Petroleum Hydrocarbons in Soil Samples (mg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

			Summary				Carbon Chain Range												
Object Name	Sample Name	Sample Depth (feet)	Gasoline Range (C6-C11)	Diesel Range (C12-C23)	Heavy Hydro-carbons (>C23)	Total	C6-C8	C8-C9	C10-C11	C12-C13	C14-C15	C16-C17	C18-C19	C20-C23	C24-C27	C28-C31	C32-C35	C36-C39	C40+
C-2-303	C_2_303_15	15				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-304	C_2_304_5	5		12	22.1	40	<1	<10	<10	<10	<10	<10	<10	12	16	6.1J	<10	<10	<10
C-2-304	C_2_304_10	10				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-304	C_2_304_15	15				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-305	C_2_305_10	10				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-305	C_2_305_15	15				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-305	C_2_305_20	20				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-306	C_2_306_5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-306	C_2_306_10	10				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-306	C_2_306_15	15				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-307	C_2_307_5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-307	C_2_307_10	10		<10	23.5	25	<1	<10	<10	<10	<10	<10	<10	<10	<10	5.4J	5.3J	6.3J	6.5J
C-2-307	C_2_307_15	15				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-308	C_2_308_5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-309	C_2_309_5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-310	C_2_310_1	1				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-310	C_2_310_5	5				5.6J	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-311	C_2_311_1	1				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-311	C_2_311_5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-312	C_2_312_1	1				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-312	C_2_312_5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-312	C_2_312_10	10				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-313	C_2_313_5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-313	C_2_313_10	10				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-313	C_2_313_15	15				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-314	C_2_314_5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-314	C_2_314_10	10				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-314	C_2_314_15	15				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-314	C_2_314_20	20				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-314	C_2_314_30	30				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-315	C_2_315_30	30				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-316	C_2_316_5	5	311	6250	7500	14000	0.71J	<200	310	950	1300	1100	1100	1800	3200	2800	1500	<200	<200
C-2-316	C_2_316_10	10				7.8J	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-317	C_2_317_1	1		180	1480	1700	<1	<50	<50	<50	<50	<50	<50	180	140	330	430	460	120
C-2-317	C_2_317_5	5		297	2820	3100	<1	<50	<50	<50	<50	<50	37J	260	300	610	760	750	400
C-2-318	C_2_318_5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-318	C_2_318_10	10		46		54	<1	<10	<10	<10	<10	19	18	9.4J	<10	<10	<10	<10	<10
C-2-318	C_2_318_15	15				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-319	C_2_319_5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-319	C_2_319_10	10				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-319	C_2_319_15	15				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-320	C_2_320_5	5		138	3070	3200	<1	<50	<50	<50	<50	<50	39J	99	160	420	450	540	1500
C-2-320	C_2_320_10	10				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-320	C_2_320_15	15				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-321	C_2_321_5	5		11		18	<1	<10	<10	<10	<10	5.1J	5.9J	<10	<10	<10	<10	<10	<10
C-2-322	C_2_322_1	1				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-322	C_2_322_5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-323	C-2-323-1	1				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-323	C_2_323_5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-323	C-2-323-5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-323	C_2_323_10	10				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-324	C_2_324_1	1				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-324	C_2_324_5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-325	C_2_325_5'	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-326	C_2_326_5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-327	C_2_327_5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-327	C_2_327_10	10				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-327	C_2_327_15	15				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-328	C_2_328_5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-328	C_2_328_10	10				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10

See notes on page 22

BOE-C6-0182574

Table 10
Total Petroleum Hydrocarbons in Soil Samples (mg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

			Summary				*Carbon Chain Range*												
Object Name	Sample Name	Sample Depth (feet)	Gasoline Range (C6-C11)	Diesel Range (C12-C23)	Heavy Hydro-carbons (>C23)	Total	C6-C8	C8-C9	C10-C11	C12-C13	C14-C15	C16-C17	C18-C19	C20-C23	C24-C27	C28-C31	C32-C35	C36-C39	C40+
C-2-328	C_2_328_15	15				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-330	C_2_330_20	20				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-330	C_2_330_30	30				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-330	C_2_330_40	40				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-331	C_2_331_10	10				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-331	C_2_331_15	15				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-331	C_2_331_20	20				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-332	C_2_332_5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-333	C_2_333_35	35		18	38.3	60	<1	<10	<10	<10	<10	<10	<10	18	23	8.9J	6.4J	<10	<10
C-2-333	C_2_333_40	40		<10		<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-334	C_2_334_35	35		7.3J	30.8	44	<1	<10	<10	<10	<10	<10	<10	7.3J	13	9.1J	8.7J	<10	<10
C-2-334	C_2_334_40	40				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-335	C_2_335_35	35		12	20.2	36	<1	<10	<10	<10	<10	<10	<10	12	15	5.2J	<10	<10	<10
C-2-335	C_2_335_40	40				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-336	C_2_336_35	35	0.12J B	5.6J	7.2	16	0.12J B	<10	<10	<10	<10	<10	<10	5.6J	7.2J	<10	<10	<10	<10
C-2-336	C_2_336_40	40				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-337	C_2_337_35	35		580	830	1500	<1	<200	<200	<200	<200	<200	<200	580	630	200	<200	<200	<200
C-2-337	C_2_337_40	40				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-338	C_2_338_35	35				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-338	C_2_338_40	40				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-339	C_2_339_35	35		147	218.6	370	<1	<10	<10	<10	<10	<10	17	130	150	48	14	6.6J	<10
C-2-339	C_2_339_40	40	0.12J B			<10	0.12J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-344	C_2_344_5	5	0.29J B			6.4J	0.29J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-344	C_2_344_10	10				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-344	C_2_344_15	15				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-346	C_2_346_10	10		<10		<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-346	C_2_346_15	15				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-347	C_2_347_5	5		31	107	140	<1	<10	<10	<10	<10	<10	11	20	21	27	23	15	21
C-2-347	C_2_347_10	10				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-347	C_2_347_15	15				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-348	C_2_348_10	10				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-348	C_2_348_15	15				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-349	C_2_349_10	10				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-349	C_2_349_15	15				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-351	C_2_351_5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-351	C_2_351_10	10				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-351	C_2_351_15	15	0.23J B			<10	0.23J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-352	C_2_352_20	20	0.14J			<10	0.14J	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-352	C_2_352_25	25	0.2J			<10	0.2J	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-352	C_2_352_30	30				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-352	C_2_352_40	40		<10		<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-352	C_2_352_50	50	0.33J			<10	0.33J	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-2-352	C_2_352_60	60				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-3-1	C_3_1_5'	5	0.3J B			<10	0.3J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-3-1	C_3_1_10'	10	0.17J B			<10	0.17J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-3-3	C_3_3_10'	10				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-3-3	C_3_3_15	15				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-3-3	C_3_3_20	20				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-3-4	C_3_4_5'	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C6-CB15-S2	C6-CB15-S2_P_0.25_042098_1	0.25	<5	<8		<8													
C6-CB6-S1	C6-CB6-S1_P_0.25_042098_1	0.25	<5	<8		<8													
C-9	C-9-5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-9	C-9-10	10				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-9	C-9-15	15				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-20-1	C-20-1-1	1	<8	46	680	730													
C-20-1	C-20-1-5	5	<8	<8	<8	<8													
C-20-1	C-20-1-12	12	<8	<8	<8	<8													
C-20-2	C-20-2-1	1	<8	<8	<8	<8													
C-20-2	C-20-2-5	5	<8	<8	<8	<8													
C-20-3	C-20-3-1	1	<8	<8	<8	<8													

See notes on page 22

BOE-C6-0182575

Table 10
Total Petroleum Hydrocarbons in Soil Samples (mg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

			Summary				*Carbon Chain Range*											
Object Name	Sample Name	Sample Depth (feet)	Gasoline Range (C6-C11)	Diesel Range (C12-C23)	Heavy Hydro-carbons (>C23)	Total	C6-C8	C8-C9	C10-C11	C12-C13	C14-C15	C16-C17	C18-C19	C20-C23	C24-C27	C28-C31	C32-C35	C36-C39	C40+
C-20-3	C-20-3-5	5	<8	<8	<8	<8													
C-20-3	C-20-3-10	10	<8	<8	<8	<8													
C-20-4	C-20-4-5	5	<8	<8	<8	<8													
C-20-4	C-20-4-10	10	<8	<8	<8	<8													
C-20-4	C-20-4-15	15	<8	<8	25	25													
C-20-5	C-20-5-1	1	<8	<8	<8	<8													
C-20-5	C-20-5-5	5	<8	4.1	12	16													
C-20-6	C-20-6-1	1	<8	<8	<8	<8													
C-20-6	C-20-6-5	5	<8	<8	<8	<8													
C-29-E-8	C-29-E-8-5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-29-E-8	C-29-E-8-10	10				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-31	C_31_5'	5	0.33J B			<10	0.33J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-31	C_31_10'	10	0.17J B			<10	0.17J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-32-1	C-32-1-1	1	<8	<8	<8	<8													
C-32-1	C-32-1-5	5	<8	<8	<8	<8													
C-32-1	C-32-10-10	10	<8	<8	<8	<8													
C-32-1	C-32-10-15	15	<8	<8	<8	<8													
C-32-1	C-32-10-20	20	<8	<8	<8	<8													
C-32-2	C-32-2-5	5	<8	<8	<8	<8													
C-32-2	C-32-2-10	10	<8	<8	<8	<8													
C-32-3	C-32-3-1	1	<8	72	1400	1500													
C-32-3	C-32-3-5	5	<8	<8	<8	<8													
C-32-3	C-32-3-10	10	<8	<8	<8	<8													
C-32-4	C-32-4-1	1	<8	240	1800	2000													
C-32-4	C-32-4-5	5	<8	<8	<8	<8													
C-32-4	C-32-4-10	10	<8	<8	<8	<8													
C-32-6	C-32-6-10	10	<8	<8	<8	<8													
C-32-6	C-32-6-15	15	<8	<8	<8	<8													
C-32-6	C-32-6-20	20	<8	<8	<8	<8													
C-32-8	C32-8-10	10	<8	<8	<8	<8													
C-32-8	C-32-8-15	15	<8	<8	<8	<8													
C-32-8	C-32-8-20	20	<8	<8	<8	<8													
C-32-9	C-32-9-1	1	<8	<8	<8	<8													
C-32-9	C-32-9-5	5	<8	<8	<8	<8													
C-32-G-12	C-32-G-12-5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-32-G-12	C-32-G-12-10	10				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-66-1	C-66-1-1	1				5J	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-66-1	C-66-1-5	5				6.4J	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-66-2	C-66-2-1	1				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-66-2	C-66-2-5	5				9.7J	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-66-3	C-66-3-1	1				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-66-3	C-66-3-5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-66-4	C-66-4-1	1				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-66-4	C-66-4-5	5		75	216	290	<1	<50	<50	<50	<50	<50	16J	59	67	21J	82	34J	12J
C-66-5	C-66-5-1	1				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-66-5	C-66-5-5	5				7.1J	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-66-6	C-66-6-1	1				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-66-6	C-66-6-5	5				12	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-66-7	C-66-7-1	1				7.2J	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-66-7	C-66-7-5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-66-8	C-66-8-1'	1	0.18J B			5.7J	0.18J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-66-8	C-66-8-5'	5	0.18J B			<10	0.18J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-66-9	C-66-9-1	1				7.1J	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-66-9	C-66-9-5	5		99	735	840	<1	<100	<100	<100	<100	<100	25J	74J	75J	20J	170	330	140
C-66-10	C-66-10-1	1				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-66-10	C-66-10-5	5				9.9J	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-66-11	C-66-11-1	1				6.1J	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-66-11	C-66-11-5	5		5.6J		10	<1	<10	<10	<10	<10	<10	5.6J	<10	<10	<10	<10	<10	<10
C-66-12	C-66-12	1	0.16J B			<10	0.16J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-66-12	C-66-12-5"	5	0.17J B			8.3J	0.17J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10

See notes on page 22

BOE-C6-0182576

Table 10
Total Petroleum Hydrocarbons in Soil Samples (mg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

			Summary				Carbon Chain Range												
Object Name	Sample Name	Sample Depth (feet)	Gasoline Range (C6-C11)	Diesel Range (C12-C23)	Heavy Hydro-carbons (>C23)	Total	C6-C8	C8-C9	C10-C11	C12-C13	C14-C15	C16-C17	C18-C19	C20-C23	C24-C27	C28-C31	C32-C35	C36-C39	C40+
C-66-13	C-66-13-1	1				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-66-13	C-66-13-5	5		13.3	24.2	44	<1	<20	<20	<20	<20	<20	5.8J	7.5J	<20	9J	9.4J	5.8J	<20
C-66-14	C-66-14-1	1		5.8J	7.8	20	<1	<10	<10	<10	<10	<10	<10	5.8J	<10	<10	<10	7.8J	<10
C-66-14	C-66-14-5	5				6.9J	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-66-15	C-66-15-1	1				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-66-15	C-66-15-5	5				5.1J	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-329	C_329_1	1				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
C-329	C_329_5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
D-15	D_15_5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
D-15	D-15-10	10				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
D-15	D_15_15	15				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
D-29	D-29-5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
D-41	D_41_5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
D-41	D_41_10	10				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
F11-1	F11_1_5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
F11-1	F11_1_10	10				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
F20-1	F20_1_10	10				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
F20-1	F20_1_20	20				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
F20-1	F20_1_25	25				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
F20-1	F20_1_30	30				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
F20-1	F20_1_40	40				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
F20-2	F20_2_10	10				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
F20-2	F20_2_20	20				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
F20-2	F20_2_25	25				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
F20-2	F20_2_30	30				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
F20-3	F20_3_10	10				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
F20-3	F20_3_20	20				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
F20-3	F20_3_25	25				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
F20-3	F20_3_30	30				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
F20-4	F20_4_10	10				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
F20-4	F20_4_20	20				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
F20-4	F20_4_25	25				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
F20-4	F20_4_30	30				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
F20-5	F20_5_10	10				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
F20-5	F20_5_20	20				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
F20-5	F20_5_25	25				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
F20-5	F20_5_30	30				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
F20-5	F20_5_40	40				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
F20-5	F20_5_50	50				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
F20-5	F20_5_60	60		<10		<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
F25-5	F25_5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
F25-10	F25_10	10				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
G8	G8-5	5	0.16J B			<10	0.16J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
G8	G8-10	10				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
I-16	I_16_5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
I-16	I_16_10	10				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
I-25	I-25-5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
I-25	I-25-10	10				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
I-34	I-34-5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
I-34	I-34-5'	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
I-40	I_40_5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
I-40	I_40_10	10				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
I-40	I_40_15	15				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
J-2	J_2_5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
J-2	J_2_10	10				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
J-2	J_2_15	15				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
J-6	J_6_5	5		11	42.6	76	<1	<10	<10	<10	<10	<10	<10	11	14	10	11	7.6J	10
J-6	J_6_10	10				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
J-6	J_6_15	15				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
L-5	L_5_5	5				8J	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10

See notes on page 22

BOE-C6-0182577

Table 10
Total Petroleum Hydrocarbons in Soil Samples (mg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

			Summary				Carbon Chain Range											
Object Name	Sample Name	Sample Depth (feet)	Gasoline Range (C6-C11)	Diesel Range (C12-C23)	Heavy Hydro-carbons (>C23)	Total	C6-C8	C8-C9	C10-C11	C12-C13	C14-C15	C16-C17	C18-C19	C20-C23	C24-C27	C28-C31	C32-C35	C36-C39	C40+
L-5	L_5_10	10				8.9J	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
L-5	L_5_15	15				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
L-5	L_5_20	20				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
L-5	L_5_30	30				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
M-10	M_10_061801_13	12				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
M-10	M_10_061801_14	12				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
M-10	M_10_061801_19	12				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
M-10	M_10_061801_17	14				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
M-10	M_10_061801_12	25				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
M-10	M_10_061801_18	25				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
M-10	M_10_061801_15	26				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
M-10	M_10_061801_16	26		62.1	157	220	<1	<10	<10	<10	6.1J	20	17	19	42	38	35	31	11
N-4	N_4_5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
N-4	N_4_10	10				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
N-4	N_4_15	15				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
N-4	N_4_20	20	0.12J			<10	0.12J	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
N-4	N_4_30	30	0.13J			<10	0.13J	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
N-14	N_14_5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
N-14	N_14_10	10				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
N-14	N_14_15	15				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
NW-7	SA-NW-7-1_D_1_030697	1	<5	<5		<5													
NW-7	SA-NW-7-1_P_1_030697_1	1	<5	<5		<5													
NW-7	SA-NW-7-4_P_4_030697_1	4	<5	<5		<5													
PD-23	PD_23_10	10				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
PD-23	PD_23_20	20				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
PD-23	PD_23_25	25				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
PD-23	PD_23_30	30				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
PD-23	PD_23_40	40				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
PD-23	PD_23_50	50				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
PD-23	PD_23_60	60				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
PD-25	PD_25_10	10				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
PD-25	PD_25_20	20				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
PD-25	PD_25_25	25				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
PD-25	PD_25_30	30				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
PD-25	PD_25_40	40	0.74J			<10	0.74J	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
PD-25	PD_25_50	50				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
PD-26	PD_26_10	10		<10		<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
PD-26	PD_26_20	20		112.3	5.2	130	<1	<10	<10	8.3J	30	34	25	15	5.2J	<10	<10	<10	<10
PD-26	PD_26_25	25				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
PD-26	PD_26_30	30				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
PD-26	PD_26_40	40				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
PD-26	PD_26_50	50				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
PD-26	PD_26_60	60				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
PD-27	PD_27_10	10				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
PD-27	PD_27_20	20				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
PD-27	PD_27_25	25				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
PD-27	PD_27_30	30				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
PD-27	PD_27_40	40	1131	6.9J		57	1100	31	<10	<10	<10	<10	<10	6.9J	<10	<10	<10	<10	<10
PD-27	PD_27_50	50	5785	<10		100	5700	80	5.2J	<10	5.8J	<10	<10	<10	<10		<10	<10	<10
PD-27	PD_27_60	60	9631			480	9200	400	31J	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50
PD-28	PD_28_10	10				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
PD-28	PD_28_20	20				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
PD-28	PD_28_25	25				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
PD-28	PD_28_30	30				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
PD-28	PD_28_40	40				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
PD-28	PD_28_50	50				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
PD-28	PD_28_60	60				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
PD-29	PD_29_20	20				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
PD-29	PD_29_25	25				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
PD-29	PD_29_30	30				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10

See notes on page 22

BOE-C6-0182578

Table 10
Total Petroleum Hydrocarbons in Soil Samples (mg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

			Summary				Carbon Chain Range												
Object Name	Sample Name	Sample Depth (feet)	Gasoline Range (C6-C11)	Diesel Range (C12-C23)	Heavy Hydro-carbons (>C23)	Total	C6-C8	C8-C9	C10-C11	C12-C13	C14-C15	C16-C17	C18-C19	C20-C23	C24-C27	C28-C31	C32-C35	C36-C39	C40+
PD-29	PD_29_40	40	0.12J B			<10	0.12J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
PD-29	PD_29_50	50				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
PD-29	PD_29_60	60	0.61J B			<10	0.61J B	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
PD-30	PD_30_20	20		<10		<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
PD-30	PD_30_25	25				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
PD-30	PD_30_30	30				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
PD-30	PD_30_40	40				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
PD-30	PD_30_50	50				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
PD-30	PD_30_60	60				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
PD-32	PD32_10	10				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
PD-32	PD32_20	20				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
PD-32	PD32_25	25				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
PD-32	PD32_30	30				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
PD-32	PD32_40	40		<10	<10	<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
PD-32	PD32_50	50			48.8	58	<1	<10	<10	<10	<10	<10	<10	<10	9.2J	11	8.9J	14	5.7J
PD-32	PD32_60	60				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
PD-34-S1	PD_34_S1 10.0_11.5	10			23.4	30	<1	<10	<10	<10	<10	<10	<10	<10	8.7J	8.8J	5.9J	<10	<10
PD-34-S2	PD_34_S2 20.0_21.5	20		<10		<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
PD-34-S2	PD_34_S2 25.0_26.5	25				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
PD-34-S4	PD_34_S4 30.0_31.5	30				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
PD-34-S5	PD_34_S5 40.0_41.5	40				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
PD-34-S6	PD_34_S6 50.0_51.5	50				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
PD-34-S7	PD_34_S7 60.0_61.5	60				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
PD-35-S1	PD_35_S1 10.0_11.5	10			12.2	24	<1	<10	<10	<10	<10	<10	<10	<10	5.6J	6.6J	<10	<10	<10
PD-35-S2	PD_35_S2 20.0_21.5	20				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
PD-35-S3	PD_35_S3 25.0_26.5	25				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
PD-35-S4	PD_35_S4 30.0_31.5	30				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
PD-35-S5	PD_35_S5 40.0_41.5	40				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
PD-35-S6	PD_35_S6 50.0_51.5	50			19.6	23	<1	<10	<10	<10	<10	<10	<10	<10	5.3J	8.4J	5.9J	<10	<10
PD-35-S7	PD_35_S7 60.0_61.5	60				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
PD-36/51	PD_36/51 10_11.5	10			<10	<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
PD-36/52	PD_36/52 20_21.5	20				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
PD-36/53	PD_36/53 25_26.5	25				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
PD-36/54	PD_36/54 30_31.5	30				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
PD-36/55	PD_36/55 40_41.5	40		6.9J	30.4	47	<1	<10	<10	<10	<10	<10	<10	6.9J	<10	5.8J	7.5J	9J	8.1J
PD-36/56	PD_36/56 50_51.5	50				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
PD-36/57	PD_36/57 60_61.5	60				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
PD-37-S1	PD_37_S1 10_11.5	10		9.2J	78	94	<1	<10	<10	<10	<10	<10	<10	9.2J	18	24	19	17	<10
PD-37-S2	PD_37_S2 20_21.5	20				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
PD-37-S3	PD_37_S3 25_26.5	25				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
PD-37-S4	PD_37_S4 30_31.5	30				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
PD-37-S5	PD_37_S5 40_41.5	40				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
PD-37-S6	PD_37_S6 50_51.5	50				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
PD-37-S7	PD_37_S7 60_61.5	60				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
PD-38-S1	PD_38_S1 10.0_11.5	10				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
PD-38-S2	PD_38_S2 20.0_21.5	20				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
PD-38-S3	PD_38_S3 25.0_26.5	25				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
PD-38-S4	PD_38_S4 30.0_31.5	30				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
PD-38-S5	PD_38_S5 40.0_41.5	40				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
PD-38-S6	PD_38_S6 50.0_51.5	50				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
PD-38-S7	PD_38_S7 60.0_61.5	60		<10		<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
Q-13	Q-13-5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
Q-13	Q-13-10	10				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
Q-13	Q-13-15	15				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
Q-16	Q_16_5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
Q-16	Q_16_10	10				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
Q-16	Q_16_15	15				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
S24	S24_10	10				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
S24	S24_20	20	112.6	3520	493	4200	2.6	<50	110	400	880	1100	810	330	160	120	100	67	46J
S24	S24_30	30	772	21600	3650	26000	12	<200	760	2700	5300	6700	4800	2100	1100	780	630	500	640

See notes on page 22

BOE-C6-0182579

Table 10
Total Petroleum Hydrocarbons in Soil Samples (mg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

			Summary				*Carbon Chain Range*												
Object Name	Sample Name	Sample Depth (feet)	Gasoline Range (C6-C11)	Diesel Range (C12-C23)	Heavy Hydro-carbons (>C23)	Total	C6-C8	C8-C9	C10-C11	C12-C13	C14-C15	C16-C17	C18-C19	C20-C23	C24-C27	C28-C31	C32-C35	C36-C39	C40+
S24-2	S24_2_10	10				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
S24-2	S24_2_20	20				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
S24-2	S24_2_30	30				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
S24-3	S24_3_10	10	**896.2**	**17800**	**2570**	**21000**	**6.2**	<500	**890**	**2300**	**4700**	**4600**	**3500**	**2700**	**1500**	**700**	**370J**	<500	<10
S24-3	S24_3_20	20	**223.4**	**4750**	**880**	**5900**	**3.4**	<200	**220**	**620**	**1300**	**1000**	**830**	**1000**	**580**	**200**	**100J**	<200	<10
S24-3	S24_3_25	25	**5.5**	**4260**	**3540**	**7800**	**5.5**	<10	<200	**270**	**560**	**850**	**880**	**1700**	**1900**	**910**	**540**	**190J**	<200
S24-3	S24_3_30	30				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
S24-3	S24_3_40	40		**24.8**		**36**	<1	<10	<10	<10	**6.4J**	**6.9J**	**6.2J**	**5.3J**	<10	<10	<10	<10	<10
S24-3	S24_3_50	50		**46.1**		**56**	<1	<10	<10	**6.2J**	**11**	**10**	**8.9J**	**10**	<10	<10	<10	<10	<10
S24-3	S24_3_60	60				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
S24-7	S24_7_10	10				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
S24-7	S24_7_20	20				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
S24-7	S24_7_25	25				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
S24-7	S24_7_30	30				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
S24-7	S24_7_40	40				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
S24-7	S24_7_50	50				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
S24-7	S24_7_60	60				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
U-4	U_4_10	10				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
U-4	U_4_15	15				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
U-4	U_4_20	20				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
WL-GS-12	WL-GS-12-2'_P_2_100197_1	2	<5	<8															
X-40	X_40_5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
X-40	X_40_10	10				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
X-40	X_40_15	15				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
Y-21	Y-21-5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
Y-21	Y-21-10	10				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
Y-21	Y-21-15	15				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
Y-27	Y-27-5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
Y-27	Y-27-10	10				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
Y-27	Y-27-15	15				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
Y-37	Y-37-5	5				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
Y-37	Y-37-10	10				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10
Y-37	Y-37-15	15				<10	<1	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10

Notes:
All concentrations in mg/kg
J or B = Estimated concentration
Bold = Detected concentrations
Blank = Data not available or sample not analyzed

QA/QC by:_____
Date:_____

See notes on page 22

BOE-C6-0182580

Table 11
Total Recoverable Petroleum Hydrocarbons in Soil Samples
(Analyses by EPA Method 418.1)
Boeing Realty Corporation
Parcel C of the former C-6 Facility, Los Angeles, California

Object Name	Sample Name	Sample Depth (feet)	TRPH	Object Name	Sample Name	Sample Depth (feet)	TRPH	Object Name	Sample Name	Sample Depth (feet)	TRPH
01-01	1-1-1_P_1_031897_1	1	<5	01-16	1-16-15_P_15_031897_1	15	<5	04-03	4-3-50_P_50_030797_1	50	<5
01-01	1-2-1_P_1_031897_1	1	<5	01-16	1-16-20_P_20_031897_1	20	<5	04-04	4-4-1_P_1_031897_1	1	<5
01-01	1-1-4_P_4_031897_1	4	<5	01-16	1-16-25_D_25_031897	25	<5	04-04	4-4-4_P_4_031897_1	4	<5
01-01	1-1-10_P_10_031897_1	10	<5	01-16	1-16-25_P_25_031897_1	25	<5	04-04	4-4-10_P_10_031897_1	10	<5
01-02	1-2-4_P_4_031897_1	4	<5	01-17	1-17-1_P_1_031797_1	1	<5	04-05	4-5-1_P_1_031897_1	1	<5
01-02	1-2-10_P_10_031897_1	10	<5	01-17	1-17-4_P_4_031797_1	4	<5	04-05	4-5-4_P_4_031897_1	4	<5
1-2A	1-2A-1_P_1_031497_1	1	<5	01-17	1-17-10_P_10_031797_1	10	<5	04-05	4-5-10_P_10_031897_1	10	<5
1-2A	1-2A-4_P_4_031497_1	4	<5	01-17	1-17-15_P_15_031797_1	15	<5	05-10	5-10-1_P_1_031897_1	1	<8
1-2A	1-2A-10_P_10_031497_1	10	<5	01-17	1-17-20_P_20_031797_1	20	<5	05-10	5-10-4_P_4_031897_1	4	<8
01-03	1-3-2_P_2_031497_1	2	<5	01-17	1-17-25_P_25_031797_1	25	<5	05-10	5-10-10_P_10_031897_1	10	<8
01-03	1-3-4_P_4_031397_1	4	<8	01-18	1-18-1_D_1_030697	1	<5	05-12	5-12-1_P_1_031897_1	1	<5
01-03	1-3-4_P_4_031497_1	4	<5	01-18	1-18-1_P_1_030697_1	1	<5	05-12	5-12-4_P_4_031897_1	4	<5
01-03	1-3-10_P_10_031497_1	10	<5	01-18	1-18-4_P_4_030697_1	4	<5	05-12	5-12-10_P_10_031897_1	10	<5
01-03	1-3-15_P_15_031797_1	15	<5	01-18	1-18-10_P_10_030697_1	10	<5	05-26	5-26-4_P_4_040897_1	4	<8
01-03	1-3-20_P_20_031797_1	20	<5	01-18	1-18-15_P_15_030697_1	15	<5	05-32	5-32-10_P_10_040897_1	10	<8
01-03	1-3-25_P_25_031797_1	25	<5	01-18	1-18-20_P_20_030697_1	20	<5	2BB-1-1	2BB-1-1-1_P_1_050697_1	1	<8
01-04	1-4-1_P_1_030397_1	1	**11**	01-18	1-18-25_P_25_030697_1	25	<5	2BB-1-1	2BB-1-1-4_P_4_050697_1	4	<8
01-04	1-4-4_D_4_030397	4	**352**	02-06	2-6-1_P_1_031297_1	1	<5	2BB-1-1	2BB-1-1-10_P_10_050697_1	**10**	<8
01-04	1-4-4_P_4_030397_1	4	**368**	02-06	2-6-4_P_4_031297_1	4	<5	2BB-1-1	2BB-1-1-15_P_15_050697_1	15	<8
01-04	1-4-10_D_10_030397	10	**111**	02-06	2-6-10_P_10_031297_1	10	<5	2BB-1-1	2BB-1-1-20_P_20_050697_1	20	**22**
01-04	1-4-10_P_10_030397_1	10	**113**	02-12	2-12-1_P_1_031397_1	1	<5	2BB-1-1	2BB-1-1-25_P_25_050697_1	25	<8
01-04	1-4-20_P_20_030397_1	20	**104**	02-12	2-12-4_P_4_031397_1	4	**638**	2BB-1-1A	2BB-1-1A-1_P_1_050697_1	1	**19**
01-04	1-4-30_P_30_030397_1	30	<5	02-12	2-12-10_P_10_031397_1	10	<5	2BB-1-1A	2BB-1-1A-4_P_4_050697_1	4	**26**
01-04	1-4-40_P_40_030397_1	40	<5	02-33	2-33-1_D_1_031897	1	**11**	2BB-1-1A	2BB-1-1A-10_P_10_050697_1	10	<8
01-04	1-4-50_P_50_030397_1	50	<5	02-33	2-33-1_P_1_031897_1	1	**15**	2BB-1-2	2BB-1-2-1_P_1_050697_1	1	<8
01-05	1-5-6in_P_0.5_030397_1	0.5	**1,229**	02-33	2-33-4_P_4_031897_1	4	<5	2BB-1-2	2BB-1-2-4_P_4_050697_1	4	<8
01-05	1-5-4_P_4_030397_1	4	<5	02-33	2-33-10_P_10_031897_1	10	<5	2BB-1-2	2BB-1-2-10_P_10_050697_1	10	<8
01-05	1-5-10_P_10_030397_1	10	<5	02-33	2-33-15_P_15_031897_1	15	<5	2BB-1-3	2BB-1-3-4_P_4_040997_1	4	<10
01-05	1-5-20_P_20_030397_1	20	<5	02-33	2-33-20_P_20_031897_1	20	<5	2BB-1-4	2BB-1-4-1_P_1_041797_1	1	**110**
01-05	1-5-30_P_30_030397_1	30	<5	02-33	2-33-25_P_25_031897_1	25	<5	2BB-1-4	2BB-1-4-4_P_4_041797_1	4	<10
01-05	1-5-40_P_40_030397_1	40	<5	02-35	2-35-1_P_1_031797_1	1	<5	2BB-1-4	2BB-1-4-10_P_10_041797_1	10	<10
01-05	1-5-50_P_50_030397_1	50	<5	02-35	2-35-4_P_4_031797_1	4	<5	2BB-1-4	2BB-1-4-20_P_20_041797_1	20	**11**
01-10	1-10-1_P_1_031097_1	1	<5	02-35	2-35-10_P_10_031797_1	10	<5	2BB-1-4	2BB-1-4-30_P_30_041797_1	30	<10
01-10	1-10-4_P_4_031097_1	4	<5	02-35	2-35-15_P_15_031797_1	15	<5	2BB-1-4	2BB-1-4-40_P_40_041797_1	40	<10
01-10	1-10-10_P_10_031097_1	10	<5	02-35	2-35-20_P_20_031797_1	20	<5	2BB-1-4	2BB-1-4-50_P_50_041797_1	50	<10
01-14	1-14-1_P_1_031897_1	1	<5	02-35	2-35-25_P_25_031797_1	25	<5	2BB-1-5	2BB-1-5-1_P_1_041797_1	1	**4,300**
01-14	1-14-4_P_4_031897_1	4	<5	04-01	4-1-1_P_1_031897_1	1	**24**	2BB-1-5	2BB-1-5-4_P_4_041797_1	4	<10
01-14	1-14-10_P_10_031897_1	10	<5	04-01	4-1-4_P_4_031897_1	4	**36**	2BB-1-5	2BB-1-5-10_P_10_041797_1	10	<10
01-14	1-14-15_P_15_031897_1	15	<5	04-01	4-1-10_D_10_031897	10	<5	2BB-1-5	2BB-1-5-20_P_20_041797_1	20	<10
01-14	1-14-20_P_20_031897_1	20	<5	04-01	4-1-10_P_10_031897_1	10	<5	2BB-1-5	2BB-1-5-30_P_30_041797_1	30	<10
01-14	1-14-25_P_25_031897_1	25	<5	04-02	4-2-1_P_1_031897_1	1	**11**	2BB-1-5	2BB-1-5-40_P_40_041797_1	40	<10
01-15	1-15-1_P_1_031897_1	1	<5	04-02	4-2-4_P_4_031897_1	4	<5	2BB-1-5	2BB-1-5-50_P_50_041797_1	50	<10
01-15	1-15-4_P_4_031897_1	4	<5	04-02	4-2-10_P_10_031897_1	10	<5	2BB-1-14	2BB-1-14-1_P_1_050597_1	1	**90**
01-15	1-15-10_P_10_031897_1	10	<5	04-03	4-3-1_D_1_030797	1	<5	2BB-1-14	2BB-1-14-4_P_4_050597_1	4	**35**
01-15	1-15-15_P_15_031897_1	15	<5	04-03	4-3-1_P_1_030797_1	1	<5	2BB-1-14	2BB-1-14-10_P_10_050597_1	10	<8
01-15	1-15-20_P_20_031897_1	20	<5	04-03	4-3-4_P_4_030797_1	4	<5	2BB-1-14	2BB-1-14-15_P_15_050597_1	15	**32**
01-15	1-15-25_P_25_031897_1	25	<5	04-03	4-3-10_P_10_030797_1	10	<5	2BB-1-14	2BB-1-14-20_P_20_050597_1	20	<8
01-16	1-16-1_P_1_031897_1	1	<5	04-03	4-3-20_P_20_030797_1	20	<5	2BB-1-14	2BB-1-14-25_P_25_050597_1	25	<8
01-16	1-16-4_P_4_031897_1	4	<5	04-03	4-3-30_P_30_030797_1	30	<5	2BB-1-15	2BB-1-15-1_P_1_050597_1	1	**16**
01-16	1-16-10_P_10_031897_1	10	<5	04-03	4-3-40_P_40_030797_1	40	<5	2BB-1-15	2BB-1-15-4_P_4_050597_1	4	**19**

See notes on page 4

BOE-C6-0182581

Table 11
Total Recoverable Petroleum Hydrocarbons in Soil
Analyses by EPA Method 418.1

Boeing Realty Corporation
Parcel C of the former C-6 Facility, Los Angeles, California

Object Name	Sample Name	Sample Depth (feet)	TRPH	Object Name	Sample Name	Sample Depth (feet)	TRPH	Object Name	Sample Name	Sample Depth (feet)	TRPH
2BB-1-15	2BB-1-15-10_P_10_050597_1	10	<8	2BB-4-3	2BB-4-3A-4_P_4_042497_1	4	<10	2BB-5-16	2BB-5-16-15_P_15_042397_1	15	<10
2BB-1-15	2BB-1-15-15_P_15_050597_1	15	<8	2BB-4-3	2BB-4-3-10_P_10_041697_1	10	<10	2BB-5-16	2BB-5-16-20_P_20_042397_1	20	<10
2BB-1-15	2BB-1-15-20_P_20_050597_1	20	<8	2BB-4-3	2BB-4-3A-10_P_10_042497_1	10	<10	2BB-5-16	2BB-5-16-25_P_25_042397_1	25	<10
2BB-1-15	2BB-1-15-25_P_25_050597_1	25	**23**	2BB-4-3	2BB-4-3A-20_P_20_042497_1	20	<10	2BB-5-17	2BB-5-17-1_P_1_042197_1	1	**4,300**
2BB-1-16	2BB-1-16-1_P_1_050597_1	1	<8	2BB-4-3	2BB-4-3A-30_P_30_042497_1	30	<10	2BB-5-17	2BB-5-17-4_P_4_042197_1	4	**4,800**
2BB-1-16	2BB-1-16-4_P_4_050597_1	4	<8	2BB-4-3	2BB-4-3A-40_P_40_042497_1	40	<10	2BB-5-18	2BB-5-18-5_P_5_042197_1	5	<10
2BB-1-16	2BB-1-16-10_P_10_050597_1	10	**60**	2BB-4-3	2BB-4-3A-50_P_50_042497_1	50	<10	2BB-5-18	2BB-5-18-10_P_10_042197_1	10	<10
2BB-1-16	2BB-1-16-15_P_15_050597_1	15	<8	2BB-4-4	2BB-4-4-1_P_1_041697_1	1	**59**	2BB-5-18	2BB-5-18-15_P_15_042197_1	15	<10
2BB-1-16	2BB-1-16-20_P_20_050597_1	20	**45**	2BB-4-4	2BB-4-4-4_P_4_041697_1	4	**17**	2BB-5-18	2BB-5-18-20_P_20_042197_1	20	<10
2BB-1-16	2BB-1-16-25_P_25_050597_1	25	<8	2BB-4-4	2BB-4-4-10_P_10_041697_1	10	<10	2BB-5-18	2BB-5-18-25_P_25_042197_1	25	<10
2BB-1-17	2BB-1-17-1_P_1_050597_1	1	<8	2BB-4-5	2BB-4-5-1_P_1_041697_1	1	**36**	2BB-5-19	2BB-5-19-4_P_4_042297_1	4	**190**
2BB-1-17	2BB-1-17-4_P_4_050597_1	4	<8	2BB-4-5	2BB-4-5-4_P_4_041697_1	4	**110**	2BB-5-19	2BB-5-19-10_P_10_042297_1	10	<10
2BB-1-17	2BB-1-17-10_P_10_050597_1	10	<8	2BB-4-5	2BB-4-5-10_P_10_041697_1	10	<10	2BB-5-19	2BB-5-19-15_P_15_042297_1	15	<10
2BB-1-17	2BB-1-17-15_P_15_050597_1	15	<8	2BB-5-10	2BB-5-10-1_P_1_042397_1	1	<10	2BB-5-19	2BB-5-19-20_P_20_042297_1	20	<10
2BB-1-17	2BB-1-17-20_P_20_050597_1	20	<8	2BB-5-10	2BB-5-10-1_P_1_050697_1	1	**32**	2BB-5-19	2BB-5-19-25_P_25_042297_1	25	<10
2BB-1-17	2BB-1-17-25_P_25_050597_1	25	<8	2BB-5-10	2BB-5-10-4_P_4_042397_1	4	<10	2BB-5-20	2BB-5-20-1_P_1_041797_1	1	**9,100**
2BB-1-18	2BB-1-18-1_P_1_041697_1	1	<10	2BB-5-10	2BB-5-10-4_P_4_050697_1	4	**20**	2BB-5-20	2BB-5-20-4_P_4_041797_1	4	**11**
2BB-1-18	2BB-1-18-4_P_4_041697_1	4	**24**	2BB-5-10	2BB-5-10-10_P_10_042397_1	10	<10	2BB-5-20	2BB-5-20-10_P_10_041797_1	10	**10**
2BB-1-18	2BB-1-18-10_P_10_041697_1	10	<10	2BB-5-10	2BB-5-10-10_P_10_050697_1	10	<8	2BB-5-20	2BB-5-20-20_P_20_041797_1	20	<10
2BB-1-18	2BB-1-18-15_P_15_041697_1	15	**17**	2BB-5-11	2BB-5-11-1_P_1_042297_1	1	<10	2BB-5-20	2BB-5-20-30_P_30_041797_1	30	**15**
2BB-1-18	2BB-1-18-20_P_20_041697_1	20	<10	2BB-5-11	2BB-5-11-4_P_4_042297_1	4	<10	2BB-5-20	2BB-5-20-40_P_40_041797_1	40	<10
2BB-1-18	2BB-1-18-25_P_25_041697_1	25	<10	2BB-5-11	2BB-5-11-10_P_10_042297_1	10	<10	2BB-5-20	2BB-5-20-50_P_50_041797_1	50	<10
2BB-1-19	2BB-1-19-1_P_1_040197_1	1	**28,000**	2BB-5-11	2BB-5-11-15_P_15_042297_1	15	<10	2BB-5-21	2BB-5-21-1_P_1_050797_1	1	**19**
2BB-1-19	2BB-1-19-4_P_4_040197_1	4	**64**	2BB-5-11	2BB-5-11-20_P_20_042297_1	20	<10	2BB-5-21	2BB-5-21-4_P_4_050797_1	4	<8
2BB-1-19	2BB-1-19-10_P_10_040197_1	10	<20	2BB-5-11	2BB-5-11-25_P_25_042297_1	25	<10	2BB-5-21	2BB-5-21-10_P_10_050797_1	10	**48**
2BB-1-19	2BB-1-19-15_P_15_040197_1	15	<20	2BB-5-12	2BB-5-12-1_P_1_042397_1	1	<10	2BB-5-21	2BB-5-21-15_P_15_050797_1	15	**45**
2BB-1-19	2BB-1-19-20_P_20_040197_1	20	<20	2BB-5-12	2BB-5-12-1_P_1_050697_1	1	**22**	2BB-5-21	2BB-5-21-20_P_20_050797_1	20	<8
2BB-1-19	2BB-1-19-25_P_25_040197_1	25	<20	2BB-5-12	2BB-5-12-4_P_4_042397_1	4	<10	2BB-5-21	2BB-5-21-25_P_25_050797_1	25	<8
2BB-1-20	2BB-1-20-1_P_1_040197_1	1	**20**	2BB-5-12	2BB-5-12-4_P_4_050697_1	4	<8	2BB-5-22	2BB-5-22-1_P_1_050797_1	1	<8
2BB-1-20	2BB-1-20-4_P_4_040197_1	4	**3,200**	2BB-5-12	2BB-5-12-10_P_10_042397_1	10	<10	2BB-5-22	2BB-5-22-4_P_4_050797_1	4	**57**
2BB-1-20	2BB-1-20-10_P_10_040197_1	10	**46**	2BB-5-12	2BB-5-12-10_P_10_050697_1	10	**26**	2BB-5-22	2BB-5-22-10_P_10_050797_1	10	<8
2BB-1-20	2BB-1-20-15_P_15_040197_1	15	<20	2BB-5-12	2BB-5-12-15_P_15_050697_1	15	<8	2BB-5-22	2BB-5-22-15_P_15_050797_1	15	**45**
2BB-1-20	2BB-1-20-20_P_20_040197_1	20	<20	2BB-5-12	2BB-5-12-20_P_20_050697_1	20	**23**	2BB-5-22	2BB-5-22-20_P_20_050797_1	20	<8
2BB-1-20	2BB-1-20-25_P_25_040197_1	25	**19**	2BB-5-12	2BB-5-12-25_P_25_050697_1	25	<8	2BB-5-22	2BB-5-22-25_P_25_050797_1	25	**54**
2BB-1-38	2BB-1-38-1_P_1_042597_1	1	<8	2BB-5-13	2BB-5-13-1_P_1_042297_1	1	**1,700**	2BB-5-23	2BB-5-23-15_P_15_041197_1	15	**22**
2BB-1-38	2BB-1-38-4_P_4_042597_1	4	**19**	2BB-5-13	2BB-5-13-4_P_4_042297_1	4	<10	2BB-5-27	2BB-5-27-1_P_1_040997_1	1	<10
2BB-1-38	2BB-1-38-10_P_10_042597_1	10	**48**	2BB-5-13	2BB-5-13-10_P_10_042297_1	10	<10	2BB-5-27	2BB-5-27-4_P_4_040997_1	4	<10
2BB-1-38	2BB-1-38-20_P_20_042597_1	20	**19**	2BB-5-13	2BB-5-13-15_P_15_042297_1	15	**14**	2BB-5-27	2BB-5-27-10_P_10_040997_1	10	<10
2BB-1-38	2BB-1-38-30_P_30_042597_1	30	<8	2BB-5-13	2BB-5-13-20_P_20_042297_1	20	<10	2BB-5-30	2BB-5-30-1_P_1_041097_1	1	<10
2BB-1-38	2BB-1-38-40_P_40_042597_1	40	<8	2BB-5-13	2BB-5-13-25_P_25_042297_1	25	<10	2BB-5-30	2BB-5-30-4_P_4_041097_1	4	<10
2BB-1-38	2BB-1-38-50_P_50_042597_1	50	<8	2BB-5-14	2BB-5-14-1**_P_1_042297_1	1	**75**	2BB-5-30	2BB-5-30-10_P_10_041097_1	10	<10
2BB-4-1	2BB-4-1-1_P_1_041697_1	1	**28**	2BB-5-14	2BB-5-14-4_P_4_042297_1	4	<10	2BB-5-33	2BB-5-33-1_P_1_040997_1	1	<10
2BB-4-1	2BB-4-1-4_P_4_041697_1	4	**28**	2BB-5-14	2BB-5-14-10_P_10_042297_1	10	<10	2BB-5-33	2BB-5-33-4_P_4_040997_1	4	<10
2BB-4-1	2BB-4-1-10_P_10_041697_1	10	**32**	2BB-5-14	2BB-5-14-15_P_15_042297_1	15	<10	2BB-5-33	2BB-5-33-10_P_10_040997_1	10	<10
2BB-4-2	2BB-4-2-1_P_1_041697_1	1	**180**	2BB-5-14	2BB-5-14-20_P_20_042297_1	20	<10	2BB-5-34	2BB-5-34-1_P_1_040997_1	1	<10
2BB-4-2	2BB-4-2-4_P_4_041697_1	4	**110**	2BB-5-14	2BB-5-14-25_P_25_042297_1	25	<10	2BB-5-34	2BB-5-34-4_P_4_040997_1	4	<10
2BB-4-2	2BB-4-2-10_P_10_041697_1	10	<10	2BB-5-16	2BB-5-16-1_P_1_042397_1	1	**410**	2BB-5-34	2BB-5-34-10_P_10_040997_1	10	<10
2BB-4-3	2BB-4-3-1_P_1_041697_1	1	**400**	2BB-5-16	2BB-5-16-4_P_4_042397_1	4	**440**	2BB-5-35	2BB-5-35-1_P_1_040997_1	1	<10
2BB-4-3	2BB-4-3A-1_P_1_042497_1	1	<10	2BB-5-16	2BB-5-16-7_P_7_042397_1	7	**6,200**	2BB-5-35	2BB-5-35-10_P_10_040997_1	10	<10
2BB-4-3	2BB-4-3-4_P_4_041697_1	4	**12**	2BB-5-16	2BB-5-16-10_P_10_042397_1	10	**23,000**	2BB-5-36	2BB-5-36-1_P_1_040997_1	1	<10

See notes on page 4

BOE-C6-0182582

Table 11
Total Recoverable Petroleum Hydrocarbons in Soil
Analyses by EPA Method 418.1
Boeing Realty Corporation
Parcel C of the former C-6 Facility, Los Angeles, California

Object Name	Sample Name	Sample Depth (feet)	TRPH	Object Name	Sample Name	Sample Depth (feet)	TRPH	Object Name	Sample Name	Sample Depth (feet)	TRPH
2BB-5-36	2BB-5-36-1_P_1_040997_2	1	<10	2BB-36-5	2BB-36-5-4_P_4_040197_1	4	<20	2BB-36-15	2BB-36-15-15_P_15_042397_1	15	<10
2BB-5-36	2BB-5-36-1_P_1_040997_3	1	<10	2BB-36-5	2BB-36-5-10_P_10_040297_1	10	<20	2BB-36-15	2BB-36-15-20_P_20_042397_1	20	<10
2BB-5-36	2BB-5-36-4_P_4_040997_1	4	<10	2BB-36-6	2BB-36-6-1_P_1_040297_1	1	<20	2BB-36-15	2BB-36-15-25_P_25_042397_1	25	<10
2BB-5-36	2BB-5-36-10_P_10_040997_1	10	<10	2BB-36-6	2BB-36-6-4_P_4_040297_1	4	320	2BB-36-16	2BB-36-16-1_P_1_042297_1	1	43
2BB-5-37	2BB-5-37-1_P_1_041097_1	1	<10	2BB-36-6	2BB-36-6-10_P_10_040297_1	10	32	2BB-36-16	2BB-36-16-4_P_4_042297_1	4	20
2BB-5-37	2BB-5-37-4_P_4_041097_1	4	<10	2BB-36-6	2BB-36-6-15_P_15_040297_1	15	28	2BB-36-16	2BB-36-16-10_P_10_042297_1	10	<10
2BB-5-37	2BB-5-37-10_P_10_041097_1	10	<10	2BB-36-6	2BB-36-6-20_P_20_040297_1	20	<20	2BB-36-16	2BB-36-16-15_P_15_042297_1	15	<10
2BB-5-38	2BB-5-38-1_P_1_041097_1	1	<10	2BB-36-6	2BB-36-6-25_P_25_040297_1	25	53	2BB-36-16	2BB-36-16-20_P_20_042297_1	20	<10
2BB-5-38	2BB-5-38-4_P_4_041097_1	4	<10	2BB-36-6	2BB-36-6-30_P_30_040297_1	30	31	2BB-36-16	2BB-36-16-25_P_25_042297_1	25	<10
2BB-5-38	2BB-5-38-10_P_10_041097_1	10	<10	2BB-36-6	2BB-36-6-35_P_35_040297_1	35	62	2BB-36-17	2BB-36-17-1_P_1_042497_1	1	<10
2BB-5-40	2BB-5-40-1_P_1_040997_1	1	<10	2BB-36-7	2BB-36-7-1_P_1_010297_1	1	<8	2BB-36-17	2BB-36-17-4_P_4_042497_1	4	<10
2BB-5-40	2BB-5-40-4_P_4_040997_1	4	<10	2BB-36-7	2BB-36-7-4_P_4_040297_1	4	29	2BB-36-17	2BB-36-17-10_P_10_042497_1	10	72
2BB-5-40	2BB-5-40-10_P_10_040997_1	10	<10	2BB-36-7	2BB-36-7-20_P_20_040297_1	20	<20	2BB-36-17	2BB-36-17-15_P_15_042497_1	15	<10
2BB-5-41	2BB-5-41-1_P_1_040997_1	1	<10	2BB-36-7	2BB-36-7-25_P_25_040297_1	25	<20	2BB-36-17	2BB-36-17-20_P_20_042497_1	20	<10
2BB-5-41	2BB-5-41-4_P_4_040997_1	4	<10	2BB-36-8	2BB-36-8-1_P_1_040497_1	1	<10	2BB-36-17	2BB-36-17-25_P_25_042497_1	25	<10
2BB-5-41	2BB-5-41-10_P_10_040997_1	10	<10	2BB-36-8	2BB-36-8-4_P_4_040497_1	4	11	2BB-NW-9	2BB-SA-NW-9-4_P_4_040397_1	4	<10
2BB-5-42	2BB-5-42-1_P_1_040997_1	1	<10	2BB-36-8	2BB-36-8-10_P_10_040497_1	10	<10	2BB-NW-9	2BB-SA-NW-9-10_P_10_040397_1	10	<10
2BB-5-42	2BB-5-42-4_P_4_040997_1	4	<10	2BB-36-8	2BB-36-8-15_P_15_040497_1	15	<10	2BB-NW-10	2BB-SA-NW-10-4_P_4_040397_1	4	<10
2BB-5-42	2BB-5-42-10_P_10_040997_1	10	<10	2BB-36-8	2BB-36-8-20_P_20_040497_1	20	<10	2BB-NW-10	2BB-SA-NW-10-10_P_10_040397_1	10	11
2BB-5-44	2BB-5-44-1_P_1_042197_1	1	190	2BB-36-8	2BB-36-8-25_P_25_040497_1	25	<10	B-03K-1	3K-1_P_10_032596_1	10	<10
2BB-5-44	2BB-5-44-4_P_4_042197_1	4	100	2BB-36-9	2BB-36-9-1_P_1_041097_1	1	<10	B-03K-1	3K-1_P_15_032596_1	15	<10
2BB-5-44	2BB-5-44-10_P_10_042197_1	10	<10	2BB-36-9	2BB-36-9-4_P_4_041097_1	4	<10	B-03K-2	3K-2_D_10_032696	10	<10
2BB-5-45	2BB-5-45-1_P_1_042197_1	1	11	2BB-36-9	2BB-36-9-10_P_10_041097_1	10	<10	B-03K-2	3K-2_P_10_032696_1	10	<10
2BB-5-45	2BB-5-45-4_P_4_042197_1	4	84	2BB-36-9	2BB-36-9-15_P_15_041097_1	15	<10	B-03K-2	3K-2_P_15_032696_1	15	<10
2BB-5-45	2BB-5-45-10_P_10_042197_1	10	<10	2BB-36-9	2BB-36-9-20_P_20_041097_1	20	<10	B-03-N-2	3N-2_D_10_032596	10	121
2BB-5-46	2BB-5-46-1_P_1_042197_1	1	<10	2BB-36-9	2BB-36-9-25_P_25_041097_1	25	<10	B-03-N-2	3N-2_P_10_032596_1	10	134
2BB-5-47	2BB-5-47-1_P_1_042197_1	1	<10	2BB-36-10	2BB-36-10-1_P_1_041097_1	1	<10	B-03-N-2	3N-2_P_15_032596_1	15	<10
2BB-5-47	2BB-5-47-4_P_4_042197_1	4	20	2BB-36-10	2BB-36-10-4_P_4_041097_1	4	<10	B-04	4_P_6_032696_1	6	<10
2BB-5-47	2BB-5-47-10_P_10_042197_1	10	<10	2BB-36-10	2BB-36-10-10_P_10_041097_1	10	36	B-04	4_P_11_032696_1	11	<10
2BB-36-1	2BB-36-1-10_P_10_010297_1	10	<8	2BB-36-10	2BB-36-10-15_P_15_041097_1	15	<10	B-05B-FS	5B_P_35_040196_1	35	<10
2BB-36-1	2BB-36-1-10_P_10_040197_1	10	<20	2BB-36-10	2BB-36-10-20_P_20_041097_1	20	<10	B-09	9A_P_5_040196_1	5	<10
2BB-36-1	2BB-36-1-15_P_15_040197_1	15	18	2BB-36-10	2BB-36-10-25_P_25_041097_1	25	<10	B-09	9A_P_10_040196_1	10	<10
2BB-36-1	2BB-36-1-20_P_20_040197_1	20	25	2BB-36-12	2BB-36-12-1_P_1_041097_1	1	<10	B-13B-FS	13B_P_5_040496_1	5	<10
2BB-36-1	2BB-36-1-25_P_25_040197_1	25	<20	2BB-36-12	2BB-36-12-4_P_4_041097_1	4	<10	B-13B-FS	13B_P_10_040496_1	10	<10
2BB-36-2	2BB-36-2-4_P_4_040197_1	4	120	2BB-36-12	2BB-36-12-10_P_10_041097_1	10	<10	B-13B-FS	13B_P_15_040496_1	15	<10
2BB-36-2	2BB-36-2-10_P_10_040197_1	10	20	2BB-36-13	2BB-36-13-1.5_P_1.5_042497_1	1.5	5,600	B-13B-FS	13B_P_20_040496_1	20	<10
2BB-36-2	2BB-36-2-15_P_15_040197_1	15	<20	2BB-36-13	2BB-36-13-4.5_P_4.5_042497_1	4.5	35	B-13B-FS	13B_P_25_040496_1	25	<10
2BB-36-2	2BB-36-2-20_P_20_040197_1	20	21	2BB-36-13	2BB-36-13-9.5_P_9.5_042497_1	9.5	380	B-14B	14_P_5_040196_1	5	<10
2BB-36-2	2BB-36-2-25_P_25_040197_1	25	<20	2BB-36-13	2BB-36-13-19.5_P_19.5_042497_1	19.5	2,100	B-14B	14_P_10_040196_1	10	<10
2BB-36-3	2BB-36-3-1_P_1_040197_1	1	<20	2BB-36-13	2BB-36-13-29.5_P_29.5_042497_1	29.5	590	B-17	17_P_5_040196_1	5	<10
2BB-36-3	2BB-36-3-5_P_5_040197_1	5	70	2BB-36-13	2BB-36-13-39.5_P_39.5_042497_1	39.5	570	B-17	17_D_10_040196	10	168
2BB-36-3	2BB-36-3-10_P_10_040197_1	10	<20	2BB-36-13	2BB-36-13-49.5_P_49.5_042497_1	49.5	29	B-17	17_P_10_040196_1	10	179
2BB-36-3	2BB-36-3-15_P_15_040197_1	15	<20	2BB-36-14	2BB-36-14-4_P_4_042597_1	4	30	B-17	17_P_15_040196_1	15	<10
2BB-36-3	2BB-36-3-20_P_20_010297_1	20	<8	2BB-36-14	2BB-36-14-10_P_10_042597_1	10	18	B-17	17_P_20_040196_1	20	<10
2BB-36-3	2BB-36-3-20_P_20_040197_1	20	<20	2BB-36-14	2BB-36-14-20_P_20_042597_1	20	12	B-17	17_P_25_040196_1	25	<10
2BB-36-3	2BB-36-3-25_P_25_040197_1	25	<20	2BB-36-14	2BB-36-14-30_P_30_042597_1	30	30	B36-GS-1	B36-GS-1-3'_P_3_032697_1	3	<8
2BB-36-4	2BB-36-4-4_P_4_040297_1	4	<20	2BB-36-14	2BB-36-14-40_P_40_042597_1	40	<8	B36-GS-2	B36-GS-2-2'_P_2_032697_1	2	190
2BB-36-4	2BB-36-4-10_P_10_040297_1	10	<20	2BB-36-14	2BB-36-14-50_P_50_042597_1	50	<8	B36-GS-3	B36-GS-3-10'_P_10_091797_1	10	<8
2BB-36-4	2BB-36-4-15_P_15_040297_1	15	<20	2BB-36-15	2BB-36-15-4_P_4_042397_1	4	51	B36-GS-4	B36-GS-4-12'_P_12_091797_1	12	<8
2BB-36-5	2BB-36-5-4_P_4_010297_1	4	9	2BB-36-15	2BB-36-15-10_P_10_042397_1	10	<10	B36-GS-5	B36-GS-5-12'_P_12_091797_1	12	<8

See notes on page 4

BOE-C6-0182583

Table 11
Total Recoverable Petroleum Hydrocarbons in Soil (mg/kg)
Analyses by EPA Method 418.1

Boeing Realty Corporation
Parcel C of the former C-6 Facility, Los Angeles, California

Object Name	Sample Name	Sample Depth (feet)	TRPH
B36-GS-6	B36-GS-6-5'_P_5_091797_1	5	230
B36-GS-7	B36-GS-7-10'_P_10_091797_1	10	<8
B36-GS-8	B36-GS-8-12'_P_12_091797_1	12	<8
B36-GS-9	B36-GS-9-12'_P_12_091797_1	12	<8
B36-GS10	B36-GS10-10'_P_3_091797_1	10	<8
B36-GS-11	B36-GS-11-12'_P_3_091797_1	12	<8
B36-GS-12	B36-GS-12-5'_P_3_091797_1	5	110
B36-GS-13	B36-GS-13-12'_P_12_091797_1	12	<8
B36-GS-14	B36-GS-14-5'_P_5_091797_1	5	110
B36-GS-15	B36-GS-15-10'_P_10_091797_1	10	<8
B36-GS-16	B36-GS-16-12'_P_12_091797_1	12	<8
B36-GS-17	B36-GS-17-12'_P_12_091797_1	12	<8
B36-GS-18	B36-GS-18-5'_P_5_091797_1	5	28
B36-GS-19	B36-GS-19-2'_P_2_091797_1	2	35
B36-GS-20	B36-GS-20-2'_P_2_091797_1	2	200
B36-GS-21	B36-GS-21-2'_P_2_091797_1	2	68
B36-GS-22	B36-GS-22-3'_P_3_091797_1	3	19
B36-GS-23	B36-GS-23-4'_P_4_091797_1	4	180
B36-GS-24	B36-GS-24-5'_P_3_091797_1	5	240
B36-GS-25	B36-GS-25-5'_P_5_091797_1	5	175
B-37-1	37-1_P_10_011188_1	10	<10
B37-C32-4_5	B37-C32-4.5_P_4.5_022497_1	4.5	4,300
B37-CS-2	B37-CS-2_P_2_032597_1	2	<8
B37-G36-3	B37-G36-3ft_P_3_022697_1	3	<10
B37-GS-2	B37-GS-2_P_0_011597_1	0	136
B37-GS-13	B37-GS-13_P_2_020397_1	2	68
B37-GS-14	B37-GS-14_P_1.5_020397_1	1.5	<10
B37-GS-28	B37-GS-28_P_2.5_021297_1	2.5	18,000
B37-GS-29	B37-GS-29_P_2_021297_1	2	43
B37-GS-30	B37-GS-30_P_1.5_021297_1	1.5	43
B37-GS-31	B37-GS-31_P_3_021297_1	3	25
B37-GS-32	B37-GS-32_P_3_021397_1	3	<10
B37-GS-36	B37-GS-36_P_2_021797_1	2	<10
B37-GS-37	B37-GS-37_P_1_021797_1	1	80
B37-GS-38	B37-GS-38_P_2_021797_1	2	<10
B37-GS-39	B37-GS-39_P_2_021797_1	2	<10
B37-GS-74-2	B37-GS-74-2ft_P_2_031097_1	2	56
B37-GS-107-3	B37-GS-107-3'_P_3_032697_1	3	13
B37-GS-108-3	B37-GS-108-3'_P_3_032697_1	3	<8
B37-GS-109-3	B37-GS-109-3'_P_3_032697_1	3	10
B37-GS-110-3	B37-GS-110-3'_P_3_032697_1	3	100
B37-GS-111-3	B37-GS-111-3'_P_3_032697_1	3	19
B37-GS-183C-10	B37-GS-183C-10_P_10_050797_1	10	20
B37-GS-203	B37-GS-203-12'_P_12_101497_1	12	<8
B37-GS-211	B37-GS-211-8'_P_8_102997_1	8	<8
B37-GS-212	B37-GS-212-10'_P_10_102997_1	10	35
B37-GS-213	B37-GS-213-8'_P_8_102997_1	8	<8
B37-GS-214	B37-GS-214-6'_P_6_103097_1	6	50,000
B37-J36-3	B37-J36-3ft_P_3_022697_1	3	<10
B40-GS-1	B40-GS-1-1'_P_1_092497_1	1	47
B41-GS-1	B41-GS-1-1'_P_1_092497_1	1	<8
B41-GS-2	B41-GS-2-2'_P_3_092497_1	3	46
B41-GS-3	B41-GS-3-2'_P_2_092997_1	2	1,300
B41-GS-4	B41-GS-4-3'_P_3_092997_1	3	760
B41-GS-5	B41-GS-5-1'_P_1_092997_1	1	32,000
B41-GS-6	B41-GS-6-1'_P_1_092997_1	1	47
B-301	30-1_P_10_032696_1	10	<10
B-301	30-1_P_15_032696_1	15	<10
B-301	3O-1_P_20_032696_1	20	<10
B-302	30-2_P_10_032696_1	10	<10
B-302	30-2_P_15_032696_1	15	<10
C6-CB15-S2	C6-CB15-S2_P_0.25_042098_1	0.25	<8
C6-CB6-S1	C6-CB6-S1_P_0.25_042098_1	0.25	<8
CI-GS-1C	CI-GS-1C-1.5'_P_1.5_081397_1	1.5	<8
NW-7	SA-NW-7-1_D_1_030697	1	8
NW-7	SA-NW-7-1_P_1_030697_1	1	11
NW-7	SA-NW-7-4_P_4_030697_1	4	6
NW-7	SA-NW-7-10_P_10_030697_1	10	<5
OA1-GS-64	OA1-GS-64-7'_P_7_072897_1	7	21
OA1-GS-65	OA1-GS-65-2'_P_2_072897_1	2	<8
RR-GS-17	RR-GS-17-6'_P_6_060397_1	6	<8
RR-GS-28	RR-GS-28-4'_P_4_060497_1	4	<8
RR-GS-29	RR-GS-29-4'_P_4_060497_1	4	<8
WL-GS-12	WL-GS-12-2'_P_2_100197_1	2	<8

Notes:
All concentrations reported in mg/kg.
J = Estimated concentration
Bold = Detected concentration
Blank = Data not available or sample not analyzed
TRPH = Total Recoverable Petroleum Hydrocarbons

QA/QC by: _____

Date: _____

See notes on page 4

BOE-C6-0182584

Table 12
Semi-Volatile Organic Compounds in Soil Samples (µg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Object Name	Sample Name	Sample Depth (feet)	1,2,4-Trichlorobenzene	1,2-Dichlorobenzene	1,2-Diphenylhydrazine	1,3-Dichlorobenzene	1,4-Dichlorobenzene	2,4,5-Trichlorophenol	2,4,6-Trichlorophenol	2,4-Dichlorophenol	2,4-Dimethylphenol	2,4-Dinitrophenol	2,4-Dinitrotoluene	2,6-Dinitrotoluene	2-Chloronaphthalene	2-Chlorophenol	2-Methylnaphthalene	2-Methylphenol	2-Nitroaniline	2-Nitrophenol	3,3-Dichlorobenzidine	3-Methylphenol & 4-Methylphenol	3-Nitroaniline	4,6-Dinitro-2-methylphenol	4,6-Dinitro-o-cresol	4-Bromophenyl phenyl ether	4-Chloro-3-methylphenol
01-01	1-1-1_P_1_031897_1	1	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
01-01	1-1-4_P_4_031897_1	4	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
01-01	1-1-10_P_10_031897_1	10	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
01-02	1-2-1_P_1_031897_1	1	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
01-02	1-2-4_P_4_031897_1	4	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
1-2A	1-2A-1_P_1_031397_1	1	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
1-2A	1-2A-4_P_4_031397_1	4	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
1-2A	1-2A-10_P_10_031397_1	10	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
01-03	1-3-2_P_2_031397_1	2	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
01-03	1-3-4_P_4_031397_1	4	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
01-03	1-3-10_P_10_031397_1	10	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
01-03	1-3-15_P_15_031797_1	15	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
01-03	1-3-20_P_20_031797_1	20	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
01-03	1-3-25_P_25_031797_1	25	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
01-04	1-4-1_P_1_030397_1	1	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
01-04	1-4-4_P_4_030397_1	4	<400	<400		<400	<400	<400	<400	<400	<400	<400	<1000	<1000	<400	<400	<400	<400	<1000	<400	<400		<1000		<400	<400	<400
01-04	1-4-10_P_10_030397_1	10	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
01-04	1-4-20_P_20_030397_1	20	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
01-04	1-4-30_P_30_030397_1	30	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
01-04	1-4-40_P_40_030397_1	40	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
01-04	1-4-50_P_50_030397_1	50	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
01-05	1-5-2_P_2_022897_1	2	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
01-05	1-5-4_P_4_022897_1	4	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
01-05	1-5-10_P_10_022897_1	10	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
01-05	1-5-20_P_20_022897_1	20	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
01-05	1-5-30_P_30_022897_1	30	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
01-05	1-5-40_P_40_022897_1	40	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
01-05	1-5-50_P_50_022897_1	50	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
01-10	1-10-1_P_1_031097_1	1	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
01-10	1-10-4_P_4_031097_1	4	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
01-10	1-10-10_P_10_031097_1	10	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
02-06	2-6-1_P_1_031297_1	1	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
02-06	2-6-4_P_4_031297_1	4	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
02-06	2-6-10_P_10_031297_1	10	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
02-12	2-12-1_P_1_031397_1	1	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
02-12	2-12-4_P_4_031397_1	4	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
02-12	2-12-10_P_10_031397_1	10	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
04-01	4-1-1_P_1_031897_1	1	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
04-01	4-1-4_P_4_031897_1	4	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
04-01	4-1-10_P_10_031897_1	10	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
04-02	4-2-1_P_1_031897_1	1	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
04-02	4-2-4_P_4_031897_1	4	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
04-02	4-2-10_P_10_031897_1	10	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
04-03	4-3-1_P_1_030797_1	1	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
04-03	4-3-4_P_4_030797_1	4	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
04-03	4-3-10_P_10_030797_1	10	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
04-03	4-3-20_P_20_030797_1	20	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
04-03	4-3-30_P_30_030797_1	30	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
04-03	4-3-40_P_40_030797_1	40	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
04-03	4-3-50_P_50_030797_1	50	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
04-04	4-4-1_P_1_031897_1	1	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
04-04	4-4-4_P_4_031897_1	4	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
04-04	4-4-10_P_10_031897_1	10	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
04-05	4-5-1_P_1_031897_1	1	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
04-05	4-5-4_P_4_031897_1	4	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
04-05	4-5-10_P_10_031897_1	10	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
05-10	5-10-1_P_1_031897_1	1	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
05-10	5-10-4_P_4_031897_1	4	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
05-10	5-10-10_P_10_031897_1	10	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
05-12	5-12-1_P_1_031897_1	1	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
05-12	5-12-4_P_4_031897_1	4	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
05-12	5-12-10_P_10_031897_1	10	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
2BB-1-1	2BB-1-1-1_P_1_050697_1	1	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100

See notes on page 21

Table 12
Semi-Volatile Organic Compounds in Soil Samples (µg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Object Name	Sample Name	Sample Depth (feet)	4-Chloroaniline	4-Chlorophenyl phenyl ether	4-Methylphenol	4-Nitroaniline	4-Nitrophenol	Acenaphthene	Acenaphthylene	Aniline	Anthracene	Benzidine	Benzo(a)anthracene	Benzo(a)pyrene	Benzo(b)fluoranthene	Benzo(g,h,i)perylene	Benzo(k)fluoranthene	Benzoic acid	Benzyl alcohol	Bis(2-chloroethoxy)methane	Bis(2-chloroethyl)ether	Bis(2-chloroisopropyl)ether	Bis(2-ethylhexyl)phthalate	Butyl benzyl phthalate	Carbazole	Chrysene	Dibenz(a,h)anthracene
01-01	1-1-1_P_1_031897_1	1	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
01-01	1-1-4_P_4_031897_1	4	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
01-01	1-1-10_P_10_031897_1	10	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
01-02	1-2-1_P_1_031897_1	1	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
01-02	1-2-4_P_4_031897_1	4	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
1-2A	1-2A-1_P_1_031397_1	1	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
1-2A	1-2A-4_P_4_031397_1	4	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
1-2A	1-2A-10_P_10_031397_1	10	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
01-03	1-3-2_P_2_031397_1	2	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
01-03	1-3-4_P_4_031397_1	4	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
01-03	1-3-10_P_10_031397_1	10	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
01-03	1-3-15_P_15_031797_1	15	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
01-03	1-3-20_P_20_031797_1	20	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
01-03	1-3-25_P_25_031797_1	25	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
01-04	1-4-1_P_1_030397_1	1	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
01-04	1-4-4_P_4_030397_1	4	<400	<400	<400	<1000	<400	<400	<400	<400	<400	<2000	<400	<1000	<1000	<1000	<1000	<1000	<400	<400	<400	<400	<400	<400		<400	<400
01-04	1-4-10_P_10_030397_1	10	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
01-04	1-4-20_P_20_030397_1	20	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
01-04	1-4-30_P_30_030397_1	30	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
01-04	1-4-40_P_40_030397_1	40	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
01-04	1-4-50_P_50_030397_1	50	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
01-05	1-5-2_P_2_022897_1	2	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
01-05	1-5-4_P_4_022897_1	4	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
01-05	1-5-10_P_10_022897_1	10	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
01-05	1-5-20_P_20_022897_1	20	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
01-05	1-5-30_P_30_022897_1	30	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
01-05	1-5-40_P_40_022897_1	40	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
01-05	1-5-50_P_50_022897_1	50	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
01-10	1-10-1_P_1_031097_1	1	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
01-10	1-10-4_P_4_031097_1	4	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
01-10	1-10-10_P_10_031097_1	10	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
02-06	2-6-1_P_1_031297_1	1	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
02-06	2-6-4_P_4_031297_1	4	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
02-06	2-6-10_P_10_031297_1	10	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
02-12	2-12-1_P_1_031397_1	1	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
02-12	2-12-4_P_4_031397_1	4	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
02-12	2-12-10_P_10_031397_1	10	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
04-01	4-1-1_P_1_031897_1	1	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
04-01	4-1-4_P_4_031897_1	4	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
04-01	4-1-10_P_10_031897_1	10	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
04-02	4-2-1_P_1_031897_1	1	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
04-02	4-2-4_P_4_031897_1	4	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
04-02	4-2-10_P_10_031897_1	10	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
04-03	4-3-1_P_1_030797_1	1	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
04-03	4-3-4_P_4_030797_1	4	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
04-03	4-3-10_P_10_030797_1	10	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
04-03	4-3-20_P_20_030797_1	20	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
04-03	4-3-30_P_30_030797_1	30	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
04-03	4-3-40_P_40_030797_1	40	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
04-03	4-3-50_P_50_030797_1	50	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
04-04	4-4-1_P_1_031897_1	1	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
04-04	4-4-4_P_4_031897_1	4	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
04-04	4-4-10_P_10_031897_1	10	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
04-05	4-5-1_P_1_031897_1	1	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
04-05	4-5-4_P_4_031897_1	4	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
04-05	4-5-10_P_10_031897_1	10	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
05-10	5-10-1_P_1_031897_1	1	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
05-10	5-10-4_P_4_031897_1	4	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
05-10	5-10-10_P_10_031897_1	10	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
05-12	5-12-1_P_1_031897_1	1	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
05-12	5-12-4_P_4_031897_1	4	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
05-12	5-12-10_P_10_031897_1	10	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
2BB-1-1	2BB-1-1-1_P_1_050697_1	1	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100

See notes on page 21

Table 12
Semi-Volatile Organic Compounds in Soil Samples (µg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Object Name	Sample Name	Sample Depth (feet)	Dibenzofuran	Diethyl phthalate	Dimethyl phthalate	Di-n-butyl phthalate	Di-n-octyl phthalate	Fluoranthene	Fluorene	Hexachlorobenzene	Hexachlorobutadiene	Hexachlorocyclopentadiene	Hexachloroethane	Indeno(1,2,3-cd)pyrene	Isophorone	Naphthalene	Nitrobenzene	N-Nitrosodimethylamine	N-Nitroso-di-n-propylamine	N-Nitrosodiphenylamine	N-Nitrosodipropylamine	Pentachlorophenol	Phenanthrene	Phenol	Pyrene	Pyridine
01-01	1-1-1_P_1_031897_1	1	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
01-01	1-1-4_P_4_031897_1	4	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
01-01	1-1-10_P_10_031897_1	10	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
01-02	1-2-1_P_1_031897_1	1	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
01-02	1-2-4_P_4_031897_1	4	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
1-2A	1-2A-1_P_1_031397_1	1	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
1-2A	1-2A-4_P_4_031397_1	4	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
1-2A	1-2A-10_P_10_031397_1	10	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
01-03	1-3-2_P_2_031397_1	2	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
01-03	1-3-4_P_4_031397_1	4	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
01-03	1-3-10_P_10_031397_1	10	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
01-03	1-3-15_P_15_031797_1	15	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
01-03	1-3-20_P_20_031797_1	20	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
01-03	1-3-25_P_25_031797_1	25	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
01-04	1-4-1_P_1_030397_1	1	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
01-04	1-4-4_P_4_030397_1	4	<400	<400	<400	<1000	<1000	<400	<400	<400	<400	<400	<400	<1000	<400	<400	<400	<400		<400	<400	<1000	<400	<400	<400	
01-04	1-4-10_P_10_030397_1	10	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
01-04	1-4-20_P_20_030397_1	20	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
01-04	1-4-30_P_30_030397_1	30	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
01-04	1-4-40_P_40_030397_1	40	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
01-04	1-4-50_P_50_030397_1	50	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
01-05	1-5-2_P_2_022897_1	2	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
01-05	1-5-4_P_4_022897_1	4	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
01-05	1-5-10_P_10_022897_1	10	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
01-05	1-5-20_P_20_022897_1	20	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
01-05	1-5-30_P_30_022897_1	30	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
01-05	1-5-40_P_40_022897_1	40	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
01-05	1-5-50_P_50_022897_1	50	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
01-10	1-10-1_P_1_031097_1	1	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
01-10	1-10-4_P_4_031097_1	4	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
01-10	1-10-10_P_10_031097_1	10	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
02-06	2-6-1_P_1_031297_1	1	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
02-06	2-6-4_P_4_031297_1	4	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
02-06	2-6-10_P_10_031297_1	10	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
02-12	2-12-1_P_1_031397_1	1	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
02-12	2-12-4_P_4_031397_1	4	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
02-12	2-12-10_P_10_031397_1	10	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
04-01	4-1-1_P_1_031897_1	1	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
04-01	4-1-4_P_4_031897_1	4	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
04-01	4-1-10_P_10_031897_1	10	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
04-02	4-2-1_P_1_031897_1	1	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
04-02	4-2-4_P_4_031897_1	4	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
04-02	4-2-10_P_10_031897_1	10	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
04-03	4-3-1_P_1_030797_1	1	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
04-03	4-3-4_P_4_030797_1	4	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
04-03	4-3-10_P_10_030797_1	10	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
04-03	4-3-20_P_20_030797_1	20	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
04-03	4-3-30_P_30_030797_1	30	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
04-03	4-3-40_P_40_030797_1	40	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
04-03	4-3-50_P_50_030797_1	50	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
04-04	4-4-1_P_1_031897_1	1	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
04-04	4-4-4_P_4_031897_1	4	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
04-04	4-4-10_P_10_031897_1	10	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
04-05	4-5-1_P_1_031897_1	1	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
04-05	4-5-4_P_4_031897_1	4	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
04-05	4-5-10_P_10_031897_1	10	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
05-10	5-10-1_P_1_031897_1	1	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
05-10	5-10-4_P_4_031897_1	4	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
05-10	5-10-10_P_10_031897_1	10	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
05-12	5-12-1_P_1_031897_1	1	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
05-12	5-12-4_P_4_031897_1	4	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
05-12	5-12-10_P_10_031897_1	10	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
2BB-1-1	2BB-1-1-1_P_1_050697_1	1	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	

See notes on page 21

Table 12
Semi-Volatile Organic Compounds in Soil Samples (µg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Object Name	Sample Name	Sample Depth (feet)	1,2,4-Trichlorobenzene	1,2-Dichlorobenzene	1,2-Diphenylhydrazine	1,3-Dichlorobenzene	1,4-Dichlorobenzene	2,4,5-Trichlorophenol	2,4,6-Trichlorophenol	2,4-Dichlorophenol	2,4-Dimethylphenol	2,4-Dinitrophenol	2,4-Dinitrotoluene	2,6-Dinitrotoluene	2-Chloronaphthalene	2-Chlorophenol	2-Methylnaphthalene	2-Methylphenol	2-Nitroaniline	2-Nitrophenol	3,3-Dichlorobenzidine	3-Methylphenol & 4-Methylphenol	3-Nitroaniline	4,6-Dinitro-2-methylphenol	4,6-Dinitro-o-cresol	4-Bromophenyl phenyl ether	4-Chloro-3-methylphenol
2BB-1-1	2BB-1-1-4_P_4_050697_1	4	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
2BB-1-1	2BB-1-1-10_P_10_050697_1	10	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
2BB-1-1	2BB-1-1-15_P_15_050697_1	15	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
2BB-1-1	2BB-1-1-20_P_20_050697_1	20	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
2BB-1-1	2BB-1-1-25_P_25_050697_1	25	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
2BB-1-1A	2BB-1-1A-1_P_1_050697_1	1	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
2BB-1-1A	2BB-1-1A-4_P_4_050697_1	4	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
2BB-1-1A	2BB-1-1A-10_P_10_050697_1	10	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
2BB-1-2	2BB-1-2-1_P_1_050697_1	1	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
2BB-1-2	2BB-1-2-4_P_4_050697_1	4	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
2BB-1-2	2BB-1-2-10_P_10_050697_1	10	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
2BB-1-3	2BB-1-3-4_P_4_040997_1	4	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
2BB-1-4	2BB-1-4-1_P_1_041797_1	1	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
2BB-1-4	2BB-1-4-4_P_4_041797_1	4	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
2BB-1-4	2BB-1-4-10_P_10_041797_1	10	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
2BB-1-4	2BB-1-4-20_P_20_041797_1	20	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
2BB-1-4	2BB-1-4-30_P_30_041797_1	30	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
2BB-1-4	2BB-1-4-40_P_40_041797_1	40	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
2BB-1-4	2BB-1-4-50_P_50_041797_1	50	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
2BB-1-5	2BB-1-5-1_P_1_041797_1	1	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
2BB-1-5	2BB-1-5-4_P_4_041797_1	4	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
2BB-1-5	2BB-1-5-10_P_10_041797_1	10	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
2BB-1-5	2BB-1-5-20_P_20_041797_1	20	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
2BB-1-5	2BB-1-5-30_P_30_041797_1	30	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
2BB-1-5	2BB-1-5-40_P_40_041797_1	40	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
2BB-1-5	2BB-1-5-50_P_50_041797_1	50	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
2BB-4-1	2BB-4-1-1_P_1_041697_1	1	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
2BB-4-1	2BB-4-1-4_P_4_041697_1	4	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
2BB-4-1	2BB-4-1-10_P_10_041697_1	10	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
2BB-4-2	2BB-4-2-1_P_1_041697_1	1	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
2BB-4-2	2BB-4-2-4_P_4_041697_1	4	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
2BB-4-2	2BB-4-2-10_P_10_041697_1	10	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
2BB-4-3	2BB-4-3-1_P_1_041697_1	1	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
2BB-4-3	2BB-4-3A-1_P_1_042497_1	1	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
2BB-4-3	2BB-4-3-4_P_4_041697_1	4	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
2BB-4-3	2BB-4-3A-4_P_4_042497_1	4	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
2BB-4-3	2BB-4-3-10_P_10_041697_1	10	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
2BB-4-3	2BB-4-3A-10_P_10_042497_1	10	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
2BB-4-3	2BB-4-3A-20_P_20_042497_1	20	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
2BB-4-3	2BB-4-3A-30_P_30_042497_1	30	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
2BB-4-3	2BB-4-3A-40_P_40_042497_1	40	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
2BB-4-3	2BB-4-3A-50_P_50_042497_1	50	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
2BB-4-4	2BB-4-4-1_P_1_041697_1	1	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
2BB-4-4	2BB-4-4-4_P_4_041697_1	4	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
2BB-4-4	2BB-4-4-10_P_10_041697_1	10	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
2BB-4-5	2BB-4-5-1_P_1_041697_1	1	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
2BB-4-5	2BB-4-5-4_P_4_041697_1	4	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
2BB-4-5	2BB-4-5-10_P_10_041697_1	10	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
2BB-5-13	2BB-5-13-1_P_1_042297_1	1	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
2BB-5-13	2BB-5-13-4_P_4_042297_1	4	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
2BB-5-13	2BB-5-13-10_P_10_042297_1	10	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
2BB-5-13	2BB-5-13-15_P_15_042297_1	15	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
2BB-5-13	2BB-5-13-20_P_20_042297_1	20	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
2BB-5-13	2BB-5-13-25_P_25_042297_1	25	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
2BB-5-14	2BB-5-14-1**_P_1_042297_1	1	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
2BB-5-14	2BB-5-14-4_P_4_042297_1	4	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
2BB-5-14	2BB-5-14-10_P_10_042297_1	10	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
2BB-5-14	2BB-5-14-15_P_15_042297_1	15	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
2BB-5-14	2BB-5-14-20_P_20_042297_1	20	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
2BB-5-14	2BB-5-14-25_P_25_042297_1	25	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
2BB-5-21	2BB-5-21-1_P_1_050797_1	1	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
2BB-5-21	2BB-5-21-4_P_4_050797_1	4	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100

See notes on page 21

Table 12
Semi-Volatile Organic Compounds in Soil Samples (µg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Object Name	Sample Name	Sample Depth (feet)	4-Chloroaniline	4-Chlorophenyl phenyl ether	4-Methylphenol	4-Nitroaniline	4-Nitrophenol	Acenaphthene	Acenaphthylene	Aniline	Anthracene	Benzidine	Benzo(a)anthracene	Benzo(a)pyrene	Benzo(b)fluoranthene	Benzo(g,h,i)perylene	Benzo(k)fluoranthene	Benzoic acid	Benzyl alcohol	Bis(2-chloroethoxy)methane	Bis(2-chloroethyl)ether	Bis(2-chloroisopropyl)ether	Bis(2-ethylhexyl)phthalate	Butyl benzyl phthalate	Carbazole	Chrysene	Dibenz(a,h)anthracene
2BB-1-1	2BB-1-1-4_P_4_050697_1	4	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
2BB-1-1	2BB-1-1-10_P_10_050697_1	10	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
2BB-1-1	2BB-1-1-15_P_15_050697_1	15	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
2BB-1-1	2BB-1-1-20_P_20_050697_1	20	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
2BB-1-1	2BB-1-1-25_P_25_050697_1	25	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
2BB-1-1A	2BB-1-1A-1_P_1_050697_1	1	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
2BB-1-1A	2BB-1-1A-4_P_4_050697_1	4	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
2BB-1-1A	2BB-1-1A-10_P_10_050697_1	10	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
2BB-1-2	2BB-1-2-1_P_1_050697_1	1	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
2BB-1-2	2BB-1-2-4_P_4_050697_1	4	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
2BB-1-2	2BB-1-2-10_P_10_050697_1	10	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
2BB-1-3	2BB-1-3-4_P_4_040997_1	4	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	**790**	<100		<100	<100
2BB-1-4	2BB-1-4-1_P_1_041797_1	1	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
2BB-1-4	2BB-1-4-4_P_4_041797_1	4	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
2BB-1-4	2BB-1-4-10_P_10_041797_1	10	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
2BB-1-4	2BB-1-4-20_P_20_041797_1	20	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
2BB-1-4	2BB-1-4-30_P_30_041797_1	30	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
2BB-1-4	2BB-1-4-40_P_40_041797_1	40	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
2BB-1-4	2BB-1-4-50_P_50_041797_1	50	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
2BB-1-5	2BB-1-5-1_P_1_041797_1	1	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		**440**	<100
2BB-1-5	2BB-1-5-4_P_4_041797_1	4	<100	<100	<100	<250	<100	<100	<100	<100	**160**	<500	**380**	<250	<250	<250	<250	<250	<100	<100	<100	<100	**120**	<100		<100	<100
2BB-1-5	2BB-1-5-10_P_10_041797_1	10	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
2BB-1-5	2BB-1-5-20_P_20_041797_1	20	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
2BB-1-5	2BB-1-5-30_P_30_041797_1	30	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
2BB-1-5	2BB-1-5-40_P_40_041797_1	40	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
2BB-1-5	2BB-1-5-50_P_50_041797_1	50	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
2BB-4-1	2BB-4-1-1_P_1_041697_1	1	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
2BB-4-1	2BB-4-1-4_P_4_041697_1	4	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
2BB-4-1	2BB-4-1-10_P_10_041697_1	10	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
2BB-4-2	2BB-4-2-1_P_1_041697_1	1	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
2BB-4-2	2BB-4-2-4_P_4_041697_1	4	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
2BB-4-2	2BB-4-2-10_P_10_041697_1	10	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
2BB-4-3	2BB-4-3-1_P_1_041697_1	1	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
2BB-4-3	2BB-4-3A-1_P_1_042497_1	1	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
2BB-4-3	2BB-4-3-4_P_4_041697_1	4	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
2BB-4-3	2BB-4-3A-4_P_4_042497_1	4	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
2BB-4-3	2BB-4-3-10_P_10_041697_1	10	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
2BB-4-3	2BB-4-3A-10_P_10_042497_1	10	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
2BB-4-3	2BB-4-3A-20_P_20_042497_1	20	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
2BB-4-3	2BB-4-3A-30_P_30_042497_1	30	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	**190**	<100		<100	<100
2BB-4-3	2BB-4-3A-40_P_40_042497_1	40	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
2BB-4-3	2BB-4-3A-50_P_50_042497_1	50	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
2BB-4-4	2BB-4-4-1_P_1_041697_1	1	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
2BB-4-4	2BB-4-4-4_P_4_041697_1	4	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
2BB-4-4	2BB-4-4-10_P_10_041697_1	10	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
2BB-4-5	2BB-4-5-1_P_1_041697_1	1	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
2BB-4-5	2BB-4-5-4_P_4_041697_1	4	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
2BB-4-5	2BB-4-5-10_P_10_041697_1	10	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
2BB-5-13	2BB-5-13-1_P_1_042297_1	1	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
2BB-5-13	2BB-5-13-4_P_4_042297_1	4	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
2BB-5-13	2BB-5-13-10_P_10_042297_1	10	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
2BB-5-13	2BB-5-13-15_P_15_042297_1	15	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
2BB-5-13	2BB-5-13-20_P_20_042297_1	20	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
2BB-5-13	2BB-5-13-25_P_25_042297_1	25	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
2BB-5-14	2BB-5-14-1**_P_1_042297_1	1	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
2BB-5-14	2BB-5-14-4_P_4_042297_1	4	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
2BB-5-14	2BB-5-14-10_P_10_042297_1	10	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
2BB-5-14	2BB-5-14-15_P_15_042297_1	15	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
2BB-5-14	2BB-5-14-20_P_20_042297_1	20	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	**150**	<100		<100	<100
2BB-5-14	2BB-5-14-25_P_25_042297_1	25	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
2BB-5-21	2BB-5-21-1_P_1_050797_1	1	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	**230**	**360**	**410**	<250	<250	<250	<100	<100	<100	<100	<100	<100		**370**	<100
2BB-5-21	2BB-5-21-4_P_4_050797_1	4	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100

See notes on page 21

Table 12
Semi-Volatile Organic Compounds in Soil Samples (µg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Object Name	Sample Name	Sample Depth (feet)	Dibenzofuran	Diethyl phthalate	Dimethyl phthalate	Di-n-butyl phthalate	Di-n-octyl phthalate	Fluoranthene	Fluorene	Hexachlorobenzene	Hexachlorobutadiene	Hexachlorocyclopentadiene	Hexachloroethane	Indeno(1,2,3-cd)pyrene	Isophorone	Naphthalene	Nitrobenzene	N-Nitrosodimethylamine	N-Nitroso-di-n-propylamine	N-Nitrosodiphenylamine	N-Nitrosodipropylamine	Pentachlorophenol	Phenanthrene	Phenol	Pyrene	Pyridine
2BB-1-1	2BB-1-1-4_P_4_050697_1	4	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
2BB-1-1	2BB-1-1-10_P_10_050697_1	10	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
2BB-1-1	2BB-1-1-15_P_15_050697_1	15	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
2BB-1-1	2BB-1-1-20_P_20_050697_1	20	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
2BB-1-1	2BB-1-1-25_P_25_050697_1	25	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
2BB-1-1A	2BB-1-1A-1_P_1_050697_1	1	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
2BB-1-1A	2BB-1-1A-4_P_4_050697_1	4	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
2BB-1-1A	2BB-1-1A-10_P_10_050697_1	10	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
2BB-1-2	2BB-1-2-1_P_1_050697_1	1	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
2BB-1-2	2BB-1-2-4_P_4_050697_1	4	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
2BB-1-2	2BB-1-2-10_P_10_050697_1	10	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
2BB-1-3	2BB-1-3-4_P_4_040997_1	4	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
2BB-1-4	2BB-1-4-1_P_1_041797_1	1	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
2BB-1-4	2BB-1-4-4_P_4_041797_1	4	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
2BB-1-4	2BB-1-4-10_P_10_041797_1	10	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
2BB-1-4	2BB-1-4-20_P_20_041797_1	20	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
2BB-1-4	2BB-1-4-30_P_30_041797_1	30	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
2BB-1-4	2BB-1-4-40_P_40_041797_1	40	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
2BB-1-4	2BB-1-4-50_P_50_041797_1	50	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
2BB-1-5	2BB-1-5-1_P_1_041797_1	1	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
2BB-1-5	2BB-1-5-4_P_4_041797_1	4	<100	<100	<100	<250	<250	**570**	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	**550**	<100	**650**	
2BB-1-5	2BB-1-5-10_P_10_041797_1	10	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
2BB-1-5	2BB-1-5-20_P_20_041797_1	20	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
2BB-1-5	2BB-1-5-30_P_30_041797_1	30	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
2BB-1-5	2BB-1-5-40_P_40_041797_1	40	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
2BB-1-5	2BB-1-5-50_P_50_041797_1	50	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
2BB-4-1	2BB-4-1-1_P_1_041697_1	1	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
2BB-4-1	2BB-4-1-4_P_4_041697_1	4	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
2BB-4-1	2BB-4-1-10_P_10_041697_1	10	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
2BB-4-2	2BB-4-2-1_P_1_041697_1	1	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
2BB-4-2	2BB-4-2-4_P_4_041697_1	4	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
2BB-4-2	2BB-4-2-10_P_10_041697_1	10	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
2BB-4-3	2BB-4-3-1_P_1_041697_1	1	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	**150**	<100	
2BB-4-3	2BB-4-3A-1_P_1_042497_1	1	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
2BB-4-3	2BB-4-3-4_P_4_041697_1	4	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
2BB-4-3	2BB-4-3A-4_P_4_042497_1	4	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
2BB-4-3	2BB-4-3-10_P_10_041697_1	10	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
2BB-4-3	2BB-4-3A-10_P_10_042497_1	10	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
2BB-4-3	2BB-4-3A-20_P_20_042497_1	20	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
2BB-4-3	2BB-4-3A-30_P_30_042497_1	30	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
2BB-4-3	2BB-4-3A-40_P_40_042497_1	40	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
2BB-4-3	2BB-4-3A-50_P_50_042497_1	50	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
2BB-4-4	2BB-4-4-1_P_1_041697_1	1	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
2BB-4-4	2BB-4-4-4_P_4_041697_1	4	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
2BB-4-4	2BB-4-4-10_P_10_041697_1	10	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
2BB-4-5	2BB-4-5-1_P_1_041697_1	1	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
2BB-4-5	2BB-4-5-4_P_4_041697_1	4	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
2BB-4-5	2BB-4-5-10_P_10_041697_1	10	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
2BB-5-13	2BB-5-13-1_P_1_042297_1	1	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
2BB-5-13	2BB-5-13-4_P_4_042297_1	4	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
2BB-5-13	2BB-5-13-10_P_10_042297_1	10	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
2BB-5-13	2BB-5-13-15_P_15_042297_1	15	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
2BB-5-13	2BB-5-13-20_P_20_042297_1	20	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
2BB-5-13	2BB-5-13-25_P_25_042297_1	25	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
2BB-5-14	2BB-5-14-1**_P_1_042297_1	1	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
2BB-5-14	2BB-5-14-4_P_4_042297_1	4	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
2BB-5-14	2BB-5-14-10_P_10_042297_1	10	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
2BB-5-14	2BB-5-14-15_P_15_042297_1	15	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
2BB-5-14	2BB-5-14-20_P_20_042297_1	20	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
2BB-5-14	2BB-5-14-25_P_25_042297_1	25	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
2BB-5-21	2BB-5-21-1_P_1_050797_1	1	<100	<100	<100	<250	<250	**540**	<100	<100	<100	<100	<100	**270**	<100	<100	<100	<100		<100	<100	<250	**190**	<100	**420**	
2BB-5-21	2BB-5-21-4_P_4_050797_1	4	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	

See notes on page 21

Table 12
Semi-Volatile Organic Compounds in Soil Samples (µg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Object Name	Sample Name	Sample Depth (feet)	1,2,4-Trichlorobenzene	1,2-Dichlorobenzene	1,2-Diphenylhydrazine	1,3-Dichlorobenzene	1,4-Dichlorobenzene	2,4,5-Trichlorophenol	2,4,6-Trichlorophenol	2,4-Dichlorophenol	2,4-Dimethylphenol	2,4-Dinitrophenol	2,4-Dinitrotoluene	2,6-Dinitrotoluene	2-Chloronaphthalene	2-Chlorophenol	2-Methylnaphthalene	2-Methylphenol	2-Nitroaniline	2-Nitrophenol	3,3-Dichlorobenzidine	3-Methylphenol & 4-Methylphenol	3-Nitroaniline	4,6-Dinitro-2-methylphenol	4,6-Dinitro-o-cresol	4-Bromophenyl phenyl ether	4-Chloro-3-methylphenol
2BB-5-21	2BB-5-21-10_P_10_050797_1	10	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
2BB-5-21	2BB-5-21-15_P_15_050797_1	15	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
2BB-5-21	2BB-5-21-20_P_20_050797_1	20	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
2BB-5-21	2BB-5-21-25_P_25_050797_1	25	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
2BB-5-22	2BB-5-22-1_P_1_050797_1	1	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
2BB-5-22	2BB-5-22-4_P_4_050797_1	4	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
2BB-5-22	2BB-5-22-10_P_10_050797_1	10	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
2BB-5-22	2BB-5-22-15_P_15_050797_1	15	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
2BB-5-22	2BB-5-22-20_P_20_050797_1	20	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
2BB-5-22	2BB-5-22-25_P_25_050797_1	25	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
B36-GS-2	B36-GS-2-2'_P_2_032697_1	2	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
B36-GS-3	B36-GS-3-10'_P_10_091797_1	10	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
B36-GS-4	B36-GS-4-12'_P_12_091797_1	12	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
B36-GS-5	B36-GS-5-12'_P_12_091797_1	12	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
B36-GS-6	B36-GS-6-5'_P_5_091797_1	5	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
B36-GS-7	B36-GS-7-10'_P_10_091797_1	10	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
B36-GS-8	B36-GS-8-12'_P_12_091797_1	12	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
B36-GS-9	B36-GS-9-12'_P_12_091797_1	12	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
B36-GS10	B36-GS10-10'_P_3_091797_1	10	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
B36-GS-11	B36-GS-11-12'_P_3_091797_1	12	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
B36-GS-12	B36-GS-12-5'_P_3_091797_1	5	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
B36-GS-13	B36-GS-13-12'_P_12_091797_1	12	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
B36-GS-14	B36-GS-14-5'_P_5_091797_1	5	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
B36-GS-15	B36-GS-15-10'_P_10_091797_1	10	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
B36-GS-16	B36-GS-16-12'_P_12_091797_1	12	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
B36-GS-17	B36-GS-17-12'_P_12_091797_1	12	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
B36-GS-18	B36-GS-18-5'_P_5_091797_1	5	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
B36-GS-19	B36-GS-19-2'_P_2_091797_1	2	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
B36-GS-20	B36-GS-20-2'_P_2_091797_1	2	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
B36-GS-21	B36-GS-21-2'_P_2_091797_1	2	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
B36-GS-22	B36-GS-22-3'_P_3_091797_1	3	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
B36-GS-23	B36-GS-23-4'_P_4_091797_1	4	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
B36-GS-24	B36-GS-24-5'_P_3_091797_1	5	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
B36-GS-25	B36-GS-25-5'_P_5_091797_1	5	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
B37-C32-4_5	B37-C32-4.5_P_4.5_022497_1	4.5	<330	<330	<330	<330	<330	<800	<330	<330	<330	<800	<330	<330	<330	<330	<330	<330	<800	<330	<330		<800	<800		<330	<330
B37-CS-2	B37-CS-2_P_2_032597_1	2	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
B37-D36-3	B37-D36-3ft_P_3_022697_1	3	<330	<330	<330	<330	<330	<800	<330	<330	<330	<800	<330	<330	<330	<330	<330	<330	<800	<330	<330		<800	<800		<330	<330
B37-G36-3	B37-G36-3ft_P_3_022697_1	3	<330	<330	<330	<330	<330	<800	<330	<330	<330	<800	<330	<330	<330	<330	<330	<330	<800	<330	<330		<800	<800		<330	<330
B37-GS-32	B37-GS-107-3'_P_3_032697_1	3	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
B37-GS-37	B37-GS-110-3'_P_3_032697_1	3	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
B37-GS-39	B37-GS-183C-10_P_10_050797_1	10	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
B37-GS-74-2	B37-GS-203-12'_P_12_101497_1	12	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
B37-GS-107-3	B37-GS-211-8'_P_8_102997_1	8	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
B37-GS-110-3	B37-GS-212-10'_P_10_102997_1	10	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
B37-GS-183C-10	B37-GS-213-8'_P_8_102997_1	8	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
B37-GS-203	B37-GS-214-6'_P_6_103097_1	6	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
B37-GS-211	B37-GS-32_P_3_021397_1	3	<330	<330	<330	<330	<330	<800	<330	<330	<330	<800	<330	<330	<330	<330	<330	<330	<800	<330	<330		<800	<800		<330	<330
B37-GS-212	B37-GS-37_P_1_021797_1	1	<330	<330	<330	<330	<330	<800	<330	<330	<330	<800	<330	<330	<330	<330	<330	<330	<800	<330	<330		<800	<800		<330	<330
B37-GS-213	B37-GS-39_P_2_021797_1	2	<330	<330	<330	<330	<330	<800	<330	<330	<330	<800	<330	<330	<330	<330	<330	<330	<800	<330	<330		<800	<800		<330	<330
B37-GS-214	B37-GS-74-2ft_P_2_031097_1	2	<330	<330	<330	<330	<330	<800	<330	<330	<330	<800	<330	<330	<330	<330	<330	<330	<800	<330	<330		<800	<800		<330	<330
B37-J36-3	B37-J36-3ft_P_3_022697_1	3	<330	<330	<330	<330	<330	<800	<330	<330	<330	<800	<330	<330	<330	<330	<330	<330	<800	<330	<330		<800	<800		<330	<330
B40-GS-1	B40-GS-1-1'_P_1_092497_1	1	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
B41-GS-1	B41-GS-1-1'_P_1_092497_1	1	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
B41-GS-2	B41-GS-2-2'_P_3_092497_1	3	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
B41-GS-3	B41-GS-3-2'_P_2_092997_1	2	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
B41-GS-4	B41-GS-4-3'_P_3_092997_1	3	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
B41-GS-5	B41-GS-5-1'_P_1_092997_1	1	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	**130**	<100	<250	<100	<100		<250		<100	<100	<100
B41-GS-6	B41-GS-6-1'_P_1_092997_1	1	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
Bldg-2-AK-14	Bldg_2_AK_14_072501_1	12	<6600	<6600		<6600	<6600	<6600	<6600	<6600	<6600	<32000	<6600	<6600	<6600	<6600	**98000**	<6600	<32000	<6600	<32000	<6600	<32000	<32000		<6600	<6600
BUILD-1-1-22-1	BUILD_1_1_22_1	1	<3300	<3300		<3300	<3300	<3300	<3300	<3300	<3300	<16000	<3300	<3300	<3300	<3300	<3300	<3300	<16000	<3300	<16000	<3300	<16000	<16000		<3300	<3300
BUILD-1-1-22-2	BUILD_1_1_22_2	1	<3300	<3300		<3300	<3300	<3300	<3300	<3300	<3300	<16000	<3300	<3300	<3300	<3300	<3300	<3300	<16000	<3300	<16000	<3300	<16000	<16000		<3300	<3300
BUILD-1-1-22-3	BUILD_1_1_22_3	1	<330	<330		<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<1600	<330	<1600	<330	<1600	<1600		<330	<330

See notes on page 21

Table 12
Semi-Volatile Organic Compounds in Soil Samples (µg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Object Name	Sample Name	Sample Depth (feet)	4-Chloroaniline	4-Chlorophenyl phenyl ether	4-Methylphenol	4-Nitroaniline	4-Nitrophenol	Acenaphthene	Acenaphthylene	Aniline	Anthracene	Benzidine	Benzo(a)anthracene	Benzo(a)pyrene	Benzo(b)fluoranthene	Benzo(g,h,i)perylene	Benzo(k)fluoranthene	Benzoic acid	Benzyl alcohol	Bis(2-chloroethoxy)methane	Bis(2-chloroethyl)ether	Bis(2-chloroisopropyl)ether	Bis(2-ethylhexyl)phthalate	Butyl benzyl phthalate	Carbazole	Chrysene	Dibenz(a,h)anthracene
2BB-5-21	2BB-5-21-10_P_10_050797_1	10	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
2BB-5-21	2BB-5-21-15_P_15_050797_1	15	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
2BB-5-21	2BB-5-21-20_P_20_050797_1	20	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
2BB-5-21	2BB-5-21-25_P_25_050797_1	25	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
2BB-5-22	2BB-5-22-1_P_1_050797_1	1	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		**160**	<100
2BB-5-22	2BB-5-22-4_P_4_050797_1	4	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
2BB-5-22	2BB-5-22-10_P_10_050797_1	10	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
2BB-5-22	2BB-5-22-15_P_15_050797_1	15	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
2BB-5-22	2BB-5-22-20_P_20_050797_1	20	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
2BB-5-22	2BB-5-22-25_P_25_050797_1	25	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
B36-GS-2	B36-GS-2-2'_P_2_032697_1	2	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
B36-GS-3	B36-GS-3-10'_P_10_091797_1	10	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		<100	<100
B36-GS-4	B36-GS-4-12'_P_12_091797_1	12	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		<100	<100
B36-GS-5	B36-GS-5-12'_P_12_091797_1	12	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		<100	<100
B36-GS-6	B36-GS-6-5'_P_5_091797_1	5	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		<100	<100
B36-GS-7	B36-GS-7-10'_P_10_091797_1	10	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		<100	<100
B36-GS-8	B36-GS-8-12'_P_12_091797_1	12	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		<100	<100
B36-GS-9	B36-GS-9-12'_P_12_091797_1	12	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		<100	<100
B36-GS10	B36-GS10-10'_P_3_091797_1	10	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		<100	<100
B36-GS-11	B36-GS-11-12'_P_3_091797_1	12	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		<100	<100
B36-GS-12	B36-GS-12-5'_P_3_091797_1	5	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		<100	<100
B36-GS-13	B36-GS-13-12'_P_12_091797_1	12	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		<100	<100
B36-GS-14	B36-GS-14-5'_P_5_091797_1	5	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		<100	<100
B36-GS-15	B36-GS-15-10'_P_10_091797_1	10	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		<100	<100
B36-GS-16	B36-GS-16-12'_P_12_091797_1	12	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		<100	<100
B36-GS-17	B36-GS-17-12'_P_12_091797_1	12	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		<100	<100
B36-GS-18	B36-GS-18-5'_P_5_091797_1	5	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		<100	<100
B36-GS-19	B36-GS-19-2'_P_2_091797_1	2	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		<100	<100
B36-GS-20	B36-GS-20-2'_P_2_091797_1	2	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		<100	<100
B36-GS-21	B36-GS-21-2'_P_2_091797_1	2	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		<100	<100
B36-GS-22	B36-GS-22-3'_P_3_091797_1	3	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		<100	<100
B36-GS-23	B36-GS-23-4'_P_4_091797_1	4	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		<100	<100
B36-GS-24	B36-GS-24-5'_P_3_091797_1	5	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	**830**	<100		<100	<100
B36-GS-25	B36-GS-25-5'_P_5_091797_1	5	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		**280**	<100
B37-C32-4_5	B37-C32-4.5_P_4.5_022497_1	4.5	<330	<330	<330	<800	<800	<330	<330	<330	<330		<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<330	<330	<330
B37-CS-2	B37-CS-2_P_2_032597_1	2	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
B37-D36-3	B37-D36-3ft._P_3_022697_1	3	<330	<330	<330	<800	<800	<330	<330	<330	<330		<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<330	<330	<330
B37-G36-3	B37-G36-3ft._P_3_022697_1	3	<330	<330	<330	<800	<800	<330	<330	<330	<330		<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<330	<330	<330
B37-GS-32	B37-GS-107-3'_P_3_032697_1	3	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
B37-GS-37	B37-GS-110-3'_P_3_032697_1	3	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
B37-GS-39	B37-GS-183C-10_P_10_050797_1	10	<100	<100	<100	<250	<100	<100	<100	<100	<100	<500	<100	<250	<250	<250	<250	<250	<100	<100	<100	<100	<100	<100		<100	<100
B37-GS-74-2	B37-GS-203-12'_P_12_101497_1	12	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		<100	<100
B37-GS-107-3	B37-GS-211-8'_P_8_102997_1	8	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		<100	<100
B37-GS-110-3	B37-GS-212-10'_P_10_102997_1	10	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		<100	<100
B37-GS-183C-10	B37-GS-213-8'_P_8_102997_1	8	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		<100	<100
B37-GS-203	B37-GS-214-6'_P_6_103097_1	6	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		<100	<100
B37-GS-211	B37-GS-32_P_3_021397_1	3	<330	<330	<330	<800	<800	<330	<330	<330	<330		<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<330	<330	<330
B37-GS-212	B37-GS-37_P_1_021797_1	1	<330	<330	<330	<800	<800	<330	<330	<330	<330		<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<330	<330	<330
B37-GS-213	B37-GS-39_P_2_021797_1	2	<330	<330	<330	<800	<800	<330	<330	<330	<330		<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<330	<330	<330
B37-GS-214	B37-GS-74-2ft_P_2_031097_1	2	<330	<330	<330	<800	<800	<330	<330	<330	<330		<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<330	<330	<330
B37-J36-3	B37-J36-3ft._P_3_022697_1	3	<330	<330	<330	<800	<800	<330	<330	<330	<330		<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<330	<330	<330
B40-GS-1	B40-GS-1-1'_P_1_092497_1	1	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	**850**	<100		<100	<100
B41-GS-1	B41-GS-1-1'_P_1_092497_1	1	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		<100	<100
B41-GS-2	B41-GS-2-2'_P_3_092497_1	3	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		<100	<100
B41-GS-3	B41-GS-3-2'_P_2_092997_1	2	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		<100	<100
B41-GS-4	B41-GS-4-3'_P_3_092997_1	3	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		<100	<100
B41-GS-5	B41-GS-5-1'_P_1_092997_1	1	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		<100	<100
B41-GS-6	B41-GS-6-1'_P_1_092997_1	1	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		<100	<100
Bldg-2-AK-14	Bldg_2_AK_14_072501_1	12	<6600	<6600		<32000	<32000	<6600	<6600		**3600J**		**9700**	**10000**	**3400J**	**5100J**	<6600	<32000	<6600	<6600	<6600	<6600	<6600	<6600	<6600	**14000**	<6600
BUILD-1-1-22-1	BUILD_1_1_22_1	1	<3300	<3300		<16000	<16000	<3300	<3300		<3300		<3300	<3300	<3300	<3300	<3300	<16000	<3300	<3300	<3300	<3300	<3300	<3300	<3300	<3300	<3300
BUILD-1-1-22-2	BUILD_1_1_22_2	1	<3300	<3300		<16000	<16000	<3300	<3300		<3300		<3300	<3300	<3300	<3300	<3300	<16000	<3300	<3300	<3300	<3300	<3300	<3300	<3300	<3300	<3300
BUILD-1-1-22-3	BUILD_1_1_22_3	1	<330	<330		<1600	<1600	<330	<330		<330		<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<330	<330	<330

See notes on page 21

Table 12
Semi-Volatile Organic Compounds in Soil Samples (µg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Object Name	Sample Name	Sample Depth (feet)	Dibenzofuran	Diethyl phthalate	Dimethyl phthalate	Di-n-butyl phthalate	Di-n-octyl phthalate	Fluoranthene	Fluorene	Hexachlorobenzene	Hexachlorobutadiene	Hexachlorocyclopentadiene	Hexachloroethane	Indeno(1,2,3-cd)pyrene	Isophorone	Naphthalene	Nitrobenzene	N-Nitrosodimethylamine	N-Nitroso-di-n-propylamine	N-Nitrosodiphenylamine	N-Nitrosodipropylamine	Pentachlorophenol	Phenanthrene	Phenol	Pyrene	Pyridine
2BB-5-21	2BB-5-21-10_P_10_050797_1	10	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
2BB-5-21	2BB-5-21-15_P_15_050797_1	15	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
2BB-5-21	2BB-5-21-20_P_20_050797_1	20	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
2BB-5-21	2BB-5-21-25_P_25_050797_1	25	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
2BB-5-22	2BB-5-22-1_P_1_050797_1	1	<100	<100	<100	<250	<250	**200**	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	**170**	
2BB-5-22	2BB-5-22-4_P_4_050797_1	4	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
2BB-5-22	2BB-5-22-10_P_10_050797_1	10	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
2BB-5-22	2BB-5-22-15_P_15_050797_1	15	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
2BB-5-22	2BB-5-22-20_P_20_050797_1	20	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
2BB-5-22	2BB-5-22-25_P_25_050797_1	25	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
B36-GS-2	B36-GS-2-2'_P_2_032697_1	2	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
B36-GS-3	B36-GS-3-10'_P_10_091797_1	10	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
B36-GS-4	B36-GS-4-12'_P_12_091797_1	12	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
B36-GS-5	B36-GS-5-12'_P_12_091797_1	12	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
B36-GS-6	B36-GS-6-5'_P_5_091797_1	5	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
B36-GS-7	B36-GS-7-10'_P_10_091797_1	10	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
B36-GS-8	B36-GS-8-12'_P_12_091797_1	12	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
B36-GS-9	B36-GS-9-12'_P_12_091797_1	12	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
B36-GS10	B36-GS10-10'_P_3_091797_1	10	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
B36-GS-11	B36-GS-11-12'_P_3_091797_1	12	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
B36-GS-12	B36-GS-12-5'_P_3_091797_1	5	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
B36-GS-13	B36-GS-13-12'_P_12_091797_1	12	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
B36-GS-14	B36-GS-14-5'_P_5_091797_1	5	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
B36-GS-15	B36-GS-15-10'_P_10_091797_1	10	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
B36-GS-16	B36-GS-16-12'_P_12_091797_1	12	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
B36-GS-17	B36-GS-17-12'_P_12_091797_1	12	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
B36-GS-18	B36-GS-18-5'_P_5_091797_1	5	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
B36-GS-19	B36-GS-19-2'_P_2_091797_1	2	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
B36-GS-20	B36-GS-20-2'_P_2_091797_1	2	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
B36-GS-21	B36-GS-21-2'_P_2_091797_1	2	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
B36-GS-22	B36-GS-22-3'_P_3_091797_1	3	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
B36-GS-23	B36-GS-23-4'_P_4_091797_1	4	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
B36-GS-24	B36-GS-24-5'_P_3_091797_1	5	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	**320**	
B36-GS-25	B36-GS-25-5'_P_5_091797_1	5	<100	<100	<100	<250	<250	**270**	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
B37-C32-4_5	B37-C32-4.5_P_4.5_022497_1	4.5	<330	<330	<330	<330	<330	<330	<330	<330	<330	<330	<330	<330	<330	<330	<330	<330	<330	<330	<330	<800	<330	<330	<330	<330
B37-CS-2	B37-CS-2_P_2_032597_1	2	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
B37-D36-3	B37-D36-3ft_P_3_022697_1	3	<330	<330	<330	<330	<330	<330	<330	<330	<330	<330	<330	<330	<330	<330	<330	<330	<330	<330	<330	<800	<330	<330	<330	<330
B37-G36-3	B37-G36-3ft_P_3_022697_1	3	<330	<330	<330	<330	<330	<330	<330	<330	<330	<330	<330	<330	<330	<330	<330	<330	<330	<330	<330	<800	<330	<330	<330	<330
B37-GS-32	B37-GS-107-3'_P_3_032697_1	3	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	
B37-GS-37	B37-GS-110-3'_P_3_032697_1	3	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	
B37-GS-39	B37-GS-183C-10_P_10_050797_1	10	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	
B37-GS-74-2	B37-GS-203-12'_P_12_101497_1	12	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	
B37-GS-107-3	B37-GS-211-8'_P_8_102997_1	8	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	
B37-GS-110-3	B37-GS-212-10'_P_10_102997_1	10	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	
B37-GS-183C-10	B37-GS-213-8'_P_8_102997_1	8	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	
B37-GS-203	B37-GS-214-6'_P_6_103097_1	6	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	
B37-GS-211	B37-GS-32_P_3_021397_1	3	<330	<330	<330	<330	<330	<330	<330	<330	<330	<330	<330	<330	<330	<330	<330	<330	<330	<330	<330	<800	<330	<330	<330	<330
B37-GS-212	B37-GS-37_P_1_021797_1	1	<330	<330	<330	<330	<330	<330	<330	<330	<330	<330	<330	<330	<330	<330	<330	<330	<330	<330	<330	<800	<330	<330	<330	<330
B37-GS-213	B37-GS-39_P_2_021797_1	2	<330	<330	<330	<330	<330	<330	<330	<330	<330	<330	<330	<330	<330	<330	<330	<330	<330	<330	<330	<800	<330	<330	<330	<330
B37-GS-214	B37-GS-74-2ft_P_2_031097_1	2	<330	<330	<330	<330	<330	<330	<330	<330	<330	<330	<330	<330	<330	<330	<330	<330	<330	<330	<330	<800	<330	<330	<330	<330
B37-J36-3	B37-J36-3ft_P_3_022697_1	3	<330	<330	<330	<330	<330	<330	<330	<330	<330	<330	<330	<330	<330	<330	<330	<330	<330	<330	<330	<800	<330	<330	<330	<330
B40-GS-1	B40-GS-1-1'_P_1_092497_1	1	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
B41-GS-1	B41-GS-1-1'_P_1_092497_1	1	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
B41-GS-2	B41-GS-2-2'_P_3_092497_1	3	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
B41-GS-3	B41-GS-3-2'_P_2_092997_1	2	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
B41-GS-4	B41-GS-4-3'_P_3_092997_1	3	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
B41-GS-5	B41-GS-5-1'_P_1_092997_1	1	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
B41-GS-6	B41-GS-6-1'_P_1_092997_1	1	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
Bldg-2-AK-14	Bldg_2_AK_14_072501_1	12	<6600	<6600	<6600	<6600	<6600	**5000J**	**26000**	<6600	<6600	<32000	<6600	<6600	<6600	**25000**	<6600		<6600	<6600		<32000	**63000**	<6600	**35000**	
BUILD-1-1-22-1	BUILD_1_1_22_1	1	<3300	<3300	<3300	<3300	<3300	<3300	<3300	<3300	<3300	<16000	<3300	<3300	<3300	<3300	<3300		<3300	<3300		<16000	<3300	<3300	<3300	
BUILD-1-1-22-2	BUILD_1_1_22_2	1	<3300	<3300	<3300	<3300	<3300	<3300	<3300	<3300	<3300	<16000	<3300	<3300	<3300	<3300	<3300		<3300	<3300		<16000	<3300	<3300	<3300	
BUILD-1-1-22-3	BUILD_1_1_22_3	1	<330	<330	<330	<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330		<330	<330		<1600	<330	<330	<330	

See notes on page 21

Table 12
Semi-Volatile Organic Compounds in Soil Samples (µg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Object Name	Sample Name	Sample Depth (feet)	1,2,4-Trichlorobenzene	1,2-Dichlorobenzene	1,2-Diphenylhydrazine	1,3-Dichlorobenzene	1,4-Dichlorobenzene	2,4,5-Trichlorophenol	2,4,6-Trichlorophenol	2,4-Dichlorophenol	2,4-Dimethylphenol	2,4-Dinitrophenol	2,4-Dinitrotoluene	2,6-Dinitrotoluene	2-Chloronaphthalene	2-Chlorophenol	2-Methylnaphthalene	2-Methylphenol	2-Nitroaniline	2-Nitrophenol	3,3-Dichlorobenzidine	3-Methylphenol & 4-Methylphenol	3-Nitroaniline	4,6-Dinitro-2-methylphenol	4,6-Dinitro-o-cresol	4-Bromophenyl phenyl ether	4-Chloro-3-methylphenol
BUILD-1-1-22-4	BUILD_1_1_22_4	7	<330	<330		<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<1600	<330	<1600	<330	<1600	<1600		<330	<330
BUILD-1-1-22-9	BUILD_1_1_22_9	1	<330	<330		<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<1600	<330	<1600	<330	<1600	<1600		<330	<330
BUILD-1-A-12-1	Build_1_A_12_051801_1	5	<330	<330		<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<1600	<330	<1600	<330	<1600	<1600		<330	<330
BUILD-1-B-15-10	BUILD_1_B_15_092701_10	10	<540	<540		<540	<540	<540	<540	<540	<540	<2600	<540	<540	<540	<540	<540	<540	<2600	<540	<2600	<540	<2600	<2600		<540	<540
BUILD-1-M-12-3	BUILD_1_M_12_050201_3	6	<330	<330		<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<1600	<330	<1600	<330	<1600	<1600		<330	<330
BUILD-1-M-13-1	BUILD_1_M_13_041801_1	3	<330	<330		<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<1600	<330	<1600	<330	<1600	<1600		<330	<330
BUILD-1-M-14-1	BUILD_1_M_14_041801_1	3	<8200	<8200		<8200	<8200	<8200	<8200	<8200	<8200	<40000	<8200	<8200	<8200	<8200	**28000**	<8200	<40000	<8200	<40000	<8200	<40000	<40000		<8200	<8200
BUILD-1-M-14-3	Build_1_M_14_050101_3	10	<3300	<3300		<3300	<3300	<3300	<3300	<3300	<3300	<16000	<3300	<3300	<3300	<3300	**18000**	<3300	<16000	<3300	<16000	<3300	<16000	<16000		<3300	<3300
BUILD-1-M-16-1	Build_1_M_16_041801_1	3	<3300	<3300		<3300	<3300	<3300	<3300	<3300	<3300	<16000	<3300	<3300	<3300	<3300	**52000**	<3300	<16000	<3300	<16000	<3300	<16000	<16000		<3300	<3300
BUILD-1-M-16-3	BUILD_1_M_16_050301_3	21	<16000	<16000		<16000	<16000	<16000	<16000	<16000	<16000	<80000	<16000	<16000	<16000	<16000	**190000**	<16000	<80000	<16000	<80000	<16000	<80000	<80000		<16000	<16000
BUILD-1-N-15-1	BUILD_1_N_15_040901_1	1	<1600	<1600		<1600	<1600	<1600	<1600	<1600	<1600	<8000	<1600	<1600	<1600	<1600	**5300**	<1600	<8000	<1600	<8000	<1600	<8000	<8000		<1600	<1600
BUILD-2-0-19-1	Build_2_0_19_042401_1	32	<330	<330		<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<1600	<330	<1600	<330	<1600	<1600		<330	<330
BUILD-2-AB-20-2A	Build_2_AB_20_051701_2A	5	<330	<330		<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<1600	<330	<1600	<330	<1600	<1600		<330	<330
Build-2-AD-14-1	Build_2_AD_14_042601_1	3	<3300	<3300		<3300	<3300	<3300	<3300	<3300	<3300	<16000	<3300	<3300	<3300	<3300	**16000**	<3300	<16000	<3300	<16000	<3300	<16000	<16000		<3300	<3300
Build-2-AD-14-2	Build_2_AD_14_042601_2	5	<330	<330		<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<1600	<330	<1600	<330	<1600	<1600		<330	<330
Build-2-AD-14-4	Build_2_AD_14_042601_4	3	<330	<330		<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<1600	<330	<1600	<330	<1600	<1600		<330	<330
BUILD-2-AF-17-3	BUILD_2_AF_17_032901_3	17	<330	<330		<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<1600	<330	<1600	<330	<1600	<1600		<330	<330
BUILD-2-AK-13	Build_2_AK_13_021901	3	<990	<990		<990	<990	<990	<990	<990	<990	<4800	<990	<990	<990	<990	**11000**	<990	<4800	<990	<4800	<990	<4800	<4800		<990	<990
BUILD-2-AK-13-2	Build_2_AK_13_051401_2	3	<330	<330		<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<1600	<330	<1600	<330	<1600	<1600		<330	<330
BUILD-2-AK-17-1	Build_2_AK_17_021501_1	1	<3300	<3300		<3300	<3300	<3300	<3300	<3300	<3300	<16000	<3300	<3300	<3300	<3300	**1900J**	<3300	<16000	<3300	<16000	<3300	<16000	<16000		<3300	<3300
BUILD-2-AK-17-2	BUILD_2_AK_17_032701_2	9	<6600	<6600		<6600	<6600	<6600	<6600	<6600	<6600	<32000	<6600	<6600	<6600	<6600	**47000**	<6600	<32000	<6600	<32000	<6600	<32000	<32000		<6600	<6600
BUILD-2-AN-19-1	BUILD_2_AN_19_051001_1	0	<330	<330		<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<1600	<330	<1600	<330	<1600	<1600		<330	<330
BUILD-2-AN-20-1	BUILD_2_AN_20_051001_1	1.5	<330	<330		<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<1600	<330	<1600	<330	<1600	<1600		<330	<330
BUILD-2-AN-23-1	Build_2_AN_23_051001_1	1.5	<330	<330		<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<1600	<330	<1600	<330	<1600	<1600		<330	<330
BUILD-2-M-10-6	Build_2_M_10_052501_6	26	<330	<330		<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	**550**	<330	<1600	<330	<1600	<330	<1600	<1600		<330	<330
BUILD-2-M-10-7	Build_2_M_10_052901_7	30	<330	<330		<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	**2200**	<330	<1600	<330	<1600	<330	<1600	<1600		<330	<330
BUILD-2-M-10-8	BUILD_2_M_10_053101_8	22	<33000	<33000		<33000	<33000	<33000	<33000	<33000	<33000	<160000	<33000	<33000	<33000	<33000	**190000**	<33000	<160000	<33000	<160000	<33000	<160000	<160000		<33000	<33000
BUILD-2-N-10-10	BUILD_2_N_10_053101_10	27	<330	<330		<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<1600	<330	<1600	<330	<1600	<1600		<330	<330
BUILD-2-N-10-11	BUILD_2_N_10_053101_11	27	<330	<330		<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<1600	<330	<1600	<330	<1600	<1600		<330	<330
BUILD-2-N-10-9	BUILD_2_N_10_053101_9	27	<330	<330		<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<1600	<330	<1600	<330	<1600	<1600		<330	<330
BUILD-2-O-9-2	BUILD_2_O_9_050101_2	5	<330	<330		<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<1600	<330	<1600	<330	<1600	<1600		<330	<330
BUILD-2-T-18-1	BUILD_2_T_18_011501_1	1	<330	<330		<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<1600	<330	<1600	<330	<1600	<1600		<330	<330
BUILD-2-T-20-1	BUILD_2_T_20_012001_1	1	<2000	<2000		<2000	<2000	<2000	<2000	<2000	<2000	<9600	<2000	<2000	<2000	<2000	**790J**	<2000	<9600	<2000	<9600	<2000	<9600	<9600		<2000	<2000
BUILD-2-T-20-2	BUILD_2_T_20_050101_2	18	<33000	<33000		<33000	<33000	<33000	<33000	<33000	<33000	<160000	<33000	<33000	<33000	<33000	**230000**	<33000	<160000	<33000	<160000	<33000	<160000	<160000		<33000	<33000
BUILD-2-T-20-B20	BUILD_2_T20_071301_B20	20	<1600	<1600		<1600	<1600	<1600	<1600	<1600	<1600	<8000	<1600	<1600	<1600	<1600	**15000**	<1600	<8000	<1600	<8000	<1600	<8000	<8000		<1600	<1600
BUILD-2-T-20-B21	BUILD_2_T20_071301_B21	21	<3300	<3300		<3300	<3300	<3300	<3300	<3300	<3300	<16000	<3300	<3300	<3300	<3300	**49000**	<3300	<16000	<3300	<16000	<3300	<16000	<16000		<3300	<3300
BUILD-2-T-20-B24	BUILD_2_T20_071301_B24	24	<3300	<3300		<3300	<3300	<3300	<3300	<3300	<3300	<16000	<3300	<3300	<3300	<3300	**37000**	<3300	<16000	<3300	<16000	<3300	<16000	<16000		<3300	<3300
BUILD-2-T-20-E19	BUILD_2_T20_071301_E19	19	<330	<330		<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<1600	<330	<1600	<330	<1600	<1600		<330	<330
BUILD-2-T-20-N	BUILD_2_T20_071301_N19	19	<330	<330		<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<1600	<330	<1600	<330	<1600	<1600		<330	<330
BUILD-2-T-20-W17	BUILD_2_T20_071301_W17	17	<330	<330		<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	**250J**	<330	<1600	<330	<1600	<330	<1600	<1600		<330	<330
BUILD-2-T-21-10	BUILD_2_T_21_071201_10	10	<990	<990		<990	<990	<990	<990	<990	<990	<4800	<990	<990	<990	<990	**7200**	<990	<4800	<990	<4800	<990	<4800	<4800		<990	<990
BUILD-2-U-9-1	Build_2_U_9_122700_1	0	<3300	<3300		<3300	<3300	<3300	<3300	<3300	<3300	<16000	<3300	<3300	<3300	<3300	**14000**	<3300	<16000	<3300	<16000	<3300	<16000	<16000		<3300	<3300
BUILD-2-V-14-1	Build_2_V_14_042501_1	1	<330	<330		<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<1600	<330	<1600	<330	<1600	<1600		<330	<330
BUILD-2-V-14-2	Build_2_V_14_042501_2	4	<330	<330		<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<1600	<330	<1600	<330	<1600	<1600		<330	<330
BUILD-2-W-11-1	Build_2_W_11_050401_1	2	<1600	<1600		<1600	<1600	<1600	<1600	<1600	<1600	<8000	<1600	<1600	<1600	<1600	<1600	<1600	<8000	<1600	<8000	<1600	<8000	<8000		<1600	<1600
BUILD-2-W-11-3	Build_2_W_11_050901_3	8	<660	<660		<660	<660	<660	<660	<660	<660	<3200	<660	<660	<660	<660	<660	<660	<3200	<660	<3200	<660	<3200	<3200		<660	<660
BUILD-2-X-11-1	BUILD_2X_11_010901_1	0.5	<2000	<2000		<2000	<2000	<2000	<2000	<2000	<2000	<9600	<2000	<2000	<2000	<2000	<2000	<2000	<9600	<2000	<9600	<2000	<9600	<9600		<2000	<2000
BUILD-3-R-23-1	BUILD_3_R_23_040901	2	<330	<330		<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<1600	<330	<1600	<330	<1600	<1600		<330	<330
BUILD-20-L-23-10	Build_20_L_23_052301_10	10	<330	<330		<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<1600	<330	<1600	<330	<1600	<1600		<330	<330
BUILD-20-L-23-2	BUILD_20_L_23_032101_2	9	<16000	<16000		<16000	<16000	<16000	<16000	<16000	<16000	<80000	<16000	<16000	<16000	<16000	**54000**	<16000	<80000	<16000	<80000	<16000	<80000	<80000		<16000	<16000
BUILD-20-L-23-9	Build_20_L_23_051101_9	7	<330	<330		<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	**190J**	<330	<1600	<330	<1600	<330	<1600	<1600		<330	<330
BUILD-20-M-23-1	BUILD_20_M_23_032101_1	4	<330	<330		<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<1600	<330	<1600	<330	<1600	<1600		<330	<330
BUILD-20-M-23-7	BUILD_20_M_23_032201_7	7	<330	<330		<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<1600	<330	<1600	<330	<1600	<1600		<330	<330
C-1-3	C-1-3-10	10	<100	<100		<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<250	<100	<100		<250	<100		<100	<100
C-1-3	C-1-3-15	15	<100	<100		<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<250	<100	<100		<250	<100		<100	<100
C-1-3	C-1-3-20	20	<100	<100		<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<250	<100	<100		<250	<100		<100	<100
C-1-8	C-1-8-2'	2	<100	<100		<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<250	<100	<100		<250	<100		<100	<100
C-1-8	C-1-8-5	5	<100	<100		<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<250	<100	<100		<250	<100		<100	<100
C-1-8	C-1-8-10	10	<100	<100		<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<250	<100	<100		<250	<100		<100	<100
C-1-9	C-1-9-1	1	<100	<100		<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<250	<100	<100		<250	<100		<100	<100
C-1-9	C-1-9-5	5	<100	<100		<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<250	<100	<100		<250	<100		<100	<100
C-1-9	C-1-9-10	10	<100	<100		<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<250	<100	<100		<250	<100		<100	<100

See notes on page 21

Table 12
Semi-Volatile Organic Compounds in Soil Samples (µg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Object Name	Sample Name	Sample Depth (feet)	4-Chloroaniline	4-Chlorophenyl phenyl ether	4-Methylphenol	4-Nitroaniline	4-Nitrophenol	Acenaphthene	Acenaphthylene	Aniline	Anthracene	Benzidine	Benzo(a)anthracene	Benzo(a)pyrene	Benzo(b)fluoranthene	Benzo(g,h,i)perylene	Benzo(k)fluoranthene	Benzoic acid	Benzyl alcohol	Bis(2-chloroethoxy)methane	Bis(2-chloroethyl)ether	Bis(2-chloroisopropyl)ether	Bis(2-ethylhexyl)phthalate	Butyl benzyl phthalate	Carbazole	Chrysene	Dibenz(a,h)anthracene
BUILD-1-1-22-4	BUILD_1_1_22_4	7	<330	<330		<1600	<1600	<330	<330		<330		<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<330	<330	<330
BUILD-1-1-22-9	BUILD_1_1_22_9	1	<330	<330		<1600	<1600	<330	<330		<330		<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<330	<330	<330
BUILD-1-A-12-1	Build_1_A_12_051801_1	5	<330	<330		<1600	<1600	<330	<330	<660	<330	<660	<330	<330	**120J**	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<330	<330	<330
BUILD-1-B-15-10	BUILD_1_B_15_092701_10	10	<540	<540		<2600	<2600	<540	<540		<540		<540	<540	<540	<540	<540	<2600	<540	<540	<540	<540	<540	<540	<540	<540	<540
BUILD-1-M-12-3	BUILD_1_M_12_050201_3	6	<330	<330		<1600	<1600	<330	<330	<660	<330	<660	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<330	<330	<330
BUILD-1-M-13-1	BUILD_1_M_13_041801_1	3	<330	<330		<1600	<1600	<330	<330	<660	**170J**	<660	**130J**	**90J**	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<330	**150J**	<330
BUILD-1-M-14-1	BUILD_1_M_14_041801_1	3	<8200	<8200		<40000	<40000	<8200	<8200	<16000	**9000**	<16000	**3000J**	**2100J**	<8200	<8200	<8200	<40000	<8200	<8200	<8200	<8200	<8200	<8200	**4000J**	**3800J**	<8200
BUILD-1-M-14-3	Build_1_M_14_050101_3	10	<3300	<3300		<16000	<16000	<3300	<3300	<6600	**850J**	<6600	**3000J**	**1900J**	**1200J**	**1500J**	<3300	<16000	<3300	<3300	<3300	<3300	<3300	<3300	<3300	**3900**	<3300
BUILD-1-M-16-1	Build_1_M_16_041801_1	3	<3300	<3300		<16000	<16000	<3300	<3300	<6600	**990J**	<6600	**2300J**	**1800J**	<3300	<3300	<3300	<16000	<3300	<3300	<3300	<3300	<3300	<3300	<3300	**3500**	<3300
BUILD-1-M-16-3	BUILD_1_M_16_050301_3	21	<16000	<16000		<80000	<80000	<16000	<16000	<33000	<16000	<33000	**5400J**	**3500J**	<16000	<16000	<16000	<80000	<16000	<16000	<16000	<16000	<16000	<16000	<16000	**6500J**	<16000
BUILD-1-N-15-1	BUILD_1_N_15_040901_1	1	<1600	<1600		<8000	<8000	**7200**	**2500**	<3300	**3200**	<3300	**2000**	**1000J**	<1600	<1600	<1600	<8000	<1600	<1600	<1600	<1600	<1600	<1600	<1600	**2200**	<1600
BUILD-2-0-19-1	Build_2_0_19_042401_1	32	<330	<330		<1600	<1600	<330	<330	<660	<330	<660	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<330	<330	<330
BUILD-2-AB-20-2A	Build_2_AB_20_051701_2A	5	<330	<330		<1600	<1600	<330	<330	<660	<330	<660	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<330	<330	<330
Build-2-AD-14-1	Build_2_AD_14_042601_1	3	<3300	<3300		<16000	<16000	<3300	<3300	<6600	**1900J**	<6600	**1200J**	<3300	<3300	<3300	<3300	<16000	<3300	<3300	<3300	<3300	<3300	<3300	<3300	**2800J**	<3300
Build-2-AD-14-2	Build_2_AD_14_042601_2	5	<330	<330		<1600	<1600	<330	<330	<660	<330	<660	**110J**	**83J**	**140J**	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<330	**110J**	<330
Build-2-AD-14-4	Build_2_AD_14_042601_4	3	<330	<330		<1600	<1600	<330	<330	<660	<330	<660	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<330	<330	<330
BUILD-2-AF-17-3	BUILD_2_AF_17_032901_3	17	<330	<330		<1600	<1600	<330	<330	<660	<330	<660	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	**300J**	<330	<330	<330
BUILD-2-AK-13	Build_2_AK_13_021901	3	<990	<990		<4800	<4800	<990	<990	<2000	**470J**	<2000	<990	<990	<990	<990	<990	<4800	<990	<990	<990	<990	<990	<990	<990	<990	<990
BUILD-2-AK-13-2	Build_2_AK_13_051401_2	3	<330	<330		<1600	<1600	<330	<330	<660	<330	<660	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<330	<330	<330
BUILD-2-AK-17-1	Build_2_AK_17_021501_1	1	<3300	<3300		<16000	<16000	<3300	<3300	<6600	**1000J**	<6600	**2100J**	**3300**	**2000J**	**2800J**	<3300	<16000	<3300	<3300	<3300	<3300	<3300	<3300	<3300	**2200J**	<3300
BUILD-2-AK-17-2	BUILD_2_AK_17_032701_2	9	<6600	<6600		<32000	<32000	<6600	<6600	<13000	<6600	<13000	**3000J**	**2500J**	<6600	<6600	<6600	<32000	<6600	<6600	<6600	<6600	<6600	<6600	<6600	**3700J**	<6600
BUILD-2-AN-19-1	BUILD_2_AN_19_051001_1	0	<330	<330		<1600	<1600	<330	<330	<660	<330	<660	**120J**	**71J**	**190J**	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<330	**110J**	<330
BUILD-2-AN-20-1	BUILD_2_AN_20_051001_1	1.5	<330	<330		<1600	<1600	<330	<330	<660	<330	<660	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<330	<330	<330
BUILD-2-AN-23-1	Build_2_AN_23_051001_1	1.5	<330	<330		<1600	<1600	<330	<330	<660	<330	<660	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<330	<330	<330
BUILD-2-M-10-6	Build_2_M_10_052501_6	26	<330	<330		<1600	<1600	<330	<330	<660	<330	<660	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<330	<330	<330
BUILD-2-M-10-7	Build_2_M_10_052901_7	30	<330	<330		<1600	<1600	<330	<330	<660	**140J**	<660	**360**	**330**	<330	**180J**	<330	<1600	<330	<330	<330	<330	<330	<330	<330	**360**	<330
BUILD-2-M-10-8	BUILD_2_M_10_053101_8	22	<33000	<33000		<160000	<160000	<33000	<33000	<66000	<33000	<66000	<33000	<33000	<33000	<33000	<33000	<160000	<33000	<33000	<33000	<33000	<33000	<33000	<33000	**10000J**	<33000
BUILD-2-N-10-10	BUILD_2_N_10_053101_10	27	<330	<330		<1600	<1600	<330	<330	<660	<330	<660	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<330	<330	<330
BUILD-2-N-10-11	BUILD_2_N_10_053101_11	27	<330	<330		<1600	<1600	<330	<330	<660	<330	<660	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<330	<330	<330
BUILD-2-N-10-9	BUILD_2_N_10_053101_9	27	<330	<330		<1600	<1600	<330	<330	<660	<330	<660	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<330	<330	<330
BUILD-2-O-9-2	BUILD_2_O_9_050101_2	5	<330	<330		<1600	<1600	<330	<330	<660	<330	<660	<330	<330	**160J**	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<330	**140J**	<330
BUILD-2-T-18-1	BUILD_2_T_18_011501_1	1	<330	<330		<1600	<1600	<330	<330	<660	<330	<660	<330	**80J**	**160J**	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<330	<330	<330
BUILD-2-T-20-1	BUILD_2_T_20_012001_1	1	<2000	<2000		<9600	<9600	<2000	<2000	<4000	**580J**	<4000	**4600**	**3100**	**3200**	<2000	<2000	<9600	<2000	<2000	<2000	<2000	**3400**	<2000	<2000	**3900**	<2000
BUILD-2-T-20-2	BUILD_2_T_20_050101_2	18	<33000	<33000		<160000	<160000	<33000	<33000	<66000	<33000	<66000	<33000	<33000	<33000	<33000	<33000	<160000	<33000	<33000	<33000	<33000	<33000	<33000	<33000	**12000J**	<33000
BUILD-2-T-20-B20	BUILD_2_T20_071301_B20	20	<1600	<1600		<8000	<8000	<1600	<1600		<1600		**790J**	**570J**	<1600	<1600	<1600	<8000	<1600	<1600	<1600	<1600	<1600	<1600	<1600	**1200J**	<1600
BUILD-2-T-20-B21	BUILD_2_T20_071301_B21	21	<3300	<3300		<16000	<16000	<3300	<3300		<3300		**1300J**	**1000J**	<3300	<3300	<3300	<16000	<3300	<3300	<3300	<3300	<3300	<3300	<3300	**2600J**	<3300
BUILD-2-T-20-B24	BUILD_2_T20_071301_B24	24	<3300	<3300		<16000	<16000	<3300	<3300		<3300		<3300	<3300	<3300	<3300	<3300	<16000	<3300	<3300	<3300	<3300	<3300	<3300	<3300	**1700J**	<3300
BUILD-2-T-20-E19	BUILD_2_T20_071301_E19	19	<330	<330		<1600	<1600	<330	<330		<330		<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<330	<330	<330
BUILD-2-T-20-N	BUILD_2_T20_071301_N19	19	<330	<330		<1600	<1600	<330	<330		<330		<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<330	<330	<330
BUILD-2-T-20-W17	BUILD_2_T20_071301_W17	17	<330	<330		<1600	<1600	<330	<330		<330		<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<330	<330	<330
BUILD-2-T-21-10	BUILD_2_T_21_071201_10	10	<990	<990		<4800	<4800	<990	<990		<990		<990	<990	<990	<990	<990	<4800	<990	<990	<990	<990	<990	<990	<990	**770J**	<990
BUILD-2-U-9-1	Build_2_U_9_122700_1	0	<3300	<3300		<16000	<16000	<3300	<3300	<6600	<3300	<6600	<3300	<3300	<3300	<3300	<3300	<16000	<3300	<3300	<3300	<3300	<3300	<3300	<3300	<3300	<3300
BUILD-2-V-14-1	Build_2_V_14_042501_1	1	<330	<330		<1600	<1600	<330	<330	<660	<330	<660	<330	**81J**	**250J**	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<330	**170J**	<330
BUILD-2-V-14-2	Build_2_V_14_042501_2	4	<330	<330		<1600	<1600	<330	<330	<660	<330	<660	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<330	<330	<330
BUILD-2-W-11-1	Build_2_W_11_050401_1	2	<1600	<1600		<8000	<8000	<1600	<1600	<3300	**1100J**	<3300	**1600**	**790J**	<1600	<1600	<1600	<8000	<1600	<1600	<1600	<1600	<1600	<1600	<1600	**1500J**	<1600
BUILD-2-W-11-3	Build_2_W_11_050901_3	8	<660	<660		<3200	<3200	<660	<660	<1300	<660	<1300	<660	<660	<660	310J G	<660	<3200	<660	<660	<660	<660	<660	<660	<660	<660	<660
BUILD-2-X-11-1	BUILD_2X_11_010901_1	0.5	<2000	<2000		<9600	<9600	<2000	<2000	<4000	**230J**	<4000	**480J**	**400J**	**620J**	**1200J**	<2000	<9600	<2000	<2000	<2000	<2000	**240J**	<2000	<2000	**330J**	<2000
BUILD-3-R-23-1	BUILD_3_R_23_040901	2	<330	<330		<1600	<1600	<330	<330	<660	<330	<660	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<330	<330	<330
BUILD-20-L-23-10	Build_20_L_23_052301_10	10	<330	<330		<1600	<1600	<330	<330	<660	<330	<660	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<330	<330	<330
BUILD-20-L-23-2	BUILD_20_L_23_032101_2	9	<16000	<16000		<80000	<80000	<16000	<16000	<33000	**20000**	<33000	**14000J**	**4300J**	**6600J**	<16000	<16000	<80000	<16000	<16000	<16000	<16000	<16000	<16000	<16000	**15000J**	<16000
BUILD-20-L-23-9	Build_20_L_23_051101_9	7	<330	<330		<1600	<1600	<330	<330	<660	<330	<660	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<330	<330	<330
BUILD-20-M-23-1	BUILD_20_M_23_032101_1	4	<330	<330		<1600	<1600	<330	<330	<660	<330	<660	**150J**	**110J**	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<330	**190J**	<330
BUILD-20-M-23-7	BUILD_20_M_23_032201_7	7	<330	<330		<1600	<1600	<330	<330	<660	<330	<660	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<330	<330	<330
C-1-3	C-1-3-10	10	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		<100	<100
C-1-3	C-1-3-15	15	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		<100	<100
C-1-3	C-1-3-20	20	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		<100	<100
C-1-8	C-1-8-2'	2	<100	<100	<100	<250	<100	<100	<100	<100	<100		**230**	<250	<250	<250	**260**	<500	<100	<100	<100	<100	<100	<100		**290**	<100
C-1-8	C-1-8-5	5	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		<100	<100
C-1-8	C-1-8-10	10	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		<100	<100
C-1-9	C-1-9-1	1	<100	<100	<100	<250	<100	<100	<100	<100	**390**		**4900**	**6100**	**7000**	**3100**	**3800**	<500	<100	<100	<100	<100	<100	<100		**5900**	**840**
C-1-9	C-1-9-5	5	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		<100	<100
C-1-9	C-1-9-10	10	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		<100	<100

See notes on page 21

Table 12
Semi-Volatile Organic Compounds in Soil Samples (µg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Object Name	Sample Name	Sample Depth (feet)	1,2,4-Trichlorobenzene	1,2-Dichlorobenzene	1,2-Diphenylhydrazine	1,3-Dichlorobenzene	1,4-Dichlorobenzene	2,4,5-Trichlorophenol	2,4,6-Trichlorophenol	2,4-Dichlorophenol	2,4-Dimethylphenol	2,4-Dinitrophenol	2,4-Dinitrotoluene	2,6-Dinitrotoluene	2-Chloronaphthalene	2-Chlorophenol	2-Methylnaphthalene	2-Methylphenol	2-Nitroaniline	2-Nitrophenol	3,3-Dichlorobenzidine	3-Methylphenol & 4-Methylphenol	3-Nitroaniline	4,6-Dinitro-2-methylphenol	4,6-Dinitro-o-cresol	4-Bromophenyl phenyl ether	4-Chloro-3-methylphenol
C-1-11	C-1-11-10	10	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250	<100		<100	<100
C-1-11	C-1-11-15	15	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250	<100		<100	<100
C-1-11	C-1-11-20	20	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250	<100		<100	<100
C-1-12	C-1-12-1	1	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250	<100		<100	<100
C-1-12	C-1-12-5	5	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250	<100		<100	<100
C-1-12	C-1-12-10	10	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250	<100		<100	<100
C-1-13	C-1-13-2	2	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250	<100		<100	<100
C-1-13	C-1-13-5	5	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250	<100		<100	<100
C-1-13	C-1-13-10	10	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250	<100		<100	<100
C-1-18	C-1-18-10	10	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250	<100		<100	<100
C-1-18	C-1-18-15	15	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250	<100		<100	<100
C-1-18	C-1-18-20	20	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250	<100		<100	<100
C-1-20	C-1-20-10	10	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250	<100		<100	<100
C-1-20	C-1-20-15	15	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250	<100		<100	<100
C-1-20	C-1-20-20	20	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250	<100		<100	<100
C-1-21	C-1-21-1	1	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250	<100		<100	<100
C-1-21	C-1-21-5	5	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250	<100		<100	<100
C-1-21	C-1-21-8	8	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250	<100		<100	<100
C-1-31	C_1_31_15	15	<330	<330		<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<1600	<330	<1600	<330	<1600	<1600		<330	<330
C-1-31	C_1_31_20	20	<330	<330		<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<1600	<330	<1600	<330	<1600	<1600		<330	<330
C-1-33	C-1-33-1	1	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250	<100		<100	<100
C-1-33	C-1-33-5	5	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250	<100		<100	<100
C-1-33	C-1-33-10	10	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250	<100		<100	<100
C-1-36	C-1-36-1	1	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250	<100		<100	<100
C-1-36	C-1-36-5	5	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250	<100		<100	<100
C-1-36	C-1-36-10	10	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250	<100		<100	<100
C-1-36	C-1-36-15	15	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250	<100		<100	<100
C-1-36	C-1-36-20	20	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250	<100		<100	<100
C-1-42	C-1-42-1	1	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250	<100		<100	<100
C-1-42	C-1-42-5	5	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250	<100		<100	<100
C-1-42	C-1-42-10	10	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250	<100		<100	<100
C-1-43	C-1-43-20	20	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250	<100		<100	<100
C-1-43	C-1-43-24	24	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250	<100		<100	<100
C-1-44	C_1_44_20	20	<330	<330		<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<1600	<330	<1600	<330	<1600	<1600		<330	<330
C-1-44	C_1_44_25	25	<330	<330		<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<1600	<330	<1600	<330	<1600	<1600		<330	<330
C-1-44	C_1_44_30	30	<330	<330		<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<1600	<330	<1600	<330	<1600	<1600		<330	<330
C-1-45	C-1-45-20	20	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250	<100		<100	<100
C-1-45	C-1-45-25	25	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250	<100		<100	<100
C-1-45	C-1-45-28	28	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250	<100		<100	<100
C-1-56	C-1-56-5	5	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250	<100		<100	<100
C-1-56	C-1-56-10	10	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250	<100		<100	<100
C-1-56	C-1-56-15	15	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250	<100		<100	<100
C-1-57	C-1-57-5	5	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250	<100		<100	<100
C-1-57	C-1-57-10	10	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250	<100		<100	<100
C-1-57	C-1-57-15	15	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250	<100		<100	<100
C-1-58	C-1-58-5	5	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250	<100		<100	<100
C-1-58	C-1-58-10	10	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250	<100		<100	<100
C-1-58	C-1-58-15	15	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250	<100		<100	<100
C-1-140	C_1_140_15	15	<1600	<1600		<1600	<1600	<1600	<1600	<1600	<1600	<8000	<1600	<1600	<1600	<1600	<1600	<1600	<8000	<1600	<8000	<1600	<8000	<8000		<1600	<1600
C-1-140	C_1_140_20	20	<660	<660		<660	<660	<660	<660	<660	<660	<3200	<660	<660	<660	<660	<660	<660	<3200	<660	<3200	<660	<3200	<3200		<660	<660
C-1-141	C_1_141_15	15	<330	<330		<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<1600	<330	<1600	<330	<1600	<1600		<330	<330
C-1-141	C_1_141_20	20	<330	<330		<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<1600	<330	<1600	<330	<1600	<1600		<330	<330
C-1-O-10	C_1_O_10_5	5	<330	<330		<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<1600	<330	<1600	<330	<1600	<1600		<330	<330
C-1-O-11	C_1_O_11_10	10	<330	<330		<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<1600	<330	<1600	<330	<1600	<1600		<330	<330
C-2-154	C_2_154_5	5	<330	<330		<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<1600	<330	<1600	<330	<1600	<1600		<330	<330
C-2-224	C_2_224_5	5	<330	<330		<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<1600	<330	<1600	<330	<1600	<1600		<330	<330
C-2-258	C_2_258_5	5	<330	<330		<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<1600	<330	<1600	<330	<1600	<1600		<330	<330
C-2-295	C_2_295_5	5	<330	<330		<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<1600	<330	<1600	<330	<1600	<1600		<330	<330
C-2-307	C_2_307_10	10	<330	<330		<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<1600	<330	<1600	<330	<1600	<1600		<330	<330
C-2-320	C_2_320_5	5	<3300	<3300		<3300	<3300	<3300	<3300	<3300	<3300	<16000	<3300	<3300	<3300	<3300	<3300	<3300	<16000	<3300	<16000	<3300	<16000	<16000		<3300	<3300
C-2-327	C_2_327_5	5	<330	<330		<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<1600	<330	<1600	<330	<1600	<1600		<330	<330
C-2-327	C_2_327_10	10	<330	<330		<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<1600	<330	<1600	<330	<1600	<1600		<330	<330

See notes on page 21

Table 12
Semi-Volatile Organic Compounds in Soil Samples (µg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Object Name	Sample Name	Sample Depth (feet)	Dibenzofuran	N-Nitrosodipropylamine	Pentachlorophenol	Phenanthrene	Phenol	Pyrene	Pyridine
BUILD-1-1-22-4	BUILD_1_1_22_4	7	<330		<1600	<330	<330	<330	
BUILD-1-1-22-9	BUILD_1_1_22_9	1	<330		<1600	<330	<330	<330	
BUILD-1-A-12-1	Build_1_A_12_051801_1	5	<330		<1600	<330	<330	<330	
BUILD-1-B-15-10	BUILD_1_B_15_092701_10	10	<540		<2600	<540	<540	<540	
BUILD-1-M-12-3	BUILD_1_M_12_050201_3	6	<330		<1600	<330	<330	<330	
BUILD-1-M-13-1	BUILD_1_M_13_041801_1	3	<330		<1600	<330	<330	**360**	
BUILD-1-M-14-1	BUILD_1_M_14_041801_1	3	<8200		<40000	**45000**	<8200	**8000J**	
BUILD-1-M-14-3	Build_1_M_14_050101_3	10	<3300		<16000	**20000**	<3300	**15000**	
BUILD-1-M-16-1	Build_1_M_16_041801_1	3	<3300		<16000	**20000**	<3300	**11000**	
BUILD-1-M-16-3	BUILD_1_M_16_050301_3	21	<16000		<80000	**52000**	<16000	**25000**	
BUILD-1-N-15-1	BUILD_1_N_15_040901_1	1	<1600		<8000	**23000**	<1600	**3500**	
BUILD-2-0-19-1	Build_2_0_19_042401_1	32	<330		<1600	<330	<330	<330	
BUILD-2-AB-20-2A	Build_2_AB_20_051701_2A	5	<330		<1600	<330	<330	<330	
Build-2-AD-14-1	Build_2_AD_14_042601_1	3	<3300		<16000	**8900**	<3300	**4200**	
Build-2-AD-14-2	Build_2_AD_14_042601_2	5	<330		<1600	**220J**	<330	**180J**	
Build-2-AD-14-4	Build_2_AD_14_042601_4	3	<330		<1600	<330	<330	<330	
BUILD-2-AF-17-3	BUILD_2_AF_17_032901_3	17	<330		<1600	<330	<330	<330	
BUILD-2-AK-13	Build_2_AK_13_021901	3	<990		<4800	**2700**	<990	<990	
BUILD-2-AK-13-2	Build_2_AK_13_051401_2	3	<330		<1600	<330	<330	<330	
BUILD-2-AK-17-1	Build_2_AK_17_021501_1	1	<3300		<16000	**3000J**	<3300	**6300**	
BUILD-2-AK-17-2	BUILD_2_AK_17_032701_2	9	<6600		<32000	**14000**	<6600	**9300**	
BUILD-2-AN-19-1	BUILD_2_AN_19_051001_1	0	<330		<1600	**220J**	<330	**220J**	
BUILD-2-AN-20-1	BUILD_2_AN_20_051001_1	1.5	<330		<1600	<330	<330	<330	
BUILD-2-AN-23-1	Build_2_AN_23_051001_1	1.5	<330		<1600	<330	<330	<330	
BUILD-2-M-10-6	Build_2_M_10_052501_6	26	<330		<1600	**480**	<330	**270J**	
BUILD-2-M-10-7	Build_2_M_10_052901_7	30	<330		<1600	**1200**	<330	**2300**	
BUILD-2-M-10-8	BUILD_2_M_10_053101_8	22	<33000		<160000	**58000**	<33000	**33000**	
BUILD-2-N-10-10	BUILD_2_N_10_053101_10	27	<330		<1600	**110J**	<330	<330	
BUILD-2-N-10-11	BUILD_2_N_10_053101_11	27	<330		<1600	<330	<330	<330	
BUILD-2-N-10-9	BUILD_2_N_10_053101_9	27	<330		<1600	<330	<330	<330	
BUILD-2-O-9-2	BUILD_2_O_9_050101_2	5	<330		<1600	**100J**	<330	<330	
BUILD-2-T-18-1	BUILD_2_T_18_011501_1	1	<330		<1600	**160J**	<330	**150J**	
BUILD-2-T-20-1	BUILD_2_T_20_012001_1	1	<2000		<9600	**3800**	<2000	**21000**	
BUILD-2-T-20-2	BUILD_2_T_20_050101_2	18	<33000		<160000	**54000**	<33000	**32000J**	
BUILD-2-T-20-B20	BUILD_2_T20_071301_B20	20	<1600		<8000	**5300**	<1600	**3300**	
BUILD-2-T-20-B21	BUILD_2_T20_071301_B21	21	<3300		<16000	**18000**	<3300	**6800**	
BUILD-2-T-20-B24	BUILD_2_T20_071301_B24	24	<3300		<16000	**14000**	<3300	**2700J**	
BUILD-2-T-20-E19	BUILD_2_T20_071301_E19	19	<330		<1600	**1200**	<330	<330	
BUILD-2-T-20-N	BUILD_2_T20_071301_N19	19	<330		<1600	<330	<330	<330	
BUILD-2-T-20-W17	BUILD_2_T20_071301_W17	17	<330		<1600	**350**	<330	**160J**	
BUILD-2-T-21-10	BUILD_2_T_21_071201_10	10	<990		<4800	**6500**	<990	<990	
BUILD-2-U-9-1	Build_2_U_9_122700_1	0	<3300		<16000	**3800**	<3300	<3300	
BUILD-2-V-14-1	Build_2_V_14_042501_1	1	<330		<1600	<330	<330	**130J**	
BUILD-2-V-14-2	Build_2_V_14_042501_2	4	<330		<1600	<330	<330	<330	
BUILD-2-W-11-1	Build_2_W_11_050401_1	2	<1600		<8000	**7500**	<1600	**4500**	
BUILD-2-W-11-3	Build_2_W_11_050901_3	8	<660		<3200	<660	<660	<660	
BUILD-2-X-11-1	BUILD_2X_11_010901_1	0.5	<2000		<9600	**600J**	<2000	**710J**	
BUILD-3-R-23-1	BUILD_3_R_23_040901	2	<330		<1600	<330	<330	<330	
BUILD-20-L-23-10	Build_20_L_23_052301_10	10	<330		<1600	<330	<330	<330	
BUILD-20-L-23-2	BUILD_20_L_23_032101_2	9	<16000		<80000	**120000**	<16000	**41000**	
BUILD-20-L-23-9	Build_20_L_23_051101_9	7	<330		<1600	<330	<330	<330	
BUILD-20-M-23-1	BUILD_20_M_23_032101_1	4	<330		<1600	**630**	<330	**500**	
BUILD-20-M-23-7	BUILD_20_M_23_032201_7	7	<330		<1600	<330	<330	<330	
C-1-3	C-1-3-10	10	<100	100	<250	<100	<100	<100	
C-1-3	C-1-3-15	15	<100	100	<250	<100	<100	<100	
C-1-3	C-1-3-20	20	<100	100	<250	<100	<100	<100	
C-1-8	C-1-8-2'	2	<100	100	<250	**240**	<100	**400**	
C-1-8	C-1-8-5	5	<100	100	<250	**240**	<100	**400**	
C-1-8	C-1-8-10	10	<100	100	<250	**240**	<100	**400**	
C-1-9	C-1-9-1	1	<100	100	<250	**240**	<100	**400**	
C-1-9	C-1-9-5	5	<100	100	<250	<100	<100	<100	
C-1-9	C-1-9-10	10	<100	100	<250	<100	<100	<100	

See notes on page 21

Table 12
Semi-Volatile Organic Compounds in Soil Samples (µg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Object Name	Sample Name	Sample Depth (feet)	4-Chloroaniline	4-Chlorophenyl phenyl ether	4-Methylphenol	4-Nitroaniline	4-Nitrophenol	Acenaphthene	Acenaphthylene	Aniline	Anthracene	Benzidine	Benzo(a)anthracene	Benzo(a)pyrene	Benzo(b)fluoranthene	Benzo(g,h,i)perylene	Benzo(k)fluoranthene	Benzoic acid	Benzyl alcohol	Bis(2-chloroethoxy)methane	Bis(2-chloroethyl)ether	Bis(2-chloroisopropyl)ether	Bis(2-ethylhexyl)phthalate	Butyl benzyl phthalate	Carbazole	Chrysene	Dibenz(a,h)anthracene
C-1-11	C-1-11-10	10	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		<100	<100
C-1-11	C-1-11-15	15	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		<100	<100
C-1-11	C-1-11-20	20	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		<100	<100
C-1-12	C-1-12-1	1	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		**130**	<100
C-1-12	C-1-12-5	5	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		<100	<100
C-1-12	C-1-12-10	10	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		<100	<100
C-1-13	C-1-13-2	2	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		<100	<100
C-1-13	C-1-13-5	5	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		<100	<100
C-1-13	C-1-13-10	10	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		<100	<100
C-1-18	C-1-18-10	10	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		<100	<100
C-1-18	C-1-18-15	15	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		<100	<100
C-1-18	C-1-18-20	20	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		<100	<100
C-1-20	C-1-20-10	10	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		<100	<100
C-1-20	C-1-20-15	15	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		<100	<100
C-1-20	C-1-20-20	20	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		<100	<100
C-1-21	C-1-21-1	1	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		<100	<100
C-1-21	C-1-21-5	5	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		<100	<100
C-1-21	C-1-21-8	8	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		<100	<100
C-1-31	C_1_31_15	15	<330	<330		<1600	<1600	<330	<330	<660	<330	<660	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<330	<330	<330
C-1-31	C_1_31_20	20	<330	<330		<1600	<1600	<330	<330	<660	<330	<660	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<330	<330	<330
C-1-33	C-1-33-1	1	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		<100	<100
C-1-33	C-1-33-5	5	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		<100	<100
C-1-33	C-1-33-10	10	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		<100	<100
C-1-36	C-1-36-1	1	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<1000	<100	<100	<100	<100	<100	<100		<100	<100
C-1-36	C-1-36-5	5	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		<100	<100
C-1-36	C-1-36-10	10	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		<100	<100
C-1-36	C-1-36-15	15	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		<100	<100
C-1-36	C-1-36-20	20	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		<100	<100
C-1-42	C-1-42-1	1	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		<100	<100
C-1-42	C-1-42-5	5	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		<100	<100
C-1-42	C-1-42-10	10	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		<100	<100
C-1-43	C-1-43-20	20	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		<100	<100
C-1-43	C-1-43-24	24	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		<100	<100
C-1-44	C_1_44_20	20	<330	<330		<1600	<1600	<330	<330	<660	<330	<660	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<330	<330	<330
C-1-44	C_1_44_25	25	<330	<330		<1600	<1600	<330	<330	<660	<330	<660	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<330	<330	<330
C-1-44	C_1_44_30	30	<330	<330		<1600	<1600	<330	<330	<660	<330	<660	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<330	<330	<330
C-1-45	C-1-45-20	20	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		<100	<100
C-1-45	C-1-45-25	25	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		<100	<100
C-1-45	C-1-45-28	28	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		<100	<100
C-1-56	C-1-56-5	5	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		<100	<100
C-1-56	C-1-56-10	10	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		<100	<100
C-1-56	C-1-56-15	15	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		<100	<100
C-1-57	C-1-57-5	5	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		<100	<100
C-1-57	C-1-57-10	10	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		<100	<100
C-1-57	C-1-57-15	15	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		<100	<100
C-1-58	C-1-58-5	5	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		<100	<100
C-1-58	C-1-58-10	10	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		<100	<100
C-1-58	C-1-58-15	15	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		<100	<100
C-1-140	C_1_140_15	15	<1600	<1600		<8000	<8000	<1600	<1600	<3300	<1600	<3300	<1600	<1600	<1600	<1600	<1600	<8000	<1600	<1600	<1600	<1600	<1600	<1600	<1600	<1600	<1600
C-1-140	C_1_140_20	20	<660	<660		<3200	<3200	<660	<660	<1300	<660	<1300	<660	<660	<660	<660	<660	<3200	<660	<660	<660	<660	<660	<660	<660	<660	<660
C-1-141	C_1_141_15	15	<330	<330		<1600	<1600	<330	<330	<660	<330	<660	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<330	<330	<330
C-1-141	C_1_141_20	20	<330	<330		<1600	<1600	<330	<330	<660	<330	<660	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<330	<330	<330
C-1-O-10	C_1_O_10_5	5	<330	<330		<1600	<1600	**230J**	<330	<660	**900**	<660	**1300**	**880**	**1500**	**390**	<330	<1600	<330	<330	<330	<330	<330	<330	<330	**450**	**1100**	**120J**
C-1-O-11	C_1_O_11_10	10	<330	<330		<1600	<1600	<330	<330	<660	<330	<660	<330	<330	**140J**	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<330	<330	**110J**	<330
C-2-154	C_2_154_5	5	<330	<330		<1600	<1600	<330	<330	<660	<330	<660	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<330	<330	<330	<330
C-2-224	C_2_224_5	5	<330	<330		<1600	<1600	<330	<330	<660	<330	<660	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<330	<330	<330	<330
C-2-258	C_2_258_5	5	<330	<330		<1600	<1600	<330	<330	<660	<330	<660	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<330	<330	<330	<330
C-2-295	C_2_295_5	5	<330	<330		<1600	<1600	<330	<330	<660	<330	<660	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<330	<330	<330	<330
C-2-307	C_2_307_10	10	<330	<330		<1600	<1600	<330	<330	<660	<330	<660	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<330	<330	<330	<330
C-2-320	C_2_320_5	5	<3300	<3300		<16000	<16000	<3300	<3300	<6600	<3300	<6600	<3300	<3300	<3300	<3300	<3300	<16000	<3300	<3300	<3300	<3300	<3300	<3300	<3300	<3300	<3300	<3300
C-2-327	C_2_327_5	5	<330	<330		<1600	<1600	<330	<330	<660	<330	<660	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<330	<330	<330	<330
C-2-327	C_2_327_10	10	<330	<330		<1600	<1600	<330	<330	<660	<330	<660	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<330	<330	<330	<330

See notes on page 21

Table 12
Semi-Volatile Organic Compounds in Soil Samples (µg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Object Name	Sample Name	Sample Depth (feet)	Dibenzofuran	Diethyl phthalate	Dimethyl phthalate	Di-n-butyl phthalate	Di-n-octyl phthalate	Fluoranthene	Fluorene	Hexachlorobenzene	Hexachlorobutadiene	Hexachlorocyclopentadiene	Hexachloroethane	Indeno(1,2,3-cd)pyrene	Isophorone	Naphthalene	Nitrobenzene	N-Nitrosodimethylamine	N-Nitroso-di-n-propylamine	N-Nitrosodiphenylamine	N-Nitrosodipropylamine	Pentachlorophenol	Phenanthrene	Phenol	Pyrene	Pyridine
BUILD-1-1-22-4	BUILD_1_1_22_4	7	<330	<330	<330	<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330		<330	<330		<1600	<330	<330	<330	
BUILD-1-1-22-9	BUILD_1_1_22_9	1	<330	<330	<330	<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330		<330	<330		<1600	<330	<330	<330	
BUILD-1-A-12-1	Build_1_A_12_051801_1	5	<330	<330	<330	<330	<330	<330	<330	**93J**	<330	<1600	<330	<330	<330	<330	<330		<330	<330		<1600	**480**	<330	**270J**	
BUILD-1-B-15-10	BUILD_1_B_15_092701_10	10	<540	<540	<540	<540	<540	<540	<540	660G	<540	<2600	<540	<540	<540	<540	<540		<540	<540		<2600	<540	<540	<540	
BUILD-1-M-12-3	BUILD_1_M_12_050201_3	6	<330	<330	<330	<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330		<330	<330		<1600	<330	<330	<330	
BUILD-1-M-13-1	BUILD_1_M_13_041801_1	3	<330	<330	<330	<330	<330	**140J**	<330	<330	<330	<1600	<330	<330	<330	<330	<330		<330	<330		<1600	<330	<330	**360**	
BUILD-1-M-14-1	BUILD_1_M_14_041801_1	3	<8200	<8200	<8200	<8200	<8200	<8200	**20000**	<8200	<8200	<40000	<8200	<8200	<8200	**13000**	<8200		<8200	<8200		<40000	**45000**	<8200	**8000J**	
BUILD-1-M-14-3	Build_1_M_14_050101_3	10	<3300	<3300	<3300	<3300	<3300	**2200J**	**4300**	<3300	<3300	<16000	<3300	<3300	<3300	**9200**	<3300		<3300	<3300		<16000	**20000**	<3300	**11000**	
BUILD-1-M-16-1	Build_1_M_16_041801_1	3	<3300	<3300	<3300	<3300	<3300	**1300J**	**3300**	<3300	<3300	<16000	<3300	<3300	<3300	**9200**	<3300		<3300	<3300		<16000	**20000**	<3300	**11000**	
BUILD-1-M-16-3	BUILD_1_M_16_050301_3	21	<16000	<16000	<16000	<16000	<16000	<16000	**9100J**	<16000	<16000	<80000	<16000	<16000	<16000	**44000**	<16000		<16000	<16000		<80000	**52000**	<16000	**25000**	
BUILD-1-N-15-1	BUILD_1_N_15_040901_1	1	<1600	<1600	<1600	<1600	<1600	<1600	<1600	<1600	<1600	<8000	<1600	<1600	<1600	**15000**	<1600		<1600	<1600		<8000	**23000**	<1600	**3500**	
BUILD-2-0-19-1	Build_2_0_19_042401_1	32	<330	<330	<330	<330	<330	<330	<330	**120J**	<330	<1600	<330	<330	<330	<330	<330		<330	<330		<1600	<330	<330	<330	
BUILD-2-AB-20-2A	Build_2_AB_20_051701_2A	5	<330	<330	<330	<330	<330	<330	<330	**3700**	<3300	<16000	<3300	<3300	<3300	**1900J**	<3300		<3300	<3300		<16000	**8900**	<3300	**4200**	
Build-2-AD-14-1	Build_2_AD_14_042601_1	3	<3300	<3300	<3300	<3300	<3300	<3300	<330	<330	<330	<1600	<330	<330	<330	<330	<330		<330	<330		<1600	**220J**	<330	**180J**	
Build-2-AD-14-2	Build_2_AD_14_042601_2	5	<330	<330	<330	<330	<330	**200J**	<330	<330	<330	<1600	<330	<330	<330	<330	<330		<330	<330		<1600	<330	<330	<330	
Build-2-AD-14-4	Build_2_AD_14_042601_4	3	<330	<330	<330	<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330		<330	<330		<1600	<330	<330	<330	
BUILD-2-AF-17-3	BUILD_2_AF_17_032901_3	17	<330	<330	<330	<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330		<330	<330		<1600	<330	<330	<330	
BUILD-2-AK-13	Build_2_AK_13_021901	3	<990	<990	<990	<990	<990	<990	**1000**	<990	<990	<4800	<990	<990	<990	**1300**	<990		<990	<990		<4800	**2700**	<990	<990	
BUILD-2-AK-13-2	Build_2_AK_13_051401_2	3	<330	<330	<330	<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330		<330	<330		<1600	<330	<330	<330	
BUILD-2-AK-17-1	Build_2_AK_17_021501_1	1	<3300	<3300	<3300	<3300	<3300	**3500**	<3300	<3300	<3300	<16000	<3300	<3300	<3300	<3300	<3300		<3300	<3300		<16000	**3000J**	<3300	**6300**	
BUILD-2-AK-17-2	BUILD_2_AK_17_032701_2	9	<6600	<6600	<6600	<6600	<6600	<6600	**7700**	<6600	<6600	<32000	<6600	<6600	<6600	**15000**	<6600		<6600	<6600		<32000	**14000**	<6600	**9300**	
BUILD-2-AN-19-1	BUILD_2_AN_19_051001_1	0	<330	<330	<330	<330	<330	**220J**	<330	<330	<330	<1600	<330	<330	<330	<330	<330		<330	<330		<1600	**220J**	<330	**220J**	
BUILD-2-AN-20-1	BUILD_2_AN_20_051001_1	1.5	<330	<330	<330	<330	<330	**94J**	<330	<330	<330	<1600	<330	<330	<330	<330	<330		<330	<330		<1600	<330	<330	<330	
BUILD-2-AN-23-1	Build_2_AN_23_051001_1	1.5	<330	<330	<330	<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330		<330	<330		<1600	**480**	<330	**270J**	
BUILD-2-M-10-6	Build_2_M_10_052501_6	26	<330	<330	<330	<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330		<330	<330		<1600	**1200**	<330	**2300**	
BUILD-2-M-10-7	Build_2_M_10_052901_7	30	<330	<330	<330	<330	<330	**140J**	**380**	<330	<330	<1600	<330	<330	<330	**260J**	<330		<330	<330		<1600	**160J**	<330	**150J**	
BUILD-2-M-10-8	BUILD_2_M_10_053101_8	22	<33000	<33000	<33000	<33000	<33000	<33000	**11000J**	<33000	<33000	<160000	<33000	<33000	<33000	**39000**	<33000		<33000	<33000		<160000	**58000**	<33000	**33000**	
BUILD-2-N-10-10	BUILD_2_N_10_053101_10	27	<330	<330	<330	<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330		<330	<330		<1600	**110J**	<330	<330	
BUILD-2-N-10-11	BUILD_2_N_10_053101_11	27	<330	<330	<330	<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330		<330	<330		<1600	<330	<330	<330	
BUILD-2-N-10-9	BUILD_2_N_10_053101_9	27	<330	<330	<330	<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330		<330	<330		<1600	**100J**	<330	<330	
BUILD-2-O-9-2	BUILD_2_O_9_050101_2	5	<330	<330	<330	<330	<330	**110J**	<330	<330	<330	<1600	<330	<330	<330	<330	<330		<330	<330		<1600	**160J**	<330	**150J**	
BUILD-2-T-18-1	BUILD_2_T_18_011501_1	1	<330	<330	<330	<330	<330	**190J**	<330	<330	<330	<1600	<330	<330	<330	<330	<330		<330	<330		<9600	**3800**	<2000	**21000**	
BUILD-2-T-20-1	BUILD_2_T_20_012001_1	1	<2000	<2000	<2000	**3300**	<2000	**4400**	**1200J**	<2000	<2000	<9600	<2000	<2000	<2000	**170J**	<2000		<2000	<2000		<9600	**3800**	<2000	**21000**	
BUILD-2-T-20-2	BUILD_2_T_20_050101_2	18	<33000	<33000	<33000	<33000	<33000	<33000	**10000J**	<33000	<33000	<160000	<33000	<33000	<33000	**65000**	<33000		<33000	<33000		<160000	**54000**	<33000	**32000J**	
BUILD-2-T-20-B20	BUILD_2_T20_071301_B20	20	<1600	<1600	<1600	<1600	<1600	**530J**	**710J**	<1600	<1600	<8000	<1600	<1600	<1600	**3400**	<1600		<1600	<1600		<8000	**5300**	<1600	**3300**	
BUILD-2-T-20-B21	BUILD_2_T20_071301_B21	21	<3300	<3300	<3300	<3300	<3300	**990J**	**2300J**	<3300	<3300	<16000	<3300	<3300	<3300	**12000**	<3300		<3300	<3300		<16000	**18000**	<3300	**6800**	
BUILD-2-T-20-B24	BUILD_2_T20_071301_B24	24	<3300	<3300	<3300	<3300	<3300	<3300	**12000**	<3300	<3300	<16000	<3300	<3300	<3300	**7900**	<3300		<3300	<3300		<16000	**14000**	<3300	**2700J**	
BUILD-2-T-20-E19	BUILD_2_T20_071301_E19	19	<330	<330	<330	<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330		<330	<330		<1600	<330	<330	<330	
BUILD-2-T-20-N	BUILD_2_T20_071301_N19	19	<330	<330	<330	<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330		<330	<330		<1600	**350**	<330	**160J**	
BUILD-2-T-20-W17	BUILD_2_T20_071301_W17	17	<330	<330	<330	<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330		<330	<330		<1600	<330	<330	<330	
BUILD-2-T-21-10	BUILD_2_T_21_071201_10	10	<990	<990	<990	<990	<990	<990	**1400**	<990	<990	<4800	<990	<990	<990	**1900**	<990		<990	<990		<4800	**6500**	<990	<990	
BUILD-2-U-9-1	Build_2_U_9_122700_1	0	<3300	<3300	<3300	<3300	<3300	<3300	**2400J**	<3300	<3300	<16000	<3300	<3300	<3300	**2200J**	<3300		<3300	<3300		<16000	**3800**	<3300	<3300	
BUILD-2-V-14-1	Build_2_V_14_042501_1	1	<330	<330	<330	<330	<330	**170J**	<330	<330	<330	<1600	<330	<330	<330	<330	<330		<330	<330		<1600	<330	<330	**130J**	
BUILD-2-V-14-2	Build_2_V_14_042501_2	4	<330	<330	<330	<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330		<330	<330		<1600	<330	<330	<330	
BUILD-2-W-11-1	Build_2_W_11_050401_1	2	<1600	<1600	<1600	<1600	<1600	**450J**	**1800**	<1600	<1600	<8000	<1600	<1600	<1600	**1600**	<1600		<1600	<1600		<8000	**7500**	<1600	**4500**	
BUILD-2-W-11-3	Build_2_W_11_050901_3	8	<660	<660	<660	<660	<660	<660	<660	<660	<660	<3200	<660	<660	<660	<660	<660		<660	<660		<3200	<660	<660	<660	
BUILD-2-X-11-1	BUILD_2X_11_010901_1	0.5	<2000	<2000	<2000	<2000	<2000	**770J**	<2000	<2000	<2000	<9600	<2000	**240J**	<2000	<2000	<2000		<2000	<2000		<9600	**600J**	<2000	**710J**	
BUILD-3-R-23-1	BUILD_3_R_23_040901	2	<330	<330	<330	<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330		<330	<330		<1600	<330	<330	<330	
BUILD-20-L-23-10	Build_20_L_23_052301_10	10	<330	<330	<330	<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330		<330	<330		<1600	<330	<330	<330	
BUILD-20-L-23-2	BUILD_20_L_23_032101_2	9	<16000	<16000	<16000	<16000	<16000	**29000**	**20000**	<16000	<16000	<80000	<16000	<16000	<16000	<16000	<16000		<16000	<16000		<80000	**120000**	<16000	**41000**	
BUILD-20-L-23-9	Build_20_L_23_051101_9	7	<330	<330	<330	<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330		<330	<330		<1600	**630**	<330	**500**	
BUILD-20-M-23-1	BUILD_20_M_23_032101_1	4	<330	<330	<330	<330	<330	**80J**	**120J**	<330	<330	<1600	<330	<330	<330	<330	<330		<330	<330		<1600	<330	<330	<330	
BUILD-20-M-23-7	BUILD_20_M_23_032201_7	7	<330	<330	<330	<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330		<330	<330		<1600	<330	<330	<330	
C-1-3	C-1-3-10	10	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
C-1-3	C-1-3-15	15	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
C-1-3	C-1-3-20	20	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	**240**	<100	**400**	
C-1-8	C-1-8-2'	2	<100	<100	<100	<250	<250	**450**	<100	<100	<100	<100	<100	**290**	<100	<100	<100	<100		<100	<100	<250	**240**	<100	**400**	
C-1-8	C-1-8-5	5	<100	<100	<100	<250	<250	**450**	<100	<100	<100	<100	<100	**290**	<100	<100	<100	<100		<100	<100	<250	**240**	<100	**400**	
C-1-8	C-1-8-10	10	<100	<100	<100	<250	<250	**450**	<100	<100	<100	<100	<100	**290**	<100	<100	<100	<100		<100	<100	<250	**240**	<100	**400**	
C-1-9	C-1-9-1	1	<100	<100	<100	<250	<250	**450**	<100	<100	<100	<100	<100	**290**	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
C-1-9	C-1-9-5	5	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
C-1-9	C-1-9-10	10	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	

See notes on page 21

Table 12
Semi-Volatile Organic Compounds in Soil Samples (µg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Object Name	Sample Name	Sample Depth (feet)	Dibenzofuran	Diethyl phthalate	Dimethyl phthalate	Di-n-butyl phthalate	Di-n-octyl phthalate	Fluoranthene	Fluorene	Hexachlorobenzene	Hexachlorobutadiene	Hexachlorocyclopentadiene	Hexachloroethane	Indeno(1,2,3-cd)pyrene	Isophorone	Naphthalene	Nitrobenzene	N-Nitrosodimethylamine	N-Nitroso-di-n-propylamine	N-Nitrosodiphenylamine	N-Nitrosodipropylamine	Pentachlorophenol	Phenanthrene	Phenol	Pyrene	Pyridine
C-1-11	C-1-11-10	10	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
C-1-11	C-1-11-15	15	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
C-1-11	C-1-11-20	20	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	**120**	
C-1-12	C-1-12-1	1	<100	<100	<100	<250	<250	**160**	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	**120**	
C-1-12	C-1-12-5	5	<100	<100	<100	<250	<250	**160**	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	**120**	
C-1-12	C-1-12-10	10	<100	<100	<100	<250	<250	**160**	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	**120**	
C-1-13	C-1-13-2	2	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
C-1-13	C-1-13-5	5	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
C-1-13	C-1-13-10	10	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
C-1-18	C-1-18-10	10	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
C-1-18	C-1-18-15	15	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
C-1-18	C-1-18-20	20	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
C-1-20	C-1-20-10	10	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
C-1-20	C-1-20-15	15	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
C-1-20	C-1-20-20	20	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
C-1-21	C-1-21-1	1	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
C-1-21	C-1-21-5	5	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
C-1-21	C-1-21-8	8	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
C-1-31	C_1_31_15	15	<330	<330	<330	<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330		<330	<330		<1600	<330	<330	<330	
C-1-31	C_1_31_20	20	<330	<330	<330	<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330		<330	<330		<1600	<330	<330	<330	
C-1-33	C-1-33-1	1	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
C-1-33	C-1-33-5	5	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
C-1-33	C-1-33-10	10	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
C-1-36	C-1-36-1	1	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
C-1-36	C-1-36-5	5	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
C-1-36	C-1-36-10	10	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
C-1-36	C-1-36-15	15	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
C-1-36	C-1-36-20	20	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
C-1-42	C-1-42-1	1	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
C-1-42	C-1-42-5	5	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
C-1-42	C-1-42-10	10	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
C-1-43	C-1-43-20	20	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
C-1-43	C-1-43-24	24	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
C-1-44	C_1_44_20	20	<330	<330	<330	<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330		<330	<330		<1600	<330	<330	<330	
C-1-44	C_1_44_25	25	<330	<330	<330	<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330		<330	<330		<1600	<330	<330	<330	
C-1-44	C_1_44_30	30	<330	<330	<330	<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330		<330	<330		<1600	<330	<330	<330	
C-1-45	C-1-45-20	20	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
C-1-45	C-1-45-25	25	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
C-1-45	C-1-45-28	28	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
C-1-56	C-1-56-5	5	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
C-1-56	C-1-56-10	10	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
C-1-56	C-1-56-15	15	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
C-1-57	C-1-57-5	5	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
C-1-57	C-1-57-10	10	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
C-1-57	C-1-57-15	15	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
C-1-58	C-1-58-5	5	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
C-1-58	C-1-58-10	10	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
C-1-58	C-1-58-15	15	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
C-1-140	C_1_140_15	15	<1600	<1600	<1600	<1600	<1600	<1600	<1600	<1600	<1600	<8000	<1600	<1600	<1600	<1600	<1600		<1600	<1600		<8000	<1600	<1600	<1600	
C-1-140	C_1_140_20	20	<660	<660	<660	<660	<660	<660	<660	<660	<660	<3200	<660	<660	<660	<660	<660		<660	<660		<3200	<660	<660	<660	
C-1-141	C_1_141_15	15	<330	<330	<330	**330**	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330		<330	<330		<1600	<330	<330	<330	
C-1-141	C_1_141_20	20	<330	<330	<330	**270J**	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330		<330	<330		<1600	**2800**	<330	**2300**	
C-1-O-10	C_1_O_10_5	5	**260J**	<330	<330	<330	<330	**2700**	**440**	<330	<330	<1600	<330	**410**	<330	<330	<330		<330	<330		<1600	<330	<330	**130J**	
C-1-O-11	C_1_O_11_10	10	<330	<330	<330	<330	<330	**120J**	<330	<330	<330	<1600	<330	<330	<330	<330	<330		<330	<330		<1600	<330	<330	<330	
C-2-154	C_2_154_5	5	<330	<330	<330	**160J**	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330		<330	<330		<1600	<330	<330	<330	
C-2-224	C_2_224_5	5	<330	<330	<330	<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330		<330	<330		<1600	<330	<330	<330	
C-2-258	C_2_258_5	5	<330	<330	<330	<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330		<330	<330		<1600	<330	<330	<330	
C-2-295	C_2_295_5	5	<330	<330	<330	<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330		<330	<330		<1600	<330	<330	<330	
C-2-307	C_2_307_10	10	<330	<330	<330	<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330		<3300	<3300		<16000	870J G	<3300	1400J G	
C-2-320	C_2_320_5	5	<3300	<3300	<3300	<3300	<3300	870J G	<3300	<3300	<3300	<16000	<3300	<3300	<3300	<3300	<3300		<330	<330		<1600	<330	<330	<330	
C-2-327	C_2_327_5	5	<330	<330	<330	<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330		<330	<330		<1600	<330	<330	<330	
C-2-327	C_2_327_10	10	<330	<330	<330	<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330		<330	<330		<1600	<330	<330	<330	

See notes on page 21

Table 12
Semi-Volatile Organic Compounds in Soil Samples (µg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Object Name	Sample Name	Sample Depth (feet)	1,2,4-Trichlorobenzene	1,2-Dichlorobenzene	1,2-Diphenylhydrazine	1,3-Dichlorobenzene	1,4-Dichlorobenzene	2,4,5-Trichlorophenol	2,4,6-Trichlorophenol	2,4-Dichlorophenol	2,4-Dimethylphenol	2,4-Dinitrophenol	2,4-Dinitrotoluene	2,6-Dinitrotoluene	2-Chloronaphthalene	2-Chlorophenol	2-Methylnaphthalene	2-Methylphenol	2-Nitroaniline	2-Nitrophenol	3,3-Dichlorobenzidine	3-Methylphenol & 4-Methylphenol	3-Nitroaniline	4,6-Dinitro-2-methylphenol	4,6-Dinitro-o-cresol	4-Bromophenyl phenyl ether	4-Chloro-3-methylphenol
C-2-327	C_2_327_15	15	<330	<330		<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<1600	<330	<1600	<330	<1600	<1600		<330	<330
C-2-328	C_2_328_5	5	<330	<330		<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<1600	<330	<1600	<330	<1600	<1600		<330	<330
C-2-328	C_2_328_10	10	<330	<330		<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<1600	<330	<1600	<330	<1600	<1600		<330	<330
C-2-328	C_2_328_15	15	<330	<330		<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<1600	<330	<1600	<330	<1600	<1600		<330	<330
C-2-333	C_2_333_35	35	<330	<330		<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<1600	<330	<1600	<330	<1600	<1600		<330	<330
C-2-337	C_2_337_35	35	<330	<330		<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<1600	<330	<1600	<330	<1600	<1600		<330	<330
C-2-339	C_2_339_35	35	<330	<330		<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<1600	<330	<1600	<330	<1600	<1600		<330	<330
C-2-347	C_2_347_5	5	<330	<330		<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<1600	<330	<1600	<330	<1600	<1600		<330	<330
C-3-1	C_3_1_5'	5	<330	<330		<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<1600	<330	<1600	<330	<1600	<1600		<330	<330
C-3-1	C_3_1_10'	10	<330	<330		<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<1600	<330	<1600	<330	<1600	<1600		<330	<330
C-3-2	C_3_2_1.5'	1.5	<330	<330		<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<1600	<330	<1600	<330	<1600	<1600		<330	<330
C-3-2	C_3_2_5'	5	<330	<330		<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<1600	<330	<1600	<330	<1600	<1600		<330	<330
C-3-2	C_3_2_10'	10	<330	<330		<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<1600	<330	<1600	<330	<1600	<1600		<330	<330
C6-CB6-S1	C6-CB6-S1_P_0.25_042098_1	0.25	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
C6-CB15-S2	C6-CB15-S2_P_0.25_042098_1	0.25	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
C-20-3	C-20-3-1	1	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250	<100		<100	<100
C-20-3	C-20-3-5	5	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250	<100		<100	<100
C-20-3	C-20-3-10	10	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250	<100		<100	<100
C-20-4	C-20-4-5	5	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250	<100		<100	<100
C-20-4	C-20-4-10	10	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250	<100		<100	<100
C-20-4	C-20-4-15	15	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250	<100		<100	<100
C-31	C_31_5'	5	<330	<330		<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<1600	<330	<1600	<330	<1600	<1600		<330	<330
C-31	C_31_10'	10	<330	<330		<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<1600	<330	<1600	<330	<1600	<1600		<330	<330
CI-GS-1C	CI-GS-1C-1.5'_P_1.5_081397_1	1.5	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
M-10	M_10_061801_16	26	<330	<330		<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<1600	<330	<1600	<330	<1600	<1600		<330	<330
OA1-GS-64	OA1-GS-64-7'_P_7_072897_1	7	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
OA1-GS-65	OA1-GS-65-2'_P_2_072897_1	2	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
PD-26	PD_26_20	20	<330	<330		<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<1600	<330	<1600	<330	<1600	<1600		<330	<330
PD-32	PD32_50	50	<330	<330		<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<1600	<330	<1600	<330	<1600	<1600		<330	<330
PD-34-S1	PD_34_S1_10.0_11.5	10	<330	<330		<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<1600	<330	<1600	<330	<1600	<1600		<330	<330
PD-35-S1	PD_35_S1_10.0_11.5	10	<330	<330		<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<1600	<330	<1600	<330	<1600	<1600		<330	<330
PD-36/55	PD_36/55_40_41	40	<330	<330		<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<1600	<330	<1600	<330	<1600	<1600		<330	<330
PD-37-S1	PD_37_S1 10_11.5	10	<330	<330		<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<1600	<330	<1600	<330	<1600	<1600		<330	<330
S24	S24_30	30	<3300	<3300		<3300	<3300	<3300	<3300	<3300	<3300	<16000	<3300	<3300	<3300	<3300	**13000**	<3300	<16000	<3300	<16000	<3300	<16000	<16000		<3300	<3300
S24-3	S24_3_10	10	<33000	<33000		<33000	<33000	<33000	<33000	<33000	<33000	<160000	<33000	<33000	<33000	<33000	**320000**	<33000	<160000	<33000	<160000	<33000	<160000	<160000		<33000	<33000
TMW-01	TMW-01-03-S6289_P_3_062898_1	3	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
TMW-01	TMW-01-05-S6289_P_5_062898_1	5	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
TMW-01	TMW-01-10-S6289_P_10_062898_1	10	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
TMW-01	TMW-01-20-S6289_P_20_062898_1	20	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
TMW-01	TMW-01-30-S6289_P_30_062898_1	30	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
TMW-01	TMW-01-40-S6289_P_40_062898_1	40	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
TMW-01	TMW-01-50-S6289_P_50_062898_1	50	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
TMW-01	TMW-01-66-S6289_P_66_062898_1	66	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
TMW-02	TMW-2-1-S062898_P_1_062898_1	1	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
TMW-02	TMW-2-50-S06289_P_50_062898_1	50	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
TMW-02	TMW-2-66-S06289_P_66_062898_1	66	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
TMW-03	TMW-03-03-S0721_P_3_072198_1	3	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
TMW-03	TMW-03-66-S0721_P_3_072198_1	3	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
TMW-03	TMW-03-05-S0721_P_5_072198_1	5	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
TMW-03	TMW-03-10-S0721_P_10_072198_1	10	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
TMW-03	TMW-03-20-S0721_P_20_072198_1	20	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
TMW-03	TMW-03-30-S0721_P_30_072198_1	30	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
TMW-03	TMW-03-40-S0721_P_40_072198_1	40	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
TMW-03	TMW-03-50-S0721_P_50_072198_1	50	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
TMW-04	TMW-04-01-S6309_P_1_063098_1	1	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
TMW-04	TMW-04-05-S6309_P_5_063098_1	5	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
TMW-04	TMW-04-10-S6309_P_10_063098_1	10	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
TMW-04	TMW-04-20-S6309_P_20_063098_1	20	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
TMW-04	TMW-04-30-S6309_P_30_063098_1	30	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
TMW-04	TMW-04-40-S6309_P_40_063098_1	40	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
TMW-04	TMW-04-50-S0630_P_50_063098_1	50	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
TMW-04	TMW-04-65-S0630_P_65_063098_1	65	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100

See notes on page 21

Table 12
Semi-Volatile Organic Compounds in Soil Samples (µg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Object Name	Sample Name	Sample Depth (feet)	4-Chloroaniline	4-Chlorophenyl phenyl ether	4-Methylphenol	4-Nitroaniline	4-Nitrophenol	Acenaphthene	Acenaphthylene	Aniline	Anthracene	Benzidine	Benzo(a)anthracene	Benzo(a)pyrene	Benzo(b)fluoranthene	Benzo(g,h,i)perylene	Benzo(k)fluoranthene	Benzoic acid	Benzyl alcohol	Bis(2-chloroethoxy)methane	Bis(2-chloroethyl)ether	Bis(2-chloroisopropyl)ether	Bis(2-ethylhexyl)phthalate	Butyl benzyl phthalate	Carbazole	Chrysene	Dibenz(a,h)anthracene
C-2-327	C_2_327_15	15	<330	<330		<1600	<1600	<330	<330	<660	<330	<660	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<330	<330	<330
C-2-328	C_2_328_5	5	<330	<330		<1600	<1600	<330	<330	<660	<330	<660	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<330	<330	<330
C-2-328	C_2_328_10	10	<330	<330		<1600	<1600	<330	<330	<660	<330	<660	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<330	<330	<330
C-2-328	C_2_328_15	15	<330	<330		<1600	<1600	<330	<330	<660	<330	<660	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<330	<330	<330
C-2-333	C_2_333_35	35	<330	<330		<1600	<1600	<330	<330	<660	<330	<660	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<330	<330	<330
C-2-337	C_2_337_35	35	<330	<330		<1600	<1600	<330	<330	<660	<330	<660	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<330	<330	<330
C-2-339	C_2_339_35	35	<330	<330		<1600	<1600	<330	<330	<660	<330	<660	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<330	<330	<330
C-2-347	C_2_347_5	5	<330	<330		<1600	<1600	<330	<330	<660	<330	<660	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<330	<330	<330
C-3-1	C_3_1_5'	5	<330	<330		<1600	<1600	<330	<330	<660	<330	<660	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<330	<330	<330
C-3-1	C_3_1_10'	10	<330	<330		<1600	<1600	<330	<330	<660	<330	<660	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<330	<330	<330
C-3-2	C_3_2_1.5'	1.5	<330	<330		<1600	<1600	<330	<330	<660	<330	<660	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<330	<330	<330
C-3-2	C_3_2_5'	5	<330	<330		<1600	<1600	<330	<330	<660	<330	<660	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<330	<330	<330
C-3-2	C_3_2_10'	10	<330	<330		<1600	<1600	<330	<330	<660	<330	<660	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<330	<330	<330
C6-CB6-S1	C6-CB6-S1_P_0.25_042098_1	0.25	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100	<100		<100	<100
C6-CB15-S2	C6-CB15-S2_P_0.25_042098_1	0.25	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100	<100		<100	<100
C-20-3	C-20-3-1	1	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100	<100		<100	<100
C-20-3	C-20-3-5	5	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100	<100		<100	<100
C-20-3	C-20-3-10	10	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100	<100		<100	<100
C-20-4	C-20-4-5	5	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100	<100		<100	<100
C-20-4	C-20-4-10	10	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100	<100		<100	<100
C-20-4	C-20-4-15	15	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100	<100		<100	<100
C-31	C_31_5'	5	<330	<330		<1600	<1600	<330	<330	<660	<330	<660	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<330	<330	<330
C-31	C_31_10'	10	<330	<330		<1600	<1600	<330	<330	<660	<330	<660	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<330	<330	<330
CI-GS-1C	CI-GS-1C-1.5'_P_1.5_081397_1	1.5	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100	<100		<100	<100
M-10	M_10_061801_16	26	<330	<330		<1600	<1600	<330	<330		<330		<330	<330	<330	**150J**	<330	<1600	<330	<330	<330	<330	<330	<330	<330	<330	<330	<330
OA1-GS-64	OA1-GS-64-7'_P_7_072897_1	7	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100	<100		<100	<100
OA1-GS-65	OA1-GS-65-2'_P_2_072897_1	2	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100	<100		<100	<100
PD-26	PD_26_20	20	<330	<330		<1600	<1600	<330	<330	<660	<330	<660	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<330	<330	<330
PD-32	PD32_50	50	<330	<330		<1600	<1600	<330	<330	<660	<330	<660	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<330	<330	<330
PD-34-S1	PD_34_S1_10.0_11.5	10	<330	<330		<1600	<1600	<330	<330		<330		<330	<330	<330	**140J**	<330	<1600	<330	<330	<330	<330	<330	<330	<330	<330	<330	<330
PD-35-S1	PD_35_S1_10.0_11.5	10	<330	<330		<1600	<1600	<330	<330		<330		<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<330	<330	<330	<330
PD-36/55	PD_36/55_40_41	40	<330	<330		<1600	<1600	<330	<330		<330		<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<330	<330	<330	<330
PD-37-S1	PD_37_S1 10_11.5	10	<330	<330		<1600	<1600	<330	<330		<330		<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330	<330	<330	<330	<330	<330
S24	S24_30	30	<3300	<3300		<16000	<16000	<3300	<3300	<6600	<3300	<6600	<3300	<3300	<3300	<3300	<3300	<16000	<3300	<3300	<3300	<3300	<3300	<3300	<3300	**2000J**	<3300
S24-3	S24_3_10	10	<33000	<33000		<160000	<160000	<33000	<33000	<66000	<33000	<66000	<33000	**8900J**	<33000	<33000	<33000	<160000	<33000	<33000	<33000	<33000	<33000	<33000	<33000	**17000J**	<33000
TMW-01	TMW-01-03-S6289_P_3_062898_1	3	<100	<100	<100	<250	<100	**110**	<100	<100	**230**		**2500**	**3000**	**3000**	**2000**	**1800**	<500	<100	<100	<100	<100	<100	<100	<100	**3100**	**900**
TMW-01	TMW-01-05-S6289_P_5_062898_1	5	<100	<100	<100	<250	<100	<100	<100	<100	<100		**1500**	**1700**	**1700**	**1100**	**1200**	<500	<100	<100	<100	<100	<100	<100	<100	**1800**	**530**
TMW-01	TMW-01-10-S6289_P_10_062898_1	10	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100
TMW-01	TMW-01-20-S6289_P_20_062898_1	20	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100
TMW-01	TMW-01-30-S6289_P_30_062898_1	30	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100
TMW-01	TMW-01-40-S6289_P_40_062898_1	40	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100
TMW-01	TMW-01-50-S6289_P_50_062898_1	50	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100
TMW-01	TMW-01-66-S6289_P_66_062898_1	66	<100	<100	<100	<250	<100	<100	<100	<100	**110**		**160**	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100	<100	**170**	<100
TMW-02	TMW-2-1-S062898_P_1_062898_1	1	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100
TMW-02	TMW-2-50-S06289_P_50_062898_1	50	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100
TMW-02	TMW-2-66-S06289_P_66_062898_1	66	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100
TMW-03	TMW-03-03-S0721_P_3_072198_1	3	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100
TMW-03	TMW-03-66-S0721_P_3_072198_1	3	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100
TMW-03	TMW-03-05-S0721_P_5_072198_1	5	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100
TMW-03	TMW-03-10-S0721_P_10_072198_1	10	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100
TMW-03	TMW-03-20-S0721_P_20_072198_1	20	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100
TMW-03	TMW-03-30-S0721_P_30_072198_1	30	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100
TMW-03	TMW-03-40-S0721_P_40_072198_1	40	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100
TMW-03	TMW-03-50-S0721_P_50_072198_1	50	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100
TMW-04	TMW-04-01-S6309_P_1_063098_1	1	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100
TMW-04	TMW-04-05-S6309_P_5_063098_1	5	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100
TMW-04	TMW-04-10-S6309_P_10_063098_1	10	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100
TMW-04	TMW-04-20-S6309_P_20_063098_1	20	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100
TMW-04	TMW-04-30-S6309_P_30_063098_1	30	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100
TMW-04	TMW-04-40-S6309_P_40_063098_1	40	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100
TMW-04	TMW-04-50-S0630_P_50_063098_1	50	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100
TMW-04	TMW-04-65-S0630_P_65_063098_1	65	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100	<100	<100	<100	<100

See notes on page 21

Table 12
Semi-Volatile Organic Compounds in Soil Samples (µg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Object Name	Sample Name	Sample Depth (feet)	Dibenzofuran	Diethyl phthalate	Dimethyl phthalate	Di-n-butyl phthalate	Di-n-octyl phthalate	Fluoranthene	Fluorene	Hexachlorobenzene	Hexachlorobutadiene	Hexachlorocyclopentadiene	Hexachloroethane	Indeno(1,2,3-cd)pyrene	Isophorone	Naphthalene	Nitrobenzene	N-Nitrosodimethylamine	N-Nitroso-di-n-propylamine	N-Nitrosodiphenylamine	N-Nitrosodipropylamine	Pentachlorophenol	Phenanthrene	Phenol	Pyrene	Pyridine
C-2-327	C_2_327_15	15	<330	<330	<330	<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330		<330	<330		<1600	<330	<330	<330	
C-2-328	C_2_328_5	5	<330	<330	<330	<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330		<330	<330		<1600	<330	<330	<330	
C-2-328	C_2_328_10	10	<330	<330	<330	<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330		<330	<330		<1600	<330	<330	<330	
C-2-328	C_2_328_15	15	<330	<330	<330	<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330		<330	<330		<1600	<330	<330	<330	
C-2-333	C_2_333_35	35	<330	<330	<330	<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330		<330	<330		<1600	<330	<330	<330	
C-2-337	C_2_337_35	35	<330	<330	<330	<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330		<330	<330		<1600	<330	<330	<330	
C-2-339	C_2_339_35	35	<330	<330	<330	<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330		<330	<330		<1600	<330	<330	<330	
C-2-347	C_2_347_5	5	<330	<330	<330	<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330		<330	<330		<1600	<330	<330	<330	
C-3-1	C_3_1_5'	5	<330	<330	<330	<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330		<330	<330		<1600	<330	<330	<330	
C-3-1	C_3_1_10'	10	<330	<330	<330	<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330		<330	<330		<1600	<330	<330	<330	
C-3-2	C_3_2_1.5'	1.5	<330	<330	<330	<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330		<330	<330		<1600	<330	<330	<330	
C-3-2	C_3_2_5'	5	<330	<330	<330	<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330		<330	<330		<1600	<330	<330	<330	
C-3-2	C_3_2_10'	10	<330	<330	<330	<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330		<330	<330		<1600	<330	<330	<330	
C6-CB6-S1	C6-CB6-S1_P_0.25_042098_1	0.25	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
C6-CB15-S2	C6-CB15-S2_P_0.25_042098_1	0.25	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
C-20-3	C-20-3-1	1	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
C-20-3	C-20-3-5	5	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
C-20-3	C-20-3-10	10	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
C-20-4	C-20-4-5	5	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
C-20-4	C-20-4-10	10	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
C-20-4	C-20-4-15	15	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
C-31	C_31_5'	5	<330	<330	<330	<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330		<330	<330		<1600	<330	<330	<330	
C-31	C_31_10'	10	<330	<330	<330	<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330		<330	<330		<1600	<330	<330	<330	
CI-GS-1C	CI-GS-1C-1.5'_P_1.5_081397_1	1.5	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
M-10	M_10_061801_16	26	<330	<330	<330	<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330		<330	<330		<1600	<330	<330	**230J**	
OA1-GS-64	OA1-GS-64-7'_P_7_072897_1	7	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
OA1-GS-65	OA1-GS-65-2'_P_2_072897_1	2	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
PD-26	PD_26_20	20	<330	<330	<330	<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330		<330	<330		<1600	<330	<330	<330	
PD-32	PD32_50	50	<330	<330	<330	<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330		<330	<330		<1600	<330	<330	<330	
PD-34-S1	PD_34_S1_10.0_11.5	10	<330	<330	<330	<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330		<330	<330		<1600	<330	<330	<330	
PD-35-S1	PD_35_S1_10.0_11.5	10	<330	<330	<330	<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330		<330	<330		<1600	<330	<330	<330	
PD-36/55	PD_36/55_40_41	40	<330	<330	<330	<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330		<330	<330		<1600	<330	<330	<330	
PD-37-S1	PD_37_S1 10_11.5	10	<330	<330	<330	<330	<330	<330	<330	<330	<330	<1600	<330	<330	<330	<330	<330		<330	<330		<1600	<330	<330	<330	
S24	S24_30	30	<3300	<3300	<3300	<3300	<3300	<3300	<3300	<3300	<3300	<16000	<3300	<3300	<3300	**4000**	<3300		<3300	<3300		<16000	**19000**	<3300	**5500**	
S24-3	S24_3_10	10	<33000	<33000	<33000	<33000	<33000	<33000	**20000J**	<33000	<33000	<160000	<33000	<33000	<33000	**86000**	<33000		<33000	<33000		<160000	**84000**	<33000	**67000**	
TMW-01	TMW-01-03-S6289_P_3_062898_1	3	<100	<100	<100	<250	<250	**4000**	<100	<100	<100	<100	<100	**2000**	<100	<100	<100	<100		<100	<100	<250	**1300**	<100	**3400**	
TMW-01	TMW-01-05-S6289_P_5_062898_1	5	<100	<100	<100	<250	<250	**2400**	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	**740**	<100	**2000**	
TMW-01	TMW-01-10-S6289_P_10_062898_1	10	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
TMW-01	TMW-01-20-S6289_P_20_062898_1	20	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
TMW-01	TMW-01-30-S6289_P_30_062898_1	30	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
TMW-01	TMW-01-40-S6289_P_40_062898_1	40	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
TMW-01	TMW-01-50-S6289_P_50_062898_1	50	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
TMW-01	TMW-01-66-S6289_P_66_062898_1	66	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	**400**	<100	**270**	
TMW-02	TMW-2-1-S062898_P_1_062898_1	1	<100	<100	<100	<250	<250	**380**	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
TMW-02	TMW-2-50-S06289_P_50_062898_1	50	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
TMW-02	TMW-2-66-S06289_P_66_062898_1	66	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
TMW-03	TMW-03-03-S0721_P_3_072198_1	3	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
TMW-03	TMW-03-66-S0721_P_3_072198_1	3	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
TMW-03	TMW-03-05-S0721_P_5_072198_1	5	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
TMW-03	TMW-03-10-S0721_P_10_072198_1	10	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
TMW-03	TMW-03-20-S0721_P_20_072198_1	20	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
TMW-03	TMW-03-30-S0721_P_30_072198_1	30	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
TMW-03	TMW-03-40-S0721_P_40_072198_1	40	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
TMW-03	TMW-03-50-S0721_P_50_072198_1	50	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
TMW-04	TMW-04-01-S6309_P_1_063098_1	1	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
TMW-04	TMW-04-05-S6309_P_5_063098_1	5	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
TMW-04	TMW-04-10-S6309_P_10_063098_1	10	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
TMW-04	TMW-04-20-S6309_P_20_063098_1	20	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
TMW-04	TMW-04-30-S6309_P_30_063098_1	30	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
TMW-04	TMW-04-40-S6309_P_40_063098_1	40	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
TMW-04	TMW-04-50-S0630_P_50_063098_1	50	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
TMW-04	TMW-04-65-S0630_P_65_063098_1	65	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	

See notes on page 21

Table 12
Semi-Volatile Organic Compounds in Soil Samples (µg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Object Name	Sample Name	Sample Depth (feet)	1,2,4-Trichlorobenzene	1,2-Dichlorobenzene	1,2-Diphenylhydrazine	1,3-Dichlorobenzene	1,4-Dichlorobenzene	2,4,5-Trichlorophenol	2,4,6-Trichlorophenol	2,4-Dichlorophenol	2,4-Dimethylphenol	2,4-Dinitrophenol	2,4-Dinitrotoluene	2,6-Dinitrotoluene	2-Chloronaphthalene	2-Chlorophenol	2-Methylnaphthalene	2-Methylphenol	2-Nitroaniline	2-Nitrophenol	3,3-Dichlorobenzidine	3-Methylphenol & 4-Methylphenol	3-Nitroaniline	4,6-Dinitro-2-methylphenol	4,6-Dinitro-o-cresol	4-Bromophenyl phenyl ether	4-Chloro-3-methylphenol
TMW-05	TMW-05-01-S7029_P_1_070298_1	1	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
TMW-05	TMW-05-05-S7029_P_5_070298_1	5	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
TMW-05	TMW-05-10-S7029_P_10_070298_1	10	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
TMW-05	TMW-05-20-S7029_P_20_070298_1	20	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
TMW-05	TMW-05-30-S7029_P_30_070298_1	30	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
TMW-05	TMW-05-40-S7029_P_40_070298_1	40	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
TMW-05	TMW-05-50-S7029_P_50_070298_1	50	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
TMW-05	TMW-05-65-S7029_P_65_070298_1	65	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
TMW-06	TMW-06-01-S7019_P_1_070198_1	1	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
TMW-06	TMW-06-05-S7019_P_5_070198_1	5	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
TMW-06	TMW-06-10-S7019_P_10_070198_1	10	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
TMW-06	TMW-06-20-S7019_P_20_070198_1	20	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
TMW-06	TMW-06-30-S7019_P_30_070198_1	30	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
TMW-06	TMW-06-40-S7019_P_40_070198_1	40	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
TMW-06	TMW-06-50-S7019_P_50_070198_1	50	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
TMW-07	TMW-07-01-S6299_P_1_062998_1	1	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
TMW-07	TMW-07-05-S6299_P_5_062998_1	5	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
TMW-07	TMW-07-10-S6299_P_10_062998_1	10	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
TMW-07	TMW-07-20-S6299_P_20_062998_1	20	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
TMW-07	TMW-07-30-S6299_P_30_062998_1	30	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
TMW-07	TMW-07-40-S6299_P_40_062998_1	40	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
TMW-07	TMW-07-50-S6299_P_50_062998_1	50	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
TMW-07	TMW-07-65-S6299_P_65_062998_1	65	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
TMW-08	TMW-08-01-S6299_P_1_062998_1	1	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
TMW-08	TMW-08-05-S6299_P_5_062998_1	5	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
TMW-08	TMW-08-10-S6299_P_10_062998_1	10	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
TMW-08	TMW-08-20-S6299_P_20_062998_1	20	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
TMW-08	TMW-08-30-S6299_P_30_062998_1	30	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
TMW-08	TMW-08-40-S6299_P_40_062998_1	40	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
TMW-08	TMW-08-50-S6299_P_50_062998_1	50	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
TMW-08	TMW-08-65-S6299_P_65_062998_1	65	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
TMW-09	TMW-9-1-S063098_P_1_063098_1	1	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
TMW-09	TMW-9-20-S06309_P_20_063098_1	20	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
TMW-09	TMW-9-30-S06309_P_30_063098_1	30	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
TMW-09	TMW-9-50_P_50_063098_1	50	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
WELL-2-OC1	WELL-2-OC1_P_0_072498_1	0	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100
WL-GS-12	WL-GS-12-2'_P_2_100197_1	2	<100	<100		<100	<100	<100	<100	<100	<100	<100	<250	<250	<100	<100	<100	<100	<250	<100	<100		<250		<100	<100	<100

See notes on page 21

Table 12
Semi-Volatile Organic Compounds in Soil Samples (µg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Object Name	Sample Name	Sample Depth (feet)	4-Chloroaniline	4-Chlorophenyl phenyl ether	4-Methylphenol	4-Nitroaniline	4-Nitrophenol	Acenaphthene	Acenaphthylene	Aniline	Anthracene	Benzidine	Benzo(a)anthracene	Benzo(a)pyrene	Benzo(b)fluoranthene	Benzo(g,h,i)perylene	Benzo(k)fluoranthene	Benzoic acid	Benzyl alcohol	Bis(2-chloroethoxy)methane	Bis(2-chloroethyl)ether	Bis(2-chloroisopropyl)ether	Bis(2-ethylhexyl)phthalate	Butyl benzyl phthalate	Carbazole	Chrysene	Dibenz(a,h)anthracene
TMW-05	TMW-05-01-S7029_P_1_070298_1	1	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		<100	<100
TMW-05	TMW-05-05-S7029_P_5_070298_1	5	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		<100	<100
TMW-05	TMW-05-10-S7029_P_10_070298_1	10	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		<100	<100
TMW-05	TMW-05-20-S7029_P_20_070298_1	20	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		<100	<100
TMW-05	TMW-05-30-S7029_P_30_070298_1	30	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		<100	<100
TMW-05	TMW-05-40-S7029_P_40_070298_1	40	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		<100	<100
TMW-05	TMW-05-50-S7029_P_50_070298_1	50	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		<100	<100
TMW-05	TMW-05-65-S7029_P_65_070298_1	65	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		<100	<100
TMW-06	TMW-06-01-S7019_P_1_070198_1	1	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		<100	<100
TMW-06	TMW-06-05-S7019_P_5_070198_1	5	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		<100	<100
TMW-06	TMW-06-10-S7019_P_10_070198_1	10	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		<100	<100
TMW-06	TMW-06-20-S7019_P_20_070198_1	20	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		<100	<100
TMW-06	TMW-06-30-S7019_P_30_070198_1	30	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		<100	<100
TMW-06	TMW-06-40-S7019_P_40_070198_1	40	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		<100	<100
TMW-06	TMW-06-50-S7019_P_50_070198_1	50	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		<100	<100
TMW-07	TMW-07-01-S6299_P_1_062998_1	1	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		<100	<100
TMW-07	TMW-07-05-S6299_P_5_062998_1	5	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		<100	<100
TMW-07	TMW-07-10-S6299_P_10_062998_1	10	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		<100	<100
TMW-07	TMW-07-20-S6299_P_20_062998_1	20	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		<100	<100
TMW-07	TMW-07-30-S6299_P_30_062998_1	30	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		<100	<100
TMW-07	TMW-07-40-S6299_P_40_062998_1	40	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		<100	<100
TMW-07	TMW-07-50-S6299_P_50_062998_1	50	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		<100	<100
TMW-07	TMW-07-65-S6299_P_65_062998_1	65	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		<100	<100
TMW-08	TMW-08-01-S6299_P_1_062998_1	1	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		<100	<100
TMW-08	TMW-08-05-S6299_P_5_062998_1	5	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		<100	<100
TMW-08	TMW-08-10-S6299_P_10_062998_1	10	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		<100	<100
TMW-08	TMW-08-20-S6299_P_20_062998_1	20	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		<100	<100
TMW-08	TMW-08-30-S6299_P_30_062998_1	30	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		<100	<100
TMW-08	TMW-08-40-S6299_P_40_062998_1	40	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		<100	<100
TMW-08	TMW-08-50-S6299_P_50_062998_1	50	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		<100	<100
TMW-08	TMW-08-65-S6299_P_65_062998_1	65	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		<100	<100
TMW-09	TMW-9-1-S063098_P_1_063098_1	1	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		<100	<100
TMW-09	TMW-9-20-S06309_P_20_063098_1	20	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		<100	<100
TMW-09	TMW-9-30-S06309_P_30_063098_1	30	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		<100	<100
TMW-09	TMW-9-50_P_50_063098_1	50	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		<100	<100
WELL-2-OC1	WELL-2-OC1_P_0_072498_1	0	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	<100	<100		<100	<100
WL-GS-12	WL-GS-12-2'_P_2_100197_1	2	<100	<100	<100	<250	<100	<100	<100	<100	<100		<100	<250	<250	<250	<250	<500	<100	<100	<100	<100	**200**	<100		<100	<100

See notes on page 21

Table 12
Semi-Volatile Organic Compounds in Soil Samples (µg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Object Name	Sample Name	Sample Depth (feet)	Dibenzofuran	Diethyl phthalate	Dimethyl phthalate	Di-n-butyl phthalate	Di-n-octyl phthalate	Fluoranthene	Fluorene	Hexachlorobenzene	Hexachlorobutadiene	Hexachlorocyclopentadiene	Hexachloroethane	Indeno(1,2,3-cd)pyrene	Isophorone	Naphthalene	Nitrobenzene	N-Nitrosodimethylamine	N-Nitroso-di-n-propylamine	N-Nitrosodiphenylamine	N-Nitrosodipropylamine	Pentachlorophenol	Phenanthrene	Phenol	Pyrene	Pyridine
TMW-05	TMW-05-01-S7029_P_1_070298_1	1	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
TMW-05	TMW-05-05-S7029_P_5_070298_1	5	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
TMW-05	TMW-05-10-S7029_P_10_070298_1	10	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
TMW-05	TMW-05-20-S7029_P_20_070298_1	20	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
TMW-05	TMW-05-30-S7029_P_30_070298_1	30	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
TMW-05	TMW-05-40-S7029_P_40_070298_1	40	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
TMW-05	TMW-05-50-S7029_P_50_070298_1	50	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
TMW-05	TMW-05-65-S7029_P_65_070298_1	65	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
TMW-06	TMW-06-01-S7019_P_1_070198_1	1	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
TMW-06	TMW-06-05-S7019_P_5_070198_1	5	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
TMW-06	TMW-06-10-S7019_P_10_070198_1	10	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
TMW-06	TMW-06-20-S7019_P_20_070198_1	20	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
TMW-06	TMW-06-30-S7019_P_30_070198_1	30	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
TMW-06	TMW-06-40-S7019_P_40_070198_1	40	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
TMW-06	TMW-06-50-S7019_P_50_070198_1	50	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
TMW-07	TMW-07-01-S6299_P_1_062998_1	1	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
TMW-07	TMW-07-05-S6299_P_5_062998_1	5	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
TMW-07	TMW-07-10-S6299_P_10_062998_1	10	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
TMW-07	TMW-07-20-S6299_P_20_062998_1	20	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
TMW-07	TMW-07-30-S6299_P_30_062998_1	30	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
TMW-07	TMW-07-40-S6299_P_40_062998_1	40	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
TMW-07	TMW-07-50-S6299_P_50_062998_1	50	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
TMW-07	TMW-07-65-S6299_P_65_062998_1	65	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
TMW-08	TMW-08-01-S6299_P_1_062998_1	1	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
TMW-08	TMW-08-05-S6299_P_5_062998_1	5	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
TMW-08	TMW-08-10-S6299_P_10_062998_1	10	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
TMW-08	TMW-08-20-S6299_P_20_062998_1	20	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
TMW-08	TMW-08-30-S6299_P_30_062998_1	30	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
TMW-08	TMW-08-40-S6299_P_40_062998_1	40	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
TMW-08	TMW-08-50-S6299_P_50_062998_1	50	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
TMW-08	TMW-08-65-S6299_P_65_062998_1	65	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
TMW-09	TMW-9-1-S063098_P_1_063098_1	1	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
TMW-09	TMW-9-20-S06309_P_20_063098_1	20	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
TMW-09	TMW-9-30-S06309_P_30_063098_1	30	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
TMW-09	TMW-9-50_P_50_063098_1	50	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
WELL-2-OC1	WELL-2-OC1_P_0_072498_1	0	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	
WL-GS-12	WL-GS-12-2'_P_2_100197_1	2	<100	<100	<100	<250	<250	<100	<100	<100	<100	<100	<100	<250	<100	<100	<100	<100		<100	<100	<250	<100	<100	<100	

Notes:
All concentrations reported in µg/kg.
J = Estimated concentration
Bold = Detected concentration
Blank = Data not available or sample not analyzed

QA/QC:_____
Date:_____

See notes on page 21

Table 16
Summary of Shallow Soil Excavations
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

	Location	Chemicals of Concern & Maximum Pre-Excavation Concentrations	Approximate Dimensions of Excavation (width x length x depth; maximum dimensions)	Approximate Volume Of Excavated Soil	Maximum Post-Excavation Concentrations
	AN-19/23	Arsenic (83.5 mg/kg)	310 ft x 10 ft x 3 ft	270 cy	Arsenic (4.5 mg/kg)
Building 3	Q-23	Lead (58.7 mg/kg)	5 ft x 5 ft x 5 ft	5 cy	Lead (8.2 mg/kg)
	R-23	TPH (290 mg/kg)	5 ft x 5 ft x 4 ft	5 cy	TPH (< 10 mg/kg)
Building 20	M/L-23	TPH (5,600 mg/kg); arsenic (11.3 mg/kg); Benzo(a)pyrene (4,300 µg/kg); Benzo(a)anthracene (14,000 µg/kg) 2-methylnaphthalene (54,000 µg/kg)	20 ft x 70 ft x 4 ft	200 cy	TPH (200 mg/kg); arsenic (5.5 mg/kg); Benzo(a)pyrene (< 40 µg/kg); Benzo(a)anthracene (21 µg/kg) 2-methylnaphthalene (< 330 µg/kg)
Building 32	2BB-5-20	Arsenic (170 mg/kg)	15 ft x 20 ft x 4 ft and 8 ft x 8 ft x 4 ft	50 cy	Arsenic (17.8 mg/kg)
	32-4	TCE (2,100 µg/kg)	11 ft x 33 ft x 4.5 ft	50 cy	TCE (150 µg/kg)
Building 66	66-66-9	Arsenic (160 mg/kg)	12 ft x 13 ft x 10 ft	50 cy	Arsenic (6.3 mg/kg)

Note:
cy = cubic yards
* Measurements from final grade; depths at time of excavation may differ. Presence of construction debris may also effect reported soil volume.

QA/QC by:_____
Date:_____

See notes on page 2

Table 17
Volatile Organic Compounds in Groundwater, Jan/Feb 2001
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Well	Date Sampled	Dilution Factor	1,1,1,2-Tetra chloro ethane ug/L	1,1,1-Trichloro ethane ug/L	1,1,2,2-Tetra chloro ethane ug/L	1,1,2-Trichloro ethane ug/L	1,1,2-Trichloro trifluoro ethane ug/L	1,1-Dichloro ethane ug/L	1,1-Dichloro ethene ug/L	1,1-Dichloro propene ug/L	1,2,3-Trichloro benzene ug/L	1,2,3-Trichloro propane ug/L	1,2,4-Trichloro benzene ug/L	1,2,4-Trimethyl benzene ug/L	1,2-Dibromo-3-chloro propane ug/L	1,2-Dibromo ethane ug/L	1,2-Dichloro benzene ug/L	1,2-Dichloro ethane ug/L	1,3,5-Trimethyl benzene ug/L
WCC-03S	2/3/2001	500	<500	1100	<500	<500	<500	550	17000	<500	<500	<500	<500	<500	<1000	<500	<500	100 J	<500
WCC-03D	2/3/2001	2	<2	58	<2	<2	<2	<2	47	<2	<2	<2	<2	0.47 J	<4	<2	<2	<1	<2
WCC-04S	1/24/2001	50	<50	<50	<50	<50	<50	<50	2000	<50	<50	<50	<50	<50	<100	<50	<50	<25	<50
WCC-05S	1/23/2001	1	<1	<1	<1	<1	<1	<1	5.4	<1	<1	<1	<1	0.21 J	<2	<1	<1	<0.5	<1
WCC-06S	1/22/2001	100	<100	770	<100	<100	<100	79 J	4600	<100	<100	<100	<100	<100	<200	<100	<100	<50	<100
WCC-07S	1/24/2001	5	<5	<5	<5	<5	<5	<5	200	<5	<5	<5	<5	<5	<10	<5	<5	<2.5	<5
WCC-09S	1/19/2001	1	<1	<1	<1	<1	<1	1.3	6.52	<1	<1	<1	<1	<1	<2	<1	<1	<0.5	<1
WCC-10S	1/18/2001	2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	24	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<1.2	<2.5
WCC-11S	1/23/2001	1	<1	<1	<1	<1	<1	0.45 J	13	<1	<1	<1	<1	<1	<2	<1	<1	<0.5	<1
WCC-12S	1/22/2001	2.5	<2.5	<2.5	<2.5	<2.5	<2.5	18	40	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<2.5	<2.5	<1.2	0.51 J
DAC-P1	1/18/2001	250	<250	<250	<250	<250	<250	<250	<200	<250	<250	<250	<250	<250	<500	<250	<250	<120	<250
TMW-01	1/29/2001	5	<5	<5	<5	<5	1.2 J	<5	140	<5	<5	<5	<5	<5	<10	<5	<5	<2.5	<5
TMW-02	2/3/2001	250	<250	960	<250	<250	<250	1400	24000	<250	<250	<250	<250	<250	<500	<250	<250	74 J	<250
TMW-03	1/29/2001	50	<50	<50	<50	<50	<50	<50	76	<50	<50	<50	<50	<50	<100	<50	<50	<25	<50
TMW-04	1/29/2001	50	<50	<50	<50	<50	<50	19 J	1100	<50	<50	<50	<50	<50	<100	<50	<50	12 J	<50
TMW-05	1/23/2001	50	<50	<50	<50	<50	<50	<50	460	<50	<50	<50	<50	<50	<100	<50	<50	<25	<50
TMW-06	1/29/2001	5	<5	<5	<5	<5	<5	<5	7	<5	<5	<5	<5	<5	<10	<5	<5	<2.5	<5
TMW-07	1/22/2001	25	<25	<25	<25	<25	<25	14 J	640	<25	<25	<25	<25	<25	<50	<25	<25	<12	<25
TMW-08	1/25/2001	50	<50	<50	<50	<50	<50	39 J	2189	<50	<50	<50	<50	<50	<100	<50	<50	<25	<50
TMW-09	1/29/2001	12	<12	<12	<12	<12	<12	<12	170	<12	<12	<12	<12	<12	<25	<12	<12	<6.2	<12
TMW-10	1/19/2001	12	<12	<12	<12	<12	<12	<12	<12.5	<12	<12	<12	<12	<12	<25	<12	<12	<6.2	<12
TMW-10	5/10/2001	1	<1	1.7	<2	<1	<1	<1	<1	<1	<1	<1	<1	<1	<2	<1	<1	<0.5	<1
TMW-11	1/24/2001	10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<20	<10	<10	<5	<10
TMW-12	1/22/2001	25	<25	<25	<25	<25	<25	<25	18 J	<25	<25	<25	<25	<25	<50	<25	<25	<12	<25
TMW-13	5/10/2001	1	<1	2.6	<1	<1	<1	<1	<1	<1	<1	<2	<2	<1	<4	<2	<2	<1	<2
TMW-14	1/25/2001	1	<1	<1	<1	<1	<1	<1	0.92 J	<1	<1	<1	<1	0.3 J	<2	<1	<1	<0.5	<1
TMW-15	1/25/2001	1	<1	<1	<1	<1	<1	<1	0.83 J	<1	<1	<1	<1	0.28 J	<2	<1	<1	<0.5	<1
TMW-16	1/25/2001	1	<1	<1	<1	<1	<1	<1	0.29 J	<1	<1	<1	<1	0.7 J	<2	<1	<1	<0.5	0.34 J
BL-01	1/18/2001	1	<1	<1	<1	<1	<1	0.36 J	<1	<1	<1	<1	<1	<1	<2	<1	<1	<0.5	<1
BL-02	1/19/2001	1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<2	<1	<1	1	<1
BL-03	1/18/2001	25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<50	<25	<25	<12	<25
XMW-09	1/29/2001	50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<50	<100	<50	<50	<25	<50
XMW-18	1/24/2001	25	<25	<25	<25	<25	<25	<25	20 J	<25	<25	<25	<25	<25	<50	<25	<25	<12	<25
XMW-19	3/21/2001	2	<2	15	<2	<2	<2	<2	<2	<2	<2	<2	<2	<2	<4	<2	0.75 J	<1	<2

See notes on page 4

BOE-C6-0182608

Table 17
Volatile Organic Compounds in Groundwater, Jan/Feb 2001
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Well	Date Sampled	Dilution Factor	1,3-Dichloro benzene	1,4-Dichloro benzene	2,2-Dichloro propane	2-Butanone	2-Chloro ethyl vinyl ether	2-Chloro toluene	2-Hexanone	4-Chloro toluene	4-Methyl-2-pentanone	Acetone	Acrolein	Acrylo nitrile	Benzene	Bromo benzene	Bromo chloro methane	Bromo dichloro methane	Bromo form
			ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
WCC-03S	2/3/2001	500	<500	<500	<500	<2500	<2500	<500	<2500	<500	**3100**	<5000	<10000	<10000	**270 J**	<500	<500	<500	<500
WCC-03D	2/3/2001	2	<2	<2	<2	<10	<10	<2	<10	<2	<10	<20	<40	<40	<2	<2	<2	<2	<2
WCC-04S	1/24/2001	50	<50	<50	<50	<250	<250	<50	<250	<50	<250	<500	<1000	<1000	<50	<50	<50	<50	<50
WCC-05S	1/23/2001	1	<1	<1	<1	<5	<5	<1	<5	<1	<5	<10	<20	<20	<1	<1	<1	<1	<1
WCC-06S	1/22/2001	100	<100	<100	<100	<500	<500	<100	<500	<100	<500	<1000	<2000	<2000	<100	<100	<100	<100	<100
WCC-07S	1/24/2001	5	<5	<5	<5	<25	<25	<5	<25	<5	<25	<50	<100	<100	<5	<5	<5	<5	<5
WCC-09S	1/19/2001	1	<1	<1	<1	<5	<5	<1	<5	<1	<5	<10	<20	<20	<1	<1	<1	<1	<1
WCC-10S	1/18/2001	2.5	<2.5	<2.5	<2.5	<12	<12	<2.5	<12	<2.5	<12	<25	<50	<50	<2.5	<2.5	<2.5	<2.5	<2.5
WCC-11S	1/23/2001	1	<1	<1	<1	<5	<5	<1	<5	<1	<5	<10	<20	<20	<1	<1	<1	<1	<1
WCC-12S	1/22/2001	2.5	<2.5	<2.5	<2.5	<12	<12	<2.5	<12	<2.5	<12	<25	<50	<50	<2.5	<2.5	<2.5	<2.5	<2.5
DAC-P1	1/18/2001	250	<250	<250	<250	<1200	<1200	<250	<1200	<250	<1200	<2500	<5000	<5000	<250	<250	<250	<250	<250
TMW-01	1/29/2001	5	<5	<5	<5	<25	<25	<5	<25	<5	<25	<50	<100	<100	<5	<5	<5	<5	<5
TMW-02	2/3/2001	250	<250	<250	<250	**18000**	<1200	<250	<1200	<250	<1200	<2500	<5000	<5000	<250	<250	<250	<250	<250
TMW-03	1/29/2001	50	<50	<50	<50	<250	<250	<50	<250	<50	<250	<500	<1000	<1000	<50	<50	<50	<50	<50
TMW-04	1/29/2001	50	<50	<50	<50	<250	<250	<50	<250	<50	<250	<500	<1000	<1000	<50	<50	<50	<50	<50
TMW-05	1/23/2001	50	<50	<50	<50	<250	<250	<50	<250	<50	<250	<500	<1000	<1000	<50	<50	<50	<50	<50
TMW-06	1/29/2001	5	<5	<5	<5	<25	<25	<5	<25	<5	<25	<50	<100	<100	<5	<5	<5	<5	<5
TMW-07	1/22/2001	25	<25	<25	<25	<120	<120	<25	<120	<25	<120	<250	<500	<500	<25	<25	<25	<25	<25
TMW-08	1/25/2001	50	<50	<50	<50	<250	<250	<50	<250	<50	<250	<500	<1000	<1000	<50	<50	<50	<50	<50
TMW-09	1/29/2001	12	<12	<12	<12	<62	<62	<12	<62	<12	<62	<120	<250	<250	<12	<12	<12	<12	<12
TMW-10	1/19/2001	12	<12	<12	<12	<62	<62	<12	<62	<12	<62	<120	<250	<250	<12	<12	<12	<12	<12
TMW-10	5/10/2001	1	<1	<1	<1	<5	<5	<1	<5	<1		**5.7 J**	<20	<20	<1	<1	<1	<1	<1
TMW-11	1/24/2001	10	<10	<10	<10	<50	<50	<10	<50	<10	<50	<100	<200	<200	<10	<10	<10	<10	<10
TMW-12	1/22/2001	25	<25	<25	<25	<120	<120	<25	<120	<25	<120	<250	<500	<500	<25	<25	<25	<25	<25
TMW-13	5/10/2001	1	<2	<2	<1	<10	<5	<2	<10	<1		<20	<40	<40	<2	<2	<1	<1	<2
TMW-14	1/25/2001	1	<1	<1	<1	<5	<5	<1	<5	<1	<5	<10	<20	<20	<1	<1	<1	<1	<1
TMW-15	1/25/2001	1	<1	<1	<1	<5	<5	<1	<5	<1	<5	<10	<20	<20	<1	<1	<1	<1	<1
TMW-16	1/25/2001	1	<1	<1	<1	<5	<5	<1	<5	<1	<5	<10	<20	<20	<1	<1	<1	<1	<1
BL-01	1/18/2001	1	<1	<1	<1	<5	<5	<1	<5	<1	<5	<10	<20	<20	<1	<1	<1	<1	<1
BL-02	1/19/2001	1	<1	<1	<1	<5	<5	<1	<5	<1	<5	<10	<20	<20	<1	<1	<1	<1	<1
BL-03	1/18/2001	25	<25	<25	<25	<120	<120	<25	<120	<25	<120	<250	<500	<500	<25	<25	<25	<25	<25
XMW-09	1/29/2001	50	<50	<50	<50	<250	<250	<50	<250	<50	<250	<500	<1000	<1000	<50	<50	<50	<50	<50
XMW-18	1/24/2001	25	<25	<25	<25	<120	<120	<25	<120	<25	<120	<250	<500	<500	<25	<25	<25	<25	<25
XMW-19	3/21/2001	2	<2	<2	<2	<10	<10	<2	<10	<2	<10	<20	<40	<40	**2 J**	<2	<2	<2	<2

See notes on page 4

BOE-C6-0182609

Table 17
Volatile Organic Compounds in Groundwater, Jan/Feb 2001
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Well	Date Sampled	Dilution Factor	Bromo methane	Carbon disulfide	Carbon tetra chloride	Chloro benzene	Chloro ethane	Chloro form	Chloro methane	cis-1,2-Dichloro ethene	Dibromo chloro methane	Dichloro difluoro methane	Ethyl benzene	Hexa chloro butadiene	Iodo methane	Isopropyl ether	Isopropyl benzene	Methyl tert-butyl ether	Methylene chloride	n-Butyl benzene
			ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
WCC-03S	2/3/2001	500	<1000	<500	<250	<500	<1000	<500	<1000	**4600**	<500	<500	<500	<500	<1000	<1000	<500	<500	<500	<500
WCC-03D	2/3/2001	2	<4	<2	<1	<2	<4	<2	<4	**3.1**	<2	<2	<2	<2	<4	<4	<2	<2	**97**	<2
WCC-04S	1/24/2001	50	<100	<50	<25	<50	<100	<50	<100	<50	<50	<50	<50	<50	<100	<100	<50	<50	<50	<50
WCC-05S	1/23/2001	1	<2	<1	<0.5	<1	<2	<1	<2	<1	<1	<1	<1	<1	<2	<2	<1	<1	<1	<1
WCC-06S	1/22/2001	100	<200	<100	<50	<100	<200	<100	<200	**1300**	<100	<100	<100	<100	<200	<200	<100	<100	<100	<100
WCC-07S	1/24/2001	5	<10	<5	<2.5	<5	<10	<5	<10	<5	<5	<5	<5	<5	<10	<10	<5	<5	<5	<5
WCC-09S	1/19/2001	1	<2	<1	<0.5	<1	<2	**6.8**	<2	<1	<1	**0.98 J**	<1	<1	<2	<2	<1	<1	<1	<1
WCC-10S	1/18/2001	2.5	<5	<2.5	<1.2	<2.5	<5	**1.5 J**	<5	<2.5	<2.5	<2.5	<2.5	<2.5	<5	<5	<2.5	<2.5	<2.5	<2.5
WCC-11S	1/23/2001	1	<2	<1	<0.5	<1	<2	**0.22 J**	<2	**9**	<1	<1	<1	<1	<2	<2	<1	<1	<1	<1
WCC-12S	1/22/2001	2.5	<5	<2.5	<1.2	<2.5	<5	**2 J**	<5	**1.4 J**	<2.5	<2.5	<2.5	<2.5	<5	<5	<2.5	<2.5	<2.5	<2.5
DAC-P1	1/18/2001	250	<500	**370**	<120	<250	<500	<250	<500	<250	<250	<250	<250	<250	<500	<500	<250	<250	<250	<250
TMW-01	1/29/2001	5	<10	<5	<2.5	<5	<10	**4.3 J**	<10	<5	<5	<5	<5	<5	<10	<10	<5	<5	<5	<5
TMW-02	2/3/2001	250	<500	<250	<120	<250	<500	**170 J**	<500	**1000**	<250	<250	<250	<250	<500	<500	<250	<250	**51 J**	<250
TMW-03	1/29/2001	50	<100	<50	<25	<50	<100	<50	<100	<50	<50	<50	<50	<50	<100	<100	<50	<50	<50	<50
TMW-04	1/29/2001	50	<100	<50	<25	<50	<100	**14 J**	<100	**29 J**	<50	<50	<50	<50	<100	<100	<50	<50	<50	<50
TMW-05	1/23/2001	50	<100	<50	<25	<50	<100	**15 J**	<100	<50	<50	<50	<50	<50	<100	<100	<50	<50	<50	<50
TMW-06	1/29/2001	5	<10	<5	<2.5	<5	<10	**270**	<10	<5	<5	<5	<5	<5	<10	<10	<5	<5	<5	<5
TMW-07	1/22/2001	25	<50	<25	<12	<25	<50	**5.5 J**	<50	**26**	<25	<25	<25	<25	<50	<50	<25	<25	<25	<25
TMW-08	1/25/2001	50	<100	<50	<25	<50	<100	<50	<100	**63**	<50	<50	<50	<50	<100	<100	<50	<50	<50	<50
TMW-09	1/29/2001	12	<25	<12	<6.2	<12	<25	<12	<25	<12	<12	<12	<12	<12	<25	<25	<12	<12	<12	<12
TMW-10	1/19/2001	12	<25	<12	<6.2	<12	<25	**3.3 J**	<25	<12	<12	<12	<12	<12	<25	<25	<12	<12	<12	<12
TMW-10	5/10/2001	1	<2	<1	<0.5	<1	<2	**2.7**	<2	<1	<1	**1.5**	<1	<1	<2		**0.22 J**	<1	**61**	<1
TMW-11	1/24/2001	10	<20	<10	<5	<10	<20	**720**	<20	<10	<10	<10	<10	<10	<20	<20	<10	<10	<10	<10
TMW-12	1/22/2001	25	<50	<25	<12	<25	<50	**1500**	<50	<25	<25	<25	<25	<25	<50	<50	<25	<25	<25	<25
TMW-13	5/10/2001	1	<4	**0.6 J**	1.1	<1	<4	**7.1**	<4	<1	<2	<1	<1	<1	<4		<2	<1	**110 E**	<1
TMW-14	1/25/2001	1	<2	<1	**1.1**	<1	<2	**5.4**	<2	<1	<1	<1	**0.26 J**	<1	<2	<2	<1	<1	**0.4 J**	<1
TMW-15	1/25/2001	1	<2	<1	<0.5	<1	<2	**8.7**	<2	<1	<1	<1	**0.46 J**	<1	<2	<2	<1	<1	**0.39 J**	<1
TMW-16	1/25/2001	1	<2	<1	<0.5	<1	<2	**0.31 J**	<2	<1	<1	<1	**0.63 J**	<1	<2	<2	<1	<1	<1	<1
BL-01	1/18/2001	1	<2	<1	<0.5	<1	<2	**0.25 J**	<2	**9.1**	<1	<1	<1	<1	<2	<2	<1	<1	**0.57 J**	<1
BL-02	1/19/2001	1	<2	<1	<0.5	<1	<2	**1.3**	<2	<1	<1	**0.94 J**	<1	<1	<2	<2	<1	<1	**1**	<1
BL-03	1/18/2001	25	<50	<25	<12	<25	<50	<25	<50	<25	<25	<25	<25	<25	<50	<50	<25	<25	<25	<25
XMW-09	1/29/2001	50	<100	**40 J**	<25	**160**	<100	**2400**	<100	<50	<50	<50	<50	<50	<100	<100	<50	<50	<50	<50
XMW-18	1/24/2001	25	<50	<25	<12	**49**	<50	**9 J**	<50	<25	<25	<25	<25	<25	<50	<50	<25	<25	<25	<25
XMW-19	3/21/2001	2	<8	<2	<2	<2	<4	**110**	<4	<2	<2	<2	**1.3 J**	<2	<4	<4	<2	<2	**10**	<2

See notes on page 4

BOE-C6-0182610

Table 17
Volatile Organic Compounds in Groundwater, Jan/Feb 2001
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Well	Date Sampled	Dilution Factor	n-Propyl benzene	p-Isopropyl toluene	sec-Butyl benzene	Styrene	t-Butanol	Tert-amyl methyl ether	Tert-butyl ethyl ether	tert-Butyl benzene	Tetra chloro ethene	Tetra hydro furan	Toluene	trans-1,2-Dichloro ethene	Trichloro ethene	Trichloro fluoro methane	Vinyl acetate	Vinyl chloride	Xylenes (total)
			ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
WCC-03S	2/3/2001	500	<500	<500	<500	<500	<12000	<1000	<1000	<500	<500	<5000	**44000**	**590**	**550**	<1000	<2500	<250	<500
WCC-03D	2/3/2001	2	<2	<2	<2	**0.64 J**	<50	<4	<4	<2	<2	<20	**20**	<2	**7.4**	<4	<1	<4	**1 J**
WCC-04S	1/24/2001	50	<50	<50	<50	<50	<1200	<100	<100	<50	<50	<500	<50	**15 J**	**1100**	<100	<250	<25	<50
WCC-05S	1/23/2001	1	<1	<1	<1	<1	<25	<2	<2	<1	<1	<10	**2.8**	<1	**1.7**	**0.52 J**	<0.5	<2	<1
WCC-06S	1/22/2001	100	<100	<100	<100	<100	<2500	<200	<200	<100	<100	<1000	**1200**	**120**	**1700**	<200	<500	<50	<100
WCC-07S	1/24/2001	5	<5	<5	<5	<5	<120	<10	<10	<5	<5	<50	**9**	<5	**140**	<10	<25	<2.5	<5
WCC-09S	1/19/2001	1	<1	<1	<1	<1	<25	<2	<2	<1	<1	<10	**8.7**	<1	**73**	**0.54 J**	<5	<0.5	<1
WCC-10S	1/18/2001	2.5	<2.5	<2.5	<2.5	<2.5	<62	<5	<5	<2.5	<2.5	<25	<2.5	<2.5	**94**	<5	<12	<1.2	<2.5
WCC-11S	1/23/2001	1	<1	<1	<1	<1	<25	<2	<2	<1	<1	<10	**2.3**	**0.32 J**	**64**	<2	<0.5	<2	<1
WCC-12S	1/22/2001	2.5	<2.5	<2.5	<2.5	<2.5	<62	<5	<5	<2.5	<2.5	<25	**4.9**	<2.5	**130**	<5	<1.2	<5	<2.5
DAC-P1	1/18/2001	250	<250	<250	<250	<250	<6200	<500	<500	<250	<250	<2500	<250	<250	**10000**	<500	<1200	<120	<250
TMW-01	1/29/2001	5	<5	<5	<5	<5	<120	<10	<10	<5	<5	<50	**5.3**	<5	**380**	**26**	<2.5	<10	<5
TMW-02	2/3/2001	250	<250	<250	<250	<250	<6200	<500	<500	<250	<250	<2500	**960**	**510**	**21000**	<500	<1200	<120	<250
TMW-03	1/29/2001	50	<50	<50	<50	<50	<1200	<100	<100	<50	<50	<500	**20 J**	<50	**2200**	<100	<25	<100	<50
TMW-04	1/29/2001	50	<50	<50	<50	<50	<1200	<100	<100	<50	<50	<500	<50	**21 J**	**2000**	<100	<250	<25	<50
TMW-05	1/23/2001	50	<50	<50	<50	<50	<1200	<100	<100	<50	<50	<500	<50	<50	**2900**	<100	<250	<25	<50
TMW-06	1/29/2001	5	<5	<5	<5	<5	<120	<10	<10	<5	<5	<50	**14**	<5	**81**	<10	<2.5	<10	<5
TMW-07	1/22/2001	25	<25	<25	<25	<25	<620	<50	<50	<25	<25	<250	**17 J**	**17 J**	**1700**	<50	<12	<50	<25
TMW-08	1/25/2001	50	<50	<50	<50	<50	<1200	<100	<100	<50	<50	<500	**18 J**	**51**	**2500**	<100	<250	<25	<50
TMW-09	1/29/2001	12	<12	<12	<12	<12	<310	<25	<25	<12	<12	<120	**19**	<12	**850**	<25	<6.2	<25	<12
TMW-10	1/19/2001	12	<12	<12	<12	<12	<62.5	<25	<25	<12	<12	<120	**13**	<12	**850**	<25	<62	<6.2	<12
TMW-10	5/10/2001	1	<1	<1	<1	<1				<1	**0.94 J**	<10	<1	<1	**3.6**	**1.2 J**	<5	<0.5	<1
TMW-11	1/24/2001	10	<10	<10	<10	<10	<250	<20	<20	<10	<10	<100	**13**	<10	**21**	<20	<50	<5	<10
TMW-12	1/22/2001	25	<25	<25	<25	<25	<620	<50	<50	<25	<25	<250	<25	<25	**310**	<50	<120	<12	<25
TMW-13	5/10/2001	1	<1	<1	<2	<1				<1	<2	<10	<1	<1	**64**	<2	<10	<1	<2
TMW-14	1/25/2001	1	<1	<1	<1	<1	<25	<2	<2	<1	<1	<10	**16**	<1	**9.2**	<2	<5	<0.5	**1.2**
TMW-15	1/25/2001	1	<1	<1	<1	<1	<25	<2	<2	<1	<1	<10	**15**	<1	**29**	<2	<5	<0.5	**1.8**
TMW-16	1/25/2001	1	<1	<1	<1	<1	<25	<2	<2	<1	**1.1**	<10	**12**	<1	**2.5**	<2	<5	<0.5	**2.3**
BL-01	1/18/2001	1	<1	<1	<1	<1	<25	<2	<2	<1	<1	<10	**7.3**	<1	**2.3**	<2	<5	<0.5	<1
BL-02	1/19/2001	1	<1	<1	<1	<1	<25	<2	<2	<1	<1	<10	<1	<1	**4**	**0.72 J**	<5	<0.5	<1
BL-03	1/18/2001	25	<25	<25	<25	<25	<620	<50	<50	<25	**25**	<250	<25	<25	**810**	<50	<120	<12	<25
XMW-09	1/29/2001	50	<50	<50	<50	<50	<1200	<100	<100	<50	**59**	<500	<50	<50	<50	<100	<25	<100	<50
XMW-18	1/24/2001	25	<25	<25	<25	<25	<620	<50	<50	<25	<25	<250	<25	<25	**1300**	<50	<120	<12	<25
XMW-19	3/21/2001	2	<2	<2	<2	<2	<50	<4	<4	<2	<2	<20	**3.7 J**	<2	**21**	<4	<1	<8	**1.4 J**

Notes:
Source: Haley & Aldrich, Inc. 2001u
All concentrations reported in µg/l
J = Estimated concentration

QA/QC by: _____
Date: _____

See notes on page 4

BOE-C6-0182611

Table 18
Inorganic Compounds in Groundwater, Jan/Feb 2001
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Well	Date Sampled	Aluminum	Antimony	Arsenic	Barium	Beryllium	Cadmium	Chromium	Hexavalent Chromium	Cobalt	Copper
		mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
WCC-03S	2/3/2001	<0.2	0.0022 B	0.017	0.26	<0.005	<0.005	<0.01	<0.02	<0.05	<0.025
WCC-03D	2/3/2001	<0.2	0.0022 B	0.0059 B	0.083	<0.005	<0.005	0.011	<0.2	0.0019 B	0.0058 B
WCC-04S	1/24/2001	0.13 B	<0.06	<0.01	0.31	<0.005	<0.005	0.015	0.013 B	<0.05	0.0048 B
WCC-05S	1/29/2001	<0.2	0.0024 B	<0.01	0.24	<0.005	<0.005	0.0092 B	<0.02	<0.05	<0.025
WCC-06S	1/25/2001	1.2	<0.06	<0.01	0.064	<0.005	<0.005	0.019	<0.02	0.0015 B	0.0041 B
WCC-07S	1/24/2001	<0.2	0.0024 B	<0.01	0.2	<0.005	<0.005	0.018	0.01 B	<0.05	0.0061 B
WCC-09S	1/19/2001	2.1	<0.06	<0.01	0.24	<0.005	0.0013 B	0.026	0.018 B	<0.05	0.01 B
WCC-10S	1/18/2001	0.11 B	<0.06	<0.01	0.036	<0.005	<0.005	0.014	0.016 B	<0.05	0.004 B
WCC-11S	1/29/2001	<0.2	0.003 B	<0.01	0.09	<0.005	<0.005	0.016	0.013 B	<0.05	<0.025
WCC-12S	1/25/2001	5	0.0023 B	<0.01	0.14	<0.005	<0.005	0.034	0.015 B	0.0034 B	0.011 B
DAC-P1	1/18/2001	1.6	0.0078 B	0.0041 B	0.13	<0.005	<0.005	0.59	0.59	<0.05	0.0052 B
TMW-01	1/29/2001	5.4	0.0057 B	<0.01	0.35	<0.005	<0.005	0.045	0.027	0.0026 B	0.0087 B
TMW-02	2/3/2001	<0.2	0.0028 B	0.014	0.38	<0.005	<0.005	0.12	<0.02	0.0042 B	0.0095 B
TMW-03	1/29/2001	<0.2	0.0023 B	0.005 B	0.16	<0.005	<0.005	0.098	0.037	0.0042 B	0.024 B
TMW-04	1/29/2001	<0.2	0.0037 B	<0.01	0.13	<0.005	<0.005	0.021	0.017 B	<0.05	<0.025
TMW-05	1/25/2001	<0.2	<0.06	<0.01	0.13	<0.005	<0.005	0.014	0.015 B	<0.05	<0.025
TMW-06	1/29/2001	<0.2	0.0035 B	<0.01	0.18	<0.005	<0.005	0.023	0.017 B	<0.05	<0.025
TMW-07	1/25/2001	0.51	<0.06	0.026	0.15	<0.005	<0.005	0.012	<0.02	0.0014 B	0.005 B
TMW-08	1/25/2001	12	0.0032 B	0.052	0.24	<0.005	<0.005	0.091	<0.02	0.0095 B	0.07
TMW-09	1/29/2001	<0.2	0.0045 B	0.014	0.38	<0.005	0.0012 B	0.15	0.031	0.0065 B	0.061
TMW-10	1/19/2001	47.9	0.0056 B	0.017	0.46	0.0015 B	<0.005	0.17	0.023	0.03 B	0.12
TMW-10	5/10/2001	<0.2	<0.06	<0.01	0.14	<0.005	<0.005	0.14	<0.02	<0.05	<0.025
TMW-11	1/24/2001	15	<0.06	0.0053 B	0.53	<0.005	<0.005	0.069	0.035	0.011 B	0.026
TMW-12	1/25/2001	4.8	0.002 B	<0.01	0.4	<0.005	<0.005	0.032	<0.02	0.0036 B	0.011 B
TMW-13	5/10/2001	0.48	<0.06	<0.01	0.11	<0.005	<0.005	0.012	<0.02	<0.05	0.0047B
TMW-14	1/25/2001	41.7	0.0033 B	0.031	0.45	0.0015 B	0.001 B	0.31	<0.02	0.024 B	0.072
TMW-15	1/25/2001	60.2	0.002 B	0.024	0.32	0.0019 B	<0.005	0.54	<0.02	0.035 B	0.074
TMW-16	1/25/2001	46.5	0.0024 B	0.031	0.27	0.0013 B	<0.005	0.2	0.014 B	0.021 B	0.051
BL-01	1/18/2001	52.4	0.0037 B	0.052	0.29	0.0018 B	0.0011 B	0.12	<0.02	0.033 B	0.076
BL-02	1/19/2001	61.7	0.0063 B	0.066	0.43	0.0018 B	<0.005	0.18	0.012 B	0.032 B	0.077
BL-03	1/18/2001	23.3	0.0066 B	0.014	0.45	<0.005	<0.005	0.095	<0.02	0.0087 B	0.029
XMW-09	1/29/2001	<0.2	0.0023 B	<0.01	0.45	<0.005	<0.005	0.012	<0.02	<0.05	0.0051 B
XMW-18	1/24/2001	0.16 B	<0.06	<0.01	0.079	<0.005	<0.005	0.0064 B	<0.02	<0.05	<0.025
XMW-19	3/21/2001	0.16 B	0.019 B	0.0089 B	0.34	<0.005	<0.005	4.4	0.055	0.13	0.048

See notes on page 2

BOE-C6-0182612

Table 18
Inorganic Compounds in Groundwater, Jan/Feb 2001
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Well	Date Sampled	Lead	Mercury	Molybdenum	Nickel	Selenium	Silver	Thallium	Vanadium	Zinc
		mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
WCC-03S	2/3/2001	<0.005	<0.0002	<0.04	<0.04	<0.005	<0.01	<0.01	<0.05	<0.02
WCC-03D	2/3/2001	0.039	<0.0002	0.004 B	0.0047 B	0.0057	<0.01	<0.01	0.0041 B	0.07
WCC-04S	1/24/2001	<0.005	<0.0002	<0.04	<0.04	<0.005	<0.01	<0.01	0.0018 B	0.032
WCC-05S	1/29/2001	<0.005	<0.0002	<0.04	<0.04	<0.005	<0.01	<0.01	0.0025 B	<0.02
WCC-06S	1/25/2001	<0.005	<0.0002	0.0058 B	0.0036 B	<0.005	<0.01	<0.01	0.0047 B	<0.02
WCC-07S	1/24/2001	<0.005	<0.0002	<0.04	<0.04	<0.005	<0.01	<0.01	0.0013 B	0.077
WCC-09S	1/19/2001	0.021	<0.0002	<0.04	0.0054 B	<0.005	<0.01	<0.01	0.0076 B	0.087
WCC-10S	1/18/2001	<0.005	<0.0002	<0.04	<0.04	<0.005	<0.01	<0.01	0.0023 B	<0.02
WCC-11S	1/29/2001	<0.005	0.00015 B	<0.04	<0.04	0.0057	<0.01	<0.01	0.004 B	<0.02
WCC-12S	1/25/2001	0.0033 B	<0.0002	0.0037 B	0.01 B	0.0044 B	<0.01	<0.01	0.014 B	0.045
DAC-P1	1/18/2001	<0.005	<0.0002	0.005 B	0.0033 B	<0.005	<0.01	<0.01	0.011 B	0.016 B
TMW-01	1/29/2001	0.0028 B	<0.0002	0.0042 B	0.02 B	0.009	<0.01	<0.01	0.012 B	0.026
TMW-02	2/3/2001	0.0024 B	<0.0002	<0.004	0.013 B	<0.005	<0.01	<0.01	0.014 B	0.041
TMW-03	1/29/2001	0.0047 B	<0.0002	0.0083 B	0.048	0.0043 B	<0.01	<0.01	0.021 B	0.13
TMW-04	1/29/2001	<0.005	<0.0002	<0.04	<0.04	0.0062	<0.01	<0.01	0.0021 B	<0.02
TMW-05	1/25/2001	<0.005	<0.0002	<0.04	<0.04	<0.005	<0.01	<0.01	<0.05	<0.02
TMW-06	1/29/2001	<0.005	<0.0002	<0.04	<0.04	0.0043 B	<0.01	<0.01	0.0014 B	<0.02
TMW-07	1/25/2001	0.002 B	<0.0002	0.0033 B	0.0032 B	<0.005	<0.01	<0.01	0.0021 B	0.011 B
TMW-08	1/25/2001	0.013	<0.0002	0.013 B	0.065	0.0043 B	<0.01	<0.01	0.031 B	0.13
TMW-09	1/29/2001	0.45	<0.0002	0.0084 B	0.039 B	0.0061	<0.01	<0.01	0.031 B	0.39
TMW-10	1/19/2001	0.052	0.00034	0.011 B	0.083	<0.005	<0.01	<0.01	0.14	0.26
TMW-10	5/10/2001	<0.005	<0.0002	0.0039B	<0.04	0.0061	<0.01	<0.01	<0.05	<0.02
TMW-11	1/24/2001	0.0051	0.00019 B	0.0045 B	0.036 B	0.0051	<0.01	<0.01	0.041 B	0.12
TMW-12	1/25/2001	0.0027 B	0.00016 B	0.0036 B	0.017 B	<0.005	<0.01	<0.01	0.014 B	0.021
TMW-13	5/10/2001	<0.005	<0.0002	<0.04	<0.04	<0.005	<0.01	<0.01	0.0016B	<0.02
TMW-14	1/25/2001	0.022	0.00012 B	0.037 B	0.19	<0.005	<0.01	<0.01	0.11	0.17
TMW-15	1/25/2001	0.021	0.00016 B	0.061	0.35	<0.005	<0.01	<0.01	0.17	0.22
TMW-16	1/25/2001	0.016	0.0002	0.014 B	0.088	<0.005	<0.01	<0.01	0.12	0.12
BL-01	1/18/2001	0.022	0.00018 B	0.011 B	0.067	<0.005	<0.01	0.0064 B	0.17	0.18
BL-02	1/19/2001	0.019	<0.0002	0.0047 B	0.082	<0.005	<0.01	<0.01	0.17	0.32
BL-03	1/18/2001	0.008	0.00011 B	0.0043 B	0.036 B	<0.005	<0.01	0.0051 B	0.06	0.081
XMW-09	1/29/2001	<0.005	<0.0002	0.003 B	0.016 B	0.0059	<0.01	<0.01	0.0043 B	<0.02
XMW-18	1/24/2001	0.0066	<0.0002	<0.04	<0.04	0.01	<0.01	<0.01	0.0031 B	0.033
XMW-19	3/21/2001	<0.005	0.00015 B	0.23	0.65	<0.005	<0.01	<0.01	0.040 B	<0.02

Notes:
Source: Haley & Aldrich, Inc., 2001u
All concentrations in mg/l
B = Estimated concentration

QA/QC by: _____
Date: _____

See notes on page 2

BOE-C6-0182613

Table 14
PCBs in Soil Samples (µg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Object Name	Sample Name	Sample Depth (feet)	Aroclor 1016	Aroclor 1221	Aroclor 1232	Aroclor 1242	Aroclor 1248	Aroclor 1254	Aroclor 1260
BUILD-2-T-20-1	BUILD_2_T_20_012001_1	1	<660	<660	<660	<660	<660	<660	**1800**
BUILD-2-T-20-2	BUILD_2_T_20_050101_2	18	<33	<33	<33	<33	<33	<33	**190**
BUILD-2-T-21-10	BUILD_2_T_21_071201_10	10	<33	<33	<33	<33	<33	<33	<33
BUILD-2-U-9-1	Build_2_U_9_122700_1	0	<660	<660	<660	<660	<660	<660	**9200**
BUILD-2-U-9-2	BUILD_2_U_9_050101_2	3	<33	<33	<33	<33	<33	<33	<33
BUILD-2-V-14-1	Build_2_V_14_042501_1	1	<660	<660	<660	<660	<660	<660	**6900**
BUILD-2-V-14-2	Build_2_V_14_042501_2	4	<33	<33	<33	<33	<33	<33	<33
BUILD-2-W-11-1	Build_2_W_11_050401_1	2	<330	<330	<330	<330	<330	<330	<330
BUILD-2-W-11-3	Build_2_W_11_050901_3	8	<33	<33	<33	<33	<33	<33	**57**
BUILD-2-X-11-1	BUILD_2X_11_010901_1	0.5	<33	<33	<33	<33	<33	<33	**370**
BUILD-3-R-23-1	BUILD_3_R_23_040901	2	<33	<33	<33	<33	<33	<33	**19J**
C-1-4	C_1_4_10	10	<33	<33	<33	<33	<33	<33	<33
C-1-140	C_1_140_15	15	<33	<33	<33	<33	<33	<33	<33
C-1-O-10	C_1_O_10_5	5	<33	<33	<33	<33	<33	<33	**37**
C-1-O-11	C_1_O_11_10	10	<33	<33	<33	<33	<33	<33	<33
C-2-4	C_2_4_2'	2	<33	<33	<33	<33	<33	<33	<33
C-2-44	C-2-44-2	2	<33	<33	<33	<33	<33	<33	<33
C-2-56	C-2-56-2	2	<33	<33	<33	<33	<33	<33	**13J**
C-2-124	C-2-124-2	2	<33	<33	<33	<33	<33	<33	<33
C-2-154	C_2_154_5	5	<33	<33	<33	<33	<33	<33	**10J**
C-2-173	C_2_173_10	10	<33	<33	<33	<33	<33	<33	<33
C-2-173	C-2-173-15	15	<33	<33	<33	<33	<33	<33	<33
C-2-173	C_2_173_20	20	<33	<33	<33	<33	<33	<33	<33
C-2-173	C-2-173-20	20	<33	<33	<33	<33	<33	<33	<33
C-2-206	C-2-206-2	2	<66	<66	<66	<66	<66	<66	<66
C-2-207	C-2-207-20	20	<33	<33	<33	<33	<33	<33	<33
C-2-207	C-2-207-28	28	<33	<33	<33	<33	<33	<33	<33
C-2-208	C-2-208-10	10	<33	<33	<33	<33	<33	<33	<33
C-2-208	C-2-208-15	15	<33	<33	<33	<33	<33	<33	<33
C-2-208	C-2-208-20	20	<33	<33	<33	<33	<33	<33	<33
C-2-209	C-2-209-10	10	<33	<33	<33	<33	<33	<33	<33
C-2-209	C-2-209-15	15	<33	<33	<33	<33	<33	<33	<33
C-2-209	C-2-209-20	20	<33	<33	<33	<33	<33	<33	<33
C-2-210	C-2-210-2	2	<33	<33	<33	<33	<33	<33	**150**
C-2-212	C-2-212-1	1	<33	<33	<33	<33	**41**	<33	**98**
C-2-212	C-2-212-5	5	<33	<33	<33	<33	<33	<33	<33
C-2-213	C-2-213-5	5	<33	<33	<33	<33	**33**	<33	**67**
C-2-214	C-2-214-1	1	<33	<33	<33	<33	**13J**	<33	**19J**
C-2-214	C-2-214-5	5	<33	<33	<33	<33	<33	<33	<33
C-2-215	C-2-215-5	5	<33	<33	<33	<33	<33	<33	<33
C-2-216	C-2-216-1	1	<33	<33	<33	<33	<33	<33	**29J**
C-2-216	C-2-216-5	5	<33	<33	<33	<33	<33	<33	<33
C-2-222	C-2-222-2	2	<33	<33	<33	<33	<33	<33	**13J**
C-2-224	C_2_224_5	5	<33	<33	<33	<33	<33	<33	<33
C-2-246	C-2-246-2	2	<33	<33	<33	<33	<33	**230**	<33
C-2-252	C-2-252-2	2	<33	<33	<33	<33	<33	<33	<33
C-2-258	C_2_258_5	5	<33	<33	<33	<33	<33	<33	<33
C-2-269	C_2_269_2'	2	<160	<160	<160	<160	<160	<160	**250**
C-2-270	C_2_270_2'	2	<330	<330	<330	<330	<330	<330	**770**

See notes on page 3

Table 14
PCBs in Soil Samples (µg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Object Name	Sample Name	Sample Depth (feet)	Aroclor 1016	Aroclor 1221	Aroclor 1232	Aroclor 1242	Aroclor 1248	Aroclor 1254	Aroclor 1260
C-2-278	C-2-278-5'	5	<33	<33	<33	<33	<33	<33	<33
C-2-278	C-2-278-10'	15	<33	<33	<33	<33	<33	<33	<33
C-2-279	C-2-279-5'	5	<33	<33	<33	<33	<33	<33	**62**
C-2-279	C-2-279-10'	15	<33	<33	<33	<33	<33	<33	<33
C-2-280	C-2-280-5'	5	<33	<33	<33	<33	<33	<33	<33
C-2-280	C-2-280-10'	15	<33	<33	<33	<33	<33	<33	<33
C-2-281	C-2-281-5'	5	<160	<160	<160	<160	<160	<160	**2400**
C-2-281	C-2-281-15'	15	<33	<33	<33	<33	<33	<33	**290**
C-2-286	C-2-286-2'	2	<33	<33	<33	<33	<33	<33	**430**
C-2-287	C-2-287-2'	2	<33	<33	<33	<33	<33	<33	<33
C-2-288	C_2_288_21	21	<33	<33	<33	<33	<33	<33	<33
C-2-289	C-2-289-2'	2	<66	<66	<66	<66	<66	<66	**930**
C-2-291	C-2-291-2'	2	<33	<33	<33	<33	<33	<33	**180**
C-2-295	C_2_295_5	5	<33	<33	<33	<33	<33	<33	<33
C-2-307	C_2_307_10	10	<33	<33	<33	<33	<33	<33	<33
C-2-320	C_2_320_5	5	<33	<33	<33	<33	<33	**90**	**100**
C-2-333	C_2_333_35	35	<33	<33	<33	<33	<33	<33	<33
C-2-333	C_2_333_40	40	<33	<33	<33	<33	<33	<33	<33
C-2-334	C_2_334_35	35	<33	<33	<33	<33	**16J**	<33	**40**
C-2-334	C_2_334_40	40	<33	<33	<33	<33	<33	<33	<33
C-2-335	C_2_335_35	35	<33	<33	<33	<33	<33	<33	**19J**
C-2-335	C_2_335_40	40	<33	<33	<33	<33	<33	<33	<33
C-2-336	C_2_336_35	35	<33	<33	<33	<33	<33	<33	<33
C-2-336	C_2_336_40	40	<33	<33	<33	<33	<33	<33	<33
C-2-337	C_2_337_35	35	<33	<33	<33	<33	**50**	<33	**210**
C-2-337	C_2_337_40	40	<33	<33	<33	<33	<33	<33	<33
C-2-338	C_2_338_35	35	<33	<33	<33	<33	<33	<33	<33
C-2-338	C_2_338_40	40	<33	<33	<33	<33	<33	<33	<33
C-2-339	C_2_339_35	35	<33	<33	<33	<33	**21J**	<33	**130**
C-2-339	C_2_339_40	40	<33	<33	<33	<33	<33	<33	<33
C-2-347	C_2_347_5	5	<33	<33	<33	<33	<33	<33	**15J**
C-3-4	C_3_4_5'	5	<33	<33	<33	<33	<33	<33	<33
M-10	M_10_061801_16	26	<33	<33	<33	<33	<33	<33	<33
PD-26	PD_26_20	20	<33	<33	<33	<33	<33	<33	<33
PD-32	PD32_50	50	<33	<33	<33	<33	<33	<33	<33
PD-34-S1	PD_34_S1_10.0_11.5	10	<33	<33	<33	<33	<33	<33	**46**
PD-35-S1	PD_35_S1_10.0_11.5	10	<33	<33	<33	<33	<33	<33	**110**
PD-36/55	PD_36/55_40_41	40	<33	<33	<33	<33	<33	<33	<33
PD-37-S1	PD_37_S1 10_11.5	10	<33	<33	<33	<33	<33	<33	<33
S24	S24_30	30	<33	<33	<33	<33	<33	<33	<33
S24-3	S24_3_10	10	<33	<33	<33	<33	<33	<33	<33

Notes:
All concentrations reported in µg/kg
J = Estimated concentration
Bold = Detected concentration

QA/QC by:_____
Date:_____

See notes on page 3

Table 15
Physical Soil Test Results
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Sample ID	Date Sampled	Depth (feet bgs)	Sieve Analysis (Soil Type)	Dry Bulk Density (kg/L)	Moisture Content (percent by weight)	Total Porosity (fraction by volume)	Air-filled Porosity (fraction by volume)	Water-filled Porosity (fraction by volume)	TOC (mg/kg)	f_{oc}* (fraction by weight)
EIA290176-001 (I-34-5)	1/29/2001	5	Silt	1.51	15.9	0.43	0.19	0.24	520	0.0005
EIA290176-010 (D-29-5)	1/29/2001	5	Silt	1.44	20.3	0.46	0.16	0.29	2350	0.0024
EIA29176-018 (I-25-5)	1/29/2001	5	Silt	1.34	17.8	0.49	0.26	0.24	690	0.0007
Average				**1.43**	**18.0**	**0.46**	**0.20**	**0.26**	**1187**	**0.0012**
EIA290176-004 (I-34-20)	1/29/2001	20	Silt	1.54	17.5	0.42	0.15	0.27	330	0.0003
EIA290176-012 (D-29-20)	1/29/2001	20	Silt	1.55	17.0	0.41	0.15	0.26	430	0.0004
EIA29176-021 (I-25-20)	1/29/2001	20	Silt	1.37	20.2	0.48	0.20	0.28	410	0.0004
Average				**1.49**	**18.2**	**0.44**	**0.17**	**0.27**	**390**	**0.0004**
EIA290176-007 (I-34-50)	1/29/2001	50	Fine sand	1.35	4.4	0.51	0.45	0.06	230	0.0002
EIA29176-015 (D-29-50)	1/29/2001	50	Fine sand	1.36	19.5	0.49	0.22	0.26	560	0.0006
EIA29176-024 (I-25-50)	1/29/2001	50	Silt	1.34	24.3	0.51	0.18	0.32	470	0.0005
Average				**1.35**	**16.1**	**0.50**	**0.28**	**0.22**	**420**	**0.0004**

Notes:
1. Full laboratory report is reproduced in Appendix E of this report.
2. The air-filled porosity values were calculated from gravimetric data, not volumetric data.

* f_{oc} = the weight fraction of organic carbon in soil. f_{oc} = TOC/1,000,000

TOC = Total organic carbon
kg/L = kilograms per liter
mg/kg = milligrams per kilogram

QA/QC by: _____
Date: _____

BOE-C6-0182616

Table 16
Summary of Shallow Soil Excavations
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

	Location	Chemicals of Concern & Maximum Pre-Excavation Concentrations	Approximate Dimensions of Excavation (width x length x depth; maximum dimensions)	Approximate Volume Of Excavated Soil	Maximum Post-Excavation Concentrations
Building 1	Knox Street Right-of-Way	TPH (23,000 mg/kg); TCE (2,900 µg/kg)	370 ft x 50 ft x 26 ft	5,000 cy	TPH (390 mg/kg); TCE (42 µg/kg)
	A-4	TPH (260 mg/kg); Ethylbenzene (32,000 µg/kg); Thallium (2.3 mg/kg); Xylenes (740,000 µg/kg)	3 ft x 4 ft x 5 ft	2 cy	TPH (160 mg/kg); Ethylbenzene (< 5 µg/kg); Thallium (NA); Xylenes (<5 µg/kg)
	1-21	Arsenic (380 mg/kg) (4 coalesced excavations E. of Bldg 1)	330 ft x 90 ft x 4 ft	4,900 cy	Arsenic (8 mg/kg)
	C-13	Benzo(a)pyrene (500 µg/kg); Dibenzo(a,h)anthracene (580 µg/kg)	28 ft x 11 ft x 6 ft	36 cy	Benzo(a)pyrene (330 µg/kg); Dibenzo(a,h)anthracene (< 200 µg/kg)
	D-3	TPH (9,400 mg/kg; TCE (36 µg/kg)	5 ft x 5 ft x 5 ft	5 cy	TPH (< 10 mg/kg; TCE (< 5 µg/kg)
	J-4	Copper (57.6 mg/kg); thallium (0.85 mg/kg)	10 ft x 8 ft x 6 ft	20 cy	Copper (57.6 mg/kg); thallium (0.68 mg/kg)
	B-15	Arsenic (27.2 mg/kg); Lead (97.1 mg/kg); Benzo(a)pyrene (2,200 µg/kg)	16 ft. x 16 ft. x 12 ft.*	45 cy	Arsenic (7.1 mg/kg); Lead (97 mg/kg); Benzo(a)pyrene (2200 µg/kg)
Building 2	AF-17/"Heat Treat Pit"	TPH (4,100 mg/kg); Copper (95.3 mg/kg)	65 ft x 35 ft x 18 ft	1,500 cy	TPH (< 10 mg/kg); Copper (39.9 mg/kg)
	O-9	TPH (12 mg/kg)	5 ft x 5 ft x 5 ft	5 cy	TPH (13 mg/kg)
	O-14	Chromium VI (569 mg/kg); Arsenic (9.3 mg/kg) Lead (34.5 mg/kg)	20 ft x 10 ft x 4 ft	30 cy	Chromium VI (2.5 mg/kg); Arsenic (3.7 mg/kg) Lead (6.4 mg/kg)
	P-21	Lead (1,790 mg/kg)	18 ft x 5 ft x 10 ft	40 cy	Lead (5.3 mg/kg)
	T-18	Chromium (1,560 mg/kg); Copper (384 mg/kg); Lead (104 mg/kg); Molybdenum (38.5 mg/kg); cis-1,2-DCE (110,000 µg/kg); PCE (45,000 µg/kg); TCE (490,000 µg/kg)	5 ft x 5 ft x 5.5 ft	p	Chromium (34 mg/kg); Copper (30.7 mg/kg); Lead (7 mg/kg); Molybdenum (1.2 mg/kg); cis-1,2-DCE (< 5 µg/kg); PCE (< 5 µg/kg); TCE (<5 µg/kg)
	T-20	TPH (15,000 mg/kg); 1,1,1-TCA (2,400 µg/kg); TCE (35,000 µg/kg)	55 ft x 57 x 29 ft	1,300 cy	TPH (15000 mg/kg); 1,1,1-TCA (6300 µg/kg); TCE (77000 µg/kg)
	U-9	TPH (6,100 mg/kg); Aroclor 1260 (9,200 µg/kg)	5 ft x 5 ft x 5 ft	5 cy	TPH NA; Aroclor 1260 (< 33 µg/kg)
	V-14	Copper (198 mg/kg); Lead (65.7 mg/kg); TCE (75 µg/kg); Aroclor 1260 (6,900 µg/kg)	10 ft x 20 ft x 4 ft	70 cy	Copper (47.3 mg/kg); Lead (6.2 mg/kg); TCE (< 5 µg/kg); Aroclor 1260 (< 33 µg/kg)
	W-11	TPH (6,300 mg/kg); Benzo(a)pyrene (790 µg/kg); Dibenzo(a,h)anthracene (1,300 µg/kg)	10 ft x 35 ft x 8 ft	130 cy	TPH (390 mg/kg); Benzo(a)pyrene (< 250 µg/kg); Dibenzo(a,h)anthracene (260 µg/kg)
	X-11	TPH (700 mg/kg)	10 ft x 12 ft x 1.5 ft	7 cy	TPH (< 10 mg/kg)
	Y-20	TCE (92 µg/kg)	27 ft x 18 ft x 2 ft	40 cy	TCE (4.3 µg/kg)
	Z-20	TCE (200 µg/kg)	5 ft x 5 ft x 10 ft	10 cy	TCE (< 5 µg/kg)
	AA-20	TCE (46 µg/kg)	5 ft x 5 ft x 4 ft	4 cy	TCE (< 5 µg/kg)
	AB-20	TPH (220 mg/kg)	5 ft x 5 ft x 5 ft	5 cy	TPH (< 10 mg/kg)
	AD-14	TPH (8,900 mg/kg); Benzo(a)pyrene (540 µg/kg)	20 ft x 13 ft x 5 ft	50 cy	TPH (510 mg/kg); Benzo(a)pyrene (83 µg/kg)
	AD-20	TCE (190 µg/kg)	5 ft x 5 ft x 5 ft	5 cy	TCE (< 5 µg/kg)
	AG-14	TPH (1,000 mg/kg)	5 ft x 5 ft x 10 ft	10 cy	TPH (< 10 mg/kg)
	AK-11	TPH (1,400 mg/kg) Chloroform (8.1 µg/kg)	24 ft x 20 ft x 3 ft	46 cy	TPH (1400 mg/kg) Chloroform (8.1 µg/kg)
	AK-13	TPH (700 mg/kg)	20 ft x 50 ft. x 3 ft.	150 cy	TPH (< 10 mg/kg)
	AK-14/17	TPH (14,000 mg/kg); Lead (28.5 mg/kg) Benzo(a)pyrene (3,300 µg/kg);	18 ft x 30 ft x 13 ft*	130 cy	TPH (1100 mg/kg); Lead (7.4 mg/kg) Benzo(a)pyrene (< 100 µg/kg);

See notes on page 2

Table 14

PCBs in Soil Samples (µg/kg)

Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Object Name	Sample Name	Sample Depth (feet)	Aroclor 1016	Aroclor 1221	Aroclor 1232	Aroclor 1242	Aroclor 1248	Aroclor 1254	Aroclor 1260
B-03K-1	3K-1_P_10_032596_1	10	<33	<33	<33	<33	<33	<33	<33
B-03K-1	3K-1_P_15_032596_1	15	<33	<33	<33	<33	<33	<33	<33
B-03K-2	3K-2_P_10_032696_1	10	<33	<33	<33	<33	<33	<33	<33
B-03K-2	3K-2_P_15_032696_1	15	<33	<33	<33	<33	<33	<33	<33
B-03-N-2	3N-2_P_10_032596_1	10	<33	<33	<33	<33	<33	<33	<33
B-03-N-2	3N-2_P_15_032596_1	15	<33	<33	<33	<33	<33	<33	<33
B-04	4_P_5_032796_1	5	<33	<33	<33	<33	<33	<33	<33
B-04	4_P_10_032796_1	10	<33	<33	<33	<33	<33	<33	<33
B-301	30-1_P_10_032696_1	10	<33	<33	<33	<33	<33	<33	<33
B-301	30-1_P_15_032696_1	15	<33	<33	<33	<33	<33	<33	<33
B-302	30-2_P_10_032696_1	10	<33	<33	<33	<33	**36**	<33	<33
B-302	30-2_P_15_032696_1	15	<33	<33	<33	<33	<33	<33	<33
Bldg_1_B15	Bldg_1_B15_092701_16	16	<33	<33	<33	<33	<33	<33	**64**
BUILD-1-A-12-1	Build_1_A_12_051801_1	5	<33	<33	<33	<33	<33	<33	<33
BUILD-1-B-15-10	BUILD_1_B_15_092701_10	10	<33	<33	<33	<33	<33	<33	**25J**
BUILD-1-M-10-1	BUILD_1_M_10_041901_1	6	<160	<160	<160	<160	<160	<160	<160
BUILD-1-M-12-1	BUILD_1_M_12_041801_1	3	<33	<33	<33	<33	<33	<33	<33
BUILD-1-M-12-3	BUILD_1_M_12_050201_3	6	<33	<33	<33	<33	<33	<33	<33
BUILD-1-M-13-1	BUILD_1_M_13_041801_1	3	<33	<33	<33	<33	<33	<33	<33
BUILD-1-M-14-1	BUILD_1_M_14_041801_1	3	<160	<160	<160	<160	<160	<160	<160
BUILD-1-M-14-3	Build_1_M_14_050101_3	10	<33	<33	<33	<33	<33	<33	<33
BUILD-1-M-16-1	Build_1_M_16_041801_1	3	<33	<33	<33	<33	<33	<33	<33
BUILD-1-N-15-1	BUILD_1_N_15_040901_1	1	<160	<160	<160	<160	<160	<160	<160
BUILD-2-0-19-1	Build_2_0_19_042401_1	32	<33	<33	<33	<33	<33	<33	<33
BUILD-20-L-23-10	Build_20_L_23_052301_10	10	<33	<33	<33	<33	**110**	<33	**250**
BUILD-20-L-23-2	BUILD_20_L_23_032101_2	9	<33	<33	<33	**32J**	<33	<33	<33
BUILD-20-L-23-9	Build_20_L_23_051101_9	7	<33	<33	<33	<33	<33	<33	<33
BUILD-20-M-23-1	BUILD_20_M_23_032101_1	4	<33	<33	<33	**16J**	<33	<33	<33
BUILD-20-M-23-7	BUILD_20_M_23_032201_7	7	<33	<33	<33	**90**	<33	**14J**	<33
Build-2-AD-14-1	Build_2_AD_14_042601_1	3	<160	<160	<160	<160	<160	<160	<160
Build-2-AD-14-2	Build_2_AD_14_042601_2	5	<33	<33	<33	<33	<33	<33	<33
Build-2-AD-14-4	Build_2_AD_14_042601_4	3	<33	<33	<33	<33	<33	<33	**84**
BUILD-2-AF-17-2	BUILD_2_AF_17_032901_2	13	<33	<33	<33	<33	<33	<33	<33
BUILD-2-AF-17-3	BUILD_2_AF_17_032901_3	17	<33	<33	<33	<33	<33	<33	<33
BUILD-2-AK-13	Build_2_AK_13_021901	3	<33	<33	<33	<33	<33	<33	<33
BUILD-2-AK-13-2	Build_2_AK_13_051401_2	3	<33	<33	<33	<33	<33	<33	<33
BUILD-2-AK-17-1	Build_2_AK_17_021501_1	1	<33	<33	<33	<33	<33	<33	**30J**
BUILD-2-AK-17-2	BUILD_2_AK_17_032701_2	9	<33	<33	<33	<33	<33	<33	<33
BUILD-2-AN-19-1	BUILD_2_AN_19_051001_1	0	<66	<33	<33	<33	<33	<33	<33
BUILD-2-AN-20-1	BUILD_2_AN_20_051001_1	1.5	<66	<66	<66	<66	<66	<66	<66
BUILD-2-AN-23-1	Build_2_AN_23_051001_1	1.5	<66	<66	<66	<66	<66	<66	<66
BUILD-2-M-10-6	Build_2_M_10_052501_6	26	<33	<33	<33	<33	<33	<33	<33
BUILD-2-M-10-7	Build_2_M_10_052901_7	30	<33	<33	<33	<33	<33	<33	<33
BUILD-2-M-10-8	BUILD_2_M_10_053101_8	22	<33	<33	<33	<33	<33	<33	<33
BUILD-2-N-10-10	BUILD_2_N_10_053101_10	27	<33	<33	<33	<33	<33	<33	<33
BUILD-2-N-10-11	BUILD_2_N_10_053101_11	27	<33	<33	<33	<33	<33	<33	<33
BUILD-2-N-10-9	BUILD_2_N_10_053101_9	27	<33	<33	<33	<33	<33	<33	<33
BUILD-2-O-9-2	BUILD_2_O_9_050101_2	5	<33	<33	<33	<33	<33	<33	**32J**
BUILD-2-T-18-1	BUILD_2_T_18_011501_1	1	<330	<330	<330	<330	<330	<330	**340**

See notes on page 3

Table 13
PAHs in Soil Boring Samples (µg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Object Name	Sample Name	Sample Depth (feet)	Acenaphthene	Acenaphthylene	Anthracene	Benzo(a)anthracene	Benzo(a)pyrene	Benzo(b)fluoranthene	Benzo(ghi)perylene	Benzo(k)fluoranthene	Chrysene	Dibenz(a,h)anthracene	Fluoranthene	Fluorene	Indeno(1,2,3-cd)pyrene	Naphthalene	Phenanthrene	Pyrene
AK-14-5	AK_14_5	13	<4000	<2000	<200	<2500	<100	<100	<160	<40	<200	<400	<1000	1800	<200	5600	5000J D	<3000
Bldg_1_B_15_16	Bldg_1_B_15_092801_16	16	<5000	<20000	240	1600	2200	2100	1400	960	1600	<500	<500	<500	1300	<4000	960	2400
BLDG_1_C_13_14	BLDG_1_C_13_14	5	<50	<200	<2.0	<2.0	<2.0	<5.0	<5.0	<2.0	<5.0	<5.0	<5.0	<5.0	<5.0	<40	<5.0	<5.0
BLDG-1-C-13-15(6)	BLDG_1_C_13_082401_15(6)	6	<50	<200	<2	4.2	<2	6.2	7.2	3	5.3	<5	14	<5	5.4	<40	6.3	6.2
Build_1_B_15_3	Build_1_B_15_100501_3	12	<50	<200	2.1	4.1	7.7	6.8	<5.0	3.5	<5.0	<5.0	16	<5.0	<5.0	<40	8.3	6.8
Build_1_B_15_4	Build_1_B_15_100501_4	12	<50	<200	<2.0	<2.0	2	<5.0	<5.0	<2.0	<5.0	<5.0	<5.0	<5.0	<5.0	<40	<5.0	<5.0
Build_1_B_15_5	Build_1_B_15_100501_5	12	<50	<200	<2.0	3.3	4.5	<5.0	<5.0	2.3	<5.0	<5.0	12	<5.0	<5.0	<40	5.6	5.3
Build_1_C_13_1	Build_1_C_13_060101_1	2	<500	<500	<20	77	110	90	94	43	70	120	130	<50	68	<200	<50	110
Build_1_C_13_2	Build_1_C_13_060101_2	2	1400	<500	32	260	360	290	280	150	200	390	500	61	230	<200	200	360
Build_1_C_13_3	Build_1_C_13_060101_3	2.5	1800	<1000	40	360	500	410	400	200	180	580	700	<100	340	<400	220	640
Build_1_C_13_4	Build_1_C_13_080101_4	2.5	1500	<4000	89	260	330	390	430	140	360	<100	460	130	270	<800	490	250
Build_1_C_13_5	Build_1_C_13_080101_5	2.5	960	<1000	120	210	130	180	120	61	250	<25	560	100	130	<2000	570	340
Build_1_C_13_6	Build_1_C_13_080101_6	2.5	<50	<200	<2.0	<2.0	<2.0	<5.0	<2.0	<2.0	<5.0	<5.0	<5.0	<5.0	<5.0	<40	<5.0	<5.0
Build_1_C_13_7	Build_1_C_13_080101_7	2.5	<1000	<4000	82	140	150	210	<100	110	170	<100	280	130	120	<800	170	170
Build_1_C_13_8	Build_1_C_13_080101_8	3	2500	<4000	130	520	490	670	500	250	550	<100	970	190	460	<800	400	730
Build_1_C_13_9	Build_1_C_13_080101_9	3	<500	<2000	37	100	120	150	120	76	<50	<50	180	55	100	<400	81	130
Build_2_AD_14_1	Build_2_AD_14_042601_1	3	<10000	<10000	1100	<400	540	<1000	<1000	<400	3700	1100	1600	2800	<1000	<4000	4800	<1000
Build_2_AD_14_2	Build_2_AD_14_042601_2	5	<250	<250	24	44	37	<25	26	15	68	32	110	<25	<25	<100	130	76
Build_2_AK_14	Build_2_AK_14_072501	12	<5000	<20000	280	<200	200	<500	<500	450	3700	<500	3200	3800	<500	6600	7300	<500
Build_2_O_19_1	Build_2_O_19_042401_1	32	<100	<100	<4.0	<4.0	<4.0	<10	<10	<4.0	<10	<10	<10	<10	<10	<40	<10	<10
Build_2_W_11_1	Build_2_W_11_050401_1	2	<25000	9600	2000	1100	530	2100	910	750	8600	1300	3400	6600	830	4700	17000	1200
BUILD-1-1-22-1	BUILD_1_1_22_1	1	<2000	<1000	<40	<80	<100	<20	<80	<20	120J G	<200	<100	<200	<100	<1000	<80	<200
BUILD-1-1-22-2	BUILD_1_1_22_2	1	<2000	<1000	<40	<80	170	<20	<80	<20	310	<200	<100	<200	<100	<1000	<80	<200
BUILD-1-1-22-3	BUILD_1_1_22_3	1	<400	<200	<8	<16	<10	<4	<16	<4	<20	<40	<20	<40	<20	<200	<16	<40
BUILD-1-1-22-4	BUILD_1_1_22_4	7	<400	<200	<8	<16	<10	<4	<16	<4	<20	<40	<20	<40	<20	<200	<16	<40
BUILD-1-1-22-9	BUILD_1_1_22_9	1	<1000	<1000	<40	7.3J	9.2J	20J	<100	4.2J	<100	14J	12J	8.2J	<100	<400	<100	<100
BUILD-1-A-12-1	Build_1_A_12_051801_1	5	230J	<500	5.9J	120	170	260	130	84	140	39J	240	15J	150	<200	80	230
BUILD-1-B-15-10	BUILD_1_B_15_092701_10	10	<200	<800	<8	10	11	<20	<20	<8	<20	<20	29	<20	<20	<160	<20	25
BUILD-1-C-1-1	BUILD_1_C_060101_1	1	<500	<500	<20	77	110	90	94	43	70	120	130	<50	68	<200	<50	110
BUILD-1-C-13-1	BUILD_1_C_13_060101_2	2	1400	<500	32	260	360	290	280	150	200	390	500	61	230	<200	200	360
BUILD-1-C-13-3	BUILD_1_C_13_060101_3	2.5	1800	<1000	40	360	500	410	400	200	180	580	700	<100	340	<400	220	640
BUILD-1-M-12-3	BUILD_1_M_12_050201_3	6	<2500	<2500	<100	<100	<100	<250	35J	<100	40J	50J	68J	<250	<250	<1000	<250	<250
BUILD-1-M-14-1	BUILD_1_M_14_041801_1	3	<200000	<100000	7600	<8000	<5000	<2000	<8000	<2000	<10000	<20000	<10000	9300J	<10000	13000J	48000	<
BUILD-1-M-14-3	Build_1_M_14_050101_3	10	<63000	<63000	3000	<2500	2900	13000	3800J	<2500	76000	12000	22000	6800	5300J	9200J	46000	11000
BUILD-1-M-16-1	Build_1_M_16_041801_1	3	<40000	<20000	1300	<1600	<1000	2300	<1600	<400	<2000	<4000	<2000	<4000	<2000	<20000	14000	<4000
BUILD-1-N-15-1	BUILD_1_N_15_040901_1	1	<4000	<2000	1400	<160	<100	<40	<160	<40	<200	<400	<200	<400	<200	4100	46000D	<400
BUILD-2-0-19-1	Build_2_0_19_042401_1	32	<50	<200	24	44	37	<5	26	15	68	32	110	<5	<5	<40	130	76
BUILD-2-0-9-2	BUILD_2_0_9_050101_2	5	<500	<500	<20	25	<20	<50	<50	<20	84	110	<50	<50	<50	<200	<50	76
BUILD-20-L-23-10	Build_20_L_23_052301_10	10	<1000	<1000	<40	21J	<40	14J	16J	4.6J	23J	25J	16J	<100	8.5J	<400	<100	8.7J
BUILD-20-L-23-2	BUILD_20_L_23_032101_2	9	<4000	<2000	<80	<160	<100	78	<160	30J	<200	<400	200	<400	<200	<2000	230	170J
BUILD-20-L-9	BUILD_20_L_051101_9	7	<2500	<2500	<100	<100	<100	<250	<250	<100	<250	<250	<250	<250	<250	<1000	<250	<250
BUILD-20-M-23-1	BUILD_20_M_23_032101_1	4	<40000	<20000	<800	<1600	<1000	610	<1600	<400	<2000	<4000	<2000	<4000	<2000	<20000	<3500	1700J
BUILD-20-M-23-7	BUILD_20_M_23_032201_7	7	<40000	<20000	3200	<1600	<1000	1000	<1600	600	<2000	<4000	<2000	<4000	<2000	<20000	18000	<4000
BUILD-2-AB-20-2A	Build_2_AB_20_051701_2A	5	<50	<50	<2	<2	<2	<5	<5	<2	<5	<5	<5	<5	<5	<20	<5	<5
Build-2-AD-14-4	Build_2_AD_14_042601_4	3	<500	<500	<20	<20	<20	<50	<50	<20	190	130	<50	<50	<50	<200	<50	<50
BUILD-2-AF-17-3	BUILD_2_AF_17_032901_3	17	<400	<200	<8	<16	<10	<4	<16	<4	<20	<40	<20	<40	<20	<200	<16	<40
BUILD-2-AK-11-1	BLDG2_AK_11_1	2	<400	<200	3.3J	<16	<10	<4	130	<4	<20	<40	<20	<40	60	<200	33	<40
BUILD-2-AK-11-2	BLDG2_AK_11_2	3	<4000	1800J	340	<160	<100	<100	<250	<40	<200	<400	<2000	800	<200	790J	2100	<610
BUILD-2-AK-11-3	BLDG2_AK_11_3	2	<400	<200	<8	<16	<10	<4	<16	<4	<20	<40	<20	<40	<20	<200	4.8J	<40

See notes on page 3

BOE-C6-0182619

Table 13
PAHs in Soil Boring Samples (µg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Object Name	Sample Name	Sample Depth (feet)	Acenaphthene	Acenaphthylene	Anthracene	Benzo(a)anthracene	Benzo(a)pyrene	Benzo(b)fluoranthene	Benzo(ghi)perylene	Benzo(k)fluoranthene	Chrysene	Dibenz(a,h)anthracene	Fluoranthene	Fluorene	Indeno(1,2,3-cd)pyrene	Naphthalene	Phenanthrene	Pyrene
BUILD-2-AK-11-4	BLDG2_AK_11_4	2	<4000	9200	1700	<600	<500	<600	<500	<40	<400	<600	<9000	4100	<200	4800	11000D	<500
BUILD-2-AK-11-5	BLDG2_AK_11_5	3	<4000	<2000	89	<160	230	<80	200	<40	<200	<400	<200	<400	<200	<2000	510	<400
BUILD-2-AK-13	Build_2_AK_13_021901	3	<4000	<2000	67J	<160	<100	<40	<160	<40	<200	<400	<200	<400	<200	<2000	<160	<400
BUILD-2-AK-13-1	BUILD_2_AK_13_051401_1	3	<50	<50	<2	<2	<2	<5	<5	<2	<5	<5	<5	0.52J	<5	<20	<5	<5
BUILD-2-AK-17-1	Build_2_AK_17_021501_1	1	<8000	<4000	<160	<320	<200	<80	<320	<80	<400	<800	<400	<800	<400	<4000	<320	<800
BUILD-2-AK-17-2	BUILD_2_AK_17_032701_2	9	<40000	<20000	<800	<1600	<1000	1200	<1600	<400	<2000	<4000	<2000	<4000	<2000	6600J	<9000	<4000
BUILD-2-AN-19-1	BUILD_2_AN_19_051001_1	0	<1000	<1000	<40	<40	<40	<100	180	<40	<100	210	<100	<100	<100	<400	<100	<100
BUILD-2-AN-20-1	BUILD_2_AN_20_051001_1	1.5	<100	<100	15	32	34	20	30	14	25	21	78	<10	26	<40	58	56
BUILD-2-AN-23-1	Build_2_AN_23_051001_1	1.5	34J	<250	6.3J	17	20	15J	15J	9.2J	<25	35	56	3.6J	33	12J	22J	26
BUILD-2-M-10-6	Build_2_M_10_052501_6	26	<250	<250	15	29	16	52	<25	32	380	120	76	<25	<25	<100	190	33
BUILD-2-M-10-7	Build_2_M_10_052901_7	30	830J	<5000	56J	<200	100J	370J	410J	240	<500	750	350J	160J	250J	480J	640	320J
BUILD-2-M-10-8	BUILD_2_M_10_053101_8	22	<100000	<100000	5700	<4000	4400	14000	1300J	9300	110000	27000	33000	20000	1100J	48000	83000	12000
BUILD-2-M-8	BUILD_2_M_053101_8	22	<100000	<100000	<4000	<4000	<4000	<10000	<10000	<4000	65000	<10000	29000	14000	<10000	<40000	59000	11000
BUILD-2-N-10-10	BUILD_2_N_10_053101_10	27	<1000	<1000	<40	60	<40	<100	<100	<40	130	<100	<100	<100	<100	<400	<100	<100
BUILD-2-N-10-11	BUILD_2_N_10_053101_11	27	<50	<50	<2	<2	<2	<5	15	<2	<5	<5	<5	<5	<5	<20	<5	<5
BUILD-2-N-10-9	BUILD_2_N_10_053101_9	27	<50	<50	<2	6.7	<2	<5	<5	<2	42	6.1	9.4	<5	<5	<20	14	5.7
BUILD-2-T-18-1	BUILD_2_T_18_011501_1	1	<100	<100	1.2J	<20	<20	<20	<20	<20	<20	<20	<20	<20	<20	<100	12J	<20
BUILD-2-T-20-1	BUILD_2_T_20_012001_1	1	<5000	<5000	1400	7100	3400PG	<1000	860J	<1000	<1000	1700PG	15000PG	1000	390J	<5000	5700	8500PG
BUILD-2-T-20-2	BUILD_2_T_20_050101_2	18	<5000	<5000	<200	<200	<200	<500	<500	<200	<500	<500	<500	<500	<500	<2000	<500	<500
BUILD-2-T-20-B20	BUILD_2_T20_071301_B20	20	<10000	5100J	210J	<400	86J	390J	240J	<400	<1000	520J	710J	600J	<1000	3400J	4300	400J
BUILD-2-T-20-B21	BUILD_2_T20_071301_B21	21	<50000	<50000	470J	<2000	510J	2200J	460J	<2000	<5000	900J	3400J	1700J	<5000	7000J	15000	1300J
BUILD-2-T-20-B24	BUILD_2_T20_071301_B24	24	<25000	2300J	150J	<1000	230J	1100J	330J	760J	<2500	340J	5700	5100	<2500	5700J	12000	790J
BUILD-2-T-20-E19	BUILD_2_T20_071301_E19	19	<5000	<5000	12J	<200	<200	59J	<500	<200	<500	<500	380J	88J	<500	<2000	980	<500
BUILD-2-T-20-N	BUILD_2_T20_071301_N19	19	<50	21J	0.11J	<2	<2	0.32J	<5	<2	<5	<5	<5	<5	<5	<20	1.7J	<5
BUILD-2-T-20-W17	BUILD_2_T20_071301_W17	17	<10000	<10000	110J	<400	150J	690J	170J	<400	<1000	250J	1100	210J	<1000	<4000	5000	440J
BUILD-2-T-21-10	BUILD_2_T_21_071201_10	10	<50000	<50000	<2000	<2000	<2000	<5000	<5000	130J	<5000	<5000	1700J	510J	<5000	<20000	5200	<5000
BUILD-2-U-9-1	Build_2_U_9_122700_1	0	<4000	<2000	<80	<160	<100	<40	<160	<40	<200	<400	<200	680	<200	<2000	<160	<400
BUILD-2-W-11-1	Build_2_W_11_050401_1	2	<10000	<10000	280J	1400	220J	2200	380J	600	8300	720J	6700	940J	540J	1800J	16000	220J
BUILD-2-W-11-3	Build_2_W_11_050901_3	8	<6300	<6300	<250	27J	<250	110J	300J	34J	<630	260J	<630	<630	150J	<2500	<630	<630
BUILD-2-X-11-1	BUILD_2X_11_010901_1	0.5	<5000	<5000	<1000	<1000	<1000	<1000	<1000	<1000	<1000	<1000	<1000	<1000	<1000	<5000	<1000	<1000
BUILD-3-R-23-1	BUILD_3_R_23_040901	2	<400	<200	3.9J	6.4J	5.2J	4	<16	2.5J	<20	<40	16J	<40	<20	<200	14J	<40
C-1-31	C_1_31_15	15	<400	<200	<8	<16	<10	<4	<16	<4	<20	<40	<20	<40	<20	<200	<16	<40
C-1-31	C_1_31_20	20	<400	<200	<8	<16	<10	<4	<16	<4	<20	<40	<20	<40	<20	<200	<16	<40
C-1-44	C_1_44_20	20	5800	<300	<12	<12	<12	<30	<30	<12	<30	<30	<30	<30	<30	<120	<30	<30
C-1-44	C_1_44_25	25	4300	<350	<14	<14	<14	<35	<35	<14	<35	<35	<35	<35	<35	<140	<35	<35
C-1-44	C_1_44_30	30	140	<91	<3.6	5.3	4.3	<9.1	<9.1	<3.6	<9.1	<9.1	19	<9.1	<9.1	<36	13	13
C-1-140	C_1_140_15	15	<400	<200	<8	<50	<10	42	<16	<4	<50	<40	<50	<40	<20	<200	21	<40
C-1-140	C_1_140_20	20	<400	<200	<8	<16	<10	<4	<16	<4	<20	<40	<20	<40	<20	<200	<16	<40
C-1-141	C_1_141_15	15	<400	<200	<8	<16	<10	<4	<16	<4	<20	<40	<20	<40	<20	<200	<16	<40
C-1-141	C_1_141_20	20	<400	<200	<8	<16	<10	<4	<16	<4	<20	<40	<20	<40	<20	<200	<16	<40
C-1-O-10	C_1_O_10_5	5	<400	<200	8.6	18	21	18	<16	12	27	<40	45	<40	<20	<200	36	24J
C-1-O-11	C_1_O_11_10	10	<400	<200	<8	120	70	130	69	53	350	<40	150	<40	64	<200	75	83
C-2-154	C_2_154_5	5	12J	<50	<2	0.39J	0.42J	0.49J	0.29J	0.26J	<5	<5	0.69J	18	0.5J	<20	<5	0.6J
C-2-224	C_2_224_5	5	3000	<2500	<100	12	<100	<250	13	<100	16	<250	17	<250	<250	<1000	<250	<250
C-2-258	C_2_258_5	5	130J	<500	<20	24	23	22J	7.1J	11J	16J	8.1J	86	61	12J	23J	14J	36J
C-2-295	C_2_295_5	5	250	<2500	<100	<100	<100	14	20	<100	<250	<250	<250	<250	23	<1000	<250	<250
C-2-307	C_2_307_10	10	<500	<500	<20	6.5J	<20	5J	43J	<20	<50	120	21J	39J	51	<200	46J	<50
C-2-320	C_2_320_5	5	<13000	<13000	<500	96J	<500	5000	220J	79J	270J	10000	340J	230J	340J	<5000	690J	<1300
C-2-327	C_2_327_5	5	<400	<200	<8	<16	<10	<4	<16	<4	<20	<40	<20	<40	<20	<200	<16	<40

See notes on page 3

BOE-C6-0182620

Table 13
PAHs in Soil Boring Samples (µg/kg)
Boeing Realty Corporation Former C-6 Facility, Parcel C
Los Angeles, California

Object Name	Sample Name	Sample Depth (feet)	Acenaphthene	Acenaphthylene	Anthracene	Benzo(a)anthracene	Benzo(a)pyrene	Benzo(b)fluoranthene	Benzo(ghi)perylene	Benzo(k)fluoranthene	Chrysene	Dibenz(a,h)anthracene	Fluoranthene	Fluorene	Indeno(1,2,3-cd)pyrene	Naphthalene	Phenanthrene	Pyrene
C-2-327	C_2_327_10	10	<400	<200	<8	<16	<10	<4	<16	<4	<20	<40	<20	<40	<20	<200	<16	<40
C-2-327	C_2_327_15	15	<400	<200	<8	<16	<10	<4	<16	<4	<20	<40	<20	<40	<20	<200	<16	<40
C-2-328	C_2_328_5	5	<400	<200	<8	<16	<10	<4	<16	<4	<20	<40	<20	<40	<20	<200	<16	<40
C-2-328	C_2_328_10	10	<400	<200	<8	<16	<10	<4	<16	<4	<20	<40	<20	<40	<20	<200	<16	<40
C-2-328	C_2_328_15	15	<400	<200	<8	<16	<10	<4	<16	<4	<20	<40	<20	<40	<20	<200	<16	<40
C-13	C_13_062701_4	2	<2000	<1000	**27J**	**150**	**170**	**130**	**110**	**81**	**180**	<200	**300**	<200	**120**	<1000	**140**	**230**
M-10	M_10_061801_16	26	**1100J**	**910J**	<100	**540**	**82J**	**130J**	**190J**	**220**	**330**	**850**	<250	**110J**	**170J**	**340J**	<250	**190J**
PD-26	PD_26_20	20	<50	**40J**	**0.76J**	<2	**12**	**9.6**	**4.1J**	<2	**88**	**10**	**44**	**1J**	**3.3J**	<20	**24**	**24**
PD-32	PD32_50	50	<50	<50	<2	<2	<2	<5	<5	<2	<5	<5	<5	<5	<5	<20	<5	<5
PD-34-S1	PD_34_S1_10.0_11.5	10	**83**	<50	**8.6**	**29**	<2	**31**	**21**	**13**	**21**	**21**	**66**	<5	**17**	<20	**39**	**60**
PD-35-S1	PD_35_S1_10_11.5	10	**650**	<200	**95**	**160**	<8	**100**	**81**	**61**	**95**	**120**	**400**	**72**	**87**	**290**	**390**	**360**
PD-36/55	PD_36/55_40_41.5	40	<50	<50	<2	<2	<2	<5	<5	<2	<5	<5	<5	<5	<5	<20	<5	<5
PD-37-S1	PD_37_S1_10_11.5	10	<100	<100	<4	<4	<4	<10	<10	<4	<10	**11**	<10	<10	<10	<40	<10	<10
S24	S24_30	30	<25000	**9600J**	**2000**	**1100**	**530J**	**2100J**	**910J**	**750J**	**8600**	**1300J**	**3400**	**6600**	**830J**	**4700J**	**17000**	**1200J**
S24	S24_30	30	<10000	<10000	**280**	**1400**	**220**	**2200**	**380**	**600**	**8300**	**720**	**6700**	**940**	**540**	**1800**	**16000**	**220**
S24-3	S24_3_10	10	**1000J**	**3000**	**1200**	<2000	**2400**	**8200**	**1300J**	<2000	<5000	**4200J**	**22000**	**7700**	**1500**	**29000**	**31000**	**7100**

Notes:
All concentrations reported in µg/kg
J = Estimated concentration
Bold = Detected concentration
Blank = Data not available or sample not analyzed

QA/QC:_____
Date:_____

See notes on page 3

BOE-C6-0182621