State of Ca... ...ronmental Protection Agency 1-29-96 **See Instructions on back of page 6.** 198061
Form Approve... ...B No. 2050-0039 (Expires 9-30-96) Department of Toxic Substances Control
Please print or ... *Form designed for use on elite (12-pitch) typewriter.* Sacramento, California

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. | Manifest Document No. | 2. Page 1 of 2 | Information in the shaded areas is not required by Federal law.

1. Generator's US EPA ID No.	CAD008651005
Manifest Document No.	10651
3. Generator's Name and Mailing Address	Douglas Aircraft C... (11-11) Attn: Rob Tuell 3855 Lakewood Blvd. ... CA 90846
4. Generator's Phone	(310) 496-6287 or (310) 593-3101
5. Transporter 1 Company Name	Laidlaw Environmental Services of CA, Inc.
6. US EPA ID Number	CAD000083121
7. Transporter 2 Company Name	
8. US EPA ID Number	
9. Designated Facility Name and Site Address	Eneco West, Inc. 1737 East Denni Street Wilmington, CA 90744
10. US EPA ID Number	CAD044428835
A. State Manifest Document Number	95710656
B. State Generator's ID	HAHQ360056988
C. State Transporter's ID	608867
D. Transporter's Phone	(310) 518-4700
E. State Transporter's ID	
F. Transporter's Phone	
G. State Facility's ID	CAD044428835
H. Facility's Phone	(310) 835-9999

11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID Number)	12. Containers No.	12. Containers Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste Number
a. RQ, Paint related material, 3, UN1263, PG II, (F002, F003, F005, D001, D007)	001	DM	00170	P	State 461; EPA/Other F002
b. RQ, Hazardous waste, solid, n.o.s., 9, NA3077, PG III (F002, F003, F005, D007)	001	DM	00135	P	State 352; EPA/Other F002
c. RQ, Hazardous waste, solid, n.o.s., 9, NA 3077, PG III (D009)	001	DM	00110	P	State 191; EPA/Other D009
d. Instapack 8 Non-RCRA hazardous waste solid	001	DM	00060	P	State 331; EPA/Other N49

J. Additional Descriptions for Materials Listed Above
11a. 520571, Paint Sludge. Additional Codes: F003, F005, D001, D007
11b. 520576, Production rags. Additional codes: F003, F005, D007.
11c. 528124, Broken fluorescent light tubes.
11d. 520465, Instapack 8.

K. Handling Codes for Wastes Listed Above: a. 01 b. 07 c. 01 d. 07

15. Special Handling Instructions and Additional Information
24 Hour emergency telephone number (800) 424-9300 (Chemtrec). DOT ERG# 11a) 26 b-d) 31
Site address: 19503 South Normandie Avenue, Torrance, CA 90502.

16. **GENERATOR'S CERTIFICATION:** I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

	Printed/Typed Name	Signature	Month	Day	Year
GENERATOR	Robert G. Tuell, Jr.	Robert G. Tuell Jr.	01	12	96
TRANSPORTER 17. Transporter 1 Acknowledgement of Receipt of Materials	LAWRENCE THOMAS	Lawrence Thomas	01	12	96
TRANSPORTER 18. Transporter 2 Acknowledgement of Receipt of Materials					
FACILITY 19. Discrepancy Indication Space					
FACILITY 20. Facility Owner or Operator Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.	Pat Choomnger	Pat C	01	12	96

DO NOT WRITE BELOW THIS LINE.

Yellow: TSDF SENDS THIS COPY TO GENERATOR WITHIN 30 DAYS. (Generators who submit hazardous waste for transport out-of-state, produce completed copy of this copy and send to DTSC within 30 days.)

DTSC 8022A (1/95)
EPA 8700—22

IN CASE OF EMERGENCY OR SPILL, CALL THE NATIONAL RESPONSE CENTER 1-800-424-8802; WITHIN CALIFORNIA, CALL 1-800-852-7

95710656

Please print or type. (Form designed for use on elite (12-pitch) typewriter.)

Form Approved. OMB No. 2050-0039. Expires 9-30-94

UNIFORM HAZARDOUS WASTE MANIFEST (Continuation Sheet)

21. Generator's US EPA ID No.: CAD086510005

Manifest Document No.: 10656

22. Page 2 of 2

Information in the shaded areas is not required by Federal law.

23. Generator's Name
Douglas Aircraft Company, C1-Q6C (11-11) Attn: Rob Tuell
3855 Lakewood Blvd. Long Beach CA, 90846

L. State Manifest Document Number: 95710656

M. State Generator's ID: HAHQ36005698

24. Transporter ___ Company Name

25. US EPA ID Number

N. State Transporter's ID

O. Transporter's Phone

26. Transporter ___ Company Name

27. US EPA ID Number

P. State Transporter's ID

Q. Transporter's Phone

	28. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)	HM	29. Containers No.	Type	30. Total Quantity	31. Unit Wt/Vol	R. Waste No.
a.	Polyethylene tank Liner Non-RCRA hazardous waste solid		002	CF	01405	P	352 N/R
b.	Lab pack Non-RCRA hazardous waste solid		001	DM	00470	P	331 N/R
c.							
d.							
e.							
f.							
g.							
h.							
i.							

GENERATOR

S. Additional Descriptions for Materials Listed Above
28a. 660765. Tank 445 liner with 7520 ppm chrome. (and pipes from DMJM)
28b. 660764. Lab pack. Resin powder in bags surplus material.

T. Handling Codes for Wastes Listed Above
28a) 01
28b) 01

32. Special Handling Instructions and Additional Information
24 Hour emergency telephone number (800) 424- 9300 (Chemtrec). DOT ERG# 11a & b) 31

TRANSPORTER

33. Transporter ___ Acknowledgement of Receipt of Materials

Printed/Typed Name | Signature | Date: Month Day Year

34. Transporter ___ Acknowledgement of Receipt of Materials

Printed/Typed Name | Signature | Date: Month Day Year

FACILITY

35. Discrepancy Indication Space

Style CF18-6 Labelmaster, An American Labelmark Co., Chicago, IL 60646 (800) 621-5808

EPA Form 8700-22A (Rev. 9-88) Previous editions are obsolete.

PRINTED ON RECYCLED PAPER USING SOYBEAN INK

PRINTED WITH SOY INK

ORIGINAL-RETURN TO GENERATOR

BOE-C6-0186348

- CERTIFICATE OF RECEIPT -

This certifies the hazardous waste stream associated with manifest # 9570656 has been qualified for recycling/treatment at the Ensco West, Inc. facility in Wilmington, California.

Further Ensco West, Inc. has the necessary permits to receive your waste stream as qualified.

E.W.I. Rep. _____

State of California—Environmental Protection Agency
Form Approved OMB No. 2050-0039 (Expires 9-30-96)
Please print or type. *Form designed for use on elite (12-pitch) typewriter.*

See Instructions on back of page 6.

Department of Toxic Substances Control
Sacramento, California

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. CAD086510005 — Manifest Document No. 10656 — 2. Page 1 of 2

Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
Douglas Aircraft Company, C1-066 (11-11) Attn: Rob Tuell
3855 Lakewood Blvd. Long Beach, CA 90846

4. Generator's Phone (310) 496-6287 or (310) 593-3101

A. State Manifest Document Number: 95710656
B. State Generator's ID: HAHQ36005998

5. Transporter 1 Company Name: Laidlaw Environmental Services of CA, Inc.
6. US EPA ID Number: CAD000083121

C. State Transporter's ID: 608867
D. Transporter's Phone: (310) 518-4700

7. Transporter 2 Company Name
8. US EPA ID Number

E. State Transporter's ID
F. Transporter's Phone

9. Designated Facility Name and Site Address
Enseco West, Inc.
1737 East Denil Street
Wilmington, CA 90744
10. US EPA ID Number: CAD044429835

G. State Facility's ID
H. Facility's Phone: (310) 835-9098

11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID Number)	12. Containers No.	12. Containers Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste Number
a. RQ, Paint related material, 3, UN1263, PG II, (F002, F003, F005, D001, D007)	001	DM	00170	P	State 461; EPA/Other F002
b. RQ, Hazardous waste, solid, n.o.s., 9, NA3077, PG III (F002, F003, F005, D007)	001	DM	00135	P	State 352; EPA/Other F002
c. RQ, Hazardous waste, solid, n.o.s., 9, NA 3077, PG III (D009)	001	DM	00110	P	State 181; EPA/Other D009
d. Instapack B Non-RCRA hazardous waste solid	001	DM	00060	P	State 331; EPA/Other NR

J. Additional Descriptions for Materials Listed Above
11a. 520671. Paint Sludge. Additional Codes: F003, F005, D001, D007
11b. 520676. Production rage. Additional codes: F003, F005, D007.
11c. 526124. Broken fluorescent light tubes.
11d. 520486. Instapack B.

K. Handling Codes for Wastes Listed Above
a. b. c. d.

15. Special Handling Instructions and Additional Information
24 Hour emergency telephone number (800) 424-9300 (Chemtrec). DOT ERG# 11a) 26 b-d) 31
Site address: 19503 South Normandie Avenue, Torrance, CA 90502.

16. **GENERATOR'S CERTIFICATION:** I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: Robert G. Tuell, Jr. — Signature: Robert G. Tuell Jr. — Month 01 Day 12 Year 96

17. Transporter 1 Acknowledgement of Receipt of Materials
Printed/Typed Name: Lawrence Thomas — Signature: [illegible] — Month 01 Day 12 Year 96

18. Transporter 2 Acknowledgement of Receipt of Materials
Printed/Typed Name — Signature — Month Day Year

19. Discrepancy Indication Space

20. Facility Owner or Operator Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name — Signature — Month Day Year

DO NOT WRITE BELOW THIS LINE.

GENERATOR — TRANSPORTER — FACILITY

IN CASE OF EMERGENCY OR SPILL, CALL THE NATIONAL RESPONSE CENTER 1-800-424-8802: WITHIN CALIFORNIA, CALL 1-800-852-7

95710656

DTSC 8022A (1/95)
EPA 8700—22

Yellow: GENERATOR RETAINS

BOE-C6-0186350

Please print or type. (Form designed for use on elite (12-pitch) typewriter.)

Form Approved. OMB No. 2050-0039. Expires 9-30-94

UNIFORM HAZARDOUS WASTE MANIFEST *(Continuation Sheet)*

21. Generator's US EPA ID No.: CAD086510005

Manifest Document No.: 10656

22. Page: 2 of 2

Information in the shaded areas is not required by Federal law.

23. Generator's Name
Douglas Aircraft Company, C1-06C (11-11) Attn. Rob Tuell
3855 Lakewood Blvd. Long Beach CA 90846

L. State Manifest Document Number: 957 10656

M. State Generator's ID: HA HQ 36005698

24. Transporter ___ Company Name

25. US EPA ID Number

N. State Transporter's ID

O. Transporter's Phone

26. Transporter ___ Company Name

27. US EPA ID Number

P. State Transporter's ID

Q. Transporter's Phone

	28. US DOT Description *(Including Proper Shipping Name, Hazard Class, and ID Number)*	HM	29. Containers No.	Type	30. Total Quantity	31. Unit Wt/Vol	R. Waste No.
a.	Polyethylene tank Liner Non-RCRA hazardous waste solid		002	CF	01405	P	N/A
b.	Lab pack Non-RCRA hazardous waste solid		001	DM	00470	P	N/A
c.							
d.							
e.							
f.							
g.							
h.							
i.							

S. Additional Descriptions for Materials Listed Above
2ea. 56215-5, Tank 145 liner with TUFO pipe chrome (and pipe from DMJM)
2ea. 18471-4, Lab pack, Resin powder in bags asphalt material

T. Handling Codes for Wastes Listed Above

32. Special Handling Instructions and Additional Information
24 Hour emergency telephone number (800) 424- 9300 (Chemtrec). DOT ERG# 11a & b) 31

33. Transporter ___ Acknowledgement of Receipt of Materials

Printed/Typed Name | Signature | Date: Month Day Year

34. Transporter ___ Acknowledgement of Receipt of Materials

Printed/Typed Name | Signature | Date: Month Day Year

35. Discrepancy Indication Space

GENERATOR

TRANSPORTER

FACILITY

Style CF18-6 Labelmaster, An American Labelmark Co., Chicago, IL 60646 (800) 621-5808

EPA Form 8700-22A (Rev. 9-88) Previous editions are obsolete.

PRINTED ON RECYCLED PAPER USING SOYBEAN INK

PRINTED WITH SOY INK

GENERATOR COPY

BOE-C6-0186351

LAND DISPOSAL RESTRICTIONS NOTIFICATION FORM — Page 2

For Wastes Subject to the Treatment Standards Found in 40 CFR 268

Generator Name: Douglas Aircraft Company Manifest No. 10656/95716656

WMDS	Wastewater	Non-wastewater	Waste Codes *, Subcategories and Hazardous Constituents	Special Condition
520571	☐	☒	F002, F003, F005, D001, D007	
520576	☐	☒	F003, F005, D007, F002	
626124	☐	☒	D009	
520465	☐	☒	N/R	
660765	☐	☒	N/R	
660764	☐	☒	N/R	B
	☐	☐		
	☐	☐		
	☐	☐		

*Regulated Hazardous Constituents, not the Underlying Hazardous Constituents (UHC's), must be identified for waste streams which carry the EPA Waste Codes, F001-F005, F039 and for California List wastes (40CFR268.32). UHC's must be identified for D001 (if Not Treated by CMBST or RORGS), D002, D012-D043 (if treated in Non-CWA, Non-CWA equivalent or Non-SDWA facilities). Wastewater forms of D012-D017 do not require that UHC's be identified.
List the constituents on the corresponding line or include a marked copy of the Universal Treatment Standards Sheet for all affected WMDS.

Special Conditions:

A. Waste Requiring No Further Treatment
B. Lab Pack Waste Qualifying for Alternative Treatment under 40 CFR 268.42(c)
C. Hazardous Waste Debris subject to standard treatment requirements, 40 CFR 268.40
D. Hazardous Waste Debris subject to alternative standards in 40 CFR 268.45 (List Contaminants)
E. Waste Qualifying for Exemption and not subject to Land Disposal Restriction (Explain)
F. Waste already treated to remove a hazardous characteristic which requires additional treatment for underlying hazardous constituents (List constituents)
G. For Chemical Manufacturers, Petroleum Refineries, Coke By-Product Facilities and RCRA TSDFs handling wastes subject to 40 CFR 61 subpart FF (NESHAP): This waste is a "Controlled Benzene Waste" which is subject to the notification requirements of 40 CFR 61 subpart FF.

Waste analysis is attached where available, otherwise, the information contained herein is based upon my thorough knowledge of the waste(s).

I hereby certify that I believe that the information I submitted is true, accurate and complete.

Signature Robert G. Tuell Jr. Title Sr. Plant Engineer Date 1-12-96

Waste Streams Identified by Special Condition A: I certify under penalty of law that I personally have examined and am familiar with the waste through analysis and/or through knowledge of the waste to support this certification that the waste complies with the treatment standards specified in 40 CFR Part 268 Subpart D and all applicable prohibitions set forth in 40CFR 268.32 or RCRA section 3004 (d). I believe that the information I submitted is true, accurate and complete. I am aware that there are significant penalties for submitting a false certification, including the possibility of fine and imprisonment.

Waste Streams Identified by Special Condition B: I certify under penalty of law that I personally have examined and am familiar with the waste and that the waste contains only wastes which have not been excluded under appendix IV to 40 CFR 268. I am aware that there are significant penalties for submitting a false certification, including the possibility of a fine and imprisonment.

Waste Streams Identified by Special Condition F: I certify under penalty of law that the waste has been treated in accordance with the requirements of 40 CFR 268 to remove the hazardous characteristic. This decharacterized waste contains underlying hazardous constituents requiring further treatment.

Universal Treatment Standards 40 CFR 268.48

PAGE 2 OF 2

☐ For WMDS 52057 / 52057C, the Underlying Constituents have been identified by marking the box to the left of each constituent.

MANIFEST 10656/157245C

☐ None of the Underlying Constituents are present in the following WMDS(s):

Constituents by Chemical Name	WW Conc.	NWW Conc.	Constituents by Chemical Name	WW Conc.	NWW Conc.	Constituents by Chemical Name	WW Conc.	NWW Conc.
☐ Acenaphthylene	0.059	3.4	☐ 1,2-Dichloroethane	0.21	6.0	☐ Nitrobenzene*	0.068	14
☐ Acenaphthene	0.059	3.4	☐ 1,1-Dichloroethylene	0.025	6.0	☐ 5-Nitro-O-Toluidine	0.32	28
☒ **Acetone***	0.28	160	☐ Trans-1,2-Dichloroethylene	0.054	30	☐ O-Nitrophenol+	0.028	13
☐ Acetonitrile	5.6	1.8	☐ 2,4-Dichlorophenol	0.044	14	☐ P-Nitrophenol	0.12	29
☐ Acetophenone	0.010	9.7	☐ 2,6-Dichlorophenol	0.044	14	☐ N-Nitrosodiethylamine	0.40	28
☐ 2-Acetylaminofluorene	0.059	140	☐ 1,2-Dichloropropane	0.85	18	☐ N-Nitrosodimethylamine	0.40	2.3
☐ Acrolein	0.29	NA	☐ Cis-1,3-Dichloropropylene	0.036	18	☐ N-Nitroso-Di-N-Butylamine	0.40	17
☐ Acrylamide	19	23	☐ Trans-1,3-Dichloropropylene	0.036	18	☐ N-Nitrosomethylethylamine	0.40	2.3
☐ Acrylonitrile	0.24	84	☐ Dieldrin	0.017	0.13	☐ N-Nitrosomorpholine	0.40	2.3
☐ Aldrin	0.021	0.066	☐ Diethyl Phthalate	0.20	28	☐ N-Nitrosopiperidine	0.013	35
☐ 4-Aminobiphenyl	0.13	NA	☐ 2-4-Dimethyl Phenol	0.036	14	☐ N-Nitrosopyrrolidine	0.013	35
☐ Aniline	0.81	14	☐ Dimethyl Phthalate	0.047	28	☐ Parathion	0.014	4.6
☐ Anthracene	0.059	3.4	☐ Di-N-Butyl Phthalate	0.057	28	☐ Total PCBs	0.10	10
☐ Aramite	0.36	NA	☐ 1,4-Dinitrobenzene	0.32	2.3	☐ Pentachlorobenzene	0.055	10
☐ Alpha-BHC	0.00014	0.066	☐ 4,6-Dinitro-O-Cresol	0.28	160	☐ PECDDs (All Pentachlorodibenzo-P-Dioxins)	0.000063	0.001
☐ Beta-BHC	0.00014	0.066	☐ 2,4-Dinitrophenol	0.12	160	☐ PECDFs (All Pentachlorodibenzofurans)	0.000063	0.001
☐ Delta-BHC	0.023	0.066	☐ 2,4-Dinitrotoluene	0.32	140	☐ Pentachloroethane+	0.055	6.0
☐ Gamma-BHC	0.0017	0.066	☐ 2,6-Dinitrotoluene	0.55	28	☐ Pentachloronitrobenzene	0.055	4.8
☐ **Benzene***	0.14	10	☐ Di-N-Octyl Phthalate	0.017	28	☐ Pentachlorophenol	0.089	7.4
☐ Benz(A)Anthracene	0.059	3.4	☐ P-Dimethylaminoazobenzene+	0.13	NA	☐ Phenacetin	0.081	16
☐ Benzal Chloride+	0.055	6.0	☐ Di-N-Propylnitrosamine	0.40	14	☐ Phenanthrene	0.059	5.6
☐ Benzo(B)Fluoranthene	0.11	6.8	☐ 1,4-Dioxane	NA	170	☐ Phenol	0.039	6.2
☐ Benzo(K)Fluoranthene	0.11	6.8	☐ Diphenylamine	0.92	13	☐ Phorate	0.021	4.6
☐ Benzo(G,H,I)Perylene	0.0055	1.8	☐ Diphenylnitrosamine	0.92	13	☐ Phthalic Acid	0.055	28
☐ Benzo(A)Pyrene	0.061	3.4	☐ 1,2-Diphenylhydrazine	0.087	NA	☐ Phthalic Anhydride	0.055	28
☐ Bromodichloromethane	0.35	15	☐ Disulfoton	0.017	6.2	☐ Pronamide	0.093	1.5
☐ Methyl Bromide (Bromomethane)	0.11	15	☐ Endosulfan I	0.023	0.066	☐ Pyrene	0.067	8.2
☐ 4-Bromophenyl Phenyl Ether	0.055	15	☐ Endosulfan II	0.029	0.13	☐ Pyridine*	0.014	16
☒ **N-Butyl Alcohol***	5.6	2.6	☐ Endosulfan Sulfate	0.029	0.13	☐ Safrole	0.081	22
☐ Butyl Benzyl Phthalate	0.017	28	☐ Endrin	0.0028	0.13	☐ Silvex (2,4,5-Tp)	0.72	7.9
☐ 2-Sec-Butyl-4,6-Dinitrophenol (Dinoseb)	0.066	2.5	☐ Endrin Aldehyde	0.025	0.13	☐ 2,4,5-T (2,4,5-Trichlorophenoxyacetic Acid)	0.72	7.9
☐ **Carbon Disulfide***	3.8	4.8 mg/l	☐ **Ethyl Acetate***	0.34	33	☐ 1,2,4,5-Tetrachlorobenzene	0.055	14
☐ **Carbon Tetrachloride***	0.057	6.0	☐ Ethyl Cyanide (Propanenitrile)	0.24	360	☐ TCDDs (All Tetrachlorodibenzo-P-Dioxins)	0.000063	0.001
☐ Chlordane (Alpha And Gamma Isomers)	0.0033	0.26	☐ **Ethyl Benzene***	0.057	10	☐ TCDFs (All Tetrachlorodibenzofurans)	0.000063	0.001
☐ P-Chloroaniline	0.46	16	☐ **Ethyl Ether***	0.12	160	☐ 1,1,1,2-Tetrachloroethane	0.057	6.0
Chlorobenzene*	0.057	6.0	☐ Bis(2-Ethylhexyl) Phthalate	0.28	28	☐ 1,1,2,2-Tetrachloroethane	0.057	6.0
☐ Chlorobenzilate	0.10	NA	☐ Ethyl Methacrylate	0.14	160	☐ **Tetrachloroethylene***	0.056	6.0
☐ 2-Chloro-1,3-Butadiene	0.057	0.28	☐ Ethylene Oxide	0.12	NA	☐ 2,3,4,6-Tetrachlorophenol	0.030	7.4
☐ Chlorodibromomethane	0.057	15	☐ Famphur	0.017	15	☐ Toluene*	0.080	10
☐ Chloroethane	0.27	6.0	☐ Fluoranthene	0.068	3.4	☐ Toxaphene	0.0095	2.6
☐ Bis(2-Chloroethoxy)Methane	0.036	7.2	☐ Fluorene	0.059	3.4	☐ Bromoform (Tribromomethane)	0.63	15
☐ Bis(2-Chloroethyl)Ether	0.033	6.0	☐ Heptachlor	0.0012	0.066	☐ 1,2,4-Trichlorobenzene	0.055	19
☐ Chloroform	0.046	6.0	☐ Heptachlor Epoxide	0.016	0.066	☒ **1,1,1-Trichloroethane***	0.054	6.0
☐ Bis(2-Chloroisopropyl)Ether	0.055	7.2	☐ Hexachlorobenzene	0.055	10	☐ **1,1,2-Trichloroethane***	0.054	6.0
☐ P-Chloro-M-Cresol	0.018	14	☐ Hexachlorobutadiene	0.055	5.6	☐ **Trichloroethylene***	0.054	6.0
☐ 2-Chloroethyl Vinyl Ether	0.062	NA	☐ Hexachlorocyclopentadiene	0.057	2.4	☐ **Trichloromonofluoromethane***	0.020	30
☐ Chloromethane(Methyl Chloride)	0.19	30	☐ HXCDDs (All Hexachlorodibenzo-P-Dioxins)	0.000063	0.001	☐ 2,4,5-Trichlorophenol	0.18	7.4
☐ 2-Chloronaphthalene	0.055	5.6	☐ HXCDFs (All Hexachlorodibenzofurans)	0.000063	0.001	☐ 2,4,6-Trichlorophenol	0.035	7.4
☐ 2-Chlorophenol	0.044	5.7	☐ Hexachloroethane	0.055	30	☐ 1,2,3-Trichloropropane	0.85	30
☐ 3-Chloropropylene	0.036	30	☐ Hexachloropropylene	0.035	30	☐ **1,1,2-Trichloro-1,2,2-Trifluoroethane***	0.057	30
☐ Chrysene	0.059	3.4	☐ Indeno (1,2,3-C,D) Pyrene	0.0055	3.4	☐ Tris-(2,3-Dibromopropyl) Phosphate	0.11	0.10
☐ **O-Cresol***	0.11	5.6	☐ Iodomethane	0.19	65	☐ Vinyl Chloride	0.27	6.0
☐ **M-Cresol***	0.77	5.6	☒ **Isobutyl Alcohol***	5.6	170	☒ **Xylenes-Mixed Isomers(Sum Of O,M,&P)***	0.32	30
☐ **P-Cresol***	0.77	5.6	☐ Isodrin	0.021	0.066	☐ Antimony	1.9	2.1 mg/l
☐ **Cyclohexanone***	0.36	0.75 mg/l	☐ Isosafrole	0.081	2.6	☐ Arsenic	1.4	5.0 mg/l
☐ 1,2-Dibromo-3-Chloropropane	0.11	15	☐ Kepone	0.0011	0.13	☐ Barium	1.2	7.6 mg/l
☐ Ethylene Dibromide (1,2-Dibromoethane)	0.028	15	☐ Methacrylonitrile	0.24	84	☐ Beryllium	0.82	0.014 mg/l
☐ Dibromomethane	0.11	15	☐ **Methanol***	5.6	0.75 mg/l	☐ Cadmium	0.69	0.19 mg/l
☐ 2,4-D (2,4-Dichlorophenoxyacetic Acid)	0.72	10	☐ Methapyrilene	0.081	1.5	☐ Chromium (Total)	2.77	0.86 mg/l
☐ O,P'-DDD	0.023	0.087	☐ Methoxychlor	0.25	0.18	☐ Cyanides (Total)	1.2	590
☐ P,P'-DDD	0.023	0.087	☐ 3-Methylcholanthrene	0.0055	15	☐ Cyanides (Amenable)	0.86	30
☐ O,P'-DDE	0.031	0.087	☐ 4,4-Methylene Bis(2-Chloroaniline)	0.50	30	☐ Fluoride	35	NA
☐ P,P'-DDE	0.031	0.087	☒ **Methylene Chloride***	0.089	30	☐ Lead	0.69	0.37 mg/l
☐ O,P'-DDT	0.0039	0.087	☒ **Methyl Ethyl Ketone***	0.28	36	☐ Mercury-NWW From Retort	NA	0.20 mg/l
☐ P,P'-DDT	0.0039	0.087	☒ **Methyl Isobutyl Ketone***	0.14	33	☐ Mercury-All Others	0.15	0.025 mg/l
☐ Dibenz(A,H)Anthracene	0.055	8.2	☐ Methyl Methacrylate	0.14	160	☐ Nickel	3.99	5.0 mg/l
☐ Dibenz(A,E)Pyrene	0.061	NA	☐ Methyl Methansulfonate	0.018	NA	☐ Selenium	0.82	0.16 mg/l
☐ M-Dichlorobenzene	0.036	6.0	☐ Methyl Parathion	0.014	4.6	☐ Silver	0.43	0.30 mg/l
☐ **O-Dichlorobenzene***	0.088	6.0	☐ Naphthalene	0.059	5.6	☐ Sulfide	14	NA
☐ P-Dichlorobenzene	0.090	6.0	☐ 2-Naphthylamine	0.52	NA	☐ Thallium	1.4	0.078 mg/l
chlorodifluoromethane	0.23	7.2	☐ O-Nitroaniline+	0.27	14	☐ Vanadium (Not An "UHC")	4.3	0.23 mg/l
,1-Dichloroethane	0.059	6.0	☐ P-Nitroaniline	0.028	28	☐ Zinc + (Not An "UHC")	2.61	5.3 mg/l

Regulated Hazardous Constituents for F001-F005 are indicated with (*).
Regulated Hazardous Constituents for F039 include all of those listed above except those indicated with (+).