State of California—Health and Welfare Agency
Form Approved OMB No. 2050—0039 (Expires 9-30-91)
Please print or type. Form designed for use on elite (12-pitch typewriter).

1-4-93

See Instructions on Back of Page 6 and Front of Page 7

Department of Health Services
Toxic Substances Control Division
Sacramento, California

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. CAD086510005 — Manifest Document No. 92139

2. Page 1 of 1

Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
Douglas Aircraft Company, Attn: R. Tuell M/C C6-59
19503 S. Normandie Ave., Torrance, CA 90502

4. Generator's Phone (310)533-7926 or (310)533-7231

A. State Manifest Document Number: 90411704

B. State Generator's ID: HAHQ360056 98

5. Transporter 1 Company Name: United Pumping Service

6. US EPA ID Number: CAD072953771

C. State Transporter's ID: 314112

D. Transporter's Phone: (818) 961-9326

7. Transporter 2 Company Name

8. US EPA ID Number

E. State Transporter's ID

F. Transporter's Phone

9. Designated Facility Name and Site Address
Norris Industries
5215 S. Boyle Ave.
Los Angeles,, CA 90058

10. US EPA ID Number: CAD097030993

G. State Facility's ID: CAD097030993

H. Facility's Phone: (213) 588-7111

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a. RQ, Waste Corrosive Liquid, N.O.S. (Sulfuric Acid) Corrosive Material, UN1760 (D002, D007)	001	TT	21520	P	State 792 / EPA/Other D002, D007
b.					State / EPA/Other
c.					State / EPA/Other
d.					State / EPA/Other

J. Additional Descriptions for Materials Listed Above
a) Waste Acceptance #: E0159400007CR. Tank 6703 Aluminum Etch: Sulfuric Acid 10-20%, Sodium Dichromate 0-5%, Water 75-100%.
EST GALS 2100 JC

K. Handling Codes for Wastes Listed Above
a. 15
b.
c.
d.

15. Special Handling Instructions and Additional Information
Bill: United
In case of accident contact Chemtrec at 800-424-9300. Do not breathe vapors, do not wash into sewer or waterway. If unable to deliver, return to generator. Volume is approximate. DOT Emergency Response Guide # 60.

16.
GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

GENERATOR — Printed/Typed Name: Robert G. Tuell, Jr. — Signature: Robert G. Tuell, Jr. — Month Day Year: 10 09 92

TRANSPORTER — 17. Transporter 1 Acknowledgement of Receipt of Materials
Printed/Typed Name: JAMES E. COOK — Signature: James E. Cook — Month Day Year: 10 09 92

18. Transporter 2 Acknowledgement of Receipt of Materials
Printed/Typed Name — Signature — Month Day Year

FACILITY — 19. Discrepancy Indication Space
Item 13a) Total quantity received — 2016 gallons
Item 14a) Unacceptable or more hazardous than manifested. Contains > restricted level. Mott Waste No. State - 723.

20. Facility Owner or Operator Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: Juanita Chin — Signature: Juanita Chin — Month Day Year: 10 09 92

Do Not Write Below This Line

DHS 8022 A
EPA 8700—22
(Rev. 6-89) Previous editions are obsolete.

Yellow: TSDF SENDS THIS COPY TO GENERATOR WITHIN 30 DAYS

IN CASE OF AN EMERGENCY OR SPILL, CALL THE NATIONAL RESPONSE CENTER 1-800-424-8802; WITHIN CALIFORNIA CALL 1-800-852-7550

90411704

BOE-C6-0193571

State of California—Health and Welfare Agency
Form Approved OMB No. 2050—0039 (Expires 9-30-91)
Please print or type. *Form designed for use on elite (12-pitch typewriter).*

See Instructions on Back of Page 6 and Front of Page 7

Department of Health Services
Toxic Substances Control Division
Sacramento, California

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. CAD086510005 Manifest Document No. 92159

2. Page 1 of 1

Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
Douglas Aircraft Company, Attn: R. Tuell M/C C6-59
19503 S. Normandie Ave., Torrance, CA 90502

4. Generator's Phone (310)533-7926 or (310)533-7231

A. State Manifest Document Number: 90411704

B. State Generator's ID: HAH03600569

5. Transporter 1 Company Name: United Pumping Service

6. US EPA ID Number: CAD072953771

C. State Transporter's ID: 314112

D. Transporter's Phone: (818) 961-9326

7. Transporter 2 Company Name

8. US EPA ID Number

E. State Transporter's ID

F. Transporter's Phone

9. Designated Facility Name and Site Address
Norris Industries
5215 S. Boyle Ave.
Los Angeles,, CA 90058

10. US EPA ID Number: CAD097030993

G. State Facility's ID

H. Facility's Phone: (213) 588-7111

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)	12. Containers No.	12. Containers Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a. RQ, Waste Corrosive Liquid, N.O.S. (Sulfuric Acid) Corrosive Material, UN1760 (D002, D007)	001	TT	2150	P	State 792 / EPA/Other D002, D007
b.					State / EPA/Other
c.					State / EPA/Other
d.					State / EPA/Other

J. Additional Descriptions for Materials Listed Above
a)Waste Acceptance #: E0159400007CR. Tank 6703 Aluminum Etch: Sulfuric Acid 10-20%, Sodium Dichromate 0-5%, Water 75-100%.

K. Handling Codes for Wastes Listed Above
a. b. c. d.

15. Special Handling Instructions and Additional Information
In case of accident contact Chemtrec at 800-424-9300. Do not breathe vapors, do not wash into sewer or waterway. If unable to deliver, return to generator. Volume is approximate. DOT Emergency Response Guide # 60.

16.
GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; **OR**, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: Robert G. Tuell, Jr. | Signature: Robert G. Tuell, Jr. | Month Day Year: 11 09 92

TRANSPORTER

17. Transporter 1 Acknowledgement of Receipt of Materials
Printed/Typed Name: JAMES E. Cook | Signature: James E. Cook | Month Day Year: 11 09 92

18. Transporter 2 Acknowledgement of Receipt of Materials
Printed/Typed Name | Signature | Month Day Year

FACILITY

19. Discrepancy Indication Space

20. Facility Owner or Operator Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name | Signature | Month Day Year

IN CASE OF AN EMERGENCY OR SPILL, CALL THE NATIONAL RESPONSE CENTER 1-800-424-8802; WITHIN CALIFORNIA CALL 1-800-852-7550

90411704

GENERATOR

DHS 8022 A
EPA 8700—22
(Rev. 6-89) Previous editions are obsolete.

Do Not Write Below This Line

YELLOW: GENERATOR RETAINS

BOE-C6-0193572

NORRIS
Environmental Services

5215 S. BOYLE AVE. - P.O. BOX 58507
LOS ANGELES, CALIFORNIA 90058
(213) 588-7111 FAX (213) 588-0094

INVOICE

BILL TO:

UNITED PUMPING SERVICE, INC.
14016 EAST VALLEY BOULEVARD
CITY OF INDUSTRY CA 91746

CONTACT: Accounts Payable

GENERATOR:

DOUGLAS AIRCRAFT COMPANY, C1-Q6-C(11-11)
3855 LAKEWOOD BLVD.
LONG BEACH CA 90846

INVOICE NO: E17712

This amount is for current charges. Please pay the amount listed below. All past due amounts will bear interest at 1 & 1/2 percent per month or the maximum rate allowed by law, whichever is less.

CUSTOMER NUMBER: 08004

GENERATOR'S CUST. NO.: 01594

CUSTOMER P.O. NUMBER:

INVOICE DATE: 10/12/92

TERMS: 2/10 Net 30.
Payment Due Date: 11/11/92

MANIFEST NUMBER: 90411704
GENERATOR EPA ID#: CAD008378044
TRANSPORTER'S EPA ID#: CAD072953771

ITEM	RECEIPT DATE	PROFILE NO.	QTY	U/M	UNIT PRICE	EXTENDED PRICE
A	10/09/92	E0159400007	2016	G	1.50	3,024.00

SUBTOTAL		3,024.00
LESS DISCOUNT (IF ANY)	-	453.60
PLEASE REMIT THIS AMOUNT		2,570.40

NI INDUSTRIES, INC. - NORRIS DIVISION
5215 S. Boyle Avenue, Los Angeles, California 90058

PLEASE FORWARD PAYMENT TO:
File # 53496
Los Angeles, CA 90074-3496

Federal ID #: 94-2780715

RECEIVED
OCT 14

RCRA LAND DISPOSAL RESTRICTION NOTIFICATION

Generator Name: Douglas Aircraft Co. EPA ID Number CAD 0865 10005

Manifest Number 904 11704 : Date of Shipment 10/09/92

EPA Hazardous Waste Number D002, D007

This notification is hereby submitted to NORRIS ENVIRONMENTAL SERVICES in compliance with EPA regulations described in 40 CFR Part 268 which prohibit the land disposal of certain hazardous wastes, unless these wastes are treated to meet specified standards or treated using specified treatment technologies.

I have determined that the described on the above listed manifest is restricted in its present form and must be treated prior to land disposal.

	WASTE (check one)	TREATMENT STANDARD
☐	Liquid hazardous waste including free liquids associated with any solid or sludge containing free cyanide at concentrations greater than or equal to 1000mg/L	Cyanide Destruction Stabilization
☐	Liquid hazardous wastes, including free liquids associated with any solid or sludge, containing the following metals (or elements) at concentrations greater than or equal to those specified below: *(check those that apply)*	Metals Recovery Stabilization
	☐ Arsenic and/or compounds (as As) 500 mg/L; ☐ Cadmium and/or compounds (as Cd) 100 mg/L; ☐ Chromium (VI and/or compounds as Cr VI) 500 mg/L; ☐ Lead and/or compounds (as Pb) 500 mg/L; ☐ Mercury and/or compounds (as Hg) 20 mg/L; ☐ Nickel and/or compounds (as Ni) 134 mg/L; ☐ Selenium and/or compounds (as Se) 100 mg/L and ☐ Thallium and/or compounds (as Tl) 130 mg/L	
☐	Liquid hazardous wastes that are primarily water and contain halogenated organic compounds (HOCs) in total concentration greater than or equal to 1,000 mg/L and less than 10,000 mg/L HOCs (see attached listing of HOC constituents)	Carbon Absorption Steam Stripping Other
☐	Liquid hazardous wastes containing polychlorinated biphenyls (PCBs) at concentrations greater than or equal to 50 ppm	Incineration, high efficiency boiler, other thermal treatment
☒	Liquid hazardous wastes having a pH less than or equal to two(2)	Neutralization Stabilization
☐	The spent solvent wastes specified in 40 CFR 261.31 as EPA Hazardous Wastes Nos F001, F002, F003, F004 and F005	Specify technology used to meet Table CCWE_____ Check constituent(s) on Table CCWE which were reduced below treatment standards

The most recent copy of waste analysis or a description of the knowledge upon which this notification is based is attached. I hereby certify that all information submitted in this and all associated documents is complete and accurate to the best of my knowledge and information.

Robert G. Tuell, Jr. — Print Name
Sr. Plant Engineer — Title
10/09/92 — Date
Robert G. Tuell Jr. — Signature
(310) 533-7926 — Telephone Number

State of California—Health and Welfare Agency
Form Approved OMB No. 2050—0039 (Expires 9-30-91)
Please print or type. *Form designed for use on elite (12-pitch typewriter).*

See Instructions on Back of Page 6 and Front of Page 7

Department of Health Services
Toxic Substances Control Division
Sacramento, California

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. CAD086510005 Manifest Document No. 9213

2. Page 1 of 1

Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
Douglas Aircraft Company, Attn: R. Tuell M/C C6-59
19503 S. Normandie Ave., Torrance, CA 90502

4. Generator's Phone (310)533-7926 or (310)533-7231

A. State Manifest Document Number: 90411704

B. State Generator's ID: HAHQ360056988

5. Transporter 1 Company Name: United Pumping Service

6. US EPA ID Number: CAD072953771

C. State Transporter's ID: 314112

D. Transporter's Phone: (818) 961-9326

7. Transporter 2 Company Name

8. US EPA ID Number

E. State Transporter's ID

F. Transporter's Phone

9. Designated Facility Name and Site Address
Norris Industries
5215 S. Boyle Ave.
Los Angeles,, CA 90058

10. US EPA ID Number: CAD097030993

G. State Facility's ID: CAD097030993

H. Facility's Phone: (213) 588-7111

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a. RQ, Waste Corrosive Liquid, N.O.S. (Sulfuric Acid) Corrosive Material, UN1760 (D002, D007)	001	TT	21/5210	P	State 792; EPA/Other D002, D007
b.					State; EPA/Other
c.					State; EPA/Other
d.					State; EPA/Other

J. Additional Descriptions for Materials Listed Above
a) Waste Acceptance #: E0159400007CR. Tank 6703 Aluminum Etch: Sulfuric Acid 10-20%, Sodium Dichromate 0-5%, Water 75-100%.
EST. GALS 2,100 lc

K. Handling Codes for Wastes Listed Above
a. b. c. d.

15. Special Handling Instructions and Additional Information
Bill: United
In case of accident contact Chemtrec at 800-424-9300. Do not breathe vapors, do not wash into sewer or waterway. If unable to deliver, return to generator. Volume is approximate. DOT Emergency Response Guide # 60.

16.
GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: Robert G. Tuell, Jr. Signature: Robert G. Tuell, Jr. Month Day Year: 10 09 92

17. Transporter 1 Acknowledgement of Receipt of Materials
Printed/Typed Name: JAMES E. COOK Signature: James E Cook Month Day Year: 10 09 92

18. Transporter 2 Acknowledgement of Receipt of Materials
Printed/Typed Name: Signature: Month Day Year:

19. Discrepancy Indication Space

20. Facility Owner or Operator Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.
Printed/Typed Name: Juanita Chiu Signature: Juanita Chiu Month Day Year: 10 09 92

GENERATOR — TRANSPORTER — FACILITY

IN CASE OF AN EMERGENCY OR SPILL, CALL THE NATIONAL RESPONSE CENTER 1-800-424-8802; WITHIN CALIFORNIA CALL 1-800-852-7550

9111 1 /114

DHS 8022 A
EPA 8700—22
(Rev. 6-89) Previous editions are obsolete.

Do Not Write Below This Line

BOE-C6-0193575

UNITED PUMPING SERVICE, INC.
14016 E. VALLEY BLVD.
CITY OF INDUSTRY, CA 91746
PHONE: 818/961-9326
FAX: 818/961-3799

WASHOUT CERTIFICATE

Tank No. 116 Manifest No. 90411704

Generator: Douglas Aircraft Torrance

Waste Description: Sulfuric Acid

Date: 10/10/92 Driver: [illegible]

WEIGHT TICKET

VENDOR: ~~[illegible]~~

TRUCK #: 22 T-16

DATE: 10-09-92

CONTENTS: SULFURIC ACID.

DISPOSAL FACILITY: Norris Industries

DRIVER: [illegible]

GROSS 57650

TARE 36130

NET 21520

DRUM COUNT

GALLONS 2000

STATE MANIFEST DOCUMENT NUMBER: 90411704

UNITED PUMPING SERVICE, INC.

14016 EAST VALLEY BOULEVARD
CITY OF INDUSTRY, CALIFORNIA 91746
PHONE: (818) 961-9326
FAX (818) 336-7734

FIELD WORK ORDER 29595

PAGE ____ OF ____

CUSTOMER/ADDRESS: Douglas Aircraft Corp
19503 S. Normandie
Torrance Ca

PHONE NO.:

CONTACT: Kirk

LOCATION: Pump Tank 6703 Alameda

DATE WORK PERFORMED: 10-09-92

DATE OF THIS REPORT: 10-09-92

TIME CALL RECEIVED:

CONTRACT NO.:

LOSS REPORT NO./P.O. NO.:

SCOPE OF WORK: Pump one load of Acid from Tank Transport to Vacuum Tank

EQUIPMENT: TYPE	EQUIPMENT NO.	OPERATOR NAME	START TIME	ARRIVE TIME	TIME OUT	STOP TIME	S.T. TIME	O.T. TIME	TOTAL HOURS
1122 Tanker T-11	102	Jim Cook	3:40	5:00	10:00				

PERSONNEL: NAME	TITLE	START TIME	ARRIVE TIME	TIME OUT	STOP TIME	S.T. TIME	O.T. TIME	TOTAL HOURS

DISPOSAL: MANIFEST NO.	DISPOSAL SITE	QTY	UNIT
90411704	Norris	2100	G

COMSUMABLE: TYPE	QTY	TYPE	QTY

ADDITIONAL INFORMATION:

SIGNED: [signature] 10-9-92

CUSTOMER COPY

BOE-C6-0193578

RCRA LAND DISPOSAL RESTRICTION NOTIFICATION

Generator Name: Douglas Aircraft Co. EPA ID Number CAD 0865 1 0005

Manifest Number 904 11704 : Date of Shipment 10/09/92

EPA Hazardous Waste Number D002, D007

This notification is hereby submitted to NORRIS ENVIRONMENTAL SERVICES in compliance with EPA regulations described in 40 CFR Part 268 which prohibit the land disposal of certain hazardous wastes, unless those wastes are treated to meet specified standards or treated using specified treatment technologies.

I have determined that the described on the above listed manifest is restricted in its present form and must be treated prior to land disposal.

WASTE (check one)	TREATMENT STANDARD
☐ Liquid hazardous waste including free liquids associated with any solid or sludge containing free cyanide at concentrations greater than or equal to 1000mg/L	Cyanide Destruction Stabilization
☐ Liquid hazardous wastes, including free liquids associated with any solid or sludge, containing the following metals (or elements) at concentrations greater than or equal to those specified below: *(check those that apply)*	Metals Recovery Stabilization
☐ Arsenic and/or compounds (as As) 500 mg/L;	
☐ Cadmium and/or compounds (as Cd) 100 mg/L;	
☐ Chromium (VI and/or compounds as Cr VI) 500 mg/L;	
☐ Lead and/or compounds (as Pb) 500 mg/L;	
☐ Mercury and/or compounds (as Hg) 20 mg/L;	
☐ Nickel and/or compounds (as Ni) 134 mg/L;	
☐ Selenium and/or compounds (as Se) 100 mg/L and	
☐ Thallium and/or compounds (as Tl) 130 mg/L	
☐ Liquid hazardous wastes that are primarily water and contain halogenated organic compounds (HOCs) in total concentration greater than or equal to 1,000 mg/L and less than 10,000 mg/L HOCs (see attached listing of HOC constituents)	Carbon Absorption Steam Stripping Other
☐ Liquid hazardous wastes containing polychlorinated biphenyls (PCBs) at concentrations greater than or equal to 50 ppm	Incineration, high efficiency boiler, other thermal treatment
☒ Liquid hazardous wastes having a pH less than or equal to two(2)	Neutralization Stabilization
☐ The spent solvent wastes specified in 40 CFR 261.31 as EPA Hazardous Wastes Nos F001, F002, F003, F004 and F005	Specify technology used to meet Table CCWE_____ Check constituent(s) on Table CCWE which were reduced below treatment standards

The most recent copy of waste analysis or a description of the knowledge upon which this notification is based is attached. I hereby certify that all information submitted in this and all associated documents is complete and accurate to the best of my knowledge and information.

Robert G. Tuell, Jr. — Print Name
Sr. Plant Engineer — Title
10/09/92 — Date
Robert G. Tuell Jr. — Signature
(310) 533-7926 — Telephone Number

DAG 70-90 (REV. 6-91)

REQUEST FOR FACILITIES MATERIAL

Serial No. 202953

☐ EMERGENCY (JUSTIFICATION) ☐ CRITICAL ☐ ROUTINE

Requested By	Employee No.	Phone	Date	Dept.	Bldg & Column	Benefiting Dept.
K. Quell	330487	533-7926	10/22/92	C6-434		C1-66C

Acct. No./CCN	PEMO/Source	Maint Work Order/ARO	Date Material Required
			Complete

Item	Qty	O/U	Vendor Part No.	Description/Manufacturing	Unit Price	P/U
01	01	LT	invoice 32818	Service of 10/9/92		
			w/o: 29595	Trans. + disposal of haz.		
			Manifest	waste to Morris		
			90411704			

JUSTIFICATION

Suggested Supplier: United Pumping

Phone No.

SUBTOTAL	3624.82
TAX	
TOTAL	

MATERIAL FOR

Machine/Equipment

Model/Manufacture

Serial No.

Size/Type

DAC/Control Number

Bldg/Column

☐ DISTRIBUTION

G AM PM

AUTHORIED SIGNATURES

Team Leader — Date

Stockroom Cord. — Date

Group Leader — Date

Business Unit Manager — Date

BO&A Group Leader — Date

Assigned To

Reassigned To

Deliver To

Bldg. Column Dept.

Name Ext.

GPOS BUSINESS OPERATIONS & ACQUISITION ONLY

Supplier: 89298039

Supplier Name/Address: United Pumping

Phone No.

Supplier Contact: Bob

Work Order No.

Purchase/Contract No.: 25652-F6254

CCN: FD8200AF

Acct No.: 6820

Chg to Dept: C1-66C

PEMO/Source

ANALYST

Name: Polly Date: 10/22/92

Expected Shipment Date

Ship Location

VIA: V.T.

FOB: Dest.

DISTRIBUTION: White, Canary and Green – GPOS Business Operations & Acquisition; Pink – Originator

BOE-C6-0193580

UNITED PUMPING SERVICE, INC.

14016 EAST VALLEY BOULEVARD
CITY OF INDUSTRY, CALIFORNIA 91746
PHONE: (818) 961-9326
FAX (818) 336-7734 SALES
FAX (818) 961-3799 OPERATIONS

INVOICE
32818

DOAI2

SOLD TO:

Douglas Aircraft
19503 So. Normandie, C-6-711
Att: Polly Dini, C6-13
Torrance, CA 90502

JOB SITE:

Douglas Aircraft
19503 So. Normandie, C-6-711
Att: Polly Dini, C6-13
Torrance, CA 90502

DATE	NO. OF TONS	MANIFEST NO.	TERMS
10/15/92		90411704	10-9-92 net 30

PURCHASE ORDER NO.	ORDER DATE	SALESPERSON	WORK ORDER NO.
S&S25652-F6254	10/09/92	BP	29595

QUANTITY		DESCRIPTION	UNIT PRICE	TOTAL
1.00	929	Trans. to Norris, Vernon 120 BBLS Stainless Steel	414.00	414.00
1.00	702	Washout Fee	150.00	150.00
1.00	700	Disposal Fee:	2,570.40	2,570.40
1.00	701	Disposal Service Charge:	179.92	179.92
3.00 Hrs.	710	Additional loading time:	69.00	207.00
1.50 Hrs.	711	Additional offloading time:	69.00	103.50
		TOTAL AMOUNT DUE	$	3,624.82

DIRECT DELIVERY SHIPMENT
Material Accepted As Listed
Exceptions Noted:
S. Ron
Authorized Signature
Employee Number 082607
Dept. # 710 Date 10/26/92

O.K. to Pay
Robert Tirell
C330487
10-26-92

UNPS 9303 (Rev. 1-92)

DDAF2

UNITED PUMPING SERVICE, INC. FIELD WORK ORDER 29595

14016 EAST VALLEY BOULEVARD
CITY OF INDUSTRY, CALIFORNIA 91746
PHONE: (818) 961-9326
FAX (818) 336-7734

32818

PAGE ____ OF ____

CUSTOMER/ADDRESS: DOUGLAS AIRCRAFT CORP
19503 S. NORMANDIE
TORRANCE CA.

PHONE NO.:
CONTACT: KIRK

LOCATION: PUMP TANK 6703 ALUMIN

DATE WORK PERFORMED: 10-09-92
DATE OF THIS REPORT: 10-09-92
TIME CALL RECEIVED:
CONTRACT NO.:
LOSS REPORT NO./P.O. NO.: SPS 251052

SCOPE OF WORK: PUMP ONE LOAD OF ~~SO~~ ACID FROM TANK TRANSPORT TO NORRIS IND.

EQUIPMENT: TYPE	EQUIPMENT NO.	OPERATOR NAME	START TIME	ARRIVE TIME	TIME OUT	STOP TIME	S.T. TIME	O.T. TIME	TOTAL HOURS
IVAC TANKER T-6	#22	JIM COOK	3:40	5:00	10:00				5
		OFFLOAD		10:45	1415				3.5

PERSONNEL: NAME	TITLE	START TIME	ARRIVE TIME	TIME OUT	STOP TIME	S.T. TIME	O.T. TIME	TOTAL HOURS
				10/2	7/92			

DISPOSAL: MANIFEST NO.	DISPOSAL SITE	QTY	UNIT
90411704	NORRIS	2100	G

CONSUMABLE: TYPE	QTY	TYPE	QTY

ADDITIONAL INFORMATION:

SIGNED: 10-9-92

INVOICE COPY

BOE-C6-0193582