U.S. DEPARTMENT OF LABOR

Occupational Safety and Health Administration

OMB No. 44-R1387

FEB 02 1982

MATERIAL SAFETY DATA SHEET

Required under USDL Safety and Health Regulations for Ship Repairing, Shipbuilding, and Shipbreaking (29 CFR 1915, 1916, 1917)

SECTION I

MANUFACTURER'S NAME: Rust-Lick, Inc.	EMERGENCY TELEPHONE NO.: 792-0052
ADDRESS (Number, Street, City, State, and ZIP Code): 92 Taylor Street, Danbury, CT 06810	
CHEMICAL NAME AND SYNONYMS:	TRADE NAME AND SYNONYMS: Kleenzol 70 (West Coast)
CHEMICAL FAMILY: Amine/Phosphate Cleaner	FORMULA: Proprietary

SECTION II HAZARDOUS INGREDIENTS

PAINTS, PRESERVATIVES, & SOLVENTS	%	TLV (Units)	ALLOYS AND METALLIC COATINGS	%	TLV (Units)
PIGMENTS			BASE METAL		
CATALYST N			ALLOYS N		
VEHICLE O			METALLIC COATINGS O		
SOLVENTS N			FILLER METAL PLUS COATING OR CORE FLUX N		
ADDITIVES E			OTHERS E		
OTHERS					

HAZARDOUS MIXTURES OF OTHER LIQUIDS, SOLIDS, OR GASES	%	TLV (Units)
Aqueous solution of essentially non-volatile		
components. TLV not applicable.		

SECTION III PHYSICAL DATA

BOILING POINT (°F.)	212°F	SPECIFIC GRAVITY (H_2O=1)	1.06
VAPOR PRESSURE (mm Hg.) @68°F	24 mm	PERCENT VOLATILE BY VOLUME (%)	approximately 80
VAPOR DENSITY (AIR=1)	same as water	EVAPORATION RATE (_____=1)	same as water
SOLUBILITY IN WATER	complete		
APPEARANCE AND ODOR	clear green		

SECTION IV FIRE AND EXPLOSION HAZARD DATA

FLASH POINT (Method used): None	FLAMMABLE LIMITS	Lel	Uel
EXTINGUISHING MEDIA: Not applicable			
SPECIAL FIRE FIGHTING PROCEDURES: Not applicable			
UNUSUAL FIRE AND EXPLOSION HAZARDS: Not applicable			

(Continued on reverse side)

Form OSHA-20
Rev. April 72

BOE-C6-0201411

SECTION V HEALTH HAZARD DATA

THRESHOLD LIMIT VALUE: Not established

EFFECTS OF OVEREXPOSURE: Unknown

EMERGENCY AND FIRST AID PROCEDURES: Skin: soap and water. Eyes: flush with copious amounts of physiological saline solution. Ingestion: Induce vomiting call physician.

SECTION VI REACTIVITY DATA

STABILITY			CONDITIONS TO AVOID
	UNSTABLE		
	STABLE	X	

INCOMPATABILITY (Materials to avoid): Acids

HAZARDOUS DECOMPOSITION PRODUCTS: None

HAZARDOUS POLYMERIZATION			CONDITIONS TO AVOID
	MAY OCCUR		
	WILL NOT OCCUR	X	

SECTION VII SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Take up in absorbent material, flush area with water

WASTE DISPOSAL METHOD: Dilute 100/1 before discharge or haul away by contract

SECTION VIII SPECIAL PROTECTION INFORMATION

RESPIRATORY PROTECTION (Specify type): None

VENTILATION				
	LOCAL EXHAUST	Adequate	SPECIAL	None
	MECHANICAL (General)	None	OTHER	None

PROTECTIVE GLOVES: Yes

EYE PROTECTION: Goggles - safety glasses

OTHER PROTECTIVE EQUIPMENT: None

SECTION IX SPECIAL PRECAUTIONS

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING: Do not freeze

OTHER PRECAUTIONS: None

Form OSHA-20
Rev. April 72

BOE-C6-0201412

DPM 5043
Cleaner, Machine

Rust-Lick INCORPORATED

P.O. BOX 1326 • 92 TAYLOR STREET • DANBURY, CT. 06810 • (203) 792-0052

Reply to:
Rust-Lick of California
303 North Manchester
Anaheim, California 92802
Telephone: (714) 535-6075

August 2, 1977

Mr. M. J. Veneroso - Dept. CI-726 (52-11)
Douglas Aircraft Company
3855 Lakewood Blvd.
Long Beach, Calif. 90846

Dear Mr. Veneroso:

Sorry for the delay in sending you the information requested in your June 28, 1977 letter. Enclosed please find new Material Safety Data Sheets concerning Kill-Cide 700 and Kleenzol 70.

Kleenzol 70 is classified as a liquid soap, class 55 and is not restricted or regulated. There is no flash point for this product since it is water base.

Kill-Cide 700 is also a non regulated or restricted article, with no flash point. This product is listed as non hazardous chemical, N.O.I.

We trust this information is sufficient.

Yours truly,
Rust-Lick Inc.

Charles R. Vollaro

Charles R. Vollaro
General Manager
West Coast Sales

CRV:ljh
enc.
cc: Jim Guerrera