MATERIAL SAFETY DATA SHEET

NPCA 1

FOR COATINGS, RESINS AND RELATED MATERIALS

(Approved by U.S. Department of Labor "Essentially Similar" to Form OSHA-20)

FEB 05 1982

ATE OF PREP. 7-12-'77

Section I

ANUFACTURER'S NAME Pratt & Lambert

TREET ADDRESS 75 Tonawanda St. Box 22 CITY, STATE, AND ZIP CODE Buffalo, New York 14240

MERGENCY TELEPHONE NO. 716 873-6000

RODUCT CLASS

RADE NAME

MANUFACTURERS CODE IDENTIFICATION
Fire Retardant Paint White (Intumescent Type) - Z40 - MC 1701

Section II — HAZARDOUS INGREDIENTS

GREDIENT	PERCENT	TLV PPM	TLV mg/m³	LEL	VAPOR PRESSURE
None (Solvent is Water)					

Section III — PHYSICAL DATA

ILING RANGE 212° F.

VAPOR DENSITY NA HEAVIER, NA LIGHTER, THAN AIR

APORATION RATE NA FASTER NA SLOWER, THAN ETHER

PERCENT VOLATILE BY VOLUME 40%

WEIGHT PER GALLON 10.75 lbs.

Section IV — FIRE AND EXPLOSION HAZARD DATA

T CATEGORY Exempt.

FLASH POINT NA

LEL NA

TINGUISHING MEDIA Will not burn.

USUAL FIRE AND EXPLOSION HAZARDS NA

ECIAL FIRE FIGHTING PROCEDURES NA

Section V — HEALTH HAZARD DATA

ESHOLD LIMIT VALUE NA

ECTS OF OVEREXPOSURE

NA

ERGENCY AND FIRST AID PROCEDURES Wash off splashes with soap and water.

Section VI — REACTIVITY DATA

BILITY [ ] UNSTABLE [XX] STABLE CONDITIONS TO AVOID

OMPATABILITY (*Materials to avoid*)

ARDOUS DECOMPOSITION PRODUCTS

ARDOUS POLYMERIZATION [ ] MAY OCCUR [XXX] WILL NOT OCCUR

DITIONS TO AVOID

Section VII — SPILL OR LEAK PROCEDURES

PS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED Recover liquid with absorbent material. Clean up with soap and water.

TE DISPOSAL METHOD

Section VIII — SPECIAL PROTECTION INFORMATION

PIRATORY PROTECTION If applied by spraying, use approved respirator (Example NIOSH 23c).

TILATION

TECTIVE GLOVES Water resistant when prolonged skin contact is anticipated.

PROTECTION Face shield or safety goggles as necessary when spraying.

ER PROTECTIVE EQUIPMENT

Section IX — SPECIAL PRECAUTIONS

CAUTIONS TO BE TAKEN IN HANDLING AND STORING Protect from freezing. Overheated can may burst from steam pressure.

ER PRECAUTIONS Do not take internally. Close container after each use. Keep out of reach of children.