DAC 25-2140 (12-73)

DPM/QPL REQUEST

DPM NO. 5411
DMS QPL NO.
ISSUE NO.

NEW ☐ REV. ☑ DATE: 4-18-83 ENGINEER D.E. Robinson

GENERAL TITLE	SPEC. OR CLASS	ST. TEMP.	TOX.	FL. PT.	SHELF LIFE	LABEL
Paper, Adhesive, Black			2A			

DAC CODE NO.

P.O. NOTES: P.O. TO SPECIFY

GEN. NOTES:

USED BY DPS:

	MANUFACTURER'S NAME	CITY, STATE	MFR.'S DESIGNATION
1.	E+H Laminating + Slitting	138 Grand St.	E+H 1261
2.		Paterson, NJ	
3.		07501	
4.			
5.			
6.			

LAB REPORT NUMBER:
REASON FOR REQUEST: Upgrade Toxicity rating of E+H 1261 product.

SPECIFY CHANGE(S) MADE: Changed Toxicity to 2A rating.

MATERIAL SAFETY DATA SHEET REQUIRED ☑ YES ☐ NO

BUYER: J.S. Valerie C(-151, 200-07

Mail Release: E.D. Klinger, Les Boston, E.C. Wolfe, D. Mowery (A3), M. Veneroso

CHANGE INFO.	REQ'D	COMPL.
DPM LIST	✓	✓
DMS QPL LIST		
MMS LIST		
ALPHABETICAL LIST		
NUM. VENDOR # LIST		
SPEC. CROSS INDEX		

NO. 5411

M. Russ 4-20-83

BOE-C6-0202753