DAC 25-. , (12-73)

DPM/QPL REQUEST

Rwo

DPM NO. 2091
DMS QPL NO.
ISSUE NO.

NEW ☐ REV. ☑ DATE: 7/2/81 ENGINEER M. THOMPSON ~~T.G. HARRISON~~

ADHESIVE

GENERAL TITLE | SPEC. OR CLASS | ST. TEMP. | TOX. | FL. PT. | SHELF LIFE | LABEL

DAC CODE NO.

P.O. NOTES: P.O. TO SPECIFY DMQR NO. ORDER IN 1-GAL. CANS WITH NECESSARY ACCELERATOR ATTACHED OR IN 50 GRAM KITS.

GEN. NOTES:

USED BY DPS:

	MANUFACTURER'S NAME	CITY, STATE	MFR.'S DESIGNATION
1.			
2.	WILCO ASSOCIATES, INC.	GARDENA, CA.	#501 BASE (*230°F), DMQR NO. 1008C WITH 501A ACCELERATOR (*180°F)
3.			
4.			
5.			
6.			

LAB REPORT NO. PENDING

REASON FOR REQUEST: TO ADD ADDITIONAL SOURCE AND 50 GRAM KITS.

SPECIFY CHANGE(S) MADE: ADDED WILCO ASSOCIATES TO MFR. LIST & ADDED 50 GRAM KITS TO PO. NOTES.

BUYER: J. VALERIE

CHANGE INFO.	REQ'D	COMPL.
DPM LIST	✓	✓
DMS QPL LIST		
MMS LIST		
ALPHABETICAL LIST		
NUM. VENDOR # LIST		
SPEC. CROSS INDEX		

NO. 2091

Matl Release, E.J. Klinger, M.D. Collin, Veneroso; E.C. Wolfe; J. Mowery (A3) COPYS TO VALERIE TRAGLIS MARKELE MACHAN

M. Russ
7-6-81

BOE-C6-0203818