TRX 16048

12-13-94

State of California—Environmental Protection Agency
Form Approved OMB No. 2050-0039 (Expires 9-30-94)
Please print or type. *Form designed for use on elite (12-pitch) typewriter.*

See Instructions on back of page 6.

Department of Toxic Substances Control
Sacramento, California

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. CAD086511005 Manifest Document No. 01880

2. Page 1 of 1

Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
Douglas Aircraft Company, C1-Q6C (11-1D), Attn: R. Tuell
3855 Lakewood Blvd.
Long Beach, CA 90846

4. Generator's Phone (310) 496-6287 OR (310) 593-3101

5. Transporter 1 Company Name
Laidlaw Environmental Services of CA, Inc.

6. US EPA ID Number CAD000083121

7. Transporter 2 Company Name

8. US EPA ID Number

9. Designated Facility Name and Site Address
Norris Environmental Services
5215 S. Boyle Avenue
Los Angeles, CA 90058

10. US EPA ID Number CAD097030993

A. State Manifest Document Number 92301880
B. State Generator's ID HAH436105698
C. State Transporter's ID 448020
D. Transporter's Phone (310) 518-4700
E. State Transporter's ID
F. Transporter's Phone
G. State Facility's ID CAD097030993
H. Facility's Phone (213) 588-7111

11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID Number)	12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste Number
a. Water Containing Chromium Non-RCRA Hazardous Waste Liquid	001	TT	11040	P	State 132 / EPA/Other N/R
b.					State / EPA/Other
c.					State / EPA/Other
d.					State / EPA/Other

J. Additional Descriptions for Materials Listed Above
11a) Water Containing Chromium from ~~Tank~~ North End Sump at Breezeway Anodizing Line and Tanks 191 and 192. (3-4 PPM Chromium) E0106200137A

K. Handling Codes for Wastes Listed Above
a. D5 b. c. d.

15. Special Handling Instructions and Additional Information
24-Hour Emergency Telephone Number 1-800-424-9300 (Chemtrec)
DOT ERG # 11a) 31 1317G
Site Address: 19503 S. Normandie Avenue, Torrance, CA 90502

16. **GENERATOR'S CERTIFICATION:** I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable federal, state and international laws.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name	Signature	Month	Day	Year
Robert G. Tuell, Jr.	Robert G. Tuell, Jr.	11	23	94

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name	Signature	Month	Day	Year
James Jennings	James Jennings	11	23	94

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name	Signature	Month	Day	Year

19. Discrepancy Indication Space

20. Facility Owner or Operator Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.

Printed/Typed Name	Signature	Month	Day	Year
BI TIN VELASCO	Bi Tin Velasco	11	23	94

DO NOT WRITE BELOW THIS LINE.

GENERATOR — TRANSPORTER — FACILITY

IN CASE OF EMERGENCY OR SPILL, CALL THE NATIONAL RESPONSE CENTER 1-800-424-8802: WITHIN CALIFORNIA, CALL 1-800-852-7550

92301880

Yellow: TSDF SENDS THIS COPY TO GENERATOR WITHIN 30 DAYS. (Generators who submit hazardous waste for transport out-of-state, produce completed copy of this copy and send to DTSC within 30 days.)

DTSC 8022A (7/92)
EPA 8700—22

BOE-C6-0207714

TRX 16048

State of California—Environmental Protection Agency
Form Approved OMB No. 2050-0039 (Expires 9-30-94)
Please print or type. *Form designed for use on elite (12-pitch) typewriter.*

See Instructions on back of page 6.

Department of Toxic Substances Control
Sacramento, California

92301880

IN CASE OF EMERGENCY OR SPILL, CALL THE NATIONAL RESPONSE CENTER 1-800-424-8802: WITHIN CALIFORNIA, CALL 1-800-852-7550

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No.: CAD086510005 — Manifest Document No.: 01880
2. Page 1 of 1

Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address: Douglas Aircraft Company, C1-Q6C (11-11), Attn: R. Tuell, 3855 Lakewood Blvd., Long Beach, CA 90846
4. Generator's Phone: 310 496-6287 OR (310) 593-3101
5. Transporter 1 Company Name: Laidlaw Environmental Services of CA, Inc.
6. US EPA ID Number: CAD000083121
7. Transporter 2 Company Name:
8. US EPA ID Number:
9. Designated Facility Name and Site Address: Norris Environmental Services, 5215 S. Boyle Avenue, Los Angeles, CA 90058
10. US EPA ID Number: CAD097030993

A. State Manifest Document Number: 92301880
B. State Generator's ID: HAHQ36005698
C. State Transporter's ID: 448020
D. Transporter's Phone: (310) 518-4700
E. State Transporter's ID:
F. Transporter's Phone:
G. State Facility's ID:
H. Facility's Phone: (213) 588-7111

11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID Number)	12. Containers No.	12. Containers Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste Number
a. Water Containing Chromium Non-RCRA Hazardous Waste Liquid	001	TT	11040	P	State 132; EPA/Other N/R
b.					State; EPA/Other
c.					State; EPA/Other
d.					State; EPA/Other

J. Additional Descriptions for Materials Listed Above: 11a) Water Containing Chromium from ~~Tank~~ North End Sump at Breezeway Anodizing Line and Tanks 191 and 192. (3-4 PPM Chromium) RBB 11-23-94

K. Handling Codes for Wastes Listed Above: a. b. c. d.

15. Special Handling Instructions and Additional Information: 24-Hour Emergency Telephone Number 1-800-424-9300 (Chemtrec) DOT ERG # 11a) 31
Site Address: 19503 S. Normandie Avenue, Torrance, CA 90502

16. **GENERATOR'S CERTIFICATION:** I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable federal, state and international laws.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name	Signature	Month	Day	Year
Robert G. Tuell, Jr.	Robert G. Tuell, Jr.	11	23	94

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name	Signature	Month	Day	Year
James Jennings	James Jennings	11	23	94

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name	Signature	Month	Day	Year

19. Discrepancy Indication Space

20. Facility Owner or Operator Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.

Printed/Typed Name	Signature	Month	Day	Year

GENERATOR — TRANSPORTER — FACILITY

DO NOT WRITE BELOW THIS LINE.

DTSC 8022A (7/92)
EPA 8700—22

Yellow: GENERATOR RETAINS

BOE-C6-0207715

Generator Name: Douglas Aircraft Company **EPA ID Number:** CAD086510005

Manifest Number: 01880 / 92301880 **Date of Shipment:** 11-23-94

Indicate Waste Line Item (11): a

This notification is hereby submitted to NORRIS ENVIRONMENTAL SERVICES in compliance with EPA regulations described in 40 CFR Part 268 which prohibit the land disposal of certain hazardous wastes, unless these wastes are treated to meet specified standards or treated using specified treatment technologies.

I have marked the appropriate boxes, below, which indicates how my waste must be managed to conform to land disposal ban and federal regulations.

California List Wastes Notification Non-RCRA *RCRA Land Disposal Notification*

☐ Liquid hazardous waste including free liquids associated with any solid or sludge containing free cyanide at concentrations greater than or equal to 1000mg/L.

Treatment Standard-Cyanide Destruction Stabilization

☐ Liquid hazardous wastes, including free liquids associated with any solid or sludge, containing the following metals or elements at concentrations greater than or equal to those specified below:

Treatment Standard-Neutralization, Precipitation; Metals Recovery

(check those that apply)

☐ Arsenic and/or compounds (as As)	5.0 mg/L.
☐ Barium and/or compounds (as Ba)	100.0 mg/L.
☐ Cadmium and/or compounds (as Cd)	1.0 mg/L.
☐ Chromium (VI) and/or compounds (as Cr+6)	5.0 mg/L.
☐ Lead and/or compounds (as Pb)	5.0 mg/L.
☐ Mercury and/or compounds (as Hg)	0.2 mg/L.
☐ Selenium and/or compounds (as Se)	1.0 mg/L.
☐ Silver and/or compounds (as Ag)	5.0 mg/L

☐ Liquid hazardous wastes that are primarily water and contain halogenated organic compounds (HOC) in total concentration greater than or equal to 1,000 mg/L and less than 10,000 mg/L HOC (see attached listing of HOC constituents)

Treatment Standard Carbon Absorption Steam Stripping

☐ Liquid hazardous wastes containing polychlorinated biphenyls (PCBs) at concentrations greater than or equal to 50 ppm.

Treatment Standard-Incineration, high efficiency boiler, other thermal treatment

☐ Liquid hazardous wastes having a pH less than or equal to two (2) or pH equal to or greater than 12.5.

Treatment Standard-Neutralization Stabilization

☐ The spent solvent wastes specified in 40 CFR 261.31 as EPA Hazardous Waste Nos F001, F002, F003, F004 and F005.

Treatment Standard-Specify technology used to meet Table CCWE _____ Check constituent(s) on Table CCWE which were reduced below treatment standards

Waste Requires Treatment

☐ I am the initial generator of an untreated waste identified above which must be treated in the appropriate treatment standard set forth in 40 CFR 268 Subpart D, or where a treatment standard exists for the California List Waste, the waste must be treated to the levels specified under 40 CFR 268.32.

Waste Treated to Performance Standards

☐ The waste identified above has been treated in compliance with the applicable performance standards specified in 40 CFR 268 Subpart D and/or the applicable prohibitions set forth in 40 CFR 268.32. "I certify under penalty of law that I have personally examined and am familiar with the treatment technology and operation of the treatment process used to support this certification and that, based upon my inquiry of those individuals immediately responsible for obtaining this information, I believe that the treatment process used to support this certification and that, based upon my inquiry of those individuals immediately responsible for obtaining this information, I believe that the treatment process has been operated and maintained properly so as to comply with the performance levels specified in 40 CFR Part 268 Subpart D and all applicable prohibitions set forth in 40 CFR 268.32 or RCRA Section 3004(s) without dilutions of the prohibited waste. I am aware that there are significant penalties for submitting a false certification, including the possibility of fine and imprisonment.

Waste Subject to Variance

☐ The waste identified above is subject to a case-by-case extension under 40 CFR 268.5, a no-migration petition under 40 CFR 268.6, a nationwide variance under Subpart C, or a soil or debris generated from a response action taken under CERCLA or corrective action under RCRA.

The attached copy of waste analysis or a description of the knowledge upon which this notification is based is attached. I hereby certify that all information submitted in this and all associated documents is complete and accurate to the best of my knowledge and information.

Robert G. Tuell, Jr. Sr. Plant Engineer 11-23-94

Robert G. Tuell, Jr. (310) 496-6287

WEIGHT TICKET

VENDOR: Laidlaw

TRUCK #: 16048

DATE: 11-23-94

CONTENTS: water from North Sump Under Breezeway Anodize Area and Tanks 191 and 192

DISPOSAL FACILITY: Norris

DRIVER: James Jennings

GROSS 42,400 P

TARE 31,360 P

NET 11,040 P

DRUM COUNT —

GALLONS —

STATE MANIFEST DOCUMENT NUMBER: 92301880

BOE-C6-0207717