Returned 12-27-94

State of California—Environmental Protection Agency
Form Approved OMB No. 2050-0039 (Expires 9-30-94)
Please print or type. *Form designed for use on elite (12-pitch) typewriter.*

See Instructions on back of page 6.

Department of Toxic Substances Control
Sacramento, California

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. CAD086510005 — Manifest Document No. 01897 — 2. Page 1 of 1

Information in the shaded areas is not required by Federal law.

A. State Manifest Document Number: 92301897

3. Generator's Name and Mailing Address
Douglas Aircraft Company, C1-Q6C(11-11), Attn: R. Tuell
3855 Lakewood Blvd.
Long Beach, CA 90846

4. Generator's Phone (310) 496-6287 OR (310) 593-3101

B. State Generator's ID: HAHQ360056918

5. Transporter 1 Company Name
Laidlaw Environmental Services of CA, Inc.

6. US EPA ID Number: CAD000083121

C. State Transporter's ID: 448017

D. Transporter's Phone: (310) 518-4700

7. Transporter 2 Company Name

8. US EPA ID Number

E. State Transporter's ID

F. Transporter's Phone

9. Designated Facility Name and Site Address
Norris Environmental Services
5215 S. Boyle Avenue
Los Angeles, CA 90058

10. US EPA ID Number: CAD097030993

G. State Facility's ID: CAD097030993

H. Facility's Phone: (213) 588-7111

11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID Number)	12. Containers No.	12. Containers Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste Number
a. Waste, Caustic alkali liquids, n.o.s., (Potassium hydroxide), 8, UN 1719, PG III	001	TT	13530	P	State 123 / EPA/Other N/R
b.					State / EPA/Other
c.					State / EPA/Other
d.					State / EPA/Other

J. Additional Descriptions for Materials Listed Above: Norris #E010620007AK: Rinse Water from cleaning Kolene Tank #90 (Alko-N Kolene) Potassium Hydroxide 0-1%, Potassium Carbonate 0-1%, Potassium Nitrate 0-1%, Water 97-100%.

K. Handling Codes for Wastes Listed Above: a. H5 b. c. d.

15. Special Handling Instructions and Additional Information
24-Hour Emergency ~~Response~~ Telephone Number 1-800-424-9300 (chemtrec)
DOT ERG #11a) 60 1584G
Site Address: 19503 S. Normandie Avenue, Torrance, CA 90502

16. **GENERATOR'S CERTIFICATION:** I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable federal, state and international laws.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

GENERATOR — Printed/Typed Name: Robert G. Tuell, Jr. — Signature: Robert G. Tuell, Jr. — Month 12 Day 01 Year 94

TRANSPORTER — 17. Transporter 1 Acknowledgement of Receipt of Materials
Printed/Typed Name: DeLOUIS VARNADO — Signature: DeLouis Varnado — Month 12 Day 01 Year 94

18. Transporter 2 Acknowledgement of Receipt of Materials
Printed/Typed Name — Signature — Month — Day — Year

FACILITY — 19. Discrepancy Indication Space
Item 11.a) waste as accepted as profiled has pH < 12.5.

20. Facility Owner or Operator Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: BI TIN VELASCO — Signature: Bi Tin Velasco — Month 12 Day 01 Year 94

DO NOT WRITE BELOW THIS LINE.

Yellow: TSDF SENDS THIS COPY TO GENERATOR WITHIN 30 DAYS. (Generators who submit hazardous waste for transport out-of-state, produce completed copy of this copy and send to DTSC within 30 days.)

DTSC 8022A (7/92)
EPA 8700—22

IN CASE OF EMERGENCY OR SPILL, CALL THE NATIONAL RESPONSE CENTER 1-800-424-8802; WITHIN CALIFORNIA, CALL 1-800-852-7550

92301897

BOE-C6-0207768

Environmental Protection Agency
No. 2050–0039 (Expires 9-30-94)
Form designed for use on elite (12-pitch) typewriter.

See Instructions on back of page 6.

Department of Toxic Substances Control
Sacramento, California

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No.: CAD086510005 — Manifest Document No.: 01897
2. Page 1 of 1

Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address: Douglas Aircraft Company, C1-Q6C (11-11), Attn: R. Tuell, 3855 Lakewood Blvd. Long Beach, CA 90846
4. Generator's Phone: (310) 496-6287 OR (310) 593-3101

A. State Manifest Document Number: 92301897
B. State Generator's ID: HAHQ36005698
C. State Transporter's ID: 448017
D. Transporter's Phone: (310) 518-4700
E. State Transporter's ID:
F. Transporter's Phone:
G. State Facility's ID:
H. Facility's Phone: (213) 588-7111

5. Transporter 1 Company Name: Laidlaw Environmental Services of CA, Inc.
6. US EPA ID Number: CAD000083121
7. Transporter 2 Company Name:
8. US EPA ID Number:
9. Designated Facility Name and Site Address: Norris Environmental Services, 5215 S. Boyle Avenue, Los Angeles, CA 90058
10. US EPA ID Number: CAD097030993

11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID Number)	12. Containers No.	12. Containers Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste Number
a. Waste, Caustic alkali liquids, n.o.s., (Potassium hydroxide), 8, UN1719, PG III	001	TT	13530	P	State 123; EPA/Other N/R
b.					State; EPA/Other
c.					State; EPA/Other
d.					State; EPA/Other

J. Additional Descriptions for Materials Listed Above: Norris #E010620007AK: Rinse Water from cleaning Kolene Tank #90 (Alko-N Kolene). Potassium Hydroxide 0-1%, Potassium Carbonate 0-1%, Potassium Nitrate 0-1%, Water 97-100%.

K. Handling Codes for Wastes Listed Above: a. b. c. d.

15. Special Handling Instructions and Additional Information: 24-Hour Emergency ~~Response~~ Telephone Number 1-800-424-9300 (Chemtrec) DOT ERG #11a) 60
Site Address: 19503 S. Normandie Avenue, Torrance, CA 90502

16. **GENERATOR'S CERTIFICATION:** I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable federal, state and international laws.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name	Signature	Month	Day	Year
Robert G. Tuell, Jr.	Robert G. Tuell, Jr.	12	01	94

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name	Signature	Month	Day	Year
De-LOUIS VARNADO	De Louis Varnado	12	01	94

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name	Signature	Month	Day	Year

19. Discrepancy Indication Space

20. Facility Owner or Operator Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.

Printed/Typed Name	Signature	Month	Day	Year

DO NOT WRITE BELOW THIS LINE.

IN CASE OF EMERGENCY OR SPILL, CALL THE NATIONAL RESPONSE CENTER 1-800-424-8802: WITHIN CALIFORNIA, CALL 1-800-852-7550

92301897

GENERATOR — TRANSPORTER — FACIL

DTSC 8022A (7/92)
EPA 8700—22

Yellow: GENERATOR RETAINS

BOE-C6-0207769

Generator Name: Douglas Aircraft Co. EPA ID Number: CAD086510005

Manifest Number: 01897 / 92301897 Date of Shipment: 12-01-94

Indicate Waste Line Item (11): a)

This notification is hereby submitted to NORRIS ENVIRONMENTAL SERVICES in compliance with EPA regulati described in 40 CFR Part 268 which prohibit the land disposal of certain hazardous wastes, unless these wastes are trea to meet specified standards or treated using specified treatment technologies.

I have marked the appropriate boxes below, which indicates how my waste must be managed to conform to land disposal ban and federal regulations.

California List Wastes Notification Non-RCRA *RCRA Land Disposal Notification*

☐ Liquid hazardous waste including free liquids associated with any solid or sludge containing free cyanide at concentrations greater than or equal to 1000mg/L.

Treatment Standard-Cyanide Destruction Stabilization

☐ Liquid hazardous wastes, including free liquids associated with any solid or sludge, containing the following metals (or elements) at concentrations greater than or equal to those specified below:

Treatment Standard-Neutralization, Precipitation; Metals Recovery

(check those that apply)

☐ Arsenic and/or compounds (as As)	5.0 mg/L;
☐ Barium and/or compounds (as Ba)	100.0 mg/L;
☐ Cadmium and/or compounds (as Cd)	1.0 mg/L;
☐ Chromium (VI) and/or compounds as Cr (VI)	5.0 mg/L;
☐ Lead and/or compounds (as Pb)	5.0 mg/L;
☐ Mercury and/or compounds (as Hg)	0.2 mg/L;
☐ Selenium and/or compounds (as Se)	1.0 mg/L;
☐ Silver and/or compounds (as Ag)	5.0 mg/L

☐ Liquid hazardous wastes that are primarily water and contain halogenated organic compounds (HOCs) in total concentration greater than or equal to 1,000 mg/L and less than 10,000 mg/L HOCs (see attached listing of HOC constituents)

Treatment Standard-Carbon Absorption Steam Stripping

☐ Liquid hazardous wastes containing polychlorinated biphenyls (PCBs) at concentrations greater than or equal to 50 ppm.

Treatment Standard-Incineration, high efficiency boiler, other thermal treatment

☐ Liquid hazardous wastes having a pH less than or equal to two (2) or pH equal to or greater than 12.5.

Treatment Standard-Neutralization Stabilization

☐ The spent solvent wastes specified in 40 CFR 261.31 as EPA Hazardous Wastes Nos F001, F002, F003, F004 and F005.

Treatment Standard-Specify technology used to meet Table CCWE _____ Check constituent(s) on Table CCWE which were reduced below treatment standards

Waste Requires Treatment

☐ I am the initial generator of an untreated waste identifi above which must be treated in the appropriate treatme standard set forth in 40 CFR 268 Subpart D, or where treatment standard exists for the California List Waste, waste must be treated to the levels specified under 40 CF 268.32.

Waste Treated to Performance Standards

☐ The waste identified above has been treated in compliar with the applicable performance standards specified in 40 CF 268 Subpart D and/or the applicable prohibitions set forth 40 CFR 268.32. "I certify under penalty of law that I ha personally examined and am familiar with the treatme technology and operation of the treatment process used support this certification and that, based upon my inquiry those individuals immediately responsible for obtaining th information, I believe that the treatment process used support this certification and that, based upon my inquiry those individuals immediately responsible for obtaining th information, I believe that the treatment process has bee operated and maintained properly so as to comply with th performance levels specified in 40 CFR Part 268 Subpart and all applicable prohibitions set forth in 40 CFR 268.32 RCRA Section 3004(s) without dilutions of the prohibite waste. I am aware that there are significant penalties fo submitting a false certification, including the possibility of fine and imprisonment.

Waste Subject to Variance

☐ The waste identified above is subject to a case-by-cas extension under 40 CFR 268.5, a no-migration petition unde 40 CFR 268.6, a nationwide variance under Subpart C, or soil or debris generated from a response action taken unde CERCLA or corrective action under RCRA.

The most recent copy of waste analysis or a description of the knowledge upon which this notification is based is attached. I hereby certif that all information submitted in this and all associated documents is complete and accurate to the best of my knowledge and information

Robert G. Tuell, Jr. Senior Plant Engineer 12-01-94

Robert G. Tuell, Jr. (310) 496-6287

WORK ORDER

LAIDLAW ENVIRONMENTAL SERVICES

221 E. "D" ST. • P.O. Box 1175
WILMINGTON, CA 90748-1175
(310) 518-4700 • (800) 955-5359

CUSTOMER/ACCT. NO
240120

WORK ORDER NO.
09054

BILLING ADDRESS
SAME?

SERVICE ADDRESS
DOUGLAS AIRCRAFT
190TH XNORMANDIE
TORRANCE CA

ORDER DATE	DATE TO BE DONE	CUSTOMER P.O. #	ORDERED BY	TELEPHONE#	CONTACT PERSON
11/30/94	12/01/94	27064-H6281		( )	

REP.	DIV. #	DEPARTMENT	CUSTOMER'S EPA #	CUSTOMER'S BD OF EQUAL #	CONTACT PHONE #
					( )

1 60 BBL VAC TRK P/U LOAD HAUL TO NORRIS

16022 ON SITE AT DOUGLAS
on site 630 AM
Leaer Site

DRIVER COMPLETE:

SERVICES PERFORMED Standby and pump waste water from Rinse tank #90 while Crew Clean and wash tank and haul load Disposal Site

START TIME 530 AM STOP TIME _____ START MILES 227229 END MILES _____ TRUCK NUMBER 16022 TRAILER NUMBER _____

Manifest Number 92301897 Date Completed _____ Drivers Name [illegible]

nments _____

In the event of any litigation arising out of this agreement or any transaction contemplated hereby, the prevailing party shall be entitled to reasonable attorney's fees, expenses and costs.

NOT AN INVOICE - BILLING WILL FOLLOW

Customer Signature Robert G. Insell, Jr. 12-01-94

BOE-C6-0207771

PRICING INSTRUCTIONS - DRUMS

Chemist _____ Hrs. @ _____ Per Hr. _____

Project Manager _____ Hrs. @ _____ Per Hr. _____

First Technician _____ Hrs. @ _____ Per Hr. _____

Second Technician _____ Hrs. @ _____ Per Hr. _____

Third Technician _____ Hrs. @ _____ Per Hr. _____

Fourth Technician _____ Hrs. @ _____ Per Hr. _____

Fifth Technician _____ Hrs. @ _____ Per Hr. _____

Truck # _____ Hrs. @ _____ Per Hr. _____

Truck # _____ Hrs. @ _____ Per Hr. _____

Truck # _____ Hrs. @ _____ Per Hr. _____

Sundays, Holidays, and After Hours @ _____ % = _____

TRANSPORTATION & DISPOSAL FEES TO TSD FACILITY

_____ 5 Gal. Cans Liquid @ _____ Each _____

_____ 5 Gal. Cans Solid @ _____ Each _____

_____ 5 Gal. Cans Lab Packed @ _____ Each _____

_____ 55 Gal. Drums Liquid @ _____ Each _____

_____ 55 Gal. Drums Solid @ _____ Each _____

_____ 55 Gal. Drums Lab Packed _____ Each _____

_____ Empty 5 Gal. Cans @ _____ Each _____

_____ Empty 55 Gal. Cans @ _____ Each _____

County Tax _____ _____

MATERIALS USED

_____ 5 Gal. Cans @ _____ Each _____

_____ 55 Gal. Drums @ _____ Each _____

_____ Recovery Drums @ _____ Each _____

_____ Bags Vermiculite @ _____ Each _____

_____ Bags (Other Describe) @ _____ @ _____ = _____

_____ Hazardous Waste Labels @ _____ Each _____

_____ Drum Liners @ _____ Each _____

Safety Equipment Number of Sets _____ @ _____ = _____

_____ _____

_____ _____

_____ _____

PRICING INSTRUCTIONS - PUMPING

Compensation _____ Hrs. @ _____ Per Hr. _____

_____ _____

_____ _____

Washout Fee _____

Dump Fee _____

TOTAL _____

WEIGHT TICKET

VENDOR: Laidlaw

TRUCK #: 16022

DATE: 12-01-94

CONTENTS: Rinsewater from Cleaning Kolene Tank #90

DISPOSAL FACILITY: Norris

DRIVER: DeLouis Varnado

GROSS 37240 P

TARE 23710 P

NET 13530 P

DRUM COUNT

GALLONS

STATE MANIFEST DOCUMENT NUMBER: 01897/9230B97

BOE-C6-0207773