TABLE 2-1
COMPARISON OF GROUNDWATER SAMPLING EVENTS
FORMER C-6 SITE, FORMER ILM SITE AND DEL AMO GROUNDWATER STUDY AREA
1987 - 2000

BRC FORMER C-6	Del Amo Study Area [1]	International Light Metals [2]
11/13/1987	O	O
10/18/1989	O	O
06/15/1992	O	O
09/21/1992	O	O
01/05/1993	O	O
04/09/1993	O	O
06/07/1993	O	O
08/24/1993	O	O
11/18/1993	O	O
02/23/1994	February 1994	O
06/10/1994	May 1994	O
O	July 1994	O
09/08/1994	October 1994	08/30/1994
12/21/1994	O	12/29/1994
03/13/1995	March 1995	03/16/1995
06/12/1995	June 1995	06/16/1995
09/20/1995	October 1995	09/12/1995
12/12/1995	O	12/18/1995
02/29/1996	February 1995	03/11/1996
06/06/1996	O	06/17/1996
09/18/1996	10/07/1996	09/09/1996
12/18/1996	01/13/1997	O
05/06/1997	O	O
07/01/1997	O	07/07/1997
07/22/1997	O	O
08/04/1997	O	O
09/19/1997	O	O
09/03/1997	O	O
09/16/1997	O	O
07/15/1998	O	O
09/23/1998	O	O
10/22/1998	O	O
03/04/1999	O	03/02/1999
07/16/1999	O	07/16/1999
06/20/2000	O	June 2000

Notes:
1. Dames & Moore 1998. Exact dates not available in document.
2. TRC 1999. August 1994 and December 1994 appear to be water levels only, no analytical.

j:004020.00-003

TABLE 3-1
MONITORING WELL CONSTRUCTION DETAILS
BOEING REALTY CORPORATION, FORMER C-6 FACILITY
LOS ANGELES, CALIFORNIA
K/J 004020.00

Well	Date Constructed	Well Diameter (inches)	Total Depth of Borehole (Feet)	Depth of Screened Interval (Feet)		Depth to top of Sand Filter Pack (Feet)	Well Casing Material and Slot Size	Hydrogeologic Unit Screened
				Top	Bottom			
WCC-1S[1]	03/26/1987	2	91	78	88	72	Schdl 40 PVC0.020-Inch Slots	Shallow
WCC-2S[1]	10/28/1987	4	90.5	70	90	63	Schdl 40 PVC0.010-Inch Slots	Shallow
WCC-3S[1]	10/26/1987	4	92	69	89	64	Schdl 40 PVC, 0.010-Inch Slots	Shallow
WCC-4S[1]	10/27/1987	4	91.5	70.5	90.5	65	Schdl 40 PVC, 0.010-Inch Slots	Shallow
WCC-5S[1]	11/24/1987	4	91	60.5	91	58.5	Schdl 40 PVC, 0.010-Inch Slots	Shallow
WCC-6S[2]	09/22/1989	4	91	60	90	N/A[3]	Schdl 40 PVC, 0.010-Inch Slots	Shallow
WCC-7S[2]	06/08/1989	4	90.5	60	90	54	Schdl 40 PVC, 0.010-Inch Slots	Shallow
WCC-8S[2]	06/12/1989	4	90	59.5	89.5	54	Schdl 40 PVC0.010-Inch Slots	Shallow
WCC-9S[2]	09/21/1989	4	91.5	60	90	55	Schdl 40 PVC, 0.010-Inch Slots	Shallow
WCC-10S[2]	06/07/1989	4	90.8	60	90	54	Schdl 40 PVC0.010-Inch Slots	Shallow
WCC-11S[2]	N/A	4	N/A	60	90	N/A	Schdl 40 PVC, 0.010-Inch Slots	Shallow
WCC-12S[2]	N/A	4	N/A	60	90	N/A	Schdl 40 PVC, 0.010-Inch Slots	Shallow
WCC-1D[2]	06/30/1998	4	140	120	140	115	Schdl 40 PVC, 0.010-Inch Slots	Deeper
WCC-3D[2]	06/27/1989	4	140	120	140	114	Schdl 40 PVC, 0.010-Inch Slots	Deeper
DAC-P1[1]	09/25/1989	4	N/A	60	90	N/A	Schdl 40 PVC0.010-Inch Slots	Shallow
TMW-1	06/28/1998	2	86	61	81	59	Schdl 40 PVC, 0.010-Inch Slots	Shallow
TMW-2	06/28/1998	2	87	62	82	57	Schdl 40 PVC, 0.010-Inch Slots	Shallow
TMW-3	07/21/1998	2	87	62.5	82.5	60	Schdl 40 PVC, 0.010-Inch Slots	Shallow
TMW-4	06/30/1998	2	86	60	80	58	Schdl 40 PVC, 0.010-Inch Slots	Shallow
TMW-5	07/02/1998	2	86	61.3	81.3	58.9	Schdl 40 PVC, 0.010-Inch Slots	Shallow
TMW-6	07/01/1998	2	86	61.2	81.2	59.1	Schdl 40 PVC, 0.010-Inch Slots	Shallow
TMW-7	06/29/1998	2	89.5	64	84	62	Schdl 40 PVC, 0.010-Inch Slots	Shallow
TMW-8	06/29/1998	2	89.5	61	81	59	Schdl 40 PVC, 0.010-Inch Slots	Shallow
TMW-9	06/30/1998	2	86	61	81	59	Schdl 40 PVC, 0.010-Inch Slots	Shallow
TMW-10	01/28/1999	2	85	60.5	80.5	57.6	Schdl 40 PVC, 0.010-Inch Slots	Shallow
TMW-11	02/01/1999	2	83	58	78	54.5	Schdl 40 PVC, 0.010-Inch Slots	Shallow
TMW-12	01/27/1999	2	88	62	82	59.3	Schdl 40 PVC, 0.010-Inch Slots	Shallow
TMW-13	02/02/1999	2	85	60	80	58	Schdl 40 PVC, 0.010-Inch Slots	Shallow
TMW-14	02/03/1999	2	90	65	85	63	Schdl 40 PVC, 0.010-Inch Slots	Shallow
TMW-15	02/04/1999	2	92	62	87	60	Schdl 40 PVC, 0.010-Inch Slots	Shallow
TMW-16	01/29/1999	2	82.5	56.5	76.5	54.5	Schdl 40 PVC, 0.010-Inch Slots	Shallow
TMW-17	05/10/1999	2	87	62	82	59	Schdl 40 PVC, 0.010-Inch Slots	Shallow
BL-1	02/02/1999	2	81.5	61.5	81.5	56.5	Schdl 40 PVC, 0.010-Inch Slots	Shallow
BL-2	02/03/1999	2	81.5	61.5	81.5	56.5	Schdl 40 PVC, 0.010-Inch Slots	Shallow
BL-3	02/08/1999	2	82	62	82	59	Schdl 40 PVC, 0.010-Inch Slots	Shallow
BL-4	02/16/1999	2	79	58	78	55	Schdl 40 PVC, 0.010-Inch Slots	Shallow
BL-5	02/04/1999	2	78.5	58	78	55	Schdl 40 PVC, 0.010-Inch Slots	Shallow
BL-6	02/04/1999	2	78.5	58	78	55	Schdl 40 PVC, 0.010-Inch Slots	Shallow
BL-7	02/08/1999	2	78.5	58	78	54	Schdl 40 PVC, 0.010-Inch Slots	Shallow
BL-8	02/16/1999	2	81	60	80	57	Schdl 40 PVC, 0.010-Inch Slots	Shallow

NOTES:
1. Data from Woodward-Clyde Consultants Phase II Report, May 1988
2. Data from Woodward-Clyde Consultants Phase III Report, March 1990
3. N/A = Not Available

j:004020.00-004

TABLE 3-2
GROUNDWATER ELEVATION DATA 1987 TO 2000
BOEING REALTY CORPORATION FORMER C-6 FACILITY
LOS ANGELES, CALIFORNIA
K/J 004020.00

	QUARTERLY MONITORING																						BIWEEKLY MONITORING						QUARTERLY MONITORING					LIMITED	QM	
	WCC	WCC	K/J	K/J	K/J	K/J	K/J	K/J	K/J	K/J	K/J	K/J	K/J	K/J	K/J	K/J	K/J	K/J	K/J	K/J	K/J	K/J	K/J	K/J	K/J	K/J	K/J	K/J	K/J	HLA	HLA	K/J	K/J	TRC	K/J	
WELL	4th Qrt 87 11/13/1987	4th Qrt 89 10/18/1989	2nd Qtr 92 06/15/1992	3rd Qtr 92 09/21/1992	4th Qtr 92 01/05/1993	1st Qtr 93 04/09/1993	2nd Qtr 93 06/07/1993	3rd Qtr 93 08/24/1993	4th Qtr 93 11/18/1993	1st Qtr 94 02/23/1994	2nd Qtr 94 06/10/1994	3rd Qtr 94 09/08/1994	4th Qtr 94 12/21/1994	1st Qtr 95 03/13/1995	2nd Qtr 95 06/12/1995	3rd Qtr 95 09/20/1995	4th Qtr 95 12/12/1995	1st Qtr 96 02/29/1996	2nd Qtr 96 06/06/1996	3rd Qtr 96 09/18/1996	4th Qtr 96 12/18/1996	1st Qtr 97 05/06/1997	July 97a 07/01/1997	July 97b 07/22/1997	Aug 97a 08/04/1997	Aug 97b 08/19/1997	Sept 97a 09/03/1997	Sept 97b 09/16/1997	2nd Qtr 98 7/14/1998	3rd Qtr 98 9/22/1998	4th Qtr 98 10/16/1998	2nd Qtr 99 3/6/1999	3rd Qtr 99 7/12/1999	1st Qtr 00 1/14/2000	2nd Qtr 00 6/20/2000	WELL
WCC-1S	-21.63	-19.48	-19.20	-19.42	-19.34	-18.79	-18.75	-18.25	-18.00	-17.61	-17.23	-17.25	-17.12	-17.12	-16.53	-16.27	-16.05	-15.80	-15.47	-15.36	-15.03	-14.58	-14.51	-14.58	-14.53	-14.47	-14.53	-14.46								WCC-1S
WCC-2S	-19.72	-19.06	-19.15	-19.41	-19.51	-18.64	-18.63	-18.15	-17.87	-17.49	-17.07	-17.20	-17.17	-17.08	-16.37	-16.19	-15.86	-15.77	-15.26	-15.18	-14.82	-14.36														WCC-2S
WCC-3S	-21.56	-19.42	-19.24	-19.52	-19.73	-18.83	-18.82	-18.36	-18.01	-17.67	-17.19	-17.31	-17.28	-17.22	-16.58	-16.37	-16.06	-15.93	-15.41	-15.41	-15.11	-14.63	-14.53	-14.64	-14.53	-14.52	-14.58	-14.53	-13.40	-13.48	-13.74	-13.45	-13.33		-13.47	WCC-3S
WCC-4S	-21.77	-19.59	-19.22	-19.49	-19.34	-18.86	-18.78	-18.37	-18.16	-17.77	-17.32	-17.37	-17.31	-17.23	-16.61	-16.38	-16.16	-17.02	-15.56	-15.49	-15.19	-14.74	-14.66	-14.73	-14.69	-14.61	-14.69	-14.61	-13.56	-13.46	-13.49	-13.43	-13.33		-13.51	WCC-4S
WCC-5S		-19.70	-19.13	-19.42	-19.32	-18.83	-18.78	-18.38	-18.13	-17.78	-17.33	-17.33	-17.25	-17.19	-16.56	-16.35	-16.14	-16.02	-15.54	-15.47	-15.22	-14.81	-14.71	-14.77	-14.71	-14.65	-14.72	-14.64		-13.52	-13.46	-13.39	-13.25		-13.46	WCC-5S
WCC-6S		-19.70	-19.40	-19.64	-19.50	-19.03	-18.97	-18.55	-18.32	-17.92	-17.48	-17.45	-17.45	-17.36	-16.75	-16.64	-16.30	-16.17	-15.76	-15.65	-15.35	-14.90	-14.79	-14.89	-14.84			-14.73	-13.69	-13.74	-13.77	-13.71	-13.55		-13.66	WCC-6S
WCC-7S		-20.07	-19.63	-19.93	-19.76	-19.30	-19.23	-18.83	-18.60	-18.22	-17.82	-17.80	-17.74	-17.54	-17.03	-16.82	-16.59	-16.46	-16.01	-15.95	-15.64	-15.19	-15.12	-15.20	-15.15	-15.08	-15.15	-15.06		-13.89	-13.94	-13.58	-13.46		-13.67	WCC-7S
WCC-8S		-19.35	-19.11	-19.34	-19.19	-18.69	-18.61	-18.19	-17.89	-17.49	-17.11	-17.14	-17.12	-17.29	-16.42	-16.16	-15.89	-15.76	-15.34	-15.27	-14.99	-14.56	-14.44	-14.50	-14.46	-14.39	-14.46	-14.39								WCC-8S
WCC-9S		-20.07	-19.44	-19.66	-19.56	-19.09	-19.09	-18.69	-18.42	-18.09	-18.63	-19.08	-17.51	-17.41	-16.79	-16.64	-16.39	-16.49	-15.86	-15.76	-15.47	-15.10	-15.00	-15.07	-15.00	-14.96	-15.01	-14.93		-13.92	-13.82	-13.85	-13.55		-13.70	WCC-9S
WCC-10S		-18.42	-18.94	-19.33	-19.10	-18.42	-18.33	-17.83	-17.54	-17.07	-16.67	-17.03	-16.97	-16.56	-16.05	-15.89	-15.54	-15.22	-14.77	-14.68		-13.78	-13.74	-13.76	-13.73	-13.69	-13.72	-13.70	-12.53			-12.67	-12.63		-13.13	WCC-10S
WCC-11S			-17.62	-18.81	-18.69	-18.13	-18.04	-17.60	-17.36	-16.96	-16.45	-16.58	-16.63	-16.48	-15.83	-15.59	-15.35	-15.19	-14.71	-14.64	-14.34	-13.88	-13.76	-13.84	-13.74	-13.74	-13.81	-13.75		-12.68	-12.68	-12.64	-12.53		-12.88	WCC-11S
WCC-12S			-19.60	-19.90	-19.74	-19.26	-19.20	-18.78	-18.58	-18.13	-17.74	-17.79	-17.67	-17.63	-17.00	-16.79	-16.54	-16.40	-15.96	-15.88	-15.56	-15.15	-15.07	-15.13	-15.09	-15.03	-15.10	-15.02	-13.96	-14.06	-13.97	-13.89	-13.57		-13.85	WCC-12S
DAC-P1			-17.76	-17.88	-18.02	-17.46	-17.38	-17.03	-16.76	-16.74	-16.60	-16.48	-16.25	-16.41	-15.94	-15.66	-15.66	-15.40	-15.02	-14.88	-14.67	-14.20	-14.03	-14.01	-13.98	-13.91	-13.93	-13.91	-13.28			-12.87	-12.72		-13.01	DAC-P1
WCC-1D		-19.51	-19.55	-19.92	-19.61	-19.10	-19.00	-18.53	-18.34	-17.83	-17.47	-17.66	-17.55	-17.36	-16.79	-16.60	-16.31	-16.15	-15.73	-15.65	-15.34	-14.87	-14.82	-14.91	-14.85	-14.80	-14.84	-14.79								WCC-1D
WCC-3D		-19.38	-19.39	-19.71	-20.52	-18.87	-18.85	-18.40	-18.18	-18.00	-17.39	-17.47	-17.42	-17.27	-16.67	-16.47	-16.17	-15.95	-15.57	-15.50	-15.21	-14.72	-14.65	-14.73	-14.69	-14.61	-14.65	-14.63		-13.58	-13.53	-13.60	-13.49		-13.70	WCC-3D
TMW-1																													-13.41	-13.56	-13.37	-13.52	-13.24		-13.65	TMW-1
TMW-2																													-13.42	-13.49	-13.40	-13.41	-13.30		-13.46	TMW-2
TMW-3																													-14.17	-14.18	-14.06	-14.14	-13.91		-14.12	TMW-3
TMW-4																													-14.40	-14.43	-14.26	-14.28	-14.03		-14.26	TMW-4
TMW-5																													-14.62	-14.67	-14.48	-14.59	-14.33		-14.55	TMW-5
TMW-6																													-14.71	-14.73	-14.56	-14.55	-14.42		-14.46	TMW-6
TMW-7																													-13.98	-14.03	-13.91	-13.94	-13.78		-14.03	TMW-7
TMW-8																													-13.85	-13.88	-13.79	-13.84	-13.65		-13.92	TMW-8
TMW-9																													-14.08	-14.05	-13.93	-13.87	-13.70		-14.01	TMW-9
TMW-10																																-14.25	-13.09		-14.05	TMW-10
TMW-11																																-14.81	-14.50		-14.63	TMW-11
TMW-12																																-14.88	-14.69		-14.97	TMW-12
TMW-13																																-14.77	-14.60		-14.91	TMW-13
TMW-14																																-14.70	-14.46		-14.75	TMW-14
TMW-15																																-14.04	-13.64		-14.04	TMW-15
TMW-16																																-12.89	-12.63		-12.86	TMW-16
TMW-17																																	-13.16	-13.41		TMW-17
BL-1																																-12.41	-12.38	-12.70	-12.86	BL-1
BL-2																																-13.32	-13.17	-13.40	-13.51	BL-2
BL-3																																-13.89	-13.83	-14.08	-14.25	BL-3
BL-4																																-14.51	-14.43	-15.11		BL-4
BL-5																																-12.52	-12.53	-12.87		BL-5
BL-6																																-12.92	-12.83	-13.15		BL-6
BL-7																																-13.57	-13.44	-14.41		BL-7
BL-8																																-14.27	-14.29	-14.55		BL-8

BOE-C6-0210113

Table 4-1
SUMMARY OF GROUNDWATER ANALYTICAL DATA - MAJOR CONSTITUENTS WCC-1S
GROUNDWATER STATUS REPORT
BOEING REALTY CORPORATION, FORMER C-6 FACILITY
LOS ANGELES, CALIFORNIA
K/J 004020.00

COMPOUNDS DETECTED BY EPA METHOD 8240 OR EPA METHOD 8240/8260 - All results in ug/l.

WELL I.D.	SAMPLE DATE	1,1-DCE	1,1,-DCA	1,1,1-TCA	TCE	MIBK	cis-1,2-DCE	trans-1,2-DCE	CHLOROFORM	BENZENE	TOLUENE	MEK
WCC-1S	03/27/87	2,800	-	300	4,600	-	-	-	-	85	-	-
	04/13/87	3,700	-	260	5,500	-	-	-	-	110	-	-
Dup	04/13/88	2,500	-	120	3,600	-	-	-	-	-	-	-
	11/12/87	3,000	23	160	5,200	-	-	75	39	160	-	-
	07/13/89	900	<20	67	2,400	<100	<20	<20	<20	<20	<20	-
	08/23/89	1,500	30	<30	2,800	<100	41	<30	<30	<30	<30	-
	11/18/91	1,300	-	-	3,700	-	-	-	-	-	-	-
	06/17/92	1,700	<50	<50	3,800	<100	<5	<50	<50	<50	<50	<100
	09/23/92	1,500	13	16	3,400	<5	<1	14	13	37	1	<5
	12/09/92	1,500	<30	<30	3,100	<100	<30	<30	<30	30	<30	<100
	03/18/93	1,000	13	15	2,100	<5	27	15	14	33	<2	<10
	06/08/93	1,200	<20	<20	2,400	<200	27	<20	<20	35	<20	<400
	08/25/93	1,700	<20	<20	3,300	<200	27	<20	<20	42	<20	<400
	11/19/93	1,600	<20	<20	2,600	<200	25	<20	<20	38	<20	<400
	02/24/94	1,800	<20	<20	2,700	<200	33	21	<20	39	<20	<400
	6/13/94	1,000	11	11	1,700	<100	20	16	<10	<10	<10	<200
	09/09/94	1,400	<40	<40	2,300	<400	<40	<40	<40	<40	<40	<800
	12/22/94	3,000	23	24	3,100	<200	38	36	<20	57	<20	<400
	03/14/95	2,000	<20	<20	2,300	<200	22	22	<20	34	<20	<400
	06/13/95	2,700	20	<20	3,200	<200	29	31	<20	45	<20	<400
	09/07/95	1,800	22	22	2,600	<10	37	37	16	51	<5	<10
	12/15/95	2,900	26	22	2,600	nr	34	40	17	42	<2	nr
Dup	12/15/96	2,800	26	22	2,560	nr	33	40	16	42	<2	nr
	03/04/96	3,000	27	24	2,700	<40	35	45	<20	<20	<20	<40
	06/07/96	2,500	27	20	2,200	nr	28	39	12	7	<5	<10
	09/19/96	3,200	<50	<50	2,400	<500	<50	63	<50	<50	<50	<500
	12/18/96	2,600	<50	<50	2,200	<500	<50	<50	<50	<50	<50	<500
Dup	12/18/97	2,600	<50	<50	2,300	<500	<50	<50	<50	<50	<50	<500
	05/08/97	3,200	<50	<50	2,700	<500	<50	69	<50	<50	<50	<500
	07/08/97	3,900	<50	<50	2,800	<500	<50	<50	<50	<50	<50	<500
	07/24/97	2,600	<50	<50	2,400	<500	<50	<50	<50	<50	<50	<500
	08/06/97	3,800	<50	<50	2,700	<500	<50	60	<50	<50	<50	<500
	08/22/97	3,800	<50	<50	2,700	<500	<50	66	<50	<50	<50	<500
	09/05/97	3,500	<50	<50	2,500	<500	<50	61	<50	<50	<50	<500
	09/17/97	3,400	<50	<50	2,700	<500	<50	63	<50	<50	<50	<500

BOE-C6-0210114

Table 4-1
SUMMARY OF GROUNDWATER ANALYTICAL DATA - MAJOR CONSTITUENTS WCC-2S
GROUNDWATER STATUS REPORT
BOEING REALTY CORPORATION, FORMER C-6 FACILITY
LOS ANGELES, CALIFORNIA
K/J 004020.00

COMPOUNDS DETECTED BY EPA METHOD 8240 OR EPA METHOD 8240/8260 - All results in ug/l.

WELL I.D.	SAMPLE DATE	1,1-DCE	1,1,-DCA	1,1,1-TCA	TCE	MIBK	cis-1,2-DCE	trans-1,2-DCE	CHLOROFORM	BENZENE	TOLUENE	MEK
WCC-2S	11/02/87	5	-	5		-	-	-	-	-	6	-
	11/12/87	2	-	1	4	-	-	-	-	-	1	-
	07/13/89	<1	<1	<1	5	<5	<1	<1	<1	<1	<1	-
	8/23/89	<1	<1	<1	3	<5	<1	<1	<1	<1	<1	-
	11/19/91	30	-	8	110	-	-	-	-	-	75	-
	06/16/92	30	<5	<5	100	<10	<5	<5	<5	<5	<5	<10
	09/22/92	18	<1	<1	110	<5	<1	<1	<1	<1	1	<5
Dup	09/22/92	19	<1	<1	97	<5	<1	<1	<1	<1	1	<5
	12/08/92	49	<1	2	140	<5	<1	<1	<1	<1	<1	<5
Dup	12/08/92	27	<2	2	99	<5	<1	<1	2	<1	<1	<5
	03/17/93	32	<2	<2	110	<5	<2	<2	<2	<2	<2	<10
Dup	03/17/93	33	<2	<2	100	<5	<2	<2	<2	<2	<2	<10
	06/07/93	48	<2	<2	150	<20	<2	<2	<2	<2	<2	<40
	08/24/93	16	<2	<2	90	<20	<2	<2	<2	<2	<2	<40
	11/19/93	41	<2	<2	94	<20	<2	<2	<2	<2	<2	<40
	02/24/94	30	<2	<2	96	<20	<2	<2	<2	<2	<2	<40
	06/10/94	24	<2	<2	97	<20	<2	<2	<2	<2	<2	<40
	09/08/94	37	<2	<2	150	<20	<2	<2	<2	<2	<2	<40
	12/22/94	28	<2	<2	110	<20	<2	<2	<2	<2	<2	<40
	03/13/95	27	<2	<2	160	<20	<2	<2	<2	<2	<2	<40
	06/12/95	30	<2	<2	130	<20	<2	<2	<2	<2	<2	<40
	09/06/95	56	<5	<5	200	<10	<5	<5	<5	<5	<5	<10
	12/15/95	15	<2	<2	60	nr	<2	<2	<2	<2	<2	nr
	03/01/96	<5	<5	<5	21	<10	<5	<5	<5	<5	<5	<10
	06/06/96	7	<5	<5	33	nr	<5	<5	<5	<5	<5	<10
	09/19/96	23	<1	<1	98	<10	<1	<1	<1	<1	<1	<10
	12/18/96	30	<2	<2	120	<20	2.2	<2	<2	<2	<2	<20
	05/07/97	12	<1	<1	25	<10	18	<1	<1	<1	<1	<10
Dup	05/07/97	11	<1	<1	24	<10	17	<1	<1	<1	<1	<10
	Well WCC-2S not sampled due to obstructions during mid 1997											

j:004020.00-003

BOE-C6-0210115

Table 4-1
SUMMARY OF GROUNDWATER ANALYTICAL DATA - MAJOR CONSTITUENTS WCC-3S
GROUNDWATER STATUS REPORT
BOEING REALTY CORPORATION, FORMER C-6 FACILITY
LOS ANGELES, CALIFORNIA
K/J 004020.00

COMPOUNDS DETECTED BY EPA METHOD 8240 OR EPA METHOD 8240/8260 - All results in ug/l.

WELL I.D.	SAMPLE DATE	1,1-DCE	1,1,-DCA	1,1,1-TCA	TCE	MIBK	cis-1,2-DCE	trans-1,2-DCE	CHLOROFORM	BENZENE	TOLUENE	MEK
WCC-3S	11/02/87	38,000	-	110,000	10,000	54,000	-	-	-	-	80,000	-
	11/12/87	88,000	1,000	54,000	11,000	70,000	-	1,000	-	-	140,000	-
	07/13/89	18,000	<500	56,000	7,700	<3000	<500	660	<500	<500	32,000	-
	08/23/89	56,000	<1,000	78,000	6,000	<5000	<1,000	<1,000	<1,000	<1,000	56,000	-
	11/14/91	12,000	400	6,900	7,900	70,000	550	550	250	-	27,000	12,000
	06/17/92	25,000	<5,000	13,000	13,000	100,000	<5,000	<5,000	<5,000	<,5000	51,000	<10,000
	09/23/92	22,000	<500	7,800	12,000	82,000	<500	<500	<500	<500	52,000	<3,000
	12/09/92	21,000	<500	5,600	11,000	90,000	700	600	<500	<500	44,000	4,000
	03/18/93	20,000	650	21,000	8,800	44,000	650	6,400	120	240	42,000	<50
Dup	03/18/93	20,000	510	22,000	8,800	45,000	640	670	110	260	42,000	<50
	06/08/93	16,000	420	5,900	8,600	79,000	520	480	<100	210	37,000	<2,000
	08/25/93	21,000	500	10,000	11,000	50,000	670	680	<410	<400	46,000	<8000
Dup	08/25/93	20,000	560	9,500	9,700	49,000	700	710	<10	250	40,000	660
	11/19/93	26,000	690	19,000	10,000	47,000	1,100	840	<200	280	50,000	<4,000
	02/24/94	15,000	310	9,600	2,500	15,000	2,500	360	<200	<200	25,000	<4,000
	06/13/94	13,000	310	6,200	820	9,900	4,100	360	<200	<200	23,000	<4000
	09/09/94	23,000	520	9,000	<500	6,000	7,700	600	<500	<500	43,000	<10000
Dup	09/09/94	25,000	560	98,000	<500	5,000	8,400	640	<500	<500	47,000	<10000
	12/22/94	20,000	440	6,700	390	3,400	6,700	530	<200	200	35,000	<4,000
	3/14/95	24,000	570	8,700	2,300	4,600	6,200	670	<200	230	40,000	<4,000
	06/13/95	22,000	450	4,800	1,200	6,600	6,300	500	<400	<400	39,000	<8000
	09/07/95	13,000	480	4,100	910	4,600	6,000	520	76	220	31,000	<200
	12/16/95	12,000	350	3,100	670	nr	4,400	400	45	130	**23000	nr
	3/04/96	8,400	230	1,900	480	200	3,200	280	<50	100	15,000	<100
	03/04/96	11,000	310	2,400	240	nr	3,400	340	38	110	18,000	32
	09/19/96	20,000	600	3,500	<500	<5,000	6,300	860	<500	<500	29,000	<5,000
	12/19/96	16,000	380	2,300	<250	<2,500	4,100	460	<250	<250	20,000	<2,500
	05/08/97	6,300	140	470	230	<1200	2,000	180	<120	<120	8,800	<1200
Dup	05/08/97	6,200	<250	520	<250	<2500	2,000	<250	<50	<250	9,100	<2500
	07/08/97	9,200	<250	1,100	400	<2500	2,900	260	<250	<250	14,000	<2500
	07/24/97	14,000	350	1,900	420	<2500	4,000	380	<250	<250	22,000	<2500
	08/06/97	12,000	310	1,500	250	<2500	3,900	350	<250	<250	18,000	<2500
	08/22/97	16,000	410	2,200	290	<2500	4,600	540	<250	<250	23,000	<2500
	09/05/97	13,000	350	1,600	<250	<2500	3,700	390	<250	<250	18,000	<2500
	09/18/97	12,000	300	1,500	<250	<2500	3,500	350	<250	<250	18,000	<2500
Dup	09/18/97	13,000	300	1,600	260	<2500	3,600	360	<250	<250	18,000	<2500
	09/23/98	33,000	870	4,000	< 250	nr	9,400	980	< 250	390	59,000	nr
	10/22/98	41000	1100	4700	490	nr	11000	1,300	< 250	470	68000	nr
	03/06/99	20,000	500	1,900	640	nr	4,800	510	< 250	< 250	42,000	nr
	07/16/99	32000	780	2700	810	nr	8,600	1,000	< 250	380	54000	nr
	06/26/00	25,000	630	2,400	770	nr	7,600	840	<125	380	48,000	nr

BOE-C6-0210116

Table 4-1
SUMMARY OF GROUNDWATER ANALYTICAL DATA - MAJOR CONSTITUENTS WCC-4S
GROUNDWATER STATUS REPORT
BOEING REALTY CORPORATION, FORMER C-6 FACILITY
LOS ANGELES, CALIFORNIA
K/J 004020.00

COMPOUNDS DETECTED BY EPA METHOD 8240 OR EPA METHOD 8240/8260 - All results in ug/l.

WELL I.D.	SAMPLE DATE	1,1-DCE	1,1,-DCA	1,1,1-TCA	TCE	MIBK	cis-1,2-DCE	trans-1,2-DCE	CHLOROFORM	BENZENE	TOLUENE	MEK
WCC-4S	11/02/87	360	-	14	700	-	-	2	2	-	-	-
	11/12/87	1,200	-	35	690	-	-	-	-	-	-	-
	07/13/89	170	<3	11	270	-	10	<3	<3	<3	<3	-
	08/23/89	360	<5	7	410	<20	15	<5	<5	<5	<5	-
	11/18/91	1,000		20	2,200	<30	-	-	-	-	-	-
	06/17/92	920	<25	<25	1,500	<50	<25	<25	<25	<25	<25	<50
	09/23/92	1,400	<10	20	1,900	<50	<10	<10	10	<10	<10	<50
	12/08/92	1,000	<10	20	1,600	<50	10	<10	10	<10	<10	<50
	03/17/93	810	8	14	1,200	<5	8	5	5	6	<2	<10
	06/08/93	1,300	<10	12	1,800	<100	10	<10	<10	<10	<10	<200
	08/25/93	1,100	<10	<10	1,400	<100	<10	<10	<10	<10	<10	<200
	11/19/93	610	17	8	700	<40	6	5	<4	4	9	<80
	02/24/94	1,100	5.8	8.8	980	<40	8.7	7.2	5.1	6.4	<4	<80
	06/14/94	800	<4	5	940	<40	7	5	<4	<4	<4	<80
	09/09/94	1,000	<20	<20	1,300	<200	<20	<20	<20	<20	<20	<400
	12/22/94	670	<10	<10	750	<100	<10	<10	<10	<10	<10	<200
	03/14/95	400	10	5	450	<40	5	<4	<4	<4	<4	<80
	06/13/95	1,100	9	<6.6	1,100	<66	8	<6.6	<6.6	7	<6.6	<130
	09/07/95	910	8	6	1,200	<10	10	9	7	13	<5	<10
	12/15/95	1,100	4	<2	1,200	nr	8	7	4	2	<2	nr
	03/04/96	710	<5	<5	770	<10	6	6	<5	<5	<5	<10
	06/07/96	740	<5	<5	830	nr	5	<5	<5	<5	<5	<10
	09/19/96	980	<25	<25	960	<250	<25	<25	<25	<25	<25	<250
	12/18/96	780	<25	<25	960	<250	<25	<25	<25	<25	<25	<250
	05/08/97	1,000	<12	<12	1,100	<120	<12	14	<12	<12	<12	<120
	07/08/97	1,300	<25	<25	1,200	<250	<25	<25	<25	<25	<25	<250
	07/24/97	940	<25	<25	1,200	<250	<25	<25	<25	<25	<25	<250
	08/06/97	1,000	<25	<25	1,000	<250	<25	<25	<25	<25	560	<250
	08/22/97	1,200	<25	<25	1,200	<250	<25	<25	<25	<25	<25	<250
	09/05/97	1,100	<25	<25	1,000	<250	<25	<25	<25	<25	<25	<250
	09/17/97	960	<25	<25	1,100	<250	<25	<25	<25	<25	<25	<250
	09/28/98	890	24	< 2.5	780	nr	12	8	5.4	< 2.5	< 2.5	nr
	10/21/98	1100	19	< 5	970	nr	11	11	6	< 5	< 5	nr
	03/04/99	1,700	< 10	< 10	1,600	nr	< 10	15	< 10	< 10	< 10	nr
	07/14/99	2100	< 10	< 10	1500	nr	12	19	< 10	< 10	< 10	nr
	06/21/00	1,800	<10	<10	1,300	nr	<10	<10	<10	<10	<10	nr

BOE-C6-0210117

Table 4-1
SUMMARY OF GROUNDWATER ANALYTICAL DATA - MAJOR CONSTITUENTS WCC-5S
GROUNDWATER STATUS REPORT
BOEING REALTY CORPORATION, FORMER C-6 FACILITY
LOS ANGELES, CALIFORNIA
K/J 004020.00

COMPOUNDS DETECTED BY EPA METHOD 8240 OR EPA METHOD 8240/8260 - All results in ug/l.

WELL I.D.	SAMPLE DATE	1,1-DCE	1,1,-DCA	1,1,1-TCA	TCE	MIBK	cis-1,2-DCE	trans-1,2-DCE	CHLOROFORM	BENZENE	TOLUENE	MEK
WCC-5S	11/30/87	7	-	1	-	-	-	-	-	-	1	-
	01/08/88	4	-	10	-	-	-	-	-	-	-	-
	07/13/89	3	<1	13	<5	>1	6	<1	<1	<1	<1	-
Dup	07/13/89	3	<1	12	<5	<1	6	<1	<1	<1	<1	-
	08/23/89	<1	<1	12	<5	<1	4	<1	<1	<1	<1	-
	11/19/91	20	-	-	8	-	-	-	-	-	7	-
	06/15/92	28	<5	<5	7	<10	<5	<5	<5	<5	<5	<10
	09/21/92	21	<1	<1	5	<5	<1	<1	<1	<1	<1	<5
	12/07/92	21	<1	<1	5	<5	<1	<1	<1	<1	<1	<5
	03/16/93	18	<2	<2	4	<5	<2	<2	<2	<2	<2	<10
	06/07/93	22	<2	<2	4	<20	<2	<2	<2	<2	<2	<40
	08/24/93	23	<2	<2	5	<20	<2	<2	<2	<2	<2	<40
	11/18/93	21	<2	<2	3	<20	<2	<2	<2	<2	<2	<40
	2/23/94	20	<2	<2	4	<20	<2	<2	<2	<2	<2	<40
	06/10/94	25	<2	<2	3.4	<20	<2	<2	<2	<2	<2	<40
Dup	06/10/94	25	<2	<2	3.4	<20	<2	<2	<2	<2	<2	<40
	09/08/94	18	<2	<2	3.3	<20	<2	<2	<2	<2	<2	<40
	12/21/94	18	<2	<2	2.9	<20	<2	<2	<2	<2	<2	<40
	03/13/95	14	<2	<2	2.8	<20	<2	<2	<2	<2	<2	<40
	06/12/95	19	<2	<2	3.2	<20	<2	<2	<2	<2	<2	<40
	09/06/95	18	<5	<5	<5	<10	<5	<5	<5	<5	<5	<10
	12/12/95	15	<2	<2	3	nr	<2	<2	<2	<2	<2	nr
	2/29/96	10	<5	<5	<5	<10	<5	<5	<5	<5	<5	<10
	06/06/96	9	<5	<5	<5	<10	<5	<5	<5	<5	<5	<10
	09/18/96	10	<1	<1	3.1	<10	<1	<1	<1	<1	<1	<10
	12/17/96	10	<1	<1	2.4	<10	<1	<1	<1	<1	<1	<10
	05/07/97	10	<1	<1	3.1	<10	<1	<1	<1	<1	<1	<10
	07/02/97	11	<1.0	<1.0	2.1	<10	<1.0	<1.0	<1.0	<1.0	<1.0	<10
	07/23/97	12	<1.0	<1.0	14	<10	<1.0	<1.0	<1.0	<1.0	9.8	<10
	08/05/97	18	<1.0	1.2	31	<10	1.0	<1.0	<1.0	<1.0	23	<10
	08/20/97	12	<1.0	<1.0	2.1	<10	<1.0	<1.0	<1.0	<1.0	<1.0	<10
	09/04/97	19	<1.0	1.6	32	<10	1.6	<1.0	<1.0	<1.0	33	<10
	09/16/97	19	<1.0	1.8	40	<10	1.5	<1.0	<1.0	<1.0	38	<10
	09/28/98	17	< 0.5	1.6	4.5	nm	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	nm
	10/20/98	17	< 0.5	< 0.5	3.7	nm	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	nm
	03/04/99	11	< 0.5	< 0.5	2.1	nm	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	nm
	07/15/99	14	< 0.5	< 0.5	2.3	nm	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	nm
	06/22/00	8.5	<0.5	<0.5	2.7	nr	<0.5	<0.5	<0.5	<0.5	<0.5	nr

BOE-C6-0210118

Table 4-1
SUMMARY OF GROUNDWATER ANALYTICAL DATA - MAJOR CONSTITUENTS WCC-6S
GROUNDWATER STATUS REPORT
BOEING REALTY CORPORATION, FORMER C-6 FACILITY
LOS ANGELES, CALIFORNIA
K/J 004020.00

COMPOUNDS DETECTED BY EPA METHOD 8240 OR EPA METHOD 8240/8260 - All results in ug/l.

WELL I.D.	SAMPLE DATE	1,1-DCE	1,1,-DCA	1,1,1-TCA	TCE	MIBK	cis-1,2-DCE	trans-1,2-DCE	CHLOROFORM	BENZENE	TOLUENE	MEK
WCC-6S	10/06/89	210	4.0	130	140	<5	12	7.0	<1	<1	<1	-
	11/16/91	5,800		5,000		17,000	-	-	-	-	35,000	21,000
	06/17/92	5,400	<500	2,100	3,000	7,600	<500	<500	<500	<500	15,000	6,300
	09/23/92	5,900	94	1,300	3,100	7,500	200	170	20	67	10,000	3,600
	12/09/92	3,700	80	680	2,700	3,400	200	100	<50	80	5,000	3,000
Dup	12/09/92	5,600	<100	1,400	3,200	<500	200	200	<100	<100	10,000	5,000
	03/17/93	3,200	50	1,200	1,400	3,900	<10	80	15	40	10,000	3,800
	06/08/93	5,500	<100	1,900	2,100	13,000	260	120	<100	<100	21,000	7,800
	08/25/93	5,400	<100	2,100	1,900	11,000	630	130	<100	<100	19,000	7,600
	11/19/93	2,200	42	440	670	4,700	480		<10	24	4,900	3,100
	02/24/94	11,000	91	2,200	1,800	13,000	1,400	140	21	52	20,000	4,400
	06/13/94	5,800	87	1,800	1,400	4,400	1,600	130	18	52	12,000	1,400
Dup	06/13/94	6,300	<100	1,500	1,300	5,200	1,400	100	<100	<100	<13000	<2000
	09/09/94	Not sampled; well head obstructed										
	12/22/94	9,100	<200	1,300	1,900	4,800	2,500	<200	<200	<200	16,000	<4,000
	03/14/95	3,000	38	200	930	390	850	60	<20	25	2,300	<400
	06/13/95	9,800	130	810	510	450	4,200	180	28	82	8,400	<400
	09/07/95	4,300	55	370	620	240	2,400	83	14	50	2,900	12
Dup	09/07/95	3,800	70	310	520	180	2,200	99	19	56	2,500	11
	12/16/95	11,000	120	1,400	2,000	nr	2,600	160	28	66	4,900	nr
	03/04/96	8,300	93	1,600	2,000	350	2,000	140	<50	56	3,900	340
	06/07/96	9,300	88	1,700	2,400	nr	3,000	120	<25	54	6,500	960
	09/19/96	8,800	<250	890	2,000	<2500	1,800	250	<250	<250	4,000	<2500
Dup	09/19/96	8,800	110	950	2,200	<100	1,800	160	<100	<100	4,300	<1000
	12/19/96	7,000	<100	680	2,200	<1000	880	100	<100	<100	2,600	<1000
Dup	12/19/96	8,300	<100	820	2,600	<1000	1,000	130	<100	<100	3,000	<1000
	05/09/97	6,800	<100	720	1,900	<1000	1,100	<100	<100	<100	1,800	<1000
Dup	05/09/97	7,000	<100	740	2,000	<1000	1,200	120	<100	<100	1,800	<1000
	07/08/97	3,600	<100	410	950	<1000	540	<100	<100	<100	2,400	<1000
	07/24/97	2,700	<100	320	820	<1000	510	<100	<100	<100	1,600	<1000
	08/06/97	7,700	<100	630	2,100	<1000	1,400	110	<100	<100	3,100	<1000
	09/18/97	5,500	<100	500	1,600	<1000	910	<100	<100	<100	1,800	<1000
	09/23/98	2,800	16	38	1,500	nr	210	22	< 12.5	< 12.5	< 12.5	nr
	10/22/98	2800	20	19	1700	nr	100	33	< 10	12	< 10	nr
	03/06/99	9,500	110	300	5,000	nr	510	140	< 50	51	760	nr
	07/16/99	7300	94	390	3000	nr	1000	130	< 50	< 50	860	nr
	06/26/00	5,300	76	1,600	1,500	nr	2,000	91	<25	43	4,700	nr

BOE-C6-0210119

Table 4-1
SUMMARY OF GROUNDWATER ANALYTICAL DATA - MAJOR CONSTITUENTS WCC-7S
GROUNDWATER STATUS REPORT
BOEING REALTY CORPORATION, FORMER C-6 FACILITY
LOS ANGELES, CALIFORNIA
K/J 004020.00

COMPOUNDS DETECTED BY EPA METHOD 8240 OR EPA METHOD 8240/8260 - All results in ug/l.

WELL I.D.	SAMPLE DATE	1,1-DCE	1,1,-DCA	1,1,1-TCA	TCE	MIBK	cis-1,2-DCE	trans-1,2-DCE	CHLOROFORM	BENZENE	TOLUENE	MEK
WCC-7S	07/13/89	850	<10	110	1,300	<50	26	11	<10	<10	<10	-
	08/23/89	1,100	<30	66	1,400	<100	31	<30	<30	<30	<30	-
	11/18/91	390	-	-	1,200	-	-	-	-	-	-	-
	06/17/92	230	<5	<5	560	<10	<5	<5	<5	<5	<5	<10
	09/23/92	140	<5	<5	570	<30	<5	<5	<5	<5	<5	<30
	12/08/92	140	<5	<5	430	<30	<5	<5	<5	<5	<5	<30
	03/17/93	77	<2	<2	200	<5	4	<2	<2	<2	<2	<10
	06/07/93	120	<2	<2	330	<20	4	<2	<2	<2	<2	<40
	08/25/93	70	<4	<4	210	<40	4	<4	<4	<4	<4	<80
	11/19/93	56	<2	<2	130	<20	<2	<2	<2	<2	<2	<40
	02/24/94	75	<2	<2	140	<20	2.5	<2	<2	<2	<2	<40
	06/13/94	58	<2	<2	110	<20	3	<2	<2	<2	<2	<40
	09/08/94	50	13	<2	250	<20	<2	<2	<2	<2	<2	<40
	12/22/94	94	<2	<2	94	<20	<2	<2	<2	<2	<2	<40
	03/14/95	53	<2	<2	84	<20	<2	<2	<2	<2	<2	<40
	06/13/95	110	<2	2	230	<20	<2	<2	<2	<2	<2	<40
Dup	06/13/95	98	<2	<2	220	<20	<2	<2	<2	<2	<2	<40
	09/07/95	150	<5	<5	200	<10	<5	<5	<5	<5	<5	<10
	12/15/95	98	<2	<2	140	nr	<2	<2	<2	<2	<2	nr
	03/01/96	91	<5	<5	120	<10	<5	<5	<5	<5	<5	<10
	06/07/96	100	<5	<5	130	<10	<5	<5	<5	<5	<5	<10
	09/19/96	120	<2	<2	150	<20	<2	<2	<2	<2	<2	<20
	12/18/96	99	<2	<2	130	<20	<2	<2	<2	<2	<2	<20
	05/08/97	120	<2.5	<2.5	140	<25	<2.5	<2.5	<2.5	<2.5	<2.5	<25
	07/02/97	130	<2.0	<2.0	150	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<20
	07/24/97	67	<2.0	<2.0	130	<20	<2.0	<2.0	<2.0	<2.0	8	<20
	08/06/97	130	<2.0	<2.0	160	<20	<2.0	<2.0	<2.0	<2.0	18	<20
	08/21/97	120	<2.0	<2.0	140	<20	<2.0	<2.0	<2.0	<2.0	<2.0	<20
	09/04/97	120	3.1	<2.5	150	<25	<2.5	<2.5	<2.5	<2.5	17	<25
	09/17/97	110	<2.5	<2.5	160	<25	<2.5	<2.5	<2.5	<2.5	21	<25
	09/28/98	300	1.4	< 1.25	250	nr	< 1.25	< 1.25	< 1.25	< 1.25	< 1.25	nr
	10/21/98	300	1	< 1	240	nr	1	< 1	< 1	< 1	< 1	nr
	03/04/99	160	< 1	< 1	170	nr	1.1	< 1	< 1	< 1	< 1	nr
	07/14/99	32	< 1	< 1	120	nr	9.3	< 1	< 1	< 1	< 1	nr
	06/22/00	190	1.1	<0.5	170	nr	1.1	<0.5	0.67	<0.5	<0.5	nr

BOE-C6-0210120

Table 4-1
SUMMARY OF GROUNDWATER ANALYTICAL DATA - MAJOR CONSTITUENTS WCC-8S
GROUNDWATER STATUS REPORT
BOEING REALTY CORPORATION, FORMER C-6 FACILITY
LOS ANGELES, CALIFORNIA
K/J 004020.00

COMPOUNDS DETECTED BY EPA METHOD 8240 OR EPA METHOD 8240/8260 - All results in ug/l.

WELL I.D.	SAMPLE DATE	1,1-DCE	1,1,-DCA	1,1,1-TCA	TCE	MIBK	cis-1,2-DCE	trans-1,2-DCE	CHLOROFORM	BENZENE	TOLUENE	MEK
WCC-8S	07/13/89	430	<5	160	240	<30	7	9	<5	<5	<5	-
	08/23/89	820	<5	130	430	<30	7	<5	<5	<5	<5	-
	11/15/91	2,600	-	400	3,000	-	40	40	25	-	120	-
	06/17/92	2,200	<25	180	2,400	<50	<25	<25	<25	<25	<25	<50
Dup	06/17/92	2,300	<50	180	2,600	<100	<50	<50	<50	<50	<50	<100
	09/23/92	2,800	<20	200	3,100	<100	<20	20	20	<20	<20	<100
	12/08/92	2,000	<20	100	2,500	<100	20	30	20	20	<20	<100
	03/17/93	1,800	11	180	1,500	<5	15	26	10	15	<2	<10
	06/08/93	3,000	<20	300	2,000	<200	<20	40	<20	<20	<20	<400
	08/25/93	3,100	<20	330	2,200	<200	<20	45	<20	<20	<20	<400
	11/19/96	3,300	<20	330	2,000	<200	<20	50	<20	24	<20	<400
	02/24/94	3,400	<20	300	1,200	<200	<20	35	<20	<20	<20	<400
	06/13/94	4,000	<40	290	2,200	<400	<40	44	<40	<40	<40	<800
	09/09/94	4,600	<50	280	3,100	<500	<50	<50	<50	<50	<50	<1000
	12/22/94	4,000	<20	230	2,100	<200	<20	43	<20	25	<20	<400
	03/14/95	4,500	<40	220	2,600	<400	<40	41	<40	<40	<40	<800
	06/13/95	4,200	<40	150	2,400	<400	<40	<40	<40	<40	<40	<800
	09/07/95	2,200	10	110	1,700	<10	15	28	9	22	<5	<10
	12/15/95	4,200	16	120	2,300	nr	18	40	<2	10	<2	nr
	03/01/96	3,500	<20	120	2,100	<40	<20	40	<2Q	<20	<20	<40
Dup	03/01/96	3,600	<20	120	2,200	<40	<20	41	<20	<20	<20	<40
	06/07/96	3,300	11	91	2,000	nr	12	32	10	<5	<5	<10
	09/19/96	3,400	<50	59	1,900	<500	<50	<50	<50	<50	<50	<500
	12/18/96	3,000	<50	61	2,000	<500	<50	<50	<50	<50	<50	<500
	05/08/97	2,600	<50	<50	1,600	<500	<50	51	<50	<50	<50	<500
	07/08/97	3200	<50	<50	1900	<500	<50	<50	<50	<50	<50	<500
	07/24/97	2500	<50	<50	1900	<500	<50	<50	<50	<50	<50	<500
	08/06/97	130	<2.5	<2.5	160	<25	<2.5	<2.5	<2.5	<2.5	18	<25
	08/22/97	2800	<50	<50	1900	<500	<50	<50	<50	<50	<50	<500
	09/05/97	2500	<50	<50	1600	<500	<50	<50	<50	<50	<50	<500
	09/17/97	2600	<50	<50	1800	<500	<50	<50	<50	<50	<50	<500

BOE-C6-0210121

Table 4-1
SUMMARY OF GROUNDWATER ANALYTICAL DATA - MAJOR CONSTITUENTS WCC-9S
GROUNDWATER STATUS REPORT
BOEING REALTY CORPORATION, FORMER C-6 FACILITY
LOS ANGELES, CALIFORNIA
K/J 004020.00

COMPOUNDS DETECTED BY EPA METHOD 8240 OR EPA METHOD 8240/8260 - All results in ug/l.

WELL I.D.	SAMPLE DATE	1,1-DCE	1,1,-DCA	1,1,1-TCA	TCE	MIBK	cis-1,2-DCE	trans-1,2-DCE	CHLOROFORM	BENZENE	TOLUENE	MEK
WCC-9S	10/06/89	<1	<1	<1	15	<5	7	<1	<1	<1	<1	-
	11/19/91	-	-	-	20	-	-	-	-	-	-	-
	06/15/92	7	<5	<5	42	<10	<5	<5	<5	<5	<5	<10
	09/21/92	6	<1	<1	45	<5	2	<1	6	<1	<1	<5
	12/07/92	10	<1	<1	51	<5	<1	<1	12	<1	<1	<5
	03/16/93	6	<2	<2	23	<5	3	<2	11	<2	<2	<10
	06/07/93	11	<2	<2	42	<20	<2	<2	18	<2	<2	<40
Dup	06/07/93	11	<2	<2	39	<20	<20	<20	17	<2	<2	<40
	08/24/93	5	<2	<2	26	<20	4	<2	<2	<2	<2	<40
	11/18/93	5	<2	<2	43	<20	<2	<2	7	<2	<2	<40
	02/23/94	<4	<2	<2	31	<20	2	<2	4	<2	<2	<40
	06/10/94	<4	<2	<2	28	<20	4	<2	3	<2	<2	<40
	09/08/94	<4	<2	<2	38	<20	3	<2	4	<2	<2	<40
	12/21/94	<4	<2	<2	22	<20	3	<2	3	<2	<2	<40
Dup	12/21/94	<4	<2	<2	26	<20	3	<2	3	<2	<2	<40
	03/13/95	7	<2	<2	56	<20	<2	<2	8	<2	<2	<40
	06/12/95	<4	<2	<2	23	<20	<2	<2	6	<2	<2	<40
Dup	06/12/95	<4	<2	<2	21	<20	<2	<2	6	<2	<2	<40
	09/06/95	11	<5	<5	64	<10	<5	<5	19	<5	<5	<10
	12/12/95	4	<2	<2	18	nr	3	<2	4	<2	<2	nr
	02/29/96	<5	<5	<5	17	<10	<5	<5	<5	<5	<5	<10
	06/06/96	<5	<5	<5	15	nr	<5	<5	<5	<5	<5	<10
	09/18/96	2.2	<1	<1	17	<10	2.9	<1	3.9	<1	<1	<10
	12/17/96	2.8	<1	<1	18	<10	2.8	<1	3.5	<1	<1	<10
	05/07/97	2.4	<1	<1	16	<10	3.0	<1	3.5	<1	<1	<10
	07/02/97	4.4	<1.0	<1.0	29	<10	1.9	6.7	<1.0	<1.0	<1.0	<10
	07/23/97	7.6	<1.0	<1.0	43	<10	2.0	7.6	<1.0	<1.0	12	<10
	08/05/97	9.9	<1.0	<1.0	51	<10	2.6	<1.0	8.2	<1.0	20	<10
Dup	08/05/97	3.5	<1.0	<1.0	20	<10	1.3	<1.0	<1.0	<1.0	16	<10
	08/20/97	6.0	<1.0	<1.0	31	<10	2.0	9.0	<1.0	<1.0	<1.0	<10
	09/04/97	9.8	<1.0	<1.0	48	<10	2.4	8.2	<1.0	<1.0	24	<10
	09/16/97	10	1.3	<1.0	58	<10	2.4	8.1	<1.0	<1.0	29	<10
Dup	09/16/97	11	<1.0	1.4	59	<10	2.4	<1.0	8.0	<1.0	30	<10
	09/23/98	17	< 1	3.5	130	nr	< 1	< 1	12	< 1	< 1	nr
	10/21/98	14	< 0.5	< 0.5	120	nr	< 0.5	< 0.5	20	< 0.5	< 0.5	nr
	03/02/99	7.3	< 0.5	< 0.5	44	nr	2	< 0.5	14	< 0.5	< 0.5	nr
	07/13/99	12	< 0.5	< 0.5	56	na	2.2	< 0.5	24	< 0.5	< 0.5	na
	06/20/00	14	<0.5	<0.5	78	nr	<0.5	<0.5	49	<0.5	<0.5	nr

BOE-C6-0210122

Table 4-1
SUMMARY OF GROUNDWATER ANALYTICAL DATA - MAJOR CONSTITUENTS WCC-10S
GROUNDWATER STATUS REPORT
BOEING REALTY CORPORATION, FORMER C-6 FACILITY
LOS ANGELES, CALIFORNIA
K/J 004020.00

COMPOUNDS DETECTED BY EPA METHOD 8240 OR EPA METHOD 8240/8260 - All results in ug/l.

WELL I.D.	SAMPLE DATE	1,1-DCE	1,1,-DCA	1,1,1-TCA	TCE	MIBK	cis-1,2-DCE	trans-1,2-DCE	CHLOROFORM	BENZENE	TOLUENE	MEK
WCC-10S	07/13/89	2	<1	<1	86	<5	<1	<1	3	<1	<1	-
Dup	07/13/89	1	<1	<1	87	,5	<1	<1	3	<1	<1	-
	08/23/89	4	<1	<1	81	5	<1	<1	4	<1	<1	-
	11/20/91	-	-	-	87	-	-	-	-	-	-	-
	06/16/92	10	<5	<5	120	<10	<5	<5	<5	<5	<5	13
	09/21/92	9	<1	<1	120	<5	<1	<1	4	<1	<1	<5
Dup	09/21/92	9	<1	<1	110	<5	<1	<1	4	<1	<1	<5
	12/08/92	8	<1	<1	110	<5	<1	<1	5	<1	<1	<5
	03/16/93	9	<2	<2	130	<5	<2	<2	6	<2	<2	<10
	06/07/93	13	<2	<2	120	<20	<2	<2	4	<2	<2	<40
	08/25/93	<4	<2	<2	120	<20	<2	<2	<2	<2	<2	<40
	11/19/93	9	<2	<2	82	<20	<2	<2	2	<2	<2	<40
	02/23/94	10	<2	<2	110	<20	<2	<2	5	<2	<2	<40
	06/10/94	17	<2	<2	120	<20	<2	<2	4	<2	<2	<40
	09/08/94	17	<2	<2	130	<20	<2	<2	<2	<2	<2	<40
Dup	12/22/94	14	<2	<2	99	<20	<2	<2	3	<2	<2	<40
Dup	12/22/94	13	<2	<2	94	<20	<2	<2	3	<2	<2	<40
	03/13/95	19	<2	<2	120	<20	<2	<2	2	<2	<2	<40
Dup	03/13/95	19	<2	<2	120	<20	<2	<2	2	<2	<2	<40
	06/12/95	20	<2	<2	140	<20	<2	<2	2	<2	<2	
	09/06/95	27	<5	<5	160	<10	<5	<5	<5	<5	<5	<10
	12/16/95	23	<2	<2	135	nr	<2	<2	4	<2	<2	nr
	03/01/96	20	<5	<5	120	<10	<5	<5	<5	<5	<5	<10
	06/06/96	22	<5	<5	140	nr	<5	<5	<5	<5	<5	<10
	09/19/96	22	<2	<2	120	<20	<2	<2	2.5	<2	<2	<20
	12/18/96	Well covered.										
	05/07/97	29	<2.5	<2.5	160	<25	<2.5	<2.5	3.2	<2.5	<2.5	<25
	07/02/97	25	<2.0	<2.0	140	<20	<2.0	<2.0	2.5	<2.0	<2.0	<20
	07/23/97	26	<2.0	<2.0	150	<20	<2.0	<2.0	2.8	<2.0	10.0	<20
Dup	07/23/97	26	<2.0	<2.0	150	<20	<2.0	<2.0	2.9	<2.0	10.0	<20
	08/05/97	30	<2.5	<2.5	140	<25	<2.5	<2.5	2.6	<2.5	15	<25
	08/21/97	25	<2.0	<2.0	120	<20	<2.0	<2.0	2.6	<2.0	<2.0	<20
	09/04/97	28	<2.5	<2.5	140	<25	<2.5	<2.5	2.7	<2.5	18	<25
	09/17/97	29	<2.5	<2.5	150	<25	<2.5	<2.5	<2.5	<2.5	23	<25
	03/02/99	29.0	<0.5	<0.5	150	nm	0.9	<0.5	2.5	<0.5	<0.5	nm
	04/08/99	29	< 0.5	< 0.5	150	nr	0.92	< 0.5	2.5	< 0.5	< 0.5	nr
	07/14/99	190	< 1	< 1	200	nr	1.3	< 1	< 1	< 1	< 1	nr
	06/22/00	34	0.94	<0.5	160	nr	<0.5	<0.5	2.8	<0.5	<0.5	nr

BOE-C6-0210123

Table 4-1
SUMMARY OF GROUNDWATER ANALYTICAL DATA - MAJOR CONSTITUENTS WCC-11S
GROUNDWATER STATUS REPORT
BOEING REALTY CORPORATION, FORMER C-6 FACILITY
LOS ANGELES, CALIFORNIA
K/J 004020.00

COMPOUNDS DETECTED BY EPA METHOD 8240 OR EPA METHOD 8240/8260 - All results in ug/l.

WELL I.D.	SAMPLE DATE	1,1-DCE	1,1,-DCA	1,1,1-TCA	TCE	MIBK	cis-1,2-DCE	trans-1,2-DCE	CHLOROFORM	BENZENE	TOLUENE	MEK
WCC-11S	11/15/91	10	-	-	80	-	-	-	-	-	-	-
	06/16/92	21	<5	<5	120	<10	<5	<5	<5	<5	<5	<10
	09/21/92	17	<1	<1	140	<5	2	<1	<1	<1	<1	<5
	12/08/92	13	<1	<1	83	<5	6	<1	<1	<1	<1	<5
	03/16/93	25	<2	<2	160	<5	4	<2	<2	<2	<2	<10
	06/07/93	16	<2	<2	110	<20	5	<2	<2	<2	<2	<40
	08/24/93	14	<2	<2	97	<20	4	<2	<2	<2	<2	<40
	11/19/93	14	<2	<2	100	<20	3	<2	<2	<2	<2	<40
Dup	11/19/93	14	<2	<2	100	<20	3	<2	<2	<2	<2	<40
	02/23/94	16	<2	<2	100	<20	4	<2	<2	<2	<2	<40
	06/10/94	16	<2	<2	85	<20	5	<2	<2	<2	<2	<40
	09/08/94	20	<2	<2	140	<20	5	<2	<2	<2	<2	<40
Dup	09/08/94	19	<2	<2	120	<20	6	<2	<2	<2	<2	<40
	12/21/94	26	<2	6	130	<20	4	<2	<2	<2	10	<40
	03/13/95	16	<2	<2	100	<20	6	<2	<2	<2	<2	<40
	06/12/95	22	<2	<2	130	<20	6	<2	<2	<2	<2	<40
	09/06/95	31	<5	<5	190	<10	<5	<5	<5	<5	<5	<10
Dup	09/06/95	30	<5	<5	200	<10	<5	<5	<5	<5	<5	<10
	12/15/95	34	<2	<2	210	nr	5	<2	<2	<2	<2	nr
	03/01/96	30	<5	<5	170	<10	<5	<5	<5	<5	<5	<10
	06/06/96	28	<5	<5	170	nr	<5	<5	<5	<5	<5	<10
Dup	06/06/96	29	<5	<5	170	nr	<5	<5	<5	<5	<5	<10
	09/19/96	22	<5	<5	150	<50	<5	<5	<5	<5	<5	<50
	12/18/96	28	<2	<2	170	<20	6.1	<2	<2	<2	<2	<20
	05/08/97	33	<2.5	<2.5	170	<25	5.1	<2.5	<2.5	<2.5	<2.5	<25
	07/02/97	29	<2.0	<2.0	160	<20	4.4	<2.0	<2.0	<2.0	<2.0	<20
	07/24/97	31	<2.5	<2.5	150	<25	4.9	<2.5	<2.5	<2.5	10	<25
	08/05/97	33	<2.5	<2.5	160	<25	5.2	<2.5	<2.5	<2.5	15	<25
	08/21/97	30	<2.5	<2.5	150	<25	5.0	<2.5	<2.5	<2.5	<2.5	<25
	09/04/97	29	<2.5	<2.5	140	<25	4.7	<2.5	<2.5	<2.5	21	<25
Dup	09/04/97	28	<2.5	<2.5	150	<25	4.5	<2.5	<2.5	<2.5	19	<25
	09/17/97	29	<2.5	<2.5	160	<25	4.9	<2.5	<2.5	<2.5	19	<25
	03/04/99	22	<0.5	<0.5	120	nm	6.9	<0.5	<0.5	<0.5	<0.5	nm
	09/28/98	51	< 1	2.1	230	nr	< 1	< 1	< 1	< 1	< 1	nr
	10/21/98	35	< 1	< 1	140	nr	2	< 1	< 1	< 1	< 1	nr
	07/14/99	38	< 0.5	< 0.5	170	nr	1.2	< 0.5	2.8	< 0.5	< 0.5	nr
	06/22/00	24	<0.5	<0.5	110	nr	11	<0.5	<0.5	<0.5	<0.5	nr

BOE-C6-0210124

Table 4-1
SUMMARY OF GROUNDWATER ANALYTICAL DATA - MAJOR CONSTITUENTS WCC-12S
GROUNDWATER STATUS REPORT
BOEING REALTY CORPORATION, FORMER C-6 FACILITY
LOS ANGELES, CALIFORNIA
K/J 004020.00

COMPOUNDS DETECTED BY EPA METHOD 8240 OR EPA METHOD 8240/8260 - All results in ug/l.

WELL I.D.	SAMPLE DATE	1,1-DCE	1,1,-DCA	1,1,1-TCA	TCE	MIBK	cis-1,2-DCE	trans-1,2-DCE	CHLOROFORM	BENZENE	TOLUENE	MEK
WCC-12S	11/18/91	300	-	17	900	-	-	-	-	-	-	-
	06/16/92	250	<5	<5	660	<10	<5	<5	<5	<5	<5	<10
Dup	06/16/92	260	<5	<5	710	<10	<5	<5	<5	<5	<5	<10
	09/22/92	130	7	1	500	<5	3	<1	3	<1	<1	<5
	12/08/92	160	<5	<5	550	<30	5	<5	<5	<5	<5	<30
	03/17/93	100	7	<2	410	<5	4	8	3	<2	<2	<10
	06/07/93	130	2	<2	370	<20	5	<2	<2	<2	<2	<40
	08/25/93	100	<4	<4	390	<40	<4	<4	<4	<4	9	<80
	11/19/93	45	9	<2	220	<20	<2	<2	<2	<2	<2	<40
	02/24/94	89	8	<2	270	<20	3	<2	<2	<2	<2	<40
Dup	02/24/94	77	8	<2	220	<20	3	<2	<2	<2	<2	<40
	06/13/94	84	15	<2	270	<20	3	<2	2	<2	<2	<40
	09/09/94	97	<2	<2	160	<20	<2	<2	<2	<2	<2	<40
	12/22/94	52	17	<2	190	<20	2	<2	<2	<2	<2	<40
	03/14/95	53	18	<2	230	<20	<2	<2	3	<2	<2	<40
	06/12/95	72	28	<2	330	<20	<2	<2	3	<2	<2	<40
	09/06/95	60	32	<5	300	<10	<5	<5	<5	<5	<5	<10
	12/15/95	44	10	<2	140	nr	3	<2	2	<2	<2	nr
	03/01/96	47	13	<5	150	<10	<5	<5	<5	<5	<5	<10
	06/07/96	37	12	<5	140	nr	<5	<5	<5	<5	<5	<10
	09/19/96	48	15	<2	150	<20	2.5	<2	2.2	<2	<2	<20
	12/18/96	43	16	<2	150	<20	2.5	<2	2.0	<2	<2	<20
	05/08/97	47	16	<2.5	150	<25	2.6	<2.5	<2.5	<2.5	<2.5	<25
	07/02/97	38	14	<2.0	130	<20	2.4	<2.0	<2.0	<2.0	<2.0	<20
Dup	07/02/97	38	14	<2.0	130	<20	2.4	<2.0	<2.0	<2.0	<2.0	<20
	07/23/97	34	14	<2.0	140	<20	2.2	<2.0	<2.0	<2.0	9.2	<20
	08/06/97	42	14	<2.0	140	<20	2.8	<2.0	<2.0	<2.0	20	<20
	08/21/97	39	13	<2.0	120	<20	2.4	<2.0	2.0	<2.0	<2.0	<20
	09/04/97	37	18	<2.5	130	<25	2.9	<2.5	<2.5	<2.5	20	<25
	09/17/97	40	13	<2.5	150	<25	3.0	<2.5	<2.5	<2.5	27	<25
	09/23/98	120	130	< 2.5	600	<25	3.8	< 2.5	10	< 2.5	< 2.5	<25
Dup	09/23/98	34	11	< 2.5	120	<25	< 2.5	< 2.5	< 2.5	< 2.5	23	<25
	10/21/98	120	110	< 2.5	530	nr	3	< 2.5	9	< 2.5	< 2.5	nr
	03/02/99	46	19	< 0.5	140	nr	2.5	< 0.5	1.9	< 0.5	< 0.5	nr
	07/13/99	49	20	< 0.5	130	nr	3	< 0.5	1.9	< 0.5	< 0.5	nr
	06/21/00	47	24	<0.5	160	nr	1.9	<0.5	2.8	<0.5	<0.5	nr

BOE-C6-0210125

Table 4-1
SUMMARY OF GROUNDWATER ANALYTICAL DATA - MAJOR CONSTITUENTS DAC-P1
GROUNDWATER STATUS REPORT
BOEING REALTY CORPORATION, FORMER C-6 FACILITY
LOS ANGELES, CALIFORNIA
K/J 004020.00

COMPOUNDS DETECTED BY EPA METHOD 8240 OR EPA METHOD 8240/8260 - All results in ug/l.

WELL I.D.	SAMPLE DATE	1,1-DCE	1,1,-DCA	1,1,1-TCA	TCE	MIBK	cis-1,2-DCE	trans-1,2-DCE	CHLOROFORM	BENZENE	TOLUENE	MEK
DAC-P1	10/09/89	<200	<200	<200	17,000	<1,000	<200	<200	85	<200	<200	<1,000
	06/17/92	<5	<5	<5	21,000	<10	13	<5	10	<5	<5	<10
	06/23/92	4	<1	<1	28,000	<5	71	1	54	5	<1	<5
Dup	06/23/92	4	<1	<	28,000	<5	70	2	51	5	<1	<5
	12/09/92	<300	<500	<500	29,000	<3,000	<500	<500	<500	<500	<500	<3,000
	03/18/93	21	<2	44	21,000	7	68	2	44	5	260	<10
	06/08/93	<200	<100	<100	28,000	<1,000	<100	<100	<100	<100	130	<2,000
	08/25/93	<400	<200	<200	27,000	<2,000	<200	<200	<200	<200	300	<4,000
	11/19/93	<40	<20	<20	24,000	<200	81	<20	52	<20	<20	<400
	02/24/94	<40	<20	<20	20,000	<200	89	<20	47	<20	<20	<400
	06/13/94	<40	<20	<20	20,000	<200	92	<20	46	<20	<20	<400
	09/09/94	<400	<200	<200	18,000	<2,000	<200	<200	<200	<200	<200	<4,000
	12/22/94	<400	<200	<200	11,000	<2,000	<200	<200	<200	<200	<200	<4,000
	03/14/95	<400	<200	<200	21,000	<2,000	<200	<200	<200	<200	<200	<4,000
	06/13/95	<400	<200	<200	18,000	<2000	<200	<200	<200	<200	<200	<4,000
	09/07/95	12	<5	<5	13,000	<10	89	<5	33	<5	53	<10
	12/16/95	120	2	38	20,000	nr	130	5	45	5	680	nr
	03/04/96	100	<100	<100	15,000	<200	100	<100	<100	<100	260	<200
	03/04/96	100	<100	<100	16,000	<200	100	<100	<100	<100	250	<200
	06/07/96	190	<50	<50	13,000	nr	95	<50	<50	<50	490	<100
Dup	06/07/96	180	<25	45	12,000	nr	95	<25	29	<25	490	<50
	09/19/96	350	<250	<250	15,000	<2,500	<250	<250	<250	<250	740	<2,500
	12/19/96	<500	<500	<500	15,000	<5,000	<500	<500	<500	<500	610	<5,000
	05/09/97	<250	<250	<250	15,000	<2,500	<250	<250	<250	<250	<250	<2,500
	07/08/97	<250	<250	<250	13,000	<2,500	<250	<250	<250	<250	450	<2,500
	07/24/97	<50	<50	<50	3,200	<500	<50	<50	<50	<50	110	<500
	08/06/97	<250	<250	<250	15,000	<2,500	<250	<250	<250	<250	460	<2,500
	08/22/97	470	<250	<250	17,000	<2,500	<250	<250	<250	<250	1,300	<2,500
	09/05/97	270	<250	<250	15,000	<2,500	<250	<250	<250	<250	810	<2,500
	09/18/97	<250	<250	<250	14,000	<2,500	<250	<250	<250	<250	540	<2,500
	04/08/99	< 50	< 50	< 50	14,000	nr	69	< 50	< 50	< 50	< 50	nr
	07/16/99	< 125	< 125	< 125	18,000	nr	< 125	< 125	< 125	< 125	< 125	nr
	06/26/00	<50	<50	<50	14,000	<50	79	<50	<50	<50	<50	nr

BOE-C6-0210126

Table 4-1
SUMMARY OF GROUNDWATER ANALYTICAL DATA - MAJOR CONSTITUENTS WCC-1D
GROUNDWATER STATUS REPORT
BOEING REALTY CORPORATION, FORMER C-6 FACILITY
LOS ANGELES, CALIFORNIA
K/J 004020.00

COMPOUNDS DETECTED BY EPA METHOD 8240 OR EPA METHOD 8240/8260 - All results in ug/l.

WELL I.D.	SAMPLE DATE	1,1-DCE	1,1,-DCA	1,1,1-TCA	TCE	MIBK	cis-1,2-DCE	trans-1,2-DCE	CHLOROFORM	BENZENE	TOLUENE	MEK
WCC-1D	07/25/89	<1	<1	<1	2	<5	1	<1	<1	<1	1	-
	08/23/89	<1	<1	1	2	<5	<1	<1	<1	<1	<1	-
	11/15/91	90	-	8	40	-	-	-	-	-	20	-
	06/15/92	1,500	<25	63	230	<50	<25	<25	<25	<25	<25	<50
Dup	06/15/92	1,300	<25	64	210	<65	<25	<25	<25	<25	<25	<50
	09/22/92	180	<1	8	44	<5	2	<1	<1	<1	<1	<5
	12/07/92	160/150	<1	8	41	<5	2	<1	1	<1	<1	<5
Dup	12/07/92	150	<1	160	6	<5	<1	<1	1	<1	3	<5
	03/16/93	200	<2	19	23	<5	3	<2	<2	<2	<2	<10
	06/08/93	500	<10	<14	71	<100	<10	<10	<10	<10	<10	<200
Dup	06/08/93	480	<4	17	72	<40	<4	<4	<4	<4	<4	<80
	08/24/93	540	<2	16	67	<20	3	2	<2	<2	2	<40
	11/18/93	880	<2	16	110	<20	3	3	<2	<2	<2	<40
	2/23/94	140	<2	3	14	<20	<2	<2	<2	<2	<2	<40
	6/10/94	230	<2	4	24	<20	<2	<2	<2	<2	<2	<40
	09/08/94	210	<2	4	37	<20	<2	<2	<2	<2	<2	<40
	12/22/94	600	<2	10	71	<20	2	2	<2	<2	2	<40
	3/13/95	240	<4	<4	38	<40	<4	<4	<4	<4	<4	<80
	06/13/95	170	<2	<2	21	<20	2	<2	<2	<2	<2	<40
	09/03/95	150	<5	<5	29	<10	<5	<5	<5	<5	<5	<10
	12/16/95	12	<2	<2	23	nr	3	<2	<2	<2	<2	nr
	02/29/96	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<10
Dup	02/29/96	<5	<5	<5	<5	<10	<5	<5	<5	<5	<5	<10
	06/06/96	<5	<5	<5	<5	nr	<5	<5	<5	<5	<5	<10
	09/18/96	<1	<1	<1	3.5	<10	1.3	<1	<1	<1	<1	<10
Dup	09/18/96	<1	<1	<	3.6	<10	1.4	<1	<1	<	<1	<10
	12/18/96	<1	<1	<1	3.5	<10	1.4	<1	<1	<1	<1	<10
	05/07/97	<1	<1	<1	3.1	<10	1.2	<1	<1	<1	<1	<10
	07/08/97	<1.0	<1.0	<1.0	3.3	<10	1.1	<1.0	<1.0	<1.0	<1.0	<10
	07/23/97	2.1	<1.0	<1.0	14.0	<10	1.2	<1.0	<1.0	<1.0	7.5	<10
	08/05/97	3.4	<1.0	<1.0	20	<10	1.3	<1.0	<1.0	<1.0	14	<10
	08/20/97	<1.0	<1.0	<1.0	2.6	<10	<1.0	<1.0	<1.0	<1.0	<1.0	<10
	09/04/97	6.3	<1.0	1.2	25	<10	1.6	<1.0	<1.0	<1.0	27	<10
	09/17/97	6.0	<1.0	1.2	28	<10	1.5	<1.0	<1.0	<1.0	26	<10

BOE-C6-0210127

Table 4-1
SUMMARY OF GROUNDWATER ANALYTICAL DATA - MAJOR CONSTITUENTS WCC-3D
GROUNDWATER STATUS REPORT
BOEING REALTY CORPORATION, FORMER C-6 FACILITY
LOS ANGELES, CALIFORNIA
K/J 004020.00

COMPOUNDS DETECTED BY EPA METHOD 8240 OR EPA METHOD 8240/8260 - All results in ug/l.

WELL I.D.	SAMPLE DATE	1,1-DCE	1,1,-DCA	1,1,1-TCA	TCE	MIBK	cis-1,2-DCE	trans-1,2-DCE	CHLOROFORM	BENZENE	TOLUENE	MEK
WCC-3D	07/25/89	<1	<1	49	4	<5	11	<1	<1	<1	3	-
	08/23/89	<10	<10	32	<10	<50	<10	<10	<10	<10	<10	-
	11/14/91	20	-	60	-	-	-	-	-	-	-	-
	06/16/92	510	<5	880	23	<10	<5	<5	<5	<5	8	<10
	09/22/92	21	<1	27	2	<5	<1	<1	<1	<1	<1	<5
	12/07/92	120	<1	130	5	<5	<1	<1	1	<1	3	<5
	03/16/93	950	6	2,000	50	<5	2	9	<2	<2	6	<10
Dup	03/16/93	1,000	6	2,000	47	<5	2	9	<2	<2	6	<10
	06/08/93	110	<2	110	6	<20	<2	<2	<2	<2	<2	<40
	08/24/93	120	<2	100	5	<20	<2	<2	<2	<2	3	<40
	11/18/93	610	<2	410	17	<20	<2	4	<2	<2	6	<40
Dup	11/18/93	840	<4	640	23	<40	4	4	<4	<4	8	<80
Dup	2/23/94	370	<4	530	23	<40	<4	<4	<4	<4	12	<80
	2/23/94	420	,4	590	25	<40	<4	<4	<4	<4	13	<80
	6/13/94	720	<10	1,300	96	<100	<10	<10	<10	<10	<10	<200
	09/09/94	3,700	<50	5,600	490	<500	<50	<50	<50	<50	<50	<1,000
	12/21/94	5,200	10	6,300	540	<40	15	22	<4	9	5,100	<80
	03/14/95	3,300	<40	4,000	370	<400	<40	<40	<40	<40	3,200	<800
Dup	03/14/95	3,200	<20	3,900	380	<200	<20	<20	<20	<20	3,400	<400
	06/13/95	1,800	<10	2,100	200	<100	<10	<10	<10	<10	1,700	<200
	09/07/95	3,400	13	4,100	520	170	60	30	<5	13	4,700	<10
	12/16/95	111	<2	90	32	nr	3	<2	<2	<2	88	nr
	3/04/96	53	<5	40	23	<10	<5	<5	<5	<5	6	<10
	06/07/96	84	<5	59	60	nr	<5	<5	<5	<5	21	<10
	09/19/96	52	<1	24	61	<10	2.2	<1	<1	<1	12	<10
	12/19/96	97	1.3	67	42	<10	5.4	<1	<1	<1	20	<10
	05/08/97	43	<1	11	63	<10	1.7	<1	<1	<1	2.7	<10
	07/08/97	70	<1.0	15	87	<10	2.3	<1.0	<1.0	<1.0	14	<10
Dup	07/08/97	30	<1.0	6	45	<10	1.1	<1.0	<1.0	<1.0	6	<10
	07/24/97	55	<1.0	7.9	79	<10	2.1	<1.0	<1.0	<1.0	12	<10
	07/24/97	53	<1.0	8.5	89	<10	1.9	<1.0	<1.0	<1.0	12	<10
	08/06/97	34	<1.0	8.8	58	<10	2.0	<1.0	<1.0	<1.0	17	<10
Dup	08/06/97	34	<1.0	8.6	56	<10	2.2	<1.0	<1.0	<1.0	17	<10
	08/22/97	61	<1.0	21	70	<10	1.9	<1.0	<1.0	<1.0	21	<10
Dup	08/22/97	60	<1.0	22	72	<10	1.8	<1.0	<1.0	<1.0	22	<10
	09/05/97	53	<1.0	15	66	<10	2.0	<1.0	<1.0	<1.0	29	<10
Dup	09/05/97	48	<1.0	14	63	<10	1.9	<1.0	<1.0	<1.0	27	<10
	09/18/97	35	<1.0	18	47	<10	1.7	<1.0	<1.0	<1.0	32	<10
	09/28/98	1,200	< 5	1,300	62	nr	18	6.1	< 5	< 5	58	nr
	10/21/98	50	< 0.5	54	8	nr	2	< 0.5	< 0.5	< 0.5	27	nr
	03/05/99	32	< 0.5	57	7.9	nr	1.3	< 0.5	< 0.5	< 0.5	44	nr
Dup	03/05/99	28	< 0.5	49	7.7	nr	1.4	< 0.5	< 0.5	< 0.5	37	nr

BOE-C6-0210128

	07/16/99	4.7	< 0.5	6.4	6.2	nr	1.8	< 0.5	< 0.5	< 0.5	1.7	nr
Dup	07/16/99	4.4	< 0.5	5.7	5.8	nr	1.9	< 0.5	< 0.5	< 0.5	1.3	nr
	06/26/00	54	<0.5	50	9.9	nr	2.1	<0.5	<0.5	<0.5	37	nr

BOE-C6-0210129

Table 4-1
SUMMARY OF GROUNDWATER ANALYTICAL DATA - MAJOR CONSTITUENTS TMW-1 THROUGH TMW-7
GROUNDWATER STATUS REPORT
BOEING REALTY CORPORATION, FORMER C-6 FACILITY
LOS ANGELES, CALIFORNIA
K/J 004020.00

COMPOUNDS DETECTED BY EPA METHOD 8240 OR EPA METHOD 8240/8260 - All results in ug/l.

WELL I.D.	SAMPLE DATE	1,1-DCE	1,1,-DCA	1,1,1-TCA	TCE	MIBK	cis-1,2-DCE	trans-1,2-DCE	CHLOROFORM	BENZENE	TOLUENE	MEK
TMW-1	07/15/98	900	< 5	12	540	nr	< 5	< 5	7.1	< 5	< 5	nr
	09/22/98	730	< 5	5.6	410	nr	< 5	< 5	5.4	< 5	< 5	nr
	10/19/98	670	< 2.5	4	370	nr	< 2.5	< 2.5	4.7	< 2.5	< 2.5	nr
	03/05/99	330	< 1.25	1.3	320	nr	< 1.25	< 1.25	4.7	< 1.25	< 1.25	nr
	07/15/99	600	< 2.5	< 2.5.	340	nr	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	nr
	06/23/00	340	<2.5	<2.5	350	nr	<2.5	<2.5	<2.5	<2.5	<2.5	
TMW-2	07/15/98	36,000	< 250	6,900	34,000	nr	710	630	350	< 250	< 250	nr
	09/23/98	34,000	1,500	5,600	31,000	nr	770	650	290	< 250	< 250	nr
	10/20/98	33,000	1,600	5,100	32,000	nr	810	700	270	< 125	< 125	nr
	03/06/99	39,000	1,600	4,300	36,000	nr	660	600	250	< 125	< 125	nr
	07/16/99	43000	1900	2700	32000	nr	1,000	930	280	< 125	< 125	nr
	06/26/00	28,000	1,400	1,900	28,000	nr	850	580	230	<100	480	nr
TMW-3	07/31/98	200	< 50	< 50	8,100	nr	< 50	< 50	< 50	< 50	< 50	nr
	09/22/98	150	< 100	< 100	12,000	nr	< 100	< 100	< 100	< 100	< 100	nr
	10/20/98	330	< 50	< 50	9,900	nr	< 50	< 50	< 50	< 50	< 50	nr
	03/05/99	210	< 50	< 50	8,200	nr	< 50	< 50	< 50	< 50	< 50	nr
	07/15/99	340	< 50	< 50	7800	nr	< 50	< 50	< 50	< 50	< 50	nr
	06/22/00	96	<10	<10	3,500	nr	12	<10	<10	<10	<10	nr
TMW-4	07/14/98	1,500	55	< 25	2,300	nr	110	66	< 25	< 25	< 25	nr
	09/22/98	1,800	47	19	2,600	nr	83	58	21	< 10	< 10	nr
	10/20/98	2,400	56	22	2,900	nr	98	73	20	10	< 10	nr
	03/04/99	2,000	< 50	< 50	2,900	nr	64	54	< 50	< 50	< 50	nr
	07/15/99	2500	42	10	2500	nr	77	64	30	< 10	< 10	nr
	06/22/00	890	22	<5.0	1,700	nr	39	27	17	<5	<5	nr
TMW-5	07/14/98	460	< 25	< 25	3,700	nr	< 25	< 25	< 25	< 25	< 25	nr
	09/22/98	470	< 12.5	< 12.5	3,500	nr	< 12.5	< 12.5	24	< 12.5	< 12.5	nr
	10/19/98	530	< 25	< 25	5,000	nr	< 25	< 25	28	< 25	< 25	nr
	03/04/99	500	< 50	< 50	< 50	nr	< 50	< 50	4,500	< 50	< 50	nr
	07/14/99	710	< 50	< 50	4300	nr	< 50	< 50	< 50	< 50	< 50	nr
	07/15/99	8.6	< 2.5	< 2.5	130	nr	< 2.5	< 2.5	560	< 2.5	< 2.5	nr
	06/22/00	650	<13	<13	4,100	nr	<13	<13	<13	<13	<13	nr
TMW-6	07/14/98	26	< 2.5	< 2.5	490	nr	3.4	< 2.5	550	< 2.5	< 2.5	nr
	09/22/98	11	< 2.5	< 2.5	240	nr	< 2.5	< 2.5	630	< 2.5	< 2.5	nr
	10/19/98	11	< 2.5	< 2.5	210	nr	< 2.5	< 2.5	500	< 2.5	< 2.5	nr
	03/04/99	8.4	< 2.5	< 2.5	170	nr	< 2.5	< 2.5	630	< 2.5	< 2.5	nr
	06/22/00	<2.5	<2.5	<2.5	540	nr	<2.5	<2.5	100	<2.5	<2.5	nr

BOE-C6-0210130

Table 4-1
SUMMARY OF GROUNDWATER ANALYTICAL DATA - MAJOR CONSTITUENTS TMW-8 THROUGH TMW-14
GROUNDWATER STATUS REPORT
BOEING REALTY CORPORATION, FORMER C-6 FACILITY
LOS ANGELES, CALIFORNIA
K/J 004020.00

COMPOUNDS DETECTED BY EPA METHOD 8240 OR EPA METHOD 8240/8260 - All results in ug/l.

WELL I.D.	SAMPLE DATE	1,1-DCE	1,1,-DCA	1,1,1-TCA	TCE	MIBK	cis-1,2-DCE	trans-1,2-DCE	CHLOROFORM	BENZENE	TOLUENE	MEK
TMW-7	07/14/98	3,000	73	20	3,500	nr	120	83	26	40	< 12.5	nr
	09/22/98	1,700	36	< 12.5	2,700	nr	70	48	13	19	< 12.5	nr
	10/20/98	2,400	44	< 10	3,000	nr	89	65	14	23	< 10	nr
	03/05/99	2,200	41	< 12.5	2,900	nr	75	54	13	16	< 12.5	nr
	07/15/99	2100	36	< 12.5	2500	nr	69	57	13	13	< 12.5	nr
	06/23/00	850	<10	<10	2,000	nr	34	24	<10	<10	<10	nr
TMW-8	07/15/98	7,000	96	37	5,700	nr	140	120	38	62	< 25	nr
	09/22/98	2,000	31	< 12.5	2,600	nr	54	40	14	23	< 12.5	nr
	10/20/98	1,300	18	< 10	2,100	nr	32	25	< 10	13	< 10	nr
	03/05/99	3,800	52	< 12.5	3,900	nr	93	71	21	38	< 12.5	nr
	07/15/99	3500	52	< 12.5	3000	nr	92	74	16	27	< 12.5	nr
	06/23/00	2,300	45	<13	2,900	nr	81	56	<13	23	<13	nr
TMW-9	07/14/98	24	< 1	< 1	290	nr	< 1		2.9	< 1	< 1	nr
	09/22/98	14	< 1	< 1	250	nr	< 1	< 1	2	< 1	< 1	nr
	10/19/98	51	< 2.5	< 2.5	420	nr	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	nr
	03/04/99	110	< 5	< 5	760	nr	< 5	< 5	< 5	< 5	< 5	nr
	07/14/99	290	< 5	< 5	1200	nr	< 5	< 5	< 5	< 5	< 5	nr
	06/23/00	220	<5	<5	1,000	nr	<5	<5	<5	<5	<5	nr
TMW-10	03/03/99	< 0.5	< 0.5	< 0.5	3.8	nr	< 0.5	< 0.5	4.2	< 0.5	< 0.5	nr
	07/13/99	0.58	< 0.5	< 0.5	4.4	nr	< 0.5	< 0.5	4.9	< 0.5	< 0.5	nr
	06/20/00	<0.5	<0.5	<0.5	4.1	nr	<0.5	<0.5	4.7	<0.5	<0.5	nr
TMW-11	03/03/99	< 1.25	< 1.25	< 1.25	21	nr	< 1.25	< 1.25	430	< 1.25	< 1.25	nr
	07/13/99	1.5	< 1.25	< 1.25	23	nr	< 1.25	< 1.25	450	< 1.25	< 1.25	nr
	06/20/00	<2.5	<2.5	<2.5	47	nr	<2.5	<2.5	740	<2.5	<2.5	nr
TMW-12	03/03/99	20	< 10	< 10	700	nr	< 10	< 10	3,100	< 20	< 10	nr
	07/13/99	32	< 10	< 10	760	nr	< 10	< 10	2,800	< 20	< 10	nr
	06/21/00	25	<10	<10	440	nr	<10	<10	2,100	<10	<10	nr
TMW-13	03/03/99	< 0.5	< 0.5	< 0.5	120	nr	< 0.5	< 0.5	31	< 0.5	< 0.5	nr
	07/13/99	0.6	< 0.5	< 0.5	116	nr	< 0.5	< 0.5	29	< 0.5	< 0.5	nr
	06/21/00	<0.5	<0.5	<0.5	97	nr	<0.5	<0.5	14	<0.5	<0.5	nr
TMW-14	03/03/99	< 0.5	< 0.5	< 0.5	15	nr	< 0.5	< 0.5	4.6	< 0.5	< 0.5	nr
	07/13/99	< 0.5	< 0.5	< 0.5	13	nr	< 0.5	< 0.5	4.4	< 0.5	< 0.5	nr
	06/21/00	<0.5	<0.5	<0.5	10	nr	<0.5	<0.5	5.8	<0.5	1.3	nr

BOE-C6-0210131

Table 4-1
SUMMARY OF GROUNDWATER ANALYTICAL DATA - MAJOR CONSTITUENTS TMW-15 THROUGH TMW-17
GROUNDWATER STATUS REPORT
BOEING REALTY CORPORATION, FORMER C-6 FACILITY
LOS ANGELES, CALIFORNIA
K/J 004020.00

COMPOUNDS DETECTED BY EPA METHOD 8240 OR EPA METHOD 8240/8260 - All results in ug/l.

WELL I.D.	SAMPLE DATE	1,1-DCE	1,1,-DCA	1,1,1-TCA	TCE	MIBK	cis-1,2-DCE	trans-1,2-DCE	CHLOROFORM	BENZENE	TOLUENE	MEK
TMW-15	03/03/99	0.96	< 0.5	< 0.5	40	nr	< 0.5	< 0.5	12	< 0.5	< 0.5	nr
	07/13/99	1.5	< 0.5	< 0.5	39	nr	< 0.5	< 0.5	11	< 0.5	< 0.5	nr
	06/22/00	1.7	<0.5	<0.5	35	nr	<0.5	<0.5	11	<0.5	<0.5	nr
TMW-16	03/06/99	< 0.5	< 0.5	< 0.5	4.5	nr	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	nr
	07/16/99	< 0.5	< 0.5	< 0.5	2.7	nr	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	nr
	06/26/00	2.7	<0.5	<0.5	2.9	nr	<0.5	<0.5	<0.5	<0.5	6.2	nr
TMW-17	05/20/99	< 0.5	< 0.5	< 0.5	32	nr	< 0.5	< 0.5	1.5	< 0.5	< 0.5	nr
	07/14/99	< 0.5	< 0.5	< 0.5	32	nr	< 0.5	< 0.5	1.6	< 0.5	< 0.5	nr
	01/14/00	< 0.5	< 0.5	< 0.5	25	nr	< 0.5	< 0.5	1.6	< 0.5	<1.0	nr

BOE-C6-0210132

Table 4-2

SUMMARY OF GROUNDWATER ANALYTICAL DATA - MINOR CONSTITUENTS WCC-1S
GROUNDWATER STATUS REPORT
BOEING REALTY CORPORATION, FORMER C-6 FACILITY
LOS ANGELES, CALIFORNIA
K/J 004020.00

COMPOUNDS DETECTED BY EPA METHOD 8240 OR EPA METHOD 8240/8260 - All results in ug/l.

WELL I.D.	SAMPLE DATE	Carbon Tetra-Chloride	1,2-DCA	Ethyl-Benzene	1-Methylethyl benzene	Methylene Chloride	PCE	1,1,2-TCA	Trichloro-fluoromethane	Total Xylenes	Acetone	Carbon Disulfide
WCC-1S	03/27/87	-	-	-	-	-	-	-	-	-	-	-
	04/13/87	-	-	-	-	-	-	-	-	-	-	-
Dup	04/13/87	-	-	-	-	-	-	-	-	-	-	-
	11/12/87	-	-	-	-	-	-	-	-	-	-	-
	07/13/89	-	-	-	-	-	-	-	-	-	-	-
	08/23/89	-	-	-	-	-	-	-	-	-	-	-
	11/18/91	-	-	-	-	-	-	-	-	-	-	-
	06/17/92	-	-	-	-	-	-	-	-	-	<300	-
	09/23/92	<1	<1	<1	<1	4	<1	<1	<1	<1	<5	22
	12/09/92	<30	<30	<30	<30	40	<30	<30	<30	<30	<100	<30
	03/18/93	<5	<2	<2	<2	<10	<2	<2	<5	<2	<10	<5
	06/08/93	<20	<20	<20	<20	<100	<20	<20	<20	<20	<400	<20
	08/25/93	<20	<20	<20	<20	<40	<20	<40	<20	<20	<400	<20
	11/19/93	<20	<20	<20	<20	<100	<20	<40	<20	<20	<400	<20
	02/24/94	<20	<20	<20	<20	<100	<20	<40	<20	<20	<400	<20
	06/13/94	<10	<10	<10	<10	<50	<10	<20	<10	<30	<200	<10
	09/09/94	<40	<40	<40	<40	<200	<40	<80	<40	<120	<800	<40
	12/22/94	<20	<20	<20	<20	<100	<20	<40	<20	<40	<400	<20
	03/14/95	<20	<20	<20	<20	<100	<20	<40	<20	<40	<400	<20
	06/13/95	<20	<20	<20	<20	<100	<20	<40	<20	<20	<400	<20
	09/07/95	<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5
	12/15/95	<2	<2	<2	<2	<2	<2	<2	<2	<4	<2	<2
Dup	12/15/96	<2	<2	<2	<2	<2	<2	<2	<2	<4	<2	<2
	03/04/96	<20	<20	<20	<20	<20	<20	<20	<20	<40	<40	<20
	06/07/96	<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5
	09/19/96	<50	<50	<50	<50	<50	<50	<50	<50	<50	<500	<250
	12/18/96	<50	<50	<50	<50	<50	<50	<50	<50	<50	<500	<250
Dup	12/18/96	<50	<50	<50	<50	<50	<50	<50	<50	<50	<500	<250
	05/08/97	<50	<50	<50	<50	<50	<50	<50	<50	<50	<500	<250
	07/08/97	<50	<50	<50	<50	<50	<50	<50	<50	<50	<500	<250
	07/24/97	<50	<50	<50	<50	<50	<50	<50	<50	<50	<500	<250
	08/06/97	<50	<50	<50	<50	<50	<50	<50	<50	<50	<500	<250
	08/22/97	<50	<50	<50	<50	<50	<50	<50	<50	<50	<500	<250
	09/05/97	<50	<50	<50	<50	<50	<50	<50	<50	<50	<500	<250
	09/17/97	<50	<50	<50	<50	<50	<50	<50	<50	<50	<500	<250
	Well abandoned											

j:004020.00-003

Table 4-2
SUMMARY OF GROUNDWATER ANALYTICAL DATA - MINOR CONSTITUENTS WCC-2S
GROUNDWATER STATUS REPORT
BOEING REALTY CORPORATION, FORMER C-6 FACILITY
LOS ANGELES, CALIFORNIA
K/J 004020.00

COMPOUNDS DETECTED BY EPA METHOD 8240 OR EPA METHOD 8240/8260 - All results in ug/l.

WELL I.D.	SAMPLE DATE	Carbon Tetra-Chloride	1,2-DCA	Ethyl-Benzene	1-Methylethyl benzene	Methylene Chloride	PCE	1,1,2-TCA	Trichloro-fluoromethane	Total Xylenes	Acetone	Carbon Disulfide
WCC-2S	11/02/87	-	-	-	-	-	-	-	-	-	-	-
	11/12/87	-	-	-	-	-	-	-	-	-	-	-
	07/13/89	-	-	-	-	-	-	-	-	-	-	-
	08/23/89	-	-	-	-	-	-	-	-	-	-	-
	11/19/91	-	-	-	-	-	-	-	-	-	-	-
	06/16/92	-	-	-	-	-	-	-	-	-	<10	-
	09/22/92	<1	<1	<1	<1	11	<1	<1	<1	<1	<5	<1
Dup	09/22/92	<1	<1	<1	<1	9	<1	<1	<1	<1	<5	<1
	12/08/92	<1	<1	<1	<1	5	<1	<1	<1	<1	6	<1
Dup	12/08/92	<1	<1	<1	<1	2	<1	<1	<1	<1	<5	<1
	03/17/93	<5	<2	<2	<2	<10	<2	<2	<5	<2	<10	<5
Dup	03/17/93	<5	<2	<2	<2	<10	<2	<2	<5	<2	<10	<5
	06/07/93	<2	<2	<2	<2	<4	<2	<4	<2	<2	<40	<2
	08/24/93	<2	<2	<2	<2	<4	<2	<4	<2	<2	<40	<2
	11/19/93	<2	<2	<2	<2	<10	<2	<4	<2	<2	<40	<2
	02/24/94	<2	<2	<2	<2	<10	<2	<4	<2	<2	<40	<2
	06/10/94	<2	<2	<2	<2	<20	<2	<4	<2	<6	<40	<2
	09/08/94	<2	<2	<2	<2	<10	<2	<4	<2	<6	<40	<2
	12/22/94	<2	<2	<2	<2	<10	<2	<4	<2	<4	<40	<2
	03/13/95	<2	<2	<2	<2	<10	<2	<4	<2	<4	<40	<2
	06/12/95	<2	<2	<2	<2	<10	<2	<4	<2	<2	<40	<2
	09/06/95	<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5
	12/15/95	<2	<2	<2	<2	<2	<2	<2	<2	<4	<2	<2
	03/01/96	<5	<5	<5	<5	<5	<5	<5	<5	<10	<10	<5
	06/06/96	<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5
	09/19/96	<1	<1	<1	1.1	<1	<1	<1	<1	<1	<10	<5
	12/18/96	<2	<2	<2	<2	<2	<2	<2	<2	<2	<20	<10
	05/07/97	<1	<1	<1	<1	<1	<1	<1	<1	<1	<10	<5
Dup	05/07/97	<1	<1	<1	<1	<1	<1	<1	<1	<1	<10	<5
	Well abandoned											

j:004020.00-003

BOE-C6-0210134

Table 4-2
SUMMARY OF GROUNDWATER ANALYTICAL DATA - MINOR CONSTITUENTS WCC-3S
GROUNDWATER STATUS REPORT
BOEING REALTY CORPORATION, FORMER C-6 FACILITY
LOS ANGELES, CALIFORNIA
K/J 004020.00

COMPOUNDS DETECTED BY EPA METHOD 8240 OR EPA METHOD 8240/8260 - All results in ug/l.

WELL I.D.	SAMPLE DATE	Carbon Tetra-Chloride	1,2-DCA	Ethyl-Benzene	1-Methylethyl benzene	Methylene Chloride	PCE	1,1,2-TCA	Trichloro-fluoromethane	Total Xylenes	Acetone	Carbon Disulfide
WCC-3S												
Dup	11/02/87	-	-	-	-	-	-	-	-	-	-	-
	11/12/87	-	-	-	-	-	-	-	-	-	-	-
	07/13/89	-	-	-	-	-	-	-	-	-	-	-
	08/23/89	-	-	-	-	-	-	-	-	-	-	-
	11/14/91	-	-	-	-	-	-	-	-	-	-	-
	06/17/92	-	-	-	-	-	-	-	-	-	<30,000	-
	09/23/92	<500	<500	<500	<500	900	<500	<500	<500	<500	<3,000	<500
	12/09/92	<500	<500	<500	<500	<500	<500	<500	<500	<500	<3,000	<500
	03/18/93	<25	100	<10	<10	<50	<10	55	<25	120	<50	<25
Dup	03/18/93	<25	95	<10	<10	<50	<10	60	<25	110	<50	<25
	06/08/93	<100	<100	<100	<100	<200	<100	<200	<100	<100	<2,000	<100
	08/25/93	<400	<400	<400	<400	<800	<400	<800	<400	<400	<8,000	<400
Dup	08/25/93	<10	86	21	<10	<50	<10	52	<10	154	<200	<10
	11/19/93	<200	<200	<200	<200	<1,000	<200	<200	<200	<200	<4,000	<200
	02/24/94	<200	<200	<200	<200	<1,000	<200	<400	<200	<200	<4,000	<200
	06/13/94	<200	<200	<200	<200	<1000	<200	<400	<200	<600	<4000	<200
	09/09/94	<500	<500	<500	<500	<2500	<500	<1000	<500	<1500	<10000	<500
	09/09/94	<500	<500	<500	<500	<2500	<500	<1000	<500	<1500	<10000	<500
	12/22/94	<200	<200	<200	<200	<1,000	<200	<400	<200	<400	<4,000	<200
	03/14/95	<200	<200	<200	<200	<1,000	<200	<400	<200	<400	<4,000	<200
	06/13/95	<400	<400	<400	<400	<2,000	<400	<800	<400	<400	<8,000	<400
	09/07/95	<5	99	18	<5	23	<5	64	<5	137	39	<5
	12/16/95	<2	41	8	<2	<2	<2	22	<2	42	<2	<2
	03/04/96	<50	<50	<50	<50	<50	<50	<50	<50	<100	<100	<50
	03/04/96	<5	41	7	<5	13	<5	12	<5	37	19	<5
	09/19/96	<500	<500	<500	<500	<500	<500	<500	<500	<500	<5,000	<2,500
	12/19/96	<250	<250	<250	<250	<250	<250	<250	<250	<250	<2,500	<1,200
	05/08/97	<120	<120	<120	<120	<120	<120	<120	<120	<120	<1,200	<620
	05/08/97	<250	<250	<250	<250	<250	<250	<250	<250	<250	<1,200	<1,200
	07/08/97	<250	<250	<250	<250	<250	<250	<250	<250	<250	<2,500	<1,200
	07/24/97	<250	<250	<250	<250	<250	<250	<250	<250	<250	<2,500	<1,200
	08/06/97	<250	<250	<250	<250	<250	<250	<250	<250	<250	<2,500	<1,200
	08/22/97	<250	<250	<250	<250	<250	<250	<250	<250	<250	<2,500	<1,200
	09/05/97	<250	<250	<250	<250	<250	<250	<250	<250	<250	<2,500	<1,200
	09/18/97	<250	<250	<250	<250	<250	<250	<250	<250	<250	<2,500	<1,200
Dup	09/18/97	<250	<250	<250	<250	<250	<250	<250	<250	<250	<2,500	<1,200
	09/23/98	< 250	870	< 250	< 250	< 1250	< 250	< 250	< 250	<500	nr	< 250
	10/22/98	< 250	1100	< 250	< 250	< 1250	< 250	< 250	< 250	<500	nr	< 250
	03/06/99	< 250	500	< 250	< 250	< 1250	< 250	< 250	< 250	<500	nr	< 250
	07/16/99	< 250	780	< 250	< 250	< 1250	< 250	< 250	< 250	<500	nr	< 250
	06/26/00	<125	<125	<125	nr	<625	<125	<125	<125	<250	nr	<125

j:004020.00-003

BOE-C6-0210135

Table 4-2
SUMMARY OF GROUNDWATER ANALYTICAL DATA - MINOR CONSTITUENTS WCC-4S
GROUNDWATER STATUS REPORT
BOEING REALTY CORPORATION, FORMER C-6 FACILITY
LOS ANGELES, CALIFORNIA
K/J 004020.00

COMPOUNDS DETECTED BY EPA METHOD 8240 OR EPA METHOD 8240/8260 - All results in ug/l.

WELL I.D.	SAMPLE DATE	Carbon Tetra-Chloride	1,2-DCA	Ethyl-Benzene	1-Methylethyl benzene	Methylene Chloride	PCE	1,1,2-TCA	Trichloro-fluoromethane	Total Xylenes	Acetone	Carbon Disulfide
WCC-4S	11/02/87	-	-	-	-	-	-	-	-	-	-	-
	11/12/87	-	-	-	-	-	-	-	-	-	-	-
	07/13/89	-	-	-	-	-	-	-	-	-	-	-
	08/23/89	-	-	-	-	-	-	-	-	-	-	-
	11/18/91	-	-	-	-	-	-	-	-	-	-	-
	06/17/92	-	-	-	-	-	-	-	-	-	<150	-
	09/23/92	<10	<10	<10	<10	20	<10	<10	<10	<10	<50	<10
	12/08/92	<10	<10	<10	<10	50	<10	<10	<10	<10	<50	<10
	03/17/93	<5	<2	<2	<2	<10	<2	<2	<5	<2	<10	<5
	06/08/93	<10	<10	<10	<10	<40	<10	<20	<10	<10	<200	<10
	08/25/93	<10	<10	<10	<10	<20	<10	<20	<10	<10	<200	<10
	11/19/93	<4	<4	<4	<4	<20	<4	<8	<4	<4	<80	<4
	02/24/94	<4	<4	<4	<4	<20	<4	<8	<4	<4	<80	<4
	06/14/94	<4	<4	<4	<4	<20	<4	<8	<4	<12	<80	<4
	09/09/94	<20	<20	<20	<20	<100	<20	<40	<20	<60	<400	<20
	12/22/94	<10	<10	<10	<10	<50	<10	<20	<10	<20	<200	<10
	03/14/95	<4	<4	<4	<4	<20	<4	<8	<4	<8	<80	<4
	06/13/95	<6.6	<6.6	<6.6	<6.6	<33	<6.6	<13	<6.6	<6.6	<130	<6.6
	09/07/95	<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5
	12/15/95	<2	<2	<2	<2	<2	<2	<2	<2	<4	<2	<2
	03/04/96	<5	<5	<5	<5	<5	<5	<5	<5	<10	<10	<5
	06/07/96	<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5
	09/19/96	<25	<25	<25	<25	<25	<25	<25	<25	<25	<250	<120
	12/18/96	<25	<25	<25	<25	<25	<25	<25	<25	<25	<250	<120
	05/08/97	<12	<12	<12	<12	<12	<12	<12	<12	<12	<120	<62
	07/08/97	<25	<25	<25	<25	<25	<25	<25	<25	<25	<250	<120
	07/24/97	<25	<25	<25	<25	<25	<25	<25	<25	<25	<250	<120
	08/06/97	<25	<25	<25	<25	<25	<25	<25	<25	<25	<250	<120
	08/22/97	<25	<25	<25	<25	<25	<25	<25	<25	<25	<250	<120
	09/05/97	<25	<25	<25	<25	<25	<25	<25	<25	<25	<250	<120
	09/17/97	<25	<25	<25	<25	<25	<25	<25	<25	<25	<250	<120
	09/28/98	< 2.5	24	< 2.5	< 2.5	< 12.5	< 2.5	18	< 2.5	<5	nr	< 2.5
	10/21/98	< 5	19	< 5	< 5	< 25	< 5	11	< 5	<10	nr	< 5
	03/04/99	< 10	<10	< 10	< 10	< 50	< 10	< 10	< 10	<20	nr	< 10
	07/14/99	< 10	<10	< 10	< 10	< 50	< 10	< 10	< 10	<20	nr	< 10
	06/21/00	< 10	<10	< 10	nr	< 50	< 10	< 10	< 10	<20	nr	< 10

j:004020.00-003

Table 4-2
SUMMARY OF GROUNDWATER ANALYTICAL DATA - MINOR CONSTITUENTS WCC-5S
GROUNDWATER STATUS REPORT
BOEING REALTY CORPORATION, FORMER C-6 FACILITY
LOS ANGELES, CALIFORNIA
K/J 004020.00

COMPOUNDS DETECTED BY EPA METHOD 8240 OR EPA METHOD 8240/8260 - All results in ug/l.

WELL I.D.	SAMPLE DATE	Carbon Tetra-Chloride	1,2-DCA	Ethyl-Benzene	1-Methylethyl benzene	Methylene Chloride	PCE	1,1,2-TCA	Trichloro-fluoromethane	Total Xylenes	Acetone	Carbon Disulfide
WCC-5S	11/30/87	-	-	-	-	-	-	-	-	-	-	-
	01/08/88	-	-	-	-	-	-	-	-	-	-	-
	07/13/89	-	-	-	-	-	-	-	-	-	-	-
	08/23/89	-	-	-	-	-	-	-	-	-	-	-
	11/19/91	-	-	-	-	-	-	-	-	-	-	-
	06/15/92	-	-	-	-	-	-	-	-	-	<10	-
	09/21/92	<1	<1	<1	<1	8	<1	<1	3	<1	<5	<1
	12/07/92	<1	<1	<1	<1	3	<1	<1	<1	<1	<5	<1
	03/16/93	<5	<2	<2	<2	<10	<2	<2	<5	<2	<10	<5
	06/07/93	<2	<2	<2	<2	<4	<4	<2	<2	<2	<40	<2
	08/24/93	<2	<2	<2	<2	<4	<2	<4	<2	<2	<40	<2
	11/18/93	<2	<2	<2	<2	<10	<2	<4	<2	<2	<40	<2
	02/23/94	<2	<2	<2	<2	<10	<2	<4	<2	<2	<40	4
	06/10/94	<2	<2	<2	<2	<20	<2	<4	<2	<6	<40	<2
Dup	06/10/94	<2	<2	<2	<2	<20	<2	<4	<2	<6	<40	<2
	09/08/94	<2	<2	<2	<2	<10	<2	<4	<2	<6	<40	<2
	12/21/94	<2	<2	<2	<2	<10	<2	<4	<2	<4	<40	<2
	03/13/95	<2	<2	<2	<2	<10	<2	<4	<2	<4	<40	<2
	06/12/95	<2	<2	<2	<2	<10	<2	<4	<2	<2	<40	2
	09/06/95	<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5
	12/12/95	<2	<2	<2	<2	<2	<2	<2	<2	<4	<2	<2
	02/29/96	<5	<5	<5	<5	<5	<5	<5	<5	<10	<10	<5
	06/06/96	<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5
	09/18/96	<1	<1	<1	1.2	<1	<1	<1	<1	<1	<10	<5
	12/17/96	<1	<1	<1	2.0	<1	<1	<1	<1	<1	<10	<5
	05/07/97	<1	<1	<1	1.2	<1	<1	<1	<1	<1	<10	<5
	07/02/97	<1	<1	<1	<1	<1	<1	<1	<1	<1	<10	<5
	07/23/97	<1	<1	<1	<1	<1	<1	<1	<1	<1	<10	<5
	08/05/97	<1	<1	<1	1.2	<1	<1	<1	<1	<1	<10	<5
	08/20/97	<1	<1	<1	<1	<1	<1	<1	<1	<1	<10	<5
	09/04/97	<1	<1	<1	<1	<1	<1	<1	<1	<1	<10	<5
	09/16/97	<1	<1	<1	<1	<1	<1	<1	<1	<1	<10	<5
	09/28/98	< 0.5	<0.5	< 0.5	< 0.5	< 2.5	< 0.5	< 0.5	< 0.5	<1	nr	< 0.5
	10/20/98	< 0.5	<0.5	< 0.5	< 0.5	< 2.5	< 0.5	< 0.5	< 0.5	<1	nr	< 0.5
	03/04/99	< 0.5	<0.5	< 0.5	< 0.5	< 2.5	< 0.5	< 0.5	< 0.5	<1	nr	< 0.5
	07/15/99	< 0.5	<0.5	< 0.5	< 0.5	< 2.5	< 0.5	< 0.5	< 0.5	<1	nr	< 0.5
	06/22/00	< 0.5	<0.5	< 0.5	nr	< 2.5	< 0.5	< 0.5	< 0.5	<1	nr	< 0.5

BOE-C6-0210137

Table 4-2
SUMMARY OF GROUNDWATER ANALYTICAL DATA - MINOR CONSTITUENTS WCC-6S
GROUNDWATER STATUS REPORT
BOEING REALTY CORPORATION, FORMER C-6 FACILITY
LOS ANGELES, CALIFORNIA
K/J 004020.00

COMPOUNDS DETECTED BY EPA METHOD 8240 OR EPA METHOD 8240/8260 - All results in ug/l.

WELL I.D.	SAMPLE DATE	Carbon Tetra-Chloride	1,2-DCA	Ethyl-Benzene	1-Methylethyl benzene	Methylene Chloride	PCE	1,1,2-TCA	Trichloro-fluoromethane	Total Xylenes	Acetone	Carbon Disulfide
WCC-6S	10/06/89	-	-	-	-	-	-	-	-	-	-	-
	11/16/91	-	-	-	-	-	-	-	-	-	-	-
	06/17/92	-	-	-	-	-	-	-	-	-	<3,000	-
	09/23/92	<1	5	5	<1	5	<1	96	<1	26	78	<1
	12/09/92	<50	<80	<50	<50	100	<50	60	<50	<50	<300	<50
Dup	12/09/92	<100	<80/<11	<10	<100	200	<10	100	<100	<100	<600	<100
	03/17/93	<25	<80/<12	<10	<25	<50	<10	<10	<25	20	<50	<25
	06/08/93	<100	<80/<13	<100	<100	<200	<100	<200	<100	<100	<2,000	<100
	08/25/93	<100	<80/<14	<100	<100	<200	<100	<200	<100	<100	<2,000	<100
	11/19/93	<10	<80/<15	<10	<10	<50	<10	<20	<10	<10	<200	<10
	02/24/94	<10	<80/<16	10	<10	<50	<10	74	<10	58	230	<10
	06/13/94	<10	<80	<10	<10	<50	<10	69	<50	51	<200	<10
Dup	06/13/94	<100	<17	<100	<10	<500	<100	<200	<100	<300	<2000	<10
	09/09/94	Not sampled; well head obstructed.										
	12/22/94	<200	<200	<200	<200	<1,000	<200	<400	<200	<400	<4,000	<200
	03/14/95	<20	26	<20	<20	<100	<20	<40	<20	<40	<400	<20
	06/13/95	<20	51	<20	<20	<100	<20	60	<20	<20	<400	<20
	09/07/95	<5	1	<5	<5	<5	<5	1	<5	1	<10	<5
Dup	09/07/95	<5	1	<5	<5	<5	<5	1	<5	1	<10	<5
	12/16/95	<2	41	5	<2	<2	<2	76	<2	28	<2	<2
	03/04/96	<50	<50	<50	<50	<50	<50	61	<50	<100	<100	<50
	06/07/96	<25	39	<25	<25	<25	<25	53	<25	<25	<50	<25
	09/19/96	250	<250	<250	<250	<250	<250	<250	<250	<250	<2,500	<1,200
Dup	09/19/96	<100	<100	<100	<100	<100	<100	<100	<100	<100	<1000	<500
	12/19/96	<100	<100	<100	<100	<100	<100	<100	<100	<100	<1000	<500
Dup	12/19/96	<100	<100	<100	<100	<100	<100	<100	<100	<100	<1000	<500
	05/09/97	<100	<100	<100	<100	<100	<100	<100	<100	<100	<1000	<500
Dup	05/09/97	<100	<100	<100	<100	<100	<100	<100	<100	<100	<1000	<500
	07/08/97	<100	<100	<100	<100	<100	<100	<100	<100	<100	<1000	<500
	07/24/97	<100	<100	<100	<100	<100	<100	<100	<100	<100	<1000	<500
	08/06/97	<100	<100	<100	<100	<100	<100	<100	<100	<100	<1000	<500
	09/18/97	<100	<100	<100	<100	<100	<100	<100	<100	<100	<1000	<500
	09/23/98	< 12.5	16	< 12.5	< 12.5	< 62.5	< 12.5	< 12.5	< 12.5	<25	nr	< 12.5
	10/22/98	< 10	20	< 10	< 10	< 50	< 10	< 10	< 10	<20	nr	< 10
	03/06/99	< 50	110	< 50	< 50	< 250	< 50	< 50	< 50	<100	nr	< 50
	07/16/99	< 50	94	< 50	< 50	< 250	< 50	< 50	< 50	<100	nr	< 50
	06/26/00	<25	<25	<25	nr	<125	<25	<25	<25	<50	nr	<25

j:004020.00-003

BOE-C6-0210138

Table 4-2
SUMMARY OF GROUNDWATER ANALYTICAL DATA - MINOR CONSTITUENTS WCC-7S
GROUNDWATER STATUS REPORT
BOEING REALTY CORPORATION, FORMER C-6 FACILITY
LOS ANGELES, CALIFORNIA
K/J 004020.00

COMPOUNDS DETECTED BY EPA METHOD 8240 OR EPA METHOD 8240/8260 - All results in ug/l.

WELL I.D.	SAMPLE DATE	Carbon Tetra-Chloride	1,2-DCA	Ethyl-Benzene	1-Methylethyl benzene	Methylene Chloride	PCE	1,1,2-TCA	Trichloro-fluoromethane	Total Xylenes	Acetone	Carbon Disulfide
WCC-7S	07/13/89	-	-	-	-	-	-	-	-	-	-	-
	08/23/89	-	-	-	-	-	-	-	-	-	-	-
	11/18/91	-	-	-	-	-	-	-	-	-	-	-
	06/17/92	-	-	-	-	-	-	-	-	-	<30	-
	09/23/92	<5	<5	<5	<5	10	<5	<5	<5	<5	<30	<5
	12/08/92	<5	<5	<5	<5	10	<5	<5	<5	<5	<30	<5
	03/17/93	<5	<2	<2	<2	<10	<2	<2	<5	<5	<10	<5
	06/07/93	<2	<2	<2	<2	<4	<2	<4	<2	<2	<40	<2
	08/25/93	<4	<4	<4	<4	31	<4	<8	<4	<4	<80	<4
	11/19/93	<2	<2	<2	<2	<10	<2	<4	<2	<2	<40	<2
	02/24/94	<2	<2	<2	<2	<10	<2	<4	<2	<2	<40	<2
	06/13/94	<2	<2	<2	<2	<10	<2	<4	<2	<6	<40	<2
	09/08/94	<2	<2	<2	<2	<10	<2	<4	<2	<6	<40	<2
	12/22/94	<2	<2	<2	<2	<10	<2	<4	<2	<4	<40	<2
	03/14/95	<2	<2	<2	<2	<10	<2	<4	<2	<4	<40	<2
	06/13/95	<2	<2	<2	<2	<10	<2	<4	<2	<4	<40	<2
Dup	06/13/95	<2	<2	<2	<2	<10	<2	<4	<2	<4	<40	<2
	09/07/95	<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5
	12/15/95	<2	<2	<2	<2	<2	<2	<2	<2	<4	<2	<2
	03/01/96	<5	<5	<5	<5	<5	<5	<5	<5	<10	<10	<5
	06/07/96	<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5
	09/19/96	<2	<2	<2	<2	<2	<2	<2	<2	<2	<20	<10
	12/18/96	<2	<2	<2	<2	<2	<2	<2	<2	<2	<20	<10
	05/08/97	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<25	<12
	07/02/97	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<20	<10
	07/24/97	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<20	<10
	08/06/97	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<20	<10
	08/21/97	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<20	<10
	09/04/97	<2.5	6.1	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<25	<12
	09/17/97	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<25	<12
	09/28/98	< 1.25	1.4	< 1.25	< 1.25	< 6.25	< 1.25	1.7	< 1.25	<2.5	nr	< 1.25
	10/21/98	< 1	1	< 1	< 1	< 5	< 1	2	< 1	<2	nr	< 1
	03/04/99	< 1	<1	< 1	< 1	< 5	< 1	< 1	< 1	<2	nr	< 1
	07/14/99	< 1	<1	< 1	< 1	< 5	< 1	< 1	< 1	<2	nr	< 1
	06/22/00	<0.5	<0.5	<0.5	nr	<2.5	<0.5	1.7	<0.5	<1.0	nr	<0.5

j:004020.00-003

Table 4-2
SUMMARY OF GROUNDWATER ANALYTICAL DATA - MINOR CONSTITUENTS WCC-8S
GROUNDWATER STATUS REPORT
BOEING REALTY CORPORATION, FORMER C-6 FACILITY
LOS ANGELES, CALIFORNIA
K/J 004020.00

COMPOUNDS DETECTED BY EPA METHOD 8240 OR EPA METHOD 8240/8260 - All results in ug/l.

WELL I.D.	SAMPLE DATE	Carbon Tetra-Chloride	1,2-DCA	Ethyl-Benzene	1-Methylethyl benzene	Methylene Chloride	PCE	1,1,2-TCA	Trichloro-fluoromethane	Total Xylenes	Acetone	Carbon Disulfide
WCC-8S	07/13/89	-	-	-	-	-	-	-	-	-	-	-
	08/23/89	-	-	-	-	-	-	-	-	-	-	-
	11/15/91	-	-	-	-	-	-	-	-	-	-	-
	06/17/92	-	-	-	-	-	-	-	-	-	<150	-
Dup	06/17/92	-	-	-	-	-	-	-	-	-	<300	-
	09/23/92	<20	<20	<20	<20	40	<20	<20	<20	<20	<100	<20
	12/08/92	<20	<20	<20	<20	30	<20	<20	<20	<20	<100	<20
	03/17/93	<5	<2	<2	<2	<10	<2	<2	<5	<2	<10	<5
	06/08/93	<20	<20	<20	<20	<100	<20	<40	<20	<20	<400	<20
	08/25/93	<20	<20	<20	<20	<40	<20	<40	<20	<20	<400	<20
	11/19/96	<20	<20	<20	<20	<100	<20	<40	<20	<20	<400	<20
	02/24/94	<20	<20	<20	<20	<100	<20	<40	<20	<20	<400	<20
	06/13/94	<40	<40	<40	<40	<200	<40	<80	<40	<120	<800	<40
	09/09/94	<50	<50	<50	<50	<250	<50	<100	<50	<150	<1000	<50
	12/22/94	<20	<20	<20	<20	<100	<20	<40	<20	<40	<400	<20
	03/14/95	<40	<40	<40	<40	<200	<40	<80	<40	<80	<800	<40
	06/13/95	<40	<40	<40	<40	<200	<40	<80	<40	<40	<800	<40
	09/07/95	<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5
	12/15/95	<2	<2	<2	<2	<2	<2	<2	<2	<4	<2	<2
	03/01/96	<20	<20	<20	<20	<20	<20	<20	<20	<40	<40	<20
Dup	03/01/96	<20	<20	<20	<20	<20	<20	<20	<20	<40	<40	<20
	06/07/96	<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5
	09/19/96	<50	<50	<50	<50	<50	<50	<50	<50	<50	<500	<250
	12/18/96	<50	<50	<50	<50	<50	<50	<50	<50	<50	<500	<250
	05/08/97	<50	<50	<50	<50	<50	<50	<50	<50	<50	<500	<250
	07/08/97	<50	<50	<50	<50	<50	<50	<50	<50	<50	<500	<250
	07/24/97	<50	<50	<50	<50	<50	<50	<50	<50	<50	<500	<250
	08/06/97	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<25	<12
	08/22/97	<50	<50	<50	<50	<50	<50	<50	<50	<50	<500	<250
	09/05/97	<50	<50	<50	<50	<50	<50	<50	<50	<50	<500	<250
	09/17/97	<50	<50	<50	<50	<50	<50	<50	<50	<50	<500	<250

BOE-C6-0210140

Table 4-2
SUMMARY OF GROUNDWATER ANALYTICAL DATA - MINOR CONSTITUENTS WCC-9S
GROUNDWATER STATUS REPORT
BOEING REALTY CORPORATION, FORMER C-6 FACILITY
LOS ANGELES, CALIFORNIA
K/J 004020.00

COMPOUNDS DETECTED BY EPA METHOD 8240 OR EPA METHOD 8240/8260 - All results in ug/l.

WELL I.D.	SAMPLE DATE	Carbon Tetra-Chloride	1,2-DCA	Ethyl-Benzene	1-Methylethyl benzene	Methylene Chloride	PCE	1,1,2-TCA	Trichloro-fluoromethane	Total Xylenes	Acetone	Carbon Disulfide
WCC-9S	10/06/89	-	-	-	-	-	-	-	-	-	-	-
	11/19/91	-	-	-	-	-	-	-	-	-	-	-
	06/15/92	-	-	-	-	-	-	-	-	-	<30	-
	09/21/92	<1	<1	<1	<1	10	<1	<1	<1	<1	<5	<1
	12/07/92	<1	<1	<1	<1	3	<1	<1	<1	<1	<5	<1
	03/16/93	<5	<2	<2	<2	<10	<2	<2	<5	<2	<10	<5
	06/07/93	<2	<2	<2	<2	<4	<2	<4	<2	<2	<40	<2
Dup	06/07/93	<2	<2	<2	<2	<4	<2	<4	<2	<2	<40	<2
	08/24/93	<2	<2	<2	<2	<4	<2	<4	<2	<2	<40	<2
	11/18/93	<2	<2	<2	<2	<10	<2	<4	<2	<2	<40	<2
	02/23/94	<2	<2	<2	<2	<10	<2	<4	<2	<4	<40	<2
	06/10/94	<2	<2	<2	<2	<20	<2	<4	<2	<6	<40	<2
	09/08/94	<2	<2	<2	<2	<10	<2	<4	<2	<6	<40	<2
	12/21/94	<2	<2	<2	<2	<10	<2	<4	<2	<4	<40	<2
Dup	12/21/94	<2	<2	<2	<2	<10	<2	<4	<2	<4	<40	<2
	03/13/95	<2	<2	<2	<2	<10	<2	<4	<2	<4	<40	<2
	06/12/95	<2	<2	<2	<2	<10	<2	<4	<2	<4	<40	<2
Dup	06/12/95	<2	<2	<2	<2	<10	<2	<4	<2	<4	<40	<2
	09/06/95	<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5
	12/12/95	<2	<2	<2	<2	<2	<2	<2	<2	<4	<2	<2
	02/29/96	<5	<5	<5	<5	<5	<5	<5	<5	<10	<10	<5
	06/06/96	<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5
	09/18/96	<1	<1	<1	1.1	<1	<1	<1	<1	<1	<10	<5
	12/17/96	<1	<1	<1	1.5	<1	<1	<1	<1	<1	<10	<5
	05/07/97	<1	<1	<1	1.0	<1	<1	<1	<1	<1	<10	<5
	07/02/97	<1	<1	<1	<1	<1	<1	<1	<1	<1	<10	<5
	07/23/97	<1	<1	<1	<1	<1	<1	<1	<1	<1	<10	<5
	08/05/97	<1	<1	<1	<1	<1	<1	<1	<1	<1	<10	<5
Dup	08/05/97	<1	<1	<1	<1	<1	<1	<1	<1	<1	<10	<5
	08/20/97	<1	<1	<1	<1	<1	<1	<1	<1	<1	<10	<5
	09/04/97	<1	<1	<1	<1	<1	<1	<1	<1	<1	<10	<5
	09/16/97	<1	<1	<1	<1	<1	<1	<1	<1	<1	<10	<5
Dup	09/16/97	<1	<1	<1	<1	<1	<1	<1	<1	<1	<10	<5
	09/23/98	< 1	<1	< 1	< 1	< 5	< 1	< 1	< 1	<2	nr	< 1
	10/21/98	< 0.5	<1	< 0.5	< 0.5	< 2.5	1	< 0.5	< 0.5	<1	nr	< 0.5
	03/02/99	< 0.5	<1	< 0.5	< 0.5	< 2.5	< 0.5	< 0.5	< 0.5	<1	nr	< 0.5
	07/13/99	< 0.5	<1	< 0.5	< 0.5	< 2.5	< 0.5	< 0.5	< 0.5	<1	nr	< 0.5
	06/20/00	< 0.5	< 0.5	< 0.5	nr	<2.5	< 0.5	< 0.5	< 0.5	<1.0	nr	< 0.5

j:004020.00-003

BOE-C6-0210141

Table 4-2
SUMMARY OF GROUNDWATER ANALYTICAL DATA - MINOR CONSTITUENTS WCC-10S
GROUNDWATER STATUS REPORT
BOEING REALTY CORPORATION, FORMER C-6 FACILITY
LOS ANGELES, CALIFORNIA
K/J 004020.00

COMPOUNDS DETECTED BY EPA METHOD 8240 OR EPA METHOD 8240/8260 - All results in ug/l.

WELL I.D.	SAMPLE DATE	Carbon Tetra-Chloride	1,2-DCA	Ethyl-Benzene	1-Methylethyl benzene	Methylene Chloride	PCE	1,1,2-TCA	Trichloro-fluoromethane	Total Xylenes	Acetone	Carbon Disulfide
WCC-10S	07/13/89	-	-	-	-	-	-	-	-	-	-	-
Dup	07/13/89	-	-	-	-	-	-	-	-	-	-	-
	08/23/89	-	-	-	-	-	-	-	-	-	-	-
	11/20/91	-	-	-	-	-	-	-	-	-	-	-
	06/16/92	-	-	-	-	-	-	-	-	-	35	-
	09/21/92	1	<1	<1	<1	8	<1	<1	<1	<1	<5	<1
Dup	09/21/92	1	<1	<1	<1	8	<1	<1	<1	<1	<5	<1
	12/08/92	<1	<1	<1	<1	3	<1	<1	<1	<1	<5	<1
	03/16/93	<5	<2	<2	<2	<10	<2	<2	<5	<2	<10	<5
	06/07/93	<2	<2	<2	<2	<4	<2	<4	<2	<2	<40	<2
	08/25/93	<2	<2	<2	<2	<10	<2	<4	<2	<2	<40	<2
	11/19/93	<2	<2	<2	<2	<10	<2	<4	<2	<2	<40	<2
	02/23/94	<2	<2	<2	<2	<10	<2	<4	<2	<2	<40	<2
	06/10/94	<2	<2	<2	<2	<20	<2	<4	<2	<6	<40	<2
	09/08/94	<2	<2	<2	<2	<10	<2	<4	<2	<6	<40	<2
	12/22/94	<2	<2	<2	<2	<10	<2	<4	<2	<4	<40	<2
Dup	12/22/94	<2	<2	<2	<2	<10	<2	<4	<2	<4	<40	<2
	03/13/95	<2	<2	<2	<2	<10	2.4	<4	<2	<4	<40	<2
Dup	03/13/95	<2	<2	<2	<2	<10	<2	<4	<2	<4	<40	<2
	06/12/95	<2	<2	<2	<2	<10	<2	<4	<2	<2	<40	17
	09/06/95	<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	14
	12/16/95	<2	<2	<2	<2	<2	<2	<2	<2	<4	<2	<2
	03/01/96	<5	<5	<5	<5	<5	<5	<5	<5	<10	<10	<5
	06/06/96	<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5
	09/19/96	<2	<2	<2	<2	<2	<2	<2	<2	<2	<20	<10
	12/18/96	Well was covered										
	05/07/97	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<25	<12
	07/02/97	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<20	<10
	07/23/97	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<20	<10
Dup	07/23/97	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<20	<10
	08/05/97	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<25	<12
	08/21/97	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<20	<10
	09/04/97	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<25	<12
	09/17/97	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<25	<12
	04/08/99	0.92	<.05	< 0.5	< 0.5	< 2.5	2.5	< 0.5	< 0.5	<1	nr	< 0.5
	07/14/99	< 1	<1	< 1	< 1	< 5	< 1	1.2	< 1	<1	nr	< 1
	06/22/00	1.3	<0.5	<0.5	nr	<2.5	3.0	<0.5	<0.5	<1.0	nr	<0.5

j:004020.00-003

Table 4-2
SUMMARY OF GROUNDWATER ANALYTICAL DATA - MINOR CONSTITUENTS WCC-11S
GROUNDWATER STATUS REPORT
BOEING REALTY CORPORATION, FORMER C-6 FACILITY
LOS ANGELES, CALIFORNIA
K/J 004020.00

COMPOUNDS DETECTED BY EPA METHOD 8240 OR EPA METHOD 8240/8260 - All results in ug/l.

WELL I.D.	SAMPLE DATE	Carbon Tetra-Chloride	1,2-DCA	Ethyl-Benzene	1-Methylethyl benzene	Methylene Chloride	PCE	1,1,2-TCA	Trichloro-fluoromethane	Total Xylenes	Acetone	Carbon Disulfide
WCC-11S	11/15/91	-	-	-	-	-	-	-	-	-	-	-
	06/16/92	-	-	-	-	-	-	-	-	-	<10	-
	09/21/92	<1	<1	<1	<1	9	<1	<1	2	<1	<5	<1
	12/08/92	<1	<1	<1	<1	4	<1	<1	<1	<1	<5	<1
	03/16/93	<5	<2	<2	<2	<10	<2	<2	<5	<2	<10	<5
	06/07/93	<2	<2	<2	<2	<4	<2	<4	<2	<2	<40	<2
	08/24/93	<2	<2	<2	<2	<4	<2	<4	<2	<2	<40	<2
	11/19/93	<2	<2	<2	<2	<10	<2	<4	<2	<2	<40	<2
Dup	11/19/93	<2	<2	<2	<2	<10	<2	<4	<4	<2	<40	<2
	02/23/94	<2	<2	<2	<2	<10	<2	<4	<2	<2	<40	<2
	06/10/94	<2	<2	<2	<2	<20	<2	<4	<2	<6	<40	<2
	09/08/94	<2	<2	<2	<2	<10	<2	<4	<2	<6	<40	<2
Dup	09/08/94	<2	<2	<2	<2	<10	<2	<4	<2	<6	<40	<2
	12/21/94	<2	<2	<2	<2	<10	<2	<4	<2	<4	<40	<2
	03/13/95	<2	<2	<2	<2	<10	<2	<4	<2	<4	<40	<2
	06/12/95	<2	<2	<2	<2	<10	<2	<4	<2	<2	<40	<2
	09/06/95	<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5
Dup	09/06/95	<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5
	12/15/95	<2	<2	<2	<2	<2	<2	<2	<2	<4	<2	<2
	03/01/96	<5	<5	<5	<5	<5	<5	<5	<5	<10	<10	<5
	06/06/96	<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5
Dup	06/06/96	<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5
	09/19/96	<5	<5	<5	<5	<5	<5	<5	<5	<5	<50	<25
	12/18/96	<2	<2	<2	<2	<2	<2	<2	<2	<2	<20	<10
	05/08/97	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<25	<12
	07/02/97	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<20	<10
	07/24/97	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<25	<12
	08/05/97	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<25	<12
	08/21/97	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<25	<12
	09/04/97	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<25	<12
Dup	09/04/97	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<25	<12
	09/17/97	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<25	<12
	09/28/98	< 1	<1	< 1	< 1	< 5	< 1	< 1	< 1	<2	nr	< 1
	10/21/98	< 1	<1	< 1	< 1	< 5	< 1	< 1	< 1	<2	nr	< 1
	03/04/99	< 0.5	<0.5	< 0.5	< 0.5	< 2.5	< 0.5	< 0.5	< 0.5	<1	nr	< 0.5
	07/14/99	1.1	<0.5	< 0.5	< 0.5	< 2.5	3.1	< 0.5	< 0.5	<1	nr	< 0.5
	06/22/00	< 0.5	< 0.5	< 0.5	nr	<2.5	< 0.5	< 0.5	< 0.5	<1.0	nr	< 0.5

j:004020.00-003

Table 4-2
SUMMARY OF GROUNDWATER ANALYTICAL DATA - MINOR CONSTITUENTS WCC-12S
GROUNDWATER STATUS REPORT
BOEING REALTY CORPORATION, FORMER C-6 FACILITY
LOS ANGELES, CALIFORNIA
K/J 004020.00

COMPOUNDS DETECTED BY EPA METHOD 8240 OR EPA METHOD 8240/8260 - All results in ug/l.

WELL I.D.	SAMPLE DATE	Carbon Tetra-Chloride	1,2-DCA	Ethyl-Benzene	1-Methylethyl benzene	Methylene Chloride	PCE	1,1,2-TCA	Trichloro-fluoromethane	Total Xylenes	Acetone	Carbon Disulfide
WCC-12S	11/18/91	-	-	-	-	-	-	-	-	-	-	-
	06/16/92	-	-	-	-	-	-	-	-	-	<10	-
Dup	06/16/92	-	-	-	-	-	-	-	-	-	<10	-
	09/22/92	<1	<1	<1	<1	7	<1	<1	4	<1	<5	<1
	12/08/92	<5	<5	<5	<5	20	<5	<5	<5	<5	<30	<5
	03/17/93	<5	<2	<2	<2	<10	<2	<2	<5	<2	<10	<5
	06/07/93	<2	<2	<2	<2	<4	<2	<4	<2	<2	<40	<2
	08/25/93	<4	<4	<4	<4	<8	<4	<8	<4	<4	<80	<4
	11/19/93	<2	<2	<2	<2	<10	<2	<4	<2	<2	<40	<2
	02/24/94	<2	<2	<2	<2	<10	<2	<4	<2	<2	<40	<2
Dup	02/24/94	<2	<2	<2	<2	<10	<2	<4	<2	<2	<40	<2
	06/13/94	<2	<2	<2	<2	<10	<2	<4	<2	<6	<40	<2
	09/09/94	<2	<2	<2	<2	<10	<2	<4	<2	<6	<40	<2
	12/22/94	<2	<2	<2	<2	<10	<2	<4	<2	<4	<40	<2
	03/14/95	<2	<2	<2	<2	<10	<2	<4	<2	<4	<40	<2
	06/12/95	<2	<2	<2	<2	<10	<2	<4	<2	<2	<40	<2
	09/06/95	<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	33
	12/15/95	<2	<2	<2	<2	<2	<2	<2	<2	<4	<2	<2
	03/01/96	<5	<5	<5	<5	<5	<5	<5	<5	<10	<10	<5
	06/07/96	<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5
	09/19/96	<2	<2	<2	<2	<2	<2	<2	<2	<2	<20	<10
	12/18/96	<2	<2	<2	<2	<2	<2	<2	<2	<2	<20	<10
	05/08/97	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<25	<12
	07/02/97	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<20	<10
Dup	07/02/97	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<20	<10
	07/23/97	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<20	<10
	08/06/97	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<2.0	<20	<10
	08/21/97	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<25	<12
	09/04/97	<2.5	85	<2.5	<2.5	2.7	4.7	<2.5	<2.5	<2.5	<25	<12
	09/17/97	<2.5	13	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<25	<12
Dup	09/17/97	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<25	<12
	09/23/98	< 2.5	130	< 2.5	< 2.5	< 12.5	3.2	< 2.5	< 2.5	<5	nr	< 2.5
	10/21/98	< 2.5	110	< 2.5	< 2.5	< 12.5	3	< 2.5	< 2.5	<5	nr	< 2.5
	03/02/99	< 0.5	19	< 0.5	< 0.5	< 2.5	0.75	< 0.5	< 0.5	<1	nr	< 0.5
	07/13/99	< 0.5	20	< 0.5	< 0.5	< 2.5	0.63	< 0.5	< 0.5	<1	nr	< 0.5
	06/21/00	<0.5	<0.5	<0.5	nr	<2.5	1.0	<0.5	<0.5	<1.0	nr	<0.5

j:004020.00-003

Table 4-2
SUMMARY OF GROUNDWATER ANALYTICAL DATA - MINOR CONSTITUENTS DAC-P1
GROUNDWATER STATUS REPORT
BOEING REALTY CORPORATION, FORMER C-6 FACILITY
LOS ANGELES, CALIFORNIA
K/J 004020.00

COMPOUNDS DETECTED BY EPA METHOD 8240 OR EPA METHOD 8240/8260 - All results in ug/l.

WELL I.D.	SAMPLE DATE	Carbon Tetra-Chloride	1,2-DCA	Ethyl-Benzene	1-Methylethyl benzene	Methylene Chloride	PCE	1,1,2-TCA	Trichloro-fluoromethane	Total Xylenes	Acetone	Carbon Disulfide
DAC-P1	10/09/89	-	-	-	-	-	-	-	-	-	<1,000	-
	06/17/92	-	-	-	-	-	-	-	-	-	<30	-
	06/23/92	4	<1	<1	<1	4	13	9	1	<1	<5	<1
Dup	06/23/92	4	<1	<1	<1	4	13	9	1	<1	<5	<1
	12/09/92	<500	<500	<500	<500	2,000	<500	<500	<500	<500	<3,000	<500
	03/18/93	<5	<2	<2	<2	<10	10	5	<5	<2	<10	<5
	06/08/93	<100	<100	<100	<100	<200	<100	<200	<100	<100	<2,000	<100
	08/25/93	<200	<200	<200	<200	<400	<200	<400	<200	<200	<4,000	<200
	11/19/93	<20	<20	<20	<20	<100	<20	<40	<20	<20	<400	<20
	02/24/94	<20	<20	<20	<20	<100	<20	<40	<20	<20	<400	<20
	06/13/94	<20	<20	<20	<20	<100	<20	<40	<20	<60	<400	<20
	09/09/94	<200	<200	<200	<200	<1000	<200	<400	<200	<600	<4000	<200
	12/22/94	<200	<200	<200	<200	<1,000	<200	<400	<200	<400	<4,000	<200
	03/14/95	<200	<200	<200	<200	<1,000	<200	<400	<200	<400	<4,000	<200
	06/13/95	<200	<200	<200	<200	<1,000	<200	<400	<200	<200	<4,000	<200
	09/07/95	<5	<5	<5	<5	<5	17	<5	<5	<5	<10	<5
	12/16/95	<2	<2	<2	<2	<2	11	4	<2	<4	<2	<2
	03/04/96	<100	<100	<100	<100	<100	<100	<100	<100	<200	<200	<100
Dup	03/04/96	<100	<100	<100	<100	<100	<100	<100	<100	<200	<200	<100
	06/07/96	<50	<50	<50	<50	<50	<50	<50	<50	<50	<100	<50
Dup	06/07/96	<25	<25	<25	<25	<25	<25	<25	<25	<25	<50	<25
	09/19/96	<250	<250	<250	<250	<250	<250	<250	<250	<250	<2500	<1,200
	12/19/96	<500	<500	<500	<500	<500	<500	<500	<500	<500	<5,000	<2,500
	05/09/97	<250	<250	<250	<250	<250	<250	<250	<250	<250	<2,500	<1,200
	07/08/97	<250	<250	<250	<250	<250	<250	<250	<250	<250	<2,500	<1,200
	07/24/97	<50	<50	<50	<50	<50	<50	<50	<50	<50	<500	<250
	08/06/97	<250	<250	<250	<250	<250	<250	<250	<250	<250	<2,500	<1,200
	08/22/97	<250	<250	<250	<250	<250	<250	<250	<250	<250	<2,500	<1,200
	09/05/97	<250	<250	<250	<250	<250	<250	<250	<250	<250	<2,500	<1,200
	09/18/97	<250	<250	<250	<250	<250	<250	<250	<250	<250	2,900	<1,200
	04/08/99	< 50	<50	< 50	< 50	< 250	< 50	< 50	< 50	<100	nr	<50
	07/16/99	< 125	<125	< 125	< 125	670	< 125	< 125	< 125	<250	nr	<125
	06/26/00	<50	<50	<50	<50	nr	<50	<50	<50	<100	nr	<50

j:004020.00-003

Table 4-2
SUMMARY OF GROUNDWATER ANALYTICAL DATA - MINOR CONSTITUENTS WCC-1D
GROUNDWATER STATUS REPORT
BOEING REALTY CORPORATION, FORMER C-6 FACILITY
LOS ANGELES, CALIFORNIA
K/J 004020.00

COMPOUNDS DETECTED BY EPA METHOD 8240 OR EPA METHOD 8240/8260 - All results in ug/l.

WELL I.D.	SAMPLE DATE	Carbon Tetra-Chloride	1,2-DCA	Ethyl-Benzene	1-Methylethyl benzene	Methylene Chloride	PCE	1,1,2-TCA	Trichloro-fluoromethane	Total Xylenes	Acetone	Carbon Disulfide
WCC-1D	07/25/89	-	-	-	-	-	-	-	-	-	-	-
	08/23/89	-	-	-	-	-	-	-	-	-	-	-
	11/15/91	-	-	-	-	-	-	-	-	-	-	-
	06/15/92	-	-	-	-	-	-	-	-	-	<50	-
Dup	06/15/92	-	-	-	-	-	-	-	-	-	<50	-
	09/22/92	<1	<1	<1	<1	11	<1	<1	4	<1	<5	<1
	12/07/92	<1	<1	<1	<1	2	<1	<1	<1	<1	<5	<1
Dup	12/07/92	<1	<1	<1	<1	2	<1	<1	<1	<1	<5	<1
	03/16/93	<5	<2	<2	<2	<10	<2	<2	<5	<2	<10	<5
	06/08/93	<10	<10	<10	<10	<20	<10	<20	<10	<10	<200	<10
Dup	06/08/93	<4	<4	<4	<4	<10	<4	<8	<4	<4	<80	<4
	08/24/93	<2	<2	<2	<2	<4	<2	<4	<2	<2	<40	<2
	11/18/93	<2	<2	<2	<2	<10	<2	<4	<2	<2	<40	<2
	02/23/94	<2	<2	<2	<2	<10	<2	<4	<2	<2	<40	<2
	06/10/94	<2	<2	<2	<2	<20	<2	<4	<2	<6	<40	<2
	09/08/94	<2	<2	<2	<2	<10	<2	<4	<2	<6	<40	<2
	12/22/94	<2	<2	<2	<2	<10	<2	<4	<2	<4	<40	<2
	03/13/95	<4	<4	<4	<4	<20	<4	<8	<4	<8	<80	<4
	06/13/95	<2	<2	<2	<2	<10	<2	<4	<2	<2	<40	3
	09/03/95	<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5
	12/16/95	<2	<2	<2	<2	<2	<2	<2	<2	<4	<2	<2
	02/29/96	<5	<5	<5	<5	<5	<5	<5	<5	<10	<10	<5
Dup	02/29/96	<5	<5	<5	<5	<5	<5	<5	<5	<10	<10	<5
	06/06/96	<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5
	09/18/96	<1	<1	<1	<1	<1	<1	<1	<1	<1	<10	<5
Dup	09/18/96	<1	<1	<1	<1	<1	<1	<1	<1	<1	<10	<5
	12/18/96	<1	<1	<1	1.2	<1	<1	<1	<1	<1	<10	<5
	05/07/97	<1	<1	<1	<1	<1	<1	<1	<1	<1	<10	<5
	07/08/97	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<10	<5
	07/23/97	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<10	<5
	08/05/97	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<10	<5
	08/20/97	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<10	<5
	09/04/97	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<10	<5
	09/17/97	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<10	<5

BOE-C6-0210146

Table 4-2
SUMMARY OF GROUNDWATER ANALYTICAL DATA - MINOR CONSTITUENTS WCC-3D
GROUNDWATER STATUS REPORT
BOEING REALTY CORPORATION, FORMER C-6 FACILITY
LOS ANGELES, CALIFORNIA
K/J 004020.00

COMPOUNDS DETECTED BY EPA METHOD 8240 OR EPA METHOD 8240/8260 - All results in ug/l.

WELL I.D.	SAMPLE DATE	Carbon Tetra-Chloride	1,2-DCA	Ethyl-Benzene	1-Methylethyl benzene	Methylene Chloride	PCE	1,1,2-TCA	Trichloro-fluoromethane	Total Xylenes	Acetone	Carbon Disulfide
WCC-3D	07/25/89	-	-	-	-	-	-	-	-	-	-	-
	08/23/89	-	-	-	-	-	-	-	-	-	-	-
	11/14/91	-	-	-	-	-	-	-	-	-	-	-
	06/16/92	-	-	-	-	-	-	-	-	-	<30	-
	09/22/92	<1	<1	<1	<1	8	<1	<1	1	<1	<5	<1
	12/07/92	<1	<1	<1	<1	1	<1	<1	<1	<1	<5	<1
	03/16/93	<5	<2	<2	<2	<10/	<2	<2	<5	<2	<10	<5
Dup	03/16/93	<5	<2	<2	<2	<10/	<2	<2	<5	<2	<10	<5
	06/08/93	<2	<2	<2	<2	<4	<2	<4	<2	<2	<40	<2
	08/24/93	<2	<2	<2	<2	<4	<2	<4	<2	<2	<40	<2
	11/18/93	<2	<2	<2	<2	<10	<2	<4	<2	<2	<40	<2
Dup	11/18/93	<4	<4	<4	<4	<20	<4	<8	<4	<4	<80	<4
	02/23/94	<4	<4	<4	<4	<20	<4	<8	<4	<4	<80	<4
	06/13/94	<10	<10	<10	<10	<50	<10	<20	<10	<30	<200	<10
	09/09/94	<50	<50	<50	<50	<250	<50	<100	<50	<150	<1000	<50
	12/21/94	<4	<4	<4	<4	<20	<4	29	<4	<8	<80	<4
	03/14/95	<40	<40	<40	<40	<200	<40	<80	<40	<80	<800	<40
Dup	03/14/95	<20	<20	<20	<20	<100	61	<40	<20	<40	<400	<20
	06/13/95	<10	<10	<10	<10	<50	<10	<20	<10	<10	<200	<10
	09/07/95	<5	6	<5	<5	<5	<5	35	<5	8	<10	<5
	12/16/95	<2	<2	<2	<2	<2	<2	<2	<2	<4	<2	<2
	03/04/96	<5	<5	<5	<5	<5	<5	<5	<5	<10	<10	<5
	06/07/96	<5	<5	<5	<5	<5	<5	<5	<5	<5	<10	<5
	09/19/96	<1	<1	<1	<1	<1	<1	<1	<1	<1	<10	<5
	12/19/96	<1	<1	<1	1.1	<1	<1	<1	<1	<1	<10	<5
	05/08/97	<1	<1	<1	<1	<1	<1	<1	<1	<1	<10	<5
	07/08/97	<1	<1	<1	<1	<1	<1	<1	<1	<1	<10	<5
Dup	07/08/97	<1	<1	<1	<1	<1	<1	<1	<1	<1	<10	<5
	07/24/97	<1	<1	<1	<1	<1	<1	<1	<1	<1	<10	<5
	07/24/97	1.2	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<10	<5
	08/06/97	<1	<1	<1	<1	<1	<1	<1	<1	<1	<10	<5
Dup	08/06/97	<1	<1	<1	<1	<1	<1	<1	<1	<1	<10	<5
	08/22/97	<1	<1	<1	<1	<1	<1	<1	<1	<1	<10	<5
Dup	08/22/97	<1	<1	<1	<1	<1	<1	<1	<1	<1	<10	<5
	09/05/97	<1	1.9	<1	<1	<1	<1	<1	<1	<1	<10	<5
Dup	09/05/97	<1	<1	<1	<1	<1	<1	<1	<1	<1	<10	<5
	09/18/97	<1	<1	<1	<1	<1	<1	<1	<1	<1	<10	<5
	09/28/98	< 5	<5	< 5	< 5	< 25	< 5	< 5	< 5	<10	nr	<5.0
	10/21/98	< 0.5	<0.5	< 0.5	< 0.5	< 2.5	< 0.5	< 0.5	< 0.5	<1	nr	<0.5
	03/05/99	< 0.5	<0.5	< 0.5	< 0.5	< 2.5	< 0.5	< 0.5	< 0.5	<1	nr	<0.5
Dup	03/05/99	< 0.5	<0.5	< 0.5	< 0.5	< 2.5	< 0.5	< 0.5	< 0.5	<1	nr	<0.5
	07/16/99	< 0.5	<0.5	< 0.5	< 0.5	< 2.5	< 0.5	< 0.5	< 0.5	<1	nr	<0.5
Dup	07/16/99	< 0.5	<0.5	< 0.5	< 0.5	< 2.5	< 0.5	< 0.5	< 0.5	<1	nr	<0.5
	06/26/00	< 0.5	<0.5	< 0.5	nr	< 2.5	< 0.5	< 0.5	< 0.5	<1	nr	<0.5

j:004020.00-003

BOE-C6-0210147

Table 4-2
SUMMARY OF GROUNDWATER ANALYTICAL DATA - MINOR CONSTITUENTS TMW-1 THROUGH TMW-6
GROUNDWATER STATUS REPORT
BOEING REALTY CORPORATION, FORMER C-6 FACILITY
LOS ANGELES, CALIFORNIA
K/J 004020.00

COMPOUNDS DETECTED BY EPA METHOD 8240 OR EPA METHOD 8240/8260 - All results in ug/l.

WELL I.D.	SAMPLE DATE	Carbon Tetra-Chloride	1,2-DCA	Ethyl-Benzene	1-Methylethyl benzene	Methylene Chloride	PCE	1,1,2-TCA	Trichloro-fluoromethane	Total Xylenes	Acetone	Carbon Disulfide
TMW-1	07/15/98	< 5	< 5	< 5	< 5	< 25	< 5	< 5	22	<10	nr	<5
	09/22/98	< 5	< 5	< 5	< 5	< 25	< 5	< 5	< 5	<10	nr	<5
	10/19/98	< 2.5	< 2.5	< 2.5	< 2.5	< 12.5	< 2.5	< 2.5	23	<5	nr	<2.5
	03/05/99	< 1.25	< 1.25	< 1.25	< 1.25	< 6.25	< 1.25	< 1.25	18	<2.5	nr	<1.25
	07/15/99	< 2.5	< 2.5	< 2.5	< 2.5	< 12.5	< 2.5	< 2.5	14	<5.0	nr	<2.5
	06/23/00	< 2.5	< 2.5	< 2.5	nr	<13	< 2.5	< 2.5	19	<5.0	nr	<2.5
TMW-2	07/15/98	< 250	< 250	< 250	< 250	< 1250	< 250	< 250	< 250	<500		<250
	09/23/98	< 250	1500	< 250	< 250	< 1250	< 250	< 250	< 250	<500	nr	<250
	10/20/98	< 125	1600	< 125	< 125	< 625	< 125	< 125	< 125	<250	nr	<125
	03/06/99	< 125	1600	< 125	< 125	< 625	< 125	< 125	< 125	<250	nr	<125
	07/16/99	< 125	1900	< 125	< 125	670	< 125	< 125	< 125	<250	nr	<125
	06/26/00	<100	<100	<100	nr	<500	<100	<100	<100	<200	nr	<100
TMW-3	09/22/98	< 100	< 100	< 100	< 100	< 500	< 100	< 100	< 100	<200	nr	<100
	10/20/98	< 50	< 50	< 50	< 50	< 250	< 50	< 50	< 50	<100	nr	<50
	03/05/99	< 50	< 50	< 50	< 50	< 250	< 50	< 50	< 50	<100	nr	<50
	07/15/99	< 50	< 50	< 50	< 50	< 250	< 50	< 50	< 50	<100	nr	<50
	07/31/98	< 50	< 50	< 50	< 50	< 250	< 50	< 50	< 50	<100	nr	<50
	06/22/2000	<10	<10	<10	nr	<50	<10	<10	<10	<20	nr	<10
TMW-4	07/14/98	< 25	< 25	< 25	< 25	< 125	< 25	43	< 25	<50	nr	<25
	09/22/98	< 10	47	< 10	< 10	< 50	< 10	28	< 10	<20	nr	<10
	10/20/98	< 10	56	< 10	< 10	< 50	< 10	29	< 10	<20	nr	<50
	03/04/99	< 50	< 50	< 50	< 50	< 250	< 50	< 50	< 50	<100	nr	<50
	07/15/99	< 10	23	< 10	< 10	75	< 10	10	< 10	<20	nr	<10
	06/22/00	<5	15	<5	nr	<25	<5	<5	<5	10	nr	<5.0
TMW-5	07/14/98	< 25	< 25	< 25	< 25	< 125	< 25	< 25	< 25	<50	nr	,25
	09/22/98	< 12.5	< 12.5	< 12.5	< 12.5	< 62.5	< 12.5	< 12.5	< 12.5	<25	nr	<12.5
	10/19/98	< 25	< 25	< 25	< 25	< 125	< 25	< 25	< 25	<50	nr	<25
	03/04/99	< 50	< 50	< 50	< 50	< 250	< 50	< 50	< 50	<100	nr	<50
	07/15/99	< 2.5	< 2.5	< 2.5	< 2.5	< 12.5	< 2.5	< 2.5	< 2.5	<2.5	nr	<2.5
	06/22/00	<13	<13	<13	nr	<63	<13	<13	<13	<25	nr	<13
TMW-6	07/14/98	< 2.5	< 2.5	< 2.5	< 2.5	< 12.5	< 2.5	< 2.5	< 2.5	<5.0	nr	<2.5
	09/22/98	< 2.5	< 2.5	< 2.5	< 2.5	< 12.5	< 2.5	< 2.5	< 2.5	<5.0	nr	<2.5
	10/19/98	< 2.5	< 2.5	< 2.5	< 2.5	< 12.5	< 2.5	< 2.5	< 2.5	<5.0	nr	<2.5
	03/04/99	< 2.5	< 2.5	< 2.5	< 2.5	< 12.5	< 2.5	< 2.5	< 2.5	<5.0	nr	<2.5
	06/22/2000	< 2.5	< 2.5	< 2.5	nr	13	< 2.5	< 2.5	< 2.5	<5.1	nr	<2.5

j:004020.00-003

Table 4-2
SUMMARY OF GROUNDWATER ANALYTICAL DATA - MINOR CONSTITUENTS TMW-7 THROUGH TMW-11
GROUNDWATER STATUS REPORT
BOEING REALTY CORPORATION, FORMER C-6 FACILITY
LOS ANGELES, CALIFORNIA
K/J 004020.00

COMPOUNDS DETECTED BY EPA METHOD 8240 OR EPA METHOD 8240/8260 - All results in ug/l.

WELL I.D.	SAMPLE DATE	Carbon Tetra-Chloride	1,2-DCA	Ethyl-Benzene	1-Methylethyl benzene	Methylene Chloride	PCE	1,1,2-TCA	Trichloro-fluoromethane	Total Xylenes	Acetone	Carbon Disulfide
TMW-7	07/14/98	< 12.5	73	< 12.5	< 12.5	< 62.5	< 12.5	29	< 12.5	<25	nr	< 12.5
	09/22/98	< 12.5	36	< 12.5	< 12.5	< 62.5	< 12.5	17	< 12.5	<25	nr	< 12.5
	10/20/98	< 10	44	< 10	< 10	< 50	< 10	17	< 10	20	nr	< 10
	03/05/99	< 12.5	41	< 12.5	< 12.5	< 62.5	< 12.5	14	< 12.5	<25	nr	< 12.5
	07/15/99	< 12.5	36	< 12.5	< 12.5	110	< 12.5	< 12.5	< 12.5	<25	nr	< 12.5
	06/23/00	<10	<10	<10	nr	<50	<10	<10	<10	<20	nr	<10
TMW-8	07/15/98	< 25	96	< 25	< 25	< 125	< 25	37	< 25	<50	nr	< 25
	09/22/98	< 12.5	31	< 12.5	< 12.5	< 62.5	< 12.5	< 12.5	< 12.5	<25	nr	< 12.5
	10/20/98	< 10	18	< 10	< 10	< 50	< 10	< 10	< 10	<20	nr	< 10
	03/05/99	< 12.5	52	< 12.5	< 12.5	< 62.5	< 12.5	18	< 12.5	<25	nr	< 12.5
	07/15/99	< 12.5	52	< 12.5	< 12.5	< 62.5	< 12.5	13	< 12.5	<25	nr	< 12.5
	06/23/00	<13	22	<13	nr	<63	<13	13	<13	<25	nr	<13
TMW-9	07/14/98	< 1	< 1	< 1	< 1	< 5	2.1	< 1	< 1	<2	nr	< 1
	09/22/98	< 1	< 1	< 1	< 1	< 5	2.3	< 1	< 1	<1	nr	< 1
	10/19/98	< 2.5	< 2.5	< 2.5	< 2.5	< 12.5	3.5	< 2.5	< 2.5	<5	nr	< 2.5
	03/04/99	< 5	< 5	< 5	< 5	< 25	< 5	< 5	< 5	<10	nr	< 5
	07/14/99	< 5	< 5	< 5	< 5	< 25	< 5	< 5	< 5	<10	nr	< 5
	06/23/00	< 5	< 5	< 5	nr	< 25	< 5	< 5	< 5	<10	nr	<5.0
TMW-10	03/03/99	< 0.5	< 0.5	< 0.5	< 0.5	< 2.5	0.94	< 0.5	0.51	<1.0	nr	< 0.5
	07/13/99	< 0.5	< 0.5	< 0.5	< 0.5	< 2.5	1.3	< 0.5	0.82	<1.0	nr	< 0.5
	06/20/00	< 0.5	< 0.5	< 0.5	< 0.5	<2.5	1.0	<0.5	<0.5	<1.0	nr	<0.5
TMW-11	03/03/99	1.7	99	< 1.25	< 1.25	< 6.25	1.9	< 1.25	< 1.25	<2.5	nr	< 1.25
	07/13/99	1.7	< 1.25	< 1.25	< 1.25	< 6.25	1.7	< 1.25	< 1.25	<2.5	nr	< 1.25
	06/20/00	<2.5	<2.5	<2.5	nr	<13	<2.5	<2.5	<2.5	<2.5	nr	<2.5

BOE-C6-0210149

Table 4-2
SUMMARY OF GROUNDWATER ANALYTICAL DATA - MINOR CONSTITUENTS TMW-12 THROUGH TMW-17
GROUNDWATER STATUS REPORT
BOEING REALTY CORPORATION, FORMER C-6 FACILITY
LOS ANGELES, CALIFORNIA
K/J 004020.00

COMPOUNDS DETECTED BY EPA METHOD 8240 OR EPA METHOD 8240/8260 - All results in ug/l.

WELL I.D.	SAMPLE DATE	Carbon Tetra-Chloride	1,2-DCA	Ethyl-Benzene	1-Methylethyl benzene	Methylene Chloride	PCE	1,1,2-TCA	Trichloro-fluoromethane	Total Xylenes	Acetone	Carbon Disulfide
TMW12	03/03/99	< 10	< 10	< 10	< 10	< 50	15	< 10	< 10	<20	nr	< 10
	07/13/99	< 10	< 10	< 10	< 10	< 50	< 10	< 10	< 10	<20	nr	< 10
	06/21/00	<10	<10	<10	nr	<50	13	<10	<10	<20	nr	<10
TMW-13	03/03/99	4.6	< 0.5	< 0.5	< 0.5	< 2.5	5.8	< 0.5	< 0.5	<1.0	nr	< 0.5
	07/13/99	4.5	< 0.5	< 0.5	< 0.5	< 2.5	5.6	< 0.5	< 0.5	<1.0	nr	< 0.5
	06/21/00	3	<0.5	<0.5	nr	<2.5	2.9	<0.5	<0.5	<1.0	nr	<0.5
TMW-14	03/03/99	3.8	< 0.5	< 0.5	< 0.5	< 2.5	2.5	< 0.5	< 0.5	<1.0	nr	< 0.5
	07/13/99	2.9	< 0.5	< 0.5	< 0.5	< 2.5	1.8	< 0.5	< 0.5	<1.0	nr	< 0.5
	06/21/00	1.8	<0.5	0.57	nr	<2.5	1.0	<0.5	<0.5	1.8	nr	<0.5
TMW-15	03/03/99	< 0.5	< 0.5	< 0.5	< 0.5	< 2.5	< 0.5	< 0.5	< 0.5	<1.0	nr	< 0.5
	07/13/99	< 0.5	< 0.5	< 0.5	< 0.5	< 2.5	< 0.5	< 0.5	< 0.5	<1.0	nr	< 0.5
	06/22/00	<0.5	<0.5	<0.5	nr	<2.5	<0.5	<0.5	<0.5	1.0	nr	<0.5
TMW-16	03/06/99	< 0.5	< 0.5	< 0.5	< 0.5	< 2.5	2.1	< 0.5	< 0.5	<1.0	nr	< 0.5
	07/16/99	< 0.5	< 0.5	< 0.5	< 0.5	< 2.5	0.98	< 0.5	< 0.5	<1.0	nr	< 0.5
	06/22/00	<0.5	<0.5	<0.5	nr	<2.5	<0.5	<0.5	<0.5	<1.0	nr	<0.5
TMW-17	05/20/99	< 0.5	< 0.5	< 0.5	< 0.5	< 2.5	< 0.5	< 0.5	< 0.5	<1.0	nr	< 0.5
	07/14/99	< 0.5	< 0.5	< 0.5	< 0.5	< 2.5	< 0.5	< 0.5	< 0.5	<1.0	nr	< 0.5
	01/14/00	<0.5	<0.5	<0.5	nr	<2.5	<0.5	<0.5	<0.5	<1.0	nr	<0.5

Notes:
ug/l = micrograms per liter
PCE = Tetrachloroethene
1,1,2-TCA=1,1,2-Trichloroethane
1,2-DCA = 1,2-Dichloroethane
- = Detection limit not available
Dup = Sample is a duplicate sample.
<5 = Result fell below detection limit shown.
nr = not reported

j:004020.00-003

BOE-C6-0210150