State of California—Health and Welfare Agency
Form Approved OMB No. 2050—0039 (Expires 9-30-91)
Please print or type. (Form designed for use on elite (12-pitch typewriter).

T-11

Department of Health Services
Toxic Substances Control Division
Sacramento, California

# UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. CAD086511005 — Manifest Document No. 911518

2. Page 1 of 1

Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
Douglas Aircraft Company
19503 S. Normandie Avenue
Torrance, CA 90502
Attn: R. Tuell
Mail Code: C6-59

4. Generator's Phone (213) 533-7926 OR (213) 533-7231

A. State Manifest Document Number 89822154

B. State Generator's ID HAHQ3690569 8

5. Transporter 1 Company Name: United Pumping Service
6. US EPA ID Number: CAD072953771

C. State Transporter's ID 208573

D. Transporter's Phone 818-961-9326

7. Transporter 2 Company Name
8. US EPA ID Number

E. State Transporter's ID

F. Transporter's Phone

9. Designated Facility Name and Site Address
Norris Environmental Services
5215 S. Boyle Avenue
Los Angeles, CA 90058
10. US EPA ID Number: CAD097030993

G. State Facility's ID CAD097030993

H. Facility's Phone (213) 588-7111

| 11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number) | 12. Containers No. | Type | 13. Total Quantity | 14. Unit Wt/Vol | I. Waste No. |
|---|---|---|---|---|---|
| a. RQ, Waste Sodium Hydroxide Solution, Corrosive Material, UN 1824 (D002) | 001 | TT | 0010 | G | State 122 / EPA/Other D002 |
| b. | | | | | State / EPA/Other |
| c. | | | | | State / EPA/Other |
| d. | | | | | State / EPA/Other |

J. Additional Descriptions for Materials Listed Above
Tank 259 - Waste Aluminum Chem Mill Solution Norris # E 1062 AK45
Sodium Hydroxide 0-12%
Sodium Aluminate 0-5%
Sodium Sulfide 0-4%
Water 79-100%

K. Handling Codes for Wastes Listed Above
a. 15
b.
c.
d.

15. Special Handling Instructions and Additional Information
In case of accident Contact Chemtrec at 800-424-9300. Do not breathe vapors. Do not wash into sewer or waterway. If unable to deliver, return to generator. Volume is approximate. DOT Emergency Response Guide #60.

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: Robert G. Tuell, Jr. — Signature: Robert G. Tuell, Jr. — Month Day Year 11 11 91

TRANSPORTER

17. Transporter 1 Acknowledgement of Receipt of Materials
Printed/Typed Name: Sammy Cisneros — Signature — Month Day Year 11 11 91

18. Transporter 2 Acknowledgement of Receipt of Materials
Printed/Typed Name — Signature — Month Day Year

FACILITY

19. Discrepancy Indication Space

20. Facility Owner or Operator Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name: B. Tim Velasco — Signature — Month Day Year 11 11 91

GENERATOR

IN CASE OF AN EMERGENCY OR SPILL, CALL THE NATIONAL RESPONSE CENTER 1-800-424-8802; WITHIN CALIFORNIA CALL 1-800-852-7550

89822154

DHS 8022 A (1/88)
EPA 8700—22
(Rev. 9-88) Previous editions are obsolete.

Do Not Write Below This Line

Yellow: TSDF SENDS THIS COPY TO GENERATOR WITHIN 30 DAYS

State of California—Health and Welfare Agency
Form Approved OMB No. 2050—0039 (Expires 9-30-91)
Please print or type. *(Form designed for use on elite (12-pitch typewriter).*

Department of Health Services
Toxic Substances Control Division
Sacramento, California

# UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. CAD086510095 — Manifest Document No. 91715 18

2. Page 1 of 1

Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
Douglas Aircraft Company
19503 S. Normandie Avenue
Torrance, CA 90502
Attn: R. Tuell
Mail Code: C6-59

4. Generator's Phone (213) 533-7926 OR (213) 533-7231

A. State Manifest Document Number: 89822154

B. State Generator's ID: HAHQ3690569 8

5. Transporter 1 Company Name: United Pumping Service

6. US EPA ID Number: CAD072953771

C. State Transporter's ID: 208-23

D. Transporter's Phone: 818-961-9326

7. Transporter 2 Company Name

8. US EPA ID Number

E. State Transporter's ID

F. Transporter's Phone

9. Designated Facility Name and Site Address
Norris Environmental Services
5215 S. Boyle Avenue
Los Angeles, CA 90058

10. US EPA ID Number: CAD097030993

G. State Facility's ID

H. Facility's Phone: (213) 588-7111

| 11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number) | 12. Containers No. | Type | 13. Total Quantity | 14. Unit Wt/Vol | I. Waste No. |
|---|---|---|---|---|---|
| a. RQ, Waste Sodium Hydroxide Solution, Corrosive Material, UN 1824 (D002) | 001 | TT | 00100 | G | State 122 / EPA/Other D002 |
| b. | | | | | State / EPA/Other |
| c. | | | | | State / EPA/Other |
| d. | | | | | State / EPA/Other |

J. Additional Descriptions for Materials Listed Above
Tank 259 - Waste Aluminum Chem Mill Solution
Norris # E 1062 AK4
Sodium Hydroxide 0-12%
Sodium Aluminate 0-5%
Sodium Sulfide 0-4%
Water 79-100%

K. Handling Codes for Wastes Listed Above
a.
b.
c.
d.

15. Special Handling Instructions and Additional Information
In case of accident Contact Chemtrec at 800-424-9300. Do not breathe vapors. Do not wash into sewer or waterway. If unable to deliver, return to generator. Volume is approximate. DOT Emergency Response Guide #60.

16.
**GENERATOR'S CERTIFICATION:** I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; **OR**, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: Robert G. Tuell, Jr. — Signature: Robert G. Tuell, Jr. — Month / Day / Year

**TRANSPORTER**

17. Transporter 1 Acknowledgement of Receipt of Materials
Printed/Typed Name: Sammy Cisneros — Signature — Month / Day / Year

18. Transporter 2 Acknowledgement of Receipt of Materials
Printed/Typed Name — Signature — Month / Day / Year

**FACILITY**

19. Discrepancy Indication Space

20. Facility Owner or Operator Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.
Printed/Typed Name — Signature — Month / Day / Year

IN CASE OF AN EMERGENCY OR SPILL, CALL THE NATIONAL RESPONSE CENTER 1-800-424-8802; WITHIN CALIFORNIA CALL 1-800-852-7550

GENERATOR

89822154

DHS 8022 A (1/88)
EPA 8700—22
(Rev. 9-88) Previous editions are obsolete.

Do Not Write Below This Line

YELLOW: GENERATOR RETAINS

BOE-C6-0223348

# UNITED PUMPING SERVICE, INC. FIELD WORK ORDER 24804

14016 EAST VALLEY BOULEVARD
CITY OF INDUSTRY, CALIFORNIA 91746
PHONE: (818) 961-9326
FAX (818) 336-7734



CUSTOMER/ADDRESS: Mc Donnell Douglas Aircraft
19503 S Normandie Ave
Torrance CA 90502

PHONE NO.:

CONTACT: Linc

LOCATION:

DATE WORK PERFORMED: 11-11-91

DATE OF THIS REPORT: 11-11-91

TIME CALL RECEIVED:

CONTRACT NO.:

LOSS REPORT NO./P.O. NO.:

SCOPE OF WORK: Pump-out 5000 Gallon of oil waste Liquid

| EQUIPMENT: TYPE | EQUIPMENT NO. | OPERATOR NAME | START TIME | ARRIVE TIME | TIME OUT | STOP TIME | S.T. TIME | O.T. TIME | TOTAL HOURS |
|---|---|---|---|---|---|---|---|---|---|
| 5000 Gallon Vacuum Truck | 21-11 | S Cruz | 0950 | 1030 | 1250 | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |

| PERSONNEL: NAME | TITLE | START TIME | ARRIVE TIME | TIME OUT | STOP TIME | S.T. TIME | O.T. TIME | TOTAL HOURS |
|---|---|---|---|---|---|---|---|---|
| Sam Cruz | Driver | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

| DISPOSAL: MANIFEST NO. | DISPOSAL SITE | QTY | UNIT |
|---|---|---|---|
| 87822154 | Norwalk Tank | Sand | 6 |
| | | | |
| | | | |
| | | | |

| COMSUMABLE: TYPE | QTY | TYPE | QTY |
|---|---|---|---|
| Gloves | 1 | | |
| | | | |
| | | | |
| | | | |

ADDITIONAL INFORMATION:

SIGNED: E. Lino

CUSTOMER COPY

# RCRA LAND DISPOSAL RESTRICTION NOTIFICATION

Generator Name: Douglas Aircraft Co. EPA ID Number: CAD065100005

Manifest Number: 89822154 Date of Shipment: 11-11-91

EPA Hazardous Waste Number: D002

This notification is hereby submitted to NORRIS ENVIRONMENTAL SERVICES in compliance with EPA regulations described in 40 CFR Part 268 which prohibit the land disposal of certain hazardous wastes, unless those wastes are treated to meet specified standards or treated using specified treatment technologies.

I have determined that the described on the above listed manifest is restricted in its present form and must be treated prior to land disposal.

| WASTE (check one) | TREATMENT STANDARD |
|---|---|
| ☐ Liquid hazardous waste including free liquids associated with any solid or sludge containing free cyanide at concentrations greater than or equal to 1000mg/L | Cyanide Destruction<br>Stabilization |
| ☐ Liquid hazardous wastes, including free liquids associated with any solid or sludge, containing the following metals (or elements) at concentrations greater than or equal to those specified below: *(check those that apply)* | Metals Recovery<br>Stabilization |
| ☐ Arsenic and/or compounds (as As) 500 mg/L; | |
| ☐ Cadmium and/or compounds (as Cd) 100 mg/L; | |
| ☐ Chromium (VI and/or compounds as Cr VI) 500 mg/L; | |
| ☐ Lead and/or compounds (as Pb) 500 mg/L; | |
| ☐ Mercury and/or compounds (as Hg) 20 mg/L; | |
| ☐ Nickel and/or compounds (as Ni) 134 mg/L; | |
| ☐ Selenium and/or compounds (as Se) 100 mg/L and | |
| ☐ Thallium and/or compounds (as Tl) 130 mg/L | |
| ☐ Liquid hazardous wastes that are primarily water and contain halogenated organic compounds (HOCs) in total concentration greater than or equal to 1,000 mg/L and less than 10,000 mg/L HOCs (see attached listing of HOC constituents) | Carbon Absorption<br>Steam Stripping<br>Other |
| ☐ Liquid hazardous wastes containing polychlorinated biphenyls (PCBs) at concentrations greater than or equal to 50 ppm | Incineration, high efficiency boiler, other thermal treatment |
| ☐ Liquid hazardous wastes having a pH less than or equal to two(2) | Neutralization<br>Stabilization |
| ☐ The spent solvent wastes specified in 40 CFR 261.31 as EPA Hazardous Wastes Nos F001, F002, F003, F004 and F005 | Specify technology used to meet Table CCWE_____ Check constituent(s) on Table CCWE which were reduced below treatment standards |

The most recent copy of waste analysis or a description of the knowledge upon which this notification is based is attached. I hereby certify that all information submitted in this and all associated documents is complete and accurate to the best of my knowledge and information.

Robert G. Tuell, Jr — Print Name

Senior Plant Engineer — Title

11-11-91 — Date

Robert G. Tuell, Jr. — Signature

(213) 533-7926 — Telephone Number

N.I. INDUSTRIES

# NORRIS Environmental Services

# *CERTIFICATE OF TREATMENT*

*Issued To*

**DOUGLAS AIRCRAFT COMPANY-TORRANCE**

**19503 SOUTH NORMANDIE AVE., MAIL CODE C6-59**

**TORRANCE CA 90502-0000**

*Date Received:* **11/11/91** *Manifest Number:* **89822154**

THIS CERTIFIES THAT

*THE WASTE RECEIVED ON THE ABOVE MANIFEST WAS PROCESSED THROUGH NORRIS ENVIRONMENTAL SERVICES' TREATMENT SYSTEM. THE NORRIS ENVIRONMENTAL SERVICES' TREATMENT SYSTEM DETOXIFIED THE WASTE, AND CONVERTED THE RESIDUE INTO A* ***RECYCLABLE*** *MATERIAL. THESE STEPS WERE CARRIED OUT IN FULL ACCORDANCE WITH FEDERAL, STATE, AND LOCAL ENVIRONMENTAL REQUIREMENTS.*

*THIS PROCESSING OF THE WASTE BY NORRIS ENVIRONMENTAL SERVICES' TREATMENT SYSTEM COMPLETES ALL OF THE CERTIFICATE HOLDER'S RESPONSIBILITIES UNDER THE UNITED STATES RESOURCE CONSERVATION AND RECOVERY ACT AND THE CALIFORNIA HAZARDOUS WASTE CONTROL ACT.*

A MASCO INDUSTRIES COMPANY

© GOES 746

LITHO IN U.S.A.

INVOICE

№ 26435

# UNITED PUMPING SERVICE, INC.

14016 EAST VALLEY BOULEVARD
CITY OF INDUSTRY, CALIFORNIA 91746
PHONE: (818) 961-9326
FAX (818) 336-7734

DIRECT DELIVERY SHIPMENT
Material Accepted As Listed
Exceptions Noted:
L-CARTILLO
Authorized Signature
Employee Number 330632
Dept. # 714 Date 11/11/91

SOLD TO
Dougals Airdraft
19503 S. Normandie
Torrance, CA 90502
Dept. C6-711, M/C C6-13
ATTN: Polly Dini

| LOCATION / DATE | CUSTOMER ORDER NO. | TERMS | OUR ORDER NO. |
|---|---|---|---|
| 11-11-91 | S&S25652-F6068 | 30 days | 24804 |

| QUANTITY | SERVICES RENDERED | PRICE | AMOUNT |
|---|---|---|---|
| | Transportation to Norris Environmental Vernon, CA | | |
| | Stainless Steel | | 414.00 |
| 2.25 hrs. | Additional loading/unloading time | 69.00/hr. | 155.25 |
| | Disposal Fee: | | 6502.50 |
| | Disposal Service Charge: | | 650.25 |
| | | | 7722.00 |
| | Manifest# 89822154 11-11-91 | | |

INTEREST AT THE RATE OF 10% PER ANNUM OR THE MAXIMUM PERMISSIBLE BY LAW, WHICHEVER IS HIGHER, WILL BE CHARGED ON ALL PAST DUE BALANCES.

DAC 70-90 (REV. 4-86)

# REQUEST FOR FACILITIES MATERIAL

Serial No. 142794

☐ EMERGENCY (JUSTIFICATION) ☐ CRITICAL ☐ ROUTINE

| Requested By | Employee No. | Phone | Date | Dept | Bldg & Column | Benefiting Dept |
|---|---|---|---|---|---|---|
| | | | | | | |

| Acct. No./CCN | PEMO/Source | Maint Work Order/ARO | Date Material Required |
|---|---|---|---|
| | | | |

| Item | Qty | O/U | Vendor Part No. | Description/Manufacturer | Unit Price | P/U |
|---|---|---|---|---|---|---|
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

**JUSTIFICATION**

Suggested Supplier

Phone No.

| | |
|---|---|
| SUBTOTAL | |
| TAX | |
| TOTAL | |

**MATERIAL FOR**

Machine/Equipment

Model/Manufacture

Serial No.

Size/Type

DAC/Control Number | Bldg/Column

☐ DISTRIBUTION | G AM PM

**AUTHORIZED SIGNATURES**

| | |
|---|---|
| Leadman | Date |
| Stockroom Coord | Date |
| Section Mgr. | Date |
| Branch Mgr. | Date |
| Acquisition Sec. Mgr. | Date |
| Assigned To | Reassigned To |

Deliver To

Bldg. Colunm Dept.

Name Ext.

**PLANT SERVICES ACQUISITION ONLY**

Supplier 8929 8035

Supplier Name/Address United Pumpworks

Phone No.

Supplier Contact

Work Order No.

Purchase/Contract No. 35022-F6068

CCN FD826203

Acct. No. 6820203

Chg to Dept C6-999

PEMO/Source

**ANALYST**

Name Date 12/10/91

Expected Shipment Date

Ship to Location

VIA

FOB

DISTRIBUTION: White, Canary and Blue - Plant Services Acquisitions; Pink - Originator

BOE-C6-0223353

# UNITED PUMPING SERVICE, INC.

14016 EAST VALLEY BOULEVARD
CITY OF INDUSTRY, CALIFORNIA 91746
PHONE: (818) 961-9326
FAX (818) 336-7734

**FIELD WORK ORDER** 24804

PAGE 1 OF 1

CUSTOMER/ADDRESS: Mc Donnell Douglas Aircraft
19503 S Normandie Ave
Torrance CA 90502

PHONE NO.:
CONTACT: Lino
LOCATION: 213-533-7926 or (213) 723-1

DATE WORK PERFORMED: 11-11-91
DATE OF THIS REPORT: 11-11-91
TIME CALL RECEIVED:
CONTRACT NO.:
LOSS REPORT NO./P.O. NO.: 46568

SCOPE OF WORK: Tank #259 Pump-out 5000 Gallon of acid waste liquid

| EQUIPMENT: TYPE | EQUIPMENT NO. | OPERATOR NAME | START TIME | ARRIVE TIME | TIME OUT | STOP TIME | S.T. TIME | O.T. TIME | TOTAL HOURS |
|---|---|---|---|---|---|---|---|---|---|
| 5000 Gallon Vacuum Truck | 21T-11 | S. Cisneros | 0950 | 1030 | 1250 | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |

| PERSONNEL: NAME | TITLE | START TIME | ARRIVE TIME | TIME OUT | STOP TIME | S.T. TIME | O.T. TIME | TOTAL HOURS |
|---|---|---|---|---|---|---|---|---|
| Lenny Lanni | Driver | | 1/1/11 | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

| DISPOSAL: MANIFEST NO. | DISPOSAL SITE | QTY | UNIT |
|---|---|---|---|
| 89822154 | Norris Industry | 5000 | G |
| | | | |
| | | | |
| | | | |

| COMSUMABLE: TYPE | QTY | TYPE | QTY |
|---|---|---|---|
| Gloves | 1 | | |
| | | | |
| | | | |
| | | | |

ADDITIONAL INFORMATION:

SIGNED: [signature]

INVOICE COPY

BOE-C6-0223354

# NORRIS Environmental Services

5215 S. BOYLE AVE. - P.O. BOX 58507
LOS ANGELES, CALIFORNIA 90058
(213) 588-7111 FAX (213) 588-0094

INVOICE

INVOICE NO: E14079

BILL TO:

UNITED PUMPING SERVICE, INC.
14016 EAST VALLEY BOULEVARD
CITY OF INDUSTRY CA 91746

CONTACT: Accounts Payable

This amount is for current charges. Please pay the amount listed below. All past due amounts will bear interest at 1 & 1/2 percent per month or the maximum rate allowed by law, whichever is less.

CUSTOMER NUMBER: 08004

GENERATOR'S CUST. NO.: 01062

CUSTOMER P.O. NUMBER:

INVOICE DATE: 11/27/91

TERMS: 2/10 Net 30.
Payment Due Date: 12/27/91

GENERATOR:

DOUGLAS AIRCRAFT COMPANY-TORRANCE
19503 SOUTH NORMANDIE AVE., MAIL CODE C6-59
TORRANCE CA 90502-0000

MANIFEST NUMBER: 89822154
GENERATOR EPA ID#: CAD086510005
TRANSPORTER'S EPA ID#: CAD072953771

| ITEM | RECEIPT DATE | PROFILE NO. | QTY | U/M | UNIT PRICE | EXTENDED PRICE |
|---|---|---|---|---|---|---|
| A | 11/11/91 | E0106200004 | 5000 | G | 1.53 | 7,650.00 |

| | |
|---|---|
| SUBTOTAL | 7,650.00 |
| LESS DISCOUNT (IF ANY) - | 1,147.50 |
| PLEASE REMIT THIS AMOUNT | 6,502.50 |

Remit to Below Address:

NI Industries, Inc.
Vernon Division
Vernon Dept 4141
Pasadena, SCF, CA 91050-4141

Federal ID #: 94-2780715

RECEIVED
DEC 3 1991

Please print or type. (Form designed for use on elite (12-pitch typewriter). Sacramento, California

# UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No. CAD086511005 Manifest Document No. 91115 8

2. Page 1 of 1

Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address
Douglas Aircraft Company
19503 S. Normandie Avenue
Torrance, CA 90502
Attn: R. Tuell
Mail Code: C6-59

4. Generator's Phone (213) 533-7926 OR (213) 533-7231

A. State Manifest Document Number 89822154

B. State Generator's ID HAHQ360569 13

5. Transporter 1 Company Name: United Pumping Service

6. US EPA ID Number: CAD072953771

C. State Transporter's ID 208523

D. Transporter's Phone 818-961-2326

7. Transporter 2 Company Name

8. US EPA ID Number

E. State Transporter's ID

F. Transporter's Phone

9. Designated Facility Name and Site Address
Norris Environmental Services
5215 S. Boyle Avenue
Los Angeles, CA 90058

10. US EPA ID Number: CAD097030993

G. State Facility's ID

H. Facility's Phone (213) 588-7111

| 11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number) | 12. Containers No. | Type | 13. Total Quantity | 14. Unit Wt/Vol | Waste No. |
|---|---|---|---|---|---|
| a. RQ, Waste Sodium Hydroxide Solution Corrosive Material, UN 1824 (D002) | 001 | TT | 05000 | G | State 122 EPA/Other D002 |
| b. | | | | | State EPA/Other |
| c. | | | | | State EPA/Other |
| d. | | | | | State EPA/Other |

J. Additional Descriptions for Materials Listed Above
Tank 259 - Waste Aluminum Chem Mill Solution Norris #E 1062 AK4
Sodium Hydroxide 0-12%
Sodium Aluminate 0-5%
Sodium Sulfide 0-4%
Water 79-100%

K. Handling Codes for Wastes Listed Above
a. b. c. d.

15. Special Handling Instructions and Additional Information
In case of accident Contact Chemtrec at 800-424-9300. Do not breathe vapors. Do not wash into sewer or waterway. If unable to deliver, return to generator. Volume is approximate. DOT Emergency Response Guide #60.

16. **GENERATOR'S CERTIFICATION:** I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name: Robert G. Tuell, Jr. Signature: Robert G. Tuell Jr. Month Day Year 1 1 1 9 1

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name: Sammy Cisneros Signature: Sammy Cisneros Month Day Year 1 1 1 9 1

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name Signature Month Day Year

19. Discrepancy Indication Space

20. Facility Owner or Operator Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.

Printed/Typed Name: BI TIN VELASCO Signature: Bi Tin Velasco Month Day Year 1 1 1 9 1

GENERATOR

TRANSPORTER

FACIL.

IN CASE OF AN EMERGENCY OR SPILL, CALL THE NATIONAL RESPONSE CENTER 1-800-424-8802; WITHIN CALIFORNIA CALL 1-800-852-7550

Do Not Write Below This Line

DHS 8022 A (1/88)
EPA 8700—22
(Rev. 9-88) Previous editions are obsolete.

BOE-C6-0223356