UNDERGROUND
ENGINEERING &
ENVIRONMENTAL
SOLUTIONS

Haley & Aldrich, Inc.
9040 Friars Road, Suite 220
San Diego, CA 92108-5860
Tel: 619.280.9210
Fax: 619.280.9415
www.HaleyAldrich.com

HALEY & ALDRICH

Fax Transmittal Sheet

Date	9 April 2002
File Number	27285-001
From	Beth Breitenbach
To	The Boeing Company
Attention	Marcia Taleff
Fax Number	(562) 593-4285
Page 1 of	48

Message

Marcia,
Attached are the data from the BL-1 destruction and sampling and from the knockout water for the Buildings 1/36 and Building 2 SVE Systems.

The following drums are from BL-1 destruction and sampling:
HA-119;
HA-120;
HA-121; and
HA-122.

The following drum is from Building 1/36:
HA-137.

The following drums are from Building 2:
HA-138;
HA-139; and
HA-140.
Please arrange for prompt disposal. Call me at (619) 285-7109 to notify us of your schedule or to answer any questions.

Thank you,

Beth Breitenbach

Beth Breitenbach
Geologist

NOTICE: The information contained in this communication is confidential and privileged proprietary information intended only for the individual or entity to whom it is addressed. Any unauthorized use, distribution, copying or disclosure of this communication is prohibited. If you have received this communication in error, please contact the sender immediately.

Please call 619.280.9210 if there is a problem with this fax transmission.

SEVERN TRENT SERVICES

STL Los Angeles
1721 South Grand Avenue
Santa Ana, CA 92705-4808

Tel: 714 258 8610
Fax: 714 258 0921
www.stl-inc.com

January 21, 2002

STL LOT NUMBER: E2A140197
NELAP Certification Number: 01118CA
PO/CONTRACT: 05220-SEV001

Mehmet Pehlivan
Tait Environmental
701 Park Center Drive
Santa Ana, CA 92705

Dear Mr. Pehlivan,

This report contains the analytical results for the three samples received under chain of custody by STL Los Angeles on January 14, 2002. These samples are associated with your BRC former C-6 Torrance Harbor Gateway project.

All applicable quality control procedures met method-specified acceptance criteria. See Project Receipt Checklist for container temperature and conditions. Temperature reading between 2 to 6 degrees Celsius is considered within acceptable criteria. Any matrix related anomaly is footnoted within the report.

STL Los Angeles certifies that the tests performed at our facility meet all NELAP requirements for parameters for which accreditation is required or available. The case narrative is an integral part of the report. This report shall not be reproduced except in full, without the written approval of the laboratory.

If you have any questions, please feel free to call me at (714) 258-8610 extension 309.

Sincerely,

Diane Suzuki
Project Manager

CC: Project File

Page 1 of 000035 total pages in this report.

STL Los Angeles is a part of Severn Trent Laboratories, Inc.

Chain of Custody Record

SEVERN TRENT SERVICES

Severn Trent Laboratories, Inc.

STL-4124 (07/01)

Client: Tait Environmental Management	Project Manager: Mehmet Pehlivan	Date: 1-14-02	Chain of Custody Number: 050086
Address: 701 N. Parkcenter Drive	Telephone Number (Area Code)/Fax Number: 714-560-8613	Lab Number: E2A140197	Page 1 of 1
City: Santa Ana; State: CA; Zip Code: 92705	Site Contact: Mehmet P.	Lab Contact: Diane Suzuki	
Project Name and Location (State): Former C-6 Torrance	Carrier/Waybill Number		
Contract/Purchase Order/Quote No.: EM2303			

Sample I.D. No. and Description (Containers for each sample may be combined on one line)	Date	Time	Matrix: Air	Aqueous	Sed.	Soil	Containers & Preservatives: Unpres.	H2SO4	HNO3	HCl	NaOH	ZnAc/NaOH	Analysis (Attach list if more space is needed): EPA 8260B	EPA 7196	Special Instructions/ Conditions of Receipt
BLL-011402-1630	1-14-02	16:30		X					3	3			X		
BLL-011402-1630	1-14-02	16:30		X			1							X	
BLL 011402 ~~[illegible]~~ 0004	1-14-02	15:15		X						3			X		
BLL 011402-0001 (trip)	1-14-02	—		X			3						X		

Possible Hazard Identification: [X] Non-Hazard [ ] Flammable [ ] Skin Irritant [ ] Poison B [ ] Unknown

Sample Disposal: [ ] Return To Client [ ] Disposal By Lab [ ] Archive For ____ Months (A fee may be assessed if samples are retained longer than 3 months)

Turn Around Time Required: [ ] 24 Hours [ ] 48 Hours [ ] 7 Days [X] 14 Days [ ] 21 Days [ ] Other ____

QC Requirements (Specify)

1. Relinquished By: [signature]	Date: 1/14/02	Time: 1915	1. Received By: [signature]	Date: 1/14/02	Time: 1915
2. Relinquished By	Date	Time	2. Received By	Date	Time
3. Relinquished By	Date	Time	3. Received By	Date	Time

Comments

DISTRIBUTION: WHITE - Stays with the Sample; CANARY - Returned to Client with Report; PINK - Field Copy

000002

STL LOS ANGELES
PROJECT RECEIPT CHECKLIST

Date: 1/14/02

Quantims Lot #: E2A140197
Client Name: TATT
Received by: Royce S.
Delivered by : ☒Client ☐Airborne ☐Fed Ex ☐DHL ☐In-House Courier ☐Rey B. ☐UPS ☐DES ☐Other

Quote #: 40334
Project: Boeing C-6 Torrance
Date/Time Received: 1/14/02 19:15

Initial / Date

Custody Seal Status: ☐Intact ☐Broken ☒None ..... AR 1/14/02
Custody Seal #(s): ☒No Seal # .....
Sample Container(s): ☒STL-LA ☐Client ☐N/A .....
Temperature(s) (Cooler/blank) in °C: 4.3 Correction factor -0.1°C (Corrected Temp.) 4.2°C
Thermometer Used : ID: B ☒IR (Infra-red) ☐Digital (Probe) .....
Samples: ☒Intact ☐Broken ☐Other _____
Anomalies: ☒No ☐Yes (See Clouseau) .....
Labeled by .....
Labeling checked by .....

Turn Around Time: ☐RUSH-24HR ☐RUSH-48HR ☐RUSH-72HR ☒NORMAL .....
Short-Hold Notification: ☐Ph ☒Wet Chem ☐Metals (Filter/Pres) ☐Encore ☐N/A ... ✓
Outside Analysis(es) (Test/Lab/Date Sent Out) : None

********** LEAVE NO BLANK SPACES ; USE N/A **********

Fraction	1	2 → 3									PH
VOAh r*	3	3									N/A
250mL PB	1	—									

h:HCl na:Sodium Hydroxide zna:Zinc Acetate/Sodium Hydroxide s: H2SO4 n:HNO3 n/f:HNO3-Field filtered n/f/l:HNO3-Lab filtered
CGJ:Clear Glass Jar CGB:Clear Glass Bottle AGJ:Amber Glass Jar AGB:Amber Glass Bottle PB: Poly Bottle E:Encore Sampler V:VOA SL:Sleeve
* Number of VOA's w/ Headspace present

LOGGED BY/DATE: 1/14/02 REVIEWED BY/DATE: 1/14/02

SEVERN TRENT SERVICES

Analytical Report

SAMPLE SUMMARY

E2A140197

WO #	SAMPLE#	CLIENT SAMPLE ID	SAMPLED DATE	SAMP TIME
ERMDC	001	BL1_011402_1630	01/14/02	16:30
ERMDD	002	BL1_011402_0004	01/14/02	15:15
ERMDE	003	BL1_011402_0001	01/14/02	

NOTE(S):

- The analytical results of the samples listed above are presented on the following pages.
- All calculations are performed before rounding to avoid round-off errors in calculated results.
- Results noted as "ND" were not detected at or above the stated limit.
- This report must not be reproduced, except in full, without the written approval of the laboratory.
- Results for the following parameters are never reported on a dry weight basis: color, corrosivity, density, flashpoint, ignitability, layers, odor, paint filter test, pH, porosity pressure, reactivity, redox potential, specific gravity, spot tests, solids, solubility, temperature, viscosity, and weight.

CLIENT DATA SUMMARY

Lot #: E2A140197

TAIT ENVIRONMENTAL
Boeing C-6/Tait EM2303
Project: 05160-SEV002

Date Reported: 1/21/02

Client Sample ID: BL1_011402_1630
Sample #: 001 Date Sampled: 01/14/02 16:30 Date Received: 01/14/02 Matrix: WATER

PARAMETER	RESULT	RL	UNITS	METHOD	PREPARATION-ANALYSIS DATE	PREP BATCH #
VOLATILE ORGANICS BY GC/MS						
Acetone	ND	10	ug/L	SW846 8260B	01/15/02	2015487
Benzene	1.1	1.0	ug/L	SW846 8260B	01/15/02	2015487
Bromobenzene	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
Bromochloromethane	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
Bromoform	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
Bromomethane	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
Carbon tetrachloride	ND	2.0	ug/L	SW846 8260B	01/15/02	2015487
2-Butanone	ND	0.50	ug/L	SW846 8260B	01/15/02	2015487
n-Butylbenzene	ND	5.0	ug/L	SW846 8260B	01/15/02	2015487
sec-Butylbenzene	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
tert-Butylbenzene	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
Carbon disulfide	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
Chlorobenzene	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
Dibromochloromethane	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
Dichlorodifluoromethan	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
Bromodichloromethane	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
1,2-Dichloroethane	ND	0.50	ug/L	SW846 8260B	01/15/02	2015487
Chloroethane	ND	2.0	ug/L	SW846 8260B	01/15/02	2015487
Chloroform	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
Chloromethane	ND	2.0	ug/L	SW846 8260B	01/15/02	2015487
2-Chlorotoluene	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
4-Chlorotoluene	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
1,2-Dibromo-3-chloro-propane	ND	2.0	ug/L	SW846 8260B	01/15/02	2015487
1,2-Dibromoethane	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
Iodomethane	ND	2.0	ug/L	SW846 8260B	01/15/02	2015487
1,2-Dichlorobenzene	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
1,3-Dichlorobenzene	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
1,4-Dichlorobenzene	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
1,1-Dichloroethane	0.56 J	1.0	ug/L	SW846 8260B	01/15/02	2015487
cis-1,2-Dichloroethene	10	1.0	ug/L	SW846 8260B	01/15/02	2015487
trans-1,2-Dichloroethe	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
Vinyl chloride	6.8	0.50	ug/L	SW846 8260B	01/15/02	2015487
2,2-Dichloropropane	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
1,1-Dichloropropene	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
Ethylbenzene	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
Hexachlorobutadiene	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
2-Hexanone	ND	5.0	ug/L	SW846 8260B	01/15/02	2015487
Isopropylbenzene	0.38 J	1.0	ug/L	SW846 8260B	01/15/02	2015487
p-Isopropyltoluene	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487

(Continued on next page)

CLIENT DATA SUMMARY

Lot #: E2A140197

TAIT ENVIRONMENTAL
Boeing C-6/Tait EM2303
Project: 05160-SEV002

Date Reported: 1/21/02

PARAMETER	RESULT	RL	UNITS	METHOD	PREPARATION-ANALYSIS DATE	PREP BATCH #
Client Sample ID: BL1_011402_1630						
Sample #: 001 Date Sampled: 01/14/02 16:30 Date Received: 01/14/02 Matrix: WATER						
VOLATILE ORGANICS BY GC/MS						
Methylene chloride	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
4-Methyl-2-pentanone	ND	5.0	ug/L	SW846 8260B	01/15/02	2015487
Methyl tert-butyl ethe	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
n-Propylbenzene	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
Styrene	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
1,1,1,2-Tetrachloroeth	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
1,1,2,2-Tetrachloroeth	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
Tetrachloroethene	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
Toluene	1.6	1.0	ug/L	SW846 8260B	01/15/02	2015487
1,2,3-Trichlorobenzene	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
1,2,4-Trichloro-benzene	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
1,1,1-Trichloroethane	0.69 J	1.0	ug/L	SW846 8260B	01/15/02	2015487
1,1,2-Trichloroethane	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
Trichloroethene	1.8	1.0	ug/L	SW846 8260B	01/15/02	2015487
Trichlorofluoromethane	ND	2.0	ug/L	SW846 8260B	01/15/02	2015487
1,2,3-Trichloropropane	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
1,1,2-Trichlorotrifluo ethane	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
1,2,4-Trimethylbenzene	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
1,3,5-Trimethylbenzene	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
Xylenes (total)	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
Acrolein	ND	20	ug/L	SW846 8260B	01/15/02	2015487
Acrylonitrile	ND	20	ug/L	SW846 8260B	01/15/02	2015487
Vinyl acetate	ND	5.0	ug/L	SW846 8260B	01/15/02	2015487
Tetrahydrofuran	ND	10	ug/L	SW846 8260B	01/15/02	2015487
2-Chloroethyl vinyl et	ND	5.0	ug/L	SW846 8260B	01/15/02	2015487
Bromofluorobenzene	96		%	SW846 8260B	01/15/02	2015487
1,2-Dichloroethane-d4	118		%	SW846 8260B	01/15/02	2015487
Toluene-d8	102		%	SW846 8260B	01/15/02	2015487

) Estimated result. Result is less than RL.

HEXAVALENT CHROMIUM						
Hexavalent Chromium	ND	0.020	mg/L	SW846 7196A	01/15/02	2015224

(Continued on next page)

CLIENT DATA SUMMARY

Lot #: E2A140197

TAIT ENVIRONMENTAL
Boeing C-6/Tait EM2303
Project: 05160-SEV002

Date Reported: 1/21/02

Client Sample ID: BL1_011402_0004
Sample #: 002 Date Sampled: 01/14/02 15:15 Date Received: 01/14/02 Matrix: WATER

PARAMETER	RESULT	RL	UNITS	METHOD	PREPARATION-ANALYSIS DATE	PREP BATCH #
VOLATILE ORGANICS BY GC/MS						
Acetone	ND	10	ug/L	SW846 8260B	01/15/02	2015487
Benzene	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
Bromobenzene	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
Bromochloromethane	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
Bromoform	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
Bromomethane	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
Carbon tetrachloride	ND	2.0	ug/L	SW846 8260B	01/15/02	2015487
2-Butanone	ND	0.50	ug/L	SW846 8260B	01/15/02	2015487
n-Butylbenzene	ND	5.0	ug/L	SW846 8260B	01/15/02	2015487
sec-Butylbenzene	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
tert-Butylbenzene	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
Carbon disulfide	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
Chlorobenzene	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
Dibromochloromethane	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
Dichlorodifluoromethan	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
Bromodichloromethane	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
1,2-Dichloroethane	ND	0.50	ug/L	SW846 8260B	01/15/02	2015487
Chloroethane	ND	2.0	ug/L	SW846 8260B	01/15/02	2015487
Chloroform	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
Chloromethane	ND	2.0	ug/L	SW846 8260B	01/15/02	2015487
2-Chlorotoluene	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
4-Chlorotoluene	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
1,2-Dibromo-3-chloro-propane	ND	2.0	ug/L	SW846 8260B	01/15/02	2015487
1,2-Dibromoethane	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
Iodomethane	ND	2.0	ug/L	SW846 8260B	01/15/02	2015487
1,2-Dichlorobenzene	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
1,3-Dichlorobenzene	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
1,4-Dichlorobenzene	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
1,1-Dichloroethane	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
cis-1,2-Dichloroethene	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
trans-1,2-Dichloroethe	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
Vinyl chloride	ND	0.50	ug/L	SW846 8260B	01/15/02	2015487
2,2-Dichloropropane	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
1,1-Dichloropropene	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
Ethylbenzene	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
Hexachlorobutadiene	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
2-Hexanone	ND	5.0	ug/L	SW846 8260B	01/15/02	2015487
Isopropylbenzene	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
p-Isopropyltoluene	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
Methylene chloride	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487

(Continued on next page)

CLIENT DATA SUMMARY

Lot #: E2A140197

TAIT ENVIRONMENTAL
Boeing C-6/Tait EM2303
Project: 05160-SEV002

Date Reported: 1/21/02

PARAMETER	RESULT	RL	UNITS	METHOD	PREPARATION-ANALYSIS DATE	PREP BATCH #
Client Sample ID: BL1_011402_0004						
Sample #: 002 Date Sampled: 01/14/02 15:15 Date Received: 01/14/02 Matrix: WATER						
VOLATILE ORGANICS BY GC/MS						
4-Methyl-2-pentanone	ND	5.0	ug/L	SW846 8260B	01/15/02	2015487
Methyl tert-butyl ethe	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
n-Propylbenzene	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
Styrene	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
1,1,1,2-Tetrachloroeth	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
1,1,2,2-Tetrachloroeth	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
Tetrachloroethene	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
Toluene	0.32 J	1.0	ug/L	SW846 8260B	01/15/02	2015487
1,2,3-Trichlorobenzene	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
1,2,4-Trichloro-benzene	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
1,1,1-Trichloroethane	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
1,1,2-Trichloroethane	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
Trichloroethene	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
Trichlorofluoromethane	ND	2.0	ug/L	SW846 8260B	01/15/02	2015487
1,2,3-Trichloropropane	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
1,1,2-Trichlorotrifluo ethane	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
1,2,4-Trimethylbenzene	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
1,3,5-Trimethylbenzene	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
Xylenes (total)	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
Acrolein	ND	20	ug/L	SW846 8260B	01/15/02	2015487
Acrylonitrile	ND	20	ug/L	SW846 8260B	01/15/02	2015487
Vinyl acetate	ND	5.0	ug/L	SW846 8260B	01/15/02	2015487
Tetrahydrofuran	ND	10	ug/L	SW846 8260B	01/15/02	2015487
2-Chloroethyl vinyl et	ND	5.0	ug/L	SW846 8260B	01/15/02	2015487
Bromofluorobenzene	92		%	SW846 8260B	01/15/02	2015487
1,2-Dichloroethane-d4	109		%	SW846 8260B	01/15/02	2015487
Toluene-d8	99		%	SW846 8260B	01/15/02	2015487

J Estimated result. Result is less than RL.

Client Sample ID: BL1_011402_0001
Sample #: 003 Date Sampled: 01/14/02 Date Received: 01/14/02 Matrix: WATER

VOLATILE ORGANICS BY GC/MS						
Acetone	ND	10	ug/L	SW846 8260B	01/15/02	2015487
Benzene	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
Bromobenzene	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487

(Continued on next page)

CLIENT DATA SUMMARY

Lot #: E2A140197

TAIT ENVIRONMENTAL
Boeing C-6/Tait EM2303
Project: 05160-SEV002

Date Reported: 1/21/02

Client Sample ID: BL1_011402_0001
Sample #: 003 Date Sampled: 01/14/02 Date Received: 01/14/02 Matrix: WATER

PARAMETER	RESULT	RL	UNITS	METHOD	PREPARATION-ANALYSIS DATE	PREP BATCH #
VOLATILE ORGANICS BY GC/MS						
Bromochloromethane	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
Bromoform	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
Bromomethane	ND	2.0	ug/L	SW846 8260B	01/15/02	2015487
Carbon tetrachloride	ND	0.50	ug/L	SW846 8260B	01/15/02	2015487
2-Butanone	ND	5.0	ug/L	SW846 8260B	01/15/02	2015487
n-Butylbenzene	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
sec-Butylbenzene	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
tert-Butylbenzene	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
Carbon disulfide	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
Chlorobenzene	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
Dibromochloromethane	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
Dichlorodifluoromethan	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
Bromodichloromethane	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
1,2-Dichloroethane	ND	0.50	ug/L	SW846 8260B	01/15/02	2015487
Chloroethane	ND	2.0	ug/L	SW846 8260B	01/15/02	2015487
Chloroform	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
Chloromethane	ND	2.0	ug/L	SW846 8260B	01/15/02	2015487
2-Chlorotoluene	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
4-Chlorotoluene	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
1,2-Dibromo-3-chloro-propane	ND	2.0	ug/L	SW846 8260B	01/15/02	2015487
1,2-Dibromoethane	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
Iodomethane	ND	2.0	ug/L	SW846 8260B	01/15/02	2015487
1,2-Dichlorobenzene	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
1,3-Dichlorobenzene	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
1,4-Dichlorobenzene	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
1,1-Dichloroethane	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
cis-1,2-Dichloroethene	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
trans-1,2-Dichloroethe	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
Vinyl chloride	ND	0.50	ug/L	SW846 8260B	01/15/02	2015487
2,2-Dichloropropane	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
1,1-Dichloropropene	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
Ethylbenzene	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
Hexachlorobutadiene	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
2-Hexanone	ND	5.0	ug/L	SW846 8260B	01/15/02	2015487
Isopropylbenzene	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
p-Isopropyltoluene	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
Methylene chloride	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
4-Methyl-2-pentanone	ND	5.0	ug/L	SW846 8260B	01/15/02	2015487
Methyl tert-butyl ethe	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
n-Propylbenzene	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487

(Continued on next page)

CLIENT DATA SUMMARY

Lot #: E2A140197

TAIT ENVIRONMENTAL
Boeing C-6/Tait EM2303
Project: 05160-SEV002

Date Reported: 1/21/02

Client Sample ID: BL1_011402_0001
Sample #: 003 Date Sampled: 01/14/02 Date Received: 01/14/02 Matrix: WATER

PARAMETER	RESULT	RL	UNITS	METHOD	PREPARATION-ANALYSIS DATE	PREP BATCH #
VOLATILE ORGANICS BY GC/MS						
Styrene	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
1,1,1,2-Tetrachloroeth	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
1,1,2,2-Tetrachloroeth	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
Tetrachloroethene	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
Toluene	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
1,2,3-Trichlorobenzene	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
1,2,4-Trichloro-benzene	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
1,1,1-Trichloroethane	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
1,1,2-Trichloroethane	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
Trichloroethene	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
Trichlorofluoromethane	ND	2.0	ug/L	SW846 8260B	01/15/02	2015487
1,2,3-Trichloropropane	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
1,1,2-Trichlorotrifluo ethane	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
1,2,4-Trimethylbenzene	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
1,3,5-Trimethylbenzene	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
Xylenes (total)	ND	1.0	ug/L	SW846 8260B	01/15/02	2015487
Acrolein	ND	20	ug/L	SW846 8260B	01/15/02	2015487
Acrylonitrile	ND	20	ug/L	SW846 8260B	01/15/02	2015487
Vinyl acetate	ND	5.0	ug/L	SW846 8260B	01/15/02	2015487
Tetrahydrofuran	ND	10	ug/L	SW846 8260B	01/15/02	2015487
2-Chloroethyl vinyl et	ND	5.0	ug/L	SW846 8260B	01/15/02	2015487
Bromofluorobenzene	94		%	SW846 8260B	01/15/02	2015487
1,2-Dichloroethane-d4	114		%	SW846 8260B	01/15/02	2015487
Toluene-d8	102		%	SW846 8260B	01/15/02	2015487

TAIT ENVIRONMENTAL

Client Sample ID: BL1_011402_1630

GC/MS Volatiles

Lot-Sample #...: E2A140197-001 Work Order #...: ERMDC1AC Matrix.....: WATER
Date Sampled...: 01/14/02 16:30 Date Received..: 01/14/02 19:15 MS Run #.....: 2015275
Prep Date.....: 01/15/02 Analysis Date..: 01/15/02
Prep Batch #...: 2015487 Analysis Time..: 17:35
Dilution Factor: 1
Analyst ID.....: 015590 Instrument ID..: MSC
Method.....: SW846 8260B

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Acetone	ND	10	ug/L	3.0
Benzene	1.1	1.0	ug/L	0.30
Bromobenzene	ND	1.0	ug/L	0.30
Bromochloromethane	ND	1.0	ug/L	0.30
Bromoform	ND	1.0	ug/L	0.30
Bromomethane	ND	2.0	ug/L	1.0
Carbon tetrachloride	ND	0.50	ug/L	0.30
2-Butanone	ND	5.0	ug/L	3.0
n-Butylbenzene	ND	1.0	ug/L	0.30
sec-Butylbenzene	ND	1.0	ug/L	0.30
tert-Butylbenzene	ND	1.0	ug/L	0.20
Carbon disulfide	ND	1.0	ug/L	0.30
Chlorobenzene	ND	1.0	ug/L	0.30
Dibromochloromethane	ND	1.0	ug/L	0.40
Dichlorodifluoromethane	ND	1.0	ug/L	0.40
Bromodichloromethane	ND	1.0	ug/L	0.30
1,2-Dichloroethane	ND	0.50	ug/L	0.40
Chloroethane	ND	2.0	ug/L	0.30
Chloroform	ND	1.0	ug/L	0.30
Chloromethane	ND	2.0	ug/L	0.30
2-Chlorotoluene	ND	1.0	ug/L	0.30
4-Chlorotoluene	ND	1.0	ug/L	0.30
1,2-Dibromo-3-chloro-propane	ND	2.0	ug/L	0.70
1,2-Dibromoethane	ND	1.0	ug/L	0.30
Iodomethane	ND	2.0	ug/L	1.0
1,2-Dichlorobenzene	ND	1.0	ug/L	0.30
1,3-Dichlorobenzene	ND	1.0	ug/L	0.30
1,4-Dichlorobenzene	ND	1.0	ug/L	0.30
1,1-Dichloroethane	0.56 J	1.0	ug/L	0.20
cis-1,2-Dichloroethene	10	1.0	ug/L	0.30
trans-1,2-Dichloroethene	ND	1.0	ug/L	0.30
Vinyl chloride	6.8	0.50	ug/L	0.30
2,2-Dichloropropane	ND	1.0	ug/L	0.30
1,1-Dichloropropene	ND	1.0	ug/L	0.30
Ethylbenzene	ND	1.0	ug/L	0.20
Hexachlorobutadiene	ND	1.0	ug/L	0.30

(Continued on next page)

TAIT ENVIRONMENTAL

Client Sample ID: BL1_011402_1630

GC/MS Volatiles

Lot-Sample #...: E2A140197-001 Work Order #...: ERMDC1AC Matrix.....: WATER

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
2-Hexanone	ND	5.0	ug/L	3.0
Isopropylbenzene	0.38 J	1.0	ug/L	0.30
p-Isopropyltoluene	ND	1.0	ug/L	0.30
Methylene chloride	ND	1.0	ug/L	0.30
4-Methyl-2-pentanone	ND	5.0	ug/L	3.0
Methyl tert-butyl ether	ND	1.0	ug/L	0.50
n-Propylbenzene	ND	1.0	ug/L	0.40
Styrene	ND	1.0	ug/L	0.30
1,1,1,2-Tetrachloroethane	ND	1.0	ug/L	0.30
1,1,2,2-Tetrachloroethane	ND	1.0	ug/L	0.40
Tetrachloroethene	ND	1.0	ug/L	0.30
Toluene	1.6	1.0	ug/L	0.30
1,2,3-Trichlorobenzene	ND	1.0	ug/L	0.40
1,2,4-Trichloro-benzene	ND	1.0	ug/L	0.30
1,1,1-Trichloroethane	0.69 J	1.0	ug/L	0.20
1,1,2-Trichloroethane	ND	1.0	ug/L	0.30
Trichloroethene	1.8	1.0	ug/L	0.30
Trichlorofluoromethane	ND	2.0	ug/L	0.30
1,2,3-Trichloropropane	ND	1.0	ug/L	0.40
1,1,2-Trichlorotrifluoro-ethane	ND	1.0	ug/L	0.40
1,2,4-Trimethylbenzene	ND	1.0	ug/L	0.30
1,3,5-Trimethylbenzene	ND	1.0	ug/L	0.20
Xylenes (total)	ND	1.0	ug/L	0.80
Acrolein	ND	20	ug/L	12
Acrylonitrile	ND	20	ug/L	10
Vinyl acetate	ND	5.0	ug/L	2.0
Tetrahydrofuran	ND	10	ug/L	2.0
2-Chloroethyl vinyl ether	ND	5.0	ug/L	2.0

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Bromofluorobenzene	96	(75 - 130)
1,2-Dichloroethane-d4	118	(65 - 135)
Toluene-d8	102	(80 - 130)

NOTE(S):

J Estimated result. Result is less than RL.

TAIT ENVIRONMENTAL

Client Sample ID: BL1_011402_0004

GC/MS Volatiles

Lot-Sample #...: E2A140197-002 Work Order #...: ERMDD1AA Matrix.....: WATER
Date Sampled...: 01/14/02 15:15 Date Received..: 01/14/02 19:15 MS Run #.....: 2015275
Prep Date.....: 01/15/02 Analysis Date..: 01/15/02
Prep Batch #...: 2015487 Analysis Time..: 18:05
Dilution Factor: 1
Analyst ID.....: 015590 Instrument ID..: MSC
Method.....: SW846 8260B

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Acetone	ND	10	ug/L	3.0
Benzene	ND	1.0	ug/L	0.30
Bromobenzene	ND	1.0	ug/L	0.30
Bromochloromethane	ND	1.0	ug/L	0.30
Bromoform	ND	1.0	ug/L	0.30
Bromomethane	ND	2.0	ug/L	1.0
Carbon tetrachloride	ND	0.50	ug/L	0.30
2-Butanone	ND	5.0	ug/L	3.0
n-Butylbenzene	ND	1.0	ug/L	0.30
sec-Butylbenzene	ND	1.0	ug/L	0.30
tert-Butylbenzene	ND	1.0	ug/L	0.20
Carbon disulfide	ND	1.0	ug/L	0.30
Chlorobenzene	ND	1.0	ug/L	0.30
Dibromochloromethane	ND	1.0	ug/L	0.40
Dichlorodifluoromethane	ND	1.0	ug/L	0.40
Bromodichloromethane	ND	1.0	ug/L	0.30
1,2-Dichloroethane	ND	0.50	ug/L	0.40
Chloroethane	ND	2.0	ug/L	0.30
Chloroform	ND	1.0	ug/L	0.30
Chloromethane	ND	2.0	ug/L	0.30
2-Chlorotoluene	ND	1.0	ug/L	0.30
4-Chlorotoluene	ND	1.0	ug/L	0.30
1,2-Dibromo-3-chloro-propane	ND	2.0	ug/L	0.70
1,2-Dibromoethane	ND	1.0	ug/L	0.30
Iodomethane	ND	2.0	ug/L	1.0
1,2-Dichlorobenzene	ND	1.0	ug/L	0.30
1,3-Dichlorobenzene	ND	1.0	ug/L	0.30
1,4-Dichlorobenzene	ND	1.0	ug/L	0.30
1,1-Dichloroethane	ND	1.0	ug/L	0.20
cis-1,2-Dichloroethene	ND	1.0	ug/L	0.30
trans-1,2-Dichloroethene	ND	1.0	ug/L	0.30
Vinyl chloride	ND	0.50	ug/L	0.30
2,2-Dichloropropane	ND	1.0	ug/L	0.30
1,1-Dichloropropene	ND	1.0	ug/L	0.30
Ethylbenzene	ND	1.0	ug/L	0.20
Hexachlorobutadiene	ND	1.0	ug/L	0.30

(Continued on next page)

TAIT ENVIRONMENTAL

Client Sample ID: BL1_011402_0004

GC/MS Volatiles

Lot-Sample #...: E2A140197-002 Work Order #...: ERMDD1AA Matrix.....: WATER

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
2-Hexanone	ND	5.0	ug/L	3.0
Isopropylbenzene	ND	1.0	ug/L	0.30
p-Isopropyltoluene	ND	1.0	ug/L	0.30
Methylene chloride	ND	1.0	ug/L	0.30
4-Methyl-2-pentanone	ND	5.0	ug/L	3.0
Methyl tert-butyl ether	ND	1.0	ug/L	0.50
n-Propylbenzene	ND	1.0	ug/L	0.40
Styrene	ND	1.0	ug/L	0.30
1,1,1,2-Tetrachloroethane	ND	1.0	ug/L	0.30
1,1,2,2-Tetrachloroethane	ND	1.0	ug/L	0.40
Tetrachloroethene	ND	1.0	ug/L	0.30
Toluene	0.32 J	1.0	ug/L	0.30
1,2,3-Trichlorobenzene	ND	1.0	ug/L	0.40
1,2,4-Trichloro-benzene	ND	1.0	ug/L	0.30
1,1,1-Trichloroethane	ND	1.0	ug/L	0.20
1,1,2-Trichloroethane	ND	1.0	ug/L	0.30
Trichloroethene	ND	1.0	ug/L	0.30
Trichlorofluoromethane	ND	2.0	ug/L	0.30
1,2,3-Trichloropropane	ND	1.0	ug/L	0.40
1,1,2-Trichlorotrifluoro-ethane	ND	1.0	ug/L	0.40
1,2,4-Trimethylbenzene	ND	1.0	ug/L	0.30
1,3,5-Trimethylbenzene	ND	1.0	ug/L	0.20
Xylenes (total)	ND	1.0	ug/L	0.80
Acrolein	ND	20	ug/L	12
Acrylonitrile	ND	20	ug/L	10
Vinyl acetate	ND	5.0	ug/L	2.0
Tetrahydrofuran	ND	10	ug/L	2.0
2-Chloroethyl vinyl ether	ND	5.0	ug/L	2.0

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Bromofluorobenzene	92	(75 - 130)
1,2-Dichloroethane-d4	109	(65 - 135)
Toluene-d8	99	(80 - 130)

NOTE(S):

J Estimated result. Result is less than RL.

TAIT ENVIRONMENTAL

Client Sample ID: BL1_011402_0001

GC/MS Volatiles

Lot-Sample #...: E2A140197-003
Date Sampled...: 01/14/02
Prep Date.....: 01/15/02
Prep Batch #...: 2015487
Dilution Factor: 1
Analyst ID.....: 015590

Work Order #...: ERMDE1AA
Date Received..: 01/14/02 19:15
Analysis Date..: 01/15/02
Analysis Time..: 17:06

Instrument ID..: MSC
Method.....: SW846 8260B

Matrix.....: WATER
MS Run #.....: 2015275

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
Acetone	ND	10	ug/L	3.0
Benzene	ND	1.0	ug/L	0.30
Bromobenzene	ND	1.0	ug/L	0.30
Bromochloromethane	ND	1.0	ug/L	0.30
Bromoform	ND	1.0	ug/L	0.30
Bromomethane	ND	2.0	ug/L	1.0
Carbon tetrachloride	ND	0.50	ug/L	0.30
2-Butanone	ND	5.0	ug/L	3.0
n-Butylbenzene	ND	1.0	ug/L	0.30
sec-Butylbenzene	ND	1.0	ug/L	0.30
tert-Butylbenzene	ND	1.0	ug/L	0.20
Carbon disulfide	ND	1.0	ug/L	0.30
Chlorobenzene	ND	1.0	ug/L	0.30
Dibromochloromethane	ND	1.0	ug/L	0.40
Dichlorodifluoromethane	ND	1.0	ug/L	0.40
Bromodichloromethane	ND	1.0	ug/L	0.30
1,2-Dichloroethane	ND	0.50	ug/L	0.40
Chloroethane	ND	2.0	ug/L	0.30
Chloroform	ND	1.0	ug/L	0.30
Chloromethane	ND	2.0	ug/L	0.30
2-Chlorotoluene	ND	1.0	ug/L	0.30
4-Chlorotoluene	ND	1.0	ug/L	0.30
1,2-Dibromo-3-chloro-propane	ND	2.0	ug/L	0.70
1,2-Dibromoethane	ND	1.0	ug/L	0.30
Iodomethane	ND	2.0	ug/L	1.0
1,2-Dichlorobenzene	ND	1.0	ug/L	0.30
1,3-Dichlorobenzene	ND	1.0	ug/L	0.30
1,4-Dichlorobenzene	ND	1.0	ug/L	0.30
1,1-Dichloroethane	ND	1.0	ug/L	0.20
cis-1,2-Dichloroethene	ND	1.0	ug/L	0.30
trans-1,2-Dichloroethene	ND	1.0	ug/L	0.30
Vinyl chloride	ND	0.50	ug/L	0.30
2,2-Dichloropropane	ND	1.0	ug/L	0.30
1,1-Dichloropropene	ND	1.0	ug/L	0.30
Ethylbenzene	ND	1.0	ug/L	0.20
Hexachlorobutadiene	ND	1.0	ug/L	0.30

(Continued on next page)

TAIT ENVIRONMENTAL

Client Sample ID: BL1_011402_0001

GC/MS Volatiles

Lot-Sample #...: E2A140197-003 Work Order #...: ERMDE1AA Matrix.....: WATER

PARAMETER	RESULT	REPORTING LIMIT	UNITS	MDL
2-Hexanone	ND	5.0	ug/L	3.0
Isopropylbenzene	ND	1.0	ug/L	0.30
p-Isopropyltoluene	ND	1.0	ug/L	0.30
Methylene chloride	ND	1.0	ug/L	0.30
4-Methyl-2-pentanone	ND	5.0	ug/L	3.0
Methyl tert-butyl ether	ND	1.0	ug/L	0.50
n-Propylbenzene	ND	1.0	ug/L	0.40
Styrene	ND	1.0	ug/L	0.30
1,1,1,2-Tetrachloroethane	ND	1.0	ug/L	0.30
1,1,2,2-Tetrachloroethane	ND	1.0	ug/L	0.40
Tetrachloroethene	ND	1.0	ug/L	0.30
Toluene	ND	1.0	ug/L	0.30
1,2,3-Trichlorobenzene	ND	1.0	ug/L	0.40
1,2,4-Trichloro-benzene	ND	1.0	ug/L	0.30
1,1,1-Trichloroethane	ND	1.0	ug/L	0.20
1,1,2-Trichloroethane	ND	1.0	ug/L	0.30
Trichloroethene	ND	1.0	ug/L	0.30
Trichlorofluoromethane	ND	2.0	ug/L	0.30
1,2,3-Trichloropropane	ND	1.0	ug/L	0.40
1,1,2-Trichlorotrifluoro-ethane	ND	1.0	ug/L	0.40
1,2,4-Trimethylbenzene	ND	1.0	ug/L	0.30
1,3,5-Trimethylbenzene	ND	1.0	ug/L	0.20
Xylenes (total)	ND	1.0	ug/L	0.80
Acrolein	ND	20	ug/L	12
Acrylonitrile	ND	20	ug/L	10
Vinyl acetate	ND	5.0	ug/L	2.0
Tetrahydrofuran	ND	10	ug/L	2.0
2-Chloroethyl vinyl ether	ND	5.0	ug/L	2.0

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Bromofluorobenzene	94	(75 - 130)
1,2-Dichloroethane-d4	114	(65 - 135)
Toluene-d8	102	(80 - 130)

TAIT ENVIRONMENTAL

Client Sample ID: BL1_011402_1630

General Chemistry

Lot-Sample #...: E2A140197-001 Work Order #...: ERMDC Matrix.....: WATER
Date Sampled...: 01/14/02 16:30 Date Received..: 01/14/02 19:15

PARAMETER	RESULT	RL	UNITS	METHOD	PREPARATION-ANALYSIS DATE	PREP BATCH #
Hexavalent Chromium	ND	0.020	mg/L	SW846 7196A	01/15/02	2015224

Dilution Factor: 1 Analysis Time..: 09:34 Analyst ID.....: 000022
Instrument ID..: W17 MS Run #.....: 2015106 MDL.....: 0.010

SEVERN TRENT SERVICES

QA/QC

QC DATA ASSOCIATION SUMMARY

E2A140197

Sample Preparation and Analysis Control Numbers

SAMPLE#	MATRIX	ANALYTICAL METHOD	LEACH BATCH #	PREP BATCH #	MS RUN#
001	WATER	SW846 7196A		2015224	2015106
	WATER	SW846 8260B		2015487	2015275
002	WATER	SW846 8260B		2015487	2015275
003	WATER	SW846 8260B		2015487	2015275

METHOD BLANK REPORT

GC/MS Volatiles

Client Lot #...: E2A140197
MB Lot-Sample #: E2A150000-487
Work Order #...: ERPE01AA
Matrix.....: WATER
Prep Date.....: 01/15/02
Analysis Time..: 09:32
Analysis Date..: 01/15/02
Prep Batch #...: 2015487
Instrument ID..: MSC
Dilution Factor: 1
Analyst ID.....: 015590

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD
Acetone	ND	10	ug/L	SW846 8260B
Benzene	ND	1.0	ug/L	SW846 8260B
Bromobenzene	ND	1.0	ug/L	SW846 8260B
Bromochloromethane	ND	1.0	ug/L	SW846 8260B
Bromoform	ND	1.0	ug/L	SW846 8260B
Bromomethane	ND	2.0	ug/L	SW846 8260B
Carbon tetrachloride	ND	0.50	ug/L	SW846 8260B
2-Butanone	ND	5.0	ug/L	SW846 8260B
n-Butylbenzene	ND	1.0	ug/L	SW846 8260B
sec-Butylbenzene	ND	1.0	ug/L	SW846 8260B
tert-Butylbenzene	ND	1.0	ug/L	SW846 8260B
Carbon disulfide	ND	1.0	ug/L	SW846 8260B
Chlorobenzene	ND	1.0	ug/L	SW846 8260B
Dibromochloromethane	ND	1.0	ug/L	SW846 8260B
Dichlorodifluoromethane	ND	1.0	ug/L	SW846 8260B
Bromodichloromethane	ND	1.0	ug/L	SW846 8260B
1,2-Dichloroethane	ND	0.50	ug/L	SW846 8260B
Chloroethane	ND	2.0	ug/L	SW846 8260B
Chloroform	ND	1.0	ug/L	SW846 8260B
Chloromethane	ND	2.0	ug/L	SW846 8260B
2-Chlorotoluene	ND	1.0	ug/L	SW846 8260B
4-Chlorotoluene	ND	1.0	ug/L	SW846 8260B
1,2-Dibromo-3-chloro-propane	ND	2.0	ug/L	SW846 8260B
1,2-Dibromoethane	ND	1.0	ug/L	SW846 8260B
Iodomethane	ND	2.0	ug/L	SW846 8260B
1,2-Dichlorobenzene	ND	1.0	ug/L	SW846 8260B
1,3-Dichlorobenzene	ND	1.0	ug/L	SW846 8260B
1,4-Dichlorobenzene	ND	1.0	ug/L	SW846 8260B
1,1-Dichloroethane	ND	1.0	ug/L	SW846 8260B
cis-1,2-Dichloroethene	ND	1.0	ug/L	SW846 8260B
trans-1,2-Dichloroethene	ND	1.0	ug/L	SW846 8260B
Vinyl chloride	ND	0.50	ug/L	SW846 8260B
2,2-Dichloropropane	ND	1.0	ug/L	SW846 8260B
1,1-Dichloropropene	ND	1.0	ug/L	SW846 8260B
Ethylbenzene	ND	1.0	ug/L	SW846 8260B
Hexachlorobutadiene	ND	1.0	ug/L	SW846 8260B
2-Hexanone	ND	5.0	ug/L	SW846 8260B
Isopropylbenzene	ND	1.0	ug/L	SW846 8260B
p-Isopropyltoluene	ND	1.0	ug/L	SW846 8260B

(Continued on next page)

METHOD BLANK REPORT

GC/MS Volatiles

Client Lot #...: E2A140197 Work Order #...: ERPE01AA Matrix.....: WATER

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD
Methylene chloride	ND	1.0	ug/L	SW846 8260B
4-Methyl-2-pentanone	ND	5.0	ug/L	SW846 8260B
Methyl tert-butyl ether	ND	1.0	ug/L	SW846 8260B
n-Propylbenzene	ND	1.0	ug/L	SW846 8260B
Styrene	ND	1.0	ug/L	SW846 8260B
1,1,1,2-Tetrachloroethane	ND	1.0	ug/L	SW846 8260B
1,1,2,2-Tetrachloroethane	ND	1.0	ug/L	SW846 8260B
Tetrachloroethene	ND	1.0	ug/L	SW846 8260B
Toluene	ND	1.0	ug/L	SW846 8260B
1,2,3-Trichlorobenzene	ND	1.0	ug/L	SW846 8260B
1,2,4-Trichloro-benzene	ND	1.0	ug/L	SW846 8260B
1,1,1-Trichloroethane	ND	1.0	ug/L	SW846 8260B
1,1,2-Trichloroethane	ND	1.0	ug/L	SW846 8260B
Trichloroethene	ND	1.0	ug/L	SW846 8260B
Trichlorofluoromethane	ND	2.0	ug/L	SW846 8260B
1,2,3-Trichloropropane	ND	1.0	ug/L	SW846 8260B
1,1,2-Trichlorotrifluoro-ethane	ND	1.0	ug/L	SW846 8260B
1,2,4-Trimethylbenzene	ND	1.0	ug/L	SW846 8260B
1,3,5-Trimethylbenzene	ND	1.0	ug/L	SW846 8260B
Xylenes (total)	ND	1.0	ug/L	SW846 8260B
Acrolein	ND	20	ug/L	SW846 8260B
Acrylonitrile	ND	20	ug/L	SW846 8260B
Vinyl acetate	ND	5.0	ug/L	SW846 8260B
Tetrahydrofuran	ND	10	ug/L	SW846 8260B
2-Chloroethyl vinyl ether	ND	5.0	ug/L	SW846 8260B

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Bromofluorobenzene	94	(75 - 130)
1,2-Dichloroethane-d4	97	(65 - 135)
Toluene-d8	106	(80 - 130)

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

METHOD BLANK REPORT

General Chemistry

Client Lot #...: E2A140197 Matrix.....: WATER

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD	PREPARATION-ANALYSIS DATE	PREP BATCH #
Hexavalent Chromium		Work Order #: ERM4W1AA		MB Lot-Sample #:	E2A150000-224	
	ND	0.020	mg/L	SW846 7196A	01/15/02	2015224
		Dilution Factor: 1				
		Analysis Time..: 09:32		Analyst ID.....: 000022	Instrument ID..: W17	

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

LABORATORY CONTROL SAMPLE DATA REPORT

GC/MS Volatiles

Client Lot #...: E2A140197 Work Order #...: ERPE01AC Matrix.....: WATER
LCS Lot-Sample#: E2A150000-487
Prep Date.....: 01/15/02 Analysis Date..: 01/15/02
Prep Batch #...: 2015487 Analysis Time..: 09:02
Dilution Factor: 1 Instrument ID..: MSC
Analyst ID.....: 015590

PARAMETER	SPIKE AMOUNT	MEASURED AMOUNT	UNITS	PERCENT RECOVERY	METHOD
Benzene	10.0	9.65	ug/L	96	SW846 8260B
1,1-Dichloroethene	10.0	9.86	ug/L	99	SW846 8260B
Chlorobenzene	10.0	10.5	ug/L	105	SW846 8260B
Toluene	10.0	10.2	ug/L	102	SW846 8260B
Trichloroethene	10.0	10.9	ug/L	109	SW846 8260B

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Bromofluorobenzene	104	(75 - 130)
1,2-Dichloroethane-d4	110	(65 - 135)
Toluene-d8	118	(80 - 130)

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

Bold print denotes control parameters

LABORATORY CONTROL SAMPLE DATA REPORT

General Chemistry

Client Lot #...: E2A140197 Matrix.....: WATER

PARAMETER	SPIKE AMOUNT	MEASURED AMOUNT	UNITS	PERCNT RECVRY	METHOD	PREPARATION-ANALYSIS DATE	PREP BATCH #
Hexavalent Chromium			Work Order #: ERM4W1AC		LCS Lot-Sample#: E2A150000-224		
	0.0500	0.0494	mg/L	99	SW846 7196A	01/15/02	2015224

Dilution Factor: 1

Analysis Time...: 09:30 Analyst ID.....: 000022 Instrument ID..: W17

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

LABORATORY CONTROL SAMPLE EVALUATION REPORT

GC/MS Volatiles

Client Lot #...: E2A140197 Work Order #...: ERPE01AC Matrix.....: WATER
LCS Lot-Sample#: E2A150000-487
Prep Date.....: 01/15/02 Analysis Date..: 01/15/02
Prep Batch #...: 2015487 Analysis Time..: 09:02
Dilution Factor: 1 Instrument ID..: MSC
Analyst ID.....: 015590

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	METHOD
Benzene	96	(75 - 120)	SW846 8260B
1,1-Dichloroethene	99	(70 - 140)	SW846 8260B
Chlorobenzene	105	(75 - 120)	SW846 8260B
Toluene	102	(75 - 125)	SW846 8260B
Trichloroethene	109	(70 - 130)	SW846 8260B

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Bromofluorobenzene	104	(75 - 130)
1,2-Dichloroethane-d4	110	(65 - 135)
Toluene-d8	118	(80 - 130)

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

Bold print denotes control parameters

LABORATORY CONTROL SAMPLE EVALUATION REPORT

General Chemistry

Client Lot #...: E2A140197 Matrix.....: WATER

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	METHOD	PREPARATION-ANALYSIS DATE	PREP BATCH #
Hexavalent Chromium		Work Order #: ERM4W1AC	LCS Lot-Sample#: E2A150000-224		
	99	(85 - 115)	SW846 7196A	01/15/02	2015224

Dilution Factor: 1
Analysis Time..: 09:30 Analyst ID.....: 000022 Instrument ID..: W17

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

MATRIX SPIKE SAMPLE DATA REPORT

GC/MS Volatiles

Client Lot #...: E2A140197 Work Order #...: ERLV61AD-MS Matrix.....: WATER
MS Lot-Sample #: E2A140155-002 ERLV61AE-MSD
Date Sampled...: 01/09/02 09:30 Date Received..: 01/12/02 10:30 MS Run #.....: 2015275
Prep Date.....: 01/15/02 Analysis Date..: 01/15/02
Prep Batch #...: 2015487 Analysis Time..: 19:04
Dilution Factor: 1 Analyst ID.....: 015590 Instrument ID..: MSC

PARAMETER	SAMPLE AMOUNT	SPIKE AMT	MEASRD AMOUNT	UNITS	PERCNT RECVRY	RPD	METHOD
Benzene	ND	10.0	9.19	ug/L	92		SW846 8260B
	ND	10.0	9.06	ug/L	91	1.4	SW846 8260B
1,1-Dichloroethene	ND	10.0	8.83	ug/L	88		SW846 8260B
	ND	10.0	9.05	ug/L	90	2.5	SW846 8260B
Chlorobenzene	ND	10.0	9.27	ug/L	93		SW846 8260B
	ND	10.0	9.40	ug/L	94	1.4	SW846 8260B
Toluene	ND	10.0	9.17	ug/L	92		SW846 8260B
	ND	10.0	9.38	ug/L	94	2.3	SW846 8260B
Trichloroethene	ND	10.0	10.2	ug/L	102		SW846 8260B
	ND	10.0	10.2	ug/L	102	0.09	SW846 8260B

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Bromofluorobenzene	95	(75 - 130)
	105	(75 - 130)
1,2-Dichloroethane-d4	114	(65 - 135)
	118	(65 - 135)
Toluene-d8	98	(80 - 130)
	109	(80 - 130)

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

Bold print denotes control parameters

MATRIX SPIKE SAMPLE DATA REPORT

General Chemistry

Client Lot #...: E2A140197 **Matrix.....:** WATER
Date Sampled...: 01/14/02 16:30 **Date Received..:** 01/14/02 19:15

PARAMETER	SAMPLE AMOUNT	SPIKE AMT	MEASRD AMOUNT	UNITS	PERCNT RECVRY	RPD	METHOD	PREPARATION-ANALYSIS DATE	PREP BATCH #
Hexavalent Chromium			WO#: ERMDC1AD-MS/ERMDC1AE-MSD				MS Lot-Sample #: E2A140197-001		
	ND	0.0500	0.0484	mg/L	97		SW846 7196A	01/15/02	2015224
	ND	0.0500	0.0484	mg/L	97	0.0	SW846 7196A	01/15/02	2015224

Dilution Factor: 1
Analysis Time..: 09:36 Instrument ID..: W17 Analyst ID.....: 000022
MS Run #.....: 2015106

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

MATRIX SPIKE SAMPLE EVALUATION REPORT

GC/MS Volatiles

Client Lot #...: E2A140197 Work Order #...: ERLV61AD-MS Matrix.....: WATER
MS Lot-Sample #: E2A140155-002 ERLV61AE-MSD
Date Sampled...: 01/09/02 09:30 Date Received..: 01/12/02 10:30 MS Run #.....: 2015275
Prep Date.....: 01/15/02 Analysis Date..: 01/15/02
Prep Batch #...: 2015487 Analysis Time..: 19:04
Dilution Factor: 1 Analyst ID.....: 015590 Instrument ID..: MSC

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	RPD	RPD LIMITS	METHOD
Benzene	92	(75 - 120)			SW846 8260B
	91	(75 - 120)	1.4	(0-25)	SW846 8260B
1,1-Dichloroethene	88	(70 - 140)			SW846 8260B
	90	(70 - 140)	2.5	(0-25)	SW846 8260B
Chlorobenzene	93	(75 - 120)			SW846 8260B
	94	(75 - 120)	1.4	(0-25)	SW846 8260B
Toluene	92	(75 - 125)			SW846 8260B
	94	(75 - 125)	2.3	(0-25)	SW846 8260B
Trichloroethene	102	(70 - 130)			SW846 8260B
	102	(70 - 130)	0.09	(0-25)	SW846 8260B

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Bromofluorobenzene	95	(75 - 130)
	105	(75 - 130)
1,2-Dichloroethane-d4	114	(65 - 135)
	118	(65 - 135)
Toluene-d8	98	(80 - 130)
	109	(80 - 130)

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

Bold print denotes control parameters

MATRIX SPIKE SAMPLE EVALUATION REPORT

General Chemistry

Client Lot #...: E2A140197 Matrix.....: WATER
Date Sampled...: 01/14/02 16:30 Date Received..: 01/14/02 19:15

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	RPD	RPD LIMITS	METHOD	PREPARATION-ANALYSIS DATE	PREP BATCH #
Hexavalent Chromium		WO#:	ERMDC1AD-MS/ERMDC1AE-MSD			MS Lot-Sample #:	E2A140197-001
	97	(85 - 115)			SW846 7196A	01/15/02	2015224
	97	(85 - 115)	0.0	(0-20)	SW846 7196A	01/15/02	2015224

Dilution Factor: 1
Analysis Time..: 09:36 Instrument ID..: W17 Analyst ID.....: 000022
MS Run #.....: 2015106

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

MATRIX SPIKE SAMPLE DATA REPORT

GC/MS Volatiles

Lot-Sample #...: E2A140197 Work Order #...: ERLV61AD Matrix.....: WATER
MS Lot-Sample #: E2A140155-002
Date Sampled...: 01/09/02 09:30 Date Received..: 01/12/02 10:30
Prep Date.....: 01/15/02 Analysis Date..: 01/15/02
Prep Batch #...: 2015487 MS Run #.....: 2015275
Dilution Factor: 1 Analyst ID.....: 015590 Instrument ID..: MSC

PARAMETER	SAMPLE AMOUNT	SPIKE AMT	MEASRD AMOUNT	UNITS	PERCENT RECOVERY	METHOD
Benzene	ND	10.0	9.19	ug/L	92	SW846 8260B
1,1-Dichloroethene	ND	10.0	8.83	ug/L	88	SW846 8260B
Chlorobenzene	ND	10.0	9.27	ug/L	93	SW846 8260B
Toluene	ND	10.0	9.17	ug/L	92	SW846 8260B
Trichloroethene	ND	10.0	10.2	ug/L	102	SW846 8260B

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Bromofluorobenzene	95	(75 - 130)
1,2-Dichloroethane-d4	114	(65 - 135)
Toluene-d8	98	(80 - 130)

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

Bold print denotes control parameters

MATRIX SPIKE SAMPLE DATA REPORT

General Chemistry

Client Lot #...: E2A140197 Matrix.....: WATER
Date Sampled...: 01/14/02 16:30 Date Received..: 01/14/02 19:15

PARAMETER	SAMPLE AMOUNT	SPIKE AMT	MEASURED AMOUNT	UNITS	PERCENT RECOVERY	METHOD	PREPARATION-ANALYSIS DATE	PREP BATCH #
Hexavalent Chromium			Work Order #...:		ERMDC1AD	MS Lot-Sample #: E2A140197-001		
	ND	0.050	0.0484	mg/L	97	SW846 7196A	01/15/02	2015224

Dilution Factor: 1 Analysis Time..: 09:34 Instrument ID..: W17
Analyst ID.....: 000022
MS Run #.....: 2015106

NOTE(S):
Calculations are performed before rounding to avoid round-off errors in calculated results.

MATRIX SPIKE SAMPLE EVALUATION REPORT

GC/MS Volatiles

Lot-Sample #...: E2A140197
MS Lot-Sample #: E2A140155-002
Date Sampled...: 01/09/02 09:30
Prep Date.....: 01/15/02
Prep Batch #...: 2015487
Dilution Factor: 1

Work Order #...: ERLV61AD
Date Received..: 01/12/02 10:30
Analysis Date..: 01/15/02
MS Run #.....: 2015275
Analyst ID.....: 015590

Matrix.....: WATER
Instrument ID..: MSC

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	METHOD
Benzene	92	(75 - 120)	SW846 8260B
1,1-Dichloroethene	88	(70 - 140)	SW846 8260B
Chlorobenzene	93	(75 - 120)	SW846 8260B
Toluene	92	(75 - 125)	SW846 8260B
Trichloroethene	102	(70 - 130)	SW846 8260B

SURROGATE	PERCENT RECOVERY	RECOVERY LIMITS
Bromofluorobenzene	95	(75 - 130)
1,2-Dichloroethane-d4	114	(65 - 135)
Toluene-d8	98	(80 - 130)

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

Bold print denotes control parameters

MATRIX SPIKE SAMPLE EVALUATION REPORT

General Chemistry

Client Lot #...: E2A140197 Matrix.....: WATER
Date Sampled...: 01/14/02 16:30 Date Received..: 01/14/02 19:15

PARAMETER	PERCENT RECOVERY	RECOVERY LIMITS	METHOD	PREPARATION-ANALYSIS DATE	PREP BATCH #
Hexavalent Chromium		Work Order #...: ERMDC1AD		MS Lot-Sample #: E2A140197-001	
	97	(85 - 115)	SW846 7196A	01/15/02	2015224

Dilution Factor: 1 Analysis Time..: 09:34 Instrument ID..: W17
Analyst ID.....: 000022
MS Run #.....: 2015106

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

SEVERN TRENT LABORATORIES, INC.

PRELIMINARY DATA SUMMARY

The results shown below may still require additional laboratory review and are subject to change. Actions taken based on these results are the responsibility of the data user.

Haley & Aldrich Inc PAGE 1

Lot #: E2B080212 BRC C-6, Torrance HaleyAldrich Date Reported: 2/14/02

Client Sample ID: BLDG1_SVE_KNOCKOUT_020702

Sample #: 001 Date Sampled: 02/07/02 17:30 Date Received: 02/08/02 Matrix: WATER

PARAMETER	RESULT	REPORTING LIMIT	UNITS	ANALYTICAL METHOD	
Volatile Organics by GC/MS					Reviewed
Dichlorodifluoromethane	ND	250	ug/L	SW846 8260B	
Chloromethane	ND	500	ug/L	SW846 8260B	
Vinyl chloride	ND	120	ug/L	SW846 8260B	
Chloroethane	ND	500	ug/L	SW846 8260B	
Bromomethane	ND	500	ug/L	SW846 8260B	
Trichlorofluoromethane	ND	500	ug/L	SW846 8260B	
1,1-Dichloroethene	**3400**	**250**	**ug/L**	**SW846 8260B**	
Methylene chloride	ND	250	ug/L	SW846 8260B	
Methyl tert-butyl ether	ND	250	ug/L	SW846 8260B	
Carbon disulfide	ND	250	ug/L	SW846 8260B	
Acetone	ND	2500	ug/L	SW846 8260B	
trans-1,2-Dichloroethene	**84 J**	**250**	**ug/L**	**SW846 8260B**	
1,1-Dichloroethane	**380**	**250**	**ug/L**	**SW846 8260B**	
2,2-Dichloropropane	ND	250	ug/L	SW846 8260B	
cis-1,2-Dichloroethene	**230 J**	**250**	**ug/L**	**SW846 8260B**	
Chloroform	ND	250	ug/L	SW846 8260B	
Bromochloromethane	ND	250	ug/L	SW846 8260B	
1,1,1-Trichloroethane	**8400**	**250**	**ug/L**	**SW846 8260B**	
2-Butanone	ND	1200	ug/L	SW846 8260B	
1,1-Dichloropropene	ND	250	ug/L	SW846 8260B	
Carbon tetrachloride	ND	120	ug/L	SW846 8260B	
1,2-Dibromoethane	ND	250	ug/L	SW846 8260B	
Benzene	ND	250	ug/L	SW846 8260B	
Trichloroethene	**4400**	**250**	**ug/L**	**SW846 8260B**	
Bromodichloromethane	ND	250	ug/L	SW846 8260B	
4-Methyl-2-pentanone	ND	1200	ug/L	SW846 8260B	
Toluene	**6300**	**250**	**ug/L**	**SW846 8260B**	
1,1,2-Trichloroethane	**97 J**	**250**	**ug/L**	**SW846 8260B**	
1,2-Dichloroethane	**160**	**120**	**ug/L**	**SW846 8260B**	
Tetrachloroethene	ND	250	ug/L	SW846 8260B	
2-Hexanone	ND	1200	ug/L	SW846 8260B	
Dibromochloromethane	ND	250	ug/L	SW846 8260B	
Chlorobenzene	ND	250	ug/L	SW846 8260B	
1,1,1,2-Tetrachloroethane	ND	250	ug/L	SW846 8260B	
Ethylbenzene	ND	250	ug/L	SW846 8260B	
Xylenes (total)	ND	250	ug/L	SW846 8260B	
Styrene	ND	250	ug/L	SW846 8260B	

(Continued on next page)

SEVERN TRENT LABORATORIES, INC.

PRELIMINARY DATA SUMMARY

The results shown below may still require additional laboratory review and are subject to change. Actions taken based on these results are the responsibility of the data user.

Haley & Aldrich Inc PAGE 2

Lot #: E2B080212 BRC C-6, Torrance HaleyAldrich Date Reported: 2/14/02

Client Sample ID: BLDG1_SVE_KNOCKOUT_020702

Sample #: 001 Date Sampled: 02/07/02 17:30 Date Received: 02/08/02 Matrix: WATER

PARAMETER	RESULT	REPORTING LIMIT	UNITS	ANALYTICAL METHOD	
Volatile Organics by GC/MS					Reviewed
Bromoform	ND	250	ug/L	SW846 8260B	
Isopropylbenzene	ND	250	ug/L	SW846 8260B	
1,1,2,2-Tetrachloroethane	ND	250	ug/L	SW846 8260B	
1,2,3-Trichloropropane	ND	250	ug/L	SW846 8260B	
n-Propylbenzene	ND	250	ug/L	SW846 8260B	
Bromobenzene	ND	250	ug/L	SW846 8260B	
1,3,5-Trimethylbenzene	ND	250	ug/L	SW846 8260B	
2-Chlorotoluene	ND	250	ug/L	SW846 8260B	
4-Chlorotoluene	ND	250	ug/L	SW846 8260B	
tert-Butylbenzene	ND	250	ug/L	SW846 8260B	
1,2,4-Trimethylbenzene	ND	250	ug/L	SW846 8260B	
sec-Butylbenzene	ND	250	ug/L	SW846 8260B	
p-Isopropyltoluene	ND	250	ug/L	SW846 8260B	
1,3-Dichlorobenzene	ND	250	ug/L	SW846 8260B	
1,4-Dichlorobenzene	ND	250	ug/L	SW846 8260B	
n-Butylbenzene	ND	250	ug/L	SW846 8260B	
1,2-Dichlorobenzene	ND	250	ug/L	SW846 8260B	
1,2-Dibromo-3-chloro-propane	ND	500	ug/L	SW846 8260B	
1,2,4-Trichloro-benzene	ND	250	ug/L	SW846 8260B	
Hexachlorobutadiene	ND	250	ug/L	SW846 8260B	
1,2,3-Trichlorobenzene	ND	250	ug/L	SW846 8260B	
Acrolein	ND	5000	ug/L	SW846 8260B	
Tert-amyl methyl ether	ND	500	ug/L	SW846 8260B	
Acrylonitrile	ND	5000	ug/L	SW846 8260B	
Tert-butyl ethyl ether	ND	500	ug/L	SW846 8260B	
t-Butanol	ND	6200	ug/L	SW846 8260B	
Iodomethane	ND	500	ug/L	SW846 8260B	
Isopropyl ether	ND	500	ug/L	SW846 8260B	
2-Chloroethyl vinyl ether	ND	1200	ug/L	SW846 8260B	
Tetrahydrofuran	ND	2500	ug/L	SW846 8260B	
Vinyl acetate	ND	1200	ug/L	SW846 8260B	

J Estimated result. Result is less than RL.

(Continued on next page)

SEVERN TRENT LABORATORIES, INC.

PRELIMINARY DATA SUMMARY

The results shown below may still require additional laboratory review and are subject to change. Actions taken based on these results are the responsibility of the data user.

Haley & Aldrich Inc PAGE 3

Lot #: E2B080212 BRC C-6, Torrance HaleyAldrich Date Reported: 2/14/02

Client Sample ID: BLDG1_SVE_KNOCKOUT_020702

Sample #: 001 Date Sampled: 02/07/02 17:30 Date Received: 02/08/02 Matrix: WATER

PARAMETER	RESULT	REPORTING LIMIT	UNITS	ANALYTICAL METHOD	
Semivolatile Organic Compounds by GC/MS					Reviewed
Acenaphthene	ND	10	ug/L	SW846 8270C	
Acenaphthylene	ND	10	ug/L	SW846 8270C	
Anthracene	ND	10	ug/L	SW846 8270C	
Benzo(a)anthracene	ND	10	ug/L	SW846 8270C	
Benzo(b)fluoranthene	ND	10	ug/L	SW846 8270C	
Benzo(k)fluoranthene	ND	10	ug/L	SW846 8270C	
Benzo(ghi)perylene	ND	10	ug/L	SW846 8270C	
Benzo(a)pyrene	ND	10	ug/L	SW846 8270C	
Benzoic acid	ND	50	ug/L	SW846 8270C	
Benzyl alcohol	ND	10	ug/L	SW846 8270C	
bis(2-Chloroethoxy) methane	ND	10	ug/L	SW846 8270C	
bis(2-Chloroethyl)-ether	ND	10	ug/L	SW846 8270C	
bis(2-Chloroisopropyl) ether	ND	10	ug/L	SW846 8270C	
bis(2-Ethylhexyl) phthalate	ND	10	ug/L	SW846 8270C	
4-Bromophenyl phenyl ether	ND	10	ug/L	SW846 8270C	
Butyl benzyl phthalate	ND	10	ug/L	SW846 8270C	
Carbazole	ND	10	ug/L	SW846 8270C	
4-Chloroaniline	ND	10	ug/L	SW846 8270C	
4-Chloro-3-methylphenol	ND	10	ug/L	SW846 8270C	
2-Chloronaphthalene	ND	10	ug/L	SW846 8270C	
2-Chlorophenol	ND	10	ug/L	SW846 8270C	
4-Chlorophenyl phenyl ether	ND	10	ug/L	SW846 8270C	
Chrysene	ND	10	ug/L	SW846 8270C	
Dibenz(a,h)anthracene	ND	10	ug/L	SW846 8270C	
Dibenzofuran	ND	10	ug/L	SW846 8270C	
Di-n-butyl phthalate	ND	10	ug/L	SW846 8270C	
1,2-Dichlorobenzene	ND	10	ug/L	SW846 8270C	
1,3-Dichlorobenzene	ND	10	ug/L	SW846 8270C	
1,4-Dichlorobenzene	ND	10	ug/L	SW846 8270C	
3,3'-Dichlorobenzidine	ND	50	ug/L	SW846 8270C	
2,4-Dichlorophenol	ND	10	ug/L	SW846 8270C	

(Continued on next page)

SEVERN TRENT LABORATORIES, INC.

PRELIMINARY DATA SUMMARY

The results shown below may still require additional laboratory review and are subject to change. Actions taken based on these results are the responsibility of the data user.

Haley & Aldrich Inc PAGE 4

Lot #: E2B080212 BRC C-6, Torrance HaleyAldrich Date Reported: 2/14/02

Client Sample ID: BLDG1_SVE_KNOCKOUT_020702

Sample #: 001 Date Sampled: 02/07/02 17:30 Date Received: 02/08/02 Matrix: WATER

PARAMETER	RESULT	REPORTING LIMIT	UNITS	ANALYTICAL METHOD	
Semivolatile Organic Compounds by GC/MS					Reviewed
Diethyl phthalate	ND	10	ug/L	SW846 8270C	
2,4-Dimethylphenol	ND	10	ug/L	SW846 8270C	
Dimethyl phthalate	ND	10	ug/L	SW846 8270C	
4,6-Dinitro-2-methylphenol	ND	50	ug/L	SW846 8270C	
2,4-Dinitrophenol	ND	50	ug/L	SW846 8270C	
2,4-Dinitrotoluene	ND	10	ug/L	SW846 8270C	
2,6-Dinitrotoluene	ND	10	ug/L	SW846 8270C	
Di-n-octyl phthalate	ND	10	ug/L	SW846 8270C	
Fluoranthene	ND	10	ug/L	SW846 8270C	
Fluorene	ND	10	ug/L	SW846 8270C	
Hexachlorobenzene	ND	10	ug/L	SW846 8270C	
Hexachlorobutadiene	ND	10	ug/L	SW846 8270C	
Hexachlorocyclopentadiene	ND	50	ug/L	SW846 8270C	
Hexachloroethane	ND	10	ug/L	SW846 8270C	
Indeno(1,2,3-cd)pyrene	ND	10	ug/L	SW846 8270C	
Isophorone	ND	10	ug/L	SW846 8270C	
2-Methylnaphthalene	ND	10	ug/L	SW846 8270C	
2-Methylphenol	**3.6 J**	**10**	**ug/L**	**SW846 8270C**	
3-Methylphenol & 4-Methylphenol	**2.2 J**	**10**	**ug/L**	**SW846 8270C**	
Naphthalene	ND	10	ug/L	SW846 8270C	
2-Nitroaniline	ND	50	ug/L	SW846 8270C	
3-Nitroaniline	ND	50	ug/L	SW846 8270C	
4-Nitroaniline	ND	50	ug/L	SW846 8270C	
Nitrobenzene	ND	10	ug/L	SW846 8270C	
2-Nitrophenol	ND	10	ug/L	SW846 8270C	
4-Nitrophenol	ND	50	ug/L	SW846 8270C	
N-Nitrosodiphenylamine	ND	10	ug/L	SW846 8270C	
N-Nitrosodi-n-propylamine	ND	10	ug/L	SW846 8270C	
Pentachlorophenol	ND	50	ug/L	SW846 8270C	
Phenanthrene	ND	10	ug/L	SW846 8270C	
Phenol	ND	10	ug/L	SW846 8270C	
Pyrene	ND	10	ug/L	SW846 8270C	
1,2,4-Trichlorobenzene	ND	10	ug/L	SW846 8270C	

(Continued on next page)

SEVERN TRENT LABORATORIES, INC.

PRELIMINARY DATA SUMMARY

The results shown below may still require additional laboratory review and are subject to change. Actions taken based on these results are the responsibility of the data user.

Haley & Aldrich Inc PAGE 5

Lot #: E2B080212 BRC C-6, Torrance HaleyAldrich Date Reported: 2/14/02

Client Sample ID: BLDG1_SVE_KNOCKOUT_020702
Sample #: 001 Date Sampled: 02/07/02 17:30 Date Received: 02/08/02 Matrix: WATER

PARAMETER	RESULT	REPORTING LIMIT	UNITS	ANALYTICAL METHOD	
Semivolatile Organic Compounds by GC/MS					Reviewed
2,4,5-Trichloro-phenol	ND	10	ug/L	SW846 8270C	
2,4,6-Trichloro-phenol	ND	10	ug/L	SW846 8270C	

J Estimated result. Result is less than RL.

Client Sample ID: TRIP BLANK
Sample #: 002 Date Sampled: 02/07/02 17:30 Date Received: 02/08/02 Matrix: WATER

PARAMETER	RESULT	REPORTING LIMIT	UNITS	ANALYTICAL METHOD	
Volatile Organics by GC/MS					Reviewed
Dichlorodifluoromethane	ND	1.0	ug/L	SW846 8260B	
Chloromethane	ND	2.0	ug/L	SW846 8260B	
Vinyl chloride	ND	0.50	ug/L	SW846 8260B	
Chloroethane	ND	2.0	ug/L	SW846 8260B	
Bromomethane	ND	2.0	ug/L	SW846 8260B	
Trichlorofluoromethane	ND	2.0	ug/L	SW846 8260B	
1,1-Dichloroethene	ND	1.0	ug/L	SW846 8260B	
Methylene chloride	ND	1.0	ug/L	SW846 8260B	
Methyl tert-butyl ether	ND	1.0	ug/L	SW846 8260B	
Carbon disulfide	ND	1.0	ug/L	SW846 8260B	
Acetone	**7.1 J**	**10**	**ug/L**	**SW846 8260B**	
trans-1,2-Dichloroethene	ND	1.0	ug/L	SW846 8260B	
1,1-Dichloroethane	ND	1.0	ug/L	SW846 8260B	
2,2-Dichloropropane	ND	1.0	ug/L	SW846 8260B	
cis-1,2-Dichloroethene	ND	1.0	ug/L	SW846 8260B	
Chloroform	ND	1.0	ug/L	SW846 8260B	
Bromochloromethane	ND	1.0	ug/L	SW846 8260B	
1,1,1-Trichloroethane	ND	1.0	ug/L	SW846 8260B	
2-Butanone	ND	5.0	ug/L	SW846 8260B	
1,1-Dichloropropene	ND	1.0	ug/L	SW846 8260B	
Carbon tetrachloride	ND	0.50	ug/L	SW846 8260B	
1,2-Dibromoethane	ND	1.0	ug/L	SW846 8260B	
Benzene	ND	1.0	ug/L	SW846 8260B	
Trichloroethene	ND	1.0	ug/L	SW846 8260B	
Bromodichloromethane	ND	1.0	ug/L	SW846 8260B	

(Continued on next page)

SEVERN TRENT LABORATORIES, INC.

PRELIMINARY DATA SUMMARY

The results shown below may still require additional laboratory review and are subject to change. Actions taken based on these results are the responsibility of the data user.

Haley & Aldrich Inc PAGE 6

Lot #: E2B080212 BRC C-6, Torrance HaleyAldrich Date Reported: 2/14/02

Client Sample ID: TRIP BLANK

Sample #: 002 Date Sampled: 02/07/02 17:30 Date Received: 02/08/02 Matrix: WATER

PARAMETER	RESULT	REPORTING LIMIT	UNITS	ANALYTICAL METHOD	
Volatile Organics by GC/MS					Reviewed
4-Methyl-2-pentanone	ND	5.0	ug/L	SW846 8260B	
Toluene	ND	1.0	ug/L	SW846 8260B	
1,1,2-Trichloroethane	ND	1.0	ug/L	SW846 8260B	
1,2-Dichloroethane	ND	0.50	ug/L	SW846 8260B	
Tetrachloroethene	ND	1.0	ug/L	SW846 8260B	
2-Hexanone	ND	5.0	ug/L	SW846 8260B	
Dibromochloromethane	ND	1.0	ug/L	SW846 8260B	
Chlorobenzene	ND	1.0	ug/L	SW846 8260B	
1,1,1,2-Tetrachloroethane	ND	1.0	ug/L	SW846 8260B	
Ethylbenzene	ND	1.0	ug/L	SW846 8260B	
Xylenes (total)	ND	1.0	ug/L	SW846 8260B	
Styrene	ND	1.0	ug/L	SW846 8260B	
Bromoform	ND	1.0	ug/L	SW846 8260B	
Isopropylbenzene	ND	1.0	ug/L	SW846 8260B	
1,1,2,2-Tetrachloroethane	ND	1.0	ug/L	SW846 8260B	
1,2,3-Trichloropropane	ND	1.0	ug/L	SW846 8260B	
n-Propylbenzene	ND	1.0	ug/L	SW846 8260B	
Bromobenzene	ND	1.0	ug/L	SW846 8260B	
1,3,5-Trimethylbenzene	ND	1.0	ug/L	SW846 8260B	
2-Chlorotoluene	ND	1.0	ug/L	SW846 8260B	
4-Chlorotoluene	ND	1.0	ug/L	SW846 8260B	
tert-Butylbenzene	ND	1.0	ug/L	SW846 8260B	
1,2,4-Trimethylbenzene	ND	1.0	ug/L	SW846 8260B	
sec-Butylbenzene	ND	1.0	ug/L	SW846 8260B	
p-Isopropyltoluene	ND	1.0	ug/L	SW846 8260B	
1,3-Dichlorobenzene	ND	1.0	ug/L	SW846 8260B	
1,4-Dichlorobenzene	ND	1.0	ug/L	SW846 8260B	
n-Butylbenzene	ND	1.0	ug/L	SW846 8260B	
1,2-Dichlorobenzene	ND	1.0	ug/L	SW846 8260B	
1,2-Dibromo-3-chloro-propane	ND	2.0	ug/L	SW846 8260B	
1,2,4-Trichloro-benzene	ND	1.0	ug/L	SW846 8260B	
Hexachlorobutadiene	ND	1.0	ug/L	SW846 8260B	
1,2,3-Trichlorobenzene	ND	1.0	ug/L	SW846 8260B	
Acrolein	ND	20	ug/L	SW846 8260B	
Tert-amyl methyl ether	ND	2.0	ug/L	SW846 8260B	

(Continued on next page)

SEVERN TRENT LABORATORIES, INC.

PRELIMINARY DATA SUMMARY

The results shown below may still require additional laboratory review and are subject to change. Actions taken based on these results are the responsibility of the data user.

Haley & Aldrich Inc

Lot #: E2B080212 BRC C-6, Torrance HaleyAldrich Date Reported: 2/14/02

Client Sample ID: TRIP BLANK
Sample #: 002 Date Sampled: 02/07/02 17:30 Date Received: 02/08/02 Matrix: WATER

PARAMETER	RESULT	REPORTING LIMIT	UNITS	ANALYTICAL METHOD	Reviewed
Volatile Organics by GC/MS					
Acrylonitrile	ND	20	ug/L	SW846 8260B	
Tert-butyl ethyl ether	ND	2.0	ug/L	SW846 8260B	
t-Butanol	ND	25	ug/L	SW846 8260B	
Iodomethane	ND	2.0	ug/L	SW846 8260B	
Isopropyl ether	ND	2.0	ug/L	SW846 8260B	
2-Chloroethyl vinyl ether	ND	5.0	ug/L	SW846 8260B	
Tetrahydrofuran	ND	10	ug/L	SW846 8260B	
Vinyl acetate	ND	5.0	ug/L	SW846 8260B	

J Estimated result. Result is less than RL.

SEVERN TRENT LABORATORIES, INC.

PRELIMINARY DATA SUMMARY

The results shown below may still require additional laboratory review and are subject to change. Actions taken based on these results are the responsibility of the data user.

Haley & Aldrich Inc PAGE 1

Lot #: E2B080218 BRC C-6, Torrance HaleyAldrich Date Reported: 2/14/02

Client Sample ID: BLDG2SVE_KNOCKOUT_020602

Sample #: 001 Date Sampled: 02/06/02 16:00 Date Received: 02/08/02 Matrix: WATER

PARAMETER	RESULT	REPORTING LIMIT	UNITS	ANALYTICAL METHOD	
Volatile Organics by GC/MS					Reviewed
Dichlorodifluoromethane	ND	25	ug/L	SW846 8260B	
Chloromethane	ND	50	ug/L	SW846 8260B	
Vinyl chloride	ND	12	ug/L	SW846 8260B	
Chloroethane	ND	50	ug/L	SW846 8260B	
Bromomethane	ND	50	ug/L	SW846 8260B	
Trichlorofluoromethane	ND	50	ug/L	SW846 8260B	
1,1-Dichloroethene	**15 J**	**25**	**ug/L**	**SW846 8260B**	
Methylene chloride	ND	25	ug/L	SW846 8260B	
Methyl tert-butyl ether	ND	25	ug/L	SW846 8260B	
Carbon disulfide	ND	25	ug/L	SW846 8260B	
Acetone	ND	250	ug/L	SW846 8260B	
trans-1,2-Dichloroethene	ND	25	ug/L	SW846 8260B	
1,1-Dichloroethane	**7.2 J**	**25**	**ug/L**	**SW846 8260B**	
2,2-Dichloropropane	ND	25	ug/L	SW846 8260B	
cis-1,2-Dichloroethene	**11 J**	**25**	**ug/L**	**SW846 8260B**	
Chloroform	**8.8 J**	**25**	**ug/L**	**SW846 8260B**	
Bromochloromethane	ND	25	ug/L	SW846 8260B	
1,1,1-Trichloroethane	**13 J**	**25**	**ug/L**	**SW846 8260B**	
2-Butanone	ND	120	ug/L	SW846 8260B	
1,1-Dichloropropene	ND	25	ug/L	SW846 8260B	
Carbon tetrachloride	ND	12	ug/L	SW846 8260B	
1,2-Dibromoethane	ND	25	ug/L	SW846 8260B	
Benzene	ND	25	ug/L	SW846 8260B	
Trichloroethene	**1100**	**25**	**ug/L**	**SW846 8260B**	
Bromodichloromethane	ND	25	ug/L	SW846 8260B	
4-Methyl-2-pentanone	ND	120	ug/L	SW846 8260B	
Toluene	ND	25	ug/L	SW846 8260B	
1,1,2-Trichloroethane	**8.4 J**	**25**	**ug/L**	**SW846 8260B**	
1,2-Dichloroethane	ND	12	ug/L	SW846 8260B	
Tetrachloroethene	**8.0 J**	**25**	**ug/L**	**SW846 8260B**	
2-Hexanone	ND	120	ug/L	SW846 8260B	
Dibromochloromethane	ND	25	ug/L	SW846 8260B	
Chlorobenzene	ND	25	ug/L	SW846 8260B	
1,1,1,2-Tetrachloroethane	ND	25	ug/L	SW846 8260B	
Ethylbenzene	ND	25	ug/L	SW846 8260B	
Xylenes (total)	ND	25	ug/L	SW846 8260B	
Styrene	ND	25	ug/L	SW846 8260B	

(Continued on next page)

SEVERN TRENT LABORATORIES, INC.

PRELIMINARY DATA SUMMARY

The results shown below may still require additional laboratory review and are subject to change. Actions taken based on these results are the responsibility of the data user.

Haley & Aldrich Inc

Lot #: E2B080218 BRC C-6, Torrance HaleyAldrich Date Reported: 2/14/02

Client Sample ID: BLDG2SVE_KNOCKOUT_020602
Sample #: 001 Date Sampled: 02/06/02 16:00 Date Received: 02/08/02 Matrix: WATER

PARAMETER	RESULT	REPORTING LIMIT	UNITS	ANALYTICAL METHOD	Reviewed
Volatile Organics by GC/MS					
Bromoform	ND	25	ug/L	SW846 8260B	
Isopropylbenzene	ND	25	ug/L	SW846 8260B	
1,1,2,2-Tetrachloroethane	ND	25	ug/L	SW846 8260B	
1,2,3-Trichloropropane	ND	25	ug/L	SW846 8260B	
n-Propylbenzene	ND	25	ug/L	SW846 8260B	
Bromobenzene	ND	25	ug/L	SW846 8260B	
1,3,5-Trimethylbenzene	ND	25	ug/L	SW846 8260B	
2-Chlorotoluene	ND	25	ug/L	SW846 8260B	
4-Chlorotoluene	ND	25	ug/L	SW846 8260B	
tert-Butylbenzene	ND	25	ug/L	SW846 8260B	
1,2,4-Trimethylbenzene	ND	25	ug/L	SW846 8260B	
sec-Butylbenzene	ND	25	ug/L	SW846 8260B	
p-Isopropyltoluene	ND	25	ug/L	SW846 8260B	
1,3-Dichlorobenzene	ND	25	ug/L	SW846 8260B	
1,4-Dichlorobenzene	ND	25	ug/L	SW846 8260B	
n-Butylbenzene	ND	25	ug/L	SW846 8260B	
1,2-Dichlorobenzene	ND	25	ug/L	SW846 8260B	
1,2-Dibromo-3-chloro-propane	ND	50	ug/L	SW846 8260B	
1,2,4-Trichloro-benzene	ND	25	ug/L	SW846 8260B	
Hexachlorobutadiene	ND	25	ug/L	SW846 8260B	
1,2,3-Trichlorobenzene	ND	25	ug/L	SW846 8260B	
Acrolein	ND	500	ug/L	SW846 8260B	
Tert-amyl methyl ether	ND	50	ug/L	SW846 8260B	
Acrylonitrile	ND	500	ug/L	SW846 8260B	
Tert-butyl ethyl ether	ND	50	ug/L	SW846 8260B	
t-Butanol	ND	620	ug/L	SW846 8260B	
Iodomethane	ND	50	ug/L	SW846 8260B	
Isopropyl ether	ND	50	ug/L	SW846 8260B	
2-Chloroethyl vinyl ether	ND	120	ug/L	SW846 8260B	
Tetrahydrofuran	ND	250	ug/L	SW846 8260B	
Vinyl acetate	ND	120	ug/L	SW846 8260B	

J Estimated result. Result is less than RL.

(Continued on next page)

SEVERN TRENT LABORATORIES, INC.

PRELIMINARY DATA SUMMARY

The results shown below may still require additional laboratory review and are subject to change. Actions taken based on these results are the responsibility of the data user.

Haley & Aldrich Inc PAGE 3

Lot #: E2B080218 BRC C-6, Torrance HaleyAldrich **Date Reported:** 2/14/02

Client Sample ID: BLDG2SVE_KNOCKOUT_020602

Sample #: 001 Date Sampled: 02/06/02 16:00 Date Received: 02/08/02 Matrix: WATER

PARAMETER	RESULT	REPORTING LIMIT	UNITS	ANALYTICAL METHOD	
Semivolatile Organic Compounds by GC/MS					Reviewed
Acenaphthene	ND	10	ug/L	SW846 8270C	
Acenaphthylene	ND	10	ug/L	SW846 8270C	
Anthracene	ND	10	ug/L	SW846 8270C	
Benzo(a)anthracene	ND	10	ug/L	SW846 8270C	
Benzo(b)fluoranthene	ND	10	ug/L	SW846 8270C	
Benzo(k)fluoranthene	ND	10	ug/L	SW846 8270C	
Benzo(ghi)perylene	ND	10	ug/L	SW846 8270C	
Benzo(a)pyrene	ND	10	ug/L	SW846 8270C	
Benzoic acid	ND	50	ug/L	SW846 8270C	
Benzyl alcohol	ND	10	ug/L	SW846 8270C	
bis(2-Chloroethoxy) methane	ND	10	ug/L	SW846 8270C	
bis(2-Chloroethyl)-ether	ND	10	ug/L	SW846 8270C	
bis(2-Chloroisopropyl) ether	ND	10	ug/L	SW846 8270C	
bis(2-Ethylhexyl) phthalate	**8.1 J**	**10**	**ug/L**	**SW846 8270C**	
4-Bromophenyl phenyl ether	ND	10	ug/L	SW846 8270C	
Butyl benzyl phthalate	ND	10	ug/L	SW846 8270C	
Carbazole	ND	10	ug/L	SW846 8270C	
4-Chloroaniline	ND	10	ug/L	SW846 8270C	
4-Chloro-3-methylphenol	ND	10	ug/L	SW846 8270C	
2-Chloronaphthalene	ND	10	ug/L	SW846 8270C	
2-Chlorophenol	ND	10	ug/L	SW846 8270C	
4-Chlorophenyl phenyl ether	ND	10	ug/L	SW846 8270C	
Chrysene	ND	10	ug/L	SW846 8270C	
Dibenz(a,h)anthracene	ND	10	ug/L	SW846 8270C	
Dibenzofuran	ND	10	ug/L	SW846 8270C	
Di-n-butyl phthalate	ND	10	ug/L	SW846 8270C	
1,2-Dichlorobenzene	ND	10	ug/L	SW846 8270C	
1,3-Dichlorobenzene	ND	10	ug/L	SW846 8270C	
1,4-Dichlorobenzene	ND	10	ug/L	SW846 8270C	
3,3'-Dichlorobenzidine	ND	50	ug/L	SW846 8270C	
2,4-Dichlorophenol	ND	10	ug/L	SW846 8270C	

(Continued on next page)

SEVERN TRENT LABORATORIES, INC.

PRELIMINARY DATA SUMMARY

The results shown below may still require additional laboratory review and are subject to change. Actions taken based on these results are the responsibility of the data user.

Haley & Aldrich Inc PAGE 4

Lot #: E2B080218 BRC C-6, Torrance HaleyAldrich **Date Reported:** 2/14/02

Client Sample ID: BLDG2SVE_KNOCKOUT_020602

Sample #: 001 Date Sampled: 02/06/02 16:00 Date Received: 02/08/02 Matrix: WATER

PARAMETER	RESULT	REPORTING LIMIT	UNITS	ANALYTICAL METHOD	
Semivolatile Organic Compounds by GC/MS					Reviewed
Diethyl phthalate	ND	10	ug/L	SW846 8270C	
2,4-Dimethylphenol	ND	10	ug/L	SW846 8270C	
Dimethyl phthalate	ND	10	ug/L	SW846 8270C	
4,6-Dinitro-2-methylphenol	ND	50	ug/L	SW846 8270C	
2,4-Dinitrophenol	ND	50	ug/L	SW846 8270C	
2,4-Dinitrotoluene	ND	10	ug/L	SW846 8270C	
2,6-Dinitrotoluene	ND	10	ug/L	SW846 8270C	
Di-n-octyl phthalate	ND	10	ug/L	SW846 8270C	
Fluoranthene	ND	10	ug/L	SW846 8270C	
Fluorene	ND	10	ug/L	SW846 8270C	
Hexachlorobenzene	ND	10	ug/L	SW846 8270C	
Hexachlorobutadiene	ND	10	ug/L	SW846 8270C	
Hexachlorocyclopentadiene	ND	50	ug/L	SW846 8270C	
Hexachloroethane	ND	10	ug/L	SW846 8270C	
Indeno(1,2,3-cd)pyrene	ND	10	ug/L	SW846 8270C	
Isophorone	ND	10	ug/L	SW846 8270C	
2-Methylnaphthalene	ND	10	ug/L	SW846 8270C	
2-Methylphenol	ND	10	ug/L	SW846 8270C	
3-Methylphenol & 4-Methylphenol	ND	10	ug/L	SW846 8270C	
Naphthalene	ND	10	ug/L	SW846 8270C	
2-Nitroaniline	ND	50	ug/L	SW846 8270C	
3-Nitroaniline	ND	50	ug/L	SW846 8270C	
4-Nitroaniline	ND	50	ug/L	SW846 8270C	
Nitrobenzene	ND	10	ug/L	SW846 8270C	
2-Nitrophenol	ND	10	ug/L	SW846 8270C	
4-Nitrophenol	ND	50	ug/L	SW846 8270C	
N-Nitrosodiphenylamine	ND	10	ug/L	SW846 8270C	
N-Nitrosodi-n-propylamine	ND	10	ug/L	SW846 8270C	
Pentachlorophenol	ND	50	ug/L	SW846 8270C	
Phenanthrene	ND	10	ug/L	SW846 8270C	
Phenol	ND	10	ug/L	SW846 8270C	
Pyrene	ND	10	ug/L	SW846 8270C	
1,2,4-Trichlorobenzene	ND	10	ug/L	SW846 8270C	

(Continued on next page)

SEVERN TRENT LABORATORIES, INC.

PRELIMINARY DATA SUMMARY

The results shown below may still require additional laboratory review and are subject to change. Actions taken based on these results are the responsibility of the data user.

Haley & Aldrich Inc

PAGE 5

Lot #: E2B080218 BRC C-6, Torrance HaleyAldrich Date Reported: 2/14/02

PARAMETER	RESULT	REPORTING LIMIT	UNITS	ANALYTICAL METHOD	
Client Sample ID: BLDG2SVE_KNOCKOUT_020602					
Sample #: 001 Date Sampled: 02/06/02 16:00 Date Received: 02/08/02 Matrix: WATER					
Semivolatile Organic Compounds by GC/MS					Reviewed
2,4,5-Trichloro-phenol	ND	10	ug/L	SW846 8270C	
2,4,6-Trichloro-phenol	ND	10	ug/L	SW846 8270C	

J Estimated result. Result is less than RL.