TABLE 6-1

BELLE GROUNDWATER DATA
SUMMARY OF RESULTS BY ANAYLTE
COMPARED TO PRIMARY MCL or REGION III RISK BASED SCREENING CRITERIA

Analyte	Cas No	Criteria	Filter	NumSmps	NumHit	NumND	NumHitAbove	umAbove	Ave Conc	Max Conc	Factor	Frequency
1,2,3-TRICHLOROPROPANE	96184	0.001	T	148	4	144	4	148	16.9	600	########	3%
N-NITROSODIPROPYLAMINE	621647	0.009	T	481	1	480	1	481	35.7	9000	3,966.667	0%
ACROLEIN	107028	0.04	T	283	1	282	1	283	124.8	5000	3,120.000	0%
DIBENZ[A,H]ANTHRACENE	53703	0.009	T	496	1	495	1	496	22.05	5000	2,450.000	0%
FLUORIDE	1698448	4	T	74	17	57	17	74	8557.9	400000	2,139.475	23%
BENZO[A]PYRENE	50328	0.009	T	496	4	492	4	496	18.1	5000	2,011.111	1%
ACRYLONITRILE	107131	0.1	T	283	24	259	24	283	175.7	12500	1,757.000	8%
BENZO[B]FLUORANTHENE	205992	0.09	T	496	5	491	5	496	24.5	5000	272.222	1%
AMMONIA	7664417	208.7	T	59	55	4	55	55	49138.6	676000	235.451	93%
INDENO[1,2,3-C,D]PYRENE	193395	0.09	T	495	2	493	2	495	21.5	5000	238.889	0%
BENZ[A]ANTHRACENE	56553	0.09	T	496	3	493	3	496	19.9	5000	221.111	1%
BENZENE	71432	5	T	655	185	470	148	159	708.5	89000	141.700	23%
BIS(2-CHLOROISOPROPYL)ETHER	108601	0.2	T	382	3	379	3	382	34.3	6500	171.500	1%
1,1,2,2-TETRACHLOROETHANE	79345	0.05	T	570	5	565	5	570	6.2	930	124.000	1%
1,1,1,2-TETRACHLOROETHANE	630206	0.4	T	151	1	150	1	149	18.4	1250	46.000	1%
THALLIUM	7440280	2	T	264	24	240	9	64	80.8	1236	40.400	3%
BARIUM	7440393	2000	D	258	258	0	62	62	60485.7	827000	30.243	24%
BENZO[K]FLUORANTHENE	207089	0.9	T	496	2	494	2	430	24.9	5000	27.667	0%
BARIUM	7440393	2000	T	442	412	30	60	60	33821.2	904000	16.911	14%
BIS(2-ETHYLHEXYL)PHTHALATE	117817	6	T	550	315	235	197	241	66.1	5000	11.017	36%
NITROBENZENE	98953	3.5	T	496	1	495	1	161	30.08	7000	8.594	0%
2,4,6-TRICHLOROPHENOL	88062	6.08	T	490	3	487	2	61	31.6	7500	5.197	0%
VINYL CHLORIDE	75014	2	T	570	4	566	4	190	9.7	1250	4.850	1%
LEAD	7439921	15	T	517	316	201	143	164	62.4	1690	4.160	28%
PYRIDINE	110861	36.5	T	98	1	97	1	9	119.7	10000	3.279	1%
NICKEL	7440020	100	T	470	164	306	47	47	296.7	19000	2.967	10%
ANTIMONY	7440360	6	T	280	206	74	144	153	15.7	1050	2.617	51%
2-METHYLNAPHTHALENE	91576	121.6	T	281	11	270	5	8	317.007	49000	2.607	2%
1,2-DICHLOROETHANE	107062	5	T	570	9	561	6	27	12.4	3600	2.480	1%
DIBENZOFURAN	132649	24.3	T	281	4	277	2	17	60.6	8500	2.494	1%
NAPHTHALENE	91203	730	T	499	33	466	8	9	1620.5	430000	2.220	2%
CHRYSENE	218019	9.1	T	496	5	491	2	49	20.008	5000	2.199	0%
IRON	7439896	10950	T	434	400	34	101	101	23774.2	2390000	2.171	23%
1,1,2-TRICHLOROETHANE	79005	5	T	570	3	567	2	19	9.1	2500	1.820	0%
NICKEL	7440020	100	D	258	81	177	21	21	170.1	7210	1.701	8%
1,1-DICHLOROETHENE	75354	7	T	570	18	552	6	50	10.7	2500	1.529	1%
N-NITROSODIPHENYLAMINE	86306	13.6	T	481	1	480	1	18	19.7761	5000	1.454	0%
MANGANESE-NONFOOD	7439965	730	T	275	229	46	71	71	918.1	15400	1.258	26%
METHYLENE CHLORIDE	75092	5	T	570	24	546	11	33	6.2	650	1.240	2%
MANGANESE-NONFOOD	7439965	730	D	330	254	76	85	85	837.9	12800	1.148	26%
BERYLLIUM	7440417	4	D	43	20	23	10	10	4.5	43.9	1.125	23%
TRICHLOROETHENE	79016	5	T	570	11	559	9	31	5.7	650	1.140	2%

TABLE 6-1

BELLE GROUNDWATER DATA
SUMMARY OF RESULTS BY ANAYLTE
COMPARED TO PRIMARY MCL or REGION III RISK BASED SCREENING CRITERIA

Analyte	Cas No	Criteria	Filter	NumSmps	NumHit	NumND	NumHitAbove	umAbove	Ave Cond	Max Cond	Factor	Frequency
CARBON TETRACHLORIDE	56235	5	T	570	10	560	5	27	5.4	650	1.080	1%
BERYLLIUM	7440417	4	T	264	26	238	17	81	4.3	93	1.075	6%
TETRACHLOROETHENE	127184	5	T	570	6	564	4	27	5.2	650	1.040	1%
IRON	7439896	10950	D	410	305	105	56	56	11443.6	2450000	1.045	14%
ANTIMONY	7440360	6	D	61	56	5	22	22	5.9	24.7	0.983	36%
1,2-DICHLOROPROPANE	78875	5	T	570	3	567	1	22	4.7	650	0.940	0%
ARSENIC	7440382	50	T	470	229	241	6	17	40.3	1427.5	0.806	1%
THALLIUM	7440280	2	D	43	3	40	2	2	1.3	3.4	0.650	5%
METHYL METHACRYLATE	80626	1419.4	T	104	2	102	2	2	686.8	36000	0.484	2%
LEAD	7439921	15	D	287	103	184	27	34	6.6	170	0.440	9%
MERCURY (INORGANIC)	7439976	2	T	458	30	428	4	5	0.8	173	0.400	1%
ISOPHORONE	78591	70.4	T	550	66	484	1	9	29.5	7500	0.419	0%
CADMIUM-WATER	7440439	5	T	458	293	165	27	28	1.3	48.5	0.260	6%
CHROMIUM VI	1854029	109.5	T	207	11	196	3	21	28.1	670	0.257	1%
CADMIUM-WATER	7440439	5	D	247	127	120	14	14	1.2	19.1	0.240	6%
MOLYBDENUM	7439987	182.5	T	194	40	154	1	4	39.1	2500	0.214	1%
NITRATE	1479755	10000	T	129	27	102	2	2	1761.6	66000	0.176	2%
VANADIUM	7440622	255.5	T	422	74	348	5	6	37.07	2450	0.145	1%
CHLOROFORM	67663	80	T	570	49	521	2	6	11.1	3300	0.139	0%
METHYL ETHYL KETONE (2-BUTANONE)	78933	1906.1	T	365	33	332	1	6	211.1	18000	0.111	0%
MOLYBDENUM	7439987	182.5	D	204	37	167	1	2	17.6	784	0.096	0%
SILVER	7440224	182.5	T	268	66	202	3	4	16.6	500	0.091	1%
ALUMINUM	7429905	36500	T	381	199	182	4	4	3146.4	355000	0.086	1%
ETHYLBENZENE	100414	700	T	655	70	585	8	8	58.4	18000	0.083	1%
CYANIDE (FREE)	57125	200	T	216	70	146	1	1	15.01	204.3	0.075	0%
ACETONE	67641	3650	T	365	72	293	2	5	265.9	12500	0.073	1%
SELENIUM	7782492	50	D	193	20	173	1	2	3.2	74.4	0.064	1%
ALUMINUM	7429905	36500	D	322	127	195	1	1	1170.7	242000	0.032	0%
TOLUENE	108883	1000	T	655	159	496	2	2	24.9	4600	0.025	0%
ACENAPHTHENE	83329	2190	T	496	8	488	2	4	47.4	8750	0.022	0%
XYLENES	1330207	10000	T	258	44	214	1	1	123.3	29000	0.012	0%
N-NITROSODIETHYLAMINE	55185	0.0004	T	98	0	98	0	98	281.3	25000	########	0%
N-NITROSO-N-METHYLETHYLAMINE	1059595	0.003	T	98	0	98	0	98	281.02	25000	########	0%
N-NITROSODIMETHYLAMINE	62759	0.001	T	313	0	313	0	313	89.3	25000	########	0%
BENZIDINE	92875	0.0002	T	215	0	215	0	215	9.1	250	########	0%
1,2-DIBROMOETHANE	106934	0.0007	T	107	0	107	0	107	14.08	600	########	0%
3,3'-DIMETHYLBENZIDINE	119937	0.007	T	152	0	152	0	152	78.5	10000	########	0%
N-NITROSO-DI-N-BUTYLAMINE	924163	0.01	T	98	0	98	0	98	118.5	10000	########	0%
N-NITROSOPYRROLIDINE	930552	0.03	T	98	0	98	0	98	282.3	25000	9,410.000	0%
2-NITROPROPANE	79469	0.001	T	23	0	23	0	23	10	10	########	0%
ACETOPHENONE	98862	0.04	T	98	0	98	0	98	281.3	25000	7,032.500	0%
1,2-DIBROMO-3-CHLOROPROPANE	96128	0.04	T	102	0	102	0	102	302.6	25000	7,565.000	0%

TABLE 6-1

BELLE GROUNDWATER DATA
SUMMARY OF RESULTS BY ANAYLTE
COMPARED TO PRIMARY MCL or REGION III RISK BASED SCREENING CRITERIA

Analyte	Cas No	Criteria	Filter	NumSmps	NumHit	NumND	NumHitAbove	umAbove	Ave Conc	Max Conc	Factor	Frequency
PENTACHLORONITROBENZENE	82688	0.04	T	98	0	98	0	98	117.5	10000	2,937.500	0%
DISULFOTON	298044	0.2	T	47	0	47	0	47	566.4	25000	2,832.000	0%
CHLOROBENZILATE	510156	0.2	T	98	0	98	0	98	282.02	25000	1,410.100	0%
1,4-DIOXANE	123911	6.08	T	72	0	72	0	72	3923.6	50000	645.329	0%
BIS(2-CHLOROETHYL)ETHER	111444	0.06	T	496	0	496	0	496	28.9	6500	481.667	0%
2-METHYLANILINE	95534	0.2	T	98	0	98	0	98	118.01	10000	590.050	0%
3,3'-DICHLOROBENZIDINE	91941	0.1	T	496	0	496	0	496	43.7	10000	437.000	0%
HEXACHLOROBUTADIENE	87683	0.1	T	499	0	499	0	499	28.7	6500	287.000	0%
HEXACHLOROPHENE	70304	10.9	T	47	0	47	0	47	2265.9	100000	207.881	0%
ANILINE	62533	1.8	T	98	0	98	0	79	281.4	25000	156.333	0%
PENTACHLOROPHENOL	87865	1	T	499	0	499	0	464	144.7	33250	144.700	0%
1,2,4,5-TETRACHLOROBENZENE	95943	1.8	T	98	0	98	0	79	118.2	10000	65.667	0%
2-METHYL-5-NITROANILINE	99558	2.02	T	98	0	98	0	76	115.4	10000	57.129	0%
METHACRYLONITRILE	126987	1.04	T	104	0	104	0	104	48.3	2500	46.442	0%
DINOSEB	88857	7	T	98	0	98	0	76	280.01	25000	40.001	0%
1,2-DIPHENYLHYDRAZINE	122667	0.08	T	44	0	44	0	44	3.2	50	40.000	0%
BENZYL CHLORIDE	100447	0.06	T	3	0	3	0	3	2.3	5	38.333	0%
4,6-DINITRO-2-METHYLPHENOL	534521	3.65	T	499	0	499	0	390	137.1	29750	37.562	0%
HEXACHLOROETHANE	67721	0.7	T	496	0	496	0	462	27.2	5750	38.857	0%
1,3-DINITROBENZENE	99650	3.65	T	98	0	98	0	78	123.8	10000	33.918	0%
METHYL PARATHION	298000	9.125	T	47	0	47	0	47	226.5	10000	24.822	0%
PENTACHLOROBENZENE	608935	4.8	T	98	0	98	0	78	118.4	10000	24.667	0%
HEXACHLOROBENZENE	118741	1	T	496	0	496	0	235	20.8	5000	20.800	0%
ACETONITRILE	75058	219	T	72	0	72	0	72	3923.6	50000	17.916	0%
ALDRIN	309002	0.003	T	10	0	10	0	10	0.03	0.1	10.000	0%
CHLOROMETHANE	74873	1.4	T	570	0	570	0	441	9.7	1250	6.929	0%
ALPHA-HCH	319846	0.01	T	10	0	10	0	10	0.03	0.125	3.000	0%
CHLOROETHANE	75003	3.6	T	570	0	570	0	186	9.4	1250	2.611	0%
NITRITE	1479765	1000	T	125	0	125	0	18	2357.2	50000	2.357	0%
AZOBENZENE	103333	0.6	T	154	0	154	0	109	1.4	6	2.333	0%
2,4-DINITROPHENOL	51285	73	T	499	0	499	0	33	159.09	36750	2.179	0%
ISOBUTANOL	78831	1825	T	72	0	72	0	72	3923.6	50000	2.150	0%
CHLORDANE	57749	0.1	T	10	0	10	0	10	0.3	1.2	3.000	0%
DIELDRIN	60571	0.004	T	10	0	10	0	10	0.006	0.02	1.500	0%
HEXACHLOROCYCLOPENTADIENE	77474	50	T	496	0	496	0	20	78.2	25000	1.564	0%
1,3-DICHLOROBENZENE	541731	14.4	T	589	0	589	0	24	22.1	5250	1.535	0%
1-BUTANOL	71363	3650	T	23	0	23	0	23	5000	5000	1.370	0%
SELENIUM	7782492	50	T	457	64	393	0	18	66.5	1724.5	1.330	0%
2-CHLORO-1,3-BUTADIENE	126998	14.3	T	72	0	72	0	4	15.6	200	1.091	0%
PARATHION	56382	219	T	47	0	47	0	1	226.5	10000	1.034	0%
BETA-HCH	319857	0.03	T	10	0	10	0	1	0.03	0.125	1.000	0%
4-CHLOROANILINE	106478	146	T	266	0	266	0	8	118.003	16250	0.808	0%

TABLE 6-1

BELLE GROUNDWATER DATA
SUMMARY OF RESULTS BY ANAYLTE
COMPARED TO PRIMARY MCL or REGION III RISK BASED SCREENING CRITERIA

Analyte	Cas No	Criteria	Filter	NumSmps	NumHit	NumND	NumHitAbove	umAbove	Ave Conc	Max Conc	Factor	Frequency
BROMOMETHANE	74839	8.5	T	570	0	570	0	21	6.1	650	0.718	0%
AROCLOR-1221	1110428	0.5	T	10	0	10	0	1	0.3	1.2	0.600	0%
AROCLOR-1232	1114116	0.5	T	10	0	10	0	1	0.3	1.2	0.600	0%
AROCLOR-1242	5346921	0.5	T	10	0	10	0	1	0.3	1.2	0.600	0%
AROCLOR-1248	1267229	0.5	T	10	0	10	0	1	0.3	1.2	0.600	0%
AROCLOR-1254	1109769	0.5	T	10	0	10	0	1	0.3	1.2	0.600	0%
AROCLOR-1260	1109682	0.5	T	10	0	10	0	1	0.3	1.2	0.600	0%
GAMMA-HCH (LINDANE)	58899	0.05	T	10	0	10	0	1	0.03	0.1	0.600	0%
2,6-DINITROTOLUENE	606202	36.5	T	496	1	495	0	9	21.5	5000	0.589	0%
1,3,5-TRINITROBENZENE	99354	1095	T	47	0	47	0	1	566.4	25000	0.517	0%
ETHYL METHACRYLATE	97632	547.5	T	98	0	98	0	1	280.3	25000	0.512	0%
4-NITROPHENOL	100027	292	T	499	0	499	0	8	123.7	25000	0.424	0%
1,2,4-TRICHLOROBENZENE	120821	70	T	499	1	498	0	7	28.1	6250	0.401	0%
AROCLOR-1016	1267411	0.9	T	10	0	10	0	1	0.3	1.2	0.333	0%
DDT	50293	0.1	T	10	0	10	0	1	0.07	0.2	0.700	0%
4-METHYLPHENOL	106445	182.5	T	98	0	98	0	2	61.9	5000	0.339	0%
1,4-DICHLOROBENZENE	106467	75	T	589	1	588	0	7	23.1	5750	0.308	0%
MERCURY (INORGANIC)	7439976	2	D	193	2	191	0	0	0.6	1	0.300	0%
2,4-DINITROTOLUENE	121142	73	T	496	0	496	0	6	20.9	5000	0.286	0%
METHYL ACRYLATE	96333	182.5	T	5	0	5	0	0	50	50	0.274	0%
2,4-DICHLOROPHENOL	120832	109.5	T	499	0	499	0	5	27.7	6000	0.253	0%
DDD	72548	0.2	T	10	0	10	0	0	0.07	0.25	0.350	0%
METHYLENE BROMIDE	74953	60.8	T	151	0	151	0	7	15.1	600	0.248	0%
TOXAPHENE	8001352	3	T	10	0	10	0	0	0.7	2.5	0.233	0%
CIS-1,2-DICHLOROETHENE	156592	70	T	72	3	69	0	3	15.3	600	0.219	0%
VINYL ACETATE	108054	412.1	T	268	0	268	0	5	79.3	6500	0.192	0%
HEPTACHLOR EPOXIDE	1024573	0.2	T	10	0	10	0	0	0.03	0.1	0.150	0%
2-CHLOROPHENOL	95578	182.5	T	499	0	499	0	4	26.5	5500	0.145	0%
DIPHENYLAMINE	122394	912.5	T	47	0	47	0	1	113.2	5000	0.124	0%
2,3,4,6-TETRACHLOROPHENOL	58902	1095	T	98	0	98	0	1	121.4	10000	0.111	0%
STYRENE	100425	100	T	271	3	268	0	5	9.8	650	0.098	0%
DICHLORODIFLUOROMETHANE	75718	347.6	T	209	0	209	0	4	33.2	1000	0.096	0%
HEPTACHLOR	76448	0.4	T	10	0	10	0	0	0.03	0.1	0.075	0%
BORON	7440428	3285	T	194	155	39	0	1	283.3	5000	0.086	0%
ARSENIC	7440382	50	D	257	78	179	0	0	3.9	50	0.078	0%
BORON	7440428	3285	D	203	176	27	0	0	255.6	1750	0.078	0%
2,4-D	94757	70	T	3	0	3	0	0	5	5	0.071	0%
BETA-CHLORONAPHTHALENE	91587	486.6	T	496	0	496	0	3	32.4	8000	0.067	0%
BROMODICHLOROMETHANE	75274	80	T	570	3	567	0	6	5.3	650	0.066	0%
3-METHYLPHENOL	108394	1825	T	47	0	47	0	1	113.2	5000	0.062	0%
FORMIC ACID	64186	73000	T	46	0	46	0	0	4510.9	5000	0.062	0%
2-HEXANONE	591786	1460	T	268	0	268	0	3	89.9	6500	0.062	0%

TABLE 6-1

BELLE GROUNDWATER DATA
SUMMARY OF RESULTS BY ANAYLTE
COMPARED TO PRIMARY MCL or REGION III RISK BASED SCREENING CRITERIA

Analyte	Cas No	Criteria	Filter	NumSmps	NumHit	NumND	NumHitAbove	umAbove	Ave Cond	Max Cond	Factor	Frequency
BROMOFORM	75252	80	T	570	1	569	0	5	4.7	650	0.059	0%
DIBROMOCHLOROMETHANE	124481	80	T	570	1	569	0	5	4.6	650	0.058	0%
M-XYLENE	108383	12167	T	15	7	8	0	0	639.1	5500	0.053	0%
TRANS-1,2-DICHLOROETHENE	156605	100	T	532	4	528	0	5	5.2	650	0.052	0%
CHLOROBENZENE	108907	100	T	570	0	570	0	5	4.8	650	0.048	0%
P-PHENYLENEDIAMINE	106503	6935	T	98	0	98	0	1	319.7	25000	0.046	0%
1,2,4-TRIMETHYLBENZENE	95636	12.3	T	3	0	3	0	0	0.5	0.5	0.041	0%
1,3,5-TRIMETHYLBENZENE	108678	12.3	T	3	0	3	0	0	0.5	0.5	0.041	0%
2,4-DIMETHYLPHENOL	105679	730	T	553	13	540	0	2	28.7	7750	0.039	0%
1,2-DICHLOROBENZENE	95501	600	T	589	1	588	0	2	22.4	5250	0.037	0%
DDE	72559	0.1	T	10	0	10	0	0	0.006	0.02	0.060	0%
COPPER	7440508	1460	T	470	257	213	0	1	50.9	1500	0.035	0%
METHYL ISOBUTYL KETONE (4-METHYL-2-	108101	2920	T	268	2	266	0	2	89.1	6500	0.031	0%
COBALT	7440484	2190	T	228	53	175	0	0	57.9	1500	0.026	0%
1,1,1-TRICHLOROETHANE	71556	200	T	570	8	562	0	3	5.2	650	0.026	0%
2-METHYLPHENOL	95487	1825	T	284	5	279	0	2	46.1	5750	0.025	0%
DIOCTYLPHTHALATE	117840	730	T	550	26	524	0	2	16.9	5000	0.023	0%
FLUORENE	86737	1460	T	496	6	490	0	2	30.3	6000	0.021	0%
COPPER	7440508	1460	D	258	156	102	0	0	29.9	606	0.020	0%
SILVER	7440224	182.5	D	46	22	24	0	0	3.7	24.7	0.020	0%
TOTAL 1,2-DICHLOROETHENE	540590	54.7	T	38	0	38	0	0	1.1	7.5	0.020	0%
PYRENE	129000	1095	T	496	11	485	0	2	21.06	5000	0.019	0%
2-(2,4,5-TRICHLOROPHENOXY)PROPIONIC	93721	292	T	3	0	3	0	0	5	5	0.017	0%
N-BUTYLBENZENE	104518	60.8	T	3	0	3	0	0	1	1	0.016	0%
SEC-BUTYLBENZENE	135988	60.8	T	3	0	3	0	0	1	1	0.016	0%
TERT-BUTYLBENZENE	98066	60.8	T	3	0	3	0	0	1	1	0.016	0%
2,4,5-TRICHLOROPHENOL	95954	3650	T	284	0	284	0	2	54.9	8000	0.015	0%
VANADIUM	7440622	255.5	D	247	43	204	0	0	3.7	98	0.014	0%
2,4,5-T	93765	365	T	3	0	3	0	0	5	5	0.014	0%
CARBON DISULFIDE	75150	1042.8	T	268	16	252	0	0	14.1	650	0.014	0%
FLUORANTHENE	206440	1460	T	496	8	488	0	2	19.05	5000	0.013	0%
ZINC	7440666	10950	T	517	323	194	0	0	106.6	3110	0.010	0%
METHOXYCHLOR	72435	40	T	10	0	10	0	0	0.3	1.2	0.008	0%
ETHYL ETHER	60297	1216.6	T	23	0	23	0	0	10	10	0.008	0%
DIBUTYLPHTHALATE	84742	3650	T	496	6	490	0	2	26.7	5500	0.007	0%
BENZYL ALCOHOL	100516	10950	T	284	20	264	0	0	75.9	10000	0.007	0%
1,1-DICHLOROETHANE	75343	798.4	T	570	3	567	0	0	4.9	650	0.006	0%
ETHYL ACETATE	141786	5475	T	23	0	23	0	0	26.7	45	0.005	0%
ZINC	7440666	10950	D	287	128	159	0	0	52.6	1660	0.005	0%
TIN	7440315	21900	T	228	31	197	0	0	105.1	3880	0.005	0%
O-XYLENE	95476	12167	T	122	21	101	0	0	53.2	2200	0.004	0%
O-CHLOROTOLUENE	95498	121.6	T	3	0	3	0	0	0.5	0.5	0.004	0%

TABLE 6-1

BELLE GROUNDWATER DATA
SUMMARY OF RESULTS BY ANAYLTE
COMPARED TO PRIMARY MCL or REGION III RISK BASED SCREENING CRITERIA

Analyte	Cas No	Criteria	Filter	NumSmps	NumHit	NumND	NumHitAbove	umAbove	Ave Conc	Max Conc	Factor	Frequency
TRICHLOROFLUOROMETHANE	75694	1288.2	T	495	1	494	0	0	5.02	600	0.004	0%
BUTYLBENZYLPHTHALATE	85687	7300	T	496	41	455	0	0	26.1	5000	0.004	0%
PHENOL	108952	21900	T	555	112	443	0	0	77.4	6250	0.004	0%
ENDRIN	72208	2	T	10	0	10	0	0	0.006	0.025	0.003	0%
BENZOIC ACID	65850	146000	T	187	35	152	0	0	292.9	41500	0.002	0%
ANTHRACENE	120127	10950	T	496	7	489	0	0	19.1	5000	0.002	0%
DIETHYLPHTHALATE	84662	29200	T	496	4	492	0	0	47.5	14500	0.002	0%
CUMENE	98828	658.19	T	3	0	3	0	0	1	1	0.002	0%
COBALT	7440484	2190	D	43	8	35	0	0	2.4	12.1	0.001	0%
CYCLOHEXANONE	108941	182500	T	23	0	23	0	0	100	100	0.001	0%
TIN	7440315	21900	D	43	2	41	0	0	4.8	15.5	0.000	0%
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	76131	59375.	T	23	0	23	0	0	10	10	0.000	0%
DIMETHYLPHTHALATE	131113	365000	T	496	18	478	0	0	30.05	6750	0.000	0%

Filter: T=total, D=dissolved
Criteria: Federal MCL Water Quality Criteria or Region III Risk Based screening level (tap water)
NumSmps: Number of times analyzed for sampling location
NumHits: Number of times detected
NumND: Number of non-detects
NumHitAbove: Number of times criteria was exceeded (includes 1/2 method detection limit for non-detections)
AvgConc: Average Concentration (using 1/2 method detection limit for non-detections)
MaxConc: Maximum Concentration
Factor: Average concentration divided by criteria
Frequency: Percentage of total samples with detection (hits) above criteria
Note: Concentration and Criteria Units = ug/l