Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

A DIVISION OF INCHCAPE INSPECTION & TESTING SERVICES

Geochemical Lab Report

REPORT: D89-31987.4 (COMPLETE)

REFERENCE INFO: 0-365

CLIENT: BROHM MINING CORP.
PROJECT: R89-599

SUBMITTED BY: J. BARRON
DATE PRINTED: 19-OCT-89

ORDER	ELEMENT		NUMBER OF ANALYSES	LOWER DETECTION LIMIT	EXTRACTION	METHOD
1	Au	Gold	73	0.002 OPT		Fire Assay

SAMPLE TYPES	NUMBER	SIZE FRACTIONS	NUMBER	SAMPLE PREPARATIONS	NUMBER
D DRILL CORE	73	2 -150	73	Assay Prep	73
				Sample Pickup	1

REMARKS: Final results are reported.

REPORT COPIES TO: MR. JIM BARRON
MR. JIM BARRON

INVOICE TO: MR. JIM BARRON

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1104

BONDAR-CLEGG

A DIVISION OF INCHCAPE INSPECTION & TESTING SERVICES

Geochemical Lab Report

DATE PRINTED: 19-OCT-89

REPORT: D89-31987.4

PROJECT: R89-599

SAMPLE NUMBER	ELEMENT UNITS	Au OPT	SAMPLE NUMBER	ELEMENT UNITS	Au OPT
D2 R89-599 0-5		<0.002	D2 R89-599 200-205		<0.002
D2 R89-599 5-10		<0.002	D2 R89-599 205-210		0.006
D2 R89-599 10-15		<0.002	D2 R89-599 210-215		<0.002
D2 R89-599 15-20		<0.002	D2 R89-599 215-220		<0.002
D2 R89-599 20-25		<0.002	D2 R89-599 220-225		0.012
D2 R89-599 25-30		0.004	D2 R89-599 225-230		0.011
D2 R89-599 30-35		<0.002	D2 R89-599 230-235		0.011
D2 R89-599 35-40		0.024	D2 R89-599 235-240		0.007
D2 R89-599 40-45		0.007	D2 R89-599 240-245		0.059
D2 R89-599 45-50		0.004	D2 R89-599 245-250		0.026
D2 R89-599 50-55		<0.002	D2 R89-599 250-255		0.100
D2 R89-599 55-60		0.002	D2 R89-599 255-260		0.008
D2 R89-599 60-65		<0.002	D2 R89-599 260-265		0.005
D2 R89-599 65-70		<0.002	D2 R89-599 265-270		<0.002
D2 R89-599 70-75		<0.002	D2 R89-599 270-275		0.003
D2 R89-599 75-80		<0.002	D2 R89-599 275-280		<0.002
D2 R89-599 80-85		<0.002	D2 R89-599 280-285		0.016
D2 R89-599 85-90		<0.002	D2 R89-599 285-290		0.032
D2 R89-599 90-95		<0.002	D2 R89-599 290-295		0.007
D2 R89-599 95-100		<0.002	D2 R89-599 295-300		0.006
D2 R89-599 100-105		0.002	D2 R89-599 300-305		0.005
D2 R89-599 105-110		<0.002	D2 R89-599 305-310		0.002
D2 R89-599 110-115		<0.002	D2 R89-599 310-315		<0.002
D2 R89-599 115-120		<0.002	D2 R89-599 315-320		0.002
D2 R89-599 120-125		<0.002	D2 R89-599 320-325		<0.002
D2 R89-599 125-130		<0.002	D2 R89-599 325-330		<0.002
D2 R89-599 130-135		<0.002	D2 R89-599 330-335		0.002
D2 R89-599 135-140		<0.002	D2 R89-599 335-340		0.002
D2 R89-599 140-145		<0.002	D2 R89-599 340-345		0.004
D2 R89-599 145-150		<0.002	D2 R89-599 345-350		0.018
D2 R89-599 150-155		<0.002	D2 R89-599 350-355		0.009
D2 R89-559 155-160		<0.002	D2 R89-599 355-360		0.008
D2 R89-559 160-165		<0.002	D2 R89-599 360-365		<0.002
D2 R89-599 165-170		0.007			
D2 R89-599 170-175		<0.002			
D2 R89-599 175-180		<0.002			
D2 R89-599 180-185		<0.002			
D2 R89-599 185-190		<0.002			
D2 R89-599 190-195		0.005			
D2 R89-599 195-200		<0.002			

RECEIVED
OCT 23 1989
BROHM MINING CO.

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

A DIVISION OF INCHCAPE INSPECTION & TESTING SERVICES

Geochemical Lab Report

REPORT: D89-31989.4 (COMPLETE)

REFERENCE INFO: 365-525

CLIENT: BROHM MINING CORP.
PROJECT: R89-599

SUBMITTED BY: J. BARRON
DATE PRINTED: 20-OCT-89

ORDER	ELEMENT		NUMBER OF ANALYSES	LOWER DETECTION LIMIT	EXTRACTION	METHOD
1	Au	Gold	32	0.002 OPT		Fire Assay

SAMPLE TYPES	NUMBER	SIZE FRACTIONS	NUMBER	SAMPLE PREPARATIONS	NUMBER
D DRILL CORE	32	2 -150	32	Assay Prep	32
				Excessive Wetness	399
				Sample Pickup	1

REMARKS: Final results are reported.

REPORT COPIES TO: MR. JIM BARRON
MR. JIM BARRON

INVOICE TO: MR. JIM BARRON

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

A DIVISION OF INCHCAPE INSPECTION & TESTING SERVICES

Geochemical Lab Report

RECEIVED
OCT 23 1989
BROHM MINING CO.

REPORT: D89-31989.4

DATE PRINTED: 20-OCT-89
PROJECT: R89-599
PAGE 1

SAMPLE NUMBER	ELEMENT UNITS	Au OPT
D2 R89-599-365-370		0.004
D2 R89-599-370-375		0.004
D2 R89-599-375-380		<0.002
D2 R89-599-380-385		<0.002
D2 R89-599-385-390		0.002
D2 R89-599-390-395		<0.002
D2 R89-599-395-400		<0.002
D2 R89-599-400-405		<0.002
D2 R89-599-405-410		0.015
D2 R89-599-410-415		0.002
D2 R89-599-415-420		0.005
D2 R89-599-420-425		0.003
D2 R89-599-425-430		0.002
D2 R89-599-430-435		<0.002
D2 R89-599-435-440		0.024
D2 R89-599-440-445		0.004
D2 R89-599-445-450		0.003
D2 R89-599-450-455		0.003
D2 R89-599-455-460		0.004
D2 R89-599-460-465		0.002
D2 R89-599-465-470		0.004
D2 R89-599-470-475		0.006
D2 R89-599-475-480		0.002
D2 R89-599-480-485		0.002
D2 R89-599-485-490		<0.002
D2 R89-599-490-495		<0.002
D2 R89-599-495-500		<0.002
D2 R89-599-500-505		<0.002
D2 R89-599-505-510		<0.002
D2 R89-599-510-515		0.006
D2 R89-599-515-520		<0.002
D2 R89-599-520-525		0.002

RECEIVED
OCT 24 1989
BROHM MINING CO.

END

```
"TITLE 20-10-89 09:50:27 D89-31989.4   J. BARRON            10/10/89"
"CLIENT BROHM MINING CORP.                                  "
"PROJECT R89-599          #SAMPLES:  32 REFERENCE: 365-525                    "
"SPECIAL VALUES"
"  IS Insufficient Sample"
"  -9 No Value Recorded"
" Values above the upper limit are shown as  +uplimt"
" Values below the lower limit are shown as  -lolmt   (ie not detected)"
"DETERMINATIONS"
"     ELNAME METHO ECO UNI #SAM LOLMT UPLIMT COMMENTS"
"  01 Au     FA        OPT   32 0.002 99.999 Results Reported     "
"SAMPLE PREPS"
"  40 SAMPLE TYPE=D      DRILL CORE          "
"  41 P17=  32           Assay Prep          "
"  42 P64= 399           Excessive Wetness   "
"  43 P23=   1           Sample Pickup       "
"REMARKS"
"  50 Final results are reported.                    "
"*****"
"FORMAT (A8,1X,A1,A1,1X,A20,1(1X,A7,A1))"
"BEGIN " "Type" "Frac" "Sample ID"          "    Au"
"19890001" "D" "2" "R89-599-365-370     "    0.004
"19890002" "D" "2" "R89-599-370-375     "    0.004
"19890003" "D" "2" "R89-599-375-380     "   -0.002
"19890004" "D" "2" "R89-599-380-385     "   -0.002
"19890005" "D" "2" "R89-599-385-390     "    0.002
"19890006" "D" "2" "R89-599-390-395     "   -0.002
"19890007" "D" "2" "R89-599-395-400     "   -0.002
"19890008" "D" "2" "R89-599-400-405     "   -0.002
"19890009" "D" "2" "R89-599-405-410     "    0.015
"19890011" "D" "2" "R89-599-410-415     "    0.002
"19890012" "D" "2" "R89-599-415-420     "    0.005
"19890013" "D" "2" "R89-599-420-425     "    0.003
"19890014" "D" "2" "R89-599-425-430     "    0.002
"19890015" "D" "2" "R89-599-430-435     "   -0.002
"19890016" "D" "2" "R89-599-435-440     "    0.024 — 435-440
"19890017" "D" "2" "R89-599-440-445     "    0.004
"19890018" "D" "2" "R89-599-445-450     "    0.003
"19890019" "D" "2" "R89-599-450-455     "    0.003
"19890020" "D" "2" "R89-599-455-460     "    0.004
"19890021" "D" "2" "R89-599-460-465     "    0.002
"19890022" "D" "2" "R89-599-465-470     "    0.004
"19890023" "D" "2" "R89-599-470-475     "    0.006
"19890024" "D" "2" "R89-599-475-480     "    0.002
"19890025" "D" "2" "R89-599-480-485     "    0.002
"19890026" "D" "2" "R89-599-485-490     "   -0.002
"19890027" "D" "2" "R89-599-490-495     "   -0.002
"19890028" "D" "2" "R89-599-495-500     "   -0.002
"19890029" "D" "2" "R89-599-500-505     "   -0.002
"19890030" "D" "2" "R89-599-505-510     "   -0.002
"19890031" "D" "2" "R89-599-510-515     "    0.006
"19890032" "D" "2" "R89-599-515-520     "   -0.002
"19890033" "D" "2" "R89-599-520-525     "    0.002
"END"
```

```
"TITLE 19-10-89 09:08:51 D89-31987.4   J. BARRON            09/10/89"
"CLIENT BROHM MINING CORP.                                  "
"PROJECT R89-599          #SAMPLES:   73 REFERENCE: 0-365                    "
"SPECIAL VALUES"
"  IS Insufficient Sample"
"  -9 No Value Recorded"
" Values above the upper limit are shown as  +uplimt"
" Values below the lower limit are shown as  -lolmt   (ie not detected)"
"DETERMINATIONS"
"     ELNAME METHO ECO UNI #SAM LOLMT UPLIMT COMMENTS"
"  01 Au     FA        OPT   73 0.002 99.999 Results Reported     "
"SAMPLE PREPS"
"  40 SAMPLE TYPE=D      DRILL CORE          "
"  41 P17=  73           Assay Prep          "
"  42 P23=   1           Sample Pickup       "
"REMARKS"
"  50 Final results are reported.                          "
"*****"
"FORMAT (A8,1X,A1,A1,1X,A20,1(1X,A7,A1))"
"BEGIN " "Type" "Frac" "Sample ID"          "    Au"
"19870001" "D" "2" "R89-599 0-5          "   -0.002
"19870002" "D" "2" "R89-599 5-10         "   -0.002
"19870003" "D" "2" "R89-599 10-15        "   -0.002
"19870004" "D" "2" "R89-599 15-20        "   -0.002
"19870005" "D" "2" "R89-599 20-25        "   -0.002
"19870006" "D" "2" "R89-599 25-30        "    0.004
"19870007" "D" "2" "R89-599 30-35        "   -0.002
"19870009" "D" "2" "R89-599 35-40        "    0.024 — 35-40
"19870010" "D" "2" "R89-599 40-45        "    0.007
"19870011" "D" "2" "R89-599 45-50        "    0.004
"19870012" "D" "2" "R89-599 50-55        "   -0.002
"19870013" "D" "2" "R89-599 55-60        "    0.002
"19870014" "D" "2" "R89-599 60-65        "   -0.002
"19870015" "D" "2" "R89-599 65-70        "   -0.002
"19870016" "D" "2" "R89-599 70-75        "   -0.002
"19870017" "D" "2" "R89-599 75-80        "   -0.002
"19870018" "D" "2" "R89-599 80-85        "   -0.002
"19870019" "D" "2" "R89-599 85-90        "   -0.002
"19870020" "D" "2" "R89-599 90-95        "   -0.002
"19870021" "D" "2" "R89-599 95-100       "   -0.002
"19870022" "D" "2" "R89-599 100-105      "    0.002
"19870023" "D" "2" "R89-599 105-110      "   -0.002
"19870024" "D" "2" "R89-599 110-115      "   -0.002
"19870025" "D" "2" "R89-599 115-120      "   -0.002
"19870026" "D" "2" "R89-599 120-125      "   -0.002
"19870027" "D" "2" "R89-599 125-130      "   -0.002
"19870028" "D" "2" "R89-599 130-135      "   -0.002
"19870029" "D" "2" "R89-599 135-140      "   -0.002
"19870030" "D" "2" "R89-599 140-145      "   -0.002
"19870031" "D" "2" "R89-599 145-150      "   -0.002
"19870032" "D" "2" "R89-599 150-155      "   -0.002
"19870034" "D" "2" "R89-559 155-160      "   -0.002
"19870035" "D" "2" "R89-559 160-165      "   -0.002
"19870036" "D" "2" "R89-599 165-170      "    0.007
"19870037" "D" "2" "R89-599 170-175      "   -0.002
"19870038" "D" "2" "R89-599 175-180      "   -0.002
"19870039" "D" "2" "R89-599 180-185      "   -0.002
"19870040" "D" "2" "R89-599 185-190      "   -0.002
"19870041" "D" "2" "R89-599 190-195      "    0.005
"19870042" "D" "2" "R89-599 195-200      "   -0.002
"19870043" "D" "2" "R89-599 200-205      "   -0.002
```

"19870044"	"D"	"2"	"R89-599	205-210	"	0.006
"19870045"	"D"	"2"	"R89-599	210-215	"	-0.002
"19870046"	"D"	"2"	"R89-599	215-220	"	-0.002
"19870047"	"D"	"2"	"R89-599	220-225	"	0.012
"19870048"	"D"	"2"	"R89-599	225-230	"	0.011
"19870049"	"D"	"2"	"R89-599	230-235	"	0.011
"19870050"	"D"	"2"	"R89-599	235-240	"	0.007
"19870051"	"D"	"2"	"R89-599	240-245	"	0.059
"19870052"	"D"	"2"	"R89-599	245-250	"	0.026
"19870053"	"D"	"2"	"R89-599	250-255	"	0.100
"19870054"	"D"	"2"	"R89-599	255-260	"	0.008
"19870055"	"D"	"2"	"R89-599	260-265	"	0.005
"19870056"	"D"	"2"	"R89-599	265-270	"	-0.002
"19870057"	"D"	"2"	"R89-599	270-275	"	0.003
"19870059"	"D"	"2"	"R89-599	275-280	"	-0.002
"19870060"	"D"	"2"	"R89-599	280-285	"	0.016
"19870061"	"D"	"2"	"R89-599	285-290	"	0.032
"19870062"	"D"	"2"	"R89-599	290-295	"	0.007
"19870063"	"D"	"2"	"R89-599	295-300	"	0.006
"19870064"	"D"	"2"	"R89-599	300-305	"	0.005
"19870065"	"D"	"2"	"R89-599	305-310	"	0.002
"19870066"	"D"	"2"	"R89-599	310-315	"	-0.002
"19870067"	"D"	"2"	"R89-599	315-320	"	0.002
"19870068"	"D"	"2"	"R89-599	320-325	"	-0.002
"19870069"	"D"	"2"	"R89-599	325-330	"	-0.002
"19870070"	"D"	"2"	"R89-599	330-335	"	0.002
"19870071"	"D"	"2"	"R89-599	335-340	"	0.002
"19870072"	"D"	"2"	"R89-599	340-345	"	0.004
"19870073"	"D"	"2"	"R89-599	345-350	"	0.018
"19870074"	"D"	"2"	"R89-599	350-355	"	0.009
"19870075"	"D"	"2"	"R89-599	355-360	"	0.008
"19870076"	"D"	"2"	"R89-599	360-365	"	-0.002

"END"

240-255
15' @ .062

285-290

BC
BONDAR-CLEGG

SUBMITTAL FORM

LAB. REPORT NO. D89-31987.4

130 Pemberton Ave.
North Vancouver, B.C.
V7P 2R5
or
P.O. Box 8059
Blaine, WA. 98230

Phone (604) 985-0681
or (702) 331-1813
Fax (604) 985-1071
Telex 04-352667

1A-625 Spice Island Dr.
Sparks, Nevada 89431
(702) 359-9330

12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

243 Catlin St.
Missoula, Montana 59801
(406) 721-4452

37 Sherman St.
Deadwood, S.D. 57732
(605) 578-1903

c/o Lerch Brothers
4th Ave. W. at Grant St.
Hibbing, Minn. 55746
(218) 262-5003

136 Industrial Road
Whitehorse, Yukon Territory
Y1A 2V1
(403) 667-6523

6631 Wes Way
Anchorage, Ak. 99518
(907) 561-0909

Please analyze by **Assay (% ore grade)** ☒ **Geochemical (ppm, trace level)** ☐

Comments _____

Type of Samples	No. of Samples	Sample Numbers (Series)	Elements to be Analyzed	Remarks
DC ~~[illegible]~~ dry	73	R89-599	Au	
		0-5		
		360-365		

Total No. Samples _____ Date Shipped 10/5/89 Prepaid ☐ Collect ☐

No. Parcels in Shipment _____ Date Rec'd at Bondar-Clegg _____

PLEASE CHECK ✓ BELOW

REJECTS
(COARSE OVERSIZE)

Free storage for 60 days and then discarded unless marked below.

Return immediately ☐

Return collect after 60 days ☐

Store to January at a cost of $10/box

(You will then be contacted) (approx. 1 cu. ft.) ☐

PULPS

Free storage until year end and then discarded unless marked below.

Return collect immediately ☐

Return collect at year end ☐

Results and Invoices To Be Sent To

BROHM

☐ Results
☐ Invoice (for payment)

☐ Results
☐ Invoice (copy)

☐ Results
☐ Invoice (copy)

Samples submitted by J. BARRON

Shipment number _____

Client project number _____

Purchase order number _____

Printed in Canada

White - Send with Samples Yellow - Client Copy

BC
BONDAR-CLEGG

SUBMITTAL FORM

LAB. REPORT NO. D89-31989.4

130 Pemberton Ave.
North Vancouver, B.C.
V7P 2R5
or
P.O. Box 8059
Blaine, WA. 98230

Phone (604) 985-0681
or (702) 331-1813
Fax (604) 985-1071
Telex 04-352667

1A-625 Spice Island Dr.
Sparks, Nevada 89431
(702) 359-9330

12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

243 Catlin St.
Missoula, Montana 59801
(406) 721-4452

37 Sherman St.
Deadwood, S.D. 57732
(605) 578-1903

c/o Lerch Brothers
4th Ave. W. at Grant St.
Hibbing, Minn. 55746
(218) 262-5003

136 Industrial Road
Whitehorse, Yukon Territory
Y1A 2V1
(403) 667-6523

6631 Wes Way
Anchorage, Ak. 99518
(907) 561-0909

Please analyze by **Assay (% ore grade)** ☒ **Geochemical (ppm, trace level)** ☐

Comments

Type of Samples	No. of Samples	Sample Numbers (Series)	Elements to be Analyzed	Remarks
DC wet	32	R89-599	Au	
		365-370		
		520-525		

Total No. Samples 32 Date Shipped 10/5/89 Prepaid ☐ Collect ☐

No. Parcels in Shipment Date Rec'd at Bondar-Clegg

PLEASE CHECK ✓ BELOW

REJECTS
(COARSE OVERSIZE)

Free storage for 60 days and then discarded unless marked below.

Return immediately ☐

Return collect after 60 days ☐

Store to January at a cost of $10/box

(You will then be contacted) (approx. 1 cu. ft.) ☐

PULPS

Free storage until year end and then discarded unless marked below.

Return collect immediately ☐

Return collect at year end ☐

Results and Invoices To Be Sent To

BROHM

☐ Results
☐ Invoice (for payment)

☐ Results
☐ Invoice (copy)

☐ Results
☐ Invoice (copy)

Samples submitted by J. BARRON

Shipment number

Client project number

Purchase order number

Printed in Canada

White - Send with Samples Yellow - Client Copy

Contractor: LANG | Coordinates: 47331.24 N 25667.66 E | Project: EXPANSION | Hole No.: R89-599 (A-9)

Drill Type: D40K w/o Aux. Air | Casing Depth: | State: SD | Sheet 1 of 3

Hole Size: | Bearing: — | Inclination: −90° | Date Started: | Property: Coilt Edge/Anchor Hill

Collar Elev.: 5651.2' | Final Depth: 625' | Date Completed: | Hole Surveyed: No

DRILL CUTTING LOG

Logged by: S. Pinchoff

Distance (feet)	Alteration (Weak, Moderate, Strong)	Total Sulfides (vol %)	Rock Code	Ore Code	Down Hole Location: Distance Down Hole (feet)	Down Hole Location: Elevation	Rock Type	Description (Mineralogy, Alteration, Textures, Grain Size, Fragment Size)	Mineralization: Distribution (Massive, Disseminated, Veinlets, Replacement)	Mineralization: Type	Assay: Au	Assay: Ag
		Oxide	1	3	0-5		Fill	0-5 Fill of Tatp & Cdh	0-175 Oxide	Two		
			30				Cdh	5-215 Cambrian Deadwood	visible sulfides			
								Hornfels				
					20-25							
					45-50							
					70-75							
					95-100							
					120-125							
					145-150							
					170-175							

Contractor _____ Coordinates _____ Project _____ Hole No. R89-599

Drill Type _____ Casing Depth _____ State _____ Sheet 2 of 3

Hole Size _____ Bearing _____ Inclination _____ Date Started _____ Property _____

Collar Elev. _____ Final Depth _____ Date Completed _____ Hole Surveyed _____

Distance (feet)	Graphic Logs: Alteration (Weak, Moderate, Strong)	Total Sulfides (vol %)	Rock Code	Ore Code	Down Hole Location: Distance Down Hole (feet)	Elevation	Rock Type	Geologic Notes: Description (Mineralogy, Alteration, Textures, Grain Size, Fragment Size)	Mineralization: Distribution (Massive, Disseminated, Veinlets, Replacement) / Type	Assay: Au	Ag
		tr	30		175-180		Cdh		175-255 Mix. tr pyrite - very sparse.		
					195-200						
			50				Thtp	215-225 Hornblende Trachyte porph			
					220-225						
			30				Cdh	225-235 Camb. Deadwood Hornfels			
			50				Thtp	235-240 Hornblende Trachyte porph.			
			30				Cdh	240-245 Camb. Deadwood Hornfels			
			50		245-250		Thtp	245-255 Hornblende Trachyte porph.			
			30				Cdh	255-435 Camb. Deadwood Hornfels	255-525 Sulfide. tr. pyrite throughout intervals, very spotty		
					270-275						
					295-300						
					320-325						
					345-350						

DRILL CUTTING LOG

Logged by:

Contractor _____ Coordinates _____ Project _____ Hole No. R89-599

Drill Type _____ Casing Depth _____ State _____ Sheet 3 of 3

Hole Size _____ Bearing _____ Inclination _____ Date Started _____ Property _____

Collar Elev. _____ Final Depth _____ Date Completed _____ Hole Surveyed _____

DISTANCE (feet)	GRAPHIC LOGS: ALTERATION	TOTAL % SULFIDES (vol %)	ROCK CODE	ORE CODE	DOWN HOLE LOCATION: DISTANCE DOWN HOLE (feet)	ELEVATION	ROCK TYPE	GEOLOGIC NOTES: DESCRIPTION (MINERALOGY, ALTERATION, TEXTURES, GRAIN SIZE, FRAGMENT SIZE)	MINERALIZATION: DISTRIBUTION (Massive, Disseminated, Veinlet, Replacement)	TYPE	ASSAY: Au	Ag
		tr	30		350-355		Cdh					
					370-375							
					395-400							
					420-425							
			40				Cdq	435-465 Cambrian Deadwood Quartzite (450-465) 10-20% PE schist frags — paleosole?				
					445-450							
			10				PE	465-525 PE Schist.				
					470-475							
								(485-495) 10% PE Chert frags				
					495-500							
					520-525			Hole TD @ 525'				

DRILL CUTTING LOG

Logged by: