From: Orr, Shu-Fang@Waterboards
To: Jackie Takeda (jtakeda@calwater.com)
Cc: Wetmore, Cynthia
Subject: Del Amo/Montrose pCBSA Sampling
Date: Friday, January 16, 2015 9:18:47 AM

Good morning Jackie,

Sorry to bother you while you are sick. I hope you feel better soon.

As we discussed over the phone, Cynthia with EPA will need access to CWSC-Dominguez's well sites and collect samples for pCBSA analysis next week. EPA contactor CH2M Hills will conduct the sampling. Cynthia's tentative plan is to have CH2M Hills sample Well 279-01 and Well 232-03 next Tuesday. She still needs to coordinate with CH2M Hills. Please give Frank a heads-up. Just in case you or Frank have questions for Cynthia, here is Cynthia's phone number: 415-972-3059.

Please also let Frank know we (DDW) will be collecting samples as well. I am thinking to collect samples at Well 279-01, Well 232-03, Well 215-01, Well 298-01 and Well 275-01. I am still waiting for our laboratory to tell me when they will be ready. I hope they will be ready soon so that we can collect a set of samples before EPA is ordered by the court to start the reinjection. The purpose of the sampling is to obtain baseline data prior to reinjection.

Thank you!

Shu-Fang Orr, P.E.
District Engineer, Angeles District
Drinking Water Field Operations – Southern California
SWRCB, Division of Drinking Water
500 N. Central Avenue, Suite 500
Glendale, CA 91203
818-551-2045 (Phone); 818-551-2054 (fax)
e-mail: Shu-Fang.Orr@waterboards.ca.gov