Project ID	Monitoring Location ID	Activity ID	Activity Type	Activity Media Name	Activity Start Date	Activity Start Time	Activity Start Time Zone	Sample Collection Method ID	Sample Collection Equipment Name	Collection Equipment Cc	Characteristic Name
CBMI_MONITORING FY2012	CRRP-4	CRRP04093013	Field Msr/Obs	Water	2013-09-30	11:19am	PDT	CBMI-01	Probe/Sensor		Temperature, water
CBMI_MONITORING FY2012	CRRP-4	CRRP04093013	Field Msr/Obs	Water	2013-09-30	11:19am	PDT	CBMI-01	Probe/Sensor		pH
CBMI_MONITORING FY2012	CRRP-4	CRRP04093013	Field Msr/Obs	Water	2013-09-30	11:19am	PDT	CBMI-01	Probe/Sensor		Dissolved oxygen (DO)
CBMI_MONITORING FY2012	CRRP-4	CRRP04093013	Field Msr/Obs	Water	2013-09-30	11:19am	PDT	CBMI-01	Probe/Sensor		Conductivity
CBMI_MONITORING FY2012	CRRP-4	CRRP04093013	Field Msr/Obs	Water	2013-09-30	11:19am	PDT	CBMI-01	Probe/Sensor		Turbidity
CBMI_MONITORING FY2012	CRRP-4	CRRP04093013	Field Msr/Obs	Water	2013-09-30	11:19am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Chloride
CBMI_MONITORING FY2012	CRRP-4	CRRP04093013	Field Msr/Obs	Water	2013-09-30	11:19am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Perchlorate
CBMI_MONITORING FY2012	CRRP-4	CRRP04093013	Field Msr/Obs	Water	2013-09-30	11:19am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Ammonia, as N
CBMI_MONITORING FY2012	CRRP-4	CRRP04093013	Field Msr/Obs	Water	2013-09-30	11:19am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Nitrate, as N
CBMI_MONITORING FY2012	CRRP-4	CRRP04093013	Field Msr/Obs	Water	2013-09-30	11:19am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Nitrite, as N
CBMI_MONITORING FY2012	CRRP-4	CRRP04093013	Field Msr/Obs	Water	2013-09-30	11:19am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	TKN
CBMI_MONITORING FY2012	CRRP-4	CRRP04093013	Field Msr/Obs	Water	2013-09-30	11:19am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Ortho-Phosphate
CBMI_MONITORING FY2012	CRRP-4	CRRP04093013	Field Msr/Obs	Water	2013-09-30	11:19am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Phosphorus
CBMI_MONITORING FY2012	CRRP-4	CRRP04093013	Field Msr/Obs	Water	2013-09-30	11:19am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Antimony (Sb)
CBMI_MONITORING FY2012	CRRP-4	CRRP04093013	Field Msr/Obs	Water	2013-09-30	11:19am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Arsenic (As)
CBMI_MONITORING FY2012	CRRP-4	CRRP04093013	Field Msr/Obs	Water	2013-09-30	11:19am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Barium (Ba)
CBMI_MONITORING FY2012	CRRP-4	CRRP04093013	Field Msr/Obs	Water	2013-09-30	11:19am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Beryllium (Be)
CBMI_MONITORING FY2012	CRRP-4	CRRP04093013	Field Msr/Obs	Water	2013-09-30	11:19am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Cadmium (Cd)
CBMI_MONITORING FY2012	CRRP-4	CRRP04093013	Field Msr/Obs	Water	2013-09-30	11:19am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Chromium (Cr)
CBMI_MONITORING FY2012	CRRP-4	CRRP04093013	Field Msr/Obs	Water	2013-09-30	11:19am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Cobalt (Co)
CBMI_MONITORING FY2012	CRRP-4	CRRP04093013	Field Msr/Obs	Water	2013-09-30	11:19am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Copper (Cu)
CBMI_MONITORING FY2012	CRRP-4	CRRP04093013	Field Msr/Obs	Water	2013-09-30	11:19am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Lead (Pb)
CBMI_MONITORING FY2012	CRRP-4	CRRP04093013	Field Msr/Obs	Water	2013-09-30	11:19am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Mercury(Hg)
CBMI_MONITORING FY2012	CRRP-4	CRRP04093013	Field Msr/Obs	Water	2013-09-30	11:19am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Molybdenum (Mo)
CBMI_MONITORING FY2012	CRRP-4	CRRP04093013	Field Msr/Obs	Water	2013-09-30	11:19am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Nickel (Ni)
CBMI_MONITORING FY2012	CRRP-4	CRRP04093013	Field Msr/Obs	Water	2013-09-30	11:19am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Selenium (Se)
CBMI_MONITORING FY2012	CRRP-4	CRRP04093013	Field Msr/Obs	Water	2013-09-30	11:19am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Silver (Ag)
CBMI_MONITORING FY2012	CRRP-4	CRRP04093013	Field Msr/Obs	Water	2013-09-30	11:19am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Thallium (Tl)
CBMI_MONITORING FY2012	CRRP-4	CRRP04093013	Field Msr/Obs	Water	2013-09-30	11:19am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Vanadium (V)
CBMI_MONITORING FY2012	CRRP-4	CRRP04093013	Field Msr/Obs	Water	2013-09-30	11:19am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Zinc (Zn)
CBMI_MONITORING FY2012	CRRP-4	CRRP04093013	Field Msr/Obs	Water	2013-09-30	11:19am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	*E.coli* (MPN/100Ml)
CBMI_MONITORING FY2012	CRRP-4	CRRP04093013	Field Msr/Obs	Water	2013-09-30	11:19am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Acetone
CBMI_MONITORING FY2012	CRRP-4	CRRP04093013	Field Msr/Obs	Water	2013-09-30	11:19am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Benzene
CBMI_MONITORING FY2012	CRRP-4	CRRP04093013	Field Msr/Obs	Water	2013-09-30	11:19am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Bromobenzene
CBMI_MONITORING FY2012	CRRP-4	CRRP04093013	Field Msr/Obs	Water	2013-09-30	11:19am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Bromochloromethane
CBMI_MONITORING FY2012	CRRP-4	CRRP04093013	Field Msr/Obs	Water	2013-09-30	11:19am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Bromodichloromethane
CBMI_MONITORING FY2012	CRRP-4	CRRP04093013	Field Msr/Obs	Water	2013-09-30	11:19am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Bromoform
CBMI_MONITORING FY2012	CRRP-4	CRRP04093013	Field Msr/Obs	Water	2013-09-30	11:19am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Bromomethane
CBMI_MONITORING FY2012	CRRP-4	CRRP04093013	Field Msr/Obs	Water	2013-09-30	11:19am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	2-Butanone (MEK)
CBMI_MONITORING FY2012	CRRP-4	CRRP04093013	Field Msr/Obs	Water	2013-09-30	11:19am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	n-Butylbenzene
CBMI_MONITORING FY2012	CRRP-4	CRRP04093013	Field Msr/Obs	Water	2013-09-30	11:19am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	sec-Butylbenzene
CBMI_MONITORING FY2012	CRRP-4	CRRP04093013	Field Msr/Obs	Water	2013-09-30	11:19am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	tert-Butylbenzene
CBMI_MONITORING FY2012	CRRP-4	CRRP04093013	Field Msr/Obs	Water	2013-09-30	11:19am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Carbon Disulfide
CBMI_MONITORING FY2012	CRRP-4	CRRP04093013	Field Msr/Obs	Water	2013-09-30	11:19am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Carbon Tetrachloride
CBMI_MONITORING FY2012	CRRP-4	CRRP04093013	Field Msr/Obs	Water	2013-09-30	11:19am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Chlorobenzene
CBMI_MONITORING FY2012	CRRP-4	CRRP04093013	Field Msr/Obs	Water	2013-09-30	11:19am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Chloroethane
CBMI_MONITORING FY2012	CRRP-4	CRRP04093013	Field Msr/Obs	Water	2013-09-30	11:19am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Chloroform

CBMI_MONITORING FY2012	CRRP-4	CRRP04093013	Field Msr/Obs	Water	2013-09-30 11:19am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Chloromethane
CBMI_MONITORING FY2012	CRRP-4	CRRP04093013	Field Msr/Obs	Water	2013-09-30 11:19am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	2-Chlorotoluene
CBMI_MONITORING FY2012	CRRP-4	CRRP04093013	Field Msr/Obs	Water	2013-09-30 11:19am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	4-Chlorotoluene
CBMI_MONITORING FY2012	CRRP-4	CRRP04093013	Field Msr/Obs	Water	2013-09-30 11:19am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Dibromochloromethane
CBMI_MONITORING FY2012	CRRP-4	CRRP04093013	Field Msr/Obs	Water	2013-09-30 11:19am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	1,2-Dibromo-3-Chloropropane
CBMI_MONITORING FY2012	CRRP-4	CRRP04093013	Field Msr/Obs	Water	2013-09-30 11:19am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	1,2-Dibromoethane
CBMI_MONITORING FY2012	CRRP-4	CRRP04093013	Field Msr/Obs	Water	2013-09-30 11:19am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Dibromomethane
CBMI_MONITORING FY2012	CRRP-4	CRRP04093013	Field Msr/Obs	Water	2013-09-30 11:19am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	1,2-Dichlorobenzene
CBMI_MONITORING FY2012	CRRP-4	CRRP04093013	Field Msr/Obs	Water	2013-09-30 11:19am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	1,3-Dichlorobenzene
CBMI_MONITORING FY2012	CRRP-4	CRRP04093013	Field Msr/Obs	Water	2013-09-30 11:19am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	1,4-Dichlorobenzene
CBMI_MONITORING FY2012	CRRP-4	CRRP04093013	Field Msr/Obs	Water	2013-09-30 11:19am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Dichlorodifluoromethane
CBMI_MONITORING FY2012	CRRP-4	CRRP04093013	Field Msr/Obs	Water	2013-09-30 11:19am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	1,1-Dichloroethane
CBMI_MONITORING FY2012	CRRP-4	CRRP04093013	Field Msr/Obs	Water	2013-09-30 11:19am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	1,2-Dichloroethane
CBMI_MONITORING FY2012	CRRP-4	CRRP04093013	Field Msr/Obs	Water	2013-09-30 11:19am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	1,1-Dichloroethene
CBMI_MONITORING FY2012	CRRP-4	CRRP04093013	Field Msr/Obs	Water	2013-09-30 11:19am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	cis-1,2-Dichloroethene
CBMI_MONITORING FY2012	CRRP-4	CRRP04093013	Field Msr/Obs	Water	2013-09-30 11:19am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	trans-1,2-Dichloroethene
CBMI_MONITORING FY2012	CRRP-4	CRRP04093013	Field Msr/Obs	Water	2013-09-30 11:19am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	1,2-Dichloropropane
CBMI_MONITORING FY2012	CRRP-4	CRRP04093013	Field Msr/Obs	Water	2013-09-30 11:19am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	1,3-Dichloropropane
CBMI_MONITORING FY2012	CRRP-4	CRRP04093013	Field Msr/Obs	Water	2013-09-30 11:19am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	2,2-Dichloropropane
CBMI_MONITORING FY2012	CRRP-4	CRRP04093013	Field Msr/Obs	Water	2013-09-30 11:19am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	1,1-Dichloropropene
CBMI_MONITORING FY2012	CRRP-4	CRRP04093013	Field Msr/Obs	Water	2013-09-30 11:19am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	cis-1,3-Dichloropropene
CBMI_MONITORING FY2012	CRRP-4	CRRP04093013	Field Msr/Obs	Water	2013-09-30 11:19am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	trans-1,3-Dichloropropene
CBMI_MONITORING FY2012	CRRP-4	CRRP04093013	Field Msr/Obs	Water	2013-09-30 11:19am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Ethylbenzene
CBMI_MONITORING FY2012	CRRP-4	CRRP04093013	Field Msr/Obs	Water	2013-09-30 11:19am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	2-Hexanone
CBMI_MONITORING FY2012	CRRP-4	CRRP04093013	Field Msr/Obs	Water	2013-09-30 11:19am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Hexachlorobutandiene
CBMI_MONITORING FY2012	CRRP-4	CRRP04093013	Field Msr/Obs	Water	2013-09-30 11:19am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Isopropylbenzene
CBMI_MONITORING FY2012	CRRP-4	CRRP04093013	Field Msr/Obs	Water	2013-09-30 11:19am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	4-Isopropyltoluene
CBMI_MONITORING FY2012	CRRP-4	CRRP04093013	Field Msr/Obs	Water	2013-09-30 11:19am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	4-Metyl-2-Pentanoe (MIBK)
CBMI_MONITORING FY2012	CRRP-4	CRRP04093013	Field Msr/Obs	Water	2013-09-30 11:19am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Methyl tert-Butyl Ether(MTBE
CBMI_MONITORING FY2012	CRRP-4	CRRP04093013	Field Msr/Obs	Water	2013-09-30 11:19am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Methylene Chloride
CBMI_MONITORING FY2012	CRRP-4	CRRP04093013	Field Msr/Obs	Water	2013-09-30 11:19am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Naphthalene
CBMI_MONITORING FY2012	CRRP-4	CRRP04093013	Field Msr/Obs	Water	2013-09-30 11:19am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	n-Propylbenzene
CBMI_MONITORING FY2012	CRRP-4	CRRP04093013	Field Msr/Obs	Water	2013-09-30 11:19am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Styrene
CBMI_MONITORING FY2012	CRRP-4	CRRP04093013	Field Msr/Obs	Water	2013-09-30 11:19am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	1,1,1,2-Tetrachloroethane
CBMI_MONITORING FY2012	CRRP-4	CRRP04093013	Field Msr/Obs	Water	2013-09-30 11:19am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	1,1,2,2-Tetrachloroethane
CBMI_MONITORING FY2012	CRRP-4	CRRP04093013	Field Msr/Obs	Water	2013-09-30 11:19am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Tetrachloroethene (PCE)
CBMI_MONITORING FY2012	CRRP-4	CRRP04093013	Field Msr/Obs	Water	2013-09-30 11:19am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Toluene
CBMI_MONITORING FY2012	CRRP-4	CRRP04093013	Field Msr/Obs	Water	2013-09-30 11:19am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	1,2,3-Trichlorobenzene
CBMI_MONITORING FY2012	CRRP-4	CRRP04093013	Field Msr/Obs	Water	2013-09-30 11:19am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	1,2,4-Trichlorobenzene
CBMI_MONITORING FY2012	CRRP-4	CRRP04093013	Field Msr/Obs	Water	2013-09-30 11:19am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	1,1,1-Thrichloroethane
CBMI_MONITORING FY2012	CRRP-4	CRRP04093013	Field Msr/Obs	Water	2013-09-30 11:19am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	1,1,2-Trichloroethane
CBMI_MONITORING FY2012	CRRP-4	CRRP04093013	Field Msr/Obs	Water	2013-09-30 11:19am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Trichloroethene (TCE)
CBMI_MONITORING FY2012	CRRP-4	CRRP04093013	Field Msr/Obs	Water	2013-09-30 11:19am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Trichlorofluoromethane
CBMI_MONITORING FY2012	CRRP-4	CRRP04093013	Field Msr/Obs	Water	2013-09-30 11:19am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	1,2,3-Trichloropropane
CBMI_MONITORING FY2012	CRRP-4	CRRP04093013	Field Msr/Obs	Water	2013-09-30 11:19am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	1,2,4-Trimethylbenzene
CBMI_MONITORING FY2012	CRRP-4	CRRP04093013	Field Msr/Obs	Water	2013-09-30 11:19am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	1,3,5-Trimethylbenzene
CBMI_MONITORING FY2012	CRRP-4	CRRP04093013	Field Msr/Obs	Water	2013-09-30 11:19am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Vinyl Chloride
CBMI_MONITORING FY2012	CRRP-4	CRRP04093013	Field Msr/Obs	Water	2013-09-30 11:19am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	m/p-Xylene
CBMI_MONITORING FY2012	CRRP-4	CRRP04093013	Field Msr/Obs	Water	2013-09-30 11:19am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	o-Xylene
CBMI_MONITORING FY2012	CRRP-3	CRRP03093013	Field Msr/Obs	Water	2013-09-30 10:56am	PDT	CBMI-01	Probe/Sensor		Temperature, water
CBMI_MONITORING FY2012	CRRP-3	CRRP03093013	Field Msr/Obs	Water	2013-09-30 10:56am	PDT	CBMI-01	Probe/Sensor		pH
CBMI_MONITORING FY2012	CRRP-3	CRRP03093013	Field Msr/Obs	Water	2013-09-30 10:56am	PDT	CBMI-01	Probe/Sensor		Dissolved oxygen (DO)

CBMI_MONITORING FY2012	CRRP-3	CRRP03093013	Field Msr/Obs	Water	2013-09-30 10:56am	PDT	CBMI-01	Probe/Sensor		Conductivity
CBMI_MONITORING FY2012	CRRP-3	CRRP03093013	Field Msr/Obs	Water	2013-09-30 10:56am	PDT	CBMI-01	Probe/Sensor		Turbidity
CBMI_MONITORING FY2012	CRRP-3	CRRP03093013	Field Msr/Obs	Water	2013-09-30 10:56am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Chloride
CBMI_MONITORING FY2012	CRRP-3	CRRP03093013	Field Msr/Obs	Water	2013-09-30 10:56am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Perchlorate
CBMI_MONITORING FY2012	CRRP-3	CRRP03093013	Field Msr/Obs	Water	2013-09-30 10:56am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Ammonia, as N
CBMI_MONITORING FY2012	CRRP-3	CRRP03093013	Field Msr/Obs	Water	2013-09-30 10:56am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Nitrate, as N
CBMI_MONITORING FY2012	CRRP-3	CRRP03093013	Field Msr/Obs	Water	2013-09-30 10:56am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Nitrite, as N
CBMI_MONITORING FY2012	CRRP-3	CRRP03093013	Field Msr/Obs	Water	2013-09-30 10:56am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	TKN
CBMI_MONITORING FY2012	CRRP-3	CRRP03093013	Field Msr/Obs	Water	2013-09-30 10:56am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Ortho-Phosphate
CBMI_MONITORING FY2012	CRRP-3	CRRP03093013	Field Msr/Obs	Water	2013-09-30 10:56am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Phosphorus
CBMI_MONITORING FY2012	CRRP-3	CRRP03093013	Field Msr/Obs	Water	2013-09-30 10:56am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Antimony (Sb)
CBMI_MONITORING FY2012	CRRP-3	CRRP03093013	Field Msr/Obs	Water	2013-09-30 10:56am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Arsenic (As)
CBMI_MONITORING FY2012	CRRP-3	CRRP03093013	Field Msr/Obs	Water	2013-09-30 10:56am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Barium (Ba)
CBMI_MONITORING FY2012	CRRP-3	CRRP03093013	Field Msr/Obs	Water	2013-09-30 10:56am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Beryllium (Be)
CBMI_MONITORING FY2012	CRRP-3	CRRP03093013	Field Msr/Obs	Water	2013-09-30 10:56am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Cadmium (Cd)
CBMI_MONITORING FY2012	CRRP-3	CRRP03093013	Field Msr/Obs	Water	2013-09-30 10:56am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Chromium (Cr)
CBMI_MONITORING FY2012	CRRP-3	CRRP03093013	Field Msr/Obs	Water	2013-09-30 10:56am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Cobalt (Co)
CBMI_MONITORING FY2012	CRRP-3	CRRP03093013	Field Msr/Obs	Water	2013-09-30 10:56am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Copper (Cu)
CBMI_MONITORING FY2012	CRRP-3	CRRP03093013	Field Msr/Obs	Water	2013-09-30 10:56am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Lead (Pb)
CBMI_MONITORING FY2012	CRRP-3	CRRP03093013	Field Msr/Obs	Water	2013-09-30 10:56am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Mercury(Hg)
CBMI_MONITORING FY2012	CRRP-3	CRRP03093013	Field Msr/Obs	Water	2013-09-30 10:56am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Molybdenum (Mo)
CBMI_MONITORING FY2012	CRRP-3	CRRP03093013	Field Msr/Obs	Water	2013-09-30 10:56am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Nickel (Ni)
CBMI_MONITORING FY2012	CRRP-3	CRRP03093013	Field Msr/Obs	Water	2013-09-30 10:56am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Selenium (Se)
CBMI_MONITORING FY2012	CRRP-3	CRRP03093013	Field Msr/Obs	Water	2013-09-30 10:56am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Silver (Ag)
CBMI_MONITORING FY2012	CRRP-3	CRRP03093013	Field Msr/Obs	Water	2013-09-30 10:56am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Thallium (Tl)
CBMI_MONITORING FY2012	CRRP-3	CRRP03093013	Field Msr/Obs	Water	2013-09-30 10:56am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Vanadium (V)
CBMI_MONITORING FY2012	CRRP-3	CRRP03093013	Field Msr/Obs	Water	2013-09-30 10:56am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Zinc (Zn)
CBMI_MONITORING FY2012	CRRP-3	CRRP03093013	Field Msr/Obs	Water	2013-09-30 10:56am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	*E.coli* (MPN/100Ml)
CBMI_MONITORING FY2012	CRRP-3	CRRP03093013	Field Msr/Obs	Water	2013-09-30 10:56am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Acetone
CBMI_MONITORING FY2012	CRRP-3	CRRP03093013	Field Msr/Obs	Water	2013-09-30 10:56am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Benzene
CBMI_MONITORING FY2012	CRRP-3	CRRP03093013	Field Msr/Obs	Water	2013-09-30 10:56am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Bromobenzene
CBMI_MONITORING FY2012	CRRP-3	CRRP03093013	Field Msr/Obs	Water	2013-09-30 10:56am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Bromochloromethane
CBMI_MONITORING FY2012	CRRP-3	CRRP03093013	Field Msr/Obs	Water	2013-09-30 10:56am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Bromodichloromethane
CBMI_MONITORING FY2012	CRRP-3	CRRP03093013	Field Msr/Obs	Water	2013-09-30 10:56am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Bromoform
CBMI_MONITORING FY2012	CRRP-3	CRRP03093013	Field Msr/Obs	Water	2013-09-30 10:56am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Bromomethane
CBMI_MONITORING FY2012	CRRP-3	CRRP03093013	Field Msr/Obs	Water	2013-09-30 10:56am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	2-Butanone (MEK)
CBMI_MONITORING FY2012	CRRP-3	CRRP03093013	Field Msr/Obs	Water	2013-09-30 10:56am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	n-Butylbenzene
CBMI_MONITORING FY2012	CRRP-3	CRRP03093013	Field Msr/Obs	Water	2013-09-30 10:56am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	sec-Butylbenzene
CBMI_MONITORING FY2012	CRRP-3	CRRP03093013	Field Msr/Obs	Water	2013-09-30 10:56am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	tert-Butylbenzene
CBMI_MONITORING FY2012	CRRP-3	CRRP03093013	Field Msr/Obs	Water	2013-09-30 10:56am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Carbon Disulfide
CBMI_MONITORING FY2012	CRRP-3	CRRP03093013	Field Msr/Obs	Water	2013-09-30 10:56am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Carbon Tetrachloride
CBMI_MONITORING FY2012	CRRP-3	CRRP03093013	Field Msr/Obs	Water	2013-09-30 10:56am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Chlorobenzene
CBMI_MONITORING FY2012	CRRP-3	CRRP03093013	Field Msr/Obs	Water	2013-09-30 10:56am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Chloroethane
CBMI_MONITORING FY2012	CRRP-3	CRRP03093013	Field Msr/Obs	Water	2013-09-30 10:56am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Chloroform
CBMI_MONITORING FY2012	CRRP-3	CRRP03093013	Field Msr/Obs	Water	2013-09-30 10:56am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Chloromethane
CBMI_MONITORING FY2012	CRRP-3	CRRP03093013	Field Msr/Obs	Water	2013-09-30 10:56am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	2-Chlorotoluene
CBMI_MONITORING FY2012	CRRP-3	CRRP03093013	Field Msr/Obs	Water	2013-09-30 10:56am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	4-Chlorotoluene
CBMI_MONITORING FY2012	CRRP-3	CRRP03093013	Field Msr/Obs	Water	2013-09-30 10:56am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Dibromochloromethane
CBMI_MONITORING FY2012	CRRP-3	CRRP03093013	Field Msr/Obs	Water	2013-09-30 10:56am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	1,2-Dibromo-3-Chloropropane
CBMI_MONITORING FY2012	CRRP-3	CRRP03093013	Field Msr/Obs	Water	2013-09-30 10:56am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	1,2-Dibromoethane
CBMI_MONITORING FY2012	CRRP-3	CRRP03093013	Field Msr/Obs	Water	2013-09-30 10:56am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Dibromomethane
CBMI_MONITORING FY2012	CRRP-3	CRRP03093013	Field Msr/Obs	Water	2013-09-30 10:56am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	1,2-Dichlorobenzene

CBMI_MONITORING FY2012	CRRP-3	CRRP03093013	Field Msr/Obs	Water	2013-09-30 10:56am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	1,3-Dichlorobenzene
CBMI_MONITORING FY2012	CRRP-3	CRRP03093013	Field Msr/Obs	Water	2013-09-30 10:56am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	1,4-Dichlorobenzene
CBMI_MONITORING FY2012	CRRP-3	CRRP03093013	Field Msr/Obs	Water	2013-09-30 10:56am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Dichlorodifluoromethane
CBMI_MONITORING FY2012	CRRP-3	CRRP03093013	Field Msr/Obs	Water	2013-09-30 10:56am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	1,1-Dichloroethane
CBMI_MONITORING FY2012	CRRP-3	CRRP03093013	Field Msr/Obs	Water	2013-09-30 10:56am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	1,2-Dichloroethane
CBMI_MONITORING FY2012	CRRP-3	CRRP03093013	Field Msr/Obs	Water	2013-09-30 10:56am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	1,1-Dichloroethene
CBMI_MONITORING FY2012	CRRP-3	CRRP03093013	Field Msr/Obs	Water	2013-09-30 10:56am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	cis-1,2-Dichloroethene
CBMI_MONITORING FY2012	CRRP-3	CRRP03093013	Field Msr/Obs	Water	2013-09-30 10:56am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	trans-1,2-Dichloroethene
CBMI_MONITORING FY2012	CRRP-3	CRRP03093013	Field Msr/Obs	Water	2013-09-30 10:56am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	1,2-Dichloropropane
CBMI_MONITORING FY2012	CRRP-3	CRRP03093013	Field Msr/Obs	Water	2013-09-30 10:56am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	1,3-Dichloropropane
CBMI_MONITORING FY2012	CRRP-3	CRRP03093013	Field Msr/Obs	Water	2013-09-30 10:56am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	2,2-Dichloropropane
CBMI_MONITORING FY2012	CRRP-3	CRRP03093013	Field Msr/Obs	Water	2013-09-30 10:56am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	1,1-Dichloropropene
CBMI_MONITORING FY2012	CRRP-3	CRRP03093013	Field Msr/Obs	Water	2013-09-30 10:56am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	cis-1,3-Dichloropropene
CBMI_MONITORING FY2012	CRRP-3	CRRP03093013	Field Msr/Obs	Water	2013-09-30 10:56am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	trans-1,3-Dichloropropene
CBMI_MONITORING FY2012	CRRP-3	CRRP03093013	Field Msr/Obs	Water	2013-09-30 10:56am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Ethylbenzene
CBMI_MONITORING FY2012	CRRP-3	CRRP03093013	Field Msr/Obs	Water	2013-09-30 10:56am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	2-Hexanone
CBMI_MONITORING FY2012	CRRP-3	CRRP03093013	Field Msr/Obs	Water	2013-09-30 10:56am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Hexachlorobutandiene
CBMI_MONITORING FY2012	CRRP-3	CRRP03093013	Field Msr/Obs	Water	2013-09-30 10:56am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Isopropylbenzene
CBMI_MONITORING FY2012	CRRP-3	CRRP03093013	Field Msr/Obs	Water	2013-09-30 10:56am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	4-Isopropyltoluene
CBMI_MONITORING FY2012	CRRP-3	CRRP03093013	Field Msr/Obs	Water	2013-09-30 10:56am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	4-Metyl-2-Pentanoe (MIBK)
CBMI_MONITORING FY2012	CRRP-3	CRRP03093013	Field Msr/Obs	Water	2013-09-30 10:56am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Methyl tert-Butyl Ether(MTBE
CBMI_MONITORING FY2012	CRRP-3	CRRP03093013	Field Msr/Obs	Water	2013-09-30 10:56am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Methylene Chloride
CBMI_MONITORING FY2012	CRRP-3	CRRP03093013	Field Msr/Obs	Water	2013-09-30 10:56am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Naphthalene
CBMI_MONITORING FY2012	CRRP-3	CRRP03093013	Field Msr/Obs	Water	2013-09-30 10:56am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	n-Propylbenzene
CBMI_MONITORING FY2012	CRRP-3	CRRP03093013	Field Msr/Obs	Water	2013-09-30 10:56am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Styrene
CBMI_MONITORING FY2012	CRRP-3	CRRP03093013	Field Msr/Obs	Water	2013-09-30 10:56am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	1,1,1,2-Tetrachloroethane
CBMI_MONITORING FY2012	CRRP-3	CRRP03093013	Field Msr/Obs	Water	2013-09-30 10:56am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	1,1,2,2-Tetrachloroethane
CBMI_MONITORING FY2012	CRRP-3	CRRP03093013	Field Msr/Obs	Water	2013-09-30 10:56am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Tetrachloroethene (PCE)
CBMI_MONITORING FY2012	CRRP-3	CRRP03093013	Field Msr/Obs	Water	2013-09-30 10:56am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Toluene
CBMI_MONITORING FY2012	CRRP-3	CRRP03093013	Field Msr/Obs	Water	2013-09-30 10:56am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	1,2,3-Trichlorobenzene
CBMI_MONITORING FY2012	CRRP-3	CRRP03093013	Field Msr/Obs	Water	2013-09-30 10:56am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	1,2,4-Trichlorobenzene
CBMI_MONITORING FY2012	CRRP-3	CRRP03093013	Field Msr/Obs	Water	2013-09-30 10:56am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	1,1,1-Thrichloroethane
CBMI_MONITORING FY2012	CRRP-3	CRRP03093013	Field Msr/Obs	Water	2013-09-30 10:56am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	1,1,2-Trichloroethane
CBMI_MONITORING FY2012	CRRP-3	CRRP03093013	Field Msr/Obs	Water	2013-09-30 10:56am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Trichloroethene (TCE)
CBMI_MONITORING FY2012	CRRP-3	CRRP03093013	Field Msr/Obs	Water	2013-09-30 10:56am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Trichlorofluoromethane
CBMI_MONITORING FY2012	CRRP-3	CRRP03093013	Field Msr/Obs	Water	2013-09-30 10:56am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	1,2,3-Trichloropropane
CBMI_MONITORING FY2012	CRRP-3	CRRP03093013	Field Msr/Obs	Water	2013-09-30 10:56am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	1,2,4-Trimethylbenzene
CBMI_MONITORING FY2012	CRRP-3	CRRP03093013	Field Msr/Obs	Water	2013-09-30 10:56am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	1,3,5-Trimethylbenzene
CBMI_MONITORING FY2012	CRRP-3	CRRP03093013	Field Msr/Obs	Water	2013-09-30 10:56am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Vinyl Chloride
CBMI_MONITORING FY2012	CRRP-3	CRRP03093013	Field Msr/Obs	Water	2013-09-30 10:56am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	m/p-Xylene
CBMI_MONITORING FY2012	CRRP-3	CRRP03093013	Field Msr/Obs	Water	2013-09-30 10:56am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	o-Xylene
CBMI_MONITORING FY2012	CRRP-2	CRRP02093013	Field Msr/Obs	Water	2013-09-30 9:28am	PDT	CBMI-01	Probe/Sensor		Temperature, water
CBMI_MONITORING FY2012	CRRP-2	CRRP02093013	Field Msr/Obs	Water	2013-09-30 9:28am	PDT	CBMI-01	Probe/Sensor		pH
CBMI_MONITORING FY2012	CRRP-2	CRRP02093013	Field Msr/Obs	Water	2013-09-30 9:28am	PDT	CBMI-01	Probe/Sensor		Dissolved oxygen (DO)
CBMI_MONITORING FY2012	CRRP-2	CRRP02093013	Field Msr/Obs	Water	2013-09-30 9:28am	PDT	CBMI-01	Probe/Sensor		Conductivity
CBMI_MONITORING FY2012	CRRP-2	CRRP02093013	Field Msr/Obs	Water	2013-09-30 9:28am	PDT	CBMI-01	Probe/Sensor		Turbidity
CBMI_MONITORING FY2012	CRRP-2	CRRP02093013	Field Msr/Obs	Water	2013-09-30 9:28am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Chloride
CBMI_MONITORING FY2012	CRRP-2	CRRP02093013	Field Msr/Obs	Water	2013-09-30 9:28am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Perchlorate
CBMI_MONITORING FY2012	CRRP-2	CRRP02093013	Field Msr/Obs	Water	2013-09-30 9:28am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Ammonia, as N
CBMI_MONITORING FY2012	CRRP-2	CRRP02093013	Field Msr/Obs	Water	2013-09-30 9:28am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Nitrate, as N
CBMI_MONITORING FY2012	CRRP-2	CRRP02093013	Field Msr/Obs	Water	2013-09-30 9:28am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Nitrite, as N
CBMI_MONITORING FY2012	CRRP-2	CRRP02093013	Field Msr/Obs	Water	2013-09-30 9:28am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	TKN

CBMI_MONITORING FY2012	CRRP-2	CRRP02093013	Field Msr/Obs	Water	2013-09-30 9:28am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Ortho-Phosphate
CBMI_MONITORING FY2012	CRRP-2	CRRP02093013	Field Msr/Obs	Water	2013-09-30 9:28am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Phosphorus
CBMI_MONITORING FY2012	CRRP-2	CRRP02093013	Field Msr/Obs	Water	2013-09-30 9:28am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Antimony (Sb)
CBMI_MONITORING FY2012	CRRP-2	CRRP02093013	Field Msr/Obs	Water	2013-09-30 9:28am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Arsenic (As)
CBMI_MONITORING FY2012	CRRP-2	CRRP02093013	Field Msr/Obs	Water	2013-09-30 9:28am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Barium (Ba)
CBMI_MONITORING FY2012	CRRP-2	CRRP02093013	Field Msr/Obs	Water	2013-09-30 9:28am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Beryllium (Be)
CBMI_MONITORING FY2012	CRRP-2	CRRP02093013	Field Msr/Obs	Water	2013-09-30 9:28am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Cadmium (Cd)
CBMI_MONITORING FY2012	CRRP-2	CRRP02093013	Field Msr/Obs	Water	2013-09-30 9:28am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Chromium (Cr)
CBMI_MONITORING FY2012	CRRP-2	CRRP02093013	Field Msr/Obs	Water	2013-09-30 9:28am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Cobalt (Co)
CBMI_MONITORING FY2012	CRRP-2	CRRP02093013	Field Msr/Obs	Water	2013-09-30 9:28am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Copper (Cu)
CBMI_MONITORING FY2012	CRRP-2	CRRP02093013	Field Msr/Obs	Water	2013-09-30 9:28am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Lead (Pb)
CBMI_MONITORING FY2012	CRRP-2	CRRP02093013	Field Msr/Obs	Water	2013-09-30 9:28am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Mercury(Hg)
CBMI_MONITORING FY2012	CRRP-2	CRRP02093013	Field Msr/Obs	Water	2013-09-30 9:28am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Molybdenum (Mo)
CBMI_MONITORING FY2012	CRRP-2	CRRP02093013	Field Msr/Obs	Water	2013-09-30 9:28am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Nickel (Ni)
CBMI_MONITORING FY2012	CRRP-2	CRRP02093013	Field Msr/Obs	Water	2013-09-30 9:28am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Selenium (Se)
CBMI_MONITORING FY2012	CRRP-2	CRRP02093013	Field Msr/Obs	Water	2013-09-30 9:28am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Silver (Ag)
CBMI_MONITORING FY2012	CRRP-2	CRRP02093013	Field Msr/Obs	Water	2013-09-30 9:28am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Thallium (Tl)
CBMI_MONITORING FY2012	CRRP-2	CRRP02093013	Field Msr/Obs	Water	2013-09-30 9:28am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Vanadium (V)
CBMI_MONITORING FY2012	CRRP-2	CRRP02093013	Field Msr/Obs	Water	2013-09-30 9:28am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Zinc (Zn)
CBMI_MONITORING FY2012	CRRP-2	CRRP02093013	Field Msr/Obs	Water	2013-09-30 9:28am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	*E.coli* (MPN/100Ml)
CBMI_MONITORING FY2012	CRRP-2	CRRP02093013	Field Msr/Obs	Water	2013-09-30 9:28am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Acetone
CBMI_MONITORING FY2012	CRRP-2	CRRP02093013	Field Msr/Obs	Water	2013-09-30 9:28am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Benzene
CBMI_MONITORING FY2012	CRRP-2	CRRP02093013	Field Msr/Obs	Water	2013-09-30 9:28am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Bromobenzene
CBMI_MONITORING FY2012	CRRP-2	CRRP02093013	Field Msr/Obs	Water	2013-09-30 9:28am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Bromochloromethane
CBMI_MONITORING FY2012	CRRP-2	CRRP02093013	Field Msr/Obs	Water	2013-09-30 9:28am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Bromodichloromethane
CBMI_MONITORING FY2012	CRRP-2	CRRP02093013	Field Msr/Obs	Water	2013-09-30 9:28am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Bromoform
CBMI_MONITORING FY2012	CRRP-2	CRRP02093013	Field Msr/Obs	Water	2013-09-30 9:28am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Bromomethane
CBMI_MONITORING FY2012	CRRP-2	CRRP02093013	Field Msr/Obs	Water	2013-09-30 9:28am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	2-Butanone (MEK)
CBMI_MONITORING FY2012	CRRP-2	CRRP02093013	Field Msr/Obs	Water	2013-09-30 9:28am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	n-Butylbenzene
CBMI_MONITORING FY2012	CRRP-2	CRRP02093013	Field Msr/Obs	Water	2013-09-30 9:28am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	sec-Butylbenzene
CBMI_MONITORING FY2012	CRRP-2	CRRP02093013	Field Msr/Obs	Water	2013-09-30 9:28am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	tert-Butylbenzene
CBMI_MONITORING FY2012	CRRP-2	CRRP02093013	Field Msr/Obs	Water	2013-09-30 9:28am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Carbon Disulfide
CBMI_MONITORING FY2012	CRRP-2	CRRP02093013	Field Msr/Obs	Water	2013-09-30 9:28am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Carbon Tetrachloride
CBMI_MONITORING FY2012	CRRP-2	CRRP02093013	Field Msr/Obs	Water	2013-09-30 9:28am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Chlorobenzene
CBMI_MONITORING FY2012	CRRP-2	CRRP02093013	Field Msr/Obs	Water	2013-09-30 9:28am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Chloroethane
CBMI_MONITORING FY2012	CRRP-2	CRRP02093013	Field Msr/Obs	Water	2013-09-30 9:28am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Chloroform
CBMI_MONITORING FY2012	CRRP-2	CRRP02093013	Field Msr/Obs	Water	2013-09-30 9:28am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Chloromethane
CBMI_MONITORING FY2012	CRRP-2	CRRP02093013	Field Msr/Obs	Water	2013-09-30 9:28am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	2-Chlorotoluene
CBMI_MONITORING FY2012	CRRP-2	CRRP02093013	Field Msr/Obs	Water	2013-09-30 9:28am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	4-Chlorotoluene
CBMI_MONITORING FY2012	CRRP-2	CRRP02093013	Field Msr/Obs	Water	2013-09-30 9:28am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Dibromochloromethane
CBMI_MONITORING FY2012	CRRP-2	CRRP02093013	Field Msr/Obs	Water	2013-09-30 9:28am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	1,2-Dibromo-3-Chloropropane
CBMI_MONITORING FY2012	CRRP-2	CRRP02093013	Field Msr/Obs	Water	2013-09-30 9:28am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	1,2-Dibromoethane
CBMI_MONITORING FY2012	CRRP-2	CRRP02093013	Field Msr/Obs	Water	2013-09-30 9:28am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Dibromomethane
CBMI_MONITORING FY2012	CRRP-2	CRRP02093013	Field Msr/Obs	Water	2013-09-30 9:28am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	1,2-Dichlorobenzene
CBMI_MONITORING FY2012	CRRP-2	CRRP02093013	Field Msr/Obs	Water	2013-09-30 9:28am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	1,3-Dichlorobenzene
CBMI_MONITORING FY2012	CRRP-2	CRRP02093013	Field Msr/Obs	Water	2013-09-30 9:28am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	1,4-Dichlorobenzene
CBMI_MONITORING FY2012	CRRP-2	CRRP02093013	Field Msr/Obs	Water	2013-09-30 9:28am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Dichlorodifluoromethane
CBMI_MONITORING FY2012	CRRP-2	CRRP02093013	Field Msr/Obs	Water	2013-09-30 9:28am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	1,1-Dichloroethane
CBMI_MONITORING FY2012	CRRP-2	CRRP02093013	Field Msr/Obs	Water	2013-09-30 9:28am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	1,2-Dichloroethane
CBMI_MONITORING FY2012	CRRP-2	CRRP02093013	Field Msr/Obs	Water	2013-09-30 9:28am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	1,1-Dichloroethene
CBMI_MONITORING FY2012	CRRP-2	CRRP02093013	Field Msr/Obs	Water	2013-09-30 9:28am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	cis-1,2-Dichloroethene
CBMI_MONITORING FY2012	CRRP-2	CRRP02093013	Field Msr/Obs	Water	2013-09-30 9:28am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	trans-1,2-Dichloroethene

CBMI_MONITORING FY2012	CRRP-2	CRRP02093013	Field Msr/Obs	Water	2013-09-30 9:28am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	1,2-Dichloropropane
CBMI_MONITORING FY2012	CRRP-2	CRRP02093013	Field Msr/Obs	Water	2013-09-30 9:28am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	1,3-Dichloropropane
CBMI_MONITORING FY2012	CRRP-2	CRRP02093013	Field Msr/Obs	Water	2013-09-30 9:28am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	2,2-Dichloropropane
CBMI_MONITORING FY2012	CRRP-2	CRRP02093013	Field Msr/Obs	Water	2013-09-30 9:28am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	1,1-Dichloropropene
CBMI_MONITORING FY2012	CRRP-2	CRRP02093013	Field Msr/Obs	Water	2013-09-30 9:28am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	cis-1,3-Dichloropropene
CBMI_MONITORING FY2012	CRRP-2	CRRP02093013	Field Msr/Obs	Water	2013-09-30 9:28am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	trans-1,3-Dichloropropene
CBMI_MONITORING FY2012	CRRP-2	CRRP02093013	Field Msr/Obs	Water	2013-09-30 9:28am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Ethylbenzene
CBMI_MONITORING FY2012	CRRP-2	CRRP02093013	Field Msr/Obs	Water	2013-09-30 9:28am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	2-Hexanone
CBMI_MONITORING FY2012	CRRP-2	CRRP02093013	Field Msr/Obs	Water	2013-09-30 9:28am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Hexachlorobutandiene
CBMI_MONITORING FY2012	CRRP-2	CRRP02093013	Field Msr/Obs	Water	2013-09-30 9:28am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Isopropylbenzene
CBMI_MONITORING FY2012	CRRP-2	CRRP02093013	Field Msr/Obs	Water	2013-09-30 9:28am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	4-Isopropyltoluene
CBMI_MONITORING FY2012	CRRP-2	CRRP02093013	Field Msr/Obs	Water	2013-09-30 9:28am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	4-Metyl-2-Pentanoe (MIBK)
CBMI_MONITORING FY2012	CRRP-2	CRRP02093013	Field Msr/Obs	Water	2013-09-30 9:28am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Methyl tert-Butyl Ether(MTBE
CBMI_MONITORING FY2012	CRRP-2	CRRP02093013	Field Msr/Obs	Water	2013-09-30 9:28am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Methylene Chloride
CBMI_MONITORING FY2012	CRRP-2	CRRP02093013	Field Msr/Obs	Water	2013-09-30 9:28am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Naphthalene
CBMI_MONITORING FY2012	CRRP-2	CRRP02093013	Field Msr/Obs	Water	2013-09-30 9:28am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	n-Propylbenzene
CBMI_MONITORING FY2012	CRRP-2	CRRP02093013	Field Msr/Obs	Water	2013-09-30 9:28am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Styrene
CBMI_MONITORING FY2012	CRRP-2	CRRP02093013	Field Msr/Obs	Water	2013-09-30 9:28am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	1,1,1,2-Tetrachloroethane
CBMI_MONITORING FY2012	CRRP-2	CRRP02093013	Field Msr/Obs	Water	2013-09-30 9:28am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	1,1,2,2-Tetrachloroethane
CBMI_MONITORING FY2012	CRRP-2	CRRP02093013	Field Msr/Obs	Water	2013-09-30 9:28am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Tetrachloroethene (PCE)
CBMI_MONITORING FY2012	CRRP-2	CRRP02093013	Field Msr/Obs	Water	2013-09-30 9:28am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Toluene
CBMI_MONITORING FY2012	CRRP-2	CRRP02093013	Field Msr/Obs	Water	2013-09-30 9:28am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	1,2,3-Trichlorobenzene
CBMI_MONITORING FY2012	CRRP-2	CRRP02093013	Field Msr/Obs	Water	2013-09-30 9:28am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	1,2,4-Trichlorobenzene
CBMI_MONITORING FY2012	CRRP-2	CRRP02093013	Field Msr/Obs	Water	2013-09-30 9:28am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	1,1,1-Thrichloroethane
CBMI_MONITORING FY2012	CRRP-2	CRRP02093013	Field Msr/Obs	Water	2013-09-30 9:28am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	1,1,2-Trichloroethane
CBMI_MONITORING FY2012	CRRP-2	CRRP02093013	Field Msr/Obs	Water	2013-09-30 9:28am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Trichloroethene (TCE)
CBMI_MONITORING FY2012	CRRP-2	CRRP02093013	Field Msr/Obs	Water	2013-09-30 9:28am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Trichlorofluoromethane
CBMI_MONITORING FY2012	CRRP-2	CRRP02093013	Field Msr/Obs	Water	2013-09-30 9:28am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	1,2,3-Trichloropropane
CBMI_MONITORING FY2012	CRRP-2	CRRP02093013	Field Msr/Obs	Water	2013-09-30 9:28am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	1,2,4-Trimethylbenzene
CBMI_MONITORING FY2012	CRRP-2	CRRP02093013	Field Msr/Obs	Water	2013-09-30 9:28am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	1,3,5-Trimethylbenzene
CBMI_MONITORING FY2012	CRRP-2	CRRP02093013	Field Msr/Obs	Water	2013-09-30 9:28am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	Vinyl Chloride
CBMI_MONITORING FY2012	CRRP-2	CRRP02093013	Field Msr/Obs	Water	2013-09-30 9:28am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	m/p-Xylene
CBMI_MONITORING FY2012	CRRP-2	CRRP02093013	Field Msr/Obs	Water	2013-09-30 9:28am	PDT	CBMI-01	Water Bottle	Sterilized sample bottles (	o-Xylene

Result Detection Condition	Result Measure	Result Unit	Result Sample Fraction	Result Status ID	Statistical Base Code	Result Value Type	Result Analytical Method ID	Result Analytical Method Context	Analysis Start Date	Result Detection/Quantitation Limit Type	Result Detection/Quantitation Limit Measure
	25.3	deg C		Final		Actual					
	8.80			Final		Actual					
	2.09	mg/l		Final		Actual					
	412	uS/cm		Final		Actual					
	15.9	NTU		Final		Actual					
Not Detected		mg/l		Final		Actual	325.3	USEPA			
Not Detected				Final		Actual	314	USEPA			
Not Detected		mg/l		Final		Actual	350.3	USEPA			
Not Detected		mg/l		Final		Actual	353.3	USEPA			
Not Detected		mg/l		Final		Actual	353.3	USEPA			
Not Detected		mg/l		Final		Actual	351.3	USEPA		Method Detection Leve	0.06
	0.02	mg/l		Final		Actual	4500-P-E	USEPA		Method Detection Leve	0.01
	0.03	mg/l		Final		Actual	4500-P-B.5-E	USEPA		Method Detection Leve	0.005
Not Detected		mg/l		Final		Actual	200.7	USEPA			
	0.045	mg/l		Final		Actual	200.7	USEPA			
Not Detected		mg/l		Final		Actual	200.7	USEPA			
Not Detected		mg/l		Final		Actual	200.7	USEPA			
Not Detected		mg/l		Final		Actual	200.7	USEPA			
Not Detected		mg/l		Final		Actual	200.7	USEPA			
Not Detected		mg/l		Final		Actual	200.7	USEPA			
Not Detected		mg/l		Final		Actual	200.7	USEPA			
Not Detected		mg/l		Final		Actual	200.7	USEPA			
Not Detected		mg/l		Final		Actual	200.7	USEPA			
Not Detected		mg/l		Final		Actual	200.7	USEPA			
Not Detected		mg/l		Final		Actual	200.7	USEPA			
Not Detected		mg/l		Final		Actual	200.7	USEPA			
Not Detected		mg/l		Final		Actual	200.7	USEPA			
Not Detected		mg/l		Final		Actual	200.7	USEPA			
Not Detected		mg/l		Final		Actual	200.7	USEPA			
Not Detected		mg/l		Final		Actual	200.7	USEPA			
Not Detected		mg/l		Final		Actual	200.7	USEPA			
Not Reported		MPN/100ml		Final		Actual	SM9221E				
Not Detected		ug/l		Final		Actual	5030B/8260B	USEPA			
Not Detected		ug/l		Final		Actual	5030B/8260B	USEPA			
Not Detected		ug/l		Final		Actual	5030B/8260B	USEPA			
Not Detected		ug/l		Final		Actual	5030B/8260B	USEPA			
Not Detected		ug/l		Final		Actual	5030B/8260B	USEPA			
Not Detected		ug/l		Final		Actual	5030B/8260B	USEPA			
Not Detected		ug/l		Final		Actual	5030B/8260B	USEPA			
Not Detected		ug/l		Final		Actual	5030B/8260B	USEPA			
Not Detected		ug/l		Final		Actual	5030B/8260B	USEPA			
Not Detected		ug/l		Final		Actual	5030B/8260B	USEPA			
Not Detected		ug/l		Final		Actual	5030B/8260B	USEPA			
Not Detected		ug/l		Final		Actual	5030B/8260B	USEPA			
Not Detected		ug/l		Final		Actual	5030B/8260B	USEPA			
Not Detected		ug/l		Final		Actual	5030B/8260B	USEPA			
Not Detected		ug/l		Final		Actual	5030B/8260B	USEPA			
Not Detected		ug/l		Final		Actual	5030B/8260B	USEPA			

Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA
	28.4	deg C	Final	Actual		
	8.70		Final	Actual		
	2.21	mg/l	Final	Actual		

	470	uS/cm	Final	Actual				
	1.6	NTU	Final	Actual				
Not Detected		mg/l	Final	Actual	325.3	USEPA		
Not Detected			Final	Actual	314	USEPA		
Not Detected		mg/l	Final	Actual	350.3	USEPA		
Not Detected		mg/l	Final	Actual	353.3	USEPA		
Not Detected		mg/l	Final	Actual	353.3	USEPA		
Not Detected		mg/l	Final	Actual	351.3	USEPA	Method Detection Leve	0.06
	0.04	mg/l	Final	Actual	4500-P-E	USEPA	Method Detection Leve	0.01
	0.09	mg/l	Final	Actual	4500-P-B.5-E	USEPA	Method Detection Leve	0.005
Not Detected		mg/l	Final	Actual	200.7	USEPA		
	0.066	mg/l	Final	Actual	200.7	USEPA		
Not Detected		mg/l	Final	Actual	200.7	USEPA		
Not Detected		mg/l	Final	Actual	200.7	USEPA		
Not Detected		mg/l	Final	Actual	200.7	USEPA		
Not Detected		mg/l	Final	Actual	200.7	USEPA		
Not Detected		mg/l	Final	Actual	200.7	USEPA		
Not Detected		mg/l	Final	Actual	200.7	USEPA		
Not Detected		mg/l	Final	Actual	200.7	USEPA		
Not Detected		mg/l	Final	Actual	200.7	USEPA		
Not Detected		mg/l	Final	Actual	200.7	USEPA		
Not Detected		mg/l	Final	Actual	200.7	USEPA		
Not Detected		mg/l	Final	Actual	200.7	USEPA		
Not Detected		mg/l	Final	Actual	200.7	USEPA		
Not Detected		mg/l	Final	Actual	200.7	USEPA		
	0.017	mg/l	Final	Actual	200.7	USEPA		
Not Reported		MPN/100ml	Final	Actual	SM9221E			
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA		
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA		
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA		
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA		
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA		
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA		
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA		
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA		
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA		
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA		
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA		
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA		
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA		
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA		
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA		
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA		
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA		
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA		
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA		
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA		
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA		

Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA		
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA		
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA		
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA		
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA		
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA		
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA		
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA		
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA		
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA		
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA		
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA		
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA		
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA		
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA		
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA		
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA		
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA		
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA		
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA		
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA		
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA		
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA		
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA		
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA		
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA		
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA		
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA		
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA		
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA		
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA		
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA		
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA		
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA		
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA		
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA		
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA		
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA		
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA		
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA		
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA		
	28.5	deg C	Final	Actual				
	8.3		Final	Actual				
	1.43	mg/l	Final	Actual				
	453	uS/cm	Final	Actual				
	2.5	NTU	Final	Actual				
Not Detected		mg/l	Final	Actual	325.3	USEPA		
Not Detected			Final	Actual	314	USEPA		
Not Detected		mg/l	Final	Actual	350.3	USEPA		
Not Detected		mg/l	Final	Actual	353.3	USEPA		
Not Detected		mg/l	Final	Actual	353.3	USEPA		
Not Detected		mg/l	Final	Actual	351.3	USEPA	Method Detection Leve	0.06

Not Detected		mg/l	Final	Actual	4500-P-E	USEPA	Method Detection Leve	0.01
	0.03	mg/l	Final	Actual	4500-P-B.5-E	USEPA	Method Detection Leve	0.005
Not Detected		mg/l	Final	Actual	200.7	USEPA		
Not Detected		mg/l	Final	Actual	200.7	USEPA		
Not Detected		mg/l	Final	Actual	200.7	USEPA		
Not Detected		mg/l	Final	Actual	200.7	USEPA		
Not Detected		mg/l	Final	Actual	200.7	USEPA		
Not Detected		mg/l	Final	Actual	200.7	USEPA		
Not Detected		mg/l	Final	Actual	200.7	USEPA		
Not Detected		mg/l	Final	Actual	200.7	USEPA		
Not Detected		mg/l	Final	Actual	200.7	USEPA		
Not Detected		mg/l	Final	Actual	200.7	USEPA		
Not Detected		mg/l	Final	Actual	200.7	USEPA		
Not Detected		mg/l	Final	Actual	200.7	USEPA		
Not Detected		mg/l	Final	Actual	200.7	USEPA		
Not Detected		mg/l	Final	Actual	200.7	USEPA		
Not Detected		mg/l	Final	Actual	200.7	USEPA		
Not Detected		mg/l	Final	Actual	200.7	USEPA		
Not Reported		MPN/100ml	Final	Actual	SM9221E			
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA		
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA		
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA		
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA		
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA		
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA		
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA		
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA		
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA		
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA		
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA		
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA		
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA		
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA		
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA		
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA		
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA		
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA		
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA		
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA		
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA		
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA		
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA		
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA		
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA		
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA		
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA		
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA		
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA		
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA		
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA		
Not Detected		ug/l	Final	Actual	5030B/8260B	USEPA		

Not Detected	ug/l	Final	Actual	5030B/8260B	USEPA
Not Detected	ug/l	Final	Actual	5030B/8260B	USEPA
Not Detected	ug/l	Final	Actual	5030B/8260B	USEPA
Not Detected	ug/l	Final	Actual	5030B/8260B	USEPA
Not Detected	ug/l	Final	Actual	5030B/8260B	USEPA
Not Detected	ug/l	Final	Actual	5030B/8260B	USEPA
Not Detected	ug/l	Final	Actual	5030B/8260B	USEPA
Not Detected	ug/l	Final	Actual	5030B/8260B	USEPA
Not Detected	ug/l	Final	Actual	5030B/8260B	USEPA
Not Detected	ug/l	Final	Actual	5030B/8260B	USEPA
Not Detected	ug/l	Final	Actual	5030B/8260B	USEPA
Not Detected	ug/l	Final	Actual	5030B/8260B	USEPA
Not Detected	ug/l	Final	Actual	5030B/8260B	USEPA
Not Detected	ug/l	Final	Actual	5030B/8260B	USEPA
Not Detected	ug/l	Final	Actual	5030B/8260B	USEPA
Not Detected	ug/l	Final	Actual	5030B/8260B	USEPA
Not Detected	ug/l	Final	Actual	5030B/8260B	USEPA
Not Detected	ug/l	Final	Actual	5030B/8260B	USEPA
Not Detected	ug/l	Final	Actual	5030B/8260B	USEPA
Not Detected	ug/l	Final	Actual	5030B/8260B	USEPA
Not Detected	ug/l	Final	Actual	5030B/8260B	USEPA
Not Detected	ug/l	Final	Actual	5030B/8260B	USEPA
Not Detected	ug/l	Final	Actual	5030B/8260B	USEPA
Not Detected	ug/l	Final	Actual	5030B/8260B	USEPA
Not Detected	ug/l	Final	Actual	5030B/8260B	USEPA
Not Detected	ug/l	Final	Actual	5030B/8260B	USEPA
Not Detected	ug/l	Final	Actual	5030B/8260B	USEPA
Not Detected	ug/l	Final	Actual	5030B/8260B	USEPA
Not Detected	ug/l	Final	Actual	5030B/8260B	USEPA
Not Detected	ug/l	Final	Actual	5030B/8260B	USEPA
Not Detected	ug/l	Final	Actual	5030B/8260B	USEPA

Result Detection Quantitation Limit	Unit	Result Comment
	mg/l	
	mg/l	
	mg/l	
	MPN/100ml	

mg/l
mg/l
mg/l

MPN/100ml

mg/l

mg/l
mg/l

MPN/100ml