Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041191R6

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #3 - FINAL RESULTS

ANALYSIS DETAIL

Lab/Cor Sample No. B4773 S85 A1
Client Sample No. NYB-H2-22FD-100704
Description
Analysis Date 11/16/2004
Analyst KM

Volume (L) 614.54
No. of Grid Openings 44
Filter Area (mm2) 385
Area Analyzed (mm2) 0.638
Analytical Sens. (struc/cc) 0.000983
Dectection Limit. (struc/cc) 0.00294

Structure Type	Filter Density (s/mm2)	Concen-tration (struc/cc)	95% Confidence Interval (struc/cc)	Struc. Count
Primary Asbestos Structures	12.5	0.00786	0.00339 - 0.0155	8
Total Asbestos Structures	12.5	0.00786	0.00339 - 0.0155	8
Asbestos Structures > 5um	3.1	0.00197	0.00 - 0.00619	2
Asbestos Fibers and Bundles > 5um	1.6	0.000983	0.00 - 0.00466	1
PCM Equivalent Fibers-US	1.6	0.000983	0.00 - 0.00466	1
PCM Equivalent Structures-US	1.6	0.000983	0.00 - 0.00466	1
PROTOCOL ASB STRUCS 5-10	0.0	<0.00294	0.00 - 0.00294	0
PROTOCOL ASB STRUCS >10	0.0	<0.00294	0.00 - 0.00294	0
PROTOCOL ASB STRUCS TOTAL	0.0	<0.00294	0.00 - 0.00294	0
PROTOCOL CHRYS STRUCS 5-10	0.0	<0.00294	0.00 - 0.00294	0
PROTOCOL CHRYS STRUCS >10	0.0	<0.00294	0.00 - 0.00294	0
PROTOCOL CHRYS STRUCS TOTAL	0.0	<0.00294	0.00 - 0.00294	0
PROTOCOL AMPH STRUCS 5-10	0.0	<0.00294	0.00 - 0.00294	0
PROTOCOL AMPH STRUCS >10	0.0	<0.00294	0.00 - 0.00294	0
PROTOCOL AMPH STRUCS TOTAL	0.0	<0.00294	0.00 - 0.00294	0
AHERA-like Total Structures 3:1	12.5	0.00786	0.00339 - 0.0155	8
AHERA-like Asb Strucs >5 and 3:1	3.1	0.00197	0.00 - 0.00619	2
AHERA-like Asb Strucs 5 - 10 and 3:1	3.1	0.00197	0.00 - 0.00619	2
AHERA-like Asb Strucs >10 and 3:1	0.0	<0.00294	0.00 - 0.00294	0
Total Other Amphibole Strucs 3:1	0.0	<0.00294	0.00 - 0.00294	0
Other Amphibole Strucs >5 and 3:1	0.0	<0.00294	0.00 - 0.00294	0
Other Amphibole Strucs 5 - 10 and 3:1	0.0	<0.00294	0.00 - 0.00294	0
Other Amphibole Strucs >10 and 3:1	0.0	<0.00294	0.00 - 0.00294	0

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041191R6

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #3 - FINAL RESULTS

ANALYSIS DETAIL

Lab/Cor Sample No. B4773 S27 A1
Client Sample No. NYB-H2-4FD-100704
Description
Analysis Date 10/28/2004
Analyst KM

Volume (L) 1164.6
No. of Grid Openings 23
Filter Area (mm2) 385
Area Analyzed (mm2) 0.333
Analytical Sens. (struc/cc) 0.000992
Dectection Limit. (struc/cc) 0.00297

Structure Type	Filter Density (s/mm2)	Concen-tration (struc/cc)	95% Confidence Interval (struc/cc)	Struc. Count
Primary Asbestos Structures	0.0	<0.00297	0.00 - 0.00297	0
Total Asbestos Structures	0.0	<0.00297	0.00 - 0.00297	0
Asbestos Structures > 5um	0.0	<0.00297	0.00 - 0.00297	0
Asbestos Fibers and Bundles > 5um	0.0	<0.00297	0.00 - 0.00297	0
PCM Equivalent Fibers-US	0.0	<0.00297	0.00 - 0.00297	0
PCM Equivalent Structures-US	0.0	<0.00297	0.00 - 0.00297	0
PROTOCOL ASB STRUCS 5-10	0.0	<0.00297	0.00 - 0.00297	0
PROTOCOL ASB STRUCS >10	0.0	<0.00297	0.00 - 0.00297	0
PROTOCOL ASB STRUCS TOTAL	0.0	<0.00297	0.00 - 0.00297	0
PROTOCOL CHRYS STRUCS 5-10	0.0	<0.00297	0.00 - 0.00297	0
PROTOCOL CHRYS STRUCS >10	0.0	<0.00297	0.00 - 0.00297	0
PROTOCOL CHRYS STRUCS TOTAL	0.0	<0.00297	0.00 - 0.00297	0
PROTOCOL AMPH STRUCS 5-10	0.0	<0.00297	0.00 - 0.00297	0
PROTOCOL AMPH STRUCS >10	0.0	<0.00297	0.00 - 0.00297	0
PROTOCOL AMPH STRUCS TOTAL	0.0	<0.00297	0.00 - 0.00297	0
AHERA-like Total Structures 3:1	0.0	<0.00297	0.00 - 0.00297	0
AHERA-like Asb Strucs >5 and 3:1	0.0	<0.00297	0.00 - 0.00297	0
AHERA-like Asb Strucs 5 - 10 and 3:1	0.0	<0.00297	0.00 - 0.00297	0
AHERA-like Asb Strucs >10 and 3:1	0.0	<0.00297	0.00 - 0.00297	0
Total Other Amphibole Strucs 3:1	0.0	<0.00297	0.00 - 0.00297	0
Other Amphibole Strucs >5 and 3:1	0.0	<0.00297	0.00 - 0.00297	0
Other Amphibole Strucs 5 - 10 and 3:1	0.0	<0.00297	0.00 - 0.00297	0
Other Amphibole Strucs >10 and 3:1	0.0	<0.00297	0.00 - 0.00297	0

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041191R6

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #3 - FINAL RESULTS

ANALYSIS DETAIL

Lab/Cor Sample No. B4773 S90 A1
Client Sample No. NYB-H2-5FD-100704
Description
Analysis Date 11/20/2004
Analyst JH

Volume (L) 1244.4
No. of Grid Openings 22
Filter Area (mm2) 385
Area Analyzed (mm2) 0.319
Analytical Sens. (struc/cc) 0.000971
Dectection Limit. (struc/cc) 0.00290

Structure Type	Filter Density (s/mm2)	Concen-tration (struc/cc)	95% Confidence Interval (struc/cc)	Struc. Count
Primary Asbestos Structures	9.4	0.00291	0.00 - 0.00752	3
Total Asbestos Structures	9.4	0.00291	0.00 - 0.00752	3
Asbestos Structures > 5um	6.3	0.00194	0.00 - 0.00611	2
Asbestos Fibers and Bundles > 5um	6.3	0.00194	0.00 - 0.00611	2
PCM Equivalent Fibers-US	6.3	0.00194	0.00 - 0.00611	2
PCM Equivalent Structures-US	6.3	0.00194	0.00 - 0.00611	2
PROTOCOL ASB STRUCS 5-10	0.0	<0.00290	0.00 - 0.00290	0
PROTOCOL ASB STRUCS >10	0.0	<0.00290	0.00 - 0.00290	0
PROTOCOL ASB STRUCS TOTAL	0.0	<0.00290	0.00 - 0.00290	0
PROTOCOL CHRYS STRUCS 5-10	0.0	<0.00290	0.00 - 0.00290	0
PROTOCOL CHRYS STRUCS >10	0.0	<0.00290	0.00 - 0.00290	0
PROTOCOL CHRYS STRUCS TOTAL	0.0	<0.00290	0.00 - 0.00290	0
PROTOCOL AMPH STRUCS 5-10	0.0	<0.00290	0.00 - 0.00290	0
PROTOCOL AMPH STRUCS >10	0.0	<0.00290	0.00 - 0.00290	0
PROTOCOL AMPH STRUCS TOTAL	0.0	<0.00290	0.00 - 0.00290	0
AHERA-like Total Structures 3:1	9.4	0.00291	0.00 - 0.00752	3
AHERA-like Asb Strucs >5 and 3:1	6.3	0.00194	0.00 - 0.00611	2
AHERA-like Asb Strucs 5 - 10 and 3:1	3.1	0.000971	0.00 - 0.00460	1
AHERA-like Asb Strucs >10 and 3:1	3.1	0.000971	0.00 - 0.00460	1
Total Other Amphibole Strucs 3:1	0.0	<0.00290	0.00 - 0.00290	0
Other Amphibole Strucs >5 and 3:1	0.0	<0.00290	0.00 - 0.00290	0
Other Amphibole Strucs 5 - 10 and 3:1	0.0	<0.00290	0.00 - 0.00290	0
Other Amphibole Strucs >10 and 3:1	0.0	<0.00290	0.00 - 0.00290	0

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041191R6

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #3 - FINAL RESULTS

ANALYSIS DETAIL

Lab/Cor Sample No. B4773 S84 A1
Client Sample No. NYB-H2-1PG-100704
Description
Analysis Date 11/16/2004
Analyst KM

Volume (L) 1192.68
No. of Grid Openings 23
Filter Area (mm2) 385
Area Analyzed (mm2) 0.333
Analytical Sens. (struc/cc) 0.000969
Dectection Limit. (struc/cc) 0.00290

Structure Type	Filter Density (s/mm2)	Concen-tration (struc/cc)	95% Confidence Interval (struc/cc)	Struc. Count
Primary Asbestos Structures	0.0	<0.00290	0.00 - 0.00290	0
Total Asbestos Structures	0.0	<0.00290	0.00 - 0.00290	0
Asbestos Structures > 5um	0.0	<0.00290	0.00 - 0.00290	0
Asbestos Fibers and Bundles > 5um	0.0	<0.00290	0.00 - 0.00290	0
PCM Equivalent Fibers-US	0.0	<0.00290	0.00 - 0.00290	0
PCM Equivalent Structures-US	0.0	<0.00290	0.00 - 0.00290	0
PROTOCOL ASB STRUCS 5-10	0.0	<0.00290	0.00 - 0.00290	0
PROTOCOL ASB STRUCS >10	0.0	<0.00290	0.00 - 0.00290	0
PROTOCOL ASB STRUCS TOTAL	0.0	<0.00290	0.00 - 0.00290	0
PROTOCOL CHRYS STRUCS 5-10	0.0	<0.00290	0.00 - 0.00290	0
PROTOCOL CHRYS STRUCS >10	0.0	<0.00290	0.00 - 0.00290	0
PROTOCOL CHRYS STRUCS TOTAL	0.0	<0.00290	0.00 - 0.00290	0
PROTOCOL AMPH STRUCS 5-10	0.0	<0.00290	0.00 - 0.00290	0
PROTOCOL AMPH STRUCS >10	0.0	<0.00290	0.00 - 0.00290	0
PROTOCOL AMPH STRUCS TOTAL	0.0	<0.00290	0.00 - 0.00290	0
AHERA-like Total Structures 3:1	0.0	<0.00290	0.00 - 0.00290	0
AHERA-like Asb Strucs >5 and 3:1	0.0	<0.00290	0.00 - 0.00290	0
AHERA-like Asb Strucs 5 - 10 and 3:1	0.0	<0.00290	0.00 - 0.00290	0
AHERA-like Asb Strucs >10 and 3:1	0.0	<0.00290	0.00 - 0.00290	0
Total Other Amphibole Strucs 3:1	0.0	<0.00290	0.00 - 0.00290	0
Other Amphibole Strucs >5 and 3:1	0.0	<0.00290	0.00 - 0.00290	0
Other Amphibole Strucs 5 - 10 and 3:1	0.0	<0.00290	0.00 - 0.00290	0
Other Amphibole Strucs >10 and 3:1	0.0	<0.00290	0.00 - 0.00290	0

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041191R6

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #3 - FINAL RESULTS

ANALYSIS DETAIL

Lab/Cor Sample No. B4773 S83 A1
Client Sample No. NYB-H2-13PG-100704
Description
Analysis Date 11/16/2004
Analyst KM

Volume (L) 1306.8
No. of Grid Openings 21
Filter Area (mm2) 385
Area Analyzed (mm2) 0.304
Analytical Sens. (struc/cc) 0.000968
Dectection Limit. (struc/cc) 0.00289

Structure Type	Filter Density (s/mm2)	Concen-tration (struc/cc)	95% Confidence Interval (struc/cc)	Struc. Count
Primary Asbestos Structures	3.3	0.000968	0.00 - 0.00459	1
Total Asbestos Structures	3.3	0.000968	0.00 - 0.00459	1
Asbestos Structures > 5um	3.3	0.000968	0.00 - 0.00459	1
Asbestos Fibers and Bundles > 5um	3.3	0.000968	0.00 - 0.00459	1
PCM Equivalent Fibers-US	3.3	0.000968	0.00 - 0.00459	1
PCM Equivalent Structures-US	0.0	<0.00289	0.00 - 0.00289	0
PROTOCOL ASB STRUCS 5-10	3.3	0.000968	0.00 - 0.00459	1
PROTOCOL ASB STRUCS >10	0.0	<0.00289	0.00 - 0.00289	0
PROTOCOL ASB STRUCS TOTAL	3.3	0.000968	0.00 - 0.00459	1
PROTOCOL CHRYS STRUCS 5-10	0.0	<0.00289	0.00 - 0.00289	0
PROTOCOL CHRYS STRUCS >10	0.0	<0.00289	0.00 - 0.00289	0
PROTOCOL CHRYS STRUCS TOTAL	0.0	<0.00289	0.00 - 0.00289	0
PROTOCOL AMPH STRUCS 5-10	3.3	0.000968	0.00 - 0.00459	1
PROTOCOL AMPH STRUCS >10	0.0	<0.00289	0.00 - 0.00289	0
PROTOCOL AMPH STRUCS TOTAL	3.3	0.000968	0.00 - 0.00459	1
AHERA-like Total Structures 3:1	3.3	0.000968	0.00 - 0.00459	1
AHERA-like Asb Strucs >5 and 3:1	3.3	0.000968	0.00 - 0.00459	1
AHERA-like Asb Strucs 5 - 10 and 3:1	3.3	0.000968	0.00 - 0.00459	1
AHERA-like Asb Strucs >10 and 3:1	0.0	<0.00289	0.00 - 0.00289	0
Total Other Amphibole Strucs 3:1	0.0	<0.00289	0.00 - 0.00289	0
Other Amphibole Strucs >5 and 3:1	0.0	<0.00289	0.00 - 0.00289	0
Other Amphibole Strucs 5 - 10 and 3:1	0.0	<0.00289	0.00 - 0.00289	0
Other Amphibole Strucs >10 and 3:1	0.0	<0.00289	0.00 - 0.00289	0

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041191R6

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #3 - FINAL RESULTS

ANALYSIS DETAIL

Lab/Cor Sample No. B4773 S86 A1
Client Sample No. NYB-H2-2PG-100704
Description
Analysis Date 11/19/2004
Analyst TM

Volume (L) 1186.8
No. of Grid Openings 23
Filter Area (mm2) 385
Area Analyzed (mm2) 0.333
Analytical Sens. (struc/cc) 0.000973
Dectection Limit. (struc/cc) 0.00291

Structure Type	Filter Density (s/mm2)	Concen-tration (struc/cc)	95% Confidence Interval (struc/cc)	Struc. Count
Primary Asbestos Structures	3.0	0.000973	0.00 - 0.00461	1
Total Asbestos Structures	3.0	0.000973	0.00 - 0.00461	1
Asbestos Structures > 5um	0.0	<0.00291	0.00 - 0.00291	0
Asbestos Fibers and Bundles > 5um	0.0	<0.00291	0.00 - 0.00291	0
PCM Equivalent Fibers-US	0.0	<0.00291	0.00 - 0.00291	0
PCM Equivalent Structures-US	0.0	<0.00291	0.00 - 0.00291	0
PROTOCOL ASB STRUCS 5-10	0.0	<0.00291	0.00 - 0.00291	0
PROTOCOL ASB STRUCS >10	0.0	<0.00291	0.00 - 0.00291	0
PROTOCOL ASB STRUCS TOTAL	0.0	<0.00291	0.00 - 0.00291	0
PROTOCOL CHRYS STRUCS 5-10	0.0	<0.00291	0.00 - 0.00291	0
PROTOCOL CHRYS STRUCS >10	0.0	<0.00291	0.00 - 0.00291	0
PROTOCOL CHRYS STRUCS TOTAL	0.0	<0.00291	0.00 - 0.00291	0
PROTOCOL AMPH STRUCS 5-10	0.0	<0.00291	0.00 - 0.00291	0
PROTOCOL AMPH STRUCS >10	0.0	<0.00291	0.00 - 0.00291	0
PROTOCOL AMPH STRUCS TOTAL	0.0	<0.00291	0.00 - 0.00291	0
AHERA-like Total Structures 3:1	3.0	0.000973	0.00 - 0.00461	1
AHERA-like Asb Strucs >5 and 3:1	0.0	<0.00291	0.00 - 0.00291	0
AHERA-like Asb Strucs 5 - 10 and 3:1	0.0	<0.00291	0.00 - 0.00291	0
AHERA-like Asb Strucs >10 and 3:1	0.0	<0.00291	0.00 - 0.00291	0
Total Other Amphibole Strucs 3:1	0.0	<0.00291	0.00 - 0.00291	0
Other Amphibole Strucs >5 and 3:1	0.0	<0.00291	0.00 - 0.00291	0
Other Amphibole Strucs 5 - 10 and 3:1	0.0	<0.00291	0.00 - 0.00291	0
Other Amphibole Strucs >10 and 3:1	0.0	<0.00291	0.00 - 0.00291	0

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041191R6

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #3 - FINAL RESULTS

ANALYSIS DETAIL

Lab/Cor Sample No. B4773 S88 A1
Client Sample No. NYB-H2-3PG-100704
Description
Analysis Date 11/21/2004
Analyst TM

Volume (L) 1175.52
No. of Grid Openings 23
Filter Area (mm2) 385
Area Analyzed (mm2) 0.333
Analytical Sens. (struc/cc) 0.000983
Dectection Limit. (struc/cc) 0.00294

Structure Type	Filter Density (s/mm2)	Concen-tration (struc/cc)	95% Confidence Interval (struc/cc)	Struc. Count
Primary Asbestos Structures	3.0	0.000983	0.00 - 0.00466	1
Total Asbestos Structures	3.0	0.000983	0.00 - 0.00466	1
Asbestos Structures > 5um	0.0	<0.00294	0.00 - 0.00294	0
Asbestos Fibers and Bundles > 5um	0.0	<0.00294	0.00 - 0.00294	0
PCM Equivalent Fibers-US	0.0	<0.00294	0.00 - 0.00294	0
PCM Equivalent Structures-US	0.0	<0.00294	0.00 - 0.00294	0
PROTOCOL ASB STRUCS 5-10	0.0	<0.00294	0.00 - 0.00294	0
PROTOCOL ASB STRUCS >10	0.0	<0.00294	0.00 - 0.00294	0
PROTOCOL ASB STRUCS TOTAL	0.0	<0.00294	0.00 - 0.00294	0
PROTOCOL CHRYS STRUCS 5-10	0.0	<0.00294	0.00 - 0.00294	0
PROTOCOL CHRYS STRUCS >10	0.0	<0.00294	0.00 - 0.00294	0
PROTOCOL CHRYS STRUCS TOTAL	0.0	<0.00294	0.00 - 0.00294	0
PROTOCOL AMPH STRUCS 5-10	0.0	<0.00294	0.00 - 0.00294	0
PROTOCOL AMPH STRUCS >10	0.0	<0.00294	0.00 - 0.00294	0
PROTOCOL AMPH STRUCS TOTAL	0.0	<0.00294	0.00 - 0.00294	0
AHERA-like Total Structures 3:1	3.0	0.000983	0.00 - 0.00466	1
AHERA-like Asb Strucs >5 and 3:1	0.0	<0.00294	0.00 - 0.00294	0
AHERA-like Asb Strucs 5 - 10 and 3:1	0.0	<0.00294	0.00 - 0.00294	0
AHERA-like Asb Strucs >10 and 3:1	0.0	<0.00294	0.00 - 0.00294	0
Total Other Amphibole Strucs 3:1	0.0	<0.00294	0.00 - 0.00294	0
Other Amphibole Strucs >5 and 3:1	0.0	<0.00294	0.00 - 0.00294	0
Other Amphibole Strucs 5 - 10 and 3:1	0.0	<0.00294	0.00 - 0.00294	0
Other Amphibole Strucs >10 and 3:1	0.0	<0.00294	0.00 - 0.00294	0

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041191R6

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #3 - FINAL RESULTS

ANALYSIS DETAIL

Lab/Cor Sample No. B4773 S89 A1
Client Sample No. NYB-H2-4PG-100704
Description
Analysis Date 11/21/2004
Analyst TM

Volume (L) 1257.6
No. of Grid Openings 22
Filter Area (mm2) 385
Area Analyzed (mm2) 0.319
Analytical Sens. (struc/cc) 0.000960
Dectection Limit. (struc/cc) 0.00287

Structure Type	Filter Density (s/mm2)	Concen-tration (struc/cc)	95% Confidence Interval (struc/cc)	Struc. Count
Primary Asbestos Structures	0.0	<0.00287	0.00 - 0.00287	0
Total Asbestos Structures	0.0	<0.00287	0.00 - 0.00287	0
Asbestos Structures > 5um	0.0	<0.00287	0.00 - 0.00287	0
Asbestos Fibers and Bundles > 5um	0.0	<0.00287	0.00 - 0.00287	0
PCM Equivalent Fibers-US	0.0	<0.00287	0.00 - 0.00287	0
PCM Equivalent Structures-US	0.0	<0.00287	0.00 - 0.00287	0
PROTOCOL ASB STRUCS 5-10	0.0	<0.00287	0.00 - 0.00287	0
PROTOCOL ASB STRUCS >10	0.0	<0.00287	0.00 - 0.00287	0
PROTOCOL ASB STRUCS TOTAL	0.0	<0.00287	0.00 - 0.00287	0
PROTOCOL CHRYS STRUCS 5-10	0.0	<0.00287	0.00 - 0.00287	0
PROTOCOL CHRYS STRUCS >10	0.0	<0.00287	0.00 - 0.00287	0
PROTOCOL CHRYS STRUCS TOTAL	0.0	<0.00287	0.00 - 0.00287	0
PROTOCOL AMPH STRUCS 5-10	0.0	<0.00287	0.00 - 0.00287	0
PROTOCOL AMPH STRUCS >10	0.0	<0.00287	0.00 - 0.00287	0
PROTOCOL AMPH STRUCS TOTAL	0.0	<0.00287	0.00 - 0.00287	0
AHERA-like Total Structures 3:1	0.0	<0.00287	0.00 - 0.00287	0
AHERA-like Asb Strucs >5 and 3:1	0.0	<0.00287	0.00 - 0.00287	0
AHERA-like Asb Strucs 5 - 10 and 3:1	0.0	<0.00287	0.00 - 0.00287	0
AHERA-like Asb Strucs >10 and 3:1	0.0	<0.00287	0.00 - 0.00287	0
Total Other Amphibole Strucs 3:1	0.0	<0.00287	0.00 - 0.00287	0
Other Amphibole Strucs >5 and 3:1	0.0	<0.00287	0.00 - 0.00287	0
Other Amphibole Strucs 5 - 10 and 3:1	0.0	<0.00287	0.00 - 0.00287	0
Other Amphibole Strucs >10 and 3:1	0.0	<0.00287	0.00 - 0.00287	0

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041191R6

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #3 - FINAL RESULTS

ANALYSIS DETAIL

Lab/Cor Sample No. B4773 S91 A1
Client Sample No. NYB-H2-5PG-100704
Description
Analysis Date 11/21/2004
Analyst JH

Volume (L) 1691.89
No. of Grid Openings 16
Filter Area (mm2) 385
Area Analyzed (mm2) 0.232
Analytical Sens. (struc/cc) 0.000982
Dectection Limit. (struc/cc) 0.00293

Structure Type	Filter Density (s/mm2)	Concen-tration (struc/cc)	95% Confidence Interval (struc/cc)	Struc. Count
Primary Asbestos Structures	4.3	0.000982	0.00 - 0.00465	1
Total Asbestos Structures	4.3	0.000982	0.00 - 0.00465	1
Asbestos Structures > 5um	4.3	0.000982	0.00 - 0.00465	1
Asbestos Fibers and Bundles > 5um	0.0	<0.00293	0.00 - 0.00293	0
PCM Equivalent Fibers-US	4.3	0.000982	0.00 - 0.00465	1
PCM Equivalent Structures-US	4.3	0.000982	0.00 - 0.00465	1
PROTOCOL ASB STRUCS 5-10	0.0	<0.00293	0.00 - 0.00293	0
PROTOCOL ASB STRUCS >10	0.0	<0.00293	0.00 - 0.00293	0
PROTOCOL ASB STRUCS TOTAL	0.0	<0.00293	0.00 - 0.00293	0
PROTOCOL CHRYS STRUCS 5-10	0.0	<0.00293	0.00 - 0.00293	0
PROTOCOL CHRYS STRUCS >10	0.0	<0.00293	0.00 - 0.00293	0
PROTOCOL CHRYS STRUCS TOTAL	0.0	<0.00293	0.00 - 0.00293	0
PROTOCOL AMPH STRUCS 5-10	0.0	<0.00293	0.00 - 0.00293	0
PROTOCOL AMPH STRUCS >10	0.0	<0.00293	0.00 - 0.00293	0
PROTOCOL AMPH STRUCS TOTAL	0.0	<0.00293	0.00 - 0.00293	0
AHERA-like Total Structures 3:1	4.3	0.000982	0.00 - 0.00465	1
AHERA-like Asb Strucs >5 and 3:1	4.3	0.000982	0.00 - 0.00465	1
AHERA-like Asb Strucs 5 - 10 and 3:1	0.0	<0.00293	0.00 - 0.00293	0
AHERA-like Asb Strucs >10 and 3:1	4.3	0.000982	0.00 - 0.00465	1
Total Other Amphibole Strucs 3:1	0.0	<0.00293	0.00 - 0.00293	0
Other Amphibole Strucs >5 and 3:1	0.0	<0.00293	0.00 - 0.00293	0
Other Amphibole Strucs 5 - 10 and 3:1	0.0	<0.00293	0.00 - 0.00293	0
Other Amphibole Strucs >10 and 3:1	0.0	<0.00293	0.00 - 0.00293	0

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041191R6

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #3 - FINAL RESULTS

ANALYSIS DETAIL

Lab/Cor Sample No. B4773 S25 A1
Client Sample No. NYB-H2-1ZP-100704
Description
Analysis Date 10/28/2004
Analyst KM

Volume (L) 1199.87
No. of Grid Openings 13
Filter Area (mm2) 385
Area Analyzed (mm2) 0.188
Analytical Sens. (struc/cc) 0.00170
Dectection Limit. (struc/cc) 0.00509

Structure Type	Filter Density (s/mm2)	Concen-tration (struc/cc)	95% Confidence Interval (struc/cc)	Struc. Count
Primary Asbestos Structures	552.1	0.177	0.139 - 0.207 (Poisson)	104
Total Asbestos Structures	573.3	0.184	0.139 - 0.207 (Poisson)	108
Asbestos Structures > 5um	148.6	0.0477	0.0317 - 0.0689	28
Asbestos Fibers and Bundles > 5um	143.3	0.0460	0.0303 - 0.0669	27
PCM Equivalent Fibers-US	106.2	0.0341	0.0208 - 0.0526	20
PCM Equivalent Structures-US	116.8	0.0375	0.0235 - 0.0567	22
PROTOCOL ASB STRUCS 5-10	47.8	0.0153	0.00701 - 0.0291	9
PROTOCOL ASB STRUCS >10	5.3	0.00170	0.00 - 0.00807	1
PROTOCOL ASB STRUCS TOTAL	53.1	0.0170	0.00817 - 0.0313	10
PROTOCOL CHRYS STRUCS 5-10	26.5	0.00852	0.00277 - 0.0199	5
PROTOCOL CHRYS STRUCS >10	5.3	0.00170	0.00 - 0.00807	1
PROTOCOL CHRYS STRUCS TOTAL	31.9	0.0102	0.00375 - 0.0222	6
PROTOCOL AMPH STRUCS 5-10	21.2	0.00681	0.00186 - 0.0174	4
PROTOCOL AMPH STRUCS >10	0.0	<0.00509	0.00 - 0.00509	0
PROTOCOL AMPH STRUCS TOTAL	21.2	0.00681	0.00186 - 0.0174	4
AHERA-like Total Structures 3:1	541.5	0.174	0.139 - 0.207 (Poisson)	102
AHERA-like Asb Strucs >5 and 3:1	143.3	0.0460	0.0303 - 0.0669	27
AHERA-like Asb Strucs 5 - 10 and 3:1	111.5	0.0358	0.0221 - 0.0547	21
AHERA-like Asb Strucs >10 and 3:1	31.9	0.0102	0.00375 - 0.0222	6
Total Other Amphibole Strucs 3:1	0.0	<0.00509	0.00 - 0.00509	0
Other Amphibole Strucs >5 and 3:1	0.0	<0.00509	0.00 - 0.00509	0
Other Amphibole Strucs 5 - 10 and 3:1	0.0	<0.00509	0.00 - 0.00509	0
Other Amphibole Strucs >10 and 3:1	0.0	<0.00509	0.00 - 0.00509	0

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041191R6

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #3 - FINAL RESULTS

ANALYSIS DETAIL

Lab/Cor Sample No. B4773 S92 A1
Client Sample No. NYB-L2-1ZP-100704
Description
Analysis Date 11/21/2004
Analyst JH

Volume (L) 300.88
No. of Grid Openings 8
Filter Area (mm2) 385
Area Analyzed (mm2) 0.116
Analytical Sens. (struc/cc) 0.0110
Dectection Limit. (struc/cc) 0.0330

Structure Type	Filter Density (s/mm2)	Concen-tration (struc/cc)	95% Confidence Interval (struc/cc)	Struc. Count
Primary Asbestos Structures	854.0	1.09	0.888 - 1.33 (Poisson)	99
Total Asbestos Structures	879.9	1.13	0.898 - 1.34 (Poisson)	102
Asbestos Structures > 5um	129.4	0.166	0.0927 - 0.273	15
Asbestos Fibers and Bundles > 5um	129.4	0.166	0.0927 - 0.273	15
PCM Equivalent Fibers-US	94.9	0.121	0.0606 - 0.217	11
PCM Equivalent Structures-US	86.3	0.110	0.0529 - 0.203	10
PROTOCOL ASB STRUCS 5-10	34.5	0.0442	0.0120 - 0.113	4
PROTOCOL ASB STRUCS >10	8.6	0.0110	0.00 - 0.0523	1
PROTOCOL ASB STRUCS TOTAL	43.1	0.0552	0.0179 - 0.129	5
PROTOCOL CHRYS STRUCS 5-10	34.5	0.0442	0.0120 - 0.113	4
PROTOCOL CHRYS STRUCS >10	8.6	0.0110	0.00 - 0.0523	1
PROTOCOL CHRYS STRUCS TOTAL	43.1	0.0552	0.0179 - 0.129	5
PROTOCOL AMPH STRUCS 5-10	0.0	<0.0330	0.00 - 0.0330	0
PROTOCOL AMPH STRUCS >10	0.0	<0.0330	0.00 - 0.0330	0
PROTOCOL AMPH STRUCS TOTAL	0.0	<0.0330	0.00 - 0.0330	0
AHERA-like Total Structures 3:1	854.0	1.09	0.888 - 1.33 (Poisson)	99
AHERA-like Asb Strucs >5 and 3:1	129.4	0.166	0.0927 - 0.273	15
AHERA-like Asb Strucs 5 - 10 and 3:1	112.1	0.144	0.0764 - 0.245	13
AHERA-like Asb Strucs >10 and 3:1	17.3	0.0221	0.00 - 0.0695	2
Total Other Amphibole Strucs 3:1	0.0	<0.0330	0.00 - 0.0330	0
Other Amphibole Strucs >5 and 3:1	0.0	<0.0330	0.00 - 0.0330	0
Other Amphibole Strucs 5 - 10 and 3:1	0.0	<0.0330	0.00 - 0.0330	0
Other Amphibole Strucs >10 and 3:1	0.0	<0.0330	0.00 - 0.0330	0

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041191R6

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #3 - FINAL RESULTS

ANALYSIS DETAIL

Lab/Cor Sample No. B4773 S32 A1
Client Sample No. NYB-L2-2CH-100704
Description
Analysis Date 10/28/2004
Analyst DW

Volume (L) 295.68
No. of Grid Openings 89
Filter Area (mm2) 385
Area Analyzed (mm2) 1.29
Analytical Sens. (struc/cc) 0.00101
Dectection Limit. (struc/cc) 0.00302

Structure Type	Filter Density (s/mm2)	Concentratrion (struc/cc)	95% Confidence Interval (struc/cc)	Struc. Count
Primary Asbestos Structures	25.6	0.0329	0.02270 - 0.04630	33
Total Asbestos Structures	27.1	0.0349	0.02440 - 0.04870	35
Asbestos Structures > 5um	7.8	0.01	0.00480 - 0.01840	10
Asbestos Fibers and Bundles > 5um	4.7	0.006	0.00220 - 0.01310	6
PCM Equivalent Fibers-US	4.7	0.006	0.00220 - 0.01310	6
PCM Equivalent Structures-US	3.1	0.04	0.00109 0.01020	4
PROTOCOL ASB STRUCS 5-10	0.0	<0.00299	0.00 - 0.00299	0
PROTOCOL ASB STRUCS >10	0.0	<0.00299	0.00 - 0.00299	0
PROTOCOL ASB STRUCS TOTAL	0.0	<0.00299	0.00 - 0.00299	0
PROTOCOL CHRYS STRUCS 5-10	0.0	<0.00299	0.00 - 0.00299	0
PROTOCOL CHRYS STRUCS >10	0.0	<0.00299	0.00 - 0.00299	0
PROTOCOL CHRYS STRUCS TOTAL	0.0	<0.00299	0.00 - 0.00299	0
PROTOCOL AMPH STRUCS 5-10	0.0	<0.00299	0.00 - 0.00299	0
PROTOCOL AMPH STRUCS >10	0.0	<0.00299	0.00 - 0.00299	0
PROTOCOL AMPH STRUCS TOTAL	0.0	<0.00299	0.00 - 0.00299	0
AHERA-like Total Structures 3:1	24.8	0.032	0.02190 - 0.04520	32
AHERA-like Asb Strucs >5 and 3:1	7.8	0.01	0.00480 - 0.01840	10
AHERA-like Asb Strucs 5 - 10 and 3:1	4.7	0.006	0.00220 - 0.01310	6
AHERA-like Asb Strucs >10 and 3:1	3.1	0.004	0.00109 - 0.01020	4
Total Other Amphibole Strucs 3:1	0.8	0.001	0.00000 - 0.00474	1
Other Amphibole Strucs >5 and 3:1	0.8	0.001	0.00000 - 0.00474	1
Other Amphibole Strucs 5 - 10 and 3:1	0.0	<0.00299	0.00 - 0.00299	0
Other Amphibole Strucs >10 and 3:1	0.8	0.001	0.00000 - 0.00474	1

Validation Modified

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041191R6

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #3 - FINAL RESULTS

ANALYSIS DETAIL

Lab/Cor Sample No. B4773 S30 A1
Client Sample No. NYB-L2-1NA-100704
Description
Analysis Date 10/28/2004
Analyst JH

Volume (L) 296.76
No. of Grid Openings 90
Filter Area (mm2) 385
Area Analyzed (mm2) 1.30
Analytical Sens. (struc/cc) 0.000995
Dectection Limit. (struc/cc) 0.00297

Structure Type	Filter Density (s/mm2)	Concen-tration (struc/cc)	95% Confidence Interval (struc/cc)	Struc. Count
Primary Asbestos Structures	4.6	0.00597	0.00219 - 0.0130	6
Total Asbestos Structures	4.6	0.00597	0.00219 - 0.0130	6
Asbestos Structures > 5um	3.1	0.00398	0.00108 - 0.0102	4
Asbestos Fibers and Bundles > 5um	3.1	0.00398	0.00108 - 0.0102	4
PCM Equivalent Fibers-US	2.3	0.00298	0.00 - 0.00771	3
PCM Equivalent Structures-US	0.8	0.000995	0.00 - 0.00472	1
PROTOCOL ASB STRUCS 5-10	0.8	0.000995	0.00 - 0.00472	1
PROTOCOL ASB STRUCS >10	0.0	<0.00297	0.00 - 0.00297	0
PROTOCOL ASB STRUCS TOTAL	0.8	0.000995	0.00 - 0.00472	1
PROTOCOL CHRYS STRUCS 5-10	0.8	0.000995	0.00 - 0.00472	1
PROTOCOL CHRYS STRUCS >10	0.0	<0.00297	0.00 - 0.00297	0
PROTOCOL CHRYS STRUCS TOTAL	0.8	0.000995	0.00 - 0.00472	1
PROTOCOL AMPH STRUCS 5-10	0.0	<0.00297	0.00 - 0.00297	0
PROTOCOL AMPH STRUCS >10	0.0	<0.00297	0.00 - 0.00297	0
PROTOCOL AMPH STRUCS TOTAL	0.0	<0.00297	0.00 - 0.00297	0
AHERA-like Total Structures 3:1	4.6	0.00597	0.00219 - 0.0130	6
AHERA-like Asb Strucs >5 and 3:1	3.1	0.00398	0.00108 - 0.0102	4
AHERA-like Asb Strucs 5 - 10 and 3:1	2.3	0.00298	0.00 - 0.00771	3
AHERA-like Asb Strucs >10 and 3:1	0.8	0.000995	0.00 - 0.00472	1
Total Other Amphibole Strucs 3:1	0.0	<0.00297	0.00 - 0.00297	0
Other Amphibole Strucs >5 and 3:1	0.0	<0.00297	0.00 - 0.00297	0
Other Amphibole Strucs 5 - 10 and 3:1	0.0	<0.00297	0.00 - 0.00297	0
Other Amphibole Strucs >10 and 3:1	0.0	<0.00297	0.00 - 0.00297	0

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041191R6

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #3 - FINAL RESULTS

ANALYSIS DETAIL

Lab/Cor Sample No. B4773 S31 A1
Client Sample No. NYB-L2-1ZB-100704
Description
Analysis Date 10/28/2004
Analyst JH

Volume (L) 302.05
No. of Grid Openings 88
Filter Area (mm2) 385
Area Analyzed (mm2) 1.28
Analytical Sens. (struc/cc) 0.00100
Dectection Limit. (struc/cc) 0.00299

Structure Type	Filter Density (s/mm2)	Concen-tration (struc/cc)	95% Confidence Interval (struc/cc)	Struc. Count
Primary Asbestos Structures	0.0	<0.00299	0.00 - 0.00299	0
Total Asbestos Structures	0.0	<0.00299	0.00 - 0.00299	0
Asbestos Structures > 5um	0.0	<0.00299	0.00 - 0.00299	0
Asbestos Fibers and Bundles > 5um	0.0	<0.00299	0.00 - 0.00299	0
PCM Equivalent Fibers-US	0.0	<0.00299	0.00 - 0.00299	0
PCM Equivalent Structures-US	0.0	<0.00299	0.00 - 0.00299	0
PROTOCOL ASB STRUCS 5-10	0.0	<0.00299	0.00 - 0.00299	0
PROTOCOL ASB STRUCS >10	0.0	<0.00299	0.00 - 0.00299	0
PROTOCOL ASB STRUCS TOTAL	0.0	<0.00299	0.00 - 0.00299	0
PROTOCOL CHRYS STRUCS 5-10	0.0	<0.00299	0.00 - 0.00299	0
PROTOCOL CHRYS STRUCS >10	0.0	<0.00299	0.00 - 0.00299	0
PROTOCOL CHRYS STRUCS TOTAL	0.0	<0.00299	0.00 - 0.00299	0
PROTOCOL AMPH STRUCS 5-10	0.0	<0.00299	0.00 - 0.00299	0
PROTOCOL AMPH STRUCS >10	0.0	<0.00299	0.00 - 0.00299	0
PROTOCOL AMPH STRUCS TOTAL	0.0	<0.00299	0.00 - 0.00299	0
AHERA-like Total Structures 3:1	0.0	<0.00299	0.00 - 0.00299	0
AHERA-like Asb Strucs >5 and 3:1	0.0	<0.00299	0.00 - 0.00299	0
AHERA-like Asb Strucs 5 - 10 and 3:1	0.0	<0.00299	0.00 - 0.00299	0
AHERA-like Asb Strucs >10 and 3:1	0.0	<0.00299	0.00 - 0.00299	0
Total Other Amphibole Strucs 3:1	0.0	<0.00299	0.00 - 0.00299	0
Other Amphibole Strucs >5 and 3:1	0.0	<0.00299	0.00 - 0.00299	0
Other Amphibole Strucs 5 - 10 and 3:1	0.0	<0.00299	0.00 - 0.00299	0
Other Amphibole Strucs >10 and 3:1	0.0	<0.00299	0.00 - 0.00299	0

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041191R6

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #3 - FINAL RESULTS

ANALYSIS DETAIL

Lab/Cor Sample No. B4773 S1 A1
Client Sample No. CC6-H6-1CP-100704
Description
Analysis Date 10/21/2004
Analyst KM

Volume (L) 2436
No. of Grid Openings 11
Filter Area (mm2) 385
Area Analyzed (mm2) 0.159
Analytical Sens. (struc/cc) 0.000992
Dectection Limit. (struc/cc) 0.00296

Structure Type	Filter Density (s/mm2)	Concen-tration (struc/cc)	95% Confidence Interval (struc/cc)	Struc. Count
Primary Asbestos Structures	0.0	<0.00296	0.00 - 0.00296	0
Total Asbestos Structures	0.0	<0.00296	0.00 - 0.00296	0
Asbestos Structures > 5um	0.0	<0.00296	0.00 - 0.00296	0
Asbestos Fibers and Bundles > 5um	0.0	<0.00296	0.00 - 0.00296	0
PCM Equivalent Fibers-US	0.0	<0.00296	0.00 - 0.00296	0
PCM Equivalent Structures-US	0.0	<0.00296	0.00 - 0.00296	0
PROTOCOL ASB STRUCS 5-10	0.0	<0.00296	0.00 - 0.00296	0
PROTOCOL ASB STRUCS >10	0.0	<0.00296	0.00 - 0.00296	0
PROTOCOL ASB STRUCS TOTAL	0.0	<0.00296	0.00 - 0.00296	0
PROTOCOL CHRYS STRUCS 5-10	0.0	<0.00296	0.00 - 0.00296	0
PROTOCOL CHRYS STRUCS >10	0.0	<0.00296	0.00 - 0.00296	0
PROTOCOL CHRYS STRUCS TOTAL	0.0	<0.00296	0.00 - 0.00296	0
PROTOCOL AMPH STRUCS 5-10	0.0	<0.00296	0.00 - 0.00296	0
PROTOCOL AMPH STRUCS >10	0.0	<0.00296	0.00 - 0.00296	0
PROTOCOL AMPH STRUCS TOTAL	0.0	<0.00296	0.00 - 0.00296	0
AHERA-like Total Structures 3:1	0.0	<0.00296	0.00 - 0.00296	0
AHERA-like Asb Strucs >5 and 3:1	0.0	<0.00296	0.00 - 0.00296	0
AHERA-like Asb Strucs 5 - 10 and 3:1	0.0	<0.00296	0.00 - 0.00296	0
AHERA-like Asb Strucs >10 and 3:1	0.0	<0.00296	0.00 - 0.00296	0
Total Other Amphibole Strucs 3:1	0.0	<0.00296	0.00 - 0.00296	0
Other Amphibole Strucs >5 and 3:1	0.0	<0.00296	0.00 - 0.00296	0
Other Amphibole Strucs 5 - 10 and 3:1	0.0	<0.00296	0.00 - 0.00296	0
Other Amphibole Strucs >10 and 3:1	0.0	<0.00296	0.00 - 0.00296	0

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041191R6

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #3 - FINAL RESULTS

ANALYSIS DETAIL

Lab/Cor Sample No. B4773 S2 A1
Client Sample No. CC6-H6-2CP-100704
Description
Analysis Date 10/21/2004
Analyst KM

Volume (L) 2452.8
No. of Grid Openings 11
Filter Area (mm2) 385
Area Analyzed (mm2) 0.159
Analytical Sens. (struc/cc) 0.000985
Dectection Limit. (struc/cc) 0.00294

Structure Type	Filter Density (s/mm2)	Concen-tration (struc/cc)	95% Confidence Interval (struc/cc)	Struc. Count
Primary Asbestos Structures	12.5	0.00197	0.00 - 0.00620	2
Total Asbestos Structures	12.5	0.00197	0.00 - 0.00620	2
Asbestos Structures > 5um	6.3	0.000985	0.00 - 0.00467	1
Asbestos Fibers and Bundles > 5um	6.3	0.000985	0.00 - 0.00467	1
PCM Equivalent Fibers-US	6.3	0.000985	0.00 - 0.00467	1
PCM Equivalent Structures-US	6.3	0.000985	0.00 - 0.00467	1
PROTOCOL ASB STRUCS 5-10	0.0	<0.00294	0.00 - 0.00294	0
PROTOCOL ASB STRUCS >10	0.0	<0.00294	0.00 - 0.00294	0
PROTOCOL ASB STRUCS TOTAL	0.0	<0.00294	0.00 - 0.00294	0
PROTOCOL CHRYS STRUCS 5-10	0.0	<0.00294	0.00 - 0.00294	0
PROTOCOL CHRYS STRUCS >10	0.0	<0.00294	0.00 - 0.00294	0
PROTOCOL CHRYS STRUCS TOTAL	0.0	<0.00294	0.00 - 0.00294	0
PROTOCOL AMPH STRUCS 5-10	0.0	<0.00294	0.00 - 0.00294	0
PROTOCOL AMPH STRUCS >10	0.0	<0.00294	0.00 - 0.00294	0
PROTOCOL AMPH STRUCS TOTAL	0.0	<0.00294	0.00 - 0.00294	0
AHERA-like Total Structures 3:1	12.5	0.00197	0.00 - 0.00620	2
AHERA-like Asb Strucs >5 and 3:1	6.3	0.000985	0.00 - 0.00467	1
AHERA-like Asb Strucs 5 - 10 and 3:1	6.3	0.000985	0.00 - 0.00467	1
AHERA-like Asb Strucs >10 and 3:1	0.0	<0.00294	0.00 - 0.00294	0
Total Other Amphibole Strucs 3:1	0.0	<0.00294	0.00 - 0.00294	0
Other Amphibole Strucs >5 and 3:1	0.0	<0.00294	0.00 - 0.00294	0
Other Amphibole Strucs 5 - 10 and 3:1	0.0	<0.00294	0.00 - 0.00294	0
Other Amphibole Strucs >10 and 3:1	0.0	<0.00294	0.00 - 0.00294	0

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041176R1

Client: Ecology and Environment, Inc.

Project Name: Site# 0440.01CP, 0440.01CP-0001- FINAL RESULTS

ANALYSIS DETAIL

Lab/Cor Sample No.	B4763 S24 A1	Volume (L)	2452.8
Client Sample No.	CC6-H6-2CP-100704	No. of Grid Openings	11
Description	Replicate Analysis of 041191-02 - Same Grid Openings	Filter Area (mm2)	385
Analysis Date	11/17/2004	Area Analyzed (mm2)	0.159
Analyst	KM	Analytical Sens. (struc/cc)	0.000985
		Dectection Limit. (struc/cc)	0.00294

Structure Type	Filter Density (s/mm2)	Concen-tration (struc/cc)	95% Confidence Interval (struc/cc)	Struc. Count
Primary Asbestos Structures	12.5	0.00197	0.00 - 0.00620	2

Lab/Cor Sample No.	B4763 S25 A1	Volume (L)	918
Client Sample No.	CC6-L6-1CA-100704	No. of Grid Openings	28
Description	Replicate Analysis of 041191-03 - Same Grid Openings	Filter Area (mm2)	385
Analysis Date	11/17/2004	Area Analyzed (mm2)	0.406
Analyst	KM	Analytical Sens. (struc/cc)	0.00103
		Dectection Limit. (struc/cc)	0.00309

Structure Type	Filter Density (s/mm2)	Concen-tration (struc/cc)	95% Confidence Interval (struc/cc)	Struc. Count
Primary Asbestos Structures	14.8	0.00620	0.00228 - 0.0135	6

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041191R6

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #3 - FINAL RESULTS

ANALYSIS DETAIL

Lab/Cor Sample No. B4773 S3 A1
Client Sample No. CC6-L6-1CA-100704
Description
Analysis Date 10/21/2004
Analyst KM

Volume (L) 918
No. of Grid Openings 30
Filter Area (mm2) 385
Area Analyzed (mm2) 0.435
Analytical Sens. (struc/cc) 0.000965
Dectection Limit. (struc/cc) 0.00288

Structure Type	Filter Density (s/mm2)	Concen-tration (struc/cc)	95% Confidence Interval (struc/cc)	Struc. Count
Primary Asbestos Structures	13.8	0.00579	0.00212 - 0.0126	6
Total Asbestos Structures	13.8	0.00579	0.00212 - 0.0126	6
Asbestos Structures > 5um	6.9	0.00289	0.00 - 0.00748	3
Asbestos Fibers and Bundles > 5um	6.9	0.00289	0.00 - 0.00748	3
PCM Equivalent Fibers-US	6.9	0.00289	0.00 - 0.00748	3
PCM Equivalent Structures-US	2.3	0.000965	0.00 - 0.00457	1
PROTOCOL ASB STRUCS 5-10	0.0	<0.00288	0.00 - 0.00288	0
PROTOCOL ASB STRUCS >10	0.0	<0.00288	0.00 - 0.00288	0
PROTOCOL ASB STRUCS TOTAL	0.0	<0.00288	0.00 - 0.00288	0
PROTOCOL CHRYS STRUCS 5-10	0.0	<0.00288	0.00 - 0.00288	0
PROTOCOL CHRYS STRUCS >10	0.0	<0.00288	0.00 - 0.00288	0
PROTOCOL CHRYS STRUCS TOTAL	0.0	<0.00288	0.00 - 0.00288	0
PROTOCOL AMPH STRUCS 5-10	0.0	<0.00288	0.00 - 0.00288	0
PROTOCOL AMPH STRUCS >10	0.0	<0.00288	0.00 - 0.00288	0
PROTOCOL AMPH STRUCS TOTAL	0.0	<0.00288	0.00 - 0.00288	0
AHERA-like Total Structures 3:1	13.8	0.00579	0.00212 - 0.0126	6
AHERA-like Asb Strucs >5 and 3:1	6.9	0.00289	0.00 - 0.00748	3
AHERA-like Asb Strucs 5 - 10 and 3:1	2.3	0.000965	0.00 - 0.00457	1
AHERA-like Asb Strucs >10 and 3:1	4.6	0.00193	0.00 - 0.00608	2
Total Other Amphibole Strucs 3:1	0.0	<0.00288	0.00 - 0.00288	0
Other Amphibole Strucs >5 and 3:1	0.0	<0.00288	0.00 - 0.00288	0
Other Amphibole Strucs 5 - 10 and 3:1	0.0	<0.00288	0.00 - 0.00288	0
Other Amphibole Strucs >10 and 3:1	0.0	<0.00288	0.00 - 0.00288	0

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041176R1

Client: Ecology and Environment, Inc.

Project Name: Site# 0440.01CP, 0440.01CP-0001- FINAL RESULTS

ANALYSIS DETAIL

Lab/Cor Sample No.	B4763 S26 A1	Volume (L)	918
Client Sample No.	CC6-L6-1CA-100704	No. of Grid Openings	29
Description	Duplicate Analysis of 041191-03 - Reprep	Filter Area (mm2)	385
Analysis Date	12/6/2004	Area Analyzed (mm2)	0.420
Analyst	TM	Analytical Sens. (struc/cc)	0.000998
		Dectection Limit. (struc/cc)	0.00298

Structure Type	Filter Density (s/mm2)	Concen-tration (struc/cc)	95% Confidence Interval (struc/cc)	Struc. Count
Primary Asbestos Structures	21.4	0.00898	0.00411 - 0.0171	9

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041176R1

Client: Ecology and Environment, Inc.

Project Name: Site# 0440.01CP, 0440.01CP-0001- FINAL RESULTS

ANALYSIS DETAIL

Lab/Cor Sample No.	B4763 S31 A1
Client Sample No.	CC6-L6-1CA-100704
Description	Duplicate Analysis of 041191-03 - Reprep
Analysis Date	12/8/2004
Analyst	JH

Volume (L)	918
No. of Grid Openings	30
Filter Area (mm2)	385
Area Analyzed (mm2)	0.435
Analytical Sens. (struc/cc)	0.000965
Dectection Limit. (struc/cc)	0.00288

Structure Type	Filter Density (s/mm2)	Concen-tration (struc/cc)	95% Confidence Interval (struc/cc)	Struc. Count
Primary Asbestos Structures	18.4	0.00772	0.00833 - 0.0152	8

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041191R6

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #3 - FINAL RESULTS

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Sample No.: NYB-H2-22FD-100704 *Lab/Cor Sample No.:* B4773 S85 A1

Descripiton:

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
A	1	B43		NSD									
A	2	B23		NSD									
A	3	B3		NSD									
A	4	C13		NSD									
A	5	C33		NSD									
A	6	A41		NSD									
A	7	A21		NSD									
A	8	A1	AZQ	1	1	F	1.8	0.4	4.5	5499	15376	Mg, Si, Ca, Fe Actinolite Zone Axis [2 0 3] - JH	TAS_AHRA
A	9	D11		NSD									
A	10	D31		NSD									
A	11	B30		NSD									
A	12	B10		NSD									
B	13	B43		NSD									
B	14	B23		NSD									
B	15	B3		NSD									
B	16	C13		NSD									
B	17	C33		NSD									
B	18	B31		NSD									
B	19	B11		NSD									
B	20	C3		NSD									
B	21	C23		NSD									
B	22	C43		NSD									
B	23	B10		NSD									
C	24	B44		NSD									
C	25	B24	AQ	2	2	F	8	1.3	6.2			Actinolite	AS>5, AFB>5, PCMEF-US, PCMES-US, TAS_AHRA, AS>5_AHRA, AS5-10_AHRA
C	26	B4		NSD									
C	27	C14	CDQ	3		MD1-0	4.5	3	1.5			Mg, Si Chrysotile	TAS_AHRA
C	28	C13	CDQ	4	3	F	1.4	0.1	14	5523	15395	Mg, Si Chrysotile Verified - JH	TAS_AHRA
C	29	C34		NSD									
C	30	C43		NSD									
C	31	C23		NSD									
C	32	C3	CQ	5		MD2-0	4.5	3.5	1.3			Chrysotile	TAS_AHRA

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041191R6

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #3 - FINAL RESULTS

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Sample No.: NYB-H2-22FD-100704 *Lab/Cor Sample No.:* B4773 S85 A1

Descripiton:

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
C	32	C3	CQ		4	MF	2	0.05	40			Mg, Si Chrysotile	
C	32	C3	CQ		5	MF	4	0.05	80			Mg, Si Chrysotile	
C	32	C3	CQ	6		MD1-0	1.45	0.05	29			Chrysotile	TAS_AHRA
C	32	C3	CQ		6	MF	1.25	0.05	25			Mg, Si Chrysotile	
C	33	B13	AQ	7	7	F	1.95	0.6	3.2			Mg, Si, Ca, Fe Actinolite	TAS_AHRA
C	34	B33		NSD									
C	35	B42		NSD									
C	36	B22		NSD									
C	37	B2		NSD									
C	38	C12		NSD									
C	39	C32		NSD									
C	40	C41		NSD									
C	41	C21		NSD									
C	42	C2		NSD									
C	43	B11	CD	8		MD1-0	6	5	1.2			Chrysotile	AS>5, TAS_AHRA, AS>5_AHRA, AS5-10_AHRA
C	43	B11	CD		8	MB	3	0.2	15			Chrysotile	
C	44	B31		NSD									

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041191R6

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #3 - FINAL RESULTS

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Sample No.: NYB-H2-4FD-100704 *Lab/Cor Sample No.:* B4773 S27 A1

Descripiton:

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
A	1	A10		NSD									
A	2	B24		NSD									
A	3	B4		NSD									
A	4	C14		NSD									
A	5	C34		NSD									
A	6	B22		NSD									
A	7	B2		NSD									
A	8	C32		NSD									
B	9	B4		NSD									
B	10	C14		NSD									
B	11	C34		NSD									
B	12	C2		NSD									
B	13	C22		NSD									
B	14	C42		NSD									
B	15	A1		NSD									
B	16	D11		NSD									
C	17	B44		NSD									
C	18	B34		NSD									
C	19	B24		NSD									
C	20	B42		NSD									
C	21	B22		NSD									
C	22	B32		NSD									
C	23	B12		NSD									

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041191R6

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #3 - FINAL RESULTS

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Sample No.: NYB-H2-5FD-100704 *Lab/Cor Sample No.:* B4773 S90 A1

Descripiton:

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
A	1	A33		NSD									
A	2	A13		NSD									
A	3	D3		NSD									
A	4	D23		NSD									
A	5	D31		NSD									
A	6	D11		NSD									
A	7	A11		NSD									
A	8	A31		NSD									
A	9	B40		NSD									
A	10	B20	AZQ	1	1	F	4	0.25	16	1052	780	Mg, Al, Si, Ca, Fe Actinolite Zone Axis [3 0 2] - JH	TAS_AHRA
A	11	C10		NSD									
B	12	B32		NSD									
B	13	B12		NSD									
B	14	C2		NSD									
B	15	C22		NSD									
B	16	C42		NSD									
B	17	D40		NSD									
B	18	D20		NSD									
B	19	A20	AQ	2	2	F	11	0.6	18			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, PCMES-US, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
B	20	A40		NSD									
B	21	A42		NSD									
B	22	A22	AQ	3	3	F	8	2	4.0			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, PCMES-US, TAS_AHRA, AS>5_AHRA, AS5-10_AHRA

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041191R6

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #3 - FINAL RESULTS

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Sample No.: NYB-H2-1PG-100704 *Lab/Cor Sample No.:* B4773 S84 A1

Descripiton:

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
A	1	B42		NSD									
A	2	B22		NSD									
A	3	B2		NSD									
A	4	C12		NSD									
A	5	C32		NSD									
A	6	A41		NSD									
A	7	A21		NSD									
A	8	A1		NSD									
A	9	D11		NSD									
A	10	D31		NSD									
A	11	A30		NSD									
A	12	A20		NSD									
B	13	B43		NSD									
B	14	B23		NSD									
B	15	B3		NSD									
B	16	C13		NSD									
B	17	C33		NSD									
B	18	A41		NSD									
B	19	A21		NSD									
B	20	A1		NSD									
B	21	D11		NSD									
B	22	D31		NSD									
B	23	D10		NSD									

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041191R6

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #3 - FINAL RESULTS

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Sample No.: NYB-H2-13PG-100704 *Lab/Cor Sample No.:* B4773 S83 A1

Descripiton:

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
A	1	B42		NSD									
A	2	B22		NSD									
A	3	B2		NSD									
A	4	C12		NSD									
A	5	C32		NSD									
A	6	A41		NSD									
A	7	A21		NSD									
A	8	A1		NSD									
A	9	D11		NSD									
A	10	D31		NSD									
B	11	B42		NSD									
B	12	B22		NSD									
B	13	B2		NSD									
B	14	C12		NSD									
B	15	C32		NSD									
B	16	A41		NSD									
B	17	A21		NSD									
B	18	A1	AZQ	1		MD1-1	9	5	1.8			Actinolite	AS>5, TAS_AHRA, AS>5_AHRA, AS5-10_AHRA
B	18	A1	AZQ		1	MF	5.8	0.45	13	1072	15375	Mg, Si, Ca, Fe Actinolite Zone axis - [2 1 1] - JH	AFB>5, PCMEF-US, PSAS 5-10, PSAS TOT, PSAM 5-10, PSAM TOT
B	19	D11		NSD									
B	20	D31		NSD									
B	21	D41		NSD									

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041191R6

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #3 - FINAL RESULTS

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Sample No.: NYB-H2-2PG-100704 *Lab/Cor Sample No.:* B4773 S86 A1

Descripiton:

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
A	1	B44		NSD									
A	2	B24		NSD									
A	3	B4		NSD									
A	4	C14		NSD									
A	5	C34		NSD									
A	6	C43		NSD									
A	7	C23		NSD									
A	8	C3		NSD									
A	9	B13		NSD									
A	10	B34		NSD									
A	11	B42	AZQ	1	1	F	2.1	0.45	4.7	1073	15396	Mg, Si, Ca Fe Actinolite Zone Axis [7 3 10] - JH	TAS_AHRA
A	12	B22		NSD									
B	13	B44		NSD									
B	14	B24		NSD									
B	15	B4		NSD									
B	16	C14		NSD									
B	17	C34		NSD									
B	18	C43		NSD									
B	19	C23		NSD									
B	20	C3		NSD									
B	21	B13		NSD									
B	22	B33		NSD									
B	23	B32		NSD									

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041191R6

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #3 - FINAL RESULTS

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Sample No.: NYB-H2-3PG-100704 *Lab/Cor Sample No.:* B4773 S88 A1

Descripiton:

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
A	1	B44		NSD									
A	2	B24		NSD									
A	3	B2		NSD									
A	4	C14		NSD									
A	5	C23		NSD									
A	6	C3		NSD									
A	7	B13		NSD									
A	8	B33		NSD									
A	9	B42		NSD									
A	10	B22		NSD									
A	11	C2		NSD									
A	12	C22		NSD									
B	13	B44		NSD									
B	14	B24		NSD									
B	15	B4		NSD									
B	16	C14		NSD									
B	17	C34		NSD									
B	18	C43		NSD									
B	19	C23		NSD									
B	20	C3		NSD									
B	21	B13		NSD									
B	22	B33		NSD									
B	23	B42	AZQ	1	1	F	2.75	0.5	5.5	1075	15398	Mg, Si, Ca, Fe Actinolite Zone Axis [1 3 4] - JH	TAS_AHRA

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041191R6

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #3 - FINAL RESULTS

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Sample No.: NYB-H2-4PG-100704 *Lab/Cor Sample No.:* B4773 S89 A1

Descripiton:

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
A	1	B44		NSD									
A	2	B24		NSD									
A	3	B4		NSD									
A	4	C14		NSD									
A	5	C34		NSD									
A	6	C43		NSD									
A	7	C23		NSD									
A	8	C3		NSD									
A	9	B33		NSD									
A	10	B24		NSD									
A	11	B22		NSD									
B	12	B44		NSD									
B	13	B24		NSD									
B	14	B4		NSD									
B	15	C14		NSD									
B	16	C34		NSD									
B	17	C43		NSD									
B	18	C23		NSD									
B	19	C3		NSD									
B	20	B13		NSD									
B	21	B33		NSD									
B	22	B42		NSD									

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041191R6

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #3 - FINAL RESULTS

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Sample No.: NYB-H2-5PG-100704 *Lab/Cor Sample No.:* B4773 S91 A1

Descripiton:

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
A	1	A33		NSD									
A	2	A13		NSD									
A	3	D13		NSD									
A	4	D33		NSD									
A	5	C22		NSD									
A	6	C2	AZQ	1	1	B	13.5	3	4.5	1076	781	Mg, Al, Si, Ca, Fe Actinolite Zone Axis [1 0 1] - JH	AS>5, PCMEF-US, PCMES-US, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
A	7	B12		NSD									
A	8	B32		NSD									
B	9	B30		NSD									
B	10	B10		NSD									
B	11	C20		NSD									
B	12	C40		NSD									
B	13	D32		NSD									
B	14	D12		NSD									
B	15	A12		NSD									
B	16	A32		NSD									

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041191R6

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #3 - FINAL RESULTS

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Sample No.: NYB-H2-1ZP-100704 *Lab/Cor Sample No.:* B4773 S25 A1

Descripiton:

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
A	1	B44	ADQ	1	1	F	6.8	0.8	8.5			Mg, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, PCMES-US, TAS_AHRA, AS>5_AHRA, AS5-10_AHRA
A	1	B44	CDQ	2	2	B	5	0.25	20	945	689	Mg, Si Chrysotile Verified - KM	TAS_AHRA
A	1	B44	CMQ	3		MD1-0	7	3.8	1.8			Chrysotile	AS>5, TAS_AHRA, AS>5_AHRA, AS5-10_AHRA
A	1	B44	CMQ		3	MF	2.8	0.08	35			Chrysotile	
A	1	B44	AZQ	4	4	F	2.8	0.8	3.5	947	690	Mg, Si, Ca, Fe Tremolite Zone Axis [2 0 1] - KM	TAS_AHRA
A	1	B44	CD	5	5	F	10	0.1	100			Chrysotile	AS>5, AFB>5, PSAS 5-10, PSAS TOT, PCAS 5-10, PCAS TOT, TAS_AHRA, AS>5_AHRA, AS5-10_AHRA
A	1	B44	ADQ	6	6	F	13	2.5	5.2			Mg, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, PCMES-US, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
A	1	B44	ADQ	7	7	F	3.2	0.7	4.6			Mg, Si, Ca, Fe Actinolite	TAS_AHRA
A	1	B44	CD	8		CD3-3	16	0.5	32			Chrysotile	AS>5, PCMES-US, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
A	1	B44	CD		8	CB	12	0.22	55			Chrysotile	AFB>5, PSAS >10, PSAS TOT, PCAS >10, PCAS TOT
A	1	B44	CD		9	CB	9	0.2	45			Chrysotile	AFB>5, PSAS 5-10, PSAS TOT, PCAS 5-10, PCAS TOT
A	1	B44	CD		10	CB	7	0.15	47			Chrysotile	AFB>5, PSAS 5-10, PSAS TOT, PCAS 5-10, PCAS TOT
A	2	B24	AD	9	11	F	8	0.7	11			Actinolite tilts into gridbar	AS>5, AFB>5, PCMEF-US, PCMES-US, TAS_AHRA, AS>5_AHRA, AS5-10_AHRA
A	2	B24	ADQ	10	12	F	24	0.8	30			Mg, Si, Ca, Fe Tremolite	AS>5, AFB>5, PCMEF-US, PCMES-US, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
A	2	B24	ADQ	11	13	F	1.2	0.3	4.0			Mg, Si, Ca, Fe Tremolite	TAS_AHRA
A	2	B24	ADQ	12	14	F	2.8	0.7	4.0			Mg, Si, Ca, Fe Tremolite	TAS_AHRA
A	2	B24	CD	13	15	F	8	0.1	80			Chrysotile	AS>5, AFB>5, PSAS 5-10, PSAS TOT, PCAS 5-10, PCAS TOT, TAS_AHRA, AS>5_AHRA, AS5-10_AHRA
A	2	B24	ADQ	14	16	F	10	2.5	4.0			Mg, Si, Ca, Fe Tremolite	AS>5, AFB>5, PCMEF-US, PCMES-US, TAS_AHRA, AS>5_AHRA, AS5-10_AHRA
A	2	B24	AQ	15	17	F	3.5	0.7	5.0			Mg, Si, Ca, Fe Tremolite	TAS_AHRA
A	2	B24	CD	16	18	F	0.7	0.05	14			Chrysotile	TAS_AHRA

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041191R6

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #3 - FINAL RESULTS

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Sample No.: NYB-H2-1ZP-100704 *Lab/Cor Sample No.:* B4773 S25 A1

Descripiton:

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
A	2	B24	AQ	17	19	F	9	1.2	7.5			Mg, Si, Ca, Fe Tremolite	AS>5, AFB>5, PCMEF-US, PCMES-US, TAS_AHRA, AS>5_AHRA, AS5-10_AHRA
A	2	B24	AQ	18	20	F	2.5	0.35	7.1			Mg, Si, Ca, Fe Tremolite	TAS_AHRA
A	3	B31	CD	19	21	F	0.8	0.02	40			Chrysotile	TAS_AHRA
A	3	B31	AQ	20	22	F	3.8	0.4	9.5			Mg, Si, Ca, Fe Tremolite	TAS_AHRA
A	3	B31	ADQ	21	23	F	6.5	0.35	19			Mg, Si, Ca, Fe Tremolite	AS>5, AFB>5, PCMEF-US, PCMES-US, PSAS 5-10, PSAS TOT, PSAM 5-10, PSAM TOT, TAS_AHRA, AS>5_AHRA, AS5-10_AHRA
A	3	B31	AQ	22	24	F	4.8	0.5	9.6			Mg, Si, Ca, Fe Tremolite	TAS_AHRA
A	3	B31	AQ	23	25	F	1.8	0.15	12			Mg, Si, Ca, Fe Tremolite	TAS_AHRA
A	4	B11	CD	24	26	F	4	0.1	40			Chrysotile	TAS_AHRA
A	4	B11	CD	25	27	F	0.8	0.1	8.0			Chrysotile	TAS_AHRA
A	4	B11	AQ	26	28	F	4.2	0.8	5.2			Mg, Si, Ca, Fe Tremolite	TAS_AHRA
A	4	B11	AQ	27	29	F	1.3	0.35	3.7			Mg, Si, Ca, Fe Actinolite	TAS_AHRA
A	4	B11	AQ	28	30	F	4.2	1.3	3.2			Mg, Si, Ca, Fe Tremolite	TAS_AHRA
A	4	B11	AQ	29	31	F	4.3	0.5	8.6			Mg, Si, Ca, Fe Tremolite	TAS_AHRA
A	4	B11	CD	30	32	F	6.2	0.1	62			Chrysotile	AS>5, AFB>5, PSAS 5-10, PSAS TOT, PCAS 5-10, PCAS TOT, TAS_AHRA, AS>5_AHRA, AS5-10_AHRA
A	4	B11	AQ	31	33	F	2	0.5	4.0			Mg, Si, Ca, Fe Tremolite	TAS_AHRA
A	4	B11	CD	32		CD3-0	3.5	0.2	18			Chrysotile	TAS_AHRA
A	4	B11	CD		34	CF	2	0.1	20			Chrysotile	
A	4	B11	CD		35	CF	0.9	0.08	11			Chrysotile	
A	4	B11	CD		36	CF	0.8	0.08	10			Chrysotile	
B	5	A10	AQ	33	37	F	4	0.6	6.7			Mg, Si, Ca, Fe Tremolite	TAS_AHRA
B	5	A10	ADQ	34	38	F	1.2	0.2	6.0			Mg, Si, Ca, Fe Tremolite	TAS_AHRA
B	5	A10	CD	35	39	F	0.8	0.15	5.3			Chrysotile	TAS_AHRA
B	5	A10	AQ	36	40	F	3.8	1	3.8			Mg, Si, Ca, Fe Tremolite	TAS_AHRA
B	5	A10	AQ	37	41	F	13	4	3.2			Mg, Si, Ca, Fe Tremolite	AS>5, AFB>5, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
B	6	C10	AQ	38	42	F	2.5	0.5	5.0			Mg, Si, Ca, Fe Tremolite	TAS_AHRA
B	6	C10	AQ	39	43	F	1.7	0.5	3.4			Mg, Si, Ca, Fe Tremolite	TAS_AHRA
B	6	C10	CD	40		MD1-0	2	0.2	10			Chrysotile	TAS_AHRA
B	6	C10	CD		44	MF	1.5	0.01	150			Chrysotile	

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041191R6

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #3 - FINAL RESULTS

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Sample No.: NYB-H2-1ZP-100704 *Lab/Cor Sample No.:* B4773 S25 A1

Descripiton:

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
B	6	C10	CD	41	45	CC20-0	4	3	1.3			Chrysotile	
B	6	C10	AQ	42	46	F	1.5	0.3	5.0			Mg, Si, Ca, Fe Tremolite	TAS_AHRA
B	7	B12	AQ	43	47	F	9.5	0.4	24			Mg, Si, Ca, Fe Tremolite	AS>5, AFB>5, PCMEF-US, PCMES-US, PSAS 5-10, PSAS TOT, PSAM 5-10, PSAM TOT, TAS_AHRA, AS>5_AHRA, AS5-10_AHRA
B	7	B12	AQ	44	48	F	7	1.5	4.7			Mg, Si, Ca, Fe Tremolite	AS>5, AFB>5, PCMEF-US, PCMES-US, TAS_AHRA, AS>5_AHRA, AS5-10_AHRA
B	7	B12	AQ	45	49	F	1.6	0.4	4.0			Mg, Si, Ca, Fe Tremolite	TAS_AHRA
B	7	B12	AQ	46	50	F	2.4	0.6	4.0			Mg, Si, Ca, Fe Tremolite	TAS_AHRA
B	7	B12	AQ	47	51	F	3	0.12	25			Mg, Si, Ca, Fe Tremolite	TAS_AHRA
B	7	B12	ADQ	48	52	F	15	2	7.5			Mg, Si, Ca, Fe Tremolite	AS>5, AFB>5, PCMEF-US, PCMES-US, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
B	7	B12	AQ	49	53	F	6	1.3	4.6			Mg, Si, Ca, Fe Tremolite	AS>5, AFB>5, PCMEF-US, PCMES-US, TAS_AHRA, AS>5_AHRA, AS5-10_AHRA
B	7	B12	CD	50	54	F	0.8	0.08	10			Chrysotile	TAS_AHRA
B	8	D20	ADQ	51	55	F	2.7	0.6	4.5			Mg, Si, Ca, Fe Tremolite	TAS_AHRA
B	8	D20	CD	52	56	F	1.6	0.08	20			Chrysotile	TAS_AHRA
B	8	D20	AQ	53	57	F	4.5	1	4.5			Mg, Si, Ca, Fe Tremolite	TAS_AHRA
B	8	D20	AQ	54	58	F	1.2	0.22	5.5			Mg, Si, Ca, Fe Tremolite	TAS_AHRA
B	8	D20	AQ	55	59	F	3	0.3	10			Mg, Si, Ca, Fe Tremolite	TAS_AHRA
B	8	D20	CD	56	60	F	1.1	0.03	37			Chrysotile	TAS_AHRA
B	8	D20	CD	57	61	F	0.8	0.03	27			Chrysotile	TAS_AHRA
B	9	C40	ADQ	58	62	F	9	0.5	18			Mg, Si, Ca, Fe Tremolite	AS>5, AFB>5, PCMEF-US, PCMES-US, PSAS 5-10, PSAS TOT, PSAM 5-10, PSAM TOT, TAS_AHRA, AS>5_AHRA, AS5-10_AHRA
B	9	C40	CD	59	63	F	0.8	0.1	8.0			Chrysotile	TAS_AHRA
B	9	C40	ADQ	60	64	F	20	2.5	8.0			Mg, Si, Ca, Fe Tremolite	AS>5, AFB>5, PCMEF-US, PCMES-US, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
B	9	C40	ADQ	61	65	F	8	0.6	13			Mg, Si, Ca, Fe Tremolite	AS>5, AFB>5, PCMEF-US, PCMES-US, TAS_AHRA, AS>5_AHRA, AS5-10_AHRA
B	9	C40	CD	62	66	F	3.5	0.08	44			Chrysotile	TAS_AHRA
B	9	C40	AQ	63	67	F	3.8	0.8	4.8			Mg, Si, Ca, Fe Tremolite	TAS_AHRA

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041191R6

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #3 - FINAL RESULTS

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Sample No.: NYB-H2-1ZP-100704 *Lab/Cor Sample No.:* B4773 S25 A1

Descripiton:

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
B	9	C40	CD	64	68	MC5-1	7	1.5	4.7			Chrysotile	AS>5, PCMES-US
B	9	C40	ADQ	65	69	F	4.6	0.6	7.7			Mg, Si, Ca, Fe Tremolite	TAS_AHRA
B	10	C33	AQ	66	70	F	1.2	0.22	5.5			Mg, Si, Ca, Fe Tremolite	TAS_AHRA
B	10	C33	AQ	67	71	F	5	1	5.0			Mg, Si, Ca, Fe Tremolite	TAS_AHRA
B	10	C33	ADQ	68	72	F	4	1.3	3.1			Mg, Si, Ca, Fe Tremolite	TAS_AHRA
B	10	C33	CD	69	73	F	3.8	0.11	35			Chrysotile	TAS_AHRA
B	10	C33	ADQ	70	74	F	9	1.8	5.0			Mg, Si, Ca, Fe Tremolite	AS>5, AFB>5, PCMEF-US, PCMES-US, TAS_AHRA, AS>5_AHRA, AS5-10_AHRA
B	10	C33	AQ	71	75	B	10	3.5	2.9			Mg, Si, Ca, Fe Tremolite	AS>5, TAS_AHRA, AS>5_AHRA, AS5-10_AHRA
B	10	C33	AQ	72	76	F	2.8	0.25	11			Mg, Si, Ca, Fe Tremolite	TAS_AHRA
B	10	C33	CD	73	77	F	3.5	0.01	350			Chrysotile	TAS_AHRA
B	10	C33	AQ	74	78	F	5.2	0.7	7.4			Mg, Si, Ca, Fe Tremolite	AS>5, AFB>5, PCMEF-US, PCMES-US, TAS_AHRA, AS>5_AHRA, AS5-10_AHRA
B	10	C33	CD	75	79	F	3.8	0.1	38			Chrysotile	TAS_AHRA
B	10	C33	CD	76	80	F	1	0.1	10			Chrysotile	TAS_AHRA
B	11	A41	AQ	77	81	F	1.2	0.22	5.5			Mg, Si, Ca, Fe Tremolite	TAS_AHRA
B	11	A41	ADQ	78	82	F	1.7	0.5	3.4			Mg, Si, Ca, Fe Tremolite	TAS_AHRA
B	11	A41	AQ	79	83	F	4.5	1	4.5			Mg, Si, Ca, Fe Tremolite	TAS_AHRA
B	11	A41	AQ	80	84	F	5.8	0.8	7.2			Mg, Si, Ca, Fe Tremolite	AS>5, AFB>5, PCMEF-US, PCMES-US, TAS_AHRA, AS>5_AHRA, AS5-10_AHRA
B	11	A41	AQ	81	85	F	2.6	0.6	4.3			Mg, Si, Ca, Fe Tremolite	TAS_AHRA
B	11	A41	AQ	82	86	F	2.5	0.4	6.2			Mg, Si, Ca, Fe Tremolite	TAS_AHRA
C	12	A11	CD	83	87	F	1.3	0.1	13			Chrysotile	TAS_AHRA
C	12	A11	AQ	84	88	F	2.2	0.6	3.7			Mg, Si, Ca, Fe Tremolite	TAS_AHRA
C	12	A11	ADQ	85	89	F	6.5	0.8	8.1			Mg, Si, Ca, Fe Tremolite	AS>5, AFB>5, PCMEF-US, PCMES-US, TAS_AHRA, AS>5_AHRA, AS5-10_AHRA
C	12	A11	AQ	86	90	F	1.5	0.1	15			Mg, Si, Ca, Fe Tremolite	TAS_AHRA
C	12	A11	CD	87	91	F	2.5	0.11	23			Chrysotile	TAS_AHRA
C	12	A11	AQ	88	92	F	8	0.8	10			Mg, Si, Ca, Fe Tremolite	AS>5, AFB>5, PCMEF-US, PCMES-US, TAS_AHRA, AS>5_AHRA, AS5-10_AHRA
C	12	A11	CD	89	93	F	4	0.05	80			Chrysotile	TAS_AHRA
C	12	A11	CD	90	94	F	1.8	0.11	16			Chrysotile	TAS_AHRA

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041191R6

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #3 - FINAL RESULTS

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Sample No.: NYB-H2-1ZP-100704 *Lab/Cor Sample No.:* B4773 S25 A1

Descripiton:

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
C	12	A11	CD	91	95	F	2.6	0.08	32			Chrysotile	TAS_AHRA
C	13	B30	CD	92	96	F	4	0.1	40			Chrysotile	TAS_AHRA
C	13	B30	ADQ	93	97	F	3.5	0.7	5.0			Mg, Si, Ca, Fe Tremolite	TAS_AHRA
C	13	B30	CD	94	98	F	3.5	0.08	44			Chrysotile	TAS_AHRA
C	13	B30	ADQ	95	99	F	2	0.3	6.7			Mg, Si, Ca, Fe Tremolite	TAS_AHRA
C	13	B30	AQ	96	100	F	8	0.4	20			Mg, Si, Ca, Fe Tremolite	AS>5, AFB>5, PCMEF-US, PCMES-US, PSAS 5-10, PSAS TOT, PSAM 5-10, PSAM TOT, TAS_AHRA, AS>5_AHRA, AS5-10_AHRA
C	13	B30	AQ	97	101	F	4	1.2	3.3			Mg, Si, Ca, Fe Tremolite	TAS_AHRA
C	13	B30	AQ	98	102	F	2.9	0.9	3.2			Mg, Si, Ca, Fe Tremolite	TAS_AHRA
C	13	B30	CD	99	103	F	3.8	0.08	48			Chrysotile	TAS_AHRA
C	13	B30	AQ	100	104	F	3	0.6	5.0			Mg, Si, Ca, Fe Tremolite	TAS_AHRA
C	13	B30	AQ	101	105	F	2.5	0.45	5.6			Mg, Si, Ca, Fe Tremolite	TAS_AHRA
C	13	B30	AQ	102	106	F	2	0.3	6.7			Mg, Si, Ca, Fe Tremolite	TAS_AHRA
C	13	B30	CD	103	107	F	1.8	0.08	22			Chrysotile	TAS_AHRA
C	13	B30	AQ	104	108	F	2.2	0.6	3.7			Mg, Si, Ca, Fe Tremolite	TAS_AHRA

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041191R6

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #3 - FINAL RESULTS

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Sample No.: NYB-L2-1ZP-100704 *Lab/Cor Sample No.:* B4773 S92 A1

Descripiton:

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
A	1	A34	AZQ	1	1	F	7.5	2	3.8	1055	783	Mg, Si, Ca, Fe Tremolite Zone Axis [2 1 1] - JH	AS>5, AFB>5, PCMEF-US, PCMES-US, TAS_AHRA, AS>5_AHRA, AS5-10_AHRA
A	1	A34	CDQ	2	2	F	3.5	0.05	70	1058	784	Mg, Si Chrysotile Verified - JH	TAS_AHRA
A	1	A34	CDQ	3	3	F	4.9	0.1	49			Mg, Si Chrysotile	TAS_AHRA
A	1	A34	AQ	4	4	F	2	0.6	3.3			Mg, Si, Ca, Fe Tremolite	TAS_AHRA
A	1	A34	AQ	5	5	F	1.5	0.45	3.3			Mg, Si, Ca, Fe Tremolite	TAS_AHRA
A	1	A34	AQ	6	6	F	2.5	0.5	5.0			Mg, Si, Ca, Fe Tremolite	TAS_AHRA
A	1	A34	AQ	7	7	F	1	0.25	4.0			Mg, Si, Ca, Fe Tremolite	TAS_AHRA
A	1	A34	AQ	8	8	F	2.4	0.2	12			Mg, Si, Ca, Fe Tremolite	TAS_AHRA
A	2	A14	CDQ	9	9	F	1.3	0.05	26			Mg, Si Chrysotile	TAS_AHRA
A	2	A14	AQ	10	10	B	1.5	0.25	6.0			Mg, Si, Ca, Fe Tremolite	TAS_AHRA
A	2	A14	AQ	11	11	F	1.5	0.3	5.0			Mg, Si, Ca, Fe Tremolite	TAS_AHRA
A	2	A14	CDQ	12	12	F	1.2	0.2	6.0	1056	786	Mg, Si Chrysotile Verified - JH	TAS_AHRA
A	2	A14	AQ	13	13	B	2.6	1	2.6			Mg, Si, Ca Tremolite	TAS_AHRA
A	2	A14	CMQ	14	14	B	1	0.07	14			Mg, Si Chrysotile	TAS_AHRA
A	2	A14	CDQ	15	15	B	3.7	0.25	15			Mg, Si Chrysotile	TAS_AHRA
A	2	A14	CDQ	16	16	F	2.6	0.05	52			Mg, Si Chrysotile	TAS_AHRA
A	2	A14	CMQ	17	17	F	1	0.2	5.0			Mg, Si Chrysotile	TAS_AHRA
A	2	A14	CDQ	18		CD2-0	1.5	1.2	1.2			Chrysotile	TAS_AHRA
A	2	A14	CDQ		18	CF	1.5	0.05	30			Mg, Si Chrysotile	
A	2	A14	CDQ		19	CB	1.2	0.3	4.0			Mg, Si Chrysotile	
A	2	A14	CDQ	19	20	B	1.3	0.2	6.5			Mg, Si Chrysotile	TAS_AHRA
A	2	A14	CDQ	20	21	B	1.5	0.25	6.0			Mg, Si Chrysotile	TAS_AHRA
A	2	A14	CDQ	21	22	B	4.5	0.2	22			Mg, Si Chrysotile	TAS_AHRA
A	2	A14	CDQ	22		CD2-0	2.7	0.5	5.4			Chrysotile	TAS_AHRA
A	2	A14	CDQ		23	CB	2.7	0.25	11			Mg, Si Chrysotile	
A	2	A14	CDQ		24	CB	0.7	0.25	2.8			Mg, Si Chrysotile	
A	3	B10	AQ	23	25	F	1.4	0.45	3.1			Mg, Si, Ca, Fe Tremolite	TAS_AHRA
A	3	B10	AQ	24	26	F	1.5	0.5	3.0			Mg, Si, Ca, Fe Tremolite	TAS_AHRA
A	3	B10	AQ	25	27	F	9	1.4	6.4			Mg, Si, Ca, Fe Tremolite	AS>5, AFB>5, PCMEF-US, PCMES-US, TAS_AHRA, AS>5_AHRA, AS5-10_AHRA
A	3	B10	CDQ	26	28	F	1.3	0.05	26			Mg, Si Chrysotile	TAS_AHRA
A	3	B10	AQ	27	29	B	0.9	0.25	3.6			Mg, Si, Ca, Fe Tremolite	TAS_AHRA
A	3	B10	CDQ	28	30	F	3.5	0.06	58			Mg, Si Chrysotile	TAS_AHRA

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041191R6

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #3 - FINAL RESULTS

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Sample No.: NYB-L2-1ZP-100704 *Lab/Cor Sample No.:* B4773 S92 A1

Descripiton:

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
A	3	B10	AQ	29	31	B	3.5	0.7	5.0			Mg, Si, Ca, Fe Tremolite	TAS_AHRA
A	3	B10	AQ	30	32	F	2.5	0.4	6.2			Mg, Si, Ca, Fe Tremolite	TAS_AHRA
A	3	B10	AQ	31	33	F	2.7	0.35	7.7			Mg, Si, Ca, Fe Tremolite	TAS_AHRA
A	4	C21	CD	32	34	B	0.7	0.2	3.5			Mg, Si Chrysotile	TAS_AHRA
A	4	C21	AQ	33	35	B	23	1	23			Mg, Si, Ca, Fe Tremolite	AS>5, AFB>5, PCMEF-US, PCMES-US, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
A	4	C21	AQ	34	36	F	3.9	0.6	6.5			Mg, Si, Ca, Fe Tremolite	TAS_AHRA
A	4	C21	AQ	35	37	F	2.5	0.5	5.0			Mg, Si, Ca, Fe Tremolite	TAS_AHRA
A	4	C21	CD	36	38	B	2.4	0.1	24			Chrysotile	TAS_AHRA
A	4	C21	AQ	37	39	F	2.6	0.2	13			Mg, Si, Ca, Fe Tremolite	TAS_AHRA
A	4	C21	AQ	38	40	F	2.6	0.7	3.7			Mg, Si, Ca, Fe Tremolite	TAS_AHRA
A	4	C21	AQ	39	41	B	1.5	0.6	2.5			Mg, Si, Ca, Fe Tremolite	TAS_AHRA
A	4	C21	AQ	40	42	F	7	0.7	10			Mg, Si, Ca, Fe Tremolite	AS>5, AFB>5, PCMEF-US, PCMES-US, TAS_AHRA, AS>5_AHRA, AS5-10_AHRA
A	4	C21	AQ	41	43	F	4	0.2	20			Mg, Si, Ca, Fe Tremolite	TAS_AHRA
A	4	C21	CD	42	44	B	3	0.7	4.3			Chrysotile	TAS_AHRA
A	5	D10	AQ	43	45	F	0.7	0.2	3.5			Mg, Si, Ca, Fe Tremolite	TAS_AHRA
A	5	D10	AQ	44	46	F	5	1	5.0			Mg, Si, Ca, Fe Tremolite	TAS_AHRA
A	5	D10	CD	45	47	F	5	0.1	50			Mg, Si, Ca, Fe Chrysotile	TAS_AHRA
A	5	D10	AQ	46	48	F	1.8	0.6	3.0			Mg, Si, Ca, Fe+ Tremolite	TAS_AHRA
A	6	A1	CD	47	49	F	0.7	0.03	23			Chrysotile	TAS_AHRA
A	6	A1	AQ	48	50	B	4	0.4	10			Mg, Si, Ca, Fe Tremolite	TAS_AHRA
A	6	A1	CD	49	51	F	1.5	0.05	30			Chrysotile	TAS_AHRA
A	6	A1	CD	50	52	F	5.3	0.05	110			Chrysotile	AS>5, AFB>5, PSAS 5-10, PSAS TOT, PCAS 5-10, PCAS TOT, TAS_AHRA, AS>5_AHRA, AS5-10_AHRA
A	6	A1	AQ	51	53	F	6	1	6.0			Mg, Si, Ca, Fe Tremolite	AS>5, AFB>5, PCMEF-US, PCMES-US, TAS_AHRA, AS>5_AHRA, AS5-10_AHRA
A	6	A1	AQ	52	54	F	1.1	0.2	5.5			Mg, Si, Ca, Fe Tremolite	TAS_AHRA
A	6	A1	CD	53	55	F	1.2	0.1	12			Chrysotile	TAS_AHRA
A	6	A1	AQ	54	56	F	1.5	0.5	3.0			Mg, Si, Ca, Fe Tremolite	TAS_AHRA
A	6	A1	AQ	55	57	F	2.4	0.3	8.0			Mg, Si, Ca, Fe Tremolite	TAS_AHRA
A	6	A1	AQ	56	58	F	2.6	0.6	4.3			Mg, Si, Ca, Fe Tremolite	TAS_AHRA
B	7	A32	AQ	57	59	F	2.6	0.4	6.5			Mg, Si, Ca, Fe Tremolite	TAS_AHRA

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041191R6

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #3 - FINAL RESULTS

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Sample No.: NYB-L2-1ZP-100704 *Lab/Cor Sample No.:* B4773 S92 A1

Descripiton:

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
B	7	A32	AQ	58	60	B	2.6	0.3	8.7			Mg, Si, Ca, Fe Tremolite	TAS_AHRA
B	7	A32	AQ	59	61	F	2.6	0.5	5.2			Mg, Si, Ca, Fe Tremolite	TAS_AHRA
B	7	A32	AQ	60	62	F	7.5	1.2	6.2			Mg, Si, Ca, Fe Tremolite	AS>5, AFB>5, PCMEF-US, PCMES-US, TAS_AHRA, AS>5_AHRA, AS5-10_AHRA
B	7	A32	AQ	61	63	F	4.9	1.5	3.3			Mg, Si, Ca, Fe Tremolite	TAS_AHRA
B	7	A32	AQ	62	64	F	0.7	0.15	4.7			Mg, Si, Ca, Fe Tremolite	TAS_AHRA
B	7	A32	CD	63	65	F	9	0.05	180			Chrysotile	AS>5, AFB>5, PSAS 5-10, PSAS TOT, PCAS 5-10, PCAS TOT, TAS_AHRA, AS>5_AHRA, AS5-10_AHRA
B	7	A32	CD	64	66	F	1.1	0.06	18			Chrysotile	TAS_AHRA
B	7	A32	CD	65	67	B	1.1	0.1	11			Chrysotile	TAS_AHRA
B	7	A32	AQ	66	68	F	0.9	0.2	4.5			Mg, Si, Ca, Fe Tremolite	TAS_AHRA
B	7	A32	AQ	67	69	F	2.7	0.3	9.0			Mg, Si, Ca, Fe Tremolite	TAS_AHRA
B	7	A32	AQ	68	70	F	2	0.5	4.0			Mg, Si, Ca, Fe Tremolite	TAS_AHRA
B	7	A32	CD	69	71	F	1.3	0.1	13			Chrysotile	TAS_AHRA
B	7	A32	CD	70	72	B	3	0.2	15			Chrysotile	TAS_AHRA
B	7	A32	CD	71	73	B	2.6	0.1	26			Chrysotile	TAS_AHRA
B	7	A32	AQ	72	74	F	1.5	0.5	3.0			Mg, Si, Ca, Fe Tremolite	TAS_AHRA
B	7	A32	AQ	73	75	F	3.5	0.3	12			Mg, Si, Ca, Fe Tremolite	TAS_AHRA
B	7	A32	CD	74	76	B	33	0.3	110			Chrysotile	AS>5, AFB>5, PCMEF-US, PCMES-US, PSAS >10, PSAS TOT, PCAS >10, PCAS TOT, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
B	7	A32	CD	75	77	B	2.4	0.2	12			Chrysotile	TAS_AHRA
B	7	A32	CD	76		CD2-0	1	0.9	1.1			Chrysotile	TAS_AHRA
B	7	A32	CD		78	CB	1	0.3	3.3			Chrysotile	
B	7	A32	CD		79	CR5-0	0.6	0.2	3.0			Chrysotile	
B	7	A32	CD	77	80	B	6	0.15	40			Chrysotile	AS>5, AFB>5, PSAS 5-10, PSAS TOT, PCAS 5-10, PCAS TOT, TAS_AHRA, AS>5_AHRA, AS5-10_AHRA
B	7	A32	CD	78	81	B	0.7	0.2	3.5			Chrysotile	TAS_AHRA
B	7	A32	CD	79	82	B	0.7	0.2	3.5			Chrysotile	TAS_AHRA
B	7	A32	CD	80	83	B	0.7	0.2	3.5			Chrysotile	TAS_AHRA
B	7	A32	AQ	81	84	F	6.5	2	3.2			Mg, Si, Ca, Fe Tremolite	AS>5, AFB>5, PCMEF-US, PCMES-US, TAS_AHRA, AS>5_AHRA, AS5-10_AHRA

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041191R6

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #3 - FINAL RESULTS

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Sample No.: NYB-L2-1ZP-100704 *Lab/Cor Sample No.:* B4773 S92 A1

Descripiton:

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
B	7	A32	AQ	82	85	F	2.4	0.5	4.8			Mg, Si, Ca, Fe Tremolite	TAS_AHRA
B	7	A32	AQ	83	86	F	5.5	1.7	3.2			Mg, Si, Ca, Fe Tremolite	AS>5, AFB>5, PCMEF-US, PCMES-US, TAS_AHRA, AS>5_AHRA, AS5-10_AHRA
B	7	A32	AQ	84	87	F	1.5	0.3	5.0			Mg, Si, Ca, Fe Tremolite	TAS_AHRA
B	7	A32	CD	85		MD1-0	1.6	0.7	2.3			Chrysotile	TAS_AHRA
B	7	A32	CD		88	MF	1.6	0.07	23			Chrysotile	
B	7	A32	AQ	86	89	F	1.8	0.6	3.0			Mg, Si, Ca, Fe Tremolite	TAS_AHRA
B	7	A32	AQ	87	90	B	1.5	0.5	3.0			Tremolite	TAS_AHRA
B	7	A32	AQ	88		MD1-0	2.5	2.3	1.1			Tremolite	TAS_AHRA
B	7	A32	AQ		91	MF	1.5	0.4	3.8			Mg, Si, Ca, Fe Tremolite	
B	8	C12	AQ	89		MD1-1	8	5	1.6			Tremolite	AS>5, TAS_AHRA, AS>5_AHRA, AS5-10_AHRA
B	8	C12	AQ		92	MF	7	0.6	12			Mg, Si, Ca, Fe Tremolite	AFB>5, PCMEF-US
B	8	C12	AQ	90	93	F	2.2	0.7	3.1			Mg, Si, Ca, Fe Tremolite	TAS_AHRA
B	8	C12	AQ	91	94	F	2.6	0.6	4.3			Mg, Si, Ca, Fe Tremolite	TAS_AHRA
B	8	C12	AQ	92	95	F	1	0.2	5.0			Mg, Si, Ca, Fe Tremolite	TAS_AHRA
B	8	C12	AQ	93	96	F	8	1.2	6.7			Mg, Si, Ca, Fe Tremolite	AS>5, AFB>5, PCMEF-US, PCMES-US, TAS_AHRA, AS>5_AHRA, AS5-10_AHRA
B	8	C12	CD	94	97	F	3	0.1	30			Chrysotile	TAS_AHRA
B	8	C12	CD	95	98	F	2	0.05	40			Chrysotile	TAS_AHRA
B	8	C12	CD	96	99	F	1.5	0.05	30			Chrysotile	TAS_AHRA
B	8	C12	AQ	97	100	F	3.5	1	3.5			Mg, Si, Ca, Fe Tremolite	TAS_AHRA
B	8	C12	CD	98	101	F	7	0.05	140			Chrysotile	AS>5, AFB>5, PSAS 5-10, PSAS TOT, PCAS 5-10, PCAS TOT, TAS_AHRA, AS>5_AHRA, AS5-10_AHRA
B	8	C12	CD	99	102	F	0.7	0.05	14			Chrysotile	TAS_AHRA

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041191R6

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #3 - FINAL RESULTS

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Sample No.: NYB-L2-2CH-100704 *Lab/Cor Sample No.:* B4773 S32 A1

Descripiton:

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
A	1	B44		NSD									
A	2	B34		NSD									
A	3	B24	OZQ	1		MD1-1	12	10	1.2			Ferro-edenite	TOS_AHRA, OS>5_AHRA, OS>10_AHRA
A	3	B24	OZQ		1	MF	5.5	0.65	8.5	954	15261	Mg, Al, Si, K, Ca, Fe Ferro-edenite Zone Axis [4 0 1] - KM	PCMEF-US
A	4	B14	CD	2		MD1-0	10	5	2.0			Chrysotile	AS>5, TAS_AHRA, AS>5_AHRA, AS5-10_AHRA
A	4	B14	CD		2	MF	1.2	0.05	24	5359		Chrysotile Verified - KM - Fiber tilts into grid bar	
A	5	B4		NSD									
A	6	C4		NSD									
A	7	C14		NSD									
A	9	C24	CM	3	3	F	1	0.05	20			Chrysotile	TAS_AHRA
A	10	C34	CM	4		MD3-0	2.5	2.5	1.0			Chrysotile	TAS_AHRA
A	10	C34	CM		4	MF	0.6	0.05	12			Chrysotile	
A	10	C34	CM		5	MF	0.6	0.05	12			Chrysotile	
A	10	C34	CM		6	MF	0.5	0.05	10			Chrysotile	
A	11	C44		NSD									
A	12	C43	AZQ	5		MD1-0	12	7.5	1.6			Actinolite	AS>5, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
A	12	C43	AZQ		7	MF	3.5	0.4	8.8	5360	15262	Mg, Al, Si, K, Ca, Fe Actinolite Zone Axis [2 1 1] - KM	
A	13	C33		NSD									
A	14	C23	CM	6	8	F	1	0.05	20			Chrysotile	TAS_AHRA
A	14	C23	CM	7	9	F	0.5	0.01	50			Chrysotile	TAS_AHRA
A	15	C13		NSD									
A	16	C3		NSD									
A	17	B3		NSD									
A	18	B13		NSD									
A	19	B23		NSD									
A	20	B33		NSD									
A	21	B43		NSD									
A	22	B42	CD	8		MD1-0	5	5	1.0			Chrysotile	TAS_AHRA
A	22	B42	CD		10	MF	2	0.1	20			Chrysotile	

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041191R6

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #3 - FINAL RESULTS

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Sample No.: NYB-L2-2CH-100704 *Lab/Cor Sample No.:* B4773 S32 A1

Descripiton:

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
A	23	B32	CDQ	9	11	F	0.65	0.1	6.5	5361	15263	Mg, Si Chrysotile Verified - KM	TAS_AHRA
A	24	B22		NSD									
A	25	B12		NSD									
A	26	B2		NSD									
A	27	C2	AQ	10		MD1-0	10	10	1.0			Actinolite	AS>5, TAS_AHRA, AS>5_AHRA, AS5-10_AHRA
A	27	C2	AQ		12	MF	5.2	0.65	8.0			Mg, Al, Si, K, Ca, Fe Actinolite Alumino-actinolite	AFB>5, PCMEF-US
A	28	C12		NSD									
A	29	C22		NSD									
A	30	C32		NSD									
A	31	C42		NSD									
A	32	C1		NSD									
A	33	B1	AQ	11	13	F	15	4.5	3.3			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
A	34	B21		NSD									
A	35	B31	CM	12	14	F	1.2	0.1	12			Chrysotile	TAS_AHRA
A	36	B41		NSD									
B	37	B44	AQ	13	15	F	2.5	0.75	3.3			Mg, Al, Si, Ca, Fe Actinolite	TAS_AHRA
B	38	B34	CM	14		MD2-0	2	0.75	2.7			Chrysotile	TAS_AHRA
B	38	B34	CM		16	MF	1	0.05	20			Chrysotile	
B	38	B34	CM		17	MF	1	0.05	20			Chrysotile	
B	39	B24		NSD									
B	40	B14	AQ	15	18	F	5	0.75	6.7			MMg, Al, Si, Ca, Fe Actinolite	TAS_AHRA
B	40	B14	AQ	16		MD1-0	6.5	5	1.3			Actinolite	AS>5, TAS_AHRA, AS>5_AHRA, AS5-10_AHRA
B	40	B14	AQ		19	MF	2.5	0.35	7.1			Mg, Al, Si, Ca, Fe Actinolite	
B	41	B4	AQ	17	20	F	10	2.5	4.0			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, PCMES-US, TAS_AHRA, AS>5_AHRA, AS5-10_AHRA
B	42	C4		NSD									
B	43	C14	CD	18		MD1-0	4	4	1.0			Chrysotile	TAS_AHRA
B	43	C14	CD		21	MF	3	0.1	30			Chrysotile	
B	44	C24	AQ	19	22	F	2.5	0.3	8.3			Mg, Al, Si, Ca, Fe Actinolite	TAS_AHRA
B	44	C24	AQ	20	23	F	4.5	0.35	13			Mg, Al, Si, Ca, Fe Actinolite	TAS_AHRA
B	45	C34		NSD									

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041191R6

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #3 - FINAL RESULTS

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Sample No.: NYB-L2-2CH-100704 *Lab/Cor Sample No.:* B4773 S32 A1

Descripiton:

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
B	46	C44		NSD									
B	47	C43		NSD									
B	48	C33		NSD									
B	49	C23		NSD									
B	50	C13		NSD									
B	51	C3		NSD									
B	52	B3		NSD									
B	53	B13	AQ	21		MD1-0	15	10	1.5			Actinolite	AS>5, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
B	53	B13	AQ		24	MF	3.5	0.65	5.4			Mg, Al, Si, Ca, Fe Actinolite Alumino-actinolite	
B	54	B23		NSD									
B	55	B33		NSD									
B	56	B43		NSD									
B	57	B32		NSD									
B	58	B22		NSD									
B	59	B12	CM	22	25	F	2	0.1	20			Chrysotile	TAS_AHRA
B	60	B2	AQ	23	26	F	4	1	4.0			Mg, Al, Si, Ca, Fe Actinolite	TAS_AHRA
C	61	A43		NSD									
C	62	A23		NSD									
C	63	A3		NSD									
C	64	D13		NSD									
C	65	D33	CDQ	24	27	F	1.5	0.04	38			Chrysotile	TAS_AHRA
C	66	D34		NSD									
C	67	D31		NSD									
C	68	C11		NSD									
C	69	A1		NSD									
C	70	A31		NSD									
C	71	A41		NSD									
C	72	B40		NSD									
C	73	B20		NSD									
C	74	C10	CDQ	25	28	B	1	0.2	5.0			Mg, Si Chrysotile	TAS_AHRA
C	74	C10	AQ	26	29	F	14.5	2.4	6.0			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, PCMES-US, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
C	75	C30		NSD									

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041191R6

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #3 - FINAL RESULTS

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Sample No.: NYB-L2-2CH-100704 *Lab/Cor Sample No.:* B4773 S32 A1

Descripiton:

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
C	76	C40		NSD									
C	77	C41		NSD									
C	78	C21	AQ	27	30	F	5.2	1	5.2			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, PCMES-US, TAS_AHRA, AS>5_AHRA, AS5-10_AHRA
C	79	C2		NSD									
C	80	B12		NSD									
C	81	B22	CDQ	28	31	B	1	0.2	5.0			Mg, Si Chrysotile	TAS_AHRA
C	82	B32	CDQ	29	32	F	0.7	0.04	18			Mg, Si Chrysotile	TAS_AHRA
C	82	B32	CDQ	30	33	F	0.7	0.04	18			Mg, Si Chrysotile	TAS_AHRA
C	83	B42		NSD									
C	84	B43	AQ	31	34	F	5	0.7	7.1			Mg, Al, Si, Ca, Fe Actinolite	TAS_AHRA
C	85	B23		NSD									
C	86	B3		NSD									
C	87	C13		NSD									
C	88	C33	CDQ	32	35	F	0.8	0.1	8.0			Mg, Si Chrysotile	TAS_AHRA
C	89	C43		NSD									
C	90	C34	AQ	33	36	F	9	1.5	6.0			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, PCMES-US, TAS_AHRA, AS>5_AHRA, AS5-10_AHRA

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041191R6

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #3 - FINAL RESULTS

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Sample No.: NYB-L2-1NA-100704 *Lab/Cor Sample No.:* B4773 S30 A1

Descripiton:

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
A	1	A43	AZQ	1		MD1-1	12	9	1.3			Actinolite	AS>5, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
A	1	A43	AZQ		1	MF	9	1	9.0	949	691	Mg, Al, Si, Ca, Fe Actinolite Alumino-actinolite - Zone Axis [2 1 1] - KM	AFB>5, PCMEF-US
A	2	A23		NSD									
A	3	A3	CDQ	2		MD1-1	10	10	1.0			Chrysotile	AS>5, TAS_AHRA, AS>5_AHRA, AS5-10_AHRA
A	3	A3	CDQ		2	MF	6	0.05	120	950	692	Mg, Si Chrysotile Verified - KM	AFB>5, PSAS 5-10, PSAS TOT, PCAS 5-10, PCAS TOT
A	4	D13		NSD									
A	5	D33		NSD									
A	6	D44		NSD									
A	7	D41		NSD									
A	8	D21		NSD									
A	9	D1		NSD									
A	10	A11		NSD									
A	11	A31	AQ	3	3	F	5.5	1.2	4.6			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, PCMES-US, TAS_AHRA, AS>5_AHRA, AS5-10_AHRA
A	12	A41		NSD									
A	13	B40		NSD									
A	14	B20		NSD									
A	15	C10		NSD									
A	16	C30		NSD									
A	17	C40		NSD									
A	18	C32		NSD									
A	19	C12		NSD									
A	20	B2		NSD									
A	21	B22		NSD									
A	22	B42		NSD									
A	23	B44		NSD									
A	24	B24		NSD									
A	25	B4		NSD									
A	26	C14		NSD									
A	27	C23		NSD									
B	28	B44		NSD									

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041191R6

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #3 - FINAL RESULTS

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Sample No.: NYB-L2-1NA-100704 *Lab/Cor Sample No.:* B4773 S30 A1

Descripiton:

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
B	29	B24		NSD									
B	30	B4		NSD									
B	31	C14		NSD									
B	32	C34		NSD									
B	33	C44		NSD									
B	34	C42		NSD									
B	35	C22		NSD									
B	36	C2		NSD									
B	37	B12		NSD									
B	38	B32		NSD									
B	39	B42		NSD									
B	40	B10		NSD									
B	41	C10		NSD									
B	42	C30		NSD									
B	43	C40		NSD									
B	44	D41		NSD									
B	45	D21		NSD									
B	46	D1		NSD									
B	47	A11		NSD									
B	48	A31		NSD									
B	48	A31		NSD									
B	49	A41	AQ	4		MD1-0	4	2	2.0			Actinolite	TAS_AHRA
B	49	A41	AQ		4	MF	4	0.5	8.0			Mg, Al, Si, Ca, Fe Actinolite	
B	50	A43		NSD									
B	51	A23		NSD									
B	52	A13		NSD									
B	53	D3		NSD									
B	54	D23		NSD									
B	55	D43		NSD									
B	56	D44		NSD									
B	57	D24		NSD									
B	58	D4		NSD									
B	59	A14		NSD									
B	60	A34		NSD									

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041191R6

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #3 - FINAL RESULTS

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Sample No.: NYB-L2-1NA-100704 *Lab/Cor Sample No.:* B4773 S30 A1

Descripiton:

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
C	61	A33		NSD									
C	62	A23	AQ	5		MD1-1	9	6	1.5			Actinolite	AS>5, TAS_AHRA, AS>5_AHRA, AS5-10_AHRA
C	62	A23	AQ		5	MF	9	1.2	7.5			Mg, Al, Si, Ca, Fe Actinolite	AFB>5, PCMEF-US
C	63	A3		NSD									
C	64	D43		NSD									
C	65	D41		NSD									
C	66	A1		NSD									
C	67	A11		NSD									
C	68	A31		NSD									
C	69	B30		NSD									
C	70	B20		NSD									
C	71	B10		NSD									
C	72	C10		NSD									
C	73	C20		NSD									
C	74	C40		NSD									
C	75	C42		NSD									
C	76	C22		NSD									
C	77	C2		NSD									
C	78	B12		NSD									
C	79	B32		NSD									
C	80	B42		NSD									
C	81	B44		NSD									
C	82	B24		NSD									
C	83	B4		NSD									
C	84	C14		NSD									
C	85	C34		NSD									
C	86	C44		NSD									
C	87	C43		NSD									
C	88	C23		NSD									
C	89	C3	ADQ	6	6	F	2.5	0.5	5.0			Mg, Al, Si, Ca, Fe Actinolite	TAS_AHRA
C	90	B23		NSD									

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041191R6

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #3 - FINAL RESULTS

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Sample No.: NYB-L2-1ZB-100704 *Lab/Cor Sample No.:* B4773 S31 A1

Descripiton:

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
A	1	A44		NSD									
A	2	A24		NSD									
A	3	A4		NSD									
A	4	D14		NSD									
A	5	D34		NSD									
A	6	D44		NSD									
A	7	D42		NSD									
A	8	D22		NSD									
A	9	D2		NSD									
A	10	A12		NSD									
A	11	A32		NSD									
A	12	A42		NSD									
A	13	A40		NSD									
A	14	A20		NSD									
A	15	A10		NSD									
A	16	D10		NSD									
A	17	D30		NSD									
A	18	D40		NSD									
A	19	C20		NSD									
A	20	C10		NSD									
A	21	B10		NSD									
A	22	B30		NSD									
A	23	B40		NSD									
A	24	B42		NSD									
A	25	B22		NSD									
A	26	B2		NSD									
A	27	C12		NSD									
A	28	C34		NSD									
A	29	C14		NSD									
A	30	B4		NSD									
B	31	A44		NSD									
B	32	A24		NSD									
B	33	A4		NSD									
B	34	D14		NSD									

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041191R6

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #3 - FINAL RESULTS

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Sample No.: NYB-L2-1ZB-100704 *Lab/Cor Sample No.:* B4773 S31 A1

Descripiton:

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
B	35	D34		NSD									
B	36	D44		NSD									
B	37	D42		NSD									
B	38	D22		NSD									
B	39	D2		NSD									
B	40	A12		NSD									
B	41	A32		NSD									
B	42	A42		NSD									
B	43	A40		NSD									
B	44	A20		NSD									
B	45	A10		NSD									
B	46	D10		NSD									
B	47	D30		NSD									
B	48	C30		NSD									
B	49	C10		NSD									
B	50	B10		NSD									
B	51	B30		NSD									
B	52	B40		NSD									
B	53	B42		NSD									
B	54	B22		NSD									
B	55	B2		NSD									
B	56	C2		NSD									
B	57	C32		NSD									
B	58	C42		NSD									
B	59	C44		NSD									
B	60	C24		NSD									
C	61	A34		NSD									
C	62	D34		NSD									
C	63	D44		NSD									
C	64	D42		NSD									
C	65	D32		NSD									
C	66	A2		NSD									
C	67	A22		NSD									
C	68	A42		NSD									

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041191R6

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #3 - FINAL RESULTS

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Sample No.: NYB-L2-1ZB-100704 *Lab/Cor Sample No.:* B4773 S31 A1

Descripiton:

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
C	69	A40		NSD									
C	70	A30		NSD									
C	71	A20		NSD									
C	72	A10		NSD									
C	73	D10		NSD									
C	74	D30		NSD									
C	75	D40		NSD									
C	76	C41		NSD									
C	77	C21		NSD									
C	78	C1		NSD									
C	79	B11		NSD									
C	80	B31		NSD									
C	81	B41		NSD									
C	82	B43		NSD									
C	83	B23		NSD									
C	84	B3		NSD									
C	85	C13		NSD									
C	86	C33		NSD									
C	87	C34		NSD									
C	88	C44		NSD									

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041191R6

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #3 - FINAL RESULTS

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Lab/Cor Sample No.: B4773 S1 A1

Sample No.: CC6-H6-1CP-100704

Descripiton:

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
A	1	B12		NSD									
A	2	C12		NSD									
A	3	C10		NSD									
A	4	C30		NSD									
A	5	A41		NSD									
A	6	A11		NSD									
B	7	B31		NSD									
B	8	B11		NSD									
B	9	C10		NSD									
B	10	C30		NSD									
B	11	A1		NSD									

Lab/Cor Sample No.: B4773 S2 A1

Sample No.: CC6-H6-2CP-100704

Descripiton:

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
A	1	B42	AZQ	1	1	F	8.5	1.3	6.5	906	637	Mg, Si, Ca, Fe Actinolite [5 1 4] Zone Axis - JH	AS>5, AFB>5, PCMEF-US, PCMES-US, TAS_AHRA, AS>5_AHRA, AS5-10_AHRA
A	2	B12		NSD									
A	3	D11		NSD									
A	4	D31		NSD									
A	5	A40		NSD									
A	6	A20		NSD									
B	7	B41		NSD									
B	8	B21	ADQ	2	2	F	4	0.35	11			Mg, Si, Ca, Fe Actinolite	TAS_AHRA
B	9	C1		NSD									
B	10	D1		NSD									
B	11	D21		NSD									

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041176R1

Client: Ecology and Environment, Inc.

Project Name: Site# 0440.01CP, 0440.01CP-0001- FINAL RESULTS

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Sample No.: CC6-H6-2CP-100704 *Lab/Cor Sample No.:* B4763 S24 A1

Descripiton: Replicate Analysis of 041191-02 - Same Grid Openings

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
A	1	A20		NSD									
A	2	A40		NSD									
A	3	B42	AQ	1	1	F	7.5	1.35	5.6			Mg, Al, Si, Ca, Fe Actinolite	
A	4	B12		NSD									
A	5	D11		NSD									
A	6	D31		NSD									
B	7	B21	AQ	2	2	F	3.8	0.35	11			Mg, Al, Si, Ca, Fe Actinolite	
B	8	B41		NSD									
B	9	C1		NSD									
B	10	D1		NSD									
B	11	D21		NSD									

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041191R6

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #3 - FINAL RESULTS

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Sample No.: CC6-L6-1CA-100704 *Lab/Cor Sample No.:* B4773 S3 A1

Descripiton:

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
A	1	B33		NSD									
A	2	B13		NSD									
A	3	C3		NSD									
A	4	C23		NSD									
A	5	C43		NSD									
A	6	A21		NSD									
A	7	A11		NSD									
A	8	D1	AZQ	1	1	F	1.7	0.4	4.2	907	639	Mg, Al, Si, Ca, Fe Actinolite [5 1 4] Zone - JH	TAS_AHRA
A	9	D21	AZQ	2		MD1-1	11	8	1.4			Tremolite	AS>5, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
A	9	D21	AZQ		2	MF	5.2	1.2	4.3	908	640	Mg, Al, Si, Ca, Fe Tremolite [7 3 4] Zone - JH	AFB>5, PCMEF-US
A	10	A32		NSD									
A	11	A22		NSD									
A	12	A2		NSD									
A	13	D2		NSD									
A	14	D12		NSD									
A	15	D22	ADQ	3		MD1-1	11.5	7	1.6			Actinolite	AS>5, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
A	15	D22	ADQ		3	MF	7	0.8	8.8			Actinolite	AFB>5, PCMEF-US
B	16	B44		NSD									
B	17	B24		NSD									
B	18	B4	ADQ	4	4	F	5.8	0.7	8.3			Tremolite	AS>5, AFB>5, PCMEF-US, PCMES-US, TAS_AHRA, AS>5_AHRA, AS5-10_AHRA
B	19	C14		NSD									
B	20	B43		NSD									
B	21	B33		NSD									
B	22	B23		NSD									
B	23	B13		NSD									
B	24	B3	ADQ	5	5	F	2	0.35	5.7			Tremolite	TAS_AHRA
B	25	B42	CDQ	6	6	F	1	0.05	20	909	641	Mg, Si Chrysotile Verified - JH	TAS_AHRA
B	26	B32		NSD									
B	27	B22		NSD									
B	28	B12		NSD									
B	29	B31		NSD									

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041191R6

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #3 - FINAL RESULTS

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Lab/Cor Sample No.: B4773 S3 A1

Sample No.: CC6-L6-1CA-100704

Descripiton:

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
B	30	B21		NSD									--

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041176R1

Client: Ecology and Environment, Inc.

Project Name: Site# 0440.01CP, 0440.01CP-0001- FINAL RESULTS

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Sample No.: CC6-L6-1CA-100704 *Lab/Cor Sample No.:* B4763 S25 A1

Descripiton: Replicate Analysis of 041191-03 - Same Grid Openings

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
A	1	B33		NSD									
A	2	B13		NSD									
A	3	C3		NSD									
A	4	C23		NSD									
A	5	C43		NSD									
A	6	A21		NSD									
A	7	A11		NSD									
A	8	D1	AQ	1	1	F	1.6	0.45	3.6			Mg, Al, Si, Ca, Fe Actinolite	
A	9	D21	AQ	2		MD1-1	10	6	1.7			Actinolite	
A	9	D21	AQ		2	MF	5.5	1.3	4.2			Mg, Al, Si, Ca, Fe Actinolite	
A	10	A32		NSD									
A	11	A22		NSD									
A	12	A2		NSD									
A	13	D12		NSD									
A	14	D22	AQ	3		MD1-1	10.8	7	1.5			Actinolite	
A	14	D22	AQ		3	MF	6.5	0.75	8.7			Mg, Al, Si, Ca, Fe Actinolite	
B	15	B44		NSD									
B	16	B24		NSD									
B	17	B4		NSD									
B	18	C14	AQ	4	4	F	5.8	0.7	8.3			Mg, Al, Si, Ca, Fe Actinolite	
B	19	B43		NSD									
B	20	B33		NSD									
B	21	B23		NSD									
B	22	B13		NSD									
B	23	B3	AQ	5	5	F	2	0.2	10			Mg, Al, Si, Ca, Fe Tremolite	
B	24	B42	CD	6	6	F	1.1	0.05	22			Mg, Si Chrysotile	
B	25	B22		NSD									
B	26	B12		NSD									
B	27	B31		NSD									
B	28	B21		NSD									

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041176R1

Client: Ecology and Environment, Inc.

Project Name: Site# 0440.01CP, 0440.01CP-0001- FINAL RESULTS

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Sample No.: CC6-L6-1CA-100704 *Lab/Cor Sample No.:* B4763 S26 A1

Descripiton: Duplicate Analysis of 041191-03 - Reprep

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
A	1	B44	AQ	1		MD1-0	3.25	3	1.1			Actinolite	
A	1	B44	AQ		1	MF	1.25	0.2	6.2			Mg, Al, Si, Ca, Fe Actinolite	
A	2	B24		NSD									
A	3	C14		NSD									
A	4	C34		NSD									
A	5	C43		NSD									
A	6	C23		NSD									
A	7	B13		NSD									
A	8	B33		NSD									
A	9	B42		NSD									
A	10	B22	AQ	2		MD1-0	6.5	4.5	1.4			Actinolite	
A	10	B22	AQ		2	MF	3.2	0.15	21			Mg, Al, Si, Ca, Fe Actinolite	
A	11	B2		NSD									
A	12	C12	AQ	3		MD1-0	7	5	1.4			Actinolite	
A	12	C12	AQ		3	MF	4.5	1	4.5			Mg, Al, Si, Ca, Fe Actinolite	
A	12	C12	AQ	4	4	F	3.8	0.75	5.1			Mg, Al, Si, Ca, Fe Actinolite	
A	13	C32		NSD									
A	14	C41		NSD									
A	15	C21		NSD									
B	16	B24		NSD									
B	17	B4	AQ	5		MD1-0	8	7	1.1			Actinolite	
B	17	B4	AQ		5	MF	2.9	0.35	8.3			Mg, Al, Si, Ca, Fe Actinolite	
B	18	C14		NSD									
B	19	C34		NSD									
B	20	C23		NSD									
B	21	C3	AQ	6	6	F	12.5	4	3.1			Mg, Al, Si, Ca, Fe Actinolite	
B	21	C3	AQ	7		MD1-1	24.5	11	2.2			Actinolite	
B	21	C3	AQ		7	MF	24.5	3.5	7.0			Mg, Al, Si, Fe Actinolite	
B	22	B13		NSD									
B	23	B33		NSD									
B	24	B42		NSD									
B	25	B2		NSD									
B	26	C12		NSD									
B	27	C32		NSD									

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041176R1

Client: Ecology and Environment, Inc.

Project Name: Site# 0440.01CP, 0440.01CP-0001- FINAL RESULTS

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Sample No.: CC6-L6-1CA-100704 *Lab/Cor Sample No.:* B4763 S26 A1

Descripiton: Duplicate Analysis of 041191-03 - Reprep

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
B	28	C41		NSD									
B	29	C21	AQ	8		MD1-1	26	20.25	1.3			Actinolite	
B	29	C21	AQ		8	MF	11	2.25	4.9			Mg, Al, Si, Ca, Fe Actinolite	
B	29	C21	AQ	9	9	F	3.25	0.95	3.4			Mg, Si, Ca Tremolite	

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041176R1

Client: Ecology and Environment, Inc.

Project Name: Site# 0440.01CP, 0440.01CP-0001- FINAL RESULTS

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Lab/Cor Sample No.: B4763 S31 A1

Sample No.: CC6-L6-1CA-100704

Descripiton: Duplicate Analysis of 041191-03 - Reprep

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
A	1	A23		NSD									
A	2	A3	AQ	1	1	B	3	0.7	4.3			Mg, Si, Ca, Fe Actinolite	
A	2	A3	AQ	2	2	F	2.8	0.6	4.7			Mg, Si, Ca, Fe Actinolite	
A	3	D13		NSD									
A	4	D33		NSD									
A	5	D43		NSD									
A	6	D41		NSD									
A	7	D21		NSD									
A	8	D1		NSD									
A	9	A11		NSD									
A	10	A31		NSD									
A	11	B40		NSD									
A	12	B42	AQ	3	3	F	12	3	4.0			Mg, Si, Ca, Fe Actinolite	
A	13	B22		NSD									
A	14	C2	AQ	4	4	F	2.5	0.6	4.2			Mg, Al, Si, Ca, Fe Actinolite	
A	15	C24		NSD									
B	16	A3		NSD									
B	17	D13	AQ	5	5	F	11	2.2	5.0			Mg, Si, Ca, Fe Actinolite	
B	18	D33		NSD									
B	19	D40		NSD									
B	20	D10		NSD									
B	21	A20	AQ	6	6	F	11	3	3.7			Mg, Si, Ca, Fe Actinolite	
B	22	A40		NSD									
B	23	B41		NSD									
B	24	B21	AQ	7	7	F	4	1.2	3.3			Mg, Al, Si, Ca, Fe Actinolite	
B	25	B1		NSD									
B	26	C11		NSD									
B	27	C31		NSD									
B	28	C41		NSD									
B	29	C43	AQ	8	8	F	8.5	2	4.2			Mg, Si, Ca, Fe Actinolite	
B	30	C23		NSD									