Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041188R03

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #2 - FINAL REPORT

ANALYSIS DETAIL

Lab/Cor Sample No. B4771 S13 A1
Client Sample No. NFB-H2-1FD-100504
Description
Analysis Date 10/13/2004
Analyst DW

Volume (L) 591.43
No. of Grid Openings 45
Filter Area (mm2) 385
Area Analyzed (mm2) 0.652
Analytical Sens. (struc/cc) 0.000998
Dectection Limit. (struc/cc) 0.00299

Structure Type	Filter Density (s/mm2)	Concen-tration (struc/cc)	95% Confidence Interval (struc/cc)	Struc. Count
Primary Asbestos Structures	13.8	0.00899	0.00411 - 0.0171	9
Total Asbestos Structures	13.8	0.00899	0.00411 - 0.0171	9
Asbestos Structures > 5um	7.7	0.00499	0.00162 - 0.0116	5
Asbestos Fibers and Bundles > 5um	0.0	<0.00299	0.00 - 0.00299	0
PCM Equivalent Fibers-US	0.0	<0.00299	0.00 - 0.00299	0
PCM Equivalent Structures-ISO	0.0	<0.00299	0.00 - 0.00299	0
PROTOCOL ASB STRUCS 5-10	0.0	<0.00299	0.00 - 0.00299	0
PROTOCOL ASB STRUCS >10	0.0	<0.00299	0.00 - 0.00299	0
PROTOCOL ASB STRUCS TOTAL	0.0	<0.00299	0.00 - 0.00299	0
PROTOCOL CHRYS STRUCS 5-10	0.0	<0.00299	0.00 - 0.00299	0
PROTOCOL CHRYS STRUCS >10	0.0	<0.00299	0.00 - 0.00299	0
PROTOCOL CHRYS STRUCS TOTAL	0.0	<0.00299	0.00 - 0.00299	0
PROTOCOL AMPH STRUCS 5-10	0.0	<0.00299	0.00 - 0.00299	0
PROTOCOL AMPH STRUCS >10	0.0	<0.00299	0.00 - 0.00299	0
PROTOCOL AMPH STRUCS TOTAL	0.0	<0.00299	0.00 - 0.00299	0
AHERA-like Total Structures 3:1	13.8	0.00899	0.00411 - 0.0171	9
AHERA-like Asb Strucs >5 and 3:1	7.7	0.00499	0.00162 - 0.0116	5
AHERA-like Asb Strucs 5 - 10 and 3:1	1.5	0.000998	0.00 - 0.00473	1
AHERA-like Asb Strucs >10 and 3:1	6.1	0.00399	0.00109 - 0.0102	4
Total Other Amphibole Strucs 3:1	0.0	<0.00299	0.00 - 0.00299	0
Other Amphibole Strucs >5 and 3:1	0.0	<0.00299	0.00 - 0.00299	0
Other Amphibole Strucs 5 - 10 and 3:1	0.0	<0.00299	0.00 - 0.00299	0
Other Amphibole Strucs >10 and 3:1	0.0	<0.00299	0.00 - 0.00299	0

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041188R03

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #2 - FINAL REPORT

ANALYSIS DETAIL

Lab/Cor Sample No. B4771 S14 A1
Client Sample No. NFB-H2-2FD-100504
Description
Analysis Date 10/14/2004
Analyst JH

Volume (L) 597.38
No. of Grid Openings 45
Filter Area (mm2) 385
Area Analyzed (mm2) 0.652
Analytical Sens. (struc/cc) 0.000988
Dectection Limit. (struc/cc) 0.00296

Structure Type	Filter Density (s/mm2)	Concen-tration (struc/cc)	95% Confidence Interval (struc/cc)	Struc. Count
Primary Asbestos Structures	30.7	0.0198	0.0121 - 0.0305	20
Total Asbestos Structures	32.2	0.0208	0.0128 - 0.0317	21
Asbestos Structures > 5um	12.3	0.00791	0.00341 - 0.0156	8
Asbestos Fibers and Bundles > 5um	10.7	0.00692	0.00278 - 0.0143	7
PCM Equivalent Fibers-US	9.2	0.00593	0.00218 - 0.0129	6
PCM Equivalent Structures-ISO	10.7	0.00692	0.00278 - 0.0143	7
PROTOCOL ASB STRUCS 5-10	1.5	0.000988	0.00 - 0.00468	1
PROTOCOL ASB STRUCS >10	0.0	<0.00296	0.00 - 0.00296	0
PROTOCOL ASB STRUCS TOTAL	1.5	0.000988	0.00 - 0.00468	1
PROTOCOL CHRYS STRUCS 5-10	1.5	0.000988	0.00 - 0.00468	1
PROTOCOL CHRYS STRUCS >10	0.0	<0.00296	0.00 - 0.00296	0
PROTOCOL CHRYS STRUCS TOTAL	1.5	0.000988	0.00 - 0.00468	1
PROTOCOL AMPH STRUCS 5-10	0.0	<0.00296	0.00 - 0.00296	0
PROTOCOL AMPH STRUCS >10	0.0	<0.00296	0.00 - 0.00296	0
PROTOCOL AMPH STRUCS TOTAL	0.0	<0.00296	0.00 - 0.00296	0
AHERA-like Total Structures 3:1	30.7	0.0198	0.0121 - 0.0305	20
AHERA-like Asb Strucs >5 and 3:1	12.3	0.00791	0.00341 - 0.0156	8
AHERA-like Asb Strucs 5 - 10 and 3:1	7.7	0.00494	0.00161 - 0.0115	5
AHERA-like Asb Strucs >10 and 3:1	4.6	0.00297	0.00 - 0.00766	3
Total Other Amphibole Strucs 3:1	0.0	<0.00296	0.00 - 0.00296	0
Other Amphibole Strucs >5 and 3:1	0.0	<0.00296	0.00 - 0.00296	0
Other Amphibole Strucs 5 - 10 and 3:1	0.0	<0.00296	0.00 - 0.00296	0
Other Amphibole Strucs >10 and 3:1	0.0	<0.00296	0.00 - 0.00296	0

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041188R07

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #2 - FINAL REPORT

ANALYSIS DETAIL

Lab/Cor Sample No. B4771 S79 A1
Client Sample No. NFB-H2-4FD-100504
Description
Analysis Date 1/4/2005
Analyst KM

Volume (L) 1130.28
No. of Grid Openings 24
Filter Area (mm2) 385
Area Analyzed (mm2) 0.348
Analytical Sens. (struc/cc) 0.000979
Dectection Limit. (struc/cc) 0.00293

Structure Type	Filter Density (s/mm2)	Concen-tration (struc/cc)	95% Confidence Interval (struc/cc)	Struc. Count
Primary Asbestos Structures	28.8	0.00979	0.00470 - 0.0180	10
Total Asbestos Structures	28.8	0.00979	0.00470 - 0.0180	10
Asbestos Structures > 5um	14.4	0.00490	0.00159 - 0.0114	5
Asbestos Fibers and Bundles > 5um	14.4	0.00490	0.00159 - 0.0114	5
PCM Equivalent Fibers-US	14.4	0.00490	0.00159 - 0.0114	5
PCM Equivalent Structures-US	14.4	0.00490	0.00159 - 0.0114	5
PROTOCOL ASB STRUCS 5-10	0.0	<0.00293	0.00 - 0.00293	0
PROTOCOL ASB STRUCS >10	0.0	<0.00293	0.00 - 0.00293	0
PROTOCOL ASB STRUCS TOTAL	0.0	<0.00293	0.00 - 0.00293	0
PROTOCOL CHRYS STRUCS 5-10	0.0	<0.00293	0.00 - 0.00293	0
PROTOCOL CHRYS STRUCS >10	0.0	<0.00293	0.00 - 0.00293	0
PROTOCOL CHRYS STRUCS TOTAL	0.0	<0.00293	0.00 - 0.00293	0
PROTOCOL AMPH STRUCS 5-10	0.0	<0.00293	0.00 - 0.00293	0
PROTOCOL AMPH STRUCS >10	0.0	<0.00293	0.00 - 0.00293	0
PROTOCOL AMPH STRUCS TOTAL	0.0	<0.00293	0.00 - 0.00293	0
AHERA-like Total Structures 3:1	28.8	0.00979	0.00470 - 0.0180	10
AHERA-like Asb Strucs >5 and 3:1	14.4	0.00490	0.00159 - 0.0114	5
AHERA-like Asb Strucs 5 - 10 and 3:1	8.6	0.00294	0.00 - 0.00759	3
AHERA-like Asb Strucs >10 and 3:1	5.8	0.00196	0.00 - 0.00617	2
Total Other Amphibole Strucs 3:1	0.0	<0.00293	0.00 - 0.00293	0
Other Amphibole Strucs >5 and 3:1	0.0	<0.00293	0.00 - 0.00293	0
Other Amphibole Strucs 5 - 10 and 3:1	0.0	<0.00293	0.00 - 0.00293	0
Other Amphibole Strucs >10 and 3:1	0.0	<0.00293	0.00 - 0.00293	0

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041188R07

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #2 - FINAL REPORT

ANALYSIS DETAIL

Lab/Cor Sample No. B4771 S81 A1
Client Sample No. NFB-H2-5FD-100504
Description
Analysis Date 1/4/2004
Analyst KM

Volume (L) 1182
No. of Grid Openings 23
Filter Area (mm2) 385
Area Analyzed (mm2) 0.333
Analytical Sens. (struc/cc) 0.000977
Dectection Limit. (struc/cc) 0.00292

Structure Type	Filter Density (s/mm2)	Concen-tration (struc/cc)	95% Confidence Interval (struc/cc)	Struc. Count
Primary Asbestos Structures	15.0	0.00489	0.00159 - 0.0114	5
Total Asbestos Structures	18.0	0.00586	0.00215 - 0.0128	6
Asbestos Structures > 5um	12.0	0.00391	0.00107 - 0.0100	4
Asbestos Fibers and Bundles > 5um	9.0	0.00293	0.00 - 0.00757	3
PCM Equivalent Fibers-US	9.0	0.00293	0.00 - 0.00757	3
PCM Equivalent Structures-US	9.0	0.00293	0.00 - 0.00757	3
PROTOCOL ASB STRUCS 5-10	0.0	<0.00292	0.00 - 0.00292	0
PROTOCOL ASB STRUCS >10	0.0	<0.00292	0.00 - 0.00292	0
PROTOCOL ASB STRUCS TOTAL	0.0	<0.00292	0.00 - 0.00292	0
PROTOCOL CHRYS STRUCS 5-10	0.0	<0.00292	0.00 - 0.00292	0
PROTOCOL CHRYS STRUCS >10	0.0	<0.00292	0.00 - 0.00292	0
PROTOCOL CHRYS STRUCS TOTAL	0.0	<0.00292	0.00 - 0.00292	0
PROTOCOL AMPH STRUCS 5-10	0.0	<0.00292	0.00 - 0.00292	0
PROTOCOL AMPH STRUCS >10	0.0	<0.00292	0.00 - 0.00292	0
PROTOCOL AMPH STRUCS TOTAL	0.0	<0.00292	0.00 - 0.00292	0
AHERA-like Total Structures 3:1	15.0	0.00489	0.00159 - 0.0114	5
AHERA-like Asb Strucs >5 and 3:1	12.0	0.00391	0.00107 - 0.0100	4
AHERA-like Asb Strucs 5 - 10 and 3:1	0.0	<0.00292	0.00 - 0.00292	0
AHERA-like Asb Strucs >10 and 3:1	12.0	0.00391	0.00107 - 0.0100	4
Total Other Amphibole Strucs 3:1	0.0	<0.00292	0.00 - 0.00292	0
Other Amphibole Strucs >5 and 3:1	0.0	<0.00292	0.00 - 0.00292	0
Other Amphibole Strucs 5 - 10 and 3:1	0.0	<0.00292	0.00 - 0.00292	0
Other Amphibole Strucs >10 and 3:1	0.0	<0.00292	0.00 - 0.00292	0

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041188R07

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #2 - FINAL REPORT

ANALYSIS DETAIL

Lab/Cor Sample No. B4771 S76 A1
Client Sample No. NFB-H2-1PG-100504
Description
Analysis Date 1/5/2005
Analyst KM

Volume (L) 1260.26
No. of Grid Openings 22
Filter Area (mm2) 385
Area Analyzed (mm2) 0.319
Analytical Sens. (struc/cc) 0.000958
Dectection Limit. (struc/cc) 0.00287

Structure Type	Filter Density (s/mm2)	Concen-tration (struc/cc)	95% Confidence Interval (struc/cc)	Struc. Count
Primary Asbestos Structures	12.5	0.00383	0.00104 - 0.00982	4
Total Asbestos Structures	12.5	0.00383	0.00104 - 0.00982	4
Asbestos Structures > 5um	3.1	0.000958	0.00 - 0.00454	1
Asbestos Fibers and Bundles > 5um	3.1	0.000958	0.00 - 0.00454	1
PCM Equivalent Fibers-US	3.1	0.000958	0.00 - 0.00454	1
PCM Equivalent Structures-US	3.1	0.000958	0.00 - 0.00454	1
PROTOCOL ASB STRUCS 5-10	0.0	<0.00287	0.00 - 0.00287	0
PROTOCOL ASB STRUCS >10	0.0	<0.00287	0.00 - 0.00287	0
PROTOCOL ASB STRUCS TOTAL	0.0	<0.00287	0.00 - 0.00287	0
PROTOCOL CHRYS STRUCS 5-10	0.0	<0.00287	0.00 - 0.00287	0
PROTOCOL CHRYS STRUCS >10	0.0	<0.00287	0.00 - 0.00287	0
PROTOCOL CHRYS STRUCS TOTAL	0.0	<0.00287	0.00 - 0.00287	0
PROTOCOL AMPH STRUCS 5-10	0.0	<0.00287	0.00 - 0.00287	0
PROTOCOL AMPH STRUCS >10	0.0	<0.00287	0.00 - 0.00287	0
PROTOCOL AMPH STRUCS TOTAL	0.0	<0.00287	0.00 - 0.00287	0
AHERA-like Total Structures 3:1	12.5	0.00383	0.00104 - 0.00982	4
AHERA-like Asb Strucs >5 and 3:1	3.1	0.000958	0.00 - 0.00454	1
AHERA-like Asb Strucs 5 - 10 and 3:1	3.1	0.000958	0.00 - 0.00454	1
AHERA-like Asb Strucs >10 and 3:1	0.0	<0.00287	0.00 - 0.00287	0
Total Other Amphibole Strucs 3:1	0.0	<0.00287	0.00 - 0.00287	0
Other Amphibole Strucs >5 and 3:1	0.0	<0.00287	0.00 - 0.00287	0
Other Amphibole Strucs 5 - 10 and 3:1	0.0	<0.00287	0.00 - 0.00287	0
Other Amphibole Strucs >10 and 3:1	0.0	<0.00287	0.00 - 0.00287	0

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041188R07

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #2 - FINAL REPORT

ANALYSIS DETAIL

Lab/Cor Sample No. B4771 S77 A1
Client Sample No. NFB-H2-2PG-100504
Description
Analysis Date 1/5/2005
Analyst KM

Volume (L) 1174.69
No. of Grid Openings 23
Filter Area (mm2) 385
Area Analyzed (mm2) 0.333
Analytical Sens. (struc/cc) 0.000983
Dectection Limit. (struc/cc) 0.00294

Structure Type	Filter Density (s/mm2)	Concen-tration (struc/cc)	95% Confidence Interval (struc/cc)	Struc. Count
Primary Asbestos Structures	3.0	0.000983	0.00 - 0.00466	1
Total Asbestos Structures	3.0	0.000983	0.00 - 0.00466	1
Asbestos Structures > 5um	3.0	0.000983	0.00 - 0.00466	1
Asbestos Fibers and Bundles > 5um	3.0	0.000983	0.00 - 0.00466	1
PCM Equivalent Fibers-US	0.0	<0.00294	0.00 - 0.00294	0
PCM Equivalent Structures-US	0.0	<0.00294	0.00 - 0.00294	0
PROTOCOL ASB STRUCS 5-10	0.0	<0.00294	0.00 - 0.00294	0
PROTOCOL ASB STRUCS >10	0.0	<0.00294	0.00 - 0.00294	0
PROTOCOL ASB STRUCS TOTAL	0.0	<0.00294	0.00 - 0.00294	0
PROTOCOL CHRYS STRUCS 5-10	0.0	<0.00294	0.00 - 0.00294	0
PROTOCOL CHRYS STRUCS >10	0.0	<0.00294	0.00 - 0.00294	0
PROTOCOL CHRYS STRUCS TOTAL	0.0	<0.00294	0.00 - 0.00294	0
PROTOCOL AMPH STRUCS 5-10	0.0	<0.00294	0.00 - 0.00294	0
PROTOCOL AMPH STRUCS >10	0.0	<0.00294	0.00 - 0.00294	0
PROTOCOL AMPH STRUCS TOTAL	0.0	<0.00294	0.00 - 0.00294	0
AHERA-like Total Structures 3:1	3.0	0.000983	0.00 - 0.00466	1
AHERA-like Asb Strucs >5 and 3:1	3.0	0.000983	0.00 - 0.00466	1
AHERA-like Asb Strucs 5 - 10 and 3:1	0.0	<0.00294	0.00 - 0.00294	0
AHERA-like Asb Strucs >10 and 3:1	3.0	0.000983	0.00 - 0.00466	1
Total Other Amphibole Strucs 3:1	0.0	<0.00294	0.00 - 0.00294	0
Other Amphibole Strucs >5 and 3:1	0.0	<0.00294	0.00 - 0.00294	0
Other Amphibole Strucs 5 - 10 and 3:1	0.0	<0.00294	0.00 - 0.00294	0
Other Amphibole Strucs >10 and 3:1	0.0	<0.00294	0.00 - 0.00294	0

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041188R07

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #2 - FINAL REPORT

ANALYSIS DETAIL

Lab/Cor Sample No. B4771 S78 A1
Client Sample No. NFB-H2-3PG-100504
Description
Analysis Date 1/4/2005
Analyst JH

Volume (L) 1231.23
No. of Grid Openings 22
Filter Area (mm2) 385
Area Analyzed (mm2) 0.319
Analytical Sens. (struc/cc) 0.000981
Dectection Limit. (struc/cc) 0.00293

Structure Type	Filter Density (s/mm2)	Concen-tration (struc/cc)	95% Confidence Interval (struc/cc)	Struc. Count
Primary Asbestos Structures	15.7	0.00490	0.00159 - 0.0114	5
Total Asbestos Structures	15.7	0.00490	0.00159 - 0.0114	5
Asbestos Structures > 5um	12.5	0.00392	0.00107 - 0.0100	4
Asbestos Fibers and Bundles > 5um	9.4	0.00294	0.00 - 0.00760	3
PCM Equivalent Fibers-US	9.4	0.00294	0.00 - 0.00760	3
PCM Equivalent Structures-US	6.3	0.00196	0.00 - 0.00618	2
PROTOCOL ASB STRUCS 5-10	0.0	<0.00293	0.00 - 0.00293	0
PROTOCOL ASB STRUCS >10	3.1	0.000981	0.00 - 0.00465	1
PROTOCOL ASB STRUCS TOTAL	3.1	0.000981	0.00 - 0.00465	1
PROTOCOL CHRYS STRUCS 5-10	0.0	<0.00293	0.00 - 0.00293	0
PROTOCOL CHRYS STRUCS >10	0.0	<0.00293	0.00 - 0.00293	0
PROTOCOL CHRYS STRUCS TOTAL	0.0	<0.00293	0.00 - 0.00293	0
PROTOCOL AMPH STRUCS 5-10	0.0	<0.00293	0.00 - 0.00293	0
PROTOCOL AMPH STRUCS >10	3.1	0.000981	0.00 - 0.00465	1
PROTOCOL AMPH STRUCS TOTAL	3.1	0.000981	0.00 - 0.00465	1
AHERA-like Total Structures 3:1	15.7	0.00490	0.00159 - 0.0114	5
AHERA-like Asb Strucs >5 and 3:1	12.5	0.00392	0.00107 - 0.0100	4
AHERA-like Asb Strucs 5 - 10 and 3:1	6.3	0.00196	0.00 - 0.00618	2
AHERA-like Asb Strucs >10 and 3:1	6.3	0.00196	0.00 - 0.00618	2
Total Other Amphibole Strucs 3:1	0.0	<0.00293	0.00 - 0.00293	0
Other Amphibole Strucs >5 and 3:1	0.0	<0.00293	0.00 - 0.00293	0
Other Amphibole Strucs 5 - 10 and 3:1	0.0	<0.00293	0.00 - 0.00293	0
Other Amphibole Strucs >10 and 3:1	0.0	<0.00293	0.00 - 0.00293	0

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041188R07

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #2 - FINAL REPORT

ANALYSIS DETAIL

Lab/Cor Sample No. B4771 S80 A1
Client Sample No. NFB-H2-4PG-100504
Description
Analysis Date 1/4/2005
Analyst KM

Volume (L) 1229.36
No. of Grid Openings 22
Filter Area (mm2) 385
Area Analyzed (mm2) 0.319
Analytical Sens. (struc/cc) 0.000982
Dectection Limit. (struc/cc) 0.00294

Structure Type	Filter Density (s/mm2)	Concen-tration (struc/cc)	95% Confidence Interval (struc/cc)	Struc. Count
Primary Asbestos Structures	12.5	0.00393	0.00107 - 0.0101	4
Total Asbestos Structures	12.5	0.00393	0.00107 - 0.0101	4
Asbestos Structures > 5um	6.3	0.00196	0.00 - 0.00619	2
Asbestos Fibers and Bundles > 5um	6.3	0.00196	0.00 - 0.00619	2
PCM Equivalent Fibers-US	6.3	0.00196	0.00 - 0.00619	2
PCM Equivalent Structures-US	6.3	0.00196	0.00 - 0.00619	2
PROTOCOL ASB STRUCS 5-10	0.0	<0.00294	0.00 - 0.00294	0
PROTOCOL ASB STRUCS >10	0.0	<0.00294	0.00 - 0.00294	0
PROTOCOL ASB STRUCS TOTAL	0.0	<0.00294	0.00 - 0.00294	0
PROTOCOL CHRYS STRUCS 5-10	0.0	<0.00294	0.00 - 0.00294	0
PROTOCOL CHRYS STRUCS >10	0.0	<0.00294	0.00 - 0.00294	0
PROTOCOL CHRYS STRUCS TOTAL	0.0	<0.00294	0.00 - 0.00294	0
PROTOCOL AMPH STRUCS 5-10	0.0	<0.00294	0.00 - 0.00294	0
PROTOCOL AMPH STRUCS >10	0.0	<0.00294	0.00 - 0.00294	0
PROTOCOL AMPH STRUCS TOTAL	0.0	<0.00294	0.00 - 0.00294	0
AHERA-like Total Structures 3:1	12.5	0.00393	0.00107 - 0.0101	4
AHERA-like Asb Strucs >5 and 3:1	6.3	0.00196	0.00 - 0.00619	2
AHERA-like Asb Strucs 5 - 10 and 3:1	3.1	0.000982	0.00 - 0.00466	1
AHERA-like Asb Strucs >10 and 3:1	3.1	0.000982	0.00 - 0.00466	1
Total Other Amphibole Strucs 3:1	0.0	<0.00294	0.00 - 0.00294	0
Other Amphibole Strucs >5 and 3:1	0.0	<0.00294	0.00 - 0.00294	0
Other Amphibole Strucs 5 - 10 and 3:1	0.0	<0.00294	0.00 - 0.00294	0
Other Amphibole Strucs >10 and 3:1	0.0	<0.00294	0.00 - 0.00294	0

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041188R07

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #2 - FINAL REPORT

ANALYSIS DETAIL

Lab/Cor Sample No. B4771 S82 A1
Client Sample No. NFB-H2-5PG-100504
Description
Analysis Date 1/19/2005
Analyst KM

Volume (L) 1219.2
No. of Grid Openings 22
Filter Area (mm2) 385
Area Analyzed (mm2) 0.319
Analytical Sens. (struc/cc) 0.000991
Dectection Limit. (struc/cc) 0.00296

Structure Type	Filter Density (s/mm2)	Concen-tration (struc/cc)	95% Confidence Interval (struc/cc)	Struc. Count
Primary Asbestos Structures	12.5	0.00396	0.00108 - 0.0101	4
Total Asbestos Structures	12.5	0.00396	0.00108 - 0.0101	4
Asbestos Structures > 5um	9.4	0.00297	0.00 - 0.00768	3
Asbestos Fibers and Bundles > 5um	9.4	0.00297	0.00 - 0.00768	3
PCM Equivalent Fibers-US	9.4	0.00297	0.00 - 0.00768	3
PCM Equivalent Structures-US	9.4	0.00297	0.00 - 0.00768	3
PROTOCOL ASB STRUCS 5-10	0.0	<0.00296	0.00 - 0.00296	0
PROTOCOL ASB STRUCS >10	0.0	<0.00296	0.00 - 0.00296	0
PROTOCOL ASB STRUCS TOTAL	0.0	<0.00296	0.00 - 0.00296	0
PROTOCOL CHRYS STRUCS 5-10	0.0	<0.00296	0.00 - 0.00296	0
PROTOCOL CHRYS STRUCS >10	0.0	<0.00296	0.00 - 0.00296	0
PROTOCOL CHRYS STRUCS TOTAL	0.0	<0.00296	0.00 - 0.00296	0
PROTOCOL AMPH STRUCS 5-10	0.0	<0.00296	0.00 - 0.00296	0
PROTOCOL AMPH STRUCS >10	0.0	<0.00296	0.00 - 0.00296	0
PROTOCOL AMPH STRUCS TOTAL	0.0	<0.00296	0.00 - 0.00296	0
AHERA-like Total Structures 3:1	12.5	0.00396	0.00108 - 0.0101	4
AHERA-like Asb Strucs >5 and 3:1	9.4	0.00297	0.00 - 0.00768	3
AHERA-like Asb Strucs 5 - 10 and 3:1	6.3	0.00198	0.00 - 0.00624	2
AHERA-like Asb Strucs >10 and 3:1	3.1	0.000991	0.00 - 0.00470	1
Total Other Amphibole Strucs 3:1	0.0	<0.00296	0.00 - 0.00296	0
Other Amphibole Strucs >5 and 3:1	0.0	<0.00296	0.00 - 0.00296	0
Other Amphibole Strucs 5 - 10 and 3:1	0.0	<0.00296	0.00 - 0.00296	0
Other Amphibole Strucs >10 and 3:1	0.0	<0.00296	0.00 - 0.00296	0

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041188R03

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #2 - FINAL REPORT

ANALYSIS DETAIL

Lab/Cor Sample No. B4771 S41 A1
Client Sample No. NFB-L2-2CH-100504
Description
Analysis Date 11/10/2004
Analyst DW

Volume (L) 307.1
No. of Grid Openings 91
Filter Area (mm2) 385
Area Analyzed (mm2) 1.32
Analytical Sens. (struc/cc) 0.000951
Dectection Limit. (struc/cc) 0.00284

Structure Type	Filter Density (s/mm2)	Concen-tration (struc/cc)	95% Confidence Interval (struc/cc)	Struc. Count
Primary Asbestos Structures	31.9	0.0399	0.0288 - 0.0540 (Poisson)	42
Total Asbestos Structures	31.9	0.0399	0.0288 - 0.0540 (Poisson)	42
Asbestos Structures > 5um	15.2	0.0190	0.0116 - 0.0294	20
Asbestos Fibers and Bundles > 5um	13.7	0.0171	0.0101 - 0.0270	18
PCM Equivalent Fibers-US	12.9	0.0162	0.00942 - 0.0259	17
PCM Equivalent Structures-ISO	6.1	0.00761	0.00328 - 0.0150	8
PROTOCOL ASB STRUCS 5-10	1.5	0.00190	0.00 - 0.00599	2
PROTOCOL ASB STRUCS >10	0.0	<0.00284	0.00 - 0.00284	0
PROTOCOL ASB STRUCS TOTAL	1.5	0.00190	0.00 - 0.00599	2
PROTOCOL CHRYS STRUCS 5-10	0.8	0.000951	0.00 - 0.00451	1
PROTOCOL CHRYS STRUCS >10	0.0	<0.00284	0.00 - 0.00284	0
PROTOCOL CHRYS STRUCS TOTAL	0.8	0.000951	0.00 - 0.00451	1
PROTOCOL AMPH STRUCS 5-10	0.8	0.000951	0.00 - 0.00451	1
PROTOCOL AMPH STRUCS >10	0.0	<0.00284	0.00 - 0.00284	0
PROTOCOL AMPH STRUCS TOTAL	0.8	0.000951	0.00 - 0.00451	1
AHERA-like Total Structures 3:1	31.9	0.0399	0.0288 - 0.0540 (Poisson)	42
AHERA-like Asb Strucs >5 and 3:1	15.2	0.0190	0.0116 - 0.0294	20
AHERA-like Asb Strucs 5 - 10 and 3:1	10.6	0.0133	0.00728 - 0.0223	14
AHERA-like Asb Strucs >10 and 3:1	4.6	0.00570	0.00209 - 0.0124	6
Total Other Amphibole Strucs 3:1	0.0	<0.00284	0.00 - 0.00284	0
Other Amphibole Strucs >5 and 3:1	0.0	<0.00284	0.00 - 0.00284	0
Other Amphibole Strucs 5 - 10 and 3:1	0.0	<0.00284	0.00 - 0.00284	0
Other Amphibole Strucs >10 and 3:1	0.0	<0.00284	0.00 - 0.00284	0

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041188R03

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #2 - FINAL REPORT

ANALYSIS DETAIL

Lab/Cor Sample No. B4771 S42 A1
Client Sample No. NFB-L2-3CH-100504
Description
Analysis Date 11/11/2004
Analyst KM

Volume (L) 293.49
No. of Grid Openings 91
Filter Area (mm2) 385
Area Analyzed (mm2) 1.32
Analytical Sens. (struc/cc) 0.000995
Dectection Limit. (struc/cc) 0.00297

Structure Type	Filter Density (s/mm2)	Concen-tration (struc/cc)	95% Confidence Interval (struc/cc)	Struc. Count
Primary Asbestos Structures	47.8	0.0627	0.0482 - 0.0802 (Poisson)	63
Total Asbestos Structures	47.8	0.0627	0.0482 - 0.0802 (Poisson)	63
Asbestos Structures > 5um	16.7	0.0219	0.0137 - 0.0331	22
Asbestos Fibers and Bundles > 5um	13.7	0.0179	0.0106 - 0.0283	18
PCM Equivalent Fibers-US	13.7	0.0179	0.0106 - 0.0283	18
PCM Equivalent Structures-ISO	12.9	0.0169	0.00985 - 0.0271	17
PROTOCOL ASB STRUCS 5-10	1.5	0.00199	0.00 - 0.00627	2
PROTOCOL ASB STRUCS >10	0.0	<0.00297	0.00 - 0.00297	0
PROTOCOL ASB STRUCS TOTAL	1.5	0.00199	0.00 - 0.00627	2
PROTOCOL CHRYS STRUCS 5-10	0.0	<0.00297	0.00 - 0.00297	0
PROTOCOL CHRYS STRUCS >10	0.0	<0.00297	0.00 - 0.00297	0
PROTOCOL CHRYS STRUCS TOTAL	0.0	<0.00297	0.00 - 0.00297	0
PROTOCOL AMPH STRUCS 5-10	1.5	0.00199	0.00 - 0.00627	2
PROTOCOL AMPH STRUCS >10	0.0	<0.00297	0.00 - 0.00297	0
PROTOCOL AMPH STRUCS TOTAL	1.5	0.00199	0.00 - 0.00627	2
AHERA-like Total Structures 3:1	47.8	0.0627	0.0482 - 0.0802 (Poisson)	63
AHERA-like Asb Strucs >5 and 3:1	16.7	0.0219	0.0137 - 0.0331	22
AHERA-like Asb Strucs 5 - 10 and 3:1	9.9	0.0129	0.00689 - 0.0221	13
AHERA-like Asb Strucs >10 and 3:1	6.8	0.00895	0.00409 - 0.0170	9
Total Other Amphibole Strucs 3:1	0.0	<0.00297	0.00 - 0.00297	0
Other Amphibole Strucs >5 and 3:1	0.0	<0.00297	0.00 - 0.00297	0
Other Amphibole Strucs 5 - 10 and 3:1	0.0	<0.00297	0.00 - 0.00297	0
Other Amphibole Strucs >10 and 3:1	0.0	<0.00297	0.00 - 0.00297	0

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041188R07

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #2 - FINAL REPORT

ANALYSIS DETAIL

Lab/Cor Sample No. B4771 S83 A1
Client Sample No. NFB-L2-1NA-100504
Description
Analysis Date 1/11/2005
Analyst JH

Volume (L) 306.61
No. of Grid Openings 87
Filter Area (mm2) 385
Area Analyzed (mm2) 1.26
Analytical Sens. (struc/cc) 0.000996
Dectection Limit. (struc/cc) 0.00298

Structure Type	Filter Density (s/mm2)	Concen-tration (struc/cc)	95% Confidence Interval (struc/cc)	Struc. Count
Primary Asbestos Structures	12.7	0.0159	0.00911 - 0.0259	16
Total Asbestos Structures	12.7	0.0159	0.00911 - 0.0259	16
Asbestos Structures > 5um	6.3	0.00797	0.00344 - 0.0157	8
Asbestos Fibers and Bundles > 5um	6.3	0.00797	0.00344 - 0.0157	8
PCM Equivalent Fibers-US	6.3	0.00797	0.00344 - 0.0157	8
PCM Equivalent Structures-US	5.6	0.00697	0.00280 - 0.0144	7
PROTOCOL ASB STRUCS 5-10	0.8	0.000996	0.00 - 0.00472	1
PROTOCOL ASB STRUCS >10	0.0	<0.00298	0.00 - 0.00298	0
PROTOCOL ASB STRUCS TOTAL	0.8	0.000996	0.00 - 0.00472	1
PROTOCOL CHRYS STRUCS 5-10	0.0	<0.00298	0.00 - 0.00298	0
PROTOCOL CHRYS STRUCS >10	0.0	<0.00298	0.00 - 0.00298	0
PROTOCOL CHRYS STRUCS TOTAL	0.0	<0.00298	0.00 - 0.00298	0
PROTOCOL AMPH STRUCS 5-10	0.8	0.000996	0.00 - 0.00472	1
PROTOCOL AMPH STRUCS >10	0.0	<0.00298	0.00 - 0.00298	0
PROTOCOL AMPH STRUCS TOTAL	0.8	0.000996	0.00 - 0.00472	1
AHERA-like Total Structures 3:1	12.7	0.0159	0.00911 - 0.0259	16
AHERA-like Asb Strucs >5 and 3:1	6.3	0.00797	0.00344 - 0.0157	8
AHERA-like Asb Strucs 5 - 10 and 3:1	4.0	0.00498	0.00162 - 0.0116	5
AHERA-like Asb Strucs >10 and 3:1	2.4	0.00299	0.00 - 0.00772	3
Total Other Amphibole Strucs 3:1	0.0	<0.00298	0.00 - 0.00298	0
Other Amphibole Strucs >5 and 3:1	0.0	<0.00298	0.00 - 0.00298	0
Other Amphibole Strucs 5 - 10 and 3:1	0.0	<0.00298	0.00 - 0.00298	0
Other Amphibole Strucs >10 and 3:1	0.0	<0.00298	0.00 - 0.00298	0

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041188R07

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #2 - FINAL REPORT

ANALYSIS DETAIL

Lab/Cor Sample No. B4771 S84 A1
Client Sample No. NFB-L2-1ZB-100504
Description
Analysis Date 1/12/2005
Analyst JH

Volume (L) 301.29
No. of Grid Openings 89
Filter Area (mm2) 385
Area Analyzed (mm2) 1.29
Analytical Sens. (struc/cc) 0.000991
Dectection Limit. (struc/cc) 0.00296

Structure Type	Filter Density (s/mm2)	Concen-tration (struc/cc)	95% Confidence Interval (struc/cc)	Struc. Count
Primary Asbestos Structures	0.0	<0.00296	0.00 - 0.00296	0
Total Asbestos Structures	0.0	<0.00296	0.00 - 0.00296	0
Asbestos Structures > 5um	0.0	<0.00296	0.00 - 0.00296	0
Asbestos Fibers and Bundles > 5um	0.0	<0.00296	0.00 - 0.00296	0
PCM Equivalent Fibers-US	0.0	<0.00296	0.00 - 0.00296	0
PCM Equivalent Structures-US	0.0	<0.00296	0.00 - 0.00296	0
PROTOCOL ASB STRUCS 5-10	0.0	<0.00296	0.00 - 0.00296	0
PROTOCOL ASB STRUCS >10	0.0	<0.00296	0.00 - 0.00296	0
PROTOCOL ASB STRUCS TOTAL	0.0	<0.00296	0.00 - 0.00296	0
PROTOCOL CHRYS STRUCS 5-10	0.0	<0.00296	0.00 - 0.00296	0
PROTOCOL CHRYS STRUCS >10	0.0	<0.00296	0.00 - 0.00296	0
PROTOCOL CHRYS STRUCS TOTAL	0.0	<0.00296	0.00 - 0.00296	0
PROTOCOL AMPH STRUCS 5-10	0.0	<0.00296	0.00 - 0.00296	0
PROTOCOL AMPH STRUCS >10	0.0	<0.00296	0.00 - 0.00296	0
PROTOCOL AMPH STRUCS TOTAL	0.0	<0.00296	0.00 - 0.00296	0
AHERA-like Total Structures 3:1	0.0	<0.00296	0.00 - 0.00296	0
AHERA-like Asb Strucs >5 and 3:1	0.0	<0.00296	0.00 - 0.00296	0
AHERA-like Asb Strucs 5 - 10 and 3:1	0.0	<0.00296	0.00 - 0.00296	0
AHERA-like Asb Strucs >10 and 3:1	0.0	<0.00296	0.00 - 0.00296	0
Total Other Amphibole Strucs 3:1	0.0	<0.00296	0.00 - 0.00296	0
Other Amphibole Strucs >5 and 3:1	0.0	<0.00296	0.00 - 0.00296	0
Other Amphibole Strucs 5 - 10 and 3:1	0.0	<0.00296	0.00 - 0.00296	0
Other Amphibole Strucs >10 and 3:1	0.0	<0.00296	0.00 - 0.00296	0

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041188R03

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #2 - FINAL REPORT

ANALYSIS DETAIL

Lab/Cor Sample No. B4771 S1 A1
Client Sample No. CC2-H6-1CP-100504
Description
Analysis Date 10/12/2004
Analyst KM

Volume (L) 2234.87
No. of Grid Openings 12
Filter Area (mm2) 385
Area Analyzed (mm2) 0.174
Analytical Sens. (struc/cc) 0.000991
Dectection Limit. (struc/cc) 0.00296

Structure Type	Filter Density (s/mm2)	Concen-tration (struc/cc)	95% Confidence Interval (struc/cc)	Struc. Count
Primary Asbestos Structures	74.8	0.0129	0.00686 - 0.0220	13
Total Asbestos Structures	80.5	0.0139	0.00758 - 0.0233	14
Asbestos Structures > 5um	5.8	0.000991	0.00 - 0.00470	1
Asbestos Fibers and Bundles > 5um	5.8	0.000991	0.00 - 0.00470	1
PCM Equivalent Fibers-US	5.8	0.000991	0.00 - 0.00470	1
PCM Equivalent Structures-ISO	5.8	0.000991	0.00 - 0.00470	1
PROTOCOL ASB STRUCS 5-10	0.0	<0.00296	0.00 - 0.00296	0
PROTOCOL ASB STRUCS >10	0.0	<0.00296	0.00 - 0.00296	0
PROTOCOL ASB STRUCS TOTAL	0.0	<0.00296	0.00 - 0.00296	0
PROTOCOL CHRYS STRUCS 5-10	0.0	<0.00296	0.00 - 0.00296	0
PROTOCOL CHRYS STRUCS >10	0.0	<0.00296	0.00 - 0.00296	0
PROTOCOL CHRYS STRUCS TOTAL	0.0	<0.00296	0.00 - 0.00296	0
PROTOCOL AMPH STRUCS 5-10	0.0	<0.00296	0.00 - 0.00296	0
PROTOCOL AMPH STRUCS >10	0.0	<0.00296	0.00 - 0.00296	0
PROTOCOL AMPH STRUCS TOTAL	0.0	<0.00296	0.00 - 0.00296	0
AHERA-like Total Structures 3:1	74.8	0.0129	0.00686 - 0.0220	13
AHERA-like Asb Strucs >5 and 3:1	5.8	0.000991	0.00 - 0.00470	1
AHERA-like Asb Strucs 5 - 10 and 3:1	0.0	<0.00296	0.00 - 0.00296	0
AHERA-like Asb Strucs >10 and 3:1	5.8	0.000991	0.00 - 0.00470	1
Total Other Amphibole Strucs 3:1	0.0	<0.00296	0.00 - 0.00296	0
Other Amphibole Strucs >5 and 3:1	0.0	<0.00296	0.00 - 0.00296	0
Other Amphibole Strucs 5 - 10 and 3:1	0.0	<0.00296	0.00 - 0.00296	0
Other Amphibole Strucs >10 and 3:1	0.0	<0.00296	0.00 - 0.00296	0

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041176R1

Client: Ecology and Environment, Inc.

Project Name: Site# 0440.01CP, 0440.01CP-0001- FINAL RESULTS

ANALYSIS DETAIL

Lab/Cor Sample No.	B4763 S17 A1	Volume (L)	2234.87
Client Sample No.	CC2-H6-1CP-100504	No. of Grid Openings	12
Description	Replicate Analysis of 041188-01 - Same Grid Openings	Filter Area (mm2)	385
Analysis Date	11/17/2004	Area Analyzed (mm2)	0.174
Analyst	KM	Analytical Sens. (struc/cc)	0.000991
		Dectection Limit. (struc/cc)	0.00296

Structure Type	Filter Density (s/mm2)	Concen-tration (struc/cc)	95% Confidence Interval (struc/cc)	Struc. Count
Primary Asbestos Structures	80.5	0.0139	0.00758 - 0.0233	14

Lab/Cor Sample No.	B4763 S19 A1	Volume (L)	920.57
Client Sample No.	CC2-L6-1CA-100504	No. of Grid Openings	29
Description	Duplicate Analysis of 041188-04 - Same Grid Openings	Filter Area (mm2)	385
Analysis Date	11/18/2004	Area Analyzed (mm2)	0.420
Analyst	KM	Analytical Sens. (struc/cc)	0.000995
		Dectection Limit. (struc/cc)	0.00298

Structure Type	Filter Density (s/mm2)	Concen-tration (struc/cc)	95% Confidence Interval (struc/cc)	Struc. Count
Primary Asbestos Structures	69.0	0.0289	0.0193 - 0.0415	29

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041188R03

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #2 - FINAL REPORT

ANALYSIS DETAIL

Lab/Cor Sample No. B4771 S4 A1
Client Sample No. CC2-L6-1CA-100504
Description
Analysis Date 10/13/2004
Analyst DW

Volume (L) 920.57
No. of Grid Openings 29
Filter Area (mm2) 385
Area Analyzed (mm2) 0.420
Analytical Sens. (struc/cc) 0.000995
Dectection Limit. (struc/cc) 0.00298

Structure Type	Filter Density (s/mm2)	Concen-tration (struc/cc)	95% Confidence Interval (struc/cc)	Struc. Count
Primary Asbestos Structures	54.7	0.0229	0.0145 - 0.0343	23
Total Asbestos Structures	59.5	0.0249	0.0161 - 0.0367	25
Asbestos Structures > 5um	23.8	0.00995	0.00477 - 0.0183	10
Asbestos Fibers and Bundles > 5um	2.4	0.000995	0.00 - 0.00472	1
PCM Equivalent Fibers-US	4.8	0.00199	0.00 - 0.00627	2
PCM Equivalent Structures-ISO	2.4	0.000995	0.00 - 0.00472	1
PROTOCOL ASB STRUCS 5-10	0.0	<0.00298	0.00 - 0.00298	0
PROTOCOL ASB STRUCS >10	0.0	<0.00298	0.00 - 0.00298	0
PROTOCOL ASB STRUCS TOTAL	0.0	<0.00298	0.00 - 0.00298	0
PROTOCOL CHRYS STRUCS 5-10	0.0	<0.00298	0.00 - 0.00298	0
PROTOCOL CHRYS STRUCS >10	0.0	<0.00298	0.00 - 0.00298	0
PROTOCOL CHRYS STRUCS TOTAL	0.0	<0.00298	0.00 - 0.00298	0
PROTOCOL AMPH STRUCS 5-10	0.0	<0.00298	0.00 - 0.00298	0
PROTOCOL AMPH STRUCS >10	0.0	<0.00298	0.00 - 0.00298	0
PROTOCOL AMPH STRUCS TOTAL	0.0	<0.00298	0.00 - 0.00298	0
AHERA-like Total Structures 3:1	54.7	0.0229	0.0145 - 0.0343	23
AHERA-like Asb Strucs >5 and 3:1	26.2	0.0109	0.00546 - 0.0196	11
AHERA-like Asb Strucs 5 - 10 and 3:1	11.9	0.00498	0.00162 - 0.0116	5
AHERA-like Asb Strucs >10 and 3:1	14.3	0.00597	0.00219 - 0.0130	6
Total Other Amphibole Strucs 3:1	0.0	<0.00298	0.00 - 0.00298	0
Other Amphibole Strucs >5 and 3:1	0.0	<0.00298	0.00 - 0.00298	0
Other Amphibole Strucs 5 - 10 and 3:1	0.0	<0.00298	0.00 - 0.00298	0
Other Amphibole Strucs >10 and 3:1	0.0	<0.00298	0.00 - 0.00298	0

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041188R3

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #2 - FINAL RESULTS

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Sample No.: NFB-H2-1FD-100504 *Lab/Cor Sample No.:* B4771 S13 A1

Descripiton:

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
A	1	B44		NSD									
A	2	B24	ADQ	1		MD1-0	7.5	5	1.5			Mg, Al, Si, Ca, Fe Actinolite	AS>5, TAS_AHRA, AS>5_AHRA
A	2	B24	ADQ		1	MF	5	0.75	6.7		15237	Mg, Al, Si, Ca, Fe Actinolite	
A	2	B24	AZQ	2		MD1-0	15	7.5	2.0			Mg, Al, Si, Ca, Fe Actinolite	AS>5, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
A	2	B24	AZQ		2	MF	5	0.5	10	5317	15236	Mg, Al, Si, Ca, Fe Actinolite Zone Axis [2 0 1] - KM	
A	3	B4		NSD									
A	4	C14		NSD									
A	5	C34	ADQ	3		MD1-0	20	10	2.0			Mg, Al, Si, Ca, Fe Actinolite	AS>5, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
A	5	C34	ADQ		3	MF	3	0.75	4.0			Mg, Al, Si, Ca, Fe Actinolite	
A	6	C43		NSD									
A	7	C23	CMQ	4		MD1-0	1	1	1.0			Chrysotile	TAS_AHRA
A	7	C23	CMQ		4	MF	0.75	0.1	7.5			Chrysotile	
A	8	C3		NSD									
A	9	B13		NSD									
A	10	B33		NSD									
A	11	B42		NSD									
A	12	B22		NSD									
A	13	B2		NSD									
A	14	C12		NSD									
A	15	C32		NSD									
A	16	C41	AZQ	5	5	F	2.5	0.45	5.6			Mg, Al, Si, Ca, Fe Actinolite	TAS_AHRA
A	17	C21	ADQ	6		MD1-0	15	15	1.0			Mg, Al, Si, Ca, Fe Actinolite	AS>5, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
A	17	C21	ADQ		6	MF	4.5	0.5	9.0			Mg, Al, Si, Ca, Fe Actinolite	
A	18	C1		NSD									
A	19	B11		NSD									
A	20	B31		NSD									
B	21	B42		NSD									
B	22	B22		NSD									
B	23	B2		NSD									
B	24	C32		NSD									
B	25	C12		NSD									

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041188R3

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #2 - FINAL RESULTS

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Sample No.: NFB-H2-1FD-100504 *Lab/Cor Sample No.:* B4771 S13 A1

Descripiton:

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
B	26	C41	CMQ	7	7	F	0.75	0.1	7.5			Mg, Si Chrysotile	TAS_AHRA
B	27	C21	CDQ	8		MD1-0	1.5	1.5	1.0			Chrysotile	TAS_AHRA
B	27	C21	CDQ		8	MF	0.75	0.1	7.5			Mg, Si Chrysotile Confirmed - KM	
B	28	C1		NSD									
B	29	B11		NSD									
B	30	B31		NSD									
B	31	B40		NSD									
B	32	A41		NSD									
B	33	A21		NSD									
B	34	A1		NSD									
B	35	D11		NSD									
B	36	D31		NSD									
B	37	D22		NSD									
B	38	D2		NSD									
B	39	A12		NSD									
B	40	A32		NSD									
B	41	D10		NSD									
B	42	D20		NSD									
B	43	D30		NSD									
B	44	D40		NSD									
B	45	C40	ADQ	9		MD1-0	12	12	1.0			Actinolite	AS>5, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
B	45	C40	ADQ		9	MF	5	1.5	3.3			Mg, Al, Si, Ca, Fe Actinolite	

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041188R3

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #2 - FINAL RESULTS

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Sample No.: NFB-H2-2FD-100504 *Lab/Cor Sample No.:* B4771 S14 A1

Descripiton:

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
A	1	A2		NSD									
A	1	A2	ADQ	1	1	F	12	2	6.0			Mg, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
A	2	A22	AZQ	2	2	F	2	0.5	4.0	5288	15510	Mg, Si, Ca, Fe Actinolite Zone Axis [2 1 1] - KM	TAS_AHRA
A	3	A20		NSD									
A	4	B40		NSD									
A	5	B33		NSD									
A	6	B24		NSD									
A	7	C3		NSD									
A	8	C11		NSD									
A	9	D10	ADQ	3	3	F	12	1.8	6.7			Mg, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
A	9	D10	ADQ	4	4	F	2	0.7	2.9			Mg, Si, Ca, Fe Actinolite	TAS_AHRA
A	10	D12		NSD									
A	11	B41		NSD									
A	12	B31		NSD									
A	13	B21		NSD									
A	14	B11	CDQ	5	5	F	1	0.11	9.1	5291	15203	Mg, Si Chrysotile Confirmed - KM	TAS_AHRA
A	15	C11		NSD									
B	16	B41		NSD									
B	17	B31	ADQ	6	6	F	3.7	1	3.7			Mg, Al, Si, Ca, Fe Actinolite	TAS_AHRA
B	17	B31	CD	7	7	F	0.8	0.08	10			Chrysotile	TAS_AHRA
B	18	C1	ADQ	8	8	F	7	0.6	12			Mg, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA
B	19	C21	CM	9	9	F	1	0.12	8.3			Mg, Si Chrysotile	TAS_AHRA
B	19	C21	ADQ	10	10	F	8	1	8.0			Mg, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA
B	20	C41	ADQ	11	11	F	3.8	0.6	6.3			Mg, Si, Ca, Fe Actinolite	TAS_AHRA
B	21	A31		NSD									
B	22	A21		NSD									
B	23	A1		NSD									
B	24	D1		NSD									
B	25	D21		NSD									
B	26	D41	ADQ	12	12	F	3.8	0.6	6.3			Mg, Si, Ca, Fe Actinolite	TAS_AHRA

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041188R3

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #2 - FINAL RESULTS

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Sample No.: NFB-H2-2FD-100504 *Lab/Cor Sample No.:* B4771 S14 A1

Descripiton:

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
B	26	D41	ADQ	13		MD1-0	15	12	1.2			Mg, Si, Ca, Fe Actinolite	AS>5, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
B	26	D41	ADQ		13	MF	1.8	0.38	4.7			Mg, Si, Ca, Fe Actinolite	
B	27	A32		NSD									
B	28	A12		NSD									
B	29	D2	CDQ	14		MD1-1	8	1	8.0			Chrysotile	AS>5, TAS_AHRA, AS>5_AHRA
B	29	D2	CDQ		14	MB	7.5	0.2	38			Mg, Si Chrysotile	AFB>5, PSAS 5-10, PSAS TOT, PCAS 5-10, PCAS TOT
B	30	D22		NSD									
C	31	B32		NSD									
C	32	B22		NSD									
C	33	B2		NSD									
C	34	B41		NSD									
C	35	B21	CM	15	15	F	0.5	0.08	6.2			Chrysotile	TAS_AHRA
C	36	B1		NSD									
C	37	B40	ADQ	16	16	F	3.2	0.9	3.6			Mg, Si, Ca, Fe Actinolite	TAS_AHRA
C	38	B20	ADQ	17	17	F	5.8	1.8	3.2			Mg, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA
C	38	B20	CDQ	18		MD2-0	5	4.5	1.1			Chrysotile	TAS_AHRA
C	38	B20	CDQ		18	MF	2.2	0.15	15			Mg, Si Chrysotile	
C	38	B20	CDQ		19	MF	0.8	0.1	8.0			Mg, Si Chrysotile	
C	39	A20	CM	19		MD1-0	2	1.8	1.1			Chrysotile	TAS_AHRA
C	39	A20	CM		20	MF	0.5	0.1	5.0			Chrysotile	
C	40	A10		NSD									
C	41	A31		NSD									
C	42	A21	ADQ	20	21	F	6	1.8	3.3			Mg, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA
C	43	A1		NSD									
C	44	A22		NSD									
C	45	A2		NSD									

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041188R7

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #2-FINAL RESULTS

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Sample No.: NFB-H2-4FD-100504 *Lab/Cor Sample No.:* B4771 S79 A1

Descripiton:

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
A	1	A33		NSD									
A	2	A13		NSD									
A	3	D3		NSD									
A	4	D23	AZQ	1	1	F	4	0.6	6.7	1265	942	Mg, Al, Si, Ca, Fe Actinolite Zone Axis - [5 -1 4] KBM	TAS_AHRA
A	5	D43		NSD									
A	6	A42	AQ	2	2	F	13	2.5	5.2			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
A	6	A42	AQ	3	3	F	4.7	0.7	6.7			Mg, Al, Si, Ca, Fe Actinolite	TAS_AHRA
A	7	A2	AQ	4	4	F	9	2	4.5			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA
A	8	B41		NSD									
A	9	B21		NSD									
A	10	B1		NSD									
A	11	C11		NSD									
A	12	C31		NSD									
B	13	A42		NSD									
B	14	A22	AQ	5	5	F	7	1.1	6.4			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA
B	14	A22	AQ	6	6	F	2.2	0.6	3.7			Mg, Al, Si, Ca, Fe Actinolite	TAS_AHRA
B	14	A22	AQ	7	7	F	4.8	1.2	4.0			Mg, Al, Si, Ca, Fe Actinolite	TAS_AHRA
B	15	A2		NSD									
B	16	D12		NSD									
B	17	D32		NSD									
B	18	B41		NSD									
B	19	B21		NSD									
B	20	B1		NSD									
B	21	C11	AQ	8	8	F	7.6	1.8	4.2			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA
B	21	C11	AQ	9	9	F	4.8	0.8	6.0			Mg, Al, Si, Ca, Fe Actinolite	TAS_AHRA
B	22	C31		NSD									
B	23	A30		NSD									
B	24	A10	AQ	10	10	F	11	2.8	3.9			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA, AS>10_AHRA

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041188R7

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #2-FINAL RESULTS

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Sample No.: NFB-H2-5FD-100504 *Lab/Cor Sample No.:* B4771 S81 A1

Descripiton:

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
A	1	A43	AZQ	1	1	F	13	1.9	6.8	1275	945	Mg, Al, Si, Ca, Fe Actinolite Zone Axis - [5 1 2] KBM	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
A	2	A23		NSD									
A	3	A3	AQ	2	2	F	12	2.5	4.8			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
A	4	D13		NSD									
A	5	D33		NSD									
A	6	B41		NSD									
A	7	B21		NSD									
A	8	B1		NSD									
A	9	C11		NSD									
A	10	C31		NSD									
A	11	D10		NSD									
A	12	D30		NSD									
B	13	B31		NSD									
B	14	B11	AQ	3	3	F	4.2	1.1	3.8			Mg, Al, Si, Ca, Fe Actinolite	TAS_AHRA
B	15	C1	AQ	4	4	F	13.5	1.5	9.0			Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
B	16	C21		NSD									
B	17	C41	AQ	5		MD2-0	12	10	1.2			Actinolite	AS>5, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
B	17	C41	AQ		5	MF	4.5	0.55	8.2			Mg, Al, Si, Ca, Fe Actinolite	
B	17	C41	AQ		6	MF	4	0.4	10			Mg, Al, Si, Ca, Fe Actinolite	
B	18	A31		NSD									
B	19	A11		NSD									
B	20	D1		NSD									
B	21	D21		NSD									
B	22	D41		NSD									
B	23	D3		NSD									

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041188R7

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #2-FINAL RESULTS

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Sample No.: NFB-H2-1PG-100504 *Lab/Cor Sample No.:* B4771 S76 A1

Descripiton:

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
A	1	A42		NSD									
A	2	A22		NSD									
A	3	A2		NSD									
A	4	D12		NSD									
A	5	D32		NSD									
A	6	B41		NSD									
A	7	B21		NSD									
A	8	B1	AZQ	1	1	F	7.5	1.2	6.2	1279	948	Mg, Al, Si, Ca, Fe Actinolite Zone Axis - [3 -2 -4] KM	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA
A	9	C11		NSD									
A	10	C31	AQ	2	2	F	4.2	0.7	6.0			Mg, Al, Si, Ca, Fe Actinolite	TAS_AHRA
A	11	D10		NSD									
B	12	A31		NSD									
B	13	A11	AQ	3	3	F	3	0.35	8.6			Mg, Al, Si, Ca, Fe Actinolite	TAS_AHRA
B	14	D1		NSD									
B	15	D21		NSD									
B	16	D41		NSD									
B	17	B31	AQ	4	4	F	2.7	0.65	4.2			Mg, Al, Si, Ca, Fe Actinolite	TAS_AHRA
B	18	B11		NSD									
B	19	C1		NSD									
B	20	C21		NSD									
B	21	C41		NSD									
B	22	C30		NSD									

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041188R7

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #2-FINAL RESULTS

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Sample No.: NFB-H2-2PG-100504 *Lab/Cor Sample No.:* B4771 S77 A1

Descripiton:

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
A	1	A33		NSD									
A	2	A13		NSD									
A	3	D3		NSD									
A	4	D23		NSD									
A	5	D43		NSD									
A	6	A41		NSD									
A	7	A21		NSD									
A	8	A1		NSD									
A	9	D11		NSD									
A	10	D31		NSD									
A	11	B21		NSD									
A	12	B1		NSD									
B	13	A41		NSD									
B	14	A21	AZQ	1		MD1-1	18	6	3.0			Actinolite	AS>5, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
B	14	A21	AZQ		1	MF	17	3.5	4.9	5830	949	Mg, Al, Si, Ca, Fe Actinolite Zone Axis [1 0 1] - DW	AFB>5
B	15	A1		NSD									
B	16	D11		NSD									
B	17	D31		NSD									
B	18	B41		NSD									
B	19	B21		NSD									
B	20	B1		NSD									
B	21	C11		NSD									
B	22	C31		NSD									
B	23	D10		NSD									

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041188R7

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #2-FINAL RESULTS

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Sample No.: NFB-H2-3PG-100504 *Lab/Cor Sample No.:* B4771 S78 A1

Descripiton:

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
A	1	A33		NSD									
A	2	A13		NSD									
A	3	D3	AZQ	1	1	B	5.5	2	2.8	1264	941	Mg, Al, Si, Ca, Fe Actinolite Zone Axis - [2 0 3] KBM	AS>5, TAS_AHRA, AS>5_AHRA
A	4	D23		NSD									
A	5	D43		NSD									
A	6	D41	AQ	2	2	F	12	2.5	4.8			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
A	7	D21		NSD									
A	8	D1		NSD									
A	9	A11		NSD									
A	10	A31		NSD									
A	11	A41	AQ	3	3	F	4	1.2	3.3			Mg, Al, Si, Ca, Fe Actinolite	TAS_AHRA
B	12	A22		NSD									
B	13	A2		NSD									
B	14	D12		NSD									
B	15	D32		NSD									
B	16	C30		NSD									
B	17	C10		NSD									
B	18	B10	AQ	4		MD1-1	18	15	1.2			Actinolite	AS>5, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
B	18	B10	AQ		4	MF	13	0.4	32			Mg, Al, Si, Ca, Fe Actinolite	AFB>5, PCMEF-US, PSAS >10, PSAS TOT, PSAM >10, PSAM TOT
B	19	B30		NSD									
B	20	B42		NSD									
B	21	B22	AQ	5	5	F	7	2	3.5			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA
B	22	C2		NSD									

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041188R7

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #2-FINAL RESULTS

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Sample No.: NFB-H2-4PG-100504 *Lab/Cor Sample No.:* B4771 S80 A1

Descripiton:

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
A	1	A42	AQ	1	1	F	4.9	1.1	4.5			Mg, Al, Si, Ca, Fe Actinolite	TAS_AHRA
A	2	A22		NSD									
A	3	A2	AQ	2	2	F	22	2.5	8.8			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
A	4	D12		NSD									
A	5	D42	AZQ	3	3	F	3	1	3.0	1266	943	Mg, Al, Si, Ca, Fe Actinolite Zone Axis - [1 0 1] KBM	TAS_AHRA
A	6	B31		NSD									
A	7	B11		NSD									
A	8	C1	AQ	4	4	F	8	1.5	5.3			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA
A	9	C21		NSD									
A	10	C41		NSD									
A	11	D10		NSD									
B	12	A31		NSD									
B	13	A11		NSD									
B	14	D1		NSD									
B	15	D21		NSD									
B	16	B41		NSD									
B	17	B41		NSD									
B	18	B21		NSD									
B	19	B1		NSD									
B	20	C11		NSD									
B	21	C31		NSD									
B	22	C10		NSD									

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041188R7

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #2-FINAL RESULTS

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Sample No.: NFB-H2-5PG-100504 *Lab/Cor Sample No.:* B4771 S82 A1

Descripiton:

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
A	1	A41		NSD									
A	2	A21		NSD									
A	3	A1	AZQ	1	1	F	11	1.2	9.2	1314	978	Mg, Al, Si, Ca, Fe Actinolite Zone Axis [7 1 2] - KM	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
A	4	D11		NSD									
A	5	D31	CD	2	2	B	1.7	0.2	8.5	1315		Chrysotile tilts into grid bar - Verified - KBM	TAS_AHRA
A	6	B32		NSD									
A	7	B12	AQ	3	3	F	7	1.2	5.8			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA
A	8	C2		NSD									
A	9	C22		NSD									
A	10	C42		NSD									
A	11	C10	AQ	4	4	F	8	2.5	3.2			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA
B	12	A42		NSD									
B	13	A22		NSD									
B	14	A2		NSD									
B	15	D12		NSD									
B	16	D32		NSD									
B	17	B42		NSD									
B	18	B22		NSD									
B	19	B2		NSD									
B	20	C12		NSD									
B	21	C32		NSD									
B	22	C10		NSD									

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041188R3

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #2 - FINAL RESULTS

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Sample No.: NFB-L2-2CH-100504 *Lab/Cor Sample No.:* B4771 S41 A1

Descripiton:

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
A	1	B44		NSD									
A	2	B34	CDQ	1	1	F	0.75	0.1	7.5	1006	739	Mg, Si Chrysotile Verified - KM	TAS_AHRA
A	2	B34	AQ	2	2	F	5	1	5.0			Mg, Al, Si, Ca, Fe Actinolite	TAS_AHRA
A	3	B24		NSD									
A	4	C4	AQ	3	3	F	8	2	4.0			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA
A	5	C24		NSD									
A	6	C44	AQ	4	4	F	3	0.5	6.0			Mg, Al, Si, Ca, Fe Actinolite Alumino-actinolite	TAS_AHRA
A	7	B33		NSD									
A	8	B13	AQ	5	5	F	2.5	0.4	6.2			Mg, Al, Si, Ca, Fe Actinolite	TAS_AHRA
A	9	C3		NSD									
A	10	C13	AZQ	6	6	F	3	0.38	7.9	1011	741	Mg, Al, Si, Ca, Fe Actinolite Zone Axis [1 2 2] - KM	TAS_AHRA
A	11	C33	AQ	7		MD1-0	3.9	2	2.0			Actinolite	TAS_AHRA
A	11	C33	AQ		7	MF	2.6	0.38	6.8			Actinolite	
A	12	B42		NSD									
A	13	B32		NSD									
A	14	B22		NSD									
A	15	B12	AQ	8	8	F	4.5	0.8	5.6			Mg, Al, Si, Ca, Fe Actinolite	TAS_AHRA
A	16	B2	AQ	9	9	F	5	0.65	7.7			Mg, Al, Si, Ca, Fe Actinolite	TAS_AHRA
A	17	C12		NSD									
A	18	C22		NSD									
A	19	C42	AQ	10		MD1-1	12	10	1.2			Actinolite	AS>5, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
A	19	C42	AQ		10	MF	6	2	3.0			Mg, Al, Si, Ca, Fe Actinolite	AFB>5, PCMEF-US
A	20	C31		NSD									
A	21	C11		NSD									
A	22	C1		NSD									
A	23	B1		NSD									
A	24	B21		NSD									
A	25	B41		NSD									
A	26	A41		NSD									
A	27	A31	CDQ	11	11	F	4.5	0.1	45			Mg, Si Chrysotile	TAS_AHRA
A	27	A31	AQ	12	12	F	5	1.5	3.3			Mg, Al, Si, Ca, Fe Actinolite	TAS_AHRA
A	28	A21	CMQ	13	13	F	1	0.1	10			Mg, Si Chrysotile	TAS_AHRA

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041188R3

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #2 - FINAL RESULTS

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Sample No.: NFB-L2-2CH-100504 *Lab/Cor Sample No.:* B4771 S41 A1

Descripiton:

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
A	29	A11		NSD									
A	30	A1		NSD									
A	31	D1	CM	14		MD1-0	10	10	1.0			Chrysotile	AS>5, TAS_AHRA, AS>5_AHRA
A	31	D1	CM		14	MF	1	0.05	20			Mg, Si Chrysotile	
A	32	D21	AQ	15		MD1-1	25	20	1.2			Actinolite	AS>5, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
A	32	D21	AQ		15	MF	14	2.5	5.6			Mg, Al, Si, Ca, Fe Actinolite	AFB>5, PCMEF-US
A	32	D21	AQ	16	16	F	4	0.75	5.3	5464	15342	Mg, Al, Si, Ca, Fe Actinolite Zone Axis [5 1 0] - KM	TAS_AHRA
A	33	D41	AQ	17	17	F	8	2.5	3.2			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA
B	34	B24		NSD									
B	35	B4	CM	18	18	F	1	0.1	10			Chrysotile	TAS_AHRA
B	35	B4	AQ	19	19	F	5	1	5.0			Mg, Al, Si, Ca, Fe Actinolite	TAS_AHRA
B	35	B4	AQ	20		MD1-1	12	7	1.7			Actinolite	AS>5, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
B	35	B4	AQ		20	MF	12	3	4.0			Mg, Al, Si, Ca, Fe Actinolite	AFB>5, PCMEF-US
B	36	C4		NSD									
B	37	C14		NSD									
B	38	C24		NSD									
B	39	C34		NSD									
B	40	C43	AQ	21	21	F	10	2	5.0			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA
B	41	C33		NSD									
B	42	C23		NSD									
B	43	C13		NSD									
B	44	C3	AQ	22		MD1-1	6	2.5	2.4			Actinolite	AS>5, TAS_AHRA, AS>5_AHRA
B	44	C3	AQ		22	MF	6	1.2	5.0			Mg, Al, Si, Ca, Fe Actinolite Alumino-actinolite	AFB>5, PCMEF-US
B	45	B13	CQ	23	23	F	1.3	0.05	26			Mg, Si Chrysotile	TAS_AHRA
B	46	B23	AQ	24		MD1-1	6	3.5	1.7			Actinolite	AS>5, TAS_AHRA, AS>5_AHRA
B	46	B23	AQ		24	MF	6	0.95	6.3			Mg, Al, Si, Ca, Fe Actinolite	AFB>5, PCMEF-US
B	46	B23	AQ	25		MD1-1	12	7.5	1.6			Actinolite	AS>5, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
B	46	B23	AQ		25	MF	6	0.75	8.0			Mg, Al, Si, Ca, Fe Actinolite	AFB>5, PCMEF-US
B	47	B22		NSD									

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041188R3

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #2 - FINAL RESULTS

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Sample No.: NFB-L2-2CH-100504 *Lab/Cor Sample No.:* B4771 S41 A1

Descripiton:

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
B	48	B12		NSD									
B	49	B2	AQ	26		MD1-1	10	7.5	1.3			Actinolite	AS>5, TAS_AHRA, AS>5_AHRA
B	49	B2	AQ		26	MF	9	1.3	6.9			Mg, Al, Si, Ca, Fe Actinolite	AFB>5, PCMEF-US
B	50	C2		NSD									
B	51	C12	CMQ	27	27	F	5.5	0.1	55			Mg, Si Chrysotile	AS>5, AFB>5, PSAS 5-10, PSAS TOT, PCAS 5-10, PCAS TOT, TAS_AHRA, AS>5_AHRA
B	51	C12	CMQ	28	28	F	1	0.1	10			Mg, Si Chrysotile	TAS_AHRA
B	52	C22	AQ	29	29	F	10	2.5	4.0			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA
B	53	C32		NSD									
B	54	C42		NSD									
B	55	C41		NSD									
B	56	C31	CMQ	30	30	F	3.5	0.1	35			Mg, Si Chrysotile	TAS_AHRA
B	56	C31	CMQ	31		MD1-0	5	5	1.0			Chrysotile	TAS_AHRA
B	56	C31	CMQ		31	MF	1.5	0.1	15			Mg, Si Chrysotile	
B	57	C21		NSD									
B	58	C11		NSD									
B	59	C1		NSD									
B	60	B11		NSD									
C	61	B44		NSD									
C	62	B24		NSD									
C	63	B4		NSD									
C	64	C4		NSD									
C	65	C24	AQ	32	32	F	6	1	6.0			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA
C	66	C34		NSD									
C	67	C43		NSD									
C	68	C33		NSD									
C	69	C23		NSD									
C	70	C13	AQ	33		MD1-1	25	10	2.5			Actinolite	AS>5, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
C	70	C13	AQ		33	MF	10	0.3	33			Mg, Al, Si, Ca, Fe Actinolite	AFB>5, PCMEF-US, PSAS 5-10, PSAS TOT, PSAM 5-10, PSAM TOT

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041188R3

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #2 - FINAL RESULTS

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Sample No.: NFB-L2-2CH-100504 *Lab/Cor Sample No.:* B4771 S41 A1

Descripiton:

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
C	71	C3	CMQ	34		MD1-0	10	10	1.0			Chrysotile	AS>5, TAS_AHRA, AS>5_AHRA
C	71	C3	CMQ		34	MB	5	0.3	17			Mg, Si Chrysotile	
C	72	B3		NSD									
C	73	B13		NSD									
C	74	B23	AQ	35	35	F	4	1	4.0			Mg, Al, Si, Ca, Fe Actinolite	TAS_AHRA
C	75	B33		NSD									
C	76	B43	AQ	36		MD1-1	13	10	1.3			Actinolite	AS>5, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
C	76	B43	AQ		36	MF	13	2.5	5.2			Mg, Al, Si, Ca, Fe Actinolite	AFB>5, PCMEF-US
C	77	B42		NSD									
C	78	B22	AQ	37	37	F	4	1	4.0			Mg, Al, Si, Ca, Fe Actinolite	TAS_AHRA
C	79	B2	AQ	38	38	F	6	1	6.0			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA
C	80	C12		NSD									
C	81	C32		NSD									
C	82	B31		NSD									
C	83	B11	AQ	39	39	F	9.5	1	9.5			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA
C	84	C1		NSD									
C	85	C21	AQ	40	40	F	2	0.22	9.1			Mg, Al, Si, Ca, Fe Actinolite	TAS_AHRA
C	86	C41	AQ	41	41	F	6	1	6.0			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA
C	87	A41		NSD									
C	88	A21	CD	42		MD1-0	2.2	0.7	3.1			Chrysotile	TAS_AHRA
C	88	A21	CD		42	MF	0.7	0.06	12			Chrysotile	
C	89	A1		NSD									
C	90	D11		NSD									
C	91	D41		NSD									

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041188R3

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #2 - FINAL RESULTS

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Sample No.: NFB-L2-3CH-100504 *Lab/Cor Sample No.:* B4771 S42 A1

Descripiton:

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
A	1	B32	CD	1	1	F	0.8	0.08	10	5457		Chrysotile Verified - KM	TAS_AHRA
A	1	B22	AZQ	2	2	F	5	0.7	7.1	5458	15337	Mg, Al, Si, Fe Anthophyllite Zone Axis [2 8-1] - KM	TAS_AHRA
A	1	B32	ADQ	3	3	F	18	1.2	15			Mg, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
A	1	B32	CDQ	4		MD1-0	5	3	1.7			Chrysotile	TAS_AHRA
A	1	B32	CDQ		4	MF	0.6	0.1	6.0	5459	15338	Mg, Si Chrysotile Verified - KM	
A	2	B12	CD	5	5	B	2	0.2	10			Chrysotile	TAS_AHRA
A	3	C2		NSD									
A	4	C22		NSD									
A	5	C42		NSD									
A	6	B41		NSD									
A	7	B21	CD	6	6	F	0.8	0.03	27			Chrysotile	TAS_AHRA
A	8	B1	ADQ	7		MD1-1	15	4	3.8			Actinolite	AS>5, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
A	8	B1	ADQ		7	MF	10	1.5	6.7			Actinolite	AFB>5, PCMEF-US
A	9	C11	CD	8	8	F	1.8	0.08	22			Chrysotile	TAS_AHRA
A	10	C31		NSD									
A	11	B33	CD	9	9	F	1.2	0.08	15			Chrysotile	TAS_AHRA
A	11	B33	CD	10	10	F	1	0.08	12			Chrysotile	TAS_AHRA
A	12	B13	ADQ	11	11	F	5.7	0.5	11	5660	15512	Mg, Al, Si, Ca, Fe Actinolite Zone Axis [-7 -1 8] - KM	AS>5, AFB>5, PCMEF-US, PSAS 5-10, PSAS TOT, PSAM 5-10, PSAM TOT, TAS_AHRA, AS>5_AHRA
A	13	C3	ADQ	12	12	F	6	1.5	4.0			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA
A	13	C3	AQ	13	13	F	6.5	1.8	3.6			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA
A	13	C3	AQ	14	14	F	3.8	0.6	6.3			Mg, Al, Si, Ca, Fe Actinolite	TAS_AHRA
A	14	C23		NSD									
A	15	C43	CD	15	15	F	2	0.1	20	5461		Chrysotile Verified - KM	TAS_AHRA
A	16	A41	AQ	16	16	F	7	0.65	11			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA
A	17	A21		NSD									
A	18	A1		NSD									
A	19	D11	AQ	17	17	F	4.8	0.8	6.0			Actinolite	TAS_AHRA
A	19	D11	AQ	18	18	F	2.6	0.5	5.2			Actinolite	TAS_AHRA

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041188R3

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #2 - FINAL RESULTS

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Sample No.: NFB-L2-3CH-100504 *Lab/Cor Sample No.:* B4771 S42 A1

Descripiton:

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
A	19	D11	AZZQ	19	19	F	10.5	3	3.5	5463	15340	Mg, Si, Ca, Fe Amosite Zone Axis [3 0 2] - KM	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
A	20	D31		NSD									
A	21	A42		NSD									
A	22	A22	AQ	20	20	F	3.2	0.4	8.0			Actinolite	TAS_AHRA
A	23	A2	CD	21	21	F	0.7	0.08	8.8			Chrysotile	TAS_AHRA
A	24	D2		NSD									
A	25	D12		NSD									
A	26	B40	CD	22	22	F	2.7	0.1	27			Chrysotile	TAS_AHRA
A	27	B20		NSD									
A	28	B10	AQ	23	23	F	2	0.4	5.0			Actinolite	TAS_AHRA
A	29	C10		NSD									
A	30	C20		NSD									
A	31	C30		NSD									
B	32	B34		NSD									
B	33	B14	CD	24	24	F	1	0.1	10			Chrysotile	TAS_AHRA
B	33	B14	ADQ	25		MD1-0	11	8	1.4			Actinolite	AS>5, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
B	33	B14	ADQ		25	MF	3.5	0.4	8.8			Mg, Si, Ca, Fe Actinolite	
B	34	C4		NSD									
B	35	C14		NSD									
B	36	C44		NSD									
B	37	B43		NSD									
B	38	B23	AQ	26	26	F	3.8	0.8	4.8			Mg, Si, Ca, Fe Actinolite	TAS_AHRA
B	38	B23	CD	27	27	F	1.2	0.11	11			Chrysotile	TAS_AHRA
B	39	B3		NSD									
B	40	C13	CD	28	28	F	1.5	0.16	9.4			Chrysotile	TAS_AHRA
B	41	C43	AQ	29	29	F	4.2	1	4.2			Mg, Si, Ca, Fe Actinolite	TAS_AHRA
B	42	B32		NSD									
B	43	B12		NSD									
B	44	C2		NSD									
B	45	C22	AQ	30	30	F	3	0.4	7.5			Mg, Si, Ca, Fe Actinolite	TAS_AHRA
B	46	C42		NSD									
B	47	B31	CD	31	31	F	0.7	0.1	7.0			Chrysotile	TAS_AHRA

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041188R3

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #2 - FINAL RESULTS

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Sample No.: NFB-L2-3CH-100504 *Lab/Cor Sample No.:* B4771 S42 A1

Descripiton:

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
B	48	B21	ADQ	32	32	F	17	2.3	7.4			Mg, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
B	49	B1		NSD									
B	50	C11		NSD									
B	51	C31		NSD									
B	52	A11		NSD									
B	53	A1		NSD									
B	54	D1		NSD									
B	55	D21	ADQ	33	33	F	2.8	0.4	7.0			Mg, Si, Fe Anthophyllite	TAS_AHRA
B	56	D41		NSD									
B	57	D2		NSD									
B	58	D12	AQ	34	34	F	1.5	0.4	3.8			Mg, Al, Si, Ca, Fe Anthophyllite	TAS_AHRA
B	58	D12	CDQ	35		MD1-0	5.3	4	1.3			Chrysotile	AS>5, TAS_AHRA, AS>5_AHRA
B	58	D12	CDQ		35	MF	2	0.11	18			Chrysotile	
B	59	D22	AQ	36	36	F	1.8	0.23	7.8			Mg, Si, Ca, Fe Actinolite	TAS_AHRA
B	59	D22	AQ	37	37	F	5.1	0.7	7.3			Mg, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA
B	60	D32	AQ	38	38	F	6	1.3	4.6			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA
B	61	D42		NSD									
C	62	B44	CD	39	39	F	0.8	0.1	8.0			Chrysotile	TAS_AHRA
C	63	B34		NSD									
C	64	B42	AQ	40	40	F	3	0.3	10			Mg, Al, Si, Ca, Fe Actinolite	TAS_AHRA
C	65	B32		NSD									
C	66	A42		NSD									
C	67	A43	AD	41	41	F	2.5	0.32	7.8			Actinolite	TAS_AHRA
C	68	A33	AQ	42		MD1-1	18	8	2.2			Actinolite	AS>5, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
C	68	A33	AQ		42	MF	9.5	0.8	12			Mg, Al, Si, Ca, Fe Actinolite	AFB>5, PCMEF-US
C	68	A33	AQ	43	43	F	4.2	0.7	6.0			Mg, Al, Si, Ca, Fe Actinolite	TAS_AHRA
C	69	A23	AQ	44	44	F	4	0.8	5.0			Mg, Al, Si, Ca, Fe Actinolite	TAS_AHRA
C	69	A23	AQ	45		MD1-0	13	10	1.3			Actinolite	AS>5, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
C	69	A23	AQ		45	MF	4	0.5	8.0			Mg, Al, Si, Ca, Fe Actinolite	

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041188R3

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #2 - FINAL RESULTS

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Sample No.: NFB-L2-3CH-100504 *Lab/Cor Sample No.:* B4771 S42 A1

Descripiton:

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
C	70	A13	ADQ	46	46	F	12	2.5	4.8			Mg, Si, Fe Amosite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
C	70	A13	AQ	47	47	F	9	0.9	10			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA
C	70	A13	CD	48		MD1-0	1.5	1.5	1.0			Chrysotile	TAS_AHRA
C	70	A13	CD		48	MF	0.5	0.08	6.2			Chrysotile	
C	71	A3		NSD									
C	72	A44	CD	49	49	F	1.2	0.05	24			Chrysotile	TAS_AHRA
C	73	A34	AQ	50		MD1-0	6	2	3.0			Actinolite	AS>5, TAS_AHRA, AS>5_AHRA
C	73	A34	AQ		50	MF	4.5	0.38	12			Mg, Al, Si, Ca, Fe Actinolite	
C	74	A4	AQ	51		MD1-0	4.8	2.5	1.9			Actinolite	TAS_AHRA
C	74	A4	AQ		51	MF	1.2	0.35	3.4			Actinolite	
C	75	D4		NSD									
C	76	D14		NSD									
C	77	D24	AQ	52	52	F	5.3	1.5	3.5			Mg, Si, Fe Anthophyllite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA
C	77	D24	CD	53		MD1-0	4.8	1	4.8			Chrysotile	TAS_AHRA
C	77	D24	CD		53	MF	3.5	0.08	44			Chrysotile	
C	78	D34		NSD									
C	79	D44		NSD									
C	80	D33		NSD									
C	81	D43	AQ	54	54	F	5.5	1	5.5			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA
C	82	D22		NSD									
C	83	D32	ADQ	55	55	F	10	1.5	6.7			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA
C	83	D32	AQ	56	56	F	5.2	0.5	10			Actinolite	AS>5, AFB>5, PCMEF-US, PSAS 5-10, PSAS TOT, PSAM 5-10, PSAM TOT, TAS_AHRA, AS>5_AHRA
C	83	D32	CD	57		MD1-0	4	2	2.0			Chrysotile	TAS_AHRA
C	83	D32	CD		57	MF	1.5	0.11	14			Chrysotile	
C	83	D32	ADQ	58	58	F	1.8	0.4	4.5			Mg, Al, Si, Ca, Fe Actinolite	TAS_AHRA
C	84	D42	ADQ	59	59	F	19	1.8	11			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
D	85	A42		NSD									

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041188R3

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #2 - FINAL RESULTS

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Sample No.: NFB-L2-3CH-100504 *Lab/Cor Sample No.:* B4771 S42 A1

Descripiton:

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
D	86	A41		NSD									
D	87	A40	AQ	60	60	F	4.8	1.2	4.0			Mg, Al, Si, Ca, Fe Actinolite	TAS_AHRA
D	88	B21	AQ	61	61	F	4	0.8	5.0			Mg, Al, Si, Ca, Fe Actinolite	TAS_AHRA
D	88	B21	AQ	62	62	F	2.6	0.4	6.5			Mg, Al, Si, Ca, Fe Actinolite	TAS_AHRA
D	89	B11		NSD									
D	90	B1		NSD									
D	91	B22	AQ	63	63	F	2	0.5	4.0			Mg, Al, Si, Ca, Fe Actinolite	TAS_AHRA

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041188R7

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #2-FINAL RESULTS

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Sample No.: NFB-L2-1NA-100504 *Lab/Cor Sample No.:* B4771 S83 A1

Descripiton:

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
A	1	A24		NSD									
A	2	A4		NSD									
A	3	D14	AZQ	1	1	F	15	2.5	6.0	1285	956	Mg, Al, Si, Ca, Fe Actinolite Zone Axis - [2 0 1] KBM	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
A	4	D34		NSD									
A	5	D44		NSD									
A	6	D42		NSD									
A	7	D22		NSD									
A	8	D2		NSD									
A	9	A12		NSD									
A	10	A32		NSD									
A	11	A42		NSD									
A	12	A43		NSD									
A	13	A23		NSD									
A	14	A3		NSD									
A	15	D13		NSD									
A	16	D33		NSD									
A	17	A40		NSD									
A	18	A20		NSD									
A	19	A10		NSD									
A	20	D10		NSD									
A	21	D30	AQ	2	2	F	4	0.5	8.0			Mg, Al, Si, Ca, Fe Actinolite	TAS_AHRA
A	22	D40		NSD									
A	23	C31		NSD									
A	24	C11		NSD									
A	25	B1		NSD									
A	26	B21	AQ	3	3	F	2.7	0.9	3.0			Mg, Al, Si, Ca, Fe Actinolite	TAS_AHRA
A	27	B41		NSD									
A	28	B43	AQ	4	4	F	11	2	5.5			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
A	29	B23		NSD									
B	30	A24		NSD									
B	31	A4	AQ	5		MD1-1	7.5	3.5	2.1			Actinolite	AS>5, TAS_AHRA, AS>5_AHRA

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041188R7

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #2-FINAL RESULTS

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Sample No.: NFB-L2-1NA-100504 *Lab/Cor Sample No.:* B4771 S83 A1

Descripiton:

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
B	31	A4	AQ		5	MF	7.5	0.4	19			Mg, Al, Si, Ca, Fe Actinolite	AFB>5, PCMEF-US, PSAS 5-10, PSAS TOT, PSAM 5-10, PSAM TOT
B	32	D14	AQ	6	6	F	2.5	0.4	6.2			Mg, Al, Si, Ca, Fe Actinolite	TAS_AHRA
B	32	D14	AQ	7	7	F	7.5	2	3.8			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA
B	33	D34		NSD									
B	34	D42		NSD									
B	35	D22		NSD									
B	36	D2	CDQ	8	8	F	1.2	0.06	20	1286	957	Mg, Si Chrysotile Verified - KM	TAS_AHRA
B	37	A12		NSD									
B	38	A32		NSD									
B	39	A42		NSD									
B	40	A40		NSD									
B	41	A20		NSD									
B	42	A10		NSD									
B	43	D10		NSD									
B	44	D30		NSD									
B	45	D40		NSD									
B	46	C41	AQ	9	9	F	7	0.9	7.8			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA
B	47	C21		NSD									
B	48	C1		NSD									
B	49	B11		NSD									
B	50	B31		NSD									
B	51	B41		NSD									
B	52	B43		NSD									
B	53	B23	AQ	10	10	B	3.5	0.7	5.0			Mg, Al, Si, Ca, Fe Actinolite	TAS_AHRA
B	54	B3		NSD									
B	55	C13	AQ	11	11	F	12.5	1.5	8.3			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
B	56	C33		NSD									
B	57	C43		NSD									
B	58	C24		NSD									
B	59	B24		NSD									

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041188R7

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #2-FINAL RESULTS

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Sample No.: NFB-L2-1NA-100504 *Lab/Cor Sample No.:* B4771 S83 A1

Descripiton:

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
B	60	B4		NSD									
B	61	C14		NSD									
B	62	C34		NSD									
B	63	C44		NSD									
B	64	C42	AQ	12	12	F	6	1.5	4.0			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA
B	65	C22		NSD									
B	66	C2	AQ	13	13	F	4.5	1.2	3.7			Mg, Al, Si, Ca, Fe Actinolite	TAS_AHRA
B	67	B12		NSD									
B	68	B32		NSD									
B	69	B42	AQ	14	14	F	4.9	0.7	7.0			Mg, Al, Si, Ca, Fe Actinolite	TAS_AHRA
B	70	B40		NSD									
B	71	B20	AQ	15	15	F	9	1.2	7.5			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA
B	72	B10		NSD									
B	73	C10		NSD									
B	74	C30		NSD									
B	75	C40		NSD									
B	76	D41		NSD									
B	77	D21		NSD									
B	78	D1		NSD									
B	79	A11		NSD									
B	80	A31		NSD									
B	81	A41		NSD									
B	82	A43		NSD									
B	83	A23	AQ	16	16	F	2.5	0.7	3.6			Mg, Al, Si, Ca, Fe Actinolite	TAS_AHRA
B	84	A3		NSD									
B	85	D13		NSD									
B	86	A14		NSD									
B	87	A34		NSD									

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041188R7

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #2-FINAL RESULTS

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Sample No.: NFB-L2-1ZB-100504 *Lab/Cor Sample No.:* B4771 S84 A1

Descripiton:

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
A	1	A44		NSD									
A	2	A24		NSD									
A	3	A4		NSD									
A	4	D14		NSD									
A	5	D34		NSD									
A	6	D42		NSD									
A	7	D22		NSD									
A	8	D2		NSD									
A	9	A12		NSD									
A	10	A32		NSD									
A	11	A42		NSD									
A	12	A40		NSD									
A	13	A20		NSD									
A	14	A10		NSD									
A	15	D10		NSD									
A	16	D30		NSD									
A	17	D40		NSD									
A	18	C41		NSD									
A	19	C21		NSD									
A	20	C1		NSD									
A	21	B11		NSD									
A	22	B31		NSD									
A	23	B41		NSD									
A	24	B43		NSD									
A	25	B23		NSD									
A	26	B3		NSD									
A	27	C13		NSD									
A	28	C33		NSD									
A	29	C43		NSD									
A	30	C44		NSD									
B	31	B44		NSD									
B	32	B24		NSD									
B	33	B4		NSD									
B	34	C14		NSD									

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041188R7

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #2-FINAL RESULTS

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Sample No.: NFB-L2-1ZB-100504 *Lab/Cor Sample No.:* B4771 S84 A1

Descripiton:

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
B	35	C34		NSD									
B	36	C44		NSD									
B	37	C42		NSD									
B	38	C22		NSD									
B	39	C2		NSD									
B	40	B12		NSD									
B	41	B32		NSD									
B	42	B42		NSD									
B	43	B40		NSD									
B	44	B20		NSD									
B	45	B10		NSD									
B	46	C10		NSD									
B	47	C30		NSD									
B	48	C40		NSD									
B	49	D41		NSD									
B	50	D21		NSD									
B	51	D1		NSD									
B	52	A11		NSD									
B	53	A31		NSD									
B	54	A41		NSD									
B	55	A43		NSD									
B	56	A23		NSD									
B	57	A3		NSD									
B	58	D13		NSD									
B	59	D33		NSD									
B	60	D43		NSD									
C	61	A44		NSD									
C	62	A24		NSD									
C	63	A4		NSD									
C	64	D14		NSD									
C	65	D34		NSD									
C	66	D44		NSD									
C	67	D42		NSD									
C	68	D22		NSD									

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041188R7

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #2-FINAL RESULTS

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Sample No.: NFB-L2-1ZB-100504 *Lab/Cor Sample No.:* B4771 S84 A1

Descripiton:

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
C	69	D2		NSD									
C	70	A12		NSD									
C	71	A32		NSD									
C	72	A42		NSD									
C	73	A40		NSD									
C	74	A20		NSD									
C	75	A10		NSD									
C	76	D10		NSD									
C	77	D30		NSD									
C	78	D40		NSD									
C	79	C41		NSD									
C	80	C21		NSD									
C	81	C1		NSD									
C	82	B11		NSD									
C	83	B31		NSD									
C	84	B41		NSD									
C	85	B43		NSD									
C	86	B23		NSD									
C	87	B3		NSD									
C	88	C13		NSD									
C	89	C33		NSD									

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041188R3

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #2 - FINAL RESULTS

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Sample No.: CC2-H6-1CP-100504 *Lab/Cor Sample No.:* B4771 S1 A1

Descripiton:

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
A	1	A11		NSD									
A	2	A20		NSD									
A	3	B21	CDQ	1	1	F	0.75	0.1	7.5	5266	15187	Mg, Si Chrysotile Confirmed - KM	TAS_AHRA
A	3	B21	CM	2		MD1-0	4	2.5	1.6	5267		Mg, Si Chrysotile Confirmed - KM	TAS_AHRA
A	3	B21	CM		2	MF	2	0.05	40			Chrysotile	
A	4	C2	CM	3		MD2-0	2.5	2	1.2			Chrysotile bundle tilts behind matrix	TAS_AHRA
A	4	C2	CM		3	MB	1.5	0.15	10			Chrysotile	
A	5	C21	CDQ	4	4	F	0.65	0.05	13	5268		Mg, Si Chrysotile Confirmed - KM	TAS_AHRA
A	6	D10		NSD									
B	7	B20		NSD									
B	8	B23	CD	5		MD1-0	4	2.5	1.6			Chrysotile structure tilts behind grid bar	TAS_AHRA
B	8	B23	CD		5	MF	2	0.07	29			Chrysotile	
B	9	B3	CDQ	6	6	F	1.05	0.05	21			Mg, Si Chrysotile	TAS_AHRA
B	9	B3	AZQ	7	7	F	12	0.75	16	5325	15188	Mg, Si, Ca, Fe Actinolite Zone Axis [4 0 5] - KM	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
B	9	B3	CDQ	8		MD1-0	1.5	1.5	1.0			Mg, Si Chrysotile	TAS_AHRA
B	9	B3	CDQ		8	MF	1.5	0.1	15			Chrysotile	
B	9	B3	CMQ	9		MD1-0	2.5	2	1.2			Mg, Si Chrysotile	TAS_AHRA
B	9	B3	CMQ		9	MF	2.5	0.05	50			Chrysotile	
B	10	C21	CMQ	10	10	F	0.5	0.05	10			Mg, Si Chrysotile	TAS_AHRA
B	10	C21	ADQ	11	11	F	2	0.3	6.7			Mg, Si, Ca, Fe Actinolite	TAS_AHRA
B	11	C10	CMQ	12	12	F	1.6	0.05	32			Mg, Si Chrysotile	TAS_AHRA
B	12	D11	CDQ	13		MD2-0	2.5	1.75	1.4			Mg, Si Chrysotile	TAS_AHRA
B	12	D11	CDQ		13	MF	0.75	0.05	15			Chrysotile	
B	12	D11	CDQ		14	MF	0.6	0.05	12			Chrysotile	

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041176R1

Client: Ecology and Environment, Inc.

Project Name: Site# 0440.01CP, 0440.01CP-0001- FINAL RESULTS

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Sample No.: CC2-H6-1CP-100504 *Lab/Cor Sample No.:* B4763 S17 A1

Descripiton: Replicate Analysis of 041188-01 - Same Grid Openings

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
A	1	A11		NSD									
A	2	A20		NSD									
A	3	B21	CD	1	1	F	0.8	0.11	7.3			Mg, Si Chrysotile	
A	3	B21	CD	2		MD1-0	4	3.8	1.1			Chrysotile	
A	3	B21	CD		2	MF	1	0.05	20			Mg, Si Chrysotile	
A	4	C2		NSD									
A	5	C21	AQ	3	3	F	4	0.6	6.7			Mg, Al, Si, Ca, Fe Actinolite	
A	5	C21	CD	4	4	F	0.6	0.08	7.5			Chrysotile	
A	6	D10		NSD									
B	7	B20		NSD									
B	8	B23	CDQ	5		MD1-0	3.5	2	1.8			Chrysotile	
B	8	B23	CDQ		5	MF	2	0.08	25			Mg, Al, Si, Ca, Fe Chrysotile	
B	8	B23	CD	6	6	F	0.6	0.08	7.5			Chrysotile	
B	8	B23	AQ	7	7	F	5.3	0.4	13			Mg, Al, Si, Ca, Fe Actinolite	
B	9	B3	CDQ	8		MD1-0	1.8	1	1.8			Chrysotile	
B	9	B3	CDQ		8	MF	1.8	0.05	36			Mg, Si Chrysotile	
B	9	B3	CD	9	9	F	1	0.08	12			Chrysotile	
B	9	B3	AQ	10	10	F	12	0.8	15			Mg, Al, Si, Ca, Fe Actinolite	
B	9	B3	CD	11		MD1-0	1.5	0.8	1.9			Chrysotile	
B	9	B3	CD		11	MF	0.7	0.1	7.0			Chrysotile	
B	10	C10	CD	12		MD1-0	1.8	1	1.8			Chrysotile	
B	10	C10	CD		12	MF	1.8	0.08	22			Chrysotile	
B	11	C21	AQ	13	13	F	2	0.38	5.3			Mg, Al, Si, Ca, Fe Actinolite	
B	12	D11	CD	14	14	F	0.5	0.08	6.2			Chrysotile	

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041188R3

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #2 - FINAL RESULTS

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Sample No.: CC2-L6-1CA-100504 *Lab/Cor Sample No.:* B4771 S4 A1

Descripiton:

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
A	1	B42		NSD									
A	2	B22		NSD									
A	3	B2		NSD									
A	4	C12		NSD									
A	5	C32		NSD									
A	6	C41	ADQ	1		MD1-0	20	15	1.3			Actinolite	AS>5, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
A	6	C41	ADQ		1	MF	4	0.75	5.3			Mg, Al, Si, Ca, Fe Actinolite	
A	6	C41	ADQ	2		MD1-0	20	15	1.3			Actinolite	AS>5, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
A	6	C41	ADQ		2	MF	1.5	0.5	3.0			Mg, Al, Si, Ca, Fe Actinolite	
A	7	C21	CDQ	3	3	F	1	0.05	20	840	583	Mg, Si Chrysotile Confirmed - KM	TAS_AHRA
A	7	C21	CM	4		MD1-0	20	20	1.0			Chrysotile	AS>5, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
A	7	C21	CM		4	MF	0.65	0.05	13			Chrysotile	
A	8	C1		NSD									
A	9	B11		NSD									
A	10	B31	CM	5	5	F	1	0.01	100			Chrysotile	TAS_AHRA
A	10	B31	ADQ	6		MD1-0	6	6	1.0			Actinolite	AS>5, TAS_AHRA, AS>5_AHRA
A	10	B31	ADQ		6	MF	5	0.85	5.9		584	Mg, Al, Si, Ca, Fe Actinolite	
A	11	A41		NSD									
A	12	A21	CM	7		MD2-0	15	6	2.5			Chrysotile	AS>5, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
A	12	A21	CM		7	MF	0.75	0.05	15			Chrysotile	
A	12	A21	CDQ		8	MB	2	0.15	13	841		Mg, Si Chrysotile Confirmed - KM	
A	12	A21	CM	8		MD1-0	2.5	2	1.2			Chrysotile	TAS_AHRA
A	12	A21	CM		9	MF	0.75	0.1	7.5			Chrysotile	
A	13	A1	CM	9	10	F	0.75	0.05	15			Chrysotile	TAS_AHRA
A	13	A1	AZQ	10	11	F	1	0.2	5.0	5280	585	Mg, Al, Si, Ca, Fe Actinolite Zone Axis [3 -1 0] - KM	TAS_AHRA
A	14	D11	AQ	11		MD1-1	20	15	1.3			Edenite	TAS_AHRA, AS>5_AHRA, AS>10_AHRA
A	14	D11	AQ		12	MF	15	2	7.5			Na, Mg, Al, Si, Ca, Fe Edenite	PCMEF-US
A	15	D31	CM	12		MD1-0	8	8	1.0			Chrysotile	AS>5, TAS_AHRA, AS>5_AHRA

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041188R3

Client: Ecology and Environment, Inc.

Project Name: Site #0440.01CP Sample Set #2 - FINAL RESULTS

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Sample No.: CC2-L6-1CA-100504 *Lab/Cor Sample No.:* B4771 S4 A1

Descripiton:

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
A	15	D31	CM		13	MF	1	0.05	20			Chrysotile	
B	16	B44		NSD									
B	17	B24		NSD									
B	18	B4	ADQ	13	14	F	10	1	10			Mg, Al, Si, Ca, Fe Actinolite	AS>5, AFB>5, PCMEF-US, TAS_AHRA, AS>5_AHRA
B	19	C14	CM	14		MD1-0	4	1.2	3.3			Chrysotile	TAS_AHRA
B	19	C14	CM		15	MF	3	0.15	20			Chrysotile	
B	20	C34	ADQ	15		MD1-0	10	10	1.0			Actinolite	AS>5, TAS_AHRA, AS>5_AHRA
B	20	C34	ADQ		16	MF	4.5	0.5	9.0			Mg, Al, Si, Ca, Fe Actinolite	
B	21	C43	CD	16		MD1-0	3	3	1.0			Chrysotile	TAS_AHRA
B	21	C43	CD		17	MF	2.5	0.15	17			Chrysotile	
B	21	C43	AQ	17		MD2-0	10	7.5	1.3			Actinolite	AS>5, TAS_AHRA, AS>5_AHRA
B	21	C43	AQ		18	MF	4.5	0.65	6.9			Mg, Al, Si, Ca, Fe Actinolite	
B	21	C43	AQ		19	MF	2.5	0.4	6.2			Actinolite	
B	22	C23	CD	18		MD1-0	20	20	1.0			Chrysotile	AS>5, TAS_AHRA, AS>5_AHRA, AS>10_AHRA
B	22	C23	CD		20	MF	0.65	0.05	13			Chrysotile	
B	23	C3	CM	19	21	F	1.5	0.05	30			Chrysotile	TAS_AHRA
B	23	C3	CM	20		MD1-0	5	5	1.0			Chrysotile	TAS_AHRA
B	23	C3	CM		22	MF	1.5	0.01	150			Chrysotile	
B	24	B13		NSD									
B	25	B33		NSD									
B	26	B42	CM	21		MD2-0	3.5	3.5	1.0			Chrysotile	TAS_AHRA
B	26	B42	CM		23	MF	1	0.05	20			Chrysotile	
B	26	B42	CM		24	MF	1	0.05	20			Chrysotile	
B	27	B22		NSD									
B	28	B2		NSD									
B	29	C12	CM	22		MD1-0	1.5	1.5	1.0			Chrysotile	TAS_AHRA
B	29	C12	CM		25	MF	1	0.01	100			Chrysotile	
B	29	C12	CM	23		MD1-0	4	1.5	2.7			Chrysotile	TAS_AHRA
B	29	C12	CM		26	MF	2.5	0.05	50			Chrysotile	

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041176R1

Client: Ecology and Environment, Inc.

Project Name: Site# 0440.01CP, 0440.01CP-0001- FINAL RESULTS

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Sample No.: CC2-L6-1CA-100504 *Lab/Cor Sample No.:* B4763 S19 A1

Descripiton: Duplicate Analysis of 041188-04 - Same Grid Openings

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
A	1	B42		NSD									
A	2	B22		NSD									
A	3	B2		NSD									
A	4	C12		NSD									
A	5	C32		NSD									
A	6	C41	CMQ	1	1	F	0.6	0.1	6.0			Mg, Si Chrysotile	
A	6	C41	AQ	2		MD1-0	18	8	2.2			Actinolite	
A	6	C41	AQ		2	MF	4.8	1.2	4.0			Mg, Al, Si, Ca, Fe Actinolite	
A	7	C21	AQ	3	3	F	6	1.58	3.8			Mg, Al, Si, Ca, Fe Actinolite	
A	8	C1		NSD									
A	9	B11		NSD									
A	10	B31	AQ	4	4	F	5	0.75	6.7			Mg, Al, Si, Ca, Fe Actinolite	
A	10	B31	CD	5	5	F	1	0.03	33			Chrysotile	
A	11	A41	AQ	6	6	F	3.3	1	3.3			Mg, Al, Si, Ca, Fe Actinolite	
A	12	A21	CD	7		MD1-0	2	0.5	4.0			Chrysotile	
A	12	A21	CD		7	MF	0.75	0.05	15			Chrysotile	
A	12	A21	CD	8		MD1-0	20	15	1.3			Chrysotile	
A	12	A21	CD		8	MF	1.8	0.1	18			Chrysotile	
A	13	A1	CD	9	9	F	0.6	0.1	6.0			Chrysotile	
A	13	A1	AQ	10		MD1-0	9	6	1.5			Actinolite	
A	13	A1	AQ		10	MF	4.5	0.6	7.5			Actinolite	
A	14	D11	OQ	11		MD1-1	18	8.5	2.1			Edenite	
A	14	D11	OQ		11	MF	14	2.5	5.6			Edenite	
A	15	D31	CD	12		MD2-0	3	1.8	1.7			Chrysotile	
A	15	D31	CD		12	MF	0.7	0.01	70			Chrysotile	
A	15	D31	CD		13	MF	0.5	0.01	50			Chrysotile	
A	15	D31	CD	13	14	F	1.1	0.08	14			Chrysotile	
B	16	B44	CD	14		MD1-0	3.5	1.5	2.3			Chrysotile	
B	16	B44	CD		15	MF	1.1	0.1	11			Chrysotile	
B	17	B24		NSD									
B	18	B4	AQ	15	16	F	9.3	1	9.3			Actinolite	
B	19	C14	CD	16		MD1-0	4	3	1.3			Chrysotile	
B	19	C14	CD		17	MF	0.8	0.08	10			Chrysotile	
B	19	C14	CD	17		MD1-0	3.2	1.5	2.1			Chrysotile	

Lab/Cor, Inc.

A Professional Service Corporation in the Northwest

Report # 041176R1

Client: Ecology and Environment, Inc.

Project Name: Site# 0440.01CP, 0440.01CP-0001- FINAL RESULTS

TEM ASBESTOS STRUCTURE COUNT - RAW DATA

Lab/Cor Sample No.: B4763 S19 A1

Sample No.: CC2-L6-1CA-100504

Descripiton: Duplicate Analysis of 041188-04 - Same Grid Openings

Gr	No.	Loc.	ID	Prim	Tot	Class	Len	Wid	Asp	Neg#	EDS#	Comment	Count Categories
B	19	C14	CD		18	MF	3.2	0.11	29			Chrysotile	
B	20	C34	AQ	18	19	F	4.3	0.5	8.6			Actinolite	
B	20	C34	AQ	19	20	F	5	1.5	3.3			Mg, Al, Si, Ca, Fe Actinolite	
B	21	C43	CD	20	21	F	2.8	0.1	28			Chrysotile	
B	21	C43	AQ	21		MD1-0	7	6	1.2			Actinolite	
B	21	C43	AQ		22	MF	4.5	0.6	7.5			Actinolite	
B	21	C43	AQ	22	23	F	2.5	0.38	6.6			Mg, Al, Si, Ca, Fe Actinolite	
B	22	C23		NSD									
B	23	C3	CD	23	24	F	1.2	0.1	12			Chrysotile	
B	23	C3	CD	24	25	F	1.2	0.01	120			Chrysotile	
B	23	C3	CD	25	26	F	0.9	0.08	11			Chrysotile	
B	24	B13	CD	26	27	F	0.8	0.1	8.0			Chrysotile	
B	25	B33		NSD									
B	26	B42	CD	27		MD2-0	4	3	1.3			Chrysotile	
B	26	B42	CD		28	MF	1	0.1	10			Chrysotile	
B	26	B42	CD		29	MF	0.8	0.08	10			Chrysotile	
B	27	B22		NSD									
B	28	B2		NSD									
B	29	C12	CD	28	30	F	0.7	0.1	7.0			Chrysotile	
B	29	C12	AQ	29		MD1-0	2.5	2.5	1.0			Actinolite	
B	29	C12	AQ		31	MF	1.2	0.35	3.4			Mg, Al, Si, Ca, Fe Actinolite	