From: Wetmore, Cynthia
To: Unger, Samuel@Waterboards
Cc: Barton, Dana
Subject: RE: Montrose Technical Information
Date: Tuesday, January 06, 2015 1:45:42 PM
Attachments: image004.png
image003.png

Hi Sam, I am in tomorrow and can make time around your schedule. Just let me know when (I get in early – 7:30).

Cynthia 415-972-3059

Cynthia Wetmore, Technical Support Section
US.EPA, Region IX, Superfund Division
75 Hawthorne Street, San Francisco, 94105
(415)972-3059

From: Unger, Samuel@Waterboards [mailto:Samuel.Unger@waterboards.ca.gov]
Sent: Tuesday, January 06, 2015 12:54 PM
To: Wetmore, Cynthia
Subject: RE: Montrose Technical Information

Hi Cynthia – are you available to speak later today or tomorrow morning?

From: Wetmore, Cynthia [mailto:Wetmore.Cynthia@epa.gov]
Sent: Friday, December 19, 2014 7:51 AM
To: Unger, Samuel@Waterboards
Subject: Re: Montrose Technical Information

I am off until January 5th - use or lose problem. I am available on and off during this time. I am home today and will get some errands done, but also would like to talk with you, if you have time. I have a call with Montrose at 8 this morning to tell them no 5-day test now.

When I return, I immediately head down to LA for all these meetings, and I would really like to be prepared. So it would help me a lot to talk with you to fully understand what I can do to help you and this issue.

Assuming my call with Montrose is short, I could call you at 8:30. Is that ok? Do you have a number I can call? Or call me 415-972-3059 - my work # is forwarded to my

cell.

Thanks, Cynthia W.

From: Unger, Samuel@Waterboards <Samuel.Unger@waterboards.ca.gov>
Sent: Friday, December 19, 2014 7:29 AM
To: Wetmore, Cynthia
Subject: RE: Montrose Technical Information

Thank you. This should be good for now – when do you return to the office – I am hoping we can meet, if only by phone.

From: Wetmore, Cynthia [mailto:Wetmore.Cynthia@epa.gov]
Sent: Thursday, December 18, 2014 4:50 PM
To: Unger, Samuel@Waterboards
Cc: Barton, Dana; Lyons, John
Subject: Montrose Technical Information

Hello Sam, Attached are the preliminary DRAFT results for pCBSA in the different groundwater levels. I will work on getting the groundwater modelling results as soon as possible, as well as mass calculations.

If you need anything, feel free to shoot me an email. You will see an out of office response, but I am periodically checking and will get you what you need as soon as I am able.

Hope you have a happy holiday, Cynthia W.

Cynthia Wetmore, Technical Support Section
US.EPA, Region IX, Superfund Division
75 Hawthorne Street, San Francisco, 94105
(415)972-3059