Client: URS Corporation

Job Number: 180-3644-1

Client Sample ID: **RU-1**

Lab Sample ID: 180-3644-8
Client Matrix: Water

Date Sampled: 09/01/2011 1445
Date Received: 09/06/2011 0900

8270C LL Semivolatile Organic Compounds by GCMS - Low Levels

Analysis Method:	8270C LL	Analysis Batch:	180-13655	Instrument ID:	733
Prep Method:	3520C	Prep Batch:	180-13271	Lab File ID:	N0910005.D
Dilution:	1.0			Initial Weight/Volume:	980 mL
Analysis Date:	09/10/2011 1223			Final Weight/Volume:	1.0 mL
Prep Date:	09/08/2011 0853			Injection Volume:	2 uL

Analyte	Result (ug/L)	Qualifier	MDL	RL
Anthracene	0.20	U	0.15	0.20
Benzo[a]anthracene	0.20	U	0.015	0.20
Benzo[b]fluoranthene	0.20	U	0.016	0.20
Benzo[g,h,i]perylene	0.20	U	0.015	0.20
Benzo[a]pyrene	0.20	U	0.014	0.20
Chrysene	0.20	U	0.014	0.20
Fluorene	0.20	U	0.022	0.20
Indeno[1,2,3-cd]pyrene	0.20	U	0.020	0.20
Phenanthrene	0.20	U	0.044	0.20
Pyrene	0.20	U	0.016	0.20

Surrogate	%Rec	Qualifier	Acceptance Limits
Terphenyl-d14	64		10 - 132
Nitrobenzene-d5	55		23 - 112
2-Fluorobiphenyl	53		19 - 107

Client: URS Corporation

Job Number: 180-3644-1

Client Sample ID: **KDE-1**

Lab Sample ID: 180-3644-9
Client Matrix: Water

Date Sampled: 09/01/2011 1535
Date Received: 09/06/2011 0900

8270C LL Semivolatile Organic Compounds by GCMS - Low Levels

Analysis Method:	8270C LL	Analysis Batch:	180-13655	Instrument ID:	733
Prep Method:	3520C	Prep Batch:	180-13271	Lab File ID:	N0910006.D
Dilution:	1.0			Initial Weight/Volume:	1020 mL
Analysis Date:	09/10/2011 1245			Final Weight/Volume:	1.0 mL
Prep Date:	09/08/2011 0853			Injection Volume:	2 uL

Analyte	Result (ug/L)	Qualifier	MDL	RL
Acenaphthene	0.20	U	0.014	0.20
Acenaphthylene	0.20	U	0.015	0.20
Anthracene	0.20	U	0.15	0.20
Benzo[a]anthracene	0.20	U	0.014	0.20
Benzo[b]fluoranthene	0.20	U	0.015	0.20
Benzo[k]fluoranthene	0.20	U	0.054	0.20
Benzo[g,h,i]perylene	0.20	U	0.015	0.20
Benzo[a]pyrene	0.20	U	0.013	0.20
Bis(2-chloroethoxy)methane	0.98	U	0.057	0.98
Bis(2-chloroethyl)ether	0.20	U	0.025	0.20
Bis(2-ethylhexyl) phthalate	22		1.2	2.0
Butyl benzyl phthalate	0.42	J	0.14	0.98
Carbazole	0.20	U	0.015	0.20
Chrysene	0.20	U	0.014	0.20
2-Chloronaphthalene	0.20	U	0.015	0.20
2-Chlorophenol	0.98	U	0.16	0.98
2,4-Dichlorophenol	0.20	U	0.033	0.20
2,4-Dimethylphenol	0.98	U	0.084	0.98
2,4-Dinitrophenol	4.9	U	0.60	4.9
2,4-Dinitrotoluene	0.98	U	0.053	0.98
2,6-Dinitrotoluene	0.98	U	0.078	0.98
1,2-Dichlorobenzene	0.98	U	0.073	0.98
2-Methylnaphthalene	0.20	U	0.012	0.20
1,3-Dichlorobenzene	0.98	U	0.073	0.98
2-Methylphenol	0.98	U	0.085	0.98
1,4-Dichlorobenzene	0.98	U	0.073	0.98
2-Nitroaniline	4.9	U	0.34	4.9
2-Nitrophenol	0.98	U	0.17	0.98
bis (2-chloroisopropyl) ether	0.20	U	0.019	0.20
2,4,5-Trichlorophenol	0.98	U	0.15	0.98
2,4,6-Trichlorophenol	0.98	U	0.17	0.98
4-Nitroaniline	4.9	U	0.17	4.9
4-Nitrophenol	4.9	U	0.63	4.9
4-Chlorophenyl phenyl ether	0.98	U	0.049	0.98
Methylphenol, 3 & 4	0.98	U	0.088	0.98
4,6-Dinitro-2-methylphenol	4.9	U	0.22	4.9
4-Chloroaniline	0.98	U	0.087	0.98
4-Chloro-3-methylphenol	0.98	U	0.074	0.98
4-Bromophenyl phenyl ether	0.98	U	0.062	0.98
Dibenz(a,h)anthracene	0.20	U	0.015	0.20
Dibenzofuran	0.98	U	0.060	0.98
Di-n-butyl phthalate	0.98	U	0.12	0.98
Diethyl phthalate	0.98	U	0.14	0.98
Dimethyl phthalate	0.98	U	0.075	0.98
Di-n-octyl phthalate	0.98	U	0.20	0.98
3,3'-Dichlorobenzidine	0.98	U	0.11	0.98

Client: URS Corporation

Job Number: 180-3644-1

Client Sample ID: **KDE-1**

Lab Sample ID: 180-3644-9
Client Matrix: Water

Date Sampled: 09/01/2011 1535
Date Received: 09/06/2011 0900

8270C LL Semivolatile Organic Compounds by GCMS - Low Levels

Analysis Method:	8270C LL	Analysis Batch:	180-13655	Instrument ID:	733
Prep Method:	3520C	Prep Batch:	180-13271	Lab File ID:	N0910006.D
Dilution:	1.0			Initial Weight/Volume:	1020 mL
Analysis Date:	09/10/2011 1245			Final Weight/Volume:	1.0 mL
Prep Date:	09/08/2011 0853			Injection Volume:	2 uL

Analyte	Result (ug/L)	Qualifier	MDL	RL
3-Nitroaniline	4.9	U	0.32	4.9
Fluoranthene	0.20	U	0.016	0.20
1,2,4-Trichlorobenzene	0.98	U	0.070	0.98
Fluorene	0.20	U	0.021	0.20
Hexachlorobenzene	0.20	U	0.018	0.20
Hexachlorobutadiene	0.20	U	0.016	0.20
Hexachlorocyclopentadiene	0.98	U	0.051	0.98
Hexachloroethane	0.98	U	0.062	0.98
Indeno[1,2,3-cd]pyrene	0.20	U	0.020	0.20
Isophorone	0.98	U	0.063	0.98
Naphthalene	0.20	U	0.014	0.20
Nitrobenzene	2.0	U	0.083	2.0
N-Nitrosodiphenylamine	0.98	U	0.084	0.98
N-Nitrosodi-n-propylamine	0.20	U	0.030	0.20
Pyrene	0.20	U	0.015	0.20
Phenol	0.20	U	0.057	0.20
Phenanthrene	0.20	U	0.042	0.20
Pentachlorophenol	0.98	U	0.065	0.98
Benzyl alcohol	0.98	U	0.21	0.98
N-Nitrosodimethylamine	0.98	U	0.072	0.98
Benzoic acid	4.9	U	0.55	4.9
1,2-Diphenylhydrazine(as Azobenzene)	0.98	U	0.065	0.98
1-Methylnaphthalene	0.20	U	0.014	0.20

Surrogate	%Rec	Qualifier	Acceptance Limits
2,4,6-Tribromophenol	74		16 - 122
2-Fluorobiphenyl	54		19 - 107
2-Fluorophenol	62		10 - 111
Nitrobenzene-d5	60		23 - 112
Phenol-d5	66		15 - 112
Terphenyl-d14	67		10 - 132

Client: URS Corporation

Job Number: 180-3644-1

Client Sample ID: **KDE-1**

Lab Sample ID: 180-3644-9

Client Matrix: Water

Date Sampled: 09/01/2011 1535

Date Received: 09/06/2011 0900

8270C LL Semivolatile Organic Compounds by GCMS - Low Levels

Analysis Method:	8270C LL	Analysis Batch:	180-13655	Instrument ID:	733
Prep Method:	3520C	Prep Batch:	180-13271	Lab File ID:	N0910006.D
Dilution:	1.0			Initial Weight/Volume:	1020 mL
Analysis Date:	09/10/2011 1245			Final Weight/Volume:	1.0 mL
Prep Date:	09/08/2011 0853			Injection Volume:	2 uL

Analyte	Result (ug/L)	Qualifier	MDL	RL
Anthracene	0.20	U	0.15	0.20
Benzo[a]anthracene	0.20	U	0.014	0.20
Benzo[b]fluoranthene	0.20	U	0.015	0.20
Benzo[g,h,i]perylene	0.20	U	0.015	0.20
Benzo[a]pyrene	0.20	U	0.013	0.20
Chrysene	0.20	U	0.014	0.20
Fluorene	0.20	U	0.021	0.20
Indeno[1,2,3-cd]pyrene	0.20	U	0.020	0.20
Phenanthrene	0.20	U	0.042	0.20
Pyrene	0.20	U	0.015	0.20

Surrogate	%Rec	Qualifier	Acceptance Limits
Terphenyl-d14	67		10 - 132
Nitrobenzene-d5	60		23 - 112
2-Fluorobiphenyl	54		19 - 107

Client: URS Corporation

Job Number: 180-3644-1

Client Sample ID: **N-1**

Lab Sample ID: 180-3644-10
Client Matrix: Water

Date Sampled: 09/01/2011 1745
Date Received: 09/06/2011 0900

8270C LL Semivolatile Organic Compounds by GCMS - Low Levels

Analysis Method:	8270C LL	Analysis Batch:	180-13655	Instrument ID:	733
Prep Method:	3520C	Prep Batch:	180-13271	Lab File ID:	N0910007.D
Dilution:	1.0			Initial Weight/Volume:	910 mL
Analysis Date:	09/10/2011 1308			Final Weight/Volume:	1.0 mL
Prep Date:	09/08/2011 0853			Injection Volume:	2 uL

Analyte	Result (ug/L)	Qualifier	MDL	RL
Acenaphthene	0.030	J	0.016	0.22
Acenaphthylene	0.22	U	0.017	0.22
Anthracene	0.22	U	0.17	0.22
Benzo[a]anthracene	0.22	U	0.016	0.22
Benzo[b]fluoranthene	0.22	U	0.017	0.22
Benzo[k]fluoranthene	0.22	U	0.060	0.22
Benzo[g,h,i]perylene	0.22	U	0.017	0.22
Benzo[a]pyrene	0.22	U	0.015	0.22
Bis(2-chloroethoxy)methane	1.1	U	0.064	1.1
Bis(2-chloroethyl)ether	0.22	U	0.028	0.22
Bis(2-ethylhexyl) phthalate	2.2	U	1.4	2.2
Butyl benzyl phthalate	0.51	J	0.16	1.1
Carbazole	0.22	U	0.017	0.22
Chrysene	0.22	U	0.015	0.22
2-Chloronaphthalene	0.22	U	0.017	0.22
2-Chlorophenol	1.1	U	0.18	1.1
2,4-Dichlorophenol	0.22	U	0.037	0.22
2,4-Dimethylphenol	1.1	U	0.094	1.1
2,4-Dinitrophenol	5.5	U	0.67	5.5
2,4-Dinitrotoluene	1.1	U	0.059	1.1
2,6-Dinitrotoluene	1.1	U	0.088	1.1
1,2-Dichlorobenzene	1.1	U	0.082	1.1
2-Methylnaphthalene	0.016	J	0.013	0.22
1,3-Dichlorobenzene	1.1	U	0.082	1.1
2-Methylphenol	1.1	U	0.095	1.1
1,4-Dichlorobenzene	1.1	U	0.082	1.1
2-Nitroaniline	5.5	U	0.39	5.5
2-Nitrophenol	1.1	U	0.19	1.1
bis (2-chloroisopropyl) ether	0.22	U	0.022	0.22
2,4,5-Trichlorophenol	1.1	U	0.17	1.1
2,4,6-Trichlorophenol	1.1	U	0.19	1.1
4-Nitroaniline	5.5	U	0.19	5.5
4-Nitrophenol	5.5	U	0.71	5.5
4-Chlorophenyl phenyl ether	1.1	U	0.055	1.1
Methylphenol, 3 & 4	1.1	U	0.099	1.1
4,6-Dinitro-2-methylphenol	5.5	U	0.24	5.5
4-Chloroaniline	1.1	U	0.097	1.1
4-Chloro-3-methylphenol	1.1	U	0.083	1.1
4-Bromophenyl phenyl ether	1.1	U	0.070	1.1
Dibenz(a,h)anthracene	0.22	U	0.017	0.22
Dibenzofuran	1.1	U	0.068	1.1
Di-n-butyl phthalate	1.1	U	0.14	1.1
Diethyl phthalate	1.1	U	0.16	1.1
Dimethyl phthalate	1.1	U	0.084	1.1
Di-n-octyl phthalate	1.1	U	0.23	1.1
3,3'-Dichlorobenzidine	1.1	U	0.12	1.1

Client: URS Corporation

Job Number: 180-3644-1

Client Sample ID: **N-1**

Lab Sample ID: 180-3644-10
Client Matrix: Water

Date Sampled: 09/01/2011 1745
Date Received: 09/06/2011 0900

8270C LL Semivolatile Organic Compounds by GCMS - Low Levels

Analysis Method:	8270C LL	Analysis Batch:	180-13655	Instrument ID:	733
Prep Method:	3520C	Prep Batch:	180-13271	Lab File ID:	N0910007.D
Dilution:	1.0			Initial Weight/Volume:	910 mL
Analysis Date:	09/10/2011 1308			Final Weight/Volume:	1.0 mL
Prep Date:	09/08/2011 0853			Injection Volume:	2 uL

Analyte	Result (ug/L)	Qualifier	MDL	RL
3-Nitroaniline	5.5	U	0.35	5.5
Fluoranthene	0.22	U	0.018	0.22
1,2,4-Trichlorobenzene	1.1	U	0.078	1.1
Fluorene	0.22	U	0.024	0.22
Hexachlorobenzene	0.22	U	0.020	0.22
Hexachlorobutadiene	0.22	U	0.018	0.22
Hexachlorocyclopentadiene	1.1	U	0.057	1.1
Hexachloroethane	1.1	U	0.069	1.1
Indeno[1,2,3-cd]pyrene	0.22	U	0.022	0.22
Isophorone	1.1	U	0.071	1.1
Naphthalene	0.31		0.015	0.22
Nitrobenzene	2.2	U	0.093	2.2
N-Nitrosodiphenylamine	1.1	U	0.094	1.1
N-Nitrosodi-n-propylamine	0.22	U	0.034	0.22
Pyrene	0.22	U	0.017	0.22
Phenol	0.22	U	0.064	0.22
Phenanthrene	0.048	J	0.047	0.22
Pentachlorophenol	1.1	U	0.073	1.1
Benzyl alcohol	1.1	U	0.24	1.1
N-Nitrosodimethylamine	1.1	U	0.081	1.1
Benzoic acid	5.5	U	0.62	5.5
1,2-Diphenylhydrazine(as Azobenzene)	1.1	U	0.073	1.1
1-Methylnaphthalene	0.023	J	0.015	0.22

Surrogate	%Rec	Qualifier	Acceptance Limits
2,4,6-Tribromophenol	80		16 - 122
2-Fluorobiphenyl	59		19 - 107
2-Fluorophenol	65		10 - 111
Nitrobenzene-d5	64		23 - 112
Phenol-d5	68		15 - 112
Terphenyl-d14	74		10 - 132

Client: URS Corporation

Job Number: 180-3644-1

Client Sample ID: **N-1**

Lab Sample ID: 180-3644-10
Client Matrix: Water

Date Sampled: 09/01/2011 1745
Date Received: 09/06/2011 0900

8270C LL Semivolatile Organic Compounds by GCMS - Low Levels

Analysis Method:	8270C LL	Analysis Batch:	180-13655	Instrument ID:	733
Prep Method:	3520C	Prep Batch:	180-13271	Lab File ID:	N0910007.D
Dilution:	1.0			Initial Weight/Volume:	910 mL
Analysis Date:	09/10/2011 1308			Final Weight/Volume:	1.0 mL
Prep Date:	09/08/2011 0853			Injection Volume:	2 uL

Analyte	Result (ug/L)	Qualifier	MDL	RL
Anthracene	0.22	U	0.17	0.22
Benzo[a]anthracene	0.22	U	0.016	0.22
Benzo[b]fluoranthene	0.22	U	0.017	0.22
Benzo[g,h,i]perylene	0.22	U	0.017	0.22
Benzo[a]pyrene	0.22	U	0.015	0.22
Chrysene	0.22	U	0.015	0.22
Fluorene	0.22	U	0.024	0.22
Indeno[1,2,3-cd]pyrene	0.22	U	0.022	0.22
Phenanthrene	0.048	J	0.047	0.22
Pyrene	0.22	U	0.017	0.22

Surrogate	%Rec	Qualifier	Acceptance Limits
Terphenyl-d14	74		10 - 132
Nitrobenzene-d5	64		23 - 112
2-Fluorobiphenyl	59		19 - 107

Client: URS Corporation

Job Number: 180-3644-1

Client Sample ID: **D-1**

Lab Sample ID: 180-3644-11

Client Matrix: Water

Date Sampled: 09/01/2011 1815

Date Received: 09/06/2011 0900

8270C LL Semivolatile Organic Compounds by GCMS - Low Levels

Analysis Method:	8270C LL	Analysis Batch:	180-13655	Instrument ID:	733
Prep Method:	3520C	Prep Batch:	180-13271	Lab File ID:	N0910008.D
Dilution:	1.0			Initial Weight/Volume:	990 mL
Analysis Date:	09/10/2011 1331			Final Weight/Volume:	1.0 mL
Prep Date:	09/08/2011 0853			Injection Volume:	2 uL

Analyte	Result (ug/L)	Qualifier	MDL	RL
Acenaphthene	0.20	U	0.015	0.20
Acenaphthylene	0.20	U	0.015	0.20
Anthracene	0.20	U	0.15	0.20
Benzo[a]anthracene	0.20	U	0.015	0.20
Benzo[b]fluoranthene	0.20	U	0.016	0.20
Benzo[k]fluoranthene	0.20	U	0.055	0.20
Benzo[g,h,i]perylene	0.20	U	0.015	0.20
Benzo[a]pyrene	0.20	U	0.014	0.20
Bis(2-chloroethoxy)methane	1.0	U	0.059	1.0
Bis(2-chloroethyl)ether	0.20	U	0.025	0.20
Bis(2-ethylhexyl) phthalate	2.0	U	1.3	2.0
Butyl benzyl phthalate	0.54	J	0.14	1.0
Carbazole	0.20	U	0.016	0.20
Chrysene	0.20	U	0.014	0.20
2-Chloronaphthalene	0.20	U	0.015	0.20
2-Chlorophenol	1.0	U	0.17	1.0
2,4-Dichlorophenol	0.20	U	0.034	0.20
2,4-Dimethylphenol	1.0	U	0.086	1.0
2,4-Dinitrophenol	5.1	U	0.62	5.1
2,4-Dinitrotoluene	1.0	U	0.054	1.0
2,6-Dinitrotoluene	1.0	U	0.081	1.0
1,2-Dichlorobenzene	1.0	U	0.076	1.0
2-Methylnaphthalene	0.20	U	0.012	0.20
1,3-Dichlorobenzene	1.0	U	0.075	1.0
2-Methylphenol	1.0	U	0.087	1.0
1,4-Dichlorobenzene	1.0	U	0.075	1.0
2-Nitroaniline	5.1	U	0.36	5.1
2-Nitrophenol	1.0	U	0.17	1.0
bis (2-chloroisopropyl) ether	0.20	U	0.020	0.20
2,4,5-Trichlorophenol	1.0	U	0.15	1.0
2,4,6-Trichlorophenol	1.0	U	0.18	1.0
4-Nitroaniline	5.1	U	0.17	5.1
4-Nitrophenol	5.1	U	0.65	5.1
4-Chlorophenyl phenyl ether	1.0	U	0.051	1.0
Methylphenol, 3 & 4	1.0	U	0.091	1.0
4,6-Dinitro-2-methylphenol	5.1	U	0.22	5.1
4-Chloroaniline	1.0	U	0.089	1.0
4-Chloro-3-methylphenol	1.0	U	0.076	1.0
4-Bromophenyl phenyl ether	1.0	U	0.064	1.0
Dibenz(a,h)anthracene	0.20	U	0.016	0.20
Dibenzofuran	1.0	U	0.062	1.0
Di-n-butyl phthalate	1.0	U	0.13	1.0
Diethyl phthalate	1.0	U	0.15	1.0
Dimethyl phthalate	1.0	U	0.077	1.0
Di-n-octyl phthalate	1.0	U	0.21	1.0
3,3'-Dichlorobenzidine	1.0	U	0.11	1.0

Client: URS Corporation

Job Number: 180-3644-1

Client Sample ID: **D-1**

Lab Sample ID: 180-3644-11

Client Matrix: Water

Date Sampled: 09/01/2011 1815

Date Received: 09/06/2011 0900

8270C LL Semivolatile Organic Compounds by GCMS - Low Levels

Analysis Method:	8270C LL	Analysis Batch:	180-13655	Instrument ID:	733
Prep Method:	3520C	Prep Batch:	180-13271	Lab File ID:	N0910008.D
Dilution:	1.0			Initial Weight/Volume:	990 mL
Analysis Date:	09/10/2011 1331			Final Weight/Volume:	1.0 mL
Prep Date:	09/08/2011 0853			Injection Volume:	2 uL

Analyte	Result (ug/L)	Qualifier	MDL	RL
3-Nitroaniline	5.1	U	0.32	5.1
Fluoranthene	0.20	U	0.016	0.20
1,2,4-Trichlorobenzene	1.0	U	0.072	1.0
Fluorene	0.20	U	0.022	0.20
Hexachlorobenzene	0.20	U	0.018	0.20
Hexachlorobutadiene	0.20	U	0.017	0.20
Hexachlorocyclopentadiene	1.0	U	0.052	1.0
Hexachloroethane	1.0	U	0.063	1.0
Indeno[1,2,3-cd]pyrene	0.20	U	0.020	0.20
Isophorone	1.0	U	0.065	1.0
Naphthalene	0.20	U	0.014	0.20
Nitrobenzene	2.0	U	0.085	2.0
N-Nitrosodiphenylamine	1.0	U	0.086	1.0
N-Nitrosodi-n-propylamine	0.20	U	0.031	0.20
Pyrene	0.20	U	0.016	0.20
Phenol	0.20	U	0.059	0.20
Phenanthrene	0.20	U	0.043	0.20
Pentachlorophenol	1.0	U	0.067	1.0
Benzyl alcohol	1.0	U	0.22	1.0
N-Nitrosodimethylamine	1.0	U	0.074	1.0
Benzoic acid	5.1	U	0.57	5.1
1,2-Diphenylhydrazine(as Azobenzene)	1.0	U	0.067	1.0
1-Methylnaphthalene	0.20	U	0.014	0.20

Surrogate	%Rec	Qualifier	Acceptance Limits
2,4,6-Tribromophenol	76		16 - 122
2-Fluorobiphenyl	60		19 - 107
2-Fluorophenol	67		10 - 111
Nitrobenzene-d5	65		23 - 112
Phenol-d5	71		15 - 112
Terphenyl-d14	72		10 - 132

Client: URS Corporation

Job Number: 180-3644-1

Client Sample ID: **D-1**

Lab Sample ID: 180-3644-11

Client Matrix: Water

Date Sampled: 09/01/2011 1815

Date Received: 09/06/2011 0900

8270C LL Semivolatile Organic Compounds by GCMS - Low Levels

Analysis Method:	8270C LL	Analysis Batch:	180-13655	Instrument ID:	733
Prep Method:	3520C	Prep Batch:	180-13271	Lab File ID:	N0910008.D
Dilution:	1.0			Initial Weight/Volume:	990 mL
Analysis Date:	09/10/2011 1331			Final Weight/Volume:	1.0 mL
Prep Date:	09/08/2011 0853			Injection Volume:	2 uL

Analyte	Result (ug/L)	Qualifier	MDL	RL
Anthracene	0.20	U	0.15	0.20
Benzo[a]anthracene	0.20	U	0.015	0.20
Benzo[b]fluoranthene	0.20	U	0.016	0.20
Benzo[g,h,i]perylene	0.20	U	0.015	0.20
Benzo[a]pyrene	0.20	U	0.014	0.20
Chrysene	0.20	U	0.014	0.20
Fluorene	0.20	U	0.022	0.20
Indeno[1,2,3-cd]pyrene	0.20	U	0.020	0.20
Phenanthrene	0.20	U	0.043	0.20
Pyrene	0.20	U	0.016	0.20

Surrogate	%Rec	Qualifier	Acceptance Limits
Terphenyl-d14	72		10 - 132
Nitrobenzene-d5	65		23 - 112
2-Fluorobiphenyl	60		19 - 107

Analytical Data

Client: URS Corporation

Job Number: 180-3644-1

Client Sample ID: **H-1**

Lab Sample ID: 180-3644-1
Client Matrix: Water

Date Sampled: 09/01/2011 1115
Date Received: 09/06/2011 0900

8015B Gasoline Range Organics - (GC)

Analysis Method:	8015B	Analysis Batch:	480-30437	Instrument ID:	HP5890-23
Prep Method:	5030B		N/A	Initial Weight/Volume:	44 mL
Dilution:	1.0			Final Weight/Volume:	44 mL
Analysis Date:	09/08/2011 1417			Injection Volume:	
Prep Date:	09/08/2011 1417			Result Type:	PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	RL
GRO (C6-C10)	7.7	J B	4.2	25

Surrogate	%Rec	Qualifier	Acceptance Limits
a,a,a-Trifluorotoluene	95		63 - 128

Client: URS Corporation

Job Number: 180-3644-1

Client Sample ID: **H-1**

Lab Sample ID: 180-3644-1

Client Matrix: Water

Date Sampled: 09/01/2011 1115

Date Received: 09/06/2011 0900

8015B Glycols -Direct Injection (GC/FID)

Analysis Method:	8015B	Analysis Batch:	480-30801	Instrument ID:	PE-01
Prep Method:	8015 Prep	Prep Batch:	480-30596	Initial Weight/Volume:	.5 mL
Dilution:	1.0			Final Weight/Volume:	1 mL
Analysis Date:	09/12/2011 1149			Injection Volume:	1 uL
Prep Date:	09/09/2011 1037			Result Type:	PRIMARY

Analyte	Result (mg/L)	Qualifier	MDL	RL
Ethylene glycol	1.6	J	0.76	10
Propylene glycol	10	U	0.76	10
Triethylene Glycol	1.9	J	1.6	10
2,2'-Oxybisethanol	1.2	J	0.51	10
2-Methoxyethanol	1.3	J	0.76	10
2-Ethoxyethanol	10	U	0.94	10

Surrogate	%Rec	Qualifier	Acceptance Limits
1,4-Butanediol	103		66 - 130

Client: URS Corporation

Job Number: 180-3644-1

Client Sample ID: **FH-1**

Lab Sample ID: 180-3644-2
Client Matrix: Water

Date Sampled: 09/01/2011 0840
Date Received: 09/06/2011 0900

8015B Gasoline Range Organics - (GC)

Analysis Method:	8015B	Analysis Batch:	480-30437	Instrument ID:	HP5890-23
Prep Method:	5030B		N/A	Initial Weight/Volume:	44 mL
Dilution:	1.0			Final Weight/Volume:	44 mL
Analysis Date:	09/08/2011 1452			Injection Volume:	
Prep Date:	09/08/2011 1452			Result Type:	PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	RL
GRO (C6-C10)	5.4	J B	4.2	25

Surrogate	%Rec	Qualifier	Acceptance Limits
a,a,a-Trifluorotoluene	92		63 - 128

Client: URS Corporation

Job Number: 180-3644-1

Client Sample ID: **FH-1**

Lab Sample ID: 180-3644-2
Client Matrix: Water

Date Sampled: 09/01/2011 0840
Date Received: 09/06/2011 0900

8015B Glycols -Direct Injection (GC/FID)

Analysis Method:	8015B	Analysis Batch:	480-30801	Instrument ID:	PE-01
Prep Method:	8015 Prep	Prep Batch:	480-30596	Initial Weight/Volume:	.5 mL
Dilution:	1.0			Final Weight/Volume:	1 mL
Analysis Date:	09/12/2011 1202			Injection Volume:	1 uL
Prep Date:	09/09/2011 1037			Result Type:	PRIMARY

Analyte	Result (mg/L)	Qualifier	MDL	RL
Ethylene glycol	1.3	J	0.76	10
Propylene glycol	10	U	0.76	10
Triethylene Glycol	2.1	J	1.6	10
2,2'-Oxybisethanol	10	U	0.51	10
2-Methoxyethanol	10	U	0.76	10
2-Ethoxyethanol	10	U	0.94	10

Surrogate	%Rec	Qualifier	Acceptance Limits
1,4-Butanediol	91		66 - 130

Client: URS Corporation

Job Number: 180-3644-1

Client Sample ID: **FPT-1**

Lab Sample ID: 180-3644-3
Client Matrix: Water

Date Sampled: 09/01/2011 0935
Date Received: 09/06/2011 0900

8015B Gasoline Range Organics - (GC)

Analysis Method:	8015B	Analysis Batch:	480-30437	Instrument ID:	HP5890-23
Prep Method:	5030B		N/A	Initial Weight/Volume:	44 mL
Dilution:	1.0			Final Weight/Volume:	44 mL
Analysis Date:	09/08/2011 1527			Injection Volume:	
Prep Date:	09/08/2011 1527			Result Type:	PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	RL
GRO (C6-C10)	12	J B	4.2	25

Surrogate	%Rec	Qualifier	Acceptance Limits
a,a,a-Trifluorotoluene	93		63 - 128

Client: URS Corporation

Job Number: 180-3644-1

Client Sample ID: **FPT-1**

Lab Sample ID: 180-3644-3

Client Matrix: Water

Date Sampled: 09/01/2011 0935

Date Received: 09/06/2011 0900

8015B Glycols -Direct Injection (GC/FID)

Analysis Method:	8015B	Analysis Batch:	480-30801	Instrument ID:	PE-01
Prep Method:	8015 Prep	Prep Batch:	480-30596	Initial Weight/Volume:	.5 mL
Dilution:	1.0			Final Weight/Volume:	1 mL
Analysis Date:	09/12/2011 1215			Injection Volume:	1 uL
Prep Date:	09/09/2011 1037			Result Type:	PRIMARY

Analyte	Result (mg/L)	Qualifier	MDL	RL
Ethylene glycol	10	U	0.76	10
Propylene glycol	10	U	0.76	10
Triethylene Glycol	10	U	1.6	10
2,2'-Oxybisethanol	0.61	J	0.51	10
2-Methoxyethanol	1.5	J	0.76	10
2-Ethoxyethanol	10	U	0.94	10

Surrogate	%Rec	Qualifier	Acceptance Limits
1,4-Butanediol	103		66 - 130

Client: URS Corporation

Job Number: 180-3644-1

Client Sample ID: **S-1**

Lab Sample ID: 180-3644-4
Client Matrix: Water

Date Sampled: 09/01/2011 1015
Date Received: 09/06/2011 0900

8015B Gasoline Range Organics - (GC)

Analysis Method:	8015B	Analysis Batch:	480-30437	Instrument ID:	HP5890-23
Prep Method:	5030B		N/A	Initial Weight/Volume:	44 mL
Dilution:	1:0			Final Weight/Volume:	44 mL
Analysis Date:	09/08/2011 1602			Injection Volume:	
Prep Date:	09/08/2011 1602			Result Type:	PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	RL
GRO (C6-C10)	25	U	4.2	25

Surrogate	%Rec	Qualifier	Acceptance Limits
a,a,a-Trifluorotoluene	93		63 - 128

Client: URS Corporation

Job Number: 180-3644-1

Client Sample ID: **S-1**

Lab Sample ID: 180-3644-4

Client Matrix: Water

Date Sampled: 09/01/2011 1015

Date Received: 09/06/2011 0900

8015B Glycols -Direct Injection (GC/FID)

Analysis Method:	8015B	Analysis Batch:	480-30801	Instrument ID:	PE-01
Prep Method:	8015 Prep	Prep Batch:	480-30596	Initial Weight/Volume:	.5 mL
Dilution:	1.0			Final Weight/Volume:	1 mL
Analysis Date:	09/12/2011 1227			Injection Volume:	1 uL
Prep Date:	09/09/2011 1037			Result Type:	PRIMARY

Analyte	Result (mg/L)	Qualifier	MDL	RL
Ethylene glycol	10	U	0.76	10
Propylene glycol	10	U	0.76	10
Triethylene Glycol	10	U	1.6	10
2,2'-Oxybisethanol	0.63	J	0.51	10
2-Methoxyethanol	0.88	J	0.76	10
2-Ethoxyethanol	10	U	0.94	10

Surrogate	%Rec	Qualifier	Acceptance Limits
1,4-Butanediol	99		66 - 130

Client: URS Corporation

Job Number: 180-3644-1

Client Sample ID: **R-1**

Lab Sample ID: 180-3644-5
Client Matrix: Water

Date Sampled: 09/01/2011 1320
Date Received: 09/06/2011 0900

8015B Gasoline Range Organics - (GC)

Analysis Method:	8015B	Analysis Batch:	480-30437	Instrument ID:	HP5890-23
Prep Method:	5030B		N/A	Initial Weight/Volume:	44 mL
Dilution:	1.0			Final Weight/Volume:	44 mL
Analysis Date:	09/08/2011 1638			Injection Volume:	
Prep Date:	09/08/2011 1638			Result Type:	PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	RL
GRO (C6-C10)	25	U	4.2	25

Surrogate	%Rec	Qualifier	Acceptance Limits
a,a,a-Trifluorotoluene	93		63 - 128

Client: URS Corporation

Job Number: 180-3644-1

Client Sample ID: **R-1**

Lab Sample ID: 180-3644-5

Client Matrix: Water

Date Sampled: 09/01/2011 1320

Date Received: 09/06/2011 0900

8015B Glycols -Direct Injection (GC/FID)

Analysis Method:	8015B	Analysis Batch:	480-30801	Instrument ID:	PE-01
Prep Method:	8015 Prep	Prep Batch:	480-30596	Initial Weight/Volume:	.5 mL
Dilution:	1.0			Final Weight/Volume:	1 mL
Analysis Date:	09/12/2011 1240			Injection Volume:	1 uL
Prep Date:	09/09/2011 1037			Result Type:	PRIMARY

Analyte	Result (mg/L)	Qualifier	MDL	RL
Ethylene glycol	0.84	J	0.76	10
Propylene glycol	10	U	0.76	10
Triethylene Glycol	10	U	1.6	10
2,2'-Oxybisethanol	10	U	0.51	10
2-Methoxyethanol	1.1	J	0.76	10
2-Ethoxyethanol	10	U	0.94	10

Surrogate	%Rec	Qualifier	Acceptance Limits
1,4-Butanediol	92		66 - 130

Client: URS Corporation

Job Number: 180-3644-1

Client Sample ID: **R-2**

Lab Sample ID: 180-3644-6
Client Matrix: Water

Date Sampled: 09/01/2011 1340
Date Received: 09/06/2011 0900

8015B Gasoline Range Organics - (GC)

Analysis Method:	8015B	Analysis Batch:	480-30437	Instrument ID:	HP5890-23
Prep Method:	5030B		N/A	Initial Weight/Volume:	44 mL
Dilution:	1.0			Final Weight/Volume:	44 mL
Analysis Date:	09/08/2011 1713			Injection Volume:	
Prep Date:	09/08/2011 1713			Result Type:	PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	RL
GRO (C6-C10)	25	U	4.2	25

Surrogate	%Rec	Qualifier	Acceptance Limits
a,a,a-Trifluorotoluene	93		63 - 128

Client: URS Corporation

Job Number: 180-3644-1

Client Sample ID: **R-2**

Lab Sample ID: 180-3644-6

Client Matrix: Water

Date Sampled: 09/01/2011 1340

Date Received: 09/06/2011 0900

8015B Glycols -Direct Injection (GC/FID)

Analysis Method:	8015B	Analysis Batch:	480-30801	Instrument ID:	PE-01
Prep Method:	8015 Prep	Prep Batch:	480-30596	Initial Weight/Volume:	.5 mL
Dilution:	1.0			Final Weight/Volume:	1 mL
Analysis Date:	09/12/2011 1253			Injection Volume:	1 uL
Prep Date:	09/09/2011 1037			Result Type:	PRIMARY

Analyte	Result (mg/L)	Qualifier	MDL	RL
Ethylene glycol	1.0	J	0.76	10
Propylene glycol	10	U	0.76	10
Triethylene Glycol	10	U	1.6	10
2,2'-Oxybisethanol	0.62	J	0.51	10
2-Methoxyethanol	1.1	J	0.76	10
2-Ethoxyethanol	10	U	0.94	10

Surrogate	%Rec	Qualifier	Acceptance Limits
1,4-Butanediol	94		66 - 130

Client: URS Corporation

Job Number: 180-3644-1

Client Sample ID: **RD-1**

Lab Sample ID: 180-3644-7

Client Matrix: Water

Date Sampled: 09/01/2011 1410

Date Received: 09/06/2011 0900

8015B Gasoline Range Organics - (GC)

Analysis Method:	8015B	Analysis Batch:	480-30437	Instrument ID:	HP5890-23
Prep Method:	5030B		N/A	Initial Weight/Volume:	44 mL
Dilution:	1.0			Final Weight/Volume:	44 mL
Analysis Date:	09/08/2011 1823			Injection Volume:	
Prep Date:	09/08/2011 1823			Result Type:	PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	RL
GRO (C6-C10)	11	J B	4.2	25

Surrogate	%Rec	Qualifier	Acceptance Limits
a,a,a-Trifluorotoluene	94		63 - 128

Client: URS Corporation

Job Number: 180-3644-1

Client Sample ID: **RD-1**

Lab Sample ID: 180-3644-7

Client Matrix: Water

Date Sampled: 09/01/2011 1410

Date Received: 09/06/2011 0900

8015B Glycols -Direct Injection (GC/FID)

Analysis Method:	8015B	Analysis Batch:	480-30801	Instrument ID:	PE-01
Prep Method:	8015 Prep	Prep Batch:	480-30596	Initial Weight/Volume:	.5 mL
Dilution:	1.0			Final Weight/Volume:	1 mL
Analysis Date:	09/12/2011 1306			Injection Volume:	1 uL
Prep Date:	09/09/2011 1037			Result Type:	PRIMARY

Analyte	Result (mg/L)	Qualifier	MDL	RL
Ethylene glycol	1.2	J	0.76	10
Propylene glycol	10	U	0.76	10
Triethylene Glycol	10	U	1.6	10
2,2'-Oxybisethanol	0.85	J	0.51	10
2-Methoxyethanol	1.4	J	0.76	10
2-Ethoxyethanol	10	U	0.94	10

Surrogate	%Rec	Qualifier	Acceptance Limits
1,4-Butanediol	98		66 - 130

Client: URS Corporation

Job Number: 180-3644-1

Client Sample ID: **RU-1**

Lab Sample ID: 180-3644-8

Client Matrix: Water

Date Sampled: 09/01/2011 1445

Date Received: 09/06/2011 0900

8015B Gasoline Range Organics - (GC)

Analysis Method:	8015B	Analysis Batch:	480-30437	Instrument ID:	HP5890-23
Prep Method:	5030B		N/A	Initial Weight/Volume:	44 mL
Dilution:	1.0			Final Weight/Volume:	44 mL
Analysis Date:	09/08/2011 1859			Injection Volume:	
Prep Date:	09/08/2011 1859			Result Type:	PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	RL
GRO (C6-C10)	25	U	4.2	25

Surrogate	%Rec	Qualifier	Acceptance Limits
a,a,a-Trifluorotoluene	93		63 - 128

Client: URS Corporation

Job Number: 180-3644-1

Client Sample ID: **RU-1**

Lab Sample ID: 180-3644-8

Client Matrix: Water

Date Sampled: 09/01/2011 1445

Date Received: 09/06/2011 0900

8015B Glycols -Direct Injection (GC/FID)

Analysis Method:	8015B	Analysis Batch:	480-30801	Instrument ID:	PE-01
Prep Method:	8015 Prep	Prep Batch:	480-30596	Initial Weight/Volume:	.5 mL
Dilution:	1.0			Final Weight/Volume:	1 mL
Analysis Date:	09/13/2011 1340			Injection Volume:	1 uL
Prep Date:	09/09/2011 1037			Result Type:	PRIMARY

Analyte	Result (mg/L)	Qualifier	MDL	RL
Ethylene glycol	1.1	J	0.76	10
Propylene glycol	10	U	0.76	10
Triethylene Glycol	10	U	1.6	10
2,2'-Oxybisethanol	1.3	J	0.51	10
2-Methoxyethanol	0.91	J	0.76	10
2-Ethoxyethanol	10	U	0.94	10

Surrogate	%Rec	Qualifier	Acceptance Limits
1,4-Butanediol	100		66 - 130

Client: URS Corporation

Job Number: 180-3644-1

Client Sample ID: **KDE-1**

Lab Sample ID: 180-3644-9
Client Matrix: Water

Date Sampled: 09/01/2011 1535
Date Received: 09/06/2011 0900

8015B Gasoline Range Organics - (GC)

Analysis Method:	8015B	Analysis Batch:	480-30437	Instrument ID:	HP5890-23
Prep Method:	5030B		N/A	Initial Weight/Volume:	44 mL
Dilution:	1.0			Final Weight/Volume:	44 mL
Analysis Date:	09/08/2011 1934			Injection Volume:	
Prep Date:	09/08/2011 1934			Result Type:	PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	RL
GRO (C6-C10)	25	U	4.2	25

Surrogate	%Rec	Qualifier	Acceptance Limits
a,a,a-Trifluorotoluene	93		63 - 128

Client: URS Corporation

Job Number: 180-3644-1

Client Sample ID: **KDE-1**

Lab Sample ID: 180-3644-9

Client Matrix: Water

Date Sampled: 09/01/2011 1535

Date Received: 09/06/2011 0900

8015B Glycols -Direct Injection (GC/FID)

Analysis Method:	8015B	Analysis Batch:	480-30801	Instrument ID:	PE-01
Prep Method:	8015 Prep	Prep Batch:	480-30596	Initial Weight/Volume:	.5 mL
Dilution:	1.0			Final Weight/Volume:	1 mL
Analysis Date:	09/13/2011 1414			Injection Volume:	1 uL
Prep Date:	09/09/2011 1037			Result Type:	PRIMARY

Analyte	Result (mg/L)	Qualifier	MDL	RL
Ethylene glycol	1.6	J	0.76	10
Propylene glycol	10	U	0.76	10
Triethylene Glycol	4.0	J	1.6	10
2,2'-Oxybisethanol	3.6	J	0.51	10
2-Methoxyethanol	1.0	J	0.76	10
2-Ethoxyethanol	10	U	0.94	10

Surrogate	%Rec	Qualifier	Acceptance Limits
1,4-Butanediol	90		66 - 130

Client: URS Corporation

Job Number: 180-3644-1

Client Sample ID: **N-1**

Lab Sample ID: 180-3644-10

Client Matrix: Water

Date Sampled: 09/01/2011 1745

Date Received: 09/06/2011 0900

8015B Gasoline Range Organics - (GC)

Analysis Method:	8015B	Analysis Batch:	480-30437	Instrument ID:	HP5890-23
Prep Method:	5030B		N/A	Initial Weight/Volume:	44 mL
Dilution:	1.0			Final Weight/Volume:	44 mL
Analysis Date:	09/08/2011 2010			Injection Volume:	
Prep Date:	09/08/2011 2010			Result Type:	PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	RL
GRO (C6-C10)	10	J B	4.2	25

Surrogate	%Rec	Qualifier	Acceptance Limits
a,a,a-Trifluorotoluene	94		63 - 128

Client: URS Corporation

Job Number: 180-3644-1

Client Sample ID: **N-1**

Lab Sample ID: 180-3644-10

Client Matrix: Water

Date Sampled: 09/01/2011 1745

Date Received: 09/06/2011 0900

8015B Glycols -Direct Injection (GC/FID)

Analysis Method:	8015B	Analysis Batch:	480-30801	Instrument ID:	PE-01
Prep Method:	8015 Prep	Prep Batch:	480-30596	Initial Weight/Volume:	.5 mL
Dilution:	1.0			Final Weight/Volume:	1 mL
Analysis Date:	09/13/2011 1427			Injection Volume:	1 uL
Prep Date:	09/09/2011 1037			Result Type:	PRIMARY

Analyte	Result (mg/L)	Qualifier	MDL	RL
Ethylene glycol	1.1	J	0.76	10
Propylene glycol	10	U	0.76	10
Triethylene Glycol	10	U	1.6	10
2,2'-Oxybisethanol	0.76	J	0.51	10
2-Methoxyethanol	10	U	0.76	10
2-Ethoxyethanol	10	U	0.94	10

Surrogate	%Rec	Qualifier	Acceptance Limits
1,4-Butanediol	87		66 - 130

Client: URS Corporation

Job Number: 180-3644-1

Client Sample ID: **D-1**

Lab Sample ID: 180-3644-11
Client Matrix: Water

Date Sampled: 09/01/2011 1815
Date Received: 09/06/2011 0900

8015B Gasoline Range Organics - (GC)

Analysis Method:	8015B	Analysis Batch:	480-30437	Instrument ID:	HP5890-23
Prep Method:	5030B		N/A	Initial Weight/Volume:	44 mL
Dilution:	1.0			Final Weight/Volume:	44 mL
Analysis Date:	09/08/2011 2045			Injection Volume:	
Prep Date:	09/08/2011 2045			Result Type:	PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	RL
GRO (C6-C10)	25	U	4.2	25

Surrogate	%Rec	Qualifier	Acceptance Limits
a,a,a-Trifluorotoluene	94		63 - 128

Client: URS Corporation

Job Number: 180-3644-1

Client Sample ID: **D-1**

Lab Sample ID: 180-3644-11

Client Matrix: Water

Date Sampled: 09/01/2011 1815

Date Received: 09/06/2011 0900

8015B Glycols -Direct Injection (GC/FID)

Analysis Method:	8015B	Analysis Batch:	480-30801	Instrument ID:	PE-01
Prep Method:	8015 Prep	Prep Batch:	480-30596	Initial Weight/Volume:	.5 mL
Dilution:	1.0			Final Weight/Volume:	1 mL
Analysis Date:	09/13/2011 1440			Injection Volume:	1 uL
Prep Date:	09/09/2011 1037			Result Type:	PRIMARY

Analyte	Result (mg/L)	Qualifier	MDL	RL
Ethylene glycol	0.88	J	0.76	10
Propylene glycol	10	U	0.76	10
Triethylene Glycol	3.2	J	1.6	10
2,2'-Oxybisethanol	10	U	0.51	10
2-Methoxyethanol	10	U	0.76	10
2-Ethoxyethanol	10	U	0.94	10

Surrogate	%Rec	Qualifier	Acceptance Limits
1,4-Butanediol	84		66 - 130

Client: URS Corporation

Job Number: 180-3644-1

Client Sample ID: **H-1**

Lab Sample ID: 180-3644-1

Client Matrix: Water

Date Sampled: 09/01/2011 1115

Date Received: 09/06/2011 0900

RSK-175 Dissolved Gases (GC)

Analysis Method:	RSK-175	Analysis Batch:	480-30505	Instrument ID:	HP5890-21
	N/A		N/A	Initial Weight/Volume:	1 mL
Dilution:	1.0			Final Weight/Volume:	1.0 mL
Analysis Date:	09/09/2011 0058			Injection Volume:	1 uL
Prep Date:	N/A			Result Type:	PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	RL
Ethene	1.5	U	0.52	1.5
Propane	3.0	U	1.5	3.0

Client: URS Corporation

Job Number: 180-3644-1

Client Sample ID: **H-1**

Lab Sample ID: 180-3644-1
Client Matrix: Water

Date Sampled: 09/01/2011 1115
Date Received: 09/06/2011 0900

RSK-175 Dissolved Gases (GC)

Analysis Method:	RSK-175	Analysis Batch:	480-31245	Instrument ID:	HP5890-21
	N/A		N/A	Initial Weight/Volume:	1 mL
Dilution:	1.0			Final Weight/Volume:	1.0 mL
Analysis Date:	09/14/2011 1657			Injection Volume:	1 uL
Prep Date:	N/A			Result Type:	PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	RL
Ethane	2.3		0.49	1.5

Client: URS Corporation

Job Number: 180-3644-1

Client Sample ID: **H-1**

Lab Sample ID: 180-3644-1

Client Matrix: Water

Date Sampled: 09/01/2011 1115

Date Received: 09/06/2011 0900

RSK-175 Dissolved Gases (GC)

Analysis Method:	RSK-175	Analysis Batch:	480-31109	Instrument ID:	HP5890-21
	N/A		N/A	Initial Weight/Volume:	1 mL
Dilution:	1000			Final Weight/Volume:	1.0 mL
Analysis Date:	09/13/2011 2331			Injection Volume:	1 uL
Prep Date:	N/A			Result Type:	PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	RL
Methane	12000		220	1000

Client: URS Corporation

Job Number: 180-3644-1

Client Sample ID: **FH-1**

Lab Sample ID: 180-3644-2
Client Matrix: Water

Date Sampled: 09/01/2011 0840
Date Received: 09/06/2011 0900

RSK-175 Dissolved Gases (GC)

Analysis Method:	RSK-175	Analysis Batch:	480-30505	Instrument ID:	HP5890-21
	N/A		N/A	Initial Weight/Volume:	1 mL
Dilution:	1.0			Final Weight/Volume:	1.0 mL
Analysis Date:	09/08/2011 2208			Injection Volume:	1 uL
Prep Date:	N/A			Result Type:	PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	RL
Ethane	1.5	U	0.49	1.5
Ethene	1.5	U	0.52	1.5
Propane	3.0	U	1.5	3.0

Client: URS Corporation

Job Number: 180-3644-1

Client Sample ID: **FH-1**

Lab Sample ID: 180-3644-2
Client Matrix: Water

Date Sampled: 09/01/2011 0840
Date Received: 09/06/2011 0900

RSK-175 Dissolved Gases (GC)

Analysis Method:	RSK-175	Analysis Batch:	480-31109	Instrument ID:	HP5890-21
	N/A		N/A	Initial Weight/Volume:	1 mL
Dilution:	20			Final Weight/Volume:	1.0 mL
Analysis Date:	09/13/2011 2123			Injection Volume:	1 uL
Prep Date:	N/A			Result Type:	PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	RL
Methane	33		4.4	20

Client: URS Corporation

Job Number: 180-3644-1

Client Sample ID: **FPT-1**

Lab Sample ID: 180-3644-3

Client Matrix: Water

Date Sampled: 09/01/2011 0935

Date Received: 09/06/2011 0900

RSK-175 Dissolved Gases (GC)

Analysis Method:	RSK-175	Analysis Batch:	480-30505	Instrument ID:	HP5890-21
	N/A		N/A	Initial Weight/Volume:	1 mL
Dilution:	1.0			Final Weight/Volume:	1.0 mL
Analysis Date:	09/08/2011 2222			Injection Volume:	1 uL
Prep Date:	N/A			Result Type:	PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	RL
Ethane	1.5	U	0.49	1.5
Ethene	1.5	U	0.52	1.5
Methane	1.0	U	0.22	1.0
Propane	3.0	U	1.5	3.0

Client: URS Corporation

Job Number: 180-3644-1

Client Sample ID: **S-1**

Lab Sample ID: 180-3644-4

Client Matrix: Water

Date Sampled: 09/01/2011 1015

Date Received: 09/06/2011 0900

RSK-175 Dissolved Gases (GC)

Analysis Method:	RSK-175	Analysis Batch:	480-30505	Instrument ID:	HP5890-21
	N/A		N/A	Initial Weight/Volume:	1 mL
Dilution:	1.0			Final Weight/Volume:	1.0 mL
Analysis Date:	09/08/2011 2236			Injection Volume:	1 uL
Prep Date:	N/A			Result Type:	PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	RL
Ethane	1.5	U	0.49	1.5
Ethene	1.5	U	0.52	1.5
Methane	1.0	U	0.22	1.0
Propane	3.0	U	1.5	3.0

Client: URS Corporation

Job Number: 180-3644-1

Client Sample ID: **R-1**

Lab Sample ID: 180-3644-5

Client Matrix: Water

Date Sampled: 09/01/2011 1320

Date Received: 09/06/2011 0900

RSK-175 Dissolved Gases (GC)

Analysis Method:	RSK-175	Analysis Batch:	480-30505	Instrument ID:	HP5890-21
	N/A		N/A	Initial Weight/Volume:	1 mL
Dilution:	1.0			Final Weight/Volume:	1.0 mL
Analysis Date:	09/08/2011 2250			Injection Volume:	1 uL
Prep Date:	N/A			Result Type:	PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	RL
Ethene	1.5	U	0.52	1.5

Client: URS Corporation

Job Number: 180-3644-1

Client Sample ID: **R-1**

Lab Sample ID: 180-3644-5

Client Matrix: Water

Date Sampled: 09/01/2011 1320

Date Received: 09/06/2011 0900

RSK-175 Dissolved Gases (GC)

Analysis Method:	RSK-175	Analysis Batch:	480-31109	Instrument ID:	HP5890-21
	N/A		N/A	Initial Weight/Volume:	1 mL
Dilution:	1.0			Final Weight/Volume:	1.0 mL
Analysis Date:	09/13/2011 1931			Injection Volume:	1 uL
Prep Date:	N/A			Result Type:	PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	RL
Propane	18		1.5	3.0

Client: URS Corporation

Job Number: 180-3644-1

Client Sample ID: **R-1**

Lab Sample ID: 180-3644-5

Client Matrix: Water

Date Sampled: 09/01/2011 1320

Date Received: 09/06/2011 0900

RSK-175 Dissolved Gases (GC)

Analysis Method:	RSK-175	Analysis Batch:	480-31109	Instrument ID:	HP5890-21
	N/A		N/A	Initial Weight/Volume:	1 mL
Dilution:	200			Final Weight/Volume:	1.0 mL
Analysis Date:	09/13/2011 2010			Injection Volume:	1 uL
Prep Date:	N/A			Result Type:	PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	RL
Ethane	260	J	98	300

Client: URS Corporation

Job Number: 180-3644-1

Client Sample ID: **R-1**

Lab Sample ID: 180-3644-5

Client Matrix: Water

Date Sampled: 09/01/2011 1320

Date Received: 09/06/2011 0900

RSK-175 Dissolved Gases (GC)

Analysis Method:	RSK-175	Analysis Batch:	480-31109	Instrument ID:	HP5890-21
	N/A		N/A	Initial Weight/Volume:	1 mL
Dilution:	1000			Final Weight/Volume:	1.0 mL
Analysis Date:	09/13/2011 2055			Injection Volume:	1 uL
Prep Date:	N/A			Result Type:	PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	RL
Methane	12000		220	1000

Client: URS Corporation

Job Number: 180-3644-1

Client Sample ID: **R-2**

Lab Sample ID: 180-3644-6

Client Matrix: Water

Date Sampled: 09/01/2011 1340

Date Received: 09/06/2011 0900

RSK-175 Dissolved Gases (GC)

Analysis Method:	RSK-175	Analysis Batch:	480-31109	Instrument ID:	HP5890-21
	N/A		N/A	Initial Weight/Volume:	1 mL
Dilution:	1.0			Final Weight/Volume:	1.0 mL
Analysis Date:	09/13/2011 1945			Injection Volume:	1 uL
Prep Date:	N/A			Result Type:	PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	RL
Ethene	1.5	U	0.52	1.5
Propane	4.2		1.5	3.0

Client: URS Corporation

Job Number: 180-3644-1

Client Sample ID: **R-2**

Lab Sample ID: 180-3644-6

Client Matrix: Water

Date Sampled: 09/01/2011 1340

Date Received: 09/06/2011 0900

RSK-175 Dissolved Gases (GC)

Analysis Method:	RSK-175	Analysis Batch:	480-31109	Instrument ID:	HP5890-21
	N/A		N/A	Initial Weight/Volume:	1 mL
Dilution:	100			Final Weight/Volume:	1.0 mL
Analysis Date:	09/13/2011 2024			Injection Volume:	1 uL
Prep Date:	N/A			Result Type:	PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	RL
Ethane	120	J	49	150

Client: URS Corporation

Job Number: 180-3644-1

Client Sample ID: **R-2**

Lab Sample ID: 180-3644-6

Client Matrix: Water

Date Sampled: 09/01/2011 1340

Date Received: 09/06/2011 0900

RSK-175 Dissolved Gases (GC)

Analysis Method:	RSK-175	Analysis Batch:	480-31109	Instrument ID:	HP5890-21
	N/A		N/A	Initial Weight/Volume:	1 mL
Dilution:	1000			Final Weight/Volume:	1.0 mL
Analysis Date:	09/13/2011 2109			Injection Volume:	1 uL
Prep Date:	N/A			Result Type:	PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	RL
Methane	5400		220	1000

Client: URS Corporation

Job Number: 180-3644-1

Client Sample ID: **RD-1**

Lab Sample ID: 180-3644-7

Client Matrix: Water

Date Sampled: 09/01/2011 1410

Date Received: 09/06/2011 0900

RSK-175 Dissolved Gases (GC)

Analysis Method:	RSK-175	Analysis Batch:	480-30505	Instrument ID:	HP5890-21
	N/A		N/A	Initial Weight/Volume:	1 mL
Dilution:	1.0			Final Weight/Volume:	1.0 mL
Analysis Date:	09/08/2011 2347			Injection Volume:	1 uL
Prep Date:	N/A			Result Type:	PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	RL
Ethane	1.5	U	0.49	1.5
Ethene	1.5	U	0.52	1.5
Methane	1.0	U	0.22	1.0
Propane	3.0	U	1.5	3.0

Client: URS Corporation

Job Number: 180-3644-1

Client Sample ID: **RU-1**

Lab Sample ID: 180-3644-8

Client Matrix: Water

Date Sampled: 09/01/2011 1445

Date Received: 09/06/2011 0900

RSK-175 Dissolved Gases (GC)

Analysis Method:	RSK-175	Analysis Batch:	480-30505	Instrument ID:	HP5890-21
	N/A		N/A	Initial Weight/Volume:	1 mL
Dilution:	1.0			Final Weight/Volume:	1.0 mL
Analysis Date:	09/09/2011 0001			Injection Volume:	1 uL
Prep Date:	N/A			Result Type:	PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	RL
Ethane	1.5	U	0.49	1.5
Ethene	1.5	U	0.52	1.5
Methane	1.0	U	0.22	1.0
Propane	3.0	U	1.5	3.0

Client: URS Corporation

Job Number: 180-3644-1

Client Sample ID: **KDE-1**

Lab Sample ID: 180-3644-9

Client Matrix: Water

Date Sampled: 09/01/2011 1535

Date Received: 09/06/2011 0900

RSK-175 Dissolved Gases (GC)

Analysis Method:	RSK-175	Analysis Batch:	480-30505	Instrument ID:	HP5890-21
	N/A		N/A	Initial Weight/Volume:	1 mL
Dilution:	1.0			Final Weight/Volume:	1.0 mL
Analysis Date:	09/09/2011 0015			Injection Volume:	1 uL
Prep Date:	N/A			Result Type:	PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	RL
Ethane	1.5	U	0.49	1.5
Ethene	1.5	U	0.52	1.5
Propane	3.0	U	1.5	3.0

Client: URS Corporation

Job Number: 180-3644-1

Client Sample ID: **KDE-1**

Lab Sample ID: 180-3644-9
Client Matrix: Water

Date Sampled: 09/01/2011 1535
Date Received: 09/06/2011 0900

RSK-175 Dissolved Gases (GC)

Analysis Method:	RSK-175	Analysis Batch:	480-31109	Instrument ID:	HP5890-21
	N/A		N/A	Initial Weight/Volume:	1 mL
Dilution:	10			Final Weight/Volume:	1.0 mL
Analysis Date:	09/13/2011 2359			Injection Volume:	1 uL
Prep Date:	N/A			Result Type:	PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	RL
Methane	79		2.2	10

Client: URS Corporation

Job Number: 180-3644-1

Client Sample ID: **N-1**

Lab Sample ID: 180-3644-10

Client Matrix: Water

Date Sampled: 09/01/2011 1745

Date Received: 09/06/2011 0900

RSK-175 Dissolved Gases (GC)

Analysis Method:	RSK-175	Analysis Batch:	480-30505	Instrument ID:	HP5890-21
	N/A		N/A	Initial Weight/Volume:	1 mL
Dilution:	1.0			Final Weight/Volume:	1.0 mL
Analysis Date:	09/09/2011 0030			Injection Volume:	1 uL
Prep Date:	N/A			Result Type:	PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	RL
Ethane	1.5	U	0.49	1.5
Ethene	1.5	U	0.52	1.5
Methane	1.0	U	0.22	1.0
Propane	3.0	U	1.5	3.0

Client: URS Corporation

Job Number: 180-3644-1

Client Sample ID: **D-1**

Lab Sample ID: 180-3644-11

Client Matrix: Water

Date Sampled: 09/01/2011 1815

Date Received: 09/06/2011 0900

RSK-175 Dissolved Gases (GC)

Analysis Method:	RSK-175	Analysis Batch:	480-30505	Instrument ID:	HP5890-21
	N/A		N/A	Initial Weight/Volume:	1 mL
Dilution:	1.0			Final Weight/Volume:	1.0 mL
Analysis Date:	09/09/2011 0044			Injection Volume:	1 uL
Prep Date:	N/A			Result Type:	PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	RL
Ethane	1.5	U	0.49	1.5
Ethene	1.5	U	0.52	1.5
Methane	1.0	U	0.22	1.0
Propane	3.0	U	1.5	3.0

Client: URS Corporation

Job Number: 180-3644-1

Client Sample ID: **H-1**

Lab Sample ID: 180-3644-1
Client Matrix: Water

Date Sampled: 09/01/2011 1115
Date Received: 09/06/2011 0900

8011 EDB, DBCP, and 1,2,3-TCP (GC)

Analysis Method:	8011	Analysis Batch:	180-14489	Instrument ID:	GC12
Prep Method:	8011	Prep Batch:	180-13473	Initial Weight/Volume:	35.2 mL
Dilution:	1.0			Final Weight/Volume:	35.2 mL
Analysis Date:	09/09/2011 2208			Injection Volume:	1 uL
Prep Date:	09/09/2011 1026			Result Type:	PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	RL
Ethylene Dibromide	0.020	U	0.0012	0.020

Surrogate	%Rec	Qualifier	Acceptance Limits
1,1,1,2-Tetrachloroethane	94		60 - 140

Client: URS Corporation

Job Number: 180-3644-1

Client Sample ID: **FH-1**

Lab Sample ID: 180-3644-2
Client Matrix: Water

Date Sampled: 09/01/2011 0840
Date Received: 09/06/2011 0900

8011 EDB, DBCP, and 1,2,3-TCP (GC)

Analysis Method:	8011	Analysis Batch:	180-14489	Instrument ID:	GC12
Prep Method:	8011	Prep Batch:	180-13473	Initial Weight/Volume:	35.3 mL
Dilution:	1.0			Final Weight/Volume:	35.3 mL
Analysis Date:	09/09/2011 2238			Injection Volume:	1 uL
Prep Date:	09/09/2011 1026			Result Type:	PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	RL
Ethylene Dibromide	0.020	U	0.0012	0.020

Surrogate	%Rec	Qualifier	Acceptance Limits
1,1,1,2-Tetrachloroethane	93		60 - 140

Client: URS Corporation

Job Number: 180-3644-1

Client Sample ID: **FPT-1**

Lab Sample ID: 180-3644-3
Client Matrix: Water

Date Sampled: 09/01/2011 0935
Date Received: 09/06/2011 0900

8011 EDB, DBCP, and 1,2,3-TCP (GC)

Analysis Method:	8011	Analysis Batch:	180-14489	Instrument ID:	GC12
Prep Method:	8011	Prep Batch:	180-13473	Initial Weight/Volume:	35.2 mL
Dilution:	1.0			Final Weight/Volume:	35.2 mL
Analysis Date:	09/09/2011 2307			Injection Volume:	1 uL
Prep Date:	09/09/2011 1026			Result Type:	PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	RL
Ethylene Dibromide	0.020	U	0.0012	0.020

Surrogate	%Rec	Qualifier	Acceptance Limits
1,1,1,2-Tetrachloroethane	94		60 - 140

Client: URS Corporation

Job Number: 180-3644-1

Client Sample ID: **S-1**

Lab Sample ID: 180-3644-4

Client Matrix: Water

Date Sampled: 09/01/2011 1015

Date Received: 09/06/2011 0900

8011 EDB, DBCP, and 1,2,3-TCP (GC)

Analysis Method:	8011	Analysis Batch:	180-14489	Instrument ID:	GC12
Prep Method:	8011	Prep Batch:	180-13473	Initial Weight/Volume:	35.4 mL
Dilution:	1.0			Final Weight/Volume:	35.41 mL
Analysis Date:	09/09/2011 2336			Injection Volume:	1 uL
Prep Date:	09/09/2011 1026			Result Type:	PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	RL
Ethylene Dibromide	0.020	U	0.0012	0.020

Surrogate	%Rec	Qualifier	Acceptance Limits
1,1,1,2-Tetrachloroethane	95		60 - 140

Client: URS Corporation

Job Number: 180-3644-1

Client Sample ID: **R-1**

Lab Sample ID: 180-3644-5

Client Matrix: Water

Date Sampled: 09/01/2011 1320

Date Received: 09/06/2011 0900

8011 EDB, DBCP, and 1,2,3-TCP (GC)

Analysis Method:	8011	Analysis Batch:	180-14489	Instrument ID:	GC12
Prep Method:	8011	Prep Batch:	180-13473	Initial Weight/Volume:	35.6 mL
Dilution:	1.0			Final Weight/Volume:	35.6 mL
Analysis Date:	09/10/2011 0006			Injection Volume:	1 uL
Prep Date:	09/09/2011 1026			Result Type:	PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	RL
Ethylene Dibromide	0.020	U	0.0012	0.020

Surrogate	%Rec	Qualifier	Acceptance Limits
1,1,1,2-Tetrachloroethane	98		60 - 140

Client: URS Corporation

Job Number: 180-3644-1

Client Sample ID: **R-2**

Lab Sample ID: 180-3644-6

Client Matrix: Water

Date Sampled: 09/01/2011 1340

Date Received: 09/06/2011 0900

8011 EDB, DBCP, and 1,2,3-TCP (GC)

Analysis Method:	8011	Analysis Batch:	180-14489	Instrument ID:	GC12
Prep Method:	8011	Prep Batch:	180-13473	Initial Weight/Volume:	35 mL
Dilution:	1.0			Final Weight/Volume:	35 mL
Analysis Date:	09/10/2011 0035			Injection Volume:	1 uL
Prep Date:	09/09/2011 1026			Result Type:	PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	RL
Ethylene Dibromide	0.020	U	0.0012	0.020

Surrogate	%Rec	Qualifier	Acceptance Limits
1,1,1,2-Tetrachloroethane	97		60 - 140

Client: URS Corporation

Job Number: 180-3644-1

Client Sample ID: **RD-1**

Lab Sample ID: 180-3644-7
Client Matrix: Water

Date Sampled: 09/01/2011 1410
Date Received: 09/06/2011 0900

8011 EDB, DBCP, and 1,2,3-TCP (GC)

Analysis Method:	8011	Analysis Batch:	180-14489	Instrument ID:	GC12
Prep Method:	8011	Prep Batch:	180-13473	Initial Weight/Volume:	35 mL
Dilution:	1.0			Final Weight/Volume:	35 mL
Analysis Date:	09/10/2011 0104			Injection Volume:	1 uL
Prep Date:	09/09/2011 1026			Result Type:	PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	RL
Ethylene Dibromide	0.020	U	0.0012	0.020

Surrogate	%Rec	Qualifier	Acceptance Limits
1,1,1,2-Tetrachloroethane	97		60 - 140

Client: URS Corporation

Job Number: 180-3644-1

Client Sample ID: **RU-1**

Lab Sample ID: 180-3644-8

Client Matrix: Water

Date Sampled: 09/01/2011 1445

Date Received: 09/06/2011 0900

8011 EDB, DBCP, and 1,2,3-TCP (GC)

Analysis Method:	8011	Analysis Batch:	180-14489	Instrument ID:	GC12
Prep Method:	8011	Prep Batch:	180-13473	Initial Weight/Volume:	35.1 mL
Dilution:	1.0			Final Weight/Volume:	35.1 mL
Analysis Date:	09/10/2011 0133			Injection Volume:	1 uL
Prep Date:	09/09/2011 1026			Result Type:	PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	RL
Ethylene Dibromide	0.020	U	0.0012	0.020

Surrogate	%Rec	Qualifier	Acceptance Limits
1,1,1,2-Tetrachloroethane	97		60 - 140

Client: URS Corporation

Job Number: 180-3644-1

Client Sample ID: **KDE-1**

Lab Sample ID: 180-3644-9
Client Matrix: Water

Date Sampled: 09/01/2011 1535
Date Received: 09/06/2011 0900

8011 EDB, DBCP, and 1,2,3-TCP (GC)

Analysis Method:	8011	Analysis Batch:	180-14489	Instrument ID:	GC12
Prep Method:	8011	Prep Batch:	180-13473	Initial Weight/Volume:	35.6 mL
Dilution:	1.0			Final Weight/Volume:	35.6 mL
Analysis Date:	09/10/2011 0202			Injection Volume:	1 uL
Prep Date:	09/09/2011 1026			Result Type:	PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	RL
Ethylene Dibromide	0.020	U	0.0012	0.020

Surrogate	%Rec	Qualifier	Acceptance Limits
1,1,1,2-Tetrachloroethane	101		60 - 140

Client: URS Corporation

Job Number: 180-3644-1

Client Sample ID: **N-1**

Lab Sample ID: 180-3644-10

Client Matrix: Water

Date Sampled: 09/01/2011 1745

Date Received: 09/06/2011 0900

8011 EDB, DBCP, and 1,2,3-TCP (GC)

Analysis Method:	8011	Analysis Batch:	180-14489	Instrument ID:	GC12
Prep Method:	8011	Prep Batch:	180-13473	Initial Weight/Volume:	35 mL
Dilution:	1.0			Final Weight/Volume:	35 mL
Analysis Date:	09/10/2011 0231			Injection Volume:	1 uL
Prep Date:	09/09/2011 1026			Result Type:	PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	RL
Ethylene Dibromide	0.020	U	0.0012	0.020

Surrogate	%Rec	Qualifier	Acceptance Limits
1,1,1,2-Tetrachloroethane	98		60 - 140

Client: URS Corporation

Job Number: 180-3644-1

Client Sample ID: **D-1**

Lab Sample ID: 180-3644-11
Client Matrix: Water

Date Sampled: 09/01/2011 1815
Date Received: 09/06/2011 0900

8011 EDB, DBCP, and 1,2,3-TCP (GC)

Analysis Method:	8011	Analysis Batch:	180-14489	Instrument ID:	GC12
Prep Method:	8011	Prep Batch:	180-13473	Initial Weight/Volume:	35.2 mL
Dilution:	1.0			Final Weight/Volume:	35.2 mL
Analysis Date:	09/10/2011 0300			Injection Volume:	1 uL
Prep Date:	09/09/2011 1026			Result Type:	PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	RL
Ethylene Dibromide	0.020	U	0.0012	0.020

Surrogate	%Rec	Qualifier	Acceptance Limits
1,1,1,2-Tetrachloroethane	97		60 - 140

Client: URS Corporation

Job Number: 180-3644-1

Client Sample ID: **H-1**

Lab Sample ID: 180-3644-1
Client Matrix: Water

Date Sampled: 09/01/2011 1115
Date Received: 09/06/2011 0900

8015B Diesel Range Organics (DRO) (GC)

Analysis Method:	8015B	Analysis Batch:	480-30615	Instrument ID:	HP5890-24
Prep Method:	3510C	Prep Batch:	480-30513	Initial Weight/Volume:	1060 mL
Dilution:	1.0			Final Weight/Volume:	1 mL
Analysis Date:	09/09/2011 1530			Injection Volume:	1 uL
Prep Date:	09/08/2011 1651			Result Type:	PRIMARY

Analyte	Result (mg/L)	Qualifier	MDL	RL
Diesel Range Organics [C10-C28]	0.47	U	0.29	0.47

Surrogate	%Rec	Qualifier	Acceptance Limits
o-Terphenyl	74		44 - 154

Client: URS Corporation

Job Number: 180-3644-1

Client Sample ID: **FH-1**

Lab Sample ID: 180-3644-2
Client Matrix: Water

Date Sampled: 09/01/2011 0840
Date Received: 09/06/2011 0900

8015B Diesel Range Organics (DRO) (GC)

Analysis Method:	8015B	Analysis Batch:	480-30615	Instrument ID:	HP5890-24
Prep Method:	3510C	Prep Batch:	480-30513	Initial Weight/Volume:	1060 mL
Dilution:	1.0			Final Weight/Volume:	1 mL
Analysis Date:	09/09/2011 1604			Injection Volume:	1 uL
Prep Date:	09/08/2011 1651			Result Type:	PRIMARY

Analyte	Result (mg/L)	Qualifier	MDL	RL
Diesel Range Organics [C10-C28]	0.47	U	0.29	0.47

Surrogate	%Rec	Qualifier	Acceptance Limits
o-Terphenyl	73		44 - 154

Client: URS Corporation

Job Number: 180-3644-1

Client Sample ID: **FPT-1**

Lab Sample ID: 180-3644-3
Client Matrix: Water

Date Sampled: 09/01/2011 0935
Date Received: 09/06/2011 0900

8015B Diesel Range Organics (DRO) (GC)

Analysis Method:	8015B	Analysis Batch:	480-30615	Instrument ID:	HP5890-24
Prep Method:	3510C	Prep Batch:	480-30513	Initial Weight/Volume:	960 mL
Dilution:	1.0			Final Weight/Volume:	1 mL
Analysis Date:	09/09/2011 1637			Injection Volume:	1 uL
Prep Date:	09/08/2011 1651			Result Type:	PRIMARY

Analyte	Result (mg/L)	Qualifier	MDL	RL
Diesel Range Organics [C10-C28]	0.52	U	0.32	0.52

Surrogate	%Rec	Qualifier	Acceptance Limits
o-Terphenyl	85		44 - 154

Client: URS Corporation

Job Number: 180-3644-1

Client Sample ID: **S-1**

Lab Sample ID: 180-3644-4

Client Matrix: Water

Date Sampled: 09/01/2011 1015

Date Received: 09/06/2011 0900

8015B Diesel Range Organics (DRO) (GC)

Analysis Method:	8015B	Analysis Batch:	480-30615	Instrument ID:	HP5890-24
Prep Method:	3510C	Prep Batch:	480-30513	Initial Weight/Volume:	970 mL
Dilution:	1.0			Final Weight/Volume:	1 mL
Analysis Date:	09/09/2011 1711			Injection Volume:	1 uL
Prep Date:	09/08/2011 1651			Result Type:	PRIMARY

Analyte	Result (mg/L)	Qualifier	MDL	RL
Diesel Range Organics [C10-C28]	0.52	U	0.32	0.52

Surrogate	%Rec	Qualifier	Acceptance Limits
o-Terphenyl	70		44 - 154

Client: URS Corporation

Job Number: 180-3644-1

Client Sample ID: **R-1**

Lab Sample ID: 180-3644-5
Client Matrix: Water

Date Sampled: 09/01/2011 1320
Date Received: 09/06/2011 0900

8015B Diesel Range Organics (DRO) (GC)

Analysis Method:	8015B	Analysis Batch:	480-30615	Instrument ID:	HP5890-24
Prep Method:	3510C	Prep Batch:	480-30513	Initial Weight/Volume:	1060 mL
Dilution:	1.0			Final Weight/Volume:	1 mL
Analysis Date:	09/09/2011 1745			Injection Volume:	1 uL
Prep Date:	09/08/2011 1651			Result Type:	PRIMARY

Analyte	Result (mg/L)	Qualifier	MDL	RL
Diesel Range Organics [C10-C28]	0.47	U	0.29	0.47

Surrogate	%Rec	Qualifier	Acceptance Limits
o-Terphenyl	73		44 - 154

Client: URS Corporation

Job Number: 180-3644-1

Client Sample ID: **R-2**

Lab Sample ID: 180-3644-6

Client Matrix: Water

Date Sampled: 09/01/2011 1340

Date Received: 09/06/2011 0900

8015B Diesel Range Organics (DRO) (GC)

Analysis Method:	8015B	Analysis Batch:	480-30615	Instrument ID:	HP5890-24
Prep Method:	3510C	Prep Batch:	480-30513	Initial Weight/Volume:	1050 mL
Dilution:	1.0			Final Weight/Volume:	1 mL
Analysis Date:	09/09/2011 1819			Injection Volume:	1 uL
Prep Date:	09/08/2011 1651			Result Type:	PRIMARY

Analyte	Result (mg/L)	Qualifier	MDL	RL
Diesel Range Organics [C10-C28]	0.48	U	0.30	0.48

Surrogate	%Rec	Qualifier	Acceptance Limits
o-Terphenyl	84		44 - 154

Client: URS Corporation

Job Number: 180-3644-1

Client Sample ID: **RD-1**

Lab Sample ID: 180-3644-7
Client Matrix: Water

Date Sampled: 09/01/2011 1410
Date Received: 09/06/2011 0900

8015B Diesel Range Organics (DRO) (GC)

Analysis Method:	8015B	Analysis Batch:	480-30615	Instrument ID:	HP5890-24
Prep Method:	3510C	Prep Batch:	480-30513	Initial Weight/Volume:	880 mL
Dilution:	1.0			Final Weight/Volume:	1 mL
Analysis Date:	09/09/2011 1853			Injection Volume:	1 uL
Prep Date:	09/08/2011 1651			Result Type:	PRIMARY

Analyte	Result (mg/L)	Qualifier	MDL	RL
Diesel Range Organics [C10-C28]	0.57	U	0.35	0.57

Surrogate	%Rec	Qualifier	Acceptance Limits
o-Terphenyl	80		44 - 154

Client: URS Corporation

Job Number: 180-3644-1

Client Sample ID: **RU-1**

Lab Sample ID: 180-3644-8
Client Matrix: Water

Date Sampled: 09/01/2011 1445
Date Received: 09/06/2011 0900

8015B Diesel Range Organics (DRO) (GC)

Analysis Method:	8015B	Analysis Batch:	480-30797	Instrument ID:	HP5890-24
Prep Method:	3510C	Prep Batch:	480-30513	Initial Weight/Volume:	1015 mL
Dilution:	1.0			Final Weight/Volume:	1 mL
Analysis Date:	09/12/2011 1055			Injection Volume:	1 uL
Prep Date:	09/08/2011 1651			Result Type:	PRIMARY

Analyte	Result (mg/L)	Qualifier	MDL	RL
Diesel Range Organics [C10-C28]	0.49	U	0.31	0.49

Surrogate	%Rec	Qualifier	Acceptance Limits
o-Terphenyl	98		44 - 154

Client: URS Corporation

Job Number: 180-3644-1

Client Sample ID: **KDE-1**

Lab Sample ID: 180-3644-9
Client Matrix: Water

Date Sampled: 09/01/2011 1535
Date Received: 09/06/2011 0900

8015B Diesel Range Organics (DRO) (GC)

Analysis Method:	8015B	Analysis Batch:	480-30797	Instrument ID:	HP5890-24
Prep Method:	3510C	Prep Batch:	480-30513	Initial Weight/Volume:	1010 mL
Dilution:	1.0			Final Weight/Volume:	1 mL
Analysis Date:	09/12/2011 1129			Injection Volume:	1 uL
Prep Date:	09/08/2011 1651			Result Type:	PRIMARY

Analyte	Result (mg/L)	Qualifier	MDL	RL
Diesel Range Organics [C10-C28]	0.50	U	0.31	0.50

Surrogate	%Rec	Qualifier	Acceptance Limits
o-Terphenyl	104		44 - 154

Client: URS Corporation

Job Number: 180-3644-1

Client Sample ID: **N-1**

Lab Sample ID: 180-3644-10

Client Matrix: Water

Date Sampled: 09/01/2011 1745

Date Received: 09/06/2011 0900

8015B Diesel Range Organics (DRO) (GC)

Analysis Method:	8015B	Analysis Batch:	480-30797	Instrument ID:	HP5890-24
Prep Method:	3510C	Prep Batch:	480-30513	Initial Weight/Volume:	1020 mL
Dilution:	1.0			Final Weight/Volume:	1 mL
Analysis Date:	09/12/2011 1203			Injection Volume:	1 uL
Prep Date:	09/08/2011 1651			Result Type:	PRIMARY

Analyte	Result (mg/L)	Qualifier	MDL	RL
Diesel Range Organics [C10-C28]	0.49	U	0.30	0.49

Surrogate	%Rec	Qualifier	Acceptance Limits
o-Terphenyl	108		44 - 154

Client: URS Corporation

Job Number: 180-3644-1

Client Sample ID: **D-1**

Lab Sample ID: 180-3644-11

Client Matrix: Water

Date Sampled: 09/01/2011 1815

Date Received: 09/06/2011 0900

8015B Diesel Range Organics (DRO) (GC)

Analysis Method:	8015B	Analysis Batch:	480-30797	Instrument ID:	HP5890-24
Prep Method:	3510C	Prep Batch:	480-30513	Initial Weight/Volume:	880 mL
Dilution:	1.0			Final Weight/Volume:	1 mL
Analysis Date:	09/12/2011 1237			Injection Volume:	1 uL
Prep Date:	09/08/2011 1651			Result Type:	PRIMARY

Analyte	Result (mg/L)	Qualifier	MDL	RL
Diesel Range Organics [C10-C28]	0.57	U	0.35	0.57

Surrogate	%Rec	Qualifier	Acceptance Limits
o-Terphenyl	105		44 - 154

Client: URS Corporation

Job Number: 180-3644-1

Client Sample ID: H-1

Lab Sample ID: 180-3644-1
Client Matrix: Water

Date Sampled: 09/01/2011 1115
Date Received: 09/06/2011 0900

6020 Metals (ICP/MS)

Analysis Method:	6020	Analysis Batch:	180-14775	Instrument ID:	X
Prep Method:	3010A	Prep Batch:	180-13919	Lab File ID:	X10920A.xml
Dilution:	1.0			Initial Weight/Volume:	50 mL
Analysis Date:	09/20/2011 1955			Final Weight/Volume:	50 mL
Prep Date:	09/13/2011 1732				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Silver	1.0	U	0.036	1.0
Aluminum	6.8	J B	2.6	30
Arsenic	1.2	B	0.29	1.0
Barium	140		0.098	10
Boron	46		0.28	5.0
Beryllium	1.0	U	0.037	1.0
Calcium	4400	B	2.8	100
Cadmium	1.0	U	0.11	1.0
Cobalt	0.50	U	0.026	0.50
Chromium	2.2	B	0.54	2.0
Copper	1.5	J B	0.24	2.0
Iron	250	B	6.1	50
Potassium	1900	B	5.8	100
Magnesium	1200	B	1.2	100
Manganese	1.8		0.039	0.50
Nickel	0.66	J B	0.17	1.0
Lead	0.078	J B	0.019	1.0
Molybdenum	0.60	J B	0.22	5.0
Antimony	0.094	J B	0.019	2.0
Selenium	2.0	J B	0.42	5.0
Thallium	1.0	U	0.015	1.0
Vanadium	1.0	U	0.082	1.0
Zinc	10		0.96	5.0

Analysis Method:	6020	Analysis Batch:	180-15188	Instrument ID:	X
Prep Method:	3010A	Prep Batch:	180-13919	Lab File ID:	X10923A.xml
Dilution:	1.0			Initial Weight/Volume:	50 mL
Analysis Date:	09/23/2011 1649			Final Weight/Volume:	50 mL
Prep Date:	09/13/2011 1732				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Sodium	16000		3.8	100

6020 Metals (ICP/MS)-Dissolved

Analysis Method:	6020	Analysis Batch:	180-14595	Instrument ID:	X
Prep Method:	3005A	Prep Batch:	180-14289	Lab File ID:	X10919A.xml
Dilution:	1.0			Initial Weight/Volume:	50 mL
Analysis Date:	09/19/2011 1354			Final Weight/Volume:	50 mL
Prep Date:	09/16/2011 1039				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Silver	0.065	J B	0.036	1.0
Aluminum	3.6	J	2.6	30

Client: URS Corporation

Job Number: 180-3644-1

Client Sample ID: H-1

Lab Sample ID: 180-3644-1
Client Matrix: Water

Date Sampled: 09/01/2011 1115
Date Received: 09/06/2011 0900

6020 Metals (ICP/MS)-Dissolved

Analyte	Result (ug/L)	Qualifier	MDL	RL
Arsenic	0.82	J	0.29	1.0
Barium	120	B	0.098	10
Boron	36	B	0.28	5.0
Beryllium	1.0	U	0.037	1.0
Calcium	3900	B	2.8	100
Cadmium	1.0	U	0.11	1.0
Cobalt	0.50	U	0.026	0.50
Chromium	1.9	J B	0.54	2.0
Copper	1.2	J B	0.24	2.0
Iron	21	J	6.1	50
Potassium	1600		5.8	100
Magnesium	1000		1.2	100
Manganese	0.68	B	0.039	0.50
Sodium	14000		3.8	100
Nickel	1.0	U	0.17	1.0
Lead	0.045	J B	0.019	1.0
Molybdenum	3.7	J B	0.22	5.0
Antimony	0.55	J B	0.019	2.0
Selenium	0.53	J	0.42	5.0
Thallium	0.14	J	0.015	1.0
Vanadium	1.0	U	0.082	1.0
Zinc	3.9	J B	0.96	5.0

7470A Mercury (CVAA)

Analysis Method:	7470A	Analysis Batch:	180-14378	Instrument ID:	G
Prep Method:	7470A	Prep Batch:	180-14311	Lab File ID:	G10916C.PRN
Dilution:	1.0			Initial Weight/Volume:	50.0 mL
Analysis Date:	09/16/2011 1600			Final Weight/Volume:	50.0 mL
Prep Date:	09/16/2011 1138				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Mercury	0.20	U	0.038	0.20

7470A Mercury (CVAA)-Dissolved

Analysis Method:	7470A	Analysis Batch:	180-14378	Instrument ID:	G
Prep Method:	7470A	Prep Batch:	180-14311	Lab File ID:	G10916C.PRN
Dilution:	1.0			Initial Weight/Volume:	50.0 mL
Analysis Date:	09/16/2011 1602			Final Weight/Volume:	50.0 mL
Prep Date:	09/16/2011 1138				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Mercury	0.20	U	0.038	0.20

Client: URS Corporation

Job Number: 180-3644-1

Client Sample ID: **FH-1**

Lab Sample ID: 180-3644-2
Client Matrix: Water

Date Sampled: 09/01/2011 0840
Date Received: 09/06/2011 0900

6020 Metals (ICP/MS)

Analysis Method:	6020	Analysis Batch:	180-14775	Instrument ID:	X
Prep Method:	3010A	Prep Batch:	180-13919	Lab File ID:	X10920A.xml
Dilution:	1.0			Initial Weight/Volume:	50 mL
Analysis Date:	09/20/2011 2012			Final Weight/Volume:	50 mL
Prep Date:	09/13/2011 1732				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Silver	1.0	U	0.036	1.0
Aluminum	14	J B	2.6	30
Arsenic	1.7	B	0.29	1.0
Barium	120		0.098	10
Boron	27		0.28	5.0
Beryllium	1.0	U	0.037	1.0
Calcium	37000	B	2.8	100
Cadmium	1.0	U	0.11	1.0
Cobalt	0.19	J	0.026	0.50
Chromium	2.3	B	0.54	2.0
Copper	2.5	B	0.24	2.0
Iron	110	B	6.1	50
Potassium	1000	B	5.8	100
Magnesium	8700	B	1.2	100
Manganese	95		0.039	0.50
Nickel	0.50	J B	0.17	1.0
Lead	1.5	B	0.019	1.0
Molybdenum	6.3	B	0.22	5.0
Antimony	0.12	J B	0.019	2.0
Selenium	1.5	J B	0.42	5.0
Thallium	0.27	J	0.015	1.0
Vanadium	1.0	U	0.082	1.0
Zinc	24		0.96	5.0

Analysis Method:	6020	Analysis Batch:	180-15188	Instrument ID:	X
Prep Method:	3010A	Prep Batch:	180-13919	Lab File ID:	X10923A.xml
Dilution:	1.0			Initial Weight/Volume:	50 mL
Analysis Date:	09/23/2011 1721			Final Weight/Volume:	50 mL
Prep Date:	09/13/2011 1732				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Sodium	10000		3.8	100

6020 Metals (ICP/MS)-Dissolved

Analysis Method:	6020	Analysis Batch:	180-14595	Instrument ID:	X
Prep Method:	3005A	Prep Batch:	180-14289	Lab File ID:	X10919A.xml
Dilution:	1.0			Initial Weight/Volume:	50 mL
Analysis Date:	09/19/2011 1359			Final Weight/Volume:	50 mL
Prep Date:	09/16/2011 1039				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Silver	0.042	J B	0.036	1.0
Aluminum	4.1	J	2.6	30

Client: URS Corporation

Job Number: 180-3644-1

Client Sample ID: **FH-1**

Lab Sample ID: 180-3644-2
Client Matrix: Water

Date Sampled: 09/01/2011 0840
Date Received: 09/06/2011 0900

6020 Metals (ICP/MS)-Dissolved

Analyte	Result (ug/L)	Qualifier	MDL	RL
Arsenic	0.85	J	0.29	1.0
Barium	110	B	0.098	10
Boron	13	B	0.28	5.0
Beryllium	1.0	U	0.037	1.0
Calcium	35000	B	2.8	100
Cadmium	1.0	U	0.11	1.0
Cobalt	0.039	J	0.026	0.50
Chromium	1.6	J B	0.54	2.0
Copper	1.3	J B	0.24	2.0
Iron	7.4	J	6.1	50
Potassium	980		5.8	100
Magnesium	7700		1.2	100
Manganese	3.4	B	0.039	0.50
Sodium	9600		3.8	100
Nickel	1.0	U	0.17	1.0
Lead	0.077	J B	0.019	1.0
Molybdenum	1.4	J B	0.22	5.0
Antimony	0.27	J B	0.019	2.0
Selenium	5.0	U	0.42	5.0
Thallium	0.073	J	0.015	1.0
Vanadium	1.0	U	0.082	1.0
Zinc	8.3	B	0.96	5.0

7470A Mercury (CVAA)

Analysis Method:	7470A	Analysis Batch:	180-14378	Instrument ID:	G
Prep Method:	7470A	Prep Batch:	180-14311	Lab File ID:	G10916C.PRN
Dilution:	1.0			Initial Weight/Volume:	50.0 mL
Analysis Date:	09/16/2011 1603			Final Weight/Volume:	50.0 mL
Prep Date:	09/16/2011 1138				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Mercury	0.20	U	0.038	0.20

7470A Mercury (CVAA)-Dissolved

Analysis Method:	7470A	Analysis Batch:	180-14378	Instrument ID:	G
Prep Method:	7470A	Prep Batch:	180-14311	Lab File ID:	G10916C.PRN
Dilution:	1.0			Initial Weight/Volume:	50.0 mL
Analysis Date:	09/16/2011 1608			Final Weight/Volume:	50.0 mL
Prep Date:	09/16/2011 1138				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Mercury	0.20	U	0.038	0.20

Client: URS Corporation

Job Number: 180-3644-1

Client Sample ID: **FPT-1**

Lab Sample ID: 180-3644-3
Client Matrix: Water

Date Sampled: 09/01/2011 0935
Date Received: 09/06/2011 0900

6020 Metals (ICP/MS)

Analysis Method:	6020	Analysis Batch:	180-14775	Instrument ID:	X
Prep Method:	3010A	Prep Batch:	180-13919	Lab File ID:	X10920A.xml
Dilution:	1.0			Initial Weight/Volume:	50 mL
Analysis Date:	09/20/2011 2016			Final Weight/Volume:	50 mL
Prep Date:	09/13/2011 1732				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Silver	1.0	U	0.036	1.0
Aluminum	3.4	J B	2.6	30
Arsenic	1.7	B	0.29	1.0
Barium	260		0.098	10
Boron	35		0.28	5.0
Beryllium	1.0	U	0.037	1.0
Calcium	41000	B	2.8	100
Cadmium	1.0	U	0.11	1.0
Cobalt	0.082	J	0.026	0.50
Chromium	2.3	B	0.54	2.0
Copper	7.2	B	0.24	2.0
Iron	22	J B	6.1	50
Potassium	1400	B	5.8	100
Magnesium	8700	B	1.2	100
Manganese	1.4		0.039	0.50
Nickel	0.49	J B	0.17	1.0
Lead	0.31	J B	0.019	1.0
Molybdenum	1.5	J B	0.22	5.0
Antimony	0.091	J B	0.019	2.0
Selenium	1.6	J B	0.42	5.0
Thallium	0.12	J	0.015	1.0
Vanadium	0.86	J B	0.082	1.0
Zinc	7.7		0.96	5.0

Analysis Method:	6020	Analysis Batch:	180-15188	Instrument ID:	X
Prep Method:	3010A	Prep Batch:	180-13919	Lab File ID:	X10923A.xml
Dilution:	1.0			Initial Weight/Volume:	50 mL
Analysis Date:	09/23/2011 1726			Final Weight/Volume:	50 mL
Prep Date:	09/13/2011 1732				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Sodium	10000		3.8	100

6020 Metals (ICP/MS)-Dissolved

Analysis Method:	6020	Analysis Batch:	180-14595	Instrument ID:	X
Prep Method:	3005A	Prep Batch:	180-14289	Lab File ID:	X10919A.xml
Dilution:	1.0			Initial Weight/Volume:	50 mL
Analysis Date:	09/19/2011 1423			Final Weight/Volume:	50 mL
Prep Date:	09/16/2011 1039				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Silver	1.0	U	0.036	1.0
Aluminum	30	U	2.6	30

Client: URS Corporation

Job Number: 180-3644-1

Client Sample ID: **FPT-1**

Lab Sample ID: 180-3644-3
Client Matrix: Water

Date Sampled: 09/01/2011 0935
Date Received: 09/06/2011 0900

6020 Metals (ICP/MS)-Dissolved

Analyte	Result (ug/L)	Qualifier	MDL	RL
Arsenic	1.0	U	0.29	1.0
Barium	230	B	0.098	10
Boron	230	B	0.28	5.0
Beryllium	1.0	U	0.037	1.0
Calcium	37000	B	2.8	100
Cadmium	1.0	U	0.11	1.0
Cobalt	0.090	J	0.026	0.50
Chromium	1.9	J B	0.54	2.0
Copper	5.6	B	0.24	2.0
Iron	50	U	6.1	50
Potassium	1500		5.8	100
Magnesium	7400		1.2	100
Manganese	0.37	J B	0.039	0.50
Sodium	10000		3.8	100
Nickel	1.0	U	0.17	1.0
Lead	0.098	J B	0.019	1.0
Molybdenum	1.5	J B	0.22	5.0
Antimony	0.30	J B	0.019	2.0
Selenium	5.0	U	0.42	5.0
Thallium	0.11	J	0.015	1.0
Vanadium	0.21	J B	0.082	1.0
Zinc	13	B	0.96	5.0

7470A Mercury (CVAA)

Analysis Method:	7470A	Analysis Batch:	180-14378	Instrument ID:	G
Prep Method:	7470A	Prep Batch:	180-14311	Lab File ID:	G10916C.PRN
Dilution:	1.0			Initial Weight/Volume:	50.0 mL
Analysis Date:	09/16/2011 1610			Final Weight/Volume:	50.0 mL
Prep Date:	09/16/2011 1138				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Mercury	0.20	U	0.038	0.20

7470A Mercury (CVAA)-Dissolved

Analysis Method:	7470A	Analysis Batch:	180-14378	Instrument ID:	G
Prep Method:	7470A	Prep Batch:	180-14311	Lab File ID:	G10916C.PRN
Dilution:	1.0			Initial Weight/Volume:	25.0 mL
Analysis Date:	09/16/2011 1612			Final Weight/Volume:	50.0 mL
Prep Date:	09/16/2011 1138				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Mercury	0.40	U	0.077	0.40

Client: URS Corporation

Job Number: 180-3644-1

Client Sample ID: **S-1**

Lab Sample ID: 180-3644-4
Client Matrix: Water

Date Sampled: 09/01/2011 1015
Date Received: 09/06/2011 0900

6020 Metals (ICP/MS)

Analysis Method:	6020	Analysis Batch:	180-14775	Instrument ID:	X
Prep Method:	3010A	Prep Batch:	180-13919	Lab File ID:	X10920A.xml
Dilution:	1.0			Initial Weight/Volume:	50 mL
Analysis Date:	09/20/2011 2035			Final Weight/Volume:	50 mL
Prep Date:	09/13/2011 1732				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Silver	0.058	J B	0.036	1.0
Aluminum	4200	B	2.6	30
Arsenic	7.2	B	0.29	1.0
Barium	230		0.098	10
Boron	30		0.28	5.0
Beryllium	0.24	J	0.037	1.0
Calcium	30000	B	2.8	100
Cadmium	1.0	U	0.11	1.0
Cobalt	3.1		0.026	0.50
Chromium	3.9	B	0.54	2.0
Copper	27	B	0.24	2.0
Iron	5000	B	6.1	50
Potassium	2600	B	5.8	100
Magnesium	7100	B	1.2	100
Manganese	200		0.039	0.50
Nickel	4.2	B	0.17	1.0
Lead	10	B	0.019	1.0
Molybdenum	1.2	J B	0.22	5.0
Antimony	1.9	J B	0.019	2.0
Selenium	1.2	J B	0.42	5.0
Thallium	0.078	J	0.015	1.0
Vanadium	5.0	B	0.082	1.0
Zinc	140		0.96	5.0

Analysis Method:	6020	Analysis Batch:	180-15188	Instrument ID:	X
Prep Method:	3010A	Prep Batch:	180-13919	Lab File ID:	X10923A.xml
Dilution:	1.0			Initial Weight/Volume:	50 mL
Analysis Date:	09/23/2011 1730			Final Weight/Volume:	50 mL
Prep Date:	09/13/2011 1732				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Sodium	8600		3.8	100

6020 Metals (ICP/MS)-Dissolved

Analysis Method:	6020	Analysis Batch:	180-14595	Instrument ID:	X
Prep Method:	3005A	Prep Batch:	180-14289	Lab File ID:	X10919A.xml
Dilution:	1.0			Initial Weight/Volume:	50 mL
Analysis Date:	09/19/2011 1427			Final Weight/Volume:	50 mL
Prep Date:	09/16/2011 1039				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Silver	1.0	U	0.036	1.0
Aluminum	3.8	J	2.6	30

Client: URS Corporation

Job Number: 180-3644-1

Client Sample ID: **S-1**

Lab Sample ID: 180-3644-4
Client Matrix: Water

Date Sampled: 09/01/2011 1015
Date Received: 09/06/2011 0900

6020 Metals (ICP/MS)-Dissolved

Analyte	Result (ug/L)	Qualifier	MDL	RL
Arsenic	1.1		0.29	1.0
Barium	150	B	0.098	10
Boron	29	B	0.28	5.0
Beryllium	0.059	J B	0.037	1.0
Calcium	29000	B	2.8	100
Cadmium	1.0	U	0.11	1.0
Cobalt	0.056	J	0.026	0.50
Chromium	2.0	B	0.54	2.0
Copper	2.2	B	0.24	2.0
Iron	50	U	6.1	50
Potassium	1100		5.8	100
Magnesium	5900		1.2	100
Manganese	0.19	J B	0.039	0.50
Sodium	8700		3.8	100
Nickel	0.19	J	0.17	1.0
Lead	0.029	J B	0.019	1.0
Molybdenum	0.90	J B	0.22	5.0
Antimony	0.18	J B	0.019	2.0
Selenium	5.0	U	0.42	5.0
Thallium	0.10	J	0.015	1.0
Vanadium	0.33	J B	0.082	1.0
Zinc	48	B	0.96	5.0

7470A Mercury (CVAA)

Analysis Method:	7470A	Analysis Batch:	180-14378	Instrument ID:	G
Prep Method:	7470A	Prep Batch:	180-14311	Lab File ID:	G10916C.PRN
Dilution:	1.0			Initial Weight/Volume:	50.0 mL
Analysis Date:	09/16/2011 1618			Final Weight/Volume:	50.0 mL
Prep Date:	09/16/2011 1138				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Mercury	0.20	U	0.038	0.20

7470A Mercury (CVAA)-Dissolved

Analysis Method:	7470A	Analysis Batch:	180-14378	Instrument ID:	G
Prep Method:	7470A	Prep Batch:	180-14311	Lab File ID:	G10916C.PRN
Dilution:	1.0			Initial Weight/Volume:	50.0 mL
Analysis Date:	09/16/2011 1620			Final Weight/Volume:	50.0 mL
Prep Date:	09/16/2011 1138				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Mercury	0.20	U	0.038	0.20

Client: URS Corporation

Job Number: 180-3644-1

Client Sample ID: **R-1**

Lab Sample ID: 180-3644-5
Client Matrix: Water

Date Sampled: 09/01/2011 1320
Date Received: 09/06/2011 0900

6020 Metals (ICP/MS)

Analysis Method:	6020	Analysis Batch:	180-14775	Instrument ID:	X
Prep Method:	3010A	Prep Batch:	180-13919	Lab File ID:	X10920A.xml
Dilution:	1.0			Initial Weight/Volume:	50 mL
Analysis Date:	09/20/2011 2040			Final Weight/Volume:	50 mL
Prep Date:	09/13/2011 1732				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Silver	1.0	U	0.036	1.0
Aluminum	21	J B	2.6	30
Arsenic	1.6	B	0.29	1.0
Barium	650		0.098	10
Boron	42		0.28	5.0
Beryllium	1.0	U	0.037	1.0
Calcium	25000	B	2.8	100
Cadmium	1.0	U	0.11	1.0
Cobalt	0.10	J	0.026	0.50
Chromium	2.2	B	0.54	2.0
Copper	1.4	J B	0.24	2.0
Iron	1600	B	6.1	50
Potassium	1400	B	5.8	100
Magnesium	8100	B	1.2	100
Manganese	72		0.039	0.50
Nickel	0.73	J B	0.17	1.0
Lead	0.25	J B	0.019	1.0
Molybdenum	1.6	J B	0.22	5.0
Antimony	0.31	J B	0.019	2.0
Selenium	0.71	J B	0.42	5.0
Thallium	1.0	U	0.015	1.0
Vanadium	0.40	J B	0.082	1.0
Zinc	8.5		0.96	5.0

Analysis Method:	6020	Analysis Batch:	180-15188	Instrument ID:	X
Prep Method:	3010A	Prep Batch:	180-13919	Lab File ID:	X10923A.xml
Dilution:	1.0			Initial Weight/Volume:	50 mL
Analysis Date:	09/23/2011 1734			Final Weight/Volume:	50 mL
Prep Date:	09/13/2011 1732				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Sodium	12000		3.8	100

6020 Metals (ICP/MS)-Dissolved

Analysis Method:	6020	Analysis Batch:	180-14595	Instrument ID:	X
Prep Method:	3005A	Prep Batch:	180-14289	Lab File ID:	X10919A.xml
Dilution:	1.0			Initial Weight/Volume:	50 mL
Analysis Date:	09/19/2011 1431			Final Weight/Volume:	50 mL
Prep Date:	09/16/2011 1039				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Silver	1.0	U	0.036	1.0
Aluminum	30	U	2.6	30

Client: URS Corporation

Job Number: 180-3644-1

Client Sample ID: **R-1**

Lab Sample ID: 180-3644-5
Client Matrix: Water

Date Sampled: 09/01/2011 1320
Date Received: 09/06/2011 0900

6020 Metals (ICP/MS)-Dissolved

Analyte	Result (ug/L)	Qualifier	MDL	RL
Arsenic	1.0		0.29	1.0
Barium	580	B	0.098	10
Boron	38	B	0.28	5.0
Beryllium	1.0	U	0.037	1.0
Calcium	23000	B	2.8	100
Cadmium	1.0	U	0.11	1.0
Cobalt	0.097	J	0.026	0.50
Chromium	1.8	J B	0.54	2.0
Copper	1.1	J B	0.24	2.0
Iron	50	U	6.1	50
Potassium	1300		5.8	100
Magnesium	7000		1.2	100
Manganese	68	B	0.039	0.50
Sodium	11000		3.8	100
Nickel	0.17	J	0.17	1.0
Lead	0.030	J B	0.019	1.0
Molybdenum	1.0	J B	0.22	5.0
Antimony	0.070	J B	0.019	2.0
Selenium	5.0	U	0.42	5.0
Thallium	0.043	J	0.015	1.0
Zinc	3.4	J B	0.96	5.0

Analysis Method:	6020	Analysis Batch:	180-14775	Instrument ID:	X
Prep Method:	3005A	Prep Batch:	180-14289	Lab File ID:	X10920A.xml
Dilution:	1.0			Initial Weight/Volume:	50 mL
Analysis Date:	09/20/2011 1440			Final Weight/Volume:	50 mL
Prep Date:	09/16/2011 1039				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Vanadium	1.0	U	0.082	1.0

7470A Mercury (CVAA)

Analysis Method:	7470A	Analysis Batch:	180-14378	Instrument ID:	G
Prep Method:	7470A	Prep Batch:	180-14311	Lab File ID:	G10916C.PRN
Dilution:	1.0			Initial Weight/Volume:	50.0 mL
Analysis Date:	09/16/2011 1621			Final Weight/Volume:	50.0 mL
Prep Date:	09/16/2011 1138				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Mercury	0.20	U	0.038	0.20

7470A Mercury (CVAA)-Dissolved

Client: URS Corporation

Job Number: 180-3644-1

Client Sample ID: **R-1**

Lab Sample ID: 180-3644-5
Client Matrix: Water

Date Sampled: 09/01/2011 1320
Date Received: 09/06/2011 0900

7470A Mercury (CVAA)-Dissolved

Analysis Method:	7470A	Analysis Batch:	180-14378	Instrument ID:	G
Prep Method:	7470A	Prep Batch:	180-14311	Lab File ID:	G10916C.PRN
Dilution:	1.0			Initial Weight/Volume:	50.0 mL
Analysis Date:	09/16/2011 1623			Final Weight/Volume:	50.0 mL
Prep Date:	09/16/2011 1138				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Mercury	0.20	U	0.038	0.20

Client: URS Corporation

Job Number: 180-3644-1

Client Sample ID: R-2

Lab Sample ID: 180-3644-6

Client Matrix: Water

Date Sampled: 09/01/2011 1340

Date Received: 09/06/2011 0900

6020 Metals (ICP/MS)

Analysis Method:	6020	Analysis Batch:	180-14775	Instrument ID:	X
Prep Method:	3010A	Prep Batch:	180-13919	Lab File ID:	X10920A.xml
Dilution:	1.0			Initial Weight/Volume:	50 mL
Analysis Date:	09/20/2011 2044			Final Weight/Volume:	50 mL
Prep Date:	09/13/2011 1732				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Silver	1.0	U	0.036	1.0
Aluminum	23	J B	2.6	30
Arsenic	1.1	B	0.29	1.0
Barium	640		0.098	10
Boron	41		0.28	5.0
Beryllium	1.0	U	0.037	1.0
Calcium	26000	B	2.8	100
Cadmium	1.0	U	0.11	1.0
Cobalt	0.098	J	0.026	0.50
Chromium	1.2	J B	0.54	2.0
Copper	2.2	B	0.24	2.0
Iron	1400	B	6.1	50
Potassium	1400	B	5.8	100
Magnesium	8100	B	1.2	100
Manganese	74		0.039	0.50
Nickel	0.38	J B	0.17	1.0
Lead	0.58	J B	0.019	1.0
Molybdenum	1.2	J B	0.22	5.0
Antimony	0.16	J B	0.019	2.0
Selenium	1.0	J B	0.42	5.0
Thallium	1.0	U	0.015	1.0
Vanadium	1.0	U	0.082	1.0
Zinc	56		0.96	5.0

Analysis Method:	6020	Analysis Batch:	180-15188	Instrument ID:	X
Prep Method:	3010A	Prep Batch:	180-13919	Lab File ID:	X10923A.xml
Dilution:	1.0			Initial Weight/Volume:	50 mL
Analysis Date:	09/23/2011 1738			Final Weight/Volume:	50 mL
Prep Date:	09/13/2011 1732				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Sodium	12000		3.8	100

6020 Metals (ICP/MS)-Dissolved

Analysis Method:	6020	Analysis Batch:	180-14595	Instrument ID:	X
Prep Method:	3005A	Prep Batch:	180-14289	Lab File ID:	X10919A.xml
Dilution:	1.0			Initial Weight/Volume:	50 mL
Analysis Date:	09/19/2011 1435			Final Weight/Volume:	50 mL
Prep Date:	09/16/2011 1039				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Silver	1.0	U	0.036	1.0
Aluminum	11	J	2.6	30

Client: URS Corporation

Job Number: 180-3644-1

Client Sample ID: **R-2**

Lab Sample ID: 180-3644-6

Client Matrix: Water

Date Sampled: 09/01/2011 1340

Date Received: 09/06/2011 0900

6020 Metals (ICP/MS)-Dissolved

Analyte	Result (ug/L)	Qualifier	MDL	RL
Arsenic	1.2		0.29	1.0
Barium	560	B	0.098	10
Boron	36	B	0.28	5.0
Beryllium	1.0	U	0.037	1.0
Calcium	23000	B	2.8	100
Cadmium	1.0	U	0.11	1.0
Cobalt	0.071	J	0.026	0.50
Chromium	1.6	J B	0.54	2.0
Copper	0.91	J B	0.24	2.0
Iron	14	J	6.1	50
Potassium	1300		5.8	100
Magnesium	6800		1.2	100
Manganese	67	B	0.039	0.50
Sodium	11000		3.8	100
Nickel	0.25	J	0.17	1.0
Lead	0.10	J B	0.019	1.0
Molybdenum	0.95	J B	0.22	5.0
Antimony	0.12	J B	0.019	2.0
Selenium	0.44	J	0.42	5.0
Thallium	0.050	J	0.015	1.0
Zinc	9.1	B	0.96	5.0

Analysis Method:	6020	Analysis Batch:	180-14775	Instrument ID:	X
Prep Method:	3005A	Prep Batch:	180-14289	Lab File ID:	X10920A.xml
Dilution:	1.0			Initial Weight/Volume:	50 mL
Analysis Date:	09/20/2011 1444			Final Weight/Volume:	50 mL
Prep Date:	09/16/2011 1039				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Vanadium	1.0	U	0.082	1.0

7470A Mercury (CVAA)

Analysis Method:	7470A	Analysis Batch:	180-14378	Instrument ID:	G
Prep Method:	7470A	Prep Batch:	180-14311	Lab File ID:	G10916C.PRN
Dilution:	1.0			Initial Weight/Volume:	50.0 mL
Analysis Date:	09/16/2011 1625			Final Weight/Volume:	50.0 mL
Prep Date:	09/16/2011 1138				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Mercury	0.20	U	0.038	0.20

7470A Mercury (CVAA)-Dissolved

Client: URS Corporation

Job Number: 180-3644-1

Client Sample ID: **R-2**

Lab Sample ID: 180-3644-6

Client Matrix: Water

Date Sampled: 09/01/2011 1340

Date Received: 09/06/2011 0900

7470A Mercury (CVAA)-Dissolved

Analysis Method:	7470A	Analysis Batch:	180-14378	Instrument ID:	G
Prep Method:	7470A	Prep Batch:	180-14311	Lab File ID:	G10916C.PRN
Dilution:	1.0			Initial Weight/Volume:	50.0 mL
Analysis Date:	09/16/2011 1627			Final Weight/Volume:	50.0 mL
Prep Date:	09/16/2011 1138				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Mercury	0.20	U	0.038	0.20

Client: URS Corporation

Job Number: 180-3644-1

Client Sample ID: **RD-1**

Lab Sample ID: 180-3644-7
Client Matrix: Water

Date Sampled: 09/01/2011 1410
Date Received: 09/06/2011 0900

6020 Metals (ICP/MS)

Analysis Method:	6020	Analysis Batch:	180-14775	Instrument ID:	X
Prep Method:	3010A	Prep Batch:	180-13919	Lab File ID:	X10920A.xml
Dilution:	1.0			Initial Weight/Volume:	50 mL
Analysis Date:	09/20/2011 2048			Final Weight/Volume:	50 mL
Prep Date:	09/13/2011 1732				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Silver	1.0	U	0.036	1.0
Aluminum	33	B	2.6	30
Arsenic	0.78	J B	0.29	1.0
Barium	33		0.098	10
Boron	14		0.28	5.0
Beryllium	1.0	U	0.037	1.0
Calcium	9300	B	2.8	100
Cadmium	1.0	U	0.11	1.0
Cobalt	0.50	U	0.026	0.50
Chromium	1.2	J B	0.54	2.0
Copper	0.90	J B	0.24	2.0
Iron	40	J B	6.1	50
Potassium	1400	B	5.8	100
Magnesium	1900	B	1.2	100
Manganese	3.1		0.039	0.50
Nickel	0.21	J B	0.17	1.0
Lead	0.055	J B	0.019	1.0
Molybdenum	0.22	J B	0.22	5.0
Antimony	0.14	J B	0.019	2.0
Selenium	1.3	J B	0.42	5.0
Thallium	1.0	U	0.015	1.0
Vanadium	0.44	J B	0.082	1.0
Zinc	1.3	J	0.96	5.0

Analysis Method:	6020	Analysis Batch:	180-15188	Instrument ID:	X
Prep Method:	3010A	Prep Batch:	180-13919	Lab File ID:	X10923A.xml
Dilution:	1.0			Initial Weight/Volume:	50 mL
Analysis Date:	09/23/2011 1743			Final Weight/Volume:	50 mL
Prep Date:	09/13/2011 1732				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Sodium	5500		3.8	100

6020 Metals (ICP/MS)-Dissolved

Analysis Method:	6020	Analysis Batch:	180-14595	Instrument ID:	X
Prep Method:	3005A	Prep Batch:	180-14289	Lab File ID:	X10919A.xml
Dilution:	1.0			Initial Weight/Volume:	50 mL
Analysis Date:	09/19/2011 1454			Final Weight/Volume:	50 mL
Prep Date:	09/16/2011 1039				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Silver	1.0	U	0.036	1.0
Aluminum	6.1	J	2.6	30

Client: URS Corporation

Job Number: 180-3644-1

Client Sample ID: **RD-1**

Lab Sample ID: 180-3644-7
Client Matrix: Water

Date Sampled: 09/01/2011 1410
Date Received: 09/06/2011 0900

6020 Metals (ICP/MS)-Dissolved

Analyte	Result (ug/L)	Qualifier	MDL	RL
Arsenic	0.40	J	0.29	1.0
Barium	30	B	0.098	10
Boron	11	B	0.28	5.0
Beryllium	1.0	U	0.037	1.0
Calcium	8600	B	2.8	100
Cadmium	1.0	U	0.11	1.0
Cobalt	0.032	J	0.026	0.50
Chromium	1.0	J B	0.54	2.0
Copper	1.6	J B	0.24	2.0
Iron	50	U	6.1	50
Potassium	1300		5.8	100
Magnesium	1700		1.2	100
Manganese	0.27	J B	0.039	0.50
Sodium	5500		3.8	100
Nickel	1.0	U	0.17	1.0
Lead	0.029	J B	0.019	1.0
Molybdenum	5.0	U	0.22	5.0
Antimony	1.2	J B	0.019	2.0
Selenium	5.0	U	0.42	5.0
Thallium	0.025	J	0.015	1.0
Vanadium	1.0	U	0.082	1.0
Zinc	3.0	J B	0.96	5.0

7470A Mercury (CVAA)

Analysis Method:	7470A	Analysis Batch:	180-14378	Instrument ID:	G
Prep Method:	7470A	Prep Batch:	180-14311	Lab File ID:	G10916C.PRN
Dilution:	1.0			Initial Weight/Volume:	50.0 mL
Analysis Date:	09/16/2011 1628			Final Weight/Volume:	50.0 mL
Prep Date:	09/16/2011 1138				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Mercury	0.20	U	0.038	0.20

7470A Mercury (CVAA)-Dissolved

Analysis Method:	7470A	Analysis Batch:	180-14378	Instrument ID:	G
Prep Method:	7470A	Prep Batch:	180-14311	Lab File ID:	G10916C.PRN
Dilution:	1.0			Initial Weight/Volume:	50.0 mL
Analysis Date:	09/16/2011 1630			Final Weight/Volume:	50.0 mL
Prep Date:	09/16/2011 1138				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Mercury	0.20	U	0.038	0.20

Client: URS Corporation

Job Number: 180-3644-1

Client Sample ID: **RU-1**

Lab Sample ID: 180-3644-8
Client Matrix: Water

Date Sampled: 09/01/2011 1445
Date Received: 09/06/2011 0900

6020 Metals (ICP/MS)

Analysis Method:	6020	Analysis Batch:	180-14775	Instrument ID:	X
Prep Method:	3010A	Prep Batch:	180-13919	Lab File ID:	X10920A.xml
Dilution:	1.0			Initial Weight/Volume:	50 mL
Analysis Date:	09/20/2011 2052			Final Weight/Volume:	50 mL
Prep Date:	09/13/2011 1732				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Silver	1.0	U	0.036	1.0
Aluminum	32	B	2.6	30
Arsenic	0.52	J B	0.29	1.0
Barium	33		0.098	10
Boron	15		0.28	5.0
Beryllium	1.0	U	0.037	1.0
Calcium	9400	B	2.8	100
Cadmium	1.0	U	0.11	1.0
Cobalt	0.50	U	0.026	0.50
Chromium	1.1	J B	0.54	2.0
Copper	1.0	J B	0.24	2.0
Iron	36	J B	6.1	50
Potassium	1400	B	5.8	100
Magnesium	1900	B	1.2	100
Manganese	20		0.039	0.50
Nickel	0.25	J B	0.17	1.0
Lead	0.064	J B	0.019	1.0
Molybdenum	5.0	U	0.22	5.0
Antimony	0.084	J B	0.019	2.0
Selenium	1.2	J B	0.42	5.0
Thallium	1.0	U	0.015	1.0
Vanadium	1.0	U	0.082	1.0
Zinc	1.9	J	0.96	5.0

Analysis Method:	6020	Analysis Batch:	180-15188	Instrument ID:	X
Prep Method:	3010A	Prep Batch:	180-13919	Lab File ID:	X10923A.xml
Dilution:	1.0			Initial Weight/Volume:	50 mL
Analysis Date:	09/23/2011 1747			Final Weight/Volume:	50 mL
Prep Date:	09/13/2011 1732				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Sodium	5500		3.8	100

6020 Metals (ICP/MS)-Dissolved

Analysis Method:	6020	Analysis Batch:	180-14595	Instrument ID:	X
Prep Method:	3005A	Prep Batch:	180-14289	Lab File ID:	X10919A.xml
Dilution:	1.0			Initial Weight/Volume:	50 mL
Analysis Date:	09/19/2011 1458			Final Weight/Volume:	50 mL
Prep Date:	09/16/2011 1039				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Silver	1.0	U	0.036	1.0
Aluminum	7.4	J	2.6	30

Client: URS Corporation

Job Number: 180-3644-1

Client Sample ID: **RU-1**

Lab Sample ID: 180-3644-8
Client Matrix: Water

Date Sampled: 09/01/2011 1445
Date Received: 09/06/2011 0900

6020 Metals (ICP/MS)-Dissolved

Analyte	Result (ug/L)	Qualifier	MDL	RL
Arsenic	0.78	J	0.29	1.0
Barium	32	B	0.098	10
Boron	13	B	0.28	5.0
Beryllium	1.0	U	0.037	1.0
Calcium	8800	B	2.8	100
Cadmium	1.0	U	0.11	1.0
Cobalt	0.50	U	0.026	0.50
Chromium	1.2	J B	0.54	2.0
Copper	1.7	J B	0.24	2.0
Iron	50	U	6.1	50
Potassium	1300		5.8	100
Magnesium	1700		1.2	100
Manganese	1.5	B	0.039	0.50
Sodium	5600		3.8	100
Nickel	1.0	U	0.17	1.0
Lead	0.050	J B	0.019	1.0
Molybdenum	5.0	U	0.22	5.0
Antimony	0.40	J B	0.019	2.0
Selenium	0.43	J	0.42	5.0
Thallium	0.020	J	0.015	1.0
Vanadium	0.50	J B	0.082	1.0
Zinc	4.8	J B	0.96	5.0

7470A Mercury (CVAA)

Analysis Method:	7470A	Analysis Batch:	180-14378	Instrument ID:	G
Prep Method:	7470A	Prep Batch:	180-14311	Lab File ID:	G10916C.PRN
Dilution:	1.0			Initial Weight/Volume:	50.0 mL
Analysis Date:	09/16/2011 1632			Final Weight/Volume:	50.0 mL
Prep Date:	09/16/2011 1138				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Mercury	0.20	U	0.038	0.20

7470A Mercury (CVAA)-Dissolved

Analysis Method:	7470A	Analysis Batch:	180-14378	Instrument ID:	G
Prep Method:	7470A	Prep Batch:	180-14311	Lab File ID:	G10916C.PRN
Dilution:	1.0			Initial Weight/Volume:	50.0 mL
Analysis Date:	09/16/2011 1634			Final Weight/Volume:	50.0 mL
Prep Date:	09/16/2011 1138				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Mercury	0.20	U	0.038	0.20

Client: URS Corporation

Job Number: 180-3644-1

Client Sample ID: **KDE-1**

Lab Sample ID: 180-3644-9

Client Matrix: Water

Date Sampled: 09/01/2011 1535

Date Received: 09/06/2011 0900

6020 Metals (ICP/MS)

Analysis Method:	6020	Analysis Batch:	180-14775	Instrument ID:	X
Prep Method:	3010A	Prep Batch:	180-13919	Lab File ID:	X10920A.xml
Dilution:	1.0			Initial Weight/Volume:	50 mL
Analysis Date:	09/20/2011 2057			Final Weight/Volume:	50 mL
Prep Date:	09/13/2011 1732				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Silver	1.0	U	0.036	1.0
Aluminum	7.6	J B	2.6	30
Arsenic	0.67	J B	0.29	1.0
Barium	100		0.098	10
Boron	180		0.28	5.0
Beryllium	1.0	U	0.037	1.0
Calcium	1500	B	2.8	100
Cadmium	1.0	U	0.11	1.0
Cobalt	0.50	U	0.026	0.50
Chromium	1.3	J B	0.54	2.0
Copper	4.2	B	0.24	2.0
Iron	15	J B	6.1	50
Potassium	1500	B	5.8	100
Magnesium	160	B	1.2	100
Manganese	2.4		0.039	0.50
Nickel	1.0	U	0.17	1.0
Lead	0.080	J B	0.019	1.0
Molybdenum	0.33	J B	0.22	5.0
Antimony	0.058	J B	0.019	2.0
Selenium	0.93	J B	0.42	5.0
Thallium	1.0	U	0.015	1.0
Vanadium	1.0	U	0.082	1.0
Zinc	2.2	J	0.96	5.0

Analysis Method:	6020	Analysis Batch:	180-15188	Instrument ID:	X
Prep Method:	3010A	Prep Batch:	180-13919	Lab File ID:	X10923A.xml
Dilution:	1.0			Initial Weight/Volume:	50 mL
Analysis Date:	09/23/2011 1751			Final Weight/Volume:	50 mL
Prep Date:	09/13/2011 1732				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Sodium	100000		3.8	100

6020 Metals (ICP/MS)-Dissolved

Analysis Method:	6020	Analysis Batch:	180-14595	Instrument ID:	X
Prep Method:	3005A	Prep Batch:	180-14289	Lab File ID:	X10919A.xml
Dilution:	1.0			Initial Weight/Volume:	50 mL
Analysis Date:	09/19/2011 1502			Final Weight/Volume:	50 mL
Prep Date:	09/16/2011 1039				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Silver	1.0	U	0.036	1.0
Aluminum	4.3	J	2.6	30

Client: URS Corporation

Job Number: 180-3644-1

Client Sample ID: **KDE-1**

Lab Sample ID: 180-3644-9
Client Matrix: Water

Date Sampled: 09/01/2011 1535
Date Received: 09/06/2011 0900

6020 Metals (ICP/MS)-Dissolved

Analyte	Result (ug/L)	Qualifier	MDL	RL
Arsenic	0.49	J	0.29	1.0
Barium	86	B	0.098	10
Boron	160	B	0.28	5.0
Beryllium	1.0	U	0.037	1.0
Calcium	1400	B	2.8	100
Cadmium	1.0	U	0.11	1.0
Cobalt	0.50	U	0.026	0.50
Chromium	1.2	J B	0.54	2.0
Copper	2.3	B	0.24	2.0
Iron	50	U	6.1	50
Potassium	1300		5.8	100
Magnesium	170		1.2	100
Manganese	3.0	B	0.039	0.50
Sodium	90000		3.8	100
Nickel	1.0	U	0.17	1.0
Lead	0.074	J B	0.019	1.0
Molybdenum	5.0	U	0.22	5.0
Antimony	0.28	J B	0.019	2.0
Selenium	5.0	U	0.42	5.0
Thallium	1.0	U	0.015	1.0
Vanadium	1.0	U	0.082	1.0
Zinc	3.8	J B	0.96	5.0

7470A Mercury (CVAA)

Analysis Method:	7470A	Analysis Batch:	180-14378	Instrument ID:	G
Prep Method:	7470A	Prep Batch:	180-14311	Lab File ID:	G10916C.PRN
Dilution:	1.0			Initial Weight/Volume:	50.0 mL
Analysis Date:	09/16/2011 1639			Final Weight/Volume:	50.0 mL
Prep Date:	09/16/2011 1138				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Mercury	0.20	U	0.038	0.20

7470A Mercury (CVAA)-Dissolved

Analysis Method:	7470A	Analysis Batch:	180-14378	Instrument ID:	G
Prep Method:	7470A	Prep Batch:	180-14311	Lab File ID:	G10916C.PRN
Dilution:	1.0			Initial Weight/Volume:	50.0 mL
Analysis Date:	09/16/2011 1641			Final Weight/Volume:	50.0 mL
Prep Date:	09/16/2011 1138				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Mercury	0.20	U	0.038	0.20

Client: URS Corporation

Job Number: 180-3644-1

Client Sample ID: **N-1**

Lab Sample ID: 180-3644-10
Client Matrix: Water

Date Sampled: 09/01/2011 1745
Date Received: 09/06/2011 0900

6020 Metals (ICP/MS)

Analysis Method:	6020	Analysis Batch:	180-14775	Instrument ID:	X
Prep Method:	3010A	Prep Batch:	180-13919	Lab File ID:	X10920A.xml
Dilution:	1.0			Initial Weight/Volume:	50 mL
Analysis Date:	09/20/2011 2101			Final Weight/Volume:	50 mL
Prep Date:	09/13/2011 1732				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Silver	1.0	U	0.036	1.0
Aluminum	24	J B	2.6	30
Arsenic	1.0	U	0.29	1.0
Barium	0.12	J	0.098	10
Boron	8.4		0.28	5.0
Beryllium	1.0	U	0.037	1.0
Calcium	11000	B	2.8	100
Cadmium	1.0	U	0.11	1.0
Cobalt	0.50	U	0.026	0.50
Chromium	1.3	J B	0.54	2.0
Copper	0.33	J B	0.24	2.0
Iron	11	J B	6.1	50
Potassium	70	J B	5.8	100
Magnesium	3800	B	1.2	100
Manganese	0.056	J	0.039	0.50
Nickel	1.0	U	0.17	1.0
Lead	1.0	U	0.019	1.0
Molybdenum	5.0	U	0.22	5.0
Antimony	0.19	J B	0.019	2.0
Selenium	1.1	J B	0.42	5.0
Thallium	1.0	U	0.015	1.0
Vanadium	1.0	U	0.082	1.0
Zinc	5.0	U	0.96	5.0

Analysis Method:	6020	Analysis Batch:	180-15188	Instrument ID:	X
Prep Method:	3010A	Prep Batch:	180-13919	Lab File ID:	X10923A.xml
Dilution:	1.0			Initial Weight/Volume:	50 mL
Analysis Date:	09/23/2011 1755			Final Weight/Volume:	50 mL
Prep Date:	09/13/2011 1732				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Sodium	9600		3.8	100

6020 Metals (ICP/MS)-Dissolved

Analysis Method:	6020	Analysis Batch:	180-14595	Instrument ID:	X
Prep Method:	3005A	Prep Batch:	180-14289	Lab File ID:	X10919A.xml
Dilution:	1.0			Initial Weight/Volume:	50 mL
Analysis Date:	09/19/2011 1506			Final Weight/Volume:	50 mL
Prep Date:	09/16/2011 1039				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Silver	1.0	U	0.036	1.0
Aluminum	30	U	2.6	30

Client: URS Corporation

Job Number: 180-3644-1

Client Sample ID: **N-1**

Lab Sample ID: 180-3644-10
Client Matrix: Water

Date Sampled: 09/01/2011 1745
Date Received: 09/06/2011 0900

6020 Metals (ICP/MS)-Dissolved

Analyte	Result (ug/L)	Qualifier	MDL	RL
Arsenic	1.0	U	0.29	1.0
Barium	0.16	J B	0.098	10
Boron	7.3	B	0.28	5.0
Beryllium	1.0	U	0.037	1.0
Calcium	11000	B	2.8	100
Cadmium	1.0	U	0.11	1.0
Cobalt	0.50	U	0.026	0.50
Chromium	1.6	J B	0.54	2.0
Copper	1.2	J B	0.24	2.0
Iron	50	U	6.1	50
Potassium	200		5.8	100
Magnesium	3500		1.2	100
Manganese	0.13	J B	0.039	0.50
Sodium	9600		3.8	100
Nickel	0.69	J	0.17	1.0
Lead	0.036	J B	0.019	1.0
Molybdenum	5.0	U	0.22	5.0
Antimony	0.30	J B	0.019	2.0
Selenium	5.0	U	0.42	5.0
Thallium	0.015	J	0.015	1.0
Vanadium	1.0	U	0.082	1.0
Zinc	3.4	J B	0.96	5.0

7470A Mercury (CVAA)

Analysis Method:	7470A	Analysis Batch:	180-14378	Instrument ID:	G
Prep Method:	7470A	Prep Batch:	180-14311	Lab File ID:	G10916C.PRN
Dilution:	1.0			Initial Weight/Volume:	50.0 mL
Analysis Date:	09/16/2011 1643			Final Weight/Volume:	50.0 mL
Prep Date:	09/16/2011 1138				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Mercury	0.20	U	0.038	0.20

7470A Mercury (CVAA)-Dissolved

Analysis Method:	7470A	Analysis Batch:	180-14378	Instrument ID:	G
Prep Method:	7470A	Prep Batch:	180-14311	Lab File ID:	G10916C.PRN
Dilution:	1.0			Initial Weight/Volume:	50.0 mL
Analysis Date:	09/16/2011 1644			Final Weight/Volume:	50.0 mL
Prep Date:	09/16/2011 1138				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Mercury	0.20	U	0.038	0.20

Client: URS Corporation

Job Number: 180-3644-1

Client Sample ID: **D-1**

Lab Sample ID: 180-3644-11
Client Matrix: Water

Date Sampled: 09/01/2011 1815
Date Received: 09/06/2011 0900

6020 Metals (ICP/MS)

Analysis Method:	6020	Analysis Batch:	180-14775	Instrument ID:	X
Prep Method:	3010A	Prep Batch:	180-13919	Lab File ID:	X10920A.xml
Dilution:	1.0			Initial Weight/Volume:	50 mL
Analysis Date:	09/20/2011 2105			Final Weight/Volume:	50 mL
Prep Date:	09/13/2011 1732				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Silver	1.0	U	0.036	1.0
Aluminum	2.7	J B	2.6	30
Arsenic	0.73	J B	0.29	1.0
Barium	0.15	J	0.098	10
Boron	5.0		0.28	5.0
Beryllium	1.0	U	0.037	1.0
Calcium	250	B	2.8	100
Cadmium	1.0	U	0.11	1.0
Cobalt	0.50	U	0.026	0.50
Chromium	1.3	J B	0.54	2.0
Copper	0.31	J B	0.24	2.0
Iron	13	J B	6.1	50
Potassium	3100	B	5.8	100
Magnesium	3000	B	1.2	100
Manganese	0.054	J	0.039	0.50
Nickel	1.0	U	0.17	1.0
Lead	1.0	U	0.019	1.0
Molybdenum	5.0	U	0.22	5.0
Antimony	0.15	J B	0.019	2.0
Selenium	0.60	J B	0.42	5.0
Thallium	1.0	U	0.015	1.0
Vanadium	0.24	J B	0.082	1.0
Zinc	3.4	J	0.96	5.0

Analysis Method:	6020	Analysis Batch:	180-15188	Instrument ID:	X
Prep Method:	3010A	Prep Batch:	180-13919	Lab File ID:	X10923A.xml
Dilution:	1.0			Initial Weight/Volume:	50 mL
Analysis Date:	09/23/2011 1815			Final Weight/Volume:	50 mL
Prep Date:	09/13/2011 1732				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Sodium	1600		3.8	100

6020 Metals (ICP/MS)-Dissolved

Analysis Method:	6020	Analysis Batch:	180-14595	Instrument ID:	X
Prep Method:	3005A	Prep Batch:	180-14289	Lab File ID:	X10919A.xml
Dilution:	1.0			Initial Weight/Volume:	50 mL
Analysis Date:	09/19/2011 1511			Final Weight/Volume:	50 mL
Prep Date:	09/16/2011 1039				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Silver	1.0	U	0.036	1.0
Aluminum	30	U	2.6	30

Client: URS Corporation

Job Number: 180-3644-1

Client Sample ID: D-1

Lab Sample ID: 180-3644-11

Client Matrix: Water

Date Sampled: 09/01/2011 1815

Date Received: 09/06/2011 0900

6020 Metals (ICP/MS)-Dissolved

Analyte	Result (ug/L)	Qualifier	MDL	RL
Arsenic	1.0	U	0.29	1.0
Barium	0.18	J B	0.098	10
Boron	3.0	J B	0.28	5.0
Beryllium	1.0	U	0.037	1.0
Calcium	400	B	2.8	100
Cadmium	1.0	U	0.11	1.0
Cobalt	0.50	U	0.026	0.50
Chromium	1.5	J B	0.54	2.0
Copper	1.1	J B	0.24	2.0
Iron	50	U	6.1	50
Potassium	2900		5.8	100
Magnesium	2700		1.2	100
Manganese	0.16	J B	0.039	0.50
Sodium	1600		3.8	100
Nickel	1.0	U	0.17	1.0
Lead	0.037	J B	0.019	1.0
Molybdenum	5.0	U	0.22	5.0
Antimony	0.21	J B	0.019	2.0
Selenium	0.59	J	0.42	5.0
Thallium	1.0	U	0.015	1.0
Vanadium	1.0	U	0.082	1.0
Zinc	3.1	J B	0.96	5.0

7470A Mercury (CVAA)

Analysis Method:	7470A	Analysis Batch:	180-14378	Instrument ID:	G
Prep Method:	7470A	Prep Batch:	180-14309	Lab File ID:	G10916C.PRN
Dilution:	1.0			Initial Weight/Volume:	50.0 mL
Analysis Date:	09/16/2011 1649			Final Weight/Volume:	50.0 mL
Prep Date:	09/16/2011 1135				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Mercury	0.20	U	0.038	0.20

7470A Mercury (CVAA)-Dissolved

Analysis Method:	7470A	Analysis Batch:	180-14378	Instrument ID:	G
Prep Method:	7470A	Prep Batch:	180-14309	Lab File ID:	G10916C.PRN
Dilution:	1.0			Initial Weight/Volume:	50.0 mL
Analysis Date:	09/16/2011 1651			Final Weight/Volume:	50.0 mL
Prep Date:	09/16/2011 1135				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Mercury	0.20	U	0.038	0.20

General Chemistry

Client Sample ID: **H-1**

Lab Sample ID: 180-3644-1
Client Matrix: Water

Date Sampled: 09/01/2011 1115
Date Received: 09/06/2011 0900

Analyte	Result	Qual	Units	MDL	RL	Dil	Method
HEM (Oil and Grease)	4.8	U	mg/L	1.4	4.8	1.0	1664A
Analysis Batch: 180-14207	Analysis Date: 09/15/2011 1619						
Prep Batch: 180-14048	Prep Date: 09/14/2011 1546						
Chloride	3.8		mg/L	0.20	1.0	1.0	300.0
Analysis Batch: 180-13375	Analysis Date: 09/06/2011 1606						
Ammonia, distilled	0.29	B	mg/L	0.033	0.10	1.0	350.1
Analysis Batch: 180-14856	Analysis Date: 09/21/2011 1451						
Prep Batch: 180-14571	Prep Date: 09/19/2011 1740						
Acidity	5.0	U	mg/L	5.0	5.0	1.0	SM 2310B
Analysis Batch: 180-13320	Analysis Date: 09/08/2011 1306						
Alkalinity	49	B	mg/L	0.41	5.0	1.0	SM 2320B
Analysis Batch: 180-13236	Analysis Date: 09/07/2011 1631						
Total Dissolved Solids	43		mg/L	10	10	1.0	SM 2540C
Analysis Batch: 180-13332	Analysis Date: 09/08/2011 1327						
Total Suspended Solids	4.0	U	mg/L	2.0	4.0	1.0	SM 2540D
Analysis Batch: 180-13345	Analysis Date: 09/08/2011 1405						
pH	8.79	HF	SU	0.100	0.100	1.0	SM 4500 H+ B
Analysis Batch: 180-13327	Analysis Date: 09/07/2011 1023						
Methylene Blue Active Substances	0.013	J H B	mg/L	0.013	0.050	1.0	SM 5540C
Analysis Batch: 180-13301	Analysis Date: 09/07/2011 0855						

General Chemistry

Client Sample ID: **FH-1**

Lab Sample ID: 180-3644-2
Client Matrix: Water

Date Sampled: 09/01/2011 0840
Date Received: 09/06/2011 0900

Analyte	Result	Qual	Units	MDL	RL	Dil	Method
HEM (Oil and Grease)	4.7	U	mg/L	1.4	4.7	1.0	1664A
Analysis Batch: 180-14207	Analysis Date: 09/15/2011 1619						
Prep Batch: 180-14048	Prep Date: 09/14/2011 1546						
Chloride	46		mg/L	0.20	1.0	1.0	300.0
Analysis Batch: 180-13375	Analysis Date: 09/06/2011 1621						
Ammonia, distilled	0.096	J B	mg/L	0.033	0.10	1.0	350.1
Analysis Batch: 180-14856	Analysis Date: 09/21/2011 1452						
Prep Batch: 180-14571	Prep Date: 09/19/2011 1740						
Acidity	5.0	U	mg/L	5.0	5.0	1.0	SM 2310B
Analysis Batch: 180-13320	Analysis Date: 09/08/2011 1306						
Alkalinity	91	B	mg/L	0.41	5.0	1.0	SM 2320B
Analysis Batch: 180-13236	Analysis Date: 09/07/2011 1641						
Total Dissolved Solids	190		mg/L	10	10	1.0	SM 2540C
Analysis Batch: 180-13332	Analysis Date: 09/08/2011 1327						
Total Suspended Solids	6.4		mg/L	2.0	4.0	1.0	SM 2540D
Analysis Batch: 180-13345	Analysis Date: 09/08/2011 1405						
pH	7.03	HF	SU	0.100	0.100	1.0	SM 4500 H+ B
Analysis Batch: 180-13327	Analysis Date: 09/07/2011 1025						
Methylene Blue Active Substances	0.022	J H B	mg/L	0.013	0.050	1.0	SM 5540C
Analysis Batch: 180-13301	Analysis Date: 09/07/2011 0855						

General Chemistry

Client Sample ID: **FPT-1**

Lab Sample ID: 180-3644-3

Client Matrix: Water

Date Sampled: 09/01/2011 0935

Date Received: 09/06/2011 0900

Analyte	Result	Qual	Units	MDL	RL	Dil	Method
HEM (Oil and Grease)	4.8	U	mg/L	1.4	4.8	1.0	1664A
Analysis Batch: 180-14207	Analysis Date: 09/15/2011 1619						
Prep Batch: 180-14048	Prep Date: 09/14/2011 1546						
Chloride	32		mg/L	0.20	1.0	1.0	300.0
Analysis Batch: 180-13375	Analysis Date: 09/06/2011 1636						
Ammonia, distilled	0.084	J B	mg/L	0.033	0.10	1.0	350.1
Analysis Batch: 180-14856	Analysis Date: 09/21/2011 1454						
Prep Batch: 180-14571	Prep Date: 09/19/2011 1740						
Acidity	5.0	U	mg/L	5.0	5.0	1.0	SM 2310B
Analysis Batch: 180-13656	Analysis Date: 09/12/2011 0746						
Alkalinity	96	B	mg/L	0.41	5.0	1.0	SM 2320B
Analysis Batch: 180-13785	Analysis Date: 09/12/2011 2247						
Total Dissolved Solids	230		mg/L	10	10	1.0	SM 2540C
Analysis Batch: 180-13363	Analysis Date: 09/08/2011 1446						
Total Suspended Solids	4.0	U	mg/L	2.0	4.0	1.0	SM 2540D
Analysis Batch: 180-13364	Analysis Date: 09/08/2011 1447						
pH	7.29	HF	SU	0.100	0.100	1.0	SM 4500 H+ B
Analysis Batch: 180-13502	Analysis Date: 09/09/2011 1321						
Methylene Blue Active Substances	0.013	J H B	mg/L	0.013	0.050	1.0	SM 5540C
Analysis Batch: 180-13301	Analysis Date: 09/07/2011 0855						

General Chemistry

Client Sample ID: **S-1**

Lab Sample ID: 180-3644-4

Client Matrix: Water

Date Sampled: 09/01/2011 1015

Date Received: 09/06/2011 0900

Analyte	Result	Qual	Units	MDL	RL	Dil	Method
HEM (Oil and Grease)	4.8	U	mg/L	1.4	4.8	1.0	1664A
Analysis Batch: 180-14207	Analysis Date: 09/15/2011 1619						
Prep Batch: 180-14048	Prep Date: 09/14/2011 1546						
Chloride	17		mg/L	0.20	1.0	1.0	300.0
Analysis Batch: 180-13375	Analysis Date: 09/06/2011 1651						
Ammonia, distilled	0.068	J B	mg/L	0.033	0.10	1.0	350.1
Analysis Batch: 180-14856	Analysis Date: 09/21/2011 1455						
Prep Batch: 180-14571	Prep Date: 09/19/2011 1740						
Acidity	5.0	U	mg/L	5.0	5.0	1.0	SM 2310B
Analysis Batch: 180-13320	Analysis Date: 09/08/2011 1306						
Alkalinity	91	B	mg/L	0.41	5.0	1.0	SM 2320B
Analysis Batch: 180-13236	Analysis Date: 09/07/2011 1650						
Total Dissolved Solids	140		mg/L	10	10	1.0	SM 2540C
Analysis Batch: 180-13332	Analysis Date: 09/08/2011 1327						
Total Suspended Solids	110		mg/L	4.0	8.0	1.0	SM 2540D
Analysis Batch: 180-13345	Analysis Date: 09/08/2011 1405						
pH	7.05	HF	SU	0.100	0.100	1.0	SM 4500 H+ B
Analysis Batch: 180-13327	Analysis Date: 09/07/2011 1027						
Methylene Blue Active Substances	0.050	U H	mg/L	0.013	0.050	1.0	SM 5540C
Analysis Batch: 180-13301	Analysis Date: 09/07/2011 0855						

General Chemistry

Client Sample ID: **R-1**

Lab Sample ID: 180-3644-5

Client Matrix: Water

Date Sampled: 09/01/2011 1320

Date Received: 09/06/2011 0900

Analyte	Result	Qual	Units	MDL	RL	Dil	Method
HEM (Oil and Grease)	4.7	U	mg/L	1.4	4.7	1.0	1664A
Analysis Batch: 180-14207	Analysis Date: 09/15/2011 1619						
Prep Batch: 180-14048	Prep Date: 09/14/2011 1546						
Chloride	3.9		mg/L	0.20	1.0	1.0	300.0
Analysis Batch: 180-13375	Analysis Date: 09/06/2011 1706						
Ammonia, distilled	0.050	J B	mg/L	0.033	0.10	1.0	350.1
Analysis Batch: 180-14856	Analysis Date: 09/21/2011 1456						
Prep Batch: 180-14571	Prep Date: 09/19/2011 1740						
Acidity	5.0	U	mg/L	5.0	5.0	1.0	SM 2310B
Analysis Batch: 180-13320	Analysis Date: 09/08/2011 1306						
Alkalinity	120	B	mg/L	0.41	5.0	1.0	SM 2320B
Analysis Batch: 180-13236	Analysis Date: 09/07/2011 1709						
Total Dissolved Solids	120		mg/L	10	10	1.0	SM 2540C
Analysis Batch: 180-13332	Analysis Date: 09/08/2011 1327						
Total Suspended Solids	4.0	U	mg/L	2.0	4.0	1.0	SM 2540D
Analysis Batch: 180-13345	Analysis Date: 09/08/2011 1405						
pH	7.86	HF	SU	0.100	0.100	1.0	SM 4500 H+ B
Analysis Batch: 180-13327	Analysis Date: 09/07/2011 1031						
Methylene Blue Active Substances	0.050	U H	mg/L	0.013	0.050	1.0	SM 5540C
Analysis Batch: 180-13301	Analysis Date: 09/07/2011 0855						

General Chemistry

Client Sample ID: **R-2**

Lab Sample ID: 180-3644-6

Client Matrix: Water

Date Sampled: 09/01/2011 1340

Date Received: 09/06/2011 0900

Analyte	Result	Qual	Units	MDL	RL	Dil	Method
HEM (Oil and Grease)	4.7	U	mg/L	1.4	4.7	1.0	1664A
Analysis Batch: 180-14207	Analysis Date: 09/15/2011 1619						
Prep Batch: 180-14048	Prep Date: 09/14/2011 1546						
Chloride	3.9		mg/L	0.20	1.0	1.0	300.0
Analysis Batch: 180-13375	Analysis Date: 09/06/2011 1721						
Ammonia, distilled	0.079	J B	mg/L	0.033	0.10	1.0	350.1
Analysis Batch: 180-14856	Analysis Date: 09/21/2011 1458						
Prep Batch: 180-14571	Prep Date: 09/19/2011 1740						
Acidity	5.0	U	mg/L	5.0	5.0	1.0	SM 2310B
Analysis Batch: 180-13320	Analysis Date: 09/08/2011 1306						
Alkalinity	120	B	mg/L	0.41	5.0	1.0	SM 2320B
Analysis Batch: 180-13236	Analysis Date: 09/07/2011 1719						
Total Dissolved Solids	130		mg/L	10	10	1.0	SM 2540C
Analysis Batch: 180-13332	Analysis Date: 09/08/2011 1327						
Total Suspended Solids	4.0	U	mg/L	2.0	4.0	1.0	SM 2540D
Analysis Batch: 180-13345	Analysis Date: 09/08/2011 1405						
pH	7.89	HF	SU	0.100	0.100	1.0	SM 4500 H+ B
Analysis Batch: 180-13327	Analysis Date: 09/07/2011 1033						
Methylene Blue Active Substances	0.050	U H	mg/L	0.013	0.050	1.0	SM 5540C
Analysis Batch: 180-13301	Analysis Date: 09/07/2011 0855						

General Chemistry

Client Sample ID: **RD-1**

Lab Sample ID: 180-3644-7

Client Matrix: Water

Date Sampled: 09/01/2011 1410

Date Received: 09/06/2011 0900

Analyte	Result	Qual	Units	MDL	RL	Dil	Method
HEM (Oil and Grease)	5.7	U	mg/L	1.7	5.7	1.0	1664A
Analysis Batch: 180-14207	Analysis Date: 09/15/2011 1619						
Prep Batch: 180-14048	Prep Date: 09/14/2011 1546						
Chloride	8.2		mg/L	0.20	1.0	1.0	300.0
Analysis Batch: 180-13375	Analysis Date: 09/06/2011 1736						
Ammonia, distilled	0.066	J B	mg/L	0.033	0.10	1.0	350.1
Analysis Batch: 180-14856	Analysis Date: 09/21/2011 1459						
Prep Batch: 180-14571	Prep Date: 09/19/2011 1740						
Acidity	5.0	U	mg/L	5.0	5.0	1.0	SM 2310B
Analysis Batch: 180-13320	Analysis Date: 09/08/2011 1306						
Alkalinity	25	B	mg/L	0.41	5.0	1.0	SM 2320B
Analysis Batch: 180-13236	Analysis Date: 09/07/2011 1728						
Total Dissolved Solids	53		mg/L	10	10	1.0	SM 2540C
Analysis Batch: 180-13332	Analysis Date: 09/08/2011 1327						
Total Suspended Solids	4.0	U	mg/L	2.0	4.0	1.0	SM 2540D
Analysis Batch: 180-13345	Analysis Date: 09/08/2011 1405						
pH	7.40	HF	SU	0.100	0.100	1.0	SM 4500 H+ B
Analysis Batch: 180-13327	Analysis Date: 09/07/2011 1035						
Methylene Blue Active Substances	0.018	J H B	mg/L	0.013	0.050	1.0	SM 5540C
Analysis Batch: 180-13301	Analysis Date: 09/07/2011 0855						

General Chemistry

Client Sample ID: **RU-1**

Lab Sample ID: 180-3644-8

Client Matrix: Water

Date Sampled: 09/01/2011 1445

Date Received: 09/06/2011 0900

Analyte	Result	Qual	Units	MDL	RL	Dil	Method
HEM (Oil and Grease)	5.0	U	mg/L	1.5	5.0	1.0	1664A
Analysis Batch: 180-14207	Analysis Date: 09/15/2011 1619						
Prep Batch: 180-14048	Prep Date: 09/14/2011 1546						
Chloride	8.3		mg/L	0.20	1.0	1.0	300.0
Analysis Batch: 180-13375	Analysis Date: 09/06/2011 1751						
Ammonia, distilled	0.098	J B	mg/L	0.033	0.10	1.0	350.1
Analysis Batch: 180-14856	Analysis Date: 09/21/2011 1501						
Prep Batch: 180-14571	Prep Date: 09/19/2011 1740						
Acidity	5.0	U	mg/L	5.0	5.0	1.0	SM 2310B
Analysis Batch: 180-13320	Analysis Date: 09/08/2011 1306						
Alkalinity	25	B	mg/L	0.41	5.0	1.0	SM 2320B
Analysis Batch: 180-13236	Analysis Date: 09/07/2011 1754						
Total Dissolved Solids	57		mg/L	10	10	1.0	SM 2540C
Analysis Batch: 180-13332	Analysis Date: 09/08/2011 1327						
Total Suspended Solids	4.0	U	mg/L	2.0	4.0	1.0	SM 2540D
Analysis Batch: 180-13345	Analysis Date: 09/08/2011 1405						
pH	7.22	HF	SU	0.100	0.100	1.0	SM 4500 H+ B
Analysis Batch: 180-13327	Analysis Date: 09/07/2011 1037						
Methylene Blue Active Substances	0.013	J H B	mg/L	0.013	0.050	1.0	SM 5540C
Analysis Batch: 180-13301	Analysis Date: 09/07/2011 0855						

General Chemistry

Client Sample ID: **KDE-1**

Lab Sample ID: 180-3644-9

Client Matrix: Water

Date Sampled: 09/01/2011 1535

Date Received: 09/06/2011 0900

Analyte	Result	Qual	Units	MDL	RL	Dil	Method
HEM (Oil and Grease)	4.7	U	mg/L	1.4	4.7	1.0	1664A
Analysis Batch: 180-14207	Analysis Date: 09/15/2011 1619						
Prep Batch: 180-14048	Prep Date: 09/14/2011 1546						
Chloride	30		mg/L	0.20	1.0	1.0	300.0
Analysis Batch: 180-13375	Analysis Date: 09/06/2011 1806						
Ammonia, distilled	0.16	B	mg/L	0.033	0.10	1.0	350.1
Analysis Batch: 180-14856	Analysis Date: 09/21/2011 1506						
Prep Batch: 180-14571	Prep Date: 09/19/2011 1740						
Acidity	5.0	U	mg/L	5.0	5.0	1.0	SM 2310B
Analysis Batch: 180-13320	Analysis Date: 09/08/2011 1306						
Alkalinity	190	B	mg/L	0.41	5.0	1.0	SM 2320B
Analysis Batch: 180-13236	Analysis Date: 09/07/2011 1805						
Total Dissolved Solids	220		mg/L	10	10	1.0	SM 2540C
Analysis Batch: 180-13332	Analysis Date: 09/08/2011 1327						
Total Suspended Solids	4.0	U	mg/L	2.0	4.0	1.0	SM 2540D
Analysis Batch: 180-13345	Analysis Date: 09/08/2011 1405						
pH	9.00	HF	SU	0.100	0.100	1.0	SM 4500 H+ B
Analysis Batch: 180-13327	Analysis Date: 09/07/2011 1039						
Methylene Blue Active Substances	0.018	J H B	mg/L	0.013	0.050	1.0	SM 5540C
Analysis Batch: 180-13301	Analysis Date: 09/07/2011 0855						

General Chemistry

Client Sample ID: **N-1**

Lab Sample ID: 180-3644-10

Client Matrix: Water

Date Sampled: 09/01/2011 1745

Date Received: 09/06/2011 0900

Analyte	Result	Qual	Units	MDL	RL	Dil	Method
HEM (Oil and Grease)	4.9	U	mg/L	1.5	4.9	1.0	1664A
Analysis Batch: 180-14207	Analysis Date: 09/15/2011 1619						
Prep Batch: 180-14048	Prep Date: 09/14/2011 1546						
Chloride	22		mg/L	0.20	1.0	1.0	300.0
Analysis Batch: 180-13375	Analysis Date: 09/06/2011 1851						
Ammonia, distilled	0.062	J B	mg/L	0.033	0.10	1.0	350.1
Analysis Batch: 180-14856	Analysis Date: 09/21/2011 1508						
Prep Batch: 180-14571	Prep Date: 09/19/2011 1740						
Acidity	5.0	U	mg/L	5.0	5.0	1.0	SM 2310B
Analysis Batch: 180-13320	Analysis Date: 09/08/2011 1306						
Alkalinity	24	B	mg/L	0.41	5.0	1.0	SM 2320B
Analysis Batch: 180-13236	Analysis Date: 09/07/2011 1813						
Total Dissolved Solids	71		mg/L	10	10	1.0	SM 2540C
Analysis Batch: 180-13332	Analysis Date: 09/08/2011 1327						
Total Suspended Solids	4.0	U	mg/L	2.0	4.0	1.0	SM 2540D
Analysis Batch: 180-13345	Analysis Date: 09/08/2011 1405						
pH	7.38	HF	SU	0.100	0.100	1.0	SM 4500 H+ B
Analysis Batch: 180-13327	Analysis Date: 09/07/2011 1041						
Methylene Blue Active Substances	0.013	J H B	mg/L	0.013	0.050	1.0	SM 5540C
Analysis Batch: 180-13301	Analysis Date: 09/07/2011 0855						

General Chemistry

Client Sample ID: **D-1**

Lab Sample ID: 180-3644-11

Client Matrix: Water

Date Sampled: 09/01/2011 1815

Date Received: 09/06/2011 0900

Analyte	Result	Qual	Units	MDL	RL	Dil	Method
HEM (Oil and Grease)	4.9	U	mg/L	1.5	4.9	1.0	1664A
Analysis Batch: 180-14207	Analysis Date: 09/15/2011 1619						
Prep Batch: 180-14048	Prep Date: 09/14/2011 1546						
Chloride	4.8		mg/L	0.20	1.0	1.0	300.0
Analysis Batch: 180-13375	Analysis Date: 09/06/2011 1906						
Ammonia, distilled	0.048	J B	mg/L	0.033	0.10	1.0	350.1
Analysis Batch: 180-14856	Analysis Date: 09/21/2011 1509						
Prep Batch: 180-14571	Prep Date: 09/19/2011 1740						
Acidity	6.0		mg/L	5.0	5.0	1.0	SM 2310B
Analysis Batch: 180-13320	Analysis Date: 09/08/2011 1306						
Alkalinity	2.3	J B	mg/L	0.41	5.0	1.0	SM 2320B
Analysis Batch: 180-13236	Analysis Date: 09/07/2011 1822						
Total Dissolved Solids	25		mg/L	10	10	1.0	SM 2540C
Analysis Batch: 180-13332	Analysis Date: 09/08/2011 1327						
Total Suspended Solids	4.0	U	mg/L	2.0	4.0	1.0	SM 2540D
Analysis Batch: 180-13345	Analysis Date: 09/08/2011 1405						
pH	6.29	HF	SU	0.100	0.100	1.0	SM 4500 H+ B
Analysis Batch: 180-13327	Analysis Date: 09/07/2011 1045						
Methylene Blue Active Substances	0.018	J H B	mg/L	0.013	0.050	1.0	SM 5540C
Analysis Batch: 180-13301	Analysis Date: 09/07/2011 0855						