HW-06
EPA Validated Data Summary Report
Dimock Residential Sampling

Sample Number	Analyte	Sample Date	Result		Result Units	Trigger Level	Trigger Level Units	EPA Primary MCLs	EPA Primary MCL Units	EPA Secondary MCL	EPA Secondary MCL Units	DEP Primary MCLs	DEP Primary MCL Units	DEP Secondary MCLs	DEP Secondary MCL Units
HW06	2-Butanol	1/26/2012	10.00	U	ug/mL										
HW06	Ethanol	1/26/2012	10.00	U	ug/mL										
HW06	Methanol	1/26/2012	10.00	U	ug/mL	7.80	ug/mL								
HW06	Anionic Surfactants	1/26/2012	0.01	U	mg/L										
HW06	Heterotrophic Plate Count	1/26/2012		R	cfu/1mL										
HW06	Total Coliform Bacteria	1/26/2012	1.00	UJ	cfu/100mL	0.00	cfu/100mL	5	%						
HW06	2-Butoxyethanol	1/26/2012	10.00	U	ug/L										
HW06	2-Methoxyethanol	1/26/2012	10.00	UJ	ug/L	78.00	ug/L								
HW06	2-Methoxyethanol	1/26/2012	5.00	U	ug/L	78.00	ug/L								
HW06	Diethylene glycol	1/26/2012	10,000.00	U	ug/L	8,000.00	ug/L								
HW06	Diethylene Glycol	1/26/2012	50.00	U	ug/L	8,000.00	ug/L								
HW06	Ethanol, 2-ethoxy-	1/26/2012	10,000.00	U	ug/L										
HW06	Ethanol, 2-methoxy-	1/26/2012	10,000.00	U	ug/L	78.00	ug/L								
HW06	Ethylene glycol	1/26/2012	10.00	U	mg/L	31.00	mg/L								
HW06	Ethylene glycol	1/26/2012	10,000.00	U	ug/L	31.00	mg/L								
HW06	Tetraethylene glycol	1/26/2012	25.00	U	ug/L	8,000.00	ug/L								
HW06	Triethylene glycol	1/26/2012	25.00	U	ug/L	8,000.00	ug/L								
HW06	Triethylene glycol	1/26/2012	10,000.00	U	ug/L	8,000.00	ug/L								
HW06	Bromide	1/26/2012	0.50	U	mg/L										
HW06	Chloride	1/26/2012	3.42		mg/L	250.00	mg/L			250	mg/L			250	mg/L
HW06	Fluoride	1/26/2012	**0.63**		mg/L	0.62	mg/L	4	mg/L	2	mg/L	2	mg/L		
HW06	Sulfate	1/26/2012	9.24		mg/L					250	mg/L			250	mg/L
HW06	Mercury	1/26/2012	0.20	U	ug/L	4.30	ug/L	2	ug/L			2	ug/L		

Sample Number	Analyte	Sample Date	Result		Result Units	Trigger Level	Trigger Level Units	EPA Primary MCLs	EPA Primary MCL Units	EPA Secondary MCL	EPA Secondary MCL Units	DEP Primary MCLs	DEP Primary MCL Units	DEP Secondary MCLs	DEP Secondary MCL Units
HW06-F	Mercury	1/26/2012	0.20	U	ug/L	4.30	ug/L	2	ug/L			2	ug/L		
HW06	Aluminum	1/26/2012	2,020.00		ug/L	16,000.00	ug/L			200	ug/L			200	ug/L
HW06-F	Aluminum	1/26/2012	30.00	U	ug/L	16,000.00	ug/L			200	ug/L			200	ug/L
HW06	Antimony	1/26/2012	2.00	U	ug/L	6.00	ug/L	6	ug/L			6	ug/L		
HW06-F	Antimony	1/26/2012	2.00	U	ug/L	6.00	ug/L	6	ug/L			6	ug/L		
HW06	Arsenic	1/26/2012	**7.60**		ug/L	4.50	ug/L	10	ug/L			10	ug/L		
HW06-F	Arsenic	1/26/2012	**6.30**		ug/L	4.50	ug/L	10	ug/L			10	ug/L		
HW06	Barium	1/26/2012	164.00		ug/L	2,900.00	ug/L	2,000	ug/L			2,000	ug/L		
HW06-F	Barium	1/26/2012	92.40		ug/L	2,900.00	ug/L	2,000	ug/L			2,000	ug/L		
HW06	Beryllium	1/26/2012	1.00	U	ug/L	16.00	ug/L	4	ug/L			4	ug/L		
HW06-F	Beryllium	1/26/2012	1.00	U	ug/L	16.00	ug/L	4	ug/L			4	ug/L		
HW06	Boron	1/26/2012	325.00		ug/L	3,100.00	ug/L								
HW06-F	Boron	1/26/2012	321.00		ug/L	3,100.00	ug/L								
HW06	Cadmium	1/26/2012	1.00	U	ug/L	6.90	ug/L	5	ug/L			5	ug/L		
HW06-F	Cadmium	1/26/2012	1.00	U	ug/L	6.90	ug/L	5	ug/L			5	ug/L		
HW06	Calcium	1/26/2012	2,570.00		ug/L										
HW06-F	Calcium	1/26/2012	2,370.00		ug/L										
HW06	Chromium	1/26/2012	**10.80**		ug/L	3.10	ug/L	100	ug/L			100	ug/L		
HW06-F	Chromium	1/26/2012	2.00	U	ug/L	3.10	ug/L	100	ug/L			100	ug/L		
HW06	Cobalt	1/26/2012	1.30		ug/L	4.70	ug/L								
HW06-F	Cobalt	1/26/2012	1.00	U	ug/L	4.70	ug/L								
HW06	Copper	1/26/2012	7.20		ug/L	620.00	ug/L	1,300	ug/L	1,000	ug/L	1,000	ug/L		
HW06-F	Copper	1/26/2012	2.00	U	ug/L	620.00	ug/L	1,300	ug/L	1,000	ug/L	1,000	ug/L		
HW06	Iron	1/26/2012	2,970.00		ug/L	11,000.00	ug/L			300	ug/L			300	ug/L
HW06-F	Iron	1/26/2012	100.00	U	ug/L	11,000.00	ug/L			300	ug/L			300	ug/L
HW06	Lead	1/26/2012	1.80		ug/L	15.00	ug/L	15	ug/L			5	ug/L		
HW06-F	Lead	1/26/2012	1.00	U	ug/L	15.00	ug/L	15	ug/L			5	ug/L		
HW06	Lithium	1/26/2012	**236.00**		ug/L	31.00	ug/L								
HW06-F	Lithium	1/26/2012	**228.00**		ug/L	31.00	ug/L								

Sample Number	Analyte	Sample Date	Result		Result Units	Trigger Level	Trigger Level Units	EPA Primary MCLs	EPA Primary MCL Units	EPA Secondary MCL	EPA Secondary MCL Units	DEP Primary MCLs	DEP Primary MCL Units	DEP Secondary MCLs	DEP Secondary MCL Units
HW06	Magnesium	1/26/2012	799.00		ug/L										
HW06-F	Magnesium	1/26/2012	500.00	U	ug/L										
HW06	Manganese	1/26/2012	65.30		ug/L	320.00	ug/L			50	ug/L			50	ug/L
HW06-F	Manganese	1/26/2012	8.90		ug/L	320.00	ug/L			50	ug/L			50	ug/L
HW06	Nickel	1/26/2012	6.80		ug/L	300.00	ug/L								
HW06-F	Nickel	1/26/2012	1.00	U	ug/L	300.00	ug/L								
HW06	Potassium	1/26/2012	2,110.00		ug/L										
HW06-F	Potassium	1/26/2012	2,000.00	U	ug/L										
HW06	Selenium	1/26/2012	5.00	U	ug/L	78.00	ug/L	50	ug/L			50	ug/L		
HW06-F	Selenium	1/26/2012	5.00	U	ug/L	78.00	ug/L	50	ug/L			50	ug/L		
HW06	Silver	1/26/2012	1.00	U	ug/L	71.00	ug/L			100	ug/L			100	ug/L
HW06-F	Silver	1/26/2012	1.00	U	ug/L	71.00	ug/L			100	ug/L			100	ug/L
HW06	Sodium	1/26/2012	**83,700.00**		ug/L	20,000.00	ug/L								
HW06-F	Sodium	1/26/2012	**83,300.00**		ug/L	20,000.00	ug/L								
HW06	Strontium	1/26/2012	229.00		ug/L	9,300.00	ug/L								
HW06-F	Strontium	1/26/2012	212.00		ug/L	9,300.00	ug/L								
HW06	Thallium	1/26/2012	1.00	U	ug/L	0.16	ug/L	2	ug/L			2	ug/L		
HW06-F	Thallium	1/26/2012	1.00	U	ug/L	0.16	ug/L	2	ug/L			2	ug/L		
HW06	Tin	1/26/2012	200.00	U	ug/L	9,300.00	ug/L								
HW06-F	Tin	1/26/2012	200.00	U	ug/L	9,300.00	ug/L								
HW06	Titanium	1/26/2012	200.00	U	ug/L										
HW06-F	Titanium	1/26/2012	200.00	U	ug/L										
HW06	Uranium	1/26/2012	2.10		ug/L	47.00	ug/L	30	ug/L						
HW06-F	Uranium	1/26/2012	1.90		ug/L	47.00	ug/L	30	ug/L						
HW06	Vanadium	1/26/2012	5.00	U	ug/L	78.00	ug/L								
HW06-F	Vanadium	1/26/2012	5.00	U	ug/L	78.00	ug/L								
HW06	Zinc	1/26/2012	33.70		ug/L	4,700.00	ug/L			5,000	ug/L			5,000	ug/L
HW06-F	Zinc	1/26/2012	15.50		ug/L	4,700.00	ug/L			5,000	ug/L			5,000	ug/L
HW06	Ethane	1/26/2012	820.00		ug/L										

Sample Number	Analyte	Sample Date	Result		Result Units	Trigger Level	Trigger Level Units	EPA Primary MCLs	EPA Primary MCL Units	EPA Secondary MCL	EPA Secondary MCL Units	DEP Primary MCLs	DEP Primary MCL Units	DEP Secondary MCLs	DEP Secondary MCL Units
HW06	Ethene	1/26/2012	1.10	U	ug/L										
HW06	Methane	1/26/2012	23,000.00		ug/L	28,000.00	ug/L								
HW06	Oil and Grease	1/26/2012	5.80	U	mg/L										
HW06	Total Dissolved Solids	1/26/2012	112.00		mg/L					500	mg/L			500	mg/L
HW06	Total Suspended Solids	1/26/2012	44.00		mg/L										
HW06	1-Methylnaphthalene	1/26/2012	5.00	U	ug/L	97.00	ug/ L								
HW06	Acenaphthene	1/26/2012	5.00	U	ug/L	400.00	ug/L								
HW06	Acenaphthylene	1/26/2012	5.00	U	ug/L										
HW06	Acetophenone	1/26/2012	5.00	U	ug/L	1,500.00	ug/L								
HW06	Anthracene	1/26/2012	5.00	U	ug/L	1,300.00	ug/L								
HW06	Atrazine	1/26/2012	5.00	U	ug/L	26.00	ug/L	3	ug/L			3	ug/L		
HW06	Benzo(a)anthracene	1/26/2012	5.00	U	ug/L	2.90	ug/L								
HW06	Benzo(a)pyrene	1/26/2012	5.00	U	ug/L	0.29	ug/L	0	ug/L			0	ug/L		
HW06	Biphenyl	1/26/2012	5.00	U	ug/L										
HW06	Bromophenyl-4 Phenyl Et	1/26/2012	5.00	U	ug/L										
HW06	Butylbenzyl phthalate	1/26/2012	0.09		ug/L	1,400.00	ug/L								
HW06	Caprolactam	1/26/2012	0.19		ug/L	7,700.00	ug/L								
HW06	Carbazole	1/26/2012	5.00	U	ug/L										
HW06	Chlorobenzenamine-4	1/26/2012	5.00	U	ug/L	3.20	ug/L								
HW06	Chloronaphthalene-2	1/26/2012	5.00	U	ug/L	550.00	ug/L								
HW06	Chlorophenol-2	1/26/2012	5.00	U	ug/L	71.00	ug/L								
HW06	Chlorophenyl-4 phenyl et	1/26/2012	5.00	U	ug/L										
HW06	Chrysene	1/26/2012	5.00	U	ug/L	290.00	ug/L								
HW06	Cresol, parachloro meta-	1/26/2012	5.00	U	ug/L										
HW06	Cresol-4,6-dinitro-ortho	1/26/2012	10.00	U	ug/L										
HW06	Cresol-o	1/26/2012	5.00	U	ug/L	720.00	ug/L								
HW06	Cresol-p	1/26/2012	5.00	U	ug/L	72.00	ug/L								
HW06	Dibenz(a,h)anthracene	1/26/2012	5.00	U	ug/L	0.29	ug/L								
HW06	Dibenzofuran	1/26/2012	5.00	U	ug/L										

Sample Number	Analyte	Sample Date	Result		Result Units	Trigger Level	Trigger Level Units	EPA Primary MCLs	EPA Primary MCL Units	EPA Secondary MCL	EPA Secondary MCL Units	DEP Primary MCLs	DEP Primary MCL Units	DEP Secondary MCLs	DEP Secondary MCL Units
HW06	Dichlorobenzidine-3,3'	1/26/2012	5.00	U	ug/L	11.00	ug/L								
HW06	Dichlorophenol-2,4	1/26/2012	5.00	U	ug/L	35.00	ug/L								
HW06	Dimethylphenol, 2,4-	1/26/2012	5.00	U	ug/L	270.00	ug/L								
HW06	Dinitrophenol-2,4	1/26/2012	5.00	U	ug/L	30.00	ug/L								
HW06	Dinitrotoluene-2,4	1/26/2012	5.00	U	ug/L										
HW06	Dinitrotoluene-2,6	1/26/2012	5.00	U	ug/L										
HW06	Ether, bis(2-chloroethyl)	1/26/2012	5.00	U	ug/L	1.20	ug/L								
HW06	Ether-bis(2-chloroisoprop	1/26/2012	5.00	U	ug/L										
HW06	Fluoranthene	1/26/2012	0.03		ug/L	630.00	ug/L								
HW06	Fluoranthene benzo(k)	1/26/2012	5.00	U	ug/L	29.00	ug/L								
HW06	Fluoranthene-benzo(b)	1/26/2012	5.00	U	ug/L	5.60	ug/L								
HW06	Fluorene	1/26/2012	0.01		ug/L	220.00	ug/L								
HW06	Hexachlorobenzene	1/26/2012	5.00	U	ug/L	4.20	ug/L	1	ug/L			1	ug/L		
HW06	Hexachlorobutadiene	1/26/2012	5.00	U	ug/L	26.00	ug/L								
HW06	Hexachlorobutadiene	1/26/2012	0.50	U	ug/L	26.00	ug/L								
HW06	Hexachlorocyclopentadie	1/26/2012	5.00	U	ug/L	22.00	ug/L	50	ug/L			50	ug/L		
HW06	Hexachloroethane	1/26/2012	5.00	U	ug/L	5.10	ug/L								
HW06	Isophorone	1/26/2012	5.00	U	ug/L	6,700.00	ug/L								
HW06	Methane, bis(2-chloroeth	1/26/2012	5.00	U	ug/L	47.00	ug/L								
HW06	Methylnaphthalene-2	1/26/2012	5.00	U	ug/L	27.00	ug/L								
HW06	Naphthalene	1/26/2012	0.50	U	ug/L	14.00	ug/L								
HW06	Naphthalene	1/26/2012	5.00	U	ug/L	14.00	ug/L								
HW06	Nitroaniline, ortho	1/26/2012	5.00	U	ug/L	150.00	ug/L								
HW06	Nitroaniline-3	1/26/2012	5.00	U	ug/L										
HW06	Nitrobenzenamine-4	1/26/2012	5.00	U	ug/L	61.00	ug/L								
HW06	Nitrobenzene	1/26/2012	5.00	U	ug/L	12.00	ug/L								
HW06	Nitrophenol-2	1/26/2012	5.00	U	ug/L										
HW06	Nitrophenol-4	1/26/2012	10.00	U	ug/L										
HW06	Nitrosodimethylamine-n	1/26/2012	5.00	U	ug/L	0.04	ug/L								

Sample Number	Analyte	Sample Date	Result		Result Units	Trigger Level	Trigger Level Units	EPA Primary MCLs	EPA Primary MCL Units	EPA Secondary MCL	EPA Secondary MCL Units	DEP Primary MCLs	DEP Primary MCL Units	DEP Secondary MCLs	DEP Secondary MCL Units
HW06	Nitrosodiphenylamine-n	1/26/2012	5.00	U	ug/L	1,000.00	ug/L								
HW06	Pentachlorophenol	1/26/2012	5.00	U	ug/L	17.00	ug/L	1	ug/L			1	ug/L		
HW06	Perylene-benzo(ghi)	1/26/2012	5.00	U	ug/L										
HW06	Phenanthrene	1/26/2012	5.00	U	ug/L										
HW06	Phenol	1/26/2012	5.00	U	ug/L	4,500.00	ug/L								
HW06	Phthalate, bis(2-ethylhex	1/26/2012	5.00	U	ug/L	7.10	ug/L								
HW06	Phthalate, Dimethyl	1/26/2012	5.00	U	ug/L	1,400.00	ug/L								
HW06	Phthalate, di-n-butyl-	1/26/2012	5.00	U	ug/L	670.00	ug/L								
HW06	Phthalate, di-n-octyl	1/26/2012	5.00	U	ug/L										
HW06	Phthalate-diethyl	1/26/2012	5.00	U	ug/L	11,000.00	ug/L								
HW06	Propylamine,n-nitroso di-	1/26/2012	5.00	U	ug/L	0.93	ug/L								
HW06	Pyrene	1/26/2012	0.04		ug/L	87.00	ug/L								
HW06	Pyrene-indeno(1,2,3-cd)	1/26/2012	5.00	U	ug/L	3.00	ug/L								
HW06	Tetrachlorobenzene, 1,2,	1/26/2012	5.00	U	ug/L	1.20	ug/L								
HW06	Tetrachlorophenol, 2,3,4,	1/26/2012	5.00	U	ug/L	170.00	ug/L								
HW06	Trichlorophenol-2,4,5	1/26/2012	5.00	U	ug/L	890.00	ug/L								
HW06	Trichlorophenol-2,4,6	1/26/2012	5.00	U	ug/L	9.04	ug/L								
HW06	TPH - Diesel Range Orga	1/26/2012	250.00	U	ug/L										
HW06	TPH - Oil Range Organics	1/26/2012	1,000.00	U	ug/L										
HW06	TPH as Gasoline	1/26/2012	50.00	U	ug/L										
HW06	4-Methyl-2-pentanone	1/26/2012	2.00	U	ug/L	1,000.00	ug/L								
HW06	Acetone	1/26/2012	2.00	U	ug/L										
HW06	Benzene	1/26/2012	0.50	U	ug/L	5.00	ug/L	5	ug/L			5	ug/L		
HW06	Bromobenzene	1/26/2012	0.50	U	ug/L										
HW06	Bromoform	1/26/2012	0.50	U	ug/L	80.00	ug/L	80	ug/L			80	ug/L		
HW06	Butylbenzene	1/26/2012	0.50	U	ug/L										
HW06	Butylbenzene, sec-	1/26/2012	0.50	U	ug/L										
HW06	Butylbenzene, tert-	1/26/2012	0.50	U	ug/L										
HW06	Carbon disulfide	1/26/2012	0.50	U	ug/L										

Sample Number	Analyte	Sample Date	Result		Result Units	Trigger Level	Trigger Level Units	EPA Primary MCLs	EPA Primary MCL Units	EPA Secondary MCL	EPA Secondary MCL Units	DEP Primary MCLs	DEP Primary MCL Units	DEP Secondary MCLs	DEP Secondary MCL Units
HW06	Carbon Tetrachloride	1/26/2012	0.50	U	ug/L	5.00	ug/L	5	ug/L			5	ug/L		
HW06	Chlorobenzene	1/26/2012	0.50	U	ug/L	100.00	ug/L	100	ug/L						
HW06	Chlorobromomethane	1/26/2012	0.50	U	ug/L										
HW06	Chloroethane	1/26/2012	0.50	U	ug/L										
HW06	Chloroform	1/26/2012	0.50	U	ug/L	80.00	ug/L	80	ug/L			80	ug/L		
HW06	Chlorotoluene	1/26/2012	0.50	U	ug/L	180.00	ug/L								
HW06	Chlorotoluene-p	1/26/2012	0.50	U	ug/L	190.00	ug/L								
HW06	Cyclohexane	1/26/2012	0.50	U	ug/L										
HW06	DBCP	1/26/2012	0.50	U	ug/L	0.03	ug/L	0							
HW06	Dibromochloromethane	1/26/2012	0.50	U	ug/L	80.00	ug/L	80	ug/L			80	ug/L		
HW06	Dibromoethane-1,2	1/26/2012	0.50	U	ug/L	0.65	ug/L								
HW06	Dibromomethane	1/26/2012	0.50	U	ug/L										
HW06	Dichlorobenzene-1,2	1/26/2012	0.50	U	ug/L	280.00	ug/L								
HW06	Dichlorobenzene-1,3	1/26/2012	0.50	U	ug/L										
HW06	Dichlorobenzene-1,4	1/26/2012	0.50	U	ug/L	42.00	ug/L								
HW06	Dichlorobromomethane	1/26/2012	0.50	U	ug/L			80	ug/L			80	ug/L		
HW06	Dichlorodifluoromethane	1/26/2012	0.50	U	ug/L										
HW06	Dichloroethane-1,1	1/26/2012	0.50	U	ug/L	240.00	ug/L								
HW06	Dichloroethane-1,2	1/26/2012	0.50	U	ug/L	15.00	ugL	5	ug/L			5	ug/L		
HW06	Dichloroethene-1,2 trans	1/26/2012	0.50	U	ug/L										
HW06	Dichloroethylene-1,1	1/26/2012	0.50	U	ug/L			7	ug/L			7	ug/L		
HW06	Dichloroethylene-1,2 cis	1/26/2012	0.50	U	ug/L			70	ug/L			70	ug/L		
HW06	Dichloropropane, 1,2-	1/26/2012	0.50	U	ug/L	38.00	ug/L	5	ug/L			5	ug/L		
HW06	Dichloropropane, 1,3-	1/26/2012	0.50	U	ug/L	290.00	ug/L								
HW06	Dichloropropane, 2,2-	1/26/2012	0.50	U	ug/L										
HW06	Dichloropropene, 1,1-	1/26/2012	0.50	U	ug/L										
HW06	Dichloropropene, 1,3 cis-	1/26/2012	0.50	U	ug/L										
HW06	Dichloropropene, 1,3 tran	1/26/2012	0.50	U	ug/L										
HW06	Ethylbenzene	1/26/2012	0.50	U	ug/L			700	ug/L			700	ug/L		

Sample Number	Analyte	Sample Date	Result		Result Units	Trigger Level	Trigger Level Units	EPA Primary MCLs	EPA Primary MCL Units	EPA Secondary MCL	EPA Secondary MCL Units	DEP Primary MCLs	DEP Primary MCL Units	DEP Secondary MCLs	DEP Secondary MCL Units
HW06	Freon 113	1/26/2012	0.50	U	ug/L										
HW06	Hexanone, 2-	1/26/2012	2.00	U	ug/L	34.00	ug/L								
HW06	Isopropylbenzene	1/26/2012	0.50	U	ug/L										
HW06	Isopropylbenzene-4,meth	1/26/2012	0.50	U	ug/L										
HW06	m,p-Xylene	1/26/2012	1.00	U	ug/L			10,000	ug/L			10,000	ug/L		
HW06	Methyl acetate	1/26/2012	0.50	U	ug/L										
HW06	Methyl bromide	1/26/2012	0.50	U	ug/L										
HW06	Methyl chloride	1/26/2012	0.50	U	ug/L										
HW06	Methyl cyclohexane	1/26/2012	0.50	U	ug/L										
HW06	Methyl ethyl ketone	1/26/2012	2.00	U	ug/L	4,900.00	ug/L								
HW06	Methyl tertiary butyl ethe	1/26/2012	0.50	U	ug/L										
HW06	Methylene chloride	1/26/2012	0.50	U	ug/L										
HW06	Propylbenzene-n	1/26/2012	0.50	U	ug/L										
HW06	Styrene	1/26/2012	1.00	U	ug/L			100	ug/L			100	ug/L		
HW06	Tetrachloroethane, 1,1,1,	1/26/2012	0.50	U	ug/L	50.00	ug/L								
HW06	Tetrachloroethane, 1,1,2,	1/26/2012	0.50	U	ug/L	6.60	ug/L								
HW06	Tetrachloroethylene	1/26/2012	0.50	U	ug/L			5	ug/L			5	ug/L		
HW06	Toluene	1/26/2012	0.50	U	ug/L			1,000	ug/L			1,000	ug/L		
HW06	Trichlorobenzene-1,2,3	1/26/2012	0.50	U	ug/L	5.20	ug/L								
HW06	Trichlorobenzene-1,2,4	1/26/2012	0.50	U	ug/L	5.20	ug/L	70	ug/L			70	ug/L		
HW06	Trichloroethane-1,1,1	1/26/2012	0.50	U	ug/L	7,500.00	ug/L	200	ug/L			200	ug/L		
HW06	Trichloroethane-1,1,2	1/26/2012	0.50	U	ug/L	0.41	ug/L	5	ug/L			5	ug/L		
HW06	Trichloroethylene	1/26/2012	0.50	U	ug/L			5	ug/L			5	ug/L		
HW06	Trichlorofluoromethane	1/26/2012	0.50	U	ug/L										
HW06	Trichloropropane-1,2,3	1/26/2012	0.50	U	ug/L	0.07	ug/L								
HW06	Trimethylbenzene-1,2,4	1/26/2012	0.50	U	ug/L	15.00	ug/L								
HW06	Trimethylbenzene-1,3,5	1/26/2012	0.50	U	ug/L	87.00	ug/L								
HW06	Vinyl acetate	1/26/2012	0.50	U	ug/L										
HW06	Vinyl chloride	1/26/2012	0.50	U	ug/L			2	ug/L			2	ug/L		

Sample Number	Analyte	Sample Date	Result		Result Units	Trigger Level	Trigger Level Units	EPA Primary MCLs	EPA Primary MCL Units	EPA Secondary MCL	EPA Secondary MCL Units	DEP Primary MCLs	DEP Primary MCL Units	DEP Secondary MCLs	DEP Secondary MCL Units
HW06	Xylene-o	1/26/2012	1.00	U	ug/L			10,000	ug/L			10,000	ug/L		
HW06	Nitrogen, Nitrite + Nitrat	1/26/2012	0.05	U	mg/L			10	mg/L			10	mg/L		
HW06	Total Nitrogen	1/26/2012	1.00	U	mg/L										
HW06	Total Phosphorus as P	1/26/2012	0.10		mg/L										