HW-39
EPA Validated Data Summary Report
Dimock Residential Sampling
Sample Date: 2/3/2012

Sample Number	Analyte	Result		Result Units	Trigger Level	Trigger Level Units	EPA Primary MCLs	EPA Primary MCL Units	EPA Secondary MCL	EPA Secondary MCL Units	DEP Primary MCLs	DEP Primary MCL Units	DEP Secondary MCLs	DEP Secondary MCL Units
HW39	1-Butanol	10.00	U	ug/mL	1.50	ug/mL								
HW39-P	1-Butanol	10.00	U	ug/mL	1.50	ug/mL								
HW39	1-Propanol	10.00	U	ug/mL										
HW39-P	1-Propanol	10.00	U	ug/mL										
HW39	2-Butanol	10.00	U	ug/mL										
HW39-P	2-Butanol	10.00	U	ug/mL										
HW39	Ethanol	10.00	U	ug/mL										
HW39-P	Ethanol	10.00	U	ug/mL										
HW39	Methanol	10.00	U	ug/mL	7.80	ug/mL								
HW39-P	Methanol	10.00	U	ug/mL	7.80	ug/mL								
HW39	Anionic Surfactants	0.01	U	mg/L										
HW39-P	Anionic Surfactants	0.01	U	mg/L										
HW39	Heterotrophic Plate Count		R	cfu/1ml										
HW39-P	Heterotrophic Plate Count		R	cfu/1ml										
HW39	Total Coliform Bacteria	1.00	UJ	cfu/100ml	0.00	cfu/100mL	5.00	%						
HW39-P	Total Coliform Bacteria	1.00	UJ	cfu/100ml	0.00	cfu/100mL	5.00	%						
HW39	Ethane	5.30		ug/L										
HW39-P	Ethane	1.20	U	ug/L										
HW39	Ethene	1.10	U	ug/L										
HW39-P	Ethene	1.10	U	ug/L										
HW39	Methane	8,100.00		ug/L	28,000.00	ug/L								
HW39-P	Methane	27.00		ug/L	28,000.00	ug/L								
HW39	2-Butoxyethanol	5.00	U	ug/L										
HW39-P	2-Butoxyethanol	5.00	U	ug/L										

Sample Number	Analyte	Result	Result Units	Trigger Level	Trigger Level Units	EPA Primary MCLs	EPA Primary MCL Units	EPA Secondary MCL	EPA Secondary MCL Units	DEP Primary MCLs	DEP Primary MCL Units	DEP Secondary MCLs	DEP Secondary MCL Units
HW39	2-Methoxyethanol	10.00 U	ug/L	78.00	ug/L								
HW39	2-Methoxyethanol	57.10 U	ug/L	78.00	ug/L								
HW39-P	2-Methoxyethanol	10.00 U	ug/L	78.00	ug/L								
HW39-P	2-Methoxyethanol	60.00 U	ug/L	78.00	ug/L								
HW39	Diethylene Glycol	50.00 U	ug/L	8,000.00	ug/L								
HW39	Diethylene glycol	10,000.00 U	ug/L	8,000.00	ug/L								
HW39-P	Diethylene glycol	10,000.00 U	ug/L	8,000.00	ug/L								
HW39-P	Diethylene Glycol	50.00 U	ug/L	8,000.00	ug/L								
HW39	Ethanol, 2-ethoxy-	10,000.00 U	ug/L										
HW39-P	Ethanol, 2-ethoxy-	10,000.00 U	ug/L										
HW39	Ethanol, 2-methoxy-	10,000.00 U	ug/L	78.00	ug/L								
HW39-P	Ethanol, 2-methoxy-	10,000.00 U	ug/L	78.00	ug/L								
HW39	Ethylene glycol	10,000.00 U	ug/L	31,000.00	ug/L								
HW39	Ethylene glycol	10,000.00 U	ug/L	31,000.00	ug/L								
HW39-P	Ethylene glycol	10,000.00 U	ug/L	31,000.00	ug/L								
HW39-P	Ethylene glycol	10,000.00 U	ug/L	31,000.00	ug/L								
HW39	Tetraethylene glycol	25.00 U	ug/L	8,000.00	ug/L								
HW39-P	Tetraethylene glycol	25.00 U	ug/L	8,000.00	ug/L								
HW39	Triethylene glycol	25.00 U	ug/L	8,000.00	ug/L								
HW39	Triethylene glycol	10,000.00 U	ug/L	8,000.00	ug/L								
HW39-P	Triethylene glycol	10,000.00 U	ug/L	8,000.00	ug/L								
HW39-P	Triethylene glycol	25.00 U	ug/L	8,000.00	ug/L								
HW39	Bromide	0.96	mg/L										
HW39-P	Bromide	0.99	mg/L										
HW39	Chloride	107.00	mg/L					250.00	mg/L			250.00	mg/L
HW39-P	Chloride	112.00	mg/L					250.00	mg/L			250.00	mg/L
HW39	Fluoride	0.10 U	mg/L	0.62	mg/L	4.00	mg/L	2.00	mg/L	2.00	mg/L		
HW39-P	Fluoride	0.10 U	mg/L	0.62	mg/L	4.00	mg/L	2.00	mg/L	2.00	mg/L		
HW39	Sulfate	0.93	mg/L					250.00	mg/L			250.00	mg/L

Sample Number	Analyte	Result	Result Units	Trigger Level	Trigger Level Units	EPA Primary MCLs	EPA Primary MCL Units	EPA Secondary MCL	EPA Secondary MCL Units	DEP Primary MCLs	DEP Primary MCL Units	DEP Secondary MCLs	DEP Secondary MCL Units
HW39-P	Sulfate	0.82	mg/L					250.00	mg/L			250.00	mg/L
HW39	Mercury	0.20 U	ug/L	4.30	ug/L	2.00	ug/L			2.00	ug/L		
HW39-F	Mercury	0.20 U	ug/L	4.30	ug/L	2.00	ug/L			2.00	ug/L		
HW39-P	Mercury	0.20 U	ug/L	4.30	ug/L	2.00	ug/L			2.00	ug/L		
HW39-PF	Mercury	0.20 U	ug/L	4.30	ug/L	2.00	ug/L			2.00	ug/L		
HW39-RO	Mercury	0.20 U	ug/L	4.30	ug/L	2.00	ug/L			2.00	ug/L		
HW39	Aluminum	30.00 U	ug/L	16,000.00	ug/L			200.00	ug/L			200.00	ug/L
HW39-F	Aluminum	30.00 U	ug/L	16,000.00	ug/L			200.00	ug/L			200.00	ug/L
HW39-P	Aluminum	30.00 U	ug/L	16,000.00	ug/L			200.00	ug/L			200.00	ug/L
HW39-PF	Aluminum	30.00 U	ug/L	16,000.00	ug/L			200.00	ug/L			200.00	ug/L
HW39-RO	Aluminum	30.00 U	ug/L	16,000.00	ug/L			200.00	ug/L			200.00	ug/L
HW39	Antimony	2.00 U	ug/L	6.00	ug/L	6.00	ug/L			6.00	ug/L		
HW39-F	Antimony	2.00 U	ug/L	6.00	ug/L	6.00	ug/L			6.00	ug/L		
HW39-P	Antimony	2.00 U	ug/L	6.00	ug/L	6.00	ug/L			6.00	ug/L		
HW39-PF	Antimony	2.00 U	ug/L	6.00	ug/L	6.00	ug/L			6.00	ug/L		
HW39-RO	Antimony	2.00 U	ug/L	6.00	ug/L	6.00	ug/L			6.00	ug/L		
HW39	Arsenic	1.00 U	ug/L	4.50	ug/L	10.00	ug/L			10.00	ug/L		
HW39-F	Arsenic	1.00 U	ug/L	4.50	ug/L	10.00	ug/L			10.00	ug/L		
HW39-P	Arsenic	1.00 U	ug/L	4.50	ug/L	10.00	ug/L			10.00	ug/L		
HW39-PF	Arsenic	1.00 U	ug/L	4.50	ug/L	10.00	ug/L			10.00	ug/L		
HW39-RO	Arsenic	1.00 U	ug/L	4.50	ug/L	10.00	ug/L			10.00	ug/L		
HW39	Barium	**3,530.00**	ug/L	2,900.00	ug/L	2,000.00	ug/L			2,000.00	ug/L		
HW39-F	Barium	**3,630.00**	ug/L	2,900.00	ug/L	2,000.00	ug/L			2,000.00	ug/L		
HW39-P	Barium	**3,810.00**	ug/L	2,900.00	ug/L	2,000.00	ug/L			2,000.00	ug/L		
HW39-PF	Barium	**3,750.00**	ug/L	2,900.00	ug/L	2,000.00	ug/L			2,000.00	ug/L		
HW39-RO	Barium	286.00	ug/L	2,900.00	ug/L	2,000.00	ug/L			2,000.00	ug/L		
HW39	Beryllium	1.00 U	ug/L	16.00	ug/L	4.00	ug/L			4.00	ug/L		
HW39-F	Beryllium	1.00 U	ug/L	16.00	ug/L	4.00	ug/L			4.00	ug/L		
HW39-P	Beryllium	1.00 U	ug/L	16.00	ug/L	4.00	ug/L			4.00	ug/L		

Sample Number	Analyte	Result	Result Units	Trigger Level	Trigger Level Units	EPA Primary MCLs	EPA Primary MCL Units	EPA Secondary MCL	EPA Secondary MCL Units	DEP Primary MCLs	DEP Primary MCL Units	DEP Secondary MCLs	DEP Secondary MCL Units
HW39-PF	Beryllium	1.00 U	ug/L	16.00	ug/L	4.00	ug/L			4.00	ug/L		
HW39-RO	Beryllium	1.00 U	ug/L	16.00	ug/L	4.00	ug/L			4.00	ug/L		
HW39	Boron	58.80	ug/L	3,100.00	ug/L								
HW39-F	Boron	55.80	ug/L	3,100.00	ug/L								
HW39-P	Boron	53.90	ug/L	3,100.00	ug/L								
HW39-PF	Boron	69.20	ug/L	3,100.00	ug/L								
HW39-RO	Boron	50.00 U	ug/L	3,100.00	ug/L								
HW39	Cadmium	1.00 U	ug/L	6.90	ug/L	5.00	ug/L			5.00	ug/L		
HW39-F	Cadmium	1.00 U	ug/L	6.90	ug/L	5.00	ug/L			5.00	ug/L		
HW39-P	Cadmium	1.00 U	ug/L	6.90	ug/L	5.00	ug/L			5.00	ug/L		
HW39-PF	Cadmium	1.00 U	ug/L	6.90	ug/L	5.00	ug/L			5.00	ug/L		
HW39-RO	Cadmium	1.00 U	ug/L	6.90	ug/L	5.00	ug/L			5.00	ug/L		
HW39	Calcium	36,100.00	ug/L										
HW39-F	Calcium	37,100.00	ug/L										
HW39-P	Calcium	38,800.00	ug/L										
HW39-PF	Calcium	38,400.00	ug/L										
HW39-RO	Calcium	2,970.00	ug/L										
HW39	Chromium	2.00 U	ug/L	3.10	ug/L	100.00	ug/L			100.00	ug/L		
HW39-F	Chromium	2.00 U	ug/L	3.10	ug/L	100.00	ug/L			100.00	ug/L		
HW39-P	Chromium	2.00 U	ug/L	3.10	ug/L	100.00	ug/L			100.00	ug/L		
HW39-PF	Chromium	2.00 U	ug/L	3.10	ug/L	100.00	ug/L			100.00	ug/L		
HW39-RO	Chromium	2.00 U	ug/L	3.10	ug/L	100.00	ug/L			100.00	ug/L		
HW39	Cobalt	1.00 U	ug/L	4.70	ug/L								
HW39-F	Cobalt	1.00 U	ug/L	4.70	ug/L								
HW39-P	Cobalt	1.00 U	ug/L	4.70	ug/L								
HW39-PF	Cobalt	1.00 U	ug/L	4.70	ug/L								
HW39-RO	Cobalt	1.00 U	ug/L	4.70	ug/L								
HW39	Copper	2.00 U	ug/L	620.00	ug/L	1,300.00	ug/L	1,000.00	ug/L	1,000.00	ug/L		
HW39-F	Copper	2.00 U	ug/L	620.00	ug/L	1,300.00	ug/L	1,000.00	ug/L	1,000.00	ug/L		

Sample Number	Analyte	Result	Result Units	Trigger Level	Trigger Level Units	EPA Primary MCLs	EPA Primary MCL Units	EPA Secondary MCL	EPA Secondary MCL Units	DEP Primary MCLs	DEP Primary MCL Units	DEP Secondary MCLs	DEP Secondary MCL Units
HW39-P	Copper	6.80	ug/L	620.00	ug/L	1,300.00	ug/L	1,000.00	ug/L	1,000.00	ug/L		
HW39-PF	Copper	5.00	ug/L	620.00	ug/L	1,300.00	ug/L	1,000.00	ug/L	1,000.00	ug/L		
HW39-RO	Copper	2.00 U	ug/L	620.00	ug/L	1,300.00	ug/L	1,000.00	ug/L	1,000.00	ug/L		
HW39	Iron	100.00 U	ug/L	11,000.00	ug/L			300.00	ug/L			300.00	ug/L
HW39-F	Iron	100.00 U	ug/L	11,000.00	ug/L			300.00	ug/L			300.00	ug/L
HW39-P	Iron	100.00 U	ug/L	11,000.00	ug/L			300.00	ug/L			300.00	ug/L
HW39-PF	Iron	100.00 U	ug/L	11,000.00	ug/L			300.00	ug/L			300.00	ug/L
HW39-RO	Iron	100.00 U	ug/L	11,000.00	ug/L			300.00	ug/L			300.00	ug/L
HW39	Lead	1.00 U	ug/L	15.00	ug/L	15.00	ug/L			5.00	ug/L		
HW39-F	Lead	1.00 U	ug/L	15.00	ug/L	15.00	ug/L			5.00	ug/L		
HW39-P	Lead	1.00 U	ug/L	15.00	ug/L	15.00	ug/L			5.00	ug/L		
HW39-PF	Lead	1.00 U	ug/L	15.00	ug/L	15.00	ug/L			5.00	ug/L		
HW39-RO	Lead	1.00 U	ug/L	15.00	ug/L	15.00	ug/L			5.00	ug/L		
HW39	Lithium	200.00 U	ug/L	31.00	ug/L								
HW39-F	Lithium	200.00 U	ug/L	31.00	ug/L								
HW39-P	Lithium	200.00 U	ug/L	31.00	ug/L								
HW39-PF	Lithium	200.00 U	ug/L	31.00	ug/L								
HW39-RO	Lithium	200.00 U	ug/L	31.00	ug/L								
HW39	Magnesium	7,530.00	ug/L										
HW39-F	Magnesium	7,770.00	ug/L										
HW39-P	Magnesium	8,130.00	ug/L										
HW39-PF	Magnesium	8,040.00	ug/L										
HW39-RO	Magnesium	634.00	ug/L										
HW39	Manganese	42.60	ug/L	320.00	ug/L			50.00	ug/L			50.00	ug/L
HW39-F	Manganese	40.90	ug/L	320.00	ug/L			50.00	ug/L			50.00	ug/L
HW39-P	Manganese	1.80	ug/L	320.00	ug/L			50.00	ug/L			50.00	ug/L
HW39-PF	Manganese	1.90	ug/L	320.00	ug/L			50.00	ug/L			50.00	ug/L
HW39-RO	Manganese	1.20	ug/L	320.00	ug/L			50.00	ug/L			50.00	ug/L
HW39	Nickel	1.60	ug/L	300.00	ug/L								

Sample Number	Analyte	Result	Result Units	Trigger Level	Trigger Level Units	EPA Primary MCLs	EPA Primary MCL Units	EPA Secondary MCL	EPA Secondary MCL Units	DEP Primary MCLs	DEP Primary MCL Units	DEP Secondary MCLs	DEP Secondary MCL Units
HW39-F	Nickel	1.40	ug/L	300.00	ug/L								
HW39-P	Nickel	1.50	ug/L	300.00	ug/L								
HW39-PF	Nickel	1.40	ug/L	300.00	ug/L								
HW39-RO	Nickel	1.00 U	ug/L	300.00	ug/L								
HW39	Potassium	2,550.00	ug/L										
HW39-F	Potassium	2,600.00	ug/L										
HW39-P	Potassium	2,670.00	ug/L										
HW39-PF	Potassium	2,680.00	ug/L										
HW39-RO	Potassium	2,000.00 U	ug/L										
HW39	Selenium	5.00 U	ug/L	78.00	ug/L	50.00	ug/L			50.00	ug/L		
HW39-F	Selenium	5.00 U	ug/L	78.00	ug/L	50.00	ug/L			50.00	ug/L		
HW39-P	Selenium	5.00 U	ug/L	78.00	ug/L	50.00	ug/L			50.00	ug/L		
HW39-PF	Selenium	5.00 U	ug/L	78.00	ug/L	50.00	ug/L			50.00	ug/L		
HW39-RO	Selenium	5.00 U	ug/L	78.00	ug/L	50.00	ug/L			50.00	ug/L		
HW39	Silver	1.00 U	ug/L	71.00	ug/L			100.00	ug/L			100.00	ug/L
HW39-F	Silver	1.00 U	ug/L	71.00	ug/L			100.00	ug/L			100.00	ug/L
HW39-P	Silver	1.00 U	ug/L	71.00	ug/L			100.00	ug/L			100.00	ug/L
HW39-PF	Silver	1.00 U	ug/L	71.00	ug/L			100.00	ug/L			100.00	ug/L
HW39-RO	Silver	1.00 U	ug/L	71.00	ug/L			100.00	ug/L			100.00	ug/L
HW39	Sodium	**47,400.00**	ug/L	20,000.00	ug/L								
HW39-F	Sodium	**47,900.00**	ug/L	20,000.00	ug/L								
HW39-P	Sodium	**49,300.00**	ug/L	20,000.00	ug/L								
HW39-PF	Sodium	**48,700.00**	ug/L	20,000.00	ug/L								
HW39-RO	Sodium	7,900.00	ug/L	20,000.00	ug/L								
HW39	Strontium	2,750.00	ug/L	9,300.00	ug/L								
HW39-F	Strontium	2,840.00	ug/L	9,300.00	ug/L								
HW39-P	Strontium	2,980.00	ug/L	9,300.00	ug/L								
HW39-PF	Strontium	2,940.00	ug/L	9,300.00	ug/L								
HW39-RO	Strontium	228.00	ug/L	9,300.00	ug/L								

Sample Number	Analyte	Result		Result Units	Trigger Level	Trigger Level Units	EPA Primary MCLs	EPA Primary MCL Units	EPA Secondary MCL	EPA Secondary MCL Units	DEP Primary MCLs	DEP Primary MCL Units	DEP Secondary MCLs	DEP Secondary MCL Units
HW39	Thallium	1.00	U	ug/L	0.16	ug/L	2.00	ug/L			2.00	ug/L		
HW39-F	Thallium	1.00	U	ug/L	0.16	ug/L	2.00	ug/L			2.00	ug/L		
HW39-P	Thallium	1.00	U	ug/L	0.16	ug/L	2.00	ug/L			2.00	ug/L		
HW39-PF	Thallium	1.00	U	ug/L	0.16	ug/L	2.00	ug/L			2.00	ug/L		
HW39-RO	Thallium	1.00	U	ug/L	0.16	ug/L	2.00	ug/L			2.00	ug/L		
HW39	Tin	200.00	U	ug/L	9,300.00	ug/L								
HW39-F	Tin	200.00	U	ug/L	9,300.00	ug/L								
HW39-P	Tin	200.00	U	ug/L	9,300.00	ug/L								
HW39-PF	Tin	200.00	U	ug/L	9,300.00	ug/L								
HW39-RO	Tin	200.00	U	ug/L	9,300.00	ug/L								
HW39	Titanium	200.00	U	ug/L										
HW39-F	Titanium	200.00	U	ug/L										
HW39-P	Titanium	200.00	U	ug/L										
HW39-PF	Titanium	200.00	U	ug/L										
HW39-RO	Titanium	200.00	U	ug/L										
HW39	Uranium	1.00	U	ug/L	47.00	ug/L	30.00	ug/L						
HW39-F	Uranium	1.00	U	ug/L	47.00	ug/L	30.00	ug/L						
HW39-P	Uranium	1.00	U	ug/L	47.00	ug/L	30.00	ug/L						
HW39-PF	Uranium	1.00	U	ug/L	47.00	ug/L	30.00	ug/L						
HW39-RO	Uranium	1.00	U	ug/L	47.00	ug/L	30.00	ug/L						
HW39	Vanadium	5.00	U	ug/L	78.00	ug/L								
HW39-F	Vanadium	5.00	U	ug/L	78.00	ug/L								
HW39-P	Vanadium	5.00	U	ug/L	78.00	ug/L								
HW39-PF	Vanadium	5.00	U	ug/L	78.00	ug/L								
HW39-RO	Vanadium	5.00	U	ug/L	78.00	ug/L								
HW39	Zinc	2.10		ug/L	4,700.00	ug/L			5,000.00	ug/L			5,000.00	ug/L
HW39-F	Zinc	2.00	U	ug/L	4,700.00	ug/L			5,000.00	ug/L			5,000.00	ug/L
HW39-P	Zinc	19.10		ug/L	4,700.00	ug/L			5,000.00	ug/L			5,000.00	ug/L
HW39-PF	Zinc	16.80		ug/L	4,700.00	ug/L			5,000.00	ug/L			5,000.00	ug/L

Sample Number	Analyte	Result	Result Units	Trigger Level	Trigger Level Units	EPA Primary MCLs	EPA Primary MCL Units	EPA Secondary MCL	EPA Secondary MCL Units	DEP Primary MCLs	DEP Primary MCL Units	DEP Secondary MCLs	DEP Secondary MCL Units
HW39-RO	Zinc	14.50	ug/L	4,700.00	ug/L			5,000.00	ug/L			5,000.00	ug/L
HW39	Oil and Grease	5.00 U	mg/L										
HW39-P	Oil and Grease	5.00 U	mg/L										
HW39	Total Dissolved Solids	264.00	mg/L					500.00	mg/L			500.00	mg/L
HW39-P	Total Dissolved Solids	279.00	mg/L					500.00	mg/L			500.00	mg/L
HW39	Total Suspended Solids	10.00 U	mg/L										
HW39-P	Total Suspended Solids	10.00 U	mg/L										
HW39	1-Methylnaphthalene	4.76 U	ug/L	97.00	ug/ L								
HW39-P	1-Methylnaphthalene	5.00 U	ug/L	97.00	ug/ L								
HW39	Acenaphthene	57.10 U	ug/L	400.00	ug/L								
HW39-P	Acenaphthene	60.00 U	ug/L	400.00	ug/L								
HW39	Acenaphthylene	4.76 U	ug/L										
HW39-P	Acenaphthylene	5.00 U	ug/L										
HW39	Acetophenone	4.76 U	ug/L	1,500.00	ug/L								
HW39-P	Acetophenone	5.00 U	ug/L	1,500.00	ug/L								
HW39	Anthracene	4.76 U	ug/L	1,300.00	ug/L								
HW39-P	Anthracene	5.00 U	ug/L	1,300.00	ug/L								
HW39	Atrazine	4.76 U	ug/L	26.00	ug/L	3.00	ug/L			3.00	ug/L		
HW39-P	Atrazine	5.00 U	ug/L	26.00	ug/L	3.00	ug/L			3.00	ug/L		
HW39	Benzo(a)anthracene	4.76 U	ug/L	2.90	ug/L								
HW39-P	Benzo(a)anthracene	5.00 U	ug/L	2.90	ug/L								
HW39	Benzo(a)pyrene	4.76 U	ug/L	0.29	ug/L	0.20	ug/L			0.20	ug/L		
HW39-P	Benzo(a)pyrene	5.00 U	ug/L	0.29	ug/L	0.20	ug/L			0.20	ug/L		
HW39	Biphenyl	4.76 U	ug/L										
HW39-P	Biphenyl	5.00 U	ug/L										
HW39	Bromophenyl-4 Phenyl Ether	57.10 U	ug/L										
HW39-P	Bromophenyl-4 Phenyl Ether	60.00 U	ug/L										
HW39	Butylbenzyl phthalate	4.76 U	ug/L	1,400.00	ug/L								
HW39-P	Butylbenzyl phthalate	5.00 U	ug/L	1,400.00	ug/L								

Sample Number	Analyte	Result	Result Units	Trigger Level	Trigger Level Units	EPA Primary MCLs	EPA Primary MCL Units	EPA Secondary MCL	EPA Secondary MCL Units	DEP Primary MCLs	DEP Primary MCL Units	DEP Secondary MCLs	DEP Secondary MCL Units
HW39	Caprolactam	4.76 U	ug/L	7,700.00	ug/L								
HW39-P	Caprolactam	5.00 U	ug/L	7,700.00	ug/L								
HW39	Carbazole	4.76 U	ug/L										
HW39-P	Carbazole	5.00 U	ug/L										
HW39	Chlorobenzenamine-4	4.76 U	ug/L	3.20	ug/L								
HW39-P	Chlorobenzenamine-4	5.00 U	ug/L	3.20	ug/L								
HW39	Chloronaphthalene-2	4.76 U	ug/L	550.00	ug/L								
HW39-P	Chloronaphthalene-2	5.00 U	ug/L	550.00	ug/L								
HW39	Chlorophenol-2	4.76 U	ug/L	71.00	ug/L								
HW39-P	Chlorophenol-2	5.00 U	ug/L	71.00	ug/L								
HW39	Chlorophenyl-4 phenyl ether	4.76 U	ug/L										
HW39-P	Chlorophenyl-4 phenyl ether	5.00 U	ug/L										
HW39	Chrysene	4.76 U	ug/L	290.00	ug/L								
HW39-P	Chrysene	5.00 U	ug/L	290.00	ug/L								
HW39	Cresol, parachloro meta-	4.76 U	ug/L										
HW39-P	Cresol, parachloro meta-	5.00 U	ug/L										
HW39	Cresol-4,6-dinitro-ortho	57.10 U	ug/L										
HW39-P	Cresol-4,6-dinitro-ortho	60.00 U	ug/L										
HW39	Cresol-o	4.76 U	ug/L	720.00	ug/L								
HW39-P	Cresol-o	5.00 U	ug/L	720.00	ug/L								
HW39	Cresol-p	4.76 U	ug/L	72.00	ug/L								
HW39-P	Cresol-p	5.00 U	ug/L	72.00	ug/L								
HW39	Dibenz(a,h)anthracene	4.76 U	ug/L	0.29	ug/L								
HW39-P	Dibenz(a,h)anthracene	5.00 U	ug/L	0.29	ug/L								
HW39	Dibenzofuran	4.76 U	ug/L										
HW39-P	Dibenzofuran	5.00 U	ug/L										
HW39	Dichlorobenzidine-3,3'	4.76 U	ug/L	11.00	ug/L								
HW39-P	Dichlorobenzidine-3,3'	5.00 U	ug/L	11.00	ug/L								
HW39	Dichlorophenol-2,4	4.76 U	ug/L	35.00	ug/L								

Sample Number	Analyte	Result	Result Units	Trigger Level	Trigger Level Units	EPA Primary MCLs	EPA Primary MCL Units	EPA Secondary MCL	EPA Secondary MCL Units	DEP Primary MCLs	DEP Primary MCL Units	DEP Secondary MCLs	DEP Secondary MCL Units
HW39-P	Dichlorophenol-2,4	5.00 U	ug/L	35.00	ug/L								
HW39	Dimethylphenol, 2,4-	4.76 U	ug/L	270.00	ug/L								
HW39-P	Dimethylphenol, 2,4-	5.00 U	ug/L	270.00	ug/L								
HW39	Dinitrophenol-2,4	57.10 U	ug/L	30.00	ug/L								
HW39-P	Dinitrophenol-2,4	60.00 U	ug/L	30.00	ug/L								
HW39	Dinitrotoluene-2,4	4.76 U	ug/L										
HW39-P	Dinitrotoluene-2,4	5.00 U	ug/L										
HW39	Dinitrotoluene-2,6	57.10 U	ug/L										
HW39-P	Dinitrotoluene-2,6	60.00 U	ug/L										
HW39	Ether, bis(2-chloroethyl)	4.76 U	ug/L	1.20	ug/L								
HW39-P	Ether, bis(2-chloroethyl)	5.00 U	ug/L	1.20	ug/L								
HW39	Ether-bis(2-chloroisopropyl)	57.10 U	ug/L										
HW39-P	Ether-bis(2-chloroisopropyl)	60.00 U	ug/L										
HW39	Fluoranthene	4.76 U	ug/L	630.00	ug/L								
HW39-P	Fluoranthene	5.00 U	ug/L	630.00	ug/L								
HW39	Fluoranthene benzo(k)	4.76 U	ug/L	29.00	ug/L								
HW39-P	Fluoranthene benzo(k)	5.00 U	ug/L	29.00	ug/L								
HW39	Fluoranthene-benzo(b)	4.76 U	ug/L	5.60	ug/L								
HW39-P	Fluoranthene-benzo(b)	5.00 U	ug/L	5.60	ug/L								
HW39	Fluorene	57.10 U	ug/L	220.00	ug/L								
HW39-P	Fluorene	60.00 U	ug/L	220.00	ug/L								
HW39	Hexachlorobenzene	4.76 U	ug/L	4.20	ug/L	1.00	ug/L			1.00	ug/L		
HW39-P	Hexachlorobenzene	5.00 U	ug/L	4.20	ug/L	1.00	ug/L			1.00	ug/L		
HW39	Hexachlorobutadiene	0.50 U	ug/L	26.00	ug/L								
HW39	Hexachlorobutadiene	4.76 U	ug/L	26.00	ug/L								
HW39-P	Hexachlorobutadiene	0.50 U	ug/L	26.00	ug/L								
HW39-P	Hexachlorobutadiene	5.00 U	ug/L	26.00	ug/L								
HW39	Hexachlorocyclopentadiene	4.76 U	ug/L	22.00	ug/L	50.00	ug/L			50.00	ug/L		
HW39-P	Hexachlorocyclopentadiene	5.00 U	ug/L	22.00	ug/L	50.00	ug/L			50.00	ug/L		

Sample Number	Analyte	Result	Result Units	Trigger Level	Trigger Level Units	EPA Primary MCLs	EPA Primary MCL Units	EPA Secondary MCL	EPA Secondary MCL Units	DEP Primary MCLs	DEP Primary MCL Units	DEP Secondary MCLs	DEP Secondary MCL Units
HW39	Hexachloroethane	4.76 U	ug/L	5.10	ug/L								
HW39-P	Hexachloroethane	5.00 U	ug/L	5.10	ug/L								
HW39	Isophorone	4.76 U	ug/L	6,700.00	ug/L								
HW39-P	Isophorone	5.00 U	ug/L	6,700.00	ug/L								
HW39	Methane, bis(2-chloroethoxy)	4.76 U	ug/L	47.00	ug/L								
HW39-P	Methane, bis(2-chloroethoxy)	5.00 U	ug/L	47.00	ug/L								
HW39	Methylnaphthalene-2	4.76 U	ug/L	27.00	ug/L								
HW39-P	Methylnaphthalene-2	5.00 U	ug/L	27.00	ug/L								
HW39	Naphthalene	4.76 U	ug/L	14.00	ug/L								
HW39	Naphthalene	0.50 U	ug/L	14.00	ug/L								
HW39-P	Naphthalene	0.50 U	ug/L	14.00	ug/L								
HW39-P	Naphthalene	5.00 U	ug/L	14.00	ug/L								
HW39	Nitroaniline, ortho	4.76 U	ug/L	150.00	ug/L								
HW39-P	Nitroaniline, ortho	5.00 U	ug/L	150.00	ug/L								
HW39	Nitroaniline-3	4.76 U	ug/L										
HW39-P	Nitroaniline-3	5.00 U	ug/L										
HW39	Nitrobenzenamine-4	4.76 U	ug/L	61.00	ug/L								
HW39-P	Nitrobenzenamine-4	5.00 U	ug/L	61.00	ug/L								
HW39	Nitrobenzene	4.76 U	ug/L	12.00	ug/L								
HW39-P	Nitrobenzene	5.00 U	ug/L	12.00	ug/L								
HW39	Nitrophenol-2	4.76 U	ug/L										
HW39-P	Nitrophenol-2	5.00 U	ug/L										
HW39	Nitrophenol-4	9.52 U	ug/L										
HW39-P	Nitrophenol-4	10.00 U	ug/L										
HW39	Nitrosodimethylamine-n	4.76 U	ug/L	0.04	ug/L								
HW39-P	Nitrosodimethylamine-n	5.00 U	ug/L	0.04	ug/L								
HW39	Nitrosodiphenylamine-n	4.76 U	ug/L	1,000.00	ug/L								
HW39-P	Nitrosodiphenylamine-n	5.00 U	ug/L	1,000.00	ug/L								
HW39	Pentachlorophenol	57.10 U	ug/L	17.00	ug/L	1.00	ug/L			1.00	ug/L		

Sample Number	Analyte	Result		Result Units	Trigger Level	Trigger Level Units	EPA Primary MCLs	EPA Primary MCL Units	EPA Secondary MCL	EPA Secondary MCL Units	DEP Primary MCLs	DEP Primary MCL Units	DEP Secondary MCLs	DEP Secondary MCL Units
HW39-P	Pentachlorophenol	60.00	U	ug/L	17.00	ug/L	1.00	ug/L			1.00	ug/L		
HW39	Perylene-benzo(ghi)	4.76	U	ug/L										
HW39-P	Perylene-benzo(ghi)	5.00	U	ug/L										
HW39	Phenanthrene	57.10	U	ug/L										
HW39-P	Phenanthrene	60.00	U	ug/L										
HW39	Phenol	4.76	U	ug/L	4,500.00	ug/L								
HW39-P	Phenol	5.00	U	ug/L	4,500.00	ug/L								
HW39	Phthalate, bis(2-ethylhexyl) (DEHP)	5.51		ug/L	7.10	ug/L	6.00	ug/L			6.00	ug/L		
HW39-P	Phthalate, bis(2-ethylhexyl) (DEHP)	5.00	U	ug/L	7.10	ug/L	6.00	ug/L			6.00	ug/L		
HW39	Phthalate, Dimethyl	4.76	U	ug/L	1,400.00	ug/L								
HW39-P	Phthalate, Dimethyl	5.00	U	ug/L	1,400.00	ug/L								
HW39	Phthalate, di-n-butyl-	4.76	U	ug/L	670.00	ug/L								
HW39-P	Phthalate, di-n-butyl-	5.00	U	ug/L	670.00	ug/L								
HW39	Phthalate, di-n-octyl	4.76	U	ug/L										
HW39-P	Phthalate, di-n-octyl	5.00	U	ug/L										
HW39	Phthalate-diethyl	4.76	U	ug/L	11,000.00	ug/L								
HW39-P	Phthalate-diethyl	5.00	U	ug/L	11,000.00	ug/L								
HW39	Propylamine,n-nitroso di-n-	4.76	U	ug/L	0.93	ug/L								
HW39-P	Propylamine,n-nitroso di-n-	5.00	U	ug/L	0.93	ug/L								
HW39	Pyrene	57.10	U	ug/L	87.00	ug/L								
HW39-P	Pyrene	60.00	U	ug/L	87.00	ug/L								
HW39	Pyrene-indeno(1,2,3-cd)	4.76	U	ug/L	3.00	ug/L								
HW39-P	Pyrene-indeno(1,2,3-cd)	5.00	U	ug/L	3.00	ug/L								
HW39	Tetrachlorobenzene, 1,2,4,5-	4.76	U	ug/L	1.20	ug/L								
HW39-P	Tetrachlorobenzene, 1,2,4,5-	5.00	U	ug/L	1.20	ug/L								
HW39	Tetrachlorophenol, 2,3,4,6-	4.76	U	ug/L	170.00	ug/L								
HW39-P	Tetrachlorophenol, 2,3,4,6-	5.00	U	ug/L	170.00	ug/L								
HW39	Trichlorophenol-2,4,5	4.76	U	ug/L	890.00	ug/L								
HW39-P	Trichlorophenol-2,4,5	5.00	U	ug/L	890.00	ug/L								

Sample Number	Analyte	Result	Result Units	Trigger Level	Trigger Level Units	EPA Primary MCLs	EPA Primary MCL Units	EPA Secondary MCL	EPA Secondary MCL Units	DEP Primary MCLs	DEP Primary MCL Units	DEP Secondary MCLs	DEP Secondary MCL Units
HW39	Trichlorophenol-2,4,6	4.76 U	ug/L	9.04	ug/L								
HW39-P	Trichlorophenol-2,4,6	5.00 U	ug/L	9.04	ug/L								
HW39	TPH - Diesel Range Organics	250.00 U	ug/L										
HW39-P	TPH - Diesel Range Organics	250.00 U	ug/L										
HW39	TPH - Oil Range Organics	1,000.00 U	ug/L										
HW39-P	TPH - Oil Range Organics	1,000.00 U	ug/L										
HW39	TPH as Gasoline	50.00 U	ug/L										
HW39-P	TPH as Gasoline	50.00 U	ug/L										
HW39	4-Methyl-2-pentanone	2.00 U	ug/L	1,000.00	ug/L								
HW39-P	4-Methyl-2-pentanone	2.00 U	ug/L	1,000.00	ug/L								
HW39	Acetone	2.00 U	ug/L										
HW39-P	Acetone	3.10 U	ug/L										
HW39	Benzene	0.50 U	ug/L			5.00	ug/L			5.00	ug/L		
HW39-P	Benzene	0.50 U	ug/L			5.00	ug/L			5.00	ug/L		
HW39	Bromobenzene	0.50 U	ug/L										
HW39-P	Bromobenzene	0.50 U	ug/L										
HW39	Bromoform	0.50 U	ug/L			80.00	ug/L			80.00	ug/L		
HW39-P	Bromoform	0.50 U	ug/L			80.00	ug/L			80.00	ug/L		
HW39	Butylbenzene	0.50 U	ug/L										
HW39-P	Butylbenzene	0.50 U	ug/L										
HW39	Butylbenzene, sec-	0.50 U	ug/L										
HW39-P	Butylbenzene, sec-	0.50 U	ug/L										
HW39	Butylbenzene, tert-	0.50 U	ug/L										
HW39-P	Butylbenzene, tert-	0.50 U	ug/L										
HW39	Carbon disulfide	0.50 U	ug/L										
HW39-P	Carbon disulfide	0.50 U	ug/L										
HW39	Carbon Tetrachloride	0.50 U	ug/L			5.00	ug/L			5.00	ug/L		
HW39-P	Carbon Tetrachloride	0.50 U	ug/L			5.00	ug/L			5.00	ug/L		
HW39	Chlorobenzene	0.50 U	ug/L			100.00	ug/L						

Sample Number	Analyte	Result	Result Units	Trigger Level	Trigger Level Units	EPA Primary MCLs	EPA Primary MCL Units	EPA Secondary MCL	EPA Secondary MCL Units	DEP Primary MCLs	DEP Primary MCL Units	DEP Secondary MCLs	DEP Secondary MCL Units
HW39-P	Chlorobenzene	0.50 U	ug/L			100.00	ug/L						
HW39	Chlorobromomethane	0.50 U	ug/L										
HW39-P	Chlorobromomethane	0.50 U	ug/L										
HW39	Chloroethane	0.50 U	ug/L										
HW39-P	Chloroethane	0.50 U	ug/L										
HW39	Chloroform	0.50 U	ug/L			80.00	ug/L			80.00	ug/L		
HW39-P	Chloroform	0.50 U	ug/L			80.00	ug/L			80.00	ug/L		
HW39	Chlorotoluene	0.50 U	ug/L	180.00	ug/L								
HW39-P	Chlorotoluene	0.50 U	ug/L	180.00	ug/L								
HW39	Chlorotoluene-p	0.50 U	ug/L	190.00	ug/L								
HW39-P	Chlorotoluene-p	0.50 U	ug/L	190.00	ug/L								
HW39	Cyclohexane	0.50 UJ	ug/L										
HW39-P	Cyclohexane	0.50 UJ	ug/L										
HW39	DBCP	0.50 U	ug/L	0.03	ug/L	0.20	ug/L			0.20	ug/L		
HW39-P	DBCP	0.50 U	ug/L	0.03	ug/L	0.20	ug/L			0.20	ug/L		
HW39	Dibromochloromethane	0.50 U	ug/L			80.00	ug/L			80.00	ug/L		
HW39-P	Dibromochloromethane	0.50 U	ug/L			80.00	ug/L			80.00	ug/L		
HW39	Dibromoethane-1,2	0.50 U	ug/L	0.65	ug/L	0.05	ug/L			0.05	ug/L		
HW39-P	Dibromoethane-1,2	0.50 U	ug/L	0.65	ug/L	0.05	ug/L			0.05	ug/L		
HW39	Dibromomethane	0.50 U	ug/L										
HW39-P	Dibromomethane	0.50 U	ug/L										
HW39	Dichlorobenzene-1,2	0.50 U	ug/L	280.00	ug/L	600.00	ug/L			600.00	ug/L		
HW39-P	Dichlorobenzene-1,2	0.50 U	ug/L	280.00	ug/L	600.00	ug/L			600.00	ug/L		
HW39	Dichlorobenzene-1,3	0.50 U	ug/L										
HW39-P	Dichlorobenzene-1,3	0.50 U	ug/L										
HW39	Dichlorobenzene-1,4	0.50 U	ug/L	42.00	ug/L	75.00	ug/L			75.00	ug/L		
HW39-P	Dichlorobenzene-1,4	0.50 U	ug/L	42.00	ug/L	75.00	ug/L			75.00	ug/L		
HW39	Dichlorobromomethane	0.50 U	ug/L			80.00	ug/L			80.00	ug/L		
HW39-P	Dichlorobromomethane	0.50 U	ug/L			80.00	ug/L			80.00	ug/L		

Sample Number	Analyte	Result	Result Units	Trigger Level	Trigger Level Units	EPA Primary MCLs	EPA Primary MCL Units	EPA Secondary MCL	EPA Secondary MCL Units	DEP Primary MCLs	DEP Primary MCL Units	DEP Secondary MCLs	DEP Secondary MCL Units
HW39	Dichlorodifluoromethane	0.50 U	ug/L										
HW39-P	Dichlorodifluoromethane	0.50 U	ug/L										
HW39	Dichloroethane-1,1	0.50 U	ug/L	240.00	ug/L								
HW39-P	Dichloroethane-1,1	0.50 U	ug/L	240.00	ug/L								
HW39	Dichloroethane-1,2	0.50 U	ug/L	15.00	ugL	5.00	ug/L			5.00	ug/L		
HW39-P	Dichloroethane-1,2	0.50 U	ug/L	15.00	ugL	5.00	ug/L			5.00	ug/L		
HW39	Dichloroethene-1,2 trans	0.50 U	ug/L										
HW39-P	Dichloroethene-1,2 trans	0.50 J	ug/L										
HW39	Dichloroethylene-1,1	0.50 U	ug/L			7.00	ug/L			7.00	ug/L		
HW39-P	Dichloroethylene-1,1	0.50 U	ug/L			7.00	ug/L			7.00	ug/L		
HW39	Dichloroethylene-1,2 cis	0.50 U	ug/L			70.00	ug/L			70.00	ug/L		
HW39-P	Dichloroethylene-1,2 cis	0.50 U	ug/L			70.00	ug/L			70.00	ug/L		
HW39	Dichloropropane, 1,2-	0.50 U	ug/L	38.00	ug/L	5.00	ug/L			5.00	ug/L		
HW39-P	Dichloropropane, 1,2-	0.50 U	ug/L	38.00	ug/L	5.00	ug/L			5.00	ug/L		
HW39	Dichloropropane, 1,3-	0.50 U	ug/L	290.00	ug/L								
HW39-P	Dichloropropane, 1,3-	0.50 U	ug/L	290.00	ug/L								
HW39	Dichloropropane, 2,2-	0.50 U	ug/L										
HW39-P	Dichloropropane, 2,2-	0.50 U	ug/L										
HW39	Dichloropropene, 1,1-	0.50 U	ug/L										
HW39-P	Dichloropropene, 1,1-	0.50 U	ug/L										
HW39	Dichloropropene, 1,3 cis-	0.50 U	ug/L										
HW39-P	Dichloropropene, 1,3 cis-	0.50 U	ug/L										
HW39	Dichloropropene, 1,3 trans-	0.50 U	ug/L										
HW39-P	Dichloropropene, 1,3 trans-	0.50 U	ug/L										
HW39	Ethylbenzene	0.50 U	ug/L			700.00	ug/L			700.00	ug/L		
HW39-P	Ethylbenzene	0.50 U	ug/L			700.00	ug/L			700.00	ug/L		
HW39	Freon 113	0.50 UJ	ug/L										
HW39-P	Freon 113	0.50 UJ	ug/L										
HW39	Hexanone, 2-	2.00 U	ug/L	34.00	ug/L								

Sample Number	Analyte	Result		Result Units	Trigger Level	Trigger Level Units	EPA Primary MCLs	EPA Primary MCL Units	EPA Secondary MCL	EPA Secondary MCL Units	DEP Primary MCLs	DEP Primary MCL Units	DEP Secondary MCLs	DEP Secondary MCL Units
HW39-P	Hexanone, 2-	2.00	U	ug/L	34.00	ug/L								
HW39	Isopropylbenzene	0.50	U	ug/L										
HW39-P	Isopropylbenzene	0.50	U	ug/L										
HW39	Isopropylbenzene-4,methyl-1	0.50	U	ug/L										
HW39-P	Isopropylbenzene-4,methyl-1	0.50	U	ug/L										
HW39	m,p-Xylene	1.00	U	ug/L			10,000.00	ug/L			10,000.00	ug/L		
HW39-P	m,p-Xylene	1.00	U	ug/L			10,000.00	ug/L			10,000.00	ug/L		
HW39	Methyl acetate	0.50	UJ	ug/L										
HW39-P	Methyl acetate	0.50	UJ	ug/L										
HW39	Methyl bromide	0.50	UJ	ug/L										
HW39-P	Methyl bromide	0.50	U	ug/L										
HW39	Methyl chloride	0.50	U	ug/L										
HW39-P	Methyl chloride	0.50	U	ug/L										
HW39	Methyl cyclohexane	0.50	UJ	ug/L										
HW39-P	Methyl cyclohexane	0.50	UJ	ug/L										
HW39	Methyl ethyl ketone	2.00	U	ug/L	4,900.00	ug/L								
HW39-P	Methyl ethyl ketone	2.00	U	ug/L	4,900.00	ug/L								
HW39	Methyl tertiary butyl ether (MTBE)	0.50	UJ	ug/L										
HW39-P	Methyl tertiary butyl ether (MTBE)	0.50	UJ	ug/L										
HW39	Methylene chloride	0.50	U	ug/L			5.00	ug/L			5.00	ug/L		
HW39-P	Methylene chloride	0.50	U	ug/L			5.00	ug/L			5.00	ug/L		
HW39	Propylbenzene-n	0.50	U	ug/L										
HW39-P	Propylbenzene-n	0.50	U	ug/L										
HW39	Styrene	1.00	UJ	ug/L			100.00	ug/L			100.00	ug/L		
HW39-P	Styrene	1.00	UJ	ug/L			100.00	ug/L			100.00	ug/L		
HW39	Tetrachloroethane, 1,1,1,2-	0.50	U	ug/L	50.00	ug/L								
HW39-P	Tetrachloroethane, 1,1,1,2-	0.50	U	ug/L	50.00	ug/L								
HW39	Tetrachloroethane, 1,1,2,2-	0.50	U	ug/L	6.60	ug/L								
HW39-P	Tetrachloroethane, 1,1,2,2-	0.50	U	ug/L	6.60	ug/L								

Sample Number	Analyte	Result	Result Units	Trigger Level	Trigger Level Units	EPA Primary MCLs	EPA Primary MCL Units	EPA Secondary MCL	EPA Secondary MCL Units	DEP Primary MCLs	DEP Primary MCL Units	DEP Secondary MCLs	DEP Secondary MCL Units
HW39	Tetrachloroethylene	0.50 U	ug/L			5.00	ug/L			5.00	ug/L		
HW39-P	Tetrachloroethylene	0.50 U	ug/L			5.00	ug/L			5.00	ug/L		
HW39	Toluene	0.50 U	ug/L			1,000.00	ug/L			1,000.00	ug/L		
HW39-P	Toluene	0.50 U	ug/L			1,000.00	ug/L			1,000.00	ug/L		
HW39	Trichlorobenzene-1,2,3	0.50 U	ug/L	5.20	ug/L								
HW39-P	Trichlorobenzene-1,2,3	0.50 U	ug/L	5.20	ug/L								
HW39	Trichlorobenzene-1,2,4	0.50 U	ug/L	5.20	ug/L	70.00	ug/L			70.00	ug/L		
HW39-P	Trichlorobenzene-1,2,4	0.50 U	ug/L	5.20	ug/L	70.00	ug/L			70.00	ug/L		
HW39	Trichloroethane-1,1,1	0.50 U	ug/L	7,500.00	ug/L	200.00	ug/L			200.00	ug/L		
HW39-P	Trichloroethane-1,1,1	0.50 U	ug/L	7,500.00	ug/L	200.00	ug/L			200.00	ug/L		
HW39	Trichloroethane-1,1,2	0.50 U	ug/L	0.41	ug/L	5.00	ug/L			5.00	ug/L		
HW39-P	Trichloroethane-1,1,2	0.50 U	ug/L	0.41	ug/L	5.00	ug/L			5.00	ug/L		
HW39	Trichloroethylene	0.50 U	ug/L			5.00	ug/L			5.00	ug/L		
HW39-P	Trichloroethylene	0.50 U	ug/L			5.00	ug/L			5.00	ug/L		
HW39	Trichlorofluoromethane	0.50 U	ug/L										
HW39-P	Trichlorofluoromethane	0.50 U	ug/L										
HW39	Trichloropropane-1,2,3	0.50 U	ug/L	0.07	ug/L								
HW39-P	Trichloropropane-1,2,3	0.50 U	ug/L	0.07	ug/L								
HW39	Trimethylbenzene-1,2,4	0.50 U	ug/L	15.00	ug/L								
HW39-P	Trimethylbenzene-1,2,4	0.50 U	ug/L	15.00	ug/L								
HW39	Trimethylbenzene-1,3,5	0.50 U	ug/L	87.00	ug/L								
HW39-P	Trimethylbenzene-1,3,5	0.50 U	ug/L	87.00	ug/L								
HW39	Vinyl acetate	0.50 U	ug/L										
HW39-P	Vinyl acetate	0.50 U	ug/L										
HW39	Vinyl chloride	0.50 U	ug/L			2.00	ug/L			2.00	ug/L		
HW39-P	Vinyl chloride	0.50 U	ug/L			2.00	ug/L			2.00	ug/L		
HW39	Xylene-o	1.00 UJ	ug/L			10,000.00	ug/L			10,000.00	ug/L		
HW39-P	Xylene-o	1.00 UJ	ug/L			10,000.00	ug/L			10,000.00	ug/L		
HW39	Nitrogen, Nitrite + Nitrate	0.05 U	mg/L			10.00	mg/L			10.00	mg/L		

Sample Number	Analyte	Result	Result Units	Trigger Level	Trigger Level Units	EPA Primary MCLs	EPA Primary MCL Units	EPA Secondary MCL	EPA Secondary MCL Units	DEP Primary MCLs	DEP Primary MCL Units	DEP Secondary MCLs	DEP Secondary MCL Units
HW39-P	Nitrogen, Nitrite + Nitrate	0.05 U	mg/L			10.00	mg/L			10.00	mg/L		
HW39	Total Nitrogen	1.00 U	mg/L										
HW39-P	Total Nitrogen	1.00 U	mg/L										
HW39	Total Phosphorus as P	0.05 U	mg/L										
HW39-P	Total Phosphorus as P	0.05 U	mg/L										