HW-26
EPA Validated Data Summary Report
Dimock Residential Sampling
Sample Date: 1/31/2012

Sample Number	Analyte	Result		Result Units	Trigger Level	Trigger Level Units	EPA Primary MCLs	EPA Primary MCL Units	EPA Secondary MCL	EPA Secondary MCL Units	DEP Primary MCLs	DEP Primary MCL Units	DEP Secondary MCLs	DEP Secondary MCL Units
HW26	1-Butanol	10.00	U	ug/mL	1.50	ug/mL								
HW26-P	1-Butanol	10.00	U	ug/mL	1.50	ug/mL								
HW26	1-Propanol	10.00	U	ug/mL										
HW26-P	1-Propanol	10.00	U	ug/mL										
HW26	2-Butanol	10.00	U	ug/mL										
HW26-P	2-Butanol	10.00	U	ug/mL										
HW26	Ethanol	10.00	U	ug/mL										
HW26-P	Ethanol	10.00	U	ug/mL										
HW26	Methanol	10.00	U	ug/mL	7.80	ug/mL								
HW26-P	Methanol	10.00	U	ug/mL	7.80	ug/mL								
HW26	Anionic Surfactants	0.01		mg/L										
HW26-P	Anionic Surfactants	0.01	U	mg/L										
HW26	Heterotrophic Plate Count		R	cfu/1ml										
HW26-P	Heterotrophic Plate Count		R	cfu/1ml										
HW26	Total Coliform Bacteria	1.00	U	cfu/100ml	0.00	cfu/100mL	5.00	%						
HW26-P	Total Coliform Bacteria	1.00	U	cfu/100ml	0.00	cfu/100mL	5.00	%						
HW26	Ethane	18.00		ug/L										
HW26-P	Ethane	17.00		ug/L										
HW26	Ethene	1.10	U	ug/L										
HW26-P	Ethene	1.10	U	ug/L										
HW26	Methane	**43,000.00**		ug/L	28,000.00	ug/L								
HW26-P	Methane	**38,000.00**		ug/L	28,000.00	ug/L								
HW26	2-Butoxyethanol	5.00	U	ug/L										
HW26-P	2-Butoxyethanol	5.00	U	ug/L										

Sample Number	Analyte	Result		Result Units	Trigger Level	Trigger Level Units	EPA Primary MCLs	EPA Primary MCL Units	EPA Secondary MCL	EPA Secondary MCL Units	DEP Primary MCLs	DEP Primary MCL Units	DEP Secondary MCLs	DEP Secondary MCL Units
HW26	2-Methoxyethanol	10.00	U	ug/L	78.00	ug/L								
HW26	2-Methoxyethanol	60.00	U	ug/L	78.00	ug/L								
HW26-P	2-Methoxyethanol	10.00	U	ug/L	78.00	ug/L								
HW26-P	2-Methoxyethanol	60.00	U	ug/L	78.00	ug/L								
HW26	Diethylene Glycol	50.00	U	ug/L	8,000.00	ug/L								
HW26	Diethylene glycol		R	ug/L	8,000.00	ug/L								
HW26-P	Diethylene Glycol	50.00	U	ug/L	8,000.00	ug/L								
HW26-P	Diethylene glycol		R	ug/L	8,000.00	ug/L								
HW26	Ethanol, 2-ethoxy-	10,000.00	U	ug/L										
HW26-P	Ethanol, 2-ethoxy-	10,000.00	U	ug/L										
HW26	Ethanol, 2-methoxy-	10,000.00	U	ug/L	78.00	ug/L								
HW26-P	Ethanol, 2-methoxy-	10,000.00	U	ug/L	78.00	ug/L								
HW26	Ethylene glycol	10,000.00	U	ug/L	31,000.00	ug/L								
HW26	Ethylene glycol	10,000.00	U	ug/L	31,000.00	ug/L								
HW26-P	Ethylene glycol	10,000.00	U	ug/L	31,000.00	ug/L								
HW26-P	Ethylene glycol	10,000.00	U	ug/L	31,000.00	ug/L								
HW26	Tetraethylene glycol	25.00	U	ug/L	8,000.00	ug/L								
HW26-P	Tetraethylene glycol	25.00	U	ug/L	8,000.00	ug/L								
HW26	Triethylene glycol		R	ug/L	8,000.00	ug/L								
HW26	Triethylene glycol	25.00	U	ug/L	8,000.00	ug/L								
HW26-P	Triethylene glycol		R	ug/L	8,000.00	ug/L								
HW26-P	Triethylene glycol	25.00	U	ug/L	8,000.00	ug/L								
HW26	Bromide	0.50	U	mg/L										
HW26-P	Bromide	0.50	U	mg/L										
HW26	Chloride	31.00		mg/L					250.00	mg/L			250.00	mg/L
HW26-P	Chloride	30.30		mg/L					250.00	mg/L			250.00	mg/L
HW26	Fluoride	0.10	U	mg/L	0.62	mg/L	4.00	mg/L	2.00	mg/L	2.00	mg/L		
HW26-P	Fluoride	0.10	U	mg/L	0.62	mg/L	4.00	mg/L	2.00	mg/L	2.00	mg/L		
HW26	Sulfate	0.50	U	mg/L					250.00	mg/L			250.00	mg/L

Sample Number	Analyte	Result	Result Units	Trigger Level	Trigger Level Units	EPA Primary MCLs	EPA Primary MCL Units	EPA Secondary MCL	EPA Secondary MCL Units	DEP Primary MCLs	DEP Primary MCL Units	DEP Secondary MCLs	DEP Secondary MCL Units
HW26-P	Sulfate	0.50 U	mg/L					250.00	mg/L			250.00	mg/L
HW26	Mercury	0.20 U	ug/L	4.30	ug/L	2.00	ug/L			2.00	ug/L		
HW26-F	Mercury	0.20 U	ug/L	4.30	ug/L	2.00	ug/L			2.00	ug/L		
HW26-P	Mercury	0.20 U	ug/L	4.30	ug/L	2.00	ug/L			2.00	ug/L		
HW26-PF	Mercury	0.20 U	ug/L	4.30	ug/L	2.00	ug/L			2.00	ug/L		
HW26	Aluminum	30.00 U	ug/L	16,000.00	ug/L			200.00	ug/L			200.00	ug/L
HW26-F	Aluminum	30.00 U	ug/L	16,000.00	ug/L			200.00	ug/L			200.00	ug/L
HW26-P	Aluminum	30.00 U	ug/L	16,000.00	ug/L			200.00	ug/L			200.00	ug/L
HW26-PF	Aluminum	30.00 U	ug/L	16,000.00	ug/L			200.00	ug/L			200.00	ug/L
HW26	Antimony	2.00 U	ug/L	6.00	ug/L	6.00	ug/L			6.00	ug/L		
HW26-F	Antimony	2.00 U	ug/L	6.00	ug/L	6.00	ug/L			6.00	ug/L		
HW26-P	Antimony	2.00 U	ug/L	6.00	ug/L	6.00	ug/L			6.00	ug/L		
HW26-PF	Antimony	2.00 U	ug/L	6.00	ug/L	6.00	ug/L			6.00	ug/L		
HW26	Arsenic	2.00 U	ug/L	4.50	ug/L	10.00	ug/L			10.00	ug/L		
HW26-F	Arsenic	2.00 U	ug/L	4.50	ug/L	10.00	ug/L			10.00	ug/L		
HW26-P	Arsenic	2.00 U	ug/L	4.50	ug/L	10.00	ug/L			10.00	ug/L		
HW26-PF	Arsenic	2.00 U	ug/L	4.50	ug/L	10.00	ug/L			10.00	ug/L		
HW26	Barium	1,780.00	ug/L	2,900.00	ug/L	2,000.00	ug/L			2,000.00	ug/L		
HW26-F	Barium	1,790.00	ug/L	2,900.00	ug/L	2,000.00	ug/L			2,000.00	ug/L		
HW26-P	Barium	1,780.00	ug/L	2,900.00	ug/L	2,000.00	ug/L			2,000.00	ug/L		
HW26-PF	Barium	1,810.00	ug/L	2,900.00	ug/L	2,000.00	ug/L			2,000.00	ug/L		
HW26	Beryllium	1.00 U	ug/L	16.00	ug/L	4.00	ug/L			4.00	ug/L		
HW26-F	Beryllium	1.00 U	ug/L	16.00	ug/L	4.00	ug/L			4.00	ug/L		
HW26-P	Beryllium	1.00 U	ug/L	16.00	ug/L	4.00	ug/L			4.00	ug/L		
HW26-PF	Beryllium	1.00 U	ug/L	16.00	ug/L	4.00	ug/L			4.00	ug/L		
HW26	Boron	69.60	ug/L	3,100.00	ug/L								
HW26-F	Boron	68.20	ug/L	3,100.00	ug/L								
HW26-P	Boron	64.30	ug/L	3,100.00	ug/L								
HW26-PF	Boron	83.20	ug/L	3,100.00	ug/L								

Sample Number	Analyte	Result	Result Units	Trigger Level	Trigger Level Units	EPA Primary MCLs	EPA Primary MCL Units	EPA Secondary MCL	EPA Secondary MCL Units	DEP Primary MCLs	DEP Primary MCL Units	DEP Secondary MCLs	DEP Secondary MCL Units
HW26	Cadmium	1.00 U	ug/L	6.90	ug/L	5.00	ug/L			5.00	ug/L		
HW26-F	Cadmium	1.00 U	ug/L	6.90	ug/L	5.00	ug/L			5.00	ug/L		
HW26-P	Cadmium	1.00 U	ug/L	6.90	ug/L	5.00	ug/L			5.00	ug/L		
HW26-PF	Cadmium	1.00 U	ug/L	6.90	ug/L	5.00	ug/L			5.00	ug/L		
HW26	Calcium	27,300.00	ug/L										
HW26-F	Calcium	27,000.00	ug/L										
HW26-P	Calcium	27,200.00	ug/L										
HW26-PF	Calcium	27,900.00	ug/L										
HW26	Chromium	2.00 U	ug/L	3.10	ug/L	100.00	ug/L			100.00	ug/L		
HW26-F	Chromium	2.00 U	ug/L	3.10	ug/L	100.00	ug/L			100.00	ug/L		
HW26-P	Chromium	2.00 U	ug/L	3.10	ug/L	100.00	ug/L			100.00	ug/L		
HW26-PF	Chromium	2.00 U	ug/L	3.10	ug/L	100.00	ug/L			100.00	ug/L		
HW26	Cobalt	1.00 U	ug/L	4.70	ug/L								
HW26-F	Cobalt	1.00 U	ug/L	4.70	ug/L								
HW26-P	Cobalt	1.00 U	ug/L	4.70	ug/L								
HW26-PF	Cobalt	1.00 U	ug/L	4.70	ug/L								
HW26	Copper	4.40	ug/L	620.00	ug/L	1,300.00	ug/L	1,000.00	ug/L	1,000.00	ug/L		
HW26-F	Copper	2.00 U	ug/L	620.00	ug/L	1,300.00	ug/L	1,000.00	ug/L	1,000.00	ug/L		
HW26-P	Copper	2.00 U	ug/L	620.00	ug/L	1,300.00	ug/L	1,000.00	ug/L	1,000.00	ug/L		
HW26-PF	Copper	2.00 U	ug/L	620.00	ug/L	1,300.00	ug/L	1,000.00	ug/L	1,000.00	ug/L		
HW26	Iron	100.00 U	ug/L	11,000.00	ug/L			300.00	ug/L			300.00	ug/L
HW26-F	Iron	100.00 U	ug/L	11,000.00	ug/L			300.00	ug/L			300.00	ug/L
HW26-P	Iron	100.00 U	ug/L	11,000.00	ug/L			300.00	ug/L			300.00	ug/L
HW26-PF	Iron	100.00 U	ug/L	11,000.00	ug/L			300.00	ug/L			300.00	ug/L
HW26	Lead	1.00 U	ug/L	15.00	ug/L	15.00	ug/L			5.00	ug/L		
HW26-F	Lead	1.00 U	ug/L	15.00	ug/L	15.00	ug/L			5.00	ug/L		
HW26-P	Lead	1.00 U	ug/L	15.00	ug/L	15.00	ug/L			5.00	ug/L		
HW26-PF	Lead	1.00 U	ug/L	15.00	ug/L	15.00	ug/L			5.00	ug/L		
HW26	Lithium	200.00 U	ug/L	31.00	ug/L								

Sample Number	Analyte	Result	Result Units	Trigger Level	Trigger Level Units	EPA Primary MCLs	EPA Primary MCL Units	EPA Secondary MCL	EPA Secondary MCL Units	DEP Primary MCLs	DEP Primary MCL Units	DEP Secondary MCLs	DEP Secondary MCL Units
HW26-F	Lithium	200.00 U	ug/L	31.00	ug/L								
HW26-P	Lithium	200.00 U	ug/L	31.00	ug/L								
HW26-PF	Lithium	200.00 U	ug/L	31.00	ug/L								
HW26	Magnesium	7,360.00	ug/L										
HW26-F	Magnesium	7,390.00	ug/L										
HW26-P	Magnesium	7,340.00	ug/L										
HW26-PF	Magnesium	7,540.00	ug/L										
HW26	Manganese	94.00	ug/L	320.00	ug/L			50.00	ug/L			50.00	ug/L
HW26-F	Manganese	92.00	ug/L	320.00	ug/L			50.00	ug/L			50.00	ug/L
HW26-P	Manganese	93.90	ug/L	320.00	ug/L			50.00	ug/L			50.00	ug/L
HW26-PF	Manganese	95.00	ug/L	320.00	ug/L			50.00	ug/L			50.00	ug/L
HW26	Nickel	1.00	ug/L	300.00	ug/L								
HW26-F	Nickel	1.00 U	ug/L	300.00	ug/L								
HW26-P	Nickel	1.20	ug/L	300.00	ug/L								
HW26-PF	Nickel	1.00	ug/L	300.00	ug/L								
HW26	Potassium	2,000.00 U	ug/L										
HW26-F	Potassium	2,000.00 U	ug/L										
HW26-P	Potassium	2,000.00 U	ug/L										
HW26-PF	Potassium	2,000.00 U	ug/L										
HW26	Selenium	5.00 U	ug/L	78.00	ug/L	50.00	ug/L			50.00	ug/L		
HW26-F	Selenium	5.00 U	ug/L	78.00	ug/L	50.00	ug/L			50.00	ug/L		
HW26-P	Selenium	5.00 U	ug/L	78.00	ug/L	50.00	ug/L			50.00	ug/L		
HW26-PF	Selenium	5.00 U	ug/L	78.00	ug/L	50.00	ug/L			50.00	ug/L		
HW26	Silver	1.00 U	ug/L	71.00	ug/L			100.00	ug/L			100.00	ug/L
HW26-F	Silver	1.00 U	ug/L	71.00	ug/L			100.00	ug/L			100.00	ug/L
HW26-P	Silver	1.00 U	ug/L	71.00	ug/L			100.00	ug/L			100.00	ug/L
HW26-PF	Silver	1.00 U	ug/L	71.00	ug/L			100.00	ug/L			100.00	ug/L
HW26	Sodium	**27,400.00**	ug/L	20,000.00	ug/L								
HW26-F	Sodium	**27,400.00**	ug/L	20,000.00	ug/L								

Sample Number	Analyte	Result	Result Units	Trigger Level	Trigger Level Units	EPA Primary MCLs	EPA Primary MCL Units	EPA Secondary MCL	EPA Secondary MCL Units	DEP Primary MCLs	DEP Primary MCL Units	DEP Secondary MCLs	DEP Secondary MCL Units
HW26-P	Sodium	**27,400.00**	ug/L	20,000.00	ug/L								
HW26-PF	Sodium	**27,800.00**	ug/L	20,000.00	ug/L								
HW26	Strontium	817.00	ug/L	9,300.00	ug/L								
HW26-F	Strontium	814.00	ug/L	9,300.00	ug/L								
HW26-P	Strontium	816.00	ug/L	9,300.00	ug/L								
HW26-PF	Strontium	823.00	ug/L	9,300.00	ug/L								
HW26	Thallium	1.00 U	ug/L	0.16	ug/L	2.00	ug/L			2.00	ug/L		
HW26-F	Thallium	1.00 U	ug/L	0.16	ug/L	2.00	ug/L			2.00	ug/L		
HW26-P	Thallium	1.00 U	ug/L	0.16	ug/L	2.00	ug/L			2.00	ug/L		
HW26-PF	Thallium	1.00 U	ug/L	0.16	ug/L	2.00	ug/L			2.00	ug/L		
HW26	Tin	200.00 U	ug/L	9,300.00	ug/L								
HW26-F	Tin	200.00 U	ug/L	9,300.00	ug/L								
HW26-P	Tin	200.00 U	ug/L	9,300.00	ug/L								
HW26-PF	Tin	200.00 U	ug/L	9,300.00	ug/L								
HW26	Titanium	200.00 U	ug/L										
HW26-F	Titanium	200.00 U	ug/L										
HW26-P	Titanium	200.00 U	ug/L										
HW26-PF	Titanium	200.00 U	ug/L										
HW26	Uranium	1.00 U	ug/L	47.00	ug/L	30.00	ug/L						
HW26-F	Uranium	1.00 U	ug/L	47.00	ug/L	30.00	ug/L						
HW26-P	Uranium	1.00 U	ug/L	47.00	ug/L	30.00	ug/L						
HW26-PF	Uranium	1.00 U	ug/L	47.00	ug/L	30.00	ug/L						
HW26	Vanadium	5.00 U	ug/L	78.00	ug/L								
HW26-F	Vanadium	5.00 U	ug/L	78.00	ug/L								
HW26-P	Vanadium	5.00 U	ug/L	78.00	ug/L								
HW26-PF	Vanadium	5.00 U	ug/L	78.00	ug/L								
HW26	Zinc	2.00 U	ug/L	4,700.00	ug/L			5,000.00	ug/L			5,000.00	ug/L
HW26-F	Zinc	2.00 U	ug/L	4,700.00	ug/L			5,000.00	ug/L			5,000.00	ug/L
HW26-P	Zinc	9.90	ug/L	4,700.00	ug/L			5,000.00	ug/L			5,000.00	ug/L

Sample Number	Analyte	Result	Result Units	Trigger Level	Trigger Level Units	EPA Primary MCLs	EPA Primary MCL Units	EPA Secondary MCL	EPA Secondary MCL Units	DEP Primary MCLs	DEP Primary MCL Units	DEP Secondary MCLs	DEP Secondary MCL Units
HW26-PF	Zinc	2.00 U	ug/L	4,700.00	ug/L			5,000.00	ug/L			5,000.00	ug/L
HW26	Oil and Grease	5.30 U	mg/L										
HW26-P	Oil and Grease	5.10 U	mg/L										
HW26	Total Dissolved Solids	160.00	mg/L					500.00	mg/L			500.00	mg/L
HW26-P	Total Dissolved Solids	10.00 U	mg/L					500.00	mg/L			500.00	mg/L
HW26	Total Suspended Solids	10.00 U	mg/L										
HW26-P	Total Suspended Solids	10.00 U	mg/L										
HW26	1-Methylnaphthalene	5.00 U	ug/L	97.00	ug/ L								
HW26-P	1-Methylnaphthalene	5.00 U	ug/L	97.00	ug/ L								
HW26	Acenaphthene	5.00 U	ug/L	400.00	ug/L								
HW26-P	Acenaphthene	5.00 U	ug/L	400.00	ug/L								
HW26	Acenaphthylene	5.00 U	ug/L										
HW26-P	Acenaphthylene	5.00 U	ug/L										
HW26	Acetophenone	5.00 U	ug/L	1,500.00	ug/L								
HW26-P	Acetophenone	5.00 U	ug/L	1,500.00	ug/L								
HW26	Anthracene	5.00 U	ug/L	1,300.00	ug/L								
HW26-P	Anthracene	5.00 U	ug/L	1,300.00	ug/L								
HW26	Atrazine	5.00 U	ug/L	26.00	ug/L	3.00	ug/L			3.00	ug/L		
HW26-P	Atrazine	5.00 U	ug/L	26.00	ug/L	3.00	ug/L			3.00	ug/L		
HW26	Benzo(a)anthracene	5.00 U	ug/L	2.90	ug/L								
HW26-P	Benzo(a)anthracene	5.00 U	ug/L	2.90	ug/L								
HW26	Benzo(a)pyrene	5.00 U	ug/L	0.29	ug/L	0.20	ug/L			0.20	ug/L		
HW26-P	Benzo(a)pyrene	5.00 U	ug/L	0.29	ug/L	0.20	ug/L			0.20	ug/L		
HW26	Biphenyl	5.00 U	ug/L										
HW26-P	Biphenyl	5.00 U	ug/L										
HW26	Bromophenyl-4 Phenyl Ether	5.00 U	ug/L										
HW26-P	Bromophenyl-4 Phenyl Ether	5.00 U	ug/L										
HW26	Butylbenzyl phthalate	5.00 U	ug/L	1,400.00	ug/L								
HW26-P	Butylbenzyl phthalate	5.00 U	ug/L	1,400.00	ug/L								

Sample Number	Analyte	Result	Result Units	Trigger Level	Trigger Level Units	EPA Primary MCLs	EPA Primary MCL Units	EPA Secondary MCL	EPA Secondary MCL Units	DEP Primary MCLs	DEP Primary MCL Units	DEP Secondary MCLs	DEP Secondary MCL Units
HW26	Caprolactam	5.00 U	ug/L	7,700.00	ug/L								
HW26-P	Caprolactam	5.00 U	ug/L	7,700.00	ug/L								
HW26	Carbazole	5.00 U	ug/L										
HW26-P	Carbazole	5.00 U	ug/L										
HW26	Chlorobenzenamine-4	5.00 U	ug/L	3.20	ug/L								
HW26-P	Chlorobenzenamine-4	5.00 U	ug/L	3.20	ug/L								
HW26	Chloronaphthalene-2	5.00 U	ug/L	550.00	ug/L								
HW26-P	Chloronaphthalene-2	5.00 U	ug/L	550.00	ug/L								
HW26	Chlorophenol-2	5.00 U	ug/L	71.00	ug/L								
HW26-P	Chlorophenol-2	5.00 U	ug/L	71.00	ug/L								
HW26	Chlorophenyl-4 phenyl ether	5.00 U	ug/L										
HW26-P	Chlorophenyl-4 phenyl ether	5.00 U	ug/L										
HW26	Chrysene	5.00 U	ug/L	290.00	ug/L								
HW26-P	Chrysene	5.00 U	ug/L	290.00	ug/L								
HW26	Cresol, parachloro meta-	5.00 U	ug/L										
HW26-P	Cresol, parachloro meta-	5.00 U	ug/L										
HW26	Cresol-4,6-dinitro-ortho	10.00 U	ug/L										
HW26-P	Cresol-4,6-dinitro-ortho	10.00 U	ug/L										
HW26	Cresol-o	5.00 U	ug/L	720.00	ug/L								
HW26-P	Cresol-o	5.00 U	ug/L	720.00	ug/L								
HW26	Cresol-p	5.00 U	ug/L	72.00	ug/L								
HW26-P	Cresol-p	5.00 U	ug/L	72.00	ug/L								
HW26	Dibenz(a,h)anthracene	5.00 U	ug/L	0.29	ug/L								
HW26-P	Dibenz(a,h)anthracene	5.00 U	ug/L	0.29	ug/L								
HW26	Dibenzofuran	5.00 U	ug/L										
HW26-P	Dibenzofuran	5.00 U	ug/L										
HW26	Dichlorobenzidine-3,3'	5.00 U	ug/L	11.00	ug/L								
HW26-P	Dichlorobenzidine-3,3'	5.00 U	ug/L	11.00	ug/L								
HW26	Dichlorophenol-2,4	5.00 U	ug/L	35.00	ug/L								

Sample Number	Analyte	Result	Result Units	Trigger Level	Trigger Level Units	EPA Primary MCLs	EPA Primary MCL Units	EPA Secondary MCL	EPA Secondary MCL Units	DEP Primary MCLs	DEP Primary MCL Units	DEP Secondary MCLs	DEP Secondary MCL Units
HW26-P	Dichlorophenol-2,4	5.00 U	ug/L	35.00	ug/L								
HW26	Dimethylphenol, 2,4-	5.00 U	ug/L	270.00	ug/L								
HW26-P	Dimethylphenol, 2,4-	5.00 U	ug/L	270.00	ug/L								
HW26	Dinitrophenol-2,4	5.00 U	ug/L	30.00	ug/L								
HW26-P	Dinitrophenol-2,4	5.00 U	ug/L	30.00	ug/L								
HW26	Dinitrotoluene-2,4	5.00 U	ug/L										
HW26-P	Dinitrotoluene-2,4	5.00 U	ug/L										
HW26	Dinitrotoluene-2,6	5.00 U	ug/L										
HW26-P	Dinitrotoluene-2,6	5.00 U	ug/L										
HW26	Ether, bis(2-chloroethyl)	5.00 U	ug/L	1.20	ug/L								
HW26-P	Ether, bis(2-chloroethyl)	5.00 U	ug/L	1.20	ug/L								
HW26	Ether-bis(2-chloroisopropyl)	5.00 U	ug/L										
HW26-P	Ether-bis(2-chloroisopropyl)	5.00 U	ug/L										
HW26	Fluoranthene	5.00 U	ug/L	630.00	ug/L								
HW26-P	Fluoranthene	5.00 U	ug/L	630.00	ug/L								
HW26	Fluoranthene benzo(k)	5.00 U	ug/L	29.00	ug/L								
HW26-P	Fluoranthene benzo(k)	5.00 U	ug/L	29.00	ug/L								
HW26	Fluoranthene-benzo(b)	5.00 U	ug/L	5.60	ug/L								
HW26-P	Fluoranthene-benzo(b)	5.00 U	ug/L	5.60	ug/L								
HW26	Fluorene	5.00 U	ug/L	220.00	ug/L								
HW26-P	Fluorene	5.00 U	ug/L	220.00	ug/L								
HW26	Hexachlorobenzene	5.00 U	ug/L	4.20	ug/L	1.00	ug/L			1.00	ug/L		
HW26-P	Hexachlorobenzene	5.00 U	ug/L	4.20	ug/L	1.00	ug/L			1.00	ug/L		
HW26	Hexachlorobutadiene	5.00 U	ug/L	26.00	ug/L								
HW26	Hexachlorobutadiene	0.50 U	ug/L	26.00	ug/L								
HW26-P	Hexachlorobutadiene	5.00 U	ug/L	26.00	ug/L								
HW26-P	Hexachlorobutadiene	0.50 U	ug/L	26.00	ug/L								
HW26	Hexachlorocyclopentadiene	5.00 U	ug/L	22.00	ug/L	50.00	ug/L			50.00	ug/L		
HW26-P	Hexachlorocyclopentadiene	5.00 U	ug/L	22.00	ug/L	50.00	ug/L			50.00	ug/L		

Sample Number	Analyte	Result	Result Units	Trigger Level	Trigger Level Units	EPA Primary MCLs	EPA Primary MCL Units	EPA Secondary MCL	EPA Secondary MCL Units	DEP Primary MCLs	DEP Primary MCL Units	DEP Secondary MCLs	DEP Secondary MCL Units
HW26	Hexachloroethane	5.00 U	ug/L	5.10	ug/L								
HW26-P	Hexachloroethane	5.00 U	ug/L	5.10	ug/L								
HW26	Isophorone	5.00 U	ug/L	6,700.00	ug/L								
HW26-P	Isophorone	5.00 U	ug/L	6,700.00	ug/L								
HW26	Methane, bis(2-chloroethoxy)	5.00 U	ug/L	47.00	ug/L								
HW26-P	Methane, bis(2-chloroethoxy)	5.00 U	ug/L	47.00	ug/L								
HW26	Methylnaphthalene-2	5.00 U	ug/L	27.00	ug/L								
HW26-P	Methylnaphthalene-2	5.00 U	ug/L	27.00	ug/L								
HW26	Naphthalene	5.00 U	ug/L	14.00	ug/L								
HW26	Naphthalene	0.50 U	ug/L	14.00	ug/L								
HW26-P	Naphthalene	5.00 U	ug/L	14.00	ug/L								
HW26-P	Naphthalene	0.50 U	ug/L	14.00	ug/L								
HW26	Nitroaniline, ortho	5.00 U	ug/L	150.00	ug/L								
HW26-P	Nitroaniline, ortho	5.00 U	ug/L	150.00	ug/L								
HW26	Nitroaniline-3	5.00 U	ug/L										
HW26-P	Nitroaniline-3	5.00 U	ug/L										
HW26	Nitrobenzenamine-4	5.00 U	ug/L	61.00	ug/L								
HW26-P	Nitrobenzenamine-4	5.00 U	ug/L	61.00	ug/L								
HW26	Nitrobenzene	5.00 U	ug/L	12.00	ug/L								
HW26-P	Nitrobenzene	5.00 U	ug/L	12.00	ug/L								
HW26	Nitrophenol-2	5.00 U	ug/L										
HW26-P	Nitrophenol-2	5.00 U	ug/L										
HW26	Nitrophenol-4	10.00 U	ug/L										
HW26-P	Nitrophenol-4	10.00 U	ug/L										
HW26	Nitrosodimethylamine-n	5.00 U	ug/L	0.04	ug/L								
HW26-P	Nitrosodimethylamine-n	5.00 U	ug/L	0.04	ug/L								
HW26	Nitrosodiphenylamine-n	5.00 U	ug/L	1,000.00	ug/L								
HW26-P	Nitrosodiphenylamine-n	5.00 U	ug/L	1,000.00	ug/L								
HW26	Pentachlorophenol	40.00 U	ug/L	17.00	ug/L	1.00	ug/L			1.00	ug/L		

Sample Number	Analyte	Result		Result Units	Trigger Level	Trigger Level Units	EPA Primary MCLs	EPA Primary MCL Units	EPA Secondary MCL	EPA Secondary MCL Units	DEP Primary MCLs	DEP Primary MCL Units	DEP Secondary MCLs	DEP Secondary MCL Units
HW26-P	Pentachlorophenol	40.00	U	ug/L	17.00	ug/L	1.00	ug/L			1.00	ug/L		
HW26	Perylene-benzo(ghi)	5.00	U	ug/L										
HW26-P	Perylene-benzo(ghi)	5.00	U	ug/L										
HW26	Phenanthrene	5.00	U	ug/L										
HW26-P	Phenanthrene	5.00	U	ug/L										
HW26	Phenol	5.00	U	ug/L	4,500.00	ug/L								
HW26-P	Phenol	5.00	U	ug/L	4,500.00	ug/L								
HW26	Phthalate, bis(2-ethylhexyl) (DEHP)	5.00	U	ug/L	7.10	ug/L	6.00	ug/L			6.00	ug/L		
HW26-P	Phthalate, bis(2-ethylhexyl) (DEHP)	5.00	U	ug/L	7.10	ug/L	6.00	ug/L			6.00	ug/L		
HW26	Phthalate, Dimethyl	5.00	U	ug/L	1,400.00	ug/L								
HW26-P	Phthalate, Dimethyl	5.00	U	ug/L	1,400.00	ug/L								
HW26	Phthalate, di-n-butyl-	5.00	U	ug/L	670.00	ug/L								
HW26-P	Phthalate, di-n-butyl-	5.00	U	ug/L	670.00	ug/L								
HW26	Phthalate, di-n-octyl	5.00	U	ug/L										
HW26-P	Phthalate, di-n-octyl	5.00	U	ug/L										
HW26	Phthalate-diethyl	5.00	U	ug/L	11,000.00	ug/L								
HW26-P	Phthalate-diethyl	5.00	U	ug/L	11,000.00	ug/L								
HW26	Propylamine,n-nitroso di-n-	5.00	U	ug/L	0.93	ug/L								
HW26-P	Propylamine,n-nitroso di-n-	5.00	U	ug/L	0.93	ug/L								
HW26	Pyrene	5.00	U	ug/L	87.00	ug/L								
HW26-P	Pyrene	5.00	U	ug/L	87.00	ug/L								
HW26	Pyrene-indeno(1,2,3-cd)	5.00	U	ug/L	3.00	ug/L								
HW26-P	Pyrene-indeno(1,2,3-cd)	5.00	U	ug/L	3.00	ug/L								
HW26	Tetrachlorobenzene, 1,2,4,5-	5.00	U	ug/L	1.20	ug/L								
HW26-P	Tetrachlorobenzene, 1,2,4,5-	5.00	U	ug/L	1.20	ug/L								
HW26	Tetrachlorophenol, 2,3,4,6-	5.00	U	ug/L	170.00	ug/L								
HW26-P	Tetrachlorophenol, 2,3,4,6-	5.00	U	ug/L	170.00	ug/L								
HW26	Trichlorophenol-2,4,5	5.00	U	ug/L	890.00	ug/L								
HW26-P	Trichlorophenol-2,4,5	5.00	U	ug/L	890.00	ug/L								

Sample Number	Analyte	Result	Result Units	Trigger Level	Trigger Level Units	EPA Primary MCLs	EPA Primary MCL Units	EPA Secondary MCL	EPA Secondary MCL Units	DEP Primary MCLs	DEP Primary MCL Units	DEP Secondary MCLs	DEP Secondary MCL Units
HW26	Trichlorophenol-2,4,6	5.00 U	ug/L	9.04	ug/L								
HW26-P	Trichlorophenol-2,4,6	5.00 U	ug/L	9.04	ug/L								
HW26	TPH - Diesel Range Organics	250.00 U	ug/L										
HW26-P	TPH - Diesel Range Organics	250.00 U	ug/L										
HW26	TPH - Oil Range Organics	1,000.00 U	ug/L										
HW26-P	TPH - Oil Range Organics	1,000.00 U	ug/L										
HW26	TPH as Gasoline	50.00 U	ug/L										
HW26-P	TPH as Gasoline	50.00 U	ug/L										
HW26	4-Methyl-2-pentanone	2.00 U	ug/L	1,000.00	ug/L								
HW26-P	4-Methyl-2-pentanone	2.00 U	ug/L	1,000.00	ug/L								
HW26	Acetone	2.00 U	ug/L										
HW26-P	Acetone	1.30	ug/L										
HW26	Benzene	0.50 U	ug/L			5.00	ug/L			5.00	ug/L		
HW26-P	Benzene	0.50 U	ug/L			5.00	ug/L			5.00	ug/L		
HW26	Bromobenzene	0.50 U	ug/L										
HW26-P	Bromobenzene	0.50 U	ug/L										
HW26	Bromoform	1.00 U	ug/L			80.00	ug/L			80.00	ug/L		
HW26-P	Bromoform	1.00 U	ug/L			80.00	ug/L			80.00	ug/L		
HW26	Butylbenzene	0.50 U	ug/L										
HW26-P	Butylbenzene	0.50 U	ug/L										
HW26	Butylbenzene, sec-	0.50 U	ug/L										
HW26-P	Butylbenzene, sec-	0.50 U	ug/L										
HW26	Butylbenzene, tert-	0.50 U	ug/L										
HW26-P	Butylbenzene, tert-	0.50 U	ug/L										
HW26	Carbon disulfide	0.50 U	ug/L										
HW26-P	Carbon disulfide	0.50 U	ug/L										
HW26	Carbon Tetrachloride	0.50 U	ug/L			5.00	ug/L			5.00	ug/L		
HW26-P	Carbon Tetrachloride	0.50 U	ug/L			5.00	ug/L			5.00	ug/L		
HW26	Chlorobenzene	0.50 U	ug/L			100.00	ug/L						

Sample Number	Analyte	Result		Result Units	Trigger Level	Trigger Level Units	EPA Primary MCLs	EPA Primary MCL Units	EPA Secondary MCL	EPA Secondary MCL Units	DEP Primary MCLs	DEP Primary MCL Units	DEP Secondary MCLs	DEP Secondary MCL Units
HW26-P	Chlorobenzene	0.50	U	ug/L			100.00	ug/L						
HW26	Chlorobromomethane	0.50	U	ug/L										
HW26-P	Chlorobromomethane	0.50	U	ug/L										
HW26	Chloroethane	0.50	U	ug/L										
HW26-P	Chloroethane	0.50	U	ug/L										
HW26	Chloroform	0.50	U	ug/L			80.00	ug/L			80.00	ug/L		
HW26-P	Chloroform	0.50	U	ug/L			80.00	ug/L			80.00	ug/L		
HW26	Chlorotoluene	0.50	U	ug/L	180.00	ug/L								
HW26-P	Chlorotoluene	0.50	U	ug/L	180.00	ug/L								
HW26	Chlorotoluene-p	0.50	U	ug/L	190.00	ug/L								
HW26-P	Chlorotoluene-p	0.50	U	ug/L	190.00	ug/L								
HW26	Cyclohexane	0.50	UJ	ug/L										
HW26-P	Cyclohexane	0.50	UJ	ug/L										
HW26	DBCP	2.00	UJ	ug/L	0.03	ug/L	0.20	ug/L			0.20	ug/L		
HW26-P	DBCP	2.00	UJ	ug/L	0.03	ug/L	0.20	ug/L			0.20	ug/L		
HW26	Dibromochloromethane	0.50	U	ug/L			80.00	ug/L			80.00	ug/L		
HW26-P	Dibromochloromethane	0.50	U	ug/L			80.00	ug/L			80.00	ug/L		
HW26	Dibromoethane-1,2	0.50	U	ug/L	0.65	ug/L	0.05	ug/L			0.05	ug/L		
HW26-P	Dibromoethane-1,2	0.50	U	ug/L	0.65	ug/L	0.05	ug/L			0.05	ug/L		
HW26	Dibromomethane	0.50	U	ug/L										
HW26-P	Dibromomethane	0.50	U	ug/L										
HW26	Dichlorobenzene-1,2	0.50	U	ug/L	280.00	ug/L	600.00	ug/L			600.00	ug/L		
HW26-P	Dichlorobenzene-1,2	0.50	U	ug/L	280.00	ug/L	600.00	ug/L			600.00	ug/L		
HW26	Dichlorobenzene-1,3	0.50	U	ug/L										
HW26-P	Dichlorobenzene-1,3	0.50	U	ug/L										
HW26	Dichlorobenzene-1,4	0.50	U	ug/L	42.00	ug/L	75.00	ug/L			75.00	ug/L		
HW26-P	Dichlorobenzene-1,4	0.50	U	ug/L	42.00	ug/L	75.00	ug/L			75.00	ug/L		
HW26	Dichlorobromomethane	0.50	U	ug/L			80.00	ug/L			80.00	ug/L		
HW26-P	Dichlorobromomethane	0.50	U	ug/L			80.00	ug/L			80.00	ug/L		

Sample Number	Analyte	Result	Result Units	Trigger Level	Trigger Level Units	EPA Primary MCLs	EPA Primary MCL Units	EPA Secondary MCL	EPA Secondary MCL Units	DEP Primary MCLs	DEP Primary MCL Units	DEP Secondary MCLs	DEP Secondary MCL Units
HW26	Dichlorodifluoromethane	0.50 U	ug/L										
HW26-P	Dichlorodifluoromethane	0.50 U	ug/L										
HW26	Dichloroethane-1,1	0.50 U	ug/L	240.00	ug/L								
HW26-P	Dichloroethane-1,1	0.50 U	ug/L	240.00	ug/L								
HW26	Dichloroethane-1,2	0.50 U	ug/L	15.00	ugL	5.00	ug/L			5.00	ug/L		
HW26-P	Dichloroethane-1,2	0.50 U	ug/L	15.00	ugL	5.00	ug/L			5.00	ug/L		
HW26	Dichloroethene-1,2 trans	0.50 U	ug/L										
HW26-P	Dichloroethene-1,2 trans	0.50 U	ug/L										
HW26	Dichloroethylene-1,1	0.50 U	ug/L			7.00	ug/L			7.00	ug/L		
HW26-P	Dichloroethylene-1,1	0.50 U	ug/L			7.00	ug/L			7.00	ug/L		
HW26	Dichloroethylene-1,2 cis	0.50 U	ug/L			70.00	ug/L			70.00	ug/L		
HW26-P	Dichloroethylene-1,2 cis	0.50 U	ug/L			70.00	ug/L			70.00	ug/L		
HW26	Dichloropropane, 1,2-	0.50 U	ug/L	38.00	ug/L	5.00	ug/L			5.00	ug/L		
HW26-P	Dichloropropane, 1,2-	0.50 U	ug/L	38.00	ug/L	5.00	ug/L			5.00	ug/L		
HW26	Dichloropropane, 1,3-	0.50 U	ug/L	290.00	ug/L								
HW26-P	Dichloropropane, 1,3-	0.50 U	ug/L	290.00	ug/L								
HW26	Dichloropropane, 2,2-	0.50 U	ug/L										
HW26-P	Dichloropropane, 2,2-	0.50 U	ug/L										
HW26	Dichloropropene, 1,1-	0.50 U	ug/L										
HW26-P	Dichloropropene, 1,1-	0.50 U	ug/L										
HW26	Dichloropropene, 1,3 cis-	0.50 U	ug/L										
HW26-P	Dichloropropene, 1,3 cis-	0.50 U	ug/L										
HW26	Dichloropropene, 1,3 trans-	0.50 U	ug/L										
HW26-P	Dichloropropene, 1,3 trans-	0.50 U	ug/L										
HW26	Ethylbenzene	0.50 U	ug/L			700.00	ug/L			700.00	ug/L		
HW26-P	Ethylbenzene	0.50 U	ug/L			700.00	ug/L			700.00	ug/L		
HW26	Freon 113	0.50 UJ	ug/L										
HW26-P	Freon 113	0.50 UJ	ug/L										
HW26	Hexanone, 2-	2.00 U	ug/L	34.00	ug/L								

Sample Number	Analyte	Result		Result Units	Trigger Level	Trigger Level Units	EPA Primary MCLs	EPA Primary MCL Units	EPA Secondary MCL	EPA Secondary MCL Units	DEP Primary MCLs	DEP Primary MCL Units	DEP Secondary MCLs	DEP Secondary MCL Units
HW26-P	Hexanone, 2-	2.00	U	ug/L	34.00	ug/L								
HW26	Isopropylbenzene	0.50	U	ug/L										
HW26-P	Isopropylbenzene	0.50	U	ug/L										
HW26	Isopropylbenzene-4,methyl-1	0.50	U	ug/L										
HW26-P	Isopropylbenzene-4,methyl-1	0.50	U	ug/L										
HW26	m,p-Xylene	1.00	U	ug/L			10,000.00	ug/L			10,000.00	ug/L		
HW26-P	m,p-Xylene	1.00	U	ug/L			10,000.00	ug/L			10,000.00	ug/L		
HW26	Methyl acetate	1.00	UJ	ug/L										
HW26-P	Methyl acetate	1.00	UJ	ug/L										
HW26	Methyl bromide	0.50	U	ug/L										
HW26-P	Methyl bromide	0.50	U	ug/L										
HW26	Methyl chloride	0.50	U	ug/L										
HW26-P	Methyl chloride	0.50	U	ug/L										
HW26	Methyl cyclohexane	0.50	UJ	ug/L										
HW26-P	Methyl cyclohexane	0.50	UJ	ug/L										
HW26	Methyl ethyl ketone	2.00	U	ug/L	4,900.00	ug/L								
HW26-P	Methyl ethyl ketone	2.00	U	ug/L	4,900.00	ug/L								
HW26	Methyl tertiary butyl ether (MTBE)	0.50	UJ	ug/L										
HW26-P	Methyl tertiary butyl ether (MTBE)	0.50	UJ	ug/L										
HW26	Methylene chloride	0.50	U	ug/L			5.00	ug/L			5.00	ug/L		
HW26-P	Methylene chloride	0.50	U	ug/L			5.00	ug/L			5.00	ug/L		
HW26	Propylbenzene-n	0.50	U	ug/L										
HW26-P	Propylbenzene-n	0.50	U	ug/L										
HW26	Styrene	1.00	U	ug/L			100.00	ug/L			100.00	ug/L		
HW26-P	Styrene	1.00	U	ug/L			100.00	ug/L			100.00	ug/L		
HW26	Tetrachloroethane, 1,1,1,2-	0.50	U	ug/L	50.00	ug/L								
HW26-P	Tetrachloroethane, 1,1,1,2-	0.50	U	ug/L	50.00	ug/L								
HW26	Tetrachloroethane, 1,1,2,2-	0.50	U	ug/L	6.60	ug/L								
HW26-P	Tetrachloroethane, 1,1,2,2-	0.50	U	ug/L	6.60	ug/L								

Sample Number	Analyte	Result	Result Units	Trigger Level	Trigger Level Units	EPA Primary MCLs	EPA Primary MCL Units	EPA Secondary MCL	EPA Secondary MCL Units	DEP Primary MCLs	DEP Primary MCL Units	DEP Secondary MCLs	DEP Secondary MCL Units
HW26	Tetrachloroethylene	0.50 U	ug/L			5.00	ug/L			5.00	ug/L		
HW26-P	Tetrachloroethylene	0.50 U	ug/L			5.00	ug/L			5.00	ug/L		
HW26	Toluene	0.50 U	ug/L			1,000.00	ug/L			1,000.00	ug/L		
HW26-P	Toluene	0.50 U	ug/L			1,000.00	ug/L			1,000.00	ug/L		
HW26	Trichlorobenzene-1,2,3	0.50 U	ug/L	5.20	ug/L								
HW26-P	Trichlorobenzene-1,2,3	0.50 U	ug/L	5.20	ug/L								
HW26	Trichlorobenzene-1,2,4	0.50 U	ug/L	5.20	ug/L	70.00	ug/L			70.00	ug/L		
HW26-P	Trichlorobenzene-1,2,4	0.50 U	ug/L	5.20	ug/L	70.00	ug/L			70.00	ug/L		
HW26	Trichloroethane-1,1,1	0.50 U	ug/L	7,500.00	ug/L	200.00	ug/L			200.00	ug/L		
HW26-P	Trichloroethane-1,1,1	0.50 U	ug/L	7,500.00	ug/L	200.00	ug/L			200.00	ug/L		
HW26	Trichloroethane-1,1,2	0.50 U	ug/L	0.41	ug/L	5.00	ug/L			5.00	ug/L		
HW26-P	Trichloroethane-1,1,2	0.50 U	ug/L	0.41	ug/L	5.00	ug/L			5.00	ug/L		
HW26	Trichloroethylene	0.50 U	ug/L			5.00	ug/L			5.00	ug/L		
HW26-P	Trichloroethylene	0.50 U	ug/L			5.00	ug/L			5.00	ug/L		
HW26	Trichlorofluoromethane	0.50 U	ug/L										
HW26-P	Trichlorofluoromethane	0.50 U	ug/L										
HW26	Trichloropropane-1,2,3	0.50 U	ug/L	0.07	ug/L								
HW26-P	Trichloropropane-1,2,3	0.50 U	ug/L	0.07	ug/L								
HW26	Trimethylbenzene-1,2,4	0.50 U	ug/L	15.00	ug/L								
HW26-P	Trimethylbenzene-1,2,4	0.50 U	ug/L	15.00	ug/L								
HW26	Trimethylbenzene-1,3,5	0.50 U	ug/L	87.00	ug/L								
HW26-P	Trimethylbenzene-1,3,5	0.50 U	ug/L	87.00	ug/L								
HW26	Vinyl acetate	0.50 U	ug/L										
HW26-P	Vinyl acetate	0.50 U	ug/L										
HW26	Vinyl chloride	0.50 U	ug/L			2.00	ug/L			2.00	ug/L		
HW26-P	Vinyl chloride	0.50 U	ug/L			2.00	ug/L			2.00	ug/L		
HW26	Xylene-o	1.00 U	ug/L			10,000.00	ug/L			10,000.00	ug/L		
HW26-P	Xylene-o	1.00 U	ug/L			10,000.00	ug/L			10,000.00	ug/L		
HW26	Nitrogen, Nitrite + Nitrate	0.05 U	mg/L			10.00	mg/L			10.00	mg/L		

Sample Number	Analyte	Result		Result Units	Trigger Level	Trigger Level Units	EPA Primary MCLs	EPA Primary MCL Units	EPA Secondary MCL	EPA Secondary MCL Units	DEP Primary MCLs	DEP Primary MCL Units	DEP Secondary MCLs	DEP Secondary MCL Units
HW26-P	Nitrogen, Nitrite + Nitrate	0.05	U	mg/L			10.00	mg/L			10.00	mg/L		
HW26	Total Nitrogen	1.00	U	mg/L										
HW26-P	Total Nitrogen	1.00	U	mg/L										
HW26	Total Phosphorus as P	0.05	U	mg/L										
HW26-P	Total Phosphorus as P	0.05	U	mg/L										