Dimock Week 1, 2, 3, 4 & 5 (see end of report for report key)				
Sample #	**Analyte**	**Sample Date**	**Result with Qualifier**	**EPA Primary MCL**
HW01	Ethane	25-Jan-12	350 ug/L	
HW01	Methane	25-Jan-12	12000 ug/L	
HW01	Chloride	25-Jan-12	4.36 mg/L	
HW01	Sulfate	25-Jan-12	5.49 mg/L	
HW01	Barium	25-Jan-12	304 ug/L	2000 ug/L
HW01-F	Barium	25-Jan-12	316 ug/L	2000 ug/L
HW01	Calcium	25-Jan-12	7890 ug/L	
HW01-F	Calcium	25-Jan-12	8210 ug/L	
HW01	Magnesium	25-Jan-12	3640 ug/L	
HW01-F	Magnesium	25-Jan-12	3760 ug/L	
HW01	Manganese	25-Jan-12	2.2 ug/L	
HW01-F	Manganese	25-Jan-12	1.9 ug/L	
HW01	Sodium	25-Jan-12	18100 ug/L	
HW01-F	Sodium	25-Jan-12	19100 ug/L	
HW01	Strontium	25-Jan-12	655 ug/L	
HW01-F	Strontium	25-Jan-12	694 ug/L	
HW01	Total Dissolved Solids	25-Jan-12	16 J mg/L	
HW01	Caprolactam	25-Jan-12	1.32 J ug/L	
HW01	Phthalate-diethyl	25-Jan-12	0.029 J ug/L	
HW01	Methyl acetate	25-Jan-12	0.3 J ug/L	
HW02	Total Coliform Bacteria	25-Jan-12	82 cfu/100mL	
HW02	Ethane	25-Jan-12	500 ug/L	
HW02z	Ethane	25-Jan-12	570 ug/L	
HW02	Methane	25-Jan-12	18000 ug/L	
HW02z	Methane	25-Jan-12	13000 ug/L	
HW02	Chloride	25-Jan-12	3.93 mg/L	
HW02z	Chloride	25-Jan-12	3.99 mg/L	
HW02	Sulfate	25-Jan-12	8.85 mg/L	
HW02z	Sulfate	25-Jan-12	9.02 mg/L	
HW02	Arsenic	25-Jan-12	4 ug/L	10 ug/L
HW02-F	Arsenic	25-Jan-12	2.6 ug/L	10 ug/L
HW02z	Arsenic	25-Jan-12	3.2 ug/L	10 ug/L
HW02z-F	Arsenic	25-Jan-12	2.3 ug/L	10 ug/L
HW02	Barium	25-Jan-12	267 ug/L	2000 ug/L
HW02-F	Barium	25-Jan-12	257 ug/L	2000 ug/L
HW02z	Barium	25-Jan-12	275 ug/L	2000 ug/L
HW02z-F	Barium	25-Jan-12	263 ug/L	2000 ug/L
HW02z-F	Boron	25-Jan-12	58.8 ug/L	
HW02	Calcium	25-Jan-12	30900 ug/L	
HW02-F	Calcium	25-Jan-12	31400 ug/L	
HW02z	Calcium	25-Jan-12	31700 ug/L	
HW02z-F	Calcium	25-Jan-12	32100 ug/L	
HW02	Copper	25-Jan-12	3.5 ug/L	1000 ug/L***

Dimock Week 1, 2, 3, 4 & 5 (see end of report for report key)				
Sample #	**Analyte**	**Sample Date**	**Result with Qualifier**	**EPA Primary MCL**
HW02z	Copper	25-Jan-12	2.5 ug/L	1000 ug/L***
HW02	Iron	25-Jan-12	1580 ug/L	
HW02-F	Iron	25-Jan-12	140 ug/L	
HW02z	Iron	25-Jan-12	1620 ug/L	
HW02z-F	Iron	25-Jan-12	122 ug/L	
HW02	Lead	25-Jan-12	1.9 ug/L	5 ug/L***
HW02z	Lead	25-Jan-12	1.2 ug/L	5 ug/L***
HW02	Magnesium	25-Jan-12	5560 ug/L	
HW02-F	Magnesium	25-Jan-12	5610 ug/L	
HW02z	Magnesium	25-Jan-12	5730 ug/L	
HW02z-F	Magnesium	25-Jan-12	5750 ug/L	
HW02	Manganese	25-Jan-12	112 ug/L	
HW02-F	Manganese	25-Jan-12	105 ug/L	
HW02z	Manganese	25-Jan-12	78.7 J ug/L	
HW02z-F	Manganese	25-Jan-12	102 ug/L	
HW02	Nickel	25-Jan-12	1.2 ug/L	
HW02-F	Nickel	25-Jan-12	1.1 ug/L	
HW02z-F	Nickel	25-Jan-12	1.1 ug/L	
HW02	Sodium	25-Jan-12	15700 ug/L	
HW02-F	Sodium	25-Jan-12	16000 ug/L	
HW02z	Sodium	25-Jan-12	15900 ug/L	
HW02z-F	Sodium	25-Jan-12	16200 ug/L	
HW02	Strontium	25-Jan-12	658 ug/L	
HW02-F	Strontium	25-Jan-12	669 ug/L	
HW02z	Strontium	25-Jan-12	661 ug/L	
HW02z-F	Strontium	25-Jan-12	677 ug/L	
HW02	Uranium	25-Jan-12	4 ug/L	30 ug/L
HW02-F	Uranium	25-Jan-12	3.9 ug/L	30 ug/L
HW02z	Uranium	25-Jan-12	2.7 ug/L	30 ug/L
HW02z-F	Uranium	25-Jan-12	3.8 ug/L	30 ug/L
HW02	Total Dissolved Solids	25-Jan-12	95 J mg/L	
HW02z	Total Dissolved Solids	25-Jan-12	85 J mg/L	
HW02z	Acenaphthylene	25-Jan-12	0.013 J ug/L	
HW02	Anthracene	25-Jan-12	0.181 J ug/L	
HW02z	Anthracene	25-Jan-12	0.231 J ug/L	
HW02	Benzo(a)pyrene	25-Jan-12	0.16 J ug/L	0.2 ug/L
HW02z	Benzo(a)pyrene	25-Jan-12	0.196 J ug/L	0.2 ug/L
HW02	Bromophenyl-4 Phenyl Ether	25-Jan-12	0.133 J ug/L	
HW02z	Bromophenyl-4 Phenyl Ether	25-Jan-12	0.179 J ug/L	
HW02	Butylbenzyl phthalate	25-Jan-12	0.246 J ug/L	
HW02z	Butylbenzyl phthalate	25-Jan-12	0.351 J ug/L	
HW02	Carbazole	25-Jan-12	0.095 J ug/L	
HW02z	Carbazole	25-Jan-12	0.287 J ug/L	
HW02	Chlorophenyl-4 phenyl ether	25-Jan-12	0.078 J ug/L	

Dimock Week 1, 2, 3, 4 & 5 (see end of report for report key)				
Sample #	Analyte	Sample Date	Result with Qualifier	EPA Primary MCL
HW02z	Chlorophenyl-4 phenyl ether	25-Jan-12	0.096 J ug/L	
HW02	Dibenzofuran	25-Jan-12	0.031 J ug/L	
HW02z	Dibenzofuran	25-Jan-12	0.038 J ug/L	
HW02z	Dinitrotoluene-2,4	25-Jan-12	0.13 J ug/L	
HW02	Fluoranthene	25-Jan-12	0.198 J ug/L	
HW02z	Fluoranthene	25-Jan-12	0.268 J ug/L	
HW02	Fluoranthene benzo(k)	25-Jan-12	0.283 J ug/L	
HW02z	Fluoranthene benzo(k)	25-Jan-12	0.317 J ug/L	
HW02	Fluoranthene-benzo(b)	25-Jan-12	0.125 J ug/L	
HW02z	Fluoranthene-benzo(b)	25-Jan-12	0.15 J ug/L	
HW02	Fluorene	25-Jan-12	0.077 J ug/L	
HW02z	Fluorene	25-Jan-12	0.098 J ug/L	
HW02	Hexachlorobenzene	25-Jan-12	0.2 J ug/L	1 ug/L
HW02z	Hexachlorobenzene	25-Jan-12	0.217 J ug/L	1 ug/L
HW02z	Nitroaniline, ortho	25-Jan-12	0.074 J ug/L	
HW02z	Nitroaniline-3	25-Jan-12	0.119 J ug/L	
HW02z	Nitrobenzenamine-4	25-Jan-12	0.166 J ug/L	
HW02z	Nitrophenol-4	25-Jan-12	0.136 J ug/L	
HW02	Nitrosodiphenylamine-n	25-Jan-12	0.034 J ug/L	
HW02z	Nitrosodiphenylamine-n	25-Jan-12	0.171 J ug/L	
HW02z	Perylene-benzo(ghi)	25-Jan-12	0.211 J ug/L	
HW02z	Phenanthrene	25-Jan-12	0.234 J ug/L	
HW02z	Phthalate, Dimethyl	25-Jan-12	0.149 J ug/L	
HW02	Phthalate, di-n-octyl	25-Jan-12	0.193 J ug/L	
HW02z	Phthalate, di-n-octyl	25-Jan-12	0.281 J ug/L	
HW02	Phthalate-diethyl	25-Jan-12	0.02 J ug/L	
HW02z	Phthalate-diethyl	25-Jan-12	0.257 J ug/L	
HW02	Pyrene	25-Jan-12	0.183 J ug/L	
HW02z	Pyrene	25-Jan-12	0.257 J ug/L	
HW02z	Pyrene-indeno(1,2,3-cd)	25-Jan-12	0.205 J ug/L	
HW03	Ethane	14-Feb-12	430 ug/L	
HW03z	Ethane	14-Feb-12	930 ug/L	
HW03	Methane	14-Feb-12	15000 ug/L	
HW03z	Methane	14-Feb-12	28000 ug/L	
HW03	Chloride	14-Feb-12	5.36 mg/L	
HW03z	Chloride	14-Feb-12	5.36 mg/L	
HW03	Sulfate	14-Feb-12	4.82 mg/L	
HW03z	Sulfate	14-Feb-12	4.8 mg/L	
HW03	Barium	14-Feb-12	821 ug/L	2000 ug/L
HW03-F	Barium	14-Feb-12	825 ug/L	2000 ug/L
HW03z	Barium	14-Feb-12	823 ug/L	2000 ug/L
HW03z-F	Barium	14-Feb-12	832 ug/L	2000 ug/L
HW03	Calcium	14-Feb-12	29000 ug/L	
HW03-F	Calcium	14-Feb-12	29200 ug/L	
HW03z	Calcium	14-Feb-12	29200 ug/L	

Dimock Week 1, 2, 3, 4 & 5 (see end of report for report key)				
Sample #	**Analyte**	**Sample Date**	**Result with Qualifier**	**EPA Primary MCL**
HW03z-F	Calcium	14-Feb-12	29700 ug/L	
HW03	Copper	14-Feb-12	5.5 ug/L	1000 ug/L***
HW03	Iron	14-Feb-12	711 ug/L	
HW03z	Iron	14-Feb-12	708 ug/L	
HW03	Magnesium	14-Feb-12	8070 ug/L	
HW03-F	Magnesium	14-Feb-12	8140 ug/L	
HW03z	Magnesium	14-Feb-12	8100 ug/L	
HW03z-F	Magnesium	14-Feb-12	8160 ug/L	
HW03	Manganese	14-Feb-12	72 ug/L	
HW03-F	Manganese	14-Feb-12	72.3 ug/L	
HW03z	Manganese	14-Feb-12	72.6 ug/L	
HW03z-F	Manganese	14-Feb-12	69.6 ug/L	
HW03	Nickel	14-Feb-12	1.8 J ug/L	
HW03-F	Nickel	14-Feb-12	1.2 ug/L	
HW03z	Nickel	14-Feb-12	1.3 ug/L	
HW03z-F	Nickel	14-Feb-12	1.1 ug/L	
HW03	Sodium	14-Feb-12	14500 ug/L	
HW03-F	Sodium	14-Feb-12	14700 ug/L	
HW03z	Sodium	14-Feb-12	14700 ug/L	
HW03z-F	Sodium	14-Feb-12	15000 ug/L	
HW03	Strontium	14-Feb-12	936 ug/L	
HW03-F	Strontium	14-Feb-12	945 ug/L	
HW03z	Strontium	14-Feb-12	945 ug/L	
HW03z-F	Strontium	14-Feb-12	961 ug/L	
HW03	Zinc	14-Feb-12	46.1 ug/L	
HW03z	Zinc	14-Feb-12	38.8 ug/L	
HW03	Total Dissolved Solids	14-Feb-12	158 mg/L	
HW03z	Total Dissolved Solids	14-Feb-12	136 mg/L	
HW03z	Caprolactam	14-Feb-12	0.438 J ug/L	
HW03	Carbon disulfide	14-Feb-12	0.08 J ug/L	
HW03z	Carbon disulfide	14-Feb-12	0.09 J ug/L	
HW03z	Methyl ethyl ketone	14-Feb-12	0.8 J ug/L	
HW04	Ethane	24-Jan-12	25 ug/L	
HW04	Methane	24-Jan-12	1700 ug/L	
HW04	Chloride	24-Jan-12	12.5 mg/L	
HW04	Sulfate	24-Jan-12	17.1 mg/L	
HW04	Barium	24-Jan-12	231 ug/L	2000 ug/L
HW04-F	Barium	24-Jan-12	215 ug/L	2000 ug/L
HW04	Calcium	24-Jan-12	32300 ug/L	
HW04-F	Calcium	24-Jan-12	31700 ug/L	
HW04	Copper	24-Jan-12	5.2 ug/L	1000 ug/L***
HW04-F	Copper	24-Jan-12	2.2 ug/L	1000 ug/L***

Dimock Week 1, 2, 3, 4 & 5 (see end of report for report key)				
Sample #	**Analyte**	**Sample Date**	**Result with Qualifier**	**EPA Primary MCL**
HW04	Iron	24-Jan-12	106 ug/L	
HW04	Lead	24-Jan-12	1.4 ug/L	5 ug/L***
HW04	Magnesium	24-Jan-12	6650 ug/L	
HW04-F	Magnesium	24-Jan-12	6470 ug/L	
HW04	Manganese	24-Jan-12	16.9 ug/L	
HW04-F	Manganese	24-Jan-12	14.9 ug/L	
HW04	Nickel	24-Jan-12	1.5 ug/L	
HW04-F	Nickel	24-Jan-12	1.4 ug/L	
HW04	Sodium	24-Jan-12	17300 ug/L	
HW04-F	Sodium	24-Jan-12	17100 ug/L	
HW04	Strontium	24-Jan-12	273 ug/L	
HW04-F	Strontium	24-Jan-12	271 ug/L	
HW04	Uranium	24-Jan-12	1.2 ug/L	30 ug/L
HW04-F	Uranium	24-Jan-12	1.1 ug/L	30 ug/L
HW04	Zinc	24-Jan-12	99 ug/L	
HW04-F	Zinc	24-Jan-12	94.5 ug/L	
HW04	Total Dissolved Solids	24-Jan-12	158 mg/L	
HW04	Benzo(a)pyrene	24-Jan-12	0.049 J ug/L	0.2 ug/L
HW04	Nitrogen, Nitrite + Nitrate	24-Jan-12	0.638 mg/L	10 mg/L
HW05	Ethane	26-Jan-12	11 ug/L	
HW05	Methane	26-Jan-12	2000 ug/L	
HW05	Chloride	26-Jan-12	7.47 mg/L	
HW05	Sulfate	26-Jan-12	10.2 mg/L	
HW05	Barium	26-Jan-12	254 ug/L	2000 ug/L
HW05-F	Barium	26-Jan-12	244 ug/L	2000 ug/L
HW05	Calcium	26-Jan-12	35300 ug/L	
HW05-F	Calcium	26-Jan-12	34400 ug/L	
HW05	Copper	26-Jan-12	2.5 ug/L	1000 ug/L***
HW05	Iron	26-Jan-12	620 ug/L	
HW05	Magnesium	26-Jan-12	6820 ug/L	
HW05-F	Magnesium	26-Jan-12	6590 ug/L	
HW05	Manganese	26-Jan-12	31.6 ug/L	
HW05-F	Manganese	26-Jan-12	24.1 ug/L	
HW05	Nickel	26-Jan-12	1.2 ug/L	
HW05-F	Nickel	26-Jan-12	1.2 ug/L	
HW05	Sodium	26-Jan-12	13200 ug/L	
HW05-F	Sodium	26-Jan-12	13000 ug/L	
HW05	Strontium	26-Jan-12	720 ug/L	
HW05-F	Strontium	26-Jan-12	711 ug/L	
HW05	Uranium	26-Jan-12	4.5 ug/L	30 ug/L
HW05-F	Uranium	26-Jan-12	4.5 ug/L	30 ug/L
HW05	Zinc	26-Jan-12	5.5 ug/L	
HW05-F	Zinc	26-Jan-12	3.4 ug/L	
HW05	Total Dissolved Solids	26-Jan-12	25 J mg/L	

Dimock Week 1, 2, 3, 4 & 5 (see end of report for report key)				
Sample #	**Analyte**	**Sample Date**	**Result with Qualifier**	**EPA Primary MCL**
HW05	Nitrogen, Nitrite + Nitrate	26-Jan-12	0.699 mg/L	10 mg/L
HW06	Ethane	26-Jan-12	820 ug/L	
HW06	Methane	26-Jan-12	23000 ug/L	
HW06	Chloride	26-Jan-12	3.42 mg/L	
HW06	Fluoride	26-Jan-12	0.625 mg/L	2 mg/L
HW06	Sulfate	26-Jan-12	9.24 mg/L	
HW06	Aluminum	26-Jan-12	2020 ug/L	
HW06	Arsenic	26-Jan-12	7.6 ug/L	10 ug/L
HW06-F	Arsenic	26-Jan-12	6.3 ug/L	10 ug/L
HW06	Barium	26-Jan-12	164 ug/L	2000 ug/L
HW06-F	Barium	26-Jan-12	92.4 ug/L	2000 ug/L
HW06	Boron	26-Jan-12	325 ug/L	
HW06-F	Boron	26-Jan-12	321 ug/L	
HW06	Calcium	26-Jan-12	2570 ug/L	
HW06-F	Calcium	26-Jan-12	2370 ug/L	
HW06	Chromium	26-Jan-12	10.8 ug/L	100 ug/L
HW06	Cobalt	26-Jan-12	1.3 ug/L	
HW06	Copper	26-Jan-12	7.2 ug/L	1000 ug/L***
HW06	Iron	26-Jan-12	2970 ug/L	
HW06	Lead	26-Jan-12	1.8 ug/L	5 ug/L***
HW06	Lithium	26-Jan-12	236 ug/L	
HW06-F	Lithium	26-Jan-12	228 ug/L	
HW06	Magnesium	26-Jan-12	799 ug/L	
HW06	Manganese	26-Jan-12	65.3 ug/L	
HW06-F	Manganese	26-Jan-12	8.9 ug/L	
HW06	Nickel	26-Jan-12	6.8 ug/L	
HW06	Potassium	26-Jan-12	2110 ug/L	
HW06	Sodium	26-Jan-12	83700 ug/L	
HW06-F	Sodium	26-Jan-12	83300 ug/L	
HW06	Strontium	26-Jan-12	229 ug/L	
HW06-F	Strontium	26-Jan-12	212 ug/L	
HW06	Uranium	26-Jan-12	2.1 ug/L	30 ug/L
HW06-F	Uranium	26-Jan-12	1.9 ug/L	30 ug/L
HW06	Zinc	26-Jan-12	33.7 ug/L	
HW06-F	Zinc	26-Jan-12	15.5 ug/L	
HW06	Total Dissolved Solids	26-Jan-12	112 J mg/L	
HW06	Total Suspended Solids	26-Jan-12	44 mg/L	
HW06	Butylbenzyl phthalate	26-Jan-12	0.086 J ug/L	
HW06	Caprolactam	26-Jan-12	0.191 J ug/L	
HW06	Fluoranthene	26-Jan-12	0.032 J ug/L	
HW06	Fluorene	26-Jan-12	0.013 J ug/L	
HW06	Pyrene	26-Jan-12	0.035 J ug/L	
HW06	Total Phosphorus as P	26-Jan-12	0.098 mg/L	
HW07	Methane	15-Feb-12	57 ug/L	

Dimock Week 1, 2, 3, 4 & 5 (see end of report for report key)				
Sample #	**Analyte**	**Sample Date**	**Result with Qualifier**	**EPA Primary MCL**
HW07	Chloride	15-Feb-12	23.6 mg/L	
HW07	Sulfate	15-Feb-12	10.4 mg/L	
HW07	Barium	15-Feb-12	137 ug/L	2000 ug/L
HW07-F	Barium	15-Feb-12	127 ug/L	2000 ug/L
HW07	Calcium	15-Feb-12	36500 ug/L	
HW07-F	Calcium	15-Feb-12	36200 ug/L	
HW07	Copper	15-Feb-12	7.5 ug/L	1000 ug/L***
HW07	Lead	15-Feb-12	3.2 ug/L	5 ug/L***
HW07	Magnesium	15-Feb-12	7590 ug/L	
HW07-F	Magnesium	15-Feb-12	7640 ug/L	
HW07	Manganese	15-Feb-12	148 ug/L	
HW07-F	Manganese	15-Feb-12	45.6 ug/L	
HW07	Nickel	15-Feb-12	3.1 ug/L	
HW07-F	Nickel	15-Feb-12	2.9 ug/L	
HW07	Sodium	15-Feb-12	9230 ug/L	
HW07-F	Sodium	15-Feb-12	9270 ug/L	
HW07	Uranium	15-Feb-12	2.1 ug/L	30 ug/L
HW07-F	Uranium	15-Feb-12	1.9 ug/L	30 ug/L
HW07	Zinc	15-Feb-12	19.2 ug/L	
HW07-F	Zinc	15-Feb-12	13.6 ug/L	
HW07	Total Dissolved Solids	15-Feb-12	141 mg/L	
HW07	Nitrogen, Nitrite + Nitrate	15-Feb-12	0.874 mg/L	10 mg/L
HW07	Total Nitrogen	15-Feb-12	1.31 mg/L	
HW08a	Total Coliform Bacteria	25-Jan-12	54 cfu/100mL	
HW08a	Ethane	25-Jan-12	350 ug/L	
HW08a	Methane	25-Jan-12	9200 ug/L	
HW08a	Chloride	25-Jan-12	4.29 mg/L	
HW08a	Sulfate	25-Jan-12	10.4 mg/L	
HW08a	Aluminum	25-Jan-12	37.5 ug/L	
HW08a	Barium	25-Jan-12	36 ug/L	2000 ug/L
HW08a-F	Barium	25-Jan-12	37.9 ug/L	2000 ug/L
HW08a	Calcium	25-Jan-12	14400 ug/L	
HW08a-F	Calcium	25-Jan-12	14200 ug/L	
HW08a	Copper	25-Jan-12	11.3 ug/L	1000 ug/L***
HW08a-F	Copper	25-Jan-12	9 ug/L	1000 ug/L***
HW08a	Lead	25-Jan-12	2.8 ug/L	5 ug/L***
HW08a-F	Lead	25-Jan-12	1.2 ug/L	5 ug/L***
HW08a	Magnesium	25-Jan-12	2790 ug/L	
HW08a-F	Magnesium	25-Jan-12	2760 ug/L	
HW08a	Manganese	25-Jan-12	64.3 ug/L	
HW08a-F	Manganese	25-Jan-12	64 ug/L	
HW08a-F	Nickel	25-Jan-12	1 ug/L	

Dimock Week 1, 2, 3, 4 & 5 (see end of report for report key)				
Sample #	**Analyte**	**Sample Date**	**Result with Qualifier**	**EPA Primary MCL**
HW08a	Sodium	25-Jan-12	2670 ug/L	
HW08a-F	Sodium	25-Jan-12	2660 ug/L	
HW08a	Zinc	25-Jan-12	8.6 ug/L	
HW08a-F	Zinc	25-Jan-12	8.2 ug/L	
HW08a	Total Dissolved Solids	25-Jan-12	62 J mg/L	
HW08a	Anthracene	25-Jan-12	0.056 J ug/L	
HW08a	Butylbenzyl phthalate	25-Jan-12	0.105 J ug/L	
HW08a	Chlorophenyl-4 phenyl ether	25-Jan-12	0.029 J ug/L	
HW08a	Hexachlorobenzene	25-Jan-12	0.066 J ug/L	1 ug/L
HW08a	Phthalate, di-n-octyl	25-Jan-12	0.075 J ug/L	
HW08a	Pyrene	25-Jan-12	0.059 J ug/L	
HW08a	Acetone	25-Jan-12	0.8 J ug/L	
HW08a	Nitrogen, Nitrite + Nitrate	25-Jan-12	0.185 mg/L	10 mg/L
HW09	Methane	03-Feb-12	4.3 J ug/L	
HW09	Chloride	03-Feb-12	13.7 mg/L	
HW09-P	Chloride	03-Feb-12	13.8 mg/L	
HW09	Sulfate	03-Feb-12	18.7 mg/L	
HW09-P	Sulfate	03-Feb-12	18.7 mg/L	
HW09-F	Arsenic	03-Feb-12	1 ug/L	10 ug/L
HW09-PF	Arsenic	03-Feb-12	1 ug/L	10 ug/L
HW09	Barium	03-Feb-12	93.8 ug/L	2000 ug/L
HW09-F	Barium	03-Feb-12	94.7 ug/L	2000 ug/L
HW09-P	Barium	03-Feb-12	106 ug/L	2000 ug/L
HW09-PF	Barium	03-Feb-12	104 ug/L	2000 ug/L
HW09	Calcium	03-Feb-12	23000 ug/L	
HW09-F	Calcium	03-Feb-12	23400 ug/L	
HW09-P	Calcium	03-Feb-12	23600 ug/L	
HW09-PF	Calcium	03-Feb-12	23400 ug/L	
HW09	Copper	03-Feb-12	37.5 ug/L	1000 ug/L***
HW09-F	Copper	03-Feb-12	19.5 ug/L	1000 ug/L***
HW09-P	Copper	03-Feb-12	30.8 ug/L	1000 ug/L***
HW09-PF	Copper	03-Feb-12	29.6 ug/L	1000 ug/L***
HW09	Lead	03-Feb-12	1.6 ug/L	5 ug/L***
HW09	Magnesium	03-Feb-12	3900 ug/L	
HW09-F	Magnesium	03-Feb-12	3980 ug/L	
HW09-P	Magnesium	03-Feb-12	4000 ug/L	
HW09-PF	Magnesium	03-Feb-12	3990 ug/L	
HW09	Manganese	03-Feb-12	1.3 ug/L	
HW09	Nickel	03-Feb-12	1.1 ug/L	
HW09-F	Nickel	03-Feb-12	1.2 ug/L	
HW09-P	Nickel	03-Feb-12	1.4 ug/L	

Dimock Week 1, 2, 3, 4 & 5 (see end of report for report key)				
Sample #	**Analyte**	**Sample Date**	**Result with Qualifier**	**EPA Primary MCL**
HW09-PF	Nickel	03-Feb-12	1.3 ug/L	
HW09	Sodium	03-Feb-12	8110 ug/L	
HW09-F	Sodium	03-Feb-12	8270 ug/L	
HW09-P	Sodium	03-Feb-12	8480 ug/L	
HW09-PF	Sodium	03-Feb-12	8430 ug/L	
HW09	Zinc	03-Feb-12	15.9 ug/L	
HW09-F	Zinc	03-Feb-12	8.7 ug/L	
HW09-P	Zinc	03-Feb-12	16.1 ug/L	
HW09-PF	Zinc	03-Feb-12	20.6 ug/L	
HW09	Total Dissolved Solids	03-Feb-12	106 mg/L	
HW09-P	Total Dissolved Solids	03-Feb-12	110 mg/L	
HW09-P	Acetone	03-Feb-12	3.1 J ug/L	
HW09	Nitrogen, Nitrite + Nitrate	03-Feb-12	2.39 J mg/L	10 mg/L
HW09-P	Nitrogen, Nitrite + Nitrate	03-Feb-12	2.41 mg/L	10 mg/L
HW09	Total Nitrogen	03-Feb-12	2.63 mg/L	
HW09-P	Total Nitrogen	03-Feb-12	2.59 mg/L	
HW11	Ethane	13-Feb-12	320 ug/L	
HW11	Methane	13-Feb-12	22000 ug/L	
HW11-P	Methane	13-Feb-12	26 ug/L	
HW11	Chloride	13-Feb-12	7.24 mg/L	
HW11-P	Chloride	13-Feb-12	7.01 mg/L	
HW11	Sulfate	13-Feb-12	13.7 mg/L	
HW11-P	Sulfate	13-Feb-12	13.3 mg/L	
HW11	Barium	13-Feb-12	163 ug/L	2000 ug/L
HW11-F	Barium	13-Feb-12	164 ug/L	2000 ug/L
HW11-P	Barium	13-Feb-12	164 ug/L	2000 ug/L
HW11-PF	Barium	13-Feb-12	163 ug/L	2000 ug/L
HW11	Calcium	13-Feb-12	35400 ug/L	
HW11-F	Calcium	13-Feb-12	35500 ug/L	
HW11-P	Calcium	13-Feb-12	33500 ug/L	
HW11-PF	Calcium	13-Feb-12	34000 ug/L	
HW11-P	Copper	13-Feb-12	4.5 ug/L	1000 ug/L***
HW11-PF	Copper	13-Feb-12	4.1 ug/L	1000 ug/L***
HW11	Magnesium	13-Feb-12	8110 ug/L	
HW11-F	Magnesium	13-Feb-12	8130 ug/L	
HW11-P	Magnesium	13-Feb-12	7690 ug/L	
HW11-PF	Magnesium	13-Feb-12	7750 ug/L	
HW11	Manganese	13-Feb-12	46.5 ug/L	
HW11-F	Manganese	13-Feb-12	45.7 ug/L	
HW11-P	Manganese	13-Feb-12	41.2 ug/L	
HW11-PF	Manganese	13-Feb-12	39.9 ug/L	
HW11	Nickel	13-Feb-12	1.5 ug/L	
HW11-F	Nickel	13-Feb-12	1.5 ug/L	

Dimock Week 1, 2, 3, 4 & 5 (see end of report for report key)				
Sample #	Analyte	Sample Date	Result with Qualifier	EPA Primary MCL
HW11-P	Nickel	13-Feb-12	1.6 ug/L	
HW11-PF	Nickel	13-Feb-12	1.5 ug/L	
HW11	Sodium	13-Feb-12	9400 ug/L	
HW11-F	Sodium	13-Feb-12	9350 ug/L	
HW11-P	Sodium	13-Feb-12	11700 ug/L	
HW11-PF	Sodium	13-Feb-12	11800 ug/L	
HW11	Strontium	13-Feb-12	472 ug/L	
HW11-F	Strontium	13-Feb-12	469 ug/L	
HW11-P	Strontium	13-Feb-12	513 ug/L	
HW11-PF	Strontium	13-Feb-12	519 ug/L	
HW11	Uranium	13-Feb-12	1.9 ug/L	30 ug/L
HW11-F	Uranium	13-Feb-12	1.9 ug/L	30 ug/L
HW11-P	Uranium	13-Feb-12	1.9 ug/L	30 ug/L
HW11-PF	Uranium	13-Feb-12	1.9 ug/L	30 ug/L
HW11	Zinc	13-Feb-12	3.5 ug/L	
HW11-F	Zinc	13-Feb-12	4.2 ug/L	
HW11-P	Zinc	13-Feb-12	12.2 ug/L	
HW11-PF	Zinc	13-Feb-12	12.2 ug/L	
HW11	Total Dissolved Solids	13-Feb-12	125 mg/L	
HW11-P	Total Dissolved Solids	13-Feb-12	140 mg/L	
HW11-P	Acetone	13-Feb-12	5.7 J ug/L	
HW11-P	Methyl ethyl ketone	13-Feb-12	1.4 J ug/L	
HW11	Nitrogen, Nitrite + Nitrate	13-Feb-12	0.142 mg/L	10 mg/L
HW11-P	Nitrogen, Nitrite + Nitrate	13-Feb-12	0.162 mg/L	10 mg/L
HW12	Anionic Surfactants	26-Jan-12	0.014 mg/L	
HW12	Ethane	26-Jan-12	2000 ug/L	
HW12	Methane	26-Jan-12	52000 ug/L	
HW12	Chloride	26-Jan-12	3.64 mg/L	
HW12	Sulfate	26-Jan-12	5.2 mg/L	
HW12	Arsenic	26-Jan-12	6 ug/L	10 ug/L
HW12-F	Arsenic	26-Jan-12	5.8 ug/L	10 ug/L
HW12	Barium	26-Jan-12	707 ug/L	2000 ug/L
HW12-F	Barium	26-Jan-12	716 ug/L	2000 ug/L
HW12	Boron	26-Jan-12	53.8 ug/L	
HW12-F	Boron	26-Jan-12	52.2 ug/L	
HW12	Calcium	26-Jan-12	28500 ug/L	
HW12-F	Calcium	26-Jan-12	28100 ug/L	
HW12	Iron	26-Jan-12	1240 ug/L	
HW12	Magnesium	26-Jan-12	4770 ug/L	
HW12-F	Magnesium	26-Jan-12	4670 ug/L	
HW12	Manganese	26-Jan-12	120 ug/L	
HW12-F	Manganese	26-Jan-12	139 ug/L	
HW12	Nickel	26-Jan-12	1.2 ug/L	
HW12-F	Nickel	26-Jan-12	1 ug/L	
HW12	Sodium	26-Jan-12	19300 ug/L	

Dimock Week 1, 2, 3, 4 & 5 (see end of report for report key)				
Sample #	**Analyte**	**Sample Date**	**Result with Qualifier**	**EPA Primary MCL**
HW12-F	Sodium	26-Jan-12	19300 ug/L	
HW12	Strontium	26-Jan-12	629 ug/L	
HW12-F	Strontium	26-Jan-12	618 ug/L	
HW12	Uranium	26-Jan-12	1.8 ug/L	30 ug/L
HW12-F	Uranium	26-Jan-12	1.6 ug/L	30 ug/L
HW12	Zinc	26-Jan-12	5.4 ug/L	
HW12	Total Dissolved Solids	26-Jan-12	67 J mg/L	
HW12	Chloroethane	26-Jan-12	0.2 J ug/L	
HW12	Methyl chloride	26-Jan-12	0.6 ug/L	
HW13	Heterotrophic Plate Count	30-Jan-12	560 J cfu/1mL	
HW13	Ethane	30-Jan-12	24 ug/L	
HW13	Methane	30-Jan-12	1300 ug/L	
HW13	Chloride	30-Jan-12	8.31 mg/L	
HW13	Sulfate	30-Jan-12	10.6 mg/L	
HW13	Barium	30-Jan-12	225 ug/L	2000 ug/L
HW13-F	Barium	30-Jan-12	235 ug/L	2000 ug/L
HW13	Calcium	30-Jan-12	31900 ug/L	
HW13-F	Calcium	30-Jan-12	33100 ug/L	
HW13	Iron	30-Jan-12	2870 ug/L	
HW13-F	Iron	30-Jan-12	333 ug/L	
HW13	Magnesium	30-Jan-12	6620 ug/L	
HW13-F	Magnesium	30-Jan-12	6840 ug/L	
HW13	Manganese	30-Jan-12	31 ug/L	
HW13-F	Manganese	30-Jan-12	16.4 ug/L	
HW13	Nickel	30-Jan-12	1.6 ug/L	
HW13-F	Nickel	30-Jan-12	1.3 ug/L	
HW13	Sodium	30-Jan-12	12600 ug/L	
HW13-F	Sodium	30-Jan-12	12900 ug/L	
HW13	Strontium	30-Jan-12	764 ug/L	
HW13-F	Strontium	30-Jan-12	774 ug/L	
HW13	Uranium	30-Jan-12	3.2 ug/L	30 ug/L
HW13-F	Uranium	30-Jan-12	3.2 ug/L	30 ug/L
HW13	Zinc	30-Jan-12	4 ug/L	
HW13	Total Dissolved Solids	30-Jan-12	15 J mg/L	
HW13	Acetophenone	30-Jan-12	0.224 J ug/L	
HW13	TPH - Gasoline Range Organics	30-Jan-12	34 J ug/L	
HW13	Toluene	30-Jan-12	12 ug/L	1000 ug/L
HW13	Nitrogen, Nitrite + Nitrate	30-Jan-12	0.784 mg/L	10 mg/L
HW13	Total Nitrogen	30-Jan-12	1.45 mg/L	
HW14	Anionic Surfactants	26-Jan-12	0.032 mg/L	
HW14-P	Anionic Surfactants	26-Jan-12	0.014 mg/L	
HW14	Ethane	26-Jan-12	29 ug/L	
HW14-P	Ethane	26-Jan-12	1.5 ug/L	
HW14	Methane	26-Jan-12	3800 ug/L	
HW14-P	Methane	26-Jan-12	49 ug/L	

Dimock Week 1, 2, 3, 4 & 5 (see end of report for report key)				
Sample #	**Analyte**	**Sample Date**	**Result with Qualifier**	**EPA Primary MCL**
HW14	Chloride	26-Jan-12	17.7 mg/L	
HW14-P	Chloride	26-Jan-12	17.7 mg/L	
HW14	Sulfate	26-Jan-12	14.4 mg/L	
HW14-P	Sulfate	26-Jan-12	14.3 mg/L	
HW14	Barium	26-Jan-12	89.3 ug/L	2000 ug/L
HW14-F	Barium	26-Jan-12	85.7 ug/L	2000 ug/L
HW14-P	Barium	26-Jan-12	98.1 ug/L	2000 ug/L
HW14-PF	Barium	26-Jan-12	95.7 ug/L	2000 ug/L
HW14	Calcium	26-Jan-12	29900 ug/L	
HW14-F	Calcium	26-Jan-12	29700 ug/L	
HW14-P	Calcium	26-Jan-12	29600 ug/L	
HW14-PF	Calcium	26-Jan-12	29600 ug/L	
HW14	Copper	26-Jan-12	2.1 ug/L	1000 ug/L***
HW14-P	Copper	26-Jan-12	6.6 ug/L	1000 ug/L***
HW14-PF	Copper	26-Jan-12	6.3 ug/L	1000 ug/L***
HW14	Lead	26-Jan-12	1 ug/L	5 ug/L***
HW14-P	Lead	26-Jan-12	1.5 ug/L	5 ug/L***
HW14-PF	Lead	26-Jan-12	1.3 ug/L	5 ug/L***
HW14	Magnesium	26-Jan-12	5270 ug/L	
HW14-F	Magnesium	26-Jan-12	5280 ug/L	
HW14-P	Magnesium	26-Jan-12	5250 ug/L	
HW14-PF	Magnesium	26-Jan-12	5330 ug/L	
HW14	Manganese	26-Jan-12	8.3 ug/L	
HW14-F	Manganese	26-Jan-12	7.8 ug/L	
HW14-P	Manganese	26-Jan-12	1.3 ug/L	
HW14-PF	Manganese	26-Jan-12	1.3 ug/L	
HW14	Nickel	26-Jan-12	1.6 ug/L	
HW14-F	Nickel	26-Jan-12	1.6 ug/L	
HW14-P	Nickel	26-Jan-12	1.7 ug/L	
HW14-PF	Nickel	26-Jan-12	1.8 ug/L	
HW14	Sodium	26-Jan-12	9420 ug/L	
HW14-F	Sodium	26-Jan-12	9260 ug/L	
HW14-P	Sodium	26-Jan-12	10800 ug/L	
HW14-PF	Sodium	26-Jan-12	10700 ug/L	
HW14	Zinc	26-Jan-12	3.6 ug/L	
HW14-F	Zinc	26-Jan-12	5 ug/L	
HW14-P	Zinc	26-Jan-12	26.8 ug/L	
HW14-PF	Zinc	26-Jan-12	24.9 ug/L	
HW14-P	Cresol-o	26-Jan-12	0.313 J ug/L	
HW14-P	TPH - Gasoline Range Organics	26-Jan-12	25 J ug/L	
HW14-P	Acetone	26-Jan-12	81 J ug/L	
HW14	Bromoform	26-Jan-12	0.2 J ug/L	80 ug/L

Dimock Week 1, 2, 3, 4 & 5 (see end of report for report key)				
Sample #	**Analyte**	**Sample Date**	**Result with Qualifier**	**EPA Primary MCL**
HW14-P	Dichloroethene-1,2 trans	26-Jan-12	0.08 J ug/L	100 ug/L
HW14-P	Methyl ethyl ketone	26-Jan-12	1 J ug/L	
HW14	Nitrogen, Nitrite + Nitrate	26-Jan-12	1.48 mg/L	10 mg/L
HW14-P	Nitrogen, Nitrite + Nitrate	26-Jan-12	1.33 mg/L	10 mg/L
HW14	Total Nitrogen	26-Jan-12	1.31 mg/L	
HW14-P	Total Nitrogen	26-Jan-12	1.48 mg/L	
HW15a	Ethane	07-Feb-12	130 ug/L	
HW15a	Methane	07-Feb-12	14000 ug/L	
HW15a-P	Methane	07-Feb-12	27 ug/L	
HW15a	Chloride	07-Feb-12	15.6 mg/L	
HW15a-P	Chloride	07-Feb-12	15 mg/L	
HW15a	Sulfate	07-Feb-12	3.95 mg/L	
HW15a-P	Sulfate	07-Feb-12	3.74 mg/L	
HW15a	Arsenic	07-Feb-12	5.1 ug/L	10 ug/L
HW15a-F	Arsenic	07-Feb-12	4.3 ug/L	10 ug/L
HW15a-P	Arsenic	07-Feb-12	3.3 ug/L	10 ug/L
HW15a-PF	Arsenic	07-Feb-12	2.8 ug/L	10 ug/L
HW15a	Barium	07-Feb-12	582 ug/L	2000 ug/L
HW15a-F	Barium	07-Feb-12	545 ug/L	2000 ug/L
HW15a-P	Barium	07-Feb-12	18.4 ug/L	2000 ug/L
HW15a-PF	Barium	07-Feb-12	19.5 ug/L	2000 ug/L
HW15a	Calcium	07-Feb-12	31900 ug/L	
HW15a-F	Calcium	07-Feb-12	31900 ug/L	
HW15a-P	Calcium	07-Feb-12	1560 ug/L	
HW15a-PF	Calcium	07-Feb-12	1560 ug/L	
HW15a-PF	Chromium	07-Feb-12	2.2 ug/L	100 ug/L
HW15a	Copper	07-Feb-12	2 ug/L	1000 ug/L***
HW15a-P	Copper	07-Feb-12	13.4 ug/L	1000 ug/L***
HW15a-PF	Copper	07-Feb-12	11.5 ug/L	1000 ug/L***
HW15a	Iron	07-Feb-12	109 ug/L	
HW15a	Magnesium	07-Feb-12	10300 ug/L	
HW15a-F	Magnesium	07-Feb-12	10000 ug/L	
HW15a-P	Magnesium	07-Feb-12	629 ug/L	
HW15a-PF	Magnesium	07-Feb-12	632 ug/L	
HW15a	Manganese	07-Feb-12	157 ug/L	
HW15a-F	Manganese	07-Feb-12	160 ug/L	
HW15a	Nickel	07-Feb-12	1.4 ug/L	
HW15a-F	Nickel	07-Feb-12	1.1 ug/L	
HW15a	Sodium	07-Feb-12	16900 ug/L	
HW15a-F	Sodium	07-Feb-12	16200 ug/L	
HW15a-P	Sodium	07-Feb-12	64600 ug/L	
HW15a-PF	Sodium	07-Feb-12	66000 ug/L	

Dimock Week 1, 2, 3, 4 & 5 (see end of report for report key)				
Sample #	**Analyte**	**Sample Date**	**Result with Qualifier**	**EPA Primary MCL**
HW15a	Strontium	07-Feb-12	803 ug/L	
HW15a-F	Strontium	07-Feb-12	789 ug/L	
HW15a-P	Uranium	07-Feb-12	1.1 ug/L	30 ug/L
HW15a-PF	Uranium	07-Feb-12	1.2 ug/L	30 ug/L
HW15a	Total Dissolved Solids	07-Feb-12	158 mg/L	
HW15a-P	Total Dissolved Solids	07-Feb-12	175 mg/L	
HW15a-P	Phthalate, Dimethyl	07-Feb-12	0.01 J ug/L	
HW16	Anionic Surfactants	10-Feb-12	0.023 mg/L	
HW16z	Anionic Surfactants	10-Feb-12	0.023 mg/L	
HW16	Ethane	10-Feb-12	11 ug/L	
HW16z	Ethane	10-Feb-12	10 ug/L	
HW16	Methane	10-Feb-12	25000 ug/L	
HW16-P	Methane	10-Feb-12	380 ug/L	
HW16z	Methane	10-Feb-12	26000 ug/L	
HW16	Bromide	10-Feb-12	0.856 mg/L	
HW16-P	Bromide	10-Feb-12	0.857 mg/L	
HW16z	Bromide	10-Feb-12	0.851 mg/L	
HW16	Chloride	10-Feb-12	94.9 mg/L	
HW16-P	Chloride	10-Feb-12	94.1 mg/L	
HW16z	Chloride	10-Feb-12	93.4 mg/L	
HW16	Sulfate	10-Feb-12	0.628 mg/L	
HW16z	Sulfate	10-Feb-12	0.595 mg/L	
HW16	Aluminum	10-Feb-12	102 ug/L	
HW16z	Aluminum	10-Feb-12	95.4 ug/L	
HW16	Barium	10-Feb-12	2910 ug/L	2000 ug/L
HW16-F	Barium	10-Feb-12	2870 ug/L	2000 ug/L
HW16-P	Barium	10-Feb-12	2850 ug/L	2000 ug/L
HW16-PF	Barium	10-Feb-12	2860 ug/L	2000 ug/L
HW16z	Barium	10-Feb-12	2890 ug/L	2000 ug/L
HW16z-F	Barium	10-Feb-12	3040 ug/L	2000 ug/L
HW16	Boron	10-Feb-12	88.4 ug/L	
HW16-F	Boron	10-Feb-12	83.8 ug/L	
HW16-P	Boron	10-Feb-12	85.6 ug/L	
HW16-PF	Boron	10-Feb-12	86.2 ug/L	
HW16z	Boron	10-Feb-12	91.5 ug/L	
HW16z-F	Boron	10-Feb-12	89.1 ug/L	
HW16	Calcium	10-Feb-12	35000 ug/L	
HW16-F	Calcium	10-Feb-12	34700 ug/L	
HW16-P	Calcium	10-Feb-12	34500 ug/L	
HW16-PF	Calcium	10-Feb-12	34800 ug/L	
HW16z	Calcium	10-Feb-12	34900 ug/L	
HW16z-F	Calcium	10-Feb-12	36700 ug/L	
HW16-P	Copper	10-Feb-12	3.5 ug/L	1000 ug/L***

Dimock Week 1, 2, 3, 4 & 5 (see end of report for report key)				
Sample #	**Analyte**	**Sample Date**	**Result with Qualifier**	**EPA Primary MCL**
HW16-PF	Copper	10-Feb-12	3.4 ug/L	1000 ug/L***
HW16	Iron	10-Feb-12	464 ug/L	
HW16z	Iron	10-Feb-12	415 ug/L	
HW16	Magnesium	10-Feb-12	10200 ug/L	
HW16-F	Magnesium	10-Feb-12	10100 ug/L	
HW16-P	Magnesium	10-Feb-12	9980 ug/L	
HW16-PF	Magnesium	10-Feb-12	10100 ug/L	
HW16z	Magnesium	10-Feb-12	10100 ug/L	
HW16z-F	Magnesium	10-Feb-12	10700 ug/L	
HW16	Manganese	10-Feb-12	64.8 ug/L	
HW16-F	Manganese	10-Feb-12	62 ug/L	
HW16z	Manganese	10-Feb-12	64.7 ug/L	
HW16z-F	Manganese	10-Feb-12	55.6 ug/L	
HW16	Nickel	10-Feb-12	1.8 ug/L	
HW16-F	Nickel	10-Feb-12	1.5 ug/L	
HW16-P	Nickel	10-Feb-12	1.5 ug/L	
HW16-PF	Nickel	10-Feb-12	1.7 ug/L	
HW16z	Nickel	10-Feb-12	1.8 ug/L	
HW16z-F	Nickel	10-Feb-12	1.4 ug/L	
HW16	Potassium	10-Feb-12	2110 ug/L	
HW16-F	Potassium	10-Feb-12	2030 ug/L	
HW16-P	Potassium	10-Feb-12	2040 ug/L	
HW16-PF	Potassium	10-Feb-12	2030 ug/L	
HW16z	Potassium	10-Feb-12	2100 ug/L	
HW16z-F	Potassium	10-Feb-12	2120 ug/L	
HW16	Sodium	10-Feb-12	50200 ug/L	
HW16-F	Sodium	10-Feb-12	49500 ug/L	
HW16-P	Sodium	10-Feb-12	50200 ug/L	
HW16-PF	Sodium	10-Feb-12	49500 ug/L	
HW16z	Sodium	10-Feb-12	50200 ug/L	
HW16z-F	Sodium	10-Feb-12	52000 ug/L	
HW16	Strontium	10-Feb-12	1800 ug/L	
HW16-F	Strontium	10-Feb-12	1770 ug/L	
HW16-P	Strontium	10-Feb-12	1790 ug/L	
HW16-PF	Strontium	10-Feb-12	1760 ug/L	
HW16z	Strontium	10-Feb-12	1800 ug/L	
HW16z-F	Strontium	10-Feb-12	1870 ug/L	
HW16-P	Zinc	10-Feb-12	24.8 ug/L	
HW16-PF	Zinc	10-Feb-12	24.8 ug/L	
HW16	Total Dissolved Solids	10-Feb-12	258 mg/L	
HW16-P	Total Dissolved Solids	10-Feb-12	239 mg/L	
HW16z	Total Dissolved Solids	10-Feb-12	270 mg/L	
HW16-P	Acetone	10-Feb-12	4.2 J ug/L	
HW16-P	Bromoform	10-Feb-12	2.4 ug/L	80 ug/L

Dimock Week 1, 2, 3, 4 & 5 (see end of report for report key)				
Sample #	**Analyte**	**Sample Date**	**Result with Qualifier**	**EPA Primary MCL**
HW16	Carbon disulfide	10-Feb-12	0.05 J ug/L	
HW16z	Carbon disulfide	10-Feb-12	0.06 J ug/L	
HW16-P	Dichloroethene-1,2 trans	10-Feb-12	0.5 ug/L	100 ug/L
HW16-P	Methyl ethyl ketone	10-Feb-12	3.1 ug/L	
HW17	Ethane	27-Jan-12	40 ug/L	
HW17	Methane	27-Jan-12	3300 ug/L	
HW17	Chloride	27-Jan-12	7.12 mg/L	
HW17	Sulfate	27-Jan-12	10.4 mg/L	
HW17	Arsenic	27-Jan-12	2.7 ug/L	10 ug/L
HW17-F	Arsenic	27-Jan-12	2.4 ug/L	10 ug/L
HW17	Barium	27-Jan-12	239 ug/L	2000 ug/L
HW17-F	Barium	27-Jan-12	218 ug/L	2000 ug/L
HW17	Calcium	27-Jan-12	33100 ug/L	
HW17-F	Calcium	27-Jan-12	32700 ug/L	
HW17	Copper	27-Jan-12	3.5 ug/L	1000 ug/L***
HW17	Magnesium	27-Jan-12	6640 ug/L	
HW17-F	Magnesium	27-Jan-12	6540 ug/L	
HW17	Manganese	27-Jan-12	40 ug/L	
HW17-F	Manganese	27-Jan-12	35.9 ug/L	
HW17	Nickel	27-Jan-12	1.2 ug/L	
HW17-F	Nickel	27-Jan-12	1.4 ug/L	
HW17	Sodium	27-Jan-12	12100 ug/L	
HW17-F	Sodium	27-Jan-12	12000 ug/L	
HW17	Strontium	27-Jan-12	835 ug/L	
HW17-F	Strontium	27-Jan-12	831 ug/L	
HW17	Uranium	27-Jan-12	3.7 ug/L	30 ug/L
HW17-F	Uranium	27-Jan-12	3.4 ug/L	30 ug/L
HW17	Zinc	27-Jan-12	6.5 ug/L	
HW17-F	Zinc	27-Jan-12	4.4 ug/L	
HW17	Total Dissolved Solids	27-Jan-12	52 J mg/L	
HW17	Nitrogen, Nitrite + Nitrate	27-Jan-12	0.707 mg/L	10 mg/L
HW18	Heterotrophic Plate Count	30-Jan-12	73 J cfu/1mL	
HW18-P	Heterotrophic Plate Count	30-Jan-12	68 J cfu/1mL	
HW18	Methane	30-Jan-12	190 ug/L	
HW18-P	Methane	30-Jan-12	160 ug/L	
HW18	Chloride	30-Jan-12	2.84 mg/L	
HW18-P	Chloride	30-Jan-12	5.05 mg/L	
HW18	Fluoride	30-Jan-12	0.117 mg/L	2 mg/L
HW18-P	Fluoride	30-Jan-12	0.26 mg/L	2 mg/L
HW18	Sulfate	30-Jan-12	7.53 mg/L	
HW18-P	Sulfate	30-Jan-12	7.22 mg/L	
HW18	Aluminum	30-Jan-12	34.6 ug/L	
HW18	Arsenic	30-Jan-12	2.2 ug/L	10 ug/L
HW18-P	Arsenic	30-Jan-12	2.1 ug/L	10 ug/L

Dimock Week 1, 2, 3, 4 & 5 (see end of report for report key)				
Sample #	**Analyte**	**Sample Date**	**Result with Qualifier**	**EPA Primary MCL**
HW18-PF	Arsenic	30-Jan-12	2.6 ug/L	10 ug/L
HW18	Barium	30-Jan-12	276 ug/L	2000 ug/L
HW18-F	Barium	30-Jan-12	291 ug/L	2000 ug/L
HW18-P	Barium	30-Jan-12	309 ug/L	2000 ug/L
HW18-PF	Barium	30-Jan-12	303 ug/L	2000 ug/L
HW18	Boron	30-Jan-12	186 ug/L	
HW18-F	Boron	30-Jan-12	161 ug/L	
HW18-P	Boron	30-Jan-12	159 ug/L	
HW18-PF	Boron	30-Jan-12	156 ug/L	
HW18	Calcium	30-Jan-12	16000 ug/L	
HW18-F	Calcium	30-Jan-12	17400 ug/L	
HW18-P	Calcium	30-Jan-12	18200 ug/L	
HW18-PF	Calcium	30-Jan-12	18300 ug/L	
HW18-P	Copper	30-Jan-12	7.8 ug/L	1000 ug/L***
HW18-PF	Copper	30-Jan-12	7.1 ug/L	1000 ug/L***
HW18	Magnesium	30-Jan-12	2730 ug/L	
HW18-F	Magnesium	30-Jan-12	2910 ug/L	
HW18-P	Magnesium	30-Jan-12	3070 ug/L	
HW18-PF	Magnesium	30-Jan-12	3090 ug/L	
HW18	Manganese	30-Jan-12	6.2 ug/L	
HW18-F	Manganese	30-Jan-12	5.3 ug/L	
HW18-P	Manganese	30-Jan-12	7.8 ug/L	
HW18-PF	Manganese	30-Jan-12	8 ug/L	
HW18	Sodium	30-Jan-12	45600 ug/L	
HW18-F	Sodium	30-Jan-12	40800 ug/L	
HW18-P	Sodium	30-Jan-12	37000 ug/L	
HW18-PF	Sodium	30-Jan-12	37700 ug/L	
HW18	Strontium	30-Jan-12	954 ug/L	
HW18-F	Strontium	30-Jan-12	1030 ug/L	
HW18-P	Strontium	30-Jan-12	1090 ug/L	
HW18-PF	Strontium	30-Jan-12	1100 ug/L	
HW18-F	Uranium	30-Jan-12	1 ug/L	30 ug/L
HW18-P	Uranium	30-Jan-12	1.1 ug/L	30 ug/L
HW18-PF	Uranium	30-Jan-12	1.1 ug/L	30 ug/L
HW18	Total Dissolved Solids	30-Jan-12	138 mg/L	
HW18-P	Total Dissolved Solids	30-Jan-12	73 J mg/L	
HW19	Anionic Surfactants	23-Jan-12	0.014 mg/L	
HW19	Heterotrophic Plate Count	23-Jan-12	20 J cfu/1mL	
HW19-P	Heterotrophic Plate Count	23-Jan-12	24 J cfu/1mL	
HW19	Methane	23-Jan-12	2 J ug/L	
HW19	Chloride	23-Jan-12	18.7 mg/L	
HW19-P	Chloride	23-Jan-12	19.1 mg/L	
HW19	Sulfate	23-Jan-12	18.2 mg/L	

Dimock Week 1, 2, 3, 4 & 5 (see end of report for report key)				
Sample #	**Analyte**	**Sample Date**	**Result with Qualifier**	**EPA Primary MCL**
HW19-P	Sulfate	23-Jan-12	18.3 mg/L	
HW19	Barium	23-Jan-12	229 ug/L	2000 ug/L
HW19-F	Barium	23-Jan-12	234 ug/L	2000 ug/L
HW19-P	Barium	23-Jan-12	228 ug/L	2000 ug/L
HW19-PF	Barium	23-Jan-12	247 ug/L	2000 ug/L
HW19	Calcium	23-Jan-12	37600 ug/L	
HW19-F	Calcium	23-Jan-12	41600 ug/L	
HW19-P	Calcium	23-Jan-12	40700 ug/L	
HW19-PF	Calcium	23-Jan-12	40400 ug/L	
HW19-F	Chromium	23-Jan-12	3.2 ug/L	100 ug/L
HW19	Copper	23-Jan-12	7.4 ug/L	1000 ug/L***
HW19-F	Copper	23-Jan-12	6.9 ug/L	1000 ug/L***
HW19-P	Copper	23-Jan-12	8.8 ug/L	1000 ug/L***
HW19-PF	Copper	23-Jan-12	8.7 ug/L	1000 ug/L***
HW19	Magnesium	23-Jan-12	7120 ug/L	
HW19-F	Magnesium	23-Jan-12	7720 ug/L	
HW19-P	Magnesium	23-Jan-12	7560 ug/L	
HW19-PF	Magnesium	23-Jan-12	7470 ug/L	
HW19	Manganese	23-Jan-12	8.2 ug/L	
HW19-P	Manganese	23-Jan-12	8.3 ug/L	
HW19	Nickel	23-Jan-12	1.6 ug/L	
HW19-F	Nickel	23-Jan-12	1.7 ug/L	
HW19-P	Nickel	23-Jan-12	1.7 ug/L	
HW19-PF	Nickel	23-Jan-12	1.8 ug/L	
HW19	Sodium	23-Jan-12	9030 ug/L	
HW19-F	Sodium	23-Jan-12	10000 ug/L	
HW19-P	Sodium	23-Jan-12	11500 ug/L	
HW19-PF	Sodium	23-Jan-12	11400 ug/L	
HW19	Zinc	23-Jan-12	6.9 ug/L	
HW19-F	Zinc	23-Jan-12	5.3 ug/L	
HW19-P	Zinc	23-Jan-12	5 ug/L	
HW19-PF	Zinc	23-Jan-12	5.5 ug/L	
HW19	Total Dissolved Solids	23-Jan-12	148 mg/L	
HW19-P	Total Dissolved Solids	23-Jan-12	173 mg/L	
HW19	Butylbenzyl phthalate	23-Jan-12	0.04 J ug/L	
HW19-P	Butylbenzyl phthalate	23-Jan-12	0.063 J ug/L	
HW19-P	Fluoranthene	23-Jan-12	0.015 J ug/L	
HW19	Phthalate-diethyl	23-Jan-12	0.029 J ug/L	
HW19-P	Phthalate-diethyl	23-Jan-12	0.025 J ug/L	
HW19-P	Pyrene	23-Jan-12	0.011 J ug/L	
HW19	Nitrogen, Nitrite + Nitrate	23-Jan-12	2.39 mg/L	10 mg/L

Dimock Week 1, 2, 3, 4 & 5 (see end of report for report key)				
Sample #	**Analyte**	**Sample Date**	**Result with Qualifier**	**EPA Primary MCL**
HW19-P	Nitrogen, Nitrite + Nitrate	23-Jan-12	2.38 mg/L	10 mg/L
HW19	Total Nitrogen	23-Jan-12	2.61 mg/L	
HW19-P	Total Nitrogen	23-Jan-12	2.33 mg/L	
HW20	Heterotrophic Plate Count	30-Jan-12	67 J cfu/1mL	
HW20-P	Heterotrophic Plate Count	30-Jan-12	57 J cfu/1mL	
HW20	Chloride	30-Jan-12	3.41 mg/L	
HW20-P	Chloride	30-Jan-12	3.1 mg/L	
HW20	Fluoride	30-Jan-12	0.109 mg/L	2 mg/L
HW20-P	Fluoride	30-Jan-12	0.124 mg/L	2 mg/L
HW20	Sulfate	30-Jan-12	5.73 mg/L	
HW20-P	Sulfate	30-Jan-12	5.39 mg/L	
HW20	Barium	30-Jan-12	32.8 ug/L	2000 ug/L
HW20-F	Barium	30-Jan-12	33.2 ug/L	2000 ug/L
HW20-P	Barium	30-Jan-12	32.9 ug/L	2000 ug/L
HW20-PF	Barium	30-Jan-12	32.7 ug/L	2000 ug/L
HW20	Calcium	30-Jan-12	22400 ug/L	
HW20-F	Calcium	30-Jan-12	23300 ug/L	
HW20-P	Calcium	30-Jan-12	22100 ug/L	
HW20-PF	Calcium	30-Jan-12	22200 ug/L	
HW20	Copper	30-Jan-12	4.5 ug/L	1000 ug/L***
HW20-F	Copper	30-Jan-12	2.1 ug/L	1000 ug/L***
HW20-P	Copper	30-Jan-12	3.9 ug/L	1000 ug/L***
HW20-PF	Copper	30-Jan-12	4.1 ug/L	1000 ug/L***
HW20	Lead	30-Jan-12	2.4 ug/L	5 ug/L***
HW20-F	Lead	30-Jan-12	1.4 ug/L	5 ug/L***
HW20	Magnesium	30-Jan-12	5710 ug/L	
HW20-F	Magnesium	30-Jan-12	5890 ug/L	
HW20-P	Magnesium	30-Jan-12	5570 ug/L	
HW20-PF	Magnesium	30-Jan-12	5590 ug/L	
HW20	Manganese	30-Jan-12	2.6 ug/L	
HW20-F	Manganese	30-Jan-12	2 ug/L	
HW20-P	Manganese	30-Jan-12	2.3 ug/L	
HW20-PF	Manganese	30-Jan-12	2 ug/L	
HW20-PF	Nickel	30-Jan-12	1 ug/L	
HW20	Sodium	30-Jan-12	6210 ug/L	
HW20-F	Sodium	30-Jan-12	6350 ug/L	
HW20-P	Sodium	30-Jan-12	6040 ug/L	
HW20-PF	Sodium	30-Jan-12	6050 ug/L	
HW20	Zinc	30-Jan-12	12.7 ug/L	
HW20-F	Zinc	30-Jan-12	9.2 ug/L	
HW20-P	Zinc	30-Jan-12	15.8 ug/L	

Dimock Week 1, 2, 3, 4 & 5 (see end of report for report key)				
Sample #	**Analyte**	**Sample Date**	**Result with Qualifier**	**EPA Primary MCL**
HW20-PF	Zinc	30-Jan-12	15.8 ug/L	
HW20	Total Dissolved Solids	30-Jan-12	48 J mg/L	
HW20-P	Total Dissolved Solids	30-Jan-12	109 J mg/L	
HW20	Nitrogen, Nitrite + Nitrate	30-Jan-12	0.42 mg/L	10 mg/L
HW20-P	Nitrogen, Nitrite + Nitrate	30-Jan-12	0.414 mg/L	10 mg/L
HW21	Methane	09-Feb-12	19 ug/L	
HW21z	Methane	09-Feb-12	8.2 ug/L	
HW21	Chloride	09-Feb-12	14.6 mg/L	
HW21z	Chloride	09-Feb-12	14.7 mg/L	
HW21	Sulfate	09-Feb-12	11.2 mg/L	
HW21z	Sulfate	09-Feb-12	11.3 mg/L	
HW21	Barium	09-Feb-12	31.8 ug/L	2000 ug/L
HW21-F	Barium	09-Feb-12	32.5 ug/L	2000 ug/L
HW21z	Barium	09-Feb-12	30.8 ug/L	2000 ug/L
HW21z-F	Barium	09-Feb-12	30.1 ug/L	2000 ug/L
HW21	Calcium	09-Feb-12	18600 ug/L	
HW21-F	Calcium	09-Feb-12	18200 ug/L	
HW21z	Calcium	09-Feb-12	18500 ug/L	
HW21z-F	Calcium	09-Feb-12	18600 ug/L	
HW21	Copper	09-Feb-12	6.4 ug/L	1000 ug/L***
HW21-F	Copper	09-Feb-12	4.8 ug/L	1000 ug/L***
HW21z	Copper	09-Feb-12	7.5 ug/L	1000 ug/L***
HW21z-F	Copper	09-Feb-12	4.7 ug/L	1000 ug/L***
HW21	Iron	09-Feb-12	366 ug/L	
HW21z	Iron	09-Feb-12	365 ug/L	
HW21	Magnesium	09-Feb-12	2450 ug/L	
HW21-F	Magnesium	09-Feb-12	2390 ug/L	
HW21z	Magnesium	09-Feb-12	2430 ug/L	
HW21z-F	Magnesium	09-Feb-12	2460 ug/L	
HW21	Manganese	09-Feb-12	7.3 ug/L	
HW21-F	Manganese	09-Feb-12	4.1 ug/L	
HW21z	Manganese	09-Feb-12	7.2 ug/L	
HW21z-F	Manganese	09-Feb-12	3.8 ug/L	
HW21	Sodium	09-Feb-12	9770 ug/L	
HW21-F	Sodium	09-Feb-12	9580 ug/L	
HW21z	Sodium	09-Feb-12	9770 ug/L	
HW21z-F	Sodium	09-Feb-12	9790 ug/L	
HW21	Zinc	09-Feb-12	9.3 ug/L	
HW21-F	Zinc	09-Feb-12	7.7 ug/L	
HW21z	Zinc	09-Feb-12	11.7 ug/L	
HW21z-F	Zinc	09-Feb-12	7.6 ug/L	

Dimock Week 1, 2, 3, 4 & 5 (see end of report for report key)				
Sample #	**Analyte**	**Sample Date**	**Result with Qualifier**	**EPA Primary MCL**
HW21	Total Dissolved Solids	09-Feb-12	83 mg/L	
HW21z	Total Dissolved Solids	09-Feb-12	94 mg/L	
HW21	Nitrogen, Nitrite + Nitrate	09-Feb-12	0.58 mg/L	10 mg/L
HW21z	Nitrogen, Nitrite + Nitrate	09-Feb-12	0.575 mg/L	10 mg/L
HW22	Ethane	09-Feb-12	11 ug/L	
HW22-P	Ethane	09-Feb-12	17 ug/L	
HW22	Methane	09-Feb-12	17000 ug/L	
HW22-P	Methane	09-Feb-12	13000 ug/L	
HW22	Chloride	09-Feb-12	17.9 mg/L	
HW22-P	Chloride	09-Feb-12	17 mg/L	
HW22	Sulfate	09-Feb-12	3.98 mg/L	
HW22-P	Sulfate	09-Feb-12	3.52 mg/L	
HW22	Aluminum	09-Feb-12	5220 ug/L	
HW22-P	Aluminum	09-Feb-12	2680 ug/L	
HW22	Arsenic	09-Feb-12	7.1 ug/L	10 ug/L
HW22-F	Arsenic	09-Feb-12	1 ug/L	10 ug/L
HW22-P	Arsenic	09-Feb-12	3.8 ug/L	10 ug/L
HW22-PF	Arsenic	09-Feb-12	1.2 ug/L	10 ug/L
HW22	Barium	09-Feb-12	516 ug/L	2000 ug/L
HW22-F	Barium	09-Feb-12	376 ug/L	2000 ug/L
HW22-P	Barium	09-Feb-12	511 ug/L	2000 ug/L
HW22-PF	Barium	09-Feb-12	452 ug/L	2000 ug/L
HW22	Calcium	09-Feb-12	27900 ug/L	
HW22-F	Calcium	09-Feb-12	27500 ug/L	
HW22-P	Calcium	09-Feb-12	26500 ug/L	
HW22-PF	Calcium	09-Feb-12	27100 ug/L	
HW22	Chromium	09-Feb-12	4.9 ug/L	100 ug/L
HW22-P	Chromium	09-Feb-12	2.5 ug/L	100 ug/L
HW22	Cobalt	09-Feb-12	3.8 ug/L	
HW22-P	Cobalt	09-Feb-12	1.8 ug/L	
HW22	Copper	09-Feb-12	14 ug/L	1000 ug/L***
HW22-P	Copper	09-Feb-12	6.1 ug/L	1000 ug/L***
HW22	Iron	09-Feb-12	8530 ug/L	
HW22-F	Iron	09-Feb-12	159 ug/L	
HW22-P	Iron	09-Feb-12	4030 ug/L	
HW22-PF	Iron	09-Feb-12	386 ug/L	
HW22	Lead	09-Feb-12	22.7 ug/L	5 ug/L***
HW22-P	Lead	09-Feb-12	8.1 ug/L	5 ug/L***
HW22	Magnesium	09-Feb-12	6510 ug/L	
HW22-F	Magnesium	09-Feb-12	5160 ug/L	
HW22-P	Magnesium	09-Feb-12	5630 ug/L	
HW22-PF	Magnesium	09-Feb-12	5150 ug/L	
HW22	Manganese	09-Feb-12	635 ug/L	

Dimock Week 1, 2, 3, 4 & 5 (see end of report for report key)				
Sample #	**Analyte**	**Sample Date**	**Result with Qualifier**	**EPA Primary MCL**
HW22-F	Manganese	09-Feb-12	361 ug/L	
HW22-P	Manganese	09-Feb-12	460 ug/L	
HW22-PF	Manganese	09-Feb-12	313 ug/L	
HW22	Nickel	09-Feb-12	7.7 ug/L	
HW22-F	Nickel	09-Feb-12	1.2 ug/L	
HW22-P	Nickel	09-Feb-12	4 ug/L	
HW22-PF	Nickel	09-Feb-12	1.2 ug/L	
HW22	Potassium	09-Feb-12	2690 ug/L	
HW22-P	Potassium	09-Feb-12	2100 ug/L	
HW22	Sodium	09-Feb-12	18000 ug/L	
HW22-F	Sodium	09-Feb-12	18100 ug/L	
HW22-P	Sodium	09-Feb-12	19000 ug/L	
HW22-PF	Sodium	09-Feb-12	19300 ug/L	
HW22	Strontium	09-Feb-12	433 ug/L	
HW22-F	Strontium	09-Feb-12	426 ug/L	
HW22-P	Strontium	09-Feb-12	503 ug/L	
HW22-PF	Strontium	09-Feb-12	507 ug/L	
HW22	Uranium	09-Feb-12	1.7 ug/L	30 ug/L
HW22-F	Uranium	09-Feb-12	1.1 ug/L	30 ug/L
HW22-P	Uranium	09-Feb-12	1.3 ug/L	30 ug/L
HW22-PF	Uranium	09-Feb-12	1 ug/L	30 ug/L
HW22	Vanadium	09-Feb-12	5.8 ug/L	
HW22	Zinc	09-Feb-12	33.2 ug/L	
HW22-F	Zinc	09-Feb-12	2.5 ug/L	
HW22-P	Zinc	09-Feb-12	12.3 ug/L	
HW22	Total Dissolved Solids	09-Feb-12	120 mg/L	
HW22-P	Total Dissolved Solids	09-Feb-12	130 mg/L	
HW22	Total Suspended Solids	09-Feb-12	141 mg/L	
HW22-P	Total Suspended Solids	09-Feb-12	45 mg/L	
HW22	Total Phosphorus as P	09-Feb-12	0.103 mg/L	
HW23	Methane	08-Feb-12	3.6 ug/L	
HW23-P	Methane	08-Feb-12	5 ug/L	
HW23	Chloride	08-Feb-12	21.4 mg/L	
HW23-P	Chloride	08-Feb-12	21.2 mg/L	
HW23	Sulfate	08-Feb-12	8.32 mg/L	
HW23-P	Sulfate	08-Feb-12	8.3 mg/L	
HW23	Aluminum	08-Feb-12	34.6 ug/L	
HW23	Arsenic	08-Feb-12	1 ug/L	10 ug/L
HW23-PF	Arsenic	08-Feb-12	1.3 ug/L	10 ug/L
HW23	Barium	08-Feb-12	185 ug/L	2000 ug/L
HW23-F	Barium	08-Feb-12	182 ug/L	2000 ug/L
HW23-P	Barium	08-Feb-12	193 ug/L	2000 ug/L
HW23-PF	Barium	08-Feb-12	188 ug/L	2000 ug/L
HW23	Calcium	08-Feb-12	26600 ug/L	
HW23-F	Calcium	08-Feb-12	26500 ug/L	

Dimock Week 1, 2, 3, 4 & 5 (see end of report for report key)				
Sample #	**Analyte**	**Sample Date**	**Result with Qualifier**	**EPA Primary MCL**
HW23-P	Calcium	08-Feb-12	27400 ug/L	
HW23-PF	Calcium	08-Feb-12	27100 ug/L	
HW23	Copper	08-Feb-12	15.5 ug/L	1000 ug/L***
HW23-F	Copper	08-Feb-12	3.5 ug/L	1000 ug/L***
HW23-P	Copper	08-Feb-12	10 ug/L	1000 ug/L***
HW23-PF	Copper	08-Feb-12	7.9 ug/L	1000 ug/L***
HW23	Iron	08-Feb-12	375 ug/L	
HW23	Lead	08-Feb-12	2 ug/L	5 ug/L***
HW23	Magnesium	08-Feb-12	4980 ug/L	
HW23-F	Magnesium	08-Feb-12	4950 ug/L	
HW23-P	Magnesium	08-Feb-12	5110 ug/L	
HW23-PF	Magnesium	08-Feb-12	5060 ug/L	
HW23	Manganese	08-Feb-12	14.8 ug/L	
HW23-F	Manganese	08-Feb-12	2.6 ug/L	
HW23-P	Manganese	08-Feb-12	4.2 ug/L	
HW23-PF	Manganese	08-Feb-12	2.3 ug/L	
HW23	Nickel	08-Feb-12	1.4 ug/L	
HW23-F	Nickel	08-Feb-12	1.2 ug/L	
HW23-P	Nickel	08-Feb-12	1.3 ug/L	
HW23-PF	Nickel	08-Feb-12	1.2 ug/L	
HW23	Sodium	08-Feb-12	13600 ug/L	
HW23-F	Sodium	08-Feb-12	13300 ug/L	
HW23-P	Sodium	08-Feb-12	14500 ug/L	
HW23-PF	Sodium	08-Feb-12	14200 ug/L	
HW23	Strontium	08-Feb-12	359 ug/L	
HW23-F	Strontium	08-Feb-12	357 ug/L	
HW23-P	Strontium	08-Feb-12	370 ug/L	
HW23-PF	Strontium	08-Feb-12	360 ug/L	
HW23	Uranium	08-Feb-12	1.7 ug/L	30 ug/L
HW23-F	Uranium	08-Feb-12	1.8 ug/L	30 ug/L
HW23-P	Uranium	08-Feb-12	1.7 ug/L	30 ug/L
HW23-PF	Uranium	08-Feb-12	1.7 ug/L	30 ug/L
HW23	Nitrogen, Nitrite + Nitrate	08-Feb-12	0.908 mg/L	10 mg/L
HW23-P	Nitrogen, Nitrite + Nitrate	08-Feb-12	0.921 mg/L	10 mg/L
HW24	Methane	27-Jan-12	740 ug/L	
HW24-P	Methane	27-Jan-12	630 ug/L	
HW24	Chloride	27-Jan-12	6.63 mg/L	
HW24-P	Chloride	27-Jan-12	6.62 mg/L	
HW24	Fluoride	27-Jan-12	0.359 mg/L	2 mg/L
HW24-P	Fluoride	27-Jan-12	0.36 mg/L	2 mg/L
HW24	Sulfate	27-Jan-12	1.46 mg/L	

Dimock Week 1, 2, 3, 4 & 5 (see end of report for report key)				
Sample #	**Analyte**	**Sample Date**	**Result with Qualifier**	**EPA Primary MCL**
HW24-P	Sulfate	27-Jan-12	1.5 mg/L	
HW24	Barium	27-Jan-12	139 ug/L	2000 ug/L
HW24-F	Barium	27-Jan-12	132 ug/L	2000 ug/L
HW24-P	Barium	27-Jan-12	139 ug/L	2000 ug/L
HW24-PF	Barium	27-Jan-12	135 ug/L	2000 ug/L
HW24	Boron	27-Jan-12	251 ug/L	
HW24-F	Boron	27-Jan-12	240 ug/L	
HW24-P	Boron	27-Jan-12	260 ug/L	
HW24-PF	Boron	27-Jan-12	242 ug/L	
HW24	Calcium	27-Jan-12	1310 ug/L	
HW24-F	Calcium	27-Jan-12	1240 ug/L	
HW24-P	Calcium	27-Jan-12	1380 ug/L	
HW24-PF	Calcium	27-Jan-12	1350 ug/L	
HW24	Lithium	27-Jan-12	204 ug/L	
HW24-P	Lithium	27-Jan-12	201 ug/L	
HW24	Manganese	27-Jan-12	3.8 ug/L	
HW24-F	Manganese	27-Jan-12	3.2 ug/L	
HW24-P	Manganese	27-Jan-12	4.1 ug/L	
HW24-PF	Manganese	27-Jan-12	3.6 ug/L	
HW24	Sodium	27-Jan-12	88000 ug/L	
HW24-F	Sodium	27-Jan-12	84200 ug/L	
HW24-P	Sodium	27-Jan-12	87200 ug/L	
HW24-PF	Sodium	27-Jan-12	83900 ug/L	
HW24	Total Dissolved Solids	27-Jan-12	189 J mg/L	
HW24-P	Total Dissolved Solids	27-Jan-12	157 J mg/L	
HW24-P	Butylbenzyl phthalate	27-Jan-12	0.057 J ug/L	
HW24	Carbon disulfide	27-Jan-12	0.1 J ug/L	
HW24-P	Carbon disulfide	27-Jan-12	0.05 J ug/L	
HW25-P	Anionic Surfactants	30-Jan-12	0.023 mg/L	
HW25-P	Heterotrophic Plate Count	30-Jan-12	42 J cfu/1mL	
HW25-P	Ethane	30-Jan-12	26 ug/L	
HW25-P	Methane	30-Jan-12	65000 ug/L	
HW25-P	Chloride	30-Jan-12	6.4 mg/L	
HW25-P	Sulfate	30-Jan-12	0.517 mg/L	
HW25-P	Barium	30-Jan-12	1490 ug/L	2000 ug/L
HW25-PF	Barium	30-Jan-12	1510 ug/L	2000 ug/L
HW25-P	Boron	30-Jan-12	73.6 ug/L	
HW25-PF	Boron	30-Jan-12	74.1 ug/L	
HW25-P	Calcium	30-Jan-12	21000 ug/L	
HW25-PF	Calcium	30-Jan-12	21200 ug/L	
HW25-P	Magnesium	30-Jan-12	5580 ug/L	
HW25-PF	Magnesium	30-Jan-12	5650 ug/L	
HW25-P	Manganese	30-Jan-12	62.8 ug/L	
HW25-PF	Manganese	30-Jan-12	62.5 ug/L	
HW25-P	Sodium	30-Jan-12	24500 ug/L	

Dimock Week 1, 2, 3, 4 & 5 (see end of report for report key)				
Sample #	**Analyte**	**Sample Date**	**Result with Qualifier**	**EPA Primary MCL**
HW25-PF	Sodium	30-Jan-12	24700 ug/L	
HW25-P	Strontium	30-Jan-12	755 ug/L	
HW25-PF	Strontium	30-Jan-12	763 ug/L	
HW25-P	Total Dissolved Solids	30-Jan-12	78 J mg/L	
HW26	Anionic Surfactants	31-Jan-12	0.011 mg/L	
HW26	Ethane	31-Jan-12	18 ug/L	
HW26-P	Ethane	31-Jan-12	17 ug/L	
HW26	Methane	31-Jan-12	43000 ug/L	
HW26-P	Methane	31-Jan-12	38000 ug/L	
HW26	Chloride	31-Jan-12	31 mg/L	
HW26-P	Chloride	31-Jan-12	30.3 mg/L	
HW26	Barium	31-Jan-12	1780 ug/L	2000 ug/L
HW26-F	Barium	31-Jan-12	1790 ug/L	2000 ug/L
HW26-P	Barium	31-Jan-12	1780 ug/L	2000 ug/L
HW26-PF	Barium	31-Jan-12	1810 ug/L	2000 ug/L
HW26	Boron	31-Jan-12	69.6 ug/L	
HW26-F	Boron	31-Jan-12	68.2 ug/L	
HW26-P	Boron	31-Jan-12	64.3 ug/L	
HW26-PF	Boron	31-Jan-12	83.2 ug/L	
HW26	Calcium	31-Jan-12	27300 ug/L	
HW26-F	Calcium	31-Jan-12	27000 ug/L	
HW26-P	Calcium	31-Jan-12	27200 ug/L	
HW26-PF	Calcium	31-Jan-12	27900 ug/L	
HW26	Copper	31-Jan-12	4.4 ug/L	1000 ug/L***
HW26	Magnesium	31-Jan-12	7360 ug/L	
HW26-F	Magnesium	31-Jan-12	7390 ug/L	
HW26-P	Magnesium	31-Jan-12	7340 ug/L	
HW26-PF	Magnesium	31-Jan-12	7540 ug/L	
HW26	Manganese	31-Jan-12	94 ug/L	
HW26-F	Manganese	31-Jan-12	92 ug/L	
HW26-P	Manganese	31-Jan-12	93.9 ug/L	
HW26-PF	Manganese	31-Jan-12	95 ug/L	
HW26	Nickel	31-Jan-12	1 ug/L	
HW26-P	Nickel	31-Jan-12	1.2 ug/L	
HW26-PF	Nickel	31-Jan-12	1 ug/L	
HW26	Sodium	31-Jan-12	27400 ug/L	
HW26-F	Sodium	31-Jan-12	27400 ug/L	
HW26-P	Sodium	31-Jan-12	27400 ug/L	
HW26-PF	Sodium	31-Jan-12	27800 ug/L	
HW26	Strontium	31-Jan-12	817 ug/L	
HW26-F	Strontium	31-Jan-12	814 ug/L	
HW26-P	Strontium	31-Jan-12	816 ug/L	
HW26-PF	Strontium	31-Jan-12	823 ug/L	
HW26-P	Zinc	31-Jan-12	9.9 ug/L	

Dimock Week 1, 2, 3, 4 & 5 (see end of report for report key)				
Sample #	**Analyte**	**Sample Date**	**Result with Qualifier**	**EPA Primary MCL**
HW26	Total Dissolved Solids	31-Jan-12	160 mg/L	
HW27	Methane	13-Feb-12	4.2 ug/L	
HW27z	Methane	13-Feb-12	2.4 ug/L	
HW27	Chloride	13-Feb-12	3.46 mg/L	
HW27z	Chloride	13-Feb-12	3.46 mg/L	
HW27	Sulfate	13-Feb-12	11.6 mg/L	
HW27z	Sulfate	13-Feb-12	11.6 mg/L	
HW27	Arsenic	13-Feb-12	1.7 J ug/L	10 ug/L
HW27-F	Arsenic	13-Feb-12	1.7 ug/L	10 ug/L
HW27z	Arsenic	13-Feb-12	1.5 ug/L	10 ug/L
HW27z-F	Arsenic	13-Feb-12	1.5 ug/L	10 ug/L
HW27	Barium	13-Feb-12	122 ug/L	2000 ug/L
HW27-F	Barium	13-Feb-12	132 ug/L	2000 ug/L
HW27z	Barium	13-Feb-12	121 ug/L	2000 ug/L
HW27z-F	Barium	13-Feb-12	125 ug/L	2000 ug/L
HW27	Calcium	13-Feb-12	28800 ug/L	
HW27-F	Calcium	13-Feb-12	28600 ug/L	
HW27z	Calcium	13-Feb-12	29600 ug/L	
HW27z-F	Calcium	13-Feb-12	28600 ug/L	
HW27	Copper	13-Feb-12	4.7 ug/L	1000 ug/L***
HW27-F	Copper	13-Feb-12	3.2 ug/L	1000 ug/L***
HW27z	Copper	13-Feb-12	5.2 ug/L	1000 ug/L***
HW27z-F	Copper	13-Feb-12	3 ug/L	1000 ug/L***
HW27	Magnesium	13-Feb-12	5700 ug/L	
HW27-F	Magnesium	13-Feb-12	5700 ug/L	
HW27z	Magnesium	13-Feb-12	5860 ug/L	
HW27z-F	Magnesium	13-Feb-12	5670 ug/L	
HW27	Nickel	13-Feb-12	1.2 ug/L	
HW27-F	Nickel	13-Feb-12	1.2 ug/L	
HW27z	Nickel	13-Feb-12	1.2 ug/L	
HW27z-F	Nickel	13-Feb-12	1.1 ug/L	
HW27	Sodium	13-Feb-12	10000 ug/L	
HW27-F	Sodium	13-Feb-12	10100 ug/L	
HW27z	Sodium	13-Feb-12	10300 ug/L	
HW27z-F	Sodium	13-Feb-12	10000 ug/L	
HW27	Strontium	13-Feb-12	334 ug/L	
HW27-F	Strontium	13-Feb-12	335 ug/L	
HW27z	Strontium	13-Feb-12	344 ug/L	
HW27z-F	Strontium	13-Feb-12	335 ug/L	
HW27	Uranium	13-Feb-12	3 ug/L	30 ug/L
HW27-F	Uranium	13-Feb-12	3.2 ug/L	30 ug/L

Dimock Week 1, 2, 3, 4 & 5 (see end of report for report key)				
Sample #	**Analyte**	**Sample Date**	**Result with Qualifier**	**EPA Primary MCL**
HW27z	Uranium	13-Feb-12	2.9 ug/L	30 ug/L
HW27z-F	Uranium	13-Feb-12	3 ug/L	30 ug/L
HW27	Total Dissolved Solids	13-Feb-12	71 J mg/L	
HW27z	Total Dissolved Solids	13-Feb-12	106 mg/L	
HW27z	Nitrosodiphenylamine-n	13-Feb-12	0.012 J ug/L	
HW27	Nitrogen, Nitrite + Nitrate	13-Feb-12	0.608 mg/L	10 mg/L
HW27z	Nitrogen, Nitrite + Nitrate	13-Feb-12	0.612 mg/L	10 mg/L
HW28a	Chloride	03-Feb-12	11.3 mg/L	
HW28a-P	Chloride	03-Feb-12	11.2 mg/L	
HW28a	Sulfate	03-Feb-12	10.7 mg/L	
HW28a-P	Sulfate	03-Feb-12	10.8 mg/L	
HW28a	Barium	03-Feb-12	94.8 ug/L	2000 ug/L
HW28a-F	Barium	03-Feb-12	94.8 ug/L	2000 ug/L
HW28a-P	Barium	03-Feb-12	97.2 ug/L	2000 ug/L
HW28a-PF	Barium	03-Feb-12	95 ug/L	2000 ug/L
HW28a	Calcium	03-Feb-12	12600 ug/L	
HW28a-F	Calcium	03-Feb-12	12400 ug/L	
HW28a-P	Calcium	03-Feb-12	12400 ug/L	
HW28a-PF	Calcium	03-Feb-12	12200 ug/L	
HW28a	Copper	03-Feb-12	27.9 ug/L	1000 ug/L***
HW28a-F	Copper	03-Feb-12	21.6 ug/L	1000 ug/L***
HW28a-PF	Copper	03-Feb-12	157 ug/L	1000 ug/L***
HW28a	Lead	03-Feb-12	1.7 ug/L	5 ug/L***
HW28a-F	Lead	03-Feb-12	1.6 ug/L	5 ug/L***
HW28a	Magnesium	03-Feb-12	1910 ug/L	
HW28a-F	Magnesium	03-Feb-12	1880 ug/L	
HW28a-P	Magnesium	03-Feb-12	1910 ug/L	
HW28a-PF	Magnesium	03-Feb-12	1860 ug/L	
HW28a	Sodium	03-Feb-12	6730 ug/L	
HW28a-F	Sodium	03-Feb-12	6650 ug/L	
HW28a-P	Sodium	03-Feb-12	6510 ug/L	
HW28a-PF	Sodium	03-Feb-12	6400 ug/L	
HW28a-P	Zinc	03-Feb-12	43.7 ug/L	
HW28a-PF	Zinc	03-Feb-12	25 ug/L	
HW28a	Total Dissolved Solids	03-Feb-12	56 mg/L	
HW28a-P	Total Dissolved Solids	03-Feb-12	48 mg/L	
HW28a	Nitrogen, Nitrite + Nitrate	03-Feb-12	0.859 mg/L	10 mg/L
HW28a-P	Nitrogen, Nitrite + Nitrate	03-Feb-12	0.86 mg/L	10 mg/L
HW28b-P	Chloride	03-Feb-12	11.2 mg/L	
HW28b-P	Sulfate	03-Feb-12	10.7 mg/L	
HW28b-P	Barium	03-Feb-12	103 ug/L	2000 ug/L
HW28b-PF	Barium	03-Feb-12	95.7 ug/L	2000 ug/L

Dimock Week 1, 2, 3, 4 & 5 (see end of report for report key)				
Sample #	**Analyte**	**Sample Date**	**Result with Qualifier**	**EPA Primary MCL**
HW28b-P	Calcium	03-Feb-12	12200 ug/L	
HW28b-PF	Calcium	03-Feb-12	12400 ug/L	
HW28b-P	Copper	03-Feb-12	124 ug/L	1000 ug/L***
HW28b-PF	Copper	03-Feb-12	115 ug/L	1000 ug/L***
HW28b-P	Lead	03-Feb-12	3.3 ug/L	5 ug/L***
HW28b-PF	Lead	03-Feb-12	3 ug/L	5 ug/L***
HW28b-P	Magnesium	03-Feb-12	1850 ug/L	
HW28b-PF	Magnesium	03-Feb-12	1880 ug/L	
HW28b-P	Sodium	03-Feb-12	6580 ug/L	
HW28b-PF	Sodium	03-Feb-12	6680 ug/L	
HW28b-P	Zinc	03-Feb-12	31.5 ug/L	
HW28b-PF	Zinc	03-Feb-12	28.9 ug/L	
HW28b-P	Total Dissolved Solids	03-Feb-12	61 mg/L	
HW28b-P	Dibenzofuran	03-Feb-12	0.013 J ug/L	
HW28b-P	Fluorene	03-Feb-12	0.018 J ug/L	
HW28b-P	Nitrosodiphenylamine-n	03-Feb-12	0.016 J ug/L	
HW28b-P	Pyrene	03-Feb-12	0.019 J ug/L	
HW28b-P	Nitrogen, Nitrite + Nitrate	03-Feb-12	0.858 mg/L	10 mg/L
HW29	Anionic Surfactants	31-Jan-12	0.032 mg/L	
HW29z	Anionic Surfactants	31-Jan-12	0.026 mg/L	
HW29	Ethane	31-Jan-12	4700 ug/L	
HW29z	Ethane	31-Jan-12	4100 ug/L	
HW29	Methane	31-Jan-12	77000 ug/L	
HW29z	Methane	31-Jan-12	62000 ug/L	
HW29	Bromide	31-Jan-12	1.67 mg/L	
HW29z	Bromide	31-Jan-12	1.65 mg/L	
HW29	Chloride	31-Jan-12	181 mg/L	
HW29z	Chloride	31-Jan-12	180 mg/L	
HW29	Fluoride	31-Jan-12	0.123 mg/L	2 mg/L
HW29z	Fluoride	31-Jan-12	0.125 mg/L	2 mg/L
HW29	Sulfate	31-Jan-12	3.8 mg/L	
HW29z	Sulfate	31-Jan-12	3.9 mg/L	
HW29	Aluminum	31-Jan-12	51 ug/L	
HW29z	Aluminum	31-Jan-12	44.4 ug/L	
HW29	Arsenic	31-Jan-12	3.7 ug/L	10 ug/L
HW29-F	Arsenic	31-Jan-12	3.4 J ug/L	10 ug/L
HW29z	Arsenic	31-Jan-12	2.7 ug/L	10 ug/L
HW29z-F	Arsenic	31-Jan-12	3.7 ug/L	10 ug/L
HW29	Barium	31-Jan-12	315 ug/L	2000 ug/L
HW29-F	Barium	31-Jan-12	294 ug/L	2000 ug/L
HW29z	Barium	31-Jan-12	316 ug/L	2000 ug/L
HW29z-F	Barium	31-Jan-12	299 ug/L	2000 ug/L
HW29	Boron	31-Jan-12	241 ug/L	

Dimock Week 1, 2, 3, 4 & 5 (see end of report for report key)				
Sample #	Analyte	Sample Date	Result with Qualifier	EPA Primary MCL
HW29-F	Boron	31-Jan-12	244 ug/L	
HW29z	Boron	31-Jan-12	233 ug/L	
HW29z-F	Boron	31-Jan-12	230 ug/L	
HW29	Calcium	31-Jan-12	5200 ug/L	
HW29-F	Calcium	31-Jan-12	4530 ug/L	
HW29z	Calcium	31-Jan-12	5480 ug/L	
HW29z-F	Calcium	31-Jan-12	5070 ug/L	
HW29	Copper	31-Jan-12	3.2 ug/L	1000 ug/L***
HW29-F	Copper	31-Jan-12	2.6 ug/L	1000 ug/L***
HW29z	Copper	31-Jan-12	2.8 ug/L	1000 ug/L***
HW29z-F	Copper	31-Jan-12	2.3 ug/L	1000 ug/L***
HW29	Iron	31-Jan-12	112 ug/L	
HW29z	Iron	31-Jan-12	122 ug/L	
HW29	Lithium	31-Jan-12	478 ug/L	
HW29-F	Lithium	31-Jan-12	493 ug/L	
HW29z	Lithium	31-Jan-12	462 ug/L	
HW29z-F	Lithium	31-Jan-12	463 ug/L	
HW29	Magnesium	31-Jan-12	1140 ug/L	
HW29-F	Magnesium	31-Jan-12	943 ug/L	
HW29z	Magnesium	31-Jan-12	1230 ug/L	
HW29z-F	Magnesium	31-Jan-12	1120 ug/L	
HW29	Manganese	31-Jan-12	43.4 ug/L	
HW29-F	Manganese	31-Jan-12	33.3 ug/L	
HW29z	Manganese	31-Jan-12	47.5 ug/L	
HW29z-F	Manganese	31-Jan-12	40.1 ug/L	
HW29	Potassium	31-Jan-12	2330 ug/L	
HW29-F	Potassium	31-Jan-12	2200 ug/L	
HW29z	Potassium	31-Jan-12	2180 ug/L	
HW29z-F	Potassium	31-Jan-12	2140 ug/L	
HW29	Selenium	31-Jan-12	6.7 ug/L	50 ug/L
HW29-F	Selenium	31-Jan-12	7 ug/L	50 ug/L
HW29z-F	Selenium	31-Jan-12	5.6 ug/L	50 ug/L
HW29	Sodium	31-Jan-12	195000 ug/L	
HW29-F	Sodium	31-Jan-12	201000 ug/L	
HW29z	Sodium	31-Jan-12	190000 ug/L	
HW29z-F	Sodium	31-Jan-12	189000 ug/L	
HW29	Strontium	31-Jan-12	374 ug/L	
HW29-F	Strontium	31-Jan-12	352 ug/L	
HW29z	Strontium	31-Jan-12	377 ug/L	
HW29z-F	Strontium	31-Jan-12	361 ug/L	
HW29	Zinc	31-Jan-12	2.9 ug/L	

Dimock Week 1, 2, 3, 4 & 5 (see end of report for report key)				
Sample #	Analyte	Sample Date	Result with Qualifier	EPA Primary MCL
HW29	Total Dissolved Solids	31-Jan-12	370 mg/L	
HW29z	Total Dissolved Solids	31-Jan-12	492 mg/L	
HW29	Acetophenone	31-Jan-12	0.02 J ug/L	
HW29	Methylnaphthalene-2	31-Jan-12	0.04 J ug/L	
HW29z	Methylnaphthalene-2	31-Jan-12	0.06 J ug/L	
HW29	Nitrosodiphenylamine-n	31-Jan-12	0.01 J ug/L	
HW29z	Phthalate, di-n-octyl	31-Jan-12	0.02 J ug/L	
HW29	Acetone	31-Jan-12	3.3 ug/L	
HW29	Carbon disulfide	31-Jan-12	0.4 J ug/L	
HW29z	Carbon disulfide	31-Jan-12	0.1 J ug/L	
HW29	m,p-Xylene	31-Jan-12	0.1 J ug/L	10000 ug/L
HW29z	m,p-Xylene	31-Jan-12	0.1 J ug/L	10000 ug/L
HW30	Methane	06-Feb-12	120 ug/L	
HW30-P	Methane	06-Feb-12	92 ug/L	
HW30	Chloride	06-Feb-12	5.27 mg/L	
HW30-P	Chloride	06-Feb-12	4.94 mg/L	
HW30	Sulfate	06-Feb-12	13.2 mg/L	
HW30-P	Sulfate	06-Feb-12	12.9 mg/L	
HW30	Barium	06-Feb-12	120 ug/L	2000 ug/L
HW30-F	Barium	06-Feb-12	121 ug/L	2000 ug/L
HW30-P	Barium	06-Feb-12	124 ug/L	2000 ug/L
HW30-PF	Barium	06-Feb-12	120 ug/L	2000 ug/L
HW30	Boron	06-Feb-12	64.5 ug/L	
HW30-F	Boron	06-Feb-12	63.9 ug/L	
HW30-P	Boron	06-Feb-12	70.7 ug/L	
HW30-PF	Boron	06-Feb-12	72.8 ug/L	
HW30	Calcium	06-Feb-12	35000 ug/L	
HW30-F	Calcium	06-Feb-12	35600 ug/L	
HW30-P	Calcium	06-Feb-12	34700 ug/L	
HW30-PF	Calcium	06-Feb-12	34400 ug/L	
HW30	Magnesium	06-Feb-12	7860 ug/L	
HW30-F	Magnesium	06-Feb-12	8030 ug/L	
HW30-P	Magnesium	06-Feb-12	7600 ug/L	
HW30-PF	Magnesium	06-Feb-12	7600 ug/L	
HW30	Manganese	06-Feb-12	10.4 ug/L	
HW30-F	Manganese	06-Feb-12	8.5 ug/L	
HW30-P	Manganese	06-Feb-12	12.1 ug/L	
HW30-PF	Manganese	06-Feb-12	10.7 ug/L	
HW30	Nickel	06-Feb-12	1.3 ug/L	
HW30-F	Nickel	06-Feb-12	1.2 ug/L	
HW30-P	Nickel	06-Feb-12	1.3 ug/L	
HW30-PF	Nickel	06-Feb-12	1.3 ug/L	
HW30	Sodium	06-Feb-12	14000 ug/L	
HW30-F	Sodium	06-Feb-12	14400 ug/L	
HW30-P	Sodium	06-Feb-12	14700 ug/L	

Dimock Week 1, 2, 3, 4 & 5 (see end of report for report key)				
Sample #	**Analyte**	**Sample Date**	**Result with Qualifier**	**EPA Primary MCL**
HW30-PF	Sodium	06-Feb-12	14700 ug/L	
HW30	Strontium	06-Feb-12	1290 ug/L	
HW30-F	Strontium	06-Feb-12	1330 ug/L	
HW30-P	Strontium	06-Feb-12	1390 ug/L	
HW30-PF	Strontium	06-Feb-12	1390 ug/L	
HW30	Uranium	06-Feb-12	3 ug/L	30 ug/L
HW30-F	Uranium	06-Feb-12	3.1 ug/L	30 ug/L
HW30-P	Uranium	06-Feb-12	2.9 ug/L	30 ug/L
HW30-PF	Uranium	06-Feb-12	2.9 ug/L	30 ug/L
HW30	Total Dissolved Solids	06-Feb-12	149 mg/L	
HW30-P	Total Dissolved Solids	06-Feb-12	120 mg/L	
HW30	Nitrogen, Nitrite + Nitrate	06-Feb-12	0.061 mg/L	10 mg/L
HW31	Anionic Surfactants	06-Feb-12	0.029 mg/L	
HW31z	Anionic Surfactants	06-Feb-12	0.029 mg/L	
HW31	Ethane	06-Feb-12	7.3 ug/L	
HW31z	Ethane	06-Feb-12	7.5 ug/L	
HW31	Methane	06-Feb-12	17000 ug/L	
HW31-P	Methane	06-Feb-12	73 ug/L	
HW31z	Methane	06-Feb-12	15000 ug/L	
HW31	Chloride	06-Feb-12	43.9 mg/L	
HW31-P	Chloride	06-Feb-12	40.5 mg/L	
HW31z	Chloride	06-Feb-12	43.2 mg/L	
HW31	Sulfate	06-Feb-12	0.588 mg/L	
HW31-P	Sulfate	06-Feb-12	1.16 mg/L	
HW31z	Sulfate	06-Feb-12	0.597 mg/L	
HW31z	Arsenic	06-Feb-12	1.3 ug/L	10 ug/L
HW31	Barium	06-Feb-12	534 ug/L	2000 ug/L
HW31-F	Barium	06-Feb-12	517 ug/L	2000 ug/L
HW31-P	Barium	06-Feb-12	500 ug/L	2000 ug/L
HW31-PF	Barium	06-Feb-12	512 ug/L	2000 ug/L
HW31z	Barium	06-Feb-12	538 ug/L	2000 ug/L
HW31z-F	Barium	06-Feb-12	535 ug/L	2000 ug/L
HW31	Boron	06-Feb-12	64.6 ug/L	
HW31-F	Boron	06-Feb-12	62.7 ug/L	
HW31-P	Boron	06-Feb-12	64.8 ug/L	
HW31-PF	Boron	06-Feb-12	79.5 ug/L	
HW31z	Boron	06-Feb-12	72.7 ug/L	
HW31z-F	Boron	06-Feb-12	64.1 ug/L	
HW31	Calcium	06-Feb-12	33000 ug/L	
HW31-F	Calcium	06-Feb-12	32000 ug/L	
HW31-P	Calcium	06-Feb-12	32300 ug/L	
HW31-PF	Calcium	06-Feb-12	33100 ug/L	
HW31z	Calcium	06-Feb-12	33500 ug/L	
HW31z-F	Calcium	06-Feb-12	33300 ug/L	
HW31-PF	Chromium	06-Feb-12	2.3 ug/L	100 ug/L

Dimock Week 1, 2, 3, 4 & 5 (see end of report for report key)				
Sample #	**Analyte**	**Sample Date**	**Result with Qualifier**	**EPA Primary MCL**
HW31-P	Copper	06-Feb-12	4.3 ug/L	1000 ug/L***
HW31-PF	Copper	06-Feb-12	4.6 ug/L	1000 ug/L***
HW31	Iron	06-Feb-12	158 ug/L	
HW31z	Iron	06-Feb-12	156 ug/L	
HW31	Magnesium	06-Feb-12	8880 ug/L	
HW31-F	Magnesium	06-Feb-12	8640 ug/L	
HW31-P	Magnesium	06-Feb-12	8690 ug/L	
HW31-PF	Magnesium	06-Feb-12	8930 ug/L	
HW31z	Magnesium	06-Feb-12	9000 ug/L	
HW31z-F	Magnesium	06-Feb-12	8970 ug/L	
HW31	Manganese	06-Feb-12	171 ug/L	
HW31-F	Manganese	06-Feb-12	155 ug/L	
HW31-P	Manganese	06-Feb-12	1.8 ug/L	
HW31z	Manganese	06-Feb-12	158 ug/L	
HW31z-F	Manganese	06-Feb-12	166 ug/L	
HW31	Nickel	06-Feb-12	1.4 ug/L	
HW31-F	Nickel	06-Feb-12	1.3 ug/L	
HW31-P	Nickel	06-Feb-12	1.2 ug/L	
HW31-PF	Nickel	06-Feb-12	1.4 ug/L	
HW31z	Nickel	06-Feb-12	1.2 ug/L	
HW31z-F	Nickel	06-Feb-12	1.3 ug/L	
HW31	Sodium	06-Feb-12	26700 ug/L	
HW31-F	Sodium	06-Feb-12	25800 ug/L	
HW31-P	Sodium	06-Feb-12	25500 ug/L	
HW31-PF	Sodium	06-Feb-12	26200 ug/L	
HW31z	Sodium	06-Feb-12	26700 ug/L	
HW31z-F	Sodium	06-Feb-12	27000 ug/L	
HW31	Strontium	06-Feb-12	903 ug/L	
HW31-F	Strontium	06-Feb-12	871 ug/L	
HW31-P	Strontium	06-Feb-12	873 ug/L	
HW31-PF	Strontium	06-Feb-12	898 ug/L	
HW31z	Strontium	06-Feb-12	902 ug/L	
HW31z-F	Strontium	06-Feb-12	910 ug/L	
HW31	Zinc	06-Feb-12	2.1 ug/L	
HW31-P	Zinc	06-Feb-12	3.3 ug/L	
HW31-PF	Zinc	06-Feb-12	3.4 ug/L	
HW31	Total Dissolved Solids	06-Feb-12	183 mg/L	
HW31-P	Total Dissolved Solids	06-Feb-12	187 mg/L	
HW31z	Total Dissolved Solids	06-Feb-12	190 mg/L	
HW31-P	Phthalate, di-n-octyl	06-Feb-12	0.02 J ug/L	
HW31-P	Methyl ethyl ketone	06-Feb-12	4.9 ug/L	
HW32	Methane	01-Feb-12	210 ug/L	
HW32-P	Methane	01-Feb-12	310 ug/L	

Dimock Week 1, 2, 3, 4 & 5 (see end of report for report key)				
Sample #	**Analyte**	**Sample Date**	**Result with Qualifier**	**EPA Primary MCL**
HW32	Chloride	01-Feb-12	5.29 mg/L	
HW32-P	Chloride	01-Feb-12	5.25 mg/L	
HW32	Sulfate	01-Feb-12	11.5 mg/L	
HW32-P	Sulfate	01-Feb-12	11.4 mg/L	
HW32	Arsenic	01-Feb-12	10.5 ug/L	10 ug/L
HW32-F	Arsenic	01-Feb-12	9.7 ug/L	10 ug/L
HW32-P	Arsenic	01-Feb-12	8.7 ug/L	10 ug/L
HW32-PF	Arsenic	01-Feb-12	9.6 ug/L	10 ug/L
HW32	Barium	01-Feb-12	369 ug/L	2000 ug/L
HW32-F	Barium	01-Feb-12	360 ug/L	2000 ug/L
HW32-P	Barium	01-Feb-12	365 ug/L	2000 ug/L
HW32-PF	Barium	01-Feb-12	372 ug/L	2000 ug/L
HW32	Calcium	01-Feb-12	32600 ug/L	
HW32-F	Calcium	01-Feb-12	32300 ug/L	
HW32-P	Calcium	01-Feb-12	32600 ug/L	
HW32-PF	Calcium	01-Feb-12	33100 ug/L	
HW32-P	Copper	01-Feb-12	5 ug/L	1000 ug/L***
HW32	Iron	01-Feb-12	166 ug/L	
HW32-F	Iron	01-Feb-12	148 ug/L	
HW32-P	Iron	01-Feb-12	188 ug/L	
HW32-PF	Iron	01-Feb-12	169 ug/L	
HW32	Magnesium	01-Feb-12	9260 ug/L	
HW32-F	Magnesium	01-Feb-12	9080 ug/L	
HW32-P	Magnesium	01-Feb-12	9220 ug/L	
HW32-PF	Magnesium	01-Feb-12	9390 ug/L	
HW32	Manganese	01-Feb-12	297 ug/L	
HW32-F	Manganese	01-Feb-12	289 ug/L	
HW32-P	Manganese	01-Feb-12	295 ug/L	
HW32-PF	Manganese	01-Feb-12	301 ug/L	
HW32	Nickel	01-Feb-12	1.1 ug/L	
HW32-F	Nickel	01-Feb-12	1.1 ug/L	
HW32-P	Nickel	01-Feb-12	1.1 ug/L	
HW32-PF	Nickel	01-Feb-12	1.2 ug/L	
HW32	Sodium	01-Feb-12	8130 ug/L	
HW32-F	Sodium	01-Feb-12	8050 ug/L	
HW32-P	Sodium	01-Feb-12	8100 ug/L	
HW32-PF	Sodium	01-Feb-12	8280 ug/L	
HW32	Strontium	01-Feb-12	539 ug/L	
HW32-F	Strontium	01-Feb-12	538 ug/L	
HW32-P	Strontium	01-Feb-12	539 ug/L	
HW32-PF	Strontium	01-Feb-12	552 ug/L	
HW32	Total Dissolved Solids	01-Feb-12	100 J mg/L	
HW32-P	Total Dissolved Solids	01-Feb-12	104 J mg/L	
HW32-P	Anthracene	01-Feb-12	0.07 J ug/L	

Dimock Week 1, 2, 3, 4 & 5 (see end of report for report key)				
Sample #	**Analyte**	**Sample Date**	**Result with Qualifier**	**EPA Primary MCL**
HW32-P	Bromophenyl-4 Phenyl Ether	01-Feb-12	0.05 J ug/L	
HW32-P	Carbazole	01-Feb-12	0.09 J ug/L	
HW32-P	Fluoranthene	01-Feb-12	0.09 J ug/L	
HW32-P	Hexachlorobenzene	01-Feb-12	0.08 J ug/L	1 ug/L
HW32-P	Nitrosodiphenylamine-n	01-Feb-12	0.05 J ug/L	
HW32-P	Phenanthrene	01-Feb-12	0.09 J ug/L	
HW32-P	Phthalate, Dimethyl	01-Feb-12	0.04 J ug/L	
HW32-P	Phthalate, di-n-octyl	01-Feb-12	0.02 J ug/L	
HW32-P	Pyrene	01-Feb-12	0.1 J ug/L	
HW33a-P	Chloride	01-Feb-12	38.4 mg/L	
HW33a-P	Sulfate	01-Feb-12	10.4 mg/L	
HW33a-P	Barium	01-Feb-12	65.8 ug/L	2000 ug/L
HW33a-PF	Barium	01-Feb-12	65.5 ug/L	2000 ug/L
HW33a-P	Calcium	01-Feb-12	31000 ug/L	
HW33a-PF	Calcium	01-Feb-12	31200 ug/L	
HW33a-P	Copper	01-Feb-12	61 ug/L	1000 ug/L***
HW33a-PF	Copper	01-Feb-12	64.1 ug/L	1000 ug/L***
HW33a-P	Magnesium	01-Feb-12	7970 ug/L	
HW33a-PF	Magnesium	01-Feb-12	8090 ug/L	
HW33a-P	Manganese	01-Feb-12	2.2 ug/L	
HW33a-PF	Manganese	01-Feb-12	1.9 ug/L	
HW33a-P	Nickel	01-Feb-12	1.3 ug/L	
HW33a-PF	Nickel	01-Feb-12	1.2 ug/L	
HW33a-P	Sodium	01-Feb-12	12900 ug/L	
HW33a-PF	Sodium	01-Feb-12	12900 ug/L	
HW33a-P	Zinc	01-Feb-12	6.6 ug/L	
HW33a-PF	Zinc	01-Feb-12	6.3 ug/L	
HW33a-P	Total Dissolved Solids	01-Feb-12	188 mg/L	
HW33a-P	Nitrogen, Nitrite + Nitrate	01-Feb-12	1.04 mg/L	10 mg/L
HW33a-P	Total Nitrogen	01-Feb-12	1.27 mg/L	
HW33b-P	Anionic Surfactants	01-Feb-12	0.11 mg/L	
HW33	Methane	01-Feb-12	1.3 ug/L	
HW33	Chloride	01-Feb-12	40 mg/L	
HW33b-P	Chloride	01-Feb-12	39.3 mg/L	
HW33	Sulfate	01-Feb-12	10.4 mg/L	
HW33b-P	Sulfate	01-Feb-12	10.5 mg/L	
HW33	Barium	01-Feb-12	61.8 ug/L	2000 ug/L
HW33b-P	Barium	01-Feb-12	68.9 ug/L	2000 ug/L
HW33b-PF	Barium	01-Feb-12	67 ug/L	2000 ug/L
HW33	Calcium	01-Feb-12	30600 ug/L	
HW33b-P	Calcium	01-Feb-12	31100 ug/L	
HW33b-PF	Calcium	01-Feb-12	30400 ug/L	

Dimock Week 1, 2, 3, 4 & 5 (see end of report for report key)				
Sample #	**Analyte**	**Sample Date**	**Result with Qualifier**	**EPA Primary MCL**
HW33	Copper	01-Feb-12	11 ug/L	1000 ug/L***
HW33b-P	Copper	01-Feb-12	166 ug/L	1000 ug/L***
HW33b-PF	Copper	01-Feb-12	166 ug/L	1000 ug/L***
HW33	Lead	01-Feb-12	1.7 ug/L	5 ug/L***
HW33	Magnesium	01-Feb-12	7910 ug/L	
HW33b-P	Magnesium	01-Feb-12	8010 ug/L	
HW33b-PF	Magnesium	01-Feb-12	7780 ug/L	
HW33	Manganese	01-Feb-12	1.3 ug/L	
HW33b-P	Manganese	01-Feb-12	1.3 ug/L	
HW33b-PF	Manganese	01-Feb-12	1.2 ug/L	
HW33	Nickel	01-Feb-12	1.1 ug/L	
HW33b-P	Nickel	01-Feb-12	1.3 ug/L	
HW33b-PF	Nickel	01-Feb-12	1.3 ug/L	
HW33	Sodium	01-Feb-12	12500 ug/L	
HW33b-P	Sodium	01-Feb-12	13300 ug/L	
HW33b-PF	Sodium	01-Feb-12	13100 ug/L	
HW33	Zinc	01-Feb-12	3.8 ug/L	
HW33b-P	Zinc	01-Feb-12	6.9 ug/L	
HW33b-PF	Zinc	01-Feb-12	6.7 ug/L	
HW33	Total Dissolved Solids	01-Feb-12	198 mg/L	
HW33b-P	Total Dissolved Solids	01-Feb-12	139 mg/L	
HW33b-P	Acetone	01-Feb-12	2.2 J ug/L	
HW33	Nitrogen, Nitrite + Nitrate	01-Feb-12	0.993 mg/L	10 mg/L
HW33b-P	Nitrogen, Nitrite + Nitrate	01-Feb-12	1.04 mg/L	10 mg/L
HW33	Total Nitrogen	01-Feb-12	1.53 mg/L	
HW33b-P	Total Nitrogen	01-Feb-12	1.26 mg/L	
HW34a-P	Anionic Surfactants	01-Feb-12	0.026 mg/L	
HW34a	Ethane	01-Feb-12	55 ug/L	
HW34a-P	Ethane	01-Feb-12	1.6 ug/L	
HW34a	Methane	01-Feb-12	26000 ug/L	
HW34a-P	Methane	01-Feb-12	470 ug/L	
HW34a	Chloride	01-Feb-12	49.5 mg/L	
HW34a-P	Chloride	01-Feb-12	49.4 mg/L	
HW34a	Sulfate	01-Feb-12	1.08 mg/L	
HW34a-P	Sulfate	01-Feb-12	1.01 mg/L	
HW34a	Arsenic	01-Feb-12	1.1 ug/L	10 ug/L
HW34a-P	Arsenic	01-Feb-12	1 ug/L	10 ug/L
HW34a	Barium	01-Feb-12	1440 ug/L	2000 ug/L
HW34a-F	Barium	01-Feb-12	1440 ug/L	2000 ug/L
HW34a-P	Barium	01-Feb-12	1400 ug/L	2000 ug/L
HW34a-PF	Barium	01-Feb-12	1410 ug/L	2000 ug/L
HW34a	Boron	01-Feb-12	79.8 ug/L	

Dimock Week 1, 2, 3, 4 & 5 (see end of report for report key)				
Sample #	**Analyte**	**Sample Date**	**Result with Qualifier**	**EPA Primary MCL**
HW34a-F	Boron	01-Feb-12	80 ug/L	
HW34a-P	Boron	01-Feb-12	81.1 ug/L	
HW34a-PF	Boron	01-Feb-12	80 ug/L	
HW34a	Calcium	01-Feb-12	27100 ug/L	
HW34a-F	Calcium	01-Feb-12	27100 ug/L	
HW34a-P	Calcium	01-Feb-12	26700 ug/L	
HW34a-PF	Calcium	01-Feb-12	26600 ug/L	
HW34a	Magnesium	01-Feb-12	8020 ug/L	
HW34a-F	Magnesium	01-Feb-12	8020 ug/L	
HW34a-P	Magnesium	01-Feb-12	7910 ug/L	
HW34a-PF	Magnesium	01-Feb-12	7940 ug/L	
HW34a	Manganese	01-Feb-12	58.8 ug/L	
HW34a-F	Manganese	01-Feb-12	62.8 ug/L	
HW34a-P	Manganese	01-Feb-12	79.7 ug/L	
HW34a-PF	Manganese	01-Feb-12	78.8 ug/L	
HW34a	Nickel	01-Feb-12	1 ug/L	
HW34a-F	Nickel	01-Feb-12	1.1 ug/L	
HW34a-P	Nickel	01-Feb-12	1 ug/L	
HW34a-PF	Nickel	01-Feb-12	1 ug/L	
HW34a	Sodium	01-Feb-12	39600 ug/L	
HW34a-F	Sodium	01-Feb-12	39700 ug/L	
HW34a-P	Sodium	01-Feb-12	38700 ug/L	
HW34a-PF	Sodium	01-Feb-12	38800 ug/L	
HW34a	Strontium	01-Feb-12	1120 ug/L	
HW34a-F	Strontium	01-Feb-12	1120 ug/L	
HW34a-P	Strontium	01-Feb-12	1100 ug/L	
HW34a-PF	Strontium	01-Feb-12	1100 ug/L	
HW34a	Total Dissolved Solids	01-Feb-12	199 mg/L	
HW34a-P	Total Dissolved Solids	01-Feb-12	192 mg/L	
HW34a	Carbon disulfide	01-Feb-12	1.4 ug/L	
HW34a-P	Dichloroethene-1,2 trans	01-Feb-12	0.1 J ug/L	100 ug/L
HW35	Fecal Coliform Bacteria	31-Jan-12	1 Present	
HW35	Total Coliform Bacteria	31-Jan-12	34 cfu/100mL	
HW35	Methane	31-Jan-12	6.6 ug/L	
HW35	Chloride	31-Jan-12	50.5 mg/L	
HW35	Sulfate	31-Jan-12	14.3 mg/L	
HW35	Aluminum	31-Jan-12	240 ug/L	
HW35	Barium	31-Jan-12	101 ug/L	2000 ug/L
HW35-F	Barium	31-Jan-12	73.1 ug/L	2000 ug/L
HW35	Calcium	31-Jan-12	14300 ug/L	
HW35	Copper	31-Jan-12	74 ug/L	1000 ug/L***
HW35-F	Copper	31-Jan-12	45 ug/L	1000 ug/L***
HW35	Iron	31-Jan-12	478 ug/L	

Dimock Week 1, 2, 3, 4 & 5 (see end of report for report key)				
Sample #	**Analyte**	**Sample Date**	**Result with Qualifier**	**EPA Primary MCL**
HW35	Lead	31-Jan-12	21.2 ug/L	5 ug/L***
HW35-F	Lead	31-Jan-12	2.4 ug/L	5 ug/L***
HW35	Magnesium	31-Jan-12	2280 ug/L	
HW35	Manganese	31-Jan-12	5.4 ug/L	
HW35-F	Manganese	31-Jan-12	1.7 ug/L	
HW35	Nickel	31-Jan-12	1.3 ug/L	
HW35-F	Nickel	31-Jan-12	1.3 ug/L	
HW35	Sodium	31-Jan-12	28700 ug/L	
HW35	Zinc	31-Jan-12	98.3 ug/L	
HW35-F	Zinc	31-Jan-12	96.2 ug/L	
HW35	Total Dissolved Solids	31-Jan-12	37 J mg/L	
HW35	Carbon disulfide	31-Jan-12	0.1 J ug/L	
HW35	Nitrogen, Nitrite + Nitrate	31-Jan-12	2.38 J mg/L	10 mg/L
HW35	Total Nitrogen	31-Jan-12	2.74 mg/L	
HW38	Methane	08-Feb-12	5 ug/L	
HW38-P	Methane	08-Feb-12	3.8 ug/L	
HW38	Chloride	08-Feb-12	5.72 mg/L	
HW38-P	Chloride	08-Feb-12	5.66 mg/L	
HW38	Sulfate	08-Feb-12	14.2 mg/L	
HW38-P	Sulfate	08-Feb-12	14.2 mg/L	
HW38	Barium	08-Feb-12	116 ug/L	2000 ug/L
HW38-F	Barium	08-Feb-12	119 ug/L	2000 ug/L
HW38-P	Barium	08-Feb-12	120 ug/L	2000 ug/L
HW38-PF	Barium	08-Feb-12	116 ug/L	2000 ug/L
HW38	Calcium	08-Feb-12	16100 ug/L	
HW38-F	Calcium	08-Feb-12	15800 ug/L	
HW38-P	Calcium	08-Feb-12	16000 ug/L	
HW38-PF	Calcium	08-Feb-12	15800 ug/L	
HW38	Copper	08-Feb-12	25.6 ug/L	1000 ug/L***
HW38-F	Copper	08-Feb-12	19.8 ug/L	1000 ug/L***
HW38-P	Copper	08-Feb-12	98.8 ug/L	1000 ug/L***
HW38-PF	Copper	08-Feb-12	89.3 ug/L	1000 ug/L***
HW38	Lead	08-Feb-12	1.4 ug/L	5 ug/L***
HW38	Magnesium	08-Feb-12	3300 ug/L	
HW38-F	Magnesium	08-Feb-12	3230 ug/L	
HW38-P	Magnesium	08-Feb-12	3260 ug/L	
HW38-PF	Magnesium	08-Feb-12	3230 ug/L	
HW38-PF	Nickel	08-Feb-12	1.7 ug/L	
HW38	Sodium	08-Feb-12	5670 ug/L	
HW38-F	Sodium	08-Feb-12	5600 ug/L	
HW38-P	Sodium	08-Feb-12	5590 ug/L	

Dimock Week 1, 2, 3, 4 & 5 (see end of report for report key)				
Sample #	**Analyte**	**Sample Date**	**Result with Qualifier**	**EPA Primary MCL**
HW38-PF	Sodium	08-Feb-12	5650 ug/L	
HW38	Zinc	08-Feb-12	5.5 J ug/L	
HW38-F	Zinc	08-Feb-12	3.9 J ug/L	
HW38-PF	Zinc	08-Feb-12	8.6 J ug/L	
HW38	Fluoranthene	08-Feb-12	0.01 J ug/L	
HW38	Pyrene	08-Feb-12	0.01 J ug/L	
HW38	Nitrogen, Nitrite + Nitrate	08-Feb-12	1.27 mg/L	10 mg/L
HW38-P	Nitrogen, Nitrite + Nitrate	08-Feb-12	1.27 mg/L	10 mg/L
HW38	Total Nitrogen	08-Feb-12	1 mg/L	
HW38-P	Total Nitrogen	08-Feb-12	1.16 mg/L	
HW39	Ethane	03-Feb-12	5.3 ug/L	
HW39	Methane	03-Feb-12	8100 ug/L	
HW39-P	Methane	03-Feb-12	27 ug/L	
HW39	Bromide	03-Feb-12	0.955 mg/L	
HW39-P	Bromide	03-Feb-12	0.986 mg/L	
HW39	Chloride	03-Feb-12	107 mg/L	
HW39-P	Chloride	03-Feb-12	112 mg/L	
HW39	Sulfate	03-Feb-12	0.928 mg/L	
HW39-P	Sulfate	03-Feb-12	0.816 mg/L	
HW39	Barium	03-Feb-12	3530 ug/L	2000 ug/L
HW39-F	Barium	03-Feb-12	3630 ug/L	2000 ug/L
HW39-P	Barium	03-Feb-12	3810 ug/L	2000 ug/L
HW39-PF	Barium	03-Feb-12	3750 ug/L	2000 ug/L
HW39-RO	Barium	03-Feb-12	286 ug/L	2000 ug/L
HW39	Boron	03-Feb-12	58.8 ug/L	
HW39-F	Boron	03-Feb-12	55.8 ug/L	
HW39-P	Boron	03-Feb-12	53.9 ug/L	
HW39-PF	Boron	03-Feb-12	69.2 ug/L	
HW39	Calcium	03-Feb-12	36100 ug/L	
HW39-F	Calcium	03-Feb-12	37100 ug/L	
HW39-P	Calcium	03-Feb-12	38800 ug/L	
HW39-PF	Calcium	03-Feb-12	38400 ug/L	
HW39-RO	Calcium	03-Feb-12	2970 ug/L	
HW39-P	Copper	03-Feb-12	6.8 ug/L	1000 ug/L***
HW39-PF	Copper	03-Feb-12	5 ug/L	1000 ug/L***
HW39	Magnesium	03-Feb-12	7530 ug/L	
HW39-F	Magnesium	03-Feb-12	7770 ug/L	
HW39-P	Magnesium	03-Feb-12	8130 ug/L	
HW39-PF	Magnesium	03-Feb-12	8040 ug/L	
HW39-RO	Magnesium	03-Feb-12	634 ug/L	
HW39	Manganese	03-Feb-12	42.6 ug/L	
HW39-F	Manganese	03-Feb-12	40.9 ug/L	
HW39-P	Manganese	03-Feb-12	1.8 ug/L	

Dimock Week 1, 2, 3, 4 & 5 (see end of report for report key)				
Sample #	**Analyte**	**Sample Date**	**Result with Qualifier**	**EPA Primary MCL**
HW39-PF	Manganese	03-Feb-12	1.9 ug/L	
HW39-RO	Manganese	03-Feb-12	1.2 ug/L	
HW39	Nickel	03-Feb-12	1.6 ug/L	
HW39-F	Nickel	03-Feb-12	1.4 ug/L	
HW39-P	Nickel	03-Feb-12	1.5 ug/L	
HW39-PF	Nickel	03-Feb-12	1.4 ug/L	
HW39	Potassium	03-Feb-12	2550 ug/L	
HW39-F	Potassium	03-Feb-12	2600 ug/L	
HW39-P	Potassium	03-Feb-12	2670 ug/L	
HW39-PF	Potassium	03-Feb-12	2680 ug/L	
HW39	Sodium	03-Feb-12	47400 ug/L	
HW39-F	Sodium	03-Feb-12	47900 ug/L	
HW39-P	Sodium	03-Feb-12	49300 ug/L	
HW39-PF	Sodium	03-Feb-12	48700 ug/L	
HW39-RO	Sodium	03-Feb-12	7900 ug/L	
HW39	Strontium	03-Feb-12	2750 ug/L	
HW39-F	Strontium	03-Feb-12	2840 ug/L	
HW39-P	Strontium	03-Feb-12	2980 ug/L	
HW39-PF	Strontium	03-Feb-12	2940 ug/L	
HW39-RO	Strontium	03-Feb-12	228 ug/L	
HW39	Zinc	03-Feb-12	2.1 ug/L	
HW39-P	Zinc	03-Feb-12	19.1 ug/L	
HW39-PF	Zinc	03-Feb-12	16.8 ug/L	
HW39-RO	Zinc	03-Feb-12	14.5 ug/L	
HW39	Total Dissolved Solids	03-Feb-12	264 mg/L	
HW39-P	Total Dissolved Solids	03-Feb-12	279 mg/L	
HW39	Phthalate, bis(2-ethylhexyl) (DEHP)	03-Feb-12	5.51 ug/L	6 ug/L
HW39-P	Dichloroethene-1,2 trans	03-Feb-12	0.5 J ug/L	100 ug/L
HW40	Chloride	02-Feb-12	35.3 mg/L	
HW40-P	Chloride	02-Feb-12	34.4 mg/L	
HW40	Sulfate	02-Feb-12	13 mg/L	
HW40-P	Sulfate	02-Feb-12	13 mg/L	
HW40-P	Arsenic	02-Feb-12	1.1 ug/L	10 ug/L
HW40	Barium	02-Feb-12	163 ug/L	2000 ug/L
HW40-F	Barium	02-Feb-12	161 ug/L	2000 ug/L
HW40-P	Barium	02-Feb-12	160 ug/L	2000 ug/L
HW40-PF	Barium	02-Feb-12	170 ug/L	2000 ug/L
HW40	Calcium	02-Feb-12	36500 ug/L	
HW40-F	Calcium	02-Feb-12	36500 ug/L	
HW40-P	Calcium	02-Feb-12	37600 ug/L	
HW40-PF	Calcium	02-Feb-12	37600 ug/L	
HW40	Copper	02-Feb-12	12.3 ug/L	1000 ug/L***

Dimock Week 1, 2, 3, 4 & 5 (see end of report for report key)				
Sample #	**Analyte**	**Sample Date**	**Result with Qualifier**	**EPA Primary MCL**
HW40-F	Copper	02-Feb-12	11 ug/L	1000 ug/L***
HW40-P	Copper	02-Feb-12	34.4 ug/L	1000 ug/L***
HW40-PF	Copper	02-Feb-12	35.6 ug/L	1000 ug/L***
HW40	Lead	02-Feb-12	3.1 ug/L	5 ug/L***
HW40-F	Lead	02-Feb-12	1.7 ug/L	5 ug/L***
HW40	Magnesium	02-Feb-12	8830 ug/L	
HW40-F	Magnesium	02-Feb-12	8880 ug/L	
HW40-P	Magnesium	02-Feb-12	9320 ug/L	
HW40-PF	Magnesium	02-Feb-12	9280 ug/L	
HW40	Nickel	02-Feb-12	1.4 ug/L	
HW40-F	Nickel	02-Feb-12	1.5 ug/L	
HW40-P	Nickel	02-Feb-12	1.4 ug/L	
HW40-PF	Nickel	02-Feb-12	1.4 ug/L	
HW40	Sodium	02-Feb-12	21700 ug/L	
HW40-F	Sodium	02-Feb-12	21600 ug/L	
HW40-P	Sodium	02-Feb-12	21200 ug/L	
HW40-PF	Sodium	02-Feb-12	21200 ug/L	
HW40	Strontium	02-Feb-12	531 ug/L	
HW40-F	Strontium	02-Feb-12	527 ug/L	
HW40-P	Strontium	02-Feb-12	541 ug/L	
HW40-PF	Strontium	02-Feb-12	542 ug/L	
HW40	Uranium	02-Feb-12	1.8 ug/L	30 ug/L
HW40-F	Uranium	02-Feb-12	1.9 ug/L	30 ug/L
HW40-P	Uranium	02-Feb-12	1.9 ug/L	30 ug/L
HW40-PF	Uranium	02-Feb-12	2.1 ug/L	30 ug/L
HW40	Zinc	02-Feb-12	4.4 ug/L	
HW40-F	Zinc	02-Feb-12	3 ug/L	
HW40-PF	Zinc	02-Feb-12	2 ug/L	
HW40	Total Dissolved Solids	02-Feb-12	181 mg/L	
HW40-P	Total Dissolved Solids	02-Feb-12	143 mg/L	
HW40	Nitrogen, Nitrite + Nitrate	02-Feb-12	1.44 mg/L	10 mg/L
HW40-P	Nitrogen, Nitrite + Nitrate	02-Feb-12	1.45 mg/L	10 mg/L
HW40	Total Nitrogen	02-Feb-12	1.44 mg/L	
HW40-P	Total Nitrogen	02-Feb-12	1.41 mg/L	
HW41	Methane	02-Feb-12	4 J ug/L	
HW41-P	Methane	02-Feb-12	3.8 J ug/L	
HW41	Chloride	02-Feb-12	0.91 mg/L	
HW41-P	Chloride	02-Feb-12	0.925 mg/L	
HW41	Sulfate	02-Feb-12	6.96 mg/L	
HW41-P	Sulfate	02-Feb-12	7.03 mg/L	
HW41	Barium	02-Feb-12	139 ug/L	2000 ug/L
HW41-F	Barium	02-Feb-12	148 ug/L	2000 ug/L

Dimock Week 1, 2, 3, 4 & 5 (see end of report for report key)				
Sample #	**Analyte**	**Sample Date**	**Result with Qualifier**	**EPA Primary MCL**
HW41-P	Barium	02-Feb-12	148 ug/L	2000 ug/L
HW41-PF	Barium	02-Feb-12	140 ug/L	2000 ug/L
HW41	Calcium	02-Feb-12	44500 ug/L	
HW41-F	Calcium	02-Feb-12	45700 ug/L	
HW41-P	Calcium	02-Feb-12	44600 ug/L	
HW41-PF	Calcium	02-Feb-12	45500 ug/L	
HW41	Magnesium	02-Feb-12	9480 ug/L	
HW41-F	Magnesium	02-Feb-12	9640 ug/L	
HW41-P	Magnesium	02-Feb-12	9380 ug/L	
HW41-PF	Magnesium	02-Feb-12	9620 ug/L	
HW41	Manganese	02-Feb-12	21 ug/L	
HW41-F	Manganese	02-Feb-12	22 ug/L	
HW41-P	Manganese	02-Feb-12	24.4 ug/L	
HW41-PF	Manganese	02-Feb-12	21.8 ug/L	
HW41	Nickel	02-Feb-12	1.4 ug/L	
HW41-F	Nickel	02-Feb-12	1.7 ug/L	
HW41-P	Nickel	02-Feb-12	1.8 ug/L	
HW41-PF	Nickel	02-Feb-12	1.5 ug/L	
HW41	Sodium	02-Feb-12	23100 ug/L	
HW41-F	Sodium	02-Feb-12	23600 ug/L	
HW41-P	Sodium	02-Feb-12	23400 ug/L	
HW41-PF	Sodium	02-Feb-12	23600 ug/L	
HW41	Strontium	02-Feb-12	319 ug/L	
HW41-F	Strontium	02-Feb-12	325 ug/L	
HW41-P	Strontium	02-Feb-12	314 ug/L	
HW41-PF	Strontium	02-Feb-12	317 ug/L	
HW41	Uranium	02-Feb-12	3.2 ug/L	30 ug/L
HW41-F	Uranium	02-Feb-12	3.5 ug/L	30 ug/L
HW41-P	Uranium	02-Feb-12	3.5 ug/L	30 ug/L
HW41-PF	Uranium	02-Feb-12	3.3 ug/L	30 ug/L
HW41	Zinc	02-Feb-12	2.1 ug/L	
HW41-F	Zinc	02-Feb-12	2.4 ug/L	
HW41-P	Zinc	02-Feb-12	3.2 ug/L	
HW41-PF	Zinc	02-Feb-12	2.9 ug/L	
HW41	Total Dissolved Solids	02-Feb-12	194 mg/L	
HW41-P	Total Dissolved Solids	02-Feb-12	195 mg/L	
HW41	Chloroform	02-Feb-12	0.05 J ug/L	80 ug/L
HW41-P	Chloroform	02-Feb-12	0.06 J ug/L	80 ug/L
HW42z	Methane	02-Feb-12	18 J ug/L	
HW42	Chloride	02-Feb-12	14.2 mg/L	
HW42z	Chloride	02-Feb-12	14.1 mg/L	
HW42	Sulfate	02-Feb-12	8.92 mg/L	
HW42z	Sulfate	02-Feb-12	8.95 mg/L	
HW42	Barium	02-Feb-12	30.9 ug/L	2000 ug/L
HW42-F	Barium	02-Feb-12	29.8 ug/L	2000 ug/L

Dimock Week 1, 2, 3, 4 & 5 (see end of report for report key)				
Sample #	**Analyte**	**Sample Date**	**Result with Qualifier**	**EPA Primary MCL**
HW42z	Barium	02-Feb-12	29.7 ug/L	2000 ug/L
HW42z-F	Barium	02-Feb-12	29.1 ug/L	2000 ug/L
HW42	Calcium	02-Feb-12	7970 ug/L	
HW42-F	Calcium	02-Feb-12	7840 ug/L	
HW42z	Calcium	02-Feb-12	8000 ug/L	
HW42z-F	Calcium	02-Feb-12	8140 ug/L	
HW42	Copper	02-Feb-12	40.1 ug/L	1000 ug/L***
HW42-F	Copper	02-Feb-12	34.4 ug/L	1000 ug/L***
HW42z	Copper	02-Feb-12	31.8 ug/L	1000 ug/L***
HW42z-F	Copper	02-Feb-12	29.8 ug/L	1000 ug/L***
HW42	Magnesium	02-Feb-12	1500 ug/L	
HW42-F	Magnesium	02-Feb-12	1470 ug/L	
HW42z	Magnesium	02-Feb-12	1490 ug/L	
HW42z-F	Magnesium	02-Feb-12	1520 ug/L	
HW42	Sodium	02-Feb-12	11700 ug/L	
HW42-F	Sodium	02-Feb-12	11500 ug/L	
HW42z	Sodium	02-Feb-12	11700 ug/L	
HW42z-F	Sodium	02-Feb-12	11900 ug/L	
HW42	Zinc	02-Feb-12	5.5 ug/L	
HW42-F	Zinc	02-Feb-12	5.2 ug/L	
HW42z	Zinc	02-Feb-12	5.5 ug/L	
HW42z-F	Zinc	02-Feb-12	4.4 ug/L	
HW42	Total Dissolved Solids	02-Feb-12	52 mg/L	
HW42z	Total Dissolved Solids	02-Feb-12	34 mg/L	
HW42	Nitrogen, Nitrite + Nitrate	02-Feb-12	0.93 mg/L	10 mg/L
HW42z	Nitrogen, Nitrite + Nitrate	02-Feb-12	0.914 mg/L	10 mg/L
HW42z	Total Nitrogen	02-Feb-12	1 J mg/L	
HW43	Chloride	06-Feb-12	11.2 mg/L	
HW43-P	Chloride	06-Feb-12	11.1 mg/L	
HW43	Sulfate	06-Feb-12	11.9 mg/L	
HW43-P	Sulfate	06-Feb-12	11.9 mg/L	
HW43-P	Arsenic	06-Feb-12	1.1 ug/L	10 ug/L
HW43-PF	Arsenic	06-Feb-12	1.3 ug/L	10 ug/L
HW43	Barium	06-Feb-12	213 ug/L	2000 ug/L
HW43-F	Barium	06-Feb-12	206 ug/L	2000 ug/L
HW43-P	Barium	06-Feb-12	213 ug/L	2000 ug/L
HW43-PF	Barium	06-Feb-12	200 ug/L	2000 ug/L
HW43	Calcium	06-Feb-12	37100 ug/L	
HW43-F	Calcium	06-Feb-12	35500 ug/L	
HW43-P	Calcium	06-Feb-12	36200 ug/L	
HW43-PF	Calcium	06-Feb-12	36000 ug/L	

Dimock Week 1, 2, 3, 4 & 5 (see end of report for report key)				
Sample #	**Analyte**	**Sample Date**	**Result with Qualifier**	**EPA Primary MCL**
HW43	Copper	06-Feb-12	3.6 ug/L	1000 ug/L***
HW43-F	Copper	06-Feb-12	2.4 ug/L	1000 ug/L***
HW43-P	Copper	06-Feb-12	3.7 ug/L	1000 ug/L***
HW43-PF	Copper	06-Feb-12	3.1 ug/L	1000 ug/L***
HW43	Iron	06-Feb-12	240 ug/L	
HW43-P	Iron	06-Feb-12	204 ug/L	
HW43	Magnesium	06-Feb-12	8210 ug/L	
HW43-F	Magnesium	06-Feb-12	7870 ug/L	
HW43-P	Magnesium	06-Feb-12	8010 ug/L	
HW43-PF	Magnesium	06-Feb-12	7920 ug/L	
HW43	Manganese	06-Feb-12	1.9 ug/L	
HW43-P	Manganese	06-Feb-12	1.6 ug/L	
HW43	Nickel	06-Feb-12	1.4 ug/L	
HW43-F	Nickel	06-Feb-12	1.4 ug/L	
HW43-P	Nickel	06-Feb-12	1.4 ug/L	
HW43-PF	Nickel	06-Feb-12	1.4 ug/L	
HW43	Sodium	06-Feb-12	10900 ug/L	
HW43-F	Sodium	06-Feb-12	10600 ug/L	
HW43-P	Sodium	06-Feb-12	10700 ug/L	
HW43-PF	Sodium	06-Feb-12	10800 ug/L	
HW43	Strontium	06-Feb-12	484 ug/L	
HW43-F	Strontium	06-Feb-12	468 ug/L	
HW43-P	Strontium	06-Feb-12	474 ug/L	
HW43-PF	Strontium	06-Feb-12	478 ug/L	
HW43	Uranium	06-Feb-12	4 ug/L	30 ug/L
HW43-F	Uranium	06-Feb-12	3.9 ug/L	30 ug/L
HW43-P	Uranium	06-Feb-12	4 ug/L	30 ug/L
HW43-PF	Uranium	06-Feb-12	3.8 ug/L	30 ug/L
HW43-P	Zinc	06-Feb-12	4.2 ug/L	
HW43-PF	Zinc	06-Feb-12	3.7 ug/L	
HW43	Total Dissolved Solids	06-Feb-12	162 mg/L	
HW43-P	Total Dissolved Solids	06-Feb-12	168 mg/L	
HW43	Nitrogen, Nitrite + Nitrate	06-Feb-12	1.4 mg/L	10 mg/L
HW43-P	Nitrogen, Nitrite + Nitrate	06-Feb-12	1.39 mg/L	10 mg/L
HW43	Total Nitrogen	06-Feb-12	1.11 mg/L	
HW43	Total Phosphorus as P	06-Feb-12	0.079 mg/L	
HW44	Chloride	09-Feb-12	1.54 mg/L	
HW44	Fluoride	09-Feb-12	0.108 mg/L	2 mg/L
HW44	Sulfate	09-Feb-12	3.12 mg/L	
HW44	Barium	09-Feb-12	18.7 ug/L	2000 ug/L
HW44-F	Barium	09-Feb-12	18.9 ug/L	2000 ug/L

Dimock Week 1, 2, 3, 4 & 5 (see end of report for report key)				
Sample #	**Analyte**	**Sample Date**	**Result with Qualifier**	**EPA Primary MCL**
HW44	Calcium	09-Feb-12	21800 ug/L	
HW44-F	Calcium	09-Feb-12	21600 ug/L	
HW44	Magnesium	09-Feb-12	5060 ug/L	
HW44-F	Magnesium	09-Feb-12	5040 ug/L	
HW44	Manganese	09-Feb-12	11.8 ug/L	
HW44	Sodium	09-Feb-12	5320 ug/L	
HW44-F	Sodium	09-Feb-12	5180 ug/L	
HW44	Zinc	09-Feb-12	5 ug/L	
HW44-F	Zinc	09-Feb-12	3.2 ug/L	
HW44	Total Dissolved Solids	09-Feb-12	86 mg/L	
HW44	Nitrogen, Nitrite + Nitrate	09-Feb-12	0.459 mg/L	10 mg/L
HW44	Total Nitrogen	09-Feb-12	5.14 J mg/L	
HW45	Chloride	06-Feb-12	1.1 mg/L	
HW45-P	Chloride	06-Feb-12	0.935 mg/L	
HW45	Sulfate	06-Feb-12	11.2 mg/L	
HW45-P	Sulfate	06-Feb-12	10.8 mg/L	
HW45	Barium	06-Feb-12	164 ug/L	2000 ug/L
HW45-F	Barium	06-Feb-12	176 ug/L	2000 ug/L
HW45-P	Barium	06-Feb-12	162 ug/L	2000 ug/L
HW45-PF	Barium	06-Feb-12	159 ug/L	2000 ug/L
HW45	Calcium	06-Feb-12	32200 ug/L	
HW45-F	Calcium	06-Feb-12	32000 ug/L	
HW45-P	Calcium	06-Feb-12	32100 ug/L	
HW45-PF	Calcium	06-Feb-12	31900 ug/L	
HW45	Magnesium	06-Feb-12	7910 ug/L	
HW45-F	Magnesium	06-Feb-12	7840 ug/L	
HW45-P	Magnesium	06-Feb-12	7940 ug/L	
HW45-PF	Magnesium	06-Feb-12	7870 ug/L	
HW45-P	Manganese	06-Feb-12	1 ug/L	
HW45	Nickel	06-Feb-12	1.3 ug/L	
HW45-F	Nickel	06-Feb-12	1.3 ug/L	
HW45-P	Nickel	06-Feb-12	1.3 ug/L	
HW45-PF	Nickel	06-Feb-12	1.2 ug/L	
HW45	Sodium	06-Feb-12	7260 ug/L	
HW45-F	Sodium	06-Feb-12	7270 ug/L	
HW45-P	Sodium	06-Feb-12	7500 ug/L	
HW45-PF	Sodium	06-Feb-12	7500 ug/L	
HW45	Strontium	06-Feb-12	1100 ug/L	
HW45-F	Strontium	06-Feb-12	1110 ug/L	
HW45-P	Strontium	06-Feb-12	1150 ug/L	
HW45-PF	Strontium	06-Feb-12	1150 ug/L	
HW45	Uranium	06-Feb-12	1.4 ug/L	30 ug/L
HW45-F	Uranium	06-Feb-12	1.5 ug/L	30 ug/L
HW45-P	Uranium	06-Feb-12	1.4 ug/L	30 ug/L
HW45-PF	Uranium	06-Feb-12	1.3 ug/L	30 ug/L

Dimock Week 1, 2, 3, 4 & 5 (see end of report for report key)				
Sample #	**Analyte**	**Sample Date**	**Result with Qualifier**	**EPA Primary MCL**
HW45	Total Dissolved Solids	06-Feb-12	145 mg/L	
HW45-P	Total Dissolved Solids	06-Feb-12	137 mg/L	
HW45	Nitrogen, Nitrite + Nitrate	06-Feb-12	0.067 mg/L	10 mg/L
HW46	Chloride	02-Feb-12	32.3 mg/L	
HW46-P	Chloride	02-Feb-12	32.2 mg/L	
HW46	Sulfate	02-Feb-12	17.7 mg/L	
HW46-P	Sulfate	02-Feb-12	17.7 mg/L	
HW46	Barium	02-Feb-12	104 ug/L	2000 ug/L
HW46-F	Barium	02-Feb-12	98.9 ug/L	2000 ug/L
HW46-P	Barium	02-Feb-12	104 ug/L	2000 ug/L
HW46-PF	Barium	02-Feb-12	95.4 ug/L	2000 ug/L
HW46	Calcium	02-Feb-12	26100 ug/L	
HW46-F	Calcium	02-Feb-12	26500 ug/L	
HW46-P	Calcium	02-Feb-12	26600 ug/L	
HW46-PF	Calcium	02-Feb-12	25800 ug/L	
HW46	Copper	02-Feb-12	17.3 ug/L	1000 ug/L***
HW46-F	Copper	02-Feb-12	17.2 ug/L	1000 ug/L***
HW46-P	Copper	02-Feb-12	92.9 ug/L	1000 ug/L***
HW46-PF	Copper	02-Feb-12	91.6 ug/L	1000 ug/L***
HW46	Magnesium	02-Feb-12	4670 ug/L	
HW46-F	Magnesium	02-Feb-12	4730 ug/L	
HW46-P	Magnesium	02-Feb-12	4760 ug/L	
HW46-PF	Magnesium	02-Feb-12	4590 ug/L	
HW46	Manganese	02-Feb-12	2.5 ug/L	
HW46-F	Manganese	02-Feb-12	2.2 ug/L	
HW46-P	Manganese	02-Feb-12	2.5 ug/L	
HW46-PF	Manganese	02-Feb-12	2.2 ug/L	
HW46	Nickel	02-Feb-12	1.7 ug/L	
HW46-F	Nickel	02-Feb-12	1.6 ug/L	
HW46-P	Nickel	02-Feb-12	1.7 ug/L	
HW46-PF	Nickel	02-Feb-12	1.6 ug/L	
HW46	Potassium	02-Feb-12	4220 ug/L	
HW46-F	Potassium	02-Feb-12	4300 ug/L	
HW46-P	Potassium	02-Feb-12	4320 ug/L	
HW46-PF	Potassium	02-Feb-12	4160 ug/L	
HW46	Sodium	02-Feb-12	14900 ug/L	
HW46-F	Sodium	02-Feb-12	15200 ug/L	
HW46-P	Sodium	02-Feb-12	15300 ug/L	
HW46-PF	Sodium	02-Feb-12	14800 ug/L	
HW46	Zinc	02-Feb-12	10.9 ug/L	
HW46-F	Zinc	02-Feb-12	12.3 ug/L	

Dimock Week 1, 2, 3, 4 & 5 (see end of report for report key)				
Sample #	**Analyte**	**Sample Date**	**Result with Qualifier**	**EPA Primary MCL**
HW46-P	Zinc	02-Feb-12	11.6 ug/L	
HW46-PF	Zinc	02-Feb-12	12.3 ug/L	
HW46	Total Dissolved Solids	02-Feb-12	97 mg/L	
HW46-P	Total Dissolved Solids	02-Feb-12	139 mg/L	
HW46-P	Tetrachloroethylene	02-Feb-12	0.1 J ug/L	5 ug/L
HW46	Nitrogen, Nitrite + Nitrate	02-Feb-12	3.66 mg/L	10 mg/L
HW46-P	Nitrogen, Nitrite + Nitrate	02-Feb-12	3.64 mg/L	10 mg/L
HW46	Total Nitrogen	02-Feb-12	3.86 mg/L	
HW46-P	Total Nitrogen	02-Feb-12	3.87 mg/L	
HW47	Anionic Surfactants	08-Feb-12	0.014 mg/L	
HW47-P	Ethane	08-Feb-12	0.6 J ug/L	
HW47	Methane	08-Feb-12	7900 ug/L	
HW47-P	Methane	08-Feb-12	10000 ug/L	
HW47	Chloride	08-Feb-12	2.04 mg/L	
HW47-P	Chloride	08-Feb-12	2.78 mg/L	
HW47	Fluoride	08-Feb-12	0.185 mg/L	2 mg/L
HW47-P	Fluoride	08-Feb-12	0.158 mg/L	2 mg/L
HW47	Sulfate	08-Feb-12	2.64 mg/L	
HW47-P	Sulfate	08-Feb-12	2.35 mg/L	
HW47	Arsenic	08-Feb-12	90.7 ug/L	10 ug/L
HW47-F	Arsenic	08-Feb-12	94.2 ug/L	10 ug/L
HW47-P	Arsenic	08-Feb-12	91.1 ug/L	10 ug/L
HW47-PF	Arsenic	08-Feb-12	90.2 ug/L	10 ug/L
HW47	Barium	08-Feb-12	485 ug/L	2000 ug/L
HW47-F	Barium	08-Feb-12	484 ug/L	2000 ug/L
HW47	Boron	08-Feb-12	120 ug/L	
HW47-F	Boron	08-Feb-12	140 ug/L	
HW47-P	Boron	08-Feb-12	127 ug/L	
HW47-PF	Boron	08-Feb-12	119 ug/L	
HW47	Calcium	08-Feb-12	23700 ug/L	
HW47-F	Calcium	08-Feb-12	22700 ug/L	
HW47	Copper	08-Feb-12	10.1 ug/L	1000 ug/L***
HW47	Iron	08-Feb-12	4550 ug/L	
HW47-F	Iron	08-Feb-12	3530 ug/L	
HW47	Magnesium	08-Feb-12	3950 ug/L	
HW47-F	Magnesium	08-Feb-12	3830 ug/L	
HW47	Manganese	08-Feb-12	947 ug/L	
HW47-F	Manganese	08-Feb-12	877 ug/L	
HW47	Nickel	08-Feb-12	1 ug/L	
HW47	Sodium	08-Feb-12	53600 ug/L	
HW47-F	Sodium	08-Feb-12	56400 ug/L	
HW47-P	Sodium	08-Feb-12	93900 ug/L	
HW47-PF	Sodium	08-Feb-12	93600 ug/L	
HW47	Strontium	08-Feb-12	757 ug/L	

Dimock Week 1, 2, 3, 4 & 5 (see end of report for report key)				
Sample #	**Analyte**	**Sample Date**	**Result with Qualifier**	**EPA Primary MCL**
HW47-F	Strontium	08-Feb-12	748 ug/L	
HW47	Total Dissolved Solids	08-Feb-12	187 mg/L	
HW47-P	Total Dissolved Solids	08-Feb-12	231 mg/L	
HW47	Butylbenzyl phthalate	08-Feb-12	0.07 J ug/L	
HW47	Total Phosphorus as P	08-Feb-12	0.287 mg/L	
HW47-P	Total Phosphorus as P	08-Feb-12	0.329 mg/L	
HW48z	Anionic Surfactants	08-Feb-12	0.017 mg/L	
HW48	Chloride	08-Feb-12	1.56 mg/L	
HW48z	Chloride	08-Feb-12	1.57 mg/L	
HW48	Sulfate	08-Feb-12	11.1 mg/L	
HW48z	Sulfate	08-Feb-12	11.2 mg/L	
HW48	Arsenic	08-Feb-12	1.1 ug/L	10 ug/L
HW48z-F	Arsenic	08-Feb-12	1 ug/L	10 ug/L
HW48	Barium	08-Feb-12	39 ug/L	2000 ug/L
HW48-F	Barium	08-Feb-12	39 ug/L	2000 ug/L
HW48z	Barium	08-Feb-12	39.1 ug/L	2000 ug/L
HW48z-F	Barium	08-Feb-12	37.4 ug/L	2000 ug/L
HW48	Calcium	08-Feb-12	31700 ug/L	
HW48-F	Calcium	08-Feb-12	31500 ug/L	
HW48z	Calcium	08-Feb-12	31600 ug/L	
HW48z-F	Calcium	08-Feb-12	31800 ug/L	
HW48	Copper	08-Feb-12	5.8 ug/L	1000 ug/L***
HW48-F	Copper	08-Feb-12	4.5 ug/L	1000 ug/L***
HW48z	Copper	08-Feb-12	6.5 ug/L	1000 ug/L***
HW48z-F	Copper	08-Feb-12	4.3 ug/L	1000 ug/L***
HW48	Magnesium	08-Feb-12	4500 ug/L	
HW48-F	Magnesium	08-Feb-12	4470 ug/L	
HW48z	Magnesium	08-Feb-12	4490 ug/L	
HW48z-F	Magnesium	08-Feb-12	4510 ug/L	
HW48	Nickel	08-Feb-12	1.3 ug/L	
HW48-F	Nickel	08-Feb-12	1.3 ug/L	
HW48z	Nickel	08-Feb-12	1.3 ug/L	
HW48z-F	Nickel	08-Feb-12	1.2 ug/L	
HW48	Sodium	08-Feb-12	6660 ug/L	
HW48-F	Sodium	08-Feb-12	6630 ug/L	
HW48z	Sodium	08-Feb-12	6680 ug/L	
HW48z-F	Sodium	08-Feb-12	6660 ug/L	
HW48	Uranium	08-Feb-12	2 ug/L	30 ug/L
HW48-F	Uranium	08-Feb-12	2.1 ug/L	30 ug/L
HW48z	Uranium	08-Feb-12	2.1 ug/L	30 ug/L
HW48z-F	Uranium	08-Feb-12	1.9 ug/L	30 ug/L

Dimock Week 1, 2, 3, 4 & 5 (see end of report for report key)				
Sample #	**Analyte**	**Sample Date**	**Result with Qualifier**	**EPA Primary MCL**
HW48	Nitrogen, Nitrite + Nitrate	08-Feb-12	0.366 mg/L	10 mg/L
HW48z	Nitrogen, Nitrite + Nitrate	08-Feb-12	0.368 mg/L	10 mg/L
HW49	Chloride	09-Feb-12	6.25 mg/L	
HW49-P	Chloride	09-Feb-12	6.3 mg/L	
HW49	Sulfate	09-Feb-12	12.5 mg/L	
HW49-P	Sulfate	09-Feb-12	12.5 mg/L	
HW49	Arsenic	09-Feb-12	2.9 ug/L	10 ug/L
HW49-F	Arsenic	09-Feb-12	2.7 ug/L	10 ug/L
HW49-P	Arsenic	09-Feb-12	2.6 ug/L	10 ug/L
HW49-PF	Arsenic	09-Feb-12	1.6 ug/L	10 ug/L
HW49	Barium	09-Feb-12	89.2 ug/L	2000 ug/L
HW49-F	Barium	09-Feb-12	92 ug/L	2000 ug/L
HW49-P	Barium	09-Feb-12	89.9 ug/L	2000 ug/L
HW49-PF	Barium	09-Feb-12	88.2 ug/L	2000 ug/L
HW49	Calcium	09-Feb-12	41100 ug/L	
HW49-F	Calcium	09-Feb-12	42800 ug/L	
HW49-P	Calcium	09-Feb-12	41700 ug/L	
HW49-PF	Calcium	09-Feb-12	40200 ug/L	
HW49	Copper	09-Feb-12	5.3 ug/L	1000 ug/L***
HW49-F	Copper	09-Feb-12	3.5 ug/L	1000 ug/L***
HW49-P	Copper	09-Feb-12	75.7 ug/L	1000 ug/L***
HW49-PF	Copper	09-Feb-12	67.7 ug/L	1000 ug/L***
HW49	Magnesium	09-Feb-12	5770 ug/L	
HW49-F	Magnesium	09-Feb-12	6010 ug/L	
HW49-P	Magnesium	09-Feb-12	5860 ug/L	
HW49-PF	Magnesium	09-Feb-12	5670 ug/L	
HW49	Manganese	09-Feb-12	36.3 ug/L	
HW49-F	Manganese	09-Feb-12	2.3 ug/L	
HW49-P	Manganese	09-Feb-12	2.5 ug/L	
HW49-PF	Manganese	09-Feb-12	2 ug/L	
HW49	Nickel	09-Feb-12	1.7 ug/L	
HW49-F	Nickel	09-Feb-12	1.9 ug/L	
HW49-P	Nickel	09-Feb-12	1.8 ug/L	
HW49-PF	Nickel	09-Feb-12	1.8 ug/L	
HW49	Sodium	09-Feb-12	12600 ug/L	
HW49-F	Sodium	09-Feb-12	12900 ug/L	
HW49-P	Sodium	09-Feb-12	12800 ug/L	
HW49-PF	Sodium	09-Feb-12	12000 ug/L	
HW49	Strontium	09-Feb-12	291 ug/L	
HW49-F	Strontium	09-Feb-12	299 ug/L	
HW49-P	Strontium	09-Feb-12	292 ug/L	

Dimock Week 1, 2, 3, 4 & 5 (see end of report for report key)				
Sample #	**Analyte**	**Sample Date**	**Result with Qualifier**	**EPA Primary MCL**
HW49-PF	Strontium	09-Feb-12	275 ug/L	
HW49	Uranium	09-Feb-12	2.2 ug/L	30 ug/L
HW49-F	Uranium	09-Feb-12	2.3 ug/L	30 ug/L
HW49-P	Uranium	09-Feb-12	2.2 ug/L	30 ug/L
HW49-PF	Uranium	09-Feb-12	2.1 ug/L	30 ug/L
HW49	Zinc	09-Feb-12	2.3 ug/L	
HW49-P	Zinc	09-Feb-12	4.9 ug/L	
HW49-PF	Zinc	09-Feb-12	2.7 ug/L	
HW49	Total Dissolved Solids	09-Feb-12	155 mg/L	
HW49-P	Total Dissolved Solids	09-Feb-12	159 mg/L	
HW49-P	Anthracene	09-Feb-12	0.047 J ug/L	
HW49-P	Butylbenzyl phthalate	09-Feb-12	0.06 J ug/L	
HW49-P	Carbazole	09-Feb-12	0.057 J ug/L	
HW49-P	Fluoranthene	09-Feb-12	0.061 J ug/L	
HW49-P	Pyrene	09-Feb-12	0.065 J ug/L	
HW49-P	Acetone	09-Feb-12	0.8 J ug/L	
HW49-P	Toluene	09-Feb-12	0.07 J ug/L	1000 ug/L
HW49	Nitrogen, Nitrite + Nitrate	09-Feb-12	0.324 mg/L	10 mg/L
HW49-P	Nitrogen, Nitrite + Nitrate	09-Feb-12	0.318 mg/L	10 mg/L
HW49	Total Nitrogen	09-Feb-12	2.25 mg/L	
HW51	Ethane	07-Feb-12	75 ug/L	
HW51-P	Ethane	07-Feb-12	100 ug/L	
HW51	Methane	07-Feb-12	3400 ug/L	
HW51-P	Methane	07-Feb-12	5600 ug/L	
HW51	Chloride	07-Feb-12	5.63 mg/L	
HW51-P	Chloride	07-Feb-12	5.36 mg/L	
HW51	Sulfate	07-Feb-12	12 mg/L	
HW51-P	Sulfate	07-Feb-12	12.1 mg/L	
HW51	Aluminum	07-Feb-12	46.5 ug/L	
HW51-F	Arsenic	07-Feb-12	1.1 ug/L	10 ug/L
HW51	Barium	07-Feb-12	69.1 ug/L	2000 ug/L
HW51-F	Barium	07-Feb-12	70.9 ug/L	2000 ug/L
HW51-P	Barium	07-Feb-12	70.1 ug/L	2000 ug/L
HW51-PF	Barium	07-Feb-12	71.3 ug/L	2000 ug/L
HW51	Calcium	07-Feb-12	28000 ug/L	
HW51-F	Calcium	07-Feb-12	27700 ug/L	
HW51-P	Calcium	07-Feb-12	27900 ug/L	
HW51-PF	Calcium	07-Feb-12	27400 ug/L	
HW51	Copper	07-Feb-12	34.4 ug/L	1000 ug/L***
HW51-P	Copper	07-Feb-12	11.7 ug/L	1000 ug/L***
HW51-PF	Copper	07-Feb-12	7.3 ug/L	1000 ug/L***
HW51	Lead	07-Feb-12	1.2 ug/L	5 ug/L***

Dimock Week 1, 2, 3, 4 & 5 (see end of report for report key)				
Sample #	**Analyte**	**Sample Date**	**Result with Qualifier**	**EPA Primary MCL**
HW51-P	Lead	07-Feb-12	1.1 ug/L	5 ug/L***
HW51	Magnesium	07-Feb-12	6780 ug/L	
HW51-F	Magnesium	07-Feb-12	6670 ug/L	
HW51-P	Magnesium	07-Feb-12	6730 ug/L	
HW51-PF	Magnesium	07-Feb-12	6650 ug/L	
HW51	Manganese	07-Feb-12	39.9 ug/L	
HW51-F	Manganese	07-Feb-12	39.8 ug/L	
HW51-P	Manganese	07-Feb-12	40.8 ug/L	
HW51-PF	Manganese	07-Feb-12	40.5 ug/L	
HW51	Nickel	07-Feb-12	1.4 ug/L	
HW51-F	Nickel	07-Feb-12	1.2 ug/L	
HW51-P	Nickel	07-Feb-12	1.5 ug/L	
HW51-PF	Nickel	07-Feb-12	1.2 ug/L	
HW51	Sodium	07-Feb-12	5230 ug/L	
HW51-F	Sodium	07-Feb-12	5180 ug/L	
HW51-P	Sodium	07-Feb-12	5110 ug/L	
HW51-PF	Sodium	07-Feb-12	5080 ug/L	
HW51	Strontium	07-Feb-12	212 ug/L	
HW51-F	Strontium	07-Feb-12	213 ug/L	
HW51-P	Strontium	07-Feb-12	211 ug/L	
HW51-PF	Strontium	07-Feb-12	208 ug/L	
HW51	Uranium	07-Feb-12	1 ug/L	30 ug/L
HW51-F	Uranium	07-Feb-12	1.1 ug/L	30 ug/L
HW51-P	Uranium	07-Feb-12	1 ug/L	30 ug/L
HW51-PF	Uranium	07-Feb-12	1 ug/L	30 ug/L
HW51	Zinc	07-Feb-12	2.7 J ug/L	
HW51-P	Zinc	07-Feb-12	7.2 J ug/L	
HW51-PF	Zinc	07-Feb-12	2.3 J ug/L	
HW51	Total Dissolved Solids	07-Feb-12	117 mg/L	
HW51-P	Total Dissolved Solids	07-Feb-12	119 mg/L	
HW51	Pyrene	07-Feb-12	0.01 J ug/L	
HW52	Ethane	31-Jan-12	14 ug/L	
HW52	Methane	31-Jan-12	19000 ug/L	
HW52	Chloride	31-Jan-12	7.41 mg/L	
HW52	Sulfate	31-Jan-12	8.71 mg/L	
HW52	Barium	31-Jan-12	536 ug/L	2000 ug/L
HW52-F	Barium	31-Jan-12	536 ug/L	2000 ug/L
HW52	Calcium	31-Jan-12	25500 ug/L	
HW52-F	Calcium	31-Jan-12	25700 ug/L	
HW52	Copper	31-Jan-12	3.1 ug/L	1000 ug/L***
HW52-F	Copper	31-Jan-12	2.6 ug/L	1000 ug/L***
HW52	Magnesium	31-Jan-12	5140 ug/L	
HW52-F	Magnesium	31-Jan-12	5170 ug/L	

Dimock Week 1, 2, 3, 4 & 5 (see end of report for report key)				
Sample #	**Analyte**	**Sample Date**	**Result with Qualifier**	**EPA Primary MCL**
HW52	Manganese	31-Jan-12	26.8 ug/L	
HW52-F	Manganese	31-Jan-12	23.9 ug/L	
HW52	Nickel	31-Jan-12	1 ug/L	
HW52-F	Nickel	31-Jan-12	1 ug/L	
HW52	Sodium	31-Jan-12	11400 ug/L	
HW52-F	Sodium	31-Jan-12	11500 ug/L	
HW52	Strontium	31-Jan-12	527 ug/L	
HW52-F	Strontium	31-Jan-12	530 ug/L	
HW52	Uranium	31-Jan-12	1.1 ug/L	30 ug/L
HW52-F	Uranium	31-Jan-12	1.1 ug/L	30 ug/L
HW52	Zinc	31-Jan-12	21.3 ug/L	
HW52-F	Zinc	31-Jan-12	23.8 ug/L	
HW52	Total Dissolved Solids	31-Jan-12	113 J mg/L	
HW52	Methylnaphthalene-2	31-Jan-12	0.05 J ug/L	
HW52	Naphthalene	31-Jan-12	0.06 J ug/L	
HW52	Nitrogen, Nitrite + Nitrate	31-Jan-12	0.242 mg/L	10 mg/L
HW53	Chloride	13-Feb-12	13.3 mg/L	
HW53-P	Chloride	13-Feb-12	13.2 mg/L	
HW53	Sulfate	13-Feb-12	10 mg/L	
HW53-P	Sulfate	13-Feb-12	10 mg/L	
HW53	Arsenic	13-Feb-12	1.8 ug/L	10 ug/L
HW53-F	Arsenic	13-Feb-12	1.1 ug/L	10 ug/L
HW53-P	Arsenic	13-Feb-12	1.5 ug/L	10 ug/L
HW53	Barium	13-Feb-12	110 ug/L	2000 ug/L
HW53-F	Barium	13-Feb-12	107 ug/L	2000 ug/L
HW53-P	Barium	13-Feb-12	106 ug/L	2000 ug/L
HW53-PF	Barium	13-Feb-12	109 ug/L	2000 ug/L
HW53	Calcium	13-Feb-12	35100 ug/L	
HW53-F	Calcium	13-Feb-12	35400 ug/L	
HW53-P	Calcium	13-Feb-12	34800 ug/L	
HW53-PF	Calcium	13-Feb-12	35600 ug/L	
HW53	Copper	13-Feb-12	4.4 ug/L	1000 ug/L***
HW53-F	Copper	13-Feb-12	3 ug/L	1000 ug/L***
HW53-P	Copper	13-Feb-12	26.9 ug/L	1000 ug/L***
HW53-PF	Copper	13-Feb-12	26.9 ug/L	1000 ug/L***
HW53	Magnesium	13-Feb-12	5890 ug/L	
HW53-F	Magnesium	13-Feb-12	5930 ug/L	
HW53-P	Magnesium	13-Feb-12	5880 ug/L	
HW53-PF	Magnesium	13-Feb-12	5980 ug/L	
HW53	Manganese	13-Feb-12	71.1 J ug/L	
HW53-F	Manganese	13-Feb-12	2.4 ug/L	

Dimock Week 1, 2, 3, 4 & 5 (see end of report for report key)				
Sample #	**Analyte**	**Sample Date**	**Result with Qualifier**	**EPA Primary MCL**
HW53	Nickel	13-Feb-12	1.4 ug/L	
HW53-F	Nickel	13-Feb-12	1.4 ug/L	
HW53-P	Nickel	13-Feb-12	1.3 ug/L	
HW53-PF	Nickel	13-Feb-12	1.4 ug/L	
HW53	Sodium	13-Feb-12	5940 ug/L	
HW53-F	Sodium	13-Feb-12	5960 ug/L	
HW53-P	Sodium	13-Feb-12	5910 ug/L	
HW53-PF	Sodium	13-Feb-12	5970 ug/L	
HW53	Uranium	13-Feb-12	1 ug/L	30 ug/L
HW53-F	Uranium	13-Feb-12	1 ug/L	30 ug/L
HW53-P	Uranium	13-Feb-12	1 ug/L	30 ug/L
HW53-PF	Uranium	13-Feb-12	1 ug/L	30 ug/L
HW53	Zinc	13-Feb-12	2.2 ug/L	
HW53	Total Dissolved Solids	13-Feb-12	138 mg/L	
HW53-P	Total Dissolved Solids	13-Feb-12	47 mg/L	
HW53	Anthracene	13-Feb-12	0.041 J ug/L	
HW53	Butylbenzyl phthalate	13-Feb-12	0.101 J ug/L	
HW53	Carbazole	13-Feb-12	0.058 J ug/L	
HW53	Fluoranthene	13-Feb-12	0.06 J ug/L	
HW53	Pyrene	13-Feb-12	0.065 J ug/L	
HW53	Nitrogen, Nitrite + Nitrate	13-Feb-12	1.4 mg/L	10 mg/L
HW53-P	Nitrogen, Nitrite + Nitrate	13-Feb-12	1.39 mg/L	10 mg/L
HW53	Total Nitrogen	13-Feb-12	1.33 mg/L	
HW53-P	Total Nitrogen	13-Feb-12	1.34 mg/L	
HW54	Methane	10-Feb-12	15 ug/L	
HW54-P	Methane	10-Feb-12	4.5 ug/L	
HW54	Chloride	10-Feb-12	18 mg/L	
HW54-P	Chloride	10-Feb-12	18.1 mg/L	
HW54	Sulfate	10-Feb-12	13.4 mg/L	
HW54-P	Sulfate	10-Feb-12	13.4 mg/L	
HW54	Barium	10-Feb-12	159 ug/L	2000 ug/L
HW54-F	Barium	10-Feb-12	160 ug/L	2000 ug/L
HW54-P	Barium	10-Feb-12	167 ug/L	2000 ug/L
HW54-PF	Barium	10-Feb-12	161 ug/L	2000 ug/L
HW54	Calcium	10-Feb-12	38400 ug/L	
HW54-F	Calcium	10-Feb-12	38500 ug/L	
HW54-P	Calcium	10-Feb-12	39900 ug/L	
HW54-PF	Calcium	10-Feb-12	39200 ug/L	
HW54	Copper	10-Feb-12	2.4 ug/L	1000 ug/L***
HW54-F	Copper	10-Feb-12	2.1 ug/L	1000 ug/L***
HW54-P	Copper	10-Feb-12	10.8 ug/L	1000 ug/L***

Dimock Week 1, 2, 3, 4 & 5 (see end of report for report key)				
Sample #	**Analyte**	**Sample Date**	**Result with Qualifier**	**EPA Primary MCL**
HW54-PF	Copper	10-Feb-12	11.4 ug/L	1000 ug/L***
HW54	Magnesium	10-Feb-12	9540 ug/L	
HW54-F	Magnesium	10-Feb-12	9540 ug/L	
HW54-P	Magnesium	10-Feb-12	9800 ug/L	
HW54-PF	Magnesium	10-Feb-12	9700 ug/L	
HW54	Manganese	10-Feb-12	1.1 ug/L	
HW54-P	Manganese	10-Feb-12	1 ug/L	
HW54	Nickel	10-Feb-12	1.5 ug/L	
HW54-F	Nickel	10-Feb-12	1.6 ug/L	
HW54-P	Nickel	10-Feb-12	1.7 ug/L	
HW54-PF	Nickel	10-Feb-12	1.7 ug/L	
HW54	Sodium	10-Feb-12	11600 ug/L	
HW54-F	Sodium	10-Feb-12	11500 ug/L	
HW54-P	Sodium	10-Feb-12	12000 ug/L	
HW54-PF	Sodium	10-Feb-12	11700 ug/L	
HW54	Uranium	10-Feb-12	2.2 ug/L	30 ug/L
HW54-F	Uranium	10-Feb-12	2.2 ug/L	30 ug/L
HW54-P	Uranium	10-Feb-12	2.3 ug/L	30 ug/L
HW54-PF	Uranium	10-Feb-12	2.3 ug/L	30 ug/L
HW54-P	Zinc	10-Feb-12	4.7 ug/L	
HW54-PF	Zinc	10-Feb-12	5.1 ug/L	
HW54	Total Dissolved Solids	10-Feb-12	178 mg/L	
HW54-P	Total Dissolved Solids	10-Feb-12	170 mg/L	
HW54	Nitrogen, Nitrite + Nitrate	10-Feb-12	1.47 mg/L	10 mg/L
HW54-P	Nitrogen, Nitrite + Nitrate	10-Feb-12	1.49 mg/L	10 mg/L
HW54	Total Nitrogen	10-Feb-12	1.47 mg/L	
HW54-P	Total Nitrogen	10-Feb-12	1.43 mg/L	
HW55	Methane	13-Feb-12	21 ug/L	
HW55	Chloride	13-Feb-12	4.52 mg/L	
HW55	Sulfate	13-Feb-12	8.47 mg/L	
HW55	Arsenic	13-Feb-12	2.1 ug/L	10 ug/L
HW55-F	Arsenic	13-Feb-12	1.6 ug/L	10 ug/L
HW55	Barium	13-Feb-12	295 ug/L	2000 ug/L
HW55-F	Barium	13-Feb-12	291 ug/L	2000 ug/L
HW55	Calcium	13-Feb-12	34100 ug/L	
HW55-F	Calcium	13-Feb-12	33700 ug/L	
HW55	Magnesium	13-Feb-12	6040 ug/L	
HW55-F	Magnesium	13-Feb-12	5980 ug/L	
HW55	Manganese	13-Feb-12	16.7 ug/L	
HW55-F	Manganese	13-Feb-12	15.8 ug/L	
HW55	Nickel	13-Feb-12	1.5 ug/L	
HW55-F	Nickel	13-Feb-12	1.4 ug/L	
HW55	Sodium	13-Feb-12	12500 ug/L	
HW55-F	Sodium	13-Feb-12	12500 ug/L	

Dimock Week 1, 2, 3, 4 & 5 (see end of report for report key)				
Sample #	**Analyte**	**Sample Date**	**Result with Qualifier**	**EPA Primary MCL**
HW55	Strontium	13-Feb-12	553 ug/L	
HW55-F	Strontium	13-Feb-12	550 ug/L	
HW55	Uranium	13-Feb-12	8.4 ug/L	30 ug/L
HW55-F	Uranium	13-Feb-12	8.2 ug/L	30 ug/L
HW55	Total Dissolved Solids	13-Feb-12	102 mg/L	
HW55	Nitrogen, Nitrite + Nitrate	13-Feb-12	0.3 mg/L	10 mg/L
HW56	Heterotrophic Plate Count	05-Mar-12	22 J cfu/1mL	
HW56	Ethane	05-Mar-12	62 ug/L	
HW56	Methane	05-Mar-12	8700 ug/L	
HW56	Chloride	05-Mar-12	0.974 mg/L	
HW56	Sulfate	05-Mar-12	10.1 mg/L	
HW56	Arsenic	05-Mar-12	1.5 ug/L	10 ug/L
HW56	Barium	05-Mar-12	531 ug/L	2000 ug/L
HW56	Calcium	05-Mar-12	22600 ug/L	
HW56	Copper	05-Mar-12	2.4 ug/L	1000 ug/L***
HW56	Iron	05-Mar-12	171 ug/L	
HW56	Lithium	05-Mar-12	30.5 ug/L	
HW56	Magnesium	05-Mar-12	3550 ug/L	
HW56	Manganese	05-Mar-12	90.7 ug/L	
HW56	Sodium	05-Mar-12	10600 ug/L	
HW56	Strontium	05-Mar-12	369 ug/L	
HW56	Uranium	05-Mar-12	1 ug/L	30 ug/L
HW56	Total Dissolved Solids	05-Mar-12	95 mg/L	
HW57-P	Methane	14-Feb-12	2.7 ug/L	
HW57	Chloride	14-Feb-12	1.78 mg/L	
HW57-P	Chloride	14-Feb-12	1.54 mg/L	
HW57	Sulfate	14-Feb-12	7.79 mg/L	
HW57-P	Sulfate	14-Feb-12	8.38 mg/L	
HW57	Aluminum	14-Feb-12	1630 ug/L	
HW57-PF	Aluminum	14-Feb-12	85 ug/L	
HW57	Arsenic	14-Feb-12	5.8 ug/L	10 ug/L
HW57	Barium	14-Feb-12	123 ug/L	2000 ug/L
HW57-F	Barium	14-Feb-12	82.2 ug/L	2000 ug/L
HW57-P	Barium	14-Feb-12	99 ug/L	2000 ug/L
HW57-PF	Barium	14-Feb-12	102 ug/L	2000 ug/L
HW57-PF	Cadmium	14-Feb-12	2.9 ug/L	5 ug/L
HW57	Calcium	14-Feb-12	21800 ug/L	
HW57-F	Calcium	14-Feb-12	21300 ug/L	
HW57-P	Calcium	14-Feb-12	27500 ug/L	
HW57-PF	Calcium	14-Feb-12	28000 ug/L	
HW57	Copper	14-Feb-12	19.3 ug/L	1000 ug/L***
HW57-P	Copper	14-Feb-12	24.3 ug/L	1000 ug/L***

Dimock Week 1, 2, 3, 4 & 5 (see end of report for report key)				
Sample #	**Analyte**	**Sample Date**	**Result with Qualifier**	**EPA Primary MCL**
HW57-PF	Copper	14-Feb-12	24.2 ug/L	1000 ug/L***
HW57	Iron	14-Feb-12	11200 ug/L	
HW57	Lead	14-Feb-12	3.5 ug/L	5 ug/L***
HW57	Magnesium	14-Feb-12	4690 ug/L	
HW57-F	Magnesium	14-Feb-12	4370 ug/L	
HW57-P	Magnesium	14-Feb-12	5590 ug/L	
HW57-PF	Magnesium	14-Feb-12	5710 ug/L	
HW57	Manganese	14-Feb-12	131 ug/L	
HW57-F	Manganese	14-Feb-12	10.2 ug/L	
HW57-P	Manganese	14-Feb-12	9.1 ug/L	
HW57-PF	Manganese	14-Feb-12	10.2 ug/L	
HW57	Nickel	14-Feb-12	3.2 ug/L	
HW57-F	Nickel	14-Feb-12	1.2 ug/L	
HW57-P	Nickel	14-Feb-12	1.2 ug/L	
HW57-PF	Nickel	14-Feb-12	1.3 ug/L	
HW57	Sodium	14-Feb-12	6130 ug/L	
HW57-F	Sodium	14-Feb-12	6070 ug/L	
HW57-P	Sodium	14-Feb-12	7980 ug/L	
HW57-PF	Sodium	14-Feb-12	8100 ug/L	
HW57-P	Strontium	14-Feb-12	200 ug/L	
HW57	Uranium	14-Feb-12	3.4 ug/L	30 ug/L
HW57-F	Uranium	14-Feb-12	1.2 ug/L	30 ug/L
HW57-P	Uranium	14-Feb-12	2.6 ug/L	30 ug/L
HW57-PF	Uranium	14-Feb-12	2.7 ug/L	30 ug/L
HW57	Zinc	14-Feb-12	9.7 ug/L	
HW57-P	Zinc	14-Feb-12	5.1 ug/L	
HW57-PF	Zinc	14-Feb-12	5.1 ug/L	
HW57	Total Dissolved Solids	14-Feb-12	97 mg/L	
HW57-P	Total Dissolved Solids	14-Feb-12	46 mg/L	
HW57	Total Suspended Solids	14-Feb-12	69 mg/L	
HW57	Phthalate, bis(2-ethylhexyl) (DEHP)	14-Feb-12	3.45 J ug/L	6 ug/L
HW57	Nitrogen, Nitrite + Nitrate	14-Feb-12	0.349 mg/L	10 mg/L
HW57-P	Nitrogen, Nitrite + Nitrate	14-Feb-12	0.267 mg/L	10 mg/L
HW57	Total Phosphorus as P	14-Feb-12	0.215 mg/L	
HW58	Methane	14-Feb-12	77 ug/L	
HW58	Chloride	14-Feb-12	6.53 mg/L	
HW58	Sulfate	14-Feb-12	10.6 mg/L	
HW58	Arsenic	14-Feb-12	1.3 ug/L	10 ug/L
HW58-F	Arsenic	14-Feb-12	1.7 ug/L	10 ug/L
HW58	Barium	14-Feb-12	192 ug/L	2000 ug/L
HW58-F	Barium	14-Feb-12	204 ug/L	2000 ug/L
HW58-F	Boron	14-Feb-12	57.4 ug/L	
HW58	Calcium	14-Feb-12	32700 ug/L	

Dimock Week 1, 2, 3, 4 & 5 (see end of report for report key)				
Sample #	Analyte	Sample Date	Result with Qualifier	EPA Primary MCL
HW58-F	Calcium	14-Feb-12	31700 ug/L	
HW58	Magnesium	14-Feb-12	6540 ug/L	
HW58-F	Magnesium	14-Feb-12	6350 ug/L	
HW58	Nickel	14-Feb-12	1.2 ug/L	
HW58-F	Nickel	14-Feb-12	1.3 ug/L	
HW58	Sodium	14-Feb-12	13000 ug/L	
HW58-F	Sodium	14-Feb-12	12500 ug/L	
HW58	Strontium	14-Feb-12	954 ug/L	
HW58-F	Strontium	14-Feb-12	917 ug/L	
HW58	Uranium	14-Feb-12	3.7 ug/L	30 ug/L
HW58-F	Uranium	14-Feb-12	4 ug/L	30 ug/L
HW58	Total Dissolved Solids	14-Feb-12	138 mg/L	
HW58	Nitrogen, Nitrite + Nitrate	14-Feb-12	0.75 mg/L	10 mg/L
HW59	Chloride	14-Feb-12	10.9 mg/L	
HW59	Sulfate	14-Feb-12	11 mg/L	
HW59	Barium	14-Feb-12	88.3 ug/L	2000 ug/L
HW59-F	Barium	14-Feb-12	91.2 ug/L	2000 ug/L
HW59	Calcium	14-Feb-12	14500 ug/L	
HW59-F	Calcium	14-Feb-12	15300 ug/L	
HW59	Copper	14-Feb-12	27.3 ug/L	1000 ug/L***
HW59-F	Copper	14-Feb-12	25.2 ug/L	1000 ug/L***
HW59	Lead	14-Feb-12	1 ug/L	5 ug/L***
HW59-F	Lead	14-Feb-12	1.2 ug/L	5 ug/L***
HW59	Magnesium	14-Feb-12	2400 ug/L	
HW59-F	Magnesium	14-Feb-12	2540 ug/L	
HW59	Manganese	14-Feb-12	1.7 ug/L	
HW59-F	Manganese	14-Feb-12	1.7 ug/L	
HW59	Nickel	14-Feb-12	1.1 ug/L	
HW59-F	Nickel	14-Feb-12	1.2 ug/L	
HW59	Potassium	14-Feb-12	3270 ug/L	
HW59-F	Potassium	14-Feb-12	3460 ug/L	
HW59	Sodium	14-Feb-12	5710 ug/L	
HW59-F	Sodium	14-Feb-12	6010 ug/L	
HW59	Zinc	14-Feb-12	11.7 ug/L	
HW59-F	Zinc	14-Feb-12	14.9 ug/L	
HW59	Total Dissolved Solids	14-Feb-12	77 mg/L	
HW59	Nitrogen, Nitrite + Nitrate	14-Feb-12	2.27 mg/L	10 mg/L
HW59	Total Nitrogen	14-Feb-12	2.2 mg/L	
HW60	Heterotrophic Plate Count	05-Mar-12	14 J cfu/1mL	
HW60	Ethane	05-Mar-12	10 ug/L	
HW60	Methane	05-Mar-12	21000 ug/L	
HW60	Chloride	05-Mar-12	34.9 mg/L	
HW60	Sulfate	05-Mar-12	1.56 mg/L	

Dimock Week 1, 2, 3, 4 & 5 (see end of report for report key)				
Sample #	**Analyte**	**Sample Date**	**Result with Qualifier**	**EPA Primary MCL**
HW60	Arsenic	05-Mar-12	9.3 ug/L	10 ug/L
HW60	Barium	05-Mar-12	1650 ug/L	2000 ug/L
HW60	Calcium	05-Mar-12	29800 ug/L	
HW60	Copper	05-Mar-12	3 ug/L	1000 ug/L***
HW60	Iron	05-Mar-12	754 ug/L	
HW60	Lithium	05-Mar-12	47.7 ug/L	
HW60	Magnesium	05-Mar-12	7490 ug/L	
HW60	Manganese	05-Mar-12	217 ug/L	
HW60	Sodium	05-Mar-12	20300 ug/L	
HW60	Strontium	05-Mar-12	865 ug/L	
HW60	Zinc	05-Mar-12	2.6 ug/L	
HW60	Total Dissolved Solids	05-Mar-12	174 mg/L	
HW60	Carbon disulfide	05-Mar-12	0.09 J ug/L	
HW61	Heterotrophic Plate Count	06-Mar-12	60 J cfu/1mL	
HW61z	Heterotrophic Plate Count	06-Mar-12	60 J cfu/1mL	
HW61	Chloride	06-Mar-12	56.7 mg/L	
HW61z	Chloride	06-Mar-12	59.4 mg/L	
HW61	Sulfate	06-Mar-12	12.8 mg/L	
HW61z	Sulfate	06-Mar-12	12.3 mg/L	
HW61	Barium	06-Mar-12	68.4 ug/L	2000 ug/L
HW61z	Barium	06-Mar-12	75.1 ug/L	2000 ug/L
HW61	Calcium	06-Mar-12	31900 ug/L	
HW61z	Calcium	06-Mar-12	33000 ug/L	
HW61	Copper	06-Mar-12	20.5 ug/L	1000 ug/L***
HW61z	Copper	06-Mar-12	22.4 ug/L	1000 ug/L***
HW61	Magnesium	06-Mar-12	7040 ug/L	
HW61z	Magnesium	06-Mar-12	7200 ug/L	
HW61	Nickel	06-Mar-12	1 ug/L	
HW61z	Nickel	06-Mar-12	1.2 ug/L	
HW61	Sodium	06-Mar-12	16100 ug/L	
HW61z	Sodium	06-Mar-12	16400 ug/L	
HW61	Zinc	06-Mar-12	15.5 ug/L	
HW61z	Zinc	06-Mar-12	16.9 ug/L	
HW61	Total Dissolved Solids	06-Mar-12	201 mg/L	
HW61z	Total Dissolved Solids	06-Mar-12	211 mg/L	
HW61z	Anthracene	06-Mar-12	0.065 J ug/L	
HW61z	Atrazine	06-Mar-12	0.062 J ug/L	3 ug/L
HW61z	Bromophenyl-4 Phenyl Ether	06-Mar-12	0.049 J ug/L	
HW61z	Carbazole	06-Mar-12	0.071 J ug/L	
HW61z	Dibenzofuran	06-Mar-12	0.022 J ug/L	
HW61z	Fluoranthene	06-Mar-12	0.075 J ug/L	
HW61z	Fluorene	06-Mar-12	0.035 J ug/L	

Dimock Week 1, 2, 3, 4 & 5 (see end of report for report key)				
Sample #	**Analyte**	**Sample Date**	**Result with Qualifier**	**EPA Primary MCL**
HW61z	Hexachlorobenzene	06-Mar-12	0.049 J ug/L	1 ug/L
HW61z	Nitrosodiphenylamine-n	06-Mar-12	0.055 J ug/L	
HW61z	Phenanthrene	06-Mar-12	0.07 J ug/L	
HW61z	Phthalate, Dimethyl	06-Mar-12	0.038 J ug/L	
HW61	Phthalate-diethyl	06-Mar-12	0.031 J ug/L	
HW61z	Phthalate-diethyl	06-Mar-12	0.073 J ug/L	
HW61z	Pyrene	06-Mar-12	0.073 J ug/L	
HW61	Nitrogen, Nitrite + Nitrate	06-Mar-12	1.6 mg/L	10 mg/L
HW61z	Nitrogen, Nitrite + Nitrate	06-Mar-12	1.6 mg/L	10 mg/L
HW61	Total Nitrogen	06-Mar-12	1.19 mg/L	
HW61z	Total Nitrogen	06-Mar-12	1.25 mg/L	

Sample Number – Code that is used to identify the particular sample. See additional information below:

HW## – Identifies the sample location and indicates that it was collected at well head or closest point to the well head.

F – Indicates that the sample was filtered following collection. The purpose of filtering the sample is to remove any particulates in order to find what metals are actually dissolved in the water sample.

Z – Identifies a duplicate sample. Duplicate samples are collected for every ten samples collected to test the reproducibility of sampling and analytical procedures.

P – Indicates that the sample was collected at the kitchen tap. In some cases this may be following any treatment that the residence may have.

A/B – Designates which residence the sample was collected for sample locations with multiple residences using the same water source (may be a well or a spring).

RO – Indicated that the sample was collected from a residence containing a reverse osmosis treatment system.

N – Designates that the sample was collected from the new well for locations with multiple wells.

Analyte – General term for a substance in the sample. The lab does testing to find specific analytes, or substance in the water sample. The report lists each analyte that the lab tested for and what amounts were found.

TPH - Total Petroleum Hydrocarbons

Result and Units – identifies the actual result for the particular analyte and the measurement used for the particular type of sample. The results may include the following units for the various water sample analyses:

µg /L – Micrograms per liter (abbreviated as µg /L) measurements of the mass of the substance per liter of water. This measurement is commonly known as parts per billion or ppb. Drinking water results are usually reported in µg /L.

mg/L – Milligrams per liter (abbreviated as mg/L) measurements of the mass of the substance per liter of water. This measurement is commonly known as parts per million or ppm.

cfu/100 mL – Total Coliform Bacteria results are reported as colony forming units (cfu) per milliliters of water. Coliform bacteria is not a health threat in itself; it is used to indicate whether other potentially harmful bacteria may be present.

cfu/1mL – Heterotrophic Plate Count Bacteria (HPC) are reported as colony forming units (cfu) per

Dimock Week 1, 2, 3, 4 & 5 (see end of report for report key)				
Sample #	Analyte	Sample Date	Result with Qualifier	EPA Primary MCL

Trigger Level – established for this project, the trigger levels are based on risk-based screening levels and/or standards for public water supplies. A yellow highlighted result represents an analytical result greater than the established trigger level. Results exceeding a trigger level are referred to an EPA toxicologist for further review.

EPA Primary MCLs – the primary maximum contaminant levels (MCLs) are legally enforceable standards established under the Safe Drinking Water Act to protect public health by limiting the levels of contaminants in public drinking water systems. The MCL is the amount of an analyte (substance) that can be present in a water sample that the government considers acceptable to drink. EPA considers the MCLs when evaluating results from residential drinking water wells.

EPA Secondary MCLs - secondary MCLs are non-enforceable standards regulating contaminants that may cause cosmetic effects (such as skin or tooth discoloration) or aesthetic effects (such as taste, odor, or color) in drinking water. EPA recommends secondary standards to public water systems, but does not require systems to comply. However, states may choose to adopt them as enforceable standards.

DEP MCLs (Primary and Secondary) – Chapter 109, Pennsylvania Safe Drinking Water Regulations, defines MCL as the maximum permissible level of a contaminant in water which is delivered to a user of a public water system, and includes the primary and secondary MCLs established under the Federal Safe Drinking Water Act, and MCLs adopted under the act.

* No more than 5.0% samples total coliform-positive in a month. (For water systems that collect fewer than 40 routine samples per month, no more than one sample can be total coliform-positive per month.) Every sample that has total coliform must be analyzed for either fecal coliforms or E. coli if two consecutive TC-positive samples, and one is also positive for E.coli fecal coliforms, system has an acute MCL violation.

** EPA has not established an MCL for lead or copper. Lead and copper are regulated by a Treatment Technique that requires public drinking water systems to control the corrosiveness of their water. If more than 10% of tap water samples exceed the action level, water system must

U – Indicates that the analyte was not detected. If there is a number next to the U, this number is the amount of analyte that would have to be present to be detected by the lab given the particular method and/or instrumentation.

J – This means that the analyte was detected, but the value of the result is an estimate.

UJ - The U before the J means that the analyte was not detected in the sample, but this result may be inaccurate. Some analyte may be present.

R – Indicates that the data has been rejected. For glycol analyses, data with detected concentrations above the Method Detection Limit (MDL) and less than the Reporting Limit (RL) were rejected due to the laboratory not using a second column and/or gas chromatography with mass spectrometry to confirm the identity of the compound listed. For Heterotrophic Plate Count analysis, data were rejected if the laboratory did not run a method blank (i.e. sterility control) for each series of samples plated to determine whether the test samples could have been contaminated during analysis. For semivolatile organic compound analysis, non-detect data have been rejected due to low recoveries of required method quality control checks.

MDL – Is the minimum concentration of a substance that can be measured and reported with 99-percent confidence that the concentration of the substance is greater than zero.