EPA Validated Data Summary Report - HW29
Dimock Residential Sampling
February 2012

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW29	1-Butanol	Alcohols	1/31/2012	10	U	ug/mL	U		10		1.5	ug/mL
HW29z	1-Butanol	Alcohols	1/31/2012	10	U	ug/mL	U		10		1.5	ug/mL
HW29	1-Propanol	Alcohols	1/31/2012	10	U	ug/mL	U		10			
HW29z	1-Propanol	Alcohols	1/31/2012	10	U	ug/mL	U		10			
HW29	2-Butanol	Alcohols	1/31/2012	10	U	ug/mL	U		10			
HW29z	2-Butanol	Alcohols	1/31/2012	10	U	ug/mL	U		10			
HW29	Ethanol	Alcohols	1/31/2012	10	U	ug/mL	U		10			
HW29z	Ethanol	Alcohols	1/31/2012	10	U	ug/mL	U		10			
HW29	Methanol	Alcohols	1/31/2012	10	U	ug/mL	U		10		7.8	ug/mL
HW29z	Methanol	Alcohols	1/31/2012	10	U	ug/mL	U		10		7.8	ug/mL
HW29	Anionic Surfactants	Anionic Surfact	1/31/2012	0.032		mg/L			0.01	0.01		
HW29z	Anionic Surfactants	Anionic Surfact	1/31/2012	0.026		mg/L			0.01	0.01		
HW29	Heterotrophic Plate Count	Bacteria	1/31/2012		R	cfu/1ml	R3		1			
HW29z	Heterotrophic Plate Count	Bacteria	1/31/2012		R	cfu/1ml	R3		1			
HW29	Total Coliform Bacteria	Bacteria	1/31/2012	1	U	cfu/100 ml			1		0	cfu/100mL
HW29z	Total Coliform Bacteria	Bacteria	1/31/2012	1	U	cfu/100 ml			1		0	cfu/100mL
HW29	Ethane	Dissolved Gase	1/31/2012	4700		ug/L		440		970		

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW29z	Ethane	Dissolved Gase	1/31/2012	4100		ug/L		300		640		
HW29	Ethene	Dissolved Gase	1/31/2012	1.1	U	ug/L	U	0.5		1.1		
HW29z	Ethene	Dissolved Gase	1/31/2012	1.1	U	ug/L	U	0.5		1.1		
HW29	Methane	Dissolved Gase	1/31/2012	**77000**		ug/L		480		970	28000	ug/L
HW29z	Methane	Dissolved Gase	1/31/2012	**62000**		ug/L		320		640	28000	ug/L
HW29	2-Butoxyethanol	Glycols	1/31/2012	5	U	ug/L	U		5			
HW29z	2-Butoxyethanol	Glycols	1/31/2012	5	U	ug/L	U		5			
HW29	2-Methoxyethanol	Glycols	1/31/2012	10	U	ug/L	U		10		78	ug/L
HW29	2-Methoxyethanol	Glycols	1/31/2012	60	U	ug/L	UUJ		60		78	ug/L
HW29z	2-Methoxyethanol	Glycols	1/31/2012	10	U	ug/L	U		10		78	ug/L
HW29z	2-Methoxyethanol	Glycols	1/31/2012	60	U	ug/L	UUJ		60		78	ug/L
HW29	Diethylene Glycol	Glycols	1/31/2012	50	U	ug/L	U		50		8000	ug/L
HW29	Diethylene glycol	Glycols	1/31/2012		R	ug/L	J B	0.51	10	10	8000	ug/L
HW29z	Diethylene glycol	Glycols	1/31/2012		R	ug/L	J B	0.51	10	10	8000	ug/L
HW29z	Diethylene Glycol	Glycols	1/31/2012	50	U	ug/L	U		50		8000	ug/L
HW29	Ethanol, 2-ethoxy-	Glycols	1/31/2012	10000	U	ug/L	U	0.94	10	10		
HW29z	Ethanol, 2-ethoxy-	Glycols	1/31/2012	10000	U	ug/L	U	0.94	10	10		
HW29	Ethanol, 2-methoxy-	Glycols	1/31/2012	10000	U	ug/L	U	0.76	10	10	78	ug/L
HW29z	Ethanol, 2-methoxy-	Glycols	1/31/2012	10000	U	ug/L	U	0.76	10	10	78	ug/L
HW29	Ethylene glycol	Glycols	1/31/2012	10000	U	ug/L	U	0.76	10	10	31	mg/L
HW29	Ethylene glycol	Glycols	1/31/2012	10	U	mg/L	U	5	10	10	31	mg/L

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW29z	Ethylene glycol	Glycols	1/31/2012	10000	U	ug/L	U	0.76	10	10	31	mg/L
HW29z	Ethylene glycol	Glycols	1/31/2012	10	U	mg/L	U	5	10	10	31	mg/L
HW29	Tetraethylene glycol	Glycols	1/31/2012	25	U	ug/L	U		25		8000	ug/L
HW29z	Tetraethylene glycol	Glycols	1/31/2012	25	U	ug/L	U		25		8000	ug/L
HW29	Triethylene glycol	Glycols	1/31/2012	25	U	ug/L	U		25		8000	ug/L
HW29	Triethylene glycol	Glycols	1/31/2012	10000	U	ug/L	U	1.6	10	10	8000	ug/L
HW29z	Triethylene glycol	Glycols	1/31/2012	10000	U	ug/L	U	1.6	10	10	8000	ug/L
HW29z	Triethylene glycol	Glycols	1/31/2012	25	U	ug/L	U		25		8000	ug/L
HW29	Bromide	Inorganic Ions	1/31/2012	1.67		mg/L		0.019	0.5	0.019		
HW29z	Bromide	Inorganic Ions	1/31/2012	1.65		mg/L		0.019	0.5	0.019		
HW29	Chloride	Inorganic Ions	1/31/2012	181		mg/L	D	1.4	6.25	1.4	250	mg/L
HW29z	Chloride	Inorganic Ions	1/31/2012	180		mg/L	D	1.4	6.25	1.4	250	mg/L
HW29	Fluoride	Inorganic Ions	1/31/2012	0.123		mg/L		0.019	0.1	0.019	0.62	mg/L
HW29z	Fluoride	Inorganic Ions	1/31/2012	0.125		mg/L		0.019	0.1	0.019	0.62	mg/L
HW29	Sulfate	Inorganic Ions	1/31/2012	3.8		mg/L		0.116	0.5	0.116		
HW29z	Sulfate	Inorganic Ions	1/31/2012	3.9		mg/L		0.116	0.5	0.116		
HW29	Mercury	Mercury	1/31/2012	0.2	U	ug/L	U	0.019	0.2	0.019	4.3	ug/L
HW29-F	Mercury	Mercury	1/31/2012	0.2	U	ug/L	U	0.019	0.2	0.019	4.3	ug/L
HW29z	Mercury	Mercury	1/31/2012	0.2	U	ug/L	U	0.019	0.2	0.019	4.3	ug/L
HW29z-F	Mercury	Mercury	1/31/2012	0.2	U	ug/L	U	0.019	0.2	0.019	4.3	ug/L
HW29	Aluminum	Metals	1/31/2012	51		ug/L	D		30		16000	ug/L

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW29-F	Aluminum	Metals	1/31/2012	30	U	ug/L	U		30		16000	ug/L
HW29z	Aluminum	Metals	1/31/2012	44.4		ug/L	D		30		16000	ug/L
HW29z-F	Aluminum	Metals	1/31/2012	30	U	ug/L	U		30		16000	ug/L
HW29	Antimony	Metals	1/31/2012	2	U	ug/L	U		2		6	ug/L
HW29-F	Antimony	Metals	1/31/2012	2	U	ug/L	U		2		6	ug/L
HW29z	Antimony	Metals	1/31/2012	2	U	ug/L	U		2		6	ug/L
HW29z-F	Antimony	Metals	1/31/2012	2	U	ug/L	U		2		6	ug/L
HW29	Arsenic	Metals	1/31/2012	3.7		ug/L	D		2		4.5	ug/L
HW29-F	Arsenic	Metals	1/31/2012	3.4	J	ug/L	JD		2		4.5	ug/L
HW29z	Arsenic	Metals	1/31/2012	2.7		ug/L	D		2		4.5	ug/L
HW29z-F	Arsenic	Metals	1/31/2012	3.7		ug/L	D		2		4.5	ug/L
HW29	Barium	Metals	1/31/2012	315		ug/L		1.2	200	1.2	2900	ug/L
HW29-F	Barium	Metals	1/31/2012	294		ug/L		1.2	200	1.2	2900	ug/L
HW29z	Barium	Metals	1/31/2012	316		ug/L		1.2	200	1.2	2900	ug/L
HW29z-F	Barium	Metals	1/31/2012	299		ug/L		1.2	200	1.2	2900	ug/L
HW29	Beryllium	Metals	1/31/2012	1	U	ug/L	U		1		16	ug/L
HW29-F	Beryllium	Metals	1/31/2012	1	U	ug/L	U		1		16	ug/L
HW29z	Beryllium	Metals	1/31/2012	1	U	ug/L	U		1		16	ug/L
HW29z-F	Beryllium	Metals	1/31/2012	1	U	ug/L	U		1		16	ug/L
HW29	Boron	Metals	1/31/2012	241		ug/L		3.5	50	3.5	3100	ug/L
HW29-F	Boron	Metals	1/31/2012	244		ug/L		3.5	50	3.5	3100	ug/L

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW29z	Boron	Metals	1/31/2012	233		ug/L		3.5	50	3.5	3100	ug/L
HW29z-F	Boron	Metals	1/31/2012	230		ug/L		3.5	50	3.5	3100	ug/L
HW29	Cadmium	Metals	1/31/2012	1	U	ug/L	U		1		6.9	ug/L
HW29-F	Cadmium	Metals	1/31/2012	1	U	ug/L	U		1		6.9	ug/L
HW29z	Cadmium	Metals	1/31/2012	1	U	ug/L	U		1		6.9	ug/L
HW29z-F	Cadmium	Metals	1/31/2012	1	U	ug/L	U		1		6.9	ug/L
HW29	Calcium	Metals	1/31/2012	5200		ug/L		6.6	500	6.6		
HW29-F	Calcium	Metals	1/31/2012	4530		ug/L		6.6	500	6.6		
HW29z	Calcium	Metals	1/31/2012	5480		ug/L		6.6	500	6.6		
HW29z-F	Calcium	Metals	1/31/2012	5070		ug/L		6.6	500	6.6		
HW29	Chromium	Metals	1/31/2012	2	U	ug/L	U		2		3.1	ug/L
HW29-F	Chromium	Metals	1/31/2012	2	U	ug/L	U		2		3.1	ug/L
HW29z	Chromium	Metals	1/31/2012	2	U	ug/L	U		2		3.1	ug/L
HW29z-F	Chromium	Metals	1/31/2012	2	U	ug/L	U		2		3.1	ug/L
HW29	Cobalt	Metals	1/31/2012	1	U	ug/L	U		1		4.7	ug/L
HW29-F	Cobalt	Metals	1/31/2012	1	U	ug/L	U		1		4.7	ug/L
HW29z	Cobalt	Metals	1/31/2012	1	U	ug/L	U		1		4.7	ug/L
HW29z-F	Cobalt	Metals	1/31/2012	1	U	ug/L	U		1		4.7	ug/L
HW29	Copper	Metals	1/31/2012	3.2		ug/L	D		2		620	ug/L
HW29-F	Copper	Metals	1/31/2012	2.6		ug/L	D		2		620	ug/L
HW29z	Copper	Metals	1/31/2012	2.8		ug/L	D		2		620	ug/L

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW29z-F	Copper	Metals	1/31/2012	2.3		ug/L	D		2		620	ug/L
HW29	Iron	Metals	1/31/2012	112		ug/L		2.6	100	2.6	11000	ug/L
HW29-F	Iron	Metals	1/31/2012	100	U	ug/L	U	2.6	100	2.6	11000	ug/L
HW29z	Iron	Metals	1/31/2012	122		ug/L		2.6	100	2.6	11000	ug/L
HW29z-F	Iron	Metals	1/31/2012	100	U	ug/L	U	2.6	100	2.6	11000	ug/L
HW29	Lead	Metals	1/31/2012	1	U	ug/L	U		1		15	ug/L
HW29-F	Lead	Metals	1/31/2012	1	U	ug/L	U		1		15	ug/L
HW29z	Lead	Metals	1/31/2012	1	U	ug/L	U		1		15	ug/L
HW29z-F	Lead	Metals	1/31/2012	1	U	ug/L	U		1		15	ug/L
HW29	Lithium	Metals	1/31/2012	**478**		ug/L			200		31	ug/L
HW29-F	Lithium	Metals	1/31/2012	**493**		ug/L			200		31	ug/L
HW29z	Lithium	Metals	1/31/2012	**462**		ug/L			200		31	ug/L
HW29z-F	Lithium	Metals	1/31/2012	**463**		ug/L			200		31	ug/L
HW29	Magnesium	Metals	1/31/2012	1140		ug/L		20.4	500	20.4		
HW29-F	Magnesium	Metals	1/31/2012	943		ug/L		20.4	500	20.4		
HW29z	Magnesium	Metals	1/31/2012	1230		ug/L		20.4	500	20.4		
HW29z-F	Magnesium	Metals	1/31/2012	1120		ug/L		20.4	500	20.4		
HW29	Manganese	Metals	1/31/2012	43.4		ug/L	D		1		320	ug/L
HW29-F	Manganese	Metals	1/31/2012	33.3		ug/L	D		1		320	ug/L
HW29z	Manganese	Metals	1/31/2012	47.5		ug/L	D		1		320	ug/L
HW29z-F	Manganese	Metals	1/31/2012	40.1		ug/L	D		1		320	ug/L

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW29	Nickel	Metals	1/31/2012	1	U	ug/L	U		1		300	ug/L
HW29-F	Nickel	Metals	1/31/2012	1	U	ug/L	U		1		300	ug/L
HW29z	Nickel	Metals	1/31/2012	1	U	ug/L	U		1		300	ug/L
HW29z-F	Nickel	Metals	1/31/2012	1	U	ug/L	U		1		300	ug/L
HW29	Potassium	Metals	1/31/2012	2330		ug/L		47.8	2000	47.8		
HW29-F	Potassium	Metals	1/31/2012	2200		ug/L		47.8	2000	47.8		
HW29z	Potassium	Metals	1/31/2012	2180		ug/L		47.8	2000	47.8		
HW29z-F	Potassium	Metals	1/31/2012	2140		ug/L		47.8	2000	47.8		
HW29	Selenium	Metals	1/31/2012	6.7		ug/L	D		5		78	ug/L
HW29-F	Selenium	Metals	1/31/2012	7		ug/L	D		5		78	ug/L
HW29z	Selenium	Metals	1/31/2012	5	U	ug/L	U		5		78	ug/L
HW29z-F	Selenium	Metals	1/31/2012	5.6		ug/L	D		5		78	ug/L
HW29	Silver	Metals	1/31/2012	1	U	ug/L	U		1		71	ug/L
HW29-F	Silver	Metals	1/31/2012	1	U	ug/L	U		1		71	ug/L
HW29z	Silver	Metals	1/31/2012	1	U	ug/L	U		1		71	ug/L
HW29z-F	Silver	Metals	1/31/2012	1	U	ug/L	U		1		71	ug/L
HW29	Sodium	Metals	1/31/2012	**195000**		ug/L		9.2	1000	9.2	20000	ug/L
HW29-F	Sodium	Metals	1/31/2012	**201000**		ug/L		9.2	1000	9.2	20000	ug/L
HW29z	Sodium	Metals	1/31/2012	**190000**		ug/L		9.2	1000	9.2	20000	ug/L
HW29z-F	Sodium	Metals	1/31/2012	**189000**		ug/L		9.2	1000	9.2	20000	ug/L
HW29	Strontium	Metals	1/31/2012	374		ug/L			200		9300	ug/L

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW29-F	Strontium	Metals	1/31/2012	352		ug/L			200		9300	ug/L
HW29z	Strontium	Metals	1/31/2012	377		ug/L			200		9300	ug/L
HW29z-F	Strontium	Metals	1/31/2012	361		ug/L			200		9300	ug/L
HW29	Thallium	Metals	1/31/2012	1	U	ug/L	U		1		0.16	ug/L
HW29-F	Thallium	Metals	1/31/2012	1	U	ug/L	U		1		0.16	ug/L
HW29z	Thallium	Metals	1/31/2012	1	U	ug/L	U		1		0.16	ug/L
HW29z-F	Thallium	Metals	1/31/2012	1	U	ug/L	U		1		0.16	ug/L
HW29	Tin	Metals	1/31/2012	200	U	ug/L	U		200		9300	ug/L
HW29-F	Tin	Metals	1/31/2012	200	U	ug/L	U		200		9300	ug/L
HW29z	Tin	Metals	1/31/2012	200	U	ug/L	U		200		9300	ug/L
HW29z-F	Tin	Metals	1/31/2012	200	U	ug/L	U		200		9300	ug/L
HW29	Titanium	Metals	1/31/2012	200	U	ug/L	U		200			
HW29-F	Titanium	Metals	1/31/2012	200	U	ug/L	U		200			
HW29z	Titanium	Metals	1/31/2012	200	U	ug/L	U		200			
HW29z-F	Titanium	Metals	1/31/2012	200	U	ug/L	U		200			
HW29	Uranium	Metals	1/31/2012	1	U	ug/L	U		1		47	ug/L
HW29-F	Uranium	Metals	1/31/2012	1	U	ug/L	U		1		47	ug/L
HW29z	Uranium	Metals	1/31/2012	1	U	ug/L	U		1		47	ug/L
HW29z-F	Uranium	Metals	1/31/2012	1	U	ug/L	U		1		47	ug/L
HW29	Vanadium	Metals	1/31/2012	5	U	ug/L	U		5		78	ug/L
HW29-F	Vanadium	Metals	1/31/2012	5	U	ug/L	U		5		78	ug/L

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW29z	Vanadium	Metals	1/31/2012	5	U	ug/L	U		5		78	ug/L
HW29z-F	Vanadium	Metals	1/31/2012	5	U	ug/L	U		5		78	ug/L
HW29	Zinc	Metals	1/31/2012	2.9		ug/L	BD		2		4700	ug/L
HW29-F	Zinc	Metals	1/31/2012	2	U	ug/L	U		2		4700	ug/L
HW29z	Zinc	Metals	1/31/2012	2	U	ug/L	U		2		4700	ug/L
HW29z-F	Zinc	Metals	1/31/2012	2	U	ug/L	U		2		4700	ug/L
HW29	Oil and Grease	Oil and Grease	1/31/2012	5.4	U	mg/L	U	0.8	5.4	0.8		
HW29z	Oil and Grease	Oil and Grease	1/31/2012	5.7	U	mg/L	U	0.9	5.7	0.9		
HW29	Total Dissolved Solids	Residue	1/31/2012	370		mg/L	B	10	10	10		
HW29z	Total Dissolved Solids	Residue	1/31/2012	492		mg/L	B	10	10	10		
HW29	Total Suspended Solids	Residue	1/31/2012	10	U	mg/L	U		10			
HW29z	Total Suspended Solids	Residue	1/31/2012	10	U	mg/L	U		10			
HW29	1-Methylnaphthalene	SVOCs	1/31/2012	5	U	ug/L	UUJ		5		97	ug/ L
HW29z	1-Methylnaphthalene	SVOCs	1/31/2012	5	U	ug/L	UUJ		5		97	ug/ L
HW29	Acenaphthene	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	400	ug/L
HW29z	Acenaphthene	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	400	ug/L
HW29	Acenaphthylene	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0		
HW29z	Acenaphthylene	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0		
HW29	Acetophenone	SVOCs	1/31/2012	0.02		ug/L	JB	0	5	0	1500	ug/L
HW29z	Acetophenone	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	1500	ug/L
HW29	Anthracene	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	1300	ug/L

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW29z	Anthracene	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	1300	ug/L
HW29	Atrazine	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	26	ug/L
HW29z	Atrazine	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	26	ug/L
HW29	Benzo(a)anthracene	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	2.9	ug/L
HW29z	Benzo(a)anthracene	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	2.9	ug/L
HW29	Benzo(a)pyrene	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	0.29	ug/L
HW29z	Benzo(a)pyrene	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	0.29	ug/L
HW29	Biphenyl	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0		
HW29z	Biphenyl	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0		
HW29	Bromophenyl-4 Phenyl Ether	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0		
HW29z	Bromophenyl-4 Phenyl Ether	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0		
HW29	Butylbenzyl phthalate	SVOCs	1/31/2012	5	U	ug/L	JB	0	5	0	1400	ug/L
HW29z	Butylbenzyl phthalate	SVOCs	1/31/2012	5	U	ug/L	JB	0	5	0	1400	ug/L
HW29	Caprolactam	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	7700	ug/L
HW29z	Caprolactam	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	7700	ug/L
HW29	Carbazole	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0		
HW29z	Carbazole	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0		
HW29	Chlorobenzenamine-4	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	3.2	ug/L
HW29z	Chlorobenzenamine-4	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	3.2	ug/L
HW29	Chloronaphthalene-2	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	550	ug/L
HW29z	Chloronaphthalene-2	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	550	ug/L

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW29	Chlorophenol-2	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	71	ug/L
HW29z	Chlorophenol-2	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	71	ug/L
HW29	Chlorophenyl-4 phenyl ether	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0		
HW29z	Chlorophenyl-4 phenyl ether	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0		
HW29	Chrysene	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	290	ug/L
HW29z	Chrysene	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	290	ug/L
HW29	Cresol, parachloro meta-	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0		
HW29z	Cresol, parachloro meta-	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0		
HW29	Cresol-4,6-dinitro-ortho	SVOCs	1/31/2012	10	U	ug/L	U	0	10	0		
HW29z	Cresol-4,6-dinitro-ortho	SVOCs	1/31/2012	10	U	ug/L	U	0	10	0		
HW29	Cresol-o	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	720	ug/L
HW29z	Cresol-o	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	720	ug/L
HW29	Cresol-p	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	72	ug/L
HW29z	Cresol-p	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	72	ug/L
HW29	Dibenz(a,h)anthracene	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	0.29	ug/L
HW29z	Dibenz(a,h)anthracene	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	0.29	ug/L
HW29	Dibenzofuran	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0		
HW29z	Dibenzofuran	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0		
HW29	Dichlorobenzidine-3,3'	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	11	ug/L
HW29z	Dichlorobenzidine-3,3'	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	11	ug/L
HW29	Dichlorophenol-2,4	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	35	ug/L

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW29z	Dichlorophenol-2,4	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	35	ug/L
HW29	Dimethylphenol, 2,4-	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	270	ug/L
HW29z	Dimethylphenol, 2,4-	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	270	ug/L
HW29	Dinitrophenol-2,4	SVOCs	1/31/2012	5	U	ug/L	U		5		30	ug/L
HW29z	Dinitrophenol-2,4	SVOCs	1/31/2012	5	U	ug/L	U		5		30	ug/L
HW29	Dinitrotoluene-2,4	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0		
HW29z	Dinitrotoluene-2,4	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0		
HW29	Dinitrotoluene-2,6	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0		
HW29z	Dinitrotoluene-2,6	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0		
HW29	Ether, bis(2-chloroethyl)	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	1.2	ug/L
HW29z	Ether, bis(2-chloroethyl)	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	1.2	ug/L
HW29	Ether-bis(2-chloroisopropyl)	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0		
HW29z	Ether-bis(2-chloroisopropyl)	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0		
HW29	Fluoranthene	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	630	ug/L
HW29z	Fluoranthene	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	630	ug/L
HW29	Fluoranthene benzo(k)	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	29	ug/L
HW29z	Fluoranthene benzo(k)	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	29	ug/L
HW29	Fluoranthene-benzo(b)	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	5.6	ug/L
HW29z	Fluoranthene-benzo(b)	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	5.6	ug/L
HW29	Fluorene	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	220	ug/L
HW29z	Fluorene	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	220	ug/L

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW29	Hexachlorobenzene	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	4.2	ug/L
HW29z	Hexachlorobenzene	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	4.2	ug/L
HW29	Hexachlorobutadiene	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	26	ug/L
HW29	Hexachlorobutadiene	SVOCs	1/31/2012	0.5	U	ug/L	U		0.5		26	ug/L
HW29z	Hexachlorobutadiene	SVOCs	1/31/2012	0.5	U	ug/L	U		0.5		26	ug/L
HW29z	Hexachlorobutadiene	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	26	ug/L
HW29	Hexachlorocyclopentadiene	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	22	ug/L
HW29z	Hexachlorocyclopentadiene	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	22	ug/L
HW29	Hexachloroethane	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	5.1	ug/L
HW29z	Hexachloroethane	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	5.1	ug/L
HW29	Isophorone	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	6700	ug/L
HW29z	Isophorone	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	6700	ug/L
HW29	Methane, bis(2-chloroethoxy)	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	47	ug/L
HW29z	Methane, bis(2-chloroethoxy)	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	47	ug/L
HW29	Methylnaphthalene-2	SVOCs	1/31/2012	0.04		ug/L	JB	0	5	0	27	ug/L
HW29z	Methylnaphthalene-2	SVOCs	1/31/2012	0.06		ug/L	JB	0	5	0	27	ug/L
HW29	Naphthalene	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	14	ug/L
HW29	Naphthalene	SVOCs	1/31/2012	0.5	U	ug/L	U		0.5		14	ug/L
HW29z	Naphthalene	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	14	ug/L
HW29z	Naphthalene	SVOCs	1/31/2012	0.5	U	ug/L	U		0.5		14	ug/L
HW29	Nitroaniline, ortho	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	150	ug/L

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW29z	Nitroaniline, ortho	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	150	ug/L
HW29	Nitroaniline-3	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0		
HW29z	Nitroaniline-3	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0		
HW29	Nitrobenzenamine-4	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	61	ug/L
HW29z	Nitrobenzenamine-4	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	61	ug/L
HW29	Nitrobenzene	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	12	ug/L
HW29z	Nitrobenzene	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	12	ug/L
HW29	Nitrophenol-2	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0		
HW29z	Nitrophenol-2	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0		
HW29	Nitrophenol-4	SVOCs	1/31/2012	10	U	ug/L	U	0	10	0		
HW29z	Nitrophenol-4	SVOCs	1/31/2012	10	U	ug/L	U	0	10	0		
HW29	Nitrosodimethylamine-n	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	0.042	ug/L
HW29z	Nitrosodimethylamine-n	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	0.042	ug/L
HW29	Nitrosodiphenylamine-n	SVOCs	1/31/2012	0.01		ug/L	J	0	5	0	1000	ug/L
HW29z	Nitrosodiphenylamine-n	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	1000	ug/L
HW29	Pentachlorophenol	SVOCs	1/31/2012	40	U	ug/L	U	0	40	0	17	ug/L
HW29z	Pentachlorophenol	SVOCs	1/31/2012	40	U	ug/L	U	0	40	0	17	ug/L
HW29	Perylene-benzo(ghi)	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0		
HW29z	Perylene-benzo(ghi)	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0		
HW29	Phenanthrene	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0		
HW29z	Phenanthrene	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0		

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW29	Phenol	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	4500	ug/L
HW29z	Phenol	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	4500	ug/L
HW29	Phthalate, bis(2-ethylhexyl) (DEHP)	SVOCs	1/31/2012	5	U	ug/L	JB	0	5	0	7.1	ug/L
HW29z	Phthalate, bis(2-ethylhexyl) (DEHP)	SVOCs	1/31/2012	5	U	ug/L	JB	0	5	0	7.1	ug/L
HW29	Phthalate, Dimethyl	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	1400	ug/L
HW29z	Phthalate, Dimethyl	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	1400	ug/L
HW29	Phthalate, di-n-butyl-	SVOCs	1/31/2012	5	U	ug/L	JB	0	5	0	670	ug/L
HW29z	Phthalate, di-n-butyl-	SVOCs	1/31/2012	5	U	ug/L	JB	0	5	0	670	ug/L
HW29	Phthalate, di-n-octyl	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0		
HW29z	Phthalate, di-n-octyl	SVOCs	1/31/2012	0.02		ug/L	J	0	5	0		
HW29	Phthalate-diethyl	SVOCs	1/31/2012	5	U	ug/L	JB	0	5	0	11000	ug/L
HW29z	Phthalate-diethyl	SVOCs	1/31/2012	5	U	ug/L	JB	0	5	0	11000	ug/L
HW29	Propylamine,n-nitroso di-n-	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	0.93	ug/L
HW29z	Propylamine,n-nitroso di-n-	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	0.93	ug/L
HW29	Pyrene	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	87	ug/L
HW29z	Pyrene	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	87	ug/L
HW29	Pyrene-indeno(1,2,3-cd)	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	3	ug/L
HW29z	Pyrene-indeno(1,2,3-cd)	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	3	ug/L
HW29	Tetrachlorobenzene, 1,2,4,5-	SVOCs	1/31/2012	5	U	ug/L	U		5		1.2	ug/L
HW29z	Tetrachlorobenzene, 1,2,4,5-	SVOCs	1/31/2012	5	U	ug/L	U		5		1.2	ug/L

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW29	Tetrachlorophenol, 2,3,4,6-	SVOCs	1/31/2012	5	U	ug/L	U		5		170	ug/L
HW29z	Tetrachlorophenol, 2,3,4,6-	SVOCs	1/31/2012	5	U	ug/L	U		5		170	ug/L
HW29	Trichlorophenol-2,4,5	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	890	ug/L
HW29z	Trichlorophenol-2,4,5	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	890	ug/L
HW29	Trichlorophenol-2,4,6	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	9.04	ug/L
HW29z	Trichlorophenol-2,4,6	SVOCs	1/31/2012	5	U	ug/L	U	0	5	0	9.04	ug/L
HW29	TPH - Diesel Range Organics	Total Petroleu	1/31/2012	250	U	ug/L	U	120		250		
HW29z	TPH - Diesel Range Organics	Total Petroleu	1/31/2012	250	U	ug/L	U	120		250		
HW29	TPH - Oil Range Organics	Total Petroleu	1/31/2012	1000	U	ug/L	U	500		1000		
HW29z	TPH - Oil Range Organics	Total Petroleu	1/31/2012	1000	U	ug/L	U	500		1000		
HW29	TPH as Gasoline	Total Petroleu	1/31/2012	50	U	ug/L	U	25		50		
HW29z	TPH as Gasoline	Total Petroleu	1/31/2012	50	U	ug/L	U	25		50		
HW29	4-Methyl-2-pentanone	VOCs	1/31/2012	2	U	ug/L	U		2		1000	ug/L
HW29z	4-Methyl-2-pentanone	VOCs	1/31/2012	2	U	ug/L	U		2		1000	ug/L
HW29	Acetone	VOCs	1/31/2012	3.3		ug/L	JB		2			
HW29z	Acetone	VOCs	1/31/2012	3.1	U	ug/L	JB		2			
HW29	Benzene	VOCs	1/31/2012	0.5	U	ug/L	U		0.5		5	ug/L
HW29z	Benzene	VOCs	1/31/2012	0.5	U	ug/L	U		0.5		5	ug/L
HW29	Bromobenzene	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW29z	Bromobenzene	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW29	Bromoform	VOCs	1/31/2012	1	U	ug/L	U		1		80	ug/L

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW29z	Bromoform	VOCs	1/31/2012	1	U	ug/L	U		1		80	ug/L
HW29	Butylbenzene	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW29z	Butylbenzene	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW29	Butylbenzene, sec-	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW29z	Butylbenzene, sec-	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW29	Butylbenzene, tert-	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW29z	Butylbenzene, tert-	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW29	Carbon disulfide	VOCs	1/31/2012	0.4		ug/L	J		0.5			
HW29z	Carbon disulfide	VOCs	1/31/2012	0.1		ug/L	J		0.5			
HW29	Carbon Tetrachloride	VOCs	1/31/2012	0.5	U	ug/L	U		0.5		5	ug/L
HW29z	Carbon Tetrachloride	VOCs	1/31/2012	0.5	U	ug/L	U		0.5		5	ug/L
HW29	Chlorobenzene	VOCs	1/31/2012	0.5	U	ug/L	U		0.5		100	ug/L
HW29z	Chlorobenzene	VOCs	1/31/2012	0.5	U	ug/L	U		0.5		100	ug/L
HW29	Chlorobromomethane	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW29z	Chlorobromomethane	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW29	Chloroethane	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW29z	Chloroethane	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW29	Chloroform	VOCs	1/31/2012	0.5	U	ug/L	U		0.5		80	ug/L
HW29z	Chloroform	VOCs	1/31/2012	0.5	U	ug/L	U		0.5		80	ug/L
HW29	Chlorotoluene	VOCs	1/31/2012	0.5	U	ug/L	U		0.5		180	ug/L
HW29z	Chlorotoluene	VOCs	1/31/2012	0.5	U	ug/L	U		0.5		180	ug/L

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW29	Chlorotoluene-p	VOCs	1/31/2012	0.5	U	ug/L	U		0.5		190	ug/L
HW29z	Chlorotoluene-p	VOCs	1/31/2012	0.5	U	ug/L	U		0.5		190	ug/L
HW29	Cyclohexane	VOCs	1/31/2012	0.5	UJ	ug/L	U		0.5			
HW29z	Cyclohexane	VOCs	1/31/2012	0.5	UJ	ug/L	U		0.5			
HW29	DBCP	VOCs	1/31/2012	2	UJ	ug/L	U		2		0.032	ug/L
HW29z	DBCP	VOCs	1/31/2012	2	UJ	ug/L	U		2		0.032	ug/L
HW29	Dibromochloromethane	VOCs	1/31/2012	0.5	U	ug/L	U		0.5		80	ug/L
HW29z	Dibromochloromethane	VOCs	1/31/2012	0.5	U	ug/L	U		0.5		80	ug/L
HW29	Dibromoethane-1,2	VOCs	1/31/2012	0.5	U	ug/L	U		0.5		0.65	ug/L
HW29z	Dibromoethane-1,2	VOCs	1/31/2012	0.5	U	ug/L	U		0.5		0.65	ug/L
HW29	Dibromomethane	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW29z	Dibromomethane	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW29	Dichlorobenzene-1,2	VOCs	1/31/2012	0.5	U	ug/L	U		0.5		280	ug/L
HW29z	Dichlorobenzene-1,2	VOCs	1/31/2012	0.5	U	ug/L	U		0.5		280	ug/L
HW29	Dichlorobenzene-1,3	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW29z	Dichlorobenzene-1,3	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW29	Dichlorobenzene-1,4	VOCs	1/31/2012	0.5	U	ug/L	U		0.5		42	ug/L
HW29z	Dichlorobenzene-1,4	VOCs	1/31/2012	0.5	U	ug/L	U		0.5		42	ug/L
HW29	Dichlorobromomethane	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW29z	Dichlorobromomethane	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW29	Dichlorodifluoromethane	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW29z	Dichlorodifluoromethane	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW29	Dichloroethane-1,1	VOCs	1/31/2012	0.5	U	ug/L	U		0.5		240	ug/L
HW29z	Dichloroethane-1,1	VOCs	1/31/2012	0.5	U	ug/L	U		0.5		240	ug/L
HW29	Dichloroethane-1,2	VOCs	1/31/2012	0.5	U	ug/L	U		0.5		15	ugL
HW29z	Dichloroethane-1,2	VOCs	1/31/2012	0.5	U	ug/L	U		0.5		15	ugL
HW29	Dichloroethene-1,2 trans	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW29z	Dichloroethene-1,2 trans	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW29	Dichloroethylene-1,1	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW29z	Dichloroethylene-1,1	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW29	Dichloroethylene-1,2 cis	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW29z	Dichloroethylene-1,2 cis	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW29	Dichloropropane, 1,2-	VOCs	1/31/2012	0.5	U	ug/L	U		0.5		38	ug/L
HW29z	Dichloropropane, 1,2-	VOCs	1/31/2012	0.5	U	ug/L	U		0.5		38	ug/L
HW29	Dichloropropane, 1,3-	VOCs	1/31/2012	0.5	U	ug/L	U		0.5		290	ug/L
HW29z	Dichloropropane, 1,3-	VOCs	1/31/2012	0.5	U	ug/L	U		0.5		290	ug/L
HW29	Dichloropropane, 2,2-	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW29z	Dichloropropane, 2,2-	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW29	Dichloropropene, 1,1-	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW29z	Dichloropropene, 1,1-	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW29	Dichloropropene, 1,3 cis-	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW29z	Dichloropropene, 1,3 cis-	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW29	Dichloropropene, 1,3 trans-	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW29z	Dichloropropene, 1,3 trans-	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW29	Ethylbenzene	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW29z	Ethylbenzene	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW29	Freon 113	VOCs	1/31/2012	0.5	UJ	ug/L	U		0.5			
HW29z	Freon 113	VOCs	1/31/2012	0.5	UJ	ug/L	U		0.5			
HW29	Hexanone, 2-	VOCs	1/31/2012	2	U	ug/L	U		2		34	ug/L
HW29z	Hexanone, 2-	VOCs	1/31/2012	2	U	ug/L	U		2		34	ug/L
HW29	Isopropylbenzene	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW29z	Isopropylbenzene	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW29	Isopropylbenzene-4,methyl-1	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW29z	Isopropylbenzene-4,methyl-1	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW29	m,p-Xylene	VOCs	1/31/2012	0.1		ug/L	JB		1			
HW29z	m,p-Xylene	VOCs	1/31/2012	0.1		ug/L	JB		1			
HW29	Methyl acetate	VOCs	1/31/2012	1	UJ	ug/L	U		1			
HW29z	Methyl acetate	VOCs	1/31/2012	1	UJ	ug/L	U		1			
HW29	Methyl bromide	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW29z	Methyl bromide	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW29	Methyl chloride	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW29z	Methyl chloride	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW29	Methyl cyclohexane	VOCs	1/31/2012	0.5	UJ	ug/L	U		0.5			

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW29z	Methyl cyclohexane	VOCs	1/31/2012	0.5	UJ	ug/L	U		0.5			
HW29	Methyl ethyl ketone	VOCs	1/31/2012	2	U	ug/L	U		2		4900	ug/L
HW29z	Methyl ethyl ketone	VOCs	1/31/2012	2	U	ug/L	U		2		4900	ug/L
HW29	Methyl tertiary butyl ether (MTBE)	VOCs	1/31/2012	0.5	UJ	ug/L	U		0.5			
HW29z	Methyl tertiary butyl ether (MTBE)	VOCs	1/31/2012	0.5	UJ	ug/L	U		0.5			
HW29	Methylene chloride	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW29z	Methylene chloride	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW29	Propylbenzene-n	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW29z	Propylbenzene-n	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW29	Styrene	VOCs	1/31/2012	1	U	ug/L	U		1			
HW29z	Styrene	VOCs	1/31/2012	1	U	ug/L	U		1			
HW29	Tetrachloroethane, 1,1,1,2-	VOCs	1/31/2012	0.5	U	ug/L	U		0.5		50	ug/L
HW29z	Tetrachloroethane, 1,1,1,2-	VOCs	1/31/2012	0.5	U	ug/L	U		0.5		50	ug/L
HW29	Tetrachloroethane, 1,1,2,2-	VOCs	1/31/2012	0.5	U	ug/L	U		0.5		6.6	ug/L
HW29z	Tetrachloroethane, 1,1,2,2-	VOCs	1/31/2012	0.5	U	ug/L	U		0.5		6.6	ug/L
HW29	Tetrachloroethylene	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW29z	Tetrachloroethylene	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW29	Toluene	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW29z	Toluene	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW29	Trichlorobenzene-1,2,3	VOCs	1/31/2012	0.5	U	ug/L	U		0.5		5.2	ug/L

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW29z	Trichlorobenzene-1,2,3	VOCs	1/31/2012	0.5	U	ug/L	U		0.5		5.2	ug/L
HW29	Trichlorobenzene-1,2,4	VOCs	1/31/2012	0.5	U	ug/L	U		0.5		5.2	ug/L
HW29z	Trichlorobenzene-1,2,4	VOCs	1/31/2012	0.5	U	ug/L	U		0.5		5.2	ug/L
HW29	Trichloroethane-1,1,1	VOCs	1/31/2012	0.5	U	ug/L	U		0.5		7500	ug/L
HW29z	Trichloroethane-1,1,1	VOCs	1/31/2012	0.5	U	ug/L	U		0.5		7500	ug/L
HW29	Trichloroethane-1,1,2	VOCs	1/31/2012	0.5	U	ug/L	U		0.5		0.41	ug/L
HW29z	Trichloroethane-1,1,2	VOCs	1/31/2012	0.5	U	ug/L	U		0.5		0.41	ug/L
HW29	Trichloroethylene	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW29z	Trichloroethylene	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW29	Trichlorofluoromethane	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW29z	Trichlorofluoromethane	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW29	Trichloropropane-1,2,3	VOCs	1/31/2012	0.5	U	ug/L	U		0.5		0.065	ug/L
HW29z	Trichloropropane-1,2,3	VOCs	1/31/2012	0.5	U	ug/L	U		0.5		0.065	ug/L
HW29	Trimethylbenzene-1,2,4	VOCs	1/31/2012	0.5	U	ug/L	U		0.5		15	ug/L
HW29z	Trimethylbenzene-1,2,4	VOCs	1/31/2012	0.5	U	ug/L	U		0.5		15	ug/L
HW29	Trimethylbenzene-1,3,5	VOCs	1/31/2012	0.5	U	ug/L	U		0.5		87	ug/L
HW29z	Trimethylbenzene-1,3,5	VOCs	1/31/2012	0.5	U	ug/L	U		0.5		87	ug/L
HW29	Vinyl acetate	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW29z	Vinyl acetate	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW29	Vinyl chloride	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			
HW29z	Vinyl chloride	VOCs	1/31/2012	0.5	U	ug/L	U		0.5			

Sample Number	Analyte	Analysis	Sample Date	Result		Result Units	Lab Qualifier	MDL	QL	RL	Trigger Level	Trigger Level
HW29	Xylene-o	VOCs	1/31/2012	1	U	ug/L	U		1			
HW29z	Xylene-o	VOCs	1/31/2012	1	U	ug/L	U		1			
HW29	Nitrogen, Nitrite + Nitrate	Wet Chem	1/31/2012	0.05	U	mg/L	U	0.001	0.05	0.001		
HW29z	Nitrogen, Nitrite + Nitrate	Wet Chem	1/31/2012	0.05	U	mg/L	U	0.001	0.05	0.001		
HW29	Total Nitrogen	Wet Chem	1/31/2012	1	U	mg/L	U	0.2	1	0.2		
HW29z	Total Nitrogen	Wet Chem	1/31/2012	1	U	mg/L	U	0.2	1	0.2		
HW29	Total Phosphorus as P	Wet Chem	1/31/2012	0.05	U	mg/L	U		0.05			
HW29z	Total Phosphorus as P	Wet Chem	1/31/2012	0.05	U	mg/L	U		0.05			